
**STATUS REPORT FOR
STAGE 1 ABATEMENT AT THE
COPPER FLAT MINE SITE
NEAR HILLSBORO, NEW MEXICO**

prepared by

JOHN SHOMAKER & ASSOCIATES, INC.
Water-Resource and Environmental Consultants
2611 Broadbent Parkway NE
Albuquerque, New Mexico 87107
505-345-3407
www.shomaker.com

prepared for

New Mexico Copper Corporation
a wholly owned subsidiary of **THEMAC Resources Group, Ltd.**
2424 Louisiana Blvd NE, Suite 301
Albuquerque, New Mexico 87110

June 27, 2013



**RANCHES
EXHIBIT
37**

**STATUS REPORT FOR
STAGE 1 ABATEMENT AT THE
COPPER FLAT MINE SITE
NEAR HILLSBORO, NEW MEXICO**

prepared by

JOHN SHOMAKER & ASSOCIATES, INC.
Water-Resource and Environmental Consultants
2611 Broadbent Parkway NE
Albuquerque, New Mexico 87107
505-345-3407
www.shomaker.com

prepared for

New Mexico Copper Corporation
a wholly owned subsidiary of THEMAC Resources Group, Ltd.
2424 Louisiana Blvd NE, Suite 301
Albuquerque, New Mexico 87110

June 27, 2013



CONTENTS

	page
1.0 BACKGROUND	1
1.1 Purpose.....	1
2.0 DATA COLLECTION METHODS	3
2.1 Water-Level Elevation Measurements.....	3
2.2 Well Purging	3
2.3 Field Parameters.....	3
2.4 Laboratory Analyses	3
3.0 RESULTS	9
3.1 Hydrogeologic Investigation.....	9
3.1.1 Waste Rock and Mill Site Area	9
3.1.2 Tailings Storage Facility (TSF) Area.....	9
3.2 Water-Level Elevation	10
3.2.1 Pit Capture Zone	10
3.2.2 Waste Rock and Mill Site Area	10
3.2.3 Tailings Storage Facility (TSF)	11
3.3 Water Quality.....	11
3.3.1 Pit Area	11
3.3.2 Waste Rock and Mill Site Area	13
3.3.3 Tailings Storage Facility (TSF)	15
4.0 DISCUSSION	15
4.1 Pit Area	15
4.2 Waste Rock and Mill Site Area	16
4.3 TSF Area.....	16
5.0 REFERENCES	17

TABLES

	page
Table 1. Summary of wells and well data for the Stage 1 Abatement Plan monitoring, Copper Flat Mine, Sierra County, New Mexico	2
Table 2. Summary of 1st Quarter field data and sample collection methods	4
Table 3. Summary of 2nd Quarter field data and sample collection methods	6
Table 4. Summary of Copper Flat Mine Stage 1 Abatement Plan constituent lists for lab analysis.....	8
Table 5. Summary of 1st and 2nd Quarter water-quality data for pit area	12
Table 6. Summary of 1st and 2nd Quarter water-quality data for monitoring points in the waste rock/mill site and TSF areas	14

ILLUSTRATIONS

(follow text)

- Figure 1. Aerial photograph showing locations of facilities associated with the former Copper Flat Mine operated by Quintana Minerals, Sierra County, New Mexico.
- Figure 2. Topographic map showing locations of Stage 1 Abatement monitoring points, Copper Flat Mine, Sierra County, New Mexico.
- Figure 3. Geologic map of Stage 1 Abatement Plan area, Copper Flat Mine, Sierra County, New Mexico.
- Figure 4. West to east hydrogeologic cross-section through the waste rock and mill site area, Copper Flat Mine, Sierra County, New Mexico.
- Figure 5. Water-level elevation contour map for Stage 1 Abatement Plan, 2nd Quarter 2013, Copper Flat Mine, Sierra County, New Mexico.
- Figure 6. Time-series graph of selected water-quality data for the pit water body, Copper Flat Mine, Sierra County, New Mexico.
- Figure 7. Time-series graph of sulfate concentrations in SWQ-1, SWQ-2, SWQ-3, and monitoring wells GWQ-1, GWQ-3, and GWQ-8 located in Grayback Arroyo below waste rock and mill site area, Copper Flat Mine, Sierra County, New Mexico.
- Figure 8. Time-series graph of total dissolved solids (TDS) concentrations in NP-3, GWQ94-13, and GWQ94-16, located downgradient of tailings storage facility (TSF), Copper Flat Mine, Sierra County, New Mexico.
- Figure 9. Map showing Stage 1 Abatement Plan monitoring points and lateral extent of 2nd Quarter 2013 TDS plumes, Copper Flat Mine, Sierra County, New Mexico.
- Figure 10. Map showing Stage 1 Abatement Plan monitoring points and lateral extent of 2nd Quarter 2013 sulfate plumes, Copper Flat Mine, Sierra County, New Mexico.
- Figure 11. Graph of cumulative water pumped versus time for GWQ-7 and GWQ-9, Copper Flat Mine, Sierra County, New Mexico.

APPENDICES

Appendix A. Well completion diagrams

Appendix B. Laboratory reports

Appendix C. Hydrographs (pit, pit area wells, waste rock/mill site area wells, and TSF wells)

**STATUS REPORT FOR STAGE 1 ABATEMENT
AT THE COPPER FLAT MINE SITE
NEAR HILLSBORO, NEW MEXICO**

New Mexico Copper Corporation (NMCC) contracted John Shomaker & Associates, Inc. (JSAI) to implement the approved Stage 1 Abatement Plan (Plan) for the Copper Flat Mine (as amended by JSAI, 2011). The Plan calls for four quarters of monitoring and investigation of the Copper Flat Mine facilities created by the Quintana Minerals operations in 1982. The facilities include 1) open pit area, 2) waste rock and mill site area, and 3) tailings storage facility (TSF) area (Fig. 1). This status report presents the initial results of the first two quarters of monitoring and investigation.

1.0 BACKGROUND

The Stage 1 Abatement monitoring plan can be referenced from JSAI (2011). Modifications were made to the monitoring plan after the first quarter revealed several shallow wells below the TSF were dry. Additional monitoring wells were added to the monitoring program so the extent of the TSF sulfate plume could be better defined. Details on the monitoring program modifications can be referenced from (THEMAC, 2013). The current Stage 1 monitoring points can be referenced from Table 1, and locations are shown on Figures 1 and 2.

1.1 Purpose

The first task of the Stage 1 Abatement Plan is to define the extent and nature of contamination associated with the Copper Flat Mine facilities shown on Figure 1. As described in NMAC 20.6.2.4106.C, “the purpose of Stage 1 of the abatement plan shall be to design and conduct a site investigation that will adequately define site conditions, and provide the data necessary to select and design an effective abatement option.”

Table 1. Summary of wells and well data for the Stage 1 Abatement Plan monitoring, Copper Flat Mine, Sierra County, New Mexico

well name	well type	facility area	year drilled	casing diameter (inches)	total depth (ft bgl)	screen interval (ft bgl)	measuring-point elevation (ft amsl)	geologic unit	depth to water measurement date	depth to water (ft bmp)	water-level elevation (ft amsl)
GWQ96-22A	monitoring	pit	1996	2	244	174 to 244	5,596.17	andesite	4/8/2013	55.45	5,540.72
GWQ96-22B	monitoring	pit	1996	2	380	340 to 380	5,595.95	andesite	4/8/2013	55.28	5,540.67
GWQ96-23A	monitoring	pit	1996	2	101	50 to 100	5,489.84	quartz monzonite	4/8/2013	41.09	5,448.75
GWQ96-23B	monitoring	pit	1996	2	251	150 to 250	5,489.70	quartz monzonite	4/8/2013	41.37	5,448.33
GWQ11-24A	monitoring	pit	2011	2	90	60 to 90	5,517.37	quartz monzonite	4/8/2013	58.44	5,458.93
GWQ11-24B	monitoring	pit	2011	2	250	230 to 250	5,517.26	quartz monzonite	4/8/2013	61.44	5,455.82
GWQ11-25A	monitoring	pit	2011	2	100	70 to 100	5,533.60	quartz monzonite	4/8/2013	73.25	5,460.35
GWQ11-25B	monitoring	pit	2011	2	242	222 to 242	5,533.41	quartz monzonite	4/8/2013	73.66	5,459.75
GWQ11-26	monitoring	pit	2011	4	43	23 to 43	5,539.75	alluvium	4/9/2013	41.42	5,498.33
pit	monitoring	pit	1982				5,430.00	quartz monzonite	4/8/2013	-8.60	5,438.60
GWQ-1	supply	waste rock and mill site	1972	14/12	391	100 to 391	5,195.59	Santa Fe Group	4/10/2013	7.46	5,188.13
GWQ-3	supply	waste rock and mill site	1932	40 x 43	33	10 to 33	5,252.60	alluvium/andesite	4/11/2013	24.55	5,228.05
GWQ-5R	monitoring	waste rock and mill site	2011	4	120	80 to 120	5,412.80	andesite	4/9/2013	48.25	5,364.55
GWQ-8	supply	waste rock and mill site	1931	8	148	81 to 148	5,216.94	Santa Fe Group	4/9/2013	27.53	5,189.41
GWQ-11	monitoring	tailings storage facility (TSF)	1981	3	70	na	5,196.44	alluvium/Santa Fe Group	4/10/2013	21.38	5,175.06
GWQ-12	monitoring	tailings storage facility (TSF)	1981	3	137	na	5,237.28	Santa Fe Group	4/10/2013	82.75	5,154.53
GWQ94-13	monitoring	tailings storage facility (TSF)	1994	5	106	74 to 104.5	5,200.47	Santa Fe Group	4/10/2013	16.22	5,184.25
GWQ94-14	monitoring	tailings storage facility (TSF)	1994	5	159	127.5 to 157.5	5,192.69	Santa Fe Group	4/10/2013	9.6	5,183.09
GWQ94-16	monitoring	tailings storage facility (TSF)	1994	5	46	25 to 45	5,197.41	alluvium	4/10/2013	22.62	5,174.79
GWQ94-18	monitoring	tailings storage facility (TSF)	1994	4	51	10 to 50	5,194.83	alluvium	4/10/2013	dry	<5,143.83
GWQ94-19	monitoring	tailings storage facility (TSF)	1994	4	53	10 to 50	5,203.36	alluvium	4/10/2013	dry	<5,150.36
IW-1	monitoring	tailings storage facility (TSF)	1982	4	49	na	5,198.99	alluvium	4/10/2013	dry	<5,149.99
IW-2	monitoring	tailings storage facility (TSF)	1982	4	46	na	5,208.01	alluvium	4/10/2013	dry	<5,162.01
IW-3	monitoring	tailings storage facility (TSF)	1982	4	45	na	5,213.17	alluvium	4/10/2013	dry	<5,168.17
NP-2	monitoring	tailings storage facility (TSF)	1981	4	110	na	5,192.54	Santa Fe Group	4/10/2013	35.55	5,156.99
NP-3	monitoring	tailings storage facility (TSF)	1981	4	100	na	5,199.73	Santa Fe Group	4/10/2013	15.25	5,184.48
MW-4	supply	tailings storage facility (TSF)	1975	6	1,500	123 to 1,500	5,146.12	Santa Fe Group	12/8/2011	82.2	5,063.92

ft bgl - feet below ground level
 ft amsl - feet above mean sea level
 ft bmp - feet below measuring point
 na - not available

2.0 DATA COLLECTION METHODS

Stage 1 monitoring points are listed in Table 1. In addition to those listed in Table 1 are the pit wall seep, and storm-water sampling locations SWQ-1, SWQ-2, and SWQ-3 (Figs. 1 and 2). The pit wall seep and storm-water sampling locations have been dry for the 1st and 2nd Quarters 2013. Well completion diagrams for most of the monitoring wells listed in Table 1 can be referenced from Appendix A.

2.1 Water-Level Elevation Measurements

Water levels were measured with a calibrated wire-line sounder or steel tape prior to well purging and sampling. Measuring points were established and surveyed prior to Stage 1 water-level measurements; measuring point elevations are listed in Table 1.

2.2 Well Purging

Monitoring wells were purged using disposable bailers, or a redi-flo submersible pump. Purged volumes are listed in Tables 2 and 3. Several wells pumped dry after the first well volume, and under those conditions, the sample is collected after the well has recovered enough for collection of a sample. Wells GWQ-1, GWQ-3, and GWQ-8 were sampled using micropurging methods (low flow pumping from the top of the screen interval). Pit samples were collected by using a disposable bailer to collect a grab sample approximately 6 ft from shore line on the south end of the pit water surface.

2.3 Field Parameters

Field parameters included temperature, specific conductance, and pH. Instruments were calibrated prior to collection of measurements. Results from 1st and 2nd Quarter sampling can be referenced from Tables 2 and 3.

2.4 Laboratory Analyses

Based on the approved amended Stage 1 Abatement Plan, two constituent lists for laboratory analysis included 1) List A for the pit area, and 2) List B for the waste rock/mill site and TSF areas. A summary of the List A and List B constituents for laboratory analysis can be referenced from Table 4. Copies of laboratory reports are in Appendix B.

Table 2. Summary of 1st Quarter field data and sample collection methods

monitoring point	sample list	casing diameter (in.)	date sampled	temp. (°C)	pH	conductivity (µS/cm)	depth to water (ft)	volume purged (gal)	comments
pit area									
GWQ96-22A	A	2	1/9/2013	15.5	7.41	679	54.31	17	pumped off, micropurge sample in screen
GWQ96-22B	A	2	1/9/2013	19.1	6.85	1,038	53.96	6	pumped off, sampled w/ bailer after recovered
GWQ96-23A	A	2	1/11/2013	17.1	7.46	878	41.14	5	pumped off, sampled w/ bailer after recovered
GWQ96-23B	A	2	1/11/2013	16.2	7.16	737	41.16	13	pumped off, sampled w/ sample pump after recovered
GWQ11-24A	A	2	1/8/2013	18.0	4.08	2,807	57.62	20	
GWQ11-24B	A	2	1/9/2013	18.0	6.72	1,904	61.30	30	parameters stable-sampled after 1 well vol.
GWQ11-25A	A	2	1/9/2013	16.5	3.63	6,410	70.00	8	pumped off, sampled w/ bailer after recovered
GWQ11-25B	A	2	1/9/2013	19.8	6.28	2,390	72.06	84	
GWQ11-26	A	4	1/8/2013	17.4	6.81	735	41.30	8	
pit lake	A	na	1/9/2013	4.3	7.32	10,510	surface water	grab sample	
pit wall seep	A	na	1/9/2013						no seep observed

µS/cm - microSiemens per centimeter

Table 2. Summary of 1st Quarter field data and sample collection methods (concluded)

monitoring point	sample list	casing diameter (in.)	date sampled	temp. (°C)	pH	conductivity (µS/cm)	depth to water (ft)	volume purged (gal)	comments
waste rock and mill site area									
GWQ-1	B	12	1/10/2013	19.6	7.20	659	7.26	305	parameters stable-sampled after 1 well vol.
GWQ-3	B	40 x 43							no access 1/2013
GWQ-5R	B	4	1/10/2013	16.4	7.21	624	47.78	33	pumped off, sampled w/ sample pump after recovered
GWQ-8	B	8	1/10/2013	19.1	6.77	1,358	27.35	450	parameters stable-sampled after 1 well vol.
tailings storage facility (TSF) area									
GWQ94-13	B	5	1/10/2013	19.3	6.90	1,638	15.90	145	parameters stable, sampled after 1.5 wells vol.
GWQ94-14	B	5	1/11/2013	20.7	6.97	743	9.2	210	parameters stable-sampled after 2 well vol.
GWQ94-16	B	5	1/10/2013	18.6	7.59	1,477	22.57	27	purged 3 wells vol. and sampled
GWQ94-18	B	4					dry		dry 1/10/2013
GWQ94-19	B	4					dry		dry 1/10/2013
IW-1	B	4					dry		dry 1/10/2013
IW-2	B	4	1/10/2013	18.8	7.19	3,050	42.20		purged dry; still dry 1/11/2013
IW-3	B	4					dry		dry 1/10/2013
NP-3	B	4	1/10/2013	19.5	6.36	1,605	14.80	6	pumped off, sampled w/ sample pump after recovered
MW-4	B	6					NA		no access due to frozen 1/2013

µS/cm - microSiemens per centimeter

Table 3. Summary of 2nd Quarter field data and sample collection methods

monitoring point	sample list	casing diameter (in.)	date sampled	temp. (°C)	pH	conductivity (µS/cm)	depth to water (ft)	volume purged (gal)	comments
pit area									
GWQ96-22A	A	2	4/8/2013				55.45		water level only
GWQ96-22B	A	2	4/8/2013				55.28		water level only
GWQ96-23A	A	2	4/8/2013				41.09		water level only
GWQ96-23B	A	2	4/8/2013				41.37		water level only
GWQ11-24A	A	2	4/11/2013	18.6	4.48	3,662	61.44	14	bailed 3 vols., sampled, cloudy yellow color
GWQ11-24B	A	2	4/8/2013	20.1	6.18	2,470	58.44	30	parameters stable-sampled after 1 well vol. (very slow pumping)
GWQ11-25A	A	2	4/9/2013	14.4	3.30	10,120	73.25	22.5	purged 3 times, then sampled, water gray color, low pH
GWQ11-25B	A	2	4/8/2013	21.0	6.54	2,722	73.66	80	purged 3 volumes and sampled, water was clear
GWQ11-26	A	4	4/9/2013	18.5	7.05	891	41.42	5	purged 3 volumes, then sampled, water was clear
pit lake	A	na	4/8/2013	17.6	7.07	10,610	8.6	grab	surface sample from NW corner of ramp
pit wall seep	A	na	4/8/2013						no seep observed

µS/cm - microSiemens per centimeter

Table 3. Summary of 2nd Quarter field data and sample collection methods (concluded)

monitoring points	sample list	casing diameter (in.)	date sampled	temp. (°C)	pH	conductivity (µS/cm)	depth to water (ft)	volume purged (gal)	comments
waste rock and mill site									
GWQ-1	B	12	4/10/2013	20.0	7.33	723	7.46	350	pump set middle of screen, micropurged and sampled ~1 vol.
GWQ-3	B	40 x 43	4/11/2013	17.5	7.50	2,782	24.55	957	sampled after parameters stable and 1.5 well volumes
GWQ-5R	B	4	4/9/2013	19.0	7.12	771	48.25	30	sampled after parameters stable and 1 well volume
GWQ-8	B	8	4/9/2013	19.6	7.16	1,564	27.53	575	parameters stable-sampled after 1.5 well volumes
tailings storage facility (TSF) area									
GWQ-11	B	3	4/10/2013	19.8	6.73	1,351	21.38	57	purged 3 vol. & sampled; water clear
GWQ-12	B	3	4/10/2013	20.1	7.19	553	82.75	55	purged 3 vol. & sampled; water clear
GWQ94-13	B	5	4/10/2013	19.4	7.16	1,711	16.22	310	purged 3 vol. & sampled; water clear
GWQ94-14	B	5	4/10/2013	19.7	7.21	721	9.60	300	purged 3 vol. & sampled; water clear
GWQ94-16	B	4	4/10/2013	19.0	7.36	1,576	22.62	45	purged 3 vol. & sampled; water clear
GWQ94-18	B	4					dry		dry 4/10/2013
GWQ94-19	B	4					dry		dry 4/10/2013
IW-1	B	4					dry		dry 4/10/2013
IW-2	B	4					dry		dry 4/10/2013
IW-3	B	4					dry		dry 4/10/2013
NP-2	B	2	4/10/2013	19.1	7.38	1,364	35.55	30	bailed 3 volumes and sampled; cloudy to reddish-brown
NP-3	B	2	4/10/2013	18.9	6.95	2,134	15.25	7.5	pumped off, sampled w/ bailer after it recovered
MW-4	B	6	4/12/2013	19.4	8.29	427		approx. 30	stock well; sampled from tank after approx. 30 gallons pumped

µS/cm - microSiemens per centimeter

Table 4. Summary of Copper Flat Mine Stage 1 Abatement Plan constituent lists for lab analysis

List A*	List B**
pit area	waste rock/mill site and tailings storage facility (TSF) areas
aluminum	total dissolved solids (TDS)
cadmium	sulfate
cobalt	chloride
copper	alkalinity
manganese	calcium
selenium	magnesium
zinc	sodium
calcium	potassium
magnesium	
sodium	
potassium	
alkalinity	
total acidity	
chloride	
fluoride	
sulfate	
total dissolved solids (TDS)	

* List A metals are for dissolved metals (filtered)
 ** List B metals are for total metals (NOT filtered)

3.0 RESULTS

The results focus on the three areas of primary concern: 1) pit area, 2) Grayback Arroyo downgradient of the waste rock and mill site area, and 3) TDS and sulfate plume observed below the TSF.

3.1 Hydrogeologic Investigation

One task described in the amended Stage 1 Abatement Plan was to use data collected from the proposed monitoring plan to refine the hydrogeologic conceptual model for each facility. Rate of potential transport will be addressed in the refined conceptual model. The first two quarters of data collection and investigation have focused on hydrogeologic conditions along Grayback Arroyo downgradient of the waste rock and mill site area and the barrier boundary fault east of the TSF. A revised geologic map of the area of investigation is presented as Figure 3, and a hydrogeologic cross-section along Grayback Arroyo downgradient of the waste rock and mill site area is presented as Figure 4.

3.1.1 Waste Rock and Mill Site Area

Geologic mapping and well drilling data were used to construct the hydrogeologic cross-section downgradient of the waste rock and mill site area along Grayback Arroyo (Fig. 4). Between the waste rock/mill site area and GWQ-3, groundwater from the low-permeability andesite discharges to the alluvium along Grayback Arroyo. From a point upstream of GWQ-3, storm water in Grayback Arroyo recharges the alluvium, and, downstream of GWQ-3, storm water recharges the alluvium and the underlying Santa Fe Group sediments.

3.1.2 Tailings Storage Facility (TSF) Area

The south to north trending fault east of the TSF (Fig. 3) is referred to as part of the East Animas Fault Trend that forms the boundary between Animas Uplift and Palomas Basin. The fault is downthrown on the east side. The East Animas Fault Trend is either composed of several parallel faults or one fault mapped in slightly different longitude by Seager et al. (1982), Harrison et al. (1993), Beaumont (2012), and Hawley (2012).

The fault mapped by Beaumont (2012) is a barrier boundary to groundwater flow and is supported by hydraulic response in monitoring wells east of the TSF and groundwater flow model calibration (THEMAC, 2013). The barrier boundary fault must be located directly east of the monitoring points below the TSF for the hydraulic response from hydraulic loading behind the dam to be observed at the monitoring points.

3.2 Water-Level Elevation

The 2nd Quarter water-level data were used to develop a groundwater elevation contour map (Fig. 5). The groundwater elevation contours are also based on regional contouring presented in the Baseline Data Report (INTERA, 2012).

3.2.1 Pit Capture Zone

Groundwater elevation data from wells in the pit area show the pit is a hydraulic sink. The pit capture zone encompasses the pit excavation area, including wells GWQ11-24 and GWQ11-25. A hydrograph for the pit is presented in Appendix C as Figure C1. The pit hydrograph consists of water levels collected from historical documents, Baseline Data Report, and Stage 1 Abatement; all data points were referenced to NMCC 2011 land surface survey. The pit filled to its maximum height in the late 1980s as a result of the corresponding period of elevated precipitation and storm-water runoff. Between 1990 and 2010, the pit level dropped 14 ft, and in the last 2 years the pit level has dropped 5.8 ft.

3.2.2 Waste Rock and Mill Site Area

In the vicinity of GWQ-5R, the groundwater elevation in the andesite is slightly higher than the bottom elevation of the alluvium in Grayback Arroyo, and the alluvium is gaining groundwater from the andesite (Fig. 5). The hydraulic gradient flattens downgradient of GWQ-3 where the alluvium recharges the underlying Santa Fe Group sediments. The direction of groundwater flow is west to east, but preferentially along Grayback Arroyo where the alluvium acts as a hydraulic drain (Fig. 5). Downgradient of GWQ-1 the hydraulic gradient steepens as a result of the barrier boundary effect of the East Animas Fault Trend mapped by Beaumont (2012). Based on the revised conceptual model for the area downgradient of the waste rock pile, discharges from the mill site area would follow Grayback Arroyo.

3.2.3 Tailings Storage Facility (TSF)

In the TSF vicinity, regional groundwater flow is from west to east, but the changes in the hydraulic gradient are controlled by the low permeability andesite, higher permeability Santa Fe Group sediments, and the East Animas Fault Trend barrier boundary (Fig. 5). Monitoring wells in the alluvial channel running east to west through the TSF (GWQ94-18, GWQ94-19, IW-1, IW-2, and IW-3), have been dry during the 1st and 2nd Quarter Stage 1 sampling events (Tables 2 and 3). This alluvial channel is also referred to as Hunkidori Gulch (Fig. 5).

3.3 Water Quality

The analyses of water-quality data include historical data and data collected during the 1st and 2nd Quarter Stage 1 sampling events. Drought conditions have prevented the collection of storm-water runoff samples from SWQ-1, SWQ-2, and SWQ-3. Auto samplers at these locations are currently in place and ready for sample collection when a storm-water event occurs. Plumbing associated with MW-4 (stock well) was frozen during the 1st Quarter sampling event and prevented sample collection. U.S. Bureau of Land Management (BLM) access to GWQ-3 was not granted until the 2nd Quarter sampling event: therefore no sample was obtained during the 1st Quarter.

A few minor laboratory issues occurred during 1st and 2nd Quarter sampling events, and have since been resolved. During 1st Quarter, the lab analyzed all of the samples for List A (except manganese), and the analysis for acidity was not performed on samples with no alkalinity.

3.3.1 Pit Area

A summary of 1st and 2nd Quarter water-quality data for the pit area monitoring points can be referenced from Table 5. Copies of lab reports are provided in Appendix B. Monitoring wells GWQ11-26 and GWQ96-22(A, B) represent upgradient water-quality conditions. Monitoring wells GWQ96-22(A, B) and GWQ96-23(A, B) are completed in the andesite rocks, which exhibit low TDS and sulfate, but relatively high alkalinity (Table 5).

As discussed in the Stage 1 Abatement Plan amendment (JSAI, 2011), the pit chemistry is influenced by the effects of evapo-concentration. Sulfate salts are precipitating along the edge of the pit water surface, but, under neutral pH conditions, concentrations of sulfate continue to increase along with chloride, sodium, and magnesium. Time-series pit water-quality data are presented as Figure 6.

Table 5. Summary of 1st and 2nd Quarter water-quality data for pit area

sample ID	date	pH	total dissolved solids (TDS)	total alkalinity	bicarbonate	carbonate	sulfate	chloride	fluoride	calcium	magnesium	sodium	potassium	aluminum	cadmium	cobalt	copper	manganese	selenium	zinc
		standard units	mg/L	mg/L as CaCO3	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
NMWQCC standard*		6 to 9	1,000				600	250	1.6					5.00	0.01	0.05	1.0	0.2	0.05	10
pit wall seepage	8/19/2010	2.00	13,900	<20	<20	<2	11,000	21	51.00	470	190	<50	<50	540.00	0.140	1.500	80.000	24.00	0.086	12.00
pit	1/9/2013	7.73	11,100	112	112	< 2	6,800	577	18.70	500	958	1,170	44.400	0.08	0.037	0.086	0.059		0.008	0.78
pit	4/12/2013	7.07	11,700	122	122	<2	6,750	670	22.10	494	929	1,320	49.1	0.11	0.039	0.069	0.058	31.90	0.013	0.86
pit lake 1A**	4/12/2013	7.07	10,500	123	123	<2	7,130	599	20.40	453	859	1,230	40.2	0.11	0.039	0.070	0.061	33.10	0.015	0.88
GWQ96-22A	1/9/2013	7.85	521	301	301	< 2	39	61	3.07	41	3	147	2.34	0.02	< 0.002	< 0.006	< 0.001		< 0.001	< 0.01
GWQ96-22B	1/9/2013	7.52	722	477	477	< 2	6	101	3.32	70	6	193	3.66	0.04	< 0.002	< 0.006	0.003		< 0.001	0.05
GWQ96-23A	1/11/2013	8.07	693	627	627	< 2	6	12	2.00	129	38	71	1.37	0.03	< 0.002	< 0.006	0.001		< 0.001	< 0.01
GWQ96-23B	1/11/2013	8.03	571	502	502	< 2	< 5.0	15	2.05	77	21	98	1.57	< 0.02	< 0.002	< 0.006	< 0.001		< 0.001	0.01
GWQ11-24A	1/8/2013	4.53	4,180	< 20	< 20	< 2	2,550	30	17.40	464	108	129	6.98	38.00	0.181	0.256	104.000		0.029	5.72
GWQ11-24A	4/12/2013	4.48	4,320	< 20	< 20	< 2	2,730	30	22.90	468	110	126	<10	46.00	0.206	0.290	126.000	11.40	0.035	6.32
GWQ11-24B	1/9/2013	7.07	2,280	219	219	< 2	1,280	27	3.39	417	76	96	6.23	< 0.02	< 0.002	0.011	< 0.001		< 0.001	0.05
GWQ11-24B	4/12/2013	6.18	2,440	189	189	< 2	1,510	28	3.99	469	78	91	5.81	< 0.02	< 0.002	0.019	< 0.006	3.54	< 0.005	0.23
GWQ11-25A	1/9/2013	3.98	11,300	< 20	< 20	< 2	7,900	21	124.00	419	149	647	< 100	414.00	0.385	1.720	12.600		0.087	14.90
GWQ11-25A	4/12/2013	3.30	23,800	< 20	< 20	< 2	17,400	11	324.00	556	<500	<500	<500	1,730.00	0.656	3.910	63.900	77.50	< 0.500	42.10
GWQ11-25B	1/9/2013	6.94	2,540	343	343	< 2	1,400	27	8.03	493	76	139	3.9	0.34	< 0.002	< 0.006	0.002		0.002	0.02
GWQ11-25B	4/12/2013	6.54	2,530	339	339	< 3	1,470	27	8.10	465	81	128	4.35	0.38	< 0.002	< 0.006	< 0.006	3.30	0.002	0.02
GWQ11-26	1/8/2013	7.76	654	361	361	< 2	97	14	< 1.00	96	22	72	1.34	0.03	< 0.002	< 0.006	0.003		0.001	< 0.01
GWQ11-26	4/12/2013	7.05	582	354	354	< 2	98	16	0.39	93	23	68	1.73	< 0.02	< 0.002	< 0.006	< 0.006	0.02	0.002	< 0.01

* may not apply to pit and pit capture area
 ** conformation sample

NMWQCC – New Mexico Water Quality Control Commission
 mg/L – milligrams per liter

Monitoring wells GWQ11-24(A, B) and GWQ11-25(A, B) are completed in the mineralized ore-bearing quartz monzonite rocks surrounding the pit (Fig. 3). Water-quality data from the A piezometers are significantly different than the data from the deeper B piezometers (Table 5). Furthermore, water quality from GWQ11-25(A) is completely different than all other samples from the pit area, but somewhat similar to the pit wall seepage (Table 5). GWQ11-25(A) is completed in a localized zone of sulfide mineralization (see completion diagram in Appendix A), and it is suspected that air-lift development in the low-yielding formation caused oxidation of the sulfide mass in the borehole surrounding the screen interval. The other theory considered is localized infiltration of oxygenated meteoric water into sulfide-bearing fractures on the bench that are connected to the shallow piezometer. The second theory requires vertical fractures or interconnected fractures. The A piezometer purged dry after one well volume indicating low horizontal hydraulic conductivity, so vertical infiltration appears plausible. GWQ11-24(B) and GWQ11-25(B) were also developed using air-lift methods, but adequate submergence, better hydraulic conductivity, and low sulfide content in the borehole adjacent to the screen interval possibly prevented adverse water-quality effects.

Poor quality groundwater observed in GWQ11-24(A) and GWQ11-25(A) is most likely localized to the area around the wells or shallow fracture, and not a plume of acidic groundwater. All other pit area monitoring points yield neutral pH groundwater with healthy concentrations of alkalinity. Current sampling shows low pH water is located to the upper piezometers at GWQ11-24 and GWQ11-25. At these locations the formation has low horizontal hydraulic conductivity and the wells are within the hydraulic sink created by the pit. This area will be mined out and dewatered if the proposed mine plan proceeds.

3.3.2 Waste Rock and Mill Site Area

A summary of 1st and 2nd Quarter water-quality data for the waste rock and mill site area monitoring points can be referenced from Table 6. Copies of lab reports are provided in Appendix B. Monitoring well GWQ-5R represents upgradient groundwater quality conditions in the andesite rocks. Monitoring well GWQ-5R exhibits low TDS and sulfate, but relatively high alkalinity (Table 6).

Results from GWQ-1, GWQ-3, and GWQ-8 provide evidence that a sulfate-TDS plume exists in the alluvium and Santa Fe Group sediments below the waste rock and mill site area along Grayback Arroyo (Table 6). Time-series sulfate concentrations for these three wells and historical data from SWQ-1 through -3 are shown on Figure 7. The source of the sulfate-TDS plume is likely leachate from the waste rock and mill site area (Fig. 1) that has comingled with storm-water runoff and infiltrated in the alluvium along Grayback Arroyo (Figs. 3, 4, and 7).

Table 6. Summary of 1st and 2nd Quarter water-quality data for monitoring points in the waste rock/mill site and TSF areas

sample location	analysis date	pH	total dissolved solids (TDS)	total alkalinity	bicarbonate	carbonate	sulfate	chloride	fluoride	calcium	magnesium	sodium	potassium	aluminum	cadmium	cobalt	copper	selenium	zinc
		standard units	mg/L	mg/L as CaCO ₃	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
NMWQCC standard		6 to 9	1,000				600	250	1.6					5.0	0.01	0.05	1.0	0.05	10.0
waste rock and mill site area																			
GWQ-1	1/10/2013	7.87	487	164	164	< 2	152	38	0.38	63.2	17.7	65.1	2.11	< 0.02	< 0.002	< 0.006	< 0.001	< 0.001	< 0.01
GWQ-1	4/12/2013		465	195	195	< 2	120	30		57.0	13.5	60.0	2.00						
GWQ-3	4/12/2013	7.50	3,060	188	188	< 2.0	1,750	75		477.0	111.0	253.0	3.99						
GWQ-5R	1/10/2013	7.79	504	293	293	< 2	97	17	1.25	96.9	22.7	34.0	5.15	< 0.02	< 0.002	< 0.006	< 0.001	< 0.001	0.01
GWQ-5R	4/12/2013	7.12	500	285	285	< 2	101	17		87.1	20.3	30.6	4.63						
GWQ-8	1/10/2013	7.60	1,200	213	213	< 2	498	89	< 0.50	202.0	33.8	107.0	2.43	< 0.02	< 0.002	< 0.006	< 0.001	0.002	0.01
GWQ-8	4/12/2013	7.16	1,190	214	214	< 2.0	447	85		214.0	35.6	113.0	2.73						
tailings storage facility (TSF) area																			
GWQ-11	4/12/2013	6.73	952	163	163	< 2	359	142		155.0	43.0	68.6	3.34						
GWQ-12	4/12/2013	7.19	360	179	179	< 2	47	27		50.0	16.1	26.9	2.66						
GWQ94-13	1/10/2013	7.63	1,460	126	126	< 2	543	184	< 0.50	246.0	49.9	106.0	3.22	< 0.02	< 0.002	< 0.006	< 0.001	0.017	< 0.01
GWQ94-13	4/10/2013	7.16	1,410	124	124	< 2	517	177		231.0	44.2	90.7	2.73						
GWQ94-14	1/11/2013	7.78	583	218	218	< 2	140	44	0.42	90.2	24.5	45.8	1.62	< 0.02	< 0.002	< 0.006	< 0.001	0.003	< 0.01
GWQ94-14	4/10/2013	7.36	553	213	213	< 2	141	44		94.8	25.8	48.7	1.71						
GWQ94-16	1/10/2013	7.76	1,170	173	173	< 2	407	192	0.59	188.0	47.7	75.7	3.33	0.04	< 0.002	< 0.006	< 0.001	0.002	< 0.01
GWQ94-16	4/12/2013		1,070	171	171	< 2	421	191		281.0	50.7	65.0	4.78						
NP-2	4/12/2013	7.38	872	167	167	< 2	299	170		147.0	40.7	68.9	4.24						
NP-3	1/10/2013	7.24	1,390	54.2	54.2	< 2	557	190	< 0.10	218.0	49.5	107.0	3.23	< 0.02	< 0.002	< 0.006	0.001	0.006	1.85
NP-3	4/12/2013	6.95	1,340	71.4	71.4		561	191		219.0	47.5	97.9	3.41						
MW-4	4/12/2013	8.29	267	87	87	< 2.0	92	21		23.2	7.3	48.1	2.27						

NMWQCC – New Mexico Water Quality Control Commission
 mg/L - milligrams per liter

The downgradient extent of the sulfate-TDS plume occurs between GWQ-8 and GWQ-1 (Table 6). Groundwater samples from monitoring wells in Grayback Arroyo have neutral pH, alkalinity, and low to non-detectable metal concentrations. TDS is slightly elevated in GWQ-1 and GWQ-8, but sulfate concentrations are below NMWQCC standard of 600 mg/L. Only one sample has been collected from GWQ-3, and additional samples from GWQ-3 are needed to confirm the elevated TDS and sulfate.

3.3.3 Tailings Storage Facility (TSF)

A summary of 1st and 2nd Quarter water-quality data for the TSF area monitoring points can be referenced from Table 6. Copies of lab reports are provided in Appendix B. Monitoring well GWQ-5R represents upgradient groundwater quality conditions in the andesite rocks, and GWQ-12 represents off-gradient groundwater quality conditions in the Santa Fe Group sediments (Table 6). Groundwater upgradient and off-gradient of the TSF exhibits low TDS and sulfate, but relatively high alkalinity (Table 6).

All samples from the monitoring network below the TSF had sulfate concentrations below the NMWQCC standard of 600 mg/L (Table 6), but monitoring wells GWQ94-13, GWQ94-16, and NP-3 had elevated TDS concentrations. Furthermore, TDS concentrations in GWQ94-13, GWQ94-16, and NP-3 are decreasing over time (Fig. 8).

4.0 DISCUSSION

4.1 Pit Area

The additional Stage 1 water-level data from wells in the pit area demonstrate the pit is a hydraulic sink, and the capture zone includes the mineralized quartz monzonite rocks. The pit chemistry has maintained a neutral pH, and significant precipitation of sulfate salts have been occurring around the water surface perimeter.

Pit water balance during the last 2 years has been dominated by evaporation. Evaporation exceeds groundwater inflow for pit level to drop. With no surface-water and groundwater inflow, the evaporation rate would equal 35 inches per year or 13.9 gpm for a 5-acre water surface.

The poorer quality groundwater observed in the shallow piezometers at GWQ11-24 and GWQ11-25 is puzzling, and is suspected to be an artifact of well development, or localized in fracture zone. The pit chemistry would be drastically different if significant rates of groundwater resembling the quality observed at GWQ11-25(A) were reporting to the pit. Both shallow piezometers are low yielding, easily pump dry after one well volume, slowly recover, and produce turbid water; therefore additional well development by bailing or pumping is impractical. Field measurements of dissolved oxygen from pit area monitoring points will be collected during the upcoming 3rd and 4th Quarter sampling events, so the chemistry at GWQ11-24(A) and GWQ11-25(A) can be evaluated in more detail.

4.2 Waste Rock and Mill Site Area

Stage 1 data from monitoring points for the waste rock and mill site area have provided a better understanding of water-quality conditions. Only GWQ-3 exceeds NMWQCC standards for both sulfate and TDS (Table 6). Groundwater along Grayback Arroyo has neutral pH and adequate concentrations of alkalinity for buffering historical discharges from the waste rock and mill site area.

The revised conceptual model and Stage 1 sampling results for the waste rock and mill site area (Figs. 4 and 7) help clarify the source for elevated sulfate and TDS, transport mechanisms, and extent of the sulfate and TDS plume. Figures 9 and 10 are maps showing the distribution of groundwater sulfate and TDS concentrations in Grayback Arroyo.

4.3 TSF Area

Analysis of the 1st and 2nd Quarter Stage 1 sampling data demonstrates the sulfate concentrations are below NMWQCC standard of 600 mg/L, and the remaining TDS plume below the TSF is decreasing in concentration and size (Figs. 10, 11, and 12). Pumping from GWQ-7 and GWQ-9 has caused drawdown and capture of the residual TDS plume below the TSF. Figure 11 is a graph of metered pumping from GWQ-7 and GWQ-9, and well locations can be referenced from Figure 9. These wells are located directly north and south of the TSF TDS plume. A total of 6 ac-ft has been pumped from GWQ-7 and GWQ-9 in the last 24 months, which has resulted in observed drawdown and TDS plume reduction.

5.0 REFERENCES

- Beaumont, E. B., 2011, unpublished aerial photograph lineament analysis of the East Animas Fault Trend.
- Harrison, R. W., Lozinsky, R. P., Eggleston, T. L., and McIntosh, W. C., 1993, Geologic Map of the Truth or Consequences 30X60 Minute Quadrangle (1:100,000 scale): New Mexico Bureau of Mines and Mineral Resources, Open File Report 390
- Hawley, J. W., 2012, unpublished geologic map of the Skute Stone Arroyo 7.5 Minute Quadrangle near Hillsboro, New Mexico.
- INTERA, 2012, Baseline Data Characterization Report for Copper Flat Mine, Sierra County, New Mexico. Report prepared for New Mexico Copper Corporation, June 2012.
- [JSAI] John Shomaker & Associates, Inc., 2011, Amendment to New Mexico Copper Company (Copper Flat Mine) Stage 1 Abatement Plan: Consultant's report prepared by John Shomaker & Associates, Inc. prepared for New Mexico Copper Company, 21 p. plus figure and appendices
- Newcomer, R.W., and Finch, S.T., 1993, Water quality and impacts of proposed mine and mill, Copper Flat Mine Site, Sierra County, New Mexico: Consultant's report prepared by John W. Shomaker, Inc. for Gold Express Corporation, 31 p.
- Seager, W. R., Clemons, R. E., Hawley, J. W., and Kelley, R. E., 1982, Geology of northwest part of Las Cruces 1x2 sheet (scale 1:125,000), New Mexico: New Mexico Bureau of Mines & Mineral Resources Geologic Map 53.
- THEMAC Resources, 2013, letter to Brad Reid with Mining Environmental Compliance Section, Ground Water Quality Bureau, regarding NMED Approval of Revised Groundwater Sampling Plan for Copper Flat Mine State 1 Abatement Plan, DP-1, Additional Requested Data: letter prepared by Katie Emmer with THEMAC Resources, April 7, 2013, 1 p. plus a table and figure.

ILLUSTRATIONS




Figure 1. Aerial photograph showing locations of facilities associated with the former Copper Flat Mine operated by Quintana Minerals, Sierra County, New Mexico.





Figure 2. Topographic map showing locations of Stage 1 Abatement Plan monitoring points, Copper Flat Mine, Sierra County, New Mexico.



Geologic Source: modified from USGS OFR 97-0052

Figure 3. Geologic map showing distribution of Stage 1 Abatement Plan area, Copper Flat Mine, Sierra County, New Mexico.




Figure 4. West to east hydrogeologic cross-section through the waste rock and mill site area, Copper Flat Mine, Sierra County, New Mexico.




Figure 5. Water-level elevation contour map for Stage 1 Abatement Plan, 2nd Quarter 2013, Copper Flat Mine, Sierra County, New Mexico.




Figure 6. Time-series graph of selected water-quality data for the pit water body, Copper Flat Mine, Sierra County, New Mexico.




Figure 7. Time-series graph of sulfate concentrations in SWQ-1, SWQ-2, SWQ-3, and monitoring wells GWQ-1, GWQ-3, and GWQ-8 located in Grayback arroyo below waste rock and mill site area, Copper Flat Mine, Sierra County, New Mexico.




Figure 8. Time-series graph of total dissolved solids (TDS) concentrations in NP-3, GWQ94-13, and GWQ94-16, located downgradient of the tailings storage facility (TSF), Copper Flat Mine, Sierra County, New Mexico.




Figure 9. Map showing Stage 1 Abatement Plan monitoring points and lateral extent of 2nd Quarter 2013 TDS plumes, Copper Flat Mine, Sierra County, New Mexico.




Figure 10. Map showing Stage 1 Abatement Plan monitoring points and lateral extent of 2nd Quarter 2013 sulfate plumes, Copper Flat Mine, Sierra County, New Mexico.




Figure 11. Graph of cumulative water pumped versus time for GWQ-7 and GWQ-9, Copper Flat Mine, Sierra County, New Mexico.

APPENDICES

Appendix A.
Well completion diagrams

Appendix A. Well completion diagrams

Appendix A figure number	well name	facility area	year drilled	comments
A1	GWQ96-22A	pit	1996	well diagram from well log
A1	GWQ96-22B	pit	1996	well diagram from well log
A2	GWQ96-23A	pit	1996	well diagram from well log
A2	GWQ96-23B	pit	1996	well diagram from well log
A3	GWQ11-24A	pit	2011	as-built well diagram
A3	GWQ11-24B	pit	2011	as-built well diagram
A4	GWQ11-25A	pit	2011	as-built well diagram
A4	GWQ11-25B	pit	2011	as-built well diagram
A5	GWQ11-26	pit	2011	as-built well diagram
n/a	pit	pit	1982	not applicable
A6	GWQ-1	waste rock and mill site	1972	simple well diagram from available information
A15	GWQ-3	waste rock and mill site	1932	Well Schedule form; no diagram
A7	GWQ-5R	waste rock and mill site	2011	as-built well diagram
A8	GWQ-8	waste rock and mill site	1931	well diagram from available information
A16	GWQ-11	tailings storage facility (TSF)	1981	Water Quality Monitor Wells table; no diagram
A16	GWQ-12	tailings storage facility (TSF)	1981	Water Quality Monitor Wells table; no diagram
A9	GWQ94-13	tailings storage facility (TSF)	1994	well diagram from well log
A10	GWQ94-14	tailings storage facility (TSF)	1994	well diagram from well log
A11	GWQ94-16	tailings storage facility (TSF)	1994	well diagram from well log
A12	GWQ94-18	tailings storage facility (TSF)	1994	well diagram from well log
A13	GWQ94-19	tailings storage facility (TSF)	1994	well diagram from well log
A16	IW-1	tailings storage facility (TSF)	1982	Water Quality Monitor Wells table; no diagram
A16	IW-2	tailings storage facility (TSF)	1982	Water Quality Monitor Wells table; no diagram
A16	IW-3	tailings storage facility (TSF)	1982	Water Quality Monitor Wells table; no diagram
A16	NP-2	tailings storage facility (TSF)	1981	Water Quality Monitor Wells table; no diagram
A16	NP-3	tailings storage facility (TSF)	1981	Water Quality Monitor Wells table; no diagram
A14	MW-4	tailings storage facility (TSF)	1975	simple well diagram from available information




Figure A1. Well diagram, GWQ96-22, Copper Flat Mine, Sierra County, New Mexico.




Figure A2. Well diagram, GWQ96-23, Copper Flat Mine, Sierra County, New Mexico.




Figure A3. Well diagram, GWQ11-24, Copper Flat Mine, Sierra County, New Mexico.




Figure A4. Well diagram, GWQ11-25, Copper Flat Mine, Sierra County, New Mexico.




Figure A5. Well diagram, GWQ11-26, Copper Flat Mine, Sierra County, New Mexico.




Figure A6. Well diagram, GWQ-1, Copper Flat Mine, Sierra County, New Mexico.




Figure A7. Well diagram, GWQ-5R, Copper Flat Mine, Sierra County, New Mexico.




Figure A8. Well Diagram, GWQ-8 (LRG-4652-S-4), Copper Flat Mine, Sierra County, New Mexico.




Figure A9. Well diagram, GWQ94-13, Copper Flat Mine, Sierra County, New Mexico.




Figure A10. Well diagram, GWQ94-14, Copper Flat Mine, Sierra County, New Mexico.




Figure A11. Well diagram, GWQ94-16, Copper Flat Mine, Sierra County, New Mexico.




Figure A12. Well diagram, GWQ94-18, Copper Flat Mine, Sierra County, New Mexico.




Figure A13. Well diagram, GWQ94-19, Copper Flat Mine, Sierra County, New Mexico.




Figure A14. Well diagram, MW-4 (LRG-4652-S-13), Copper Flat Mine, Sierra County, New Mexico.

Copper Flat Project
Quintana Minerals Corporation
Sierra County, New Mexico

Well No. Shale Well GWQ-3

Other not in UMWRES

WELL SCHEDULE

Recorded by Jim Humphrey Source of Data Observed Date 11-11-82

State New Mexico County or Town Sierra County Map Quintana Minerals

Legal Description: T 15 N, R 7 E, Section 25, SE $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$
S W 4 4 2

Owner Quintana Address _____

Depth Well 32.7 ft. (Measured) By Harvey Chatfield

Reported

Depth Cased ? ft. Casing Type concrete Diameter 3.3 X 3.6

Method Drilled hand dug Date Drilled 1932 Log Yes
(No)

Finish _____ Use of Water unused

Perforations _____

Driller drilled for Henry Eisenheart Power none Lift _____

Description of M.P. 3 ft. (above) LSD
below

Altitude: Land Surface _____ M.P. _____

Water Level 10.6 ft. above M.P.; 7.6 ft. above LSD
below (below)

Date Measured 11-11-82 Accuracy cloth type

Quality of Water Data: Field (Yes), Lab Yes, Date June 9, 1981
No No

pH 6.98, Spec. Cond. 1100 micromhos, Alkalinity 275 mg/l

Salinity 0.7 ppt, Temperature 19 degrees (C)
F

Figure A15. Well Schedule form, GWQ-3, Copper Flat Mine, Grant County, New Mexico.

WATER QUALITY MONITOR WELLS

<u>Well No.</u>	<u>Depth</u>	<u>Depth Cased</u>	<u>Casing Type</u>	<u>Elevation (Top of Casing)</u>
NP-1	115'	106'	Steel-2"	5177.0
NP-2	115'	110'	Steel-2"	5180.2
NP-3	109'6"	100'	Steel-2"	5187.6
NP-4	117'	117'	Steel-2"	5213.8
NP-5	35'	35'	Steel-2"	5187.0
GWQ-10	124'	121'	PVC-3"	5201.4
GWQ-11	80'	76'	PVC-3"	5184.4
GWQ-12	130'	130'	PVC-3"	5225.5
IW-1	49'	49'	PVC-4"	5187.8
IW-2	45'	45'	PVC-4"	5195.8
IW-3	45'	45'	PVC-4"	5201.4

The NP and GWQ wells were installed during July and August of 1981, as referenced in Sergent, Hauskins and Beckwith's "Geohydrological Evaluation for Submission of Discharge Plan, Copper Flat Project, Hillsboro, N.M.", 1981.

The IW wells were installed during May, 1982, by Quintana Minerals Corporation.

Figure A16. Water Quality Monitor Wells table, Copper Flat Mine, Grant County, New Mexico.

Appendix B.
Laboratory reports



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

February 12, 2013

Steve Finch

John Shomaker & Assoc.
2611 Broadbent Parkway NE
Albuquerque, NM 87107
TEL: (505) 345-3407
FAX (505) 345-9920

RE: NMCC Stage 1

OrderNo.: 1301409

Dear Steve Finch:

Hall Environmental Analysis Laboratory received 17 sample(s) on 1/11/2013 for the analyses presented in the following report.

This report is a revised report and it replaces the original report issued January 31, 2013.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a white background.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 11-24 B

Project: NMCC Stage 1

Collection Date: 1/9/2013 10:58:00 AM

Lab ID: 1301409-001

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	3.39	0.20000	1.00		mg/L	10	1/23/2013 12:15:53 AM
Chloride	27.1	0.66200	5.00		mg/L	10	1/14/2013 4:10:15 PM
Sulfate	1280	23.33000	50.0	*	mg/L	100	1/14/2013 4:22:40 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 1:58:25 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 1:58:25 PM
Calcium	417	0.12939	5.00		mg/L	5	1/18/2013 8:22:23 AM
Cobalt	0.0107	0.00060	0.00600		mg/L	1	1/17/2013 1:58:25 PM
Magnesium	75.9	0.06454	5.00		mg/L	5	1/18/2013 8:22:23 AM
Potassium	6.23	0.48088	1.00		mg/L	1	1/18/2013 7:59:34 AM
Sodium	95.7	1.07750	5.00		mg/L	5	1/18/2013 8:22:23 AM
Zinc	0.0522	0.00090	0.0100		mg/L	1	1/17/2013 1:58:25 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000605	0.00016	0.00100	J	mg/L	1	1/22/2013 10:40:49 AM
Selenium	0.000587	0.00055	0.00100	J	mg/L	1	1/22/2013 10:40:49 AM
SM4500-H+B: PH							Analyst: JML
pH	7.07	0.10000	1.68	H	pH units	1	1/14/2013 8:50:20 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	219	5.00000	20.0		mg/L CaCO3	1	1/14/2013 8:50:20 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 8:50:20 PM
Total Alkalinity (as CaCO3)	219	5.00000	20.0		mg/L CaCO3	1	1/14/2013 8:50:20 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	2280	20.11120	40.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 11-25 A

Project: NMCC Stage 1

Collection Date: 1/9/2013 5:40:00 PM

Lab ID: 1301409-002

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	124	1.00000	5.00	*	mg/L	50	1/23/2013 12:28:18 AM
Chloride	20.7	0.66200	5.00		mg/L	10	1/14/2013 4:35:05 PM
Sulfate	7900	46.66000	100	*	mg/L	200	1/15/2013 5:01:38 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	414	5.45543	10.0	*	mg/L	500	1/18/2013 4:30:15 PM
Cadmium	0.385	0.30000	1.00	J*	mg/L	500	1/18/2013 4:30:15 PM
Calcium	419	2.58780	100		mg/L	100	1/18/2013 10:37:46 AM
Cobalt	1.72	0.30000	3.00	J	mg/L	500	1/18/2013 4:30:15 PM
Magnesium	149	1.29074	100		mg/L	100	1/18/2013 10:37:46 AM
Potassium	ND	48.08831	100		mg/L	100	1/18/2013 10:37:46 AM
Sodium	647	21.55000	100		mg/L	100	1/18/2013 10:37:46 AM
Zinc	14.9	0.45000	5.00	*	mg/L	500	1/18/2013 4:30:15 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	12.6	0.16000	1.00	*	mg/L	1000	1/22/2013 11:00:33 AM
Selenium	0.087	0.02750	0.050	*	mg/L	50	2/7/2013 2:09:03 PM
SM4500-H+B: PH							Analyst: JML
pH	3.98	0.10000	1.68	H	pH units	1	1/14/2013 9:07:04 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	ND	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:07:04 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 9:07:04 PM
Total Alkalinity (as CaCO3)	ND	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:07:04 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	11300	100.55600	200		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers: * Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH greater than 2

RL Reporting Detection Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1301409

Date Reported: 2/12/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 11-25 B

Project: NMCC Stage 1

Collection Date: 1/9/2013 2:14:00 PM

Lab ID: 1301409-003

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	8.03	0.20000	1.00	*	mg/L	10	1/23/2013 1:05:31 AM
Chloride	27	0.66200	5.0		mg/L	10	1/14/2013 3:20:37 PM
Sulfate	1400	23.33000	50	*	mg/L	100	1/14/2013 3:57:50 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.336	0.01091	0.0200	*	mg/L	1	1/17/2013 2:40:30 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 2:40:30 PM
Calcium	493	0.25878	10.0		mg/L	10	1/18/2013 8:35:39 AM
Cobalt	0.00578	0.00060	0.00600	J	mg/L	1	1/17/2013 2:40:30 PM
Magnesium	76.2	0.01291	1.00		mg/L	1	1/18/2013 8:32:54 AM
Potassium	3.90	0.48088	1.00		mg/L	1	1/18/2013 8:32:54 AM
Sodium	139	2.15500	10.0		mg/L	10	1/18/2013 8:35:39 AM
Zinc	0.0210	0.00090	0.0100		mg/L	1	1/17/2013 2:40:30 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.00153	0.00016	0.00100		mg/L	1	1/22/2013 11:04:30 AM
Selenium	0.00161	0.00055	0.00100		mg/L	1	1/22/2013 11:04:30 AM
SM4500-H+B: PH							Analyst: JML
pH	6.94	0.10000	1.68	H	pH units	1	1/14/2013 9:11:19 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	343	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:11:19 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 9:11:19 PM
Total Alkalinity (as CaCO3)	343	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:11:19 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	2540	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
	P Sample pH greater than 2	R RPD outside accepted recovery limits
	RL Reporting Detection Limit	S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** GWQ 96-22 A**Project:** NMCC Stage 1**Collection Date:** 1/9/2013 4:53:00 PM**Lab ID:** 1301409-004**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	3.07	0.20000	1.00		mg/L	10	1/23/2013 1:17:56 AM
Chloride	60.5	0.66200	5.00		mg/L	10	1/14/2013 5:24:43 PM
Sulfate	38.6	2.33300	5.00		mg/L	10	1/14/2013 5:24:43 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0202	0.01091	0.0200		mg/L	1	1/17/2013 2:48:10 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 2:48:10 PM
Calcium	41.3	0.02588	1.00		mg/L	1	1/18/2013 8:38:18 AM
Cobalt	0.00108	0.00060	0.00600	J	mg/L	1	1/17/2013 2:48:10 PM
Magnesium	2.77	0.01291	1.00		mg/L	1	1/18/2013 8:38:18 AM
Potassium	2.34	0.48088	1.00		mg/L	1	1/18/2013 8:38:18 AM
Sodium	147	1.07750	5.00		mg/L	5	1/18/2013 8:40:54 AM
Zinc	0.00622	0.00090	0.0100	J	mg/L	1	1/17/2013 2:48:10 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000848	0.00016	0.00100	J	mg/L	1	1/22/2013 2:57:12 PM
Selenium	ND	0.00055	0.00100		mg/L	1	1/22/2013 11:16:22 AM
SM4500-H+B: PH							Analyst: JML
pH	7.85	0.10000	1.68	H	pH units	1	1/14/2013 9:30:25 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO ₃)	301	5.00000	20.0		mg/L CaCO ₃	1	1/14/2013 9:30:25 PM
Carbonate (As CaCO ₃)	ND	2.00000	2.00		mg/L CaCO ₃	1	1/14/2013 9:30:25 PM
Total Alkalinity (as CaCO ₃)	301	5.00000	20.0		mg/L CaCO ₃	1	1/14/2013 9:30:25 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	521	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** GWQ 96-22 B**Project:** NMCC Stage 1**Collection Date:** 1/9/2013 5:14:00 PM**Lab ID:** 1301409-005**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	3.32	0.20000	1.00		mg/L	10	1/23/2013 1:30:20 AM
Chloride	101	0.66200	5.00		mg/L	10	1/14/2013 5:49:32 PM
Sulfate	6.18	2.33300	5.00		mg/L	10	1/14/2013 5:49:32 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0432	0.01091	0.0200		mg/L	1	1/17/2013 3:11:33 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 3:11:33 PM
Calcium	70.2	0.02588	1.00		mg/L	1	1/18/2013 8:53:07 AM
Cobalt	0.00295	0.00060	0.00600	J	mg/L	1	1/17/2013 3:11:33 PM
Magnesium	5.51	0.01291	1.00		mg/L	1	1/18/2013 8:53:07 AM
Potassium	3.66	0.48088	1.00		mg/L	1	1/18/2013 8:53:07 AM
Sodium	193	1.07750	5.00		mg/L	5	1/18/2013 8:55:13 AM
Zinc	0.0468	0.00090	0.0100		mg/L	1	1/17/2013 3:11:33 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.00307	0.00016	0.00100		mg/L	1	1/22/2013 3:01:08 PM
Selenium	ND	0.00055	0.00100		mg/L	1	1/22/2013 11:20:18 AM
SM4500-H+B: PH							Analyst: JML
pH	7.52	0.10000	1.68	H	pH units	1	1/14/2013 9:47:33 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	477	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:47:33 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 9:47:33 PM
Total Alkalinity (as CaCO3)	477	5.00000	20.0		mg/L CaCO3	1	1/14/2013 9:47:33 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	722	20.11120	40.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: Pit

Project: NMCC Stage 1

Collection Date: 1/9/2013 12:00:00 PM

Lab ID: 1301409-006

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	18.7	0.20000	1.00	*	mg/L	10	1/23/2013 1:42:45 AM
Chloride	577	6.62000	50.0	*	mg/L	100	1/14/2013 6:26:45 PM
Sulfate	6800	46.66000	100	*	mg/L	200	1/15/2013 5:14:03 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0788	0.01091	0.0200		mg/L	1	1/17/2013 3:18:30 PM
Cadmium	0.0369	0.00060	0.00200	*	mg/L	1	1/17/2013 3:18:30 PM
Calcium	500	0.51756	20.0		mg/L	20	1/18/2013 9:00:53 AM
Cobalt	0.0860	0.00060	0.00600		mg/L	1	1/17/2013 3:18:30 PM
Magnesium	958	0.25815	20.0		mg/L	20	1/18/2013 9:00:53 AM
Potassium	44.4	0.48088	1.00		mg/L	1	1/18/2013 8:57:49 AM
Sodium	1170	4.31000	20.0		mg/L	20	1/18/2013 9:00:53 AM
Zinc	0.779	0.00090	0.0100		mg/L	1	1/17/2013 3:18:30 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.0586	0.00080	0.00500		mg/L	5	1/22/2013 3:20:49 PM
Selenium	0.00812	0.00055	0.00100		mg/L	1	1/22/2013 11:24:14 AM
SM4500-H+B: PH							Analyst: JML
pH	7.73	0.10000	1.68	H	pH units	1	1/14/2013 10:09:59 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	112	5.00000	20.0		mg/L CaCO3	1	1/14/2013 10:09:59 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 10:09:59 PM
Total Alkalinity (as CaCO3)	112	5.00000	20.0		mg/L CaCO3	1	1/14/2013 10:09:59 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	11100	100.55600	200		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ- 5 R

Project: NMCC Stage 1

Collection Date: 1/10/2013 9:21:00 AM

Lab ID: 1301409-007

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	1.25	0.20000	1.00		mg/L	10	1/23/2013 1:55:10 AM
Chloride	17.3	0.66200	5.00		mg/L	10	1/14/2013 6:39:10 PM
Sulfate	97.2	2.33300	5.00		mg/L	10	1/14/2013 6:39:10 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0159	0.01091	0.0200	J	mg/L	1	1/17/2013 3:26:47 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 3:26:47 PM
Calcium	96.9	0.02588	1.00		mg/L	1	1/18/2013 9:03:32 AM
Cobalt	0.00132	0.00060	0.00600	J	mg/L	1	1/17/2013 3:26:47 PM
Magnesium	22.7	0.01291	1.00		mg/L	1	1/18/2013 9:03:32 AM
Potassium	5.15	0.48088	1.00		mg/L	1	1/18/2013 9:03:32 AM
Sodium	34.0	0.21550	1.00		mg/L	1	1/18/2013 9:03:32 AM
Zinc	0.0111	0.00090	0.0100		mg/L	1	1/17/2013 3:26:47 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000692	0.00016	0.00100	J	mg/L	1	1/22/2013 3:05:04 PM
Selenium	0.000616	0.00055	0.00100	J	mg/L	1	1/22/2013 11:32:08 AM
SM4500-H+B: PH							Analyst: JML
pH	7.79	0.10000	1.68	H	pH units	1	1/14/2013 11:06:17 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	293	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:06:17 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 11:06:17 PM
Total Alkalinity (as CaCO3)	293	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:06:17 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	504	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-8

Project: NMCC Stage 1

Collection Date: 1/10/2013 12:07:00 PM

Lab ID: 1301409-008

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.48	0.10000	0.50	J	mg/L	5	1/15/2013 5:26:28 PM
Chloride	88.7	0.66200	5.00		mg/L	10	1/14/2013 7:04:00 PM
Sulfate	498	23.33000	50.0	*	mg/L	100	1/14/2013 7:16:25 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 3:34:28 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 3:34:28 PM
Calcium	202	0.12939	5.00		mg/L	5	1/18/2013 9:11:35 AM
Cobalt	0.00193	0.00060	0.00600	J	mg/L	1	1/17/2013 3:34:28 PM
Magnesium	33.8	0.01291	1.00		mg/L	1	1/18/2013 9:08:50 AM
Potassium	2.43	0.48088	1.00		mg/L	1	1/18/2013 9:08:50 AM
Sodium	107	1.07750	5.00		mg/L	5	1/18/2013 9:11:35 AM
Zinc	0.0101	0.00090	0.0100		mg/L	1	1/17/2013 3:34:28 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000580	0.00016	0.00100	J	mg/L	1	1/14/2013 2:26:37 PM
Selenium	0.00197	0.00055	0.00100		mg/L	1	1/14/2013 2:26:37 PM
SM4500-H+B: PH							Analyst: JML
pH	7.60	0.10000	1.68	H	pH units	1	1/14/2013 11:23:19 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	213	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:23:19 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 11:23:19 PM
Total Alkalinity (as CaCO3)	213	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:23:19 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	1200	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-1

Project: NMCC Stage 1

Collection Date: 1/10/2013 1:50:00 PM

Lab ID: 1301409-009

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.38	0.02000	0.10		mg/L	1	1/15/2013 5:38:52 PM
Chloride	38.2	0.66200	5.00		mg/L	10	1/14/2013 7:53:39 PM
Sulfate	152	2.33300	5.00		mg/L	10	1/14/2013 7:53:39 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 3:42:09 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 3:42:09 PM
Calcium	63.2	0.02588	1.00		mg/L	1	1/18/2013 9:14:12 AM
Cobalt	0.00130	0.00060	0.00600	J	mg/L	1	1/17/2013 3:42:09 PM
Magnesium	17.7	0.01291	1.00		mg/L	1	1/18/2013 9:14:12 AM
Potassium	2.11	0.48088	1.00		mg/L	1	1/18/2013 9:14:12 AM
Sodium	65.1	0.21550	1.00		mg/L	1	1/18/2013 9:14:12 AM
Zinc	0.00597	0.00090	0.0100	J	mg/L	1	1/17/2013 3:42:09 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000364	0.00016	0.00100	J	mg/L	1	1/14/2013 2:34:29 PM
Selenium	ND	0.00055	0.00100		mg/L	1	1/14/2013 2:34:29 PM
SM4500-H+B: PH							Analyst: JML
pH	7.87	0.10000	1.68	H	pH units	1	1/14/2013 11:38:33 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	164	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:38:33 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 11:38:33 PM
Total Alkalinity (as CaCO3)	164	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:38:33 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	487	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 94-13

Project: NMCC Stage 1

Collection Date: 1/10/2013 4:45:00 PM

Lab ID: 1301409-010

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.18	0.10000	0.50	J	mg/L	5	1/15/2013 5:51:17 PM
Chloride	184	6.62000	50.0		mg/L	100	1/14/2013 8:30:53 PM
Sulfate	543	23.33000	50.0	*	mg/L	100	1/14/2013 8:30:53 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 4:05:31 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 4:05:31 PM
Calcium	246	0.12939	5.00		mg/L	5	1/18/2013 9:28:09 AM
Cobalt	0.00209	0.00060	0.00600	J	mg/L	1	1/17/2013 4:05:31 PM
Magnesium	49.9	0.01291	1.00		mg/L	1	1/18/2013 9:17:27 AM
Potassium	3.22	0.48088	1.00		mg/L	1	1/18/2013 9:17:27 AM
Sodium	106	1.07750	5.00		mg/L	5	1/18/2013 9:28:09 AM
Zinc	0.00143	0.00090	0.0100	J	mg/L	1	1/17/2013 4:05:31 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000621	0.00016	0.00100	J	mg/L	1	1/14/2013 2:38:25 PM
Selenium	0.0174	0.00055	0.00100		mg/L	1	1/14/2013 2:38:25 PM
SM4500-H+B: PH							Analyst: JML
pH	7.63	0.10000	1.68	H	pH units	1	1/14/2013 11:52:40 PM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	126	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:52:40 PM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/14/2013 11:52:40 PM
Total Alkalinity (as CaCO3)	126	5.00000	20.0		mg/L CaCO3	1	1/14/2013 11:52:40 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	1460	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 94-16

Project: NMCC Stage 1

Collection Date: 1/10/2013 2:40:00 PM

Lab ID: 1301409-011

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.59	0.10000	0.50		mg/L	5	1/15/2013 6:03:41 PM
Chloride	192	0.66200	5.00		mg/L	10	1/14/2013 8:43:18 PM
Sulfate	407	2.33300	5.00	*	mg/L	10	1/14/2013 8:43:18 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0446	0.01091	0.0200		mg/L	1	1/17/2013 4:13:19 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 4:13:19 PM
Calcium	188	0.12939	5.00		mg/L	5	1/18/2013 9:33:25 AM
Cobalt	0.00148	0.00060	0.00600	J	mg/L	1	1/17/2013 4:13:19 PM
Magnesium	47.7	0.01291	1.00		mg/L	1	1/18/2013 9:30:47 AM
Potassium	3.33	0.48088	1.00		mg/L	1	1/18/2013 9:30:47 AM
Sodium	75.7	0.21550	1.00		mg/L	1	1/18/2013 9:30:47 AM
Zinc	0.00164	0.00090	0.0100	J	mg/L	1	1/17/2013 4:13:19 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000538	0.00016	0.00100	J	mg/L	1	1/14/2013 2:42:21 PM
Selenium	0.00212	0.00055	0.00100		mg/L	1	1/14/2013 2:42:21 PM
SM4500-H+B: PH							Analyst: JML
pH	7.76	0.10000	1.68	H	pH units	1	1/15/2013 12:05:32 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	173	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:05:32 AM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/15/2013 12:05:32 AM
Total Alkalinity (as CaCO3)	173	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:05:32 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	1170	20.11120	40.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** NP-3**Project:** NMCC Stage 1**Collection Date:** 1/10/2013 2:56:00 PM**Lab ID:** 1301409-012**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.0890	0.02000	0.100	J	mg/L	1	1/16/2013 9:07:34 PM
Chloride	190	6.62000	50.0		mg/L	100	1/14/2013 10:34:58 PM
Sulfate	557	23.33000	50.0	*	mg/L	100	1/14/2013 10:34:58 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 4:21:00 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 4:21:00 PM
Calcium	218	0.12939	5.00		mg/L	5	1/18/2013 9:38:53 AM
Cobalt	0.00225	0.00060	0.00600	J	mg/L	1	1/17/2013 4:21:00 PM
Magnesium	49.5	0.01291	1.00		mg/L	1	1/18/2013 9:36:03 AM
Potassium	3.23	0.48088	1.00		mg/L	1	1/18/2013 9:36:03 AM
Sodium	107	1.07750	5.00		mg/L	5	1/18/2013 9:38:53 AM
Zinc	1.85	0.00450	0.0500		mg/L	5	1/17/2013 4:24:54 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.00129	0.00016	0.00100		mg/L	1	1/14/2013 2:54:11 PM
Selenium	0.00614	0.00055	0.00100		mg/L	1	1/14/2013 2:54:11 PM
SM4500-H+B: PH							Analyst: JML
pH	7.24	0.10000	1.68	H	pH units	1	1/15/2013 12:20:06 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO ₃)	54.2	5.00000	20.0		mg/L CaCO ₃	1	1/15/2013 12:20:06 AM
Carbonate (As CaCO ₃)	ND	2.00000	2.00		mg/L CaCO ₃	1	1/15/2013 12:20:06 AM
Total Alkalinity (as CaCO ₃)	54.2	5.00000	20.0		mg/L CaCO ₃	1	1/15/2013 12:20:06 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	1390	50.27800	100		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** GWQ 11-24 A**Project:** NMCC Stage 1**Collection Date:** 1/8/2013 5:00:00 PM**Lab ID:** 1301409-013**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	17.4	0.20000	1.00	*	mg/L	10	1/23/2013 2:07:34 AM
Chloride	29.9	0.66200	5.00		mg/L	10	1/14/2013 10:47:23 PM
Sulfate	2550	23.33000	50.0	*	mg/L	100	1/14/2013 10:59:47 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	38.0	0.54554	1.00	*	mg/L	50	1/18/2013 4:39:33 PM
Cadmium	0.181	0.00600	0.0200	*	mg/L	10	1/18/2013 4:35:37 PM
Calcium	464	0.12939	5.00		mg/L	5	1/18/2013 9:41:32 AM
Cobalt	0.256	0.00600	0.0600		mg/L	10	1/18/2013 4:35:37 PM
Magnesium	108	0.06454	5.00		mg/L	5	1/18/2013 9:41:32 AM
Potassium	6.98	2.40442	5.00		mg/L	5	1/18/2013 9:41:32 AM
Sodium	129	1.07750	5.00		mg/L	5	1/18/2013 9:41:32 AM
Zinc	5.72	0.00900	0.100	*	mg/L	10	1/18/2013 4:35:37 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	104	0.80000	5.00	*	mg/L	5000	1/22/2013 3:24:46 PM
Selenium	0.0294	0.00055	0.00100		mg/L	1	1/22/2013 11:40:03 AM
SM4500-H+B: PH							Analyst: JML
pH	4.53	0.10000	1.68	H	pH units	1	1/15/2013 12:30:17 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	ND	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:30:17 AM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/15/2013 12:30:17 AM
Total Alkalinity (as CaCO3)	ND	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:30:17 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	4180	50.27800	100		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** GWQ 11-26**Project:** NMCC Stage 1**Collection Date:** 1/8/2013 1:15:00 PM**Lab ID:** 1301409-014**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.760	0.20000	1.00	J	mg/L	10	1/23/2013 2:20:00 AM
Chloride	13.8	0.66200	5.00		mg/L	10	1/14/2013 11:12:12 PM
Sulfate	96.5	2.33300	5.00		mg/L	10	1/14/2013 11:12:12 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0313	0.01091	0.0200		mg/L	1	1/17/2013 4:35:53 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 4:35:53 PM
Calcium	95.5	0.02588	1.00		mg/L	1	1/18/2013 9:46:10 AM
Cobalt	0.00149	0.00060	0.00600	J	mg/L	1	1/17/2013 4:35:53 PM
Magnesium	21.5	0.01291	1.00		mg/L	1	1/18/2013 9:46:10 AM
Potassium	1.34	0.48088	1.00		mg/L	1	1/18/2013 9:46:10 AM
Sodium	72.0	0.21550	1.00		mg/L	1	1/18/2013 9:46:10 AM
Zinc	0.00334	0.00090	0.0100	J	mg/L	1	1/17/2013 4:35:53 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.00265	0.00016	0.00100		mg/L	1	1/22/2013 3:09:01 PM
Selenium	0.00149	0.00055	0.00100		mg/L	1	1/22/2013 11:43:59 AM
SM4500-H+B: PH							Analyst: JML
pH	7.76	0.10000	1.68	H	pH units	1	1/15/2013 12:34:53 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO ₃)	361	5.00000	20.0		mg/L CaCO ₃	1	1/15/2013 12:34:53 AM
Carbonate (As CaCO ₃)	ND	2.00000	2.00		mg/L CaCO ₃	1	1/15/2013 12:34:53 AM
Total Alkalinity (as CaCO ₃)	361	5.00000	20.0		mg/L CaCO ₃	1	1/15/2013 12:34:53 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	654	20.11120	40.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 96-23 A

Project: NMCC Stage 1

Collection Date: 1/11/2013 9:45:00 AM

Lab ID: 1301409-015

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	2.00	0.20000	1.00		mg/L	10	1/23/2013 2:32:24 AM
Chloride	11.5	0.66200	5.00		mg/L	10	1/14/2013 9:08:06 PM
Sulfate	6.14	2.33300	5.00		mg/L	10	1/14/2013 9:08:06 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	0.0314	0.01091	0.0200		mg/L	1	1/17/2013 4:57:45 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 4:57:45 PM
Calcium	129	0.12939	5.00		mg/L	5	1/18/2013 10:03:45 AM
Cobalt	0.00143	0.00060	0.00600	J	mg/L	1	1/17/2013 4:57:45 PM
Magnesium	37.7	0.01291	1.00		mg/L	1	1/18/2013 9:53:12 AM
Potassium	1.37	0.48088	1.00		mg/L	1	1/18/2013 9:53:12 AM
Sodium	70.6	0.21550	1.00		mg/L	1	1/18/2013 9:53:12 AM
Zinc	0.00615	0.00090	0.0100	J	mg/L	1	1/17/2013 4:57:45 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.00113	0.00016	0.00100		mg/L	1	1/22/2013 3:12:57 PM
Selenium	ND	0.00055	0.00100		mg/L	1	1/22/2013 12:11:38 PM
SM4500-H+B: PH							Analyst: JML
pH	8.07	0.10000	1.68	H	pH units	1	1/15/2013 12:53:27 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	627	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:53:27 AM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/15/2013 12:53:27 AM
Total Alkalinity (as CaCO3)	627	5.00000	20.0		mg/L CaCO3	1	1/15/2013 12:53:27 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	693	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** John Shomaker & Assoc.**Client Sample ID:** GWQ 94-14**Project:** NMCC Stage 1**Collection Date:** 1/11/2013 11:50:00 AM**Lab ID:** 1301409-016**Matrix:** AQUEOUS**Received Date:** 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	0.424	0.02000	0.100		mg/L	1	1/16/2013 9:19:59 PM
Chloride	43.6	0.66200	5.00		mg/L	10	1/14/2013 11:37:01 PM
Sulfate	140	2.33300	5.00		mg/L	10	1/14/2013 11:37:01 PM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 5:06:52 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 5:06:52 PM
Calcium	90.2	0.02588	1.00		mg/L	1	1/18/2013 10:06:21 AM
Cobalt	0.00114	0.00060	0.00600	J	mg/L	1	1/17/2013 5:06:52 PM
Magnesium	24.5	0.01291	1.00		mg/L	1	1/18/2013 10:06:21 AM
Potassium	1.62	0.48088	1.00		mg/L	1	1/18/2013 10:06:21 AM
Sodium	45.8	0.21550	1.00		mg/L	1	1/18/2013 10:06:21 AM
Zinc	ND	0.00090	0.0100		mg/L	1	1/17/2013 5:06:52 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000295	0.00016	0.00100	J	mg/L	1	1/14/2013 2:58:07 PM
Selenium	0.00337	0.00055	0.00100		mg/L	1	1/14/2013 2:58:07 PM
SM4500-H+B: PH							Analyst: JML
pH	7.78	0.10000	1.68	H	pH units	1	1/15/2013 1:19:02 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	218	5.00000	20.0		mg/L CaCO3	1	1/15/2013 1:19:02 AM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/15/2013 1:19:02 AM
Total Alkalinity (as CaCO3)	218	5.00000	20.0		mg/L CaCO3	1	1/15/2013 1:19:02 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	583	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ 96-23 B

Project: NMCC Stage 1

Collection Date: 1/11/2013 10:15:00 AM

Lab ID: 1301409-017

Matrix: AQUEOUS

Received Date: 1/11/2013 3:43:00 PM

Analyses	Result	MDL	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS							Analyst: JRR
Fluoride	2.05	0.20000	1.00		mg/L	10	1/23/2013 2:44:49 AM
Chloride	15.4	0.66200	5.00		mg/L	10	1/15/2013 12:01:50 AM
Sulfate	ND	2.33300	5.00		mg/L	10	1/15/2013 12:01:50 AM
EPA METHOD 200.7: DISSOLVED METALS							Analyst: ELS
Aluminum	ND	0.01091	0.0200		mg/L	1	1/17/2013 5:14:36 PM
Cadmium	ND	0.00060	0.00200		mg/L	1	1/17/2013 5:14:36 PM
Calcium	76.7	0.02588	1.00		mg/L	1	1/18/2013 10:11:34 AM
Cobalt	0.00125	0.00060	0.00600	J	mg/L	1	1/17/2013 5:14:36 PM
Magnesium	21.2	0.01291	1.00		mg/L	1	1/18/2013 10:11:34 AM
Potassium	1.57	0.48088	1.00		mg/L	1	1/18/2013 10:11:34 AM
Sodium	98.2	0.21550	1.00		mg/L	1	1/18/2013 10:11:34 AM
Zinc	0.0104	0.00090	0.0100		mg/L	1	1/17/2013 5:14:36 PM
EPA 200.8: DISSOLVED METALS							Analyst: DBD
Copper	0.000671	0.00016	0.00100	J	mg/L	1	1/22/2013 3:16:53 PM
Selenium	ND	0.00055	0.00100		mg/L	1	1/22/2013 12:15:34 PM
SM4500-H+B: PH							Analyst: JML
pH	8.03	0.10000	1.68	H	pH units	1	1/15/2013 1:34:04 AM
SM2320B: ALKALINITY							Analyst: JML
Bicarbonate (As CaCO3)	502	5.00000	20.0		mg/L CaCO3	1	1/15/2013 1:34:04 AM
Carbonate (As CaCO3)	ND	2.00000	2.00		mg/L CaCO3	1	1/15/2013 1:34:04 AM
Total Alkalinity (as CaCO3)	502	5.00000	20.0		mg/L CaCO3	1	1/15/2013 1:34:04 AM
SM2540C MOD: TOTAL DISSOLVED SOLIDS							Analyst: KS
Total Dissolved Solids	571	10.05560	20.0		mg/L	1	1/18/2013 9:17:00 AM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R8121		RunNo: 8121							
Prep Date:	Analysis Date: 1/17/2013		SeqNo: 234884		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	ND	0.020								
Cadmium	ND	0.0020								
Cobalt	ND	0.0060								
Zinc	ND	0.010								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R8121		RunNo: 8121							
Prep Date:	Analysis Date: 1/17/2013		SeqNo: 234886		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.47	0.020	0.5000	0	94.8	85	115			
Cadmium	0.50	0.0020	0.5000	0	100	85	115			
Cobalt	0.47	0.0060	0.5000	0	94.1	85	115			
Zinc	0.47	0.010	0.5000	0	94.4	85	115			

Sample ID 1301409-001BMS	SampType: MS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8121		RunNo: 8121							
Prep Date:	Analysis Date: 1/17/2013		SeqNo: 234906		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.476	0.0200	0.5000	0	95.3	70	130			
Cadmium	0.522	0.00200	0.5000	0	104	70	130			
Cobalt	0.481	0.00600	0.5000	0.01074	94.0	70	130			
Zinc	0.520	0.0100	0.5000	0.05224	93.6	70	130			

Sample ID 1301409-001BMSD	SampType: MSD		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8121		RunNo: 8121							
Prep Date:	Analysis Date: 1/17/2013		SeqNo: 234910		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.476	0.0200	0.5000	0	95.2	70	130	0.0861	20	
Cadmium	0.513	0.00200	0.5000	0	103	70	130	1.69	20	
Cobalt	0.473	0.00600	0.5000	0.01074	92.6	70	130	1.57	20	
Zinc	0.513	0.0100	0.5000	0.05224	92.2	70	130	1.30	20	

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235375		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	ND	1.0								
Magnesium	ND	1.0								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235375		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Potassium	ND	1.0								
Sodium	ND	1.0								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235378		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	52	1.0	50.00	0	104	85	115			
Magnesium	52	1.0	50.00	0	104	85	115			
Potassium	50	1.0	50.00	0	100	85	115			
Sodium	51	1.0	50.00	0	102	85	115			

Sample ID 1301409-001BMS	SampType: MS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235389		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Potassium	55.8	1.00	50.00	6.228	99.1	70	130			

Sample ID 1301409-001BMSD	SampType: MSD		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235394		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Potassium	57.5	1.00	50.00	6.228	103	70	130	3.10	20	

Sample ID 1301409-001BMS	SampType: MS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235397		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Magnesium	321	5.00	250.0	75.93	98.2	70	130			
Sodium	338	5.00	250.0	95.72	97.0	70	130			

Sample ID 1301409-001BMSD	SampType: MSD		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: GWQ 11-24 B	Batch ID: R8137		RunNo: 8137							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235398		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Magnesium	325	5.00	250.0	75.93	99.7	70	130	1.13	20	
Sodium	343	5.00	250.0	95.72	98.9	70	130	1.38	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R8150		RunNo: 8150							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235643		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	ND	0.020								
Cadmium	ND	0.0020								
Cobalt	ND	0.0060								
Zinc	0.0012	0.010								J

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R8150		RunNo: 8150							
Prep Date:	Analysis Date: 1/18/2013		SeqNo: 235644		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.48	0.020	0.5000	0	95.2	85	115			
Cadmium	0.50	0.0020	0.5000	0	100	85	115			
Cobalt	0.48	0.0060	0.5000	0	95.1	85	115			
Zinc	0.48	0.010	0.5000	0.001210	96.3	85	115			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID	1301409-008BMS	SampType:	MS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	GWQ-8	Batch ID:	R8032	RunNo:	8032					
Prep Date:		Analysis Date:	1/14/2013	SeqNo:	232432	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	0.0236	0.00100	0.02500	0.0005800	92.2	70	130			
Selenium	0.0266	0.00100	0.02500	0.001975	98.4	70	130			

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R8032	RunNo:	8032					
Prep Date:		Analysis Date:	1/14/2013	SeqNo:	232436	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	0.024	0.0010	0.02500	0	97.7	85	115			
Selenium	0.023	0.0010	0.02500	0	90.4	85	115			

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R8032	RunNo:	8032					
Prep Date:		Analysis Date:	1/14/2013	SeqNo:	232438	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	ND	0.0010								
Selenium	ND	0.0010								

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R8183	RunNo:	8183					
Prep Date:		Analysis Date:	1/22/2013	SeqNo:	236826	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	0.024	0.0010	0.02500	0	95.7	85	115			
Selenium	0.023	0.0010	0.02500	0	90.8	85	115			

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R8183	RunNo:	8183					
Prep Date:		Analysis Date:	1/22/2013	SeqNo:	236827	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	0.025	0.0010	0.02500	0	98.7	85	115			
Selenium	0.024	0.0010	0.02500	0	94.1	85	115			

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R8183	RunNo:	8183					
Prep Date:		Analysis Date:	1/22/2013	SeqNo:	236828	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	ND	0.0010								
Selenium	ND	0.0010								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA 200.8: Dissolved Metals							
Client ID: PBW	Batch ID: R8183		RunNo: 8183							
Prep Date:	Analysis Date: 1/22/2013		SeqNo: 236829		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Copper	ND	0.0010								
Selenium	ND	0.0010								

Sample ID LCS	SampType: LCS		TestCode: EPA 200.8: Dissolved Metals							
Client ID: LCSW	Batch ID: R8513		RunNo: 8513							
Prep Date:	Analysis Date: 2/7/2013		SeqNo: 245245		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	0.024	0.0010	0.02500	0	95.7	85	115			

Sample ID MB	SampType: MBLK		TestCode: EPA 200.8: Dissolved Metals							
Client ID: PBW	Batch ID: R8513		RunNo: 8513							
Prep Date:	Analysis Date: 2/7/2013		SeqNo: 245246		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	ND	0.0010								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232961		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	0.50								
Sulfate	ND	0.50								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232962		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	4.6	0.50	5.000	0	92.4	90	110			
Sulfate	9.1	0.50	10.00	0	91.0	90	110			

Sample ID 1301409-003AMS	SampType: MS		TestCode: EPA Method 300.0: Anions							
Client ID: GWQ 11-25 B	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232964		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	76	5.0	50.00	26.62	97.9	87.8	111			

Sample ID 1301409-003AMSD	SampType: MSD		TestCode: EPA Method 300.0: Anions							
Client ID: GWQ 11-25 B	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232965		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	75	5.0	50.00	26.62	97.4	87.8	111	0.375	20	

Sample ID 1301409-015AMS	SampType: MS		TestCode: EPA Method 300.0: Anions							
Client ID: GWQ 96-23 A	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232992		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	58.0	5.00	50.00	11.50	93.0	87.8	111			
Sulfate	96.8	5.00	100.0	6.139	90.6	84.6	122			

Sample ID 1301409-015AMSD	SampType: MSD		TestCode: EPA Method 300.0: Anions							
Client ID: GWQ 96-23 A	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 232993		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	57.1	5.00	50.00	11.50	91.2	87.8	111	1.60	20	
Sulfate	95.4	5.00	100.0	6.139	89.2	84.6	122	1.44	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/15/2013		SeqNo: 233015		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	0.50								
Sulfate	ND	0.50								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R8050		RunNo: 8050							
Prep Date:	Analysis Date: 1/15/2013		SeqNo: 233016		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	4.9	0.50	5.000	0	97.8	90	110			
Sulfate	9.6	0.50	10.00	0	96.3	90	110			

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R8074		RunNo: 8074							
Prep Date:	Analysis Date: 1/15/2013		SeqNo: 233657		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								
Sulfate	ND	0.50								

Sample ID LCS-B	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R8074		RunNo: 8074							
Prep Date:	Analysis Date: 1/15/2013		SeqNo: 233659		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.45	0.10	0.5000	0	90.6	90	110			
Sulfate	9.4	0.50	10.00	0	94.4	90	110			

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R8095		RunNo: 8095							
Prep Date:	Analysis Date: 1/16/2013		SeqNo: 234152		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								

Sample ID LCS-B	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R8095		RunNo: 8095							
Prep Date:	Analysis Date: 1/16/2013		SeqNo: 234161		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.48	0.10	0.5000	0	95.8	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R8199		RunNo: 8199							
Prep Date:	Analysis Date: 1/22/2013		SeqNo: 237146		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R8199		RunNo: 8199							
Prep Date:	Analysis Date: 1/22/2013		SeqNo: 237147		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.48	0.10	0.5000	0	95.9	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID 1301409-006a ms	SampType: MS		TestCode: SM2320B: Alkalinity							
Client ID: Pit	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233050		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	184	20.0	80.00	111.6	91.1	65.3	113			

Sample ID 1301409-006a msd	SampType: MSD		TestCode: SM2320B: Alkalinity							
Client ID: Pit	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233051		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	184	20.0	80.00	111.6	91.0	65.3	113	0.0217	10	

Sample ID mb-1	SampType: MBLK		TestCode: SM2320B: Alkalinity							
Client ID: PBW	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233063		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	ND	20								

Sample ID ics-1	SampType: LCS		TestCode: SM2320B: Alkalinity							
Client ID: LCSW	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233064		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	79	20	80.00	0	98.6	95	105			

Sample ID mb-2	SampType: MBLK		TestCode: SM2320B: Alkalinity							
Client ID: PBW	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233087		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	ND	20								

Sample ID ics-2	SampType: LCS		TestCode: SM2320B: Alkalinity							
Client ID: LCSW	Batch ID: R8053		RunNo: 8053							
Prep Date:	Analysis Date: 1/14/2013		SeqNo: 233088		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	78	20	80.00	0	98.0	95	105			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1301409

12-Feb-13

Client: John Shomaker & Assoc.

Project: NMCC Stage 1

Sample ID MB-5677	SampType: MBLK		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: PBW	Batch ID: 5677		RunNo: 8129							
Prep Date: 1/15/2013	Analysis Date: 1/18/2013		SeqNo: 235114		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	11.0	20.0								J

Sample ID LCS-5677	SampType: LCS		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: LCSW	Batch ID: 5677		RunNo: 8129							
Prep Date: 1/15/2013	Analysis Date: 1/18/2013		SeqNo: 235115		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	1030	20.0	1000	11.00	102	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Sample Log-In Check List

Client Name: SHO Work Order Number: 1301409
 Received by/date: *[Signature]* 01/14/13
 Logged By: Lindsay Mangin 1/11/2013 3:43:00 PM *[Signature]*
 Completed By: Lindsay Mangin 1/14/2013 9:53:24 AM *[Signature]*
 Reviewed By: *[Signature]* 01/14/13

Chain of Custody

- 1. Were seals intact? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Client

Log In

- 4. Coolers are present? (see 19. for cooler specific information) Yes No NA
- 5. Was an attempt made to cool the samples? Yes No NA
- 6. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 7. Sample(s) in proper container(s)? Yes No
- 8. Sufficient sample volume for indicated test(s)? Yes No
- 9. Are samples (except VOA and ONG) properly preserved? Yes No
- 10. Was preservative added to bottles? Yes No NA
 -008c -012c, -016c added 0.4mL HNO3 for acceptable pH - *[Signature]* 01/14/13
- 11. VOA vials have zero headspace? Yes No No VOA Vials
- 12. Were any sample containers received broken? Yes No
- 13. Does paperwork match bottle labels? (Note discrepancies on chain of custody) Yes No
- 14. Are matrices correctly identified on Chain of Custody? Yes No
- 15. Is it clear what analyses were requested? Yes No
- 16. Were all holding times able to be met? (If no, notify customer for authorization.) Yes No

of preserved bottles checked for pH: 23
 (<2 or >12 unless noted)
 Adjusted? YES
 Checked by: *[Signature]*

Special Handling (if applicable)

- 17. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: STEVE FINCH Date: 01/14/13
 By Whom: LINDSAY MANGIN Via: eMail Phone Fax In Person
 Regarding: -014 SAMPLE ID + COLLECTION TIME.
 Client Instructions: SAMPLE ID IS GWQ 11-26, COLLECTION TIME IS 1515 *[Signature]*

18. Additional remarks:
 -008c -012c, -016c Poured off/filtered/preserved in lab. -LM 01/14/13 *[Signature]*

19. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.6	Good	Not Present			

Chain-of-Custody Record

Client: John Shamaker + Assoc. INC
 Mailing Address: 2611 Broadbent Plwy NE
ASQ, NM 87107
 Phone #: 505-345-3407
 email or Fax#: sham@shamaker.com
 QA/QC Package: Standard Level 4 (Full Validation)
 Accreditation NELAP Other _____
 EDD (Type) _____

Turn-Around Time: Standard Rush
 Project Name: NMCC Stage 1
 Project #: 540.101
 Project Manager: STP
 Sampler: STP / MW / SAF
 On Ice: Yes No
 Sample Temperature: _____

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.
1/9/13	10:58	aq	GWQ 11-24B	1X 500 ml	none	-001
1/9/13	10:58	aq	GWQ 11-24B	1X 500 ml ^{filtered}	HNO3	-002
1/9/13	17:40	aq	GWQ 11-25A	1X 500 ml ^{filtered}	none	-003
1/9/13	17:40	aq	GWQ 11-25A	1X 500 ml ^{filtered}	HNO3	-001
1/9/13	16:53	aq	GWQ 96-22A	1X 500 ml ^{filtered}	HNO3	-005
1/9/13	17:14	aq	GWQ 96-22B	1X 500 ml ^{filtered}	none	-006
1/9/13	12:00	aq	Pit	1X 500 ml ^{filtered}	HNO3	-006
1/9/13	12:00	aq	Pit	1X 500 ml ^{filtered}	HNO3	-006
Date: <u>1-11-13</u>	Time: <u>1543</u>	Relinquished by: <u>[Signature]</u>	Date: <u>01/13/13</u>	Time: <u>1543</u>	Remarks:	
Date: _____	Time: _____	Relinquished by: _____	Date: _____	Time: _____	Remarks:	



HALL ENVIRONMENTAL ANALYSIS LABORATORY
 www.hallenvironmental.com
 4901 Hawkins NE - Albuquerque, NM 87109
 Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

BTEX + MTBE + TMB's (8021)	
BTEX + MTBE + TPH (Gas only)	
TPH 8015B (GRO / DRO / MRO)	
TPH (Method 418.1)	
EDB (Method 504.1)	
PAH's (8310 or 8270 SIMS)	
RCRA 8 Metals	
Anions (F, Cl, NO3, NO2, PO4, SO4)	
8081 Pesticides / 8082 PCB's	
8260B (VOA)	
8270 (Semi-VOA)	X
Air Bubbles (Y or N)	X

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record

Client: John Sniemaker & Associates, Inc.

Mailing Address: 2611 Broad bent Pkwy NE

Albuquerque, NM 87107

Phone #: 505-345-3407

email or Fax#: Sniemaker.Sniemaker.com

QA/QC Package:

Standard Level 4 (Full Validation)

Accreditation

NELAP Other

EDD (Type)

Turn-Around Time: Standard Rush

Project Name: NMCC Stage 1

Project #: 540.101

Project Manager: SIF

Sampler: MW/SAF/SIF

On Ice: Yes No

Sample Temperature: 1.6

Container Type and # nd Preservative Type HEAL No

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No
1/9/13	9:24	aq	GWQ-5R	1x500	none	-007
1/10/13	9:24	aq	GWQ-5R	1x120	critical HNO3	-008
1/10/13	12:07	aq	GWQ-3	1x500	none	-009
1/10/13	12:07	aq	GWQ-3	1x120	HNO3	-010
1/10/13	13:50	aq	GWQ-1	1x500	none	-011
1/10/13	13:50	aq	GWQ-1	1x120	HNO3	-012
1/10/13	16:45	aq	GWQ 94-13	1x500	None	
1/10/13	16:45	aq	GWQ 94-13	1x120	HNO3	
1/10/13	17:40	aq	GWQ 94-16	1x500	None	
1/10/13	17:40	aq	GWQ 94-16	1x120	HNO3	
1/10/13	17:56	aq	NP-3	1x 500	HNO3	
1/10/13	17:56	aq	NP-3	1x500	None	

Relinquished by: [Signature] Date: 11-13-13 Time: 1543

Received by: [Signature] Date: 01/13/13 Time: 1543

Remarks:

HALL ENVIRONMENTAL ANALYSIS LABORATORY


www.hallenvironmental.com
4901 Hawkins NE - Albuquerque, NM 87109
Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

BTEX + MTBE + TMB's (8021)	BTEX + MTBE + TPH (Gas only)	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F, Cl, NO3, NO2, PO4, SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	List B	List A	Air Bubbles (Y or N)
											X	X	

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

	Constituent List A	Constituent List B	details
general chemistry	pH	pH	12 samples for List A 16 samples for List B report 3 significant digits for general chemistry constituents
	alkalinity/Acidity	alkalinity/Acidity	
	sulfate	sulfate	
	chloride	chloride	
	fluoride	calcium	
	calcium	magnesium	
	magnesium	sodium	
	sodium	potassium	
	potassium	Total Dissolved Solids	
	Total Dissolved Solids		
	aluminum		
	cadmium		
	cobalt		
	copper		
	magnesium		
	selenium		
zinc			
dissolved metals			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

April 25, 2013

Steve Finch

John Shomaker & Assoc.
2611 Broadbent Parkway NE
Albuquerque, NM 87107
TEL: (505) 345-3407
FAX (505) 345-9920

RE: Copper Flat

OrderNo.: 1304522

Dear Steve Finch:

Hall Environmental Analysis Laboratory received 19 sample(s) on 4/12/2013 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written in a cursive style.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ11-26

Project: Copper Flat

Collection Date: 4/9/2013 1:41:00 PM

Lab ID: 1304522-001

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	0.391	0.100		mg/L	1	4/17/2013 3:35:48 AM
Chloride	16.1	0.500		mg/L	1	4/12/2013 2:39:21 PM
Sulfate	98.2	10.0		mg/L	20	4/12/2013 2:51:45 PM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	ND	0.0200		mg/L	1	4/16/2013 5:43:20 PM
Cadmium	ND	0.00200		mg/L	1	4/15/2013 9:51:30 AM
Cobalt	ND	0.00600		mg/L	1	4/15/2013 9:51:30 AM
Copper	ND	0.00600		mg/L	1	4/15/2013 9:51:30 AM
Manganese	0.0194	0.00200		mg/L	1	4/15/2013 9:51:30 AM
Zinc	ND	0.0100		mg/L	1	4/15/2013 9:51:30 AM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	92.7	1.00		mg/L	1	4/17/2013 6:03:17 PM
Magnesium	23.0	1.00		mg/L	1	4/17/2013 6:03:17 PM
Potassium	1.73	1.00		mg/L	1	4/17/2013 6:03:17 PM
Sodium	68.2	1.00		mg/L	1	4/17/2013 6:03:17 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	0.00177	0.00100		mg/L	1	4/17/2013 1:34:00 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	354	20.0		mg/L CaCO3	1	4/12/2013 12:39:14 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 12:39:14 PM
Total Alkalinity (as CaCO3)	354	20.0		mg/L CaCO3	1	4/12/2013 12:39:14 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	582	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ11-25A

Project: Copper Flat

Collection Date: 4/8/2013 8:48:00 AM

Lab ID: 1304522-002

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	324	100	*	mg/L	1000	4/17/2013 4:00:38 AM
Chloride	11.0	10.0		mg/L	20	4/12/2013 3:16:35 PM
Sulfate	17400	500	*	mg/L	1000	4/17/2013 4:00:38 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	1730	40.0	*	mg/L	2000	4/18/2013 1:26:25 PM
Cadmium	0.656	0.400	*	mg/L	200	4/17/2013 2:46:51 PM
Cobalt	3.91	1.20		mg/L	200	4/17/2013 2:46:51 PM
Copper	63.9	1.20	*	mg/L	200	4/17/2013 2:46:51 PM
Manganese	77.5	0.400	*	mg/L	200	4/17/2013 2:46:51 PM
Silicon	68.4	16.0		mg/L	200	4/18/2013 1:24:28 PM
Zinc	42.1	2.00	*	mg/L	200	4/17/2013 2:46:51 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	556	500		mg/L	500	4/18/2013 2:18:59 PM
Magnesium	ND	500		mg/L	500	4/18/2013 2:18:59 PM
Potassium	ND	500		mg/L	500	4/18/2013 2:18:59 PM
Sodium	ND	500		mg/L	500	4/18/2013 2:18:59 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	ND	0.50	*	mg/L	500	4/22/2013 12:45:58 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	ND	20.0		mg/L CaCO3	1	4/12/2013 12:56:20 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 12:56:20 PM
Total Alkalinity (as CaCO3)	ND	20.0		mg/L CaCO3	1	4/12/2013 12:56:20 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	23800	1000	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ11-24B

Project: Copper Flat

Collection Date: 4/8/2013 6:20:00 PM

Lab ID: 1304522-003

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	3.99	0.100		mg/L	1	4/17/2013 4:13:02 AM
Chloride	28.4	10.0		mg/L	20	4/13/2013 12:34:57 AM
Sulfate	1510	25.0	*	mg/L	50	4/17/2013 4:25:26 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	ND	0.0200		mg/L	1	4/16/2013 6:00:01 PM
Cadmium	ND	0.00200		mg/L	1	4/15/2013 10:10:31 AM
Cobalt	0.0191	0.00600		mg/L	1	4/15/2013 10:10:31 AM
Copper	ND	0.00600		mg/L	1	4/15/2013 10:10:31 AM
Manganese	3.54	0.0100	*	mg/L	5	4/15/2013 10:12:56 AM
Zinc	0.233	0.0100		mg/L	1	4/15/2013 10:10:31 AM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	469	10.0		mg/L	10	4/15/2013 3:21:25 PM
Magnesium	77.7	1.00		mg/L	1	4/15/2013 3:17:55 PM
Potassium	5.81	1.00		mg/L	1	4/15/2013 3:17:55 PM
Sodium	91.4	1.00		mg/L	1	4/15/2013 3:17:55 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	ND	0.0050		mg/L	5	4/22/2013 12:53:50 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	189	20.0		mg/L CaCO3	1	4/12/2013 1:00:56 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 1:00:56 PM
Total Alkalinity (as CaCO3)	189	20.0		mg/L CaCO3	1	4/12/2013 1:00:56 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	2440	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ11-24A

Project: Copper Flat

Collection Date: 4/8/2013 6:10:00 PM

Lab ID: 1304522-004

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	22.9	10.0	*	mg/L	100	4/17/2013 4:50:15 AM
Chloride	29.8	10.0		mg/L	20	4/12/2013 4:31:02 PM
Sulfate	2730	50.0	*	mg/L	100	4/17/2013 4:50:15 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	46.0	2.00	*	mg/L	100	4/16/2013 6:04:44 PM
Cadmium	0.206	0.0100	*	mg/L	5	4/15/2013 10:17:42 AM
Cobalt	0.290	0.0300		mg/L	5	4/15/2013 10:17:42 AM
Copper	126	1.20	*	mg/L	200	4/17/2013 12:51:12 PM
Manganese	11.4	0.0400	*	mg/L	20	4/17/2013 12:49:06 PM
Zinc	6.32	0.100	*	mg/L	10	4/16/2013 6:02:30 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	468	10.0		mg/L	10	4/17/2013 6:23:09 PM
Magnesium	110	10.0		mg/L	10	4/17/2013 6:23:09 PM
Potassium	ND	10.0		mg/L	10	4/17/2013 6:23:09 PM
Sodium	126	10.0		mg/L	10	4/17/2013 6:23:09 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	0.0351	0.00100		mg/L	1	4/17/2013 1:39:36 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	ND	20.0		mg/L CaCO3	1	4/12/2013 1:13:22 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 1:13:22 PM
Total Alkalinity (as CaCO3)	ND	20.0		mg/L CaCO3	1	4/12/2013 1:13:22 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	4320	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: Pit Lake 1

Project: Copper Flat

Collection Date: 4/8/2013 2:40:00 PM

Lab ID: 1304522-005

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	22.1	5.00	*	mg/L	50	4/17/2013 5:39:53 AM
Chloride	670	25.0	*	mg/L	50	4/17/2013 5:39:53 AM
Sulfate	6750	250	*	mg/L	500	4/17/2013 5:52:17 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	0.109	0.0200		mg/L	1	4/16/2013 6:07:22 PM
Cadmium	0.0385	0.00200	*	mg/L	1	4/15/2013 10:19:58 AM
Cobalt	0.0688	0.00600		mg/L	1	4/15/2013 10:19:58 AM
Copper	0.0584	0.00600		mg/L	1	4/15/2013 10:19:58 AM
Manganese	31.9	0.100	*	mg/L	50	4/17/2013 12:53:36 PM
Silicon	5.08	0.400		mg/L	5	4/18/2013 1:28:22 PM
Zinc	0.864	0.0100		mg/L	1	4/15/2013 10:19:58 AM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	494	10.0		mg/L	10	4/15/2013 3:31:15 PM
Magnesium	929	10.0		mg/L	10	4/15/2013 3:31:15 PM
Potassium	49.1	1.00		mg/L	1	4/15/2013 3:25:29 PM
Sodium	1320	20.0		mg/L	20	4/15/2013 3:43:59 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	0.013	0.0050		mg/L	5	4/22/2013 12:57:46 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	122	20.0		mg/L CaCO3	1	4/12/2013 1:17:47 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 1:17:47 PM
Total Alkalinity (as CaCO3)	122	20.0		mg/L CaCO3	1	4/12/2013 1:17:47 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	11700	200	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ11-25B

Project: Copper Flat

Collection Date: 4/8/2013 1:38:00 PM

Lab ID: 1304522-006

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	8.10	5.00	*	mg/L	50	4/17/2013 6:04:42 AM
Chloride	27.2	10.0		mg/L	20	4/12/2013 5:45:27 PM
Sulfate	1470	25.0	*	mg/L	50	4/17/2013 6:04:42 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	0.383	0.0200	*	mg/L	1	4/16/2013 6:12:49 PM
Cadmium	ND	0.00200		mg/L	1	4/15/2013 10:25:51 AM
Cobalt	ND	0.00600		mg/L	1	4/15/2013 10:25:51 AM
Copper	ND	0.00600		mg/L	1	4/15/2013 10:25:51 AM
Manganese	3.30	0.0100	*	mg/L	5	4/15/2013 10:28:16 AM
Zinc	0.0225	0.0100		mg/L	1	4/15/2013 10:25:51 AM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	465	10.0		mg/L	10	4/15/2013 4:00:10 PM
Magnesium	80.6	1.00		mg/L	1	4/15/2013 3:35:35 PM
Potassium	4.35	1.00		mg/L	1	4/15/2013 3:35:35 PM
Sodium	128	10.0		mg/L	10	4/15/2013 4:00:10 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	0.00168	0.00100		mg/L	1	4/17/2013 2:11:28 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	339	20.0		mg/L CaCO3	1	4/12/2013 1:26:35 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 1:26:35 PM
Total Alkalinity (as CaCO3)	339	20.0		mg/L CaCO3	1	4/12/2013 1:26:35 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	2530	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-11

Project: Copper Flat

Collection Date: 4/10/2013 6:15:00 PM

Lab ID: 1304522-007

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	142	5.00		mg/L	10	4/12/2013 6:22:42 PM
Sulfate	359	5.00	*	mg/L	10	4/12/2013 6:22:42 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	155	10.0		mg/L	10	4/15/2013 4:18:29 PM
Magnesium	43.0	1.00		mg/L	1	4/15/2013 4:12:38 PM
Potassium	3.34	1.00		mg/L	1	4/15/2013 4:12:38 PM
Sodium	68.6	1.00		mg/L	1	4/15/2013 4:12:38 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO ₃)	163	20.0		mg/L CaCO ₃	1	4/12/2013 1:43:08 PM
Carbonate (As CaCO ₃)	ND	2.00		mg/L CaCO ₃	1	4/12/2013 1:43:08 PM
Total Alkalinity (as CaCO ₃)	163	20.0		mg/L CaCO ₃	1	4/12/2013 1:43:08 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	952	20.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ94-14

Project: Copper Flat

Collection Date: 4/10/2013 2:52:00 PM

Lab ID: 1304522-008

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	43.7	5.00		mg/L	10	4/12/2013 6:47:31 PM
Sulfate	141	5.00		mg/L	10	4/12/2013 6:47:31 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	94.8	1.00		mg/L	1	4/15/2013 4:26:30 PM
Magnesium	25.8	1.00		mg/L	1	4/15/2013 4:26:30 PM
Potassium	1.71	1.00		mg/L	1	4/15/2013 4:26:30 PM
Sodium	48.7	1.00		mg/L	1	4/15/2013 4:26:30 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO ₃)	213	20.0		mg/L CaCO ₃	1	4/12/2013 1:53:36 PM
Carbonate (As CaCO ₃)	ND	2.00		mg/L CaCO ₃	1	4/12/2013 1:53:36 PM
Total Alkalinity (as CaCO ₃)	213	20.0		mg/L CaCO ₃	1	4/12/2013 1:53:36 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	553	20.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

* Value exceeds Maximum Contaminant Level.
 E Value above quantitation range
 J Analyte detected below quantitation limits
 P Sample pH greater than 2
 RL Reporting Detection Limit

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 R RPD outside accepted recovery limits
 S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-12

Project: Copper Flat

Collection Date: 4/10/2013 4:51:00 PM

Lab ID: 1304522-009

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	27.2	5.00		mg/L	10	4/12/2013 7:12:19 PM
Sulfate	46.9	5.00		mg/L	10	4/12/2013 7:12:19 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	50.0	1.00		mg/L	1	4/17/2013 6:42:01 PM
Magnesium	16.1	1.00		mg/L	1	4/17/2013 6:42:01 PM
Potassium	2.66	1.00		mg/L	1	4/17/2013 6:42:01 PM
Sodium	26.9	1.00		mg/L	1	4/17/2013 6:42:01 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO ₃)	179	20.0		mg/L CaCO ₃	1	4/12/2013 2:05:17 PM
Carbonate (As CaCO ₃)	ND	2.00		mg/L CaCO ₃	1	4/12/2013 2:05:17 PM
Total Alkalinity (as CaCO ₃)	179	20.0		mg/L CaCO ₃	1	4/12/2013 2:05:17 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	360	20.0		mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ94-13

Project: Copper Flat

Collection Date: 4/10/2013 11:05:00 AM

Lab ID: 1304522-010

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	177	50.0		mg/L	100	4/12/2013 7:49:32 PM
Sulfate	517	50.0	*	mg/L	100	4/12/2013 7:49:32 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	231	10.0		mg/L	10	4/17/2013 6:54:52 PM
Magnesium	44.2	1.00		mg/L	1	4/17/2013 6:50:43 PM
Potassium	2.73	1.00		mg/L	1	4/17/2013 6:50:43 PM
Sodium	90.7	1.00		mg/L	1	4/17/2013 6:50:43 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	124	20.0		mg/L CaCO3	1	4/12/2013 2:16:00 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 2:16:00 PM
Total Alkalinity (as CaCO3)	124	20.0		mg/L CaCO3	1	4/12/2013 2:16:00 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	1410	20.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: NP-3

Project: Copper Flat

Collection Date: 4/10/2013 12:09:00 PM

Lab ID: 1304522-011

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	191	50.0		mg/L	100	4/12/2013 8:14:21 PM
Sulfate	561	50.0	*	mg/L	100	4/12/2013 8:14:21 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	219	10.0		mg/L	10	4/17/2013 7:03:00 PM
Magnesium	47.5	1.00		mg/L	1	4/17/2013 6:59:28 PM
Potassium	3.41	1.00		mg/L	1	4/17/2013 6:59:28 PM
Sodium	97.9	1.00		mg/L	1	4/17/2013 6:59:28 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	71.4	20.0		mg/L CaCO3	1	4/12/2013 2:25:26 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 2:25:26 PM
Total Alkalinity (as CaCO3)	71.4	20.0		mg/L CaCO3	1	4/12/2013 2:25:26 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	1340	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: NP-2

Project: Copper Flat

Collection Date: 4/10/2013 1:21:00 PM

Lab ID: 1304522-012

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	170	5.00		mg/L	10	4/12/2013 8:51:35 PM
Sulfate	299	5.00	*	mg/L	10	4/12/2013 8:51:35 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	147	10.0		mg/L	10	4/17/2013 7:12:52 PM
Magnesium	40.7	1.00		mg/L	1	4/17/2013 7:09:15 PM
Potassium	4.24	1.00		mg/L	1	4/17/2013 7:09:15 PM
Sodium	68.6	1.00		mg/L	1	4/17/2013 7:09:15 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	167	20.0		mg/L CaCO3	1	4/12/2013 2:33:07 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 2:33:07 PM
Total Alkalinity (as CaCO3)	167	20.0		mg/L CaCO3	1	4/12/2013 2:33:07 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	872	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ94-16

Project: Copper Flat

Collection Date: 4/10/2013 11:05:00 AM

Lab ID: 1304522-013

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	191	5.00		mg/L	10	4/12/2013 9:16:24 PM
Sulfate	421	5.00	*	mg/L	10	4/12/2013 9:16:24 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	281	10.0		mg/L	10	4/17/2013 7:20:04 PM
Magnesium	50.7	1.00		mg/L	1	4/17/2013 7:16:24 PM
Potassium	4.78	1.00		mg/L	1	4/17/2013 7:16:24 PM
Sodium	65.0	1.00		mg/L	1	4/17/2013 7:16:24 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	171	20.0		mg/L CaCO3	1	4/12/2013 2:43:35 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 2:43:35 PM
Total Alkalinity (as CaCO3)	171	20.0		mg/L CaCO3	1	4/12/2013 2:43:35 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	1070	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: MW-4

Project: Copper Flat

Collection Date: 4/11/2013 2:30:00 PM

Lab ID: 1304522-014

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	20.8	5.00		mg/L	10	4/12/2013 9:41:12 PM
Sulfate	91.5	5.00		mg/L	10	4/12/2013 9:41:12 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	23.2	1.00		mg/L	1	4/17/2013 7:37:17 PM
Magnesium	7.27	1.00		mg/L	1	4/17/2013 7:37:17 PM
Potassium	2.27	1.00		mg/L	1	4/17/2013 7:37:17 PM
Sodium	48.1	1.00		mg/L	1	4/17/2013 7:37:17 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	87.2	20.0		mg/L CaCO3	1	4/12/2013 2:53:38 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 2:53:38 PM
Total Alkalinity (as CaCO3)	87.2	20.0		mg/L CaCO3	1	4/12/2013 2:53:38 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	267	20.0		mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-3

Project: Copper Flat

Collection Date: 4/11/2013 11:22:00 AM

Lab ID: 1304522-015

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	75.3	5.00		mg/L	10	4/12/2013 10:06:00 PM
Sulfate	1750	50.0	*	mg/L	100	4/12/2013 10:18:25 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	477	10.0		mg/L	10	4/15/2013 4:38:52 PM
Magnesium	111	10.0		mg/L	10	4/15/2013 4:38:52 PM
Potassium	3.99	1.00		mg/L	1	4/15/2013 4:34:39 PM
Sodium	253	10.0		mg/L	10	4/15/2013 4:38:52 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	188	20.0		mg/L CaCO3	1	4/12/2013 3:01:18 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 3:01:18 PM
Total Alkalinity (as CaCO3)	188	20.0		mg/L CaCO3	1	4/12/2013 3:01:18 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	3060	40.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E Value above quantitation range	H Holding times for preparation or analysis exceeded
J Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
P Sample pH greater than 2	R RPD outside accepted recovery limits
RL Reporting Detection Limit	S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-8

Project: Copper Flat

Collection Date: 4/9/2013 4:45:00 PM

Lab ID: 1304522-016

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	85.0	5.00		mg/L	10	4/12/2013 10:30:49 PM
Sulfate	447	50.0	*	mg/L	100	4/12/2013 10:43:14 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	214	10.0		mg/L	10	4/15/2013 4:47:14 PM
Magnesium	35.6	1.00		mg/L	1	4/15/2013 4:42:59 PM
Potassium	2.73	1.00		mg/L	1	4/15/2013 4:42:59 PM
Sodium	113	10.0		mg/L	10	4/15/2013 4:47:14 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	214	20.0		mg/L CaCO3	1	4/12/2013 3:11:49 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 3:11:49 PM
Total Alkalinity (as CaCO3)	214	20.0		mg/L CaCO3	1	4/12/2013 3:11:49 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	1190	20.0	*	mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-5R

Project: Copper Flat

Collection Date: 4/9/2013 12:39:00 PM

Lab ID: 1304522-017

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	17.4	5.00		mg/L	10	4/12/2013 11:20:29 PM
Sulfate	101	5.00		mg/L	10	4/12/2013 11:20:29 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	87.1	1.00		mg/L	1	4/17/2013 7:45:29 PM
Magnesium	20.3	1.00		mg/L	1	4/17/2013 7:45:29 PM
Potassium	4.63	1.00		mg/L	1	4/17/2013 7:45:29 PM
Sodium	30.6	1.00		mg/L	1	4/17/2013 7:45:29 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	285	20.0		mg/L CaCO3	1	4/12/2013 3:23:40 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 3:23:40 PM
Total Alkalinity (as CaCO3)	285	20.0		mg/L CaCO3	1	4/12/2013 3:23:40 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	500	20.0		mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1304522

Date Reported: 4/25/2013

CLIENT: John Shomaker & Assoc.

Client Sample ID: GWQ-1

Project: Copper Flat

Collection Date: 4/11/2013 1:25:00 PM

Lab ID: 1304522-018

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Chloride	29.8	5.00		mg/L	10	4/12/2013 11:45:18 PM
Sulfate	120	5.00		mg/L	10	4/12/2013 11:45:18 PM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	57.0	1.00		mg/L	1	4/17/2013 7:54:14 PM
Magnesium	13.5	1.00		mg/L	1	4/17/2013 7:54:14 PM
Potassium	2.00	1.00		mg/L	1	4/17/2013 7:54:14 PM
Sodium	60.0	1.00		mg/L	1	4/17/2013 7:54:14 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	195	20.0		mg/L CaCO3	1	4/12/2013 3:37:20 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 3:37:20 PM
Total Alkalinity (as CaCO3)	195	20.0		mg/L CaCO3	1	4/12/2013 3:37:20 PM
SM2540C MOD: TOTAL DISSOLVED SOLIDS						Analyst: KS
Total Dissolved Solids	465	20.0		mg/L	1	4/15/2013 5:17:00 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

CLIENT: John Shomaker & Assoc.

Client Sample ID: Pit Lake 1A

Project: Copper Flat

Collection Date: 4/8/2013 2:40:00 PM

Lab ID: 1304522-019

Matrix: AQUEOUS

Received Date: 4/12/2013 9:07:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JRR
Fluoride	20.4	1.00	*	mg/L	10	4/17/2013 6:17:06 AM
Chloride	599	50.0	*	mg/L	100	4/13/2013 12:22:33 AM
Nitrogen, Nitrate (As N)	ND	1.00	H	mg/L	10	4/13/2013 12:10:08 AM
Sulfate	7130	100	*	mg/L	200	4/17/2013 6:29:31 AM
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JLF
Aluminum	0.113	0.0200		mg/L	1	4/16/2013 6:15:14 PM
Cadmium	0.0391	0.00200	*	mg/L	1	4/15/2013 10:30:46 AM
Cobalt	0.0700	0.00600		mg/L	1	4/15/2013 10:30:46 AM
Copper	0.0611	0.00600		mg/L	1	4/15/2013 10:30:46 AM
Manganese	33.1	0.100	*	mg/L	50	4/17/2013 12:56:03 PM
Zinc	0.884	0.0100		mg/L	1	4/15/2013 10:30:46 AM
EPA METHOD 200.7: METALS						Analyst: JLF
Calcium	453	10.0		mg/L	10	4/17/2013 8:07:28 PM
Magnesium	859	10.0		mg/L	10	4/17/2013 8:07:28 PM
Potassium	40.2	1.00		mg/L	1	4/17/2013 8:02:56 PM
Sodium	1230	20.0		mg/L	20	4/18/2013 2:22:54 PM
EPA 200.8: DISSOLVED METALS						Analyst: DBD
Selenium	0.015	0.0050		mg/L	5	4/22/2013 1:01:42 PM
SM2320B: ALKALINITY						Analyst: JML
Bicarbonate (As CaCO3)	123	20.0		mg/L CaCO3	1	4/12/2013 3:47:52 PM
Carbonate (As CaCO3)	ND	2.00		mg/L CaCO3	1	4/12/2013 3:47:52 PM
Total Alkalinity (as CaCO3)	123	20.0		mg/L CaCO3	1	4/12/2013 3:47:52 PM

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Metals							
Client ID: PBW	Batch ID: R9867		RunNo: 9867							
Prep Date: 2/22/2013	Analysis Date: 4/15/2013		SeqNo: 280774		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	ND	1.0								
Magnesium	ND	1.0								
Potassium	ND	1.0								
Sodium	ND	1.0								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Metals							
Client ID: LCSW	Batch ID: R9867		RunNo: 9867							
Prep Date:	Analysis Date: 4/15/2013		SeqNo: 280775		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	48	1.0	50.00	0	97.0	85	115			
Magnesium	49	1.0	50.00	0	98.4	85	115			
Potassium	48	1.0	50.00	0	96.7	85	115			
Sodium	49	1.0	50.00	0	97.6	85	115			

Sample ID MB-7014	SampType: MBLK		TestCode: EPA Method 200.7: Metals							
Client ID: PBW	Batch ID: 7014		RunNo: 9947							
Prep Date: 4/17/2013	Analysis Date: 4/17/2013		SeqNo: 283253		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	ND	1.0								
Magnesium	ND	1.0								
Potassium	ND	1.0								
Sodium	ND	1.0								

Sample ID LCS-7014	SampType: LCS		TestCode: EPA Method 200.7: Metals							
Client ID: LCSW	Batch ID: 7014		RunNo: 9947							
Prep Date: 4/17/2013	Analysis Date: 4/17/2013		SeqNo: 283255		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Calcium	49	1.0	50.00	0	98.1	85	115			
Magnesium	49	1.0	50.00	0	98.3	85	115			
Potassium	48	1.0	50.00	0	96.0	85	115			
Sodium	48	1.0	50.00	0	96.8	85	115			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R9879		RunNo: 9879							
Prep Date: 2/22/2013	Analysis Date: 4/15/2013		SeqNo: 280993		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Cadmium	ND	0.0020								
Cobalt	ND	0.0060								
Copper	ND	0.0060								
Manganese	ND	0.0020								
Zinc	ND	0.010								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R9879		RunNo: 9879							
Prep Date:	Analysis Date: 4/15/2013		SeqNo: 280994		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Cadmium	0.51	0.0020	0.5000	0	101	85	115			
Cobalt	0.49	0.0060	0.5000	0	98.8	85	115			
Copper	0.52	0.0060	0.5000	0	104	85	115			
Manganese	0.52	0.0020	0.5000	0	103	85	115			
Zinc	0.48	0.010	0.5000	0	96.4	85	115			

Sample ID MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: PBW	Batch ID: R9910		RunNo: 9910							
Prep Date: 2/22/2013	Analysis Date: 4/16/2013		SeqNo: 281828		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	ND	0.020								
Zinc	ND	0.010								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R9910		RunNo: 9910							
Prep Date:	Analysis Date: 4/16/2013		SeqNo: 281829		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.56	0.020	0.5000	0	113	85	115			
Zinc	0.50	0.010	0.5000	0	99.0	85	115			

Sample ID LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals							
Client ID: LCSW	Batch ID: R9937		RunNo: 9937							
Prep Date:	Analysis Date: 4/17/2013		SeqNo: 283074		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Cadmium	0.50	0.0020	0.5000	0	100	85	115			
Cobalt	0.49	0.0060	0.5000	0	97.8	85	115			
Copper	0.51	0.0060	0.5000	0	102	85	115			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID	LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals						
Client ID:	LCSW	Batch ID: R9937		RunNo: 9937						
Prep Date:		Analysis Date: 4/17/2013		SeqNo: 283074		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.51	0.0020	0.5000	0	101	85	115			
Zinc	0.48	0.010	0.5000	0	96.0	85	115			

Sample ID	MB	SampType: MBLK		TestCode: EPA Method 200.7: Dissolved Metals						
Client ID:	PBW	Batch ID: R9967		RunNo: 9967						
Prep Date:	2/22/2013	Analysis Date: 4/18/2013		SeqNo: 283917		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	ND	0.020								
Silicon	ND	0.080								

Sample ID	LCS	SampType: LCS		TestCode: EPA Method 200.7: Dissolved Metals						
Client ID:	LCSW	Batch ID: R9967		RunNo: 9967						
Prep Date:		Analysis Date: 4/18/2013		SeqNo: 283918		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Aluminum	0.57	0.020	0.5000	0	115	85	115			
Silicon	2.7	0.080	2.500	0	107	85	115			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R9934	RunNo:	9934					
Prep Date:		Analysis Date:	4/17/2013	SeqNo:	283050	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	0.023	0.0010	0.02500	0	91.0	85	115			

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R9934	RunNo:	9934					
Prep Date:		Analysis Date:	4/17/2013	SeqNo:	283051	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	0.023	0.0010	0.02500	0	92.4	85	115			

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R9934	RunNo:	9934					
Prep Date:		Analysis Date:	4/17/2013	SeqNo:	283052	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	ND	0.0010								

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R9934	RunNo:	9934					
Prep Date:		Analysis Date:	4/17/2013	SeqNo:	283053	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	ND	0.0010								

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R10026	RunNo:	10026					
Prep Date:		Analysis Date:	4/22/2013	SeqNo:	285715	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	0.024	0.0010	0.02500	0	97.2	85	115			

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R10026	RunNo:	10026					
Prep Date:		Analysis Date:	4/22/2013	SeqNo:	285717	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	ND	0.0010								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID	LCS	SampType:	LCS	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	LCSW	Batch ID:	R10026	RunNo:	10026					
Prep Date:		Analysis Date:	4/22/2013	SeqNo:	285841	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	0.025	0.0010	0.02500	0	101	85	115			

Sample ID	MB	SampType:	MBLK	TestCode:	EPA 200.8: Dissolved Metals					
Client ID:	PBW	Batch ID:	R10026	RunNo:	10026					
Prep Date:		Analysis Date:	4/22/2013	SeqNo:	285842	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Selenium	ND	0.0010								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R9850		RunNo: 9850							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280386		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	0.50								
Nitrogen, Nitrate (As N)	ND	0.10								
Sulfate	ND	0.50								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R9850		RunNo: 9850							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280387		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	4.7	0.50	5.000	0	93.7	90	110			
Nitrogen, Nitrate (As N)	2.5	0.10	2.500	0	98.0	90	110			
Sulfate	9.4	0.50	10.00	0	94.2	90	110			

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R9925		RunNo: 9925							
Prep Date:	Analysis Date: 4/16/2013		SeqNo: 282646		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								
Chloride	ND	0.50								
Sulfate	ND	0.50								

Sample ID LCS	SampType: LCS		TestCode: EPA Method 300.0: Anions							
Client ID: LCSW	Batch ID: R9925		RunNo: 9925							
Prep Date:	Analysis Date: 4/16/2013		SeqNo: 282647		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.46	0.10	0.5000	0	92.0	90	110			
Chloride	4.7	0.50	5.000	0	94.6	90	110			
Sulfate	9.9	0.50	10.00	0	99.3	90	110			

Sample ID MB	SampType: MBLK		TestCode: EPA Method 300.0: Anions							
Client ID: PBW	Batch ID: R9925		RunNo: 9925							
Prep Date:	Analysis Date: 4/17/2013		SeqNo: 282701		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	ND	0.10								
Chloride	ND	0.50								
Sulfate	ND	0.50								

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID	LCS	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSW	Batch ID:	R9925	RunNo:	9925					
Prep Date:		Analysis Date:	4/17/2013	SeqNo:	282702	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Fluoride	0.49	0.10	0.5000	0	98.5	90	110			
Chloride	4.8	0.50	5.000	0	95.3	90	110			
Sulfate	9.9	0.50	10.00	0	99.5	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID mb-1	SampType: mblk		TestCode: SM2320B: Alkalinity							
Client ID: PBW	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280512		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	ND	20								

Sample ID ics-1	SampType: ics		TestCode: SM2320B: Alkalinity							
Client ID: LCSW	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280513		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	79	20	80.00	0	99.2	90	110			

Sample ID 1304522-019a ms	SampType: ms		TestCode: SM2320B: Alkalinity							
Client ID: Pit Lake 1A	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280533		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	195	20.0	80.00	122.6	90.8	65.3	113			

Sample ID 1304522-019a msd	SampType: msd		TestCode: SM2320B: Alkalinity							
Client ID: Pit Lake 1A	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280534		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	195	20.0	80.00	122.6	90.5	65.3	113	0.123	10	

Sample ID mb-2	SampType: mblk		TestCode: SM2320B: Alkalinity							
Client ID: PBW	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280535		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	ND	20								

Sample ID ics-2	SampType: ics		TestCode: SM2320B: Alkalinity							
Client ID: LCSW	Batch ID: R9854		RunNo: 9854							
Prep Date:	Analysis Date: 4/12/2013		SeqNo: 280536		Units: mg/L CaCO3					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Alkalinity (as CaCO3)	79	20	80.00	0	98.4	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1304522

25-Apr-13

Client: John Shomaker & Assoc.

Project: Copper Flat

Sample ID MB-6966	SampType: MBLK		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: PBW	Batch ID: 6966		RunNo: 9871							
Prep Date: 4/14/2013	Analysis Date: 4/15/2013		SeqNo: 280848		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	ND	20.0								

Sample ID LCS-6966	SampType: LCS		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: LCSW	Batch ID: 6966		RunNo: 9871							
Prep Date: 4/14/2013	Analysis Date: 4/15/2013		SeqNo: 280849		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	1010	20.0	1000	0	101	80	120			

Sample ID 1304522-005AMS	SampType: MS		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: Pit Lake 1	Batch ID: 6966		RunNo: 9871							
Prep Date: 4/14/2013	Analysis Date: 4/15/2013		SeqNo: 280855		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	22100	200	10000	11660	104	80	120			

Sample ID 1304522-005AMSD	SampType: MSD		TestCode: SM2540C MOD: Total Dissolved Solids							
Client ID: Pit Lake 1	Batch ID: 6966		RunNo: 9871							
Prep Date: 4/14/2013	Analysis Date: 4/15/2013		SeqNo: 280856		Units: mg/L					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	21900	200	10000	11660	102	80	120	0.957	5	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2
- RL Reporting Detection Limit
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

Sample Log-In Check List

Client Name: SHO

Work Order Number: 1304522

RcptNo: 1

Received by/date: MG 04/12/13
 Logged By: **Michelle Garcia** 4/12/2013 9:07:00 AM *Michelle Garcia*
 Completed By: **Michelle Garcia** 4/12/2013 9:49:42 AM *Michelle Garcia*
 Reviewed By: IO 04/12/2013

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Client

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 6. Sample(s) in proper container(s)? Yes No
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? ~~Yes~~ No
- 9. Was preservative added to bottles? Yes ~~No~~ NA
- 10. VOA vials have zero headspace? -001B - 006B - ADDED 0.5 mL HNO₃ FOR ACCEPTABLE PH Yes No No VOA Vials 04/12/13 @ 1030
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels? (Note discrepancies on chain of custody) Yes No
- 13. Are matrices correctly identified on Chain of Custody? Yes No
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met? (If no, notify customer for authorization.) Yes No

of preserved bottles checked for pH: 26
 (<2 or >12 unless noted)
 Adjusted? Yes
 Checked by: *[Signature]*

Special Handling (if applicable)

- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

-001B - 006B - HELD IN LOGIN FOR 24 HRS AFTER PRESERVATION

18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.0	Good	Not Present			<i>[Signature]</i>

Chain-of-Custody Record

Client: John Shomaker & Assoc, Inc.

Mailing Address: 2611 Broadbent Pkwy,

Albuquerque, NM 87107

Phone #: (505) 345-3407

email or Fax#: Sfinch@shomaker.com

QA/QC Package:

Standard Level 4 (Full Validation)

Accreditation

NELAP Other _____

EDD (Type) _____

Turn-Around Time:

Standard Rush

Project Name:

Copper Flat

Project #:

Project Manager:

Steve Finch
sfinch@shomaker.com

Sampler: M. Wikstrom

On Ice: Yes No

Sample Temperature: 10

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No
2013						<u>1304502</u>
4/10	18:15	H ₂ O	GWQ-11	2	1 x HNO ₃	<u>-608007</u>
4/10	14:52	H ₂ O	GWQ94-14	2	1 x HNO ₃	<u>-009008</u>
4/10	16:51	H ₂ O	GWQ-12	2	1 x HNO ₃	<u>-010009</u>
4/10	11:05	H ₂ O	GWQ94-13	2	1 x HNO ₃	<u>-011010</u>
4/10	12:09	H ₂ O	NP-3	2	1 x HNO ₃	<u>-012011</u>
4/10	13:21	H ₂ O	NP-2	2	1 x HNO ₃	<u>-013012</u>
4/10	11:05	H ₂ O	GWQ94-16	2	1 x HNO ₃	<u>-014013</u>
4/11	14:30	H ₂ O	MW-4	2	1 x HNO ₃	<u>-015014</u>
						<u>NA</u>

Date: 4/12-09:07

Relinquished by: M. Wikstrom

Date: _____

Relinquished by: _____

Received by: [Signature]


Date: 04/10/13 09:07

Received by: _____

Date: _____

Remarks:

Please email results to: List "B"
sfinch@shomaker.com



HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

<input type="checkbox"/>	BTEX + MTBE + TMBs (8021)	<input type="checkbox"/>
<input type="checkbox"/>	BTEX + MTBE + TPH (Gas only)	<input type="checkbox"/>
<input type="checkbox"/>	TPH 8015B (GRO / DRO / MRO)	<input type="checkbox"/>
<input type="checkbox"/>	TPH (Method 418.1)	<input type="checkbox"/>
<input type="checkbox"/>	EDB (Method 504.1)	<input type="checkbox"/>
<input type="checkbox"/>	PAH's (8310 or 8270 SIMS)	<input type="checkbox"/>
<input type="checkbox"/>	RCRA 8 Metals	<input type="checkbox"/>
<input type="checkbox"/>	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	<input type="checkbox"/>
<input type="checkbox"/>	8081 Pesticides / 8082 PCBs	<input type="checkbox"/>
<input type="checkbox"/>	8260B (VOA)	<input type="checkbox"/>
<input type="checkbox"/>	8270 (Semi-VOA)	<input type="checkbox"/>
<input checked="" type="checkbox"/>	See List	<input type="checkbox"/>
<input checked="" type="checkbox"/>	Not Filtered	<input type="checkbox"/>

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Chain-of-Custody Record

Client: John Shomaker & Associates, Inc.

Mailing Address: 2611 Broadbent Pkwy

Albuquerque, NM 87107

Phone #: (505) 345-3907

email or Fax#: sfinch@shomaker.com

QA/QC Package: Standard Level 4 (Full Validation)

Accreditation NELAP Other

EDD (Type)

Turn-Around Time: Standard Rush

Project Name: Copper Flat

Project #:

Project Manager: Steve Finch

Sampler:

On Ice: Yes No
 Sample Temperature: 10

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.
2011						<u>1304522</u>
4/11	11:22	H ₂ O	GWQ-3	2	1x HNO ₃	<u>017 015</u>
4/9	16:45	H ₂ O	GWQ-8	2	1x HNO ₃	<u>017 016</u>
4/9	12:39	H ₂ O	GWQ-SR	2	1x HNO ₃	<u>018 017</u>
4/11	13:25	H ₂ O	GWQ-1	2	1x HNO ₃	<u>019 018</u>
						<u>211012</u>

Date: 4/12 Time: 09:07
 Relinquished by: M. Winston

Received by: M. Winston Date: 04/12/13 Time: 09:07
 Received by: _____ Date: _____ Time: _____



HALL ENVIRONMENTAL ANALYSIS LABORATORY
 www.hallenvironmental.com
 4901 Hawkins NE - Albuquerque, NM 87109 List "B"
 Tel. 505-345-3975 Fax 505-345-4107

Analysis Request	
BTEX + MTBE + TMB's (8021)	
BTEX + MTBE + TPH (Gas only)	
TPH 8015B (GRO / DRO / MRO)	
TPH (Method 418.1)	
EDB (Method 504.1)	
PAH's (8310 or 8270 SIMS)	
RCRA 8 Metals	
Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	
8081 Pesticides / 8082 PCBs	
8260B (VOA)	
8270 (Semi-VOA)	
See List	<input checked="" type="checkbox"/>
Not filtered.	<input checked="" type="checkbox"/>

Remarks: Please email results to: sfinch@shomaker.com List "B"

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly noted on the analytical report.

Constituent List A	Constituent List B	details
✓ alkalinity	alkalinity	samples for List A - (Filtered) dissolved
✓ alkalinity/Acidity (Total)	✓ alkalinity/ alkalinity	samples for List B
✓ sulfate	✓ sulfate	report 3 significant digits for general chemistry constituents
✓ chloride	✓ chloride	
✓ fluoride	✓ calcium	
✓ calcium	✓ magnesium	
✓ magnesium	✓ sodium	
✓ sodium	✓ potassium	
✓ potassium	✓ Total Dissolved Solids	
✓ Total Dissolved Solids		
✓ aluminum		
✓ cadmium		
✓ cobalt		
✓ copper		
✓ potassium Manganese		
✓ selenium		
✓ zinc		
general chemistry		
dissolved metals		

Appendix C.

Hydrographs

(pit, pit area wells, waste rock/mill site area wells, and TSF wells)




Figure C1. Hydrograph of pit water level elevation (reconstructed historical, BDR, Staff gage).




Figure C2. Hydrograph of pit area well GWQ96-22(A, B).




Figure C3. Hydrographs of pit area well GWQ96-23(A, B).




Figure C4. Hydrographs of pit area well GWQ11-24(A,B).




Figure C5. Hydrographs of pit area well GWQ11-25(A, B).




Figure C6. Hydrographs of waste rock pile area wells in GWQ-1, GWQ-3, and GWQ-8 Grayback Arroyo.




Figure C7. Hydrographs of waste rock area well GWQ-5R.




Figure C8. Hydrographs of TSF area well GWQ-11.




Figure C9. Hydrographs of TSF area well GWQ-12.




Figure C10. Hydrographs of TFS area well GWQ94-13.




Figure C13. Hydrographs of TSF area well GWQ94-19.




Figure C14. Hydrographs of TFS area well IW-1.




Figure C16. Hydrographs of TSF area wells NP-2 and NP-3.