

Geochemical Characterization Report for the Copper Flat Project, New Mexico

Volume 1 - Text

Report Prepared for

THEMAC Resources Group Ltd.



Report Prepared by



SRK Consulting (U.S.), Inc.
SRK Project Number 191000.03

May 2013

Geochemical Characterization Report for the Copper Flat Project, New Mexico

THEMAC Resources Group Ltd.

2424 Louisiana Blvd, NE, Suite 301
Albuquerque, NM 87110

SRK Consulting (U.S.), Inc.

5250 Neil Road
Suite 300
Reno, NV 89502
e-mail: reno@srk.com
website: www.srk.com

Tel: (775) 828-6800
Fax: (775) 828-6820

SRK Project Number 191000.03

May 2013

Authors:

Ruth Warrender, PhD, FGS
Senior Consultant (Geochemistry)

Amy Prestia, MSc, P.G.
Senior Consultant (Geochemistry)

Peer Reviewed by:

Eur. Geol. Rob Howell PhD C. Chem C. Geol
Corporate Consultant (Geochemistry)

Executive Summary

SRK has conducted a mine waste characterization program for the Copper Flat project, New Mexico. The geochemical testing of mine waste materials provides the characterization required to determine the potential for Acid Rock Drainage and Metal Leaching (ARDML) from mining facilities. This information allows for a quantitative risk assessment and evaluation of the options for design, construction and closure of the tailings and waste rock disposal facilities in addition to allowing assessment of potential water quality from mine waste facilities during operations and closure or potential water quality of a future pit lake that may form.

The Copper Flat mine waste characterization program was designed to investigate the potential for ARDML due to exposure and oxidation of sulfide minerals, such as pyrite, that are unstable under atmospheric conditions. Upon exposure to oxygen and water, sulfide minerals will oxidize, releasing metals, acidity and sulfate. SRK's geochemical characterization investigated the potential for rock that will be exposed in the Copper Flat waste rock disposal facility and pit walls to generate acid and leach deleterious constituents when exposed to the atmosphere.

For this investigation a total of 112 sample intervals were selected from exploration core holes drilled within the proposed pit boundaries in 2009, 2010 and 2011. Samples were selected to represent the range of waste rock and ore material types that will be encountered during mining. To augment the data set and to assess how historic mining wastes have weathered over time, an additional 24 surface grab samples were also collected from existing waste rock facilities onsite as analogs of future weathered materials. The resulting sample dataset is considered spatially representative (both vertically and horizontally) of the main material types identified for the Copper Flat deposit from the current mine plan. As part of the characterization program, testing of 12 samples of test residues from the metallurgical program (representative of tailings associated with the project) has also been completed to assess the likely long-term leachate chemistry from the tailings storage facility.

The static test methods used for the SRK characterization program include multi-element analysis using four-acid digest and ICP-MS analysis, modified Sobek Acid Base Accounting (ABA), Net Acid Generation (NAG) test and the Nevada Meteoric Water Mobility Procedure (MWMP). These static tests were selected to address total acid generation or neutralization potential of the samples and the concentrations of constituents in leachates derived from the material. However, these static tests do not consider the temporal variations that may occur in leachate chemistry as a result of long-term changes in oxidation, dissolution and desorption reaction rates. To address these factors, kinetic testing has also been carried out as part of the geochemical characterization program and includes 32 humidity cell tests (HCTs) conducted on samples of waste rock, ore and tailings according to the ASTM D-5744-96 methodology.

The results of the characterization program have been used in quantitative numerical predictions to assess the potential future leachate chemistry associated with the mine facilities, specifically the waste rock disposal facility (WRDF) and tailings storage facility (TSF).

Potential for Acid Generation

Testwork results indicate the acid generating potential of the Copper Flat materials is largely dependent on the sulfide mineral content, with sulfide concentrations varying from less than analytical detection limits to a maximum of 2.52 wt% in the transitional waste material. Transitional waste is defined as partly oxidized material that still contains some sulfide mineral content. The ABA and NAG testwork results indicate that the transitional waste and transitional ore material types are likely to be potentially acid forming based on generally higher sulfide mineral contents and presence of secondary oxide minerals that have formed as a result of supergene weathering. However, the majority of waste rock (~96%) produced by the project will consist of sulfide (i.e., non-oxidized) Quartz Monzonite/Breccia waste, which typically exhibited either non-acid forming characteristics or a low potential for acid generation based on NAG and ABA testwork results.

Sulfide minerals at Copper Flat were found to be frequently encapsulated in a quartz matrix or occasionally in potassium feldspar. Both of these silicate minerals have slow weathering characteristics and will only weather on geological time scales (i.e., thousands of years or more). Consequently a portion of the sulfide in the materials is unlikely to be available for reaction and thus ABA methodologies with quantitative analysis will over-estimate reactive acidity in comparison to test methods such as NAG or HCT that provide more empirical estimates of long-term field reactivity. These methods require physical exposure of the sulfides to chemically react with oxygen, water or hydrogen peroxide in the case of NAG tests. Furthermore, the sulfide minerals in the Copper Flat deposit are crystalline and often coarse grained (visible to the naked eye) so would have slow weathering reaction kinetics. It is likely that the sulfide waste and ore materials will offer some limited silicate buffering (neutralizing) capacity; although this is unlikely to be high magnitude, it may buffer pH.

The transitional waste and ore materials show the greatest potential for acid generation from the static and kinetic test results. This is related primarily to the dissolution of secondary oxide minerals within the material that formed as a result of supergene enrichment. However, acid generation from this material may also result from the continued oxidation of sulfide minerals within the transitional material under field conditions. The reactivity of the transitional material varies as demonstrated by the HCT program, which most likely relates to variation in the degree of sulfide content and encapsulation.

Although static testwork results indicate the transitional material is potentially acid forming, this material represents a small percentage of the existing waste material and will comprise only a small proportion (<4%) of material encountered during mining. Furthermore, the results of the HCT program demonstrated that the only cell to show truly acidic conditions consisted of transitional material. The remaining cells were non-acid generating after more than 95 weeks of testing. It is important to state that some of the HCTs for this project have been run appreciably longer than the typical regulatory requirement of 20 to 40 weeks in order to confirm long-term geochemical behavior of the material.

Potential for Metal Leaching

The Copper Flat waste rock and ore materials were found to be enriched in copper, sulfur and molybdenum, which relates to the primary mineralization (predominantly chalcopyrite - CuFeS_2 with some molybdenite – MoS_2). Silver, arsenic, cadmium, lead, selenium, thallium, uranium, tungsten and zinc were also found to be elevated in one or more material types, with the greatest levels of enrichment occurring in the sulfide and transitional ore material types. Many of these elements are typically associated with copper porphyry deposits, which explain their enrichment in the Copper Flat materials (and more specifically in the ore grade samples). The diabase and andesite material types typically showed much lower levels of elemental enrichment, which is likely related to the lack of primary mineralization in these lithological units.

MWMP leach tests were conducted on a total of 49 waste rock and tailings samples to provide an indication of elemental mobility and metal(loid) release from the Copper Flat materials during meteoric rinsing. Metal mobility and release rates were also assessed from the results of the ongoing HCT program. In general, metal leaching from the Copper Flat materials was found to be low and the majority of leachates generated during the MWMP and HCT test programs could be classed as near-neutral, low-metal waters. However, several of the grab samples of transitional material collected from historic waste rock dumps produced acidic leachates and showed the potential for higher metal release. The higher release of acidity and metals from these samples likely represents the flushing of soluble acidic sulfate salts from the material surface that were produced by the supergene oxidation of the material, which has been enhanced by weathering under site conditions. However, for the Copper Flat deposit, the supergene oxide zone is thin and has been mostly removed by geological processes (i.e., erosion) or previous operations. Therefore, this material type will not comprise a significant percentage of the material encountered during mining.

Conclusions and Recommendations

Waste Rock

Acid generation is not predicted for most unweathered waste rock materials during operations; however, grab samples collected from the surface of the existing waste rock dumps and pit walls indicate the potential for acid generation from material mined by previous mining operations and exposed to natural weathering conditions. During proposed operations, specific controls will be needed to collect stormwater runoff from the WRDF. In addition, stormwater diversions will be required to prevent runoff.

Results of geochemical predictive modeling indicate that WRDF source term solutions are likely to be moderately alkaline (~pH 8.2) with metal(loid) concentrations that are below New Mexico Water Quality Control Commission (NMWQCC) standards for groundwater. Covering the waste rock disposal facility (WRDF) with a revegetated 36-inch store-and-release soil cover (or approved equivalent) at the end of mine life will reduce infiltration of water and flux of oxygen into the facility, which will limit oxidation of sulfide minerals.

Migration of seepage away from the WRDF is expected to be very small (or nil) as a result of the low permeability andesite underlying the facility. However should any seepage make its way to the underlying water table, the impact to groundwater chemistry is expected to be minimal. With the

exception of fluoride, all parameters are predicted to be below NMWQCC in groundwater underlying the facility. However, the fluoride concentrations are related to the elevated concentrations of this parameter in the background groundwater rather than as a result of impact from WRDF seepage. Furthermore, if any drainage water migrates away from the WRDF it is likely that there will be some adsorption and attenuation of metal(oids) in the underlying andesite. Although this is beyond the scope of the current modeling exercise, it is likely that these processes will reduce elemental concentrations of fluoride prior to any WRDF seepage reaching the underlying groundwater. As such, the potential impact to groundwater is likely to be minimal, particularly given the low permeability of the andesite material.

Tailings

Tailings samples collected as part of the characterization program generally show low potential for ARDML generation. Covering of the tailings storage facility (TSF) with a revegetated 36-inch store-and-release soil cover (or approved equivalent) at the end of mine life will minimize ingress of oxygen and water into the facility, thus preventing oxidation of residual sulfide minerals within the tailings. Furthermore, the tailings facility will be lined with a synthetic liner, which will preclude the migration of seepage away from the tailings impoundment.

During the initial years post-closure, solution chemistry at the toe of the TSF is likely to be dominated by the draindown of entrained process waters. During this period, solutions are predicted to be moderately alkaline (pH 8.2) due to contained lime within the process solutions and sulfate concentrations below 200 mg/L. Once these entrained process waters have drained down (i.e., removed from the system), any meteoric water infiltrating the facility will interact with the non-saturated tailings. It is estimated that approximately 2% of annual precipitation may infiltrate the cover system and interact with the tailings. However, the volumes of seepage from the TSF will be so low (<0.25 gallons/acre/day) that impacts to groundwater are likely to be negligible and the modeled results show that the predicted groundwater chemistry is likely to be similar to existing groundwater chemistry. Furthermore, the use of the historic tailings as a bedding material for the new, lined tailings facility will effectively isolate this material from reaction. As such, groundwater chemistry under the TSF is likely to improve over time, as the sulfate source from the historic tailings will effectively be removed.

Pit Lake

Additional numerical predictions have also been carried out to assess potential future water quality in the pit lake that will form in the final mined pit. These numerical predictions have been undertaken to evaluate any potential environmental effects of future pit water quality and are presented in a separate report.

Table of Contents (Volume 1)

Executive Summary	ii
Waste Rock	iv
Tailings	v
Pit Lake	v
1 Introduction	1
1.1 Purpose and Scope.....	1
1.2 Theory of Acid Rock Drainage and Metal Leaching	2
2 General Site Conditions	5
2.1 Project Location	5
2.2 Climate	5
2.3 Mine Plan	5
2.4 Geologic Setting and Mineralization	8
2.4.1 Regional Geology	8
2.4.2 Local Geology	8
2.4.3 Geology of the Copper Flat Orebody	9
3 Previous Geochemical Characterization Programs	16
3.1 Pre-1996 Geochemical Program	16
3.2 1997 Geochemical Program	16
4 Current Geochemical Characterization Program	18
4.1 Copper Flat Material Type Delineation	18
4.2 Sample Collection and Testing	19
4.2.1 Waste Rock and Ore	19
4.2.2 Tailings	25
4.3 Geochemical Test Methods	25
4.3.1 Multi-Element Analysis	26
4.3.2 Acid Base Accounting	27
4.3.3 Net Acid Generation	28
4.3.4 Short Term Leach Tests (MWMP and SPLP)	29
4.3.5 Humidity Cell Testing	29
4.3.6 Quality Control.....	32
5 Static Testwork Results.....	35
5.1 Multi-Element Analysis Results.....	35
5.1.1 Waste Rock and Ore	35
5.1.2 Tailings	35
5.2 Acid Base Accounting Results	37

5.2.1	Waste Rock and Ore	37
5.2.2	Tailings	40
5.3	Net Acid Generation Results.....	42
5.3.1	Waste Rock and Ore	42
5.3.2	Tailings	44
5.4	Short Term Leach Test Results	44
5.5	Comparison of 2010/2011 and 1997 Static Datasets	53
6	Kinetic Testwork Results	59
6.1.1	Waste Rock and Ore	59
6.1.2	Tailings	68
6.2	Comparison of Static and Kinetic Testwork Results	71
7	Comparison with other Porphyry Copper Deposits.....	73
7.1	Analog Mine Overviews	73
7.1.1	Nevada 1	73
7.1.2	Nevada 2	73
7.1.3	Arizona	73
7.1.4	Chile	73
7.2	Geochemical Comparison of Analog Mine Sites with Copper Flat.....	74
8	Quantitative Numerical Predictions	78
8.1	Conceptual Models	79
8.1.1	Waste Rock Disposal Facility	79
8.1.2	Tailings Storage Facility	80
8.2	Geological Modeling.....	82
8.2.1	Waste Rock Disposal Facility	82
8.2.2	Tailings Storage Facility	83
8.3	Water Balance.....	83
8.3.1	Waste Rock Disposal Facility	83
8.3.2	Tailings Storage Facility	84
8.4	Solution Inputs	85
8.4.1	Precipitation Chemistry	85
8.4.2	Waste Rock Chemistry (WRDF Model).....	87
8.4.3	Tailings and Supernatant Chemistry (TSF model).....	89
8.4.4	Groundwater Chemistry	91
8.5	Chemical Precipitation	91
8.6	Adsorption	94
8.7	Model Logic and Coding	94
8.7.1	Waste Rock Disposal Facility	95

8.7.2	Tailings Storage Facility	96
8.8	Sensitivity Analysis.....	98
8.8.1	Waste Rock Disposal Facility	98
8.8.2	Tailings Storage Facility	98
8.9	Model Limitations	98
8.10	Analysis of Model Input Variability	99
8.11	Model Results	102
8.11.1	Waste Rock Disposal Facility	102
8.11.2	Tailings Storage Facility	105
9	Summary of Predicted Geochemical Behavior	109
9.1	Acid Generation	109
9.2	Metal Leaching.....	109
10	Conclusions	110
10.1	Waste Rock.....	110
10.2	Tailings.....	111
10.3	Pit Lake Geochemistry.....	111
11	Ongoing Work	111
12	References.....	113

List of Tables (Volume 1)

Table 1-1:	Mineral groups according to neutralization potential (Sverdrup, 1990)	4
Table 2-1:	Terminology Cross Reference for Copper Flat Lithologies	15
Table 4-1:	Sample Distribution Compared to Geologic Block Model	20
Table 4-2:	Copper Flat Sample Frequency and Testing Matrix.....	20
Table 4-3:	Details of tailings samples from metallurgical tests.....	25
Table 4-4:	Interpretation of GAI values.....	27
Table 4-5:	Acid Generation Criteria for NAG Results	29
Table 4-6:	Samples Selected for Kinetic Testing	31
Table 5-1:	Summary of Waste Rock Multi Element Assay Results for Key Parameters related to ARDML....	36
Table 5-2:	Tailings Multi Element Assay Results for Key Parameters related to ARDML	36
Table 5-3:	Summary of Waste Rock Acid Base Accounting Results	37
Table 5-4:	Tailings Acid Base Accounting Results	40
Table 5-5:	Summary of Waste Rock Net Acid Generation Results	42
Table 5-6:	Summary of Tailings Net Acid Generation Results	44
Table 5-7:	SPLP results for the cyclone tailings	50
Table 5-8:	Summary of 1997 and 2010 Sampling	53

Table 6-1: Summary of HCT Status 59

Table 6-2: Comparison of HCT results with static testwork results 72

Table 8-1: Waste Rock Tonnages by lithology in the Final (Year 11) WRDF 82

Table 8-2: Waste Rock Percentages by lithology in the Final (Year 11) WRDF 82

Table 8-3: Precipitation Chemistry used in the Model 86

Table 8-4: Average HCT Input Solutions used in the WRDF Geochemical Models 88

Table 8-5: Input Solution Chemistry used in the TSF Geochemical Model 90

Table 8-6: Groundwater Chemistry used in the WRDF and TSF models 92

Table 8-7: Equilibrium Phases 93

Table 8-8: Analysis of WRDF and TSF Model Input Variability 100

Table 8-9: WRDF Model Results 103

Table 8-10: WRDF Model Sensitivity Analysis (varying groundwater mixing zone) 104

Table 8-11: Predicted TSF source term chemistry at toe of TSF 106

Table 8-12: Predicted Groundwater Chemistry under TSF 107

Table 8-13: TSF Sensitivity Analysis (varying groundwater mixing zone @ 95% draindown) 108

List of Figures (Volume 1)

Figure 2-1: Project Location 6

Figure 2-2: Copper Flat facility layout 7

Figure 2-3: Geology of the Copper Flat Mine (Dunn, 1982) 9

Figure 2-4: Detailed Geologic Map of the Copper Flat Orebody (THEMAC, 2013) 10

Figure 2-5: Geologic Cross Section for the Copper Flat Orebody (THEMAC, 2013) 11

Figure 3-1: 1997, 2010/2011 Grab Sample locations 17

Figure 4-1: Geochemical Characterization Grab Sample Locations 21

Figure 4-2: 2010 and 2011 Drill Hole Sample Locations 22

Figure 4-3: Spatial distribution of core samples 23

Figure 4-4: Spatial distribution of core samples (looking west) 23

Figure 4-5: Spatial distribution of core samples (plan view) 24

Figure 4-6: Ion balance plot for the MWMP test results 32

Figure 4-7: Ion balance plot for the HCT leachates 33

Figure 4-8: Scatter plot comparing EC and TDS for the HCT leachates 33

Figure 4-9: Scatter plot comparing McClelland pH and WETLAB pH for the HCT leachates 34

Figure 5-1: Box and Whisker Plot showing Pyritic Sulfur Content of the Copper Flat Waste Rock Materials 38

Figure 5-2: Scatter Plot of Waste Rock Acid Generation Potential vs. Neutralizing Potential 38

Figure 5-3: Scatter Plot of Waste Rock Neutralization Potential Ratio vs. Net Neutralizing Potential 39

Figure 5-4: Scatter Plot of Waste Rock Sulfide Sulfur vs. Net Neutralizing Potential 39

Figure 5-5: Scatter Plot of Tailings Acid Generation Potential vs. Neutralizing Potential 41

Figure 5-6: Scatter Plot of Tailings Sulfide Sulfur vs. Net Neutralization Potential 41

Figure 5-7: Scatter Plot of Waste Rock NAG pH vs. NAG 43

Figure 5-8: Scatter Plot of Waste Rock Net Acid Generation vs. Net Neutralization Potential 43

Figure 5-9: Plots of MWMP elemental release 46

Figure 5-10: Plots of MWMP elemental release 47

Figure 5-11: Plots of MWMP elemental release 48

Figure 5-12: Plots of MWMP elemental release 49

Figure 5-13: MWMP pH vs. Ficklin Metal Release 51

Figure 5-14: Scatter plot of sulfide sulfur vs. MWMP Ficklin metal release 51

Figure 5-15: Histogram of percentage contribution of parameters to total Ficklin metal release in the MWMP tests (grab samples only) 52

Figure 5-16: Scatter Plot of Sulfide Sulfur vs. Net Neutralizing Potential (NNP) 55

Figure 5-17: Box and Whisker Plot of Net Neutralizing Potential (NNP) 55

Figure 5-18: Scatter Plot of Paste pH vs. Sulfide Sulfur Content 56

Figure 5-19: Scatter Plot of Paste pH vs. Sulfide Sulfur Content (grab samples only) 56

Figure 5-20: Scatter Plot of NAG pH vs. Net Acid Generation (NAG) value 57

Figure 5-21: Scatter Plot of NAG pH vs. NAG for Samples with NAG pH <4 57

Figure 5-22: Box and Whisker Plot of NAG value for Samples with NAG pH <4 58

Figure 6-1: Waste Rock/Ore HCT Effluent pH 61

Figure 6-2: Waste Rock/Ore HCT Effluent Electrical Conductivity 62

Figure 6-3: Waste Rock/Ore HCT Effluent Iron 62

Figure 6-4: Waste Rock/Ore HCT Effluent Sulfate 63

Figure 6-5: Waste Rock/Ore HCT Effluent Copper 63

Figure 6-6: Waste Rock/Ore HCT Effluent Manganese 64

Figure 6-7: Waste Rock/Ore HCT Effluent Molybdenum 64

Figure 6-8: Waste Rock/Ore HCT Effluent U (in mg/L) compared to NM GW standard 65

Figure 6-9: Waste Rock/Ore HCT Effluent Zinc 65

Figure 6-10: Waste Rock/Ore HCT Neutralization Potential Remaining 66

Figure 6-11: Waste Rock/Ore HCT Sulfide Remaining 66

Figure 6-12: Waste Rock/Ore HCT pH vs. Ficklin Metal Release 67

Figure 6-13: Piper Plot showing HCT Major Ion Chemistry 67

Figure 6-14: Tailings HCT Effluent pH 68

Figure 6-15: Tailings HCT Effluent EC 69

Figure 6-16: Tailings HCT Effluent Sulfate 69

Figure 6-17: Tailings HCT Neutralization Potential Remaining 70

Figure 6-18: Tailings HCT Sulfide Remaining 70

Figure 7-1: Scatter Plot of Average NPR vs Average NNP (by Material Type) for Analog Sites 74

Figure 7-2: Scatter Plot of Average Sulfide Sulfur vs Average NPR (by Material Type) for Analog Sites 75

Figure 7-3: Scatter Plot of MWMP pH vs Sulfate Release for Analog Sites 75
Figure 7-4: Scatter Plot of MWMP pH vs Iron Release for Analog Sites 76
Figure 7-5: Scatter Plot of MWMP pH vs Manganese Release for Analog Sites..... 76
Figure 7-6: Scatter Plot of MWMP pH vs Copper Release for Analog Sites..... 77
Figure 8-1: WRDF Conceptual Model 80
Figure 8-2: TSF Conceptual Model 81
Figure 8-3: Cross section showing sulfate plume under TSF (from JSAI, 2011) 85
Figure 8-4: Gila Cliff Dwellings National Monument Meteorological Station Location 86
Figure 8-5: WRDF Model Logic 95
Figure 8-6: TSF Model Logic 96

Appendices (Volume 2)

- Appendix A: Sample List
- Appendix B: Waste Rock and Ore Static Test Results
- Appendix C: Tailings Static Test Results
- Appendix D: Mineralogy Reports
- Appendix E: Waste Rock and Ore Humidity Cell Test Results
- Appendix F: Tailings Humidity Cell Test Results
- Appendix G: Example of WRDF PHREEQC Input File
- Appendix H: Example of TSF PHREEQC Input File
- Appendix I: Scaling of Laboratory Data to Field Conditions

1 Introduction

1.1 Purpose and Scope

SRK Consulting, Inc. (SRK) has undertaken a geochemical characterization study to assess the Acid Rock Drainage and Metal Leaching (ARDML) potential of the Copper Flat project, New Mexico. The primary purpose of this investigation is to provide an understanding of the geochemical characteristics of geological materials specific to the Copper Flat deposit and to define the potential for waste rock, ore and tailings material to generate acid and/or leach deleterious constituents. This includes an assessment of potential leachate chemistry associated with the waste rock and tailings facilities in addition to a prediction of future potential pit lake chemistry. In order to accomplish the objectives of the study, samples representative of the deposit were collected and characterized following guidelines set forth in the *Bureau of Land Management Instruction Memorandum NV-2010-014, Nevada Bureau of Land Management Rock Characterization Resources and Water Analysis Guidance for Mining Activities* (BLM, January 8, 2010). This report details the sample collection and laboratory testwork procedures undertaken as part of the geochemical characterization study, summarizes the findings of the static and kinetic geochemical testwork and presents the results of numerical predictions undertaken to assess potential future water quality associated with the mine facilities (waste rock and tailings facilities). The findings of the geochemical predictions for the future pit lake are presented in a separate report.

The following activities have been completed as part of the current geochemical characterization program:

- Review of site geology and identification of the primary material types;
- Collection of drill core samples representative of waste rock and ore;
- Collection of surface grab samples from existing waste rock dumps, pit walls and tailings impoundment;
- Collection of test residues from metallurgical testing that are representative of tailings material associated with the project;
- Static and kinetic laboratory testing of selected waste rock, ore and tailings samples;
- Comparison of results from the current (2010 to 2012) geochemical characterization program with the previous studies carried out in 1995 to 1997; and
- Quantitative numerical predictions to assess future potential leachate chemistry associated with the mine facilities (tailings and waste rock disposal facilities).

The two main considerations of this baseline environmental geochemical characterization are:


- Acid generation due to oxidation of sulfide minerals, which can potentially lead to development of Acid Rock Drainage (ARD); and
- Potential for leaching of metals (e.g., manganese) and salts (e.g., sulfate).

The processes of acid generation and leaching can operate independently, although the development of acidic conditions enhances the leachability of many metals. To address this, an extensive characterization program has been completed to define the geochemical characteristics of the waste rock, ore and tailings in terms of their potential to generate acid and leach metals.


1.2 Theory of Acid Rock Drainage and Metal Leaching

Acid Rock Drainage and Metal Leaching (ARDML) refers to the generation of acidic, metal- and sulfate-rich waters that result from the weathering of sulfide minerals (particularly pyrite/ marcasite – FeS₂) under oxidizing conditions. The process may occur naturally in sulfide-bearing rock strata, but is commonly accelerated by mining activity, which increases the likelihood of exposure of sulfide minerals to air and water, effectively accelerating natural weathering processes.

The general equation for pyrite oxidation is summarized below,




However, the equation can also be written for general metal sulfides as:



Metal sulfide + Air + Water → Mobilized metal + Salts + Acidity

The primary sulfide mineralization of the Copper Flat deposit contains both chalcopyrite and pyrite. As such, there is the potential for ARDML generation to occur both during mining operations and post-closure. The net effect of sulfide oxidation is the potential to increase the loading of metals, sulfate and acidity in the receiving environment. Although this is unlikely to cause an impact at low levels, at high concentrations there is the potential for significant impact to water and the surrounding environment.

Oxidation of ferrous iron and hydrolysis of ferric iron at pH > 2 provide the additional source of acidity through the reactions:



For each mole of pyrite oxidized, only a portion of the available hydrogen is released. The rest is stored as partly oxidized metal-sulfate minerals. These minerals are highly soluble so can represent an instantaneous source of acidic, metal sulfate-rich water upon dissolution and hydrolysis, for example the dissolution of melanterite:



The ability of a mineral to react with water will depend on its solubility under specific hydrogeochemical conditions. In arid environments such as Copper Flat, these minerals can represent an important source of potential acidity and metal release in partially oxidized material. Hence these minerals are important as both potential sinks and sources of acidity in the rocks, sulfate and possibly metal ions on precipitation and rapid release on exposure to moisture (Nordstrom, 1982; Cravotta, 1994; Bowell et al., 1996).

Copper Flat is unusual as a porphyry deposit in that it contains appreciable calcite content (up to 4%) as well as base cation silicates that can also participate in acid neutralization such as chlorite (SRK 2012). Acid-neutralization reactions result from water-mineral reactions and buffering of acidity (H⁺ ions) in drainage. This buffering is frequently accompanied by the precipitation of secondary minerals (Kwong and Ferguson, 1997; Lawrence and Wang, 1997; Nordstrom and Alpers, 1999). These reactions can reduce acid generation by forming an inhibitory surface coating on the reactive sulfides and acid-forming partly oxidized metal-sulfate minerals.

Carbonate minerals are the most active neutralization component in the deposit and these minerals (e.g., calcite, dolomite and malachite) readily dissolve under acidic conditions to provide bicarbonate

alkalinity, which results in neutralization of acid and precipitation of metal hydroxides. The order of carbonate neutralizing capacity is:

calcite>dolomite>malachite=ankerite>siderite.

In the case of siderite and, to a lesser extent ankerite, the reason for the limited neutralizing capacity is that ferrous iron in these minerals are an additional potential source of acidity due to the strong hydrolysis of the resulting ferrous iron in solution and for malachite, copper is produced that forms soluble copper-carbonate complexes in preference to carbonic acid or bicarbonate. This order of reactivity is partly controlled by equilibrium mass-action constraints and partly by kinetic limitations (Morse, 1983).

Carbonate minerals (especially calcite) have often erroneously been thought of as the only geologic source of Neutralization Potential (NP). However, carbonates dominate only limestone, dolomite and marble rock types while the majority of geologic materials are composed of silicates and hydroxide-oxide minerals. The weathering of silicate minerals (e.g. feldspars and amphiboles) as a proton sink has been demonstrated in previous studies (Sverdrup, 1990; Bhatti et al, 1994; Moss and Edmunds, 1992; Kwong and Ferguson, 1997). To assess the buffering capacity of mine wastes, silicate and hydroxide minerals therefore must also be considered. From soil acidification studies, Sverdrup (1990) divided the most common minerals into six groups according to pH dependency of their dissolution rate (Table 1-1).

From the relative weathering rates of the mineral groups shown (Table 1-1), minerals in the poor to negligible neutralizing categories are unlikely to react, due to their sluggish reaction rates. Even for minerals in the intermediate and fast mineral weathering groups, they will not be practical neutralizing materials unless they occur in excess of ~10% (Sverdrup, 1990).

The accumulation of solutes in solution will lead to saturation with respect to some species. Consequently in response to either saturation or destabilization as aqueous species, these compounds precipitate as secondary minerals such as arsenates, phosphates, carbonates, sulfates or hydroxides. An important control on the diversity of the precipitated mineral assemblage is pH. At low pH, oxyhydroxides, and sulfates are commonly the main precipitates while at higher pH other salts such as carbonates and hydroxides become more abundant. Some solutes can be attenuated through adsorption onto mineral surfaces, noticeably iron hydroxides and clays. This is the process of element binding at the mineral-solution interface and is pH dependent (Sigg and Stumm, 1980; Deng and Stumm, 1994). Many oxide surfaces change from being positively-charged at low pH (thus attracting anions) to negatively-charged at high pH (thus attracting cations).

Table 1-1: Mineral groups according to neutralization potential (Sverdrup, 1990)

Group Name	Typical minerals	Buffering pH range ¹ (s.u.)	Approx. NP ² range	Relative reactivity ³
1.Dissolving	Calcite, aragonite, dolomite, magnesite, aragonite, portlandite and brucite	6 - 11.2	7.8-14.8	1.0
2.Fast weathering	Anorthite, nepheline, olivine, garnet, jadeite, leucite, clinocllore, spodumene, kutnahorite diopside, siderite and wollastonite	5.5 - 11	2.8-0.6.2	0.6
3.Intermediate weathering	Epidote, zoiste, enstatite, hyperthene, augite, hedenbergite, hornblende, glaucophane, tremolite, actinolite, anthophyllite, serpentine, chrysotile, talc, chlorite, biotite.	4.8 - 7.3	1.7-5.8	0.4
4.Slow weathering	Albite, oligoclase, labradorite, vermiculite, montmorillonite, manganite, goethite, gibbsite and kaolinite.	2.4 - 5.1	0.5-2.9	0.02
5.Very slow weathering	K-feldspar, ferrihydrite and muscovite	2.2 - 4.1	0.2-0.6	0.01
6.Inert	Quartz, hematite, rutile and zircon	3.3 - 3.5	<0.01	0.004

¹buffering pH range evaluated by crushing 5g of pure mineral and mixing with 5mL of distilled water and left to react for 30 minutes. The pH of the distilled water was 3.4 s.u.

² NP range assessed as equivalent buffering potential of 10 g of pure mineral to calcite and titrated with hydrochloric acid. So for example, 10g of portlandite (Ca(OH)₂) was found to have the equivalent capacity to neutralize HCl acid as 14.8g of calcite, whereas 10g of hornblende was required to buffer HCl acid to a similar pH to only 3.1g of calcite.

³Calculated from Sverdrup's equation (1990), see below and based on 100% mono-mineral sample

As water pH increases above 3 s.u., hydrous ferric oxides (HFO) may precipitate and ultimately crystallize to form goethite or other ferric hydroxides (Bigham, 1994). As pH increases, ferric hydroxide solubility tends to decrease with a minimum being around pH 6-7 su. At low pH, precipitated HFO tend to scavenge negatively charged oxyanions as the surface of the HFO is positively charged in the Helmholtz layer (Deng and Stumm, 1994). In low pH environments these HFO particles are usually colloidal sized and have a high reactivity proportional to their surface areas. As the pH increases and colloid particles aggregate as Fe-OH bonds become longer and more rigid due to the excess of hydroxyl molecules, the surface pH of the particles change and become negative. In the case of goethite this occurs at a pH between 6 and 9 (Hiemstra and van Riemsdijk, 1996). The point at which this occurs is termed the point of zero charge. As pH increases beyond the zero point of charge, the surface of the HFO becomes more negatively charged and particles tend to attract metallic cations and release any sorbed oxyanions.

Where seepage from waste dumps or tailings percolate through alluvium or rocks containing iron oxides or clays then chemical attenuation of trace elements may occur and as such present a passive form of water treatment. In circum-neutral to alkaline oxic environments, arsenic and selenium form species such as H_nAsO₄⁻⁽³⁻ⁿ⁾ and H_nSeO₄⁻⁽²⁻ⁿ⁾ respectively (Bowell, 1994). These show strong affinity in mildly acidic to neutral soils for attenuation and as such may be removed from seepage preferentially. At higher pH they do not form sparingly soluble solids and as such are mobilized. Conversely metallic cations are not adsorbed at low pH but as pH increases so too does attenuation by precipitation and adsorption mechanisms in the soil as they form strong metal-hydroxide affinity.

2 General Site Conditions

2.1 Project Location

Copper Flat is a porphyry copper/molybdenum deposit located in the Las Animas Mining District in Sierra County, New Mexico and is situated approximately 150 miles south of Albuquerque and approximately 20 miles southwest of Truth or Consequences (straight-line distances). Access from Truth or Consequences is by 24 miles of paved highway and 3 miles of all-weather gravel road. The Copper Flat project location is shown in Figure 2-1.

2.2 Climate

The regional climate is high desert, and is generally hot with a July average of 76°F (maximum 107°F), and January average of 39°F (record minimum 1°F) (M3, 2012). The area is generally dry with about 13 inches of average annual precipitation, which occurs mostly as rainfall during July to September.

Winters are cold and dry. Snowfall is possible from October through April, but more typically occurring between December and February. The average annual total is 8 inches of snowfall. Prevailing wind direction is predominantly from the west, and secondarily from the north, and generally averages 10 to 15 miles per hour. Wind speeds in excess of 50 mph may occur as major storms pass through the area (M3, 2012).

2.3 Mine Plan

The proposed project consists of an open pit mine, flotation mill, tailings storage facility (TSF), a waste rock disposal facility (WRDF), a low grade ore stockpile (LGOS) and ancillary facilities. The mine is expected to produce approximately 100 million tons of copper ore, 60 million tons of waste rock and 3 million tons of low grade copper ore during mine life, with extraction taking place by conventional truck and shovel methods. Beneficiation will be achieved through the use of a conventional concentrator using standard crushing, grinding and flotation technologies. Milling will also include a molybdenum processing circuit. The nominal ore throughput rate is 25,000 tpd and an operational life of approximately 11 years is projected. The proposed layout of the mine facilities is shown in Figure 2-2.



Figure 2-1: Project Location




Figure 2-2: Copper Flat facility layout

2.4 Geologic Setting and Mineralization

Copper Flat is a porphyry copper-molybdenum deposit located on the western margin of the Rio Grande Rift. The deposit also contains minor, but potentially recoverable, gold and silver mineralization. The deposit is hosted by a small quartz monzonite stock having a porphyritic texture that intrudes a sequence of andesitic volcanic rocks of similar age covering an area approximately 4 miles in diameter.

2.4.1 Regional Geology

The Copper Flat Mine lies within the Mexican Highlands portion of the Basin and Range Physiographic Province. It is located in the Hillsboro Mining District in the Las Animas Hills, which are part of the Animas Uplift, a horst on the western edge of the Rio Grande valley. The Animas Uplift is separated from the Rio Grande by nearly 20 miles of Santa Fe Group alluvial sediments, referred to as the Palomas Basin of the Rio Grande valley. To the west of the Animas Uplift is the Warm Springs valley, a graben that parallels the Rio Grande valley. Further west, the Black Mountains form the backbone of the Continental Divide, rising to about 9,000 feet above sea level. The regional geology is discussed in more detail in the *Baseline Data Report for the Copper Flat Mine* (BDR) (INTERA, 2012). The focus of this report is on the local and Copper Flat ore body geology.

Basement rocks in the area consist of Precambrian granite and Paleozoic and Mesozoic sandstones, shales, limestones, and evaporites. Sedimentary units that crop out within the Animas Uplift include the Ordovician Montoya Limestone, the Silurian Fusselman Dolomite, and the Devonian Percha Shale. The Cretaceous-age Laramide orogeny, which was characterized by the intrusion of magma associated with the subduction of the Farallon plate beneath the North American plate, affected this region between 75 and 50 million years ago (Ma). Volcanic activity during the late Cretaceous and Tertiary periods resulted in localized flows, dikes, and intrusive bodies, some of which were associated with the development of the nearby Tertiary Emory and Good Sight-Cedar Hills calderas. Later basaltic flows resulted from the tectonic activity associated with the formation of the Rio Grande rift. Tertiary and Quaternary alluvial sediments of the Santa Fe Group and more recent valley fill overlie the older Paleozoic and Mesozoic units in the area.

2.4.2 Local Geology

The district geology described below is modified from Raugust (2003) and McLemore et al. (2000). The predominant geologic feature of the Hillsboro Mining District is the Cretaceous Copper Flat stratovolcano, a circular body of Cretaceous andesite that is 4 miles in diameter (Figure 2-3). The Hillsboro Mining District comprises the Las Animas Hills, a low range formed by the Animas Hills horst at the western edge of the Rio Grande Rift. Faults that bound the Animas Hills horst are related to the tectonic activity of the Miocene-age Rio Grande Rift (Dunn, 1982). Due to the difference in ages and in spite of its close proximity, there is no known connection between the Rio Grande rift and the Copper Flat volcanic/intrusive complex. The Copper Flat volcanic/intrusive complex has been interpreted as an eroded stratovolcano based on the presence of agglomerate and flow band textures in some of the andesite (Richards, 2003).

The Copper Flat Quartz Monzonite (CFQM) intrudes the core of the volcanic complex. The CFQM stock has a surface expression of approximately 0.4 mi² and has been dated by the argon-argon (⁴⁰Ar/³⁹Ar) techniques to be 74.93 ± 0.66 million years old (McLemore et al., 2000). The surrounding

andesite has also been dated using argon-argon techniques to be 75.4 ±3.5 million years old (McLemore et al., 2000).





Figure 2-3: Geology of the Copper Flat Mine (Dunn, 1982)

2.4.3 Geology of the Copper Flat Orebody

The Copper Flat andesite is generally fine-grained with phenocrysts of plagioclase (andesine) and amphibole in a groundmass of plagioclase and potassium feldspar and rare quartz. Some agglomerates or flow breccias are locally present, but the andesite is generally massive. Magnetite is commonly associated with the mafic phenocrysts, and accessory apatite is commonly found.

Although the depth of erosion is uncertain, the center of the stratovolcano was eroded to form a topographic low. To the east of the site, this andesite body is in fault contact with Santa Fe Group sediments, which are at least 2,000 feet thick in the immediate Copper Flat area and thickening to the east. Near-vertical faults characterize the contacts on the remaining perimeter of the andesite body; these faults juxtapose the andesite with Paleozoic sedimentary rocks. Historical drill holes indicate the andesite is locally more than 3,000 feet thick. This feature, combined with the concentric fault pattern, indicate that the local geology represents a deeply eroded Cretaceous-age volcanic complex. A detailed geologic map of the Copper Flat orebody is provided in Figure 2-4 and a south-north geologic cross section through the Copper Flat orebody is provided in Figure 2-5.

Copper Flat Quartz Monzonite (CFQM) intrudes the core of the volcanic complex. Sulfide mineralization is present as veinlets and disseminations in the CFQM, but is most strongly developed in and adjacent to the west end of a steeply dipping breccia pipe that is centrally located within the CFQM stock and elongated in the northwest-southeast direction (Figure 2-5).



SOURCE: THEMAC Resources, January 23, 2013

Legend

- Roads
- Fences
- Drainages
- Final Pit Outline

Structures

- Approximately Located
- Inferred Location
- Fault Zones

Contact Type

- Location Certain
- Approximate Location
- Contact Concealed
- Contact Inferred

Lithology


- Diabase
- Silicified Breccia
- Latite
- Quartz Breccia (Breccia Pipe)
- Quartz Monzonite (CFQM)
- Andesite Breccia
- Fine-Grained Andesite
- Coarse-Grained Andesite

Workings

- Adit
- Prospect
- Shaft

0 300 600
1 in = 600 feet

<p>DESIGN: REVIEWED: -</p> <p>DRAWN: CHECKED: -</p> <p>APPROVED: -</p> <p>COORDINATE SYSTEM: NAD 1983 UTM Zone 13N</p> <p>IF THE ABOVE BAR DOES NOT SCALE 1 INCH, THE DRAWING SCALE IS ALTERED</p>		<p>REVISIONS</p> <table border="1"> <thead> <tr> <th>REV</th> <th>DESCRIPTION</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	REV	DESCRIPTION	DATE			
REV	DESCRIPTION	DATE						
<p>srk consulting</p> <p>PREPARED FOR: COPPER FLAT</p>		<p>PROJECT: PERMITTING</p> <p>DRAWING NO.: FIGURE 2-4</p> <p>REV. NO.: A</p>						
<p>DETAILED GEOLOGIC MAP OF THE COPPER FLAT OREBODY</p>		<p>FILE NAME: CopperFlat_GeologicMap_20130214.mxd</p>						



SOURCE: THEMAC Resources, January 23, 2013

Legend

- Faults
- Present Surface
- Proposed Pit Outline

Contact Type

- Approximate
- ?- Queried, No Information
- ?-?- No Drilling Information Beyond This Point

Lithology

- Yellow pattern: Silicified Breccia
- Light grey pattern: Quartz Monzonite Breccia (Breccia Pipe)
- Pinkish-grey pattern: Quartz Monzonite
- Green pattern: Andesite

0 125 250
1 in = 250 feet

DRAWING TITLE: GEOLOGIC CROSS SECTION THROUGH THE COPPER FLAT OREBODY

PROJECT: PERMITTING

DATE: 2/20/2013

DRINK JOB #: 191000.03

DRAWING NO.: FIGURE 2-5

REV. NO.: A

PREPARED FOR: srk consulting

COPPER FLAT

REVISIONS:

REV	DESCRIPTION	DATE

DESIGN: REVIEWED: _____

DRAWN: CHECKED: _____

APPROVED: _____

COORDINATE SYSTEM: NAD 1983 UTM Zone 13N

IF THE ABOVE BAR DOES NOT SCALE 1 INCH, THE DRAWING SCALE IS ALTERED

FILE NAME: CopperFlat_GeologicSection_20130214.mxd

Lithology

The CFQM intruded into the center of the andesite sequence at the intersection of two principal structures that trend respectively N50°W and N20°E (Figure 2-4). The CFQM is an irregular-shaped stock underlying a surface area of approximately 0.40 square miles and has been dated to approximately 75 Ma. In the few exposures in which the CFQM is in contact with the andesite, the andesite shows no obvious signs of contact metamorphism. The CFQM is a medium- to coarse-grained, holocrystalline porphyry composed primarily of potassium feldspar, plagioclase, hornblende, and biotite; trace amounts of magnetite, apatite, zircon, and rutile are also present, along with localized mineralized zones containing pyrite, chalcopyrite, and molybdenite. About 15 percent of the monzonite is quartz, which occurs both as small phenocrysts and as part of the groundmass; however, quartz is absent in some parts of the stock.

Numerous dikes, some of which are more than a mile in length and mostly of latite composition, radiate from and cut the CFQM stock. Most of the dikes trend to the northeast or northwest and represent late stage differentiation of the CFQM stock. Diabase has been mapped in contact with the CFQM at Copper Flat. Immediately south of the quartz monzonite, the andesite is coarse-grained, perhaps indicating a shallow intrusive phase. An irregular mass of andesite breccia along the northwestern contact of the quartz monzonite contains potassium feldspar phenocrysts and andesitic rock fragments in a matrix of sericite with minor quartz. This may represent a pyroclastic unit. Magnetite, chlorite, epidote, and accessory apatite are also present in the andesite breccia.

Structure

Three principal structural zones are present at Copper Flat, the most prominent of which is a northeast-striking fault that trends N 20°-40°E that includes the Hunter and parallel faults or the Hunter fault zone (Figure 2-4). In addition, west-northwest striking zones of structural weakness (N50°-70°W) are marked by the Patten and Greer faults, and east-northeast striking zones are marked by the Olympia and Lewellyn faults. All faults have a near-vertical dip; the Hunter fault system dips 80°W, the Patten dips approximately 70°S-80°S, and both the Olympia and Lewellyn fault systems dip between 80°S and 90°S. These three major fault zones appear to have been established prior to the emplacement of the CFQM and controlled subsequent igneous events and in the case of the Patten and Hunter controlled mineralization.

As previously stated, the CFQM emplacement is largely controlled by the three structural zones. The southern contact parallels and is cut by the Greer fault, although the contact is cut by the fault, and the southeastern and northwestern contacts are roughly parallel to the Olympia and Lewellyn faults, respectively. The CFQM stock is principally elongated along the Patten fault, as well as along the Hunter fault zone.

Although latite dikes strike in all the three principal fracture directions, most of the dikes strike northeast. The northeast trending fault zones contain a high proportion of wet gouge, often with no recognizable rock fragments. Reportedly in underground exposures, the material comprising the Hunter fault zone has the same consistency as wet concrete and has been observed to flow in underground headings. Based on recent drilling the Patten fault consists of a mixture of breccia and gouge. However, the material in the east-northeast fault zones contains only highly broken rock and minor gouge. The width of individual structures in all three systems varies along strike from less than a foot to nearly 25 feet. in the Patten fault east of the Project. Despite intense brecciation, the total displacement along the faults does not appear to exceed a few tens of feet. At the western edge of

the CFQM intrusion, a younger porphyritic dike was emplaced in a fault that offsets an early latite dike, indicating that fault movement occurred during the time that dikes were being emplaced.

Post-dike movement is evident in all the three principal fault zones, and both the Hunter and Patten fault systems show signs of definite post-mineral movement. Fault movement has smeared sulfide deposits and offset the breccia pipe as well as the zones within the breccia pipe. Post-mineral movement along faults has resulted in wide, strongly brecciated fault zones. Some of the post-mineral dikes have been emplaced within these fault zones.

NMCC has mapped the pit area and diversion cuts in detail at 1 inch equals 40 feet (1:480) and has examined the pre- and post-mineral stress orientations in the andesite and CFQM. Findings indicate no significant difference in the stress fields before and after mineralization. During NMCC's mapping efforts, the Greer and Olympia previously mapped fault locations could not be verified; therefore, these faults were labeled as inferred on Figure 2-4.

Mineralization

The CFQM hosts mineralization dominated by pyrite and chalcopyrite with subsidiary molybdenite, minor bornite and minor but recoverable amounts of gold and silver. The mineralization is focused along intersecting northeast- and northwest-trending faults, and these intersections may have originally controlled emplacement of the CFQM.

Although copper occurs almost exclusively as chalcopyrite locally accompanied by trace amounts of bornite, minor amounts of chalcocite and copper oxide minerals are locally present near the surface and along fractures. The supergene enrichment typical of many porphyry copper deposits in the Southwest is virtually non-existent at Copper Flat. During the early mining days, a 20- to 50-foot leached oxide zone existed over the ore body, but this material was stripped during the mining activities that occurred in the early 1980s. Most of the remaining ore is unoxidized and consists primarily of chalcopyrite and pyrite with some molybdenite and locally traces of bornite, galena and sphalerite. Recently completed mineralogical studies indicate that fine grained disseminated chalcopyrite is often intergrown with pyrite and occurs interstitial to silicate minerals. Deposition of chalcopyrite and molybdenite (76.2 Ma) occurred within the same mineralizing event as the pyrite.

Sulfide mineralization is present as veinlets and disseminations in the CFQM, but is most strongly developed in and adjacent to the west end of a steeply dipping breccia pipe, that is centrally located within the CFQM stock and elongated in the northwest-southeast direction roughly along, but south of the Patten fault. The sulfide mineralization first formed in narrow veinlets and as disseminations in the quartz monzonite with weakly developed sericitic alteration. This stage of mineralization was followed by the formation of the breccia pipe with the introduction of coarse, "clotty" pyrite and chalcopyrite along with veinlet controlled molybdenite and milky quartz, and the development of strong potassic alteration.

The breccia pipe, which can best be described as a crackle breccia, consists largely of subangular fragments of mineralized CFQM, with locally abundant mineralized latite where dikes exposed in the CFQM projected into the brecciated zone that range in size from an inch to several inches in diameter. Andesite occurs only as mixed fragments partially in contact with intrusive CFQM and appears to represent the brecciation of relatively unaltered andesite xenoliths in the CFQM. The matrix contains varying proportions of quartz, biotite (phlogopite), potassium feldspar, pyrite, and chalcopyrite, with magnetite, molybdenite, fluorite, anhydrite, and calcite locally common. Apatite is a

common accessory mineral. Breccia fragments are rimmed with either biotite or potassium feldspar, and the quartz and sulfide minerals have generally formed in the center of the matrix.

Two types of breccia within the quartz monzonite breccia pipe have been identified as distinguishable units based on the dominant mineral filling the matrix between clasts. Recent drilling has shown that the two breccia types, biotite breccia and feldspar breccia, grade into one another as well as with the CFQM. Interestingly, from a recovery perspective, metallurgical testing has shown that the mineralization behaves virtually the same irrespective of the lithology.

The total sulfide content ranges from 1 percent (by volume) in the eastern part of the breccia pipe and the surrounding CFQM to 5 percent in the CFQM to the south, north, and west. Sulfide content is highly variable within the breccia, with portions in the western part of the breccia containing as much as 20 percent sulfide minerals. The strongest copper mineralization is concentrated in the western half of the breccia pipe and in the adjoining stockwork veined CFQM in the vicinity of the intersection of the Patten fault and the Hunter fault zone. Sulfide mineralization is concentrated in the CFQM and breccia pipe, and drops significantly at the andesite contact. Minor pyrite mineralization extends into the andesite along the pre-mineral dikes and in quartz-pyrite-bearing structures, some of which were historically prospected for gold.

Molybdenite occurs in some steeply dipping quartz veins or as thin coatings on fractures. Minor sphalerite and galena are present in both carbonate and quartz veinlets in the CFQM stock. Preliminary 2011 evaluations of the mineralization at Copper Flat indicate that copper mineralization concentrates and trends along the N50°W structural influences, whereas the molybdenum, gold and silver appear to favor a N10°-20°E trend.

Geochemical Sample Descriptions

NMCC's geochemical characterization program began in April of 2010 and some samples have been under analysis for more than two years. Therefore, in some cases, the lithologies identified for ore, waste rock, and tailings samples analyzed as part of the geochemical characterization program differ from the lithologies described in the geology section above. Table 2-1 provides a comparison of the previous rock classification and updates the rock lithologies from earlier interpretations to the current understanding.

Previous discussions on Copper Flat lithologies occurred in the Copper Flat BDR (INTERA, 2012) and an earlier version of this Geochemical Characterization Report (SRK, April 2012). Both of these reports were appended to the Copper Flat Permit Application Package submitted to the New Mexico Mining and Minerals Division in July 2012. From 2009 through 2012, NMCC conducted exploration drilling and mapping projects to evolve the geologic understanding of the ore body and surrounding areas. As a result, NMCC has simplified the lithological terminology. Generally, the fundamental rock classifications reported in the BDR and April 2012 Geochemical Characterization Report are still appropriate, but the distinctions between the rock types have been simplified and the contacts found to be more gradational as exemplified in the breccia type discussion above; biotite breccia and feldspar breccia are two types of quartz monzonite breccia (Figure 2-4; also referred to as the breccia pipe). Coarse crystalline porphyry (CCP) is a type of CFQM, representative of the increasing size of phenocrysts observed towards the northeast in the CFQM (Figure 2-4).

Table 2-1: Terminology Cross Reference for Copper Flat Lithologies

BDR Section 7 Terminology ¹	SRK Geochemical Characterization Terminology ²	Geology Section in this Report	Comments
Biotite Breccia	Biotite Breccia	Quartz Monzonite Breccia	-
Quartz Breccia	Quartz Feldspar Breccia		-
-	K-Feldspar Breccia		-
Quartz Monzonite with potassic, argillic and/or meteoric alteration	-	Quartz Monzonite (CFQM)	-
-	Quartz Monzonite (CFQM)		-
Coarsely Crystalline Porphyry (CCP)	Coarse Crystalline Porphyry (CCP)		Represents increasing size of phenocrysts towards the northeast in CFQM
Andesite	Andesite	Andesite	-
-	Diabase	Diabase	-
-	Latite	Latite	

¹ Copper Flat Baseline Data Report (INTERA, 2012)

² Copper Flat Geochemical Characterization
 CFQM – Copper Flat Quartz Monzonite

3 Previous Geochemical Characterization Programs

3.1 Pre-1996 Geochemical Program

As part of the initial planning and baseline studies completed on behalf of Alta Gold, SRK collected a small suite of samples from drill core, tailings and waste rock for Acid Base Accounting (ABA), short term leachate and kinetic humidity cell testing. The kinetic testing program was run for 28 weeks. The results of this testwork were reported in the *Geochemical Review of Waste Rock, Pit Lake Water Quality and Tailings* (SRK, 1996), which is included as Appendix 7-A in the *Baseline Data Report for the Copper Flat Mine* (BDR) (INTERA, 2012). The testwork results were also utilized to develop predictive geochemical models to assess potential pit lake water quality.

3.2 1997 Geochemical Program

A geochemical sampling and testwork program was carried out by SRK as part of the 1997 Copper Flat Waste Rock Management Plan. The purpose of the program was to produce geological and geochemical characterization of the exposed material on the existing waste rock dumps and pit walls. A total of 141 surface grab samples were collected as part of the 1997 characterization program and these samples were analyzed for field paste chemistry to assess the short-term reactivity of the materials. Sample locations are shown in Figure 3-1. Forty six of these samples were submitted for ABA testing, 59 for Net Acid Generation (NAG) testing, one for short-term leach testing, and five for humidity cell kinetic testing in order to assess the acid generating potential of existing waste rock on site. This work was reported in Appendix A of the *Copper Flat Preliminary Mine Waste Management Plan, New Mexico Copper Corporation* (NMCC June 2011), which is included as Appendix 7-B in the *Baseline Data Report for the Copper Flat Mine* (BDR) (INTERA, 2012).

Field tests including determination of paste pH and electrical conductivity (EC) were used in the 1997 geochemical characterization program to identify the presence of surficial/soluble salts in the existing waste rock dumps that could affect water quality. Field screening was used to define a representative sample set, and determine the number of samples selected for the static test suite. Based on the material type and paste results for that material, samples were selected for additional laboratory analysis. Samples included in the field screening program consisted of fine-grained material (<5 mm chips) that was collected from a 1 cubic meter area on the waste rock dump surface. This method is employed because water quality in a dump is largely controlled by the fines and this is a good indication of reactivity. The paste test comprises mixing a 1:1 solid to liquid ratio of fines with distilled water and measuring EC and pH of the resulting solution. If the resulting leachate was blue in color, the sample was analyzed for copper and sulfate by field colorimetric spectrometry.




Figure 3-1: 1997, 2010/2011 Grab Sample locations

4 Current Geochemical Characterization Program

4.1 Copper Flat Material Type Delineation

Waste rock is typically classified and tested according to material type and the number of samples selected for geochemical testing is based on the relative percentage of each material type predicted to be mined according to the geologic block model. For the purposes of the Copper Flat geochemical characterization program, material types were defined based on primary lithology, oxidation and copper grade. Alteration was not used to delineate material types because the deposit does not show distinct zonation of alteration zones and is typically logged as a mixture of potassic and/or silicic alteration with a pervasive argillic alteration overprinting much of the upper part of the deposit. A cut-off grade of 0.164 wt% copper was used to delineate between ore and waste grade material.

Two primary lithologies have been identified for the Copper Flat project:

1. Andesite; and
2. Quartz Monzonite/Breccia;

Diabase is also present as a minor lithology within the deposit and typically occurs in the form of radial dikes.

The degree of material oxidation was determined from the drill core logs according to the presence/absence of oxidation products (i.e., iron oxides and secondary copper minerals) and sulfide minerals. Three oxidation types were delineated for the Quartz Monzonite/Breccia rock type including:

- *Oxide*: identified by the complete absence of sulfide minerals and the presence of oxidation products (i.e., iron oxides) noted on the drill core logs and/or field notes;
- *Transitional*: identified by the presence of **both** sulfide minerals **and** oxidation products (e.g., iron oxides). The transitional samples were generally limited to the surface grab samples collected in 2010 and near-surface core samples; and
- *Sulfide*: identified by the presence of sulfide minerals with no evidence of oxidation products from the drill logs and field notes.

Based on the above delineation of lithology, grade and oxidation, seven material types have been identified for the Copper Flat project:

1. Andesite;
2. Diabase;
3. Sulfide waste (Quartz Monzonite/Breccia);
4. Transitional waste (Quartz Monzonite/Breccia);
5. Sulfide ore (Quartz Monzonite/Breccia);
6. Transitional ore (Quartz Monzonite/Breccia); and
7. Oxide ore (Quartz Monzonite/Breccia).

4.2 Sample Collection and Testing

4.2.1 Waste Rock and Ore

Two phases of sample collection were carried out in April 2010 and December 2011 as part of the Copper Flat geochemical characterization program. The purpose of the 2010/2011 sampling and testwork program was to augment the previous geochemical characterization and modeling work carried out from 1995 to 1997 and to comply with subsequent revisions to standards outlining the characterization of mine waste, which have evolved since the previous assessment was carried out. A number of statutory regulations have also been reviewed and modified since the initial assessment, including the modification of BLM and 43 CFR 3809 regulations in addition to changes to the standards applied to both EIS and New Mexico State permit applications.

SRK personnel visited the Copper Flat project in April 2010 in order to collect representative samples of waste rock from both drill core and from existing waste rock dumps on site. A total of 50 sample intervals were selected from six diamond drill core holes drilled within the existing footprint of the Copper Flat pit during the 2009 and 2010 exploration drilling program. The sample intervals were selected to represent the range of waste rock and ore material types that will be encountered in the future Copper Flat pit. For each sample interval, the coarse reject material was collected and sent to the laboratory for sample preparation and testing as described in Section 4.3 of this report.

To augment the drill core sample set, 24 additional bulk surface grab samples were collected from the surface of the existing waste rock dumps, pit wall exposures and tailings impoundment during the 2010 site visit. The grab sample locations are shown in Figure 3-1 along with the grab samples collected during the 1997 sample program and a detailed sample location map is provided in Figure 4-1. Existing waste rock dumps and pit walls provide an opportunity to compare fresh rock samples to weathered rock samples of the same material types that have been exposed to oxygen and water for over 20 years.

Additional sample collection was undertaken in December 2011, which involved collection of 63 samples from drill core generated during the 2011 exploration program. The purpose of this additional sample collection was to improve the spatial representivity of the sampling based on the improved geological understanding of the deposit and also to collect samples of lithologies that were not encountered during the previous 2009/2010 exploration program.

A plan view showing the drill holes included in this program are shown in Figure 4-2. Drill core sample locations for both the 2010 and 2011 sampling exercises are shown in Figure 4-3 through 4-5 in relation to the proposed pit shell. The resulting dataset demonstrates generally good spatial representivity, although several of the sample intervals selected are outside the currently proposed pit shell. This relates to the change in the pit shell in the Pre-Feasibility Study (M3, 2012) relative to the original pit shell from the Preliminary Economic Assessment (SRK Consulting, 2010), which was the basis for selecting the geochemical samples. The pit shell in the Pre-Feasibility Study changed relative to the Preliminary Economic Assessment's pit shell for multiple reasons including the additional 2010 and 2011 drilling information, a different set of pit slopes that resulted from a more detailed pit slope analysis and a lower cut-off-grade (0.23% TCu to 0.164% TCu) that reflects the new pit slopes as well as more refined metal recovery information and operating cost detail. These changes have occurred since the geochemical characterization program was initiated in 2010. In addition, the Pre-Feasibility Study's pit shell was not available at the time the sample intervals were selected; therefore, a maximum limit of mining for each drill hole could not be defined.

Table 4-1 shows the distribution of samples in relation to the proportion of each material type predicted to be mined by the block model. This shows good lithological representation of samples, with a bias towards material types that will ultimately comprise a greater proportion of waste rock. The updated pit shell in the Pre-Feasibility Study has had implications for the number of ore vs. waste samples included in the geochemical characterization program, and increased the number of ore samples. However given the ore grade material has a tendency to show similar reactive geochemistry to waste grade material, this change in the number of ore grade samples does not compromise the overall validity of the waste rock geochemistry program.

The number of samples submitted for geochemical testing is provided (per material type) in Table 4-2 and a complete sample list is provided in Appendix A. The static and kinetic testwork was supervised by SRK at McClelland Laboratories of Sparks, Nevada with analysis by Western Environmental Testing Laboratory (WETLAB) of Sparks, Nevada; ALS Chemex of Reno, Nevada; and SVL Laboratories of Kellogg, Idaho. The test procedures are described in Section 4.3.

Table 4-1: Sample Distribution Compared to Geologic Block Model

Material type	Percentage of waste (%)	Number of waste samples	Percentage of ore (%)	Number of ore samples
Andesite / diabase	1.06	5	0	1
Biotite breccia - oxide/transitional	0.05	1	0.05	4
Biotite breccia - sulfide	1.10	7	13.9	17
Quartz feldspar breccia - oxide transitional	0.09	0	0.12	1
Quartz feldspar breccia - sulfide	4.48	16	8.39	7
Quartz monzonite - oxide / transitional	2.78	8	0.83	13
Quartz monzonite - sulfide	75.4	22	71.8	24
Coarse crystalline porphyry - oxide/transitional	0.93	1	0.03	0
Coarse crystalline porphyry - sulfide	14.0	3	4.80	0
Undefined	0.10	2	0.01	0
Total	100%	65	100%	67

Table 4-2: Copper Flat Sample Frequency and Testing Matrix

Material type*	Multi-Element Analysis	ABA/NAG	MWMP	HCT
Andesite	4	4	2	2
Diabase	2	2	2	0
Sulfide waste	72	72	19	6
Transitional waste	13	13	7	4
Sulfide ore	26	26	12	9
Transitional ore	14	14	6	2
Oxide ore	1	1	0	0
Tailings	12	12	0	9
Historic tailings	2	2	1	0
Total	146	146	49	32

Ore/waste cut-off grade = 0.164 wt% (from Pre-Feasibility Study)




Figure 4-1: Geochemical Characterization Grab Sample Locations




Figure 4-2: 2010 and 2011 Drill Hole Sample Locations




Figure 4-3: Spatial distribution of core samples




Figure 4-4: Spatial distribution of core samples (looking west)




Figure 4-5: Spatial distribution of core samples (plan view)

4.2.2 Tailings

Metallurgical testing conducted for the Copper Flat project provided an opportunity to collect samples representative of tailings material that could be used to assess operational and post-closure tailings geochemistry. The metallurgical tests were undertaken at Hazen Research Inc. and generated tailings that are representative of different ore streams during different stages of mine life. Details of these tailings samples are provided in Table 4-3 below. An additional two samples of historic tailings were collected from the surface of the existing tailings impoundment during the April 2010 site visit.

As with the waste rock and ore samples, the static and kinetic test work for the tailings samples was supervised by SRK at McClelland Laboratories of Sparks, Nevada with analysis by WETLAB of Sparks, Nevada; ALS Chemex of Reno, Nevada; and SVL Laboratories of Kellogg, Idaho.

Table 4-3: Details of tailings samples from metallurgical tests

Sample name	Ore type	Year	Preparation Laboratory
K-Spar Breccia 0-5 comp. flotation tailings	K-Feldspar Breccia	1 – 5	Metcom
K-Spar Breccia 5+ comp. flotation tailings	K-Feldspar Breccia	5+	Metcom
Biotite Breccia 0-5 comp. flotation tailings	Biotite Breccia	1 – 5	Metcom
Biotite Breccia 5+ comp. flotation tailings	Biotite Breccia	5+	Metcom
Quartz Monzonite 0-5 comp. flotation tailings	Quartz Monzonite	1 – 5	Metcom
Quartz Monzonite 5+ comp. flotation tailings	Quartz Monzonite	5+	Metcom
CCP (CF-11-02, 52-117) flotation tailings	Coarse Crystalline Porphyry	1 – 5	McClelland ¹
CCP (CF-11-02, 227-367) flotation tailings	Coarse Crystalline Porphyry	5+	McClelland ¹
Cu. Ro. Tails	Porphyry and Breccia	--	Hazen
Whole tailings	Composite	--	FL Smidth
Tailings cyclone underflow	Composite	--	FL Smidth
Tailings cyclone overflow	Composite	--	FL Smidth
Historic tailings	Composite	--	--

¹ Grind and flotation only

4.3 Geochemical Test Methods

The static and kinetic testing methods selected for this project were designed to address the bulk geochemical characteristics of the waste rock and tailings samples, and to assess the potential of the waste rock to generate acid or release metals in drainage. “Static testing” is a general term describing those analytical methods applied to characterize acid generation and metal leaching characteristics of material at the time of testing and does not account for temporal changes that may occur in the material as chemical weathering proceeds. Static tests provide a balance of acid generating and acid consuming reactions at an end point and also may be used to determine the potential magnitude of leaching metals from a given material.

Static testing is distinguished from “kinetic tests”, which evaluate the rate of sulfide oxidation and metal release over time. Static testing provides a conservative approximation of acid generation and trace metal release potential, which is used to determine where more comprehensive kinetic testing is warranted. Based on the results of the static test work, materials that exhibit uncertain or highly variable geochemical behavior may require further characterization using kinetic test methods to determine the rates and character of longer-term leaching.

The static test methods identified for this project were selected to address total acid generating or neutralizing potential of the samples and concentration of constituents in leachates derived from the material. Static testing methodologies used for the Copper Flat Characterization program include the following:

- Multi-element analysis using four-acid digest and ICP analysis to determine total metal and metalloid chemistry for 48 elements (ALS Chemex Method ME-MS61);
- Acid Base Accounting (ABA) using the modified Sobek method (Memorandum No. 96-79) with sulfur speciation by hot water, hydrochloric acid, and nitric acid extraction;
- Net Acid Generating (NAG) test that reports the final NAG pH and final NAG value after a two-stage hydrogen peroxide digest;
- Nevada Meteoric Water Mobility Procedure (MWMP - ASTM E2242-02) and metals analysis of leachate; and
- Modified Synthetic Precipitation Leachate Procedure (SPLP) (US EPA, 1998) and metals analysis of leachate.

These test methods and the criteria commonly used in the evaluation of the resulting data set are described in the following sections. Samples were submitted to McClelland Laboratories (MLI) in Sparks, Nevada for sample preparation and MWMP extraction. The MWMP extracts were then sent to WETLAB, a Nevada Certified laboratory, in Sparks, Nevada for chemical analysis. Splits of each sample were also submitted to SVL Laboratories in Kellogg, Idaho and ALS Chemex in Reno, Nevada for ABA and NAG testing and multi-element analysis (respectively).

Upon completion of the static test work, a small sub-set of samples representing the most significant material types were selected from the static test database for kinetic testing. The kinetic testing method selected for this project is the standard humidity cell test procedure (ASTM D-5744-96).

4.3.1 Multi-Element Analysis

A multi element analysis of the waste rock and tailings samples has been completed through ALS Chemex, Reno, to provide an absolute upper limit of available metals for leaching from the samples. The analysis involved a strong multi-acid digestion followed by analysis by ICP-OES and ICP-MS for a full suite of metals and metalloids. This included determination of major elements (e.g., aluminum, calcium, magnesium, sodium, potassium, iron, sulfur) and trace elements (e.g., arsenic, antimony, mercury, zinc, copper, cadmium and lead). The results of the multi element analysis were analyzed using the Geochemical Abundance Index (GAI) (Förstner et al, 1993), which compares the concentration of an element in a given sample to its average crustal abundance. GAI values are particularly useful in determining the relative enrichment of elements based on lithology and may be used to identify elements enriched above average crustal concentrations.

GAI values are calculated as follows:

$$GAI = \log_2 [C/(1.5*S)]$$

Where C is the concentration of an element as determined from the multi element assay and S is the average crustal abundance of the element of interest (Mason, 1966). Materials are then assigned a GAI value between zero and six based on the degree of enrichment (Table 4-4), with a GAI value greater than three indicating significant enrichment. These elements therefore have potential to be leached in sufficient concentration to have an environmental impact.

Table 4-4: Interpretation of GAI values

GAI Value	Interpretation
0	< 3 times average crustal concentrations
1	3 to 6 times average crustal concentrations
2	6 to 12 times average crustal concentrations
3	12 to 24 times average crustal concentrations
4	24 to 48 times average crustal concentrations
5	48 to 96 times average crustal concentrations
6	>96 times average crustal concentrations

4.3.2 Acid Base Accounting

Acid Base Accounting provides an industry-recognized assessment of the acid generation or acid neutralization potential of rock materials. The ABA method used for the characterization of Copper Flat waste rock is the Modified Sobek ABA method (Memorandum No. 96-79), which includes both laboratory analysis and empirical calculations based on acid generating potential (AP) and neutralizing potential (NP). An estimate of acid generation is made by assuming complete reaction between all of the minerals with acid generating potential and all of the minerals with neutralizing potential (essentially dissolution of carbonate minerals and to very limited extent silicate minerals as the latter have very slow reaction kinetics; *Bowell et al., 2000*). The AP values were calculated from sulfide sulfur concentrations and reported as CaCO₃ equivalents per 1,000 tons of rock. The NP values were determined using the modified Sobek protocol that includes a digestion to expel any CO₂ followed by a back titration with NaOH to a pH of 8.3 s.u. Neutralizing potential is calculated as CaCO₃ equivalents per 1,000 tons of rock.

The balance between the acid generating mineral phases and acid neutralizing mineral phases is referred to as the net neutralization potential (NNP), which is equal to the difference between NP and AP. The NNP allows classification of the samples as potentially acid consuming or acid producing. A positive value of NNP indicates the sample neutralizes more acid than is produced during oxidation. A negative NNP value indicates there are more acid producing constituents than acid neutralizing constituents. Material that would be considered to have a high potential for acid neutralization produces a net neutralizing potential of greater than 20 kg CaCO₃ eq/ton. Acid Base Accounting data is also described using the neutralization potential ratio, which is calculated by dividing the NP by the AP (i.e., NPR).

Acid Base Accounting results are typically compared to criteria provided by the BLM (2008) in order to determine the potential for the waste rock material to generate acid. The Nevada BLM Water

Resource Data and Analysis Guide for Mining Activities (BLM, 2008) establishes the following guidelines for the evaluation of ABA test results:

- NP:AP (NPR) values greater than 3 and NNP values greater than 20 kg CaCO₃ eq/ton are not acid generating and do not require further testing; and
- NP:AP (NPR) values less than 3 and/or NNP values less than 20 kg CaCO₃ eq/ton have uncertain potential and require further evaluation using kinetic test methods.

4.3.3 Net Acid Generation

Static Net Acid Generation (NAG) testwork was carried out in order to determine the maximum potential for acid generation from the Copper Flat samples. The static NAG test differs from the ABA test in that it provides a direct empirical estimate of the overall sample reactivity, including any acid generated by semi-soluble sulfate minerals as well as potentially acid-generating sulfide minerals. As such, the NAG test often provides a better estimate of field acid generation than the more widely-used ABA method, which defines acid potential based solely on sulfide content.

NAG testing was carried out by SVL laboratories in accordance with the method described by Miller et al. (1997). The method essentially involved intensive oxidation of the sample using hydrogen peroxide (H₂O₂), which accelerates the dissolution of sulfide minerals and has the net result that acid production and neutralization can be measured directly. Leachate was then titrated with sodium hydroxide in two stages (pH 4.5 and to pH 7) to determine the NAG value, calculated as follows:

$$NAG = (V_{init} / X) (49 * V_{NaOH} * M) / W$$

Where:

- NAG = net acid generation (kg H₂SO₄ eq/ton);*
- V_{init} = volume of initial hydrogen peroxide solution (mL);*
- X = volume used to determine NAG by titration (mL);*
- V_{NaOH} = volume of NaOH used in titration (mL);*
- M = concentration of NaOH used in titration (moles/liter); and*
- W = weight of sample reacted (g).*

The guidelines used for assessing the acid generation potential based on NAG results are summarized in Table 4-5. Samples with NAG pH values greater than 4 s.u. are predicted to be non-acid forming (NAF). Net acid generation is only measured for samples with NAG pH values less than 4 s.u. NAG results greater than one kg H₂SO₄ eq/ton indicate the sample will generate some acidity in excess of available alkalinity and is potentially acid forming (PAF). However, by convention, any NAG value below 10 kg H₂SO₄ eq/ton of material has a limited potential for acid generation and the results are considered inconclusive because a blank hydrogen peroxide solution (the reagent in the NAG test) can generate a NAG artifact value up to 10 kg H₂SO₄ eq/ton.

Table 4-5: Acid Generation Criteria for NAG Results

Acid Generation Capacity		Final NAG pH (s.u.)	Static NAG (kg H ₂ SO ₄ eq/ton)
Potentially Acid Forming (PAF)	Higher Capacity	< 4	>10
	Lower Capacity	< 4	≤10, >1
Non-Acid Forming (NAF)		≥ 4	0

4.3.4 Short Term Leach Tests (MWMP and SPLP)

The Meteoric Water Mobility Procedure was conducted according to standard test methods (ASTM E-2242-02) that involves a 24-hour, single pass column leach using a 1:1 distilled water:rock ratio. The resulting leachate is submitted for metals analysis. The MWMP test was developed to simulate the leaching of mine waste materials by meteoric water under typical low precipitation environmental field conditions. The results of the MWMP test can be used to identify the presence of leachable metals and readily soluble salts stored in the material, as well as provide an indication of their availability for dissolution and mobility. In addition to the leachable metals, the MWMP test also provides an assessment of the potential for acid release during dissolution of soluble acid salts (Ficklin et al., 1992). The final pH of the MWMP extract is representative of leachate that could be produced from waste rock with readily soluble acid-producing salts under field conditions. Due to differences in the liquid to solid ratio used in the test compared to typical site conditions, the MWMP test results only provide a qualitative estimate of elemental concentrations in the resulting leachates and are not considered conclusive or to represent actual predictions of water quality. As such, a comparison to water quality standards has not been considered in the evaluation of leach test data.

The three cyclone tailings samples were submitted for SPLP leach testing, rather than MWMP, due to the limited quantity of tailings material available for testing. The SPLP method is an agitated extraction method that is similar to the MWMP test in that it measures the readily soluble constituents of mine waste. However, the SPLP requires particle size reduction to less than 9.5 mm, uses an extraction solution that has been adjusted with dilute sulfuric/nitric acid to pH 5.0 and is typically run at a 20:1 solution to solid ratio. Some of the disadvantages of the SPLP test are the high liquid to solid ratio that may result in an underestimate of leachability and grain size reduction may increase reactivity. Therefore, the leachate chemistry for these samples is not directly comparable to the MWMP results.

4.3.5 Humidity Cell Testing

The static data were used to select a sub-set of 23 samples representing the most significant material types for kinetic testing. An additional nine tailings samples were also selected for humidity cell testing. Kinetic testing is necessary for the Copper Flat project in order to assess the long-term weathering rates of sulfide minerals and to determine potential metal(loid) leaching rates, particularly for those material types that demonstrated an uncertain potential for acid generation in the static ABA and NAG tests. The samples that were selected for kinetic testing are summarized in Table 4-6 along with selected static testwork data.

The kinetic testing method selected for this project is the standard humidity cell test procedure designed to simulate water-rock interactions in order to evaluate the rate of sulfide mineral oxidation and thereby predict acid generation and metals mobility (ASTM D-5744-96). Under ASTM methodology, the test follows a seven-day cycle and typically runs for a minimum of 20 weeks, unless uncertain chemistry requires that it be run longer to achieve steady state conditions. During the seven-day cycle, water is trickled over the rock. After draining, dry air is circulated through the cell for 3 days followed by humidified air at 25°C for 3 days. On the seventh day, the sample is rinsed with distilled water and the extracted solution is collected for analysis. Key parameters including pH, alkalinity, acidity, electrical conductivity, iron and sulfate are measured on a weekly basis by McClelland Laboratories. For the first four weeks of testing, metals are measured on a weekly basis at WETLAB, a Nevada certified laboratory, after which the frequency of metals analysis is reduced to every fourth week.

The HCT results provide an estimate of the rate of leaching of constituents from a material and reflect accelerated weathering of mine material being exposed to alternating cycles of wetting and drying. The changes in these reaction rates through the course of the test can be used to estimate whether the sample will be net acid generating or net acid neutralizing, and what constituents will be mobilized from the material under long-term weathering and oxidation conditions. As such, HCT results can be used to refine predictions based on static test data.

Leachate chemistry data collected during the HCT test are frequently compared with applicable water quality standards. However, it is recognized that the test results are not directly comparable to water quality standards due to the increase in surface area by crushing and the artificial control on weathering through a seven-day wet-dry cycle rinsing of the samples. The rate of water application relative to the surface area/mass ratio of rock exceeds the actual precipitation rate that would be expected at the site, and the laboratory temperature conditions do not represent normal field variations. These variables accelerate the weathering process and therefore provide a conservative view of field scale leaching conditions.

The ASTM Procedure for humidity cell tests (ASTM, 1996) calls for a minimum test duration of 20 weeks. However, there is no technical basis for this recommendation and in most cases with sulfide bearing materials, 20 weeks is insufficient to allow complete reaction of the sample material. Essentially, there is no established criteria for the termination of kinetic tests, rather the point at which HCTs should be terminated is project specific and will be determined by the physical and chemical characteristics of the samples and the objectives of the test (Mills, 1998).

The main objectives of the kinetic test program are to provide a prediction of acid generation potential of the samples and predict the rate of leaching of constituents under the accelerated test conditions. Geochemical reactions and reaction rates monitored throughout the testing include sulfide oxidation, depletion of neutralization potential, adsorption, precipitation and mineral dissolution. The HCTs are executed until the majority of the mineral reactions that can be predicted from mineralogy or static testing have been observed. This endpoint is assessed by monitoring the release rates of key constituents such as pH, sulfate, acidity, alkalinity and iron as well as dissolved metals and metalloids. It is common practice to terminate cells when the release rates for these leachate parameters become relatively constant with time and there is no substantial change in the calculated release rate. For practical purposes this is taken as steady state element release (i.e., no significant change in rate of leaching over a 3 to 4 week period).

Following completion of the HCT, termination testing is conducted on the test residues including multi-element analysis, mineralogy (XRD and SEM), ABA and NAG to define the mineralogical processes that occurred as the materials were exposed to oxygen and water.

Table 4-6: Samples Selected for Kinetic Testing

Material type	Primary lithology	Sample ID	Sulfide sulfur (wt%)	NNP (kg CaCO ₃ eq/t)	NPR	NAG pH	Total NAG (kg H ₂ SO ₄ eq/t)	MWMP pH	MWMP metals release
Andesite	Andesite	SRK 0864	0.01	24.4	81.3	8.29	0	7.18	Low
	Andesite	SRK 0866	0.29	12.5	2.37	3.23	4.9	6.92	Low
Sulfide ore	Biotite breccia	604811	1.15	-3.9	0.89	8.42	0	8.24	Low
	Quartz Feldspar Breccia	604767	2.13	-49.9	0.25	3.21	17.3	7.8	Low
	Biotite Breccia	604862	1.16	3.5	1.10	8.28	0	8.11	Low
	Biotite Breccia	604867	2.34	-46.2	0.37	4.24	0	8.06	Low
	Quartz Feldspar Breccia	604787	0.97	-0.2	0.99	8.00	0	8.28	Low
	Biotite Breccia	604854	1.4	-20.6	0.53	5.08	0	8.16	Low
	Quartz Monzonite	604562	1.53	-31.6	0.34	7.75	0	8.28	Low
	Quartz Monzonite	604669	0.63	-16.5	0.16	4.08	0	8.39	Low
	Quartz Monzonite	604656	0.59	33.4	2.82	8.20	0	8.27	Low
	Biotite Breccia	605033	0.9	1.1	1.04	8.30	0	8.37	Low
	Quartz Monzonite	604606	0.67	2.7	1.13	9.60	0	8.31	Low
	Quartz Monzonite	604653	0.77	2.3	1.10	8.38	0	-	-
Sulfide waste	Quartz Monzonite	604673	0.41	-5.9	0.54	3.66	5.29	8.33	Low
	Quartz Monzonite	605153	0.49	26.7	2.75	8.56	0	8.15	Low
	Coarse Crystalline Porphyry	CF-11-02, 367-408	0.63	-6.7	0.74	2.78	14.0	5.86	Low
Transitional ore	Biotite Breccia	SRK 0854	0.88	-21.5	0.22	3.77	11.0	4.54	High
	Quartz Monzonite	SRK 0867	0.77	-17.7	0.27	4.35	0	4.84	Moderate
Transitional waste	Biotite Breccia	SRK 0872	1.05	-13.0	0.60	3.14	8.82	3.05	Moderate
	Quartz Monzonite	604569	1.05	-14.8	0.55	8.33	0	8.25	Low
	Quartz Monzonite	SRK 0858	0.62	-15.3	0.21	3.15	9.22	3.99	Moderate
	Coarse Crystalline Porphyry	CF-11-02, 0-27	1.4	-16.3	0.58	3.28	9.24	7.27	Low
Tailings*	-	Cu. Ro. Tails	0.61	13.4	1.70	9.23	0	-	-
	-	CF-11-02 (227-367)	0.03	20.0	34.3	-	-	-	-
	-	CF-11-02 (52-117)	0.04	23.8	27.4	-	-	-	-
	-	K-Spar Breccia 5+ Comp	0.19	26.4	4.26	-	-	-	-
	-	Biotite Breccia 5+ Comp	0.14	24.6	4.90	-	-	-	-
	-	Quartz Monzonite 5+ Comp	0.02	24.4	28.1	-	-	-	-
	-	K-Spar Breccia 0-5 Comp	0.53	6.9	1.31	-	-	-	-
	-	Quartz Monzonite 0-5 Comp	0.41	13.1	1.74	-	-	-	-
-	Biotite Breccia 0-5 Comp	0.39	13.4	1.77	-	-	-	-	

Indicates potentially acid forming characteristics

* HCTs were not run on the cyclone tailings as these showed the same geochemical behavior to the other tailings samples tested from the static test data.

4.3.6 Quality Control

Both McClelland and WETLAB laboratories operate internal QA/QC procedures to ensure adequate data quality. This includes the analysis of certified reference materials in addition to analytical blanks and duplicates. However, SRK also applies a number of QA/QC checks on the received data, including the calculation of ion balances to determine the balance of cations and anions in the generated solutions and the comparison between electrical conductivity (EC) and total dissolved solids (TDS). For the humidity cell data, a comparison of pH measurements from both McClelland and WETLAB is also carried out to assess data quality. The results of the quality control exercise are summarized in Figure 4-6 to Figure 4-9 and show generally good data quality, with ion balances almost uniformly within $\pm 10\%$ and good correlations between laboratory measurements. For pH, there is a slight difference in reported values between the two labs (Figure 4-9). This is only observed above pH 7.5 and shows a slight negative bias in the calibrated meters at McClelland laboratories versus measurements for the same solutions at WETLAB. This is not considered significant since the WETLAB data is used in modeling.




Figure 4-6: Ion balance plot for the MWMP test results




Figure 4-7: Ion balance plot for the HCT leachates




Figure 4-8: Scatter plot comparing EC and TDS for the HCT leachates




Figure 4-9: Scatter plot comparing McClelland pH and WETLAB pH for the HCT leachates

5 Static Testwork Results

5.1 Multi-Element Analysis Results

5.1.1 Waste Rock and Ore

Multi element analysis was undertaken on all waste rock and ore samples to provide an absolute upper limit of metals available for leaching from the Copper Flat materials. The results for key parameters related to ARDML are summarized in Table 5-1 and compared to average crustal concentrations using the Geochemical Abundance Index (GAI). Results are provided in Appendix B.

The results show that copper, sulfur and selenium are elevated in all material types, with GAI values above 3 in many samples, representing greater than 12 times enrichment of average crustal concentrations. Copper concentrations were elevated up to 1 wt% and the maximum sulfur concentration was 3.34 wt%, with particular enrichment occurring in the sulfide and transitional ore material types. These concentrations represent significant enrichment of average crustal concentrations, which are 55 mg/kg and 260 mg/kg for copper and sulfur, respectively. The elevated copper and sulfur concentrations are associated with the primary mineralization at Copper Flat, which is predominantly chalcopyrite (CuFeS_2), with selenium most likely occurring as a trace element in this mineral. This supports the observation that the highest copper and sulfur concentrations are observed in the sulfide/transitional ore.

Silver, arsenic, cadmium, molybdenum, lead, thallium, uranium, tungsten and zinc were also found to be elevated in one or more material type, with the greatest levels of enrichment occurring in the sulfide and transitional ore material types. Many of these elements are commonly associated with copper porphyry deposits (Rose, Hawkes and Webb, 1979), which explains their enrichment in the Copper Flat materials and more specifically in the ore samples. In contrast, the diabase and andesite material types typically showed much lower levels of elemental enrichment, which likely relates to the lack of primary mineralization in these lithological units.

Because copper, arsenic, cadmium, lead and uranium are environmentally sensitive elements, their release was closely monitored during the MWMP test to ensure that they are not leached at concentrations that may potentially pose an impact to the surrounding environment.

5.1.2 Tailings

Multi element analysis was undertaken on twelve tailings composite samples and on two samples of historic tailings collected from the existing TSF. The results for key parameters relating to ARDML are summarized in Table 5-2. Results are provided in full in Appendix C and show that silver, copper, selenium and tungsten are elevated above average crustal concentrations in all tailings samples. In general the biotite breccia composite sample for years 0 – 5 of mine life showed the greatest levels of elemental enrichment, with arsenic, cadmium, chromium, molybdenum, nickel, sulfur, selenium, thallium, silver, uranium and tungsten being elevated above three times average crustal abundance in this sample. These elements were identified as being naturally elevated in the waste rock and ore samples, thus explaining the elevated concentrations observed in the tailings. In contrast, the coarse crystalline porphyry tailings samples (CF-11-02 [52-117] and CF-11-02 [227-367]) showed the lowest levels of elemental enrichment, which is likely to relate to the overall lower sulfide content associated with this lithological unit (and any subsequent tailings generated).

Table 5-1: Summary of Waste Rock Multi Element Assay Results for Key Parameters related to ARDML

	#	Multi Element Analysis (average concentration in mg/kg)																		
		Ag	Al	As	Cd	Cr	Cu	Fe	Hg	Mn	Mo	Ni	Pb	S	Sb	Se	Tl	U	W	Zn
Average crustal abundance (mg/kg)		0.04	81,300	1.8	0.2	100	55	50,000	0.08	950	1.5	75	13	260	0.2	0.05	0.5	1.8	1.5	70
Andesite	4	0.27	80,225	0.90	0.56	67.3	217	56,400	0.01	861	5.38	11.2	8.65	925	0.40	2.00	1.31	2.05	2.20	60.3
Diabase	2	0.20	82,900	0.40	2.25	119	1,664	60,200	0.01	1,380	4.37	63.8	6.10	1,350	0.18	2.50	0.31	4.85	1.00	213
Sulfide waste	50	0.89	77,064	2.84	0.53	27.3	1,104	22,786	0.03	317	75.0	3.66	35.9	6,972	0.29	2.24	1.50	5.63	8.23	80.4
Transitional waste	10	0.62	77,820	0.85	0.13	61.3	788	24,240	0.11	123	18.3	2.27	16.9	17,420	0.20	3.80	1.70	4.62	11.3	22.8
Sulfide ore	48	2.77	75,363	6.33	0.95	47.5	3,345	31,369	0.03	342	158	4.47	44.7	13,954	0.39	3.92	1.80	6.82	9.5	127
Transitional ore	17	3.60	78,188	5.28	1.40	52.6	4,381	29,824	0.02	453	99	6.28	50.1	11,829	0.85	3.94	1.92	6.47	10.5	156
Oxide ore	1	3.48	85,600	3.00	0.38	2.00	7,320	29,000	0.01	271	94.3	2.50	16.1	400	0.46	3.00	2.35	7.60	13.9	56.0

= number of samples representing material type

GAI = 0 represents less than 3 times average crustal concentrations

GAI = 1 represents 3 to 6 times average crustal concentrations

GAI = 2 represents 6 to 12 times average crustal concentrations

GAI ≥ 3 represents greater than 12 times average crustal concentrations

Table 5-2: Tailings Multi Element Assay Results for Key Parameters related to ARDML

	Multi Element Analysis (average concentration in mg/kg)																		
	Ag	Al	As	Cd	Cr	Cu	Fe	Hg	Mn	Mo	Ni	Pb	S	Sb	Se	Tl	U	W	Zn
Average crustal abundance (mg/kg)	0.04	81,300	1.8	0.2	100	55	50,000	0.08	950	1.5	75	13	260	0.2	0.05	0.5	1.8	1.5	70
CCP (CF-11-02, 52-117) flotation tailings	0.60	82,600	0.70	0.13	10.0	256	25,100	0.01	347	2.56	3.40	14.4	600	0.16	2.00	1.88	4.50	21.3	37.0
CCP (CF-11-02, 227-367) flotation tailings	0.51	81,800	3.70	0.12	6.00	262	24,900	0.02	370	2.45	3.80	12.8	500	0.20	1.00	1.85	4.70	19.0	33.0
K-spar breccia 0 - 5 comp. flotation tailings	0.61	69,200	5.30	0.53	273	187	21,400	0.01	258	32.1	171	19.3	8,900	0.29	3.00	1.57	5.20	9.90	76.0
K-spar breccia 5+ comp. flotation tailings	1.35	69,400	1.80	0.49	18.0	754	13,000	0.01	214	64.3	6.00	44.7	3,600	0.33	2.00	1.28	6.10	11.6	75.0
Biotite breccia 0 - 5 comp. flotation tailings	0.79	71,600	8.20	0.68	377	184	32,400	0.01	423	47.3	236	31.1	10,500	0.47	3.00	1.59	6.70	9.70	106
Biotite breccia 5+ comp. flotation tailings	0.66	72,200	1.20	0.25	6.00	462	18,200	0.01	384	11.2	4.90	12.4	1,700	0.32	2.00	1.77	5.00	6.90	48.0
Quartz monzonite 0 - 5 comp. flotation tailings	0.55	75,100	4.30	0.73	280	175	20,100	0.01	294	31.9	181	25.6	7,200	0.53	3.00	1.64	6.10	10.0	101
Quartz monzonite 5+ comp. flotation tailings	0.69	75,500	0.40	0.11	9.00	353	14,200	0.01	218	31.5	4.60	11.2	800	0.30	2.00	1.51	5.30	9.90	31.0
Cu Ro. tailings	1.06	71,400	4.20	0.73	16.0	686	25,500	0.05	451	18.8	12.4	55.8	7,800	0.74	3.00	1.78	6.00	9.80	108
Historic tailings	1.26	79,950	5.05	0.41	46.0	1175	30,350	0.01	398	43.8	6.15	28.9	13,100	0.37	3.50	2.05	7.50	9.65	69.0
Whole tailings	0.43	73,100	5.00	0.51	8.00	122	21,800	0.02	288	6.71	5.60	18.5	8,100	0.35	3.00	1.69	5.30	8.80	70.0
Tailings cyclone underflow	26.6	78,600	4.40	0.48	8.00	149	24,900	0.24	324	6.89	7.30	21.3	8,200	0.32	3.00	1.83	6.50	9.00	78.0
Tailings cyclone overflow	0.40	80,200	2.80	0.27	11.0	114	20,700	0.02	361	6.40	7.90	21.5	2,100	0.37	2.00	1.77	6.70	8.90	52.0

GAI = 0 represents less than 3 times average crustal concentrations

GAI = 1 represents 3 to 6 times average crustal concentrations

GAI = 2 represents 6 to 12 times average crustal concentrations

GAI ≥ 3 represents greater than 12 times average crustal concentrations

5.2 Acid Base Accounting Results

5.2.1 Waste Rock and Ore

Acid Base Accounting was carried out on a total of 132 waste rock and ore samples in order to assess the balance of acid generating and acid neutralizing minerals. The results are summarized in Table 5-3 and plots of key parameters are provided in Figure 5-2 to Figure 5-4. The results are provided in full in Appendix B.

The Copper Flat waste rock and ore materials were found to be variable in terms of their acid generating potential based on ABA testwork results. This is largely a reflection of the variable sulfide content of the samples (Figure 5-1 and Figure 5-4). The majority of the samples tested (72%) show an uncertain potential for acid generation with a net neutralization potential between 20 and -20 kg CaCO₃ eq/ton; consistent with many porphyry copper deposits (Bowell et al., 2000). Sixteen percent (16%) of the samples meet the BLM criteria and can be classified as non-acid forming based on a net neutralizing potential greater than 20 kg CaCO₃ eq/ton and greater than three-fold excess of neutralizing capacity. Twelve percent (12%) of the samples are potentially acid forming materials based on NPR values less than 1 (i.e., no excess neutralizing capacity) and a net neutralization potential of less than -20 kg CaCO₃ eq/ton. Most of the samples that fall within the potentially acid forming category are samples of transitional material (i.e., mixed oxide/sulfide) and are characterized by a sulfide sulfur content greater than 1 wt% (Figure 5-2).

Although there are exceptions to all cases, some general trends in the ABA characteristics according to material type can be seen. Most of the transitional waste, transitional ore and sulfide ore samples can be classified as potentially acid forming materials based on NPR values less than 1. The sulfide waste samples were found to be more variable in terms of their acid generating potential, with samples showing PAF, NAF or uncertain characteristics based on ABA testwork results. However, the majority of the samples for this material type show an uncertain potential for acid generation. The andesite and diabase material types were found to be typically non-acid forming.

Table 5-3: Summary of Waste Rock Acid Base Accounting Results

Material Type	#	Paste pH (s.u.)	Sulfide sulfur (wt%)	AP (CaCO ₃ eq/t)		NP (CaCO ₃ eq/t)		NNP (CaCO ₃ eq/t)		NPR	
				Mean	S.D.	Mean	S.D.	Mean	S.D.	Mean	S.D.
Andesite	4	7.99	0.08	2.50	4.40	23.8	1.58	21.5	6.0	61.9	39.7
Diabase	2	6.86	0.02	0.60	0.42	44.4	49.1	43.9	49.8	137	179
Sulfide waste	50	8.41	0.36	12.9	8.30	26.4	9.77	13.6	11.9	3.25	3.07
Transitional waste	10	6.49	1.19	38.2	17.9	14.7	13.5	-23.5	27.2	0.51	0.55
Sulfide ore	48	8.12	0.89	30.6	18.1	28.3	11.0	-2.31	20.2	1.27	1.03
Transitional ore	17	7.31	0.83	26.5	19.5	18.5	17.8	-7.98	25.5	2.47	6.54
Oxide ore	1	7.77	0.01	0.30	-	8.40	-	8.40	-	28.0	-

- # Number of samples representing material type
- Potentially acid forming (PAF)
- Uncertain potential for acid generation
- Non acid forming (NAF)




Figure 5-1: Box and Whisker Plot showing Pyritic Sulfur Content of the Copper Flat Waste Rock Materials




Figure 5-2: Scatter Plot of Waste Rock Acid Generation Potential vs. Neutralizing Potential




Figure 5-3: Scatter Plot of Waste Rock Neutralization Potential Ratio vs. Net Neutralizing Potential




Figure 5-4: Scatter Plot of Waste Rock Sulfide Sulfur vs. Net Neutralizing Potential

5.2.2 Tailings

Acid Base Accounting was carried out on twelve tailings composite samples and on two samples of historic tailings collected from the existing TSF. The results are summarized in Table 5-4 and are illustrated in the scatter plots presented in Figure 5-5 and Figure 5-6. The results are provided in full in Appendix C.




The results show that tailings produced during the first five years of mine life show an uncertain potential for acid formation, whereas tailings produced from year five onwards are predicted to be non-acid forming. This behavior is predominantly controlled by the sulfide content of the tailings, with tailings produced during the early years of mine life being characterized by a higher sulfide content (0.39 to 0.53 wt%) compared to those produced after year five (<0.2 wt% sulfide). The cyclone tailings also show broadly non-acid forming characteristics and show similar geochemical behavior to the other tailings samples tested (Figure 5-5 and Figure 5-6).

The coarse crystalline porphyry tailings samples are both classed as non-acid forming materials based on low sulfide sulfur contents (less than 0.04 wt%). All tailings samples produced circum-neutral paste pH values (pH 7.95 to 8.5) indicating minimal presence of soluble acid sulfate salts on the material surface.

The historic tailings collected from the existing TSF were characterized by an elevated sulfide sulfur content of 0.77 wt% and can be classed as potentially acid forming on the basis of ABA testwork results.

Table 5-4: Tailings Acid Base Accounting Results

Material Type	Paste pH	Sulfide sulfur	AP	NP	NNP	NPR
	s.u.	wr%	kg CaCO ₃ eq/t			-
CCP (CF-11-02, 52-117) flotation tailings	8.37	0.04	0.90	24.7	23.8	27.4
CCP (CF-11-02, 227-367) flotation tailings	8.50	0.03	0.60	20.6	20.0	34.3
K-spar breccia 0 - 5 comp. flotation tailings	8.07	0.53	22.5	29.4	6.90	1.31
K-spar breccia 5+ comp. flotation tailings	8.28	0.19	8.10	34.5	26.4	4.26
Biotite breccia 0 - 5 comp. flotation tailings	8.00	0.39	17.5	30.9	13.4	1.77
Biotite breccia 5+ comp. flotation tailings	8.49	0.14	6.30	30.9	24.6	4.90
Quartz monzonite 0 - 5 comp. flotation tailings	7.89	0.41	17.8	30.9	13.1	1.74
Quartz monzonite 5+ comp. flotation tailings	8.33	0.02	0.90	25.3	24.4	28.1
Cu Ro. tailings	8.12	0.00	19.1	32.5	13.4	1.70
Historic tailings	7.95	0.77	24.1	21.3	-2.85	0.89
Whole tailings	7.98	0.51	12.8	34.0	21.2	2.66
Tailings cyclone underflow	8.11	0.61	14.4	33.5	19.1	2.33
Tailings cyclone overflow	8.00	0.15	3.10	39.0	35.9	12.6

 Non-acid forming (NAF)
 Uncertain potential for acid generation
 Potentially acid forming (PAF)




Figure 5-5: Scatter Plot of Tailings Acid Generation Potential vs. Neutralizing Potential




Figure 5-6: Scatter Plot of Tailings Sulfide Sulfur vs. Net Neutralization Potential

5.3 Net Acid Generation Results

5.3.1 Waste Rock and Ore

Net Acid Generation testing was carried out on a total of 132 waste rock and ore samples in order to assess the potential for acid generation given complete oxidation of sulfide minerals in the Copper Flat materials. The results are summarized in Table 5-5 and are provided in full in Appendix B. In general, a NAG pH greater than 4 s.u. and a NAG value equal to zero are indicative of non-acid generating material.




The diabase and oxide ore samples were uniformly characterized by a NAG pH greater than 4 and a NAG value of zero, indicating that they are unlikely to be problematic in terms of long-term acid generation. The same is true for the andesite with the exception of one sample that showed a low capacity for acid generation.

The transitional waste, transitional ore and sulfide ore material types typically exhibited moderate to high capacity PAF characteristics, with lower NAG pH values and the potential to generate up to 23.8 kg H₂SO₄ eq/ton. This is related to the generally higher sulfide content of these material types.

The sulfide waste samples were found to be more variable in terms of their acid generating characteristics, with two samples of this material type showing high capacity PAF characteristics, eight samples showing low capacity PAF and 40 samples being non-acid forming (NAG <1). This is related to the variable sulfide sulfur content of this material (Figure 5-4).

Table 5-5: Summary of Waste Rock Net Acid Generation Results

Material Type	#	NAG pH (s.u.)		NAG (kg H ₂ SO ₄ eq/t)	
		Mean	S.D.	Mean	S.D.
Andesite	4	6.50	2.23	1.23	2.45
Diabase	2	8.69	1.94	0	0
Sulfide waste	50	7.33	2.12	1.71	3.88
Transitional waste	10	4.34	2.57	15.5	17.1
Sulfide ore	48	7.38	2.02	1.68	4.81
Transitional ore	17	6.17	2.34	4.20	8.54
Oxide ore	1	8.88	-	0	-

#	Number of samples representing material type
	Potentially acid forming (PAF)
	Potentially acid forming (PAF) lower capacity
	Non Acid Forming (NAF)




Figure 5-7: Scatter Plot of Waste Rock NAG pH vs. NAG




Figure 5-8: Scatter Plot of Waste Rock Net Acid Generation vs. Net Neutralization Potential

5.3.2 Tailings

NAG testing was carried out on the Cu. Ro. Tailings composite sample, the cyclone tailings and on two samples of historic tailings collected from the existing TSF. The results are displayed in Table 5-6 and demonstrate that the tailings samples exhibited non-acid forming characteristics based on a NAG pH between 8.41 and 9.23 and total NAG values of zero. This indicates that the tailings have sufficient buffering capacity to neutralize any acid produced by sulfide oxidation. The results are provided in full in Appendix C.

Table 5-6: Summary of Tailings Net Acid Generation Results

Material Type	#	NAG pH (s.u.)		NAG (kg H ₂ SO ₄ eq/t)	
		Mean	S.D.	Mean	S.D.
Cu. Ro. Tailings	1	9.23	-	0	-
Historic tailings	2	8.78	0.33	0	0
Whole tailings	1	8.41	-	0	-
Tailings cyclone underflow	1	8.41	-	0	-
Tailings cyclone overflow	1	8.41	-	0	-

Number of samples representing material type

	Potentially acid forming (PAF)
	Potentially acid forming lower capacity
	Non acid forming (NAF)

5.4 Short Term Leach Test Results

MWMP leach tests were conducted on a total of 49 waste rock samples and one sample of historic tailings material to provide an indication of elemental mobility and metal(loid) release from the Copper Flat materials. The results are presented in Figure 5-9 to Figure 5-12 and are provided in full in Appendix B. In addition, a plot of MWMP pH vs. Ficklin metal (cobalt + cadmium + copper + lead + nickel + zinc) release is presented in Figure 5-13.

In general, metal mobility and metal leaching from the Copper Flat materials was found to be low, with several parameters being below analytical detection limits in the leachates. Leachates generated from the andesite, sulfide ore, sulfide waste and tailings materials were characterized by circum-neutral to moderately alkaline pH (6.9 to 8.7 s.u.) confirming that short-term acid generation from these material types is unlikely to be an issue. However, leachates produced by the transitional materials (ore and waste) were more acidic (pH 3.05 to 5.5), which supports the findings of the ABA and NAG testwork results and indicates the presence of soluble sulfate salts on the material surface.

From Figure 5-13, the majority of leachates generated during the MWMP test could be classed as near-neutral, low-metal waters based on pH values typically between 7 and 9 and total Ficklin metal release less than 1 mg/L. However, one sample of diabase, five samples of transitional waste and three samples of transitional ore were seen to produce acidic leachates (pH 3.05 to 5.5), with elevated total Ficklin metal concentrations up to 291 mg/L (Figure 5-13). These samples were uniformly grab samples collected from the existing waste rock dumps on site that consists of transitional material that has had opportunity for additional oxidation and further weathering since deposition. The higher release of acidity and metals from these grab samples therefore likely represents the flushing of soluble acidic sulfate weathering salts from the material surface.

Figure 5-15 shows that the majority of the metal load from the surface grab samples is dominated by copper, which supports the hypothesis that the elevated metals release is related to the flushing of soluble copper salts from the surface of the waste rock materials rather than the oxidation of sulfide minerals. This theory is further supported by the poor correlation between Ficklin metal release and the sulfide sulfur content of the samples (Figure 5-14). Manganese and iron release from the transitional ore and waste materials was also found to be elevated, which is likely to reflect the rinsing of surface oxidation products (i.e., secondary salts) from the samples.

The results of the SPLP results for the three cyclone tailings are provided in Table 5-7 and are provided in full in Appendix C. The SPLP results show that leachates generated by the samples are alkaline with pH values around 9 s.u. and have an overall low potential to release base metals. None of the Ficklin metals were measured above analytical detection limits in the resulting leachates; therefore the SPLP leachates can be classed as alkaline, low metal waters.

Due to differences in the liquid to solid ratio used in the MWMP and SPLP tests compared to typical site conditions, the test results only provide a qualitative estimate of elemental concentrations in the resulting leachates and are not considered conclusive or to represent actual predictions of water quality. As such, a comparison to groundwater quality standards has not been considered in this section. Quantitative impacts to groundwater can only be assessed through predictive modeling, which utilizes the results of long-term humidity cell tests coupled with mine plan and geologic information to assess potential concentrations of metal(loid)s in groundwater (see Section 7).







Figure 5-9: Plots of MWMP elemental release







Figure 5-10: Plots of MWMP elemental release







Figure 5-11: Plots of MWMP elemental release






Figure 5-12: Plots of MWMP elemental release

Table 5-7: SPLP results for the cyclone tailings

Parameter	Whole Tails	Overflow	Underflow
Alkalinity, Total as HCO ₃	36	34	27
Aluminum	0.1	0.1	0.1
Antimony	<0.0025	<0.0025	<0.0025
Arsenic	<0.005	<0.005	<0.005
Cadmium	<0.001	<0.001	<0.001
Calcium	8.2	8.8	7.6
Chloride	1.3	1.6	<1.0
Chromium	<0.005	<0.005	<0.005
Cobalt	<0.01	<0.01	<0.01
Copper	<0.05	<0.05	<0.05
Fluoride	0.54	0.68	0.58
Iron	<0.1	<0.1	<0.1
Lead	<0.0025	<0.0025	<0.0025
Magnesium	0.6	0.6	0.5
Manganese	<0.005	<0.005	<0.005
Mercury	<0.0001	<0.0001	<0.0001
Molybdenum	0.01	0.01	<0.01
Nickel	<0.01	<0.01	<0.01
Nitrate/Nitrite as N	0.1	0.12	<0.1
pH	8.99	9.09	8.92
Potassium	2.2	3.4	2.5
Selenium	<0.005	<0.005	<0.005
Silver	<0.005	<0.005	<0.005
Sodium	8.1	7.8	6.4
Sulfate	6.4	8.4	5.8
Thallium	<0.001	<0.001	<0.001
Total Dissolved Solids	40	60	46
Zinc	<0.05	<0.05	<0.05

All values reported in mg/L, except pH which is in standard units (s.u.)
 < denotes less than the laboratory method detection limit.




Figure 5-13: MWMP pH vs. Ficklin Metal Release




Figure 5-14: Scatter plot of sulfide sulfur vs. MWMP Ficklin metal release




Figure 5-15: Histogram of percentage contribution of parameters to total Ficklin metal release in the MWMP tests (grab samples only)

5.5 Comparison of 2010/2011 and 1997 Static Datasets

SRK has undertaken a comparison of the testwork results obtained from ABA and NAG tests for the 1997 and 2010/2011 sample sets. This comparison evaluated the two datasets as a whole and has not considered variations within individual material types. This is because the material type designations used in the 1997 and 2010/2011 assessments were slightly different, and thus this would not be an appropriate comparison. For example, the 1997 geochemical characterization program delineates samples according to oxidation (e.g. sulfide, transitional, oxide) and lithology (e.g. quartz monzonite, biotite breccia, etc.), whilst the 2010/2011 program classifies materials according to oxidation and grade. Nonetheless, the material types sampled during both the 1997 and 2010/2011 geochemical characterization programs are comparable (Table 5-8).

Table 5-8: Summary of 1997 and 2010 Sampling

1997 Sampling		2010/2011 Sampling	
Material Type	Sample No.	Material Type	Sample No.
Andesite	1	Andesite	4
Quartz Monzonite - sulfide	84	Diabase	2
Quartz Monzonite - transitional	7	Sulfide ore	26
Quartz Monzonite - oxide	3	Sulfide waste	72
Biotite Breccia - sulfide	9	Transitional ore	14
Biotite Breccia - oxide	1	Transitional waste	13
Quartz Breccia - sulfide	25	Oxide ore	1
Quartz Breccia - transitional	2	Tailings	3
Quartz Breccia - oxide	1		
Quartz Vein - sulfide	6		
Quartz Vein - transitional	2		
Total	141	Total	135

Comparison of the 1997 and 2010/2011 data sets is illustrated on scatter plots and box and whisker plots presented in Figure 5-16 through Figure 5-22. The scatter plot comparing the sulfide sulfur content and net neutralizing potential (NNP) of the 1997 and 2010/2011 samples provided in Figure 5-16 demonstrates that the two sample sets are broadly comparable, with a similar range in values. However, the 2010/2011 data set generally has more samples that fall within the zone of uncertainty or that are non-acid forming. Conversely, the 1997 data set proportionally contains more samples that show potentially acid forming (PAF) characteristics, which may relate to the focus of this earlier sampling program on material within the existing waste rock dumps (i.e., fine grained fraction that is more weathered in the dump than would occur with fresh rock). The 1997 sample program was biased towards fine-grained, reactive material within the historic waste rock dumps and the material was selectively screened to -2mm prior to testing. The current study aimed to collect samples that are more representative of the bulk of waste rock that will be produced during future mining operations.

The box and whisker plot provided in Figure 5-17 shows the range and median values of NNP for each data set. This demonstrates that the two data sets are comparable in terms of the range of NNP values, but the samples collected in 1997 generally show a trend towards more acid generating characteristics. The tendency of the 1997 samples towards acid generating characteristics is also

illustrated in the scatter plot of paste pH vs. sulfide sulfur content presented in Figure 5-18. This shows that the paste pH values for the samples collected in 1997 are generally lower (i.e., more acidic) in comparison to the 2010/2011 data. This likely reflects bias in the sampling program, with the 1997 samples being entirely grab samples collected from the surface of the waste rock dumps and the 2010/2011 samples being a mixture of both surface grab samples and also fresh (unweathered) drill core material from depth. Furthermore, the 1997 sample program selectively targeted fine-grained (-2mm) material, which is likely to be geochemically more reactive. Consideration of the grab samples only (Figure 5-19) shows a slightly better correlation between the two datasets, but paste pH values from 2010/2011 are still generally higher than observed in the 1997 dataset.

Comparison of 1997 and 2010/2011 NAG testwork results shows a fairly significant difference between the two datasets. This is largely due to a difference in testwork methodology, with the 1997 analysis including the determination of NAG values for samples with a NAG pH greater than 4. This is different from the 2010/2011 methodology employed, whereby NAG values were only determined for samples with NAG pH less than 4 s.u. (as stipulated by the Miller et al. (1997) protocol). Comparison of the two datasets for only samples with a NAG pH less than 4 shows that the samples are broadly similar in terms of their net acid generating potential (Figure 5-21 and Figure 5-22).

In general, the 1997 and 2010/2011 geochemical databases are comparable in terms of their geochemical characterization and acid generating potential. However, the samples collected in 1997 generally show greater acid generating potential, while the 2010/2011 dataset contains more samples that show uncertain or non-acid forming characteristics. Any significant differences observed between the two datasets are either a function of testwork methodology utilized (in the case of the NAG results) or as a result of the nature of the samples themselves (i.e., fine grained material from waste rock dumps versus core). Another possible reason for the difference is a bias in the 1997 sample collection towards surface or weathered material with few “fresh rock” samples (i.e., preferential selection of highest sulfide/weathered materials).

The focus of the 1997 sampling program was to define the reactivity of waste rock that had been exposed for about 15 years. Based on the results from grab samples collected from the waste rock dumps during 2010/2011 study, there is no increase in reactivity despite the longer exposure period (i.e., approximately 30 years). These results demonstrate the waste rock material is relatively stable and slow to react.

The 1997 data set is representative of materials that were mined previously (i.e., historic waste) and do not necessarily represent the bulk of the material that will be mined in the future, thus limiting the application of this data to the current study. The 2010/2011 dataset is more representative of waste rock and ore associated with the current mine plan and is the focus of this study and provides the basis for the conclusions presented herein.




Figure 5-16: Scatter Plot of Sulfide Sulfur vs. Net Neutralizing Potential (NNP)




Figure 5-17: Box and Whisker Plot of Net Neutralizing Potential (NNP)




Figure 5-18: Scatter Plot of Paste pH vs. Sulfide Sulfur Content




Figure 5-19: Scatter Plot of Paste pH vs. Sulfide Sulfur Content (grab samples only)




Figure 5-20: Scatter Plot of NAG pH vs. Net Acid Generation (NAG) value




Figure 5-21: Scatter Plot of NAG pH vs. NAG for Samples with NAG pH < 4




Figure 5-22: Box and Whisker Plot of NAG value for Samples with NAG pH <4

6 Kinetic Testwork Results

6.1.1 Waste Rock and Ore

Humidity cell testing has been carried out on 23 samples of waste rock and ore. Thirteen of the cells reached steady state conditions and were terminated at week 44 and an additional seven cells were terminated between week 52 and week 96. The remaining three cells are still operational and results are available through week 96. A summary of the status of the cells at the time the geochemical predictions were completed and this report was prepared is provided in Table 6-1. Time series plots of elemental release from the waste rock and ore samples are presented in Figure 6-1 to Figure 6-12 and the results are presented in full in Appendix E. Based on the results available to date, the interpretation and conclusions of the HCT program are valid, however the additional results for the three continued cells will be presented in a supplemental report once these cells reach steady state conditions and have been terminated.

Table 6-1: Summary of HCT Status

Material type	Primary lithology	Cell ID	Status
Andesite	Andesite	SRK 0864	Terminated at week 44
	Andesite	SRK 0866	Terminated at week 44
Sulfide waste	Biotite Breccia	605033	Terminated at week 44
	Quartz Monzonite	604673	Week 96
	Quartz Monzonite	605153	Terminated at week 44
	Coarse Crystalline Porphyry	CF-11-02, 367-408	Week 29
Sulfide ore	Biotite Breccia	604811	Terminated at week 44
	Biotite Breccia	604862	Terminated at week 44
	Biotite Breccia	604867	Terminated at week 44
	Biotite Breccia	604854	Terminated at week 44
	Quartz Feldspar Breccia	604767	Terminated at week 86
	Quartz Feldspar Breccia	604787	Terminated at week 56
	Quartz Monzonite	604562	Terminated at week 44
	Quartz Monzonite	604606	Terminated at week 44
	Quartz Monzonite	604669	Terminated at week 61
	Quartz Monzonite	604653	Terminated at week 44
	Quartz Monzonite	604656	Terminated at week 44
Transitional waste	Biotite Breccia	SRK 0872	Terminated at week 96
	Quartz Monzonite	604569	Terminated at week 44
	Quartz Monzonite	SRK 0858	Terminated at week 61
	Coarse Crystalline Porphyry	CF-11-02, 0-27	Week 29
Transitional ore	Biotite Breccia	SRK 0854	Terminated at week 96
	Quartz Monzonite	SRK 0867	Terminated at week 52
Tailings	CF-11-02 (52-117) flotation tailings		Week 23
	CF-11-02 (227-367) flotation tailings		Week 23
	K-spar Breccia 0-5 comp. flotation tailings		Week 23
	K-spar Breccia 5+ comp. flotation tailings		Week 23
	Biotite Breccia 0-5 comp. flotation tailings		Week 23
	Biotite Breccia 5+ comp. flotation tailings		Week 23
	Quartz Monzonite 0-5 comp. flotation tailings		Week 23
	Quartz Monzonite 5+ comp. flotation tailings		Week 23
	Cu Ro. tailings		Terminated at week 28

The trends of effluent pH for each of the cells are presented in Figure 6-1. This demonstrates that the majority of cells produce circum-neutral to moderately alkaline pH leachates (pH 7 to 9) throughout the course of the testwork. Furthermore, the effluent pH is stable for most cells throughout the testwork period, indicating no onset of sulfide oxidation. Only cells SRK 0858 (transitional waste) and SRK 0854 (transitional ore) produced acidic leachates (pH 3 to 5) from week zero onwards. These results can be attributed to the fact that both these cells are surface grab samples containing secondary copper sulfate salts on the material surface. These salts are readily-soluble and flushing during the leach cycle may generate acidic leachates and result in elevated sulfate and metals release. Indeed Figure 6-4 and Figure 6-5 show that cell SRK 0854 (transitional ore collected from the Sternberg lode) has particularly elevated sulfate and copper release at week zero, with up to 1,043 mg/kg and 376 mg/kg release, respectively. The Sternberg lode is a small mine that yielded 200 tons of copper ore between 1911 and 1934 (Raugust, 2003). Observations made during the field sampling program show that material within the Sternberg lode has significant chalcantite ($\text{Cu}^{2+}\text{SO}_4 \cdot 5\text{H}_2\text{O}$) on the surface of the rock. Dissolution of this mineral during the HCT leach cycles is likely responsible for the low pH and elevated metals concentrations observed in the initial leachates from this cell. However, this sample is representative of material that will make up only a minor proportion of the overall waste rock.

The leachates from most cells show elevated electrical conductivity (EC) during the first five weeks of testing, which corresponds to an initial flush of sulfate from the cells. However, iron release was below analytical detection limits for the majority of samples (Figure 6-3), indicating that the initial flush in sulfate concentrations is not related to sulfide oxidation but rather to the flushing of readily-soluble sulfate salts from the material surface. In contrast, the increase in effluent iron and sulfate concentrations in cell SRK 0858 (transitional waste) after week nine indicates the onset of sulfide oxidation in this cell. This is supported by the corresponding drop in pH and increase in effluent metal concentrations.

Metal release from the drill core samples was generally low throughout the testwork period, with many parameters being at or near analytical detection limits in the leachates including aluminum, arsenic, cadmium, chromium and copper. Metal release from the grab samples (i.e., transitional material) was higher, with detectable release of zinc, copper, manganese and molybdenum, particularly in the first 5 weeks of testwork. Again, this likely represents the flushing of soluble secondary salts from the material surface, which lowers the pH and increases the solubility of base metal ions. This is supported by the Ficklin plot presented in Figure 6-12, which shows that leachates from the majority of cells can be classed as near-neutral, low-metal waters based on effluent pH greater than 5.5 s.u. and Ficklin metal concentrations less than 1 mg/L. However, leachates from cells SRK 0854 (transitional ore) and SRK 0858 (transitional waste) can be classed as acid, high-metal waters based on Ficklin metal concentrations up to 837 mg/L. Metal(loid) release from the majority of cells had stabilized by week 30 and as a result these cells were terminated at week 40. Cells that still showed reactivity were continued beyond week 40, however steady-state conditions have now been achieved in all but three of the cells at week 96.

Several of the sulfide ore samples showed elevated uranium release, particularly during the first ten weeks of testing. Uranium concentrations in the HCT leachates reached a maximum of 0.23 mg/L for cell 604 767 (sulfide ore) in weeks 1 and 2, which is above the NMWQCC Human Health Groundwater Standard of 0.03 mg/L. However, uranium release in all cells fell to below the NMWQCC groundwater standard by week 40.

The Piper plot presented in Figure 6-13 shows that the leachates from most cells can be classed as either calcium + sulfate (Ca + SO₄) or calcium + bicarbonate (Ca + HCO₃) type waters, with calcium representing the major cation in solution and either sulfate or bicarbonate the major anion.

Figure 6-10 shows that there has been a depletion of neutralizing potential (NP) in the HCT cells over the course of the testwork period. The consumption of NP was slow in the majority of cells, with samples still having over 80% of the initial NP remaining at week 40 (or 70% of NP remaining at week 96 for the continued cells). This indicates that significant buffering is still available and/or that acid generation is limited or occurs at a slow rate. However, four cells (SRK 0867, SRK 0854, SRK 0858 and 604669) show rapid consumption of NP throughout the testwork, with cell SRK 0858 (transitional waste) showing complete consumption of NP by week 29 and cell 604669 (sulfide ore) showing complete NP consumption by week 50. This rapid consumption of NP in these cells is related to the lower initial NP available (less than 6 kg CaCO₃ eq/ton) in these samples as well as the consumption of available NP through the buffering of acid. Despite the depletion of NP for cell 604669, the pH values for this cell remained above pH 7.



Figure 6-1: Waste Rock/Ore HCT Effluent pH




Figure 6-2: Waste Rock/Ore HCT Effluent Electrical Conductivity




Figure 6-3: Waste Rock/Ore HCT Effluent Iron




Figure 6-4: Waste Rock/Ore HCT Effluent Sulfate




Figure 6-5: Waste Rock/Ore HCT Effluent Copper




Figure 6-6: Waste Rock/Ore HCT Effluent Manganese




Figure 6-7: Waste Rock/Ore HCT Effluent Molybdenum




Figure 6-8: Waste Rock/Ore HCT Effluent U (in mg/L) compared to NM GW standard




Figure 6-9: Waste Rock/Ore HCT Effluent Zinc




Figure 6-10: Waste Rock/Ore HCT Neutralization Potential Remaining




Figure 6-11: Waste Rock/Ore HCT Sulfide Remaining




Figure 6-12: Waste Rock/Ore HCT pH vs. Ficklin Metal Release




Figure 6-13: Piper Plot showing HCT Major Ion Chemistry

6.1.2 Tailings

Humidity cell testing has been carried out on nine samples of tailings material generated from the metallurgical testing. The results of the tailings HCT results are shown in Figures 6-14 to 6-18 and are provided in full in Appendix F.

Humidity cell testing has been carried out on the Cu. Ro. Tailings composite. This cell showed low levels of reactivity and elemental release and was terminated at week 28. Effluent pH remained moderately alkaline (pH 7.9 to 8.2) throughout the testwork period and levels of metal(loid) release were low, with many parameters being at or near analytical detection limits. The cell still had 93% of neutralizing potential remaining when it was terminated at week 28.

Eight additional HCTs were initiated on the lithology specific metallurgical tailings samples. Lab data for these cells is available through week 23 and Profile II data are available through week 20. The results for these cells are illustrated in Figure 6-14 to Figure 6-18 for selected parameters and show similar geochemical behavior to the Cu. Ro. Tailings composite (i.e., moderately alkaline pH and low levels of metal(loid) release).

Tailings samples subjected to cyclone separation were not submitted for kinetic testing because these samples show a similar range in behavior to the lithology specific metallurgical tailings samples from the static test data (i.e., non-acid forming with low levels of metal(loid) release).




Figure 6-14: Tailings HCT Effluent pH




Figure 6-15: Tailings HCT Effluent EC




Figure 6-16: Tailings HCT Effluent Sulfate




Figure 6-17: Tailings HCT Neutralization Potential Remaining




Figure 6-18: Tailings HCT Sulfide Remaining

6.2 Comparison of Static and Kinetic Testwork Results

A comparison of the static test results with the corresponding HCT results provides an indication of the effectiveness of the static tests in predicting longer term behavior (Table 5-4). As shown in Table 5-4, the results of the HCT tests for the waste rock/ore samples are not consistent with the prediction of acid generation based on ABA results. However, the correlation between the HCT results and the acid generation prediction from the NAG results shows a slightly better correlation and suggests the NAG test is more effective in predicting the acid generating potential of the Copper Flat material types. However, despite the better correlation there are still a handful of samples that are predicted to be acid generating from the NAG test that did not develop acidic conditions in the HCT. Therefore, in both cases, the ABA and NAG results can over-predict the acid generating potential of the Copper Flat materials.

The discrepancy between ABA, NAG and HCT results for the waste rock/ore samples suggests that there may be some silicate buffering capacity in the Copper Flat material types and/or encapsulation of sulfide minerals in non-reactive minerals such as quartz that limit reactivity. Although silicate buffering potential is unlikely to be of high magnitude, it may modify/buffer pH if present (Nesbit and Jambor, 2008) especially if the rate of acid generation is slow. The presence of chlorite-clinocllore, amphiboles and Ca-rich feldspars (Appendix D) would likely be the source of this buffering as indicated by relative reaction of these minerals (Table 1-1).

The tailings samples show a good correlation between the acid generation predictions based on ABA and HCT results.

Table 6-2: Comparison of HCT results with static testwork results

Material type	Primary lithology	Cell ID	Acid Generation Prediction*		
			ABA	NAG	HCT
Andesite	Andesite	SRK 0864	NAF	NAF	NAF
	Andesite	SRK 0866	NAF	PAF	NAF
Sulfide waste	Biotite Breccia	605033	NAF	NAF	NAF
	Quartz Monzonite	604673	PAF	PAF	NAF
	Quartz Monzonite	605153	NAF	NAF	NAF
Sulfide ore	Biotite Breccia	604811	PAF	NAF	NAF
	Biotite Breccia	604862	NAF	NAF	NAF
	Biotite Breccia	604867	PAF	NAF	NAF
	Biotite Breccia	604854	PAF	NAF	NAF
	Quartz Feldspar Breccia	604767	PAF	PAF	NAF
	Quartz Feldspar Breccia	604787	PAF	NAF	NAF
	Quartz Monzonite	604562	PAF	NAF	NAF
	Quartz Monzonite	604606	NAF	NAF	NAF
	Quartz Monzonite	604669	PAF	NAF	NAF
	Quartz Monzonite	604653	NAF	NAF	NAF
Transitional waste	Biotite Breccia	SRK 0872	PAF	PAF	NAF
	Quartz Monzonite	604569	PAF	NAF	NAF
	Quartz Monzonite	SRK 0858	PAF	PAF	PAF
Transitional ore	Biotite Breccia	SRK 0854	PAF	PAF	PAF
	Quartz Monzonite	SRK 0867	PAF	NAF	NAF
Tailings	CF-11-02 (52-117) flotation tailings		NAF	-	NAF
	CF-11-02 (227-367) flotation tailings		NAF	-	NAF
	K-spar Breccia 0-5 comp. flotation tailings		NAF	-	NAF
	K-spar Breccia 5+ comp. flotation tailings		NAF	-	NAF
	Biotite Breccia 0-5 comp. flotation tailings		NAF	-	NAF
	Biotite Breccia 5+ comp. flotation tailings		NAF	-	NAF
	Quartz Monzonite 0-5 comp. flotation tailings		NAF	-	NAF
	Quartz Monzonite 5+ comp. flotation tailings		NAF	-	NAF
	Cu Ro. tailings		NAF	-	NAF

* **PAF** = Potentially Acid Forming; **NAF** = Non-Acid Forming

7 Comparison with other Porphyry Copper Deposits

Many porphyry copper deposits have been shown to exhibit similar geochemical behavior as a result of comparable ore and alteration mineralogy. Consequently it is instructive to compare the geochemistry of Copper Flat deposit to other porphyry systems in similar climatic conditions, which will both assist in data interpretation and improve the understanding of potential environmental impacts. Four analog sites were selected from previous work undertaken by SRK based on similar geological characteristics (i.e., oxidized calc-alkaline porphyry systems in volcanic terrains) and similar climate (i.e., arid) to the Copper Flat site. Details of the four analog sites are provided in Section 7.1, below.

7.1 Analog Mine Overviews

7.1.1 Nevada 1

This site is a copper/gold porphyry site whose climate is characterized as arid, with hot summers and cold winters. There is no standing perennial surface water located near the mine site and surface water flow across the mine site occurs only in response to extreme storm events. Four primary lithologic units have been identified on site, including quartz monzonite porphyry intrusion, extrusive volcanic material, intensely oxidized material and weakly metamorphosed country rock consisting of phyllite, schist and slate that is host to supergene copper mineralization.

7.1.2 Nevada 2

This site is an active copper/gold porphyry deposit within an arid climate. The mine has an annual production of approximately 57,000 tons copper and 2,700 kg gold. Four principal lithologies have been identified, including quartz monzonite porphyry, extrusive volcanic rhyolite, intensely supergene oxidized material and sedimentary (limestones, siltstones, shales) host rocks. Copper mineralization with minor molybdenum ± gold is hosted in porphyry and in a skarn formed in calcareous rocks adjacent to the mineralized porphyry. The principal hypogene sulfide minerals in the deposit are pyrite and chalcopyrite, which occur both as disseminated mineralization and as veinlets in association with quartz. Supergene enrichment has resulted in chalcocite blankets up to 100 m thick.

7.1.3 Arizona

This site is an active mine situated in a semi-arid, net evaporitic climate, with precipitation records typically indicating less than 14.6 inches of average annual precipitation. The deposit is a copper porphyry hosted within quartz monzonite and the mine produces approximately 150,000 tons copper and 500 kg gold on an annual basis.

7.1.4 Chile

This site is one of the largest open pit mines in Chile and produces approximately 300,000 tons of copper and 10,000 tons of molybdenum on an annual basis. The climate is mostly dry with the pit situated at 3,100 m above sea level. The deposit is a porphyry hosted in a diorite pluton which has intruded a volcanic sequence comprising andesitic lavas, breccias and conglomerates. Sulfide minerals present are chalcopyrite, bornite, and pyrite.

7.2 Geochemical Comparison of Analog Mine Sites with Copper Flat

ABA and MWMP data for the four analog sites have been compiled and compared to geochemical data collected as part of the Copper Flat characterization program. The results are summarized in Figure 7-1 to Figure 7-6, which demonstrate that the sulfide content (and the subsequent acid generating potential) of the Copper Flat samples is towards the lower end of the range observed for the four analog sites. In addition the MWMP leachable concentrations of sulfate, iron and manganese from the Copper Flat samples are generally comparable to or lower than the analog sites, indicating lower levels of sulfide oxidation products that could be released in the short-term.




Figure 7-1: Scatter Plot of Average NPR vs Average NNP (by Material Type) for Analog Sites




Figure 7-2: Scatter Plot of Average Sulfide Sulfur vs Average NPR (by Material Type) for Analog Sites




Figure 7-3: Scatter Plot of MWMP pH vs Sulfate Release for Analog Sites




Figure 7-4: Scatter Plot of MWMP pH vs Iron Release for Analog Sites




Figure 7-5: Scatter Plot of MWMP pH vs Manganese Release for Analog Sites




Figure 7-6: Scatter Plot of MWMP pH vs Copper Release for Analog Sites

8 Quantitative Numerical Predictions

Mass balanced HCT results have been used to develop source terms for the waste rock and tailings facilities associated with the Copper Flat project. The resulting source terms are a prediction of the concentrations of constituents that could be released from the facilities in response to meteoric rinsing. The main objectives of the modeling exercise are to:

1. Develop conceptual geochemical models to assess the potential controls on constituent mobilization and transport from the WRDF and TSF;
2. Draw upon the conceptual models to develop numerical models, that predict (in quantitative terms) the possible concentrations of solutes emanating from the WRDF and TSF; and
3. Predict the potential concentrations of these solutes in the groundwater underlying the facilities.

In order to accomplish these objectives, the following tasks have been completed:

1. Review of climate monitoring data for the site to provide estimates of evaporation and precipitation rates;
2. Compilation of information relating to the mine plan (including facility surface areas, masses of waste rock and tailings that will be produced during operations and facility design);
3. Review of hydrological and hydrogeochemical data relating to the mine facilities;
4. Compilation and review of data from kinetic testing carried out on representative materials and on the basis of this determine a mass balanced “field” scaled determination of potential leachate chemistry;
5. Calculation of the estimated tonnage of waste (per material type) in the final WRDF and estimated tonnage of tailings in the TSF; and
6. Compilation of relevant groundwater chemistry specific to the WRDF and TSF areas.

This information, along with other published data (i.e., thermodynamic database, precipitation reactions) was input into the USGS-developed software, PH-REdox-Equilibrium-Chemistry (PHREEQC, Parkhurst and Appelo, 1999). This software has been used in this project to undertake predictions of water chemistry based on thermodynamic equilibrium and solubility calculations to determine the residual solution chemistry following mixing of solutions and minerals identified in the characterization program. The program allows for assessment of changes to water quality resulting from mineral precipitation and attenuation of solutes through sorption reactions with specified mineral surface areas. Dissolution and oxidation reactions can also be factored into the model to account for reaction of solutions with solid mineral phases. By limiting the quantities of these minerals in the chemical system their reaction can also be limited either as reactants or precipitates. This is important in the case of iron hydroxides that also participate in chemical adsorption of trace elements as it limits the quantity of absorbent surfaces in the model. The resulting model output predicts not only the concentration of modeled constituents but also the speciation of the aqueous solutes and the potential solubility of minerals of constituent components. This allows prediction of the resulting chemistry of the mixing reactions. These results are then compared to environmental water quality criteria to determine if a potential impact will result from the mineral-solute reactions.

8.1 Conceptual Models

8.1.1 Waste Rock Disposal Facility

The conceptual model for the Copper Flat WRDF is presented in Figure 8-1. This was developed from a review of site-specific information and using the assumptions outlined below.

1. The final (year 11) surface area of the WRDF will be 710,229 m² (~180 acres) and the facility will contain 60 Mt of waste (THEMAC, 2012).
2. The final grading plan for the WRDF will be designed to eliminate surface water run on, enhance runoff and evapotranspiration, reduce infiltration and facilitate re-vegetation.
3. A revegetated 36-inch store-and-release soil cover (or approved equivalent) will be placed after closure and will only allow water into the waste rock after large precipitation events (THEMAC, 2012).
4. Hydrological modeling (JSAI, 2012) indicates that long-term infiltration through the WRDF cover will be approximately 2 percent of mean annual precipitation (0.25 in/yr);
5. Any precipitation infiltrating the WRDF will be in contact with rock types contained within the facility for a period of time and this will result in the generation of a specific water quality. The seepage water chemistry from the WRDF facility can be represented as the weighted sum of the solution chemistry associated with each waste rock material type. Material types with a greater total surface area exposed within the facility will therefore exert a greater control on seepage water chemistry.
6. Significant seepage away from the WRDF is not expected as the waste rock lies on low permeability (<10⁻⁶ cm/s) andesite bedrock which will function as a liner. In addition, the waste rock will be deposited dry and any precipitation infiltrating into the facility will tend to be held in storage above the water table.
7. It is possible that a small proportion of precipitation will eventually seep through the WRDF and report to groundwater. A reasonable estimate of the upper end of possible flow from the WRDF to groundwater is 5 – 10% of infiltration through the waste rock cover, equating to 0.1 to 0.2% of annual precipitation (JSAI, 2012). For the purpose of the model it is assumed that any seepage from the facility will interact with groundwater within 30 feet of the water table.




Figure 8-1: WRDF Conceptual Model

8.1.2 Tailings Storage Facility

The conceptual model for the Copper Flat TSF is provided in Figure 8-2. This was developed using the following assumptions:

- The final (year 11) surface area of the TSF will be 2,122,052 m² (~530 acres) and the facility will contain 100 Mt of tailings (INTERA, 2012);
- Tailings will be deposited in a lined facility that will be constructed on the site of the existing TSF. The historic TSF contains approximately 1.2 Mt of material, which will be used as a bedding material for the new, lined tailings facility.
- A saturated tailings density of 118 lb/ft³ and a void space of 48% is assumed (Golder, 2012).
- Closure of the TSF will include (i) final grading of embankment out slopes to establish erosion controls and controlled surface water drainage; (ii) placement and vegetation of a 36-inch store-and-release soil cover (or approved equivalent) over the tailings surface; and (iii) management of underdrainage, which will be pumped from the underdrain collection pond to the surface of the TSF where it will be evaporated.

- The tailings draindown solution will be simulated by the reaction of meteoric water infiltrating unsaturated tailings (represented by humidity cell chemistry) and reaction with residual supernatant process solution (represented by testwork analysis of leaching solutions).
- It is assumed that 2% of mean annual precipitation will infiltrate the facility. This is a reasonable assumption given that the soil cover system will be the same as for the WRDF.
- Seepage from the lined tailings facility is expected to be small. However, there may be minor seepage through manufacturing defects and other holes in the liner or the seams developed during placement (JSAI, 2012). This is discussed further in Section 8.3.2.
- For the purpose of the model it is assumed that any seepage from the facility will interact with groundwater within 100 feet of the water table.

Water quality predictions were made for a number of post-closure draindown scenarios where the quantity of draindown to entrained process solution varies. The modeled scenarios include 25%, 50%, 75%, 90% and 95% draindown.




Figure 8-2: TSF Conceptual Model

8.2 Geological Modeling

8.2.1 Waste Rock Disposal Facility

An estimate of the mass of each material type that will be produced during mining operations and deposited in the WRDF has been made from the geologic block model (Table 8-1). It is assumed that individual lithologies within the facility will be evenly mixed and that leachates resulting from those lithologies will likewise be evenly mixed. It is also assumed that each lithology will be equal in terms of grain size distribution, fracture density and similar physical characteristics.

It was assumed that 20% of the total mass in the WRDF will be available for chemical weathering reactions. This is a reasonable estimate for unsaturated waste rock and is within the 10 – 30% range reported by Schafer (2007), Price and Kwong (1997) and Murray (1977). The rationale for this estimate is based on the particle size distribution within the WRDF and surface area effects that will reduce the mass of waste rock that will contact meteoric water.

Table 8-1: Waste Rock Tonnages by lithology in the Final (Year 11) WRDF

Lithology	Waste Rock Tonnages	
	Oxide/transitional	Sulfide
Andesite	639,404	
Biotite Breccia	27,245	666,025
Quartz Feldspar Breccia	56,851	2,706,942
Quartz Monzonite	1,675,692	45,510,282
Coarse Crystalline Porphyry	558,581	8,460,861
Undefined	61,635	1,680
TOTAL TONS	60,365,198	

Table 8-2: Waste Rock Percentages by lithology in the Final (Year 11) WRDF

Lithology	Waste rock percentages	
	Oxide/transitional	Sulfide
Andesite	1.06%	
Biotite Breccia	0.05%	1.10%
Quartz Feldspar Breccia	0.09%	4.48%
Quartz Monzonite	2.78%	75.4%
Coarse Crystalline Porphyry	0.93%	14.0%
Undefined	0.10%	0.00%
TOTAL	4.47% Oxide/Transitional	95.5% Sulfide
	100%	

8.2.2 Tailings Storage Facility

Approximately 100 million tons of tailings are expected to be stored over the life of the project with an estimated tailings deposition rate of 25,000 tpd. Tailings will be deposited in a lined facility constructed on the site of the existing TSF, which contains an estimated 1.2 Mt of historic tailings material (THEMAC, 2012). It is assumed that these historic tailings will be incorporated into the new (lined) TSF and will be re-graded to a thickness of 6 to 12 inches (Golder, 2012). It was assumed that 70% of total tailings mass in the TSF will be available for chemical weathering reactions (Bowell, 2001). This same assumption was made for the historic tailings underlying the impoundment that will interact with seepage through any liner defects. This is a reasonable estimate for saturated tailings and is based on the smaller particle size for the tailings that will contact meteoric water.

8.3 Water Balance

The water balance for the WRDF and TSF were provided by JSAI (2012). SRK utilized the flows from these water balances to determine the quantity of each identified water source. The project is located in a net evaporitic area where annual evaporation greatly exceeds precipitation.

8.3.1 Waste Rock Disposal Facility

At the end of mine life, the WRDF will be covered with a store-and-release type cover, which will only allow water into the facility after large precipitation events that exceed the storage capacity of the cover. Long-term infiltration into the WRDF is estimated to be two percent of mean annual precipitation (equating to 0.25 inches per year). It is assumed that the remaining precipitation will be lost to evapotranspiration or will runoff the facility. This is a reasonable assumption given the majority of annual precipitation occurs in the form of intense thunderstorms during July, August, September (INTERA, 2012).

Of the estimated infiltration through the WRDF cover, the majority is expected to be retained in the waste rock. Using an estimated annual infiltration rate of 0.25 inches per year, it would take hundreds of years to wet the total thickness of waste rock to field capacity (assuming the field capacity of the waste rock is 6 percent) (JSAI, 2012). Of the infiltration through the cover that is not retained in the waste rock (i.e., that discharging through preferential flow paths), some may discharge into the groundwater system. However, the amount of infiltration that discharges to groundwater is expected to be very small or nil due to the low permeability of the underlying andesite (JSAI, 2012).

Although the andesite underlying the WRDF has been demonstrated to have a low permeability and is likely to act as a liner, a small proportion of precipitation may eventually seep through the WRDF and report to groundwater. A reasonable estimate of the upper end of possible flow from the WRDF to groundwater is 5 to 10% of infiltration through the waste rock cover, equating to 0.1 to 0.2% of annual precipitation.

The zone of groundwater mixing was calculated from the plan surface area of the WRDF assuming a 30 feet mixing zone in the aquifer. The movement of any potential seepage from beneath the WRDF to the underlying water table has been evaluated by JSAI (2012) by calculating flow paths and travel times for hypothetical particles. The computed paths demonstrate that any impacts to groundwater quality beneath the WRDF would not migrate away from the immediate area of the WRDF for several hundred years due to the low permeability of the underlying andesite bedrock.

8.3.2 Tailings Storage Facility

At the end of mine life, the TSF will be reclaimed and covered with 36 inches of store-and-release soil cover (or approved equivalent) and revegetated. Any entrained process waters within the tailings will draindown over a number of years and any seepage from the facility during this period will therefore be a mixture of tailings supernatant solution plus meteoric water that has infiltrated the TSF. It is assumed that the porosity of tailings in both the unsaturated zone (i.e., above the draindown curve) and saturated zone is 48% (Golder, 2012).

Because the tailings impoundment will be lined, seepage from the facility is expected to be small. However, it is recognized that there could be minor seepage from manufacturing defects and other holes in the liner or the seams developed during placement. JSAI (2012) evaluated the potential occurrence of leaks in the tailings facility liner using the assumption that there would be one circular defect per acre with a standard defect area of 1 cm² (corresponding to a round hole diameter of 1.128 cm). The rate of leakage through the defect, assuming an unsaturated system underlying the tailings was then calculated as follows:

$$Q = \pi * D_h * K_t * h_t$$

Where Q is the flow through the defect, D_h is the diameter of the defect, K_t is the hydraulic conductivity of the tailings and h_t is the hydraulic head. Assuming the standard defect size ($D_h = 1.128$ cm) occurring once per acre and assuming reasonable K_t (10^{-6} cm/s) and h_t (100 feet), leakage from the ~530 acre lined impoundment is estimated at 0.25 gallons/day/acre during the early stages of post-closure. During draindown of the TSF, the amount of leakage will be proportional to the hydraulic head within the facility, which will decrease as the volume of entrained solution decreases. The volume of seepage was therefore adjusted for each of the modeled time-steps to account for the decrease in hydraulic head.

For the purpose of the geochemical model it is assumed that any seepage through liner defects will migrate to the water table and that there will be mixing of TSF seepage solutions and groundwater under the facility. The zone of groundwater mixing has been calculated from the plan surface area of the TSF assuming a base case of a 100 feet mixing zone in the aquifer. This is a reasonable assumption given that the existing sulfate plume under the historic TSF extends to a depth of approximately 100 feet (see Figure 8-3). Additional sensitivity analyses have been modeled for mixing zones of 50 feet and 75 feet, respectively (see Section 8.8).

The movement of any potential seepage away from the TSF in the underlying groundwater has been evaluated by JSAI (2012) by calculating flow paths and travel times for hypothetical particles. Particle movement in the Santa Fe Group aquifer downstream from the TSF is slow and thus any discharge to groundwater from the TSF would remain in the immediate area for several hundred years. This is supported by the sustained elevated water levels and sulfate plume near the existing tailings impoundment which confirms the slow groundwater movement (Figure 8-3).




Figure 8-3: Cross section showing sulfate plume under TSF (from JSAI, 2011)

8.4 Solution Inputs

8.4.1 Precipitation Chemistry

For the purposes of the WRDF and TSF geochemical models, the primary leachant was assumed to be rainwater. Rainwater chemistry data were obtained from monthly monitoring carried out between 1985 and 2011 at the Gila Cliff Dwellings National Monument meteorological station, Catron County, New Mexico (NADP, 2012). In the absence of any site-specific rainwater chemistry, this is considered the most representative precipitation chemistry available for use in the modeling exercise. For the purpose of the model, average rainwater chemistry data for the period 1985 to 2011 were used (see Table 8-3).




Figure 8-4: Gila Cliff Dwellings National Monument Meteorological Station Location

Table 8-3: Precipitation Chemistry used in the Model

Parameter	Units	Concentration
pH	S.U.	4.93
Ca	mg/L	0.21
Mg	mg/L	0.02
Na	mg/L	0.08
K	mg/L	0.03
Cl	mg/L	0.12
SO ₄	mg/L	0.86
NH ₄	mg/L	0.17
NO ₃	mg/L	0.83

8.4.2 Waste Rock Chemistry (WRDF Model)

The WRDF geochemical model assumed the leachate characteristics from the WRDF are identical to those of laboratory kinetic tests run on representative materials that have been scaled to field conditions. Representative leachate chemistries were obtained from waste grade cells in the ongoing HCT program and average elemental release rates (in mg/kg) from each humidity cell were calculated and used as input solutions to the model. In the case of pH, average values were calculated after conversion to hydrogen ion activity $[H^+]$. The average $[H^+]$ was then converted back to pH using the relationship $pH = -\log_{10}[H^+]$. This avoids difficulties associated with taking an average of a log parameter.

The scaled average mg/kg/week element release data from the humidity cell tests were then used as the source term leachates. Details of the HCT leachates used as input solutions to the model are provided in Table 8-4. A scaling factor was applied to the laboratory data in order to account for the slower reaction rates observed in the field compared to laboratory-scale tests. The application of a scaling factor is necessary because laboratory tests are operated at a higher water-to-rock ratio than would be expected in the field, meaning that mineral-water reaction rates are enhanced. This results in higher solute release rates than are likely to exist under field conditions. This discrepancy between field and lab conditions is addressed by using a scaling factor based on surface area, water flux, and water: rock ratio conditions in the laboratory and field settings. For the purpose of the Copper Flat WRDF model, a scaling factor of 10 has been applied as the best representation of lab to field scaling based on the relationship of solid-liquid ratios in the lab versus the field. This is to say that the reaction rates for the material in the WRDFs will react 10 times slower with meteoric water than in the laboratory tests. The rationale for this is that under the controlled environment of the laboratory mineral reaction rates will occur more rapidly than in the field where there is generally a much lower liquid-solid ratio than in laboratory testwork. A detailed discussion on scaling of laboratory to field data is provided in Appendix I.

The data in Table 8-4 represents average release rates over the entire HCT testwork period (i.e., between week 0 and weeks 40/52/56/60/96 - depending upon the cell).

Table 8-4: Average HCT Input Solutions used in the WRDF Geochemical Models

		Andesite	Biotite breccia - oxide/ transitional	Biotite breccia - sulfide	Quartz feldspar breccia - oxide/ transitional	Quartz feldspar breccia - sulfide	Quartz Monzonite - oxide/ transitional	Quartz Monzonite - sulfide	Coarse crystalline porphyry - oxide/ transitional	Coarse crystalline porphyry - sulfide
		<i>Cells SRK 0864 and SRK 0866</i>	<i>SRK 0872</i>	<i>604673 and 605153</i>	<i>SRK 0872</i>	<i>604673 and 605153</i>	<i>Cells 604569 and SRK 0858</i>	<i>604673 and 605153</i>	<i>Cell CF-11-02 (0-27)</i>	<i>Cell CF-11-02 (367-408)</i>
<i>Percentage of waste (%)</i>		<i>1.06%</i>	<i>0.05%</i>	<i>1.10%</i>	<i>0.09%</i>	<i>4.48%</i>	<i>2.78%</i>	<i>75.4%</i>	<i>0.93%</i>	<i>14%</i>
pH	s.u.	7.38	6.48	6.14	6.48	6.14	2.97	6.14	7.95	7.85
HCO ₃	mg/L	11.1	6.56	13.8	6.56	13.8	22.2	13.8	39.8	26.6
Aluminum	mg/L	0.02	0.10	0.04	0.10	0.04	3.16	0.04	0.02	0.04
Antimony	mg/L	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
Arsenic	mg/L	0.002	0.003	0.003	0.003	0.003	0.003	0.003	0.003	0.002
Cadmium	mg/L	0.0005	0.0008	0.0006	0.0008	0.0006	0.0017	0.0006	0.0007	0.0005
Calcium	mg/L	9.23	29.5	6.76	29.5	6.76	9.87	6.76	12.4	8.45
Chloride	mg/L	0.75	0.61	0.76	0.61	0.76	1.31	0.76	1.64	2.77
Chromium	mg/L	0.002	0.002	0.003	0.002	0.003	0.006	0.003	0.002	0.002
Copper	mg/L	0.02	0.13	0.14	0.13	0.14	3.25	0.14	0.02	0.02
Fluoride	mg/L	0.46	0.34	0.48	0.34	0.48	2.09	0.48	1.29	0.72
Iron	mg/L	0.006	0.113	0.006	0.113	0.006	7.206	0.006	0.012	0.007
Lead	mg/L	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001
Magnesium	mg/L	1.41	1.21	1.08	1.21	1.08	1.67	1.08	2.35	0.85
Manganese	mg/L	0.01	0.19	0.02	0.19	0.02	0.13	0.02	0.02	0.01
Mercury	mg/L	0.00005	0.00005	0.00006	0.00005	0.00006	0.00005	0.00006	0.0001	0.00007
Molybdenum	mg/L	0.010	0.063	0.012	0.063	0.012	0.007	0.012	0.011	0.006
Nickel	mg/L	0.005	0.005	0.005	0.005	0.005	0.006	0.005	0.005	0.005
Nitrate as N	mg/L	0.71	0.47	0.50	0.47	0.50	0.47	0.50	0.48	0.46
Potassium	mg/L	1.04	0.50	2.11	0.50	2.11	1.72	2.11	4.07	3.34
Selenium	mg/L	0.002	0.003	0.003	0.003	0.003	0.003	0.003	0.004	0.002
Sodium	mg/L	1.96	0.47	1.98	0.47	1.98	2.09	1.98	4.78	4.79
Sulfate	mg/L	23.4	79.3	15.8	79.3	15.8	94.7	15.8	18.2	11.4
Uranium	mg/L	0.005	0.005	0.008	0.005	0.008	0.011	0.008	0.006	0.003
Vanadium	mg/L	0.005	0.005	0.006	0.005	0.006	0.006	0.006	0.005	0.005
Zinc	mg/L	0.005	0.022	0.010	0.022	0.010	0.028	0.010	0.005	0.005
<i>Ion balance (%)</i>		<i>0.02%</i>	<i>5.09%</i>	<i>0.80%</i>	<i>5.09%</i>	<i>0.80%</i>	<i>51.20%</i>	<i>0.80%</i>	<i>-2.12%</i>	<i>2.24%</i>

8.4.3 Tailings and Supernatant Chemistry (TSF model)

As with the WRDF model, the TSF geochemical model assumes leachate characteristics from the TSF are identical to those of laboratory HCTs run on representative materials and then scaled to field conditions. Representative leachate chemistries were obtained from the ongoing HCT program and average elemental release rates (in mg/kg) from each humidity cell were calculated and used as input solutions to the model. Details of the tailings HCT leachates used as input solutions to the TSF models are provided in Table 8-5. Because the nine tailings HCT cells show similar characteristics in terms of effluent leachate chemistry, average elemental release rates for all cells were averaged for the entire testwork period (i.e., from week 0 to weeks 8/28). For the historic tailings, the MWMP data was used as the input solution to the model.

As with the WRDF models, a scaling factor was applied to the laboratory data in order to account for the slower reaction rates observed in the field compared to laboratory-scale tests. For the purpose of the TSF models, a scaling factor of 10 has been used as a best representation of lab to field scaling. This is to say that the reaction rates for the material in the TSF will react 10 times slower with meteoric water than in the laboratory HCT/MWMP tests (see additional discussion in Appendix I).

Tailings supernatant chemistry representative of entrained process solution in the TSF has been obtained from the following sources:

- Quintana flotation tailings supernatant collected between 1981 and 1982; and
- Tailings supernatant chemistry reported in the 1976 Geotechnical Investigation Report (Sergent, Hauskins and Beckwith, 1976).

The composite process water chemistry based on these sources used in the TSF models is provided in Table 8-5.

Table 8-5: Input Solution Chemistry used in the TSF Geochemical Model

		Tailings HCT leachate chemistry	Tailings supernatant chemistry	Historic tailings chemistry
		<i>Average data from tailings HCT cells between weeks 0 and 8/28</i>	<i>Composite chemistry data from 1981-1982 flotation tails</i>	<i>MWMP data for sample SRK0876 (collected from historic tailings facility)</i>
pH	s.u.	8.07	7.59	7.82
HCO ₃	mg/L	109	219	130
Aluminum	mg/L	0.06	0.01	0.05
Antimony	mg/L	0.003	-	0.003
Arsenic	mg/L	0.005	0.01	0.005
Barium	mg/L	0.05	0.2	0.056
Boron	mg/L	0.11	0.1	0.1
Cadmium	mg/L	0.001	0.005	0.001
Calcium	mg/L	36.3	92.6	560
Chloride	mg/L	5.25	27.4	28.0
Chromium	mg/L	0.005	0.01	0.005
Cobalt	mg/L	0.01	0.02	0.01
Copper	mg/L	0.05	0.05	0.58
Fluoride	mg/L	2.00	1.96	4.20
Iron	mg/L	0.017	0.04	0.01
Lead	mg/L	0.002	0.02	0.003
Magnesium	mg/L	6.73	18.8	180
Manganese	mg/L	0.03	0.05	0.18
Mercury	mg/L	0.0002	0.001	0.0001
Molybdenum	mg/L	0.06	1.1	3.5
Nickel	mg/L	0.01	0.05	0.01
Nitrate as N	mg/L	1	5.49	42.0
Potassium	mg/L	17.6	1.69	280
Selenium	mg/L	0.006	0.005	0.01
Silver	mg/L	-	0.02	0.005
Sodium	mg/L	17.1	52.2	59.0
Sulfate	mg/L	74.7	176	2400
Uranium	mg/L	0.04	-	0.19
Vanadium	mg/L	0.007	-	0.083
Zinc	mg/L	0.01	0.05	0.01
<i>Ion balance</i>		<i>-1.05%</i>	<i>-2.83%</i>	<i>0.37%</i>

8.4.4 Groundwater Chemistry

Representative groundwater chemistry data were obtained from the groundwater monitoring program for use in the WRDF and TSF geochemical prediction models. For the purposes of the WRDF model, groundwater data from wells GWQ-6 (June 1981 – April 1993) and GWQ96-22A (July 1996 – October 2010) were used in the WRDF model. These wells are the most representative of andesite groundwater chemistry and the WRDF is situated on andesite bedrock.

For the purposes of the TSF model, groundwater data collected from wells GWQ94-16, NP-2, NP-4 NP-5 in 2010/2011 were used. These wells are representative of background water quality in the vicinity of the TSF. Although a groundwater sulfate plume currently exists beneath the old tailings facility (see Figure 8-3), these historic tailings will be isolated by the new lined facility. As such, the source of the sulfate plume will be removed and it is not considered representative to use this groundwater chemistry in the model.

The groundwater chemistry data used as input solutions to both the WRDF and TSF models are provided in Table 8-6. From Table 8-6, fluoride, iron and manganese are currently elevated above NMWQCC standards in the andesite groundwater. All parameters in the groundwater below the proposed tailings impoundment are below the NMWQCC standards.

8.5 Chemical Precipitation

For the purpose of the predictive geochemical models it was assumed that the leachates produced from each material type would mix evenly and completely. Under these circumstances the solutes in these waters will react with each other and may form chemical precipitates if the concentrations and macro-geochemical conditions (Eh, pH, pCO₂, pO₂, and ionic strength) allow saturation to occur. The models required the specification of potential equilibrium phases that were allowed to precipitate if they become saturated. The suite of minerals chosen was based on the mineralogical characterization of the Copper Flat deposit and an understanding of the types of minerals that could occur in waste rock and tailings leachates. The relative saturation of all minerals was calculated by comparing the calculated concentration of dissolved ionic pairs with their theoretical thermodynamic limit. Where these values were equal, the saturation index was zero and the solution was said to be at equilibrium with that mineral. At equilibrium, any amount of the mineral that dissolves will precipitate to maintain the relative solute:mineral balance. The minerals that were allowed to form in the geochemical models are given in Table 8-7. The models assumed that precipitated mineral phases are removed from the system and that subsequent re-dissolution of these phases does not occur.

Table 8-6: Groundwater Chemistry used in the WRDF and TSF models

Parameter	Units	NMWQCC standard	Groundwater chemistry data used in the WRDF model [Average of GWQ-6 (Jul 1981 – Apr 1993) and GWQ96-22A (Jul 1996 – Oct 2010)]	Groundwater chemistry data used in the TSF mode [Average of GWQ94-16, NP-2, NP-5 and NP-4 (June 2010 to May 2011)]
pH	s.u.	6 – 9	6.4	7.76
HCO ₃	mg/L	-	272	178
Aluminium	mg/L	5	0.032	0.02
Antimony	mg/L	-	0.002	0.001
Arsenic	mg/L	0.1	0.005	0.002
Barium	mg/L	1	0.15	0.036
Boron	mg/L	0.75	0.192	0.044
Cadmium	mg/L	0.01	0.003	0.002
Calcium	mg/L	-	59.1	137
Chromium	mg/L	0.05	0.014	0.006
Chloride	mg/L	250	64.5	120
Cobalt	mg/L	0.05	0.031	0.006
Copper	mg/L	1	0.024	0.006
Fluoride	mg/L	1.6	1.93	0.57
Iron	mg/L	1	1.6	0.03
Lead	mg/L	0.05	0.009	0.005
Magnesium	mg/L	-	7.34	35.2
Manganese	mg/L	0.2	0.645	0.02
Mercury	mg/L	0.002	0.0007	0.0002
Molybdenum	mg/L	1	0.031	0.008
Nickel	mg/L	0.2	0.027	0.01
Nitrate as N	mg/L	10 (total N)	1.23	4.37
Potassium	mg/L	-	3.23	2.70
Selenium	mg/L	0.05	0.004	0.01
Silver	mg/L	0.05	0.019	0.005
Sulfate	mg/L	600	115	269
Sodium	mg/L	-	127	65.6
Thallium	mg/L	-	0.001	0.0013
Uranium	mg/L	0.03	0.001	0.002
Vanadium	mg/L	-	0.05	0.05
Zinc	mg/L	10	0.026	0.43
<i>Ion balance (%)</i>		-	5.89%	-3.09%

Shaded values indicate exceedence of NMWQCC.

Table 8-7: Equilibrium Phases

Equilibrium phase*	Ideal formula
Alunite	$KAl_3(SO_4)_2(OH)_6$
Albite	$NaAlSi_3O_8$
Anhydrite	$CaSO_4$
Azurite	$Cu_3^{2+}(CO_3)_2(OH)_2$
Barite	$BaSO_4$
Boehmite	$AlOOH$
Brochantite	$Cu_4^{2+}(SO_4)(OH)_6$
Calcite	$CaCO_3$
Cr_2O_3	Cr_2O_3
Diaspore	$\alpha-AlOOH$
Ferrihydrite	$5Fe_2O_3 \cdot 9H_2O$
Fluorite	CaF_2
Gibbsite	$Al(OH)_3$
Gummite	UO_3
Gypsum	$CaSO_4 \cdot 2H_2O$
Malachite	$Cu_2^{2+}(CO_3)(OH)_2$
Pyromorphite	$Pb_5(PO_4)_3Cl$
Quartz	SiO_2
Rhodochrosite	$Mn^{2+}CO_3$
Rutherfordine	UO_2CO_3
Schoepite	$UO_2(OH)_2 \cdot H_2O$
Tenorite	$Cu^{2+}O$
U_3O_8	U_3O_8
UO_3	UO_3
$UO_2(OH)_2$ (beta)	$UO_2(OH)_2$ (beta)

* All sulfide minerals were found to be undersaturated in the predictions and were therefore not added as equilibrium phases in the models.

8.6 Adsorption

In solution, trace element concentrations are mostly controlled by adsorption onto common mineral phases or are removed from solution through a process of co-precipitation. The models assumed that trace metals may be removed from solution via sorption onto freshly generated mineral precipitates such as iron oxides. Ferrihydrite ($5\text{Fe}_2\text{O}_3 \cdot 9\text{H}_2\text{O}$) was selected as a sorption surface because it is a common sorption substrate in oxygenated natural waters and because the trace element sorption thermodynamic properties of these reactions are well defined by numerous empirical studies. Adsorption of soluble phases to HFO is highly pH dependant as is the solubility of HFO itself. Below a pH of around 4.5, only minimal sorption of most dissolved metal species is observed (Stumm and Morgan, 1996). The mass of ferrihydrite used in the models was assumed to be identical to the mass of the mineral phase ferrihydrite precipitated in the previous model iterations and this controlled by the chemistry of the system. The model assumes that the ferrihydrite is characterised by both strong (HFO_s) and weak (HFO_w) surface adsorption sites. In order to be consistent with the published properties of ferrihydrite published by Dzombak and Morel (1990) the geochemical models assumed a surface site density of 0.2 moles of weak sites and 0.005 moles of strong sites per mole of ferrihydrite.

As with mineral phase precipitation, the adsorbed mass of trace elements removed through this mechanism is assumed in the conceptual model to be permanently removed from the system following incorporation and co-precipitation with the HFO phase. In the case of a major shift in pH or redox conditions it is possible that material adsorbed to the HFO surface may be released. However, based on the HCT results available to date, a major shift in pH conditions (i.e., acid generation) is not likely for the bulk of the waste rock or tailings material.

8.7 Model Logic and Coding

The conceptual models developed for the Copper Flat WRDF and TSF have been translated into numerical models using a geochemical thermodynamic equilibrium code and several limiting and simplifying assumptions. Water chemistry predictions were made using the USGS code PHREEQC, which has been rigorously tested and is the industry standard for pit lake, waste rock dump and tailings facility geochemical predictions. The PHREEQC models used a modified version of the minteq.v4 thermodynamic database supplied with the v3.0.0-7430 version of PHREEQC (released February 1st 2013). This database is widely used for geochemical modeling and was selected for this study because it includes the full range of elements for consideration in this water quality prediction as well as key sorption reactions for iron oxyhydroxides. The database was modified to include sorption data for manganese species.

The PHREEQC model consists of several components including the input data file, the thermodynamic database, the executable code and the output file. The input file consists of a series of logic statements and commands that define each of the components of the system and explains how these components interact. The input file is read by the executable code and commands are executed in a stepwise manner. Influent component waters were speciated and mixed to generate a series of intermediate waters, solid phases, and adsorbed phases. Selected outputs are specified and parcelled out to various output files for analysis of results.

8.7.1 Waste Rock Disposal Facility

A logic flow diagram for the structure of the WRDF input code is shown in Figure 8-5 and discussed below.




Figure 8-5: WRDF Model Logic

The steps in the WRDF modeling process included the following items:

- Define solution inputs specific to each material type in the WRDFs. The solution chemistries are comprised of scaled HCT leachate concentrations for each material type. This data is scaled to water:rock ratio from the cell to the field, based on the estimated mass of material in the facility that is likely to be exposed to chemical weathering reactions.
- Define the solution mixing ratios. Mixing ratios are based on the amount of each material type in the facility.
- Define rainfall water quality based on a representative chemistry (the model used long-term monitoring data from the Gila National Monument Meteorological Station in New Mexico). This solution forms both the primary leachant for the WRDF.
- Perform a master mixing calculation where the solution inputs are mixed in ratios defined by the geological modeling and climatic data.
- Following the master mixing step, a fixed percentage of water is removed as a reverse titration of water. At the end of each titration, the volume of water is readjusted to one liter.

- Equilibrate and precipitate. Once mixed, the model is equilibrated with atmospheric gases and select mineral phases are allowed to precipitate at the calculated pH with pe fixed at a sub-atmospheric value equal to 12 – pH.
- Calculate sorption. After mineral precipitation, trace elements were allowed to adsorb onto iron oxyhydroxides. The total mass of iron oxyhydroxides is equivalent to the mass predicted to be generated during the preceding step. This assumption is conservative in that it does not account for sorption to other minerals, such as aluminum oxide or clay, or for ferrihydrite present within the bedrock itself.
- Save predicted WRDF source term chemistry (i.e., seepage water chemistry at the base of the facility). This is exported to a spreadsheet for analysis.
- Perform a mixing calculation where the predicted seepage water is mixed with groundwater in the ratio defined by the water balance.
- Equilibrate and precipitate.
- Calculate sorption.
- Save final predicted groundwater chemistry. This is exported to a spreadsheet for analysis.

An example of the WRDF PHREEQC input code is provided in Appendix G.

8.7.2 Tailings Storage Facility

A logic flow diagram for the TSF input code is shown in Figure 8-6 and discussed below.




Figure 8-6: TSF Model Logic

The steps in the TSF modeling process included the following items:

- Define tailings solution chemistry (comprised of scaled HCT leachate concentrations). These data are scaled to water:rock ratio from the cell to the field, based on the estimated mass of material in the TSF that is likely to be exposed to chemical weathering reactions.
- Define precipitation chemistry (the model used long-term monitoring data from the Gila National Monument Meteorological Station in New Mexico).
- Define the solution mixing ratios based on the mass of tailings in the TSF and the volume of infiltrating precipitation.
- Perform a master mixing calculation where the solution inputs are mixed in the defined ratios.
- Following the master mixing step, a fixed percentage of water is removed as a reverse titration of water. At the end of each titration, the volume of water is readjusted to one liter.
- Equilibrate and precipitate oversaturated mineral phases.
- Calculate sorption onto iron oxyhydroxide phases precipitated during the previous reaction step.
- Define the volume of tailings supernatant remaining in the saturated zone of the TSF (calculated assuming a void space of 48%).
- Define the solution mixing ratios between the infiltrating meteoric water (that has interacted with the tailings in the unsaturated zone) and the tailings supernatant water in the saturated zone.
- Perform additional equilibration steps and allow precipitation of oversaturated mineral phases.
- Calculate sorption onto iron oxyhydroxide phases precipitated during the previous reaction step.
- Save predicted TSF source term chemistry for (i.e., at the base of the facility).
- Define historic tailings solution chemistry (comprised of scaled MWMP test leachate concentrations).
- Define the solution mixing ratios based on the mass of historic tailings underlying the TSF and the volume of seepage from the facility.
- Perform a master mixing calculation where the solution inputs are mixed in the defined ratios.
- Equilibrate and precipitate oversaturated mineral phases.
- Calculate sorption onto iron oxyhydroxide phases precipitated during the previous reaction step.
- Define groundwater chemistry underlying the TSF.
- Perform a master mixing calculation where seepage from the proposed and historic tailings is mixed with groundwater in the ratio defined by the water balance.
- Equilibrate and precipitate oversaturated mineral phases.
- Calculate sorption onto iron oxyhydroxide phases precipitated during the previous reaction step.
- Save final predicted groundwater chemistry. This is exported to a spreadsheet for analysis.

An example of the TSF PHREEQC input code is provided in Appendix H.

8.8 Sensitivity Analysis

8.8.1 Waste Rock Disposal Facility

The WRDF base case model described in Section 8.1.1 is intended to give the most probabilistic output in terms of likely source term chemistry and is based on the most likely input parameters. This base case model assumes that any seepage from the facility will mix with the upper-most 30 feet of the aquifer underlying the WRDF. However, additional sensitivity analyses were carried out whereby this groundwater mixing zone was varied between 10 feet and 50 feet to determine the influence the thickness of this zone will have on groundwater chemistry. In theory, the deeper the mixing zone, the less influence WRDF seepage waters will have on groundwater chemistry. Completion of both the base case and sensitivity analysis models gives an idea of the possible range of water quality that may be expected in the groundwater underlying the WRDF.

8.8.2 Tailings Storage Facility

The TSF model assumes that any seepage from defects within the TSF liner will mix with the upper-most 100 feet of the aquifer underlying the facility. This is a reasonable assumption given that the sulfate plume under the existing TSF extends to a depth of approximately 100 feet. Additional sensitivity analyses were then performed whereby the groundwater mixing zone was varied between 50 and 100 feet.

8.9 Model Limitations

Despite site-specific data collection activities, several assumptions and model boundaries must be defined to construct a numerical model that predicts future water quality. Specific boundaries and assumptions of the WRDF and TSF numeric models include:

1. Modeling is limited to predicting water quality under steady-state conditions.
2. The geochemical model framework is defined by the water inputs and losses to/from the system.
3. The models are defined by the elements, mineral phases, gas phases, and chemical species specified in the model input files.
4. The models are limited to inorganic reactions and do not take into account the complexities associated with biologically mediated reactions.
5. The models are limited to thermodynamic equilibrium reactions and do not simulate the effects of reaction kinetics and rates.
6. The models rely on an external database of thermodynamic constants for mineral phase precipitates and sorbed surface complexes. These thermodynamic constants are valid at 25°C and 1 atmosphere of pressure.
7. The models assume sub atmospheric equilibrium with oxygen and carbon dioxide gas, with pH + pE equal to 12.
8. The models do not consider the effects associated with the formation and precipitation of mineral species other than those specified. Due to kinetic constraints, a portion of the potentially oversaturated mineral phases will not actually precipitate. A select suite of minerals is therefore specified that are allowed to precipitate, based on relevance for the environment in question,

site-specific knowledge, experience in evaluating kinetic constraints and relevance of key phases for given styles of mineralization (Eary, 1998).

9. Biological processes are not taken into account and therefore mineral precipitates are the only sink for major nutrients such as phosphate.
10. The models assume that solution input chemistry can be simulated using laboratory leachate chemistries from HCT tests, which are appropriately scaled to field conditions. A scaling factor of 10 has been used as a best representation of lab to field scaling. This is to say that the reaction rates within the WRDF and TSF are anticipated to be 10 times slower than in the laboratory tests.

8.10 Analysis of Model Input Variability

The various parameters that have been used as data inputs for the WRDF and TSF geochemical models have been assessed to determine their relative significance in influencing the model results. For the purpose of this exercise, each parameter has been assigned a value based on the degree to which it influences the final predicted solution chemistry as determined by the sensitivity analysis results. These values are qualitative and include:

- Insignificant – represents less than 1% control on the final model output;
- Minor – represents between 1 and 10% control on the final model output;
- Moderate - represents between 10 and 50% control on the final model output; and
- Significant – represents greater than 50% control on the final model output.

The results of this exercise are displayed in Table 8-8.

Table 8-8: Analysis of WRDF and TSF Model Input Variability

	Parameter	Assumptions / data used in model	Source	Control on final model results*
Hydrogeologic information	Infiltration to WRDF and TSF	2% of mean annual precipitation	JSAI, 2012	Moderate. The volume of infiltration to the facilities will influence the liquid:solid mixing ratios and will affect how dilute or concentrated the source term chemistry will be.
	Seepage volume from WRDF	0.1 – 0.2% of mean annual precipitation	JSAI, 2012	Minor. Concentrations of dissolved constituents in the WRDF source term chemistry are predicted to be low. Therefore increasing the volume of seepage will not increase the potential for groundwater degradation.
	Seepage volume from TSF	<0.25 gallons/acre/day (assuming 1 circular defect of 1.128cm ² per acre)	JSAI, 2012	Moderate. Significantly increasing the volume of seepage from the TSF may increase groundwater solute loading. However, increased seepage volumes are unlikely given that the TSF will be a lined facility.
Chemical inputs	Groundwater chemistry	Baseline groundwater chemistry data from the ongoing monitoring program: <ul style="list-style-type: none"> WRDF - wells GWQ-6 and GWQ96-22A (representative of andesite groundwater chemistry) TSF - wells GWQ94-16, NP-2, NP-4 and NP-5 (representative of groundwater chemistry outside the existing sulfate plume under the TSF) 	INTERA, 2012	<ul style="list-style-type: none"> Insignificant for source term chemistry, as groundwater exerts no control on seepage water from the WRDF and TSF. Significant for model assessing groundwater chemistry under the TSF and WRDF. Groundwater chemistry is likely to represent the primary control on the model result.
	Precipitation chemistry	Averaged precipitation chemistry from Gila Cliff Dwelling National Monument Meteorological Station (1985-2011)	NADP, 2012	Insignificant. The precipitation chemistry represents a near-pure solution chemistry. In the absence of site-specific data, published precipitation chemistry from this meteorological station in New Mexico is the best representation of precipitation chemistry in the area.
	HCT chemistry	Averaged HCT chemistry from the ongoing waste rock and tailings HCT programs.	SRK	Significant. The solutions generated by the HCT programs represent the main chemical inputs to the PHREEQC models.
Mine plan information	WRDF design	Surface area of final (year 11) facility will be 180 acres and will contain 60Mt of waste rock. Facility will be covered with a low permeability cover post-closure.	THEMAC, 2012	Not applicable. Parameter is fixed by mine plan.

	Parameter	Assumptions / data used in model	Source	Control on final model results*
	TSF design	Surface area of final (year 11) facility will be 530 acres and will contain 100Mt of tailings. Facility will be lined with HDPE liner and will be constructed on top of historic tailings (approximately 1.2 Mt). Facility will be covered with a low permeability cover post-closure.	THEMAC, 2012	Not applicable. Parameter is fixed by mine plan.
Geochemical model assumptions	Scaling factor	A scaling factor of 10 was applied to the WRDF and TSF models to account for the scaling of laboratory data to field conditions	SRK	Moderate. The scaling factor was assigned following a detailed literature review (Appendix I) and with a knowledge and understanding of site-specific conditions.
	Equilibrium/mineral phases	Alunite, albite, anhydrite, azurite, barite, boehmite, brochantite, calcite, Cr ₂ O ₃ , diaspore, ferrihydrite, fluoride, gypsum, gibbsite, gummite, malachite, pyromorphite, quartz, rhodochrosite, rutherfordine, schoepite, tenorite, U ₃ O ₈ , UO ₃ , UO ₂ (OH) ₂	SRK	Moderate. Mineral precipitation will influence final solution chemistry. Equilibrium phases were selected based on knowledge of site-specific geologic and mineralogic conditions (Table 8-7). This was confirmed by reviewing mineralogic controls on existing pit lake and groundwater chemistry.

- * Insignificant: <1%
- Minor: 1 - 10%
- Moderate: 10 - 50%
- Significant: >50%

8.11 Model Results

8.11.1 Waste Rock Disposal Facility

The results of the base case (i.e., most probable scenario) WRDF geochemical model are provided in Table 8-9. This shows the predicted source term chemistry at the base of the WRDF at the end of mine life and also the predicted groundwater chemistry under the facility should any seepage migrate away from the WRDF and make its way to groundwater. The results demonstrate that source term solutions at the base of the facility are likely to be moderately alkaline (pH 8.18) and are predicted to have concentrations of fluoride that are elevated above NMWQCC groundwater standards. By covering the WRDF with a re-vegetated store-and-release soil cover at the end of mine life, the infiltration of water and flux of oxygen into the facility will be reduced, which will limit the rate of weathering of sulfide minerals in the waste rock.

The andesite underlying the WRDF is low permeability and is likely to act as a liner, however additional model iterations have been undertaken to assess the potential impact from seepage to groundwater if seepage from the WRDF were to migrate to groundwater. The results are displayed in Table 8-9, which shows the predicted groundwater chemistry in the andesite aquifer underlying the WRDF facility, assuming seepage of 5% and 10% infiltration of the 2% of mean annual precipitation into the WRDF. Under the seepage scenario, the impact is expected to be low should any seepage from the WRDF make its way to groundwater.

The modeled results show that the predicted groundwater chemistry underlying the WRDF is likely to be similar to current groundwater chemistry. With the exception of fluoride, all parameters are predicted to be below NMWQCC standards in groundwater underlying the facility. Predicted fluoride concentrations are 1.93 mg/L compared to a standard of 1.6 mg/L. However, fluoride has been identified as being elevated in the existing ('baseline') groundwater at concentrations around 1.93 mg/L (see Table 8-9). Nonetheless, should any seepage migrate away from the WRDF it is likely that there will be some adsorption and attenuation of metal(loids) in the underlying andesite in the unsaturated zone. Although this is beyond the scope of the current modeling exercise, it is likely that these processes will further reduce elemental concentrations prior to any WRDF seepage reaching the underlying groundwater. As such, the potential impact to groundwater quality beneath the facility is likely to be minimal.

The WRDF base case model predictions assume that any seepage migrating away from the WRDF will only interact with the upper-most 30 feet of the aquifer underlying the facility. However, additional sensitivity analyses have been carried out whereby this zone of groundwater interaction was varied between 10 and 50 feet to assess the sensitivity of the mixing interval on predicted groundwater quality under the WRDF. The results are displayed in Table 8-10, which demonstrates that varying this zone has no effect on the predicted water chemistry. This is because seepage from the WRDF is expected to be negligible.

Table 8-9: WRDF Model Results

			NMWQCC standard	Average groundwater chemistry in andesite	Predicted Source Term Chemistry at base of WRDF	Predicted groundwater chemistry under WRDF assuming 5% seepage from facility	Predicted groundwater chemistry under WRDF assuming 10% seepage from facility
pH	pH	s.u.	6 - 9 [†]	6.40	8.18	8.51	8.51
pe	pe	s.u.	-	-	4.59	4.26	4.26
Alk	Alkalinity as CaCO ₃	mg/L	-	-	89.9	183.6	183.4
HCO ₃	Bicarbonate	mg/L	-	272	50.5	108.4	108.3
Ag	Silver	mg/L	0.05*	0.002	0.017	0.018	0.018
Al	Aluminium	mg/L	5 [‡]	0.03	0.0007	0.0015	0.0015
As	Arsenic	mg/L	0.1*	0.005	0.012	2.85E-07	2.86E-07
B	Boron	mg/L	0.75 [‡]	0.19	0.36	0.19	0.19
Ba	Barium	mg/L	1*	0.15	0.025	0.027	0.027
Ca	Calcium	mg/L	-	59.1	41.2	9.43	9.45
Cd	Cadmium	mg/L	0.01*	0.003	0.004	0.0003	0.0003
Co	Cobalt	mg/L	0.05 [‡]	0.03	0.018	0.005	0.005
Cr	Chromium	mg/L	0.05*	0.014	0.00004	0.00003	0.00003
Cu	Copper	mg/L	1 [†]	0.024	0.005	0.005	0.005
F	Fluoride	mg/L	1.6*	1.93	3.92	1.93	1.93
Fe	Iron	mg/L	1 [†]	1.6	0.00004	0.00004	0.00004
Hg	Mercury	mg/L	0.002*	0.0007	0.0004	0.0007	0.0007
K	Potassium	mg/L	-	3.23	15.8	3.25	3.26
Mg	Magnesium	mg/L	-	7.34	7.45	6.38	6.38
Mn	Manganese	mg/L	0.2 [†]	0.65	0.13	0.03	0.03
Mo	Molybdenum	mg/L	1 [‡]	0.031	0.08	0.03	0.03
Na	Sodium	mg/L	-	127	18.5	118	118
Ni	Nickel	mg/L	0.2 [‡]	0.027	0.03	0.002	0.002
Pb	Lead	mg/L	0.05*	0.009	0.00006	0.0002	0.0002
Sb	Antimony	mg/L	-	0.002	0.009	0.002	0.002
Se	Selenium	mg/L	0.05*	0.004	0.02	0.0002	0.0002
Tl	Thallium	mg/L	-	0.001	0.004	0.001	0.001
U	Uranium	mg/L	0.03*	0.001	0.029	0.001	0.001
V	Vanadium	mg/L	-	0.05	0.026	0.000003	0.000003
Zn	Zinc	mg/L	10 [†]	0.03	0.037	0.001	0.001
SO ₄	Sulfate	mg/L	600 [†]	115	121	115	115
Cl	Chloride	mg/L	250 [†]	64.5	7.37	64.5	64.5
N	Nitrogen as N	mg/L	10*	1.23	3.55	1.24	1.24
TDS [‡]	Total Dissolved Solids	mg/L	1000 [†]	614	270	428	428

Indicates exceedance of NMWQCC standard

- * Human health groundwater standard
- † Domestic water supply standard
- ‡ Irrigation standard
- ‡ TDS has been calculated as the sum of total ions from the PHREEQC model output and cannot be considered a true representation of TDS from a chemical analysis

Table 8-10: WRDF Model Sensitivity Analysis (varying groundwater mixing zone)

			NMWQCC standard	Average groundwater chemistry in andesite	Predicted groundwater chemistry under WRDF assuming 5% seepage and a 10ft groundwater mixing zone	Predicted groundwater chemistry under WRDF assuming 5% seepage and a 30ft groundwater mixing zone	Predicted groundwater chemistry under WRDF assuming 5% seepage and a 50ft groundwater mixing zone
pH	pH	s.u.	6 - 9 [†]	6.40	8.51	8.51	8.51
pe	pe	s.u.	-	-	4.26	4.26	4.26
Alk	Alkalinity as CaCO ₃	mg/L	-	-	183	184	184
HCO ₃	Bicarbonate	mg/L	-	272	108	108	108
Ag	Silver	mg/L	0.05*	0.002	0.018	0.018	0.018
Al	Aluminium	mg/L	5 [‡]	0.03	0.0015	0.0015	0.0015
As	Arsenic	mg/L	0.1*	0.005	2.88E-07	2.85E-07	2.84E-07
B	Boron	mg/L	0.75 [‡]	0.19	0.19	0.19	0.19
Ba	Barium	mg/L	1*	0.15	0.027	0.027	0.027
Ca	Calcium	mg/L	-	59.1	9.47	9.43	9.42
Cd	Cadmium	mg/L	0.01*	0.003	0.0003	0.0003	0.0003
Co	Cobalt	mg/L	0.05 [‡]	0.03	0.005	0.005	0.005
Cr	Chromium	mg/L	0.05*	0.014	0.00003	0.00003	0.00003
Cu	Copper	mg/L	1 [†]	0.024	0.005	0.005	0.005
F	Fluoride	mg/L	1.6*	1.93	1.94	1.93	1.93
Fe	Iron	mg/L	1 [†]	1.6	0.00004	0.00004	0.00004
Hg	Mercury	mg/L	0.002*	0.0007	0.0007	0.0007	0.0007
K	Potassium	mg/L	-	3.23	3.28	3.25	3.24
Mg	Magnesium	mg/L	-	7.34	6.38	6.38	6.38
Mn	Manganese	mg/L	0.2 [†]	0.65	0.03	0.03	0.03
Mo	Molybdenum	mg/L	1 [‡]	0.031	0.03	0.03	0.03
Na	Sodium	mg/L	-	127	118	118	118
Ni	Nickel	mg/L	0.2 [‡]	0.027	0.002	0.002	0.002
Pb	Lead	mg/L	0.05*	0.009	0.0002	0.0002	0.0002
Sb	Antimony	mg/L	-	0.002	0.002	0.002	0.002
Se	Selenium	mg/L	0.05*	0.004	0.0002	0.0002	0.0002
Tl	Thallium	mg/L	-	0.001	0.001	0.001	0.001
U	Uranium	mg/L	0.03*	0.001	0.001	0.001	0.001
V	Vanadium	mg/L	-	0.05	0.000003	0.000003	0.000003
Zn	Zinc	mg/L	10 [†]	0.03	0.001	0.001	0.001
SO ₄	Sulfate	mg/L	600 [†]	115	115	115	115
Cl	Chloride	mg/L	250 [†]	64.5	64.4	64.5	64.5
N	Nitrogen as N	mg/L	10*	1.23	1.24	1.24	1.24
TDS [‡]	Total Dissolved Solids	mg/L	1000 [†]	614	428	428	428

Indicates exceedance of NMWQCC standard

- * Human health groundwater standard
- † Domestic water supply standard
- ‡ Irrigation standard
- ‡ TDS has been calculated as the sum of total ions from the PHREEQC model output and cannot be considered a true representation of TDS from a chemical analysis

8.11.2 Tailings Storage Facility

The source term chemistry at the toe of the TSF has been predicted for scenarios of 25%, 50%, 75%, 90% and 95% draindown of entrained process waters within the facility. The results are provided in Table 8-11 and show that during the draindown period the resulting solution chemistry is likely to be controlled by process waters. Solutions at the base of the TSF are predicted to be moderately alkaline (pH 8.21) with sulfate concentrations of approximately 176 mg/L and a fluoride content of approximately 1.96 mg/L.

Predictive calculations were carried out to assess whether seepage of waters through defects in the TSF liner has the potential to result in an impact to groundwater. The results are presented in Table 8-12 and demonstrate that the volumes of seepage from the TSF will be so low (<0.25 gallons/acre/day) that impacts to groundwater are likely to be negligible.

The modeled results show that the predicted groundwater chemistry underlying the TSF is likely to be similar to current groundwater chemistry outside of the existing sulfate plume, with only a minor increase in pH and sodium concentrations. The use of the historic tailings as a bedding material for the new, lined tailings facility will effectively isolate this material from reaction. As such, groundwater chemistry under the TSF is likely to improve over time, as the sulfate source from the historic tailings will effectively be removed.

The model presented above assumes that any seepage from defects within the TSF liner will mix with the upper-most 100 feet of the aquifer underlying the facility. This is a reasonable assumption given that the sulfate plume under the existing TSF extends to a depth of approximately 100 feet. Additional sensitivity analyses have been carried out whereby this zone of groundwater interaction was varied between 50 and 100 feet to assess the resulting effect on predicted groundwater chemistry under the TSF. The results are presented in Table 8-13 for the 95% draindown scenario and demonstrate that varying the zone of groundwater interaction has no effect on the predicted water quality due to the low amounts of seepage through the TSF liner.

Table 8-11: Predicted TSF source term chemistry at toe of TSF

			NMWQCC standard	Predicted source term at toe of TSF at 25%draindown	Predicted source term at toe of TSF at 50%draindown	Predicted source term at toe of TSF at 75%draindown	Predicted source term at toe of TSF at 90%draindown	Predicted source term at toe of TSF at 95%draindown
pH	pH	s.u.	6 - 9 [†]	8.21	8.21	8.21	8.21	8.21
pe	pe	s.u.	-	4.56	4.56	4.56	4.56	4.56
Alk	Alkalinity as CaCO ₃	mg/L	-	91.4	91.4	91.4	91.4	91.4
HCO ₃	Bicarbonate	mg/L	-	54.6	54.6	54.6	54.6	54.6
Ag	Silver	mg/L	0.05*	0.02	0.02	0.02	0.02	0.02
Al	Aluminium	mg/L	5 [‡]	0.0007	0.0007	0.0007	0.0007	0.0007
As	Arsenic	mg/L	0.1*	0.008	0.008	0.008	0.008	0.008
B	Boron	mg/L	0.75 [†]	0.1	0.1	0.1	0.1	0.1
Ba	Barium	mg/L	1*	2.16E-09	2.18E-09	3.14E-09	6.80E-09	1.32E-08
Ca	Calcium	mg/L	-	38.9	38.9	38.9	38.9	38.9
Cd	Cadmium	mg/L	0.01*	0.005	0.005	0.005	0.005	0.005
Co	Cobalt	mg/L	0.05 [‡]	0.02	0.02	0.02	0.02	0.02
Cr	Chromium	mg/L	0.05*	0.00004	0.00004	0.00004	0.00004	0.00004
Cu	Copper	mg/L	1 [†]	0.005	0.005	0.005	0.005	0.005
F	Fluoride	mg/L	1.6*	1.96	1.96	1.96	1.96	1.96
Fe	Iron	mg/L	1 [†]	0.00004	0.00004	0.00004	0.00004	0.00004
Hg	Mercury	mg/L	0.002	0.001	0.001	0.001	0.001	0.001
K	Potassium	mg/L	-	1.69	1.70	1.71	1.74	1.79
Mg	Magnesium	mg/L	-	18.8	18.8	18.8	18.8	18.8
Mn	Manganese	mg/L	0.2 [†]	0.05	0.05	0.05	0.05	0.05
Mo	Molybdenum	mg/L	1 [‡]	1.10	1.10	1.10	1.10	1.10
Na	Sodium	mg/L	-	46.7	46.7	46.7	46.7	46.8
Ni	Nickel	mg/L	0.2 [‡]	0.05	0.05	0.05	0.05	0.05
Pb	Lead	mg/L	0.05*	0.016	0.016	0.016	0.016	0.016
Sb	Antimony	mg/L	-	2.45E-07	7.35E-07	2.11E-06	6.40E-06	1.36E-05
Se	Selenium	mg/L	0.05*	0.005	0.005	0.005	0.005	0.005
Tl	Thallium	mg/L	-	9.80E-08	2.94E-07	8.46E-07	2.56E-06	5.44E-06
U	Uranium	mg/L	0.03*	2.27E-06	6.82E-06	1.96E-05	5.94E-05	1.26E-04
V	Vanadium	mg/L	-	1.06E-06	3.18E-06	9.15E-06	2.77E-05	5.90E-05
Zn	Zinc	mg/L	10 [†]	0.05	0.05	0.05	0.05	0.05
SO ₄	Sulfate	mg/L	600 [†]	176	176	176	176	176
Cl	Chloride	mg/L	250 [†]	27.5	27.5	27.5	27.5	27.5
N	Nitrogen as N	mg/L	10	1.36	1.36	1.36	1.36	1.37
TDS ^α	Total Dissolved Solids	mg/L	1000 [†]	369	369	369	369	370

Indicates exceedance of NMWQCC standard

- * Human health groundwater standard
- † Domestic water supply standard
- ‡ Irrigation standard
- α TDS has been calculated as the sum of total ions from the PHREEQC model output and cannot be considered a true representation of TDS from a chemical analysis

Table 8-12: Predicted Groundwater Chemistry under TSF

			NMWQCC standard	Baseline groundwater under TSF (wells GWQ94-16, NP-2, NP-4 and NP5)	Predicted groundwater chemistry at 25% drawdown	Predicted groundwater chemistry at 50% drawdown	Predicted groundwater chemistry at 75% drawdown	Predicted groundwater chemistry at 90% drawdown	Predicted groundwater chemistry at 95% drawdown
pH	pH	s.u.	6 - 9 [†]	7.76	8.05	8.05	8.05	8.05	8.05
pe	pe	s.u.	-	-	4.72	4.72	4.72	4.72	4.72
Alk	Alkalinity as CaCO ₃	mg/L	-	178	65.6	65.6	65.6	65.6	65.6
HCO ₃	Bicarbonate	mg/L	-	178	39.4	39.4	39.4	39.4	39.4
Ag	Silver	mg/L	0.05*	0.005	0.005	0.005	0.005	0.005	0.005
Al	Aluminium	mg/L	5 [‡]	0.02	0.0005	0.0005	0.0005	0.0005	0.0005
As	Arsenic	mg/L	0.1*	0.002	0.002	0.002	0.002	0.002	0.002
B	Boron	mg/L	0.75 [†]	0.044	0.044	0.044	0.044	0.044	0.044
Ba	Barium	mg/L	1*	0.036	1.79E-09	1.19E-09	5.96E-10	2.35E-10	6.63E-11
Ca	Calcium	mg/L	-	137	91.7	91.7	91.7	91.7	91.7
Cd	Cadmium	mg/L	0.01*	0.002	0.002	0.002	0.002	0.002	0.002
Co	Cobalt	mg/L	0.05 [‡]	0.006	0.006	0.006	0.006	0.006	0.006
Cr	Chromium	mg/L	0.05*	0.006	0.00005	0.00005	0.00005	0.00005	0.00005
Cu	Copper	mg/L	1 [†]	0.006	0.005	0.005	0.005	0.005	0.005
F	Fluoride	mg/L	1.6*	0.57	0.57	0.57	0.57	0.57	0.57
Fe	Iron	mg/L	1 [†]	0.03	0.00005	0.00005	0.00005	0.00005	0.00005
Hg	Mercury	mg/L	0.002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002
K	Potassium	mg/L	-	2.70	2.73	2.72	2.71	2.71	2.71
Mg	Magnesium	mg/L	-	35.2	35.2	35.2	35.2	35.2	35.2
Mn	Manganese	mg/L	0.2 [†]	0.02	0.02	0.02	0.02	0.02	0.02
Mo	Molybdenum	mg/L	1 [‡]	0.008	0.01	0.01	0.01	0.01	0.01
Na	Sodium	mg/L	-	65.6	55.8	55.8	55.8	55.8	55.8
Ni	Nickel	mg/L	0.2 [‡]	0.01	0.01	0.01	0.01	0.01	0.01
Pb	Lead	mg/L	0.05*	0.005	0.004	0.004	0.004	0.004	0.004
Sb	Antimony	mg/L	-	0.001	0.001	0.001	0.001	0.001	0.001
Se	Selenium	mg/L	0.05*	0.01	0.01	0.01	0.01	0.01	0.01
Tl	Thallium	mg/L	-	0.001	0.001	0.001	0.001	0.001	0.001
U	Uranium	mg/L	0.03*	0.002	0.001	0.001	0.001	0.001	0.001
V	Vanadium	mg/L	-	0.05	0.05	0.05	0.05	0.05	0.05
Zn	Zinc	mg/L	10 [†]	0.43	0.43	0.43	0.43	0.43	0.43
SO ₄	Sulfate	mg/L	600 [†]	269	269	269	269	269	269
Cl	Chloride	mg/L	250 [†]	120	120	120	120	120	120
N	Nitrogen as N	mg/L	10	4.37	4.35	4.35	4.35	4.35	4.35
TDS [‡]	Total Dissolved Solids	mg/L	1000 [†]	825 (measured)	620	620	620	620	620

- Indicates exceedance of NMWQCC standard
- * Human health groundwater standard
- † Domestic water supply standard
- ‡ Irrigation standard
- ‡ TDS has been calculated as the sum of total ions from the PHREEQC model output and cannot be considered a true representation of TDS from a chemical analysis

Table 8-13: TSF Sensitivity Analysis (varying groundwater mixing zone @ 95% draindown)

			NMWQCC standard	Baseline groundwater under TSF (wells GWQ94-16, NP-2, NP-4 and NP5)	Predicted groundwater chemistry using 50ft groundwater mixing zone	Predicted groundwater chemistry using 75ft groundwater mixing zone	Predicted groundwater chemistry using 100ft groundwater mixing zone
pH	pH	s.u.	6 - 9 [†]	7.76	8.05	8.05	8.05
pe	pe	s.u.	-	-	4.72	4.72	4.72
Alk	Alkalinity as CaCO ₃	mg/L	-	178.00	65.6	65.6	65.6
HCO ₃	Bicarbonate	mg/L	-	178	39.4	39.4	39.4
Ag	Silver	mg/L	0.05*	0.005	0.005	0.005	0.005
Al	Aluminium	mg/L	5 [‡]	0.02	0.0005	0.0005	0.0005
As	Arsenic	mg/L	0.1*	0.002	0.002	0.002	0.002
B	Boron	mg/L	0.75 [‡]	0.044	0.044	0.044	0.044
Ba	Barium	mg/L	1*	0.036	1.33E-10	9.00E-11	6.63E-11
Ca	Calcium	mg/L	-	137	91.7	91.7	91.7
Cd	Cadmium	mg/L	0.01*	0.002	0.002	0.002	0.002
Co	Cobalt	mg/L	0.05 [‡]	0.006	0.006	0.006	0.006
Cr	Chromium	mg/L	0.05*	0.006	0.00005	0.00005	0.00005
Cu	Copper	mg/L	1 [†]	0.006	0.005	0.005	0.005
F	Fluoride	mg/L	1.6*	0.57	0.57	0.57	0.57
Fe	Iron	mg/L	1 [†]	0.03	0.00005	0.00005	0.00005
Hg	Mercury	mg/L	0.002	0.0002	0.0002	0.0002	0.0002
K	Potassium	mg/L	-	2.70	2.71	2.71	2.71
Mg	Magnesium	mg/L	-	35.2	35.2	35.2	35.2
Mn	Manganese	mg/L	0.2 [†]	0.02	0.02	0.02	0.02
Mo	Molybdenum	mg/L	1 [‡]	0.008	0.01	0.01	0.01
Na	Sodium	mg/L	-	65.6	55.8	55.8	55.8
Ni	Nickel	mg/L	0.2 [‡]	0.01	0.01	0.01	0.01
Pb	Lead	mg/L	0.05*	0.005	0.004	0.004	0.004
Sb	Antimony	mg/L	-	0.001	0.001	0.001	0.001
Se	Selenium	mg/L	0.05*	0.01	0.01	0.001	0.01
Tl	Thallium	mg/L	-	0.001	0.001	0.026	0.001
U	Uranium	mg/L	0.03*	0.002	0.001	0.001	0.001
V	Vanadium	mg/L	-	0.05	0.05	0.05	0.05
Zn	Zinc	mg/L	10 [†]	0.43	0.43	0.43	0.43
SO ₄	Sulfate	mg/L	600 [†]	269	269	269	269
Cl	Chloride	mg/L	250 [†]	120	120	120	120
N	Nitrogen as N	mg/L	10	4.37	4.35	4.35	4.35
TDS ^α	Total Dissolved Solids	mg/L	1000 [†]	825	620	620	620

Indicates exceedance of NMWQCC standard

* Human health groundwater standard

† Domestic water supply standard

‡ Irrigation standard

α TDS has been calculated as the sum of total ions from the PHREEQC model output and cannot be considered a true representation of TDS from a chemical analysis

9 Summary of Predicted Geochemical Behavior

9.1 Acid Generation

Testwork results indicate the acid generating potential of the Copper Flat materials is largely dependent on the sulfide mineral content, with sulfide concentrations varying from less than analytical detection limits to a maximum of 2.52 wt% in the transitional waste material. Transitional waste is defined as partly oxidized material that still contains some sulfide mineral content. The ABA and NAG testwork results indicate that the transitional waste and transitional ore material types are likely to be potentially acid forming based on generally higher sulfide mineral contents and presence of secondary oxide minerals that have formed as a result of supergene weathering. However, the majority of waste rock (~96%) produced by the project will consist of sulfide (i.e., non-oxidized) Quartz Monzonite/Breccia waste, which typically exhibited either non-acid forming characteristics or a low potential for acid generation based on NAG and ABA testwork results.

Sulfide minerals at Copper Flat were found to be frequently encapsulated in a quartz matrix or occasionally in potassium feldspar. Both of these silicate minerals have slow weathering characteristics and will only weather on geological time scales (i.e., thousands of years or more). Consequently a portion of the sulfide in the materials is unlikely to be available for reaction and thus ABA methodologies with quantitative analysis will over-estimate reactive acidity in comparison to test methods such as NAG or HCT that provide more empirical estimates of long-term field reactivity. These methods require physical exposure of the sulfides to chemically react with oxygen, water or hydrogen peroxide in the case of NAG tests. Furthermore, the sulfide minerals in the Copper Flat deposit are crystalline and often coarse grained (visible to the naked eye) so would have slow weathering reaction kinetics. It is likely that the sulfide waste and ore materials will offer some limited silicate buffering (neutralizing) capacity; although unlikely to be high magnitude, it may buffer pH.

The transitional waste and ore materials show the greatest potential for acid generation from the static and kinetic test results. This is related primarily to the dissolution of secondary oxide minerals within the material that formed as a result of supergene enrichment. However, acid generation from this material may also result from the continued oxidation of sulfide minerals within the transitional material under field conditions. The reactivity of the transitional material varies as demonstrated by the HCT program, which most likely relates to variation in the degree of sulfide content and encapsulation.

Although static testwork results indicate the transitional material is potentially acid forming, this material represents a small percentage of the existing waste material and will comprise only a small proportion (<4%) of material encountered during mining. Furthermore, the results of the HCT program demonstrated that the only cell to show truly acidic conditions consisted of transitional material. The remaining cells were non-acid generating after more than 95 weeks of testing. It is important to state that some of the HCTs for this project have been run appreciably longer than the typical regulatory requirement of 20 to 40 weeks in order to confirm long-term geochemical behavior of the material.

9.2 Metal Leaching

The Copper Flat waste rock and ore materials were found to be enriched in copper, sulfur and molybdenum, which relates to the primary mineralization (predominantly chalcopyrite - CuFeS_2 with

some molybdenite – MoS_2). Silver, arsenic, cadmium, lead, selenium, thallium, uranium, tungsten and zinc were also found to be elevated in one or more material types, with the greatest levels of enrichment occurring in the sulfide and transitional ore material types. Many of these elements are typically associated with copper porphyry deposits, which explain their enrichment in the Copper Flat materials (and more specifically in the ore grade samples). The diabase and andesite material types typically showed much lower levels of elemental enrichment, which is likely related to the lack of primary mineralization in these lithological units.

MWMP leach tests were conducted on a total of 49 waste rock and tailings samples to provide an indication of elemental mobility and metal(loid) release from the Copper Flat materials during meteoric rinsing. Metal mobility and release rates were also assessed from the results of the ongoing HCT program. In general, metal leaching from the Copper Flat materials was found to be low and the majority of leachates generated during the MWMP and HCT test programs could be classed as near-neutral, low-metal waters. However, several of the grab samples of transitional material collected from historic waste rock dumps produced acidic leachates and showed the potential for higher metal release. The higher release of acidity and metals from these samples likely represents the flushing of soluble acidic sulfate salts from the material surface that were produced by the supergene oxidation of the material, which has been enhanced by weathering under site conditions. However, for the Copper Flat deposit, the supergene oxide zone is thin and has been mostly removed by geological processes (i.e., erosion) or previous operations. Therefore, this material type will not comprise a significant percentage of the material encountered during mining.

10 Conclusions

10.1 Waste Rock

Acid generation is not predicted for most unweathered waste rock materials during operations; however, grab samples collected from the surface of the existing waste rock dumps and pit walls indicate the potential for acid generation from material mined by previous mining operations and exposed to natural weathering conditions. During proposed operations, specific controls will be needed to collect stormwater runoff from the WRDF. In addition, stormwater diversions will be required to prevent runoff.

Results of geochemical predictive modeling indicate that WRDF source term solutions are likely to be moderately alkaline (~pH 8.2) with metal(loid) concentrations that are below New Mexico Water Quality Control Commission (NMWQCC) standards for groundwater. Covering the waste rock disposal facility (WRDF) with a revegetated 36-inch store-and-release soil cover (or approved equivalent) at the end of mine life will reduce infiltration of water and flux of oxygen into the facility, which will limit oxidation of sulfide minerals.

Migration of seepage away from the WRDF is expected to be very small (or nil) as a result of the low permeability andesite underlying the facility. However should any seepage make its way to the underlying water table, the impact to groundwater chemistry is expected to be minimal. With the exception of fluoride, all parameters are predicted to be below NMWQCC in groundwater underlying the facility. However, the fluoride concentrations are related to the elevated concentrations of this parameter in the background groundwater rather than as a result of impact from WRDF seepage. Furthermore, if any drainage water migrates away from the WRDF it is likely that there will be some adsorption and attenuation of metal(oids) in the underlying andesite. Although this is beyond the

scope of the current modeling exercise, it is likely that these processes will reduce elemental concentrations of fluoride prior to any WRDF seepage reaching the underlying groundwater. As such, the potential impact to groundwater is likely to be minimal, particularly given the low permeability of the andesite material.

10.2 Tailings

Tailings samples collected as part of the characterization program generally show low potential for ARDML generation. Covering of the tailings storage facility (TSF) with a revegetated 36-inch store-and-release soil cover (or approved equivalent) at the end of mine life will minimize ingress of oxygen and water into the facility, thus preventing oxidation of residual sulfide minerals within the tailings. Furthermore, the tailings facility will be lined with a synthetic liner, which will preclude the migration of seepage away from the tailings impoundment.

During the initial years post-closure, solution chemistry at the toe of the TSF is likely to be dominated by the draindown of entrained process waters. During this period, solutions are predicted to be moderately alkaline (pH 8.2) due to contained lime within the process solutions and sulfate concentrations below 200 mg/L. Once these entrained process waters have drained down (i.e., removed from the system), any meteoric water infiltrating the facility will interact with the non-saturated tailings. It is estimated that approximately 2% of annual precipitation may infiltrate the cover system and interact with the tailings. However, the volumes of seepage from the TSF will be so low (<0.25 gallons/acre/day) that impacts to groundwater are likely to be negligible and the modeled results show that the predicted groundwater chemistry is likely to be similar to existing groundwater chemistry. Furthermore, the use of the historic tailings as a bedding material for the new, lined tailings facility will effectively isolate this material from reaction. As such, groundwater chemistry under the TSF is likely to improve over time, as the sulfate source from the historic tailings will effectively be removed.


10.3 Pit Lake Geochemistry

Additional numerical predictions have also been carried out to assess potential future water quality in the pit lake that will form in the final mined pit. These numerical predictions have been undertaken to evaluate any potential environmental effects of future pit water quality and are presented in a separate report.

11 Ongoing Work

Humidity cell testing is ongoing for three waste rock samples and eight samples of tailings material. The effluent chemistry from these cells has not yet stabilized indicating that geochemical reactions are still occurring. The cells are being continued to confirm that acidic conditions will not develop. Two of the continued waste rock cells are currently at week 29 and one is at 96 weeks; the tailings cells are at week 23. An addendum to this report will be issued once the ongoing HCTs have been terminated. This will include the additional HCT data for the continued cells as well as the results from the termination testing. However, no substantive changes to the conclusions presented herein are anticipated.

Prepared by




This signature has been scanned. The author has given permission for its use for this project only. The signed signature is held on file.

Ruth Warrender PhD, FGS
Senior Consultant (Geochemistry)

This signature was scanned with the author's approval for exclusive use in this document; any other use is not authorized.

Amy Prestia, M.Sc., P.G.
Senior Consultant (Geochemistry)

Reviewed by



This signature has been scanned. The author has give permission to its use for this project only. The signed signature is held on file.

Eur. Geol. Rob Bowell PhD C. Chem C. Geol
Corporate Consultant (Geochemistry)

12 References

- Antonijević, M.M. and Bogdanović, G.D., 2004. Investigation of the leaching of chalcopyrite ore in acidic solutions, *Hydrometallurgy* 73 (3–4), 245–256
- ASTM, 1996 (reapproved 2001). Standard test method for accelerated weathering of solid materials using a modified humidity cell: American Society for Testing and Materials. West Conshohocken, PA, (www.astm.org), D 5744-96(2001), p. 13.
- Bennett, J.W., Comarmond, M.J. and Jeffery, J.J., 2000, Comparison of Oxidation Rates Of Sulfidic Mine Wastes Measured In The Laboratory And Field, Australian Centre for Mining Environmental Research, Brisbane (2000)
- Bhatti, T.M., Bigham, J.M., Vuorinen, A. and Tuovinen, O.H., 1994, Alteration of mica and feldspars associated with the microbiological oxidation of pyrrhotite and pyrite. In: Alpers, C.N. and Blowes, D.W. (eds) *Environmental Geochemistry of Sulfide Oxidation*. ACS Symposium, Series 550, 90-107.
- Bigham, J.M. Mineralogy of ochre deposits, 1994, In: J.L.Jambor and D.W. Blowes, eds., *Environmental Geochemistry of Sulfide Mine Waste*,. 103-131. Mineralogical Association of Canada.
- Bowell, R.J., 2004, Sorption of arsenic by iron oxides and oxyhydroxides in sols. *Applied Geochemistry* 9(3), pp279-286
- Bowell, R.J., 2001, Geochemistry of heap leaching. *Proceedings of the International Exploration Geochemistry Symposium*, Santiago, Chile, May 2001, p.4
- Bowell, R.J., 2002, Hydrogeochemical dynamics of Pit Lakes. In: Younger, P.L. and Robins, N. (eds) *Mine Water Hydrogeology and Geochemistry*. Geological Society of London Special Publication, 159-187.
- Bowell, R.J., Fuge, R., Connelly, R.J. and Sadler, P.K.J., 1996, Controls on ochre chemistry and precipitation in coal and metal mine drainage. In: *Minerals, Metals and the Environment II*, Prague, September 1996. I.M.M., London 291-323
- Bowell, R.J., Rees, S.B., and Parshley, J.V., 2000, Geochemical predictions of metal leaching and acid generation: geologic controls and baseline assessment: *Geology and Ore Deposits 2000*, in *The Great Basin and Beyond Proceedings, Volume II: Geological Society of Nevada*, Reno, p. 799-823.
- Bureau of Land Management (BLM), 1999, Preliminary final environmental impact statement, Copper Flat project: Las Cruces, N. Mex., U.S. Department of the Interior, 491 p. Prepared by ENSR, Fort Collins, Colo.

- Bureau of Land Management (BLM), 2008 (updated 2010), Instruction Memorandum NV-2010-014, Nevada Bureau of Land Management Rock Characterization Resources and Water Analysis Guidance for Mining Activities. Updated January 8, 2010.
- Bureau of Land Management, 2010, Instruction Memorandum NV-2010-014, Nevada Bureau of Land Management Rock Characterization Resources and Water Analysis Guidance for Mining Activities. January 8, 2010.
- Cravotta, C.A. III, 1994, Secondary iron-sulfate minerals as sources of sulfate and acidity. In: C.N. Alpers and D.W. Blowes, eds., Environmental Geochemistry of Sulfide Oxidation. Am.Chem. Soc. Sym. Series, 550. 1994. 345-364.
- Deng, Y. and Stumm, W., 1994, Reactivity of aquatic iron (III) oxyhydroxides- implications for redox cycling of iron in natural waters. Applied Geochemistry, 9, 23-36.
- Drever, J.I. and Clow, D.W., 1995, Weathering rates in catchments. Reviews in Mineralogy and Geochemistry 31(1), 463-483
- Dunn, P.G., 1982, Geology of the Copper Flat porphyry copper deposit, Hillsboro, Sierra County, New Mexico in Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, Ariz., University of Arizona Press, p. 313-325.
- Dunn, P.G., 1984, Geologic studies during the development of the Copper Flat porphyry deposit: Mining Engineering, February, 1984, pg.151.
- Dzombak, D.A and Morel, F.M.M., 1990, Surface Complexation Modeling - Hydrous Ferric Oxide. John Wiley and Sons, New York, 393 p.
- Eary, L.E., 1998, Geochemical and equilibrium trends in mine pit lakes. Applied Geochemistry 14, pp963-987
- E.I. Robinsky Associates Limited (ERA), 1996, Technical Feasibility Study – Thickened Tailings Disposal System Copper Flat Project, New Mexico, USA, Phase I. Laboratory Tailings Characterization Tests, prepared for Alta Gold Co, August 23, 1996.
- Ficklin, W.H., Plumlee, G.S., Smith, K.S., and McHugh, J.B., 1992. Geochemical classification of mine drainages and natural drainages in mineralized areas: Proceedings, 7th International Symposium on Water-Rock Interactions, Park City, Utah, p. 381-384.
- Förstner, U., Ahlf, W. and Calmano, W., 1993, Sediment quality objectives and criteria development in Germany. Water Science and Technology 28, pp307-316
- Fowler, L.L., 1982, Brecciation, alteration, and mineralization at the Copper Flat porphyry copper deposit, Hillsboro, New Mexico: University of Arizona, Tucson, M.S. thesis, 133 p.
- Fuge, R., Pearce, F.M., Pearce, N.J.G. and Perkins, W.T. 1994, Acid mine drainage in Wales and influence of ochre precipitation on water chemistry. In: .N. Alpers and D.W. Blowes, eds.,

- Environmental Geochemistry of Sulfide Oxidation Am.Chem. Soc. Sym. Series, 550, 261-274.
- Geomega, 2003, Pit Lake Chemistry Assessment for the Pipeline/South Pipeline Pit Expansion Project.
- Golder Associates Inc. (Golder), 2012. Copper Flat Project, Tailings Disposal Facility Prefeasibility Level Design Report.
- Hedlund, D.C., 1974, Age and structural setting of base-metal mineralization in the Hillsboro-San Lorenzo area, southwestern New Mexico in Siemers, C.R., Woodward, L.A., and Callender, J.F., eds., Silver Anniversary Guidebook; Ghost Ranch; North-Central New Mexico: New Mexico Geological Society Guidebook 25, p.378–379.
- Hiemstra, T. and van Riemsdijk, W.H., 1996, Physical chemical interpretation of primary charging behaviour of metal (hydr)oxides. *Colloids Surfaces* 59, pp7-25
- INTERA, 2012, Baseline Data Characterization Report for Copper Flat Mine, Sierra County, New Mexico. Report prepared for New Mexico Copper Corporation, June 2012.
- JSAI, 2011, Amendment to the Stage I Abatement Plan Proposal for the Copper Flat Mine. Prepared for New Mexico Copper Corporation, New Mexico, October 14 2011.
- JSAI. 2012, Conceptual model of groundwater flow in the Animas Uplift and Palomas Basin, Copper Flat Project, Sierra County, New Mexico. Prepared for New Mexico Copper Corporation, Albuquerque, New Mexico. May 2012.
- Kwong, Y.T.J. and Ferguson, K.D., 1997, Mineralogical changes during NP determinations and their implications. In: *Proceedings ICARD'97, Vancouver*. 435-447
- Kul'tin, 1997, Performance estimation in exploiting the Yuzhnoe uranium deposit by leaching methods. *Atomic Energy* 82, pp474-477
- Lawrence, R.W. and Wang, Y., 1997, Determination of Neutralization in the prediction of acid rock drainage. In: *Proceedings ICARD'97, Vancouver*. 451-464.
- Li, L., Peters, C.A. and Celia, M.A., 2005, Upscaling geochemical reaction rates using pore-scale network modelling. *Advances in Water Resources* 29, pp1351-1370
- Li, L., Steefel, C.I. and Yang, L., 2008), Scale dependence of mineral dissolution rates within single pores and fractures. *Geochemical et Cosmochimica Acta* 72(2), 360-377
- Lizama, H.M., Harlamovs, J.R., McKay, D.J. and Dai, Z., 2005, Heap leaching kinetics are proportional to the irrigation rate divided by heap height, *Minerals Engineering* 18 (6), 623–630

- M3 Engineering & Technology Corporation (M3), 2012. Form 43-101F1 Technical Report Mineral Resource Statement New Mexico, USA, Revision 0. Prepared for THEMAC Resources, January 23, 2012.
- Maest, A.S. and Kuipers, J.R., 2005, Predicting Water Quality at Hardrock Mines: Methods and Models, Uncertainties and State-of-the-Art. Earthworks, Washington, DC.
- Mason, B., 1966, Principles of Geochemistry. 3rd Edition.
- McLemore, V.T., Munroe, E.A., Heizler, M.T., McKee, C., 2000. Geology and evolution of the mineral deposits in the Hillsboro District, Sierra County, New Mexico in Geology and Ore Deposits 2000, The Great Basin and Beyond: Geological Society of Nevada, Program with abstracts, p. 63
- Miller, S., Robertson, A., and Donohue, T., 1997. Advances in acid drainage prediction using NAG test: ICARD '97, Vancouver, Mine Environmental Neutral Drainage Program, Ottawa, Canada, p. 535-549.
- Mills, C., 1998, Kinetic testwork procedures. www.enviromine.com
- Morin, K.A. and Hutt, N.M., 2006, Should a humidity cell sample be gently agitated during testing? MDAG.com Internet case study ~22
- Morse, J.W., 1983, The kinetics of calcium carbonate dissolution and precipitation. In: Reeder, R.J., ed., Reviews in Mineralogy. Mineralogical Society of America, 11, 227-264.
- Moss, P.D. and Edmunds, W.M., 1992, Processes controlling acid attenuation in an unsaturated zone of a Triassic sandstone aquifer UK, in the absence of carbonate minerals. Applied Geochemistry, 7, 573-583.
- Murray, D.R., 1977, Pit Slope Manual Supplement 10-1, CANMET Report 77-31, Department of Energy, Mines and Resources Canada, Ottawa, Ontario
- National Atmospheric Deposition Program (NRSP-3), 2012, NADP Program Office, Illinois State Water Survey, 2204 Griffith Dr., Champaign, IL 61820.
- Nesbitt, H.W. and Jambor, J.L., 2008, Role of mafic minerals in neutralizing ARD, demonstrated using a chemical weathering methodology. In: L.J. Cabri and D.J. Vaughan (eds) Modern Approaches to Ore and Environmental Mineralogy. Mineralogical Association of Canada Short Course Volume 27, pp403-421
- Nordstrom, D.K., 1982, Aqueous pyrite oxidation and the consequent formation of secondary minerals. In: Acid Sulfate Weathering, Soil Sci. Soc. Am.
- Nordstrom, D.K. and Alpers, C.N., 1999, Geochemistry of Acid Mine Waters. In: Plumlee, G.S. and Logsdon, M.J., eds., The Environmental Geochemistry of Mineral Deposits. Rev.Econ.Geol, 6A. Soc. Econ.Geol. Inc., Littleton, CO. 133-160.

- Parkhurst, D.L., Appelo, C.A.J., 1999. Users Guide to PhreeqC (Version 2)—A Computer Program for Speciation, Batch-Reaction, One-Dimensional Transport, and Inverse Geochemical Calculations. Distributed with PhreeqC interactive Version 2.17.5.4799. USGS.
- Price, W.A., 1997, Draft guidelines and recommended methods for the prediction of metal leaching and acid rock drainage at minesites in British Columbia: British Columbia Ministry of Employment and Investment, Energy and Minerals Division, Smithers, BC, April 1997, p. 143.
- Price, W.A. and Kwong, Y.T.J. 1997. Waste Rock Weathering, Sampling and Analysis: Observations from the British Columbia Ministry of Employment and Investment Database, Proceedings 4th International Conference on Acid Rock Drainage, Vancouver, p31-45.
- PTI Environmental Services, 1994, The hydrogeochemistry of the Robinson Mining District, White Pine County, Nevada. Report prepared for Magma Nevada mining Company.
- Raugust, J.S., 2003, The natural defenses of Copper Flat, Sierra County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file report 475, Socorro, N. Mex., New Mexico Institute of Mining and Technology.
- Richards, J.P., 2003, Tectono-magmatic precursors for geophysical data over a copper gold porphyry Cu-(Mo-Au) deposit formation, in *Journal of Economic Geology*, v. 96, p. 1419–1431.
- Ritchie, A.I.M., 1994, The environmental geochemistry of sulfide mine-wastes. In: D.W. Blowes and J.L. Jambor (Eds.) *Mineralogical Association of Canada*, 201–245.
- Rose, A.W., Hawkes, H.E. and Webb, J.S., 1979, *Geochemistry in Mineral Exploration*. Academic Press, 657pp
- Sapsford, D.J., Bowell, R.J., Dey, M. and Williams, K.P., 2009, Humidity cell tests for the prediction of acid rock drainage. *Minerals Engineering* 22(1), pp25-36
- Schafer and Associates, 1997, Getchell Gold Mine Acid Rock Drainage Prediction Study. Phase 1 Data Report.
- Schnoor, J.L., 1990, Kinetics of chemical weathering: A comparison of laboratory and field weathering rates. In: W. Stumm (Ed.) *Aquatic Chemical Kinetics*. Wiley, New York, 475-504
- Sergent, Hauskins and Beckwith, 1976, Geotechnical Investigation Report for the Copper Flat Project,
- Sigg, L., Stumm, W., 1980, The interaction of anions and weak acids with the hydrous goethite (a-FeOOH) surface. *Coll. Surf.* 2, pp101–117.
- Sobek, A.A, Schuller, W.A., Freeman, J.R., and Smith, R.M., 1978. Field and laboratory methods applicable to overburden and mine soils: EPA 600/2-78-054, 203 pp.

- Smith, L. and Beckie, R., 2003, Hydrologic and geochemical transport processes in mine waste rocks. In: Environmental Aspects of Mine Waste, eds: J.L. Jambor, D.W. Blowes and A.I.M. Ritchie. Short Course Series v.31, 51-72. Mineralogical Association of Canada, Ottawa, Canada.
- SRK Consulting, 1996, Geochemical Review of Waste Rock, Pit Lake Water Quality and Tailings at the Copper Flat Project.
- SRK Consulting, 2010, NI-43-101 Preliminary Assessment, THEMAC Resources Group Limited, Copper Flat Project, Sierra County, New Mexico: Lakewood, Colo. Prepared by SRK Consulting for THEMAC Resource Group Limited, June 30, 2010.
- SRK Consulting, April 2012, Geochemical characterization report for the Copper Flat Project, New Mexico. Report prepared for THEMAC Resources Group, Ltd., April 2012.
- Stumm, W., and Morgan, J.J., 1996, Aquatic Chemistry, Chemical Equilibria and Rates and Natural Waters, 3rd Edition, John Wiley and Sons, Inc New York, 1022pp
- Sverdrup, H.U., 1990, The kinetics of base cation release due to chemical weathering. Lund University Press, Lund, 246p.
- Sverdrup, H. and Warfvinge, P., 1995, Estimating field weathering rates using laboratory kinetics. In: Chemical weathering rates of silicate minerals. Reviews in mineralogy 31. Mineralogical Association of America. A.F. White and S.L. Brantley (eds.) Chapter 11, pp485-541
- THEMAC Resources Group Ltd, 2012, Mine Operation and Reclamation Plan, Copper Flat Mine Project, Sierra County, New Mexico. Report submitted July 18th 2012
- Titley, S.R., 1982, Geologic setting of porphyry copper deposits, southeastern Arizona, in Titley, S.R., ed., Advances in geology of the porphyry copper deposits, pp 37-58.

Appendix A Sample List

Appendix A - Sample List

Sample ID	Sample type	Year sampled	Sample Location/Drillhole	From (ft)	To (ft)	Lithology	Oxidation	Material type
604804	Core	2010	CF-10-03	390.0	400.0	Biotite breccia	Sulfide	Sulfide ore
605013	Core	2010	CF-10-06	77.0	88.5	Biotite breccia	Sulfide	Sulfide ore
604854	Core	2010	CF-10-03	753.0	761.0	Biotite breccia	Sulfide	Sulfide ore
604862	Core	2010	CF-10-03	806.0	815.0	Biotite breccia	Sulfide	Sulfide ore
604867	Core	2010	CF-10-03	833.0	840.0	Biotite breccia	Sulfide	Sulfide ore
604790	Core	2010	CF-10-03	280.0	290.0	Biotite breccia	Sulfide	Sulfide ore
CF-11-01-B, 268.8-292	Core	2011	CF-11-01-B	268.8	292	Biotite breccia	Sulfide	Sulfide ore
CF-11-01-B, 575-610	Core	2011	CF-11-01-B	575	610	Biotite breccia	Sulfide	Sulfide ore
CF-11-03, 243-276.5	Core	2011	CF-11-03	243	276.5	Biotite breccia	Sulfide	Sulfide ore
CF-11-01-B, 465-480	Core	2011	CF-11-01-B	465	480	Biotite breccia	Sulfide	Sulfide ore
CF-11-03, 316.8-341.8	Core	2011	CF-11-03	316.8	341.8	Biotite breccia	Sulfide	Sulfide ore
604811	Core	2010	CF-10-03	445.0	454.0	Biotite breccia	Sulfide	Sulfide ore
605200	Core	2010	CF-10-05	109.0	117.0	Biotite breccia	Sulfide	Sulfide ore
605209	Core	2010	CF-10-05	169.5	180.0	Biotite breccia	Sulfide	Sulfide ore
CF-11-09, 313-333	Core	2011	CF-11-09	313	333	Biotite breccia	Sulfide	Sulfide ore
CF-11-03, 1049.5-1085.3	Core	2011	CF-11-03	1049.5	1085.3	Biotite breccia	Sulfide	Sulfide ore
605033	Core	2010	CF-10-06	195.0	202.0	Biotite breccia	Sulfide	Sulfide ore
605234	Core	2010	CF-10-05	352.0	362.0	Quartz feldspar breccia	Sulfide	Sulfide ore
605078	Core	2010	CF-10-06	504.0	513.0	Quartz feldspar breccia	Sulfide	Sulfide ore
604787	Core	2010	CF-10-03	250.0	260.0	Quartz feldspar breccia	Sulfide	Sulfide ore
CF-11-01-B, 189-225	Core	2011	CF-11-01-B	189	225	Quartz feldspar breccia	Sulfide	Sulfide ore
CF-11-03, 497-521.7	Core	2011	CF-11-03	497	521.7	Quartz feldspar breccia	Sulfide	Sulfide ore
604767	Core	2010	CF-10-03	104.0	116.0	Quartz feldspar breccia	Sulfide	Sulfide ore
CF-11-10, 829-862	Core	2011	CF-11-10	829	862	Quartz feldspar breccia	Sulfide	Sulfide ore
604657	Core	2010	CF-10-04	153.0	164.0	Quartz monzonite	Sulfide	Sulfide ore
604898	Core	2010	CF-10-03	1013.0	1019.5	Quartz monzonite	Sulfide	Sulfide ore
604606	Core	2010	CF-09-1	353.0	364.0	Quartz monzonite	Sulfide	Sulfide ore
605518	Core	2010	CF-10-04	544.0	556.0	Quartz monzonite	Sulfide	Sulfide ore
604672	Core	2010	CF-10-04	287.0	299.0	Quartz monzonite	Sulfide	Sulfide ore
604571	Core	2010	CF-09-1	45.0	55.0	Quartz monzonite	Sulfide	Sulfide ore
604653	Core	2010	CF-10-04	126.0	136.0	Quartz monzonite	Sulfide	Sulfide ore
604889	Core	2010	CF-10-03	956.0	966.0	Quartz monzonite	Sulfide	Sulfide ore
CF-11-04, 464.8-504.8	Core	2011	CF-11-04	464.8	504.8	Quartz monzonite	Sulfide	Sulfide ore
CF-11-04, 628-678	Core	2011	CF-11-04	628	678	Quartz monzonite	Sulfide	Sulfide ore
CF-11-06, 135.4-155.6	Core	2011	CF-11-06	135.4	155.6	Quartz monzonite	Sulfide	Sulfide ore
CF-11-06, 603-628	Core	2011	CF-11-06	603	628	Quartz monzonite	Sulfide	Sulfide ore
CF-11-06, 673-693	Core	2011	CF-11-06	673	693	Quartz monzonite	Sulfide	Sulfide ore
CF-11-07, 966.8-996.8	Core	2011	CF-11-07	966.8	996.8	Quartz monzonite	Sulfide	Sulfide ore
CF-11-14, 431-471.1	Core	2011	CF-11-14	431	471.1	Quartz monzonite	Sulfide	Sulfide ore
CF-11-14, 806-829.5	Core	2011	CF-11-14	806	829.5	Quartz monzonite	Sulfide	Sulfide ore

Appendix A - Sample List

Sample ID	Sample type	Year sampled	Sample Location/Drillhole	From (ft)	To (ft)	Lithology	Oxidation	Material type
604562	Core	2010	CF-10-02	99.0	111.0	Quartz monzonite	Sulfide	Sulfide ore
604669	Core	2010	CF-10-04	254.0	266.0	Quartz monzonite	Sulfide	Sulfide ore
604601	Core	2010	CF-09-1	320.0	331.0	Quartz monzonite	Sulfide	Sulfide ore
CF-11-04, 168-203	Core	2011	CF-11-04	168	203	Quartz monzonite	Sulfide	Sulfide ore
604656	Core	2010	CF-10-04	145.0	153.0	Quartz monzonite	Sulfide	Sulfide ore
604695	Core	2010	CF-09-1	688.0	695.5	Quartz monzonite	Sulfide	Sulfide ore
CF-11-05, 760-780	Core	2011	CF-11-05	760	780	Quartz monzonite	Sulfide	Sulfide ore
CF-11-06, 418-443	Core	2011	CF-11-06	418	443	Quartz monzonite	Sulfide	Sulfide ore
CF-11-04, 0-16.6	Core	2011	CF-11-04	0	16.6	Quartz monzonite	Oxide	Oxide ore
605039	Core	2010	CF-10-06	240.0	247.0	Biotite breccia	Sulfide	Sulfide waste
605193	Core	2010	CF-10-05	59.5	68.5	Biotite breccia	Sulfide	Sulfide waste
CF-11-09, 495.5-528.5	Core	2011	CF-11-09	495.5	528.5	Biotite breccia	Sulfide	Sulfide waste
CF-11-10, 565.1-585	Core	2011	CF-11-10	565.1	585	Biotite breccia	Sulfide	Sulfide waste
CF-11-11, 578-608	Core	2011	CF-11-11	578	608	Biotite breccia	Sulfide	Sulfide waste
CF-11-11, 322.2-351	Core	2011	CF-11-11	322.2	351	Biotite breccia	Sulfide	Sulfide waste
605218	Core	2010	CF-10-05	226.0	233.0	Biotite breccia	Sulfide	Sulfide waste
CF-11-02, 147-181	Core	2011	CF-11-02	147	181	Coarse crystalline porphyry	Sulfide	Sulfide waste
CF-11-02, 367-408	Core	2011	CF-11-02	367	408	Coarse crystalline porphyry	Sulfide	Sulfide waste
CF-11-02, 471-507	Core	2011	CF-11-02	471	507	Coarse crystalline porphyry	Sulfide	Sulfide waste
CF-11-06, 860-868	Core	2011	CF-11-06	860	868	Latite	Sulfide	Sulfide waste
CF-11-07, 312-346.6	Core	2011	CF-11-07	312	346.6	Latite	Sulfide	Sulfide waste
605143	Core	2010	CF-10-06	917.0	927.0	Quartz feldspar breccia	Sulfide	Sulfide waste
604849	Core	2010	CF-10-03	730.0	736.0	Quartz feldspar breccia	Sulfide	Sulfide waste
605109	Core	2010	CF-10-06	700.0	709.0	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-03, 580.3-600.3	Core	2011	CF-11-03	580.3	600.3	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-03, 922-949.5	Core	2011	CF-11-03	922	949.5	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-08, 1139.5-1179.5	Core	2011	CF-11-08	1139.5	1179.5	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-09, 688-718	Core	2011	CF-11-09	688	718	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-08, 365-405	Core	2011	CF-11-08	365	405	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-09, 923-953	Core	2011	CF-11-09	923	953	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-10, 651-688	Core	2011	CF-11-10	651	688	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-10-B, 1000-1035	Core	2011	CF-11-10-B	1000	1035	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-11, 1090-1129.2	Core	2011	CF-11-11	1090	1129.2	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-08, 844.2-879.2	Core	2011	CF-11-08	844.2	879.2	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-09, 1097.8-1125	Core	2011	CF-11-09	1097.8	1125	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-09, 588-628	Core	2011	CF-11-09	588	628	Quartz feldspar breccia	Sulfide	Sulfide waste
CF-11-11, 664.2-700.1	Core	2011	CF-11-11	664.2	700.1	Quartz feldspar breccia	Sulfide	Sulfide waste
604734	Core	2010	CF-10-04	842.0	852.0	Quartz monzonite	Sulfide	Sulfide waste
604880	Core	2010	CF-10-03	914.0	919.0	Quartz monzonite	Sulfide	Sulfide waste
604673	Core	2010	CF-10-04	299.0	310.0	Quartz monzonite	Sulfide	Sulfide waste

Appendix A - Sample List

Sample ID	Sample type	Year sampled	Sample Location/Drillhole	From (ft)	To (ft)	Lithology	Oxidation	Material type
604675	Core	2010	CF-10-04	320.0	331.0	Quartz monzonite	Sulfide	Sulfide waste
604552	Core	2010	CF-10-02	12.5	24.0	Quartz monzonite	Sulfide	Sulfide waste
605175	Core	2010	CF-10-06	1149.0	1159.0	Quartz monzonite	Sulfide	Sulfide waste
605182	Core	2010	CF-10-06	1190.0	1200.0	Quartz monzonite	Sulfide	Sulfide waste
605152	Core	2010	CF-10-06	982.0	992.0	Quartz monzonite	Sulfide	Sulfide waste
605153	Core	2010	CF-10-06	992.0	997.0	Quartz monzonite	Sulfide	Sulfide waste
605154	Core	2010	CF-10-06	997.0	1003.0	Quartz monzonite	Sulfide	Sulfide waste
CF-11-01-B, 1005-1025	Core	2011	CF-11-01-B	1005	1025	Quartz monzonite	Sulfide	Sulfide waste
CF-11-02, 609-625	Core	2011	CF-11-02	609	625	Quartz monzonite	Sulfide	Sulfide waste
CF-11-03, 23.9-53.2	Core	2011	CF-11-03	23.9	53.2	Quartz monzonite	Sulfide	Sulfide waste
CF-11-03, 836.8-851.8	Core	2011	CF-11-03	836.8	851.8	Quartz monzonite	Sulfide	Sulfide waste
CF-11-05, 880-895	Core	2011	CF-11-05	880	895	Quartz monzonite	Sulfide	Sulfide waste
CF-11-06, 872.5-898	Core	2011	CF-11-06	872.5	898	Quartz monzonite	Sulfide	Sulfide waste
CF-11-07, 521.7-543	Core	2011	CF-11-07	521.7	543	Quartz monzonite	Sulfide	Sulfide waste
CF-11-11, 435.2-461.5	Core	2011	CF-11-11	435.2	461.5	Quartz monzonite	Sulfide	Sulfide waste
CF-11-11, 828-860	Core	2011	CF-11-11	828	860	Quartz monzonite	Sulfide	Sulfide waste
CF-11-12, 504-541	Core	2011	CF-11-12	504	541	Quartz monzonite	Sulfide	Sulfide waste
CF-11-12, 718-753	Core	2011	CF-11-12	718	753	Quartz monzonite	Sulfide	Sulfide waste
CF-11-12, 873.5-905	Core	2011	CF-11-12	873.5	905	Quartz monzonite	Sulfide	Sulfide waste
605184	Core	2010	CF-10-05	0.0	6.5	Biotite breccia	Transitional	Transitional ore
605001	Core	2010	CF-10-06	0.0	10.0	Biotite breccia	Transitional	Transitional ore
CF-11-05, 35-60	Core	2011	CF-11-05	35	60	Quartz feldspar breccia	Transitional	Transitional ore
604638	Core	2010	CF-10-04	0.0	16.0	Quartz monzonite	Transitional	Transitional ore
604568	Core	2010	CF-09-1	15.0	25.0	Quartz monzonite	Transitional	Transitional ore
CF-11-06, 6.4-19.4	Core	2011	CF-11-06	6.4	19.4	Quartz monzonite	Transitional	Transitional ore
CF-11-01-B, 15-43	Core	2011	CF-11-01-B	15	43	Quartz monzonite	Transitional	Transitional ore
604639	Core	2010	CF-10-04	16.0	26.0	Quartz monzonite	Transitional	Transitional ore
604755	Core	2010	CF-10-03	0.0	8.0	Quartz monzonite	Transitional	Transitional ore
CF-11-02, 0-27	Core	2011	CF-11-02	0	27	Coarse crystalline porphyry	Transitional	Transitional waste
604569	Core	2010	CF-09-1	25.0	34.5	Quartz monzonite	Transitional	Transitional waste
CF-11-14, 0-14	Core	2011	CF-11-14	0	14	Quartz monzonite	Transitional	Transitional waste
CF-11-14, 28.3-51	Core	2011	CF-11-14	28.3	51	Quartz monzonite	Transitional	Transitional waste
SRK 0874	Grab	2010	South sulfide stockpile	--	--	Andesite	--	Andesite
SRK 0864	Grab	2010	Animas Creek, waste rock pile	--	--	Andesite	--	Andesite
SRK 0865	Grab	2010	Waste rock pile, east side of pit	--	--	Andesite	--	Andesite
SRK 0866	Grab	2010	Waste rock pile, NE side of pit	--	--	Andesite	--	Andesite
SRK 0862	Grab	2010	Large dolerite dyke on 1st bench	--	--	Diabase	--	Diabase
SRK 0870	Grab	2010	Small dolerite dyke on 1st bench	--	--	Diabase	--	Diabase
SRK 0854	Grab	2010	Sternberg Lode	--	--	Biotite breccia	Transitional	Transitional ore
SRK 0873	Grab	2010	South sulfide stockpile	--	--	Biotite breccia	Transitional	Transitional ore

Appendix A - Sample List

Sample ID	Sample type	Year sampled	Sample Location/Drillhole	From (ft)	To (ft)	Lithology	Oxidation	Material type
SRK 0861	Grab	2010	Waste rock stockpile, south of pit	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0867	Grab	2010	--	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0869	Grab	2010	East side of pit; 8440 bench	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0871	Grab	2010	1st bench	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0868	Grab	2010	NE side of pit	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0857	Grab	2010	South-western side of pit lake	--	--	Quartz monzonite	Transitional	Transitional ore
SRK 0872	Grab	2010	South sulfide stockpile	--	--	Biotite breccia	Transitional	Transitional waste
SRK 0855	Grab	2010	Wallrock to Sternberg Lode	--	--	Quartz monzonite	Transitional	Transitional waste
SRK 0856	Grab	2010	NW side of pit lake	--	--	Quartz monzonite	Transitional	Transitional waste
SRK 0858	Grab	2010	West rock dump (furthest west)	--	--	Quartz monzonite	Transitional	Transitional waste
SRK 0859	Grab	2010	West rock dump (centre)	--	--	Quartz monzonite	Transitional	Transitional waste
SRK 0860	Grab	2010	West rock dump (furthest east)	--	--	Quartz monzonite	Transitional	Transitional waste
SRK 0875	Grab	2010	North part of talings dam	--	--	Historic tailings	--	Historic tailings
SRK 0876	Grab	2010	North part of talings dam	--	--	Historic tailings	--	Historic tailings

Appendix B
Waste Rock and Ore Static Test Results

McClelland Laboratories Reports

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	SRK 0854	SRK 0855	SRK 0856	SRK 0857	SRK 0858	SRK 0859	SRK 0860	SRK 0861	SRK 0862	SRK 0864	SRK 0865
Ag	6.46	0.49	0.16	1.48	0.40	0.09	0.16	2.72	0.28	0.56	0.19
Al	78,300	74,000	71,900	64,300	75,900	72,100	70,500	71,700	76,500	77,200	73,300
As	<0.2	1.2	0.6	2.0	0.4	0.5	0.7	0.8	<0.2	1.1	0.9
Ba	1,130	690	590	790	650	550	500	790	580	730	720
Be	2.88	4.13	3.63	2.15	3.82	3.19	3.26	3.80	1.55	2.27	2.28
Bi	2.05	0.67	1.34	0.60	1.30	0.48	0.72	0.86	<0.01	0.17	0.14
Ca	5,000	4,300	3,000	11,200	4,300	1,100	2,200	3,500	69,400	39,900	29,900
Cd	0.27	0.15	0.03	2.06	0.04	0.02	0.09	0.33	0.50	2.04	0.09
Ce	121.5	67.7	45.6	55.9	48.0	34.9	49.7	89.8	52.4	56.5	69.8
Co	5.3	4.7	7.0	5.8	5.2	6.7	31.2	7.3	39.1	23.0	9.7
Cr	51	52	103	103	86	115	54	72	79	63	116
Cs	5.88	6.07	6.01	8.37	7.55	5.11	4.96	6.00	2.21	6.50	6.28
Cu	>10,000	354	115.0	2,420	495	74.5	214	6,190	127.0	520	94.6
Fe	19,400	15,800	22,400	20,500	21,700	20,600	35,400	18,900	72,700	56,800	44,600
Ga	22.2	20.5	19.95	16.00	21.4	17.05	16.55	20.5	17.10	20.8	20.8
Ge	0.34	0.11	0.10	0.12	0.10	0.07	0.11	0.11	0.17	0.16	0.13
Hf	1.5	2.3	1.6	1.3	1.3	1.3	1.3	1.4	3.6	3.4	3.2
Hg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.245	0.018	0.007	0.080	0.043	0.006	0.007	0.132	0.067	0.099	0.152
K	42,100	39,300	39,100	41,500	45,200	42,900	37,600	44,400	10,900	24,600	21,200
La	80.6	34.1	22.4	30.4	24.2	16.9	24.0	54.8	26.2	26.1	32.7
Li	17.4	16.9	11.8	21.5	13.0	9.2	11.0	17.2	13.5	13.3	12.2
Mg	2,400	2,700	2,100	5,500	1,800	1,800	2,200	2,800	24,000	16,300	10,100
Mn	71	67	28	305	80	18	24	113	1,340	1,110	407
Mo	594	40.2	11.10	43.8	9.27	8.21	13.20	177.0	6.08	2.54	7.78
Na	17,400	21,000	20,200	14,500	22,500	18,100	18,000	20,300	18,800	21,900	27,700
Nb	8.0	5.3	6.8	6.8	12.4	7.2	4.1	12.4	39.0	8.5	10.1
Ni	3.2	3.9	1.9	30.7	1.4	1.8	1.3	2.7	78.2	21.3	4.4
P	580	390	150	460	440	170	200	460	2,370	2,140	1,540
Pb	74.9	15.2	13.5	68.4	14.1	8.5	8.5	15.5	2.7	10.4	8.5
Rb	215	223	238	250	253	227	206	221	30.4	105.5	145.0
Re	1.010	0.146	0.040	0.100	0.008	0.010	0.018	0.150	0.009	0.006	0.004
S	9,800	10,500	20,700	7,000	7,900	18,300	33,400	4,800	400	100	100
Sb	0.27	0.16	0.19	0.21	0.17	0.12	0.13	0.29	0.22	0.36	0.47
Sc	3.7	3.8	3.1	5.5	4.1	2.6	2.8	3.7	15.1	19.2	12.7
Se	9	4	3	2	2	3	5	4	2	2	2
Sn	9.0	3.8	3.2	3.0	4.4	2.3	2.8	4.5	1.3	2.3	2.3
Sr	434	354	315	340	456	282	280	357	773	748	614
Ta	0.59	0.38	0.48	0.47	0.84	0.52	0.29	0.89	2.18	0.53	0.57
Te	0.67	0.13	0.34	0.16	0.21	0.15	0.37	0.40	<0.05	0.06	0.05
Th	17.8	18.5	9.0	12.5	18.0	13.1	13.5	24.4	2.5	6.4	7.4
Ti	1,260	820	930	1,370	1,880	940	640	1,540	10,350	5,660	4,260
Tl	1.83	1.59	1.57	1.70	1.50	1.40	1.33	1.36	0.07	1.00	1.12
U	3.8	5.2	2.4	4.2	5.2	2.5	3.5	6.6	1.0	2.8	2.1
V	32	28	24	37	35	21	21	27	129	156	94
W	7.3	4.6	7.6	8.4	8.2	7.0	5.3	4.9	0.4	1.3	1.4
Y	17.8	12.2	9.2	12.8	17.4	9.6	9.2	21.3	23.2	33.4	33.8
Zn	58	27	13	313	17	9	15	57	98	117	19
Zr	39.4	69.0	38.9	38.9	25.6	31.5	33.0	35.8	155.0	122.5	99.7

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	SRK 0866	SRK 0867	SRK 0868	SRK 0869	SRK 0870	SRK 0871	SRK 0872	SRK 0873	SRK 0874	SRK 0875	SRK 0876
Ag	0.15	1.50	3.58	4.47	0.11	8.12	0.60	0.88	0.18	1.13	1.38
Al	79,300	71,000	87,000	83,700	89,300	75,500	80,100	80,400	91,100	80,500	79,400
As	0.4	1.1	1.9	1.7	0.6	1.0	1.1	1.1	1.2	5.5	4.6
Ba	700	760	860	810	430	690	920	740	680	770	780
Be	2.23	4.12	3.85	3.57	4.23	3.92	3.22	4.44	2.35	3.95	3.62
Bi	1.69	1.21	1.10	1.08	0.07	2.23	1.69	0.77	0.34	1.59	1.70
Ca	38,600	5,800	8,800	12,200	47,700	3,500	5,700	15,300	50,200	18,600	14,200
Cd	0.05	0.28	0.90	1.45	4.00	6.51	0.14	0.23	0.06	0.38	0.44
Ce	59.3	65.1	70.2	72.1	73.1	88.6	73.7	78.6	46.4	84.5	83.1
Co	15.8	9.1	6.3	10.7	53.8	16.9	7.7	8.5	23.6	14.1	14.4
Cr	59	74	57	47	158	37	101	59	31	44	48
Cs	5.15	6.70	9.14	8.68	10.85	6.11	7.33	7.77	7.82	8.89	8.88
Cu	147.5	3.50	2,750	4,400	3,200	>10,000	910	2,000	107.5	964	1,385
Fe	55,900	19,800	33,100	25,400	47,700	16,600	22,500	19,700	68,300	29,800	30,900
Ga	21.6	21.2	23.4	22.0	21.1	19.85	19.15	20.9	21.5	20.6	20.5
Ge	0.14	0.09	0.14	0.15	0.21	0.18	0.14	0.15	0.19	0.17	0.17
Hf	1.4	1.7	1.4	1.3	5.4	1.2	1.7	2.5	2.7	2.0	1.7
Hg	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.090	0.069	0.127	0.164	0.062	0.186	0.024	0.047	0.124	0.053	0.062
K	21,700	40,400	44,300	47,500	11,300	46,400	44,100	45,400	27,800	48,600	50,300
La	27.1	35.2	34.4	34.1	30.4	46.0	38.4	38.4	21.7	44.9	44.9
Li	8.2	14.3	16.0	17.5	8.6	10.2	11.4	15.9	10.8	17.8	16.7
Mg	12,900	2,600	5,000	4,400	13,500	1,900	2,500	3,000	21,100	4,800	4,500
Mn	747	157	199	635	1,420	483	108	165	1,180	444	351
Mo	3.50	99.6	5.12	12.65	2.66	43.4	21.9	40.7	7.70	44.4	43.1
Na	24,600	20,800	26,100	23,100	21,500	17,900	19,100	23,200	27,200	18,500	17,500
Nb	7.8	10.4	12.2	10.6	8.2	12.4	7.6	8.0	6.5	11.1	10.6
Ni	7.2	8.1	4.6	3.7	49.4	5.4	2.4	4.9	11.8	5.9	6.4
P	2,300	450	990	900	1,100	540	400	550	3,120	790	710
Pb	6.8	16.3	50.8	144.5	9.5	30.8	37.9	21.5	8.9	28.6	29.2
Rb	111.5	229	258	282	92.7	221	227	243	191.5	280	292
Re	0.002	0.088	0.011	0.008	0.046	0.006	0.034	0.153	0.006	0.052	0.071
S	3,100	9,700	3,600	11,900	2,300	300	18,300	17,900	400	12,700	13,500
Sb	0.19	0.21	0.29	0.44	0.13	0.32	0.27	0.21	0.57	0.38	0.36
Sc	15.9	4.0	7.2	6.8	23.2	4.1	4.1	4.7	26.3	6.4	6.1
Se	2	3	3	4	3	6	4	4	2	3	4
Sn	3.6	4.0	6.2	4.9	1.3	5.4	3.5	3.6	2.6	4.0	3.9
Sr	672	394	636	529	760	302	352	378	841	417	396
Ta	0.44	0.76	0.84	0.71	0.59	1.00	0.57	0.60	0.39	0.80	0.75
Te	0.82	0.50	0.44	0.46	<0.05	1.04	0.23	0.16	0.06	0.44	0.44
Th	5.0	19.9	18.3	19.0	6.9	30.8	18.4	26.2	6.6	25.4	25.4
Ti	4,990	1,390	2,710	2,270	7,340	1,530	1,180	1,220	6,500	1,930	1,830
Tl	0.98	1.55	2.23	2.18	0.54	1.64	2.04	1.91	2.12	2.15	1.95
U	1.4	5.6	3.8	4.3	8.7	6.8	4.1	7.3	1.9	7.4	7.6
V	131	30	62	57	145	26	30	29	206	49	49
W	4.2	7.8	9.5	13.4	1.6	6.9	10.5	6.4	1.9	10.1	9.2
Y	31.2	19.6	29.4	25.5	76.6	33.0	13.4	17.7	27.1	24.7	23.1
Zn	40	36	103	175	328	386	26	29	65	69	69
Zr	44.1	44.9	22.7	22.6	178.5	28.0	38.3	63.7	80.8	52.3	45.0

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	SRK 0877	SRK 0878	604552	604562	604568	604569	604571	604601	604606	604638	604639
Ag	0.13	0.09	1.53	6.73	1.19	1.22	1.24	1.66	1.59	4.21	1.90
Al	60,700	37,400	91,000	83,800	85,400	83,100	85,200	78,900	78,400	77,300	78,900
As	5	7	0.8	1.4	0.9	1.1	0.7	0.8	0.9	3.6	2.3
Ba	630	350	820	770	760	630	760	690	610	740	760
Be	1.63	1.01	4.01	3.67	4.60	4.80	4.77	3.98	5.08	4.44	3.57
Bi	0.39	0.17	4.07	3.48	0.59	0.66	0.75	0.47	0.69	1.43	1.65
Ca	140,500	196,500	12,300	17,100	13,700	10,800	12,700	9,700	13,100	20,600	34,200
Cd	0.12	0.08	4.97	6.07	0.14	0.19	0.16	0.13	0.12	1.06	0.28
Ce	46.0	31.8	75.7	73.7	89.5	87.2	85.6	72.5	82.9	71.6	66.0
Co	12.8	6.1	8.0	14.3	9.6	9.9	7.9	7.7	7.3	12.2	11.8
Cr	29	11	70	65	84	92	52	71	71	56	31
Cs	5.01	6.40	8.85	9.46	9.40	9.02	8.84	6.73	8.63	17.05	12.30
Cu	79.2	26.8	1,230	6,150	2,030	1,550	1,650	2,900	1,820	4,810	2,500
Fe	33,400	14,600	33,600	30,100	28,200	28,800	30,100	15,600	19,300	26,700	32,600
Ga	14.45	8.54	23.2	22.6	22.7	23.0	23.0	20.2	21.9	21.2	21.6
Ge	0.13	0.09	0.19	0.18	0.19	0.19	0.18	0.15	0.16	0.18	0.16
Hf	3.0	2.1	1.1	1.2	1.5	1.5	1.3	1.8	1.7	1.4	1.2
Hg	0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01
In	0.052	0.028	0.105	0.205	0.076	0.066	0.075	0.064	0.055	0.115	0.106
K	20,700	10,700	50,400	48,700	51,600	49,900	49,100	51,500	51,000	47,500	48,900
La	23.6	16.4	36.9	35.7	45.1	43.9	37.0	41.9	33.8	30.2	30.2
Li	16.3	16.3	15.3	19.6	17.0	15.5	16.1	12.2	13.2	24.2	17.3
Mg	10,100	11,300	4,800	5,800	4,500	4,300	4,500	3,400	3,100	4,000	5,500
Mn	619	301	316	654	314	374	277	142	180	672	920
Mo	1.51	0.65	7.50	24.1	39.6	8.77	10.15	45.9	13.85	210	9.12
Na	12,500	3,400	26,500	17,000	26,800	25,400	27,600	23,400	23,100	12,900	8,600
Nb	10.3	6.3	13.6	11.1	15.3	15.5	15.0	11.1	16.6	13.4	12.4
Ni	13.7	5.7	2.4	2.5	2.6	2.6	4.1	5.4	4.9	5.3	3.1
P	1,220	640	900	920	730	680	700	510	490	690	900
Pb	15.0	9.6	265	400	19.6	25.1	21.0	14.4	19.1	47.5	20.7
Rb	93.5	53.2	274	258	286	292	285	259	291	249	248
Re	0.002	<0.002	0.036	0.067	0.047	0.023	0.022	0.041	0.009	0.081	0.044
S	400	400	6,400	19,300	13,000	14,500	12,800	10,800	10,000	14,400	11,600
Sb	0.40	0.41	0.50	0.88	0.22	0.26	0.23	0.37	0.26	1.11	1.10
Sc	9.3	4.8	7.4	7.5	6.3	6.1	6.1	4.5	4.4	6.0	7.5
Se	2	1	3	5	3	3	3	4	3	4	3
Sn	1.5	0.9	4.8	6.2	5.1	4.8	4.7	3.8	4.8	4.8	4.5
Sr	634	640	694	499	548	498	559	357	429	365	506
Ta	0.63	0.43	0.86	0.76	1.08	1.08	1.06	0.83	1.27	0.94	0.80
Te	0.09	<0.05	2.30	0.85	0.16	0.20	0.20	0.17	0.22	0.62	0.55
Th	7.3	5.7	18.6	21.9	26.3	25.5	26.3	27.6	30.8	21.1	15.6
Ti	3,570	1,710	2,790	2,350	2,260	2,200	2,210	1,400	1,800	2,090	2,680
Tl	0.69	0.43	1.74	2.21	1.96	1.94	1.86	1.89	1.91	2.03	1.73
U	1.9	6.3	4.9	3.9	7.0	6.6	6.9	8.8	7.8	4.7	4.6
V	79	35	56	56	44	41	43	26	29	43	58
W	1.9	1.3	11.0	18.1	10.9	9.8	9.3	8.1	8.1	22.5	16.9
Y	19.8	11.3	30.1	26.1	29.8	29.3	29.2	20.2	26.8	25.4	28.3
Zn	70	36	673	761	35	35	34	24	24	154	84
Zr	93.7	66.0	20.2	19.8	27.1	25.7	22.1	42.9	35.5	26.7	20.9

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	604653	604656	604657	604669	604672	604673	604675	604695	604734	604755	604767
Ag	1.69	1.63	1.91	2.42	0.97	0.64	0.86	1.94	0.84	4.75	5.69
Al	87,100	81,800	85,100	83,000	81,800	82,400	82,500	75,300	84,600	85,200	77,800
As	0.8	1.1	1.6	1.5	1.0	0.7	0.8	0.3	0.4	7.2	16.5
Ba	800	800	790	510	430	450	500	690	700	660	870
Be	4.19	3.35	3.84	3.75	4.33	3.81	3.99	3.83	4.86	4.90	2.30
Bi	0.70	0.87	1.34	1.86	0.54	0.40	0.33	0.54	0.29	6.47	2.15
Ca	18,600	25,000	19,600	4,400	3,200	2,500	2,700	13,400	14,000	10,300	5,600
Cd	0.24	0.08	1.64	1.06	0.89	0.05	0.18	0.07	0.10	0.69	2.89
Ce	71.3	62.2	65.8	96.7	100.5	97.2	53.3	71.4	85.6	108.5	60.6
Co	10.6	6.9	9.3	7.9	4.7	4.0	6.8	7.8	6.3	8.8	28.1
Cr	52	45	47	85	105	95	89	82	93	101	91
Cs	8.20	7.98	9.14	9.52	8.98	6.83	6.89	6.21	8.83	11.25	7.81
Cu	2,250	2,360	2,050	3,460	1,760	1,340	1,415	2,430	1,320	2,370	6,360
Fe	32,700	22,800	30,100	17,900	9,100	8,600	7,300	12,700	26,600	25,300	37,300
Ga	23.1	21.4	22.9	22.4	21.7	21.3	21.8	20.5	22.4	22.8	20.5
Ge	0.18	0.15	0.15	0.18	0.13	0.14	0.10	0.14	0.16	0.18	0.17
Hf	1.0	1.0	1.0	2.1	2.9	3.0	2.8	1.3	1.5	1.5	1.3
Hg	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.110	0.092	0.095	0.086	0.049	0.034	0.034	0.061	0.058	0.077	0.164
K	49,300	52,300	50,600	55,700	54,700	57,900	53,500	49,300	52,600	54,300	45,300
La	34.3	29.2	30.8	50.5	53.2	52.9	28.8	35.5	42.2	59.6	32.2
Li	14.2	11.8	15.9	11.1	7.7	7.3	7.0	9.9	11.8	22.1	14.1
Mg	4,400	4,700	4,700	2,600	1,300	1,300	1,400	2,800	3,900	3,200	4,100
Mn	561	666	915	366	54	29	27	189	407	365	340
Mo	61.6	351	20.3	97.8	172.0	183.5	36.4	199.0	41.9	29.3	30.4
Na	26,200	15,300	23,500	14,600	20,300	19,300	22,200	22,400	28,400	17,200	10,700
Nb	13.9	12.9	13.6	17.9	16.4	15.9	16.2	10.6	17.3	17.0	11.8
Ni	4.3	3.3	4.0	2.5	2.4	2.1	2.1	2.5	2.8	4.0	5.2
P	790	770	850	440	190	170	240	490	680	550	610
Pb	25.1	16.4	183.5	121.0	64.9	23.4	18.2	10.8	16.6	36.5	87.0
Rb	259	254	254	323	292	285	254	280	261	320	215
Re	0.132	0.176	0.023	0.112	0.157	0.223	0.053	0.158	0.027	0.091	0.103
S	11,000	8,200	9,500	9,600	6,100	6,300	5,500	9,500	3,900	11,200	29,400
Sb	0.27	0.90	0.44	0.39	0.24	0.16	0.21	0.32	0.11	0.83	0.45
Sc	7.1	6.3	7.1	4.5	2.2	2.1	2.3	4.2	6.2	5.0	5.0
Se	3	3	3	4	2	2	2	3	2	3	8
Sn	5.2	3.7	4.4	3.7	2.4	1.8	2.1	3.2	4.1	4.2	2.3
Sr	655	509	628	289	280	265	266	356	604	391	336
Ta	0.95	0.87	0.88	1.29	1.33	1.25	1.32	0.76	1.22	1.23	1.07
Te	0.19	0.23	0.35	0.25	0.13	0.09	0.09	0.19	0.11	0.41	1.09
Th	19.1	18.0	18.2	39.5	38.4	37.7	38.5	25.9	26.5	32.3	37.5
Ti	2,530	2,410	2,600	1,680	900	800	990	1,460	2,490	1,910	1,570
Tl	1.69	1.67	1.78	1.92	2.05	1.99	1.93	1.77	1.62	2.21	2.33
U	5.0	5.1	5.9	9.6	11.7	9.2	9.4	6.6	5.7	9.1	15.8
V	48	46	51	29	12	10	13	28	45	35	57
W	7.3	10.6	10.5	12.2	9.0	7.3	8.8	14.8	7.3	27.9	13.6
Y	29.4	27.5	26.2	28.9	23.5	20.1	18.0	21.1	32.4	28.7	19.6
Zn	55	55	226	125	121	16	24	26	34	144	329
Zr	17.0	16.8	16.6	44.4	64.1	67.4	61.5	27.6	23.6	32.7	32.9

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	604787	604790	604804	604811	604849	604854	604862	604867	604880	604889	604898
Ag	5.06	3.55	2.56	2.55	0.67	4.15	4.50	12.15	0.54	1.75	1.60
Al	76,000	69,200	76,900	71,300	66,500	78,700	65,800	65,700	78,400	73,200	79,600
As	9.7	2.6	2.9	12.0	58.9	24.8	9.7	2.5	1.9	2.2	4.6
Ba	730	780	860	810	1,120	1,660	1,060	1,100	1,070	760	1,100
Be	3.91	3.30	3.70	2.74	2.22	1.22	1.66	1.51	3.32	3.62	2.50
Bi	1.70	1.58	1.53	1.36	0.59	1.04	1.62	33.0	0.40	1.11	0.57
Ca	11,400	12,100	13,900	14,400	20,800	9,900	12,500	8,800	17,600	17,400	23,200
Cd	1.32	0.32	0.29	1.48	0.42	2.14	0.23	1.63	0.13	0.19	<0.02
Ce	71.0	73.3	65.4	51.3	50.6	175.5	199.0	>500	49.3	74.0	63.6
Co	14.0	13.7	10.9	15.3	11.1	11.6	13.5	17.0	5.9	6.0	6.1
Cr	79	113	90	118	109	85	64	60	93	84	93
Cs	9.77	6.08	6.55	8.42	7.04	7.48	24.5	24.0	8.93	7.39	7.97
Cu	6,410	5,390	3,090	2,940	818	4,830	4,820	>10,000	729	2,060	2,020
Fe	31,400	21,700	26,900	28,400	28,700	26,700	115,500	109,500	20,700	17,700	18,300
Ga	20.6	18.10	21.0	19.60	17.55	19.45	29.7	32.9	20.3	20.7	20.4
Ge	0.17	0.15	0.17	0.15	0.14	0.12	0.65	0.53	0.08	0.15	0.59
Hf	1.5	1.2	1.0	1.0	1.0	0.8	0.7	0.8	2.1	1.8	2.3
Hg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.143	0.085	0.078	0.071	0.019	0.091	0.100	0.412	0.019	0.077	0.057
K	48,600	48,300	47,500	43,800	45,200	39,300	41,200	40,800	27,600	39,900	31,000
La	38.3	42.7	33.1	26.9	27.2	118.0	146.5	1,020	24.3	33.9	32.9
Li	30.7	17.8	15.8	20.3	24.5	8.6	45.8	39.9	32.5	18.4	21.5
Mg	4,300	2,600	4,100	4,500	4,100	3,700	17,500	17,500	5,400	3,100	4,600
Mn	271	179	226	266	356	224	703	550	248	198	201
Mo	132.5	186.5	174.5	112.0	168.0	278	664	428	55.6	53.2	632
Na	13,200	16,400	20,400	8,700	5,100	9,100	5,900	7,000	30,400	24,000	28,400
Nb	12.7	11.2	12.2	10.3	8.9	9.5	4.6	4.9	9.2	12.0	7.1
Ni	3.6	4.0	3.6	4.9	4.2	4.3	9.4	12.9	3.8	3.1	3.7
P	460	430	570	740	550	1,390	750	1,100	510	440	520
Pb	64.1	11.1	16.5	55.2	21.5	33.5	10.3	10.8	13.5	14.1	14.5
Rb	264	267	237	231	235	169.5	306	299	179.0	223	280
Re	0.151	0.108	0.181	0.126	0.219	0.352	0.724	0.236	0.031	0.054	0.177
S	15,200	16,000	16,000	18,600	14,500	17,300	14,300	28,900	5,800	10,200	10,500
Sb	0.80	0.32	0.18	0.43	1.32	0.90	0.64	0.14	0.16	0.22	0.18
Sc	5.1	3.9	5.0	5.1	2.7	2.9	19.6	5.7	4.4	4.2	7.9
Se	5	5	4	4	4	5	2	13	2	3	<1
Sn	2.7	2.3	2.9	2.8	2.0	2.3	3.7	5.6	3.7	3.6	3.5
Sr	317	272	514	268	260	381	266	298	715	468	613
Ta	0.96	0.90	0.82	0.76	0.66	0.66	0.26	0.27	0.60	0.85	0.48
Te	0.51	0.67	0.60	0.56	0.15	0.33	0.23	4.32	0.07	0.33	<0.05
Th	29.8	28.4	23.0	27.0	23.0	11.2	32.5	83.7	11.1	21.9	15.1
Ti	1,670	1,440	1,860	1,680	1,400	1,410	1,720	1,860	1,650	1,490	1,350
Tl	1.88	1.58	1.75	1.93	1.90	2.17	2.21	2.69	1.02	1.35	1.09
U	10.0	11.1	6.6	6.1	9.1	3.6	4.3	3.5	3.6	6.8	5.8
V	38	32	38	46	38	40	155	129	32	29	32
W	9.5	9.9	5.6	15.4	10.3	12.8	5.6	6.8	12.5	9.2	9.6
Y	21.1	15.0	24.7	18.9	18.2	18.7	9.6	13.2	17.7	22.1	20.8
Zn	163	53	59	192	60	236	110	202	31	41	42
Zr	35.2	28.6	22.8	24.6	21.0	21.1	17.9	27.3	63.0	53.0	46.7

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	605001	605013	605033	605039	605078	605109	605143	605152	605153	605154	605175
Ag	3.63	4.54	2.34	0.99	2.95	1.12	1.12	0.82	0.62	0.64	0.51
Al	76,700	64,600	76,300	71,000	61,700	72,200	77,500	79,600	80,200	82,400	66,500
As	38.5	8.7	5.3	4.4	1.4	0.7	1.1	1.5	1.6	1.2	1.6
Ba	1,200	880	990	800	640	880	760	890	1,440	1,160	350
Be	1.50	1.75	2.31	2.73	1.77	2.69	3.07	2.91	3.07	2.69	4.37
Bi	1.25	3.17	2.86	0.46	1.51	0.52	0.33	0.79	0.32	0.29	0.28
Ca	3,600	13,500	14,800	12,800	14,900	14,700	12,700	21,300	21,900	20,100	17,000
Cd	1.80	1.69	1.04	0.31	8.05	0.06	0.59	2.61	1.26	0.07	2.17
Ce	62.7	56.0	43.3	46.2	24.0	54.4	72.0	48.5	48.1	43.6	38.0
Co	13.2	12.6	7.5	11.3	9.2	6.9	6.7	5.2	5.4	5.8	4.3
Cr	66	78	58	72	87	77	72	45	58	56	63
Cs	15.90	7.58	11.00	13.85	6.70	9.81	10.40	12.40	14.50	11.95	9.92
Cu	2,810	3,940	2,030	1,370	2,810	1,555	1,610	751	642	1,175	657
Fe	75,600	47,500	46,600	52,800	24,000	21,800	21,400	22,200	23,300	21,300	9,900
Ga	27.2	19.25	23.2	23.2	16.35	19.80	19.70	19.75	20.2	19.85	18.05
Ge	0.15	0.11	0.09	0.09	0.08	0.09	0.10	0.11	0.11	0.11	0.09
Hf	1.2	1.1	1.6	1.5	1.1	1.2	1.3	1.6	1.7	1.3	1.0
Hg	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	0.01	<0.01	0.03
In	0.072	0.145	0.066	0.025	0.158	0.030	0.035	0.116	0.037	0.027	0.038
K	40,700	42,200	46,000	45,300	38,800	40,700	41,500	34,100	35,300	34,800	21,200
La	29.2	28.8	21.5	22.9	12.5	25.0	33.6	21.5	19.9	20.1	15.0
Li	23.6	18.0	28.6	29.9	9.8	17.6	18.2	24.0	25.8	21.8	12.0
Mg	9,900	5,300	8,100	10,800	2,300	4,600	3,900	4,800	4,800	4,500	2,700
Mn	923	518	466	503	761	581	558	729	896	572	529
Mo	38.0	198.0	63.8	36.8	103.0	37.9	17.85	18.75	25.7	16.15	23.4
Na	9,700	9,700	18,900	16,400	11,900	18,400	22,300	25,800	26,800	27,800	28,400
Nb	9.7	9.6	8.6	12.1	7.3	10.8	11.9	8.9	8.7	6.2	7.0
Ni	8.6	8.0	6.3	7.2	6.1	6.4	5.4	4.9	5.8	5.5	4.9
P	490	300	480	670	330	740	490	560	560	570	470
Pb	79.1	52.0	45.5	12.1	153.5	13.1	39.2	45.5	29.8	13.2	37.6
Rb	221	191.0	240	260	172.5	202	197.0	220	216	213	129.0
Re	0.086	0.228	0.071	0.045	0.081	0.035	0.027	0.014	0.022	0.014	0.017
S	23,400	26,300	12,100	14,200	18,000	7,800	8,200	5,000	5,500	5,000	4,700
Sb	6.92	0.36	0.45	0.31	0.45	0.47	0.33	0.35	0.38	0.29	0.60
Sc	9.2	6.6	6.5	7.5	3.0	4.2	4.2	5.1	4.9	4.3	2.9
Se	4	4	2	2	3	2	2	1	1	1	1
Sn	2.2	2.5	3.0	2.7	1.9	2.7	2.8	2.7	2.8	2.3	1.6
Sr	293	240	437	319	193.5	355	388	507	612	568	315
Ta	0.67	0.66	0.55	0.78	0.52	0.73	0.86	0.57	0.57	0.41	0.46
Te	0.32	1.60	1.37	0.18	0.42	0.10	0.11	0.09	0.05	0.06	<0.05
Th	36.2	24.4	15.6	25.8	14.5	21.2	23.0	11.6	11.6	11.3	12.7
Ti	1,790	1,460	1,830	1,960	1,130	1,580	1,540	1,620	1,550	1,100	1,130
Tl	2.40	1.55	1.58	1.69	1.36	1.51	1.41	1.22	1.23	1.13	0.74
U	9.0	6.1	5.2	6.9	3.9	5.6	5.8	3.7	3.8	3.2	3.1
V	136	78	99	88	33	37	33	36	35	34	23
W	3.4	13.3	6.2	4.1	14.0	8.0	7.6	6.6	6.4	3.9	8.4
Y	15.7	16.5	17.3	20.0	12.9	20.5	21.5	18.5	19.1	17.7	14.4
Zn	250	198	130	61	1,000	37	99	325	191	43	302
Zr	33.7	32.2	49.7	45.7	32.2	32.7	34.2	53.9	53.7	41.7	30.5

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results,
Copper Flat Project Samples

Analysis, mg/kg	605182	605184	605193	605200	605209	605218	605234	605518
Ag	0.38	8.62	1.58	1.83	3.46	4.88	1.71	1.27
Al	63,500	71,300	69,800	64,900	73,700	67,400	63,100	81,700
As	1.0	16.6	8.7	3.1	61.9	17.4	24.3	1.3
Ba	510	910	780	880	730	960	760	710
Be	3.54	1.74	2.53	1.86	2.87	2.46	2.02	4.47
Bi	1.31	1.74	0.67	1.36	0.55	2.07	0.91	0.34
Ca	16,700	4,300	10,700	7,600	12,400	5,700	9,900	13,000
Cd	0.02	6.81	0.85	0.39	1.26	1.75	0.46	0.10
Ce	34.8	35.3	57.8	36.9	55.3	47.9	39.8	89.1
Co	3.8	21.1	7.1	16.7	9.5	7.6	17.9	6.3
Cr	69	48	69	133	95	121	121	94
Cs	6.93	13.35	8.37	9.66	7.20	7.54	8.70	10.05
Cu	648	8,280	1,335	3,500	1,940	1,510	1,810	1,905
Fe	8,300	71,200	37,400	51,300	34,400	36,900	41,100	24,200
Ga	17.50	25.7	20.6	20.8	21.1	19.85	18.40	22.5
Ge	0.08	0.14	0.10	0.10	0.11	0.11	0.11	0.15
Hf	1.1	1.0	1.3	1.1	1.8	1.1	0.9	1.2
Hg	<0.01	<0.1	<0.01	<0.01	<0.01	<0.1	<0.1	<0.01
In	0.012	0.183	0.040	0.054	0.054	0.037	0.033	0.080
K	27,600	40,000	41,200	41,600	40,900	42,200	44,300	43,900
La	13.3	17.9	29.7	19.9	26.8	23.1	19.5	44.2
Li	11.1	20.3	14.2	23.2	20.2	26.2	38.6	12.0
Mg	2,500	8,800	4,700	8,300	4,500	4,800	6,100	4,100
Mn	221	1,660	439	361	584	479	442	333
Mo	68.2	204	26.4	55.6	21.6	21.6	80.3	41.2
Na	28,400	6,600	14,300	10,100	16,700	13,900	9,100	25,200
Nb	7.7	8.2	14.5	10.0	14.1	11.2	8.7	15.6
Ni	5.1	8.2	5.7	10.7	3.7	4.2	4.3	2.6
P	480	630	400	410	440	410	430	660
Pb	9.6	155.5	39.5	11.6	134.5	548	18.9	16.1
Rb	142.0	184.5	198.0	221	205	237	236	220
Re	0.051	0.315	0.036	0.085	0.028	0.075	0.104	0.024
S	3,900	28,300	13,500	24,300	10,800	14,200	18,700	6,200
Sb	0.23	0.82	0.64	0.39	1.13	1.83	0.62	0.12
Sc	2.8	9.7	5.0	7.3	4.8	5.0	4.7	5.7
Se	1	4	2	4	2	2	3	2
Sn	2.1	2.3	3.1	2.5	3.2	2.8	1.8	4.2
Sr	377	249	317	253	345	277	229	528
Ta	0.46	0.61	1.06	0.66	0.98	0.78	0.63	1.06
Te	<0.05	1.86	0.34	0.41	0.16	1.10	0.43	0.15
Th	10.9	33.0	27.4	28.3	21.1	19.2	22.2	21.6
Ti	1,260	1,760	1,660	1,600	1,710	1,670	1,420	2,100
Tl	0.74	1.91	1.68	1.59	1.60	1.64	1.33	1.65
U	2.8	7.1	7.7	8.7	9.2	5.9	6.4	5.6
V	20	150	55	79	50	55	56	39
W	8.8	5.6	5.7	5.2	6.6	7.3	8.1	12.7
Y	13.9	16.0	21.5	16.2	22.1	18.2	17.3	27.6
Zn	18	673	108	70	165	225	74	33
Zr	32.1	30.0	36.0	34.2	49.2	30.5	26.0	22.2

Chemex Report #RE10080824

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample							
	CF-11-01-B 15-43	CF-11-01-B 189-225	CF-11-01-B 268.8-292	CF-11-01-B 465-480	CF-11-01-B 575-610	CF-11-01-B 1005-1025	CF-11-02 0-27	CF-11-02 147-181
Ag	3.87	2.94	4.84	3.72	3.92	0.60	1.59	0.50
Al	77,200	67,600	67,600	78,200	66,900	82,000	86,500	86,600
As	7.2	6.5	24.5	1.7	9.3	1.9	1.4	2.1
Ba	910	800	470	880	870	880	780	760
Be	3.26	3.24	2.57	3.26	1.92	4.05	4.11	4.73
Bi	1.10	0.70	6.94	0.84	2.67	0.56	16.30	0.57
Ca	5,500	10,700	15,500	11,700	8,400	15,200	11,900	19,700
Cd	0.59	0.68	1.31	0.36	1.08	0.16	0.28	0.13
Ce	150.5	56.8	81.7	73.2	56.8	70.9	72.3	73.0
Co	12.7	7.2	16.4	10.1	12.3	4.2	9.7	7.9
Cr	4	2	2	3	2	3	3	2
Cs	7.96	6.71	9.35	17.90	7.66	6.74	9.38	7.74
Cu	6,420	4,300	6,720	5,110	4,440	800	1,425	484
Fe	23,900	21,000	50,100	35,100	32,400	22,800	37,200	36,400
Ga	20.9	18.90	20.9	24.4	17.80	20.2	23.8	22.1
Ge	0.16	0.12	0.18	0.16	0.16	0.18	0.22	0.23
Hf	1.3	1.2	0.9	1.0	0.8	1.5	1.3	1.3
Hg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<1	<0.1
In	0.145	0.089	0.164	0.080	0.094	0.027	0.091	0.065
K	42,000	40,200	39,800	41,900	48,500	44,300	49,700	44,100
La	99.4	32.0	49.5	42.5	35.0	38.7	35.4	36.2
Li	14.0	16.0	19.6	38.2	17.5	14.6	15.4	10.6
Mg	2,800	3,700	5,500	9,900	5,800	4,100	4,600	6,100
Mn	241	284	356	264	256	178	230	530
Mo	57.9	74.3	264	54.7	401	57.2	3.27	3.30
Na	15,000	14,800	9,500	18,000	11,100	25,800	24,600	29,400
Nb	15.0	11.6	10.7	13.2	8.2	14.5	12.2	14.6
Ni	4.1	4.0	5.8	4.3	4.7	3.3	2.0	2.5
P	490	480	1,080	1,410	500	480	810	850
Pb	16.9	28.7	20.1	10.3	16.2	13.2	18.8	16.3
Rb	229	237	237	271	289	274	300	262
Re	0.329	0.075	0.188	0.071	0.486	0.103	0.003	0.003
S (Total)	15,500	11,600	27,400	14,400	21,000	5,000	18,100	7,800
Sb	0.75	0.48	0.43	0.29	0.35	0.16	0.21	0.12
Sc	4.3	4.4	5.2	4.8	3.2	4.1	6.5	7.3
Se	5	4	8	4	5	2	3	2
Sn	4.0	2.8	3.2	3.9	2.3	4.1	6.4	5.0
Sr	353	353	315	425	292	680	592	834
Ta	1.05	0.81	0.69	0.85	0.68	1.11	0.87	0.98
Te	0.50	0.30	2.99	0.20	0.37	0.08	7.49	0.16
Th	23.9	21.1	22.1	23.6	23.2	21.9	18.7	18.3
Ti	1,670	1,580	1,680	2,130	1,330	1,940	2,320	2,830
Tl	2.10	1.79	1.99	2.18	2.02	1.49	2.32	1.67
U	9.6	8.2	6.5	5.8	7.5	6.2	5.0	5.6
V	30	39	70	50	42	31	54	58
W	9.5	7.4	12.2	7.4	8.0	5.1	45.0	11.3
Y	23.0	17.2	20.9	26.8	14.4	25.7	24.7	29.9
Zn	88	94	157	63	134	27	38	41
Zr	37.3	31.0	21.4	23.5	19.7	39.8	22.5	24.6

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample							
	CF-11-02 367-408	CF-11-02 471-507	CF-11-02 609-625	CF-11-03 23.9-53.2	CF-11-03 243-276.5	CF-11-03 316.8-341.8	CF-11-03 497-521.7	CF-11-03 580.3-600.3
Ag	0.93	1.97	1.12	0.65	3.64	4.32	2.19	1.11
Al	84,800	84,300	83,300	78,600	67,200	72,300	65,600	77,500
As	2.0	1.2	2.4	1.4	9.3	6.2	7.5	2.7
Ba	690	660	670	910	780	770	760	790
Be	4.41	4.82	4.87	2.80	2.32	2.33	2.90	3.51
Bi	0.50	2.29	0.73	1.53	1.47	29.8	1.20	0.86
Ca	16,100	16,300	14,200	21,100	20,900	14,100	19,100	11,700
Cd	0.20	1.42	0.37	0.12	1.06	0.71	0.73	0.34
Ce	76.0	77.8	79.0	39.6	60.0	62.8	39.8	55.8
Co	8.4	9.3	7.9	5.0	29.3	12.2	9.9	4.0
Cr	2	3	3	5	6	4	3	4
Cs	6.89	9.15	10.45	6.12	11.10	10.50	8.64	6.22
Cu	1,115	1,390	1,405	1,085	5,720	8,250	2,590	1,170
Fe	33,000	32,400	23,600	21,000	37,000	30,900	23,700	20,500
Ga	22.4	21.8	20.7	19.10	17.95	19.95	16.95	19.45
Ge	0.23	0.22	0.22	0.16	0.22	0.18	0.17	0.18
Hf	1.1	1.2	1.3	1.3	1.1	1.0	1.2	1.4
Hg	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
In	0.064	0.066	0.044	0.043	0.130	0.177	0.080	0.042
K	48,600	46,200	49,200	34,300	41,900	45,400	46,300	49,800
La	37.4	39.9	40.6	21.0	35.3	36.6	20.8	30.2
Li	12.5	15.7	14.2	17.0	25.2	29.2	19.7	13.2
Mg	5,000	4,600	4,000	3,800	7,500	8,300	5,100	3,500
Mn	345	280	302	192	294	229	246	206
Mo	33.4	5.20	5.89	4.69	317	159.0	148.0	44.3
Na	27,400	26,200	25,600	25,000	9,000	15,200	12,000	18,200
Nb	15.2	15.6	14.1	8.7	7.5	8.7	9.7	14.5
Ni	2.4	2.6	2.8	4.0	7.0	6.3	4.7	3.3
P	660	650	590	480	410	600	430	460
Pb	14.4	86.3	21.0	13.1	54.6	17.5	20.4	16.8
Rb	288	277	309	180.0	245	327	271	299
Re	0.008	0.003	0.006	0.004	0.840	0.364	0.180	0.050
S (Total)	10,800	12,300	12,000	7,400	26,800	17,600	12,900	5,600
Sb	0.12	0.18	0.32	0.25	0.90	0.32	0.32	0.28
Sc	6.1	5.6	4.9	3.9	5.8	5.9	4.0	4.0
Se	3	3	3	2	6	6	3	2
Sn	4.8	4.9	4.4	3.2	3.9	4.9	3.0	3.9
Sr	664	604	547	592	349	401	352	438
Ta	1.07	1.16	1.09	0.62	0.52	0.61	0.74	1.14
Te	0.16	0.39	0.12	0.52	0.46	0.99	0.32	0.16
Th	20.8	23.2	29.2	11.5	17.4	17.8	19.4	27.2
Ti	2,380	2,210	1,880	1,470	1,380	1,560	1,370	1,740
Tl	1.81	1.97	2.22	1.30	1.77	1.91	1.90	1.98
U	6.2	6.8	9.8	3.6	4.7	5.9	5.4	10.4
V	45	43	37	29	37	46	30	31
W	15.3	27.3	22.2	6.1	10.7	9.9	8.6	7.8
Y	30.0	27.7	23.9	14.6	12.7	15.0	15.2	22.6
Zn	41	183	53	25	116	90	87	49
Zr	20.6	22.3	26.4	33.0	31.6	29.5	34.5	37.9

Table . - ICP Metals Analysis Results

Analysis, mg/kg	Copper Flat Project							
	Sample							
	CF-11-03 836.8-851.8	CF-11-03 922-949.5	CF-11-03 1049.5-1085.3	CF-11-04 0-16.6	CF-11-04 168-203	CF-11-04 464.8-504.8	CF-11-04 628-678	CF-11-05 35-60
Ag	0.60	1.19	1.50	3.48	2.32	1.45	1.24	2.10
Al	79,800	70,200	72,900	85,600	85,700	79,000	75,000	79,100
As	1.3	2.6	2.2	3.0	1.2	1.8	1.1	2.3
Ba	830	830	900	1,210	910	530	610	830
Be	4.70	2.48	2.67	2.07	3.71	4.93	3.44	4.23
Bi	0.57	0.78	0.80	3.56	1.00	0.61	0.48	0.70
Ca	17,000	16,600	10,500	5,000	14,500	11,200	17,300	10,800
Cd	0.16	2.35	0.77	0.38	0.20	0.14	0.33	0.23
Ce	61.6	62.9	45.2	225	69.9	90.0	77.9	64.0
Co	4.4	4.8	8.9	19.2	9.5	6.6	4.0	4.5
Cr	2	3	3	2	2	3	2	3
Cs	5.88	6.61	7.43	6.87	8.34	9.85	7.30	7.94
Cu	724	1,380	1,865	7,320	4,860	2,150	1,910	2,320
Fe	25,000	20,900	26,700	29,000	25,200	19,000	14,200	20,100
Ga	20.8	18.20	19.75	20.3	21.9	21.1	18.30	20.5
Ge	0.20	0.20	0.20	0.28	0.22	0.22	0.20	0.21
Hf	1.2	0.9	0.9	0.8	0.8	1.8	1.2	1.4
Hg	0.02	0.01	0.01	0.01	0.01	<0.01	<0.01	0.01
In	0.021	0.077	0.045	0.164	0.145	0.069	0.066	0.096
K	42,200	50,900	50,600	40,900	51,500	51,600	51,600	47,800
La	31.0	28.6	21.8	144.5	37.0	46.0	40.8	32.3
Li	16.6	16.3	19.5	9.9	16.6	11.8	12.6	22.9
Mg	3,600	3,500	4,900	2,000	4,900	3,200	3,400	4,900
Mn	228	332	309	271	222	256	337	252
Mo	15.70	13.20	126.5	94.3	146.5	26.5	332	62.1
Na	26,300	14,700	14,800	8,100	22,500	22,700	13,700	24,300
Nb	13.6	11.3	11.5	9.4	13.1	18.7	15.9	15.1
Ni	3.4	4.0	5.4	2.5	3.1	3.2	2.0	4.6
P	470	2,630	510	1,020	740	420	450	510
Pb	15.1	23.8	22.4	16.1	14.8	17.7	38.9	23.5
Rb	245	283	306	174.0	280	308	277	262
Re	0.020	0.031	0.152	0.022	0.129	0.022	0.178	0.066
S (Total)	6,400	6,600	9,400	400	9,800	5,800	5,300	6,500
Sb	0.14	0.32	0.25	0.46	0.24	0.21	0.26	0.26
Sc	4.0	3.5	6.9	5.3	5.9	3.9	4.1	4.2
Se	2	2	3	3	4	3	3	3
Sn	3.2	3.0	2.8	4.1	5.4	4.1	3.5	4.1
Sr	623	317	341	356	558	361	312	567
Ta	1.09	0.90	0.84	0.63	0.83	1.43	1.14	1.13
Te	0.06	0.13	0.15	1.23	0.40	0.18	0.15	0.27
Th	22.9	20.8	23.0	20.6	16.9	29.6	26.0	24.9
Ti	1,850	1,500	1,640	1,790	2,250	1,750	1,630	1,890
Tl	1.46	1.87	1.80	2.35	2.07	1.96	1.80	1.76
U	6.8	5.1	7.1	7.6	4.7	8.3	5.8	8.0
V	36	39	51	61	42	26	28	34
W	4.7	8.7	9.1	13.9	6.7	6.5	8.7	5.4
Y	24.9	25.6	18.9	23.0	27.3	27.6	22.5	25.3
Zn	29	281	99	56	36	34	48	36
Zr	30.0	21.6	21.8	16.5	16.3	49.7	31.0	36.5

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample							
	CF-11-05 760-780	CF-11-05 880-895	CF-11-06 6.4-19.4	CF-11-06 135.4-155.6	CF-11-06 418-443	CF-11-06 603-628	CF-11-06 673-693	CF-11-06 860-868
Ag	2.14	0.71	1.69	1.17	2.61	1.94	1.54	0.56
Al	81,800	80,900	86,200	83,500	76,300	82,300	81,500	80,200
As	1.5	1.3	1.3	1.4	5.1	3.7	2.9	0.9
Ba	850	820	630	650	570	710	640	1,010
Be	3.80	4.25	4.81	4.90	4.21	4.66	4.59	3.85
Bi	0.70	0.34	1.28	0.70	0.84	0.81	0.63	0.33
Ca	15,000	14,600	14,900	14,200	17,300	13,500	14,300	18,900
Cd	0.14	0.31	0.19	0.10	0.27	0.29	0.33	0.08
Ce	69.8	71.7	79.4	79.6	62.5	76.8	79.0	44.2
Co	5.6	5.7	10.3	6.4	7.1	9.5	7.0	5.2
Cr	4	3	2	4	2	2	3	4
Cs	8.85	8.49	8.76	9.12	5.72	8.46	6.94	6.86
Cu	2,870	871	2,130	2,050	2,610	2,010	1,685	700
Fe	17,000	24,000	30,000	23,100	17,400	28,300	23,000	19,500
Ga	19.50	20.2	21.5	21.0	19.75	20.9	21.0	17.80
Ge	0.22	0.22	0.25	0.26	0.22	0.25	0.23	0.19
Hf	1.3	1.4	1.4	1.4	1.3	1.3	1.3	1.3
Hg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.101	0.037	0.083	0.065	0.079	0.073	0.055	0.022
K	44,200	39,400	47,800	49,100	38,000	45,900	45,400	37,100
La	36.7	36.8	42.1	42.1	30.9	40.0	40.8	23.1
Li	25.9	26.1	18.4	14.3	12.7	23.8	21.3	22.1
Mg	4,600	5,400	4,700	3,500	2,300	3,700	3,900	4,500
Mn	163	237	224	233	154	188	198	192
Mo	65.9	32.2	8.35	13.05	30.6	11.95	43.7	14.65
Na	24,800	29,100	26,100	23,600	23,200	23,200	23,500	25,600
Nb	13.4	14.3	15.6	14.9	13.5	15.3	14.7	10.3
Ni	3.7	3.1	2.9	3.2	3.1	3.2	2.9	3.3
P	520	540	660	500	480	480	490	470
Pb	14.7	13.0	30.3	16.4	14.6	16.2	15.4	10.0
Rb	265	224	289	305	249	289	290	228
Re	0.077	0.034	0.029	0.019	0.050	0.009	0.015	0.018
S (Total)	7,800	5,800	12,200	12,300	10,400	13,500	9,600	4,800
Sb	0.15	0.13	0.17	0.28	0.29	0.23	0.20	0.13
Sc	4.5	4.5	5.7	4.5	4.0	4.1	4.3	4.3
Se	3	2	3	3	4	4	3	2
Sn	4.2	4.5	5.4	4.3	3.6	4.0	3.6	3.4
Sr	532	791	544	425	316	510	503	595
Ta	0.95	1.05	1.18	1.16	0.96	1.09	1.12	0.76
Te	0.18	0.11	0.30	0.18	0.39	0.24	0.16	0.07
Th	23.0	21.8	27.3	29.3	23.8	26.5	26.2	15.5
Ti	1,820	1,980	2,170	1,700	1,620	1,890	1,840	1,650
Tl	1.58	1.38	2.09	2.00	1.68	1.87	1.99	1.38
U	5.5	5.6	8.5	10.0	5.9	6.8	6.7	4.7
V	30	34	41	29	27	32	33	29
W	8.6	7.8	12.2	11.0	9.0	8.5	8.4	11.3
Y	25.1	25.6	28.7	22.4	21.3	24.7	24.8	19.8
Zn	34	29	33	20	36	41	44	27
Zr	38.0	39.7	27.6	33.1	38.5	28.6	28.8	37.6

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample							
	CF-11-06 872.5-898	CF-11-07 312-346.6	CF-11-07 521.7-543	CF-11-07 966.8-996.8	CF-11-08 844.2-879.2	CF-11-08 1139.5-1179.5	CF-11-08 365-405	CF-11-09 313-333
Ag	0.75	0.88	0.93	1.17	0.84	0.37	1.23	1.48
Al	81,100	78,500	85,600	83,800	73,600	70,000	82,500	69,800
As	1.3	2.1	1.1	0.9	1.0	0.9	1.2	8.4
Ba	810	1,160	800	780	760	530	840	760
Be	4.28	2.49	4.01	3.47	3.30	3.24	3.83	2.47
Bi	0.45	0.67	0.73	0.57	0.52	0.64	0.78	0.55
Ca	17,100	15,600	17,200	17,500	12,300	16,200	14,200	10,100
Cd	0.15	0.22	0.65	0.10	0.13	0.42	0.11	1.98
Ce	73.7	32.4	73.4	67.5	58.7	32.9	71.9	38.6
Co	6.8	5.8	9.6	11.0	7.0	3.6	7.1	10.9
Cr	3	5	2	2	3	4	2	3
Cs	4.89	5.88	7.33	7.70	6.81	4.84	8.12	6.01
Cu	819	1,545	1,400	1,785	1,245	334	1,600	1,690
Fe	24,100	15,800	35,900	35,700	25,800	8,100	19,800	48,700
Ga	20.3	17.20	22.4	21.4	18.55	15.85	19.60	19.95
Ge	0.24	0.18	0.26	0.27	0.25	0.18	0.26	0.25
Hf	1.6	1.2	1.0	1.1	1.0	0.8	1.4	1.1
Hg	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.033	0.055	0.135	0.088	0.033	0.012	0.051	0.026
K	41,200	45,600	43,500	46,000	44,100	33,200	47,400	46,200
La	39.8	18.2	37.4	33.2	27.1	13.3	37.3	21.6
Li	12.9	14.6	15.0	11.3	15.0	10.0	24.3	21.7
Mg	4,300	2,100	5,400	5,000	3,500	2,100	3,700	4,700
Mn	260	169	344	452	272	234	212	620
Mo	18.45	42.9	12.05	42.4	53.5	24.9	118.0	19.55
Na	27,600	20,600	28,200	26,900	21,400	23,900	23,800	12,400
Nb	14.4	5.6	12.2	13.7	12.4	8.1	12.8	11.6
Ni	3.2	2.6	2.2	2.5	3.7	3.6	3.5	4.3
P	510	330	790	860	640	400	530	360
Pb	13.9	14.0	14.6	13.0	11.8	40.3	13.4	121.5
Rb	227	236	260	253	250	177.0	245	233
Re	0.015	0.049	0.008	0.036	0.071	0.023	0.191	0.092
S (Total)	6,200	8,900	10,100	5,400	9,900	3,500	9,100	12,700
Sb	0.14	0.26	0.15	0.13	0.14	0.19	0.18	0.48
Sc	4.3	2.8	6.7	6.7	4.0	2.4	4.2	7.4
Se	2	2	3	3	2	1	3	3
Sn	3.5	1.6	4.8	4.4	3.2	1.7	4.0	1.8
Sr	782	317	628	742	423	327	500	254
Ta	1.07	0.42	0.79	0.87	0.90	0.57	0.90	0.96
Te	0.08	0.21	0.19	0.14	0.11	0.05	0.19	0.18
Th	22.1	9.0	16.7	16.5	22.6	14.2	23.6	28.1
Ti	2,060	1,040	2,520	2,790	1,620	1,190	1,780	1,520
Tl	1.50	1.35	1.65	1.71	1.39	1.03	1.57	1.70
U	6.4	3.9	4.8	4.1	5.5	3.2	5.6	6.4
V	35	21	55	61	33	16	32	81
W	9.7	9.4	7.4	7.9	6.7	8.5	9.8	5.1
Y	26.6	8.7	25.6	26.6	22.9	13.6	22.5	16.1
Zn	31	31	66	42	29	52	30	235
Zr	46.1	38.2	18.4	19.3	25.0	25.1	45.2	29.4

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample							
	CF-11-09 495.5-528.5	CF-11-09 688-718	CF-11-09 923-953	CF-11-09 1097.8-1125	CF-11-09 588-628	CF-11-10 565.1-585	CF-11-10 651-688	CF-11-10 829-862
Ag	0.59	0.95	0.36	0.52	0.63	1.61	1.23	1.51
Al	74,100	70,800	78,400	76,400	72,300	75,900	73,600	64,800
As	2.0	0.5	0.4	<0.2	<0.2	3.9	0.8	3.7
Ba	760	750	870	700	730	800	880	840
Be	2.64	2.26	2.89	3.22	2.70	2.55	2.28	1.71
Bi	1.29	0.53	0.28	0.31	0.30	0.56	0.61	0.65
Ca	9,000	10,300	10,800	8,800	13,200	13,500	13,200	10,300
Cd	0.37	0.09	0.11	0.06	0.08	0.91	0.68	0.90
Ce	56.7	45.1	68.4	72.9	51.6	60.5	50.5	41.2
Co	5.4	8.1	3.3	3.9	5.5	16.7	3.7	12.0
Cr	3	3	3	2	3	3	4	4
Cs	7.76	8.29	5.69	5.91	9.82	11.30	7.94	5.39
Cu	1,040	1,625	613	1,040	1,410	1,475	1,425	1,680
Fe	28,500	24,500	15,900	15,300	22,300	29,200	19,700	26,900
Ga	19.10	17.35	19.25	19.30	18.60	19.25	17.00	16.05
Ge	0.17	0.17	0.18	0.19	0.17	0.19	0.16	0.17
Hf	1.2	1.2	1.8	1.3	1.4	1.1	1.1	0.9
Hg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.024	0.035	0.016	0.029	0.030	0.051	0.050	0.046
K	53,700	46,600	56,900	52,900	50,800	55,300	51,700	46,500
La	27.7	20.7	33.1	37.4	23.4	32.1	27.5	21.0
Li	13.7	11.9	12.7	8.4	14.5	27.6	20.6	19.7
Mg	4,100	3,600	3,200	2,400	4,400	7,200	4,500	4,200
Mn	274	237	240	174	277	335	266	262
Mo	15.35	19.25	4.66	43.2	17.25	588	22.7	28.9
Na	18,900	18,900	23,400	20,900	17,800	16,300	16,300	14,300
Nb	12.9	10.9	15.5	15.2	12.2	11.5	9.3	7.9
Ni	3.6	3.9	2.3	2.0	3.4	4.0	3.9	3.7
P	480	450	420	420	550	630	740	560
Pb	19.7	15.2	13.1	12.7	12.2	51.1	34.4	20.1
Rb	274	244	241	237	267	318	287	243
Re	0.028	0.027	0.007	0.030	0.022	0.782	0.023	0.045
S (Total)	6,900	8,000	2,200	3,000	4,300	12,100	5,600	10,200
Sb	0.23	0.19	0.13	0.14	0.18	0.29	0.18	0.17
Sc	4.7	4.0	3.3	3.4	4.8	4.4	3.4	3.5
Se	3	3	2	2	2	3	3	4
Sn	2.8	2.7	2.9	2.8	2.8	2.9	2.8	2.1
Sr	321	307	456	397	300	293	326	309
Ta	1.03	0.88	1.25	1.20	0.98	0.92	0.71	0.60
Te	0.10	0.23	0.08	0.11	0.10	0.16	0.21	0.21
Th	25.9	17.2	23.0	24.0	20.0	28.0	27.4	45.1
Ti	1,710	1,620	1,840	1,770	1,710	1,660	1,530	1,320
Tl	1.64	1.29	1.20	1.32	1.37	1.83	1.58	1.34
U	5.6	3.8	5.8	3.6	5.1	5.6	5.5	11.5
V	49	45	31	30	46	39	36	45
W	4.3	7.5	4.9	7.2	6.2	5.0	6.2	8.3
Y	21.3	17.3	26.3	24.7	20.7	21.5	19.4	17.3
Zn	50	33	34	28	36	131	101	97
Zr	29.6	33.9	42.9	27.8	36.2	27.9	27.7	23.6

Table . - ICP Metals Analysis Results

Analysis, mg/kg	Sample							
	CF-11-10-B 1000-1035	CF-11-11 1090-1129.2	CF-11-11 322.2-351	CF-11-11 435.2-461.5	CF-11-11 578-608	CF-11-11 664.2-700.1	CF-11-11 828-860	CF-11-12 504-541
Ag	0.82	0.77	0.33	0.35	0.32	0.47	0.47	0.78
Al	70,600	74,500	69,300	76,300	67,100	77,000	79,700	78,600
As	0.6	<0.2	<0.2	<0.2	<0.2	<0.2	0.4	0.3
Ba	970	980	820	1,090	930	610	690	590
Be	2.12	2.24	2.21	2.02	1.95	3.87	4.81	3.69
Bi	0.61	0.82	0.38	0.28	0.23	0.37	0.27	1.45
Ca	13,000	12,100	8,200	15,100	7,800	9,000	9,500	7,000
Cd	0.85	0.05	0.03	0.04	0.08	0.09	0.07	0.06
Ce	45.1	53.6	38.3	24.0	43.1	80.3	87.1	84.0
Co	6.1	5.8	6.4	3.2	4.8	3.3	3.7	5.0
Cr	4	4	2	7	3	5	5	4
Cs	9.60	7.61	7.54	6.91	5.57	7.79	11.35	7.90
Cu	1,195	1,265	957	869	917	804	899	1,355
Fe	19,400	18,000	27,900	15,000	16,900	18,400	17,000	18,500
Ga	17.25	17.65	18.35	17.85	17.85	19.70	20.2	19.80
Ge	0.17	0.19	0.17	0.16	0.15	0.21	0.23	0.21
Hf	1.0	1.1	1.7	1.5	1.1	1.7	1.5	1.5
Hg	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
In	0.038	0.037	0.018	0.015	0.021	0.026	0.024	0.050
K	44,100	54,200	58,200	50,700	60,200	52,900	53,000	53,100
La	21.5	25.4	19.1	12.0	20.4	40.8	44.3	44.5
Li	18.4	20.4	14.0	19.8	10.6	9.8	13.2	8.9
Mg	3,600	3,300	4,000	2,100	5,200	2,800	2,900	2,800
Mn	239	251	289	231	279	231	230	224
Mo	26.9	83.3	4.36	17.85	5.64	6.98	88.7	28.9
Na	17,900	17,400	13,800	20,600	14,000	23,200	26,100	22,900
Nb	8.6	9.4	10.5	5.4	12.2	15.8	17.7	15.7
Ni	3.4	3.2	3.7	3.2	5.1	3.0	3.2	3.1
P	420	580	410	330	530	380	470	440
Pb	17.9	12.9	11.2	7.2	11.7	14.8	14.6	17.4
Rb	241	286	266	197.0	247	264	272	312
Re	0.039	0.178	0.005	0.014	0.009	0.008	0.073	0.025
S (Total)	7,100	6,400	3,300	5,400	1,800	3,400	2,800	5,200
Sb	0.18	0.19	0.19	0.19	0.15	0.14	0.15	0.20
Sc	3.5	3.6	4.3	2.6	3.6	3.6	4.0	3.7
Se	2	3	2	2	2	2	3	3
Sn	2.5	2.6	2.0	1.2	1.9	3.4	2.8	3.4
Sr	381	346	250	341	268	361	453	381
Ta	0.63	0.73	0.88	0.41	1.04	1.25	1.37	1.22
Te	0.19	0.18	0.21	0.09	0.06	0.17	0.08	0.14
Th	16.4	20.8	23.9	7.2	23.6	29.7	28.8	29.2
Ti	1,390	1,450	1,500	1,090	1,620	1,680	1,970	1,750
Tl	1.33	1.57	1.27	0.92	1.19	1.37	1.80	1.72
U	4.0	4.8	4.1	2.8	4.4	7.0	7.3	6.9
V	34	31	55	25	44	30	29	27
W	7.0	8.5	3.7	6.0	4.2	5.8	3.7	9.2
Y	15.4	18.7	17.5	8.2	19.1	25.6	29.6	25.9
Zn	62	29	36	25	36	31	27	26
Zr	27.1	29.5	49.1	43.9	27.6	41.1	35.0	36.2

Table . - ICP Metals Analysis Results
Copper Flat Project

Analysis, mg/kg	Sample					
	CF-11-12 718-753	CF-11-12 873.5-905	CF-11-14 0-14	CF-11-14 28.3-51	CF-11-14 431-471.1	CF-11-14 806-829.5
Ag	0.93	0.68	0.74	0.71	1.42	2.32
Al	79,600	84,000	82,600	81,500	81,200	73,800
As	0.8	1.0	0.7	0.8	0.5	0.7
Ba	550	680	700	700	750	700
Be	4.13	4.34	3.60	3.39	3.93	3.15
Bi	0.58	0.55	0.79	0.53	0.57	2.19
Ca	13,800	14,300	16,700	19,500	18,300	25,200
Cd	0.09	0.05	0.19	0.13	0.13	0.14
Ce	84.1	91.7	78.5	46.4	74.2	58.5
Co	5.2	4.9	8.1	6.4	6.9	7.5
Cr	4	4	4	3	3	3
Cs	10.05	9.10	7.54	6.91	7.40	6.66
Cu	1,260	863	1,215	1,530	1,795	1,770
Fe	19,800	23,600	20,400	17,600	22,700	24,700
Ga	20.0	21.5	19.10	18.05	20.3	18.05
Ge	0.23	0.21	0.21	0.18	0.21	0.19
Hf	1.7	1.6	2.2	2.2	1.5	1.0
Hg	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
In	0.039	0.042	0.029	0.037	0.058	0.074
K	51,100	50,400	41,100	41,000	44,200	44,500
La	44.3	48.3	40.4	22.9	37.3	29.2
Li	16.2	12.3	17.6	12.2	13.5	16.9
Mg	2,900	3,200	3,000	2,800	3,000	3,600
Mn	332	322	121	177	195	277
Mo	137.0	1,355	13.95	53.1	29.8	976
Na	22,400	26,800	22,900	23,400	23,700	18,000
Nb	17.0	18.1	7.9	7.2	14.5	11.0
Ni	2.7	3.2	2.5	2.9	2.2	2.8
P	420	500	490	510	470	450
Pb	16.6	17.9	14.9	12.1	12.0	14.2
Rb	306	306	228	215	241	243
Re	0.120	0.452	0.044	0.313	0.057	0.234
S (Total)	7,500	7,000	17,800	14,700	11,300	15,000
Sb	0.23	0.21	0.20	0.25	0.21	0.24
Sc	3.8	4.3	4.0	3.9	3.9	3.5
Se	3	4	6	5	4	5
Sn	3.8	4.3	4.1	3.2	4.8	3.7
Sr	351	502	485	398	480	452
Ta	1.27	1.36	0.58	0.51	1.06	0.83
Te	0.18	0.21	0.24	0.12	0.15	1.06
Th	30.0	27.9	20.0	17.3	20.0	18.7
Ti	1,780	2,120	1,280	1,190	1,880	1,630
Tl	1.75	1.79	1.68	1.66	1.57	1.51
U	8.0	6.7	6.0	5.7	6.1	4.3
V	29	35	31	31	32	31
W	11.2	7.8	6.5	8.4	10.2	13.2
Y	27.1	29.0	17.5	12.2	23.7	21.9
Zn	31	32	26	22	30	27
Zr	39.0	32.7	64.5	64.9	36.3	21.8

Table - - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Copper Flat Project Samples

Sample	Sulfur, weight percent (as S)								kg H ₂ SO ₄ /ton		Sulfur, weight percent (as S) - HCl Wash					
	Paste pH	Total	SO ₄	Pyritic S ²⁻	Non-extractable Sulfur	Non-Sulfate Sulfur	AGP ¹⁾	ANP	NNP	Ratio	NAG pH	NAG @pH 4.5	NAG @pH 7	SO ₄	Pyritic S ²⁻	Non Sulfate S
SRK 0854	4.80	1.33	0.39	0.88	<0.01	0.94	27.5	6.0	-21.5	0.22	3.77	0.780	10.2	0.67	0.60	0.66
SRK 0855	6.41	1.21	0.36	0.85	<0.01	0.85	26.6	6.4	-20.2	0.24	3.00	6.27	2.74	0.26	0.95	0.95
SRK 0856	4.42	2.29	0.72	1.57	<0.01	1.57	49.1	0.5	-48.6	0.01	2.28	33.5	4.90	1.00	1.29	1.29
SRK 0857	7.19	0.84	0.24	0.59	0.01	0.60	18.4	6.9	-11.5	0.38	8.45	N/A	N/A	0.39	0.44	0.45
SRK 0858	4.91	0.92	0.30	0.62	<0.01	0.62	19.4	4.1	-15.3	0.21	3.15	6.08	3.14	0.24	0.68	0.68
SRK 0859	4.49	2.21	0.50	1.71	<0.01	1.71	53.4	1.4	-52.0	0.03	2.26	38.6	5.29	0.60	1.61	1.61
SRK 0860	5.55	3.43	0.91	2.52	<0.01	2.52	78.8	4.6	-74.2	0.06	2.26	33.1	3.14	0.08	3.35	3.35
SRK 0861	6.12	0.54	0.29	0.24	0.01	0.25	7.5	6.0	-1.5	0.80	5.39	N/A	N/A	0.28	0.25	0.27
SRK 0862	7.62	0.01	0.01	<0.01	<0.01	<0.01	<0.3	79.1	79.1	>263.7	10.06	N/A	N/A	<0.01	0.02	0.02
SRK 0864	7.59	<0.01	<0.01	<0.01	<0.01	<0.01	<0.3	24.4	24.4	>81.3	8.29	N/A	N/A	<0.01	<0.01	<0.01
SRK 0865	8.40	<0.01	<0.01	<0.01	<0.01	<0.01	<0.3	23.9	23.9	>79.7	7.15	N/A	N/A	<0.01	<0.01	<0.01
SRK 0866	7.70	0.35	0.06	0.29	<0.01	0.29	9.1	21.6	12.5	2.37	3.23	2.35	2.55	0.07	0.28	0.28
SRK 0867	6.46	1.10	0.32	0.77	0.01	0.78	24.1	6.4	-17.7	0.27	4.35	N/A	N/A	0.53	0.56	0.57
SRK 0868	6.60	0.33	0.16	0.17	<0.01	0.17	5.3	8.3	3.0	1.57	4.43	N/A	N/A	0.21	0.12	0.12
SRK 0869	7.17	1.16	0.35	0.81	<0.01	0.81	25.3	12.4	-12.9	0.49	5.26	N/A	N/A	0.66	0.50	0.50
SRK 0870	6.10	0.20	0.17	0.03	<0.01	0.03	0.9	9.6	8.7	10.67	7.32	N/A	N/A	0.18	0.02	0.02
SRK 0871	7.09	0.01	<0.01	0.01	<0.01	0.01	0.3	8.3	8.0	27.67	7.64	N/A	N/A	<0.01	0.01	0.01
SRK 0872	6.29	1.76	0.71	1.05	<0.01	1.05	32.8	19.8	-13.0	0.60	3.14	4.70	4.12	0.58	1.18	1.18
SRK 0873	7.57	1.63	0.33	1.30	<0.01	1.30	40.6	32.2	-8.4	0.79	9.17	N/A	N/A	0.44	1.19	1.19
SRK 0874	8.25	<0.01	<0.01	<0.01	<0.01	<0.01	<0.3	25.3	25.3	>84.3	7.31	N/A	N/A	<0.01	<0.01	<0.01
SRK 0875	8.01	1.23	0.47	0.76	<0.01	0.76	23.8	25.4	1.6	1.07	8.55	N/A	N/A	0.53	0.70	0.70
SRK 0876	7.88	1.30	0.52	0.78	<0.01	0.78	24.4	17.1	-7.3	0.70	9.01	N/A	N/A	0.46	0.84	0.84
SRK 0877	8.17	0.01	0.01	<0.01	<0.01	<0.01	<0.3	303	303	<1,010.0	9.70	N/A	N/A	0.01	<0.01	0.01
SRK 0878	8.13	<0.01	<0.01	<0.01	<0.01	<0.01	<0.3	472	472	<1,573.3	10.93	N/A	N/A	<0.01	<0.01	<0.01
604552	8.26	0.61	0.20	0.41	<0.01	0.41	12.8	8.3	-4.5	0.65	3.65	0.880	5.88	0.24	0.37	0.37
604562	7.97	1.89	0.35	1.53	0.01	1.54	47.8	16.2	-31.6	0.34	7.75	N/A	N/A	0.68	1.20	1.21
604568	8.20	1.28	0.28	1.00	<0.01	1.00	31.3	22.7	-8.6	0.73	8.47	N/A	N/A	0.54	0.74	0.74
604569	8.30	1.34	0.29	1.05	<0.01	1.05	32.8	18.0	-14.8	0.55	8.33	N/A	N/A	0.44	0.90	0.90
604571	8.27	1.21	0.34	0.88	<0.01	0.88	27.5	18.5	-9.0	0.67	7.75	N/A	N/A	0.48	0.73	0.73
604601	8.19	1.04	0.36	0.68	<0.01	0.68	21.3	22.2	0.9	1.04	8.49	N/A	N/A	0.47	0.57	0.57
604606	7.98	0.97	0.29	0.67	<0.01	0.67	20.9	23.6	2.7	1.13	9.60	N/A	N/A	0.38	0.59	0.59
604638	7.82	1.31	0.36	0.93	0.02	0.95	29.1	38.8	9.7	1.33	8.63	N/A	N/A	0.64	0.65	0.67
604639	7.60	1.10	0.25	0.74	0.11	0.85	23.1	77.4	54.3	3.35	8.71	N/A	N/A	0.48	0.51	0.62
604653	8.09	1.07	0.30	0.77	<0.01	0.77	24.1	26.4	2.3	1.10	8.38	N/A	N/A	0.45	0.62	0.62
604656	7.93	0.81	0.21	0.59	0.01	0.60	18.4	51.8	33.4	2.82	8.20	N/A	N/A	0.33	0.46	0.48
604657	8.11	0.92	0.25	0.67	<0.01	0.67	20.9	31.9	11.0	1.53	8.64	N/A	N/A	0.36	0.56	0.56
604669	8.07	0.97	0.32	0.63	0.01	0.65	19.7	3.2	-16.5	0.16	4.08	N/A	N/A	0.50	0.45	0.47
604672	8.25	0.57	0.23	0.34	<0.01	0.34	10.6	3.2	-7.4	0.30	3.76	1.18	3.92	0.24	0.33	0.33
604673	8.10	0.60	0.19	0.41	<0.01	0.41	12.8	6.9	-5.9	0.54	3.66	1.37	3.92	0.25	0.35	0.35
604675	8.50	0.55	0.20	0.36	<0.01	0.36	11.3	6.5	-4.8	0.58	3.63	1.57	4.31	0.21	0.34	0.34
604695	8.39	0.88	0.40	0.45	0.03	0.48	14.1	32.4	18.3	2.30	8.63	N/A	N/A	0.36	0.50	0.53
604734	8.59	0.36	0.14	0.21	0.01	0.22	6.6	25.0	18.4	3.79	9.13	N/A	N/A	0.14	0.21	0.22
604755	7.86	1.01	0.29	0.67	0.04	0.72	20.9	18.5	-2.4	0.89	8.44	N/A	N/A	0.43	0.54	0.58
604767	7.88	2.95	0.72	2.13	0.10	2.23	66.6	16.7	-49.9	0.25	3.21	4.76	12.5	0.84	2.01	2.11
604787	8.02	1.45	0.30	0.97	0.18	1.15	30.3	30.1	-0.2	0.99	8.00	N/A	N/A	0.53	0.74	0.92
604790	8.21	1.62	0.38	1.15	0.09	1.24	35.9	28.7	-7.2	0.80	8.68	N/A	N/A	0.63	0.90	0.99
604804	8.22	1.51	0.31	1.18	0.02	1.20	36.9	19.9	-17.0	0.54	8.35	N/A	N/A	0.48	1.01	1.03
604811	7.93	1.71	0.53	1.15	0.03	1.18	35.9	32.0	-3.9	0.89	8.42	N/A	N/A	0.49	1.19	1.22
604849	8.06	1.26	0.43	0.81	0.02	0.83	25.3	49.6	24.3	1.96	8.24	N/A	N/A	0.34	0.90	0.92
604854	8.15	1.86	0.42	1.40	0.04	1.44	43.8	23.2	-20.6	0.53	5.08	N/A	N/A	0.88	0.94	0.98
604862	8.04	1.56	0.28	1.16	0.12	1.28	36.3	39.8	3.5	1.10	8.28	N/A	N/A	0.82	0.62	0.74
604867	8.03	3.31	0.65	2.34	0.32	2.66	73.1	26.9	-46.2	0.37	4.24	N/A	N/A	1.27	1.72	2.04
604880	8.65	0.64	0.18	0.43	0.02	0.46	13.4	21.3	7.9	1.59	9.37	N/A	N/A	0.23	0.39	0.41
604889	8.34	1.12	0.31	0.77	0.04	0.81	24.1	32.9	8.8	1.37	8.44	N/A	N/A	0.44	0.64	0.68
604898	8.44	1.03	0.19	0.79	0.04	0.84	24.7	39.8	15.1	1.61	8.64	N/A	N/A	0.37	0.62	0.66
605001	7.77	2.50	0.33	2.08	0.09	2.17	65.0	10.7	-54.3	0.16	2.75	10.1	15.7	1.15	1.26	1.35
605013	8.07	2.83	0.24	2.52	0.07	2.59	78.8	36.1	-42.7	0.46	7.91	N/A	N/A	0.72	2.04	2.11
605033	8.17	1.25	0.33	0.90	0.03	0.92	28.1	29.2	1.1	1.04	8.30	N/A	N/A	0.52	0.70	0.73
605039	8.28	1.51	0.19	1.30	0.02	1.32	40.6	24.1	-16.5	0.59	8.44	N/A	N/A	0.56	0.93	0.95
605078	8.28	2.03	0.25	1.75	0.03	1.78	54.7	38.4	-16.3	0.70	9.17	N/A	N/A	0.45	1.55	1.58
605109	8.43	0.84	0.24	0.58	0.02	0.59	18.1	34.0	15.9	1.88	8.41	N/A	N/A	0.30	0.52	0.54
605143	8.30	0.83	0.13	0.68	0.02	0.70	21.3	32.5	11.2	1.53	8.30	N/A	N/A	0.31	0.50	0.52
605152	8.48	0.51	0.04	0.45	0.02	0.47	14.1	45.0	30.9	3.19	8.16	N/A	N/A	0.14	0.36	0.38
605153	8.60	0.62	0.13	0.49	<0.01	0.49	15.3	42.0	26.7	2.75	8.56	N/A	N/A	0.17	0.45	0.45
605154	8.47	0.54	0.13	0.41	<0.01	0.41	12.8	37.5	24.7	2.93	8.40	N/A	N/A	0.20	0.34	0.34
605175	8.68	0.49	0.09	0.38	0.01	0.40	11.9	41.5	29.6	3.49	8.73	N/A	N/A	0.13	0.34	0.36
605182	8.87	0.40	0.09	0.30	0.02	0.32	9.4	36.0	26.6	3.83	10.70	N/A	N/A	0.11	0.28	0.29
605184	7.37	3.11	0.48	2.38	0.25	2.63	74.4	13.5	-60.9	0.18	3.05	5.16	18.6	1.04	1.82	2.07
605193	8.04	1.48	0.41	1.03	0.04	1.07	32.2	29.5	-2.7	0.92	8.40	N/A	N/A	0.38	1.06	1.10
605200	8.08	2.56	0.36	2.07	0.13	2.20	64.7	15.5	-49.2	0.24	3.03	5.55	14.9	0.71	1.72	1.85
605209	8.10	1.09	0.11	0.89	0.09	0.98	27.8	27.0	-0.8	0.97	9.18	N/A	N/A	0.47	0.54	0.62
605218	8.05	1.56	0.55	0.94	0.07	1.01	29.4	14.0	-15.4	0.48	2.98	5.75	11.7	0.27	1.22	1.29
605234	8.10	1.95	0.22	1.65	0.08	1.73	51.6	34.0	-17.6	0.66	8.17	N/A	N/A	0.60	1.27	1.35
605518	8.25	0.64	0.06	0.49	0.09	0.58	15.3	19.5	4.2	1.27	9.72	N/A	N/A	0.21	0.34	0.43

1) AGP based on Pyritic S content (%S x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.
SVL Report #W0F0630, W0F0636, W0F0637, W0F0638

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Copper Flat Samples**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)					AGP ¹⁾	ANP	NNP	Ratio	NAG pH	NAG pH, kg H2SO4/T		Sulfur, weight percent (as S) - HCl Wash		
		Total	SO ₄	Pyritic S ²⁻	Non-Ext S	Non Sulfate S						@ 4.5	@ 7	SO4	Pyritic S=	Non Sulfate S
CF-11-01-B, 15-43	8.01	1.55	0.28	1.05	0.22	1.27	32.8	12.3	-20.5	0.38	3.40	2.36	8.46	0.61	0.72	0.94
CF-11-01-B, 189-225	7.95	1.13	0.26	0.70	0.16	0.86	21.9	27.6	5.7	1.26	5.37	N/A	N/A	0.84	0.13	0.29
CF-11-01-B, 268.8-292	7.70	2.65	0.32	2.12	0.22	2.33	66.3	35.4	-30.9	0.53	3.35	2.85	8.95	0.93	1.50	1.72
CF-11-01-B, 465-480	8.12	1.35	0.28	0.90	0.18	1.07	28.1	25.1	-3.0	0.89	3.37	2.56	9.15	0.62	0.56	0.73
CF-11-01-B, 575-610	7.93	2.12	0.42	1.53	0.17	1.70	47.8	24.6	-23.2	0.51	3.01	6.10	8.16	0.71	1.24	1.41
CF-11-01-B, 1005-1025	8.36	0.52	0.20	0.28	0.05	0.33	8.8	19.2	10.4	2.18	5.64	N/A	N/A	0.19	0.28	0.33
CF-11-02, 0-27	8.07	1.70	0.41	1.23	0.06	1.29	38.4	22.1	-16.3	0.58	3.28	3.44	5.80	0.24	1.40	1.46
CF-11-02, 147-181	8.47	0.74	0.21	0.50	0.03	0.53	15.6	20.7	5.1	1.33	2.92	5.51	4.13	0.21	0.50	0.53
CF-11-02, 367-408	8.49	1.11	0.23	0.83	0.05	0.88	25.9	19.2	-6.7	0.74	2.78	8.06	5.90	0.43	0.63	0.68
CF-11-02, 471-507	8.32	1.15	0.28	0.83	0.05	0.87	25.9	24.6	-1.3	0.95	3.12	5.31	3.54	0.62	0.49	0.53
CF-11-02, 609-625	8.28	1.16	0.28	0.83	0.05	0.88	25.9	31.0	5.1	1.20	3.58	1.38	4.72	0.28	0.83	0.88
CF-11-03, 23.9-53.2	8.26	0.65	0.17	0.41	0.06	0.47	12.8	45.8	33.0	3.58	8.76	N/A	N/A	0.23	0.36	0.42
CF-11-03, 243-276.5	7.78	2.49	0.54	1.71	0.24	1.95	53.4	48.2	-5.2	0.90	9.04	N/A	N/A	0.28	1.97	2.21
CF-11-03, 316.8-341.8	8.00	1.66	0.11	1.29	0.26	1.55	40.3	39.4	-0.9	0.98	5.56	N/A	N/A	0.80	0.60	0.86
CF-11-03, 497-521.7	7.60	1.33	0.34	0.89	0.10	0.99	27.8	49.7	21.9	1.79	9.71	N/A	N/A	0.61	0.62	0.72
CF-11-03, 580.3-600.3	8.03	0.56	0.19	0.30	0.07	0.37	9.4	24.6	15.2	2.62	7.81	N/A	N/A	0.22	0.27	0.34
CF-11-03, 836.8-851.8	8.21	0.64	0.21	0.39	0.04	0.43	12.2	26.1	13.9	2.14	8.39	N/A	N/A	0.23	0.37	0.41
CF-11-03, 922-949.5	8.21	0.61	0.20	0.35	0.06	0.41	10.9	32.5	21.6	2.98	9.32	N/A	N/A	0.29	0.26	0.32
CF-11-03, 1049.5-1085.3	8.15	0.97	0.19	0.69	0.08	0.78	21.6	29.5	7.9	1.37	5.23	N/A	N/A	0.46	0.43	0.51
CF-11-04, 0-16.6	7.77	0.04	0.02	<0.01	0.01	0.01	<0.3	8.4	8.4	>28.00	8.88	N/A	N/A	0.01	0.01	0.03

1) AGP based on Pyritic S²⁻ content (%S²⁻ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Copper Flat Samples**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)					AGP ¹⁾	ANP	NNP	Ratio	NAG pH	NAG pH, kg H2SO4/T		Sulfur, weight percent (as S) - HCl Wash		
		Total	SO ₄	Pyritic S ⁻	Non-Ext S	Non Sulfate S						@ 4.5	@ 7	SO4	Pyritic S=	Non Sulfate S
CF-11-04, 168-203	8.38	0.93	0.28	0.40	0.25	0.65	12.5	26.6	14.1	2.13	8.25	N/A	N/A	0.36	0.33	0.58
CF-11-04, 464.8-504.8	8.1	0.55	0.16	0.22	0.16	0.38	6.9	18.7	11.8	2.71	8.46	N/A	N/A	0.28	0.11	0.27
CF-11-04, 628-678	8.12	0.52	0.14	0.22	0.16	0.38	6.9	40.3	33.4	5.84	8.48	N/A	N/A	0.23	0.13	0.28
CF-11-05, 35-60	8.34	0.65	0.20	0.29	0.17	0.45	9.1	13.3	4.2	1.46	4.83	N/A	N/A	0.35	0.14	0.30
CF-11-05, 760-780	8.45	0.82	0.30	0.32	0.20	0.52	10.0	17.2	7.2	1.72	8.18	N/A	N/A	0.42	0.20	0.40
CF-11-05, 880-895	8.36	0.60	0.17	0.28	0.14	0.43	8.8	21.2	12.4	2.41	7.74	N/A	N/A	0.21	0.24	0.39
CF-11-06, 6.4-19.4	8.27	1.19	0.43	0.52	0.24	0.76	16.3	21.6	5.3	1.33	8.17	N/A	N/A	0.34	0.62	0.86
CF-11-06, 135.4-155.6	8.14	1.23	0.34	0.68	0.21	0.89	21.3	26.1	4.8	1.23	7.90	N/A	N/A	0.38	0.64	0.85
CF-11-06, 418-443	8.02	1.07	0.28	0.58	0.21	0.79	18.1	37.4	19.3	2.07	9.01	N/A	N/A	0.29	0.57	0.78
CF-11-06, 603-628	8.07	1.29	0.24	0.76	0.29	1.05	23.8	21.2	-2.6	0.89	8.14	N/A	N/A	0.32	0.68	0.96
CF-11-06, 673-693	8.25	0.92	0.24	0.52	0.16	0.68	16.3	9.3	-7.0	0.57	8.67	N/A	N/A	0.37	0.39	0.55
CF-11-06, 860-868	8.63	0.45	0.14	0.20	0.11	0.31	6.3	34.0	27.7	5.40	8.29	N/A	N/A	0.18	0.17	0.28
CF-11-06, 872.5-898	8.65	0.62	0.18	0.31	0.13	0.44	9.7	12.8	3.1	1.32	3.44	2.15	3.92	0.22	0.28	0.40
CF-11-07, 312-346.6	8.30	0.87	0.18	0.44	0.26	0.70	13.8	34.0	20.2	2.46	7.87	N/A	N/A	0.37	0.25	0.50
CF-11-07, 521.7-543	8.40	0.96	0.19	0.60	0.17	0.78	18.8	31.0	12.2	1.65	8.31	N/A	N/A	0.27	0.53	0.70
CF-11-07, 966.8-996.8	8.56	0.54	0.16	0.23	0.16	0.38	7.2	29.0	21.8	4.03	8.06	N/A	N/A	0.27	0.12	0.27
CF-11-08, 844.2-879.2	8.26	0.98	0.24	0.52	0.22	0.74	16.3	21.2	4.9	1.30	7.82	N/A	N/A	0.41	0.36	0.57
CF-11-08, 1139.5-1179.5	8.66	0.31	0.08	0.14	0.08	0.23	4.4	34.4	30.0	7.82	7.90	N/A	N/A	0.10	0.13	0.21
CF-11-08, 365-405	8.22	0.91	0.27	0.48	0.17	0.65	15.0	25.1	10.1	1.67	8.20	N/A	N/A	0.44	0.30	0.47
CF-11-09, 313-333	7.92	1.34	0.31	0.87	0.16	1.03	27.2	23.6	-3.6	0.87	7.85	N/A	N/A	0.32	0.86	1.02

1) AGP based on Pyritic S⁻ content (%S⁻ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Copper Flat Samples**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)					AGP ¹⁾	ANP	NNP	Ratio	NAG pH	NAG pH, kg H2SO4/T		Sulfur, weight percent (as S) - HCl Wash		
		Total	SO ₄	Pyritic S ²⁻	Non-Ext S	Non Sulfate S						@ 4.5	@ 7	SO ₄	Pyritic S=	Non Sulfate S
CF-11-09, 495.5-528.5	8.34	0.58	0.21	0.28	0.09	0.38	8.8	17.3	8.5	1.97	7.85	N/A	N/A	0.26	0.23	0.32
CF-11-09, 688-718	8.18	0.67	0.15	0.37	0.15	0.52	11.6	25.2	13.6	2.17	8.78	N/A	N/A	0.32	0.20	0.35
CF-11-09, 923-953	8.51	0.20	0.05	0.08	0.06	0.15	2.5	25.2	22.7	10.08	8.82	N/A	N/A	0.07	0.07	0.13
CF-11-09, 1097.8-1125	8.54	0.29	0.10	0.09	0.10	0.19	2.8	17.8	15.0	6.36	8.17	N/A	N/A	0.11	0.08	0.18
CF-11-09, 588-628	8.28	0.41	0.10	0.19	0.13	0.32	5.9	30.7	24.8	5.20	8.18	N/A	N/A	0.18	0.10	0.23
CF-11-10, 565.1-585	8.38	0.97	0.24	0.52	0.21	0.74	16.3	29.2	12.9	1.79	8.41	N/A	N/A	0.33	0.43	0.64
CF-11-10, 651-688	8.54	0.48	0.10	0.25	0.13	0.38	7.8	27.7	19.9	3.55	9.05	N/A	N/A	0.19	0.16	0.29
CF-11-10, 829-862	8.31	0.94	0.14	0.60	0.21	0.80	18.8	23.2	4.4	1.23	8.40	N/A	N/A	0.37	0.36	0.57
CF-11-10-B, 1000-1035	8.70	0.68	0.20	0.33	0.15	0.48	10.3	25.7	15.4	2.50	7.91	N/A	N/A	0.33	0.20	0.35
CF-11-11, 1090-1129.2	8.83	0.66	0.19	0.28	0.19	0.47	8.8	27.2	18.4	3.09	8.38	N/A	N/A	0.25	0.22	0.41
CF-11-11, 322.2-351	8.36	0.34	0.11	0.13	0.09	0.22	4.1	25.7	21.6	6.27	8.11	N/A	N/A	0.14	0.11	0.20
CF-11-11, 435.2-461.5	8.43	0.51	0.15	0.21	0.15	0.36	6.6	33.6	27.0	5.09	8.22	N/A	N/A	0.20	0.15	0.30
CF-11-11, 578-608	8.52	0.17	0.06	0.04	0.07	0.11	1.3	22.3	21.0	17.15	8.41	N/A	N/A	0.07	0.03	0.10
CF-11-11, 664.2-700.1	8.49	0.34	0.13	0.11	0.09	0.21	3.4	18.3	14.9	5.38	7.83	N/A	N/A	0.14	0.10	0.20
CF-11-11, 828-860	8.60	0.25	0.09	0.06	0.10	0.16	1.9	22.3	20.4	11.74	8.17	N/A	N/A	0.08	0.07	0.17
CF-11-12, 504-541	8.49	0.52	0.27	0.12	0.13	0.25	3.8	9.9	6.1	2.61	3.53	1.38	4.34	0.25	0.14	0.27
CF-11-12, 718-753	8.22	0.77	0.23	0.34	0.20	0.54	10.6	32.6	22.0	3.08	8.33	N/A	N/A	0.29	0.28	0.48
CF-11-12, 873.5-905	8.68	0.57	0.16	0.28	0.13	0.41	8.8	19.8	11.0	2.25	7.62	N/A	N/A	0.22	0.23	0.35
CF-11-14, 0-14	8.16	1.76	0.34	0.89	0.53	1.42	27.8	29.2	1.4	1.05	7.70	N/A	N/A	0.56	0.67	1.20
CF-11-14, 28.3-51	8.31	1.42	0.34	0.73	0.35	1.08	22.8	40.6	17.8	1.78	8.00	N/A	N/A	0.64	0.44	0.78
CF-11-14, 431-471.1	8.28	1.04	0.17	0.58	0.29	0.87	18.1	36.4	18.3	2.01	8.28	N/A	N/A	0.36	0.39	0.68
CF-11-14, 806-829.5	8.28	1.36	0.32	0.67	0.37	1.04	20.9	50.7	29.8	2.43	7.82	N/A	N/A	0.38	0.60	0.98

1) AGP based on Pyritic S²⁻ content (%S²⁻ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

Analytical Report # W2A0358

**Table . - MWMP Extraction Test Data,
Copper Flat Project, 100%-2" Feeds**

Sample I.D.	Temp °C		Flow Rate, mL/min	Volume, L		pH			Moisture, wt. %		Distribution, wt. pct. ¹⁾	
	Start	End		Inf.	Eff.	Inf.	Eff.	Extract	Feed	Residue	+2"	-2"
SRK 0854	23.0	21.6	3.49	5.03	4.73	5.30	4.33	4.54	<0.20	1.58	70.9	29.1
SRK 0855	23.0	21.6	3.47	5.00	4.77	5.30	4.74	4.93	<0.20	1.90	14.2	85.8
SRK 0857	23.0	21.6	3.48	5.01	4.74	5.30	6.90	7.35	<0.20	1.19	65.2	34.8
SRK 0858	23.0	21.6	1.78	2.56	2.39	5.30	3.87	3.99	<0.20	1.50	27.4	72.6
SRK 0860	23.0	21.6	1.80	2.59	2.39	5.30	3.40	3.57	<0.20	2.47	40.6	59.4
SRK 0862	23.0	21.6	3.56	5.12	4.83	5.30	6.99	7.24	<0.20	1.76	66.9	33.1
SRK 0864	22.0	22.0	3.49	5.02	4.83	5.65	6.78	7.18	<0.20	1.08	82.7	17.3
SRK 0866	22.0	22.2	3.56	5.13	4.99	5.65	6.93	6.92	<0.20	1.07	62.4	37.6
SRK 0867	22.0	22.2	3.48	5.01	4.77	5.65	4.60	4.84	<0.20	1.45	33.5	66.5
SRK 0868	22.0	22.4	3.48	5.01	4.74	5.65	5.39	5.48	<0.20	1.70	46.7	53.3
SRK 0870	22.0	22.2	3.48	5.01	4.67	5.65	4.84	4.96	<0.20	3.61	85.2	14.8
SRK 0871	22.0	22.4	3.61	5.20	4.96	5.65	6.56	6.91	<0.20	2.33	31.3	68.7
SRK 0872	22.6	22.4	3.51	5.05	4.51	5.38	2.64	3.05	<0.20	4.75	35.5	64.5
SRK 0873	22.6	22.4	3.49	5.02	4.75	5.38	6.17	7.35	<0.20	0.95	55.4	44.6
SRK 0876	22.6	22.4	3.65	5.25	3.42	5.38	6.59	7.82	<0.20	23.50	7.2	92.8
SRK 0878	22.6	22.4	3.56	5.12	2.96	5.38	7.38	8.18	<0.20	24.21	10.8	89.2
604552	21.4	22.3	1.78	2.56	1.93	5.16	8.12	8.27	<0.20	15.83	0.0	100.0
604562	22.4	22.4	1.74	2.50	1.78	5.09	8.00	8.28	<0.20	15.50	0.0	100.0
604569	22.2	22.0	1.74	2.50	1.99	5.48	7.83	8.25	<0.20	13.27	0.0	100.0
604571	22.2	22.0	1.74	2.51	2.06	5.48	7.93	8.36	<0.20	10.88	0.0	100.0
604601	22.2	22.0	1.74	2.50	2.08	5.48	8.22	8.47	<0.20	11.35	0.0	100.0
604606	22.2	22.0	1.74	2.51	2.09	5.48	7.62	8.31	<0.20	9.89	0.0	100.0
604656	21.4	22.3	1.74	2.50	1.85	5.16	8.20	8.27	<0.20	15.57	0.0	100.0
604669	21.4	22.3	1.74	2.51	1.91	5.16	8.44	8.39	<0.20	14.05	0.0	100.0
604673	22.2	22.0	1.74	2.50	1.84	5.48	7.68	8.33	<0.20	13.43	0.0	100.0
604734	21.4	22.3	1.74	2.50	1.92	5.16	8.57	8.74	<0.20	13.63	0.0	100.0
604767	22.4	22.4	1.74	2.50	1.90	5.09	7.21	7.80	<0.20	13.36	0.0	100.0
604787	22.0	22.3	3.47	5.00	4.03	5.40	7.82	8.28	<0.20	14.67	0.0	100.0
604790	22.0	22.3	3.47	5.00	4.21	5.40	7.90	8.22	<0.20	11.69	0.0	100.0
604811	22.6	22.4	3.48	5.01	4.10	5.38	7.45	8.24	<0.20	10.79	0.0	100.0
604849	22.4	22.4	1.74	2.50	1.89	5.09	7.76	8.16	<0.20	15.56	0.0	100.0
604854	22.4	22.4	1.74	2.50	1.86	5.09	7.26	8.16	<0.20	13.18	0.0	100.0
604862	21.4	22.3	3.47	5.00	3.85	5.16	8.14	8.11	<0.20	14.50	0.0	100.0
604867	22.4	22.4	1.74	2.51	1.95	5.09	7.65	8.06	<0.20	13.35	0.0	100.0
605033	22.0	22.3	3.47	5.00	4.21	5.40	7.55	8.37	<0.20	11.21	0.0	100.0
605109	22.0	22.3	3.47	5.00	4.10	5.40	8.05	8.49	<0.20	12.46	0.0	100.0
605153	21.4	22.3	1.12	1.61	1.24	5.16	8.32	8.15	<0.20	13.47	0.0	100.0
605175	22.2	22.0	1.74	2.50	2.03	5.48	8.50	8.78	<0.20	10.41	0.0	100.0
605184	22.4	22.4	1.74	2.50	1.96	5.09	6.73	7.47	<0.20	9.77	0.0	100.0
605218	22.6	22.4	1.74	2.50	2.01	5.38	7.51	8.15	<0.20	11.04	0.0	100.0

1) Distribution before crushing +2" to just pass 2".

**Table . - MWMP Extraction Test Data,
Copper Flat Project, 100%-2" Feeds**

Sample I.D.	Temp °C		Flow Rate, mL/min	Volume, L		pH			Moisture, wt. %		Distribution, wt. pct. ¹⁾	
	Start	End		Inf.	Eff.	Inf.	Eff.	Extract	Feed	Residue	+2"	-2"
CF-11-01-B, 268.8-292	14.7	19.8	3.47	5.00	4.63	5.68	8.21	7.98	1.00	5.11	1.5	98.5
CF-11-02, 0-27	14.7	19.8	3.49	5.02	4.82	5.68	7.36	7.27	0.28	2.53	2.3	97.7
CF-11-02, 147-181	14.7	19.8	3.47	4.99	4.83	5.68	7.02	6.99	0.24	1.40	0.0	100.0
CF-11-02, 367-408	14.7	19.8	3.47	5.00	4.87	5.68	6.18	5.86	<0.10	1.13	0.0	100.0
CF-11-03, 23.9-53.2	14.7	19.8	3.47	4.99	4.84	5.68	8.09	7.58	<0.10	0.71	3.2	96.8
CF-11-03, 922-949.5	14.7	19.8	3.48	5.01	4.83	5.68	7.63	7.30	<0.10	1.86	0.0	100.0
CF-11-07, 312-346.6	14.7	19.8	3.49	5.02	4.87	5.68	7.58	7.33	<0.10	1.56	7.3	92.7
CF-11-09, 588-628	14.7	19.8	3.48	5.01	4.82	5.68	7.69	7.46	<0.10	2.04	2.1	97.9
CF-11-10, 565.1-585	14.7	19.8	3.46	4.98	4.79	5.68	8.17	7.66	0.37	2.55	0.0	100.0
CF-11-10-B, 1000-1035	14.7	19.8	3.47	5.00	4.81	5.68	8.23	7.68	0.27	2.51	0.0	100.0

1) Distribution before crushing +2" to just pass 2".

Table . - Profile II Analytical Results, MWMP Extracts,
Copper Flat Project

Analysis, mg/L	Extracts									
	SRK 0854	SRK 0855	SRK 0857	SRK 0858	SRK 0860	SRK 0862	SRK 0864	SRK 0866	SRK 0867	SRK 0868
Alkalinity, CaCO ₃ (Acidity)	<1.0	<1.0	13	(19)	(31)	10	5.2	3.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	N/A	N/A	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	15	N/A	N/A	13	6.4	3.6	<1.0	<1.0
Hydroxide (OH)	<1.0	<1.0	<1.0	N/A	N/A	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	5.3	0.34	<0.045	0.63	1.5	0.075	<0.045	<0.045	1.6	0.28
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	0.0030	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0012	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.015	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0050	0.0022
Calcium	26	8.1	70	3.0	2.0	12	2.5	1.3	23	40
Chloride	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.11	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.033	<0.010
Copper	290	0.53	<0.050	1.0	0.16	<0.050	<0.050	<0.050	17	1.5
Fluoride	1.1	0.12	0.55	0.40	<0.10	0.67	<0.10	<0.10	1.6	0.88
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	0.34	0.046	<0.010	0.33	2.7	<0.010	0.012	0.020	1.3	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	6.7	<0.50	5.1	<0.50	<0.50	2.8	<0.50	<0.50	3.8	3.2
Manganese	1.3	0.14	0.040	0.046	0.029	0.12	0.0069	0.0086	1.2	0.20
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	0.037	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.069	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.050	<0.025	0.042	<0.025	<0.025	0.026	<0.025	<0.025	<0.025	<0.025
pH, stu	4.54	4.93	7.35	3.99	3.57	7.24	7.18	6.92	4.84	5.48
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.8	0.70	3.0	0.61	<0.50	1.2	<0.50	<0.50	1.0	1.9
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.012	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	1.4	<0.50	1.0	<0.50	<0.50	3.2	0.82	<0.50	<0.50	1.3
Strontium	0.10	<0.10	0.29	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	0.15
Sulfate	440	24	180	29	51	37	2.9	1.8	130	130
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	660	41	300	23	38	67	<10	18	180	190
Uranium	0.028	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	1.4	0.056	<0.010	0.015	0.016	0.012	<0.010	<0.010	0.12	0.12
Cations, meq/L	11.8	0.49	4.03	0.48	0.82	1.01	0.16	<0.10	2.32	2.45
Anions, meq/L	9.25	0.51	4.02	0.62	1.06	1.02	0.17	<0.10	2.79	2.75
Balance, %	12	2.0	<1.0	13	13	<1.0	1.2	N/A	9.3	5.7
Wetlab Report #	1008263	1008263	1008263	1008263	1008263	1008263	1008272	1008272	1008272	1008272

Table . - Profile II Analytical Results, MWMP Extracts,
Copper Flat Project

Analysis, mg/L	Extracts									
	SRK 0870	SRK 0871	SRK 0872	SRK 0873	SRK 0876	SRK 0878	604552	604562	604569	604571
Alkalinity, CaCO ₃ (Acidity)	<1.0	3.4	(200)	20	110	130	100	140	60	91
CO ₃ , CaCO ₃	<1.0	<1.0	N/A	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.8
HCO ₃	<1.0	4.2	N/A	25	130	160	120	170	73	110
Hydroxide (OH)	<1.0	<1.0	N/A	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	1.2	<0.045	17	0.10	<0.045	<0.045	<0.045	<0.045	<0.22	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0083	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0095	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	0.021	<0.010	0.056	0.077	<0.010	<0.010	<0.010	0.042
Beryllium	0.0045	<0.0010	0.0052	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	0.17	0.36	0.14	0.19
Cadmium	0.015	<0.0010	0.0037	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	24	0.58	120	17	560	43	62	120	28	64
Chloride	<1.0	<1.0	<1.0	<1.0	28	<1.0	16	29	7.8	15
Chromium	<0.0050	<0.0050	0.0071	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.048	<0.010	0.046	<0.010	0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	8.6	<0.050	5.6	<0.050	0.58	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.1	<0.10	0.53	<0.10	4.2	0.71	8.0	69	3.9	7.3
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	0.041	<0.010	9.6	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	6.6	<0.50	4.7	0.87	180	9.4	10	24	9.4	14
Manganese	1.3	<0.0050	0.92	0.013	0.18	<0.0050	0.023	0.071	0.052	0.062
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.0020	0.0060	0.00035	0.00052
Molybdenum	<0.010	<0.010	<0.010	0.069	3.5	<0.010	0.035	0.039	0.035	0.058
Nickel	0.039	<0.010	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	42	1.6	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	0.071	<0.025	<0.025	0.59	0.28	0.17	0.19	0.028	<0.025
pH, stu	4.96	6.91	3.05	7.53	7.82	8.18	8.27	8.28	8.25	8.36
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	0.77	1.3	<0.50	2.4	280	5.0	12	23	14	40
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	0.011	<0.0050	<0.0050	0.015	<0.0050	<0.010
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	1.8	<0.50	0.80	0.75	59	4.0	54	79	31	64
Strontium	<0.10	<0.10	<0.10	<0.10	4.0	0.70	0.49	1.2	0.21	0.58
Sulfate	130	<1.0	570	27	2,400	3.5	200	390	93	290
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	190	<10	810	65	3,900	240	450	800	240	550
Uranium	<0.010	<0.010	0.058	<0.010	0.19	<0.010	0.052	0.037	0.019	0.040
Vanadium	<0.010	<0.010	<0.010	<0.010	0.083	0.043	0.016	0.021	0.013	0.016
Zinc	0.26	<0.010	0.31	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	2.30	<0.10	11.1	1.03	52.5	3.22	6.57	12.0	3.89	8.16
Anions, meq/L	2.76	<0.10	11.9	0.97	56.1	2.85	7.00	15.7	3.56	8.71
Balance, %	9.2	N/A	3.6	2.7	3.3	6.2	3.2	13	4.4	3.3
Wetlab Report #	1008272	1008272	1008288	1008288	1008288	1008288	1008487	1008397	1008456	1008456

Table . - Profile II Analytical Results, MWMP Extracts,
Copper Flat Project

Analysis, mg/L	Extracts									
	604601	604606	604656	604669	604673	604734	604767	604787	604790	604811
Alkalinity, CaCO ₃ (Acidity)	98	98	100	97	82	120	90	110	91	99
CO ₃ , CaCO ₃	3.0	<1.0	<1.0	2.4	1.2	6.9	<1.0	<1.0	<1.0	<1.0
HCO ₃	110	120	130	110	97	130	110	130	110	120
Hydroxide (OH)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	<0.045	0.050	<0.045	<0.045	<0.045	0.055	<0.045	<0.045	<0.045	<0.045
Antimony	0.0033	<0.0025	<0.0025	0.0029	0.0028	<0.0025	0.0040	0.0063	0.0034	0.0026
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	0.0054	<0.0050	<0.0050	0.0083	<0.0050	0.010
Barium	0.020	0.014	<0.010	0.013	<0.010	<0.010	0.019	0.044	0.040	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.34	0.36	0.12	0.21	0.23	0.32	0.31	<0.10	<0.10	0.15
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0024	<0.0010	<0.0010	<0.0010
Calcium	45	35	79	83	45	18	180	85	61	82
Chloride	16	19	91	21	12	27	31	9.4	15	15
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.013	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	5.0	6.0	6.5	6.6	5.6	9.0	7.8	4.2	4.8	4.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0005	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	8.7	5.5	13	13	7.0	6.1	52	12	9.5	15
Manganese	0.022	0.013	0.018	0.043	<0.0050	0.0072	0.94	0.033	0.026	0.011
Mercury	<0.0002	0.00043	0.0009	0.0018	0.0029	0.00056	<0.00010	0.00047	0.00014	0.00052
Molybdenum	0.091	0.086	0.15	0.12	0.27	0.094	0.069	0.40	0.11	0.081
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	0.033	0.35	0.22	0.23	<0.025	<0.12	0.19	0.051	0.45
pH, stu	8.47	8.31	8.27	8.39	8.33	8.74	7.80	8.28	8.22	8.24
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	42	25	16	24	22	17	59	11	19	16
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.011	0.0053	0.0096	0.017	0.011	0.0066	0.041	0.017	0.015	0.025
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	56	50	45	42	34	85	58	34	34	40
Strontium	0.44	0.38	0.80	0.75	0.35	0.50	1.7	0.74	0.55	1.2
Sulfate	150	100	140	260	110	100	720	190	140	190
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	390	320	540	560	320	360	1,300	520	440	490
Uranium	0.051	0.020	0.029	0.056	0.042	<0.010	0.19	0.11	0.081	0.085
Vanadium	<0.050	<0.010	0.019	0.020	<0.010	0.019	0.038	0.015	0.010	0.022
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.041	<0.010	<0.010	<0.010
Cations, meq/L	6.47	5.02	7.38	7.65	4.86	5.54	17.3	6.99	5.79	7.48
Anions, meq/L	5.74	4.90	7.95	8.24	4.55	5.68	18.1	6.57	5.39	6.59
Balance, %	6.0	1.2	3.8	3.7	3.3	1.2	2.1	3.1	3.6	6.3
Wetlab Report #	1008456	1008456	1008487	1008487	1008456	1008487	1008397	1008342	1008342	1008288

Table . - Profile II Analytical Results, MWMP Extracts,
Copper Flat Project


Analysis, mg/L	Extracts									
	604849	604854	604862	604867	605033	605109	605153	605175	605184	605218
Alkalinity, CaCO ₃ (Acidity)	99	94	120	110	83	87	63	89	31	87
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	1.4	2.5	<1.0	7.0	<1.0	<1.0
HCO ₃	120	110	150	130	99	100	76	94	37	110
Hydroxide (OH)	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	<0.045	<0.045	<0.045	<0.045	0.056	<0.045	0.066	0.12	<0.045	<0.045
Antimony	0.0057	0.0041	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0046	<0.0025	0.015
Arsenic	0.020	0.0066	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0078	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	0.019	0.010	0.028	0.039	0.036	0.016	0.060
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.21	0.25	0.14	0.16	0.11	0.15	0.29	0.26	<0.10	0.27
Cadmium	<0.0010	<0.0010	<0.0010	0.0013	<0.0010	<0.0010	<0.0010	<0.0010	0.068	<0.0010
Calcium	83	78	88	190	53	29	18	15	480	140
Chloride	6.9	29	12	6.1	15	20	7.8	6.8	18	34
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.026	<0.010
Copper	<0.050	0.14	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.084	<0.050
Fluoride	4.4	4.6	5.5	74	6.6	6.4	5.0	3.1	8.8	6.4
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	0.13	<0.10
Magnesium	16	18	18	46	7.8	5.6	4.2	6.6	140	20
Manganese	0.034	0.073	<0.0050	0.22	0.020	0.018	0.0090	0.0094	36	0.072
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00019	<0.00010	<0.00010
Molybdenum	0.18	0.12	0.088	0.12	0.072	0.074	0.021	0.081	<0.010	0.14
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.16	<0.025	<0.025	<0.025	<0.025	0.063	0.043	<0.025	<0.12	0.19
pH, stu	8.16	8.16	8.11	8.06	8.37	8.49	8.15	8.78	7.47	8.15
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	17	58	22	61	25	28	13	18	42	22
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.020	0.023	0.018	0.048	<0.0050	0.0062	<0.0050	0.0087	0.011	0.0061
Silver	<0.0050	0.0075	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	39	40	44	25	40	53	52	84	45	39
Strontium	1.4	1.3	2.2	4.2	0.59	1.2	1.2	1.3	2.5	2.0
Sulfate	220	240	280	670	140	99	120	140	2,000	330
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	500	580	580	1,100	370	370	270	350	2,800	700
Uranium	0.19	0.037	0.019	<0.010	0.016	0.014	<0.010	0.013	0.016	0.044
Vanadium	0.015	0.017	0.027	0.035	0.015	0.011	<0.010	0.019	0.068	0.028
Zinc	<0.010	0.013	<0.010	0.017	<0.010	<0.010	<0.010	<0.010	0.47	<0.010
Cations, meq/L	7.59	8.60	8.35	15.9	5.67	4.93	3.85	5.42	39.8	10.9
Anions, meq/L	6.97	7.86	8.92	20.4	5.35	4.68	4.23	5.04	43.2	9.97
Balance, %	4.2	4.5	3.3	12	2.9	2.6	4.7	3.6	4.1	4.4
Wetlab Report #	1008397	1008397	1008487	1008397	1008342	1008342	1008487	1008456	1008397	1008288

Table . - Profile II Analytical Results, MWMP Extracts,
Copper Flat Project

Analysis, mg/L	Extracts									
	CF-11-01-B	CF-11-02	CF-11-02	CF-11-02	CF-11-03	CF-11-03	CF-11-07	CF-11-09	CF-11-10	CF-11-10-B
	268.8-292	0-27	147-181	367-408	23.9-53.2	922-949.5	312-346.6	588-628	565.1-585	1000-1035
Alkalinity, CaCO ₃	48	17	6.9	<1.0	13	11	14	14	18	20
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	59	21	8.4	<1.0	15	14	17	18	22	25
Aluminum	<0.045	<0.045	0.048	<0.045	0.089	0.047	0.058	0.064	0.062	0.055
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	43	5.6	2.7	<0.50	4.4	3.0	4.7	4.5	4.3	2.1
Chloride	2.0	1.1	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.93	0.62	<0.10	<0.10	<0.10	<0.10	<0.10	0.14	0.24	0.18
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	6.8	0.83	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.78	0.62
Manganese	<0.0050	0.0075	0.011	<0.0050	<0.0050	<0.0050	0.0096	0.0065	0.0059	<0.0050
Mercury	0.0019	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00015	<0.00010
Molybdenum	0.064	<0.010	<0.010	<0.010	<0.010	<0.010	0.018	<0.010	<0.010	0.016
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.038	0.030	0.030	<0.025	0.027	0.027	0.028	0.027	0.033	0.028
pH, stu	7.98	7.27	6.99	5.86	7.58	7.30	7.33	7.46	7.66	7.68
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	3.4	0.60	<0.50	<0.50	<0.50	<0.50	0.50	0.56	1.3	0.97
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	8.3	3.6	0.58	<0.50	1.0	1.4	2.2	1.4	5.7	8.5
Strontium	0.39	<0.10	<0.10	<0.10	0.14	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	99	5.0	<1.0	<1.0	2.2	1.2	3.2	2.2	7.6	4.0
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	220	31	12	<10	25	23	40	17	27	24
Vanadium	0.014	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	3.15	0.52	0.17	<0.10	0.27	0.22	0.35	0.31	0.57	0.56
Anions, meq/L	3.13	0.51	0.14	<0.10	0.29	0.25	0.35	0.35	0.53	0.50
Balance, %	<1.0	<1.0	9.2	N/A	3.3	8.2	<1.0	6.3	3.2	5.1

Wetlab Report # 1203375

Chemex Laboratory Reports



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.

4977 Energy Way

Reno NV 89502

Phone: 775 356 5395

Fax: 775 355 0179

www.alschemex.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: 1
Finalized Date: 9-JUL-2010
Account: EIM

CERTIFICATE RE10080824

Project: 3438

P.O. No.:

This report is for 74 Pulp samples submitted to our lab in Reno, NV, USA on 22-JUN-2010.

The following have access to data associated with this certificate:

CHRISTINE DEBURLE

JACK MCPARTLAND

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter


ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project.

To: MCCLELLAND LABS
ATTN: JACK MCPARTLAND
1016 GREG ST
SPARKS NV 89431


Signature: Colin Ramshaw, Vancouver Laboratory Manager

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS USA, Inc.

4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	Sample Description	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
	SRK 0854	0.27	6.46	7.83	<0.2	1130	2.88	2.05	0.50	0.27	121.5	5.3	51	5.88	>10000	1.94
	SRK 0855	0.28	0.49	7.40	1.2	690	4.13	0.67	0.43	0.15	67.7	4.7	52	6.07	354	1.58
	SRK 0856	0.28	0.16	7.19	0.6	590	3.63	1.34	0.30	0.03	45.6	7.0	103	6.01	115.0	2.24
	SRK 0857	0.27	1.48	6.43	2.0	790	2.15	0.60	1.12	2.06	55.9	5.8	103	8.37	2420	2.05
	SRK 0858	0.29	0.40	7.59	0.4	650	3.82	1.30	0.43	0.04	48.0	5.2	86	7.55	495	2.17
	SRK 0859	0.25	0.09	7.21	0.5	550	3.19	0.48	0.11	0.02	34.9	6.7	115	5.11	74.5	2.06
	SRK 0860	0.28	0.16	7.05	0.7	500	3.26	0.72	0.22	0.09	49.7	31.2	54	4.96	214	3.54
	SRK 0861	0.29	2.72	7.17	0.8	790	3.80	0.86	0.35	0.33	89.8	7.3	72	6.00	6190	1.89
	SRK 0862	0.31	0.28	7.65	<0.2	580	1.55	<0.01	6.94	0.50	52.4	39.1	79	2.21	127.0	7.27
	SRK 0864	0.26	0.56	7.72	1.1	730	2.27	0.17	3.99	2.04	56.5	23.0	63	6.50	520	5.68
	SRK 0865	0.26	0.19	7.33	0.9	720	2.28	0.14	2.99	0.09	69.8	9.7	116	6.28	94.6	4.46
	SRK 0866	0.28	0.15	7.93	0.4	700	2.23	1.69	3.86	0.05	59.3	15.8	59	5.15	147.5	5.59
	SRK 0867	0.28	1.50	7.10	1.1	760	4.12	1.21	0.58	0.28	65.1	9.1	74	6.70	3050	1.98
	SRK 0868	0.27	3.58	8.70	1.9	860	3.85	1.10	0.88	0.77	70.2	6.3	57	9.14	2750	3.31
	SRK 0869	0.27	4.47	8.37	1.7	810	3.57	1.08	1.22	1.45	72.1	10.7	47	8.68	4400	2.54
	SRK 0870	0.28	0.11	8.93	0.6	430	4.23	0.07	4.77	4.00	73.1	53.8	158	10.85	3200	4.77
	SRK 0871	0.29	8.12	7.55	1.0	690	3.92	2.23	0.35	6.51	88.6	16.9	37	6.11	>10000	1.66
	SRK 0872	0.28	0.60	8.01	1.1	920	3.22	1.69	0.57	0.14	73.7	7.7	101	7.33	910	2.25
	SRK 0873	0.29	0.88	8.04	1.1	740	4.44	0.77	1.53	0.23	78.6	8.5	59	7.77	2000	1.97
	SRK 0874	0.27	0.18	9.11	1.2	680	2.35	0.34	5.02	0.06	46.4	23.6	31	7.82	107.5	6.83
	SRK 0875	0.28	1.13	8.05	5.5	770	3.95	1.59	1.86	0.38	84.5	14.1	44	8.89	964	2.98
	SRK 0876	0.28	1.38	7.94	4.6	780	3.62	1.70	1.42	0.44	83.1	14.4	48	8.88	1385	3.09
	SRK 0877	0.29	0.13	6.07	5	630	1.63	0.39	14.05	0.12	46.0	12.8	29	5.01	79.2	3.94
	SRK 0878	0.29	0.09	3.74	7	350	1.01	0.17	19.65	0.08	31.8	6.1	11	6.40	26.8	1.46
	604552	0.22	1.53	9.10	0.8	820	4.01	4.07	1.23	4.97	75.7	8.0	70	8.85	1230	3.36
	604562	0.25	6.73	8.38	1.4	770	3.67	3.48	1.71	6.07	73.7	14.3	65	9.46	6150	3.01
	604568	0.25	1.19	8.54	0.9	760	4.80	0.59	1.37	0.14	89.5	9.6	84	9.40	2030	2.82
	604569	0.22	1.22	8.31	1.1	630	4.80	0.66	1.08	0.19	87.2	9.9	92	9.02	1550	2.88
	604571	0.25	1.24	8.52	0.7	760	4.77	0.75	1.27	0.16	85.6	7.9	52	8.84	1650	3.01
	604601	0.23	1.66	7.89	0.8	690	3.98	0.47	0.97	0.13	72.5	7.7	71	6.73	2900	1.56
	604606	0.23	1.59	7.84	0.9	610	5.08	0.69	1.31	0.12	82.9	7.3	71	8.63	1820	1.93
	604638	0.21	4.21	7.73	3.6	740	4.44	1.43	2.06	1.06	71.6	12.2	56	17.05	4810	2.67
	604639	0.22	1.90	7.89	2.3	760	3.57	1.65	3.42	0.28	66.0	11.8	31	12.30	2500	3.26
	604653	0.25	1.69	8.71	0.8	800	4.19	0.70	1.86	0.24	71.3	10.6	52	8.20	2250	3.27
	604656	0.26	1.63	8.18	1.1	800	3.35	0.87	2.50	0.08	62.2	6.9	45	7.98	2360	2.28
	604657	0.26	1.91	8.51	1.6	790	3.84	1.34	1.96	1.64	65.8	9.3	47	9.14	2050	3.01
	604669	0.24	2.42	8.30	1.5	510	3.75	1.86	0.44	1.06	96.7	7.9	85	9.52	3460	1.79
	604672	0.23	0.97	8.18	1.0	430	4.33	0.54	0.32	0.89	100.5	4.7	105	8.98	1760	0.91
	604673	0.24	0.64	8.24	0.7	450	3.81	0.40	0.25	0.05	97.2	4.0	95	6.83	1340	0.86
	604675	0.22	0.86	8.25	0.8	500	3.99	0.33	0.27	0.18	53.3	6.8	89	6.89	1415	0.73

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K %	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg %	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na %	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
SRK 0854	22.2	0.34	1.5	<0.01	0.245	4.21	80.6	17.4	0.24	71	594	1.74	8.0	3.2	580
SRK 0855	20.5	0.11	2.3	<0.01	0.018	3.93	34.1	16.9	0.27	67	40.2	2.10	5.3	3.9	390
SRK 0856	19.95	0.10	1.6	<0.01	0.007	3.91	22.4	11.8	0.21	28	11.10	2.02	6.8	1.9	150
SRK 0857	16.00	0.12	1.3	<0.01	0.080	4.15	30.4	21.5	0.55	305	43.8	1.45	6.8	30.7	460
SRK 0858	21.4	0.10	1.3	<0.01	0.043	4.52	24.2	13.0	0.18	80	9.27	2.25	12.4	1.4	440
SRK 0859	17.05	0.07	1.3	<0.01	0.006	4.29	16.9	9.2	0.18	18	8.21	1.81	7.2	1.8	170
SRK 0860	16.55	0.11	1.3	<0.01	0.007	3.76	24.0	11.0	0.22	24	13.20	1.80	4.1	1.3	200
SRK 0861	20.5	0.11	1.4	<0.01	0.132	4.44	54.8	17.2	0.28	113	177.0	2.03	12.4	2.7	480
SRK 0862	17.10	0.17	3.6	<0.01	0.067	1.09	26.2	13.5	2.40	1340	6.08	1.88	39.0	78.2	2370
SRK 0864	20.8	0.16	3.4	<0.01	0.099	2.46	26.1	13.3	1.63	1110	2.54	2.19	8.5	21.3	2140
SRK 0865	20.8	0.13	3.2	<0.01	0.152	2.12	32.7	12.2	1.01	407	7.78	2.77	10.1	4.4	1540
SRK 0866	21.6	0.14	1.4	<0.01	0.090	2.17	27.1	8.2	1.29	747	3.50	2.46	7.8	7.2	2300
SRK 0867	21.2	0.09	1.7	<0.01	0.069	4.04	35.2	14.3	0.26	157	99.6	2.08	10.4	8.1	450
SRK 0868	23.4	0.14	1.4	<0.01	0.127	4.43	34.4	16.0	0.50	199	5.12	2.61	12.2	4.6	990
SRK 0869	22.0	0.15	1.3	0.01	0.164	4.75	34.1	17.5	0.44	635	12.65	2.31	10.6	3.7	900
SRK 0870	21.1	0.21	5.4	<0.01	0.062	1.13	30.4	8.6	1.35	1420	2.66	2.15	8.2	49.4	1100
SRK 0871	19.85	0.18	1.2	0.01	0.186	4.64	46.0	10.2	0.19	483	43.4	1.79	12.4	5.4	540
SRK 0872	19.15	0.14	1.7	<0.01	0.024	4.41	38.0	11.4	0.25	108	21.9	1.91	7.6	2.4	400
SRK 0873	20.9	0.15	2.5	<0.01	0.047	4.54	38.4	15.9	0.30	165	40.7	2.32	8.0	4.9	550
SRK 0874	21.5	0.19	2.7	<0.01	0.124	2.78	21.7	10.8	2.11	1180	7.70	2.72	6.5	11.8	3120
SRK 0875	20.6	0.17	2.0	<0.01	0.053	4.86	44.9	17.8	0.48	444	44.4	1.85	11.1	5.9	790
SRK 0876	20.5	0.17	1.7	<0.01	0.062	5.03	44.9	16.7	0.45	351	43.1	1.75	10.6	6.4	710
SRK 0877	14.45	0.13	3.0	0.01	0.052	2.07	23.6	16.3	1.01	619	1.51	1.25	10.3	13.7	1220
SRK 0878	8.54	0.09	2.1	0.01	0.028	1.07	16.4	16.3	1.13	301	0.65	0.34	6.3	5.7	640
604552	23.2	0.19	1.1	<0.01	0.105	5.04	36.9	15.3	0.48	316	7.50	2.65	13.6	2.4	900
604562	22.6	0.18	1.2	0.01	0.205	4.87	35.7	19.6	0.58	654	24.1	1.70	11.1	2.5	920
604568	22.7	0.19	1.5	<0.01	0.076	5.16	45.1	17.0	0.45	314	39.6	2.68	15.3	2.6	730
604569	22.6	0.19	1.5	<0.01	0.086	4.99	43.9	15.5	0.43	374	8.77	2.54	15.5	2.6	680
604571	23.0	0.18	1.3	<0.01	0.075	4.91	43.0	16.1	0.45	277	10.15	2.76	15.0	4.1	700
604601	20.2	0.15	1.8	0.02	0.064	5.15	37.0	12.2	0.34	142	45.9	2.34	11.1	5.4	510
604606	21.9	0.16	1.7	<0.01	0.055	5.10	41.9	13.2	0.31	180	13.85	2.31	16.6	4.9	490
604638	21.2	0.18	1.4	0.01	0.115	4.75	33.8	24.2	0.40	672	210	1.29	13.4	5.3	690
604639	21.6	0.16	1.2	<0.01	0.106	4.89	30.2	17.3	0.55	920	9.12	0.86	12.4	3.1	900
604653	23.1	0.18	1.0	<0.01	0.110	4.93	34.3	14.2	0.44	561	61.6	2.62	13.9	4.3	790
604656	21.4	0.15	1.0	<0.01	0.092	5.23	29.2	11.8	0.47	666	35.1	1.53	12.9	3.3	770
604657	22.9	0.15	1.0	0.01	0.095	5.06	30.8	15.9	0.47	915	20.3	2.35	13.6	4.0	850
604669	22.4	0.18	2.1	0.01	0.086	5.57	50.5	11.1	0.26	366	97.8	1.46	17.9	2.5	440
604672	21.7	0.13	2.9	0.01	0.049	5.47	53.2	7.7	0.13	54	172.0	2.03	16.4	2.4	190
604673	21.3	0.14	3.0	<0.01	0.034	5.79	52.9	7.3	0.13	29	183.5	1.93	15.9	2.1	170
604675	21.8	0.10	2.8	<0.01	0.034	5.35	28.8	7.0	0.14	27	36.4	2.22	16.2	2.1	240

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 356 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Project: 3438

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	Pb ppm	Rb ppm	Re ppm	S ppm	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti ppm	U ppm
SRK 0854	74.9	215	1.010	0.98	0.27	3.7	9	9.0	434	0.59	0.67	17.8	0.126	1.83
SRK 0855	15.2	223	0.146	1.05	0.16	3.8	4	3.8	354	0.38	0.13	18.5	0.082	1.59
SRK 0856	13.5	238	0.040	2.07	0.19	3.1	3	3.2	315	0.48	0.34	9.0	0.093	1.57
SRK 0857	68.4	250	0.100	0.70	0.21	5.5	2	3.0	340	0.47	0.16	12.5	0.137	1.70
SRK 0858	14.1	253	0.008	0.79	0.17	4.1	2	4.4	456	0.84	0.21	18.0	0.188	1.50
SRK 0859	8.5	227	0.010	1.83	0.12	2.6	3	2.3	282	0.52	0.15	13.1	0.094	1.40
SRK 0860	8.5	206	0.018	3.34	0.13	2.8	5	2.8	280	0.29	0.37	13.5	0.064	1.33
SRK 0861	15.5	221	0.150	0.48	0.29	3.7	4	4.5	357	0.89	0.40	24.4	0.154	1.36
SRK 0862	2.7	30.4	0.009	0.04	0.22	15.1	2	1.3	773	2.18	<0.05	2.5	1.035	1.0
SRK 0864	10.4	105.5	0.006	0.01	0.36	19.2	2	2.3	748	0.53	0.06	6.4	0.566	1.00
SRK 0865	8.5	145.0	0.004	0.01	0.47	12.7	2	2.3	614	0.57	0.05	7.4	0.426	1.12
SRK 0866	6.8	111.5	0.002	0.31	0.19	15.9	2	3.6	672	0.44	0.82	5.0	0.499	0.98
SRK 0867	16.3	229	0.088	0.97	0.21	4.0	3	4.0	394	0.76	0.50	19.9	0.139	1.55
SRK 0868	50.8	258	0.011	0.36	0.29	7.2	3	6.2	636	0.84	0.44	18.3	0.271	2.23
SRK 0869	144.5	282	0.008	1.19	0.44	6.8	4	4.9	529	0.71	0.46	19.0	0.227	2.18
SRK 0870	9.5	92.7	0.046	0.23	0.13	23.2	3	1.3	760	0.59	<0.05	6.9	0.734	0.54
SRK 0871	30.8	221	0.006	0.03	0.32	4.1	6	5.4	302	1.00	1.04	30.8	0.153	1.64
SRK 0872	37.9	227	0.034	1.83	0.27	4.1	4	3.5	352	0.57	0.23	18.4	0.118	2.04
SRK 0873	21.5	243	0.153	1.79	0.21	4.7	4	3.6	378	0.60	0.16	26.2	0.122	1.91
SRK 0874	8.9	191.5	0.006	0.04	0.57	26.3	2	2.6	841	0.39	0.06	6.6	0.650	2.12
SRK 0875	28.6	280	0.052	1.27	0.38	6.4	3	4.0	417	0.80	0.44	25.4	0.193	2.15
SRK 0876	29.2	292	0.071	1.35	0.36	6.1	4	3.9	396	0.75	0.44	25.4	0.183	1.95
SRK 0877	15.0	93.5	0.002	0.04	0.40	9.3	2	1.5	634	0.63	0.09	7.3	0.357	0.89
SRK 0878	9.6	53.2	<0.002	0.04	0.41	4.8	1	0.9	640	0.43	<0.05	5.7	0.171	0.43
604552	265	274	0.036	0.64	0.50	7.4	3	4.8	694	0.86	2.30	18.6	0.279	1.74
604562	400	258	0.067	1.83	0.88	7.5	5	6.2	499	0.76	0.85	21.9	0.235	2.21
604568	19.6	286	0.047	1.30	0.22	6.3	3	5.1	548	1.08	0.16	26.3	0.226	1.96
604569	25.1	292	0.023	1.45	0.26	6.1	3	4.8	498	1.08	0.20	25.5	0.220	1.94
604571	21.0	285	0.022	1.28	0.23	6.1	3	4.7	559	1.06	0.20	26.3	0.221	1.86
604601	14.4	259	0.041	1.08	0.37	4.5	4	3.8	357	0.83	0.17	27.6	0.140	1.89
604606	19.1	291	0.009	1.00	0.26	4.4	3	4.8	429	1.27	0.22	30.8	0.180	1.91
604638	47.5	249	0.081	1.44	1.11	6.0	4	4.8	365	0.94	0.62	21.1	0.209	2.03
604639	20.7	248	0.044	1.16	1.10	7.5	3	4.5	506	0.80	0.55	15.6	0.268	1.73
604653	25.1	259	0.132	1.10	0.27	7.1	3	5.2	655	0.95	0.19	19.1	0.253	1.89
604656	16.4	254	0.176	0.82	0.90	6.3	3	3.7	509	0.87	0.23	18.0	0.241	1.67
604657	183.5	254	0.023	0.95	0.44	7.1	3	4.4	628	0.88	0.35	18.2	0.260	1.78
604669	121.0	323	0.112	0.96	0.39	4.5	4	3.7	289	1.29	0.25	39.5	0.168	1.92
604672	64.9	292	0.157	0.81	0.24	2.2	2	2.4	280	1.33	0.13	38.4	0.080	2.05
604673	23.4	285	0.223	0.63	0.16	2.1	2	1.8	265	1.25	0.09	37.7	0.080	1.99
604675	18.2	254	0.053	0.55	0.21	2.3	2	2.1	266	1.32	0.09	38.5	0.089	1.93

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	ME-MS61 Cu ppm 0.001	Cu-OG62 % 0.001
SRK 0854		32	7.3	17.8	58	39.4		1.040
SRK 0855		28	4.6	12.2	27	69.0		
SRK 0856		24	7.6	9.2	13	38.9		
SRK 0857		37	8.4	12.8	313	38.9		
SRK 0858		35	8.2	17.4	17	25.6		
SRK 0859		21	7.0	9.6	9	31.5		
SRK 0860		21	5.3	9.2	15	33.0		
SRK 0861		27	4.9	21.3	57	35.8		
SRK 0862		129	0.4	23.2	98	155.0		
SRK 0864		156	1.3	33.4	117	122.5		
SRK 0865		94	1.4	33.8	19	99.7		
SRK 0866		131	4.2	31.2	40	44.1		
SRK 0867		30	7.8	19.6	36	44.9		
SRK 0868		62	9.5	29.4	103	22.7		
SRK 0869		57	13.4	25.5	175	22.6		
SRK 0870		145	1.6	76.6	328	178.5		
SRK 0871		26	6.9	33.0	386	28.0	1.450	
SRK 0872		30	10.5	13.4	26	38.3		
SRK 0873		29	6.4	17.7	29	63.7		
SRK 0874		206	1.9	27.1	65	80.8		
SRK 0875		49	10.1	24.7	69	52.3		
SRK 0876		49	9.2	23.1	69	45.0		
SRK 0877		79	1.9	19.8	70	93.7		
SRK 0878		35	1.3	11.3	36	66.0		
604552		56	11.0	30.1	673	20.2		
604562		56	18.1	26.1	761	19.8		
604568		44	10.9	28.8	35	27.1		
604569		41	9.8	26.3	35	25.7		
604571		43	9.3	29.2	34	22.1		
604601		26	8.1	20.2	24	42.9		
604606		29	8.1	26.8	24	35.5		
604638		43	22.5	25.4	154	26.7		
604639		58	16.9	28.3	84	20.9		
604653		48	7.3	29.4	55	17.0		
604656		46	10.6	27.5	55	16.8		
604657		51	10.5	26.2	226	16.6		
604669		29	12.2	28.9	125	44.4		
604672		12	9.0	23.5	121	64.1		
604673		10	7.3	20.1	16	67.4		
604675		13	8.8	18.0	24	61.5		

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
604695	0.23	1.94	7.53	0.3	690	3.83	0.54	1.34	0.07	71.4	7.8	82	6.21	2430	1.27
604734	0.23	0.84	8.46	0.4	700	4.86	0.29	1.40	0.10	85.6	6.3	93	8.83	1320	2.66
904755	0.24	4.75	8.52	7.2	660	4.90	6.47	1.03	0.69	108.5	8.8	101	11.25	2370	2.53
604767	0.23	5.69	7.78	16.5	870	2.30	2.15	0.56	2.89	60.6	28.1	91	7.81	6360	3.73
604787	0.31	5.08	7.60	9.7	730	3.91	1.70	1.14	1.32	71.0	14.0	79	9.77	6410	3.14
604790	0.25	3.55	6.92	2.6	780	3.30	1.58	1.21	0.32	73.3	13.7	113	6.08	5390	2.17
604804	0.25	2.56	7.69	2.9	860	3.70	1.53	1.39	0.29	65.4	10.9	90	6.55	3090	2.69
604811	0.23	2.55	7.13	12.0	810	2.74	1.36	1.44	1.48	51.3	15.3	118	8.42	2940	2.84
604849	0.24	0.67	6.65	58.9	1120	2.22	0.59	0.42	0.56	50.5	11.1	109	7.04	818	2.87
604854	0.25	4.15	7.87	24.8	1660	1.22	1.04	0.99	2.14	175.5	11.6	85	7.48	4830	2.67
604862	0.23	4.50	6.58	9.7	1060	1.66	1.62	1.25	0.23	199.0	13.5	64	24.5	4820	11.55
604867	0.28	12.15	6.57	2.5	1100	1.51	33.0	0.88	1.63	>500	17.0	60	24.0	>10000	10.95
604880	0.22	0.54	7.84	1.9	1070	3.32	0.40	1.76	0.13	49.3	5.9	93	8.93	729	2.07
604889	0.22	1.75	7.32	2.2	760	3.62	1.11	1.74	0.19	74.0	6.0	84	7.39	2060	1.77
604898	0.23	1.60	7.96	4.6	1100	2.50	0.57	2.32	<0.02	63.6	6.1	93	7.97	2020	1.83
605001	0.22	3.63	7.67	38.5	1200	1.50	1.25	0.36	1.80	62.7	13.2	66	15.90	2810	7.56
605013	0.24	4.54	6.46	8.7	880	1.75	3.17	1.35	1.69	56.0	12.6	78	7.58	3940	4.75
605033	0.24	2.34	7.63	5.3	990	2.31	2.86	1.48	1.04	43.3	7.5	58	11.00	2030	4.66
605039	0.21	0.99	7.10	4.4	800	2.73	0.46	1.28	0.31	46.2	11.3	72	13.85	1370	5.28
605078	0.24	2.95	6.17	1.4	640	1.77	1.51	1.49	8.05	24.0	9.2	87	6.70	2810	2.40
605109	0.21	1.12	7.22	0.7	880	2.69	0.52	1.47	0.06	54.4	6.9	77	9.81	1555	2.18
605143	0.25	1.12	7.75	1.1	760	3.07	0.33	1.27	0.59	72.0	6.7	72	10.40	1610	2.14
605152	0.26	0.82	7.96	1.5	890	2.91	0.79	2.13	2.61	48.5	5.2	45	12.40	751	2.22
605153	0.23	0.62	8.02	1.6	1440	3.07	0.32	2.19	1.26	48.1	5.4	58	14.50	642	2.33
605154	0.23	0.64	8.24	1.2	1160	2.69	0.29	2.01	0.07	43.6	5.8	56	11.95	1175	2.13
605175	0.25	0.51	6.65	1.6	350	4.37	0.28	1.70	2.17	38.0	4.3	63	9.92	657	0.99
605182	0.22	0.38	6.35	1.0	510	3.54	1.31	1.67	0.02	34.8	3.8	69	6.93	648	0.83
604184	0.24	8.62	7.13	16.6	910	1.74	1.74	0.43	6.81	35.3	21.1	48	13.35	8280	7.12
605193	0.26	1.58	6.98	8.7	780	2.53	0.67	1.07	0.85	57.8	7.1	69	8.37	1335	3.74
605200	0.24	1.83	6.49	3.1	880	1.86	1.36	0.76	0.39	36.9	16.7	133	9.66	3500	5.13
605209	0.24	3.46	7.37	61.9	730	2.87	0.55	1.24	1.26	55.3	9.5	95	7.20	1940	3.44
605218	0.23	4.88	6.74	17.4	960	2.46	2.07	0.57	1.75	47.9	7.6	121	7.54	1510	3.69
605234	0.24	1.71	6.31	24.3	760	2.02	0.91	0.99	0.46	39.8	17.9	121	8.70	1810	4.11
605518	0.22	1.27	8.17	1.3	710	4.47	0.34	1.30	0.10	89.1	6.3	94	10.05	1905	2.42

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 Hg-CV41 Hg ppm 0.01	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10
604695	20.5	0.14	1.3	<0.01	0.061	4.93	35.5	9.9	0.28	189	199.0	2.24	10.6	2.5	490
604734	22.4	0.16	1.5	<0.01	0.058	5.26	42.2	11.8	0.39	407	41.9	2.84	17.3	2.8	680
904755	22.8	0.18	1.5	<0.01	0.077	5.43	59.6	22.1	0.32	365	29.3	1.72	17.0	4.0	550
604767	20.5	0.17	1.3	<0.01	0.164	4.53	32.2	14.1	0.41	340	30.4	1.07	11.8	5.2	610
604787	20.6	0.17	1.5	<0.01	0.143	4.86	38.3	30.7	0.43	271	132.5	1.32	12.7	3.6	460
604790	18.10	0.15	1.2	<0.01	0.085	4.83	42.7	17.8	0.26	179	186.5	1.64	11.2	4.0	430
604804	21.0	0.17	1.0	<0.01	0.078	4.75	33.1	15.8	0.41	226	174.5	2.04	12.2	3.6	570
604811	19.60	0.15	1.0	<0.01	0.071	4.38	26.9	20.3	0.45	266	112.0	0.87	10.3	4.9	740
604849	17.55	0.14	1.0	<0.01	0.019	4.52	27.2	24.5	0.41	356	168.0	0.51	8.9	4.2	550
604854	19.45	0.12	0.8	<0.01	0.091	3.93	118.0	8.6	0.37	224	278	0.91	9.5	4.3	1390
604862	29.7	0.65	0.7	<0.01	0.100	4.12	146.5	45.8	1.75	703	664	0.59	4.6	9.4	750
604867	32.9	0.53	0.8	<0.01	0.412	4.08	1020	39.9	1.75	550	428	0.70	4.9	12.9	1100
604880	20.3	0.08	2.1	<0.01	0.019	2.76	24.3	32.5	0.54	248	55.6	3.04	9.2	3.8	510
604889	20.7	0.15	1.8	<0.01	0.077	3.99	33.9	18.4	0.31	198	53.2	2.40	12.0	3.1	440
604898	20.4	0.59	2.3	<0.01	0.057	3.10	32.9	21.5	0.46	201	632	2.84	7.1	3.7	520
605001	27.2	0.15	1.2	<0.01	0.072	4.07	29.2	23.6	0.99	923	38.0	0.97	9.7	8.6	490
605013	19.25	0.11	1.1	<0.01	0.145	4.22	28.8	18.0	0.53	518	198.0	0.97	9.6	8.0	300
605033	23.2	0.09	1.6	<0.01	0.066	4.60	21.5	28.6	0.81	466	63.8	1.89	8.6	6.3	480
605039	23.2	0.09	1.5	<0.01	0.025	4.53	22.9	29.9	1.08	503	36.8	1.64	12.1	7.2	670
605078	16.35	0.08	1.1	0.02	0.158	3.88	12.5	9.8	0.23	761	103.0	1.19	7.3	6.1	330
605109	19.80	0.09	1.2	<0.01	0.030	4.07	25.0	17.6	0.46	581	37.9	1.84	10.8	6.4	740
605143	19.70	0.10	1.3	<0.01	0.035	4.15	33.6	18.2	0.39	558	17.85	2.23	11.9	5.4	490
605152	19.75	0.11	1.6	0.01	0.116	3.41	21.5	24.0	0.48	729	18.75	2.58	8.9	4.9	560
605153	20.2	0.11	1.7	0.01	0.037	3.53	19.9	25.8	0.48	896	25.7	2.68	8.7	5.8	560
605154	19.85	0.11	1.3	<0.01	0.027	3.48	20.1	21.8	0.45	572	16.15	2.78	6.2	5.5	570
605175	18.05	0.09	1.0	0.03	0.038	2.12	15.0	12.0	0.27	529	23.4	2.84	7.0	4.9	470
605182	17.50	0.08	1.1	<0.01	0.012	2.76	13.3	11.1	0.25	221	68.2	2.84	7.7	5.1	480
604184	25.7	0.14	1.0	<0.1	0.183	4.00	20.3	20.3	0.88	1660	204	0.66	8.2	8.2	630
605193	20.6	0.10	1.3	<0.01	0.040	4.12	29.7	14.2	0.47	439	26.4	1.43	14.5	5.7	400
605200	20.8	0.10	1.1	<0.01	0.054	4.16	19.9	23.2	0.83	361	55.6	1.01	10.0	10.7	410
605209	21.1	0.11	1.8	<0.01	0.054	4.09	26.8	20.2	0.45	584	21.6	1.67	14.1	3.7	440
605218	19.85	0.11	1.1	<0.1	0.037	4.22	23.1	26.2	0.48	479	21.6	1.39	11.2	4.2	410
605234	18.40	0.11	0.9	<0.1	0.033	4.43	19.5	38.6	0.61	442	80.3	0.91	8.7	4.3	430
605518	22.5	0.15	1.2	<0.01	0.080	4.39	44.2	12.0	0.41	333	41.2	2.52	15.6	2.6	660

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Tl ppm 0.005	ME-MS61 U ppm 0.1	
604695	10.8	280	0.158	0.95	0.32	4.2	3	3.2	356	0.76	0.19	25.9	0.146	1.77	6.6
604734	16.6	261	0.027	0.39	0.11	6.2	2	4.1	604	1.22	0.11	26.5	0.249	1.62	5.7
904755	36.5	320	0.091	1.12	0.83	5.0	3	4.2	391	1.23	0.41	32.3	0.191	2.21	9.1
604767	87.0	215	0.103	2.94	0.45	5.0	8	2.3	336	1.07	1.09	37.5	0.157	2.33	15.8
604787	64.1	264	0.151	1.52	0.80	5.1	5	2.7	317	0.96	0.51	29.8	0.167	1.88	10.0
604790	11.1	267	0.108	1.60	0.32	3.9	5	2.3	272	0.90	0.67	28.4	0.144	1.58	11.1
604804	16.5	237	0.181	1.60	0.18	5.0	4	2.9	514	0.82	0.60	23.0	0.186	1.75	6.6
604811	55.2	231	0.126	1.86	0.43	5.1	4	2.8	268	0.76	0.56	27.0	0.168	1.93	6.1
604849	21.5	235	0.219	1.45	1.32	2.7	4	2.0	260	0.66	0.15	23.0	0.140	1.90	9.1
604854	33.5	169.5	0.352	1.73	0.90	2.9	5	2.3	381	0.66	0.33	11.2	0.141	2.17	3.6
604862	10.3	306	0.724	1.43	0.64	19.6	2	3.7	266	0.26	0.23	32.5	0.172	2.21	4.3
604867	10.8	299	0.236	2.89	0.14	5.7	13	5.6	298	0.27	4.32	83.7	0.186	2.69	3.5
604880	13.5	179.0	0.031	0.58	0.16	4.4	2	3.7	715	0.60	0.07	11.1	0.165	1.02	3.6
604889	14.1	223	0.054	1.02	0.22	4.2	3	3.6	468	0.85	0.33	21.9	0.149	1.35	6.8
604898	14.5	280	0.177	1.05	0.18	7.9	<1	3.5	613	0.48	<0.05	15.1	0.135	1.09	5.8
605001	79.1	221	0.086	2.34	6.92	9.2	4	2.2	293	0.67	0.32	36.2	0.179	2.40	9.0
605013	52.0	191.0	0.228	2.63	0.36	6.6	4	2.5	240	0.66	1.60	24.4	0.146	1.55	6.1
605033	45.5	240	0.071	1.21	0.45	6.5	2	3.0	437	0.55	1.37	15.6	0.183	1.58	5.2
605039	12.1	260	0.045	1.42	0.31	7.5	2	2.7	319	0.78	0.18	25.8	0.196	1.69	6.9
605078	153.5	172.5	0.081	1.80	0.45	3.0	3	1.9	193.5	0.52	0.42	14.5	0.113	1.36	3.9
605109	13.1	202	0.035	0.78	0.47	4.2	2	2.7	355	0.73	0.10	21.2	0.158	1.51	5.6
605143	39.2	197.0	0.027	0.82	0.33	4.2	2	2.8	388	0.86	0.11	23.0	0.154	1.41	5.8
605152	45.5	220	0.014	0.50	0.35	5.1	1	2.7	507	0.57	0.09	11.6	0.162	1.22	3.7
605153	29.8	216	0.022	0.55	0.38	4.9	1	2.8	612	0.57	0.05	11.6	0.155	1.23	3.8
605154	13.2	213	0.014	0.50	0.29	4.3	1	2.3	568	0.41	0.06	11.3	0.110	1.13	3.2
605175	37.6	129.0	0.017	0.47	0.60	2.9	1	1.6	315	0.46	<0.05	12.7	0.113	0.74	3.1
605182	9.6	142.0	0.051	0.39	0.23	2.8	1	2.1	377	0.46	<0.05	10.9	0.126	0.74	2.8
604184	155.5	184.5	0.315	2.83	0.82	9.7	4	2.3	249	0.61	1.86	33.0	0.176	1.91	7.1
605193	39.5	198.0	0.036	1.35	0.64	5.0	2	3.1	317	1.06	0.34	27.4	0.166	1.68	7.7
605200	11.6	221	0.085	2.43	0.39	7.3	4	2.5	253	0.66	0.41	28.3	0.160	1.59	8.7
605209	134.5	205	0.028	1.08	1.13	4.8	2	3.2	345	0.98	0.16	21.1	0.171	1.60	9.2
605218	548	237	0.075	1.42	1.83	5.0	2	2.8	277	0.78	1.10	19.2	0.167	1.64	5.9
605234	18.9	236	1.87	1.87	0.62	4.7	3	1.8	229	0.63	0.43	22.2	0.142	1.33	6.4
605518	16.1	220	0.024	0.62	0.12	5.7	2	4.2	528	1.06	0.15	21.6	0.210	1.65	5.6

***** See Appendix Page for comments regarding this certificate *****



ALS Chemex
 EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alschemex.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2010
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824


Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	ME-MS61 Cu-OG62 Cu % 0.001
604695		28	14.8	21.1	26	27.6	
604734		45	7.3	32.4	34	23.6	
904755		35	27.9	28.7	144	32.7	
604767		57	13.6	19.6	329	32.9	
604787		38	9.5	21.1	163	35.2	
604790		32	9.9	15.0	53	28.6	
604804		38	5.6	24.7	59	22.8	
604811		46	15.4	18.9	192	24.6	
604849		38	10.3	18.2	60	21.0	
604854		40	12.8	18.7	236	21.1	
604862		155	5.6	9.6	110	17.9	
604867		129	6.8	13.2	202	27.3	1.450
604880		32	12.5	17.7	31	63.0	
604889		29	9.2	22.1	41	53.0	
604898		32	9.6	20.8	42	46.7	
605001		136	3.4	15.7	250	33.7	
605013		78	13.3	16.5	198	32.2	
605033		99	6.2	17.3	130	49.7	
605039		88	4.1	20.0	61	45.7	
605078		33	14.0	12.9	1000	32.2	
605109		37	8.0	20.5	37	32.7	
605143		33	7.6	21.5	99	34.2	
605152		36	6.6	18.5	325	53.9	
605153		35	6.4	19.1	191	53.7	
605154		34	3.9	17.7	43	41.7	
605175		23	8.4	14.4	302	30.5	
605182		20	8.8	13.9	18	32.1	
604184		150	5.6	16.0	673	30.0	
605193		55	5.7	21.5	108	36.0	
605200		79	5.2	16.2	70	34.2	
605209		50	6.6	22.1	165	49.2	
605218		55	7.3	18.2	225	30.5	
605234		56	8.1	17.3	74	26.0	
605518		39	12.7	27.6	33	22.2	

***** See Appendix Page for comments regarding this certificate *****

Project: 3438

CERTIFICATE OF ANALYSIS RE10080824

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61 ME-MS61 Hg-CV41	<p>Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Interference: Mo>400ppm on ICP-MS Cd,ICP-AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.</p>



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 1
 Finalized Date: 23-JAN-2012
 Account: EIM

CERTIFICATE RE12007978

Project: 3438

P.O. No.:

This report is for 62 Crushed Rock samples submitted to our lab in Reno, NV, USA on 13-JAN-2012.

The following have access to data associated with this certificate:

CHRISTINE DEBURLE

JACK MCPARTLAND

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- MS61	48 element four acid ICP- MS	
<small>The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project. Statement required by Nevada State Law NRS 519</small>		

To: MCCLELLAND LABS
 ATTN: JACK MCPARTLAND
 1016 GREG ST
 SPARKS NV 89431

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



Project: 3438

CERTIFICATE OF ANALYSIS REI2007978

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
3438-CF-11-01-B 15-43	0.12	3.87	7.72	7.2	910	3.26	1.10	0.55	0.59	150.5	12.7	4	7.96	6420	2.39
3438-CF-11-01-B 189-225	0.12	2.94	6.76	6.5	800	3.24	0.70	1.07	0.68	56.8	7.2	2	6.71	4300	2.10
3438-CF-11-01-B 268.8-292	0.12	4.84	6.76	24.5	470	2.57	6.94	1.55	1.31	81.7	16.4	2	9.35	6720	5.01
3438-CF-11-01-B 465-480	0.12	3.72	7.82	1.7	880	3.26	0.84	1.17	0.36	73.2	10.1	3	17.90	5110	3.51
3438-CF-11-01-B 575-610	0.12	3.92	6.69	9.3	870	1.92	0.67	0.84	1.08	56.8	12.3	2	7.66	4440	3.24
3438-CF-11-01-B 1005-1025	0.12	0.60	8.20	1.9	880	4.05	0.56	1.52	0.16	70.9	4.2	3	6.74	800	2.28
3438-CF-11-02 0-27	0.12	1.59	8.65	1.4	780	4.11	1.19	1.19	0.28	72.3	9.7	3	9.38	1425	3.72
3438-CF-11-02 147-181	0.12	0.50	8.66	2.1	760	4.73	0.50	1.97	0.13	73.0	7.9	2	7.74	484	3.64
3438-CF-11-02 367-408	0.12	0.93	8.48	2.0	690	4.41	0.50	1.61	0.20	76.0	8.4	2	6.89	1115	3.30
3438-CF-11-02 471-507	0.12	1.97	8.43	1.2	660	4.82	2.29	1.63	1.42	77.8	9.3	3	9.15	1390	3.24
3438-CF-11-02 609-625	0.14	1.12	8.33	2.4	670	4.87	0.73	1.42	0.37	79.0	7.9	3	10.45	1405	2.36
3438-CF-11-03 23.9-53.2	0.12	0.65	7.86	1.4	910	2.80	1.53	2.11	0.12	39.6	5.0	5	6.12	1085	2.10
3438-CF-11-03 243-276.5	0.12	3.64	6.72	9.3	780	2.32	1.47	2.09	1.06	60.0	29.3	6	11.10	5720	3.70
3438-CF-11-03 316.8-341.8	0.12	4.32	7.23	6.2	770	2.33	29.8	1.41	0.71	62.8	12.2	4	10.50	8250	3.09
3438-CF-11-03 497-521.7	0.12	2.19	6.56	7.5	760	2.90	1.20	1.91	0.73	39.8	9.9	3	8.64	2590	2.37
3438-CF-11-03 580.3-600.3	0.14	1.11	7.75	2.7	790	3.51	0.86	1.17	0.34	55.8	4.0	4	6.22	1170	2.05
3438-CF-11-03 836.8-851.8	0.12	0.60	7.98	1.3	830	4.70	0.57	1.70	0.16	61.6	4.4	2	5.88	724	2.50
3438-CF-11-03 922-949.5	0.12	1.19	7.02	2.6	830	2.48	0.78	1.66	2.95	62.9	4.8	3	6.61	1380	2.09
3438-CF-11-03 1049.5-1085.3	0.12	1.50	7.29	2.2	900	2.67	0.80	1.05	0.77	45.2	8.9	3	7.43	1865	2.67
3438-CF-11-04 0-16.6	0.12	3.48	8.56	3.0	1210	2.07	3.56	0.50	0.38	225	19.2	2	6.87	7320	2.90
3438-CF-11-04 168-203	0.12	2.32	8.57	1.2	910	3.71	1.00	1.45	0.20	69.9	9.5	2	8.34	4860	2.52
3438-CF-11-04 464.8-504.8	0.12	1.45	7.90	1.8	530	4.93	0.61	1.12	0.14	90.0	6.6	3	9.85	2150	1.90
3438-CF-11-04 628-678	0.14	1.24	7.50	1.1	610	3.44	0.48	1.73	0.33	77.9	4.0	2	7.30	1910	1.42
3438-CF-11-05 35-60	0.14	2.10	7.91	2.3	830	4.23	0.70	1.08	0.23	64.0	4.5	3	7.94	2320	2.01
3438-CF-11-05 760-780	0.12	2.14	8.18	1.5	850	3.80	0.70	1.50	0.14	69.8	5.6	4	8.85	2870	1.70
3438-CF-11-05 880-895	0.12	0.71	8.09	1.3	820	4.25	0.34	1.46	0.31	71.7	5.7	3	8.49	871	2.40
3438-CF-11-06 6.4-19.4	0.12	1.69	8.62	1.3	630	4.81	1.28	1.49	0.19	79.4	10.3	2	8.76	2130	3.00
3438-CF-11-06 135.4-155.6	0.14	1.17	8.35	1.4	650	4.90	0.70	1.42	0.10	79.6	6.4	4	9.12	2050	2.31
3438-CF-11-06 418-443	0.12	2.61	7.63	5.1	570	4.21	0.84	1.73	0.27	62.5	7.1	2	5.72	2610	1.74
3438-CF-11-06 603-628	0.12	1.94	8.23	3.7	710	4.66	0.81	1.35	0.29	76.8	9.5	2	8.46	2010	2.83
3438-CF-11-06 673-693	0.12	1.54	8.15	2.9	640	4.59	0.63	1.43	0.33	79.0	7.0	3	6.94	1685	2.30
3438-CF-11-06 860-868	0.12	0.56	8.02	0.9	1010	3.85	0.33	1.89	0.08	44.2	5.2	4	6.86	700	1.95
3438-CF-11-06 872.5-898	0.14	0.75	8.11	1.3	810	4.28	0.45	1.71	0.15	73.7	6.8	3	4.89	819	2.41
3438-CF-11-07 312-346.6	0.14	0.88	7.85	2.1	1160	2.49	0.67	1.56	0.22	32.4	5.8	5	5.88	1545	1.58
3438-CF-11-07 521.7-543	0.12	0.93	8.56	1.1	800	4.73	1.72	1.72	0.65	73.4	9.6	2	7.33	1400	3.59
3438-CF-11-07 966.8-996.8	0.14	1.17	8.36	1.9	760	3.47	0.57	1.75	0.10	67.5	11.0	2	7.70	1785	3.57
3438-CF-11-08 844.2-879.2	0.12	0.84	7.38	0.9	760	3.30	0.52	1.23	0.13	58.7	7.0	3	6.81	1245	2.58
3438-CF-11-08 1139.5-1179.5	0.14	0.37	7.00	0.9	530	3.24	0.64	1.62	0.42	32.9	3.6	4	4.84	334	0.81
3438-CF-11-08 365-405	0.14	1.23	8.25	1.2	840	3.83	0.78	1.42	0.11	71.9	7.1	2	8.12	1600	1.98
3438-CF-11-09 313-333	0.12	1.48	6.98	8.4	760	2.47	0.55	1.01	1.98	38.6	10.9	3	6.01	1690	4.87


***** See Appendix Page for comments regarding this certificate *****



Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Method Analyte Units LOR	ME-MS61 Ga ppm	ME-MS61 Ce ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
3438-CF-11-01-B 15-43	20.9	0.16	1.3	<0.1	0.145	4.20	99.4	14.0	0.28	241	57.9	1.50	15.0	4.1	490
3438-CF-11-01-B 189-225	18.90	0.12	1.2	<0.1	0.089	4.02	32.0	16.0	0.37	284	74.3	1.48	11.6	4.0	480
3438-CF-11-01-B 268.8-292	20.9	0.18	0.9	<0.1	0.164	3.98	49.5	19.6	0.55	356	264	0.95	10.7	5.8	1080
3438-CF-11-01-B 465-480	24.4	0.16	1.0	<0.1	0.080	4.19	42.5	38.2	0.99	284	54.7	1.80	13.2	4.3	1410
3438-CF-11-01-B 575-610	17.80	0.16	0.8	<0.1	0.094	4.85	35.0	17.5	0.58	256	401	1.11	8.2	4.7	500
3438-CF-11-01-B 1005-1025	20.2	0.18	1.5	<0.1	0.027	4.43	38.7	14.6	0.41	178	57.2	2.58	14.5	3.3	480
3438-CF-11-02 0-27	23.8	0.22	1.3	<1	0.091	4.97	35.4	15.4	0.46	230	3.27	2.46	12.2	2.0	810
3438-CF-11-02 147-181	22.1	0.23	1.3	<0.1	0.065	4.41	36.2	10.6	0.61	530	3.30	2.94	14.6	2.5	850
3438-CF-11-02 367-408	22.4	0.23	1.1	<0.1	0.064	4.86	37.4	12.5	0.50	345	33.4	2.74	15.2	2.4	660
3438-CF-11-02 471-507	21.8	0.22	1.2	<0.1	0.066	4.62	39.9	15.7	0.46	280	5.20	2.62	15.6	2.6	660
3438-CF-11-02 609-625	20.7	0.22	1.3	<0.1	0.044	4.92	40.6	14.2	0.40	302	5.89	2.56	14.1	2.8	590
3438-CF-11-03 23.9-53.2	19.10	0.16	1.3	<0.1	0.043	3.43	21.0	17.0	0.38	192	4.69	2.50	8.7	4.0	480
3438-CF-11-03 243-276.5	17.95	0.22	1.1	<0.1	0.130	4.19	35.3	25.2	0.75	294	317	0.90	7.5	7.0	410
3438-CF-11-03 316.8-341.8	19.95	0.18	1.0	<0.1	0.177	4.54	36.6	29.2	0.83	229	159.0	1.52	8.7	6.3	600
3438-CF-11-03 497-521.7	16.95	0.17	1.2	<0.1	0.080	4.63	20.8	19.7	0.51	246	148.0	1.20	9.7	4.7	430
3438-CF-11-03 580.3-600.3	19.45	0.18	1.4	<0.1	0.042	4.98	30.2	13.2	0.35	206	44.3	1.82	14.5	3.3	460
3438-CF-11-03 836.8-851.8	20.8	0.20	1.2	0.02	0.021	4.22	31.0	16.6	0.36	228	15.70	2.63	13.6	3.4	470
3438-CF-11-03 922-949.5	18.20	0.20	0.9	0.01	0.077	5.09	28.6	16.3	0.35	332	13.20	4.0	11.3	5.4	2630
3438-CF-11-03 1049.5-1085.3	19.75	0.20	0.9	0.01	0.045	5.06	21.8	19.5	0.49	309	126.5	1.48	11.5	5.4	510
3438-CF-11-04 0-16.6	20.3	0.28	0.8	0.01	0.164	4.09	144.5	9.9	0.20	271	94.3	0.81	9.4	2.5	1020
3438-CF-11-04 168-203	21.9	0.22	0.8	0.01	0.145	5.15	37.0	16.6	0.49	222	146.5	2.25	13.1	3.1	740
3438-CF-11-04 464.8-504.8	21.1	0.22	1.8	<0.01	0.069	5.16	46.0	11.8	0.32	256	26.5	2.27	18.7	3.2	420
3438-CF-11-04 628-678	18.30	0.20	1.2	<0.01	0.066	5.16	40.8	12.6	0.34	337	332	1.37	15.9	2.0	450
3438-CF-11-05 35-60	20.5	0.21	1.4	0.01	0.096	4.78	32.3	22.9	0.48	252	62.1	2.43	15.1	4.6	510
3438-CF-11-05 760-780	19.50	0.22	1.3	<0.01	0.101	4.42	36.7	25.9	0.46	163	65.9	2.48	13.4	3.7	520
3438-CF-11-05 880-895	20.2	0.22	1.4	<0.01	0.037	3.94	36.8	26.1	0.54	237	32.2	2.91	14.3	3.1	540
3438-CF-11-06 6.4-19.4	21.5	0.25	1.4	<0.01	0.083	4.78	42.1	18.4	0.47	224	8.35	2.61	15.6	2.9	660
3438-CF-11-06 135.4-155.6	21.0	0.26	1.4	<0.01	0.065	4.91	42.1	14.3	0.35	233	13.05	2.36	14.9	3.2	500
3438-CF-11-06 418-443	19.75	0.22	1.3	<0.01	0.079	3.80	30.9	12.7	0.23	154	30.6	2.32	13.5	3.1	480
3438-CF-11-06 603-628	20.9	0.25	1.3	<0.01	0.073	4.59	40.0	23.8	0.37	188	11.95	2.32	15.3	3.2	480
3438-CF-11-06 673-693	21.0	0.23	1.3	<0.01	0.055	4.54	40.8	21.3	0.39	198	43.7	2.35	14.7	2.9	490
3438-CF-11-06 860-868	17.80	0.19	1.3	<0.01	0.022	3.71	23.1	22.1	0.45	192	14.65	2.56	10.3	3.3	470
3438-CF-11-06 872.5-898	20.3	0.24	1.6	<0.01	0.033	4.12	39.8	12.9	0.43	260	18.45	2.76	14.4	3.2	510
3438-CF-11-07 312-346.6	17.20	0.18	1.2	<0.01	0.055	4.56	18.2	14.6	0.21	169	42.9	2.06	5.6	2.6	330
3438-CF-11-07 521.7-543	22.4	0.26	1.0	0.01	0.135	4.35	37.4	15.0	0.54	344	12.05	2.82	12.2	2.2	790
3438-CF-11-07 966.8-996.8	21.4	0.27	1.1	<0.01	0.088	4.60	33.2	11.3	0.50	452	42.4	2.69	13.7	2.5	860
3438-CF-11-08 844.2-879.2	18.55	0.25	1.0	<0.01	0.033	4.41	27.1	15.0	0.35	272	53.5	2.14	12.4	3.7	640
3438-CF-11-08 1139.5-1179.5	15.85	0.18	0.8	<0.01	0.012	3.32	13.3	10.0	0.21	234	24.9	2.39	8.1	3.6	400
3438-CF-11-08 365-405	19.60	0.26	1.4	<0.01	0.051	4.74	37.3	24.3	0.37	212	118.0	2.38	12.8	3.5	530
3438-CF-11-09 313-333	19.95	0.25	1.1	<0.01	0.026	4.62	21.6	21.7	0.47	620	19.55	1.24	11.6	4.3	360



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431


Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 23-JAN-2012
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS REI2007978

Method Analyte Units LOR	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 U ppm
3438-CF-11-01-B 15-43	16.9	229	0.329	1.55	0.75	4.3	5	4.0	353	1.05	0.50	23.9	0.167	2.10
3438-CF-11-01-B 189-225	28.7	237	0.075	1.16	0.48	4.4	4	2.8	353	0.81	0.30	21.1	0.158	1.79
3438-CF-11-01-B 268.8-292	20.1	237	0.188	2.74	0.43	5.2	8	3.2	315	0.69	2.99	22.1	0.168	1.99
3438-CF-11-01-B 465-480	10.3	271	0.071	1.44	0.29	4.8	4	3.9	425	0.85	0.20	23.6	0.213	2.18
3438-CF-11-01-B 575-610	16.2	289	0.486	2.10	0.35	3.2	5	2.3	292	0.68	0.37	23.2	0.133	2.02
3438-CF-11-01-B 1005-1025	13.2	274	0.103	0.50	0.16	4.1	2	4.1	680	1.11	0.08	21.9	0.194	1.49
3438-CF-11-02 0-27	18.8	300	0.003	1.81	0.21	6.5	3	6.4	592	0.87	7.49	18.7	0.232	2.32
3438-CF-11-02 147-181	16.3	282	0.003	0.78	0.12	7.3	2	5.0	834	0.98	0.16	18.3	0.283	1.67
3438-CF-11-02 367-408	14.4	288	0.008	1.08	0.12	6.1	3	4.8	664	1.07	0.16	20.8	0.238	1.81
3438-CF-11-02 471-507	86.3	277	0.003	1.23	0.18	5.6	3	4.9	604	1.16	0.39	23.2	0.221	1.97
3438-CF-11-02 609-625	21.0	309	0.006	1.20	0.32	4.9	3	4.4	547	1.09	0.12	28.2	0.188	2.22
3438-CF-11-03 23.9-53.2	13.1	180.0	0.004	0.74	0.25	3.9	2	3.2	592	0.62	0.52	11.5	0.147	1.30
3438-CF-11-03 243-276.5	54.6	245	0.840	2.68	0.90	5.8	6	3.9	349	0.52	0.46	20.8	0.138	1.77
3438-CF-11-03 316.8-341.8	17.5	327	0.364	1.76	0.32	5.9	6	4.9	401	0.61	0.99	17.8	0.156	1.91
3438-CF-11-03 497-521.7	20.4	271	0.180	1.29	0.32	4.0	3	3.0	352	0.74	0.32	19.4	0.137	1.90
3438-CF-11-03 580.3-600.3	16.8	289	0.050	0.56	0.28	4.0	2	3.9	438	1.14	0.16	27.2	0.174	1.98
3438-CF-11-03 836.8-851.8	15.1	243	0.020	0.64	0.14	4.0	2	3.2	623	1.09	0.06	22.9	0.185	1.46
3438-CF-11-03 922-949.5	23.8	283	0.031	0.66	0.32	3.5	2	3.0	317	0.90	0.13	20.8	0.150	1.87
3438-CF-11-03 1049.5-1085.3	22.4	306	0.152	0.94	0.25	6.9	3	2.8	341	0.84	0.27	23.0	0.164	1.80
3438-CF-11-04 0-16.6	16.1	174.0	0.022	0.04	0.46	5.3	3	4.1	356	0.63	1.23	20.6	0.179	2.35
3438-CF-11-04 168-203	14.8	280	0.129	0.98	0.24	5.9	4	5.4	588	0.83	0.40	16.9	0.225	2.07
3438-CF-11-04 464.8-504.8	17.7	308	0.022	0.58	0.21	3.9	3	4.1	361	1.43	0.18	29.6	0.175	1.96
3438-CF-11-04 628-678	38.9	277	0.178	0.53	0.26	4.1	3	3.5	312	1.14	0.15	26.0	0.163	1.80
3438-CF-11-05 35-60	23.5	262	0.066	0.65	0.26	4.2	3	4.1	567	1.13	0.27	24.9	0.189	1.76
3438-CF-11-05 760-780	14.7	265	0.077	0.78	0.15	4.5	3	4.2	532	0.95	0.18	23.0	0.182	1.58
3438-CF-11-05 880-895	13.0	224	0.034	0.58	0.13	4.5	2	4.5	791	1.05	0.11	21.8	0.198	1.38
3438-CF-11-06 6.4-19.4	30.3	289	0.029	1.22	0.17	5.7	3	5.4	544	1.18	0.30	27.3	0.217	2.09
3438-CF-11-06 135.4-155.6	16.4	305	0.019	1.23	0.28	4.5	3	4.3	425	1.16	0.18	29.3	0.206	2.00
3438-CF-11-06 418-443	14.6	249	0.050	1.04	0.29	4.0	4	3.6	316	0.96	0.39	23.8	0.162	1.88
3438-CF-11-06 603-628	16.2	289	0.009	1.35	0.23	4.1	4	4.0	510	1.09	0.24	26.5	0.189	1.87
3438-CF-11-06 673-693	15.4	290	0.015	0.96	0.20	4.3	3	3.6	503	1.12	0.16	26.2	0.184	1.99
3438-CF-11-06 860-868	10.0	228	0.018	0.48	0.13	4.3	3	3.4	595	0.76	0.07	15.5	0.165	1.38
3438-CF-11-06 872.5-898	13.9	227	0.015	0.62	0.14	4.3	2	3.5	782	1.07	0.08	22.1	0.206	1.50
3438-CF-11-07 312-346.6	14.0	236	0.049	0.89	0.26	2.8	2	1.6	317	0.42	0.21	9.0	0.104	1.35
3438-CF-11-07 521.7-543	14.6	260	0.008	1.01	0.15	6.7	3	4.8	628	0.79	0.19	16.7	0.252	1.65
3438-CF-11-07 966.8-996.8	13.0	253	0.036	0.54	0.13	6.7	3	4.4	742	0.87	0.14	16.5	0.279	1.71
3438-CF-11-08 844.2-879.2	11.8	250	0.071	0.99	0.14	4.0	2	3.2	423	0.90	0.11	22.6	0.162	1.39
3438-CF-11-08 1139.5-1179.5	40.3	177.0	0.023	0.35	0.19	2.4	1	1.7	327	0.57	0.05	14.2	0.119	1.03
3438-CF-11-08 365-405	13.4	245	0.191	0.91	0.18	4.2	3	4.0	500	0.90	0.19	23.6	0.178	1.57
3438-CF-11-09 313-333	121.5	233	0.092	1.27	0.48	7.4	3	1.8	254	0.96	0.18	28.1	0.152	1.70

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-JAN-2012
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
3438-CF-11-01-8 15-43		30	9.5	23.0	88	37.3
3438-CF-11-01-8 189-225		39	7.4	17.2	94	31.0
3438-CF-11-01-8 268.8-292		70	12.2	20.9	157	21.4
3438-CF-11-01-8 465-480		50	7.4	26.8	63	23.5
3438-CF-11-01-8 575-610		42	8.0	14.4	134	19.7
3438-CF-11-01-8 1005-1025		31	5.1	25.7	27	39.8
3438-CF-11-02 0-27		54	45.0	24.7	38	22.5
3438-CF-11-02 147-181		58	11.3	29.9	41	24.6
3438-CF-11-02 367-408		45	15.3	30.0	41	20.6
3438-CF-11-02 471-507		43	27.3	27.7	183	22.3
3438-CF-11-02 609-625		37	22.2	23.9	53	26.4
3438-CF-11-03 23.9-53.2		29	6.1	14.6	25	33.0
3438-CF-11-03 243-276.5		37	10.7	12.7	116	31.6
3438-CF-11-03 316.8-341.8		46	9.9	15.0	90	29.5
3438-CF-11-03 497-521.7		30	8.6	15.2	87	34.5
3438-CF-11-03 580.3-600.3		31	7.8	22.6	49	37.9
3438-CF-11-03 836.8-851.8		36	4.7	24.9	29	30.0
3438-CF-11-03 922-949.5		39	8.7	25.6	281	21.6
3438-CF-11-03 1049.5-1085.3		51	9.1	18.9	99	21.8
3438-CF-11-04 0-16.6		61	13.9	23.0	56	16.5
3438-CF-11-04 168-203		42	6.7	27.3	36	16.3
3438-CF-11-04 464.8-504.8		26	6.5	27.6	34	49.7
3438-CF-11-04 628-678		28	8.7	22.5	48	31.0
3438-CF-11-05 35-60		34	5.4	25.3	36	36.5
3438-CF-11-05 760-780		30	8.6	25.1	34	38.0
3438-CF-11-05 880-895		34	7.8	25.6	29	39.7
3438-CF-11-06 6.4-19.4		41	12.2	28.7	33	27.6
3438-CF-11-06 135.4-155.6		29	11.0	22.4	20	33.1
3438-CF-11-06 418-443		27	9.0	21.3	36	38.5
3438-CF-11-06 603-628		32	8.5	24.7	41	28.6
3438-CF-11-06 673-693		33	8.4	24.8	44	28.8
3438-CF-11-06 860-868		29	11.3	19.8	27	37.6
3438-CF-11-06 872.5-898		35	9.7	26.6	31	46.1
3438-CF-11-07 312-346.6		21	9.4	8.7	31	38.2
3438-CF-11-07 521.7-543		55	7.4	25.6	66	18.4
3438-CF-11-07 966.8-996.8		61	7.9	26.6	42	19.3
3438-CF-11-08 844.2-879.2		33	6.7	22.9	29	25.0
3438-CF-11-08 1139.5-1179.5		16	8.5	13.6	52	25.1
3438-CF-11-08 365-405		32	9.8	22.5	30	45.2
3438-CF-11-09 313-333		81	5.1	16.1	235	29.4

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-JAN-2012
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS REI2007978

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
3438-CF-11-09 495.5-528.5		0.12	0.59	7.41	2.0	780	2.84	1.29	0.90	0.37	56.7	5.4	3	7.76	1040	2.85
3438-CF-11-09 688-718		0.12	0.95	7.08	0.5	750	2.26	0.53	1.03	0.09	45.1	8.1	3	8.29	1625	2.45
3438-CF-11-09 923-953		0.12	0.36	7.64	0.4	870	2.89	0.28	1.08	0.11	68.4	3.3	3	5.69	613	1.59
3438-CF-11-09 1097.8-1125		0.12	0.52	7.64	<0.2	700	3.22	0.31	0.88	0.06	72.9	3.9	2	5.91	1040	1.53
3438-CF-11-09 588-628		0.12	0.63	7.23	<0.2	730	2.70	0.30	1.32	0.08	51.6	5.5	3	9.82	1410	2.23
3438-CF-11-10-B 565.1-585		0.14	1.61	7.59	3.9	800	2.55	0.56	1.35	0.91	60.5	16.7	3	11.30	1475	2.92
3438-CF-11-10-B 651-688		0.12	1.23	7.36	0.8	880	2.28	0.61	1.32	0.88	50.5	3.7	4	7.94	1425	1.97
3438-CF-11-10-B 829-862		0.14	1.51	6.48	3.7	840	1.71	0.65	1.03	0.90	41.2	12.0	4	5.39	1680	2.69
3438-CF-11-10-B 1000-1035		0.14	0.82	7.06	0.6	970	2.12	0.61	1.30	0.85	45.1	6.1	4	9.60	1195	1.94
3438-CF-11-10-B 1090-1129.2		0.12	0.77	7.45	<0.2	980	2.24	0.82	1.21	0.05	53.6	5.8	4	7.61	1265	1.80
3438-CF-11-11 322.2-351		0.14	0.33	6.93	<0.2	820	2.21	0.38	0.82	0.03	38.3	6.4	2	7.54	957	2.79
3438-CF-11-11 435.2-461.5		0.12	0.35	7.63	<0.2	1090	2.02	0.28	1.51	0.04	24.0	3.2	7	6.91	869	1.50
3438-CF-11-11 578-608		0.12	0.32	6.71	<0.2	930	1.95	0.23	0.78	0.08	43.1	4.8	3	5.57	917	1.69
3438-CF-11-11 664.2-700.1		0.12	0.47	7.70	<0.2	610	3.87	0.37	0.90	0.09	80.3	3.3	5	7.79	804	1.84
3438-CF-11-11 828-860		0.12	0.47	7.97	0.4	690	4.81	0.27	0.95	0.07	87.1	3.7	5	11.36	899	1.70
3438-CF-11-12 504-541		0.12	0.78	7.86	0.3	590	3.69	1.45	0.70	0.06	84.0	5.0	4	7.90	1355	1.85
3438-CF-11-12 718-753		0.12	0.93	7.96	0.8	550	4.13	0.58	1.38	0.09	84.1	5.2	4	10.05	1260	1.98
3438-CF-11-12 873.5-905		0.12	0.68	8.40	1.0	680	4.34	0.55	1.43	0.05	91.7	4.9	4	9.10	863	2.36
3438-CF-11-14 0-14		0.12	0.74	8.26	0.7	700	3.60	0.79	1.67	0.19	78.5	8.1	4	7.54	1215	2.04
3438-CF-11-14 28.3-51		0.12	0.71	8.15	0.8	700	3.39	0.53	1.95	0.13	46.4	6.4	3	6.91	1530	1.76
3438-CF-11-14 431-471.1		0.12	1.42	8.12	0.5	750	3.93	0.57	1.83	0.13	74.2	6.9	3	7.40	1795	2.27
3438-CF-11-14 806-829.5		0.12	2.32	7.38	0.7	700	3.15	2.19	2.52	0.14	58.5	7.5	3	6.66	1770	2.47

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-JAN-2012
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Method Analyte Units LOR	Sample Description	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
3438-CF-11-09 495.5-528.5		19.10	0.17	1.2	<0.01	0.024	5.37	27.7	13.7	0.41	274	15.35	1.89	12.9	3.6	480
3438-CF-11-09 688-718		17.35	0.17	1.2	<0.01	0.035	4.86	20.7	11.9	0.36	237	19.25	1.89	10.9	3.9	450
3438-CF-11-09 923-953		19.25	0.18	1.8	<0.01	0.016	5.89	33.1	12.7	0.32	240	4.66	2.34	15.5	2.3	420
3438-CF-11-09 1097.8-1125		19.30	0.19	1.3	<0.01	0.029	5.29	37.4	8.4	0.24	174	43.2	2.09	15.2	2.0	420
3438-CF-11-09 588-628		18.60	0.17	1.4	<0.01	0.030	5.08	23.4	14.5	0.44	277	17.25	1.78	12.2	3.4	550
3438-CF-11-10-8 565.1-585		19.25	0.19	1.1	<0.01	0.051	5.53	32.1	27.6	0.72	335	588	1.63	11.5	4.0	630
3438-CF-11-10-8 651-688		17.00	0.16	1.1	<0.01	0.050	5.17	27.5	20.6	0.45	266	22.7	1.63	9.3	3.9	740
3438-CF-11-10-8 829-862		16.05	0.17	0.9	<0.01	0.046	4.65	21.0	19.7	0.42	262	28.9	1.43	7.9	3.7	560
3438-CF-11-10-8 1000-1035		17.25	0.17	1.0	<0.01	0.038	4.41	21.5	18.4	0.36	239	26.9	1.79	8.6	3.4	420
3438-CF-11-10-8 1090-1129.2		17.65	0.19	1.1	<0.01	0.037	5.42	25.4	20.4	0.33	251	83.3	1.74	9.4	3.2	580
3438-CF-11-11 322.2-351		18.35	0.17	1.7	<0.01	0.018	5.82	19.1	14.0	0.40	289	4.36	1.38	10.5	3.7	410
3438-CF-11-11 435.2-461.5		17.85	0.16	1.5	<0.01	0.015	5.07	12.0	19.8	0.21	231	17.85	2.06	5.4	3.2	330
3438-CF-11-11 578-608		17.85	0.15	1.1	<0.01	0.021	6.02	20.4	10.6	0.52	279	5.64	1.40	12.2	5.1	530
3438-CF-11-11 664.2-700.1		19.70	0.21	1.7	<0.01	0.026	5.29	40.8	9.8	0.28	231	6.98	2.32	15.8	3.0	380
3438-CF-11-11 828-860		20.2	0.23	1.5	<0.01	0.024	5.30	44.3	13.2	0.29	230	88.7	2.61	17.7	3.2	470
3438-CF-11-12 504-541		19.80	0.21	1.5	<0.01	0.050	5.31	44.5	8.9	0.28	224	28.9	2.29	15.7	3.1	440
3438-CF-11-12 718-753		20.0	0.23	1.7	<0.01	0.039	5.11	44.3	16.2	0.29	332	137.0	2.24	17.0	2.7	420
3438-CF-11-12 873.5-905		21.5	0.21	1.6	<0.01	0.042	5.04	48.3	12.3	0.32	322	135.5	2.68	18.1	3.2	500
3438-CF-11-14 0-14		19.10	0.21	2.2	<0.01	0.029	4.11	40.4	17.6	0.30	121	13.95	2.29	7.9	2.5	490
3438-CF-11-14 28.3-51		18.05	0.18	2.2	<0.01	0.037	4.10	22.9	12.2	0.28	177	53.1	2.34	7.2	2.9	510
3438-CF-11-14 431-471.1		20.3	0.21	1.5	<0.01	0.058	4.42	37.3	13.5	0.30	195	29.8	2.37	14.5	2.2	470
3438-CF-11-14 806-829.5		18.05	0.19	1.0	<0.01	0.074	4.45	29.2	16.9	0.36	277	97.6	1.80	11.0	2.8	450

***** See Appendix Page for comments regarding this certificate *****




Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Method Analyte Units	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
3438-CF-11-09 495.5-528.5	19.7	274	0.028	0.69	0.23	4.7	3	2.8	321	1.03	0.10	25.9	0.171	1.64	5.6
3438-CF-11-09 688-718	15.2	244	0.027	0.80	0.19	4.0	3	2.7	307	0.88	0.23	17.2	0.162	1.29	3.8
3438-CF-11-09 923-953	13.1	241	0.007	0.22	0.13	3.3	2	2.9	456	1.25	0.08	23.0	0.184	1.20	5.8
3438-CF-11-09 1097.8-1125	12.7	237	0.030	0.30	0.14	3.4	2	2.8	397	1.20	0.11	24.0	0.177	1.32	3.6
3438-CF-11-09 588-628	12.2	267	0.022	0.43	0.18	4.8	2	2.8	300	0.98	0.10	20.0	0.171	1.37	5.1
3438-CF-11-10-B 565.1-585	51.1	318	0.782	1.21	0.29	4.4	3	2.9	293	0.92	0.16	28.0	0.166	1.83	5.6
3438-CF-11-10-B 651-688	34.4	287	0.023	0.56	0.18	3.4	3	2.8	326	0.71	0.21	27.4	0.153	1.58	5.5
3438-CF-11-10-B 829-862	20.1	243	0.045	1.02	0.17	3.5	4	2.1	309	0.60	0.21	45.1	0.132	1.34	11.5
3438-CF-11-10-B 1000-1035	17.9	241	0.039	0.71	0.18	3.5	2	2.5	381	0.63	0.19	16.4	0.139	1.33	4.0
3438-CF-11-10-B 1090-1129.2	12.9	266	0.178	0.64	0.19	3.6	3	2.6	346	0.73	0.18	20.8	0.145	1.57	4.8
3438-CF-11-11 322.2-351	11.2	266	0.005	0.33	0.19	4.3	2	2.0	250	0.88	0.21	23.9	0.150	1.27	4.1
3438-CF-11-11 435.2-461.5	7.2	197.0	0.014	0.54	0.19	2.6	2	1.2	341	0.41	0.09	7.2	0.109	0.92	2.8
3438-CF-11-11 578-608	11.7	247	0.009	0.18	0.15	3.6	2	1.9	268	1.04	0.06	23.6	0.162	1.19	4.4
3438-CF-11-11 664.2-700.1	14.8	264	0.008	0.34	0.14	3.6	2	3.4	361	1.25	0.17	29.7	0.168	1.37	7.0
3438-CF-11-11 828-860	14.6	272	0.073	0.28	0.15	4.0	3	2.8	453	1.37	0.08	28.8	0.197	1.80	7.3
3438-CF-11-12 504-541	17.4	312	0.025	0.52	0.20	3.7	3	3.4	381	1.22	0.14	29.2	0.175	1.72	6.9
3438-CF-11-12 718-753	16.6	306	0.120	0.75	0.23	3.8	3	3.8	351	1.27	0.18	30.0	0.178	1.75	8.0
3438-CF-11-12 873.5-905	17.9	306	0.452	0.70	0.21	4.3	4	4.3	502	1.36	0.21	27.9	0.212	1.79	6.7
3438-CF-11-14 0-14	14.9	228	0.044	1.78	0.20	4.0	6	4.1	485	0.58	0.24	20.0	0.128	1.68	6.0
3438-CF-11-14 28.3-51	12.1	215	0.313	1.47	0.25	3.9	5	3.2	398	0.51	0.12	17.3	0.119	1.66	5.7
3438-CF-11-14 431-471.1	12.0	241	0.057	1.13	0.21	3.9	4	4.8	480	1.06	0.15	20.0	0.188	1.57	6.1
3438-CF-11-14 806-829.5	14.2	243	0.234	1.50	0.24	3.5	5	3.7	452	0.83	1.06	18.7	0.163	1.51	4.3

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431


Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 23-JAN-2012
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Method Analyte Units LOR	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zr ppm	ME-MS61 Zr ppm
3438-CF-11-09 495.5-528.5	49	4.3	21.3	50	29.6
3438-CF-11-09 688-718	45	7.5	17.3	33	33.9
3438-CF-11-09 923-953	31	4.9	26.3	34	42.9
3438-CF-11-09 1097.8-1125	30	7.2	24.7	28	27.8
3438-CF-11-09 588-628	46	6.2	20.7	36	36.2
3438-CF-11-10-B 565.1-585	39	5.0	21.5	131	27.9
3438-CF-11-10-B 651-688	36	6.2	19.4	101	27.7
3438-CF-11-10-B 829-862	45	8.3	17.3	97	23.6
3438-CF-11-10-B 1000-1035	34	7.0	15.4	62	27.1
3438-CF-11-10-B 1090-1129.2	31	8.5	18.7	29	29.5
3438-CF-11-11 322.2-351	55	3.7	17.5	36	49.1
3438-CF-11-11 435.2-461.5	25	6.0	8.2	25	43.9
3438-CF-11-11 578-608	44	4.2	19.1	36	27.6
3438-CF-11-11 664.2-700.1	30	5.8	25.6	31	41.1
3438-CF-11-11 828-860	29	3.7	29.6	27	35.0
3438-CF-11-12 504-541	27	9.2	25.9	26	36.2
3438-CF-11-12 718-753	29	11.2	27.1	31	39.0
3438-CF-11-12 873.5-905	35	7.8	29.0	32	32.7
3438-CF-11-14 0-14	31	6.5	17.5	26	64.5
3438-CF-11-14 28.3-51	31	8.4	12.2	22	64.9
3438-CF-11-14 431-471.1	32	10.2	23.7	30	36.3
3438-CF-11-14 806-829.5	31	13.2	21.9	27	21.8

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23 - JAN - 2012
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE12007978

Method	CERTIFICATE COMMENTS
ME- MS61 ME- MS61 Hg- CV41	Interference: Mo > 400ppm on ICP- MS Cd, ICP- AES results shown. REE's may not be totally soluble in this method. Detection limits on samples requiring dilutions due to interferences or high concentration levels have been increased according to the dilution factor.

SVL Laboratories Reports



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
SRK 0854	W0F0630-01	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0855	W0F0630-02	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0856	W0F0630-03	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0857	W0F0630-04	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0858	W0F0630-05	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0859	W0F0630-06	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0860	W0F0630-07	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0861	W0F0630-08	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0862	W0F0630-09	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0864	W0F0630-10	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0865	W0F0630-11	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0866	W0F0630-12	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0867	W0F0630-13	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0868	W0F0630-14	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0869	W0F0630-15	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0870	W0F0630-16	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0871	W0F0630-17	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0872	W0F0630-18	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0873	W0F0630-19	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0874	W0F0630-20	Soil	22-Jun-10 09:00	RJ	24-Jun-2010

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0854**

SVL Sample ID: **W0F0630-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-21.5	TCaCO3/kT	0.3			N/A		07/02/10 12:28	
Modified Sobek	AGP	27.4	TCaCO3/kT	0.3			N/A		07/02/10 12:28	
Modified Sobek	ANP	6.0	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01			W027089	HJG	07/02/10 12:28	
Modified Sobek	Non-Sulfate Sulfur	0.94	%	0.01			W027089	HJG	07/02/10 10:57	
Modified Sobek	Pyritic Sulfur	0.88	%	0.01			N/A		07/02/10 12:28	
Modified Sobek	Sulfate Sulfur	0.39	%	0.01			N/A		07/02/10 10:57	
Modified Sobek	Total Sulfur	1.33	%	0.01			W027089	HJG	06/29/10 11:22	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-12.7	TCaCO3/kT	0.3			N/A		07/02/10 13:30	
Modified Sobek	AGP-HCl	18.7	TCaCO3/kT	0.3			N/A		07/02/10 13:30	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01			W027089	HJG	07/02/10 12:28	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.66	%	0.01			W027089	HJG	07/02/10 13:30	
Modified Sobek	Pyritic Sulfur-HCl	0.60	%	0.01			N/A		07/02/10 13:30	
Modified Sobek	Sulfate Sulfur-HCl	0.67	%	0.01			N/A		07/02/10 13:30	
Modified Sobek	Total Sulfur	1.33	%	0.01			W027089	HJG	06/29/10 11:22	

Classical Chemistry Parameters

ASA 9	Paste pH	4.80	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.780	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	10.2	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	3.77	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0855**

SVL Sample ID: **W0F0630-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-20.0	TCaCO3/kT	0.3			N/A		07/02/10 12:36	
Modified Sobek	AGP	26.4	TCaCO3/kT	0.3			N/A		07/02/10 12:36	
Modified Sobek	ANP	6.4	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:36	
Modified Sobek	Non-Sulfate Sulfur	0.85	%	0.01			W027089	HJG	07/02/10 11:00	
Modified Sobek	Pyritic Sulfur	0.85	%	0.01			N/A		07/02/10 12:36	
Modified Sobek	Sulfate Sulfur	0.36	%	0.01			N/A		07/02/10 11:00	
Modified Sobek	Total Sulfur	1.21	%	0.01			W027089	HJG	06/29/10 11:25	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-23.3	TCaCO3/kT	0.3			N/A		07/02/10 13:32	
Modified Sobek	AGP-HCl	29.7	TCaCO3/kT	0.3			N/A		07/02/10 13:32	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.95	%	0.01			W027089	HJG	07/02/10 13:32	
Modified Sobek	Pyritic Sulfur-HCl	0.95	%	0.01			N/A		07/02/10 13:32	
Modified Sobek	Sulfate Sulfur-HCl	0.26	%	0.01			N/A		07/02/10 13:32	
Modified Sobek	Total Sulfur	1.21	%	0.01			W027089	HJG	06/29/10 11:25	

Classical Chemistry Parameters

ASA 9	Paste pH	6.41	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	6.27	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	2.74	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	3.00	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0856**

SVL Sample ID: **W0F0630-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-48.6	TCaCO3/kT	0.3			N/A		07/02/10 12:39	
Modified Sobek	AGP	49.1	TCaCO3/kT	0.3			N/A		07/02/10 12:39	
Modified Sobek	ANP	0.5	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:39	
Modified Sobek	Non-Sulfate Sulfur	1.57	%	0.01			W027089	HJG	07/02/10 11:02	
Modified Sobek	Pyritic Sulfur	1.57	%	0.01			N/A		07/02/10 12:39	
Modified Sobek	Sulfate Sulfur	0.72	%	0.01			N/A		07/02/10 11:02	
Modified Sobek	Total Sulfur	2.29	%	0.01			W027089	HJG	06/29/10 11:28	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-39.9	TCaCO3/kT	0.3			N/A		07/02/10 13:40	
Modified Sobek	AGP-HCl	40.3	TCaCO3/kT	0.3			N/A		07/02/10 13:40	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:39	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.29	%	0.01			W027089	HJG	07/02/10 13:40	
Modified Sobek	Pyritic Sulfur-HCl	1.29	%	0.01			N/A		07/02/10 13:40	
Modified Sobek	Sulfate Sulfur-HCl	1.00	%	0.01			N/A		07/02/10 13:40	
Modified Sobek	Total Sulfur	2.29	%	0.01			W027089	HJG	06/29/10 11:28	

Classical Chemistry Parameters

ASA 9	Paste pH	4.42	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	33.5	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	4.90	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	2.28	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0857**

SVL Sample ID: **W0F0630-04 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-11.6	TCaCO3/kT	0.3			N/A		07/02/10 12:41	
Modified Sobek	AGP	18.5	TCaCO3/kT	0.3			N/A		07/02/10 12:41	
Modified Sobek	ANP	6.9	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 12:41	
Modified Sobek	Non-Sulfate Sulfur	0.60	%	0.01			W027089	HJG	07/02/10 11:05	
Modified Sobek	Pyritic Sulfur	0.59	%	0.01			N/A		07/02/10 12:41	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		07/02/10 11:05	
Modified Sobek	Total Sulfur	0.84	%	0.01			W027089	HJG	06/29/10 11:31	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-6.8	TCaCO3/kT	0.3			N/A		07/02/10 13:43	
Modified Sobek	AGP-HCl	13.7	TCaCO3/kT	0.3			N/A		07/02/10 13:43	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 12:41	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.45	%	0.01			W027089	HJG	07/02/10 13:43	
Modified Sobek	Pyritic Sulfur-HCl	0.44	%	0.01			N/A		07/02/10 13:43	
Modified Sobek	Sulfate Sulfur-HCl	0.39	%	0.01			N/A		07/02/10 13:43	
Modified Sobek	Total Sulfur	0.84	%	0.01			W027089	HJG	06/29/10 11:31	

Classical Chemistry Parameters

ASA 9	Paste pH	7.19	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	8.45	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0858**

SVL Sample ID: **W0F0630-05 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-15.1	TCaCO3/kT	0.3			N/A		07/02/10 12:44	
Modified Sobek	AGP	19.3	TCaCO3/kT	0.3			N/A		07/02/10 12:44	
Modified Sobek	ANP	4.1	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:44	
Modified Sobek	Non-Sulfate Sulfur	0.62	%	0.01			W027089	HJG	07/02/10 11:09	
Modified Sobek	Pyritic Sulfur	0.62	%	0.01			N/A		07/02/10 12:44	
Modified Sobek	Sulfate Sulfur	0.30	%	0.01			N/A		07/02/10 11:09	
Modified Sobek	Total Sulfur	0.92	%	0.01			W027089	HJG	06/29/10 11:33	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-17.0	TCaCO3/kT	0.3			N/A		07/02/10 13:46	
Modified Sobek	AGP-HCl	21.2	TCaCO3/kT	0.3			N/A		07/02/10 13:46	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:44	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.68	%	0.01			W027089	HJG	07/02/10 13:46	
Modified Sobek	Pyritic Sulfur-HCl	0.68	%	0.01			N/A		07/02/10 13:46	
Modified Sobek	Sulfate Sulfur-HCl	0.24	%	0.01			N/A		07/02/10 13:46	
Modified Sobek	Total Sulfur	0.92	%	0.01			W027089	HJG	06/29/10 11:33	

Classical Chemistry Parameters

ASA 9	Paste pH	4.91	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	6.08	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	3.14	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	3.15	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0859**

SVL Sample ID: **W0F0630-06 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-52.1	TCaCO3/kT	0.3			N/A		07/02/10 12:47	
Modified Sobek	AGP	53.4	TCaCO3/kT	0.3			N/A		07/02/10 12:47	
Modified Sobek	ANP	1.4	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:47	
Modified Sobek	Non-Sulfate Sulfur	1.71	%	0.01			W027089	HJG	07/02/10 11:12	
Modified Sobek	Pyritic Sulfur	1.71	%	0.01			N/A		07/02/10 12:47	
Modified Sobek	Sulfate Sulfur	0.50	%	0.01			N/A		07/02/10 11:12	
Modified Sobek	Total Sulfur	2.21	%	0.01			W027089	HJG	06/29/10 11:36	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-48.9	TCaCO3/kT	0.3			N/A		07/02/10 13:48	
Modified Sobek	AGP-HCl	50.3	TCaCO3/kT	0.3			N/A		07/02/10 13:48	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:47	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.61	%	0.01			W027089	HJG	07/02/10 13:48	
Modified Sobek	Pyritic Sulfur-HCl	1.61	%	0.01			N/A		07/02/10 13:48	
Modified Sobek	Sulfate Sulfur-HCl	0.60	%	0.01			N/A		07/02/10 13:48	
Modified Sobek	Total Sulfur	2.21	%	0.01			W027089	HJG	06/29/10 11:36	

Classical Chemistry Parameters

ASA 9	Paste pH	4.49	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	38.6	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	5.29	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	2.26	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0860**

SVL Sample ID: **W0F0630-07 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-74.2	TCaCO3/kT	0.3			N/A		07/02/10 12:49	
Modified Sobek	AGP	78.8	TCaCO3/kT	0.3			N/A		07/02/10 12:49	
Modified Sobek	ANP	4.6	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:49	
Modified Sobek	Non-Sulfate Sulfur	2.52	%	0.01			W027089	HJG	07/02/10 11:15	
Modified Sobek	Pyritic Sulfur	2.52	%	0.01			N/A		07/02/10 12:49	
Modified Sobek	Sulfate Sulfur	0.91	%	0.01			N/A		07/02/10 11:15	
Modified Sobek	Total Sulfur	3.43	%	0.01			W027089	HJG	06/29/10 11:39	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-100.0	TCaCO3/kT	0.3			N/A		07/02/10 13:51	
Modified Sobek	AGP-HCl	105	TCaCO3/kT	0.3			N/A		07/02/10 13:51	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:49	
Modified Sobek	Non-Sulfate Sulfur-HCl	3.35	%	0.01			W027089	HJG	07/02/10 13:51	
Modified Sobek	Pyritic Sulfur-HCl	3.35	%	0.01			N/A		07/02/10 13:51	
Modified Sobek	Sulfate Sulfur-HCl	0.08	%	0.01			N/A		07/02/10 13:51	
Modified Sobek	Total Sulfur	3.43	%	0.01			W027089	HJG	06/29/10 11:39	

Classical Chemistry Parameters

ASA 9	Paste pH	5.55	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	33.1	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	3.14	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	2.26	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0861**

SVL Sample ID: **W0F0630-08 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-1.6	TCaCO3/kT	0.3			N/A		07/02/10 12:52	
Modified Sobek	AGP	7.6	TCaCO3/kT	0.3			N/A		07/02/10 12:52	
Modified Sobek	ANP	6.0	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 12:52	
Modified Sobek	Non-Sulfate Sulfur	0.25	%	0.01			W027089	HJG	07/02/10 11:24	
Modified Sobek	Pyritic Sulfur	0.24	%	0.01			N/A		07/02/10 12:52	
Modified Sobek	Sulfate Sulfur	0.29	%	0.01			N/A		07/02/10 11:24	
Modified Sobek	Total Sulfur	0.54	%	0.01			W027089	HJG	06/29/10 11:47	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-2.0	TCaCO3/kT	0.3			N/A		07/02/10 13:53	
Modified Sobek	AGP-HCl	7.9	TCaCO3/kT	0.3			N/A		07/02/10 13:53	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 12:52	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.27	%	0.01			W027089	HJG	07/02/10 13:53	
Modified Sobek	Pyritic Sulfur-HCl	0.25	%	0.01			N/A		07/02/10 13:53	
Modified Sobek	Sulfate Sulfur-HCl	0.28	%	0.01			N/A		07/02/10 13:53	
Modified Sobek	Total Sulfur	0.54	%	0.01			W027089	HJG	06/29/10 11:47	

Classical Chemistry Parameters

ASA 9	Paste pH	6.12	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	5.39	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0862**

SVL Sample ID: **W0F0630-09 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	79.1	TCaCO3/kT	0.3			N/A		07/02/10 12:55	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		07/02/10 12:55	
Modified Sobek	ANP	79.1	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:55	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 11:26	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		07/02/10 12:55	
Modified Sobek	Sulfate Sulfur	0.01	%	0.01			N/A		07/02/10 11:26	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027089	HJG	06/29/10 11:51	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	78.3	TCaCO3/kT	0.3			N/A		07/02/10 13:56	
Modified Sobek	AGP-HCl	0.8	TCaCO3/kT	0.3			N/A		07/02/10 13:56	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:55	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.02	%	0.01			W027089	HJG	07/02/10 13:56	
Modified Sobek	Pyritic Sulfur-HCl	0.02	%	0.01			N/A		07/02/10 13:56	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		07/02/10 13:56	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027089	HJG	06/29/10 11:51	

Classical Chemistry Parameters

ASA 9	Paste pH	7.62	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	10.06	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0864**

SVL Sample ID: **W0F0630-10 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	24.4	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 11:53	
Modified Sobek	ANP	24.4	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		06/29/10 11:53	
Modified Sobek	Sulfate Sulfur	< 0.01	%	0.01			N/A		06/29/10 11:53	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	24.4	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP-HCl	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 11:53	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	
Modified Sobek	Non-Sulfate Sulfur-HCl	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	
Modified Sobek	Pyritic Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 11:53	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 11:53	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:53	

Classical Chemistry Parameters

ASA 9	Paste pH	7.59	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	8.29	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0865**

SVL Sample ID: **W0F0630-11 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	23.9	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 11:56	
Modified Sobek	ANP	23.9	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		06/29/10 11:56	
Modified Sobek	Sulfate Sulfur	< 0.01	%	0.01			N/A		06/29/10 11:56	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	23.9	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP-HCl	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 11:56	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	
Modified Sobek	Non-Sulfate Sulfur-HCl	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	
Modified Sobek	Pyritic Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 11:56	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 11:56	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 11:56	

Classical Chemistry Parameters

ASA 9	Paste pH	8.40	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	7.15	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0866**

SVL Sample ID: **W0F0630-12 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	12.6	TCaCO3/kT	0.3			N/A		07/02/10 12:57	
Modified Sobek	AGP	9.0	TCaCO3/kT	0.3			N/A		07/02/10 12:57	
Modified Sobek	ANP	21.6	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:57	
Modified Sobek	Non-Sulfate Sulfur	0.29	%	0.01			W027089	HJG	07/02/10 11:29	
Modified Sobek	Pyritic Sulfur	0.29	%	0.01			N/A		07/02/10 12:57	
Modified Sobek	Sulfate Sulfur	0.06	%	0.01			N/A		07/02/10 11:29	
Modified Sobek	Total Sulfur	0.35	%	0.01			W027089	HJG	06/29/10 11:59	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	12.8	TCaCO3/kT	0.3			N/A		07/02/10 13:59	
Modified Sobek	AGP-HCl	8.8	TCaCO3/kT	0.3			N/A		07/02/10 13:59	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 12:57	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.28	%	0.01			W027089	HJG	07/02/10 13:59	
Modified Sobek	Pyritic Sulfur-HCl	0.28	%	0.01			N/A		07/02/10 13:59	
Modified Sobek	Sulfate Sulfur-HCl	0.07	%	0.01			N/A		07/02/10 13:59	
Modified Sobek	Total Sulfur	0.35	%	0.01			W027089	HJG	06/29/10 11:59	

Classical Chemistry Parameters

ASA 9	Paste pH	7.70	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	2.35	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	2.55	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	3.23	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0867**

SVL Sample ID: **W0F0630-13 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-17.5	TCaCO3/kT	0.3			N/A		07/02/10 13:00	
Modified Sobek	AGP	24.0	TCaCO3/kT	0.3			N/A		07/02/10 13:00	
Modified Sobek	ANP	6.4	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 13:00	
Modified Sobek	Non-Sulfate Sulfur	0.78	%	0.01			W027089	HJG	07/02/10 11:34	
Modified Sobek	Pyritic Sulfur	0.77	%	0.01			N/A		07/02/10 13:00	
Modified Sobek	Sulfate Sulfur	0.32	%	0.01			N/A		07/02/10 11:34	
Modified Sobek	Total Sulfur	1.10	%	0.01			W027089	HJG	06/29/10 12:01	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-11.0	TCaCO3/kT	0.3			N/A		07/02/10 14:01	
Modified Sobek	AGP-HCl	17.4	TCaCO3/kT	0.3			N/A		07/02/10 14:01	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 13:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.57	%	0.01			W027089	HJG	07/02/10 14:01	
Modified Sobek	Pyritic Sulfur-HCl	0.56	%	0.01			N/A		07/02/10 14:01	
Modified Sobek	Sulfate Sulfur-HCl	0.53	%	0.01			N/A		07/02/10 14:01	
Modified Sobek	Total Sulfur	1.10	%	0.01			W027089	HJG	06/29/10 12:01	

Classical Chemistry Parameters

ASA 9	Paste pH	6.46	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	4.35	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0868**

SVL Sample ID: **W0F0630-14 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	2.8	TCaCO3/kT	0.3			N/A		07/02/10 13:08	
Modified Sobek	AGP	5.4	TCaCO3/kT	0.3			N/A		07/02/10 13:08	
Modified Sobek	ANP	8.3	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:08	
Modified Sobek	Non-Sulfate Sulfur	0.17	%	0.01			W027089	HJG	07/02/10 11:37	
Modified Sobek	Pyritic Sulfur	0.17	%	0.01			N/A		07/02/10 13:08	
Modified Sobek	Sulfate Sulfur	0.16	%	0.01			N/A		07/02/10 11:37	
Modified Sobek	Total Sulfur	0.33	%	0.01			W027089	HJG	06/29/10 12:04	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	4.6	TCaCO3/kT	0.3			N/A		07/02/10 14:04	
Modified Sobek	AGP-HCl	3.6	TCaCO3/kT	0.3			N/A		07/02/10 14:04	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:08	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.12	%	0.01			W027089	HJG	07/02/10 14:04	
Modified Sobek	Pyritic Sulfur-HCl	0.12	%	0.01			N/A		07/02/10 14:04	
Modified Sobek	Sulfate Sulfur-HCl	0.21	%	0.01			N/A		07/02/10 14:04	
Modified Sobek	Total Sulfur	0.33	%	0.01			W027089	HJG	06/29/10 12:04	

Classical Chemistry Parameters

ASA 9	Paste pH	6.60	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	4.43	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0869**

SVL Sample ID: **W0F0630-15 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-13.0	TCaCO3/kT	0.3			N/A		07/02/10 13:11	
Modified Sobek	AGP	25.4	TCaCO3/kT	0.3			N/A		07/02/10 13:11	
Modified Sobek	ANP	12.4	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:11	
Modified Sobek	Non-Sulfate Sulfur	0.81	%	0.01			W027089	HJG	07/02/10 11:41	
Modified Sobek	Pyritic Sulfur	0.81	%	0.01			N/A		07/02/10 13:11	
Modified Sobek	Sulfate Sulfur	0.35	%	0.01			N/A		07/02/10 11:41	
Modified Sobek	Total Sulfur	1.16	%	0.01			W027089	HJG	06/29/10 12:07	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-3.3	TCaCO3/kT	0.3			N/A		07/02/10 14:12	
Modified Sobek	AGP-HCl	15.7	TCaCO3/kT	0.3			N/A		07/02/10 14:12	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:11	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.50	%	0.01			W027089	HJG	07/02/10 14:12	
Modified Sobek	Pyritic Sulfur-HCl	0.50	%	0.01			N/A		07/02/10 14:12	
Modified Sobek	Sulfate Sulfur-HCl	0.66	%	0.01			N/A		07/02/10 14:12	
Modified Sobek	Total Sulfur	1.16	%	0.01			W027089	HJG	06/29/10 12:07	

Classical Chemistry Parameters

ASA 9	Paste pH	7.17	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	5.26	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0870**

SVL Sample ID: **W0F0630-16 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	8.6	TCaCO3/kT	0.3			N/A		07/02/10 13:14	
Modified Sobek	AGP	1.0	TCaCO3/kT	0.3			N/A		07/02/10 13:14	
Modified Sobek	ANP	9.6	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:14	
Modified Sobek	Non-Sulfate Sulfur	0.03	%	0.01			W027089	HJG	07/02/10 11:43	
Modified Sobek	Pyritic Sulfur	0.03	%	0.01			N/A		07/02/10 13:14	
Modified Sobek	Sulfate Sulfur	0.17	%	0.01			N/A		07/02/10 11:43	
Modified Sobek	Total Sulfur	0.20	%	0.01			W027089	HJG	06/29/10 12:10	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	8.9	TCaCO3/kT	0.3			N/A		07/02/10 14:15	
Modified Sobek	AGP-HCl	0.7	TCaCO3/kT	0.3			N/A		07/02/10 14:15	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:14	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.02	%	0.01			W027089	HJG	07/02/10 14:15	
Modified Sobek	Pyritic Sulfur-HCl	0.02	%	0.01			N/A		07/02/10 14:15	
Modified Sobek	Sulfate Sulfur-HCl	0.18	%	0.01			N/A		07/02/10 14:15	
Modified Sobek	Total Sulfur	0.20	%	0.01			W027089	HJG	06/29/10 12:10	

Classical Chemistry Parameters

ASA 9	Paste pH	6.10	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	7.32	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0871**

SVL Sample ID: **W0F0630-17 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	7.8	TCaCO3/kT	0.3			N/A		07/02/10 13:16	
Modified Sobek	AGP	0.5	TCaCO3/kT	0.3			N/A		07/02/10 13:16	
Modified Sobek	ANP	8.3	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:16	
Modified Sobek	Non-Sulfate Sulfur	0.01	%	0.01			W027089	HJG	07/02/10 11:46	
Modified Sobek	Pyritic Sulfur	0.01	%	0.01			N/A		07/02/10 13:16	
Modified Sobek	Sulfate Sulfur	< 0.01	%	0.01			N/A		07/02/10 11:46	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027089	HJG	06/29/10 12:12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	7.8	TCaCO3/kT	0.3			N/A		07/02/10 14:17	
Modified Sobek	AGP-HCl	0.4	TCaCO3/kT	0.3			N/A		07/02/10 14:17	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:16	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.01	%	0.01			W027089	HJG	07/02/10 14:17	
Modified Sobek	Pyritic Sulfur-HCl	0.01	%	0.01			N/A		07/02/10 14:17	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		07/02/10 14:17	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027089	HJG	06/29/10 12:12	

Classical Chemistry Parameters

ASA 9	Paste pH	7.09	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	7.64	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0872**

SVL Sample ID: **W0F0630-18 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-13.0	TCaCO3/kT	0.3			N/A		07/06/10 11:10	
Modified Sobek	AGP	32.8	TCaCO3/kT	0.3			N/A		07/06/10 11:10	
Modified Sobek	ANP	19.8	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:19	
Modified Sobek	Non-Sulfate Sulfur	1.05	%	0.01			W027089	HJG	07/06/10 11:10	
Modified Sobek	Pyritic Sulfur	1.05	%	0.01			N/A		07/06/10 11:10	
Modified Sobek	Sulfate Sulfur	0.71	%	0.01			N/A		07/06/10 11:10	
Modified Sobek	Total Sulfur	1.76	%	0.01			W027089	HJG	06/29/10 12:21	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-17.1	TCaCO3/kT	0.3			N/A		07/02/10 14:20	
Modified Sobek	AGP-HCl	36.9	TCaCO3/kT	0.3			N/A		07/02/10 14:20	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:19	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.18	%	0.01			W027089	HJG	07/02/10 14:20	
Modified Sobek	Pyritic Sulfur-HCl	1.18	%	0.01			N/A		07/02/10 14:20	
Modified Sobek	Sulfate Sulfur-HCl	0.58	%	0.01			N/A		07/02/10 14:20	
Modified Sobek	Total Sulfur	1.76	%	0.01			W027089	HJG	06/29/10 12:21	

Classical Chemistry Parameters

ASA 9	Paste pH	6.29	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	4.70	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	4.12	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	3.14	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0873**

SVL Sample ID: **W0F0630-19 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-8.5	TCaCO3/kT	0.3			N/A		07/06/10 11:19	
Modified Sobek	AGP	40.6	TCaCO3/kT	0.3			N/A		07/06/10 11:19	
Modified Sobek	ANP	32.2	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:21	
Modified Sobek	Non-Sulfate Sulfur	1.30	%	0.01			W027089	HJG	07/06/10 11:19	
Modified Sobek	Pyritic Sulfur	1.30	%	0.01			N/A		07/06/10 11:19	
Modified Sobek	Sulfate Sulfur	0.33	%	0.01			N/A		07/06/10 11:19	
Modified Sobek	Total Sulfur	1.63	%	0.01			W027089	HJG	06/29/10 12:24	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-5.0	TCaCO3/kT	0.3			N/A		07/02/10 14:23	
Modified Sobek	AGP-HCl	37.2	TCaCO3/kT	0.3			N/A		07/02/10 14:23	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	07/02/10 13:21	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.19	%	0.01			W027089	HJG	07/02/10 14:23	
Modified Sobek	Pyritic Sulfur-HCl	1.19	%	0.01			N/A		07/02/10 14:23	
Modified Sobek	Sulfate Sulfur-HCl	0.44	%	0.01			N/A		07/02/10 14:23	
Modified Sobek	Total Sulfur	1.63	%	0.01			W027089	HJG	06/29/10 12:24	

Classical Chemistry Parameters

ASA 9	Paste pH	7.57	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	9.17	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Client Sample ID: **SRK 0874**

SVL Sample ID: **W0F0630-20 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	25.3	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 12:26	
Modified Sobek	ANP	25.3	TCaCO3/kT	0.3	0.01		W027089	LMG	07/01/10 13:58	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		06/29/10 12:26	
Modified Sobek	Sulfate Sulfur	< 0.01	%	0.01			N/A		06/29/10 12:26	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	25.3	TCaCO3/kT	0.3			N/A		07/01/10 13:58	
Modified Sobek	AGP-HCl	< 0.3	TCaCO3/kT	0.3			N/A		06/29/10 12:26	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	
Modified Sobek	Non-Sulfate Sulfur-HCl	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	
Modified Sobek	Pyritic Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 12:26	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		06/29/10 12:26	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027089	HJG	06/29/10 12:26	

Classical Chemistry Parameters

ASA 9	Paste pH	8.25	pH Units				W027102	HJG	07/06/10 11:59	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027094	HJG	06/30/10 15:29	
NAG Australian	NAG Australian	7.31	pH Units				W027094	HJG	06/30/10 15:29	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.01	0.3	W027089	01-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01		0.01	W027089	02-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027089	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027089	02-Jul-10	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01		0.01	W027089	02-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027089	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027089	02-Jul-10	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	23.9	24.9	96.0	80 - 120	W027089	01-Jul-10	
Modified Sobek	Total Sulfur	%	3.27	3.21	102	80 - 120	W027089	29-Jun-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	3.27	3.21	102	80 - 120	W027089	29-Jun-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	6.23	6.36	98.0	80 - 120	W027102	06-Jul-10	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	5.1	6.0	16.7	20	W027089	01-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	1.08	0.94	14.0	20	W027089	02-Jul-10	
Modified Sobek	Total Sulfur	%	1.36	1.33	2.2	20	W027089	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	0.06	0.06	7.1	20	W027089	02-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.63	0.66	4.4	20	W027089	02-Jul-10	
Modified Sobek	Total Sulfur	%	1.36	1.33	2.2	20	W027089	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	0.06	0.06	7.1	20	W027089	02-Jul-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	4.81	4.80	0.2	20	W027102	06-Jul-10	
ASA 9	Paste pH	pH Units	8.23	8.40	2.0	20	W027102	06-Jul-10	
NAG	NAG@pH 4.5	kg H2SO4/T	0.780	0.780	0.0	20	W027094	30-Jun-10	
NAG	NAG@pH 7	kg H2SO4/T	10.4	10.2	1.9	20	W027094	30-Jun-10	
NAG Australian	NAG Australian	pH Units	3.82	3.77	1.3	20	W027094	30-Jun-10	

SVL holds the following certifications: AZ:0538, CA:2080, CO:ID00019, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268, WY:ID00019



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0630**
Reported: 07-Jul-10 09:49

Notes and Definitions

LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
SVL JOB # W0FD63D

TEMP on Receipt: _____

Table 1. -- Matrix Type
1 - Surface Water, 2 - Ground Water
3 - Soil/Sediment, 4 - Rinseate, 5 - Oil
6 - Waste, 7 - Other _____

Report to Company: McClelland Labs Inc.
Contact: Gene McClelland
Address: 1016 Greg Street
Sparks NV 89431
Phone Number: 775-356-1300
FAX Number: 775-356-8917
E-mail: mli@mettest.com

Invoice Sent To: Same
Contact: _____
Address: _____
Phone Number: _____
FAX Number: _____
PO#: _____

Project Name: 3438
Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)	Analyses Required	Rush Instructions (Days)	Comments
	Date	Time					
1	6/24/10	9:00 AM	Matrix Type (From Table 1) 3	Unpreserved HNO ₃ Filtered HNO ₃ Unfiltered HCl H ₂ SO ₄ NaOH Other (Specify)	Mod ABA w/paste PH (hot water, HCL, and HNO3) Australian NAG		Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@mettest.com
2							
3							
4							
5							
6							
7							
8							
9							
10							

Date: 6/24/10 Time: 13:00

Received by: R. Stading

Time: 10:00 AM

Date: 6/24/10

Requisitioned by: [Signature]

* Sample Reject: Return Dispose Store (30 Days)

* no date or time on sample labels. PE 6/24/10

White: LAB COPY Yellow: CUSTOMER COPY SVL-COC 9/05



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
SVL JOB #
WOF063D

TEMP on Receipt

Table 1. -- Matrix Type
1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinseate, 5 = Oil
6 = Waste, 7 = Other

Report to Company: McClelland Labs Inc.
 Contact: Gene McClelland
 Address: 1016 Greg Street
Sparks NV 89431
 Phone Number: 775-356-1300
 FAX Number: 775-356-8917
 E-mail: mli@mettest.com

Invoice Sent To: Same
 Contact: _____
 Address: _____
 Phone Number: _____
 FAX Number: _____
 PO#: _____

Project Name: 3438

Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)							Analyses Required	Rush Instructions (Days)	Comments		
	Date	Time		Collected by: (Init.)	No. of Containers	Unpreserved	HNO ₃ Filtered	HNO ₃ Unfiltered	HCl	H ₂ SO ₄				NaOH	Other (Specify)
1	<u>6/22/10</u>	<u>9:00</u>	<u>RJ</u>	<u>3</u>								<u>x</u>	<u>x</u>	<u>x</u>	Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@mettest.com
2															
3															
4															
5															
6															
7															
8															
9															
10															

Date: 6/24/10 Time: 13:00

Received by: R. Schubert

Date: 6/22/10 Time: 9:00

Date: _____ Time: _____

Date: _____ Time: _____

Date: _____ Time: _____

Date: _____ Time: _____

Date: _____ Time: _____

Date: _____ Time: _____

White: LAB COPY Yellow: CUSTOMER COPY

* Sample Reject: Return Dispose Store (30 Days)



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
SRK 0875	W0F0636-01	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0876	W0F0636-02	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0877	W0F0636-03	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
SRK 0878	W0F0636-04	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604552	W0F0636-05	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604562	W0F0636-06	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604568	W0F0636-07	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604569	W0F0636-08	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604571	W0F0636-09	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604601	W0F0636-10	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604606	W0F0636-11	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604638	W0F0636-12	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604639	W0F0636-13	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604653	W0F0636-14	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604656	W0F0636-15	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604657	W0F0636-16	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604669	W0F0636-17	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604672	W0F0636-18	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604673	W0F0636-19	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604675	W0F0636-20	Soil	22-Jun-10 09:00	RJ	24-Jun-2010

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **SRK 0875**

SVL Sample ID: **W0F0636-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	1.6	TCaCO3/kT	0.3			N/A		07/05/10 20:00	
Modified Sobek	AGP	23.9	TCaCO3/kT	0.3			N/A		07/05/10 20:00	
Modified Sobek	ANP	25.4	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:00	
Modified Sobek	Non-Sulfate Sulfur	0.76	%	0.01			W027090	HJG	07/05/10 18:37	
Modified Sobek	Pyritic Sulfur	0.76	%	0.01			N/A		07/05/10 20:00	
Modified Sobek	Sulfate Sulfur	0.47	%	0.01			N/A		07/05/10 18:37	
Modified Sobek	Total Sulfur	1.23	%	0.01			W027090	HJG	06/30/10 09:48	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	3.7	TCaCO3/kT	0.3			N/A		07/06/10 09:47	
Modified Sobek	AGP-HCl	21.8	TCaCO3/kT	0.3			N/A		07/06/10 09:47	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.70	%	0.01			W027090	HJG	07/06/10 09:47	
Modified Sobek	Pyritic Sulfur-HCl	0.70	%	0.01			N/A		07/06/10 09:47	
Modified Sobek	Sulfate Sulfur-HCl	0.53	%	0.01			N/A		07/06/10 09:47	
Modified Sobek	Total Sulfur	1.23	%	0.01			W027090	HJG	06/30/10 09:48	

Classical Chemistry Parameters

ASA 9	Paste pH	8.01	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.55	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **SRK 0876**

SVL Sample ID: **W0F0636-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-7.2	TCaCO3/kT	0.3			N/A		07/05/10 20:02	
Modified Sobek	AGP	24.3	TCaCO3/kT	0.3			N/A		07/05/10 20:02	
Modified Sobek	ANP	17.1	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:02	
Modified Sobek	Non-Sulfate Sulfur	0.78	%	0.01			W027090	HJG	07/05/10 18:41	
Modified Sobek	Pyritic Sulfur	0.78	%	0.01			N/A		07/05/10 20:02	
Modified Sobek	Sulfate Sulfur	0.52	%	0.01			N/A		07/05/10 18:41	
Modified Sobek	Total Sulfur	1.30	%	0.01			W027090	HJG	06/30/10 09:51	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-9.0	TCaCO3/kT	0.3			N/A		07/06/10 09:52	
Modified Sobek	AGP-HCl	26.1	TCaCO3/kT	0.3			N/A		07/06/10 09:52	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:02	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.84	%	0.01			W027090	HJG	07/06/10 09:52	
Modified Sobek	Pyritic Sulfur-HCl	0.84	%	0.01			N/A		07/06/10 09:52	
Modified Sobek	Sulfate Sulfur-HCl	0.46	%	0.01			N/A		07/06/10 09:52	
Modified Sobek	Total Sulfur	1.30	%	0.01			W027090	HJG	06/30/10 09:51	

Classical Chemistry Parameters

ASA 9	Paste pH	7.88	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	9.01	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **SRK 0877**

SVL Sample ID: **W0F0636-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	303	TCaCO3/kT	0.3			N/A		07/05/10 20:05	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		07/05/10 20:05	
Modified Sobek	ANP	303	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:05	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 18:43	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		07/05/10 20:05	
Modified Sobek	Sulfate Sulfur	0.01	%	0.01			N/A		07/05/10 18:43	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027090	HJG	06/30/10 09:54	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	303	TCaCO3/kT	0.3			N/A		07/06/10 09:54	
Modified Sobek	AGP-HCl	< 0.3	TCaCO3/kT	0.3			N/A		07/06/10 09:54	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:05	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.01	%	0.01			W027090	HJG	07/06/10 09:54	
Modified Sobek	Pyritic Sulfur-HCl	< 0.01	%	0.01			N/A		07/06/10 09:54	
Modified Sobek	Sulfate Sulfur-HCl	0.01	%	0.01			N/A		07/06/10 09:54	
Modified Sobek	Total Sulfur	0.01	%	0.01			W027090	HJG	06/30/10 09:54	

Classical Chemistry Parameters

ASA 9	Paste pH	8.17	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	9.70	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **SRK 0878**

SVL Sample ID: **W0F0636-04 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	472	TCaCO3/kT	0.3			N/A		07/02/10 13:49	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		06/30/10 09:57	
Modified Sobek	ANP	472	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	
Modified Sobek	Non-Sulfate Sulfur	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		06/30/10 09:57	
Modified Sobek	Sulfate Sulfur	< 0.01	%	0.01			N/A		06/30/10 09:57	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	472	TCaCO3/kT	0.3			N/A		07/02/10 13:49	
Modified Sobek	AGP-HCl	< 0.3	TCaCO3/kT	0.3			N/A		06/30/10 09:57	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	
Modified Sobek	Non-Sulfate Sulfur-HCl	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	
Modified Sobek	Pyritic Sulfur-HCl	< 0.01	%	0.01			N/A		06/30/10 09:57	
Modified Sobek	Sulfate Sulfur-HCl	< 0.01	%	0.01			N/A		06/30/10 09:57	
Modified Sobek	Total Sulfur	< 0.01	%	0.01			W027090	HJG	06/30/10 09:57	

Classical Chemistry Parameters

ASA 9	Paste pH	8.13	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	10.93	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604552**

SVL Sample ID: **W0F0636-05 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-4.6	TCaCO3/kT	0.3			N/A		07/05/10 20:08	
Modified Sobek	AGP	12.9	TCaCO3/kT	0.3			N/A		07/05/10 20:08	
Modified Sobek	ANP	8.3	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:08	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01			W027090	HJG	07/05/10 18:46	
Modified Sobek	Pyritic Sulfur	0.41	%	0.01			N/A		07/05/10 20:08	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		07/05/10 18:46	
Modified Sobek	Total Sulfur	0.61	%	0.01			W027090	HJG	06/30/10 10:00	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-3.2	TCaCO3/kT	0.3			N/A		07/06/10 09:57	
Modified Sobek	AGP-HCl	11.6	TCaCO3/kT	0.3			N/A		07/06/10 09:57	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:08	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.37	%	0.01			W027090	HJG	07/06/10 09:57	
Modified Sobek	Pyritic Sulfur-HCl	0.37	%	0.01			N/A		07/06/10 09:57	
Modified Sobek	Sulfate Sulfur-HCl	0.24	%	0.01			N/A		07/06/10 09:57	
Modified Sobek	Total Sulfur	0.61	%	0.01			W027090	HJG	06/30/10 10:00	

Classical Chemistry Parameters

ASA 9	Paste pH	8.26	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.880	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	5.88	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	3.65	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604562**

SVL Sample ID: **W0F0636-06 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-31.5	TCaCO3/kT	0.3			N/A		07/05/10 20:10	
Modified Sobek	AGP	47.7	TCaCO3/kT	0.3			N/A		07/05/10 20:10	
Modified Sobek	ANP	16.2	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:10	
Modified Sobek	Non-Sulfate Sulfur	1.54	%	0.01			W027090	HJG	07/05/10 18:50	
Modified Sobek	Pyritic Sulfur	1.53	%	0.01			N/A		07/05/10 20:10	
Modified Sobek	Sulfate Sulfur	0.35	%	0.01			N/A		07/05/10 18:50	
Modified Sobek	Total Sulfur	1.89	%	0.01			W027090	HJG	06/30/10 10:02	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-21.2	TCaCO3/kT	0.3			N/A		07/06/10 10:02	
Modified Sobek	AGP-HCl	37.4	TCaCO3/kT	0.3			N/A		07/06/10 10:02	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:10	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.21	%	0.01			W027090	HJG	07/06/10 10:02	
Modified Sobek	Pyritic Sulfur-HCl	1.20	%	0.01			N/A		07/06/10 10:02	
Modified Sobek	Sulfate Sulfur-HCl	0.68	%	0.01			N/A		07/06/10 10:02	
Modified Sobek	Total Sulfur	1.89	%	0.01			W027090	HJG	06/30/10 10:02	

Classical Chemistry Parameters

ASA 9	Paste pH	7.97	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	7.75	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604568**

SVL Sample ID: **W0F0636-07 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-8.5	TCaCO3/kT	0.3			N/A		07/05/10 20:13	
Modified Sobek	AGP	31.2	TCaCO3/kT	0.3			N/A		07/05/10 20:13	
Modified Sobek	ANP	22.7	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:13	
Modified Sobek	Non-Sulfate Sulfur	1.00	%	0.01			W027090	HJG	07/05/10 18:55	
Modified Sobek	Pyritic Sulfur	1.00	%	0.01			N/A		07/05/10 20:13	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		07/05/10 18:55	
Modified Sobek	Total Sulfur	1.28	%	0.01			W027090	HJG	06/30/10 10:05	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-0.5	TCaCO3/kT	0.3			N/A		07/06/10 10:04	
Modified Sobek	AGP-HCl	23.2	TCaCO3/kT	0.3			N/A		07/06/10 10:04	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:13	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.74	%	0.01			W027090	HJG	07/06/10 10:04	
Modified Sobek	Pyritic Sulfur-HCl	0.74	%	0.01			N/A		07/06/10 10:04	
Modified Sobek	Sulfate Sulfur-HCl	0.54	%	0.01			N/A		07/06/10 10:04	
Modified Sobek	Total Sulfur	1.28	%	0.01			W027090	HJG	06/30/10 10:05	

Classical Chemistry Parameters

ASA 9	Paste pH	8.20	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.47	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604569**

SVL Sample ID: **W0F0636-08 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-14.8	TCaCO3/kT	0.3			N/A		07/05/10 20:15	
Modified Sobek	AGP	32.8	TCaCO3/kT	0.3			N/A		07/05/10 20:15	
Modified Sobek	ANP	18.0	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:15	
Modified Sobek	Non-Sulfate Sulfur	1.05	%	0.01			W027090	HJG	07/05/10 18:59	
Modified Sobek	Pyritic Sulfur	1.05	%	0.01			N/A		07/05/10 20:15	
Modified Sobek	Sulfate Sulfur	0.29	%	0.01			N/A		07/05/10 18:59	
Modified Sobek	Total Sulfur	1.34	%	0.01			W027090	HJG	06/30/10 10:13	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-10.0	TCaCO3/kT	0.3			N/A		07/06/10 10:12	
Modified Sobek	AGP-HCl	28.0	TCaCO3/kT	0.3			N/A		07/06/10 10:12	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:15	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.90	%	0.01			W027090	HJG	07/06/10 10:12	
Modified Sobek	Pyritic Sulfur-HCl	0.90	%	0.01			N/A		07/06/10 10:12	
Modified Sobek	Sulfate Sulfur-HCl	0.44	%	0.01			N/A		07/06/10 10:12	
Modified Sobek	Total Sulfur	1.34	%	0.01			W027090	HJG	06/30/10 10:13	

Classical Chemistry Parameters

ASA 9	Paste pH	8.30	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.33	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604571**

SVL Sample ID: **W0F0636-09 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-8.9	TCaCO3/kT	0.3			N/A		07/05/10 20:24	
Modified Sobek	AGP	27.3	TCaCO3/kT	0.3			N/A		07/05/10 20:24	
Modified Sobek	ANP	18.5	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:24	
Modified Sobek	Non-Sulfate Sulfur	0.88	%	0.01			W027090	HJG	07/05/10 19:03	
Modified Sobek	Pyritic Sulfur	0.88	%	0.01			N/A		07/05/10 20:24	
Modified Sobek	Sulfate Sulfur	0.34	%	0.01			N/A		07/05/10 19:03	
Modified Sobek	Total Sulfur	1.21	%	0.01			W027090	HJG	06/30/10 10:16	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-4.3	TCaCO3/kT	0.3			N/A		07/06/10 10:15	
Modified Sobek	AGP-HCl	22.8	TCaCO3/kT	0.3			N/A		07/06/10 10:15	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:24	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.73	%	0.01			W027090	HJG	07/06/10 10:15	
Modified Sobek	Pyritic Sulfur-HCl	0.73	%	0.01			N/A		07/06/10 10:15	
Modified Sobek	Sulfate Sulfur-HCl	0.48	%	0.01			N/A		07/06/10 10:15	
Modified Sobek	Total Sulfur	1.21	%	0.01			W027090	HJG	06/30/10 10:16	

Classical Chemistry Parameters

ASA 9	Paste pH	8.27	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	7.75	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604601**

SVL Sample ID: **W0F0636-10 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	1.0	TCaCO3/kT	0.3			N/A		07/05/10 20:26	
Modified Sobek	AGP	21.2	TCaCO3/kT	0.3			N/A		07/05/10 20:26	
Modified Sobek	ANP	22.2	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:26	
Modified Sobek	Non-Sulfate Sulfur	0.68	%	0.01			W027090	HJG	07/05/10 19:12	
Modified Sobek	Pyritic Sulfur	0.68	%	0.01			N/A		07/05/10 20:26	
Modified Sobek	Sulfate Sulfur	0.36	%	0.01			N/A		07/05/10 19:12	
Modified Sobek	Total Sulfur	1.04	%	0.01			W027090	HJG	06/30/10 10:18	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	4.5	TCaCO3/kT	0.3			N/A		07/06/10 10:18	
Modified Sobek	AGP-HCl	17.7	TCaCO3/kT	0.3			N/A		07/06/10 10:18	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:26	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.57	%	0.01			W027090	HJG	07/06/10 10:18	
Modified Sobek	Pyritic Sulfur-HCl	0.57	%	0.01			N/A		07/06/10 10:18	
Modified Sobek	Sulfate Sulfur-HCl	0.47	%	0.01			N/A		07/06/10 10:18	
Modified Sobek	Total Sulfur	1.04	%	0.01			W027090	HJG	06/30/10 10:18	

Classical Chemistry Parameters

ASA 9	Paste pH	8.19	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.49	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604606**

SVL Sample ID: **W0F0636-11 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	2.5	TCaCO3/kT	0.3			N/A		07/05/10 20:29	
Modified Sobek	AGP	21.1	TCaCO3/kT	0.3			N/A		07/05/10 20:29	
Modified Sobek	ANP	23.6	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:29	
Modified Sobek	Non-Sulfate Sulfur	0.67	%	0.01			W027090	HJG	07/05/10 19:16	
Modified Sobek	Pyritic Sulfur	0.67	%	0.01			N/A		07/05/10 20:29	
Modified Sobek	Sulfate Sulfur	0.29	%	0.01			N/A		07/05/10 19:16	
Modified Sobek	Total Sulfur	0.97	%	0.01			W027090	HJG	06/30/10 10:21	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	5.1	TCaCO3/kT	0.3			N/A		07/06/10 10:20	
Modified Sobek	AGP-HCl	18.4	TCaCO3/kT	0.3			N/A		07/06/10 10:20	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:29	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.59	%	0.01			W027090	HJG	07/06/10 10:20	
Modified Sobek	Pyritic Sulfur-HCl	0.59	%	0.01			N/A		07/06/10 10:20	
Modified Sobek	Sulfate Sulfur-HCl	0.38	%	0.01			N/A		07/06/10 10:20	
Modified Sobek	Total Sulfur	0.97	%	0.01			W027090	HJG	06/30/10 10:21	
Classical Chemistry Parameters										
ASA 9	Paste pH	7.98	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	9.60	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604638**

SVL Sample ID: **W0F0636-12 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	9.7	TCaCO3/kT	0.3			N/A		07/05/10 20:32	
Modified Sobek	AGP	29.2	TCaCO3/kT	0.3			N/A		07/05/10 20:32	
Modified Sobek	ANP	38.8	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027090	HJG	07/05/10 20:32	
Modified Sobek	Non-Sulfate Sulfur	0.95	%	0.01			W027090	HJG	07/05/10 19:20	
Modified Sobek	Pyritic Sulfur	0.93	%	0.01			N/A		07/05/10 20:32	
Modified Sobek	Sulfate Sulfur	0.36	%	0.01			N/A		07/05/10 19:20	
Modified Sobek	Total Sulfur	1.31	%	0.01			W027090	HJG	06/30/10 10:24	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	18.4	TCaCO3/kT	0.3			N/A		07/06/10 10:23	
Modified Sobek	AGP-HCl	20.4	TCaCO3/kT	0.3			N/A		07/06/10 10:23	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027090	HJG	07/05/10 20:32	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.67	%	0.01			W027090	HJG	07/06/10 10:23	
Modified Sobek	Pyritic Sulfur-HCl	0.65	%	0.01			N/A		07/06/10 10:23	
Modified Sobek	Sulfate Sulfur-HCl	0.64	%	0.01			N/A		07/06/10 10:23	
Modified Sobek	Total Sulfur	1.31	%	0.01			W027090	HJG	06/30/10 10:24	

Classical Chemistry Parameters

ASA 9	Paste pH	7.82	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.63	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604639**

SVL Sample ID: **W0F0636-13 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	54.3	TCaCO3/kT	0.3			N/A		07/05/10 20:34	
Modified Sobek	AGP	23.1	TCaCO3/kT	0.3			N/A		07/05/10 20:34	
Modified Sobek	ANP	77.4	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	0.11	%	0.01			W027090	HJG	07/05/10 20:34	
Modified Sobek	Non-Sulfate Sulfur	0.85	%	0.01			W027090	HJG	07/05/10 19:23	
Modified Sobek	Pyritic Sulfur	0.74	%	0.01			N/A		07/05/10 20:34	
Modified Sobek	Sulfate Sulfur	0.25	%	0.01			N/A		07/05/10 19:23	
Modified Sobek	Total Sulfur	1.10	%	0.01			W027090	HJG	06/30/10 10:27	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	61.5	TCaCO3/kT	0.3			N/A		07/06/10 10:25	
Modified Sobek	AGP-HCl	15.9	TCaCO3/kT	0.3			N/A		07/06/10 10:25	
Modified Sobek	Non-extractable Sulfur	0.11	%	0.01			W027090	HJG	07/05/10 20:34	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.62	%	0.01			W027090	HJG	07/06/10 10:25	
Modified Sobek	Pyritic Sulfur-HCl	0.51	%	0.01			N/A		07/06/10 10:25	
Modified Sobek	Sulfate Sulfur-HCl	0.48	%	0.01			N/A		07/06/10 10:25	
Modified Sobek	Total Sulfur	1.10	%	0.01			W027090	HJG	06/30/10 10:27	

Classical Chemistry Parameters

ASA 9	Paste pH	7.60	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.71	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604653**

SVL Sample ID: **W0F0636-14 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	2.4	TCaCO3/kT	0.3			N/A		07/05/10 20:37	
Modified Sobek	AGP	24.0	TCaCO3/kT	0.3			N/A		07/05/10 20:37	
Modified Sobek	ANP	26.4	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:37	
Modified Sobek	Non-Sulfate Sulfur	0.77	%	0.01			W027090	HJG	07/05/10 19:27	
Modified Sobek	Pyritic Sulfur	0.77	%	0.01			N/A		07/05/10 20:37	
Modified Sobek	Sulfate Sulfur	0.30	%	0.01			N/A		07/05/10 19:27	
Modified Sobek	Total Sulfur	1.07	%	0.01			W027090	HJG	06/30/10 10:30	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	6.9	TCaCO3/kT	0.3			N/A		07/06/10 10:28	
Modified Sobek	AGP-HCl	19.5	TCaCO3/kT	0.3			N/A		07/06/10 10:28	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:37	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.62	%	0.01			W027090	HJG	07/06/10 10:28	
Modified Sobek	Pyritic Sulfur-HCl	0.62	%	0.01			N/A		07/06/10 10:28	
Modified Sobek	Sulfate Sulfur-HCl	0.45	%	0.01			N/A		07/06/10 10:28	
Modified Sobek	Total Sulfur	1.07	%	0.01			W027090	HJG	06/30/10 10:30	

Classical Chemistry Parameters

ASA 9	Paste pH	8.09	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.38	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604656**

SVL Sample ID: **W0F0636-15 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	33.4	TCaCO3/kT	0.3			N/A		07/05/10 20:40	
Modified Sobek	AGP	18.4	TCaCO3/kT	0.3			N/A		07/05/10 20:40	
Modified Sobek	ANP	51.8	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:40	
Modified Sobek	Non-Sulfate Sulfur	0.60	%	0.01			W027090	HJG	07/05/10 19:31	
Modified Sobek	Pyritic Sulfur	0.59	%	0.01			N/A		07/05/10 20:40	
Modified Sobek	Sulfate Sulfur	0.21	%	0.01			N/A		07/05/10 19:31	
Modified Sobek	Total Sulfur	0.81	%	0.01			W027090	HJG	06/30/10 10:32	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	37.3	TCaCO3/kT	0.3			N/A		07/06/10 10:30	
Modified Sobek	AGP-HCl	14.5	TCaCO3/kT	0.3			N/A		07/06/10 10:30	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:40	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.48	%	0.01			W027090	HJG	07/06/10 10:30	
Modified Sobek	Pyritic Sulfur-HCl	0.46	%	0.01			N/A		07/06/10 10:30	
Modified Sobek	Sulfate Sulfur-HCl	0.33	%	0.01			N/A		07/06/10 10:30	
Modified Sobek	Total Sulfur	0.81	%	0.01			W027090	HJG	06/30/10 10:32	

Classical Chemistry Parameters

ASA 9	Paste pH	7.93	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.20	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604657**

SVL Sample ID: **W0F0636-16 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	10.8	TCaCO3/kT	0.3			N/A		07/05/10 20:42	
Modified Sobek	AGP	21.1	TCaCO3/kT	0.3			N/A		07/05/10 20:42	
Modified Sobek	ANP	31.9	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:42	
Modified Sobek	Non-Sulfate Sulfur	0.67	%	0.01			W027090	HJG	07/05/10 19:34	
Modified Sobek	Pyritic Sulfur	0.67	%	0.01			N/A		07/05/10 20:42	
Modified Sobek	Sulfate Sulfur	0.25	%	0.01			N/A		07/05/10 19:34	
Modified Sobek	Total Sulfur	0.92	%	0.01			W027090	HJG	06/30/10 10:35	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	14.3	TCaCO3/kT	0.3			N/A		07/06/10 10:33	
Modified Sobek	AGP-HCl	17.6	TCaCO3/kT	0.3			N/A		07/06/10 10:33	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:42	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.56	%	0.01			W027090	HJG	07/06/10 10:33	
Modified Sobek	Pyritic Sulfur-HCl	0.56	%	0.01			N/A		07/06/10 10:33	
Modified Sobek	Sulfate Sulfur-HCl	0.36	%	0.01			N/A		07/06/10 10:33	
Modified Sobek	Total Sulfur	0.92	%	0.01			W027090	HJG	06/30/10 10:35	

Classical Chemistry Parameters

ASA 9	Paste pH	8.11	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	8.64	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604669**

SVL Sample ID: **W0F0636-17 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-16.5	TCaCO3/kT	0.3			N/A		07/05/10 20:45	
Modified Sobek	AGP	19.8	TCaCO3/kT	0.3			N/A		07/05/10 20:45	
Modified Sobek	ANP	3.2	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:45	
Modified Sobek	Non-Sulfate Sulfur	0.65	%	0.01			W027090	HJG	07/05/10 19:38	
Modified Sobek	Pyritic Sulfur	0.63	%	0.01			N/A		07/05/10 20:45	
Modified Sobek	Sulfate Sulfur	0.32	%	0.01			N/A		07/05/10 19:38	
Modified Sobek	Total Sulfur	0.97	%	0.01			W027090	HJG	06/30/10 10:38	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-10.9	TCaCO3/kT	0.3			N/A		07/06/10 10:36	
Modified Sobek	AGP-HCl	14.1	TCaCO3/kT	0.3			N/A		07/06/10 10:36	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027090	HJG	07/05/10 20:45	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.47	%	0.01			W027090	HJG	07/06/10 10:36	
Modified Sobek	Pyritic Sulfur-HCl	0.45	%	0.01			N/A		07/06/10 10:36	
Modified Sobek	Sulfate Sulfur-HCl	0.50	%	0.01			N/A		07/06/10 10:36	
Modified Sobek	Total Sulfur	0.97	%	0.01			W027090	HJG	06/30/10 10:38	

Classical Chemistry Parameters

ASA 9	Paste pH	8.07	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	4.08	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604672**

SVL Sample ID: **W0F0636-18 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-7.3	TCaCO3/kT	0.3			N/A		07/05/10 20:48	
Modified Sobek	AGP	10.6	TCaCO3/kT	0.3			N/A		07/05/10 20:48	
Modified Sobek	ANP	3.2	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:48	
Modified Sobek	Non-Sulfate Sulfur	0.34	%	0.01			W027090	HJG	07/05/10 19:41	
Modified Sobek	Pyritic Sulfur	0.34	%	0.01			N/A		07/05/10 20:48	
Modified Sobek	Sulfate Sulfur	0.23	%	0.01			N/A		07/05/10 19:41	
Modified Sobek	Total Sulfur	0.57	%	0.01			W027090	HJG	06/30/10 10:46	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-7.0	TCaCO3/kT	0.3			N/A		07/06/10 10:44	
Modified Sobek	AGP-HCl	10.3	TCaCO3/kT	0.3			N/A		07/06/10 10:44	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:48	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.33	%	0.01			W027090	HJG	07/06/10 10:44	
Modified Sobek	Pyritic Sulfur-HCl	0.33	%	0.01			N/A		07/06/10 10:44	
Modified Sobek	Sulfate Sulfur-HCl	0.24	%	0.01			N/A		07/06/10 10:44	
Modified Sobek	Total Sulfur	0.57	%	0.01			W027090	HJG	06/30/10 10:46	

Classical Chemistry Parameters

ASA 9	Paste pH	8.25	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	1.18	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	3.92	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	3.76	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604673**

SVL Sample ID: **W0F0636-19 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-5.9	TCaCO3/kT	0.3			N/A		07/05/10 20:56	
Modified Sobek	AGP	12.9	TCaCO3/kT	0.3			N/A		07/05/10 20:56	
Modified Sobek	ANP	6.9	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:56	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01			W027090	HJG	07/05/10 19:44	
Modified Sobek	Pyritic Sulfur	0.41	%	0.01			N/A		07/05/10 20:56	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		07/05/10 19:44	
Modified Sobek	Total Sulfur	0.60	%	0.01			W027090	HJG	06/30/10 10:48	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-4.0	TCaCO3/kT	0.3			N/A		07/06/10 10:46	
Modified Sobek	AGP-HCl	10.9	TCaCO3/kT	0.3			N/A		07/06/10 10:46	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:56	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.35	%	0.01			W027090	HJG	07/06/10 10:46	
Modified Sobek	Pyritic Sulfur-HCl	0.35	%	0.01			N/A		07/06/10 10:46	
Modified Sobek	Sulfate Sulfur-HCl	0.25	%	0.01			N/A		07/06/10 10:46	
Modified Sobek	Total Sulfur	0.60	%	0.01			W027090	HJG	06/30/10 10:48	
Classical Chemistry Parameters										
ASA 9	Paste pH	8.10	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	1.37	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	3.92	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	3.66	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Client Sample ID: **604675**

SVL Sample ID: **W0F0636-20 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-4.7	TCaCO3/kT	0.3			N/A		07/05/10 20:58	
Modified Sobek	AGP	11.1	TCaCO3/kT	0.3			N/A		07/05/10 20:58	
Modified Sobek	ANP	6.5	TCaCO3/kT	0.3	0.01		W027090	LMG	07/02/10 13:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:58	
Modified Sobek	Non-Sulfate Sulfur	0.36	%	0.01			W027090	HJG	07/05/10 19:52	
Modified Sobek	Pyritic Sulfur	0.36	%	0.01			N/A		07/05/10 20:58	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		07/05/10 19:52	
Modified Sobek	Total Sulfur	0.55	%	0.01			W027090	HJG	06/30/10 10:59	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-4.2	TCaCO3/kT	0.3			N/A		07/06/10 10:49	
Modified Sobek	AGP-HCl	10.7	TCaCO3/kT	0.3			N/A		07/06/10 10:49	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027090	HJG	07/05/10 20:58	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.34	%	0.01			W027090	HJG	07/06/10 10:49	
Modified Sobek	Pyritic Sulfur-HCl	0.34	%	0.01			N/A		07/06/10 10:49	
Modified Sobek	Sulfate Sulfur-HCl	0.21	%	0.01			N/A		07/06/10 10:49	
Modified Sobek	Total Sulfur	0.55	%	0.01			W027090	HJG	06/30/10 10:59	

Classical Chemistry Parameters

ASA 9	Paste pH	8.50	pH Units				W027103	HJG	07/07/10 12:47	
NAG	NAG@pH 4.5	1.57	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG	NAG@pH 7	4.31	kg H2SO4/T				W027095	HJG	06/30/10 15:25	
NAG Australian	NAG Australian	3.63	pH Units				W027095	HJG	06/30/10 15:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Larry Drew
Technical Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.01	0.3	W027090	02-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01		0.01	W027090	05-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027090	30-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027090	05-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)								
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01		0.01	W027090	06-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027090	30-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027090	05-Jul-10	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	23.1	24.9	92.9	80 - 120	W027090	02-Jul-10	
Modified Sobek	Total Sulfur	%	3.83	3.21	119	80 - 120	W027090	30-Jun-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	3.83	3.21	119	80 - 120	W027090	30-Jun-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	6.79	6.36	107	80 - 120	W027103	07-Jul-10	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	26.4	25.4	3.6	20	W027090	02-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	0.80	0.76	4.2	20	W027090	05-Jul-10	
Modified Sobek	Total Sulfur	%	1.23	1.23	0.0	20	W027090	30-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01	<0.01	<RL	20	W027090	05-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.66	0.70	5.2	20	W027090	06-Jul-10	
Modified Sobek	Total Sulfur	%	1.23	1.23	0.0	20	W027090	30-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01	<0.01	<RL	20	W027090	05-Jul-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	7.91	7.98	0.9	20	W027103	07-Jul-10	
ASA 9	Paste pH	pH Units	8.07	8.01	0.7	20	W027103	07-Jul-10	
NAG	NAG@pH 4.5	kg H2SO4/T	0.00	0.00		20	W027095	30-Jun-10	
NAG	NAG@pH 7	kg H2SO4/T	0.00	0.00		20	W027095	30-Jun-10	
NAG Australian	NAG Australian	pH Units	8.53	8.55	0.2	20	W027095	30-Jun-10	

SVL holds the following certifications: AZ:0538, CA:2080, CO:ID00019, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268, WY:ID00019



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0636**
Reported: 08-Jul-10 09:58

Notes and Definitions

LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
SVL JOB #

TEMP on Receipt: WDF0626

Report to Company: McClelland Labs Inc.
 Contact: Gene McClelland
 Address: 1016 Greg Street
Sparks NV 89431
 Phone Number: 775-356-1300
 FAX Number: 775-356-8917
 E-mail: mli@mettest.com

Invoice Sent To: Same
 Contact: _____
 Address: _____
 Phone Number: _____
 FAX Number: _____
 PO#: _____

Table 1 -- Matrix Type
 1 = Surface Water, 2 = Ground Water
 3 = Soil/Sediment, 4 = Rinsate, 5 = Oil
 6 = Waste, 7 = Other

Project Name: 3438
 Sampler's Signature: [Signature]

Indicate State of sample origination: _____
 USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)	Other (Specify)	Analyses Required	Rush Instructions (Days)	Comments
	Date	Time						
1 SRK 0875	6/22/10	9:00 P.M.	3	1		Mod ABA w/paste PH (hot water, HCL, and HNO3) Australian NAG		Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@mettest.com
2 SRK 0876								
3 SRK 0877								
4 SRK 0878								
5 604552								
6 604562								
7 604568								
8 604569								
9 604571								
10 604601								

Relinquished by: [Signature] Date: 6/22/10 Time: 9:00
 Relinquished by: _____ Date: _____ Time: _____
 Received by: R. Stabelberg Date: 6/24/10 Time: 13:00
 Received by: _____ Date: _____ Time: _____

* Sample Reject: Return Dispose Store (30 Days)
 White: LAB COPY Yellow: CUSTOMER COPY

* no date or time on sample labels. RS. 6/24/10



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
SVL JOB #

TEMP on Receipt
WDF0636

Report to Company: McClelland Labs Inc.
 Contact: Gene McClelland
 Address: 1016 Greg Street
Sparks NV 89431
 Phone Number: 775-356-1300
 FAX Number: 775-356-8917
 E-mail: ml@mettest.com

Invoice Sent To: Same
 Contact: _____
 Address: _____
 Phone Number: _____
 FAX Number: _____
 PO#: _____

Table 1. -- Matrix Type
 1 = Surface Water, 2 = Ground Water
 3 = Soil/Sediment, 4 = Kinsate, 5 = Oil
 6 = Waste, 7 = Other

Project Name: 3438
 Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)	Analyses Required	Comments
	Date	Time				
1 604606	6/22/10	9:00	RT 3 1	Unpreserved HNO ₃ Filtered HNO ₃ Unfiltered HCl H ₂ SO ₄ NaOH Other (Specify)	Mod ABA w/paste PH x Australian NAG x x	Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 ml@mettest.com
2 604638						
3 604639						
4 604653						
5 604656						
6 604657						
7 604669						
8 604672						
9 604673						
10 604675						

Relinquished by: [Signature] Date: 6/22/10 Time: 13:00
 Relinquished by: _____ Date: _____ Time: _____

* Sample: Reject: Return Dispose Store (30 Days)
 White: LAB COPY Yellow: CUSTOMER COPY



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
604695	W0F0637-01	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604734	W0F0637-02	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604755	W0F0637-03	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604767	W0F0637-04	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604787	W0F0637-05	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604790	W0F0637-06	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604804	W0F0637-07	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604811	W0F0637-08	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604849	W0F0637-09	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604854	W0F0637-10	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604862	W0F0637-11	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604867	W0F0637-12	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604880	W0F0637-13	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604889	W0F0637-14	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
604898	W0F0637-15	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605001	W0F0637-16	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605013	W0F0637-17	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605033	W0F0637-18	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605039	W0F0637-19	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605078	W0F0637-20	Soil	22-Jun-10 09:00	RJ	24-Jun-2010

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604695**

SVL Sample ID: **W0F0637-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	18.3	TCaCO3/kT	0.3			N/A		07/06/10 16:01	
Modified Sobek	AGP	14.2	TCaCO3/kT	0.3			N/A		07/06/10 16:01	
Modified Sobek	ANP	32.4	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:01	
Modified Sobek	Non-Sulfate Sulfur	0.48	%	0.01			W027091	BJF	07/06/10 13:26	
Modified Sobek	Pyritic Sulfur	0.45	%	0.01			N/A		07/06/10 16:01	
Modified Sobek	Sulfate Sulfur	0.40	%	0.01			N/A		07/06/10 13:26	
Modified Sobek	Total Sulfur	0.88	%	0.01			W027091	BJF	07/01/10 09:12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	16.9	TCaCO3/kT	0.3			N/A		07/07/10 08:25	
Modified Sobek	AGP-HCl	15.5	TCaCO3/kT	0.3			N/A		07/07/10 08:25	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:01	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.53	%	0.01			W027091	KC	07/07/10 08:25	
Modified Sobek	Pyritic Sulfur-HCl	0.50	%	0.01			N/A		07/07/10 08:25	
Modified Sobek	Sulfate Sulfur-HCl	0.36	%	0.01			N/A		07/07/10 08:25	
Modified Sobek	Total Sulfur	0.88	%	0.01			W027091	BJF	07/01/10 09:12	

Classical Chemistry Parameters

ASA 9	Paste pH	8.39	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.63	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604734**

SVL Sample ID: **W0F0637-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	18.4	TCaCO3/kT	0.3			N/A		07/06/10 16:04	
Modified Sobek	AGP	6.6	TCaCO3/kT	0.3			N/A		07/06/10 16:04	
Modified Sobek	ANP	25.0	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027091	BJF	07/06/10 16:04	
Modified Sobek	Non-Sulfate Sulfur	0.22	%	0.01			W027091	BJF	07/06/10 13:48	
Modified Sobek	Pyritic Sulfur	0.21	%	0.01			N/A		07/06/10 16:04	
Modified Sobek	Sulfate Sulfur	0.14	%	0.01			N/A		07/06/10 13:48	
Modified Sobek	Total Sulfur	0.36	%	0.01			W027091	BJF	07/01/10 09:15	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	18.5	TCaCO3/kT	0.3			N/A		07/07/10 08:28	
Modified Sobek	AGP-HCl	6.5	TCaCO3/kT	0.3			N/A		07/07/10 08:28	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027091	BJF	07/06/10 16:04	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.22	%	0.01			W027091	KC	07/07/10 08:28	
Modified Sobek	Pyritic Sulfur-HCl	0.21	%	0.01			N/A		07/07/10 08:28	
Modified Sobek	Sulfate Sulfur-HCl	0.14	%	0.01			N/A		07/07/10 08:28	
Modified Sobek	Total Sulfur	0.36	%	0.01			W027091	BJF	07/01/10 09:15	

Classical Chemistry Parameters

ASA 9	Paste pH	8.59	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	9.13	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604755**

SVL Sample ID: **W0F0637-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-2.5	TCaCO3/kT	0.3			N/A		07/06/10 16:06	
Modified Sobek	AGP	21.1	TCaCO3/kT	0.3			N/A		07/06/10 16:06	
Modified Sobek	ANP	18.5	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:06	
Modified Sobek	Non-Sulfate Sulfur	0.72	%	0.01			W027091	BJF	07/06/10 13:52	
Modified Sobek	Pyritic Sulfur	0.67	%	0.01			N/A		07/06/10 16:06	
Modified Sobek	Sulfate Sulfur	0.29	%	0.01			N/A		07/06/10 13:52	
Modified Sobek	Total Sulfur	1.01	%	0.01			W027091	BJF	07/01/10 09:18	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	1.7	TCaCO3/kT	0.3			N/A		07/07/10 08:30	
Modified Sobek	AGP-HCl	16.8	TCaCO3/kT	0.3			N/A		07/07/10 08:30	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:06	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.58	%	0.01			W027091	KC	07/07/10 08:30	
Modified Sobek	Pyritic Sulfur-HCl	0.54	%	0.01			N/A		07/07/10 08:30	
Modified Sobek	Sulfate Sulfur-HCl	0.43	%	0.01			N/A		07/07/10 08:30	
Modified Sobek	Total Sulfur	1.01	%	0.01			W027091	BJF	07/01/10 09:18	

Classical Chemistry Parameters

ASA 9	Paste pH	7.86	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.44	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604767**

SVL Sample ID: **W0F0637-04 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-50.0	TCaCO3/kT	0.3			N/A		07/06/10 16:09	
Modified Sobek	AGP	66.7	TCaCO3/kT	0.3			N/A		07/06/10 16:09	
Modified Sobek	ANP	16.7	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01			W027091	BJF	07/06/10 16:09	
Modified Sobek	Non-Sulfate Sulfur	2.23	%	0.01			W027091	BJF	07/06/10 13:56	
Modified Sobek	Pyritic Sulfur	2.13	%	0.01			N/A		07/06/10 16:09	
Modified Sobek	Sulfate Sulfur	0.72	%	0.01			N/A		07/06/10 13:56	
Modified Sobek	Total Sulfur	2.95	%	0.01			W027091	BJF	07/01/10 09:21	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-46.3	TCaCO3/kT	0.3			N/A		07/07/10 08:35	
Modified Sobek	AGP-HCl	63.0	TCaCO3/kT	0.3			N/A		07/07/10 08:35	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01			W027091	BJF	07/06/10 16:09	
Modified Sobek	Non-Sulfate Sulfur-HCl	2.11	%	0.01			W027091	KC	07/07/10 08:35	
Modified Sobek	Pyritic Sulfur-HCl	2.01	%	0.01			N/A		07/07/10 08:35	
Modified Sobek	Sulfate Sulfur-HCl	0.84	%	0.01			N/A		07/07/10 08:35	
Modified Sobek	Total Sulfur	2.95	%	0.01			W027091	BJF	07/01/10 09:21	

Classical Chemistry Parameters

ASA 9	Paste pH	7.88	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	3.21	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	4.76	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	12.5	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604787**

SVL Sample ID: **W0F0637-05 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-0.3	TCaCO3/kT	0.3			N/A		07/06/10 16:17	
Modified Sobek	AGP	30.4	TCaCO3/kT	0.3			N/A		07/06/10 16:17	
Modified Sobek	ANP	30.1	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.18	%	0.01			W027091	BJF	07/06/10 16:17	
Modified Sobek	Non-Sulfate Sulfur	1.15	%	0.01			W027091	BJF	07/06/10 14:01	
Modified Sobek	Pyritic Sulfur	0.97	%	0.01			N/A		07/06/10 16:17	
Modified Sobek	Sulfate Sulfur	0.30	%	0.01			N/A		07/06/10 14:01	
Modified Sobek	Total Sulfur	1.45	%	0.01			W027091	BJF	07/01/10 09:23	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	7.0	TCaCO3/kT	0.3			N/A		07/07/10 08:40	
Modified Sobek	AGP-HCl	23.1	TCaCO3/kT	0.3			N/A		07/07/10 08:40	
Modified Sobek	Non-extractable Sulfur	0.18	%	0.01			W027091	BJF	07/06/10 16:17	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.92	%	0.01			W027091	KC	07/07/10 08:40	
Modified Sobek	Pyritic Sulfur-HCl	0.74	%	0.01			N/A		07/07/10 08:40	
Modified Sobek	Sulfate Sulfur-HCl	0.53	%	0.01			N/A		07/07/10 08:40	
Modified Sobek	Total Sulfur	1.45	%	0.01			W027091	BJF	07/01/10 09:23	

Classical Chemistry Parameters

ASA 9	Paste pH	8.02	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.00	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604790**

SVL Sample ID: **W0F0637-06 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-7.3	TCaCO3/kT	0.3			N/A		07/06/10 16:20	
Modified Sobek	AGP	36.0	TCaCO3/kT	0.3			N/A		07/06/10 16:20	
Modified Sobek	ANP	28.7	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027091	BJF	07/06/10 16:20	
Modified Sobek	Non-Sulfate Sulfur	1.24	%	0.01			W027091	BJF	07/06/10 14:05	
Modified Sobek	Pyritic Sulfur	1.15	%	0.01			N/A		07/06/10 16:20	
Modified Sobek	Sulfate Sulfur	0.38	%	0.01			N/A		07/06/10 14:05	
Modified Sobek	Total Sulfur	1.62	%	0.01			W027091	BJF	07/01/10 09:26	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	0.6	TCaCO3/kT	0.3			N/A		07/07/10 08:45	
Modified Sobek	AGP-HCl	28.1	TCaCO3/kT	0.3			N/A		07/07/10 08:45	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027091	BJF	07/06/10 16:20	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.99	%	0.01			W027091	KC	07/07/10 08:45	
Modified Sobek	Pyritic Sulfur-HCl	0.90	%	0.01			N/A		07/07/10 08:45	
Modified Sobek	Sulfate Sulfur-HCl	0.63	%	0.01			N/A		07/07/10 08:45	
Modified Sobek	Total Sulfur	1.62	%	0.01			W027091	BJF	07/01/10 09:26	

Classical Chemistry Parameters

ASA 9	Paste pH	8.21	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.68	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604804**

SVL Sample ID: **W0F0637-07 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-17.0	TCaCO3/kT	0.3			N/A		07/06/10 16:22	
Modified Sobek	AGP	36.9	TCaCO3/kT	0.3			N/A		07/06/10 16:22	
Modified Sobek	ANP	19.9	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:22	
Modified Sobek	Non-Sulfate Sulfur	1.20	%	0.01			W027091	BJF	07/06/10 15:01	
Modified Sobek	Pyritic Sulfur	1.18	%	0.01			N/A		07/06/10 16:22	
Modified Sobek	Sulfate Sulfur	0.31	%	0.01			N/A		07/06/10 15:01	
Modified Sobek	Total Sulfur	1.51	%	0.01			W027091	BJF	07/01/10 09:29	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-11.7	TCaCO3/kT	0.3			N/A		07/07/10 08:49	
Modified Sobek	AGP-HCl	31.6	TCaCO3/kT	0.3			N/A		07/07/10 08:49	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:22	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.03	%	0.01			W027091	KC	07/07/10 08:49	
Modified Sobek	Pyritic Sulfur-HCl	1.01	%	0.01			N/A		07/07/10 08:49	
Modified Sobek	Sulfate Sulfur-HCl	0.48	%	0.01			N/A		07/07/10 08:49	
Modified Sobek	Total Sulfur	1.51	%	0.01			W027091	BJF	07/01/10 09:29	

Classical Chemistry Parameters

ASA 9	Paste pH	8.22	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.35	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604811**

SVL Sample ID: **W0F0637-08 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-3.9	TCaCO3/kT	0.3			N/A		07/06/10 16:25	
Modified Sobek	AGP	35.8	TCaCO3/kT	0.3			N/A		07/06/10 16:25	
Modified Sobek	ANP	32.0	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:25	
Modified Sobek	Non-Sulfate Sulfur	1.18	%	0.01			W027091	BJF	07/06/10 15:04	
Modified Sobek	Pyritic Sulfur	1.15	%	0.01			N/A		07/06/10 16:25	
Modified Sobek	Sulfate Sulfur	0.53	%	0.01			N/A		07/06/10 15:04	
Modified Sobek	Total Sulfur	1.71	%	0.01			W027091	BJF	07/01/10 09:37	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-5.1	TCaCO3/kT	0.3			N/A		07/07/10 09:00	
Modified Sobek	AGP-HCl	37.1	TCaCO3/kT	0.3			N/A		07/07/10 09:00	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:25	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.22	%	0.01			W027091	KC	07/07/10 09:00	
Modified Sobek	Pyritic Sulfur-HCl	1.19	%	0.01			N/A		07/07/10 09:00	
Modified Sobek	Sulfate Sulfur-HCl	0.49	%	0.01			N/A		07/07/10 09:00	
Modified Sobek	Total Sulfur	1.71	%	0.01			W027091	BJF	07/01/10 09:37	

Classical Chemistry Parameters

ASA 9	Paste pH	7.93	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.42	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604849**

SVL Sample ID: **W0F0637-09 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	24.4	TCaCO3/kT	0.3			N/A		07/06/10 16:28	
Modified Sobek	AGP	25.2	TCaCO3/kT	0.3			N/A		07/06/10 16:28	
Modified Sobek	ANP	49.6	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:28	
Modified Sobek	Non-Sulfate Sulfur	0.83	%	0.01			W027091	BJF	07/06/10 15:07	
Modified Sobek	Pyritic Sulfur	0.81	%	0.01			N/A		07/06/10 16:28	
Modified Sobek	Sulfate Sulfur	0.43	%	0.01			N/A		07/06/10 15:07	
Modified Sobek	Total Sulfur	1.26	%	0.01			W027091	BJF	07/01/10 09:40	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	21.3	TCaCO3/kT	0.3			N/A		07/07/10 09:04	
Modified Sobek	AGP-HCl	28.2	TCaCO3/kT	0.3			N/A		07/07/10 09:04	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:28	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.92	%	0.01			W027091	KC	07/07/10 09:04	
Modified Sobek	Pyritic Sulfur-HCl	0.90	%	0.01			N/A		07/07/10 09:04	
Modified Sobek	Sulfate Sulfur-HCl	0.34	%	0.01			N/A		07/07/10 09:04	
Modified Sobek	Total Sulfur	1.26	%	0.01			W027091	BJF	07/01/10 09:40	

Classical Chemistry Parameters

ASA 9	Paste pH	8.06	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.24	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604854**

SVL Sample ID: **W0F0637-10 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-20.5	TCaCO3/kT	0.3			N/A		07/06/10 16:30	
Modified Sobek	AGP	43.7	TCaCO3/kT	0.3			N/A		07/06/10 16:30	
Modified Sobek	ANP	23.2	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:30	
Modified Sobek	Non-Sulfate Sulfur	1.44	%	0.01			W027091	BJF	07/06/10 15:11	
Modified Sobek	Pyritic Sulfur	1.40	%	0.01			N/A		07/06/10 16:30	
Modified Sobek	Sulfate Sulfur	0.42	%	0.01			N/A		07/06/10 15:11	
Modified Sobek	Total Sulfur	1.86	%	0.01			W027091	BJF	07/01/10 09:43	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-6.1	TCaCO3/kT	0.3			N/A		07/07/10 09:07	
Modified Sobek	AGP-HCl	29.2	TCaCO3/kT	0.3			N/A		07/07/10 09:07	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:30	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.98	%	0.01			W027091	KC	07/07/10 09:07	
Modified Sobek	Pyritic Sulfur-HCl	0.94	%	0.01			N/A		07/07/10 09:07	
Modified Sobek	Sulfate Sulfur-HCl	0.88	%	0.01			N/A		07/07/10 09:07	
Modified Sobek	Total Sulfur	1.86	%	0.01			W027091	BJF	07/01/10 09:43	

Classical Chemistry Parameters

ASA 9	Paste pH	8.15	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	5.08	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604862**

SVL Sample ID: **W0F0637-11 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	3.6	TCaCO3/kT	0.3			N/A		07/06/10 16:33	
Modified Sobek	AGP	36.2	TCaCO3/kT	0.3			N/A		07/06/10 16:33	
Modified Sobek	ANP	39.8	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.12	%	0.01			W027091	BJF	07/06/10 16:33	
Modified Sobek	Non-Sulfate Sulfur	1.28	%	0.01			W027091	BJF	07/06/10 15:16	
Modified Sobek	Pyritic Sulfur	1.16	%	0.01			N/A		07/06/10 16:33	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		07/06/10 15:16	
Modified Sobek	Total Sulfur	1.56	%	0.01			W027091	BJF	07/01/10 09:45	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	20.6	TCaCO3/kT	0.3			N/A		07/07/10 09:09	
Modified Sobek	AGP-HCl	19.2	TCaCO3/kT	0.3			N/A		07/07/10 09:09	
Modified Sobek	Non-extractable Sulfur	0.12	%	0.01			W027091	BJF	07/06/10 16:33	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.74	%	0.01			W027091	KC	07/07/10 09:09	
Modified Sobek	Pyritic Sulfur-HCl	0.62	%	0.01			N/A		07/07/10 09:09	
Modified Sobek	Sulfate Sulfur-HCl	0.82	%	0.01			N/A		07/07/10 09:09	
Modified Sobek	Total Sulfur	1.56	%	0.01			W027091	BJF	07/01/10 09:45	

Classical Chemistry Parameters

ASA 9	Paste pH	8.04	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.28	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604867**

SVL Sample ID: **W0F0637-12 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-46.4	TCaCO3/kT	0.3			N/A		07/06/10 16:36	
Modified Sobek	AGP	73.3	TCaCO3/kT	0.3			N/A		07/06/10 16:36	
Modified Sobek	ANP	26.9	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.32	%	0.01			W027091	BJF	07/06/10 16:36	
Modified Sobek	Non-Sulfate Sulfur	2.66	%	0.01			W027091	BJF	07/06/10 15:20	
Modified Sobek	Pyritic Sulfur	2.34	%	0.01			N/A		07/06/10 16:36	
Modified Sobek	Sulfate Sulfur	0.65	%	0.01			N/A		07/06/10 15:20	
Modified Sobek	Total Sulfur	3.31	%	0.01			W027091	BJF	07/01/10 09:48	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-27.0	TCaCO3/kT	0.3			N/A		07/07/10 09:14	
Modified Sobek	AGP-HCl	53.9	TCaCO3/kT	0.3			N/A		07/07/10 09:14	
Modified Sobek	Non-extractable Sulfur	0.32	%	0.01			W027091	BJF	07/06/10 16:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	2.04	%	0.01			W027091	KC	07/07/10 09:14	
Modified Sobek	Pyritic Sulfur-HCl	1.72	%	0.01			N/A		07/07/10 09:14	
Modified Sobek	Sulfate Sulfur-HCl	1.27	%	0.01			N/A		07/07/10 09:14	
Modified Sobek	Total Sulfur	3.31	%	0.01			W027091	BJF	07/01/10 09:48	

Classical Chemistry Parameters

ASA 9	Paste pH	8.03	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	4.24	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604880**

SVL Sample ID: **W0F0637-13 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	7.8	TCaCO3/kT	0.3			N/A		07/06/10 16:38	
Modified Sobek	AGP	13.5	TCaCO3/kT	0.3			N/A		07/06/10 16:38	
Modified Sobek	ANP	21.3	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:38	
Modified Sobek	Non-Sulfate Sulfur	0.46	%	0.01			W027091	BJF	07/06/10 15:23	
Modified Sobek	Pyritic Sulfur	0.43	%	0.01			N/A		07/06/10 16:38	
Modified Sobek	Sulfate Sulfur	0.18	%	0.01			N/A		07/06/10 15:23	
Modified Sobek	Total Sulfur	0.64	%	0.01			W027091	BJF	07/01/10 09:51	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	9.1	TCaCO3/kT	0.3			N/A		07/07/10 09:17	
Modified Sobek	AGP-HCl	12.2	TCaCO3/kT	0.3			N/A		07/07/10 09:17	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 16:38	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.41	%	0.01			W027091	KC	07/07/10 09:17	
Modified Sobek	Pyritic Sulfur-HCl	0.39	%	0.01			N/A		07/07/10 09:17	
Modified Sobek	Sulfate Sulfur-HCl	0.23	%	0.01			N/A		07/07/10 09:17	
Modified Sobek	Total Sulfur	0.64	%	0.01			W027091	BJF	07/01/10 09:51	

Classical Chemistry Parameters

ASA 9	Paste pH	8.65	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	9.37	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604889**

SVL Sample ID: **W0F0637-14 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	9.0	TCaCO3/kT	0.3			N/A		07/06/10 16:41	
Modified Sobek	AGP	23.9	TCaCO3/kT	0.3			N/A		07/06/10 16:41	
Modified Sobek	ANP	32.9	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:41	
Modified Sobek	Non-Sulfate Sulfur	0.81	%	0.01			W027091	BJF	07/06/10 15:26	
Modified Sobek	Pyritic Sulfur	0.77	%	0.01			N/A		07/06/10 16:41	
Modified Sobek	Sulfate Sulfur	0.31	%	0.01			N/A		07/06/10 15:26	
Modified Sobek	Total Sulfur	1.12	%	0.01			W027091	BJF	07/01/10 09:54	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	12.8	TCaCO3/kT	0.3			N/A		07/07/10 09:19	
Modified Sobek	AGP-HCl	20.1	TCaCO3/kT	0.3			N/A		07/07/10 09:19	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:41	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.68	%	0.01			W027091	KC	07/07/10 09:19	
Modified Sobek	Pyritic Sulfur-HCl	0.64	%	0.01			N/A		07/07/10 09:19	
Modified Sobek	Sulfate Sulfur-HCl	0.44	%	0.01			N/A		07/07/10 09:19	
Modified Sobek	Total Sulfur	1.12	%	0.01			W027091	BJF	07/01/10 09:54	

Classical Chemistry Parameters

ASA 9	Paste pH	8.34	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.44	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **604898**

SVL Sample ID: **W0F0637-15 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	15.0	TCaCO3/kT	0.3			N/A		07/06/10 16:49	
Modified Sobek	AGP	24.8	TCaCO3/kT	0.3			N/A		07/06/10 16:49	
Modified Sobek	ANP	39.8	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:49	
Modified Sobek	Non-Sulfate Sulfur	0.84	%	0.01			W027091	BJF	07/06/10 15:29	
Modified Sobek	Pyritic Sulfur	0.79	%	0.01			N/A		07/06/10 16:49	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		07/06/10 15:29	
Modified Sobek	Total Sulfur	1.03	%	0.01			W027091	BJF	07/01/10 09:56	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	20.5	TCaCO3/kT	0.3			N/A		07/07/10 09:22	
Modified Sobek	AGP-HCl	19.4	TCaCO3/kT	0.3			N/A		07/07/10 09:22	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027091	BJF	07/06/10 16:49	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.66	%	0.01			W027091	KC	07/07/10 09:22	
Modified Sobek	Pyritic Sulfur-HCl	0.62	%	0.01			N/A		07/07/10 09:22	
Modified Sobek	Sulfate Sulfur-HCl	0.37	%	0.01			N/A		07/07/10 09:22	
Modified Sobek	Total Sulfur	1.03	%	0.01			W027091	BJF	07/01/10 09:56	

Classical Chemistry Parameters

ASA 9	Paste pH	8.44	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.64	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **605001**

SVL Sample ID: **W0F0637-16 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-54.2	TCaCO3/kT	0.3			N/A		07/06/10 16:52	
Modified Sobek	AGP	64.9	TCaCO3/kT	0.3			N/A		07/06/10 16:52	
Modified Sobek	ANP	10.7	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027091	BJF	07/06/10 16:52	
Modified Sobek	Non-Sulfate Sulfur	2.17	%	0.01			W027091	BJF	07/06/10 15:33	
Modified Sobek	Pyritic Sulfur	2.08	%	0.01			N/A		07/06/10 16:52	
Modified Sobek	Sulfate Sulfur	0.33	%	0.01			N/A		07/06/10 15:33	
Modified Sobek	Total Sulfur	2.50	%	0.01			W027091	BJF	07/01/10 09:59	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-28.6	TCaCO3/kT	0.3			N/A		07/07/10 09:25	
Modified Sobek	AGP-HCl	39.2	TCaCO3/kT	0.3			N/A		07/07/10 09:25	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027091	BJF	07/06/10 16:52	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.35	%	0.01			W027091	KC	07/07/10 09:25	
Modified Sobek	Pyritic Sulfur-HCl	1.26	%	0.01			N/A		07/07/10 09:25	
Modified Sobek	Sulfate Sulfur-HCl	1.15	%	0.01			N/A		07/07/10 09:25	
Modified Sobek	Total Sulfur	2.50	%	0.01			W027091	BJF	07/01/10 09:59	

Classical Chemistry Parameters

ASA 9	Paste pH	7.77	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	2.75	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	10.1	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	15.7	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **605013**

SVL Sample ID: **W0F0637-17 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-42.8	TCaCO3/kT	0.3			N/A		07/06/10 16:55	
Modified Sobek	AGP	78.9	TCaCO3/kT	0.3			N/A		07/06/10 16:55	
Modified Sobek	ANP	36.1	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01			W027091	BJF	07/06/10 16:55	
Modified Sobek	Non-Sulfate Sulfur	2.59	%	0.01			W027091	BJF	07/06/10 15:42	
Modified Sobek	Pyritic Sulfur	2.52	%	0.01			N/A		07/06/10 16:55	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		07/06/10 15:42	
Modified Sobek	Total Sulfur	2.83	%	0.01			W027091	BJF	07/01/10 10:07	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-27.8	TCaCO3/kT	0.3			N/A		07/07/10 09:35	
Modified Sobek	AGP-HCl	63.9	TCaCO3/kT	0.3			N/A		07/07/10 09:35	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01			W027091	BJF	07/06/10 16:55	
Modified Sobek	Non-Sulfate Sulfur-HCl	2.11	%	0.01			W027091	KC	07/07/10 09:35	
Modified Sobek	Pyritic Sulfur-HCl	2.04	%	0.01			N/A		07/07/10 09:35	
Modified Sobek	Sulfate Sulfur-HCl	0.72	%	0.01			N/A		07/07/10 09:35	
Modified Sobek	Total Sulfur	2.83	%	0.01			W027091	BJF	07/01/10 10:07	

Classical Chemistry Parameters

ASA 9	Paste pH	8.07	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	7.91	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **605033**

SVL Sample ID: **W0F0637-18 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	1.2	TCaCO3/kT	0.3			N/A		07/06/10 16:57	
Modified Sobek	AGP	28.0	TCaCO3/kT	0.3			N/A		07/06/10 16:57	
Modified Sobek	ANP	29.2	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:57	
Modified Sobek	Non-Sulfate Sulfur	0.92	%	0.01			W027091	BJF	07/06/10 15:45	
Modified Sobek	Pyritic Sulfur	0.90	%	0.01			N/A		07/06/10 16:57	
Modified Sobek	Sulfate Sulfur	0.33	%	0.01			N/A		07/06/10 15:45	
Modified Sobek	Total Sulfur	1.25	%	0.01			W027091	BJF	07/01/10 10:10	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	7.4	TCaCO3/kT	0.3			N/A		07/07/10 09:38	
Modified Sobek	AGP-HCl	21.8	TCaCO3/kT	0.3			N/A		07/07/10 09:38	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 16:57	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.73	%	0.01			W027091	KC	07/07/10 09:38	
Modified Sobek	Pyritic Sulfur-HCl	0.70	%	0.01			N/A		07/07/10 09:38	
Modified Sobek	Sulfate Sulfur-HCl	0.52	%	0.01			N/A		07/07/10 09:38	
Modified Sobek	Total Sulfur	1.25	%	0.01			W027091	BJF	07/01/10 10:10	

Classical Chemistry Parameters

ASA 9	Paste pH	8.17	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.30	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **605039**

SVL Sample ID: **W0F0637-19 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-16.5	TCaCO3/kT	0.3			N/A		07/06/10 17:00	
Modified Sobek	AGP	40.5	TCaCO3/kT	0.3			N/A		07/06/10 17:00	
Modified Sobek	ANP	24.1	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 17:00	
Modified Sobek	Non-Sulfate Sulfur	1.32	%	0.01			W027091	BJF	07/06/10 15:49	
Modified Sobek	Pyritic Sulfur	1.30	%	0.01			N/A		07/06/10 17:00	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		07/06/10 15:49	
Modified Sobek	Total Sulfur	1.51	%	0.01			W027091	BJF	07/01/10 10:13	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-4.9	TCaCO3/kT	0.3			N/A		07/07/10 09:41	
Modified Sobek	AGP-HCl	29.0	TCaCO3/kT	0.3			N/A		07/07/10 09:41	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027091	BJF	07/06/10 17:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.95	%	0.01			W027091	KC	07/07/10 09:41	
Modified Sobek	Pyritic Sulfur-HCl	0.93	%	0.01			N/A		07/07/10 09:41	
Modified Sobek	Sulfate Sulfur-HCl	0.56	%	0.01			N/A		07/07/10 09:41	
Modified Sobek	Total Sulfur	1.51	%	0.01			W027091	BJF	07/01/10 10:13	

Classical Chemistry Parameters

ASA 9	Paste pH	8.28	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	8.44	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Client Sample ID: **605078**

SVL Sample ID: **W0F0637-20 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-16.1	TCaCO3/kT	0.3			N/A		07/06/10 17:03	
Modified Sobek	AGP	54.5	TCaCO3/kT	0.3			N/A		07/06/10 17:03	
Modified Sobek	ANP	38.4	TCaCO3/kT	0.3	0.01		W027091	HJG	07/02/10 12:26	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 17:03	
Modified Sobek	Non-Sulfate Sulfur	1.78	%	0.01			W027091	BJF	07/06/10 15:53	
Modified Sobek	Pyritic Sulfur	1.75	%	0.01			N/A		07/06/10 17:03	
Modified Sobek	Sulfate Sulfur	0.25	%	0.01			N/A		07/06/10 15:53	
Modified Sobek	Total Sulfur	2.03	%	0.01			W027091	BJF	07/01/10 10:16	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-9.8	TCaCO3/kT	0.3			N/A		07/07/10 09:46	
Modified Sobek	AGP-HCl	48.3	TCaCO3/kT	0.3			N/A		07/07/10 09:46	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01			W027091	BJF	07/06/10 17:03	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.58	%	0.01			W027091	KC	07/07/10 09:46	
Modified Sobek	Pyritic Sulfur-HCl	1.55	%	0.01			N/A		07/07/10 09:46	
Modified Sobek	Sulfate Sulfur-HCl	0.45	%	0.01			N/A		07/07/10 09:46	
Modified Sobek	Total Sulfur	2.03	%	0.01			W027091	BJF	07/01/10 10:16	

Classical Chemistry Parameters

ASA 9	Paste pH	8.28	pH Units				W027104	LMG	07/08/10 11:12	
NAG	NAG pH	9.17	pH Units				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027096	KC	07/07/10 15:41	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.01	0.3	W027091	02-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01		0.01	W027091	06-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027091	01-Jul-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027091	06-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)								
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01		0.01	W027091	07-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027091	01-Jul-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027091	06-Jul-10	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	22.7	24.9	91.2	80 - 120	W027091	02-Jul-10	
Modified Sobek	Total Sulfur	%	3.57	3.21	111	80 - 120	W027091	01-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	3.57	3.21	111	80 - 120	W027091	01-Jul-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	6.49	6.36	102	80 - 120	W027104	08-Jul-10	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	30.1	32.4	7.4	20	W027091	02-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	0.94	0.48	64.0	20	W027091	06-Jul-10	R2
Modified Sobek	Total Sulfur	%	0.88	0.88	0.6	20	W027091	01-Jul-10	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.03	97.3	20	W027091	06-Jul-10	R2
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.52	0.53	0.4	20	W027091	07-Jul-10	
Modified Sobek	Total Sulfur	%	0.88	0.88	0.6	20	W027091	01-Jul-10	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.03	97.3	20	W027091	06-Jul-10	R2
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	8.04	8.04	0.0	20	W027104	08-Jul-10	
ASA 9	Paste pH	pH Units	8.41	8.39	0.2	20	W027104	08-Jul-10	
NAG	NAG pH	pH Units	9.24	8.63	6.8	20	W027096	07-Jul-10	
NAG	NAG@pH 4.5	kg H2SO4/T	0.00	0.00		20	W027096	07-Jul-10	
NAG	NAG@pH 7	kg H2SO4/T	0.00	0.00		20	W027096	07-Jul-10	

SVL holds the following certifications: AZ:0538, CA:2080, CO:ID00019, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268, WY:ID00019



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0637**
Reported: 09-Jul-10 09:24

Notes and Definitions

R2	RPD exceeded the laboratory acceptance limit.
LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
SVL JOB #

TEMP on Receipt WOF0627

Table 1 -- Matrix Type

- 1 - Surface Water, 2 - Ground Water
- 3 - Soil/Sediment, 4 = Rinsate, 5 - Oil
- 6 - Waste, 7 - Other

Invoice Sent To: Same
 Contact: _____
 Address: _____
 Phone Number: _____
 FAX Number: _____
 PO#: _____

Report to Company: McClelland Labs Inc.
 Contact: Gene McClelland
 Address: 1016 Greg Street
Sparks NV 89431
 Phone Number: 775-356-1300
 FAX Number: 775-356-8917
 E-mail: mli@mettest.com

Project Name: 3438

Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)	Analyses Required	Rush Instructions (Days)	Comments
	Date	Time					
1	6/22/10	9:00 AM	RJ 3	1	Unpreserved HNO ₃ Filtered HNO ₃ Unfiltered HCl H ₂ SO ₄ NaOH Other (Specify)		Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@mettest.com
2					Mod ABA/w/paste PH (hot water, HCL, and HNO3)		
3							
4							
5							
6							
7							
8							
9							
10							

Date: 6/24/10 Time: 13:00
 Date: _____ Time: _____

Received by: R. Strubbing
 Time: 9:00
 Received by: _____
 Time: _____

Requisitioned by: [Signature]
 Date: 6/22/10
 Requisitioned by: _____
 Date: _____

* Sample Reject: Return Dispose Store (30 Days)

White: LAB COPY Yellow: CUSTOMER COPY

*NO date or time on sample labels. PS 6/24/10



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784 1258 • FAX: (208) 783-0891

FOR SVL USE ONLY
 SVL JOB #
W0F0637

TEMP on Receipt

Table 1. -- Matrix Type
 1 - Surface Water, 2 - Ground Water
 3 - Soil/Sediment, 4 - Rinseate, 5 - Oil
 6 - Waste, 7 - Other

Report to Company: McClelland Labs Inc.
 Contact: Gene McClelland
 Address: 1016 Greg Street
Sparks NV 89431
 Phone Number: 775-356-1300
 FAX Number: 775-356-8917
 E-mail: mli@mettest.com

Invoice Sent To: Same
 Contact: _____
 Address: _____
 Phone Number: _____
 FAX Number: _____
 PO#: _____

Project Name: **3438**

Sampler's Signature: *[Signature]*

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)							Analyses Required	Rush Instructions (Days)	Comments		
	Date	Time		Collected by: (Init.)	Matrix Type (From Table 1)	No. of Containers	Unpreserved	HNO ₃ Filtered	HNO ₃ Unfiltered	HCl				H ₂ SO ₄	NaOH
1	6/22/10	4:00	RJ	3	1										
2															
3															
4															
5															
6															
7															
8															
9															
10															

Mod ABA w/paste pH
 (hot water, HCL, and HNO₃)
 Australian NAG

Copy to:
 McClelland Labs
 1016 Greg St.
 Sparks, NV 89431
 mli@mettest.com

Date: **6/22/10** Time: **13:00**

Received by: *[Signature]*

Received by: _____
 Time: _____

Date: **6/22/10**

Time: _____

Redquisitioned by: *[Signature]*

* Sample Reject Return Dispose Store (30 Days) White: LAB COPY Yellow: CUSTOMER COPY



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
605109	W0F0638-01	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605143	W0F0638-02	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605152	W0F0638-03	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605153	W0F0638-04	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605154	W0F0638-05	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605175	W0F0638-06	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605182	W0F0638-07	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605184	W0F0638-08	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605193	W0F0638-09	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605200	W0F0638-10	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605209	W0F0638-11	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605218	W0F0638-12	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605234	W0F0638-13	Soil	22-Jun-10 09:00	RJ	24-Jun-2010
605518	W0F0638-14	Soil	22-Jun-10 09:00	RJ	24-Jun-2010

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605109**

SVL Sample ID: **W0F0638-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	16.0	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	18.0	TCaCO3/kT	0.3			N/A		07/07/10 12:51	
Modified Sobek	ANP	34.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:25	
Modified Sobek	Non-Sulfate Sulfur	0.59	%	0.01			W027092	BJF	07/07/10 12:51	
Modified Sobek	Pyritic Sulfur	0.58	%	0.01			N/A		07/07/10 12:51	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		07/07/10 12:51	
Modified Sobek	Total Sulfur	0.84	%	0.01			W027092	BJF	06/29/10 12:45	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	17.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	16.2	TCaCO3/kT	0.3			N/A		07/07/10 11:25	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:25	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.54	%	0.01			W027092	BJF	07/07/10 09:54	
Modified Sobek	Pyritic Sulfur-HCl	0.52	%	0.01			N/A		07/07/10 11:25	
Modified Sobek	Sulfate Sulfur-HCl	0.30	%	0.01			N/A		07/07/10 09:54	
Modified Sobek	Total Sulfur	0.84	%	0.01			W027092	BJF	06/29/10 12:45	

Classical Chemistry Parameters

ASA 9	Paste pH	8.43	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.41	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605143**

SVL Sample ID: **W0F0638-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	11.2	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	21.3	TCaCO3/kT	0.3			N/A		07/07/10 12:54	
Modified Sobek	ANP	32.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:28	
Modified Sobek	Non-Sulfate Sulfur	0.70	%	0.01			W027092	BJF	07/07/10 12:54	
Modified Sobek	Pyritic Sulfur	0.68	%	0.01			N/A		07/07/10 12:54	
Modified Sobek	Sulfate Sulfur	0.13	%	0.01			N/A		07/07/10 12:54	
Modified Sobek	Total Sulfur	0.83	%	0.01			W027092	BJF	06/29/10 12:54	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	16.7	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	15.7	TCaCO3/kT	0.3			N/A		07/07/10 11:28	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:28	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.52	%	0.01			W027092	BJF	07/07/10 09:57	
Modified Sobek	Pyritic Sulfur-HCl	0.50	%	0.01			N/A		07/07/10 11:28	
Modified Sobek	Sulfate Sulfur-HCl	0.31	%	0.01			N/A		07/07/10 09:57	
Modified Sobek	Total Sulfur	0.83	%	0.01			W027092	BJF	06/29/10 12:54	

Classical Chemistry Parameters

ASA 9	Paste pH	8.30	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.30	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605152**

SVL Sample ID: **W0F0638-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	30.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	14.2	TCaCO3/kT	0.3			N/A		07/07/10 12:57	
Modified Sobek	ANP	45.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:30	
Modified Sobek	Non-Sulfate Sulfur	0.47	%	0.01			W027092	BJF	07/07/10 12:57	
Modified Sobek	Pyritic Sulfur	0.45	%	0.01			N/A		07/07/10 12:57	
Modified Sobek	Sulfate Sulfur	0.04	%	0.01			N/A		07/07/10 12:57	
Modified Sobek	Total Sulfur	0.51	%	0.01			W027092	BJF	06/29/10 12:57	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	33.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	11.2	TCaCO3/kT	0.3			N/A		07/07/10 11:30	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:30	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.38	%	0.01			W027092	BJF	07/07/10 09:59	
Modified Sobek	Pyritic Sulfur-HCl	0.36	%	0.01			N/A		07/07/10 11:30	
Modified Sobek	Sulfate Sulfur-HCl	0.14	%	0.01			N/A		07/07/10 09:59	
Modified Sobek	Total Sulfur	0.51	%	0.01			W027092	BJF	06/29/10 12:57	

Classical Chemistry Parameters

ASA 9	Paste pH	8.48	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.16	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605153**

SVL Sample ID: **W0F0638-04 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	26.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	15.2	TCaCO3/kT	0.3			N/A		07/07/10 13:00	
Modified Sobek	ANP	42.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027092	BJF	07/07/10 11:33	
Modified Sobek	Non-Sulfate Sulfur	0.49	%	0.01			W027092	BJF	07/07/10 13:00	
Modified Sobek	Pyritic Sulfur	0.49	%	0.01			N/A		07/07/10 13:00	
Modified Sobek	Sulfate Sulfur	0.13	%	0.01			N/A		07/07/10 13:00	
Modified Sobek	Total Sulfur	0.62	%	0.01			W027092	BJF	06/29/10 13:00	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	28.0	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	14.0	TCaCO3/kT	0.3			N/A		07/07/10 11:33	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027092	BJF	07/07/10 11:33	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.45	%	0.01			W027092	BJF	07/07/10 10:02	
Modified Sobek	Pyritic Sulfur-HCl	0.45	%	0.01			N/A		07/07/10 11:33	
Modified Sobek	Sulfate Sulfur-HCl	0.17	%	0.01			N/A		07/07/10 10:02	
Modified Sobek	Total Sulfur	0.62	%	0.01			W027092	BJF	06/29/10 13:00	

Classical Chemistry Parameters

ASA 9	Paste pH	8.60	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.56	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605154**

SVL Sample ID: **W0F0638-05 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	24.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	12.7	TCaCO3/kT	0.3			N/A		07/07/10 13:03	
Modified Sobek	ANP	37.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027092	BJF	07/07/10 11:36	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01			W027092	BJF	07/07/10 13:03	
Modified Sobek	Pyritic Sulfur	0.41	%	0.01			N/A		07/07/10 13:03	
Modified Sobek	Sulfate Sulfur	0.13	%	0.01			N/A		07/07/10 13:03	
Modified Sobek	Total Sulfur	0.54	%	0.01			W027092	BJF	06/29/10 13:03	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	26.9	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	10.6	TCaCO3/kT	0.3			N/A		07/07/10 11:36	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01			W027092	BJF	07/07/10 11:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.34	%	0.01			W027092	BJF	07/07/10 10:11	
Modified Sobek	Pyritic Sulfur-HCl	0.34	%	0.01			N/A		07/07/10 11:36	
Modified Sobek	Sulfate Sulfur-HCl	0.20	%	0.01			N/A		07/07/10 10:11	
Modified Sobek	Total Sulfur	0.54	%	0.01			W027092	BJF	06/29/10 13:03	
Classical Chemistry Parameters										
ASA 9	Paste pH	8.47	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.40	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605175**

SVL Sample ID: **W0F0638-06 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	29.5	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	12.0	TCaCO3/kT	0.3			N/A		07/07/10 13:06	
Modified Sobek	ANP	41.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027092	BJF	07/07/10 11:38	
Modified Sobek	Non-Sulfate Sulfur	0.40	%	0.01			W027092	BJF	07/07/10 13:06	
Modified Sobek	Pyritic Sulfur	0.38	%	0.01			N/A		07/07/10 13:06	
Modified Sobek	Sulfate Sulfur	0.09	%	0.01			N/A		07/07/10 13:06	
Modified Sobek	Total Sulfur	0.49	%	0.01			W027092	BJF	06/29/10 13:05	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	30.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	10.7	TCaCO3/kT	0.3			N/A		07/07/10 11:38	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01			W027092	BJF	07/07/10 11:38	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.36	%	0.01			W027092	BJF	07/07/10 10:14	
Modified Sobek	Pyritic Sulfur-HCl	0.34	%	0.01			N/A		07/07/10 11:38	
Modified Sobek	Sulfate Sulfur-HCl	0.13	%	0.01			N/A		07/07/10 10:14	
Modified Sobek	Total Sulfur	0.49	%	0.01			W027092	BJF	06/29/10 13:05	
Classical Chemistry Parameters										
ASA 9	Paste pH	8.68	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.73	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605182**

SVL Sample ID: **W0F0638-07 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	26.7	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	9.3	TCaCO3/kT	0.3			N/A		07/07/10 13:09	
Modified Sobek	ANP	36.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:41	
Modified Sobek	Non-Sulfate Sulfur	0.32	%	0.01			W027092	BJF	07/07/10 13:09	
Modified Sobek	Pyritic Sulfur	0.30	%	0.01			N/A		07/07/10 13:09	
Modified Sobek	Sulfate Sulfur	0.09	%	0.01			N/A		07/07/10 13:09	
Modified Sobek	Total Sulfur	0.40	%	0.01			W027092	BJF	06/29/10 13:08	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	27.3	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	8.6	TCaCO3/kT	0.3			N/A		07/07/10 11:41	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01			W027092	BJF	07/07/10 11:41	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.29	%	0.01			W027092	BJF	07/07/10 10:16	
Modified Sobek	Pyritic Sulfur-HCl	0.28	%	0.01			N/A		07/07/10 11:41	
Modified Sobek	Sulfate Sulfur-HCl	0.11	%	0.01			N/A		07/07/10 10:16	
Modified Sobek	Total Sulfur	0.40	%	0.01			W027092	BJF	06/29/10 13:08	

Classical Chemistry Parameters

ASA 9	Paste pH	8.87	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	10.70	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605184**

SVL Sample ID: **W0F0638-08 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-60.9	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	74.4	TCaCO3/kT	0.3			N/A		07/07/10 13:20	
Modified Sobek	ANP	13.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.25	%	0.01			W027092	BJF	07/07/10 11:49	
Modified Sobek	Non-Sulfate Sulfur	2.63	%	0.01			W027092	BJF	07/07/10 13:20	
Modified Sobek	Pyritic Sulfur	2.38	%	0.01			N/A		07/07/10 13:20	
Modified Sobek	Sulfate Sulfur	0.48	%	0.01			N/A		07/07/10 13:20	
Modified Sobek	Total Sulfur	3.11	%	0.01			W027092	BJF	06/29/10 13:11	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-43.4	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	56.9	TCaCO3/kT	0.3			N/A		07/07/10 11:49	
Modified Sobek	Non-extractable Sulfur	0.25	%	0.01			W027092	BJF	07/07/10 11:49	
Modified Sobek	Non-Sulfate Sulfur-HCl	2.07	%	0.01			W027092	BJF	07/07/10 10:21	
Modified Sobek	Pyritic Sulfur-HCl	1.82	%	0.01			N/A		07/07/10 11:49	
Modified Sobek	Sulfate Sulfur-HCl	1.04	%	0.01			N/A		07/07/10 10:21	
Modified Sobek	Total Sulfur	3.11	%	0.01			W027092	BJF	06/29/10 13:11	

Classical Chemistry Parameters

ASA 9	Paste pH	7.37	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	3.05	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	5.16	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	18.6	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605193**

SVL Sample ID: **W0F0638-09 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-2.9	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	32.3	TCaCO3/kT	0.3			N/A		07/07/10 13:23	
Modified Sobek	ANP	29.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027092	BJF	07/07/10 11:52	
Modified Sobek	Non-Sulfate Sulfur	1.07	%	0.01			W027092	BJF	07/07/10 13:23	
Modified Sobek	Pyritic Sulfur	1.03	%	0.01			N/A		07/07/10 13:23	
Modified Sobek	Sulfate Sulfur	0.41	%	0.01			N/A		07/07/10 13:23	
Modified Sobek	Total Sulfur	1.48	%	0.01			W027092	BJF	06/29/10 13:14	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-3.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	33.3	TCaCO3/kT	0.3			N/A		07/07/10 11:52	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01			W027092	BJF	07/07/10 11:52	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.10	%	0.01			W027092	BJF	07/07/10 10:26	
Modified Sobek	Pyritic Sulfur-HCl	1.06	%	0.01			N/A		07/07/10 11:52	
Modified Sobek	Sulfate Sulfur-HCl	0.38	%	0.01			N/A		07/07/10 10:26	
Modified Sobek	Total Sulfur	1.48	%	0.01			W027092	BJF	06/29/10 13:14	

Classical Chemistry Parameters

ASA 9	Paste pH	8.04	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.40	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605200**

SVL Sample ID: **W0F0638-10 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-49.2	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	64.7	TCaCO3/kT	0.3			N/A		07/07/10 13:28	
Modified Sobek	ANP	15.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01			W027092	BJF	07/07/10 11:54	
Modified Sobek	Non-Sulfate Sulfur	2.20	%	0.01			W027092	BJF	07/07/10 13:28	
Modified Sobek	Pyritic Sulfur	2.07	%	0.01			N/A		07/07/10 13:28	
Modified Sobek	Sulfate Sulfur	0.36	%	0.01			N/A		07/07/10 13:28	
Modified Sobek	Total Sulfur	2.56	%	0.01			W027092	BJF	06/29/10 13:16	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-38.3	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	53.8	TCaCO3/kT	0.3			N/A		07/07/10 11:54	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01			W027092	BJF	07/07/10 11:54	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.85	%	0.01			W027092	BJF	07/07/10 10:30	
Modified Sobek	Pyritic Sulfur-HCl	1.72	%	0.01			N/A		07/07/10 11:54	
Modified Sobek	Sulfate Sulfur-HCl	0.71	%	0.01			N/A		07/07/10 10:30	
Modified Sobek	Total Sulfur	2.56	%	0.01			W027092	BJF	06/29/10 13:16	

Classical Chemistry Parameters

ASA 9	Paste pH	8.08	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	3.03	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	5.55	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	14.9	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605209**

SVL Sample ID: **W0F0638-11 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-0.9	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	27.9	TCaCO3/kT	0.3			N/A		07/07/10 13:32	
Modified Sobek	ANP	27.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027092	BJF	07/07/10 11:57	
Modified Sobek	Non-Sulfate Sulfur	0.98	%	0.01			W027092	BJF	07/07/10 13:32	
Modified Sobek	Pyritic Sulfur	0.89	%	0.01			N/A		07/07/10 13:32	
Modified Sobek	Sulfate Sulfur	0.11	%	0.01			N/A		07/07/10 13:32	
Modified Sobek	Total Sulfur	1.09	%	0.01			W027092	BJF	06/29/10 13:19	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	10.2	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	16.7	TCaCO3/kT	0.3			N/A		07/07/10 11:57	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027092	BJF	07/07/10 11:57	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.62	%	0.01			W027092	BJF	07/07/10 10:33	
Modified Sobek	Pyritic Sulfur-HCl	0.54	%	0.01			N/A		07/07/10 11:57	
Modified Sobek	Sulfate Sulfur-HCl	0.47	%	0.01			N/A		07/07/10 10:33	
Modified Sobek	Total Sulfur	1.09	%	0.01			W027092	BJF	06/29/10 13:19	

Classical Chemistry Parameters

ASA 9	Paste pH	8.10	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	9.18	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605218**

SVL Sample ID: **W0F0638-12 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-15.3	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	29.3	TCaCO3/kT	0.3			N/A		07/07/10 13:34	
Modified Sobek	ANP	14.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01			W027092	BJF	07/07/10 12:00	
Modified Sobek	Non-Sulfate Sulfur	1.01	%	0.01			W027092	BJF	07/07/10 13:34	
Modified Sobek	Pyritic Sulfur	0.94	%	0.01			N/A		07/07/10 13:34	
Modified Sobek	Sulfate Sulfur	0.55	%	0.01			N/A		07/07/10 13:34	
Modified Sobek	Total Sulfur	1.56	%	0.01			W027092	BJF	06/29/10 14:01	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-24.0	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	38.0	TCaCO3/kT	0.3			N/A		07/07/10 12:00	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01			W027092	BJF	07/07/10 12:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.29	%	0.01			W027092	BJF	07/07/10 10:38	
Modified Sobek	Pyritic Sulfur-HCl	1.22	%	0.01			N/A		07/07/10 12:00	
Modified Sobek	Sulfate Sulfur-HCl	0.27	%	0.01			N/A		07/07/10 10:38	
Modified Sobek	Total Sulfur	1.56	%	0.01			W027092	BJF	06/29/10 14:01	

Classical Chemistry Parameters

ASA 9	Paste pH	8.05	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	2.98	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	5.75	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	11.7	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605234**

SVL Sample ID: **W0F0638-13 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-17.7	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	51.7	TCaCO3/kT	0.3			N/A		07/07/10 13:39	
Modified Sobek	ANP	34.0	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01			W027092	BJF	07/07/10 12:02	
Modified Sobek	Non-Sulfate Sulfur	1.73	%	0.01			W027092	BJF	07/07/10 13:39	
Modified Sobek	Pyritic Sulfur	1.65	%	0.01			N/A		07/07/10 13:39	
Modified Sobek	Sulfate Sulfur	0.22	%	0.01			N/A		07/07/10 13:39	
Modified Sobek	Total Sulfur	1.95	%	0.01			W027092	BJF	06/29/10 14:04	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-5.9	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	39.8	TCaCO3/kT	0.3			N/A		07/07/10 12:02	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01			W027092	BJF	07/07/10 12:02	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.35	%	0.01			W027092	BJF	07/07/10 10:40	
Modified Sobek	Pyritic Sulfur-HCl	1.27	%	0.01			N/A		07/07/10 12:02	
Modified Sobek	Sulfate Sulfur-HCl	0.60	%	0.01			N/A		07/07/10 10:40	
Modified Sobek	Total Sulfur	1.95	%	0.01			W027092	BJF	06/29/10 14:04	

Classical Chemistry Parameters

ASA 9	Paste pH	8.10	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	8.17	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Client Sample ID: **605518**

SVL Sample ID: **W0F0638-14 (Soil)**

Sample Report Page 1 of 1

Sampled: 22-Jun-10 09:00
Received: 24-Jun-10
Sampled By: RJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	4.0	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP	15.4	TCaCO3/kT	0.3			N/A		07/07/10 13:43	
Modified Sobek	ANP	19.5	TCaCO3/kT	0.3	0.01		W027092	LMG	07/08/10 14:04	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027092	BJF	07/07/10 12:05	
Modified Sobek	Non-Sulfate Sulfur	0.58	%	0.01			W027092	BJF	07/07/10 13:43	
Modified Sobek	Pyritic Sulfur	0.49	%	0.01			N/A		07/07/10 13:43	
Modified Sobek	Sulfate Sulfur	0.06	%	0.01			N/A		07/07/10 13:43	
Modified Sobek	Total Sulfur	0.64	%	0.01			W027092	BJF	06/29/10 14:26	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	8.8	TCaCO3/kT	0.3			N/A		07/08/10 14:04	
Modified Sobek	AGP-HCl	10.7	TCaCO3/kT	0.3			N/A		07/07/10 12:05	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01			W027092	BJF	07/07/10 12:05	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.43	%	0.01			W027092	BJF	07/07/10 10:44	
Modified Sobek	Pyritic Sulfur-HCl	0.34	%	0.01			N/A		07/07/10 12:05	
Modified Sobek	Sulfate Sulfur-HCl	0.21	%	0.01			N/A		07/07/10 10:44	
Modified Sobek	Total Sulfur	0.64	%	0.01			W027092	BJF	06/29/10 14:26	

Classical Chemistry Parameters

ASA 9	Paste pH	8.25	pH Units				W027105	LMG	07/08/10 13:39	
NAG	NAG pH	9.72	pH Units				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W027097	KC	07/07/10 15:45	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

Nan Wilson
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.01	0.3	W027092	08-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01		0.01	W027092	07-Jul-10	
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027092	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027092	07-Jul-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)								
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.01		0.01	W027092	07-Jul-10	B7
Modified Sobek	Total Sulfur	%	<0.01		0.01	W027092	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	<0.01		0.01	W027092	07-Jul-10	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	25.0	24.9	100	80 - 120	W027092	08-Jul-10	
Modified Sobek	Total Sulfur	%	3.55	3.21	111	80 - 120	W027092	29-Jun-10	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	3.55	3.21	111	80 - 120	W027092	29-Jun-10	
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	6.49	6.36	102	80 - 120	W027105	08-Jul-10	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	32.0	34.0	6.1	20	W027092	08-Jul-10	
Modified Sobek	Non-Sulfate Sulfur	%	0.90	0.59	41.1	20	W027092	07-Jul-10	R2
Modified Sobek	Total Sulfur	%	0.81	0.84	2.9	20	W027092	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.02	40.5	20	W027092	07-Jul-10	R2
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.55	0.54	2.4	20	W027092	07-Jul-10	
Modified Sobek	Total Sulfur	%	0.81	0.84	2.9	20	W027092	29-Jun-10	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.02	40.5	20	W027092	07-Jul-10	R2
Classical Chemistry Parameters									
ASA 9	Paste pH	pH Units	8.34	8.10	2.9	20	W027105	08-Jul-10	
ASA 9	Paste pH	pH Units	8.57	8.43	1.7	20	W027105	08-Jul-10	
NAG	NAG pH	pH Units	8.61	8.41	2.4	20	W027097	07-Jul-10	
NAG	NAG@pH 4.5	kg H2SO4/T	0.00	0.00		20	W027097	07-Jul-10	
NAG	NAG@pH 7	kg H2SO4/T	0.00	0.00		20	W027097	07-Jul-10	



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: Routine / 3438
Work Order: **W0F0638**
Reported: 09-Jul-10 09:20

Notes and Definitions

B7	Target analyte in method blank exceeded method QC limits, but concentrations in samples were at least 10x the blank concentration.
R2	RPD exceeded the laboratory acceptance limit.
LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

Page 7 of 8

FOR SVL USE ONLY
SVL JOB # _____

TEMP on Receipt: W0FO638

Table 1. -- Matrix Type
1 = Surface Water, 2 = Ground Water
3 = Soil/Sediment, 4 = Rinseate, 5 = Oil
6 = Waste, 7 = Other

Report to Company: McClelland Labs Inc.

Contact: Gene McClelland

Address: 1016 Greg Street
Sparks NV 89431

Phone Number: 775-356-1300

FAX Number: 775-356-8917

E-mail: mli@metttest.com

Invoice Sent To: Same

Contact: _____

Address: _____

Phone Number: _____

FAX Number: _____

PO#: _____

Project Name: 3438

Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Matrix Type (From Table 1)	Misc.	Preservative(s)	Other (Specify)	Analyses Required	Rush Instructions (Days)	Comments
	Date	Time							
1 605109	4/22/10	9:00	RJ	3	1		Mod ABA w/paste pH (hot water, HCL, and HNO3 Australian NAG		Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@metttest.com
2 605143									
3 605152									
4 605153									
5 605154									
6 605175									
7 605182									
8 605184									
9 605193									
10 605200									

Relinquished by: [Signature]

Relinquished by: _____

Date: 6/22/10 Time: 9:00

Date: _____ Time: _____

Received by: R. Stabing

Received by: _____

Date: 6/24/10 Time: 13:00

Date: _____ Time: _____

* Sample Reject: Return Dispose Store (30 Days)

White: LAB COPY Yellow: CUSTOMER COPY

* NO date or time on sample labels. PS 6/24/10



CHAIN OF CUSTODY RECORD

SVL Analytical, Inc. • One Government Gulch • Kellogg, ID 83837 • (208) 784-1258 • FAX: (208) 783-0891

Page 8 of 8

FOR SVL USE ONLY
SVL JOB #

TEMP on Receipt W0F0638

Report to Company: McClelland Labs Inc.
Contact: Gene McClelland
Address: 1016 Greg Street
Sparks NV 89431
Phone Number: 775-356-1300
FAX Number: 775-356-8917
E-mail: mli@mettest.com

Invoice Sent To: Same
Contact: _____
Address: _____
Phone Number: _____
FAX Number: _____
PO#: _____

Table 1. -- Matrix Type
 1 = Surface Water, 2 = Ground Water
 3 = Soil/Sediment, 4 = Rinsate, 5 = Oil
 6 = Waste, 7 = Other

Project Name: 3438
Sampler's Signature: [Signature]

Indicate State of sample origination: _____

USACE? Yes No

Sample ID	Collection		Misc.	Preservative(s)	Other (Specify)	Analyses Required	Rush Instructions (Days)	Comments
	Date	Time						
1 605209	6/24/0	9:00	Matrix Type (From Table 1) 3	Unpreserved HNO ₃ Filtered HNO ₃ Unfiltered HCl H ₂ SO ₄ NaOH		Mod ABA w/paste pH (hot water, HCL, and HNO ₃) x x x x x x		Copy to: McClelland Labs 1016 Greg St. Sparks, NV 89431 mli@mettest.com
2 605218								
3 605234								
4 605518								
5								
6								
7								
8								
9								
10								

Requisitioned by: [Signature]
 Date: 6/22/0 Time: 9:00
 Received by: [Signature]
 Date: 6/24/0 Time: 13:00

* Sample Reject: Return Dispose Store (30 Days)

White: LAB COPY Yellow: CUSTOMER COPY



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CF-11-01-B 15-43	W2A0356-01	Soil	—	24-Jan-2012
CF-11-01-B 189-225	W2A0356-02	Soil	—	24-Jan-2012
CF-11-01-B 268.8-292	W2A0356-03	Soil	—	24-Jan-2012
CF-11-01-B 465-480	W2A0356-04	Soil	—	24-Jan-2012
CF-11-01-B 575-610	W2A0356-05	Soil	—	24-Jan-2012
CF-11-01-B 1005-1025	W2A0356-06	Soil	—	24-Jan-2012
CF-11-02 0-27	W2A0356-07	Soil	—	24-Jan-2012
CF-11-02 147-181	W2A0356-08	Soil	—	24-Jan-2012
CF-11-02 367-408	W2A0356-09	Soil	—	24-Jan-2012
CF-11-02 471-507	W2A0356-10	Soil	—	24-Jan-2012
CF-11-02 609-625	W2A0356-11	Soil	—	24-Jan-2012
CF-11-03 23.9-53.2	W2A0356-12	Soil	—	24-Jan-2012
CF-11-03 243-276.5	W2A0356-13	Soil	—	24-Jan-2012
CF-11-03 316.8-341.8	W2A0356-14	Soil	—	24-Jan-2012
CF-11-03 497-521.7	W2A0356-15	Soil	—	24-Jan-2012
CF-11-03 580.3-600.3	W2A0356-16	Soil	—	24-Jan-2012
CF-11-03 836.8-851.8	W2A0356-17	Soil	—	24-Jan-2012
CF-11-03 922-949.5	W2A0356-18	Soil	—	24-Jan-2012
CF-11-03 1049.5-1085.3	W2A0356-19	Soil	—	24-Jan-2012
CF-11-04 0-16.6	W2A0356-20	Soil	—	24-Jan-2012

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 15-43**

SVL Sample ID: **W2A0356-01 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-20.6	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	32.9	TCaCO3/kT	0.3			N/A		01/30/12 13:59	
Modified Sobek	ANP	12.3	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204220	MAD	01/30/12 13:59	
Modified Sobek	Non-Sulfate Sulfur	1.27	%	0.01	0.004		W204220	MAD	01/30/12 10:51	
Modified Sobek	Pyritic Sulfur	1.05	%	0.01			N/A		01/30/12 13:59	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		01/30/12 10:51	
Modified Sobek	Total Sulfur	1.55	%	0.01	0.004		W204220	MAD	01/26/12 08:09	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-10.3	TCaCO3/kT	0.3			N/A		01/31/12 07:48	
Modified Sobek	AGP-HCl	22.6	TCaCO3/kT	0.3			N/A		01/31/12 07:48	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204220	MAD	01/30/12 13:59	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.94	%	0.01	0.004		W204220	MAD	01/31/12 07:48	
Modified Sobek	Pyritic Sulfur-HCl	0.72	%	0.01			N/A		01/31/12 07:48	
Modified Sobek	Sulfate Sulfur-HCl	0.61	%	0.01			N/A		01/31/12 07:48	
Modified Sobek	Total Sulfur	1.55	%	0.01	0.004		W204220	MAD	01/26/12 08:09	
Classical Chemistry Parameters										
NAG	NAG pH @21.4°C	3.40	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	2.36	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	8.46	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @19.6°C	8.01	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 189-225**

SVL Sample ID: **W2A0356-02 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	5.6	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	22.0	TCaCO3/kT	0.3			N/A		01/30/12 14:02	
Modified Sobek	ANP	27.6	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204220	MAD	01/30/12 14:02	
Modified Sobek	Non-Sulfate Sulfur	0.86	%	0.01	0.004		W204220	MAD	01/30/12 10:56	
Modified Sobek	Pyritic Sulfur	0.70	%	0.01			N/A		01/30/12 14:02	
Modified Sobek	Sulfate Sulfur	0.26	%	0.01			N/A		01/30/12 10:56	
Modified Sobek	Total Sulfur	1.13	%	0.01	0.004		W204220	MAD	01/26/12 08:13	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	23.6	TCaCO3/kT	0.3			N/A		01/31/12 07:51	
Modified Sobek	AGP-HCl	4.0	TCaCO3/kT	0.3			N/A		01/31/12 07:51	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204220	MAD	01/30/12 14:02	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.29	%	0.01	0.004		W204220	MAD	01/31/12 07:51	
Modified Sobek	Pyritic Sulfur-HCl	0.13	%	0.01			N/A		01/31/12 07:51	
Modified Sobek	Sulfate Sulfur-HCl	0.84	%	0.01			N/A		01/31/12 07:51	
Modified Sobek	Total Sulfur	1.13	%	0.01	0.004		W204220	MAD	01/26/12 08:13	
Classical Chemistry Parameters										
NAG	NAG pH @21.2°C	5.37	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.0°C	7.95	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 268.8-292**

SVL Sample ID: **W2A0356-03 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-30.7	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	66.1	TCaCO3/kT	0.3			N/A		01/30/12 14:05	
Modified Sobek	ANP	35.4	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204220	MAD	01/30/12 14:05	
Modified Sobek	Non-Sulfate Sulfur	2.33	%	0.01	0.004		W204220	MAD	01/30/12 11:00	
Modified Sobek	Pyritic Sulfur	2.12	%	0.01			N/A		01/30/12 14:05	
Modified Sobek	Sulfate Sulfur	0.32	%	0.01			N/A		01/30/12 11:00	
Modified Sobek	Total Sulfur	2.65	%	0.01	0.004		W204220	MAD	01/26/12 08:16	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-11.6	TCaCO3/kT	0.3			N/A		01/31/12 07:56	
Modified Sobek	AGP-HCl	47.0	TCaCO3/kT	0.3			N/A		01/31/12 07:56	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204220	MAD	01/30/12 14:05	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.72	%	0.01	0.004		W204220	MAD	01/31/12 07:56	
Modified Sobek	Pyritic Sulfur-HCl	1.50	%	0.01			N/A		01/31/12 07:56	
Modified Sobek	Sulfate Sulfur-HCl	0.93	%	0.01			N/A		01/31/12 07:56	
Modified Sobek	Total Sulfur	2.65	%	0.01	0.004		W204220	MAD	01/26/12 08:16	
Classical Chemistry Parameters										
NAG	NAG pH @21.1°C	3.35	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	2.85	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	8.95	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @19.8°C	7.70	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 465-480**

SVL Sample ID: **W2A0356-04 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-2.9	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	28.0	TCaCO3/kT	0.3			N/A		01/30/12 14:08	
Modified Sobek	ANP	25.1	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.18	%	0.01	0.004		W204220	MAD	01/30/12 14:08	
Modified Sobek	Non-Sulfate Sulfur	1.07	%	0.01	0.004		W204220	MAD	01/30/12 11:08	
Modified Sobek	Pyritic Sulfur	0.90	%	0.01			N/A		01/30/12 14:08	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		01/30/12 11:08	
Modified Sobek	Total Sulfur	1.35	%	0.01	0.004		W204220	MAD	01/26/12 08:19	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	7.7	TCaCO3/kT	0.3			N/A		01/31/12 08:01	
Modified Sobek	AGP-HCl	17.4	TCaCO3/kT	0.3			N/A		01/31/12 08:01	
Modified Sobek	Non-extractable Sulfur	0.18	%	0.01	0.004		W204220	MAD	01/30/12 14:08	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.73	%	0.01	0.004		W204220	MAD	01/31/12 08:01	
Modified Sobek	Pyritic Sulfur-HCl	0.56	%	0.01			N/A		01/31/12 08:01	
Modified Sobek	Sulfate Sulfur-HCl	0.62	%	0.01			N/A		01/31/12 08:01	
Modified Sobek	Total Sulfur	1.35	%	0.01	0.004		W204220	MAD	01/26/12 08:19	

Classical Chemistry Parameters

NAG	NAG pH @20.9°C	3.37	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	2.56	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	9.15	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.2°C	8.12	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 575-610**

SVL Sample ID: **W2A0356-05 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-23.1	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	47.8	TCaCO3/kT	0.3			N/A		01/30/12 14:11	
Modified Sobek	ANP	24.6	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204220	MAD	01/30/12 14:11	
Modified Sobek	Non-Sulfate Sulfur	1.70	%	0.01	0.004		W204220	MAD	01/30/12 11:14	
Modified Sobek	Pyritic Sulfur	1.53	%	0.01			N/A		01/30/12 14:11	
Modified Sobek	Sulfate Sulfur	0.42	%	0.01			N/A		01/30/12 11:14	
Modified Sobek	Total Sulfur	2.12	%	0.01	0.004		W204220	MAD	01/26/12 08:22	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-14.1	TCaCO3/kT	0.3			N/A		01/31/12 08:05	
Modified Sobek	AGP-HCl	38.7	TCaCO3/kT	0.3			N/A		01/31/12 08:05	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204220	MAD	01/30/12 14:11	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.41	%	0.01	0.004		W204220	MAD	01/31/12 08:05	
Modified Sobek	Pyritic Sulfur-HCl	1.24	%	0.01			N/A		01/31/12 08:05	
Modified Sobek	Sulfate Sulfur-HCl	0.71	%	0.01			N/A		01/31/12 08:05	
Modified Sobek	Total Sulfur	2.12	%	0.01	0.004		W204220	MAD	01/26/12 08:22	
Classical Chemistry Parameters										
NAG	NAG pH @20.8°C	3.01	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	6.10	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	8.16	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.3°C	7.93	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-01-B 1005-1025**

SVL Sample ID: **W2A0356-06 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	10.6	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	8.6	TCaCO3/kT	0.3			N/A		01/30/12 14:14	
Modified Sobek	ANP	19.2	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:14	
Modified Sobek	Non-Sulfate Sulfur	0.33	%	0.01	0.004		W204220	MAD	01/30/12 11:17	
Modified Sobek	Pyritic Sulfur	0.28	%	0.01			N/A		01/30/12 14:14	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		01/30/12 11:17	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W204220	MAD	01/26/12 08:24	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	10.5	TCaCO3/kT	0.3			N/A		01/31/12 08:08	
Modified Sobek	AGP-HCl	8.7	TCaCO3/kT	0.3			N/A		01/31/12 08:08	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:14	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.33	%	0.01	0.004		W204220	MAD	01/31/12 08:08	
Modified Sobek	Pyritic Sulfur-HCl	0.28	%	0.01			N/A		01/31/12 08:08	
Modified Sobek	Sulfate Sulfur-HCl	0.19	%	0.01			N/A		01/31/12 08:08	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W204220	MAD	01/26/12 08:24	
Classical Chemistry Parameters										
NAG	NAG pH @20.9°C	5.64	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.5°C	8.36	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-02 0-27**

SVL Sample ID: **W2A0356-07 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-16.3	TCaCO3/kT	0.3			N/A		01/30/12 14:22	
Modified Sobek	AGP	38.5	TCaCO3/kT	0.3			N/A		01/30/12 14:17	
Modified Sobek	ANP	22.1	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 14:17	
Modified Sobek	Non-Sulfate Sulfur	1.29	%	0.01	0.004		W204220	MAD	01/30/12 11:21	
Modified Sobek	Pyritic Sulfur	1.23	%	0.01			N/A		01/30/12 14:17	
Modified Sobek	Sulfate Sulfur	0.41	%	0.01			N/A		01/30/12 11:21	
Modified Sobek	Total Sulfur	1.70	%	0.01	0.004		W204220	MAD	01/26/12 08:28	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-21.6	TCaCO3/kT	0.3			N/A		01/31/12 08:12	
Modified Sobek	AGP-HCl	43.8	TCaCO3/kT	0.3			N/A		01/31/12 08:12	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 14:17	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.46	%	0.01	0.004		W204220	MAD	01/31/12 08:12	
Modified Sobek	Pyritic Sulfur-HCl	1.40	%	0.01			N/A		01/31/12 08:12	
Modified Sobek	Sulfate Sulfur-HCl	0.24	%	0.01			N/A		01/31/12 08:12	
Modified Sobek	Total Sulfur	1.70	%	0.01	0.004		W204220	MAD	01/26/12 08:28	
Classical Chemistry Parameters										
NAG	NAG pH @20.7°C	3.28	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	3.44	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	5.80	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.4°C	8.07	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-02 147-181**

SVL Sample ID: **W2A0356-08 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	4.9	TCaCO3/kT	0.3			N/A		01/30/12 14:26	
Modified Sobek	AGP	15.8	TCaCO3/kT	0.3			N/A		01/30/12 14:26	
Modified Sobek	ANP	20.7	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01	0.004		W204220	MAD	01/30/12 14:26	
Modified Sobek	Non-Sulfate Sulfur	0.53	%	0.01	0.004		W204220	MAD	01/30/12 11:31	
Modified Sobek	Pyritic Sulfur	0.50	%	0.01			N/A		01/30/12 14:26	
Modified Sobek	Sulfate Sulfur	0.21	%	0.01			N/A		01/30/12 11:31	
Modified Sobek	Total Sulfur	0.74	%	0.01	0.004		W204220	MAD	01/26/12 08:37	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	5.0	TCaCO3/kT	0.3			N/A		01/31/12 08:16	
Modified Sobek	AGP-HCl	15.7	TCaCO3/kT	0.3			N/A		01/31/12 08:16	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01	0.004		W204220	MAD	01/30/12 14:26	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.53	%	0.01	0.004		W204220	MAD	01/31/12 08:16	
Modified Sobek	Pyritic Sulfur-HCl	0.50	%	0.01			N/A		01/31/12 08:16	
Modified Sobek	Sulfate Sulfur-HCl	0.21	%	0.01			N/A		01/31/12 08:16	
Modified Sobek	Total Sulfur	0.74	%	0.01	0.004		W204220	MAD	01/26/12 08:37	
Classical Chemistry Parameters										
NAG	NAG pH @20.7°C	2.92	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	5.51	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	4.13	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.3°C	8.47	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-02 367-408**

SVL Sample ID: **W2A0356-09 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-6.8	TCaCO3/kT	0.3			N/A		01/30/12 14:29	
Modified Sobek	AGP	26.0	TCaCO3/kT	0.3			N/A		01/30/12 14:29	
Modified Sobek	ANP	19.2	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:29	
Modified Sobek	Non-Sulfate Sulfur	0.88	%	0.01	0.004		W204220	MAD	01/30/12 11:35	
Modified Sobek	Pyritic Sulfur	0.83	%	0.01			N/A		01/30/12 14:29	
Modified Sobek	Sulfate Sulfur	0.23	%	0.01			N/A		01/30/12 11:35	
Modified Sobek	Total Sulfur	1.11	%	0.01	0.004		W204220	MAD	01/26/12 08:40	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	-0.6	TCaCO3/kT	0.3			N/A		01/31/12 08:25	
Modified Sobek	AGP-HCl	19.8	TCaCO3/kT	0.3			N/A		01/31/12 08:25	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:29	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.68	%	0.01	0.004		W204220	MAD	01/31/12 08:25	
Modified Sobek	Pyritic Sulfur-HCl	0.63	%	0.01			N/A		01/31/12 08:25	
Modified Sobek	Sulfate Sulfur-HCl	0.43	%	0.01			N/A		01/31/12 08:25	
Modified Sobek	Total Sulfur	1.11	%	0.01	0.004		W204220	MAD	01/26/12 08:40	
Classical Chemistry Parameters										
NAG	NAG pH @20.5°C	2.78	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	8.06	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	5.90	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.2°C	8.49	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-02 471-507**

SVL Sample ID: **W2A0356-10 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-1.3	TCaCO3/kT	0.3			N/A		01/30/12 14:32	
Modified Sobek	AGP	25.9	TCaCO3/kT	0.3			N/A		01/30/12 14:32	
Modified Sobek	ANP	24.6	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:32	
Modified Sobek	Non-Sulfate Sulfur	0.87	%	0.01	0.004		W204220	MAD	01/30/12 11:39	
Modified Sobek	Pyritic Sulfur	0.83	%	0.01			N/A		01/30/12 14:32	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		01/30/12 11:39	
Modified Sobek	Total Sulfur	1.15	%	0.01	0.004		W204220	MAD	01/26/12 08:43	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	9.4	TCaCO3/kT	0.3			N/A		01/31/12 08:28	
Modified Sobek	AGP-HCl	15.2	TCaCO3/kT	0.3			N/A		01/31/12 08:28	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:32	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.53	%	0.01	0.004		W204220	MAD	01/31/12 08:28	
Modified Sobek	Pyritic Sulfur-HCl	0.49	%	0.01			N/A		01/31/12 08:28	
Modified Sobek	Sulfate Sulfur-HCl	0.62	%	0.01			N/A		01/31/12 08:28	
Modified Sobek	Total Sulfur	1.15	%	0.01	0.004		W204220	MAD	01/26/12 08:43	
Classical Chemistry Parameters										
NAG	NAG pH @20.1°C	3.12	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	5.31	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	3.54	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.0°C	8.32	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-02 609-625**

SVL Sample ID: **W2A0356-11 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	5.1	TCaCO3/kT	0.3			N/A		01/30/12 14:35	
Modified Sobek	AGP	25.9	TCaCO3/kT	0.3			N/A		01/30/12 14:35	
Modified Sobek	ANP	31.0	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:35	
Modified Sobek	Non-Sulfate Sulfur	0.88	%	0.01	0.004		W204220	MAD	01/30/12 11:44	
Modified Sobek	Pyritic Sulfur	0.83	%	0.01			N/A		01/30/12 14:35	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		01/30/12 11:44	
Modified Sobek	Total Sulfur	1.16	%	0.01	0.004		W204220	MAD	01/26/12 08:46	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	5.2	TCaCO3/kT	0.3			N/A		01/31/12 08:33	
Modified Sobek	AGP-HCl	25.8	TCaCO3/kT	0.3			N/A		01/31/12 08:33	
Modified Sobek	Non-extractable Sulfur	0.05	%	0.01	0.004		W204220	MAD	01/30/12 14:35	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.88	%	0.01	0.004		W204220	MAD	01/31/12 08:33	
Modified Sobek	Pyritic Sulfur-HCl	0.83	%	0.01			N/A		01/31/12 08:33	
Modified Sobek	Sulfate Sulfur-HCl	0.28	%	0.01			N/A		01/31/12 08:33	
Modified Sobek	Total Sulfur	1.16	%	0.01	0.004		W204220	MAD	01/26/12 08:46	

Classical Chemistry Parameters

NAG	NAG pH @20.4°C	3.58	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	1.38	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	4.72	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @19.9°C	8.28	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 23.9-53.2**

SVL Sample ID: **W2A0356-12 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	32.9	TCaCO3/kT	0.3			N/A		01/30/12 14:38	
Modified Sobek	AGP	12.9	TCaCO3/kT	0.3			N/A		01/30/12 14:38	
Modified Sobek	ANP	45.8	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 14:38	
Modified Sobek	Non-Sulfate Sulfur	0.47	%	0.01	0.004		W204220	MAD	01/30/12 11:48	
Modified Sobek	Pyritic Sulfur	0.41	%	0.01			N/A		01/30/12 14:38	
Modified Sobek	Sulfate Sulfur	0.17	%	0.01			N/A		01/30/12 11:48	
Modified Sobek	Total Sulfur	0.65	%	0.01	0.004		W204220	MAD	01/26/12 08:49	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	34.5	TCaCO3/kT	0.3			N/A		01/31/12 08:36	
Modified Sobek	AGP-HCl	11.2	TCaCO3/kT	0.3			N/A		01/31/12 08:36	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 14:38	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.42	%	0.01	0.004		W204220	MAD	01/31/12 08:36	
Modified Sobek	Pyritic Sulfur-HCl	0.36	%	0.01			N/A		01/31/12 08:36	
Modified Sobek	Sulfate Sulfur-HCl	0.23	%	0.01			N/A		01/31/12 08:36	
Modified Sobek	Total Sulfur	0.65	%	0.01	0.004		W204220	MAD	01/26/12 08:49	
Classical Chemistry Parameters										
NAG	NAG pH @20.5°C	8.76	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.1°C	8.26	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 243-276.5**

SVL Sample ID: **W2A0356-13 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-5.3	TCaCO3/kT	0.3			N/A		01/30/12 14:41	
Modified Sobek	AGP	53.5	TCaCO3/kT	0.3			N/A		01/30/12 14:41	
Modified Sobek	ANP	48.2	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.24	%	0.01	0.004		W204220	MAD	01/30/12 14:41	
Modified Sobek	Non-Sulfate Sulfur	1.95	%	0.01	0.004		W204220	MAD	01/30/12 11:52	
Modified Sobek	Pyritic Sulfur	1.71	%	0.01			N/A		01/30/12 14:41	
Modified Sobek	Sulfate Sulfur	0.54	%	0.01			N/A		01/30/12 11:52	
Modified Sobek	Total Sulfur	2.49	%	0.01	0.004		W204220	MAD	01/26/12 08:52	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-13.4	TCaCO3/kT	0.3			N/A		01/31/12 08:40	
Modified Sobek	AGP-HCl	61.6	TCaCO3/kT	0.3			N/A		01/31/12 08:40	
Modified Sobek	Non-extractable Sulfur	0.24	%	0.01	0.004		W204220	MAD	01/30/12 14:41	
Modified Sobek	Non-Sulfate Sulfur-HCl	2.21	%	0.01	0.004		W204220	MAD	01/31/12 08:40	
Modified Sobek	Pyritic Sulfur-HCl	1.97	%	0.01			N/A		01/31/12 08:40	
Modified Sobek	Sulfate Sulfur-HCl	0.28	%	0.01			N/A		01/31/12 08:40	
Modified Sobek	Total Sulfur	2.49	%	0.01	0.004		W204220	MAD	01/26/12 08:52	

Classical Chemistry Parameters

NAG	NAG pH @20.1°C	9.04	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.4°C	7.78	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 316.8-341.8**

SVL Sample ID: **W2A0356-14 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	-0.9	TCaCO3/kT	0.3			N/A		01/30/12 14:44	
Modified Sobek	AGP	40.3	TCaCO3/kT	0.3			N/A		01/30/12 14:44	
Modified Sobek	ANP	39.4	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.26	%	0.01	0.004		W204220	MAD	01/30/12 14:44	
Modified Sobek	Non-Sulfate Sulfur	1.55	%	0.01	0.004		W204220	MAD	01/30/12 11:58	
Modified Sobek	Pyritic Sulfur	1.29	%	0.01			N/A		01/30/12 14:44	
Modified Sobek	Sulfate Sulfur	0.11	%	0.01			N/A		01/30/12 11:58	
Modified Sobek	Total Sulfur	1.66	%	0.01	0.004		W204220	MAD	01/26/12 08:56	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	20.7	TCaCO3/kT	0.3			N/A		01/31/12 09:02	
Modified Sobek	AGP-HCl	18.7	TCaCO3/kT	0.3			N/A		01/31/12 09:02	
Modified Sobek	Non-extractable Sulfur	0.26	%	0.01	0.004		W204220	MAD	01/30/12 14:44	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.86	%	0.01	0.004		W204220	MAD	01/31/12 09:02	
Modified Sobek	Pyritic Sulfur-HCl	0.60	%	0.01			N/A		01/31/12 09:02	
Modified Sobek	Sulfate Sulfur-HCl	0.80	%	0.01			N/A		01/31/12 09:02	
Modified Sobek	Total Sulfur	1.66	%	0.01	0.004		W204220	MAD	01/26/12 08:56	
Classical Chemistry Parameters										
NAG	NAG pH @20.2°C	5.56	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.4°C	8.00	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 497-521.7**

SVL Sample ID: **W2A0356-15 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	21.8	TCaCO3/kT	0.3			N/A		01/30/12 14:46	
Modified Sobek	AGP	27.9	TCaCO3/kT	0.3			N/A		01/30/12 14:46	
Modified Sobek	ANP	49.7	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W204220	MAD	01/30/12 14:46	
Modified Sobek	Non-Sulfate Sulfur	0.99	%	0.01	0.004		W204220	MAD	01/30/12 12:02	
Modified Sobek	Pyritic Sulfur	0.89	%	0.01			N/A		01/30/12 14:46	
Modified Sobek	Sulfate Sulfur	0.34	%	0.01			N/A		01/30/12 12:02	
Modified Sobek	Total Sulfur	1.33	%	0.01	0.004		W204220	MAD	01/26/12 08:59	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	30.2	TCaCO3/kT	0.3			N/A		01/31/12 09:05	
Modified Sobek	AGP-HCl	19.5	TCaCO3/kT	0.3			N/A		01/31/12 09:05	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W204220	MAD	01/30/12 14:46	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.72	%	0.01	0.004		W204220	MAD	01/31/12 09:05	
Modified Sobek	Pyritic Sulfur-HCl	0.62	%	0.01			N/A		01/31/12 09:05	
Modified Sobek	Sulfate Sulfur-HCl	0.61	%	0.01			N/A		01/31/12 09:05	
Modified Sobek	Total Sulfur	1.33	%	0.01	0.004		W204220	MAD	01/26/12 08:59	

Classical Chemistry Parameters

NAG	NAG pH @20.2°C	9.71	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.4°C	7.60	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 580.3-600.3**

SVL Sample ID: **W2A0356-16 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	15.1	TCaCO3/kT	0.3			N/A		01/30/12 14:49	
Modified Sobek	AGP	9.5	TCaCO3/kT	0.3			N/A		01/30/12 14:49	
Modified Sobek	ANP	24.6	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01	0.004		W204220	MAD	01/30/12 14:49	
Modified Sobek	Non-Sulfate Sulfur	0.37	%	0.01	0.004		W204220	MAD	01/30/12 12:06	
Modified Sobek	Pyritic Sulfur	0.30	%	0.01			N/A		01/30/12 14:49	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		01/30/12 12:06	
Modified Sobek	Total Sulfur	0.56	%	0.01	0.004		W204220	MAD	01/26/12 09:02	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	16.0	TCaCO3/kT	0.3			N/A		01/31/12 09:07	
Modified Sobek	AGP-HCl	8.6	TCaCO3/kT	0.3			N/A		01/31/12 09:07	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01	0.004		W204220	MAD	01/30/12 14:49	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.34	%	0.01	0.004		W204220	MAD	01/31/12 09:07	
Modified Sobek	Pyritic Sulfur-HCl	0.27	%	0.01			N/A		01/31/12 09:07	
Modified Sobek	Sulfate Sulfur-HCl	0.22	%	0.01			N/A		01/31/12 09:07	
Modified Sobek	Total Sulfur	0.56	%	0.01	0.004		W204220	MAD	01/26/12 09:02	
Classical Chemistry Parameters										
NAG	NAG pH @21.3°C	7.81	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.6°C	8.03	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 836.8-851.8**

SVL Sample ID: **W2A0356-17 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	13.8	TCaCO3/kT	0.3			N/A		01/30/12 14:52	
Modified Sobek	AGP	12.3	TCaCO3/kT	0.3			N/A		01/30/12 14:52	
Modified Sobek	ANP	26.1	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01	0.004		W204220	MAD	01/30/12 14:52	
Modified Sobek	Non-Sulfate Sulfur	0.43	%	0.01	0.004		W204220	MAD	01/30/12 12:10	
Modified Sobek	Pyritic Sulfur	0.39	%	0.01			N/A		01/30/12 14:52	
Modified Sobek	Sulfate Sulfur	0.21	%	0.01			N/A		01/30/12 12:10	
Modified Sobek	Total Sulfur	0.64	%	0.01	0.004		W204220	MAD	01/26/12 09:05	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	14.4	TCaCO3/kT	0.3			N/A		01/31/12 09:10	
Modified Sobek	AGP-HCl	11.7	TCaCO3/kT	0.3			N/A		01/31/12 09:10	
Modified Sobek	Non-extractable Sulfur	0.04	%	0.01	0.004		W204220	MAD	01/30/12 14:52	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.41	%	0.01	0.004		W204220	MAD	01/31/12 09:10	
Modified Sobek	Pyritic Sulfur-HCl	0.37	%	0.01			N/A		01/31/12 09:10	
Modified Sobek	Sulfate Sulfur-HCl	0.23	%	0.01			N/A		01/31/12 09:10	
Modified Sobek	Total Sulfur	0.64	%	0.01	0.004		W204220	MAD	01/26/12 09:05	

Classical Chemistry Parameters

NAG	NAG pH @20.4°C	8.39	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.3°C	8.21	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 922-949.5**

SVL Sample ID: **W2A0356-18 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	21.6	TCaCO3/kT	0.3			N/A		01/30/12 15:02	
Modified Sobek	AGP	10.9	TCaCO3/kT	0.3			N/A		01/30/12 15:02	
Modified Sobek	ANP	32.5	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 15:02	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01	0.004		W204220	MAD	01/30/12 12:20	
Modified Sobek	Pyritic Sulfur	0.35	%	0.01			N/A		01/30/12 15:02	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		01/30/12 12:20	
Modified Sobek	Total Sulfur	0.61	%	0.01	0.004		W204220	MAD	01/26/12 09:15	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	24.4	TCaCO3/kT	0.3			N/A		01/31/12 09:20	
Modified Sobek	AGP-HCl	8.1	TCaCO3/kT	0.3			N/A		01/31/12 09:20	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W204220	MAD	01/30/12 15:02	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.32	%	0.01	0.004		W204220	MAD	01/31/12 09:20	
Modified Sobek	Pyritic Sulfur-HCl	0.26	%	0.01			N/A		01/31/12 09:20	
Modified Sobek	Sulfate Sulfur-HCl	0.29	%	0.01			N/A		01/31/12 09:20	
Modified Sobek	Total Sulfur	0.61	%	0.01	0.004		W204220	MAD	01/26/12 09:15	
Classical Chemistry Parameters										
NAG	NAG pH @20.1°C	9.32	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.6°C	8.21	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-03 1049.5-1085.3**

SVL Sample ID: **W2A0356-19 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	7.8	TCaCO3/kT	0.3			N/A		01/30/12 15:05	
Modified Sobek	AGP	21.7	TCaCO3/kT	0.3			N/A		01/30/12 15:05	
Modified Sobek	ANP	29.5	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01	0.004		W204220	MAD	01/30/12 15:05	
Modified Sobek	Non-Sulfate Sulfur	0.78	%	0.01	0.004		W204220	MAD	01/30/12 12:25	
Modified Sobek	Pyritic Sulfur	0.69	%	0.01			N/A		01/30/12 15:05	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		01/30/12 12:25	
Modified Sobek	Total Sulfur	0.97	%	0.01	0.004		W204220	MAD	01/26/12 09:18	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	16.2	TCaCO3/kT	0.3			N/A		01/31/12 09:23	
Modified Sobek	AGP-HCl	13.3	TCaCO3/kT	0.3			N/A		01/31/12 09:23	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01	0.004		W204220	MAD	01/30/12 15:05	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.51	%	0.01	0.004		W204220	MAD	01/31/12 09:23	
Modified Sobek	Pyritic Sulfur-HCl	0.43	%	0.01			N/A		01/31/12 09:23	
Modified Sobek	Sulfate Sulfur-HCl	0.46	%	0.01			N/A		01/31/12 09:23	
Modified Sobek	Total Sulfur	0.97	%	0.01	0.004		W204220	MAD	01/26/12 09:18	

Classical Chemistry Parameters

NAG	NAG pH @20.1°C	5.23	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.5°C	8.15	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Client Sample ID: **CF-11-04 0-16.6**

SVL Sample ID: **W2A0356-20 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	8.3	TCaCO3/kT	0.3			N/A		01/31/12 13:37	
Modified Sobek	AGP	< 0.3	TCaCO3/kT	0.3			N/A		01/31/12 13:37	
Modified Sobek	ANP	8.4	TCaCO3/kT	0.3	0.1		W204220	MAD	01/30/12 14:22	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01	0.004		W204220	MAD	01/31/12 13:37	
Modified Sobek	Non-Sulfate Sulfur	0.01	%	0.01	0.004		W204220	MAD	01/31/12 13:22	
Modified Sobek	Pyritic Sulfur	< 0.01	%	0.01			N/A		01/31/12 13:37	
Modified Sobek	Sulfate Sulfur	0.02	%	0.01			N/A		01/31/12 13:22	
Modified Sobek	Total Sulfur	0.04	%	0.01	0.004		W204220	MAD	01/26/12 09:21	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	8.0	TCaCO3/kT	0.3			N/A		01/31/12 13:37	
Modified Sobek	AGP-HCl	0.4	TCaCO3/kT	0.3			N/A		01/31/12 13:37	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01	0.004		W204220	MAD	01/31/12 13:37	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.03	%	0.01	0.004		W204220	MAD	01/31/12 09:26	
Modified Sobek	Pyritic Sulfur-HCl	0.01	%	0.01			N/A		01/31/12 13:37	
Modified Sobek	Sulfate Sulfur-HCl	0.01	%	0.01			N/A		01/31/12 09:26	
Modified Sobek	Total Sulfur	0.04	%	0.01	0.004		W204220	MAD	01/26/12 09:21	
Classical Chemistry Parameters										
NAG	NAG pH @20.3°C	8.88	pH Units				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204322	AGF	01/30/12 14:00	
USDA HB60(21a)	Paste pH @20.5°C	7.77	pH Units				W205067	AGF	01/31/12 15:35	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
--------	---------	-------	--------	-----	-----	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W204220	30-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W204220	30-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W204220	31-Jan-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W204220	26-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204220	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204220	31-Jan-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W204220	31-Jan-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W204220	26-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204220	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204220	31-Jan-12	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	------------	----------	--------	-------------------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	39.4	33.2	119	80 - 120	W204220	30-Jan-12	
Modified Sobek	Total Sulfur	%	0.93	0.942	98.6	80 - 120	W204220	26-Jan-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Total Sulfur	%	0.93	0.942	98.6	80 - 120	W204220	26-Jan-12	
----------------	--------------	---	------	-------	------	----------	---------	-----------	--

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH	pH Units	8.16	8.18	99.8	93.7 - 106.3	W205067	31-Jan-12	
----------------	----------	----------	------	------	------	--------------	---------	-----------	--

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	12.8	12.3	3.9	20	W204220	30-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	0.01	0.01	0.7	20	W204220	31-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	1.24	1.27	2.4	20	W204220	30-Jan-12	
Modified Sobek	Total Sulfur	%	1.61	1.55	3.8	20	W204220	26-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.01	11.5	20	W204220	31-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	0.19	0.22	10.7	20	W204220	30-Jan-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.93	0.94	1.1	20	W204220	31-Jan-12	
Modified Sobek	Total Sulfur	%	1.61	1.55	3.8	20	W204220	26-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	0.01	0.01	11.5	20	W204220	31-Jan-12	

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0356**
Reported: 01-Feb-12 08:47

Quality Control - DUPLICATE Data (Continued)

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms (HCl Wash) (Continued)

Modified Sobek	Non-extractable Sulfur	%	0.19	0.22	10.7	20	W204220	30-Jan-12	
----------------	------------------------	---	------	------	------	----	---------	-----------	--

Classical Chemistry Parameters

NAG	NAG pH	pH Units	3.31	3.40	2.7	20	W204322	30-Jan-12	
NAG	NAG@pH 4.5	kg H2SO4/T	2.56	2.36	8.0	20	W204322	30-Jan-12	
NAG	NAG@pH 7	kg H2SO4/T	9.05	8.46	6.7	20	W204322	30-Jan-12	
USDA HB60(21a)	Paste pH	pH Units	8.04	8.01	0.4	20	W205067	31-Jan-12	

Notes and Definitions

LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CF-11-04 168-203	W2A0357-01	Soil	—	24-Jan-2012
CF-11-04 464.8-504.8	W2A0357-02	Soil	—	24-Jan-2012
CF-11-04 628-678	W2A0357-03	Soil	—	24-Jan-2012
CF-11-05 35-60	W2A0357-04	Soil	—	24-Jan-2012
CF-11-05 760-780	W2A0357-05	Soil	—	24-Jan-2012
CF-11-05 880-895	W2A0357-06	Soil	—	24-Jan-2012
CF-11-06 6.4-19.4	W2A0357-07	Soil	—	24-Jan-2012
CF-11-06 135.4-155.6	W2A0357-08	Soil	—	24-Jan-2012
CF-11-06 418-443	W2A0357-09	Soil	—	24-Jan-2012
CF-11-06 603-628	W2A0357-10	Soil	—	24-Jan-2012
CF-11-06 673-693	W2A0357-11	Soil	—	24-Jan-2012
CF-11-06 860-868	W2A0357-12	Soil	—	24-Jan-2012
CF-11-06 872.5-898	W2A0357-13	Soil	—	24-Jan-2012
CF-11-07 312-346.6	W2A0357-14	Soil	—	24-Jan-2012
CF-11-07 521.7-543	W2A0357-15	Soil	—	24-Jan-2012
CF-11-07 966.8-996.8	W2A0357-16	Soil	—	24-Jan-2012
CF-11-08 844.2-879.2	W2A0357-17	Soil	—	24-Jan-2012
CF-11-08 1139.5-1179.5	W2A0357-18	Soil	—	24-Jan-2012
CF-11-08 365-405	W2A0357-19	Soil	—	24-Jan-2012
CF-11-09 313-333	W2A0357-20	Soil	—	24-Jan-2012

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-04 168-203**

SVL Sample ID: **W2A0357-01 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	14.0	TCaCO3/kT	0.3			N/A		02/01/12 13:08	
Modified Sobek	AGP	12.6	TCaCO3/kT	0.3			N/A		02/01/12 13:08	
Modified Sobek	ANP	26.6	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.25	%	0.01	0.004		W204303	MAD	02/01/12 13:08	
Modified Sobek	Non-Sulfate Sulfur	0.65	%	0.01	0.004		W204303	MAD	02/01/12 11:30	
Modified Sobek	Pyritic Sulfur	0.40	%	0.01			N/A		02/01/12 13:08	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		02/01/12 11:30	
Modified Sobek	Total Sulfur	0.93	%	0.01	0.004		W204303	MAD	01/30/12 08:36	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	16.3	TCaCO3/kT	0.3			N/A		02/01/12 14:28	
Modified Sobek	AGP-HCl	10.2	TCaCO3/kT	0.3			N/A		02/01/12 14:28	
Modified Sobek	Non-extractable Sulfur	0.25	%	0.01	0.004		W204303	MAD	02/01/12 13:08	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.58	%	0.01	0.004		W204303	MAD	02/01/12 14:28	
Modified Sobek	Pyritic Sulfur-HCl	0.33	%	0.01			N/A		02/01/12 14:28	
Modified Sobek	Sulfate Sulfur-HCl	0.36	%	0.01			N/A		02/01/12 14:28	
Modified Sobek	Total Sulfur	0.93	%	0.01	0.004		W204303	MAD	01/30/12 08:36	

Classical Chemistry Parameters

NAG	NAG pH @20.6°C	8.25	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.8°C	8.38	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-04 464.8-504.8**

SVL Sample ID: **W2A0357-02 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	11.7	TCaCO3/kT	0.3			N/A		02/01/12 13:10	
Modified Sobek	AGP	7.0	TCaCO3/kT	0.3			N/A		02/01/12 13:10	
Modified Sobek	ANP	18.7	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:10	
Modified Sobek	Non-Sulfate Sulfur	0.38	%	0.01	0.004		W204303	MAD	02/01/12 11:34	
Modified Sobek	Pyritic Sulfur	0.22	%	0.01			N/A		02/01/12 13:10	
Modified Sobek	Sulfate Sulfur	0.16	%	0.01			N/A		02/01/12 11:34	
Modified Sobek	Total Sulfur	0.55	%	0.01	0.004		W204303	MAD	01/30/12 08:39	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	15.3	TCaCO3/kT	0.3			N/A		02/01/12 14:31	
Modified Sobek	AGP-HCl	3.4	TCaCO3/kT	0.3			N/A		02/01/12 14:31	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:10	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.27	%	0.01	0.004		W204303	MAD	02/01/12 14:31	
Modified Sobek	Pyritic Sulfur-HCl	0.11	%	0.01			N/A		02/01/12 14:31	
Modified Sobek	Sulfate Sulfur-HCl	0.28	%	0.01			N/A		02/01/12 14:31	
Modified Sobek	Total Sulfur	0.55	%	0.01	0.004		W204303	MAD	01/30/12 08:39	

Classical Chemistry Parameters

NAG	NAG pH @20.6°C	8.46	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.8°C	8.10	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-04 628-678**

SVL Sample ID: **W2A0357-03 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	33.4	TCaCO3/kT	0.3			N/A		02/01/12 13:13	
Modified Sobek	AGP	6.9	TCaCO3/kT	0.3			N/A		02/01/12 13:13	
Modified Sobek	ANP	40.3	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:13	
Modified Sobek	Non-Sulfate Sulfur	0.38	%	0.01	0.004		W204303	MAD	02/01/12 11:38	
Modified Sobek	Pyritic Sulfur	0.22	%	0.01			N/A		02/01/12 13:13	
Modified Sobek	Sulfate Sulfur	0.14	%	0.01			N/A		02/01/12 11:38	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W204303	MAD	01/30/12 08:43	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	36.4	TCaCO3/kT	0.3			N/A		02/01/12 14:34	
Modified Sobek	AGP-HCl	3.9	TCaCO3/kT	0.3			N/A		02/01/12 14:34	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:13	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.28	%	0.01	0.004		W204303	MAD	02/01/12 14:34	
Modified Sobek	Pyritic Sulfur-HCl	0.13	%	0.01			N/A		02/01/12 14:34	
Modified Sobek	Sulfate Sulfur-HCl	0.23	%	0.01			N/A		02/01/12 14:34	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W204303	MAD	01/30/12 08:43	
Classical Chemistry Parameters										
NAG	NAG pH @20.6°C	8.48	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.7°C	8.12	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-05 35-60**

SVL Sample ID: **W2A0357-04 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	4.3	TCaCO3/kT	0.3			N/A		02/01/12 13:16	
Modified Sobek	AGP	8.9	TCaCO3/kT	0.3			N/A		02/01/12 13:16	
Modified Sobek	ANP	13.3	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 13:16	
Modified Sobek	Non-Sulfate Sulfur	0.45	%	0.01	0.004		W204303	MAD	02/01/12 11:42	
Modified Sobek	Pyritic Sulfur	0.29	%	0.01			N/A		02/01/12 13:16	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		02/01/12 11:42	
Modified Sobek	Total Sulfur	0.65	%	0.01	0.004		W204303	MAD	01/30/12 08:45	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	9.0	TCaCO3/kT	0.3			N/A		02/01/12 14:37	
Modified Sobek	AGP-HCl	4.2	TCaCO3/kT	0.3			N/A		02/01/12 14:37	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 13:16	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.30	%	0.01	0.004		W204303	MAD	02/01/12 14:37	
Modified Sobek	Pyritic Sulfur-HCl	0.14	%	0.01			N/A		02/01/12 14:37	
Modified Sobek	Sulfate Sulfur-HCl	0.35	%	0.01			N/A		02/01/12 14:37	
Modified Sobek	Total Sulfur	0.65	%	0.01	0.004		W204303	MAD	01/30/12 08:45	
Classical Chemistry Parameters										
NAG	NAG pH @20.8°C	4.83	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.7°C	8.34	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-05 760-780**

SVL Sample ID: **W2A0357-05 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	7.3	TCaCO3/kT	0.3			N/A		02/01/12 13:19	
Modified Sobek	AGP	9.9	TCaCO3/kT	0.3			N/A		02/01/12 13:19	
Modified Sobek	ANP	17.2	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.20	%	0.01	0.004		W204303	MAD	02/01/12 13:19	
Modified Sobek	Non-Sulfate Sulfur	0.52	%	0.01	0.004		W204303	MAD	02/01/12 11:46	
Modified Sobek	Pyritic Sulfur	0.32	%	0.01			N/A		02/01/12 13:19	
Modified Sobek	Sulfate Sulfur	0.30	%	0.01			N/A		02/01/12 11:46	
Modified Sobek	Total Sulfur	0.82	%	0.01	0.004		W204303	MAD	01/30/12 08:48	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	11.0	TCaCO3/kT	0.3			N/A		02/01/12 14:40	
Modified Sobek	AGP-HCl	6.2	TCaCO3/kT	0.3			N/A		02/01/12 14:40	
Modified Sobek	Non-extractable Sulfur	0.20	%	0.01	0.004		W204303	MAD	02/01/12 13:19	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.40	%	0.01	0.004		W204303	MAD	02/01/12 14:40	
Modified Sobek	Pyritic Sulfur-HCl	0.20	%	0.01			N/A		02/01/12 14:40	
Modified Sobek	Sulfate Sulfur-HCl	0.42	%	0.01			N/A		02/01/12 14:40	
Modified Sobek	Total Sulfur	0.82	%	0.01	0.004		W204303	MAD	01/30/12 08:48	
Classical Chemistry Parameters										
NAG	NAG pH @21.3°C	8.18	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.6°C	8.45	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-05 880-895**

SVL Sample ID: **W2A0357-06 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	12.2	TCaCO3/kT	0.3			N/A		02/01/12 13:22	
Modified Sobek	AGP	8.9	TCaCO3/kT	0.3			N/A		02/01/12 13:22	
Modified Sobek	ANP	21.2	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.14	%	0.01	0.004		W204303	MAD	02/01/12 13:22	
Modified Sobek	Non-Sulfate Sulfur	0.43	%	0.01	0.004		W204303	MAD	02/01/12 11:50	
Modified Sobek	Pyritic Sulfur	0.28	%	0.01			N/A		02/01/12 13:22	
Modified Sobek	Sulfate Sulfur	0.17	%	0.01			N/A		02/01/12 11:50	
Modified Sobek	Total Sulfur	0.60	%	0.01	0.004		W204303	MAD	01/30/12 08:51	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	13.5	TCaCO3/kT	0.3			N/A		02/01/12 14:43	
Modified Sobek	AGP-HCl	7.6	TCaCO3/kT	0.3			N/A		02/01/12 14:43	
Modified Sobek	Non-extractable Sulfur	0.14	%	0.01	0.004		W204303	MAD	02/01/12 13:22	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.39	%	0.01	0.004		W204303	MAD	02/01/12 14:43	
Modified Sobek	Pyritic Sulfur-HCl	0.24	%	0.01			N/A		02/01/12 14:43	
Modified Sobek	Sulfate Sulfur-HCl	0.21	%	0.01			N/A		02/01/12 14:43	
Modified Sobek	Total Sulfur	0.60	%	0.01	0.004		W204303	MAD	01/30/12 08:51	
Classical Chemistry Parameters										
NAG	NAG pH @21.3°C	7.74	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.4°C	8.36	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 6.4-19.4**

SVL Sample ID: **W2A0357-07 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	5.5	TCaCO3/kT	0.3			N/A		02/01/12 13:25	
Modified Sobek	AGP	16.1	TCaCO3/kT	0.3			N/A		02/01/12 13:25	
Modified Sobek	ANP	21.6	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.24	%	0.01	0.004		W204303	MAD	02/01/12 13:25	
Modified Sobek	Non-Sulfate Sulfur	0.76	%	0.01	0.004		W204303	MAD	02/01/12 11:54	
Modified Sobek	Pyritic Sulfur	0.52	%	0.01			N/A		02/01/12 13:25	
Modified Sobek	Sulfate Sulfur	0.43	%	0.01			N/A		02/01/12 11:54	
Modified Sobek	Total Sulfur	1.19	%	0.01	0.004		W204303	MAD	01/30/12 08:54	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	2.4	TCaCO3/kT	0.3			N/A		02/01/12 14:54	
Modified Sobek	AGP-HCl	19.2	TCaCO3/kT	0.3			N/A		02/01/12 14:54	
Modified Sobek	Non-extractable Sulfur	0.24	%	0.01	0.004		W204303	MAD	02/01/12 13:25	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.86	%	0.01	0.004		W204303	MAD	02/01/12 14:54	
Modified Sobek	Pyritic Sulfur-HCl	0.62	%	0.01			N/A		02/01/12 14:54	
Modified Sobek	Sulfate Sulfur-HCl	0.34	%	0.01			N/A		02/01/12 14:54	
Modified Sobek	Total Sulfur	1.19	%	0.01	0.004		W204303	MAD	01/30/12 08:54	

Classical Chemistry Parameters

NAG	NAG pH @20.7°C	8.17	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.9°C	8.27	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 135.4-155.6**

SVL Sample ID: **W2A0357-08 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	4.7	TCaCO3/kT	0.3			N/A		02/01/12 13:28	
Modified Sobek	AGP	21.4	TCaCO3/kT	0.3			N/A		02/01/12 13:28	
Modified Sobek	ANP	26.1	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W204303	MAD	02/01/12 13:28	
Modified Sobek	Non-Sulfate Sulfur	0.89	%	0.01	0.004		W204303	MAD	02/01/12 11:59	
Modified Sobek	Pyritic Sulfur	0.68	%	0.01			N/A		02/01/12 13:28	
Modified Sobek	Sulfate Sulfur	0.34	%	0.01			N/A		02/01/12 11:59	
Modified Sobek	Total Sulfur	1.23	%	0.01	0.004		W204303	MAD	01/30/12 09:04	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	6.0	TCaCO3/kT	0.3			N/A		02/01/12 14:59	
Modified Sobek	AGP-HCl	20.1	TCaCO3/kT	0.3			N/A		02/01/12 14:59	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W204303	MAD	02/01/12 13:28	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.85	%	0.01	0.004		W204303	MAD	02/01/12 14:59	
Modified Sobek	Pyritic Sulfur-HCl	0.64	%	0.01			N/A		02/01/12 14:59	
Modified Sobek	Sulfate Sulfur-HCl	0.38	%	0.01			N/A		02/01/12 14:59	
Modified Sobek	Total Sulfur	1.23	%	0.01	0.004		W204303	MAD	01/30/12 09:04	
Classical Chemistry Parameters										
NAG	NAG pH @20.8°C	7.90	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.3°C	8.14	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 418-443**

SVL Sample ID: **W2A0357-09 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	19.3	TCaCO3/kT	0.3			N/A		02/01/12 13:37	
Modified Sobek	AGP	18.1	TCaCO3/kT	0.3			N/A		02/01/12 13:37	
Modified Sobek	ANP	37.4	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W204303	MAD	02/01/12 13:37	
Modified Sobek	Non-Sulfate Sulfur	0.79	%	0.01	0.004		W204303	MAD	02/01/12 12:03	
Modified Sobek	Pyritic Sulfur	0.58	%	0.01			N/A		02/01/12 13:37	
Modified Sobek	Sulfate Sulfur	0.28	%	0.01			N/A		02/01/12 12:03	
Modified Sobek	Total Sulfur	1.07	%	0.01	0.004		W204303	MAD	01/30/12 09:07	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	19.6	TCaCO3/kT	0.3			N/A		02/01/12 15:03	
Modified Sobek	AGP-HCl	17.8	TCaCO3/kT	0.3			N/A		02/01/12 15:03	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W204303	MAD	02/01/12 13:37	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.78	%	0.01	0.004		W204303	MAD	02/01/12 15:03	
Modified Sobek	Pyritic Sulfur-HCl	0.57	%	0.01			N/A		02/01/12 15:03	
Modified Sobek	Sulfate Sulfur-HCl	0.29	%	0.01			N/A		02/01/12 15:03	
Modified Sobek	Total Sulfur	1.07	%	0.01	0.004		W204303	MAD	01/30/12 09:07	
Classical Chemistry Parameters										
NAG	NAG pH @20.2°C	9.01	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.4°C	8.02	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 603-628**

SVL Sample ID: **W2A0357-10 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-2.6	TCaCO3/kT	0.3			N/A		02/01/12 13:40	
Modified Sobek	AGP	23.8	TCaCO3/kT	0.3			N/A		02/01/12 13:40	
Modified Sobek	ANP	21.2	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.29	%	0.01	0.004		W204303	MAD	02/01/12 13:40	
Modified Sobek	Non-Sulfate Sulfur	1.05	%	0.01	0.004		W204303	MAD	02/01/12 12:07	
Modified Sobek	Pyritic Sulfur	0.76	%	0.01			N/A		02/01/12 13:40	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		02/01/12 12:07	
Modified Sobek	Total Sulfur	1.29	%	0.01	0.004		W204303	MAD	01/30/12 09:10	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	< 0.3	TCaCO3/kT	0.3			N/A		02/01/12 15:08	
Modified Sobek	AGP-HCl	21.1	TCaCO3/kT	0.3			N/A		02/01/12 15:08	
Modified Sobek	Non-extractable Sulfur	0.29	%	0.01	0.004		W204303	MAD	02/01/12 13:40	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.96	%	0.01	0.004		W204303	MAD	02/01/12 15:08	
Modified Sobek	Pyritic Sulfur-HCl	0.68	%	0.01			N/A		02/01/12 15:08	
Modified Sobek	Sulfate Sulfur-HCl	0.32	%	0.01			N/A		02/01/12 15:08	
Modified Sobek	Total Sulfur	1.29	%	0.01	0.004		W204303	MAD	01/30/12 09:10	

Classical Chemistry Parameters

NAG	NAG pH @20.6°C	8.14	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.5°C	8.07	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 673-693**

SVL Sample ID: **W2A0357-11 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-7.0	TCaCO3/kT	0.3			N/A		02/01/12 13:43	
Modified Sobek	AGP	16.3	TCaCO3/kT	0.3			N/A		02/01/12 13:43	
Modified Sobek	ANP	9.3	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:43	
Modified Sobek	Non-Sulfate Sulfur	0.68	%	0.01	0.004		W204303	MAD	02/01/12 12:18	
Modified Sobek	Pyritic Sulfur	0.52	%	0.01			N/A		02/01/12 13:43	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		02/01/12 12:18	
Modified Sobek	Total Sulfur	0.92	%	0.01	0.004		W204303	MAD	01/30/12 09:13	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-2.9	TCaCO3/kT	0.3			N/A		02/01/12 15:11	
Modified Sobek	AGP-HCl	12.2	TCaCO3/kT	0.3			N/A		02/01/12 15:11	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:43	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.55	%	0.01	0.004		W204303	MAD	02/01/12 15:11	
Modified Sobek	Pyritic Sulfur-HCl	0.39	%	0.01			N/A		02/01/12 15:11	
Modified Sobek	Sulfate Sulfur-HCl	0.37	%	0.01			N/A		02/01/12 15:11	
Modified Sobek	Total Sulfur	0.92	%	0.01	0.004		W204303	MAD	01/30/12 09:13	

Classical Chemistry Parameters

NAG	NAG pH @20.1°C	8.67	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.8°C	8.25	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 860-868**

SVL Sample ID: **W2A0357-12 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	27.5	TCaCO3/kT	0.3			N/A		02/01/12 13:46	
Modified Sobek	AGP	6.4	TCaCO3/kT	0.3			N/A		02/01/12 13:46	
Modified Sobek	ANP	34.0	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.11	%	0.01	0.004		W204303	MAD	02/01/12 13:46	
Modified Sobek	Non-Sulfate Sulfur	0.31	%	0.01	0.004		W204303	MAD	02/01/12 12:21	
Modified Sobek	Pyritic Sulfur	0.20	%	0.01			N/A		02/01/12 13:46	
Modified Sobek	Sulfate Sulfur	0.14	%	0.01			N/A		02/01/12 12:21	
Modified Sobek	Total Sulfur	0.45	%	0.01	0.004		W204303	MAD	01/30/12 09:16	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	28.7	TCaCO3/kT	0.3			N/A		02/01/12 15:14	
Modified Sobek	AGP-HCl	5.3	TCaCO3/kT	0.3			N/A		02/01/12 15:14	
Modified Sobek	Non-extractable Sulfur	0.11	%	0.01	0.004		W204303	MAD	02/01/12 13:46	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.28	%	0.01	0.004		W204303	MAD	02/01/12 15:14	
Modified Sobek	Pyritic Sulfur-HCl	0.17	%	0.01			N/A		02/01/12 15:14	
Modified Sobek	Sulfate Sulfur-HCl	0.18	%	0.01			N/A		02/01/12 15:14	
Modified Sobek	Total Sulfur	0.45	%	0.01	0.004		W204303	MAD	01/30/12 09:16	

Classical Chemistry Parameters

NAG	NAG pH @20.1°C	8.29	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.4°C	8.63	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-06 872.5-898**

SVL Sample ID: **W2A0357-13 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	3.1	TCaCO3/kT	0.3			N/A		02/01/12 13:49	
Modified Sobek	AGP	9.7	TCaCO3/kT	0.3			N/A		02/01/12 13:49	
Modified Sobek	ANP	12.8	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W204303	MAD	02/01/12 13:49	
Modified Sobek	Non-Sulfate Sulfur	0.44	%	0.01	0.004		W204303	MAD	02/01/12 12:25	
Modified Sobek	Pyritic Sulfur	0.31	%	0.01			N/A		02/01/12 13:49	
Modified Sobek	Sulfate Sulfur	0.18	%	0.01			N/A		02/01/12 12:25	
Modified Sobek	Total Sulfur	0.62	%	0.01	0.004		W204303	MAD	01/30/12 09:19	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	4.1	TCaCO3/kT	0.3			N/A		02/01/12 15:17	
Modified Sobek	AGP-HCl	8.7	TCaCO3/kT	0.3			N/A		02/01/12 15:17	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W204303	MAD	02/01/12 13:49	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.40	%	0.01	0.004		W204303	MAD	02/01/12 15:17	
Modified Sobek	Pyritic Sulfur-HCl	0.28	%	0.01			N/A		02/01/12 15:17	
Modified Sobek	Sulfate Sulfur-HCl	0.22	%	0.01			N/A		02/01/12 15:17	
Modified Sobek	Total Sulfur	0.62	%	0.01	0.004		W204303	MAD	01/30/12 09:19	
Classical Chemistry Parameters										
NAG	NAG pH @20.4°C	3.44	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	2.15	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	3.92	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.6°C	8.65	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-07 312-346.6**

SVL Sample ID: **W2A0357-14 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	20.3	TCaCO3/kT	0.3			N/A		02/01/12 13:52	
Modified Sobek	AGP	13.7	TCaCO3/kT	0.3			N/A		02/01/12 13:52	
Modified Sobek	ANP	34.0	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.26	%	0.01	0.004		W204303	MAD	02/01/12 13:52	
Modified Sobek	Non-Sulfate Sulfur	0.70	%	0.01	0.004		W204303	MAD	02/01/12 12:29	
Modified Sobek	Pyritic Sulfur	0.44	%	0.01			N/A		02/01/12 13:52	
Modified Sobek	Sulfate Sulfur	0.18	%	0.01			N/A		02/01/12 12:29	
Modified Sobek	Total Sulfur	0.87	%	0.01	0.004		W204303	MAD	01/30/12 09:22	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	26.2	TCaCO3/kT	0.3			N/A		02/01/12 15:19	
Modified Sobek	AGP-HCl	7.8	TCaCO3/kT	0.3			N/A		02/01/12 15:19	
Modified Sobek	Non-extractable Sulfur	0.26	%	0.01	0.004		W204303	MAD	02/01/12 13:52	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.50	%	0.01	0.004		W204303	MAD	02/01/12 15:19	
Modified Sobek	Pyritic Sulfur-HCl	0.25	%	0.01			N/A		02/01/12 15:19	
Modified Sobek	Sulfate Sulfur-HCl	0.37	%	0.01			N/A		02/01/12 15:19	
Modified Sobek	Total Sulfur	0.87	%	0.01	0.004		W204303	MAD	01/30/12 09:22	
Classical Chemistry Parameters										
NAG	NAG pH @20.9°C	7.87	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.6°C	8.30	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-07 521.7-543**

SVL Sample ID: **W2A0357-15 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	12.1	TCaCO3/kT	0.3			N/A		02/01/12 13:55	
Modified Sobek	AGP	18.9	TCaCO3/kT	0.3			N/A		02/01/12 13:55	
Modified Sobek	ANP	31.0	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 13:55	
Modified Sobek	Non-Sulfate Sulfur	0.78	%	0.01	0.004		W204303	MAD	02/01/12 12:33	
Modified Sobek	Pyritic Sulfur	0.60	%	0.01			N/A		02/01/12 13:55	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		02/01/12 12:33	
Modified Sobek	Total Sulfur	0.96	%	0.01	0.004		W204303	MAD	01/30/12 09:25	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	14.6	TCaCO3/kT	0.3			N/A		02/01/12 15:24	
Modified Sobek	AGP-HCl	16.4	TCaCO3/kT	0.3			N/A		02/01/12 15:24	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 13:55	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.70	%	0.01	0.004		W204303	MAD	02/01/12 15:24	
Modified Sobek	Pyritic Sulfur-HCl	0.53	%	0.01			N/A		02/01/12 15:24	
Modified Sobek	Sulfate Sulfur-HCl	0.27	%	0.01			N/A		02/01/12 15:24	
Modified Sobek	Total Sulfur	0.96	%	0.01	0.004		W204303	MAD	01/30/12 09:25	

Classical Chemistry Parameters

NAG	NAG pH @20.2°C	8.31	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.8°C	8.40	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-07 966.8-996.8**

SVL Sample ID: **W2A0357-16 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	21.9	TCaCO3/kT	0.3			N/A		02/01/12 13:57	
Modified Sobek	AGP	7.2	TCaCO3/kT	0.3			N/A		02/01/12 13:57	
Modified Sobek	ANP	29.0	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:57	
Modified Sobek	Non-Sulfate Sulfur	0.38	%	0.01	0.004		W204303	MAD	02/01/12 12:36	
Modified Sobek	Pyritic Sulfur	0.23	%	0.01			N/A		02/01/12 13:57	
Modified Sobek	Sulfate Sulfur	0.16	%	0.01			N/A		02/01/12 12:36	
Modified Sobek	Total Sulfur	0.54	%	0.01	0.004		W204303	MAD	01/30/12 09:28	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	25.3	TCaCO3/kT	0.3			N/A		02/01/12 15:27	
Modified Sobek	AGP-HCl	3.7	TCaCO3/kT	0.3			N/A		02/01/12 15:27	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 13:57	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.27	%	0.01	0.004		W204303	MAD	02/01/12 15:27	
Modified Sobek	Pyritic Sulfur-HCl	0.12	%	0.01			N/A		02/01/12 15:27	
Modified Sobek	Sulfate Sulfur-HCl	0.27	%	0.01			N/A		02/01/12 15:27	
Modified Sobek	Total Sulfur	0.54	%	0.01	0.004		W204303	MAD	01/30/12 09:28	

Classical Chemistry Parameters

NAG	NAG pH @20.4°C	8.06	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.2°C	8.56	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-08 844.2-879.2**

SVL Sample ID: **W2A0357-17 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	4.8	TCaCO3/kT	0.3			N/A		02/01/12 14:00	
Modified Sobek	AGP	16.4	TCaCO3/kT	0.3			N/A		02/01/12 14:00	
Modified Sobek	ANP	21.2	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204303	MAD	02/01/12 14:00	
Modified Sobek	Non-Sulfate Sulfur	0.74	%	0.01	0.004		W204303	MAD	02/01/12 12:41	
Modified Sobek	Pyritic Sulfur	0.52	%	0.01			N/A		02/01/12 14:00	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		02/01/12 12:41	
Modified Sobek	Total Sulfur	0.98	%	0.01	0.004		W204303	MAD	01/30/12 09:31	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	10.1	TCaCO3/kT	0.3			N/A		02/01/12 15:36	
Modified Sobek	AGP-HCl	11.1	TCaCO3/kT	0.3			N/A		02/01/12 15:36	
Modified Sobek	Non-extractable Sulfur	0.22	%	0.01	0.004		W204303	MAD	02/01/12 14:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.57	%	0.01	0.004		W204303	MAD	02/01/12 15:36	
Modified Sobek	Pyritic Sulfur-HCl	0.36	%	0.01			N/A		02/01/12 15:36	
Modified Sobek	Sulfate Sulfur-HCl	0.41	%	0.01			N/A		02/01/12 15:36	
Modified Sobek	Total Sulfur	0.98	%	0.01	0.004		W204303	MAD	01/30/12 09:31	
Classical Chemistry Parameters										
NAG	NAG pH @20.8°C	7.82	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.7°C	8.26	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-08 1139.5-1179.5**

SVL Sample ID: **W2A0357-18 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	29.9	TCaCO3/kT	0.3			N/A		02/01/12 14:03	
Modified Sobek	AGP	4.5	TCaCO3/kT	0.3			N/A		02/01/12 14:03	
Modified Sobek	ANP	34.4	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01	0.004		W204303	MAD	02/01/12 14:03	
Modified Sobek	Non-Sulfate Sulfur	0.23	%	0.01	0.004		W204303	MAD	02/01/12 12:44	
Modified Sobek	Pyritic Sulfur	0.14	%	0.01			N/A		02/01/12 14:03	
Modified Sobek	Sulfate Sulfur	0.08	%	0.01			N/A		02/01/12 12:44	
Modified Sobek	Total Sulfur	0.31	%	0.01	0.004		W204303	MAD	01/30/12 09:40	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	30.5	TCaCO3/kT	0.3			N/A		02/01/12 15:39	
Modified Sobek	AGP-HCl	4.0	TCaCO3/kT	0.3			N/A		02/01/12 15:39	
Modified Sobek	Non-extractable Sulfur	0.08	%	0.01	0.004		W204303	MAD	02/01/12 14:03	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.21	%	0.01	0.004		W204303	MAD	02/01/12 15:39	
Modified Sobek	Pyritic Sulfur-HCl	0.13	%	0.01			N/A		02/01/12 15:39	
Modified Sobek	Sulfate Sulfur-HCl	0.10	%	0.01			N/A		02/01/12 15:39	
Modified Sobek	Total Sulfur	0.31	%	0.01	0.004		W204303	MAD	01/30/12 09:40	
Classical Chemistry Parameters										
NAG	NAG pH @20.1°C	7.90	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.6°C	8.66	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-08 365-405**

SVL Sample ID: **W2A0357-19 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	10.0	TCaCO3/kT	0.3			N/A		02/01/12 14:13	
Modified Sobek	AGP	15.1	TCaCO3/kT	0.3			N/A		02/01/12 14:13	
Modified Sobek	ANP	25.1	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 14:13	
Modified Sobek	Non-Sulfate Sulfur	0.65	%	0.01	0.004		W204303	MAD	02/01/12 12:48	
Modified Sobek	Pyritic Sulfur	0.48	%	0.01			N/A		02/01/12 14:13	
Modified Sobek	Sulfate Sulfur	0.27	%	0.01			N/A		02/01/12 12:48	
Modified Sobek	Total Sulfur	0.91	%	0.01	0.004		W204303	MAD	01/30/12 09:44	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	15.6	TCaCO3/kT	0.3			N/A		02/01/12 15:42	
Modified Sobek	AGP-HCl	9.5	TCaCO3/kT	0.3			N/A		02/01/12 15:42	
Modified Sobek	Non-extractable Sulfur	0.17	%	0.01	0.004		W204303	MAD	02/01/12 14:13	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.47	%	0.01	0.004		W204303	MAD	02/01/12 15:42	
Modified Sobek	Pyritic Sulfur-HCl	0.30	%	0.01			N/A		02/01/12 15:42	
Modified Sobek	Sulfate Sulfur-HCl	0.44	%	0.01			N/A		02/01/12 15:42	
Modified Sobek	Total Sulfur	0.91	%	0.01	0.004		W204303	MAD	01/30/12 09:44	
Classical Chemistry Parameters										
NAG	NAG pH @20.0°C	8.20	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.7°C	8.22	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Client Sample ID: **CF-11-09 313-333**

SVL Sample ID: **W2A0357-20 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	-3.6	TCaCO3/kT	0.3			N/A		02/01/12 14:16	
Modified Sobek	AGP	27.2	TCaCO3/kT	0.3			N/A		02/01/12 14:16	
Modified Sobek	ANP	23.6	TCaCO3/kT	0.3	0.1		W204303	AGF	01/31/12 11:18	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 14:16	
Modified Sobek	Non-Sulfate Sulfur	1.03	%	0.01	0.004		W204303	MAD	02/01/12 12:52	
Modified Sobek	Pyritic Sulfur	0.87	%	0.01			N/A		02/01/12 14:16	
Modified Sobek	Sulfate Sulfur	0.31	%	0.01			N/A		02/01/12 12:52	
Modified Sobek	Total Sulfur	1.34	%	0.01	0.004		W204303	MAD	01/30/12 09:46	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	-3.3	TCaCO3/kT	0.3			N/A		02/01/12 15:47	
Modified Sobek	AGP-HCl	26.9	TCaCO3/kT	0.3			N/A		02/01/12 15:47	
Modified Sobek	Non-extractable Sulfur	0.16	%	0.01	0.004		W204303	MAD	02/01/12 14:16	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.02	%	0.01	0.004		W204303	MAD	02/01/12 15:47	
Modified Sobek	Pyritic Sulfur-HCl	0.86	%	0.01			N/A		02/01/12 15:47	
Modified Sobek	Sulfate Sulfur-HCl	0.32	%	0.01			N/A		02/01/12 15:47	
Modified Sobek	Total Sulfur	1.34	%	0.01	0.004		W204303	MAD	01/30/12 09:46	

Classical Chemistry Parameters

NAG	NAG pH @19.9°C	7.85	pH Units				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204323	AGF	01/31/12 14:30	
USDA HB60(21a)	Paste pH @18.9°C	7.92	pH Units				W205131	MAD	02/02/12 11:47	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W204303	31-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W204303	01-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W204303	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204303	01-Feb-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)								
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W204303	01-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W204303	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W204303	01-Feb-12	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	35.4	33.2	107	80 - 120	W204303	31-Jan-12	
Modified Sobek	Total Sulfur	%	0.97	0.942	103	80 - 120	W204303	30-Jan-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	0.97	0.942	103	80 - 120	W204303	30-Jan-12	
Classical Chemistry Parameters									
USDA HB60(21a)	Paste pH	pH Units	8.13	8.18	99.4	93.7 - 106.3	W205131	02-Feb-12	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	26.1	26.6	1.9	20	W204303	31-Jan-12	
Modified Sobek	Non-Sulfate Sulfur	%	0.68	0.65	4.1	20	W204303	01-Feb-12	
Modified Sobek	Total Sulfur	%	0.94	0.93	0.2	20	W204303	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	0.26	0.25	7.0	20	W204303	01-Feb-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.58	0.58	1.4	20	W204303	01-Feb-12	
Modified Sobek	Total Sulfur	%	0.94	0.93	0.2	20	W204303	30-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	0.26	0.25	7.0	20	W204303	01-Feb-12	
Classical Chemistry Parameters									
NAG	NAG pH	pH Units	8.22	8.25	0.4	20	W204323	31-Jan-12	
NAG	NAG@pH 4.5	kg H2SO4/T	N/A	N/A		20	W204323	31-Jan-12	
NAG	NAG@pH 7	kg H2SO4/T	N/A	N/A		20	W204323	31-Jan-12	
USDA HB60(21a)	Paste pH	pH Units	8.32	8.38	0.7	20	W205131	02-Feb-12	

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0357**
Reported: 02-Feb-12 14:15

Notes and Definitions

LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CF-11-09 495.5-528.5	W2A0358-01	Soil	—	24-Jan-2012
CF-11-09 688-718	W2A0358-02	Soil	—	24-Jan-2012
CF-11-09 923-953	W2A0358-03	Soil	—	24-Jan-2012
CF-11-09 1097.8-1125	W2A0358-04	Soil	—	24-Jan-2012
CF-11-09 588-628	W2A0358-05	Soil	—	24-Jan-2012
CF-11-10-B 565.1-585	W2A0358-06	Soil	—	24-Jan-2012
CF-11-10-B 651-688	W2A0358-07	Soil	—	24-Jan-2012
CF-11-10-B 829-862	W2A0358-08	Soil	—	24-Jan-2012
CF-11-10-B 1000-1035	W2A0358-09	Soil	—	24-Jan-2012
CF-11-10-B 1090-1129.2	W2A0358-10	Soil	—	24-Jan-2012
CF-11-11 322.2-351	W2A0358-11	Soil	—	24-Jan-2012
CF-11-11 435.2-461.5	W2A0358-12	Soil	—	24-Jan-2012
CF-11-11 578-608	W2A0358-13	Soil	—	24-Jan-2012
CF-11-11 664.2-700.1	W2A0358-14	Soil	—	24-Jan-2012
CF-11-11 828-860	W2A0358-15	Soil	—	24-Jan-2012
CF-11-12 504-541	W2A0358-16	Soil	—	24-Jan-2012
CF-11-12 718-753	W2A0358-17	Soil	—	24-Jan-2012
CF-11-12 873.5-905	W2A0358-18	Soil	—	24-Jan-2012
CF-11-14 0-14	W2A0358-19	Soil	—	24-Jan-2012
CF-11-14 28.3-51	W2A0358-20	Soil	—	24-Jan-2012
CF-11-14 431-471.1	W2A0358-21	Soil	—	24-Jan-2012
CF-11-14 806-829.5	W2A0358-22	Soil	—	24-Jan-2012

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-09 495.5-528.5**

SVL Sample ID: **W2A0358-01 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	8.5	TCaCO3/kT	0.3			N/A		02/03/12 14:36	
Modified Sobek	AGP	8.8	TCaCO3/kT	0.3			N/A		02/03/12 14:36	
Modified Sobek	ANP	17.3	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 14:36	
Modified Sobek	Non-Sulfate Sulfur	0.38	%	0.01	0.004		W205053	MAD	02/02/12 15:52	
Modified Sobek	Pyritic Sulfur	0.28	%	0.01			N/A		02/03/12 14:36	
Modified Sobek	Sulfate Sulfur	0.21	%	0.01			N/A		02/02/12 15:52	
Modified Sobek	Total Sulfur	0.58	%	0.01	0.004		W205053	MAD	01/31/12 09:44	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	10.2	TCaCO3/kT	0.3			N/A		02/03/12 14:36	
Modified Sobek	AGP-HCl	7.1	TCaCO3/kT	0.3			N/A		02/03/12 14:36	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 14:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.32	%	0.01	0.004		W205053	MAD	02/02/12 13:37	
Modified Sobek	Pyritic Sulfur-HCl	0.23	%	0.01			N/A		02/03/12 14:36	
Modified Sobek	Sulfate Sulfur-HCl	0.26	%	0.01			N/A		02/02/12 13:37	
Modified Sobek	Total Sulfur	0.58	%	0.01	0.004		W205053	MAD	01/31/12 09:44	
Classical Chemistry Parameters										
NAG	NAG pH @22.6°C	7.85	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @18.8°C	8.34	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-09 688-718**

SVL Sample ID: **W2A0358-02 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	13.7	TCaCO3/kT	0.3			N/A		02/03/12 14:39	
Modified Sobek	AGP	11.6	TCaCO3/kT	0.3			N/A		02/03/12 14:39	
Modified Sobek	ANP	25.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 14:39	
Modified Sobek	Non-Sulfate Sulfur	0.52	%	0.01	0.004		W205053	MAD	02/02/12 15:56	
Modified Sobek	Pyritic Sulfur	0.37	%	0.01			N/A		02/03/12 14:39	
Modified Sobek	Sulfate Sulfur	0.15	%	0.01			N/A		02/02/12 15:56	
Modified Sobek	Total Sulfur	0.67	%	0.01	0.004		W205053	MAD	01/31/12 09:47	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	18.8	TCaCO3/kT	0.3			N/A		02/03/12 14:39	
Modified Sobek	AGP-HCl	6.4	TCaCO3/kT	0.3			N/A		02/03/12 14:39	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 14:39	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.35	%	0.01	0.004		W205053	MAD	02/02/12 13:47	
Modified Sobek	Pyritic Sulfur-HCl	0.20	%	0.01			N/A		02/03/12 14:39	
Modified Sobek	Sulfate Sulfur-HCl	0.32	%	0.01			N/A		02/02/12 13:47	
Modified Sobek	Total Sulfur	0.67	%	0.01	0.004		W205053	MAD	01/31/12 09:47	

Classical Chemistry Parameters

NAG	NAG pH @22.1°C	8.78	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.0°C	8.18	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-09 923-953**

SVL Sample ID: **W2A0358-03 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	22.6	TCaCO3/kT	0.3			N/A		02/03/12 14:42	
Modified Sobek	AGP	2.7	TCaCO3/kT	0.3			N/A		02/03/12 14:42	
Modified Sobek	ANP	25.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W205053	MAD	02/03/12 14:42	
Modified Sobek	Non-Sulfate Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/02/12 15:59	
Modified Sobek	Pyritic Sulfur	0.08	%	0.01			N/A		02/03/12 14:42	
Modified Sobek	Sulfate Sulfur	0.05	%	0.01			N/A		02/02/12 15:59	
Modified Sobek	Total Sulfur	0.20	%	0.01	0.004		W205053	MAD	01/31/12 09:50	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	23.2	TCaCO3/kT	0.3			N/A		02/03/12 14:42	
Modified Sobek	AGP-HCl	2.1	TCaCO3/kT	0.3			N/A		02/03/12 14:42	
Modified Sobek	Non-extractable Sulfur	0.06	%	0.01	0.004		W205053	MAD	02/03/12 14:42	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.13	%	0.01	0.004		W205053	MAD	02/02/12 13:50	
Modified Sobek	Pyritic Sulfur-HCl	0.07	%	0.01			N/A		02/03/12 14:42	
Modified Sobek	Sulfate Sulfur-HCl	0.07	%	0.01			N/A		02/02/12 13:50	
Modified Sobek	Total Sulfur	0.20	%	0.01	0.004		W205053	MAD	01/31/12 09:50	
Classical Chemistry Parameters										
NAG	NAG pH @22.0°C	8.82	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.3°C	8.51	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-09 1097.8-1125**

SVL Sample ID: **W2A0358-04 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	14.8	TCaCO3/kT	0.3			N/A		02/03/12 14:45	
Modified Sobek	AGP	3.0	TCaCO3/kT	0.3			N/A		02/03/12 14:45	
Modified Sobek	ANP	17.8	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W205053	MAD	02/03/12 14:45	
Modified Sobek	Non-Sulfate Sulfur	0.19	%	0.01	0.004		W205053	MAD	02/02/12 16:02	
Modified Sobek	Pyritic Sulfur	0.09	%	0.01			N/A		02/03/12 14:45	
Modified Sobek	Sulfate Sulfur	0.10	%	0.01			N/A		02/02/12 16:02	
Modified Sobek	Total Sulfur	0.29	%	0.01	0.004		W205053	MAD	01/31/12 09:54	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	15.2	TCaCO3/kT	0.3			N/A		02/03/12 14:45	
Modified Sobek	AGP-HCl	2.6	TCaCO3/kT	0.3			N/A		02/03/12 14:45	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W205053	MAD	02/03/12 14:45	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.18	%	0.01	0.004		W205053	MAD	02/02/12 13:53	
Modified Sobek	Pyritic Sulfur-HCl	0.08	%	0.01			N/A		02/03/12 14:45	
Modified Sobek	Sulfate Sulfur-HCl	0.11	%	0.01			N/A		02/02/12 13:53	
Modified Sobek	Total Sulfur	0.29	%	0.01	0.004		W205053	MAD	01/31/12 09:54	
Classical Chemistry Parameters										
NAG	NAG pH @22.3°C	8.17	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.54	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-09 588-628**

SVL Sample ID: **W2A0358-05 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	24.8	TCaCO3/kT	0.3			N/A		02/03/12 14:48	
Modified Sobek	AGP	5.9	TCaCO3/kT	0.3			N/A		02/03/12 14:48	
Modified Sobek	ANP	30.7	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 14:48	
Modified Sobek	Non-Sulfate Sulfur	0.32	%	0.01	0.004		W205053	MAD	02/02/12 16:06	
Modified Sobek	Pyritic Sulfur	0.19	%	0.01			N/A		02/03/12 14:48	
Modified Sobek	Sulfate Sulfur	0.10	%	0.01			N/A		02/02/12 16:06	
Modified Sobek	Total Sulfur	0.41	%	0.01	0.004		W205053	MAD	01/31/12 09:56	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	27.4	TCaCO3/kT	0.3			N/A		02/03/12 14:48	
Modified Sobek	AGP-HCl	3.2	TCaCO3/kT	0.3			N/A		02/03/12 14:48	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 14:48	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.23	%	0.01	0.004		W205053	MAD	02/02/12 13:55	
Modified Sobek	Pyritic Sulfur-HCl	0.10	%	0.01			N/A		02/03/12 14:48	
Modified Sobek	Sulfate Sulfur-HCl	0.18	%	0.01			N/A		02/02/12 13:55	
Modified Sobek	Total Sulfur	0.41	%	0.01	0.004		W205053	MAD	01/31/12 09:56	

Classical Chemistry Parameters

NAG	NAG pH @22.5°C	8.18	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.28	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-10-B 565.1-585**

SVL Sample ID: **W2A0358-06 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	12.8	TCaCO3/kT	0.3			N/A		02/03/12 14:51	
Modified Sobek	AGP	16.3	TCaCO3/kT	0.3			N/A		02/03/12 14:51	
Modified Sobek	ANP	29.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W205053	MAD	02/03/12 14:51	
Modified Sobek	Non-Sulfate Sulfur	0.74	%	0.01	0.004		W205053	MAD	02/02/12 16:10	
Modified Sobek	Pyritic Sulfur	0.52	%	0.01			N/A		02/03/12 14:51	
Modified Sobek	Sulfate Sulfur	0.24	%	0.01			N/A		02/02/12 16:10	
Modified Sobek	Total Sulfur	0.97	%	0.01	0.004		W205053	MAD	01/31/12 09:59	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	15.9	TCaCO3/kT	0.3			N/A		02/03/12 14:51	
Modified Sobek	AGP-HCl	13.3	TCaCO3/kT	0.3			N/A		02/03/12 14:51	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W205053	MAD	02/03/12 14:51	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.64	%	0.01	0.004		W205053	MAD	02/02/12 13:58	
Modified Sobek	Pyritic Sulfur-HCl	0.43	%	0.01			N/A		02/03/12 14:51	
Modified Sobek	Sulfate Sulfur-HCl	0.33	%	0.01			N/A		02/02/12 13:58	
Modified Sobek	Total Sulfur	0.97	%	0.01	0.004		W205053	MAD	01/31/12 09:59	
Classical Chemistry Parameters										
NAG	NAG pH @22.0°C	8.41	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.3°C	8.38	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-10-B 651-688**

SVL Sample ID: **W2A0358-07 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	19.8	TCaCO3/kT	0.3			N/A		02/03/12 15:00	
Modified Sobek	AGP	7.9	TCaCO3/kT	0.3			N/A		02/03/12 15:00	
Modified Sobek	ANP	27.7	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:00	
Modified Sobek	Non-Sulfate Sulfur	0.38	%	0.01	0.004		W205053	MAD	02/02/12 16:21	
Modified Sobek	Pyritic Sulfur	0.25	%	0.01			N/A		02/03/12 15:00	
Modified Sobek	Sulfate Sulfur	0.10	%	0.01			N/A		02/02/12 16:21	
Modified Sobek	Total Sulfur	0.48	%	0.01	0.004		W205053	MAD	01/31/12 10:02	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	22.6	TCaCO3/kT	0.3			N/A		02/03/12 15:00	
Modified Sobek	AGP-HCl	5.1	TCaCO3/kT	0.3			N/A		02/03/12 15:00	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:00	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.29	%	0.01	0.004		W205053	MAD	02/02/12 14:01	
Modified Sobek	Pyritic Sulfur-HCl	0.16	%	0.01			N/A		02/03/12 15:00	
Modified Sobek	Sulfate Sulfur-HCl	0.19	%	0.01			N/A		02/02/12 14:01	
Modified Sobek	Total Sulfur	0.48	%	0.01	0.004		W205053	MAD	01/31/12 10:02	
Classical Chemistry Parameters										
NAG	NAG pH @21.9°C	9.05	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.1°C	8.54	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-10-B 829-862**

SVL Sample ID: **W2A0358-08 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	4.6	TCaCO3/kT	0.3			N/A		02/03/12 15:03	
Modified Sobek	AGP	18.7	TCaCO3/kT	0.3			N/A		02/03/12 15:03	
Modified Sobek	ANP	23.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W205053	MAD	02/03/12 15:03	
Modified Sobek	Non-Sulfate Sulfur	0.80	%	0.01	0.004		W205053	MAD	02/02/12 16:25	
Modified Sobek	Pyritic Sulfur	0.60	%	0.01			N/A		02/03/12 15:03	
Modified Sobek	Sulfate Sulfur	0.14	%	0.01			N/A		02/02/12 16:25	
Modified Sobek	Total Sulfur	0.94	%	0.01	0.004		W205053	MAD	01/31/12 10:12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	11.8	TCaCO3/kT	0.3			N/A		02/03/12 15:03	
Modified Sobek	AGP-HCl	11.4	TCaCO3/kT	0.3			N/A		02/03/12 15:03	
Modified Sobek	Non-extractable Sulfur	0.21	%	0.01	0.004		W205053	MAD	02/03/12 15:03	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.57	%	0.01	0.004		W205053	MAD	02/02/12 14:04	
Modified Sobek	Pyritic Sulfur-HCl	0.36	%	0.01			N/A		02/03/12 15:03	
Modified Sobek	Sulfate Sulfur-HCl	0.37	%	0.01			N/A		02/02/12 14:04	
Modified Sobek	Total Sulfur	0.94	%	0.01	0.004		W205053	MAD	01/31/12 10:12	

Classical Chemistry Parameters

NAG	NAG pH @21.9°C	8.40	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.31	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-10-B 1000-1035**

SVL Sample ID: **W2A0358-09 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	15.4	TCaCO3/kT	0.3			N/A		02/03/12 15:06	
Modified Sobek	AGP	10.3	TCaCO3/kT	0.3			N/A		02/03/12 15:06	
Modified Sobek	ANP	25.7	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 15:06	
Modified Sobek	Non-Sulfate Sulfur	0.48	%	0.01	0.004		W205053	MAD	02/02/12 16:29	
Modified Sobek	Pyritic Sulfur	0.33	%	0.01			N/A		02/03/12 15:06	
Modified Sobek	Sulfate Sulfur	0.20	%	0.01			N/A		02/02/12 16:29	
Modified Sobek	Total Sulfur	0.68	%	0.01	0.004		W205053	MAD	01/31/12 10:15	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	19.4	TCaCO3/kT	0.3			N/A		02/03/12 15:06	
Modified Sobek	AGP-HCl	6.3	TCaCO3/kT	0.3			N/A		02/03/12 15:06	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 15:06	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.35	%	0.01	0.004		W205053	MAD	02/02/12 14:07	
Modified Sobek	Pyritic Sulfur-HCl	0.20	%	0.01			N/A		02/03/12 15:06	
Modified Sobek	Sulfate Sulfur-HCl	0.33	%	0.01			N/A		02/02/12 14:07	
Modified Sobek	Total Sulfur	0.68	%	0.01	0.004		W205053	MAD	01/31/12 10:15	
Classical Chemistry Parameters										
NAG	NAG pH @23.1°C	7.91	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.6°C	8.70	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-10-B 1090-1129.2**

SVL Sample ID: **W2A0358-10 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	18.3	TCaCO3/kT	0.3			N/A		02/03/12 15:09	
Modified Sobek	AGP	8.9	TCaCO3/kT	0.3			N/A		02/03/12 15:09	
Modified Sobek	ANP	27.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.19	%	0.01	0.004		W205053	MAD	02/03/12 15:09	
Modified Sobek	Non-Sulfate Sulfur	0.47	%	0.01	0.004		W205053	MAD	02/02/12 16:33	
Modified Sobek	Pyritic Sulfur	0.28	%	0.01			N/A		02/03/12 15:09	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		02/02/12 16:33	
Modified Sobek	Total Sulfur	0.66	%	0.01	0.004		W205053	MAD	01/31/12 10:18	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	20.3	TCaCO3/kT	0.3			N/A		02/03/12 15:09	
Modified Sobek	AGP-HCl	6.9	TCaCO3/kT	0.3			N/A		02/03/12 15:09	
Modified Sobek	Non-extractable Sulfur	0.19	%	0.01	0.004		W205053	MAD	02/03/12 15:09	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.41	%	0.01	0.004		W205053	MAD	02/02/12 14:10	
Modified Sobek	Pyritic Sulfur-HCl	0.22	%	0.01			N/A		02/03/12 15:09	
Modified Sobek	Sulfate Sulfur-HCl	0.25	%	0.01			N/A		02/02/12 14:10	
Modified Sobek	Total Sulfur	0.66	%	0.01	0.004		W205053	MAD	01/31/12 10:18	

Classical Chemistry Parameters

NAG	NAG pH @22.6°C	8.38	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.4°C	8.83	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-11 322.2-351**

SVL Sample ID: **W2A0358-11 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	21.6	TCaCO3/kT	0.3			N/A		02/03/12 15:12	
Modified Sobek	AGP	4.1	TCaCO3/kT	0.3			N/A		02/03/12 15:12	
Modified Sobek	ANP	25.7	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 15:12	
Modified Sobek	Non-Sulfate Sulfur	0.22	%	0.01	0.004		W205053	MAD	02/02/12 16:37	
Modified Sobek	Pyritic Sulfur	0.13	%	0.01			N/A		02/03/12 15:12	
Modified Sobek	Sulfate Sulfur	0.11	%	0.01			N/A		02/02/12 16:37	
Modified Sobek	Total Sulfur	0.34	%	0.01	0.004		W205053	MAD	01/31/12 10:21	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	22.3	TCaCO3/kT	0.3			N/A		02/03/12 15:12	
Modified Sobek	AGP-HCl	3.4	TCaCO3/kT	0.3			N/A		02/03/12 15:12	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 15:12	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.20	%	0.01	0.004		W205053	MAD	02/02/12 14:13	
Modified Sobek	Pyritic Sulfur-HCl	0.11	%	0.01			N/A		02/03/12 15:12	
Modified Sobek	Sulfate Sulfur-HCl	0.14	%	0.01			N/A		02/02/12 14:13	
Modified Sobek	Total Sulfur	0.34	%	0.01	0.004		W205053	MAD	01/31/12 10:21	

Classical Chemistry Parameters

NAG	NAG pH @22.1°C	8.11	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.36	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-11 435.2-461.5**

SVL Sample ID: **W2A0358-12 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	27.0	TCaCO3/kT	0.3			N/A		02/03/12 15:14	
Modified Sobek	AGP	6.6	TCaCO3/kT	0.3			N/A		02/03/12 15:14	
Modified Sobek	ANP	33.6	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 15:14	
Modified Sobek	Non-Sulfate Sulfur	0.36	%	0.01	0.004		W205053	MAD	02/02/12 16:41	
Modified Sobek	Pyritic Sulfur	0.21	%	0.01			N/A		02/03/12 15:14	
Modified Sobek	Sulfate Sulfur	0.15	%	0.01			N/A		02/02/12 16:41	
Modified Sobek	Total Sulfur	0.51	%	0.01	0.004		W205053	MAD	01/31/12 10:25	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	28.9	TCaCO3/kT	0.3			N/A		02/03/12 15:14	
Modified Sobek	AGP-HCl	4.8	TCaCO3/kT	0.3			N/A		02/03/12 15:14	
Modified Sobek	Non-extractable Sulfur	0.15	%	0.01	0.004		W205053	MAD	02/03/12 15:14	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.30	%	0.01	0.004		W205053	MAD	02/02/12 14:23	
Modified Sobek	Pyritic Sulfur-HCl	0.15	%	0.01			N/A		02/03/12 15:14	
Modified Sobek	Sulfate Sulfur-HCl	0.20	%	0.01			N/A		02/02/12 14:23	
Modified Sobek	Total Sulfur	0.51	%	0.01	0.004		W205053	MAD	01/31/12 10:25	
Classical Chemistry Parameters										
NAG	NAG pH @22.2°C	8.22	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.4°C	8.43	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-11 578-608**

SVL Sample ID: **W2A0358-13 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	21.0	TCaCO3/kT	0.3			N/A		02/03/12 15:18	
Modified Sobek	AGP	1.2	TCaCO3/kT	0.3			N/A		02/03/12 15:18	
Modified Sobek	ANP	22.3	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01	0.004		W205053	MAD	02/03/12 15:18	
Modified Sobek	Non-Sulfate Sulfur	0.11	%	0.01	0.004		W205053	MAD	02/02/12 16:44	
Modified Sobek	Pyritic Sulfur	0.04	%	0.01			N/A		02/03/12 15:18	
Modified Sobek	Sulfate Sulfur	0.06	%	0.01			N/A		02/02/12 16:44	
Modified Sobek	Total Sulfur	0.17	%	0.01	0.004		W205053	MAD	01/31/12 10:28	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	21.4	TCaCO3/kT	0.3			N/A		02/03/12 15:18	
Modified Sobek	AGP-HCl	0.8	TCaCO3/kT	0.3			N/A		02/03/12 15:18	
Modified Sobek	Non-extractable Sulfur	0.07	%	0.01	0.004		W205053	MAD	02/03/12 15:18	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.10	%	0.01	0.004		W205053	MAD	02/02/12 14:26	
Modified Sobek	Pyritic Sulfur-HCl	0.03	%	0.01			N/A		02/03/12 15:18	
Modified Sobek	Sulfate Sulfur-HCl	0.07	%	0.01			N/A		02/02/12 14:26	
Modified Sobek	Total Sulfur	0.17	%	0.01	0.004		W205053	MAD	01/31/12 10:28	

Classical Chemistry Parameters

NAG	NAG pH @21.9°C	8.41	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.6°C	8.52	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-11 664.2-700.1**

SVL Sample ID: **W2A0358-14 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	14.7	TCaCO3/kT	0.3			N/A		02/03/12 15:21	
Modified Sobek	AGP	3.6	TCaCO3/kT	0.3			N/A		02/03/12 15:21	
Modified Sobek	ANP	18.3	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 15:21	
Modified Sobek	Non-Sulfate Sulfur	0.21	%	0.01	0.004		W205053	MAD	02/02/12 16:48	
Modified Sobek	Pyritic Sulfur	0.11	%	0.01			N/A		02/03/12 15:21	
Modified Sobek	Sulfate Sulfur	0.13	%	0.01			N/A		02/02/12 16:48	
Modified Sobek	Total Sulfur	0.34	%	0.01	0.004		W205053	MAD	01/31/12 10:31	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	15.0	TCaCO3/kT	0.3			N/A		02/03/12 15:21	
Modified Sobek	AGP-HCl	3.3	TCaCO3/kT	0.3			N/A		02/03/12 15:21	
Modified Sobek	Non-extractable Sulfur	0.09	%	0.01	0.004		W205053	MAD	02/03/12 15:21	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.20	%	0.01	0.004		W205053	MAD	02/02/12 14:29	
Modified Sobek	Pyritic Sulfur-HCl	0.10	%	0.01			N/A		02/03/12 15:21	
Modified Sobek	Sulfate Sulfur-HCl	0.14	%	0.01			N/A		02/02/12 14:29	
Modified Sobek	Total Sulfur	0.34	%	0.01	0.004		W205053	MAD	01/31/12 10:31	
Classical Chemistry Parameters										
NAG	NAG pH @22.6°C	7.83	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.3°C	8.49	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-11 828-860**

SVL Sample ID: **W2A0358-15 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	20.3	TCaCO3/kT	0.3			N/A		02/03/12 15:23	
Modified Sobek	AGP	2.0	TCaCO3/kT	0.3			N/A		02/03/12 15:23	
Modified Sobek	ANP	22.3	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W205053	MAD	02/03/12 15:23	
Modified Sobek	Non-Sulfate Sulfur	0.16	%	0.01	0.004		W205053	MAD	02/02/12 16:51	
Modified Sobek	Pyritic Sulfur	0.06	%	0.01			N/A		02/03/12 15:23	
Modified Sobek	Sulfate Sulfur	0.09	%	0.01			N/A		02/02/12 16:51	
Modified Sobek	Total Sulfur	0.25	%	0.01	0.004		W205053	MAD	01/31/12 10:34	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	20.1	TCaCO3/kT	0.3			N/A		02/03/12 15:23	
Modified Sobek	AGP-HCl	2.2	TCaCO3/kT	0.3			N/A		02/03/12 15:23	
Modified Sobek	Non-extractable Sulfur	0.10	%	0.01	0.004		W205053	MAD	02/03/12 15:23	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.17	%	0.01	0.004		W205053	MAD	02/02/12 14:31	
Modified Sobek	Pyritic Sulfur-HCl	0.07	%	0.01			N/A		02/03/12 15:23	
Modified Sobek	Sulfate Sulfur-HCl	0.08	%	0.01			N/A		02/02/12 14:31	
Modified Sobek	Total Sulfur	0.25	%	0.01	0.004		W205053	MAD	01/31/12 10:34	

Classical Chemistry Parameters

NAG	NAG pH @21.8°C	8.17	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.60	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-12 504-541**

SVL Sample ID: **W2A0358-16 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	6.0	TCaCO3/kT	0.3			N/A		02/03/12 15:26	
Modified Sobek	AGP	3.8	TCaCO3/kT	0.3			N/A		02/03/12 15:26	
Modified Sobek	ANP	9.9	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:26	
Modified Sobek	Non-Sulfate Sulfur	0.25	%	0.01	0.004		W205053	MAD	02/02/12 16:54	
Modified Sobek	Pyritic Sulfur	0.12	%	0.01			N/A		02/03/12 15:26	
Modified Sobek	Sulfate Sulfur	0.27	%	0.01			N/A		02/02/12 16:54	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W205053	MAD	01/31/12 10:37	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	5.4	TCaCO3/kT	0.3			N/A		02/03/12 15:26	
Modified Sobek	AGP-HCl	4.5	TCaCO3/kT	0.3			N/A		02/03/12 15:26	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:26	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.27	%	0.01	0.004		W205053	MAD	02/02/12 14:34	
Modified Sobek	Pyritic Sulfur-HCl	0.14	%	0.01			N/A		02/03/12 15:26	
Modified Sobek	Sulfate Sulfur-HCl	0.25	%	0.01			N/A		02/02/12 14:34	
Modified Sobek	Total Sulfur	0.52	%	0.01	0.004		W205053	MAD	01/31/12 10:37	

Classical Chemistry Parameters

NAG	NAG pH @21.6°C	3.53	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	1.38	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	4.34	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @18.8°C	8.49	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-12 718-753**

SVL Sample ID: **W2A0358-17 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	22.1	TCaCO3/kT	0.3			N/A		02/03/12 15:36	
Modified Sobek	AGP	10.6	TCaCO3/kT	0.3			N/A		02/03/12 15:36	
Modified Sobek	ANP	32.6	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.20	%	0.01	0.004		W205053	MAD	02/03/12 15:36	
Modified Sobek	Non-Sulfate Sulfur	0.54	%	0.01	0.004		W205053	MAD	02/02/12 17:05	
Modified Sobek	Pyritic Sulfur	0.34	%	0.01			N/A		02/03/12 15:36	
Modified Sobek	Sulfate Sulfur	0.23	%	0.01			N/A		02/02/12 17:05	
Modified Sobek	Total Sulfur	0.77	%	0.01	0.004		W205053	MAD	01/31/12 10:40	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	24.0	TCaCO3/kT	0.3			N/A		02/03/12 15:36	
Modified Sobek	AGP-HCl	8.6	TCaCO3/kT	0.3			N/A		02/03/12 15:36	
Modified Sobek	Non-extractable Sulfur	0.20	%	0.01	0.004		W205053	MAD	02/03/12 15:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.48	%	0.01	0.004		W205053	MAD	02/02/12 14:37	
Modified Sobek	Pyritic Sulfur-HCl	0.28	%	0.01			N/A		02/03/12 15:36	
Modified Sobek	Sulfate Sulfur-HCl	0.29	%	0.01			N/A		02/02/12 14:37	
Modified Sobek	Total Sulfur	0.77	%	0.01	0.004		W205053	MAD	01/31/12 10:40	

Classical Chemistry Parameters

NAG	NAG pH @21.5°C	8.33	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.22	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-12 873.5-905**

SVL Sample ID: **W2A0358-18 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	11.0	TCaCO3/kT	0.3			N/A		02/03/12 15:39	
Modified Sobek	AGP	8.8	TCaCO3/kT	0.3			N/A		02/03/12 15:39	
Modified Sobek	ANP	19.8	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:39	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01	0.004		W205053	MAD	02/02/12 17:08	
Modified Sobek	Pyritic Sulfur	0.28	%	0.01			N/A		02/03/12 15:39	
Modified Sobek	Sulfate Sulfur	0.16	%	0.01			N/A		02/02/12 17:08	
Modified Sobek	Total Sulfur	0.57	%	0.01	0.004		W205053	MAD	01/31/12 10:49	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	12.7	TCaCO3/kT	0.3			N/A		02/03/12 15:39	
Modified Sobek	AGP-HCl	7.1	TCaCO3/kT	0.3			N/A		02/03/12 15:39	
Modified Sobek	Non-extractable Sulfur	0.13	%	0.01	0.004		W205053	MAD	02/03/12 15:39	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.35	%	0.01	0.004		W205053	MAD	02/02/12 14:40	
Modified Sobek	Pyritic Sulfur-HCl	0.23	%	0.01			N/A		02/03/12 15:39	
Modified Sobek	Sulfate Sulfur-HCl	0.22	%	0.01			N/A		02/02/12 14:40	
Modified Sobek	Total Sulfur	0.57	%	0.01	0.004		W205053	MAD	01/31/12 10:49	

Classical Chemistry Parameters

NAG	NAG pH @22.8°C	7.62	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.68	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-14 0-14**

SVL Sample ID: **W2A0358-19 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	1.3	TCaCO3/kT	0.3			N/A		02/03/12 15:42	
Modified Sobek	AGP	27.9	TCaCO3/kT	0.3			N/A		02/03/12 15:42	
Modified Sobek	ANP	29.2	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.53	%	0.01	0.004		W205053	MAD	02/03/12 15:42	
Modified Sobek	Non-Sulfate Sulfur	1.42	%	0.01	0.004		W205053	MAD	02/02/12 17:13	
Modified Sobek	Pyritic Sulfur	0.89	%	0.01			N/A		02/03/12 15:42	
Modified Sobek	Sulfate Sulfur	0.34	%	0.01			N/A		02/02/12 17:13	
Modified Sobek	Total Sulfur	1.76	%	0.01	0.004		W205053	MAD	01/31/12 10:53	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	8.2	TCaCO3/kT	0.3			N/A		02/03/12 15:42	
Modified Sobek	AGP-HCl	21.0	TCaCO3/kT	0.3			N/A		02/03/12 15:42	
Modified Sobek	Non-extractable Sulfur	0.53	%	0.01	0.004		W205053	MAD	02/03/12 15:42	
Modified Sobek	Non-Sulfate Sulfur-HCl	1.20	%	0.01	0.004		W205053	MAD	02/02/12 14:43	
Modified Sobek	Pyritic Sulfur-HCl	0.67	%	0.01			N/A		02/03/12 15:42	
Modified Sobek	Sulfate Sulfur-HCl	0.56	%	0.01			N/A		02/02/12 14:43	
Modified Sobek	Total Sulfur	1.76	%	0.01	0.004		W205053	MAD	01/31/12 10:53	

Classical Chemistry Parameters

NAG	NAG pH @22.4°C	7.70	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.2°C	8.16	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-14 28.3-51**

SVL Sample ID: **W2A0358-20 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	17.7	TCaCO3/kT	0.3			N/A		02/03/12 15:45	
Modified Sobek	AGP	22.9	TCaCO3/kT	0.3			N/A		02/03/12 15:45	
Modified Sobek	ANP	40.6	TCaCO3/kT	0.3	0.1		W205053	AGF	02/03/12 13:47	
Modified Sobek	Non-extractable Sulfur	0.35	%	0.01	0.004		W205053	MAD	02/03/12 15:45	
Modified Sobek	Non-Sulfate Sulfur	1.08	%	0.01	0.004		W205053	MAD	02/02/12 17:17	
Modified Sobek	Pyritic Sulfur	0.73	%	0.01			N/A		02/03/12 15:45	
Modified Sobek	Sulfate Sulfur	0.34	%	0.01			N/A		02/02/12 17:17	
Modified Sobek	Total Sulfur	1.42	%	0.01	0.004		W205053	MAD	01/31/12 10:55	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	26.9	TCaCO3/kT	0.3			N/A		02/03/12 15:45	
Modified Sobek	AGP-HCl	13.6	TCaCO3/kT	0.3			N/A		02/03/12 15:45	
Modified Sobek	Non-extractable Sulfur	0.35	%	0.01	0.004		W205053	MAD	02/03/12 15:45	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.78	%	0.01	0.004		W205053	MAD	02/02/12 14:46	
Modified Sobek	Pyritic Sulfur-HCl	0.44	%	0.01			N/A		02/03/12 15:45	
Modified Sobek	Sulfate Sulfur-HCl	0.64	%	0.01			N/A		02/02/12 14:46	
Modified Sobek	Total Sulfur	1.42	%	0.01	0.004		W205053	MAD	01/31/12 10:55	

Classical Chemistry Parameters

NAG	NAG pH @22.1°C	8.00	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.4°C	8.31	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-14 431-471.1**

SVL Sample ID: **W2A0358-21 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	18.4	TCaCO3/kT	0.3			N/A		02/03/12 14:15	
Modified Sobek	AGP	18.1	TCaCO3/kT	0.3			N/A		02/03/12 14:15	
Modified Sobek	ANP	36.4	TCaCO3/kT	0.3	0.1		W205050	AGF	02/02/12 09:16	
Modified Sobek	Non-extractable Sulfur	0.29	%	0.01	0.004		W205050	MAD	02/03/12 14:15	
Modified Sobek	Non-Sulfate Sulfur	0.87	%	0.01	0.004		W205050	MAD	02/03/12 12:51	
Modified Sobek	Pyritic Sulfur	0.58	%	0.01			N/A		02/03/12 14:15	
Modified Sobek	Sulfate Sulfur	0.17	%	0.01			N/A		02/03/12 12:51	
Modified Sobek	Total Sulfur	1.04	%	0.01	0.004		W205050	MAD	02/01/12 09:21	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	24.2	TCaCO3/kT	0.3			N/A		02/03/12 14:15	
Modified Sobek	AGP-HCl	12.2	TCaCO3/kT	0.3			N/A		02/03/12 14:15	
Modified Sobek	Non-extractable Sulfur	0.29	%	0.01	0.004		W205050	MAD	02/03/12 14:15	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.68	%	0.01	0.004		W205050	MAD	02/03/12 11:10	
Modified Sobek	Pyritic Sulfur-HCl	0.39	%	0.01			N/A		02/03/12 14:15	
Modified Sobek	Sulfate Sulfur-HCl	0.36	%	0.01			N/A		02/03/12 11:10	
Modified Sobek	Total Sulfur	1.04	%	0.01	0.004		W205050	MAD	02/01/12 09:21	

Classical Chemistry Parameters

NAG	NAG pH @21.6°C	8.28	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @19.0°C	8.28	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Client Sample ID: **CF-11-14 806-829.5**

SVL Sample ID: **W2A0358-22 (Soil)**

Sample Report Page 1 of 1

Sampled: —
Received: 24-Jan-12
Sampled By:

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	29.8	TCaCO3/kT	0.3			N/A		02/03/12 14:24	
Modified Sobek	AGP	20.8	TCaCO3/kT	0.3			N/A		02/03/12 14:24	
Modified Sobek	ANP	50.7	TCaCO3/kT	0.3	0.1		W205050	AGF	02/02/12 09:16	
Modified Sobek	Non-extractable Sulfur	0.37	%	0.01	0.004		W205050	MAD	02/03/12 14:24	
Modified Sobek	Non-Sulfate Sulfur	1.04	%	0.01	0.004		W205050	MAD	02/03/12 12:55	
Modified Sobek	Pyritic Sulfur	0.67	%	0.01			N/A		02/03/12 14:24	
Modified Sobek	Sulfate Sulfur	0.32	%	0.01			N/A		02/03/12 12:55	
Modified Sobek	Total Sulfur	1.36	%	0.01	0.004		W205050	MAD	02/01/12 09:31	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	31.8	TCaCO3/kT	0.3			N/A		02/03/12 14:24	
Modified Sobek	AGP-HCl	18.8	TCaCO3/kT	0.3			N/A		02/03/12 14:24	
Modified Sobek	Non-extractable Sulfur	0.37	%	0.01	0.004		W205050	MAD	02/03/12 14:24	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.98	%	0.01	0.004		W205050	MAD	02/03/12 11:20	
Modified Sobek	Pyritic Sulfur-HCl	0.60	%	0.01			N/A		02/03/12 14:24	
Modified Sobek	Sulfate Sulfur-HCl	0.38	%	0.01			N/A		02/03/12 11:20	
Modified Sobek	Total Sulfur	1.36	%	0.01	0.004		W205050	MAD	02/01/12 09:31	

Classical Chemistry Parameters

NAG	NAG pH @22.6°C	7.82	pH Units				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 4.5	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
NAG	NAG@pH 7	N/A	kg H2SO4/T				W204324	AGF	02/01/12 14:06	
USDA HB60(21a)	Paste pH @18.9°C	8.28	pH Units				W205132	AGF	02/02/12 15:36	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2A0358**
Reported: 06-Feb-12 09:13

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W205050	02-Feb-12	
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W205053	03-Feb-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W205050	03-Feb-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W205053	02-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W205050	01-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W205053	31-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W205050	03-Feb-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W205053	03-Feb-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W205050	03-Feb-12	
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W205053	02-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W205050	01-Feb-12	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W205053	31-Jan-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W205050	03-Feb-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W205053	03-Feb-12	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	37.9	33.2	114	80 - 120	W205050	02-Feb-12	
Modified Sobek	ANP	TCaCO3/kT	38.1	33.2	115	80 - 120	W205053	03-Feb-12	
Modified Sobek	Total Sulfur	%	0.95	0.942	101	80 - 120	W205050	01-Feb-12	
Modified Sobek	Total Sulfur	%	0.92	0.942	98.1	80 - 120	W205053	31-Jan-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	0.95	0.942	101	80 - 120	W205050	01-Feb-12	
Modified Sobek	Total Sulfur	%	0.92	0.942	98.1	80 - 120	W205053	31-Jan-12	
Classical Chemistry Parameters									
USDA HB60(21a)	Paste pH	pH Units	8.16	8.18	99.8	93.7 - 106.3	W205132	02-Feb-12	
USDA HB60(21a)	Paste pH	pH Units	8.18	8.18	100	93.7 - 106.3	W205132	02-Feb-12	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	16.8	17.3	2.9	20	W205053	03-Feb-12	
Modified Sobek	ANP	TCaCO3/kT	35.9	36.4	1.4	20	W205050	02-Feb-12	
Modified Sobek	Non-Sulfate Sulfur	%	0.36	0.38	3.8	20	W205053	02-Feb-12	
Modified Sobek	Non-Sulfate Sulfur	%	0.81	0.87	6.8	20	W205050	03-Feb-12	
Modified Sobek	Total Sulfur	%	0.60	0.58	2.9	20	W205053	31-Jan-12	
Modified Sobek	Total Sulfur	%	1.09	1.04	4.7	20	W205050	01-Feb-12	

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



McClelland Laboratories Inc
 1016 Greg Street
 Sparks, NV 89431

Project Name: MLI: 3438
 Work Order: **W2A0358**
 Reported: 06-Feb-12 09:13

Quality Control - DUPLICATE Data (Continued)

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms (Continued)

Modified Sobek	Non-extractable Sulfur	%	0.10	0.09	2.8	20	W205053	03-Feb-12	
Modified Sobek	Non-extractable Sulfur	%	0.27	0.29	7.9	20	W205050	03-Feb-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.35	0.32	7.8	20	W205053	02-Feb-12	
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.58	0.68	16.2	20	W205050	03-Feb-12	
Modified Sobek	Total Sulfur	%	0.60	0.58	2.9	20	W205053	31-Jan-12	
Modified Sobek	Total Sulfur	%	1.09	1.04	4.7	20	W205050	01-Feb-12	
Modified Sobek	Non-extractable Sulfur	%	0.10	0.09	2.8	20	W205053	03-Feb-12	
Modified Sobek	Non-extractable Sulfur	%	0.27	0.29	7.9	20	W205050	03-Feb-12	

Classical Chemistry Parameters

NAG	NAG pH	pH Units	7.72	7.83	1.4	20	W204324	01-Feb-12	
NAG	NAG pH	pH Units	8.03	7.85	2.3	20	W204324	01-Feb-12	
NAG	NAG@pH 4.5	kg H2SO4/T	N/A	N/A		20	W204324	01-Feb-12	
NAG	NAG@pH 4.5	kg H2SO4/T	N/A	N/A		20	W204324	01-Feb-12	
NAG	NAG@pH 7	kg H2SO4/T	N/A	N/A		20	W204324	01-Feb-12	
NAG	NAG@pH 7	kg H2SO4/T	N/A	N/A		20	W204324	01-Feb-12	
USDA HB60(21a)	Paste pH	pH Units	8.25	8.34	1.1	20	W205132	02-Feb-12	
USDA HB60(21a)	Paste pH	pH Units	8.49	8.49	0.0	20	W205132	02-Feb-12	

Notes and Definitions

LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable

WetLab Laboratory Reports



3438 Profile II w/o WAD MWMP

475 E. Greg Street #119 | Sparks, Nevada 89431 | tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

8/30/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008263

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/13/2010. Additional comments are located on page 2 of this report.

This is an amended report that includes results for Uranium as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1008263

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

Date Printed: 8/30/2010

OrderID: 1008263

Customer Sample ID: SRK 0854 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-001

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.54	pH Units		8/13/2010
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	8/13/2010
Chloride	EPA 300.0	1.1	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	1.1	mg/L	0.10	8/13/2010
Sulfate	EPA 300.0	440	mg/L	50	8/16/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	660	mg/L	10	8/17/2010
Aluminum	EPA 200.7	5.3	mg/L	0.045	8/17/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Beryllium	EPA 200.7	0.0030	mg/L	0.0010	8/17/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Cadmium	EPA 200.7	0.015	mg/L	0.0010	8/17/2010
Calcium	EPA 200.7	26	mg/L	0.50	8/17/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Cobalt	EPA 200.7	0.11	mg/L	0.010	8/17/2010
Copper	EPA 200.7	290	SC mg/L	0.25	8/18/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Iron	EPA 200.7	0.34	mg/L	0.010	8/17/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Magnesium	EPA 200.7	6.7	mg/L	0.50	8/17/2010
Manganese	EPA 200.7	1.3	mg/L	0.0050	8/17/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Nickel	EPA 200.7	0.037	mg/L	0.010	8/17/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Potassium	EPA 200.7	2.8	mg/L	0.50	8/17/2010

Customer Sample ID: SRK 0854 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-001

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Sodium	EPA 200.7	1.4	mg/L	0.50	8/17/2010
Strontium	EPA 200.7	0.10	mg/L	0.10	8/17/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Zinc	EPA 200.7	1.4	mg/L	0.010	8/17/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Selenium	EPA 200.8	0.012	mg/L	0.0050	8/18/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2010
Uranium	EPA 200.8	0.028	mg/L	0.010	8/18/2010
Anions	Calculation	9.25	meq/L	0.10	
Cations	Calculation	11.8	meq/L	0.10	
Error	Calculation	12	%	1.0	

Customer Sample ID: SRK 0855 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-002

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.93	pH Units		8/13/2010
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	8/13/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	0.12	mg/L	0.10	8/20/2010
Sulfate	EPA 300.0	24	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	41	mg/L	10	8/17/2010
Aluminum	EPA 200.7	0.34	mg/L	0.045	8/17/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010

Customer Sample ID: SRK 0855 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-002

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	8.1	mg/L	0.50	8/17/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Copper	EPA 200.7	0.53	mg/L	0.050	8/17/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Iron	EPA 200.7	0.046	mg/L	0.010	8/17/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Manganese	EPA 200.7	0.14	mg/L	0.0050	8/17/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Potassium	EPA 200.7	0.70	mg/L	0.50	8/17/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Zinc	EPA 200.7	0.056	mg/L	0.010	8/17/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2010
Anions	Calculation	0.51	meq/L	0.10	
Cations	Calculation	0.49	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: SRK 0857 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-003

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.35	pH Units		8/13/2010
Bicarbonate (HCO3)	SM 2320B	15	mg/L	1.0	8/13/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/13/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/13/2010

Customer Sample ID: SRK 0857 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-003

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	13	mg/L as CaCO3	1.0	8/13/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	0.55	mg/L	0.10	8/13/2010
Sulfate	EPA 300.0	180	mg/L	1.0	8/13/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	0.042	mg/L	0.025	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	8/17/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/17/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010
Calcium	EPA 200.7	70	SC mg/L	0.50	8/17/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/17/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Magnesium	EPA 200.7	5.1	mg/L	0.50	8/17/2010
Manganese	EPA 200.7	0.040	mg/L	0.0050	8/17/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Potassium	EPA 200.7	3.0	mg/L	0.50	8/17/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Sodium	EPA 200.7	1.0	mg/L	0.50	8/17/2010
Strontium	EPA 200.7	0.29	mg/L	0.10	8/17/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2010

Customer Sample ID: SRK 0857 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-003

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	4.02	meq/L	0.10	
Cations	Calculation	4.03	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0858 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-004

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.99	pH Units		8/13/2010
Acidity (Titrimetric)	SM 2310B	19	mg/L as CaCO3		8/13/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	0.40	mg/L	0.10	8/13/2010
Sulfate	EPA 300.0	29	mg/L	1.0	8/13/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	23	mg/L	10	8/17/2010
Aluminum	EPA 200.7	0.63	mg/L	0.045	8/17/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/17/2010
Calcium	EPA 200.7	3.0	mg/L	0.50	8/17/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Copper	EPA 200.7	1.0	mg/L	0.050	8/17/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Iron	EPA 200.7	0.33	mg/L	0.010	8/17/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Manganese	EPA 200.7	0.046	mg/L	0.0050	8/17/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Potassium	EPA 200.7	0.61	mg/L	0.50	8/17/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/17/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/17/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/17/2010

Customer Sample ID: SRK 0858 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-004

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/17/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/17/2010
Zinc	EPA 200.7	0.015	mg/L	0.010	8/17/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2010
Anions	Calculation	0.62	meq/L	0.10	
Cations	Calculation	0.48	meq/L	0.10	
Error	Calculation	13	%	1.0	

Customer Sample ID: SRK 0860 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-005

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.57	pH Units		8/13/2010
Acidity (Titrimetric)	SM 2310B	31	mg/L as CaCO3		8/20/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	<0.10	mg/L	0.10	8/13/2010
Sulfate	EPA 300.0	51	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	38	mg/L	10	8/17/2010
Aluminum	EPA 200.7	1.5	mg/L	0.045	8/18/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/18/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/18/2010
Calcium	EPA 200.7	2.0	mg/L	0.50	8/18/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/18/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Copper	EPA 200.7	0.16	mg/L	0.050	8/18/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Iron	EPA 200.7	2.7	mg/L	0.010	8/18/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/18/2010

Customer Sample ID: SRK 0860 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-005

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Manganese	EPA 200.7	0.029	mg/L	0.0050	8/18/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/18/2010
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/18/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/18/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/18/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Zinc	EPA 200.7	0.016	mg/L	0.010	8/18/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2010
Anions	Calculation	1.06	meq/L	0.10	
Cations	Calculation	0.82	meq/L	0.10	
Error	Calculation	13	%	1.0	

Customer Sample ID: SRK 0862 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-006

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.24	pH Units		8/14/2010
Bicarbonate (HCO3)	SM 2320B	13	mg/L	1.0	8/14/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/14/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/14/2010
Total Alkalinity	SM 2320B	10	mg/L as CaCO3	1.0	8/14/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Fluoride	EPA 300.0	0.67	mg/L	0.10	8/13/2010
Sulfate	EPA 300.0	37	mg/L	1.0	8/13/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2010
Nitrite Nitrogen	EPA 300.0	0.026	mg/L	0.025	8/13/2010
Total Dissolved Solids (TDS)	SM 2540C	67	mg/L	10	8/17/2010
Aluminum	EPA 200.7	0.075	mg/L	0.045	8/18/2010

Customer Sample ID: SRK 0862 MWMP

Collect Date/Time: 8/13/2010 09:00

WETLAB Sample ID: 1008263-006

Receive Date: 8/13/2010 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/18/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/18/2010
Calcium	EPA 200.7	12	mg/L	0.50	8/18/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/18/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/18/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Magnesium	EPA 200.7	2.8	mg/L	0.50	8/18/2010
Manganese	EPA 200.7	0.12	mg/L	0.0050	8/18/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/18/2010
Potassium	EPA 200.7	1.2	mg/L	0.50	8/18/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/18/2010
Sodium	EPA 200.7	3.2	mg/L	0.50	8/18/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/18/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/18/2010
Zinc	EPA 200.7	0.012	mg/L	0.010	8/18/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/19/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2010
Anions	Calculation	1.02	meq/L	0.10	
Cations	Calculation	1.01	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008423	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008423	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008423	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008424	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008424	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008424	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008425	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008425	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008425	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008426	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008426	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008426	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008427	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008427	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008427	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1008457	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008457	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008463	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008464	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008465	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008466	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008467	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008468	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008508	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1008509	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1008510	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1008521	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008521	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008547	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1008548	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1008550	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008412	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1008412	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1008412	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1008412	LCS 4	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1008414	LCS 1	Alkalinity	SM 2320B	94.7	100	95	mg/L
QC1008414	LCS 2	Alkalinity	SM 2320B	93.0	100	93	mg/L
QC1008414	LCS 3	Alkalinity	SM 2320B	93.3	100	93	mg/L
QC1008423	LCS 1	Fluoride	EPA 300.0	2.12	2.00	106	mg/L
QC1008424	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC1008425	LCS 1	Nitrite Nitrogen	EPA 300.0	0.542	0.500	108	mg/L
QC1008426	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1008427	LCS 1	Sulfate	EPA 300.0	26.0	25.0	104	mg/L
QC1008457	LCS 1	Sulfate	EPA 300.0	5.29	5.00	106	mg/L
QC1008463	LCS 1	Aluminum	EPA 200.7	1.09	1.00	109	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Bismuth	EPA 200.7	1.13	1.00	113	mg/L
		Boron	EPA 200.7	1.06	1.00	106	mg/L
		Cadmium	EPA 200.7	1.10	1.00	110	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.07	1.00	107	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L
		Copper	EPA 200.7	5.43	5.00	109	mg/L
		Gallium	EPA 200.7	1.09	1.00	109	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	10.6	10.0	106	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.08	1.00	108	mg/L
		Nickel	EPA 200.7	5.43	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.45	5.00	109	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.08	1.00	108	mg/L
		Silver	EPA 200.7	0.097	0.090	108	mg/L
		Sodium	EPA 200.7	10.8	10.0	108	mg/L
		Strontium	EPA 200.7	1.10	1.00	110	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.07	1.00	107	mg/L
		Vanadium	EPA 200.7	1.08	1.00	108	mg/L
		Zinc	EPA 200.7	1.13	1.00	113	mg/L
QC1008464	LCS 1	Aluminum	EPA 200.7	1.09	1.00	109	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Bismuth	EPA 200.7	1.13	1.00	113	mg/L
		Boron	EPA 200.7	1.06	1.00	106	mg/L
		Cadmium	EPA 200.7	1.10	1.00	110	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.07	1.00	107	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Copper	EPA 200.7	5.43	5.00	109	mg/L
		Gallium	EPA 200.7	1.09	1.00	109	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	10.6	10.0	106	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.08	1.00	108	mg/L
		Nickel	EPA 200.7	5.43	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.45	5.00	109	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.08	1.00	108	mg/L
		Silver	EPA 200.7	0.097	0.090	108	mg/L
		Sodium	EPA 200.7	10.8	10.0	108	mg/L
		Strontium	EPA 200.7	1.10	1.00	110	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.07	1.00	107	mg/L
		Vanadium	EPA 200.7	1.08	1.00	108	mg/L
		Zinc	EPA 200.7	1.13	1.00	113	mg/L
QC1008465	LCS 1	Aluminum	EPA 200.7	1.09	1.00	109	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.10	1.00	110	mg/L
		Boron	EPA 200.7	1.07	1.00	107	mg/L
		Cadmium	EPA 200.7	1.10	1.00	110	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.07	1.00	107	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L
		Copper	EPA 200.7	5.40	5.00	108	mg/L
		Gallium	EPA 200.7	1.11	1.00	111	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	10.5	10.0	105	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.45	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.35	5.00	107	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.08	1.00	108	mg/L
		Silver	EPA 200.7	0.098	0.090	109	mg/L
		Sodium	EPA 200.7	10.9	10.0	109	mg/L
		Strontium	EPA 200.7	1.11	1.00	111	mg/L
		Tin	EPA 200.7	1.06	1.00	106	mg/L
		Titanium	EPA 200.7	1.07	1.00	107	mg/L
		Vanadium	EPA 200.7	1.09	1.00	109	mg/L
		Zinc	EPA 200.7	1.11	1.00	111	mg/L
QC1008466	LCS 1	Aluminum	EPA 200.7	1.12	1.00	112	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Bismuth	EPA 200.7	1.09	1.00	109	mg/L
		Boron	EPA 200.7	1.11	1.00	111	mg/L
		Cadmium	EPA 200.7	1.09	1.00	109	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.09	1.00	109	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L
		Copper	EPA 200.7	5.62	5.00	112	mg/L
		Gallium	EPA 200.7	1.12	1.00	112	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008467	LCS 1	Iron	EPA 200.7	1.11	1.00	111	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	11.1	10.0	111	mg/L
		Manganese	EPA 200.7	1.06	1.00	106	mg/L
		Molybdenum	EPA 200.7	0.961	1.00	96	mg/L
		Nickel	EPA 200.7	5.44	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.15	5.00	103	mg/L
		Potassium	EPA 200.7	11.1	10.0	111	mg/L
		Scandium	EPA 200.7	1.11	1.00	111	mg/L
		Silver	EPA 200.7	0.100	0.090	111	mg/L
		Sodium	EPA 200.7	10.9	10.0	109	mg/L
		Strontium	EPA 200.7	1.07	1.00	107	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	1.10	1.00	110	mg/L
		Vanadium	EPA 200.7	1.10	1.00	110	mg/L
		Zinc	EPA 200.7	1.05	1.00	105	mg/L
		Aluminum	EPA 200.7	1.12	1.00	112	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Bismuth	EPA 200.7	1.09	1.00	109	mg/L
Boron	EPA 200.7	1.11	1.00	111	mg/L		
Cadmium	EPA 200.7	1.09	1.00	109	mg/L		
Calcium	EPA 200.7	10.8	10.0	108	mg/L		
Chromium	EPA 200.7	1.09	1.00	109	mg/L		
Cobalt	EPA 200.7	1.09	1.00	109	mg/L		
Copper	EPA 200.7	5.62	5.00	112	mg/L		
Gallium	EPA 200.7	1.12	1.00	112	mg/L		
Iron	EPA 200.7	1.11	1.00	111	mg/L		
Lithium	EPA 200.7	1.07	1.00	107	mg/L		
Magnesium	EPA 200.7	11.1	10.0	111	mg/L		
Manganese	EPA 200.7	1.06	1.00	106	mg/L		
Molybdenum	EPA 200.7	0.961	1.00	96	mg/L		
Nickel	EPA 200.7	5.44	5.00	109	mg/L		
Phosphorus	EPA 200.7	5.15	5.00	103	mg/L		
Potassium	EPA 200.7	11.1	10.0	111	mg/L		
Scandium	EPA 200.7	1.11	1.00	111	mg/L		
Silver	EPA 200.7	0.100	0.090	111	mg/L		
Sodium	EPA 200.7	10.9	10.0	109	mg/L		
Strontium	EPA 200.7	1.07	1.00	107	mg/L		
Tin	EPA 200.7	0.969	1.00	97	mg/L		
Titanium	EPA 200.7	1.10	1.00	110	mg/L		
Vanadium	EPA 200.7	1.10	1.00	110	mg/L		
Zinc	EPA 200.7	1.05	1.00	105	mg/L		
QC1008468	LCS 1	Aluminum	EPA 200.7	1.14	1.00	114	mg/L
		Barium	EPA 200.7	1.09	1.00	109	mg/L
		Beryllium	EPA 200.7	1.09	1.00	109	mg/L
		Bismuth	EPA 200.7	1.06	1.00	106	mg/L
		Boron	EPA 200.7	1.12	1.00	112	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.10	1.00	110	mg/L
		Cobalt	EPA 200.7	1.08	1.00	108	mg/L
		Copper	EPA 200.7	5.74	5.00	115	mg/L
		Gallium	EPA 200.7	1.14	1.00	114	mg/L
		Iron	EPA 200.7	1.14	1.00	114	mg/L
		Lithium	EPA 200.7	1.08	1.00	108	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Magnesium	EPA 200.7	11.3	10.0	113	mg/L
		Manganese	EPA 200.7	1.06	1.00	106	mg/L
		Molybdenum	EPA 200.7	0.905	1.00	90	mg/L
		Nickel	EPA 200.7	5.42	5.00	108	mg/L
		Phosphorus	EPA 200.7	4.86	5.00	97	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.12	1.00	112	mg/L
		Silver	EPA 200.7	0.102	0.090	113	mg/L
		Sodium	EPA 200.7	11.2	10.0	112	mg/L
		Strontium	EPA 200.7	1.09	1.00	109	mg/L
		Tin	EPA 200.7	0.891	1.00	89	mg/L
		Titanium	EPA 200.7	1.11	1.00	111	mg/L
		Vanadium	EPA 200.7	1.11	1.00	111	mg/L
		Zinc	EPA 200.7	0.988	1.00	99	mg/L
QC1008508	LCS 1	Mercury	EPA 200.8	0.000920	0.001	92	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0486	0.050	97	mg/L
		Lead	EPA 200.8	0.0090	0.010	90	mg/L
		Selenium	EPA 200.8	0.0474	0.050	95	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	91	mg/L
QC1008509	LCS 1	Mercury	EPA 200.8	0.000920	0.001	92	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0486	0.050	97	mg/L
		Lead	EPA 200.8	0.0090	0.010	90	mg/L
		Selenium	EPA 200.8	0.0474	0.050	95	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	91	mg/L
QC1008510	LCS 1	Mercury	EPA 200.8	0.001000	0.001	100	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0495	0.050	99	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0501	0.050	100	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	96	mg/L
QC1008521	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L
QC1008521	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC1008547	LCS 1	Mercury	EPA 200.8	0.000992	0.001	99	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0482	0.050	96	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0481	0.050	96	mg/L
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	94	mg/L
QC1008548	LCS 1	Mercury	EPA 200.8	0.000992	0.001	99	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0482	0.050	96	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0481	0.050	96	mg/L
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	94	mg/L
QC1008550	LCS 1	Mercury	EPA 200.8	0.001038	0.001	104	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0474	0.050	95	mg/L
		Lead	EPA 200.8	0.0091	0.010	91	mg/L
		Selenium	EPA 200.8	0.0463	0.050	92	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Thallium	EPA 200.8	0.0086	0.010	86	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	89	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008412	Duplicate 1	pH	SM 4500-H+ B	1008045-001	7.67	7.67	pH Units	<1%
QC1008412	Duplicate 2	pH	SM 4500-H+ B	1008047-001	7.77	7.77	pH Units	<1%
QC1008412	Duplicate 3	pH	SM 4500-H+ B	1008049-001	7.68	7.68	pH Units	<1%
QC1008412	Duplicate 4	pH	SM 4500-H+ B	1008051-001	7.87	7.87	pH Units	<1%
QC1008412	Duplicate 5	pH	SM 4500-H+ B	1008053-001	7.90	7.88	pH Units	<1%
QC1008412	Duplicate 6	pH	SM 4500-H+ B	1008262-001	7.72	7.81	pH Units	1 %
QC1008412	Duplicate 7	pH	SM 4500-H+ B	1008263-006	7.24	7.30	pH Units	1 %
QC1008414	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008045-001	299	299	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008045-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008045-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008045-001	245	245	mg/L as CaCO3	<1%
QC1008414	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1008047-001	357	357	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008047-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008047-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008047-001	292	293	mg/L as CaCO3	<1%
QC1008414	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1008049-001	319	321	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008049-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008049-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008049-001	262	263	mg/L as CaCO3	<1%
QC1008414	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1008051-001	322	322	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008051-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008051-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008051-001	264	264	mg/L as CaCO3	<1%
QC1008414	Duplicate 5	Bicarbonate (HCO3)	SM 2320B	1008053-001	337	339	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008053-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008053-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008053-001	277	278	mg/L as CaCO3	<1%
QC1008414	Duplicate 6	Bicarbonate (HCO3)	SM 2320B	1008262-001	50.0	48.3	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1008262-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008262-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008262-001	41.0	39.6	mg/L as CaCO3	3 %
QC1008521	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1008051-003	2804	2764	mg/L	1 %
QC1008521	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008052-005	3756	3760	mg/L	<1%
QC1008521	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008263-001	663	663	mg/L	<1%
QC1008521	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008264-005	1086	1076	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008423	MS 1	Fluoride	EPA 300.0	1008244-001	0.240	2.19	2.16	2.00	mg/L	98	96	1 %
QC1008423	MS 2	Fluoride	EPA 300.0	1008240-001	<0.100	2.12	2.10	2.00	mg/L	100	100	1 %
QC1008424	MS 1	Chloride	EPA 300.0	1008244-001	<1.000	5.14	5.21	5.00	mg/L	100	102	1 %
QC1008424	MS 2	Chloride	EPA 300.0	1008240-001	29.1	50.1	50.1	5.00	mg/L	88	87	<1%
QC1008425	MS 1	Nitrite Nitrogen	EPA 300.0	1008244-001	0.058	0.478	0.480	0.500	mg/L	84	84	<1%
QC1008425	MS 2	Nitrite Nitrogen	EPA 300.0	1008262-002	<0.025	0.545	0.553	0.500	mg/L	108	109	1 %
QC1008426	MS 1	Nitrate Nitrogen	EPA 300.0	1008244-001	<1.000	1.97	2.00	2.00	mg/L	96	98	2 %
QC1008426	MS 2	Nitrate Nitrogen	EPA 300.0	1008262-002	<1.000	1.94	1.95	2.00	mg/L	95	96	1 %
QC1008427	MS 1	Sulfate	EPA 300.0	1008244-001	41.5	50.7	50.9	10.0	mg/L	92	93	<1%
QC1008427	MS 2	Sulfate	EPA 300.0	1008240-001	31.6	59.1	59.1	10.0	mg/L	89	89	<1%
QC1008457	MS 1	Sulfate	EPA 300.0	1008261-001	2.87	5.57	5.58	2.50	mg/L	108	109	<1%
QC1008463	MS 1	Aluminum	EPA 200.7	1008263-001	5.34	6.59	6.56	1.00	mg/L	125	122	<1%
		Barium	EPA 200.7	1008263-001	<0.010	0.987	0.991	1.00	mg/L	98	98	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Beryllium	EPA 200.7	1008263-001	0.003	0.996	0.992	1.00	mg/L	99	99	<1%
		Bismuth	EPA 200.7	1008263-001	<0.100	0.751	0.770	1.00	mg/L	99	101	2 %
		Boron	EPA 200.7	1008263-001	<0.100	0.988	0.991	1.00	mg/L	97	98	<1%
		Cadmium	EPA 200.7	1008263-001	0.015	1.02	1.02	1.00	mg/L	101	101	<1%
		Calcium	EPA 200.7	1008263-001	25.6	36.8	36.5	10.0	mg/L	112	109	1 %
		Chromium	EPA 200.7	1008263-001	<0.005	0.957	0.958	1.00	mg/L	97	97	<1%
		Cobalt	EPA 200.7	1008263-001	0.110	1.11	1.11	1.00	mg/L	100	100	<1%
		Copper	EPA 200.7	1008263-001	287	SC 188	186	5.00	mg/L	NC	NC	NC
		Gallium	EPA 200.7	1008263-001	<0.100	0.974	0.977	1.00	mg/L	98	98	<1%
		Iron	EPA 200.7	1008263-001	0.336	1.35	1.35	1.00	mg/L	101	101	<1%
		Lithium	EPA 200.7	1008263-001	<0.100	1.04	1.04	1.00	mg/L	103	103	<1%
		Magnesium	EPA 200.7	1008263-001	6.67	17.1	17.0	10.0	mg/L	104	103	1 %
		Manganese	EPA 200.7	1008263-001	1.29	2.32	2.32	1.00	mg/L	103	103	<1%
		Molybdenum	EPA 200.7	1008263-001	<0.010	0.945	0.953	1.00	mg/L	94	95	1 %
		Nickel	EPA 200.7	1008263-001	0.037	5.02	5.03	5.00	mg/L	100	100	<1%
		Phosphorus	EPA 200.7	1008263-001	<0.500	5.46	5.53	5.00	mg/L	103	104	1 %
		Potassium	EPA 200.7	1008263-001	2.75	13.4	13.4	10.0	mg/L	106	106	<1%
		Scandium	EPA 200.7	1008263-001	<0.100	0.992	0.990	1.00	mg/L	99	99	<1%
		Silver	EPA 200.7	1008263-001	<0.005	0.088	0.088	0.090	mg/L	102	101	<1%
		Sodium	EPA 200.7	1008263-001	1.41	11.8	11.9	10.0	mg/L	104	105	1 %
		Strontium	EPA 200.7	1008263-001	0.105	1.10	1.09	1.00	mg/L	100	99	1 %
		Tin	EPA 200.7	1008263-001	<0.100	0.858	0.864	1.00	mg/L	99	99	1 %
		Titanium	EPA 200.7	1008263-001	<0.100	0.985	0.992	1.00	mg/L	98	98	1 %
		Vanadium	EPA 200.7	1008263-001	<0.010	0.998	1.00	1.00	mg/L	99	99	<1%
		Zinc	EPA 200.7	1008263-001	1.43	2.56	2.55	1.00	mg/L	113	112	<1%
QC1008464	MS 1	Aluminum	EPA 200.7	1008263-002	0.341	1.44	1.45	1.00	mg/L	110	111	1 %
		Barium	EPA 200.7	1008263-002	<0.010	1.09	1.11	1.00	mg/L	109	111	2 %
		Beryllium	EPA 200.7	1008263-002	<0.001	1.10	1.10	1.00	mg/L	110	110	<1%
		Bismuth	EPA 200.7	1008263-002	<0.100	1.13	1.14	1.00	mg/L	112	113	1 %
		Boron	EPA 200.7	1008263-002	<0.100	1.09	1.12	1.00	mg/L	108	111	3 %
		Cadmium	EPA 200.7	1008263-002	<0.001	1.10	1.13	1.00	mg/L	110	113	3 %
		Calcium	EPA 200.7	1008263-002	8.11	19.3	19.1	10.0	mg/L	112	110	1 %
		Chromium	EPA 200.7	1008263-002	<0.005	1.08	1.10	1.00	mg/L	108	110	2 %
		Cobalt	EPA 200.7	1008263-002	<0.010	1.10	1.12	1.00	mg/L	110	112	2 %
		Copper	EPA 200.7	1008263-002	0.531	6.16	6.11	5.00	mg/L	113	112	1 %
		Gallium	EPA 200.7	1008263-002	<0.100	1.17	1.16	1.00	mg/L	117	116	1 %
		Iron	EPA 200.7	1008263-002	0.046	1.17	1.16	1.00	mg/L	112	111	1 %
		Lithium	EPA 200.7	1008263-002	<0.100	1.09	1.08	1.00	mg/L	109	108	1 %
		Magnesium	EPA 200.7	1008263-002	<0.500	11.3	11.3	10.0	mg/L	110	110	<1%
		Manganese	EPA 200.7	1008263-002	0.141	1.21	1.24	1.00	mg/L	107	110	2 %
		Molybdenum	EPA 200.7	1008263-002	<0.010	1.03	1.04	1.00	mg/L	103	104	1 %
		Nickel	EPA 200.7	1008263-002	<0.010	5.42	5.54	5.00	mg/L	108	111	2 %
		Phosphorus	EPA 200.7	1008263-002	<0.500	5.50	5.54	5.00	mg/L	109	110	1 %
		Potassium	EPA 200.7	1008263-002	0.695	11.8	11.7	10.0	mg/L	111	110	1 %
		Scandium	EPA 200.7	1008263-002	<0.100	1.10	1.09	1.00	mg/L	110	109	1 %
		Silver	EPA 200.7	1008263-002	<0.005	0.098	0.100	0.090	mg/L	108	111	2 %
		Sodium	EPA 200.7	1008263-002	<0.500	11.4	11.3	10.0	mg/L	110	109	1 %
		Strontium	EPA 200.7	1008263-002	<0.100	1.13	1.11	1.00	mg/L	111	109	2 %
		Tin	EPA 200.7	1008263-002	<0.100	1.00	1.01	1.00	mg/L	105	106	1 %
		Titanium	EPA 200.7	1008263-002	<0.100	1.09	1.09	1.00	mg/L	109	109	<1%
		Vanadium	EPA 200.7	1008263-002	<0.010	1.09	1.12	1.00	mg/L	109	112	3 %
		Zinc	EPA 200.7	1008263-002	0.056	1.18	1.21	1.00	mg/L	112	115	3 %
QC1008465	MS 1	Aluminum	EPA 200.7	1008263-003	<0.045	1.10	1.12	1.00	mg/L	106	108	2 %
		Barium	EPA 200.7	1008263-003	<0.010	1.08	1.09	1.00	mg/L	108	109	1 %
		Beryllium	EPA 200.7	1008263-003	<0.001	1.10	1.10	1.00	mg/L	110	110	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Bismuth	EPA 200.7	1008263-003	<0.100	1.08	1.07	1.00	mg/L	110	109	1 %
		Boron	EPA 200.7	1008263-003	<0.100	1.10	1.11	1.00	mg/L	111	112	1 %
		Cadmium	EPA 200.7	1008263-003	<0.001	1.08	1.09	1.00	mg/L	108	109	1 %
		Calcium	EPA 200.7	1008263-003	70.1	SC 84.0	84.1	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1008263-003	<0.005	1.08	1.10	1.00	mg/L	108	110	2 %
		Cobalt	EPA 200.7	1008263-003	<0.010	1.09	1.10	1.00	mg/L	109	110	1 %
		Copper	EPA 200.7	1008263-003	<0.050	5.71	5.75	5.00	mg/L	114	115	1 %
		Gallium	EPA 200.7	1008263-003	<0.100	1.14	1.15	1.00	mg/L	114	115	1 %
		Iron	EPA 200.7	1008263-003	<0.010	1.13	1.13	1.00	mg/L	112	112	<1%
		Lithium	EPA 200.7	1008263-003	<0.100	1.10	1.10	1.00	mg/L	110	110	<1%
		Magnesium	EPA 200.7	1008263-003	5.07	15.8	16.1	10.0	mg/L	107	110	2 %
		Manganese	EPA 200.7	1008263-003	0.040	1.10	1.11	1.00	mg/L	106	107	1 %
		Molybdenum	EPA 200.7	1008263-003	<0.010	1.02	1.03	1.00	mg/L	102	103	1 %
		Nickel	EPA 200.7	1008263-003	<0.010	5.33	5.43	5.00	mg/L	107	109	2 %
		Phosphorus	EPA 200.7	1008263-003	<0.500	5.55	5.55	5.00	mg/L	111	111	<1%
		Potassium	EPA 200.7	1008263-003	2.97	14.2	14.4	10.0	mg/L	112	114	1 %
		Scandium	EPA 200.7	1008263-003	<0.100	1.10	1.10	1.00	mg/L	110	110	<1%
		Silver	EPA 200.7	1008263-003	<0.005	0.100	0.100	0.090	mg/L	111	111	<1%
		Sodium	EPA 200.7	1008263-003	1.05	12.2	12.2	10.0	mg/L	111	111	<1%
		Strontium	EPA 200.7	1008263-003	0.291	1.39	1.38	1.00	mg/L	110	109	1 %
		Tin	EPA 200.7	1008263-003	<0.100	0.819	0.832	1.00	mg/L	105	107	2 %
		Titanium	EPA 200.7	1008263-003	<0.100	1.09	1.12	1.00	mg/L	109	112	3 %
		Vanadium	EPA 200.7	1008263-003	<0.010	1.12	1.13	1.00	mg/L	111	112	1 %
		Zinc	EPA 200.7	1008263-003	<0.010	1.09	1.12	1.00	mg/L	108	111	3 %
QC1008466	MS 1	Aluminum	EPA 200.7	1008263-004	0.628	1.75	1.73	1.00	mg/L	112	110	1 %
		Barium	EPA 200.7	1008263-004	<0.010	1.10	1.09	1.00	mg/L	110	109	1 %
		Beryllium	EPA 200.7	1008263-004	<0.001	1.08	1.08	1.00	mg/L	108	108	<1%
		Bismuth	EPA 200.7	1008263-004	<0.100	1.08	1.09	1.00	mg/L	108	109	1 %
		Boron	EPA 200.7	1008263-004	<0.100	1.12	1.12	1.00	mg/L	111	111	<1%
		Cadmium	EPA 200.7	1008263-004	<0.001	1.09	1.09	1.00	mg/L	109	109	<1%
		Calcium	EPA 200.7	1008263-004	2.95	13.9	13.7	10.0	mg/L	109	108	1 %
		Chromium	EPA 200.7	1008263-004	<0.005	1.11	1.10	1.00	mg/L	111	110	1 %
		Cobalt	EPA 200.7	1008263-004	<0.010	1.11	1.10	1.00	mg/L	111	110	1 %
		Copper	EPA 200.7	1008263-004	1.02	6.69	6.62	5.00	mg/L	113	112	1 %
		Gallium	EPA 200.7	1008263-004	<0.100	1.17	1.16	1.00	mg/L	117	116	1 %
		Iron	EPA 200.7	1008263-004	0.329	1.49	1.47	1.00	mg/L	116	114	1 %
		Lithium	EPA 200.7	1008263-004	<0.100	1.09	1.09	1.00	mg/L	109	109	<1%
		Magnesium	EPA 200.7	1008263-004	<0.500	11.7	11.6	10.0	mg/L	113	112	1 %
		Manganese	EPA 200.7	1008263-004	0.046	1.11	1.11	1.00	mg/L	106	106	<1%
		Molybdenum	EPA 200.7	1008263-004	<0.010	0.958	0.965	1.00	mg/L	96	97	1 %
		Nickel	EPA 200.7	1008263-004	<0.010	5.47	5.45	5.00	mg/L	109	109	<1%
		Phosphorus	EPA 200.7	1008263-004	<0.500	5.22	5.23	5.00	mg/L	104	104	<1%
		Potassium	EPA 200.7	1008263-004	0.613	11.7	11.7	10.0	mg/L	111	111	<1%
		Scandium	EPA 200.7	1008263-004	<0.100	1.11	1.10	1.00	mg/L	111	110	1 %
		Silver	EPA 200.7	1008263-004	<0.005	0.100	0.099	0.090	mg/L	110	110	1 %
		Sodium	EPA 200.7	1008263-004	<0.500	11.2	11.2	10.0	mg/L	109	109	<1%
		Strontium	EPA 200.7	1008263-004	<0.100	1.09	1.09	1.00	mg/L	108	108	<1%
		Tin	EPA 200.7	1008263-004	<0.100	0.961	0.971	1.00	mg/L	98	99	1 %
		Titanium	EPA 200.7	1008263-004	<0.100	1.12	1.12	1.00	mg/L	112	112	<1%
		Vanadium	EPA 200.7	1008263-004	<0.010	1.11	1.10	1.00	mg/L	111	110	1 %
		Zinc	EPA 200.7	1008263-004	0.015	1.08	1.09	1.00	mg/L	106	107	1 %
QC1008467	MS 1	Aluminum	EPA 200.7	1008263-005	1.46	2.45	2.48	1.00	mg/L	99	102	1 %
		Barium	EPA 200.7	1008263-005	<0.010	1.09	1.09	1.00	mg/L	109	109	<1%
		Beryllium	EPA 200.7	1008263-005	<0.001	1.07	1.06	1.00	mg/L	107	106	1 %
		Bismuth	EPA 200.7	1008263-005	<0.100	1.11	1.11	1.00	mg/L	110	110	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron	EPA 200.7	1008263-005	<0.100	1.06	1.06	1.00	mg/L	105	105	<1%
		Cadmium	EPA 200.7	1008263-005	<0.001	1.08	1.07	1.00	mg/L	108	107	1 %
		Calcium	EPA 200.7	1008263-005	2.03	12.4	12.4	10.0	mg/L	104	104	<1%
		Chromium	EPA 200.7	1008263-005	<0.005	1.06	1.06	1.00	mg/L	106	106	<1%
		Cobalt	EPA 200.7	1008263-005	<0.010	1.09	1.09	1.00	mg/L	108	108	<1%
		Copper	EPA 200.7	1008263-005	0.159	5.69	5.66	5.00	mg/L	111	110	1 %
		Gallium	EPA 200.7	1008263-005	<0.100	1.14	1.12	1.00	mg/L	114	112	2 %
		Iron	EPA 200.7	1008263-005	2.69	3.65	3.69	1.00	mg/L	96	100	1 %
		Lithium	EPA 200.7	1008263-005	<0.100	1.10	1.10	1.00	mg/L	110	110	<1%
		Magnesium	EPA 200.7	1008263-005	<0.500	10.8	10.8	10.0	mg/L	106	106	<1%
		Manganese	EPA 200.7	1008263-005	0.029	1.10	1.10	1.00	mg/L	107	107	<1%
		Molybdenum	EPA 200.7	1008263-005	<0.010	1.05	1.04	1.00	mg/L	105	104	1 %
		Nickel	EPA 200.7	1008263-005	<0.010	5.39	5.37	5.00	mg/L	108	107	<1%
		Phosphorus	EPA 200.7	1008263-005	<0.500	5.46	5.37	5.00	mg/L	108	106	2 %
		Potassium	EPA 200.7	1008263-005	<0.500	11.5	11.5	10.0	mg/L	111	111	<1%
		Scandium	EPA 200.7	1008263-005	<0.100	1.09	1.09	1.00	mg/L	109	109	<1%
		Silver	EPA 200.7	1008263-005	<0.005	0.099	0.099	0.090	mg/L	108	109	<1%
		Sodium	EPA 200.7	1008263-005	<0.500	11.3	11.3	10.0	mg/L	111	111	<1%
		Strontium	EPA 200.7	1008263-005	<0.100	1.10	1.10	1.00	mg/L	110	110	<1%
		Tin	EPA 200.7	1008263-005	<0.100	1.05	1.02	1.00	mg/L	106	103	3 %
		Titanium	EPA 200.7	1008263-005	<0.100	1.08	1.08	1.00	mg/L	108	108	<1%
		Vanadium	EPA 200.7	1008263-005	<0.010	1.08	1.08	1.00	mg/L	108	108	<1%
		Zinc	EPA 200.7	1008263-005	0.016	1.12	1.10	1.00	mg/L	110	108	2 %
QC1008468	MS 1	Aluminum	EPA 200.7	1008263-006	0.075	1.17	1.15	1.00	mg/L	110	108	2 %
		Barium	EPA 200.7	1008263-006	<0.010	1.11	1.09	1.00	mg/L	111	109	2 %
		Beryllium	EPA 200.7	1008263-006	<0.001	1.08	1.07	1.00	mg/L	108	107	1 %
		Bismuth	EPA 200.7	1008263-006	<0.100	1.11	1.09	1.00	mg/L	110	108	2 %
		Boron	EPA 200.7	1008263-006	<0.100	1.11	1.09	1.00	mg/L	109	107	2 %
		Cadmium	EPA 200.7	1008263-006	<0.001	1.13	1.09	1.00	mg/L	113	109	4 %
		Calcium	EPA 200.7	1008263-006	11.5	22.7	22.3	10.0	mg/L	112	108	2 %
		Chromium	EPA 200.7	1008263-006	<0.005	1.09	1.07	1.00	mg/L	109	107	2 %
		Cobalt	EPA 200.7	1008263-006	<0.010	1.11	1.09	1.00	mg/L	111	109	2 %
		Copper	EPA 200.7	1008263-006	<0.050	5.52	5.47	5.00	mg/L	110	109	1 %
		Gallium	EPA 200.7	1008263-006	<0.100	1.16	1.14	1.00	mg/L	116	114	2 %
		Iron	EPA 200.7	1008263-006	<0.010	1.10	1.08	1.00	mg/L	109	107	2 %
		Lithium	EPA 200.7	1008263-006	<0.100	1.06	1.05	1.00	mg/L	105	104	1 %
		Magnesium	EPA 200.7	1008263-006	2.83	13.7	13.4	10.0	mg/L	109	106	2 %
		Manganese	EPA 200.7	1008263-006	0.117	1.20	1.18	1.00	mg/L	108	106	2 %
		Molybdenum	EPA 200.7	1008263-006	<0.010	1.08	1.08	1.00	mg/L	108	108	<1%
		Nickel	EPA 200.7	1008263-006	<0.010	5.50	5.37	5.00	mg/L	110	107	2 %
		Phosphorus	EPA 200.7	1008263-006	<0.500	5.73	5.59	5.00	mg/L	113	110	2 %
		Potassium	EPA 200.7	1008263-006	1.15	12.2	12.0	10.0	mg/L	110	108	2 %
		Scandium	EPA 200.7	1008263-006	<0.100	1.09	1.08	1.00	mg/L	109	108	1 %
		Silver	EPA 200.7	1008263-006	<0.005	0.099	0.097	0.090	mg/L	110	107	2 %
		Sodium	EPA 200.7	1008263-006	3.20	13.8	13.7	10.0	mg/L	106	105	1 %
		Strontium	EPA 200.7	1008263-006	<0.100	1.13	1.10	1.00	mg/L	109	106	3 %
		Tin	EPA 200.7	1008263-006	<0.100	1.02	1.01	1.00	mg/L	109	108	1 %
		Titanium	EPA 200.7	1008263-006	<0.100	1.09	1.09	1.00	mg/L	109	109	<1%
		Vanadium	EPA 200.7	1008263-006	<0.010	1.12	1.10	1.00	mg/L	111	109	2 %
		Zinc	EPA 200.7	1008263-006	0.012	1.17	1.13	1.00	mg/L	116	112	3 %
QC1008508	MS 1	Mercury	EPA 200.8	1008263-001	<0.000100	0.000874	0.000902	0.001	mg/L	87	90	3 %
		Antimony	EPA 200.8	1008263-001	<0.0025	0.0100	0.0100	0.010	mg/L	100	100	<1%
		Arsenic	EPA 200.8	1008263-001	<0.0050	0.0512	0.0526	0.050	mg/L	99	102	3 %
		Lead	EPA 200.8	1008263-001	<0.0025	0.0089	0.0092	0.010	mg/L	83	86	3 %
		Selenium	EPA 200.8	1008263-001	0.0121	0.0620	0.0635	0.050	mg/L	100	103	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008509	MS 1	Thallium	EPA 200.8	1008263-001	<0.0010	0.0080	0.0081	0.010	mg/L	78	80	1 %
		Uranium	EPA 200.8	1008263-001	0.0284	0.0403	0.0401	0.010	mg/L	119	118	<1%
		Mercury	EPA 200.8	1008263-002	<0.000100	0.001037	0.001069	0.001	mg/L	104	107	3 %
		Antimony	EPA 200.8	1008263-002	<0.0025	0.0096	0.0099	0.010	mg/L	96	99	3 %
		Arsenic	EPA 200.8	1008263-002	<0.0050	0.0491	0.0514	0.050	mg/L	98	103	5 %
		Lead	EPA 200.8	1008263-002	<0.0025	0.0104	0.0104	0.010	mg/L	104	104	<1%
		Selenium	EPA 200.8	1008263-002	<0.0050	0.0467	0.0497	0.050	mg/L	93	99	6 %
		Thallium	EPA 200.8	1008263-002	<0.0010	0.0096	0.0098	0.010	mg/L	96	98	2 %
QC1008510	MS 1	Uranium	EPA 200.8	1008263-002	<0.0100	0.0124	0.0124	0.010	mg/L	102	102	<1%
		Mercury	EPA 200.8	1008263-003	<0.000100	0.001011	0.001066	0.001	mg/L	101	107	5 %
		Antimony	EPA 200.8	1008263-003	<0.0025	0.0097	0.0098	0.010	mg/L	97	98	1 %
		Arsenic	EPA 200.8	1008263-003	<0.0050	0.0502	0.0511	0.050	mg/L	100	102	2 %
		Lead	EPA 200.8	1008263-003	<0.0025	0.0101	0.0101	0.010	mg/L	101	101	<1%
		Selenium	EPA 200.8	1008263-003	<0.0050	0.0501	0.0520	0.050	mg/L	100	104	4 %
		Thallium	EPA 200.8	1008263-003	<0.0010	0.0095	0.0096	0.010	mg/L	95	96	1 %
		Uranium	EPA 200.8	1008263-003	<0.0100	0.0107	0.0110	0.010	mg/L	94	97	3 %
QC1008547	MS 1	Mercury	EPA 200.8	1008263-004	<0.000100	0.001059	0.001075	0.001	mg/L	106	108	1 %
		Antimony	EPA 200.8	1008263-004	<0.0025	0.0097	0.0096	0.010	mg/L	97	96	1 %
		Arsenic	EPA 200.8	1008263-004	<0.0050	0.0491	0.0488	0.050	mg/L	98	98	1 %
		Lead	EPA 200.8	1008263-004	<0.0025	0.0102	0.0103	0.010	mg/L	102	103	1 %
		Selenium	EPA 200.8	1008263-004	<0.0050	0.0482	0.0478	0.050	mg/L	96	96	1 %
		Thallium	EPA 200.8	1008263-004	<0.0010	0.0097	0.0094	0.010	mg/L	97	94	3 %
		Uranium	EPA 200.8	1008263-004	<0.0100	0.0126	0.0125	0.010	mg/L	96	95	1 %
		Mercury	EPA 200.8	1008263-005	<0.000100	0.001012	0.001054	0.001	mg/L	101	105	4 %
QC1008548	MS 1	Antimony	EPA 200.8	1008263-005	<0.0025	0.0090	0.0092	0.010	mg/L	90	92	2 %
		Arsenic	EPA 200.8	1008263-005	<0.0050	0.0468	0.0480	0.050	mg/L	94	96	3 %
		Lead	EPA 200.8	1008263-005	<0.0025	0.0097	0.0099	0.010	mg/L	97	99	2 %
		Selenium	EPA 200.8	1008263-005	<0.0050	0.0442	0.0457	0.050	mg/L	88	91	3 %
		Thallium	EPA 200.8	1008263-005	<0.0010	0.0092	0.0090	0.010	mg/L	92	90	2 %
		Uranium	EPA 200.8	1008263-005	<0.0100	0.0139	0.0138	0.010	mg/L	90	89	1 %
		Mercury	EPA 200.8	1008263-006	<0.000100	0.000998	0.001031	0.001	mg/L	100	103	3 %
		Antimony	EPA 200.8	1008263-006	<0.0025	0.0091	0.0094	0.010	mg/L	91	94	3 %
QC1008550	MS 1	Arsenic	EPA 200.8	1008263-006	<0.0050	0.0460	0.0488	0.050	mg/L	92	98	6 %
		Lead	EPA 200.8	1008263-006	<0.0025	0.0093	0.0094	0.010	mg/L	93	94	1 %
		Selenium	EPA 200.8	1008263-006	<0.0050	0.0437	0.0462	0.050	mg/L	87	92	6 %
		Thallium	EPA 200.8	1008263-006	<0.0010	0.0088	0.0093	0.010	mg/L	88	93	6 %
		Uranium	EPA 200.8	1008263-006	<0.0100	0.0100	0.0104	0.010	mg/L	91	95	4 %



9/2/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008272

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/16/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1008272

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1008272-003 Cadmium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/2/2010

OrderID: 1008272

Customer Sample ID: SRK 0864 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-001

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.18	pH Units		8/16/2010
Bicarbonate (HCO ₃)	SM 2320B	6.4	mg/L	1.0	8/16/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Total Alkalinity	SM 2320B	5.2	mg/L as CaCO ₃	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Fluoride	EPA 300.0	<0.10	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	2.9	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Calcium	EPA 200.7	2.5	mg/L	0.50	9/1/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	0.012	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	0.0069	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010

Customer Sample ID: SRK 0864 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-001

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	0.82	mg/L	0.50	9/1/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	0.17	meq/L	0.10	
Cations	Calculation	0.16	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: SRK 0866 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-002

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.92	pH Units		8/16/2010
Bicarbonate (HCO3)	SM 2320B	3.6	mg/L	1.0	8/16/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Total Alkalinity	SM 2320B	3.0	mg/L as CaCO3	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Fluoride	EPA 300.0	<0.10	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	1.8	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	18	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010

Customer Sample ID: SRK 0866 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-002

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	1.3	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	0.020	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	0.0086	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	<0.10	meq/L	0.10	
Cations	Calculation	<0.10	meq/L	0.10	
Error	Calculation	NA	%	1.0	

Customer Sample ID: SRK 0867 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-003

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.84	pH Units		8/16/2010
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010

Customer Sample ID: SRK 0867 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-003

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Fluoride	EPA 300.0	1.6	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	130	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	8/18/2010
Aluminum	EPA 200.7	1.6	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	0.0012	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Calcium	EPA 200.7	23	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	0.033	mg/L	0.010	8/20/2010
Copper	EPA 200.7	17	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	1.3	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	3.8	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	1.2	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	0.069	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	1.0	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	0.12	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010

Customer Sample ID: SRK 0867 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-003

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.79	meq/L	0.10	
Cations	Calculation	2.32	meq/L	0.10	
Error	Calculation	9.3	%	1.0	

Customer Sample ID: SRK 0868 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-004

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.48	pH Units		8/16/2010
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Fluoride	EPA 300.0	0.88	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	130	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	8/18/2010
Aluminum	EPA 200.7	0.28	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	0.0022	mg/L	0.0010	8/20/2010
Calcium	EPA 200.7	40	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Copper	EPA 200.7	1.5	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	3.2	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	0.20	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	1.9	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010

Customer Sample ID: SRK 0868 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-004

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	1.3	mg/L	0.50	8/20/2010
Strontium	EPA 200.7	0.15	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	0.12	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	2.75	meq/L	0.10	
Cations	Calculation	2.45	meq/L	0.10	
Error	Calculation	5.7	%	1.0	

Customer Sample ID: SRK 0870 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-005

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.96	pH Units		8/16/2010
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Fluoride	EPA 300.0	1.1	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	130	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	8/18/2010
Aluminum	EPA 200.7	1.2	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	0.0045	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	0.015	mg/L	0.0010	8/20/2010
Calcium	EPA 200.7	24	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010

Customer Sample ID: SRK 0870 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-005

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	0.048	mg/L	0.010	8/20/2010
Copper	EPA 200.7	8.6	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	0.041	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	6.6	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	1.3	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	0.039	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	0.77	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	1.8	mg/L	0.50	8/20/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	0.26	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	2.76	meq/L	0.10	
Cations	Calculation	2.30	meq/L	0.10	
Error	Calculation	9.2	%	1.0	

Customer Sample ID: SRK 0871 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-006

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.91 Q	pH Units		8/16/2010
Bicarbonate (HCO3)	SM 2320B	4.2	mg/L	1.0	8/16/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2010
Total Alkalinity	SM 2320B	3.4	mg/L as CaCO3	1.0	8/16/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/17/2010

Customer Sample ID: SRK 0871 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-006

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	<0.10	mg/L	0.10	8/17/2010
Sulfate	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2010
Nitrite Nitrogen	EPA 300.0	0.071	mg/L	0.025	8/17/2010
Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/20/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2010
Calcium	EPA 200.7	0.58	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	1.3	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	<0.10	meq/L	0.10	
Cations	Calculation	<0.10	meq/L	0.10	

Customer Sample ID: SRK 0871 MWMP

Collect Date/Time: 8/16/2010 09:00

WETLAB Sample ID: 1008272-006

Receive Date: 8/16/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	NA	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008475	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008475	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008475	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008476	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008476	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008476	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008478	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008478	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008478	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008479	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008479	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008479	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008482	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008482	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008482	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1008565	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008565	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008587	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008616	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008445	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1008446	LCS 1	Alkalinity	SM 2320B	96.5	100	96	mg/L
QC1008475	LCS 1	Fluoride	EPA 300.0	2.04	2.00	102	mg/L
QC1008476	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC1008478	LCS 1	Nitrite Nitrogen	EPA 300.0	0.540	0.500	108	mg/L
QC1008479	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1008482	LCS 1	Sulfate	EPA 300.0	25.8	25.0	103	mg/L
QC1008565	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1008565	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1008587	LCS 1	Aluminum	EPA 200.7	1.00	1.00	100	mg/L
		Barium	EPA 200.7	0.989	1.00	99	mg/L
		Beryllium	EPA 200.7	0.991	1.00	99	mg/L
		Bismuth	EPA 200.7	1.01	1.00	101	mg/L
		Boron	EPA 200.7	0.964	1.00	96	mg/L
		Cadmium	EPA 200.7	0.988	1.00	99	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.973	1.00	97	mg/L
		Cobalt	EPA 200.7	0.987	1.00	99	mg/L
		Copper	EPA 200.7	4.94	5.00	99	mg/L
		Gallium	EPA 200.7	0.996	1.00	100	mg/L
		Iron	EPA 200.7	1.00	1.00	100	mg/L
		Lithium	EPA 200.7	0.995	1.00	100	mg/L
		Magnesium	EPA 200.7	9.96	10.0	100	mg/L
		Manganese	EPA 200.7	0.987	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	4.92	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.81	5.00	96	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.995	1.00	100	mg/L
		Silver	EPA 200.7	0.090	0.090	100	mg/L
		Sodium	EPA 200.7	9.90	10.0	99	mg/L
		Strontium	EPA 200.7	0.991	1.00	99	mg/L
		Tin	EPA 200.7	0.959	1.00	96	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.984	1.00	98	mg/L
		Zinc	EPA 200.7	0.990	1.00	99	mg/L
QC1008616	LCS 1	Mercury	EPA 200.8	0.000964	0.001	96	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0546	0.050	109	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0517	0.050	103	mg/L
		Thallium	EPA 200.8	0.0105	0.010	105	mg/L
		Uranium	EPA 200.8	0.0105	0.010	105	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008445	Duplicate 1	pH	SM 4500-H+ B	1008266-001	7.96	7.96	pH Units	<1%
QC1008445	Duplicate 2	pH	SM 4500-H+ B	1008272-006	6.91	6.77	pH Units	2 %
QC1008446	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008266-001	52.8	51.9	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1008266-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008266-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008266-001	43.3	42.6	mg/L as CaCO3	2 %
QC1008446	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1008272-006	4.21	3.94	mg/L	7 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
		Carbonate (CO3)	SM 2320B	1008272-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008272-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008272-006	3.45	3.23	mg/L as CaCO3	7 %
QC1008565	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1008272-001	<10.00	<10.0	mg/L	35 %
QC1008565	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008273-003	47.0	44.0	mg/L	7 %
QC1008565	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008273-013	53.0	48.0	mg/L	10 %
QC1008565	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008282-001	420	404	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008475	MS 1	Fluoride	EPA 300.0	1008272-002	<0.100	1.89	2.08	2.00	mg/L	91	101	10 %
QC1008475	MS 2	Fluoride	EPA 300.0	1008272-006	<0.100	2.42	2.18	2.00	mg/L	118	106	10 %
QC1008476	MS 1	Chloride	EPA 300.0	1008272-002	<1.000	5.19	5.35	5.00	mg/L	102	105	3 %
QC1008476	MS 2	Chloride	EPA 300.0	1008272-006	<1.000	5.20	5.27	5.00	mg/L	102	103	1 %
QC1008478	MS 1	Nitrite Nitrogen	EPA 300.0	1008272-002	<0.025	0.513	0.504	0.500	mg/L	101	99	2 %
QC1008478	MS 2	Nitrite Nitrogen	EPA 300.0	1008272-006	0.071	0.555	0.555	0.500	mg/L	97	97	<1%
QC1008479	MS 1	Nitrate Nitrogen	EPA 300.0	1008272-002	<1.000	2.03	2.09	2.00	mg/L	97	100	3 %
QC1008479	MS 2	Nitrate Nitrogen	EPA 300.0	1008272-006	<1.000	2.15	2.18	2.00	mg/L	98	100	1 %
QC1008482	MS 1	Sulfate	EPA 300.0	1008272-002	1.75	12.0	12.3	10.0	mg/L	103	106	2 %
QC1008482	MS 2	Sulfate	EPA 300.0	1008272-006	<1.000	11.7	11.4	10.0	mg/L	110	107	3 %
QC1008587	MS 1	Aluminum	EPA 200.7	1008272-001	<0.045	1.02	1.02	1.00	mg/L	99	99	<1%
		Barium	EPA 200.7	1008272-001	<0.010	1.02	1.01	1.00	mg/L	102	101	1 %
		Beryllium	EPA 200.7	1008272-001	<0.001	0.995	1.01	1.00	mg/L	99	101	1 %
		Bismuth	EPA 200.7	1008272-001	<0.100	1.02	1.03	1.00	mg/L	102	103	1 %
		Boron	EPA 200.7	1008272-001	<0.100	1.00	1.00	1.00	mg/L	99	99	<1%
		Cadmium	EPA 200.7	1008272-001	<0.001	1.02	1.02	1.00	mg/L	102	102	<1%
		Calcium	EPA 200.7	1008272-001	2.20	12.4	12.4	10.0	mg/L	102	102	<1%
		Chromium	EPA 200.7	1008272-001	<0.005	0.994	0.994	1.00	mg/L	99	99	<1%
		Cobalt	EPA 200.7	1008272-001	<0.010	1.01	1.00	1.00	mg/L	101	100	1 %
		Copper	EPA 200.7	1008272-001	<0.050	4.95	5.00	5.00	mg/L	99	100	1 %
		Gallium	EPA 200.7	1008272-001	<0.100	1.00	1.01	1.00	mg/L	100	101	1 %
		Iron	EPA 200.7	1008272-001	0.012	1.03	1.03	1.00	mg/L	102	102	<1%
		Lithium	EPA 200.7	1008272-001	<0.100	0.990	1.00	1.00	mg/L	99	100	1 %
		Magnesium	EPA 200.7	1008272-001	<0.500	10.5	10.5	10.0	mg/L	102	102	<1%
		Manganese	EPA 200.7	1008272-001	0.007	0.998	0.992	1.00	mg/L	99	99	1 %
		Molybdenum	EPA 200.7	1008272-001	<0.010	0.987	1.00	1.00	mg/L	99	100	1 %
		Nickel	EPA 200.7	1008272-001	<0.010	5.02	5.01	5.00	mg/L	100	100	<1%
		Phosphorus	EPA 200.7	1008272-001	<0.500	5.03	5.10	5.00	mg/L	100	101	1 %
		Potassium	EPA 200.7	1008272-001	<0.500	10.5	10.6	10.0	mg/L	100	101	1 %
		Scandium	EPA 200.7	1008272-001	<0.100	0.998	1.01	1.00	mg/L	100	101	1 %
		Silver	EPA 200.7	1008272-001	<0.005	0.091	0.091	0.090	mg/L	101	100	<1%
		Sodium	EPA 200.7	1008272-001	0.825	10.6	10.6	10.0	mg/L	101	101	<1%
		Strontium	EPA 200.7	1008272-001	<0.100	1.01	1.03	1.00	mg/L	100	102	2 %
		Tin	EPA 200.7	1008272-001	<0.100	0.979	0.973	1.00	mg/L	100	99	1 %
		Titanium	EPA 200.7	1008272-001	<0.100	1.02	1.03	1.00	mg/L	102	103	1 %
		Vanadium	EPA 200.7	1008272-001	<0.010	1.01	1.01	1.00	mg/L	101	101	<1%
		Zinc	EPA 200.7	1008272-001	<0.010	1.01	1.02	1.00	mg/L	101	102	1 %
QC1008616	MS 1	Mercury	EPA 200.8	1008272-001	<0.000100	0.001123	0.001129	0.001	mg/L	112	113	1 %
		Antimony	EPA 200.8	1008272-001	<0.0025	0.0105	0.0102	0.010	mg/L	105	101	3 %
		Arsenic	EPA 200.8	1008272-001	<0.0050	0.0535	0.0525	0.050	mg/L	107	105	2 %
		Lead	EPA 200.8	1008272-001	<0.0025	0.0105	0.0103	0.010	mg/L	105	103	2 %
		Selenium	EPA 200.8	1008272-001	<0.0050	0.0502	0.0501	0.050	mg/L	100	100	<1%
		Thallium	EPA 200.8	1008272-001	<0.0010	0.0105	0.0104	0.010	mg/L	105	104	1 %
		Uranium	EPA 200.8	1008272-001	<0.0100	0.0106	0.0103	0.010	mg/L	106	103	3 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1008272

Report Due Date: 8/30

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name 3438

P.O. Number

Project Number

Email mli@mettest.com

Turnaround Time

Standard 5-Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

NO. OF CONTAINERS

Analyses Requested

Profile II w/o WAB

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO. OF CONTAINERS	Profile II w/o WAB	Spl. No.
SRK 0864 MWMP	8/16/10	0900	WW	2	X	1
SRK 0866 MWMP						2
SRK 0867 MWMP						3
SRK 0868 MWMP						4
SRK 0870 MWMP						5
SRK 0871 MWMP						6

1008 272

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 112 °C	8/16	3:25	<i>Tony Proctor</i>	<i>Gene McClelland</i>
Custody Seals Intact? Y N None				
Number of Containers 12				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



8/30/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008288

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/17/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

MCClelland Laboratory - 1008288

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 8/30/2010

OrderID: 1008288

Customer Sample ID: SRK 0872 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-001

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.05	pH Units		8/17/2010
Acidity (Titrimetric)	SM 2310B	200	mg/L as CaCO ₃		8/17/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Fluoride	EPA 300.0	0.53	mg/L	0.10	8/18/2010
Sulfate	EPA 300.0	570	mg/L	100	8/18/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	810	mg/L	10	8/18/2010
Aluminum	EPA 200.7	17	mg/L	0.045	8/20/2010
Barium	EPA 200.7	0.021	mg/L	0.010	8/20/2010
Beryllium	EPA 200.7	0.0052	mg/L	0.0010	8/20/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Cadmium	EPA 200.7	0.0037	mg/L	0.0010	8/20/2010
Calcium	EPA 200.7	120	mg/L	0.50	8/20/2010
Chromium	EPA 200.7	0.0071	mg/L	0.0050	8/20/2010
Cobalt	EPA 200.7	0.046	mg/L	0.010	8/20/2010
Copper	EPA 200.7	5.6	mg/L	0.050	8/20/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Iron	EPA 200.7	9.6	mg/L	0.010	8/20/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Magnesium	EPA 200.7	4.7	mg/L	0.50	8/20/2010
Manganese	EPA 200.7	0.92	mg/L	0.0050	8/20/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Nickel	EPA 200.7	0.011	mg/L	0.010	8/20/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2010
Sodium	EPA 200.7	0.80	mg/L	0.50	8/20/2010

Customer Sample ID: SRK 0872 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-001

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2010
Zinc	EPA 200.7	0.31	mg/L	0.010	8/20/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	0.058	mg/L	0.010	8/23/2010
Anions	Calculation	11.9	meq/L	0.10	8/30/2010
Cations	Calculation	11.1	meq/L	0.10	8/30/2010
Error	Calculation	3.6	%	1.0	8/30/2010

Customer Sample ID: SRK 0873 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-002

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.53	pH Units		8/17/2010
Bicarbonate (HCO ₃)	SM 2320B	25	mg/L	1.0	8/17/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Total Alkalinity	SM 2320B	20	mg/L as CaCO ₃	1.0	8/17/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Fluoride	EPA 300.0	<0.10	mg/L	0.10	8/18/2010
Sulfate	EPA 300.0	27	mg/L	1.0	8/18/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	65	mg/L	10	8/18/2010
Aluminum	EPA 200.7	0.10	mg/L	0.045	8/23/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Calcium	EPA 200.7	17	mg/L	0.50	8/23/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/23/2010

Customer Sample ID: SRK 0873 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-002

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	<0.050	mg/L	0.050	8/23/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Magnesium	EPA 200.7	0.87	mg/L	0.50	8/23/2010
Manganese	EPA 200.7	0.013	mg/L	0.0050	8/23/2010
Molybdenum	EPA 200.7	0.069	mg/L	0.010	8/23/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/23/2010
Potassium	EPA 200.7	2.4	mg/L	0.50	8/23/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Sodium	EPA 200.7	0.75	mg/L	0.50	8/23/2010
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	0.97	meq/L	0.10	8/30/2010
Cations	Calculation	1.03	meq/L	0.10	8/30/2010
Error	Calculation	2.7	%	1.0	8/30/2010

Customer Sample ID: SRK 0876 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-003

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.82	pH Units		8/17/2010
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	8/17/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Total Alkalinity	SM 2320B	110	mg/L as CaCO3	1.0	8/17/2010
Chloride	EPA 300.0	28	mg/L	5.0	8/18/2010
Fluoride	EPA 300.0	4.2	mg/L	0.25	8/18/2010

Customer Sample ID: SRK 0876 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-003

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	2400	mg/L	100	8/18/2010
Nitrate Nitrogen	EPA 300.0	42	mg/L	5.0	8/18/2010
Nitrite Nitrogen	EPA 300.0	0.59	mg/L	0.12	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	3900	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/23/2010
Barium	EPA 200.7	0.056	mg/L	0.010	8/23/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Calcium	EPA 200.7	560	mg/L	0.50	8/23/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Cobalt	EPA 200.7	0.010	mg/L	0.010	8/23/2010
Copper	EPA 200.7	0.58	mg/L	0.050	8/23/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Magnesium	EPA 200.7	180	mg/L	0.50	8/23/2010
Manganese	EPA 200.7	0.18	mg/L	0.0050	8/23/2010
Molybdenum	EPA 200.7	3.5	mg/L	0.010	8/23/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/23/2010
Potassium	EPA 200.7	280	mg/L	0.50	8/23/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Sodium	EPA 200.7	59	mg/L	0.50	8/23/2010
Strontium	EPA 200.7	4.0	mg/L	0.10	8/23/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Vanadium	EPA 200.7	0.083	mg/L	0.010	8/23/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	0.011	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	0.19	mg/L	0.050	8/27/2010
Anions	Calculation	56.1	meq/L	0.10	8/30/2010
Cations	Calculation	52.5	meq/L	0.10	8/30/2010
Error	Calculation	3.3	%	1.0	8/30/2010

Customer Sample ID: SRK 0876 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-003

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0878 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-004

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.18	pH Units		8/17/2010
Bicarbonate (HCO ₃)	SM 2320B	160	mg/L	1.0	8/17/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Total Alkalinity	SM 2320B	130	mg/L as CaCO ₃	1.0	8/17/2010
Chloride	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Fluoride	EPA 300.0	0.71	mg/L	0.10	8/18/2010
Sulfate	EPA 300.0	3.5	mg/L	1.0	8/18/2010
Nitrate Nitrogen	EPA 300.0	1.6	mg/L	1.0	8/18/2010
Nitrite Nitrogen	EPA 300.0	0.28	mg/L	0.025	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/23/2010
Barium	EPA 200.7	0.077	mg/L	0.010	8/23/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Calcium	EPA 200.7	43	mg/L	0.50	8/23/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/23/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Magnesium	EPA 200.7	9.4	mg/L	0.50	8/23/2010
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/23/2010
Potassium	EPA 200.7	5.0	mg/L	0.50	8/23/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Sodium	EPA 200.7	4.0	mg/L	0.50	8/23/2010
Strontium	EPA 200.7	0.70	mg/L	0.10	8/23/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/23/2010

Customer Sample ID: SRK 0878 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-004

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Vanadium	EPA 200.7	0.043	mg/L	0.010	8/23/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	0.0095	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/23/2010
Anions	Calculation	2.85	meq/L	0.10	8/30/2010
Cations	Calculation	3.22	meq/L	0.10	8/30/2010
Error	Calculation	6.2	%	1.0	8/30/2010

Customer Sample ID: 604811 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-005

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.24	pH Units		8/17/2010
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	8/17/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Total Alkalinity	SM 2320B	99	mg/L as CaCO ₃	1.0	8/17/2010
Chloride	EPA 300.0	15	mg/L	1.0	8/18/2010
Fluoride	EPA 300.0	4.6	mg/L	0.10	8/18/2010
Sulfate	EPA 300.0	190	mg/L	1.0	8/18/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/18/2010
Nitrite Nitrogen	EPA 300.0	0.45	mg/L	0.025	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	490	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/23/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Boron	EPA 200.7	0.15	mg/L	0.10	8/23/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Calcium	EPA 200.7	82	mg/L	0.50	8/23/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/23/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010

Customer Sample ID: 604811 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-005

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Magnesium	EPA 200.7	15	mg/L	0.50	8/23/2010
Manganese	EPA 200.7	0.011	mg/L	0.0050	8/23/2010
Molybdenum	EPA 200.7	0.081	mg/L	0.010	8/23/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/23/2010
Potassium	EPA 200.7	16	mg/L	0.50	8/23/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Sodium	EPA 200.7	40	mg/L	0.50	8/23/2010
Strontium	EPA 200.7	1.2	mg/L	0.10	8/23/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Vanadium	EPA 200.7	0.022	mg/L	0.010	8/23/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Mercury	EPA 200.8	0.00052	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	0.0026	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	0.010	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	0.025	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	0.085	mg/L	0.010	8/23/2010
Anions	Calculation	6.59	meq/L	0.10	8/30/2010
Cations	Calculation	7.48	meq/L	0.10	8/30/2010
Error	Calculation	6.3	%	1.0	8/30/2010

Customer Sample ID: 605218 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-006

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.15	pH Units		8/17/2010
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	8/17/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/17/2010
Total Alkalinity	SM 2320B	87	mg/L as CaCO3	1.0	8/17/2010
Chloride	EPA 300.0	34	mg/L	1.0	8/18/2010
Fluoride	EPA 300.0	6.4	mg/L	0.50	8/18/2010
Sulfate	EPA 300.0	330	mg/L	100	8/18/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/18/2010

Customer Sample ID: 605218 MWMP

Collect Date/Time: 8/17/2010 09:00

WETLAB Sample ID: 1008288-006

Receive Date: 8/17/2010 16:04

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	0.19	mg/L	0.025	8/18/2010
Total Dissolved Solids (TDS)	SM 2540C	700	mg/L	10	8/18/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/23/2010
Barium	EPA 200.7	0.060	mg/L	0.010	8/23/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Boron	EPA 200.7	0.27	mg/L	0.10	8/23/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/23/2010
Calcium	EPA 200.7	140	mg/L	0.50	8/23/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/23/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Magnesium	EPA 200.7	20	mg/L	0.50	8/23/2010
Manganese	EPA 200.7	0.072	mg/L	0.0050	8/23/2010
Molybdenum	EPA 200.7	0.14	mg/L	0.010	8/23/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/23/2010
Potassium	EPA 200.7	22	mg/L	0.50	8/23/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2010
Sodium	EPA 200.7	39	mg/L	0.50	8/23/2010
Strontium	EPA 200.7	2.0	mg/L	0.10	8/23/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/23/2010
Vanadium	EPA 200.7	0.028	mg/L	0.010	8/23/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/23/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/23/2010
Antimony	EPA 200.8	0.015	mg/L	0.0025	8/23/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/23/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/23/2010
Selenium	EPA 200.8	0.0061	mg/L	0.0050	8/23/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/23/2010
Uranium	EPA 200.8	0.044	mg/L	0.010	8/23/2010
Anions	Calculation	9.97	meq/L	0.10	8/30/2010
Cations	Calculation	10.9	meq/L	0.10	8/30/2010
Error	Calculation	4.4	%	1.0	8/30/2010

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008517	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008517	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008522	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008522	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008522	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008525	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008525	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008525	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008528	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008528	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008528	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008529	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008529	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008529	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008532	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008532	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008532	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1008565	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008565	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008588	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008617	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008470	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1008470	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008470	LCS 3	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008472	LCS 1	Alkalinity	SM 2320B	93.0	100	93	mg/L
QC1008472	LCS 2	Alkalinity	SM 2320B	94.3	100	94	mg/L
QC1008517	LCS 1	Sulfate	EPA 300.0	5.32	5.00	106	mg/L
QC1008522	LCS 1	Fluoride	EPA 300.0	1.96	2.00	98	mg/L
QC1008525	LCS 1	Chloride	EPA 300.0	10.0	10.0	100	mg/L
QC1008528	LCS 1	Nitrite Nitrogen	EPA 300.0	0.540	0.500	108	mg/L
QC1008529	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1008532	LCS 1	Sulfate	EPA 300.0	25.9	25.0	104	mg/L
QC1008565	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1008565	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1008588	LCS 1	Aluminum	EPA 200.7	1.00	1.00	100	mg/L
		Barium	EPA 200.7	0.989	1.00	99	mg/L
		Beryllium	EPA 200.7	0.991	1.00	99	mg/L
		Bismuth	EPA 200.7	1.01	1.00	101	mg/L
		Boron	EPA 200.7	0.964	1.00	96	mg/L
		Cadmium	EPA 200.7	0.988	1.00	99	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.973	1.00	97	mg/L
		Cobalt	EPA 200.7	0.987	1.00	99	mg/L
		Copper	EPA 200.7	4.94	5.00	99	mg/L
		Gallium	EPA 200.7	0.996	1.00	100	mg/L
		Iron	EPA 200.7	1.00	1.00	100	mg/L
		Lithium	EPA 200.7	0.995	1.00	100	mg/L
		Magnesium	EPA 200.7	9.96	10.0	100	mg/L
		Manganese	EPA 200.7	0.987	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	4.92	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.81	5.00	96	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.995	1.00	100	mg/L
		Silver	EPA 200.7	0.090	0.090	100	mg/L
		Sodium	EPA 200.7	9.90	10.0	99	mg/L
		Strontium	EPA 200.7	0.991	1.00	99	mg/L
		Tin	EPA 200.7	0.959	1.00	96	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.984	1.00	98	mg/L
		Zinc	EPA 200.7	0.990	1.00	99	mg/L
QC1008617	LCS 1	Mercury	EPA 200.8	0.000964	0.001	96	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0546	0.050	109	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0517	0.050	103	mg/L
		Thallium	EPA 200.8	0.0105	0.010	105	mg/L
		Uranium	EPA 200.8	0.0105	0.010	105	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008470	Duplicate 1	pH	SM 4500-H+ B	1008288-002	7.53	7.63	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008470	Duplicate 2	pH	SM 4500-H+ B	1008289-005	8.11	8.07	pH Units	<1%
QC1008470	Duplicate 3	pH	SM 4500-H+ B	1008298-002	7.76	7.75	pH Units	<1%
QC1008470	Duplicate 4	pH	SM 4500-H+ B	1008298-012	7.53	7.49	pH Units	1 %
QC1008470	Duplicate 5	pH	SM 4500-H+ B	1008298-022	8.26	8.27	pH Units	<1%
QC1008472	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008288-002	24.9	25.6	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1008288-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008288-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008288-002	20.4	21.0	mg/L as CaCO3	2 %
QC1008472	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1008289-005	44.1	42.9	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1008289-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008289-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008289-005	36.2	35.2	mg/L as CaCO3	3 %
QC1008472	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1008298-002	199	199	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008298-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008298-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008298-002	163	163	mg/L as CaCO3	<1%
QC1008472	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1008298-012	154	153	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008298-012	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008298-012	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008298-012	126	126	mg/L as CaCO3	<1%
QC1008565	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1008272-001	<10.00	<10.0	mg/L	35 %
QC1008565	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008273-003	47.0	44.0	mg/L	7 %
QC1008565	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008273-013	53.0	48.0	mg/L	10 %
QC1008565	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008282-001	420	404	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008517	MS 1	Sulfate	EPA 300.0	1008285-001	426	698	694	10.0	mg/L	109	107	1 %
QC1008522	MS 1	Fluoride	EPA 300.0	1008288-002	<0.100	2.14	2.22	2.00	mg/L	102	106	4 %
QC1008522	MS 2	Fluoride	EPA 300.0	1008289-003	<0.100	2.00	1.99	2.00	mg/L	95	95	1 %
QC1008525	MS 1	Chloride	EPA 300.0	1008288-002	<1.000	5.29	5.36	5.00	mg/L	101	102	1 %
QC1008525	MS 2	Chloride	EPA 300.0	1008289-003	5.30	10.3	10.4	5.00	mg/L	99	102	1 %
QC1008528	MS 1	Nitrite Nitrogen	EPA 300.0	1008288-001	<0.025	0.544	0.548	0.500	mg/L	105	106	1 %
QC1008528	MS 2	Nitrite Nitrogen	EPA 300.0	1008289-003	<0.025	0.534	0.548	0.500	mg/L	107	110	3 %
QC1008529	MS 1	Nitrate Nitrogen	EPA 300.0	1008288-001	<1.000	2.16	2.19	2.00	mg/L	96	98	1 %
QC1008529	MS 2	Nitrate Nitrogen	EPA 300.0	1008289-003	<1.000	1.91	1.96	2.00	mg/L	94	96	3 %
QC1008532	MS 1	Sulfate	EPA 300.0	1008288-002	26.8	35.9	36.0	10.0	mg/L	91	91	<1%
QC1008532	MS 2	Sulfate	EPA 300.0	1008289-003	6.86	16.8	17.0	10.0	mg/L	100	102	1 %
QC1008588	MS 1	Aluminum	EPA 200.7	1008288-001	17.1	18.1	18.2	1.00	mg/L	100	110	1 %
		Barium	EPA 200.7	1008288-001	0.021	0.949	0.962	1.00	mg/L	93	94	1 %
		Beryllium	EPA 200.7	1008288-001	0.005	0.963	0.962	1.00	mg/L	96	96	<1%
		Bismuth	EPA 200.7	1008288-001	<0.100	0.921	0.926	1.00	mg/L	96	96	1 %
		Boron	EPA 200.7	1008288-001	<0.100	0.922	0.944	1.00	mg/L	95	97	2 %
		Cadmium	EPA 200.7	1008288-001	0.004	0.942	0.956	1.00	mg/L	94	95	1 %
		Calcium	EPA 200.7	1008288-001	122	133	133	10.0	mg/L	110	110	<1%
		Chromium	EPA 200.7	1008288-001	0.007	0.924	0.942	1.00	mg/L	92	93	2 %
		Cobalt	EPA 200.7	1008288-001	0.046	0.975	0.991	1.00	mg/L	93	94	2 %
		Copper	EPA 200.7	1008288-001	5.63	11.2	11.2	5.00	mg/L	111	111	<1%
		Gallium	EPA 200.7	1008288-001	<0.100	0.869	0.901	1.00	mg/L	87	90	4 %
		Iron	EPA 200.7	1008288-001	9.55	10.5	10.4	1.00	mg/L	95	85	1 %
		Lithium	EPA 200.7	1008288-001	<0.100	1.11	1.10	1.00	mg/L	110	109	1 %
		Magnesium	EPA 200.7	1008288-001	4.66	13.9	13.9	10.0	mg/L	92	92	<1%
		Manganese	EPA 200.7	1008288-001	0.916	1.84	1.86	1.00	mg/L	92	94	1 %
		Molybdenum	EPA 200.7	1008288-001	<0.010	0.925	0.940	1.00	mg/L	93	95	2 %
		Nickel	EPA 200.7	1008288-001	0.011	4.70	4.78	5.00	mg/L	94	95	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008617	MS 1	Phosphorus	EPA 200.7	1008288-001	<0.500	4.74	4.75	5.00	mg/L	96	96	<1%
		Potassium	EPA 200.7	1008288-001	<0.500	10.8	10.8	10.0	mg/L	106	106	<1%
		Scandium	EPA 200.7	1008288-001	<0.100	0.958	0.961	1.00	mg/L	95	96	<1%
		Silver	EPA 200.7	1008288-001	<0.005	0.084	0.087	0.090	mg/L	96	99	4 %
		Sodium	EPA 200.7	1008288-001	0.804	11.5	11.5	10.0	mg/L	107	107	<1%
		Strontium	EPA 200.7	1008288-001	<0.100	1.05	1.06	1.00	mg/L	100	101	1 %
		Tin	EPA 200.7	1008288-001	<0.100	0.592	0.587	1.00	mg/L	96	95	1 %
		Titanium	EPA 200.7	1008288-001	<0.100	0.983	0.983	1.00	mg/L	98	98	<1%
		Vanadium	EPA 200.7	1008288-001	<0.010	0.961	0.979	1.00	mg/L	96	98	2 %
		Zinc	EPA 200.7	1008288-001	0.308	1.24	1.24	1.00	mg/L	93	93	<1%
		Mercury	EPA 200.8	1008288-001	<0.000100	0.000990	0.000988	0.001	mg/L	99	99	<1%
		Antimony	EPA 200.8	1008288-001	<0.0025	0.0105	0.0105	0.010	mg/L	105	105	<1%
		Arsenic	EPA 200.8	1008288-001	<0.0050	0.0547	0.0544	0.050	mg/L	109	109	1 %
		Lead	EPA 200.8	1008288-001	<0.0025	0.0101	0.0100	0.010	mg/L	101	100	1 %
		Selenium	EPA 200.8	1008288-001	<0.0050	0.0559	0.0525	0.050	mg/L	112	105	6 %
		Thallium	EPA 200.8	1008288-001	<0.0010	0.0095	0.0096	0.010	mg/L	95	96	1 %
		Uranium	EPA 200.8	1008288-001	0.0583	0.0668	0.0672	0.010	mg/L	85	89	1 %



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1008288

Report Due Date: 8/31

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name 3438

P.O. Number

Project Number

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Sample ID	Date	Time	Sample Type	Profile	Profile II w/o WAD	Spl. No.
SRK 0872 MWMP	8/17/10	0900	ww	2	x	1
SRK 0873 MWMP						2
SRK 0876 MWMP						3
SRK 0878 MWMP						4
604811 MWMP						5
605218 MWMP						6

1008 1
288 1

Instructions/Comments/Special Requirements:

TEMPERATURE	DATE	TIME	Sample Received By	Received At
Temperature <u>12 °C</u>	<u>8/17</u>	<u>4:05</u>	<u>J. Banner</u>	<u>J. Banner</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>22</u>				

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



475 E. Greg Street #119 | Sparks, Nevada 89431 | tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

9/8/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008342

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/19/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1008342

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/8/2010

OrderID: 1008342

Customer Sample ID: 605033 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-001

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.37	pH Units		8/19/2010
Bicarbonate (HCO ₃)	SM 2320B	99	mg/L	1.0	8/19/2010
Carbonate (CO ₃)	SM 2320B	1.4	mg/L	1.0	8/19/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/19/2010
Total Alkalinity	SM 2320B	83	mg/L as CaCO ₃	1.0	8/19/2010
Chloride	EPA 300.0	15	mg/L	1.0	8/20/2010
Fluoride	EPA 300.0	6.6	mg/L	0.50	8/20/2010
Sulfate	EPA 300.0	140	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/20/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/20/2010
Total Dissolved Solids (TDS)	SM 2540C	370	mg/L	10	8/24/2010
Aluminum	EPA 200.7	0.056	mg/L	0.045	8/27/2010
Barium	EPA 200.7	0.010	mg/L	0.010	8/27/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Boron	EPA 200.7	0.11	mg/L	0.10	8/27/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Calcium	EPA 200.7	53	mg/L	0.50	8/27/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/27/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Magnesium	EPA 200.7	7.8	mg/L	0.50	8/27/2010
Manganese	EPA 200.7	0.020	mg/L	0.0050	8/27/2010
Molybdenum	EPA 200.7	0.072	mg/L	0.010	8/27/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/27/2010
Potassium	EPA 200.7	25	mg/L	0.50	8/27/2010

Customer Sample ID: 605033 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-001

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Sodium	EPA 200.7	40	mg/L	0.50	8/27/2010
Strontium	EPA 200.7	0.59	mg/L	0.10	8/27/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Vanadium	EPA 200.7	0.015	mg/L	0.010	8/27/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/30/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/30/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/30/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/30/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/30/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/30/2010
Uranium	EPA 200.8	0.016	mg/L	0.010	8/31/2010
Anions	Calculation	5.35	meq/L	0.10	8/31/2010
Cations	Calculation	5.67	meq/L	0.10	8/31/2010
Error	Calculation	2.9	%	1.0	8/31/2010

Customer Sample ID: 605109 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-002

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.49	pH Units		8/19/2010
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	8/19/2010
Carbonate (CO3)	SM 2320B	2.5	mg/L	1.0	8/19/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/19/2010
Total Alkalinity	SM 2320B	87	mg/L as CaCO3	1.0	8/19/2010
Chloride	EPA 300.0	20	mg/L	1.0	8/20/2010
Fluoride	EPA 300.0	6.4	mg/L	0.50	8/20/2010
Sulfate	EPA 300.0	99	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/20/2010
Nitrite Nitrogen	EPA 300.0	0.063	mg/L	0.025	8/20/2010
Total Dissolved Solids (TDS)	SM 2540C	370	mg/L	10	8/24/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/27/2010
Barium	EPA 200.7	0.028	mg/L	0.010	8/27/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Boron	EPA 200.7	0.15	mg/L	0.10	8/27/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010

Customer Sample ID: 605109 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-002

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	29	mg/L	0.50	8/27/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/27/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Magnesium	EPA 200.7	5.6	mg/L	0.50	8/27/2010
Manganese	EPA 200.7	0.018	mg/L	0.0050	8/27/2010
Molybdenum	EPA 200.7	0.074	mg/L	0.010	8/27/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/27/2010
Potassium	EPA 200.7	28	mg/L	0.50	8/27/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Sodium	EPA 200.7	53	mg/L	0.50	8/27/2010
Strontium	EPA 200.7	1.2	mg/L	0.10	8/27/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Vanadium	EPA 200.7	0.011	mg/L	0.010	8/27/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/2/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.0062	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.014	mg/L	0.010	9/1/2010
Anions	Calculation	4.68	meq/L	0.10	8/31/2010
Cations	Calculation	4.93	meq/L	0.10	8/31/2010
Error	Calculation	2.6	%	1.0	8/31/2010

Customer Sample ID: 604787 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-003

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.28	pH Units		8/19/2010
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	8/19/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/19/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/19/2010

Customer Sample ID: 604787 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-003

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	110	mg/L as CaCO3	1.0	8/19/2010
Chloride	EPA 300.0	9.4	mg/L	1.0	8/20/2010
Fluoride	EPA 300.0	4.2	mg/L	0.10	8/20/2010
Sulfate	EPA 300.0	190	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/20/2010
Nitrite Nitrogen	EPA 300.0	0.19	mg/L	0.025	8/20/2010
Total Dissolved Solids (TDS)	SM 2540C	520	mg/L	10	8/24/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/27/2010
Barium	EPA 200.7	0.044	mg/L	0.010	8/27/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Calcium	EPA 200.7	85	mg/L	0.50	8/27/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/27/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Magnesium	EPA 200.7	12	mg/L	0.50	8/27/2010
Manganese	EPA 200.7	0.033	mg/L	0.0050	8/27/2010
Molybdenum	EPA 200.7	0.40	mg/L	0.010	8/27/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/27/2010
Potassium	EPA 200.7	11	mg/L	0.50	8/27/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Sodium	EPA 200.7	34	mg/L	0.50	8/27/2010
Strontium	EPA 200.7	0.74	mg/L	0.10	8/27/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Vanadium	EPA 200.7	0.015	mg/L	0.010	8/27/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Mercury	EPA 200.8	0.00047	mg/L	0.00010	9/2/2010
Antimony	EPA 200.8	0.0063	mg/L	0.0025	9/2/2010
Arsenic	EPA 200.8	0.0083	mg/L	0.0050	9/2/2010
Lead	EPA 200.8	<0.0005	mg/L	0.0005	9/3/2010
Selenium	EPA 200.8	0.017	mg/L	0.0050	9/2/2010
Thallium	EPA 200.8	<0.0020	mg/L	0.0020	9/3/2010
Uranium	EPA 200.8	0.11 SC	mg/L	0.020	9/3/2010

Customer Sample ID: 604787 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-003

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	6.57	meq/L	0.10	8/31/2010
Cations	Calculation	6.99	meq/L	0.10	8/31/2010
Error	Calculation	3.1	%	1.0	8/31/2010

Customer Sample ID: 604790 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-004

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.22	pH Units		8/19/2010
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/19/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/19/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/19/2010
Total Alkalinity	SM 2320B	91	mg/L as CaCO ₃	1.0	8/19/2010
Chloride	EPA 300.0	15	mg/L	1.0	8/20/2010
Fluoride	EPA 300.0	4.8	mg/L	0.10	8/20/2010
Sulfate	EPA 300.0	140	mg/L	1.0	8/20/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/20/2010
Nitrite Nitrogen	EPA 300.0	0.051	mg/L	0.025	8/20/2010
Total Dissolved Solids (TDS)	SM 2540C	440	mg/L	10	8/24/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/27/2010
Barium	EPA 200.7	0.040	mg/L	0.010	8/27/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/27/2010
Calcium	EPA 200.7	61	mg/L	0.50	8/27/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	8/27/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Magnesium	EPA 200.7	9.5	mg/L	0.50	8/27/2010
Manganese	EPA 200.7	0.026	mg/L	0.0050	8/27/2010
Molybdenum	EPA 200.7	0.11	mg/L	0.010	8/27/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/27/2010
Potassium	EPA 200.7	19	mg/L	0.50	8/27/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/27/2010

Customer Sample ID: 604790 MWMP

Collect Date/Time: 8/19/2010 09:00

WETLAB Sample ID: 1008342-004

Receive Date: 8/19/2010 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	34	mg/L	0.50	8/27/2010
Strontium	EPA 200.7	0.55	mg/L	0.10	8/27/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/27/2010
Vanadium	EPA 200.7	0.010	mg/L	0.010	8/27/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/27/2010
Mercury	EPA 200.8	0.00014	mg/L	0.00010	9/2/2010
Antimony	EPA 200.8	0.0034	mg/L	0.0025	9/2/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/2/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/3/2010
Selenium	EPA 200.8	0.015	mg/L	0.0050	9/2/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/3/2010
Uranium	EPA 200.8	0.081	mg/L	0.010	9/3/2010
Anions	Calculation	5.39	meq/L	0.10	8/31/2010
Cations	Calculation	5.79	meq/L	0.10	8/31/2010
Error	Calculation	3.6	%	1.0	8/31/2010

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008611	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008611	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008612	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008612	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008612	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008613	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008613	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008614	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008614	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008615	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008615	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008615	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1008716	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008716	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008745	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008746	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008759	Blank 1	Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
Manganese	EPA 200.7	<0.0050	mg/L		
Molybdenum	EPA 200.7	<0.010	mg/L		
Nickel	EPA 200.7	<0.010	mg/L		
Phosphorus	EPA 200.7	<0.50	mg/L		
Potassium	EPA 200.7	<0.50	mg/L		
Scandium	EPA 200.7	<0.10	mg/L		
Silver	EPA 200.7	<0.0050	mg/L		
Sodium	EPA 200.7	<0.50	mg/L		
Strontium	EPA 200.7	<0.10	mg/L		
Tin	EPA 200.7	<0.10	mg/L		
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		
QC1008760	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1008765	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1009047	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1009048	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1009049	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008543	LCS 1	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008543	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008543	LCS 3	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008543	LCS 4	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008545	LCS 1	Alkalinity	SM 2320B	94.6	100	95	mg/L
QC1008545	LCS 2	Alkalinity	SM 2320B	94.6	100	95	mg/L
QC1008545	LCS 3	Alkalinity	SM 2320B	93.7	100	94	mg/L
QC1008611	LCS 1	Fluoride	EPA 300.0	2.00	2.00	100	mg/L
QC1008612	LCS 1	Chloride	EPA 300.0	10.0	10.0	100	mg/L
QC1008613	LCS 1	Nitrite Nitrogen	EPA 300.0	0.550	0.500	110	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008614	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1008615	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC1008716	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC1008716	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC1008745	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	1.04	1.00	104	mg/L
		Beryllium	EPA 200.7	1.09	1.00	109	mg/L
		Bismuth	EPA 200.7	1.06	1.00	106	mg/L
		Boron	EPA 200.7	1.01	1.00	101	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	11.1	10.0	111	mg/L
		Chromium	EPA 200.7	1.01	1.00	101	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	5.06	5.00	101	mg/L
		Gallium	EPA 200.7	1.07	1.00	107	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.04	1.00	104	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.07	1.00	107	mg/L
		Molybdenum	EPA 200.7	1.00	1.00	100	mg/L
		Nickel	EPA 200.7	5.24	5.00	105	mg/L
		Phosphorus	EPA 200.7	5.10	5.00	102	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.05	1.00	105	mg/L
		Silver	EPA 200.7	0.097	0.090	108	mg/L
		Sodium	EPA 200.7	10.7	10.0	107	mg/L
		Strontium	EPA 200.7	1.07	1.00	107	mg/L
		Tin	EPA 200.7	1.04	1.00	104	mg/L
		Titanium	EPA 200.7	1.03	1.00	103	mg/L
		Vanadium	EPA 200.7	1.04	1.00	104	mg/L
		Zinc	EPA 200.7	1.06	1.00	106	mg/L
QC1008746	LCS 1	Aluminum	EPA 200.7	1.08	1.00	108	mg/L
		Barium	EPA 200.7	1.08	1.00	108	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.11	1.00	111	mg/L
		Boron	EPA 200.7	1.05	1.00	105	mg/L
		Cadmium	EPA 200.7	1.09	1.00	109	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.08	1.00	108	mg/L
		Copper	EPA 200.7	5.38	5.00	108	mg/L
		Gallium	EPA 200.7	1.08	1.00	108	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.06	1.00	106	mg/L
		Magnesium	EPA 200.7	10.8	10.0	108	mg/L
		Manganese	EPA 200.7	1.07	1.00	107	mg/L
		Molybdenum	EPA 200.7	1.06	1.00	106	mg/L
		Nickel	EPA 200.7	5.39	5.00	108	mg/L
		Phosphorus	EPA 200.7	5.34	5.00	107	mg/L
		Potassium	EPA 200.7	10.7	10.0	107	mg/L
		Scandium	EPA 200.7	1.07	1.00	107	mg/L
		Silver	EPA 200.7	0.102	0.090	113	mg/L
		Sodium	EPA 200.7	10.6	10.0	106	mg/L
		Strontium	EPA 200.7	1.07	1.00	107	mg/L
		Tin	EPA 200.7	1.06	1.00	106	mg/L
		Titanium	EPA 200.7	1.06	1.00	106	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008759	LCS 1	Vanadium	EPA 200.7	1.07	1.00	107	mg/L
		Zinc	EPA 200.7	1.12	1.00	112	mg/L
		Aluminum	EPA 200.7	1.08	1.00	108	mg/L
		Barium	EPA 200.7	1.08	1.00	108	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.11	1.00	111	mg/L
		Boron	EPA 200.7	1.05	1.00	105	mg/L
		Cadmium	EPA 200.7	1.09	1.00	109	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.08	1.00	108	mg/L
		Copper	EPA 200.7	5.38	5.00	108	mg/L
		Gallium	EPA 200.7	1.08	1.00	108	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.06	1.00	106	mg/L
		Magnesium	EPA 200.7	10.8	10.0	108	mg/L
		Manganese	EPA 200.7	1.07	1.00	107	mg/L
		Molybdenum	EPA 200.7	1.06	1.00	106	mg/L
		Nickel	EPA 200.7	5.39	5.00	108	mg/L
		Phosphorus	EPA 200.7	5.34	5.00	107	mg/L
		Potassium	EPA 200.7	10.7	10.0	107	mg/L
		Scandium	EPA 200.7	1.07	1.00	107	mg/L
		Silver	EPA 200.7	0.102	0.090	113	mg/L
Sodium	EPA 200.7	10.6	10.0	106	mg/L		
Strontium	EPA 200.7	1.07	1.00	107	mg/L		
Tin	EPA 200.7	1.06	1.00	106	mg/L		
Titanium	EPA 200.7	1.06	1.00	106	mg/L		
Vanadium	EPA 200.7	1.07	1.00	107	mg/L		
Zinc	EPA 200.7	1.12	1.00	112	mg/L		
QC1008760	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.03	1.00	103	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.04	1.00	104	mg/L
		Boron	EPA 200.7	1.01	1.00	101	mg/L
		Cadmium	EPA 200.7	1.03	1.00	103	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.02	1.00	102	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	5.23	5.00	105	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.04	1.00	104	mg/L
		Magnesium	EPA 200.7	10.4	10.0	104	mg/L
		Manganese	EPA 200.7	1.06	1.00	106	mg/L
		Molybdenum	EPA 200.7	0.976	1.00	98	mg/L
		Nickel	EPA 200.7	5.13	5.00	103	mg/L
		Phosphorus	EPA 200.7	4.94	5.00	99	mg/L
		Potassium	EPA 200.7	10.6	10.0	106	mg/L
		Scandium	EPA 200.7	1.06	1.00	106	mg/L
		Silver	EPA 200.7	0.096	0.090	107	mg/L
		Sodium	EPA 200.7	10.6	10.0	106	mg/L
		Strontium	EPA 200.7	1.08	1.00	108	mg/L
Tin	EPA 200.7	0.985	1.00	98	mg/L		
Titanium	EPA 200.7	1.04	1.00	104	mg/L		
Vanadium	EPA 200.7	1.04	1.00	104	mg/L		
Zinc	EPA 200.7	0.994	1.00	99	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008765	LCS 1	Mercury	EPA 200.8	0.000937	0.001	94	mg/L
		Antimony	EPA 200.8	0.0101	0.010	101	mg/L
		Arsenic	EPA 200.8	0.0484	0.050	97	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0482	0.050	96	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	88	mg/L
QC1009047	LCS 1	Mercury	EPA 200.8	0.000983	0.001	98	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0504	0.050	101	mg/L
		Lead	EPA 200.8	0.0102	0.010	102	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	98	mg/L
QC1009048	LCS 1	Mercury	EPA 200.8	0.000983	0.001	98	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0504	0.050	101	mg/L
		Lead	EPA 200.8	0.0102	0.010	102	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	98	mg/L
QC1009049	LCS 1	Mercury	EPA 200.8	0.001031	0.001	103	mg/L
		Antimony	EPA 200.8	0.0111	0.010	111	mg/L
		Arsenic	EPA 200.8	0.0518	0.050	104	mg/L
		Lead	EPA 200.8	0.0106	0.010	106	mg/L
		Selenium	EPA 200.8	0.0519	0.050	104	mg/L
		Thallium	EPA 200.8	0.0105	0.010	105	mg/L
		Uranium	EPA 200.8	0.0109	0.010	109	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008543	Duplicate 1	pH	SM 4500-H+ B	1008055-001	7.72	7.72	pH Units	<1%
QC1008543	Duplicate 2	pH	SM 4500-H+ B	1008057-001	7.76	7.74	pH Units	<1%
QC1008543	Duplicate 3	pH	SM 4500-H+ B	1008059-001	7.85	7.85	pH Units	<1%
QC1008543	Duplicate 4	pH	SM 4500-H+ B	1008061-001	7.86	7.88	pH Units	<1%
QC1008543	Duplicate 5	pH	SM 4500-H+ B	1008063-001	7.88	7.90	pH Units	<1%
QC1008543	Duplicate 6	pH	SM 4500-H+ B	1008330-001	7.50	7.53	pH Units	<1%
QC1008543	Duplicate 7	pH	SM 4500-H+ B	1008342-004	8.22	8.26	pH Units	<1%
QC1008545	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008055-001	348	351	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008055-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008055-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008055-001	286	288	mg/L as CaCO3	1 %
QC1008545	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1008057-001	351	352	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008057-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008057-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008057-001	288	289	mg/L as CaCO3	<1%
QC1008545	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1008059-001	329	330	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008059-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008059-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008059-001	270	271	mg/L as CaCO3	<1%
QC1008545	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1008061-001	357	358	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008061-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008061-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008061-001	293	294	mg/L as CaCO3	<1%
QC1008545	Duplicate 5	Bicarbonate (HCO3)	SM 2320B	1008063-001	302	303	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008063-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008545	Duplicate 6	Hydroxide (OH)	SM 2320B	1008063-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008063-001	248	249	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1008330-001	206	209	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008330-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008330-001	<1.000	<1.000	mg/L	<1%
QC1008716	Duplicate 1	Total Alkalinity	SM 2320B	1008330-001	169	171	mg/L as CaCO3	1 %
		Total Dissolved Solids (TDS)	SM 2540C	1008342-001	366	379	mg/L	3 %
QC1008716	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008355-004	632	684	mg/L	1 %
QC1008716	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008356-003	2160	2226	mg/L	3 %
QC1008716	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008365-001	227	233	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008611	MS 1	Fluoride	EPA 300.0	1008340-001	0.285	2.49	2.52	2.00	mg/L	110	112	1 %
QC1008612	MS 1	Chloride	EPA 300.0	1008340-001	<1.000	5.86	5.91	5.00	mg/L	102	103	1 %
QC1008612	MS 2	Chloride	EPA 300.0	1008345-001	29.7	M 37.1	37.1	5.00	mg/L	NC	NC	NC
QC1008613	MS 1	Nitrite Nitrogen	EPA 300.0	1008340-001	0.315	0.868	0.772	0.500	mg/L	111	91	12 %
QC1008614	MS 1	Nitrate Nitrogen	EPA 300.0	1008340-001	<1.000	2.01	2.07	2.00	mg/L	96	99	3 %
QC1008615	MS 1	Sulfate	EPA 300.0	1008340-001	63.0	71.8	72.0	10.0	mg/L	87	90	<1%
QC1008615	MS 2	Sulfate	EPA 300.0	1008345-001	57.7	M 72.2	72.2	10.0	mg/L	NC	NC	NC
QC1008745	MS 1	Aluminum	EPA 200.7	1008342-001	0.056	1.06	1.09	1.00	mg/L	100	103	3 %
		Barium	EPA 200.7	1008342-001	0.010	1.03	1.05	1.00	mg/L	102	104	2 %
		Beryllium	EPA 200.7	1008342-001	<0.001	1.09	1.09	1.00	mg/L	109	109	<1%
		Bismuth	EPA 200.7	1008342-001	<0.100	1.02	1.05	1.00	mg/L	103	106	3 %
		Boron	EPA 200.7	1008342-001	0.108	1.16	1.19	1.00	mg/L	105	108	3 %
		Cadmium	EPA 200.7	1008342-001	<0.001	1.05	1.08	1.00	mg/L	105	108	3 %
		Calcium	EPA 200.7	1008342-001	52.8	62.3	61.7	10.0	mg/L	95	89	1 %
		Chromium	EPA 200.7	1008342-001	<0.005	0.993	1.02	1.00	mg/L	99	102	3 %
		Cobalt	EPA 200.7	1008342-001	<0.010	1.02	1.04	1.00	mg/L	102	104	2 %
		Copper	EPA 200.7	1008342-001	<0.050	5.22	5.32	5.00	mg/L	104	106	2 %
		Gallium	EPA 200.7	1008342-001	<0.100	1.04	1.05	1.00	mg/L	103	104	1 %
		Iron	EPA 200.7	1008342-001	<0.010	1.04	1.05	1.00	mg/L	104	105	1 %
		Lithium	EPA 200.7	1008342-001	<0.100	1.03	1.03	1.00	mg/L	100	100	<1%
		Magnesium	EPA 200.7	1008342-001	7.81	17.7	17.9	10.0	mg/L	99	101	1 %
		Manganese	EPA 200.7	1008342-001	0.020	1.06	1.08	1.00	mg/L	104	106	2 %
		Molybdenum	EPA 200.7	1008342-001	0.072	1.09	1.10	1.00	mg/L	102	103	1 %
		Nickel	EPA 200.7	1008342-001	<0.010	5.07	5.19	5.00	mg/L	101	104	2 %
		Phosphorus	EPA 200.7	1008342-001	<0.500	5.33	5.44	5.00	mg/L	106	108	2 %
		Potassium	EPA 200.7	1008342-001	25.1	34.8	34.8	10.0	mg/L	97	97	<1%
		Scandium	EPA 200.7	1008342-001	<0.100	1.04	1.05	1.00	mg/L	104	105	1 %
		Silver	EPA 200.7	1008342-001	<0.005	0.098	0.098	0.090	mg/L	109	109	<1%
		Sodium	EPA 200.7	1008342-001	40.5	50.4	49.8	10.0	mg/L	99	93	1 %
		Strontium	EPA 200.7	1008342-001	0.586	1.63	1.62	1.00	mg/L	104	103	1 %
		Tin	EPA 200.7	1008342-001	<0.100	0.916	0.928	1.00	mg/L	107	108	1 %
		Titanium	EPA 200.7	1008342-001	<0.100	1.03	1.04	1.00	mg/L	103	104	1 %
		Vanadium	EPA 200.7	1008342-001	0.015	1.07	1.09	1.00	mg/L	105	107	2 %
		Zinc	EPA 200.7	1008342-001	<0.010	1.09	1.12	1.00	mg/L	109	112	3 %
QC1008746	MS 1	Aluminum	EPA 200.7	1008342-002	<0.045	1.08	1.09	1.00	mg/L	104	105	1 %
		Barium	EPA 200.7	1008342-002	0.028	1.07	1.08	1.00	mg/L	104	105	1 %
		Beryllium	EPA 200.7	1008342-002	<0.001	1.08	1.08	1.00	mg/L	108	108	<1%
		Bismuth	EPA 200.7	1008342-002	<0.100	1.09	1.10	1.00	mg/L	110	111	1 %
		Boron	EPA 200.7	1008342-002	0.151	1.19	1.21	1.00	mg/L	104	106	2 %
		Cadmium	EPA 200.7	1008342-002	<0.001	1.06	1.06	1.00	mg/L	106	106	<1%
		Calcium	EPA 200.7	1008342-002	29.3	39.9	39.2	10.0	mg/L	106	99	2 %
		Chromium	EPA 200.7	1008342-002	<0.005	1.03	1.03	1.00	mg/L	103	103	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Cobalt	EPA 200.7	1008342-002	<0.010	1.05	1.06	1.00	mg/L	105	106	1 %
		Copper	EPA 200.7	1008342-002	<0.050	5.51	5.53	5.00	mg/L	110	111	<1%
		Gallium	EPA 200.7	1008342-002	<0.100	1.04	1.06	1.00	mg/L	105	107	2 %
		Iron	EPA 200.7	1008342-002	<0.010	1.05	1.06	1.00	mg/L	105	106	1 %
		Lithium	EPA 200.7	1008342-002	<0.100	1.05	1.05	1.00	mg/L	102	102	<1%
		Magnesium	EPA 200.7	1008342-002	5.64	15.8	15.9	10.0	mg/L	102	103	1 %
		Manganese	EPA 200.7	1008342-002	0.018	1.06	1.07	1.00	mg/L	104	105	1 %
		Molybdenum	EPA 200.7	1008342-002	0.074	1.14	1.15	1.00	mg/L	107	108	1 %
		Nickel	EPA 200.7	1008342-002	<0.010	5.14	5.16	5.00	mg/L	103	103	<1%
		Phosphorus	EPA 200.7	1008342-002	<0.500	5.53	5.53	5.00	mg/L	110	110	<1%
		Potassium	EPA 200.7	1008342-002	28.0	38.2	38.2	10.0	mg/L	102	102	<1%
		Scandium	EPA 200.7	1008342-002	<0.100	1.07	1.07	1.00	mg/L	107	107	<1%
		Silver	EPA 200.7	1008342-002	<0.005	0.100	0.103	0.090	mg/L	113	116	3 %
		Sodium	EPA 200.7	1008342-002	52.6	63.1	62.2	10.0	mg/L	105	96	1 %
		Strontium	EPA 200.7	1008342-002	1.18	2.22	2.19	1.00	mg/L	104	101	1 %
		Tin	EPA 200.7	1008342-002	<0.100	0.955	0.960	1.00	mg/L	108	108	1 %
		Titanium	EPA 200.7	1008342-002	<0.100	1.06	1.06	1.00	mg/L	106	106	<1%
		Vanadium	EPA 200.7	1008342-002	0.011	1.09	1.09	1.00	mg/L	108	108	<1%
		Zinc	EPA 200.7	1008342-002	<0.010	1.13	1.14	1.00	mg/L	113	114	1 %
QC1008759	MS 1	Aluminum	EPA 200.7	1008342-003	<0.045	1.05	1.04	1.00	mg/L	103	102	1 %
		Barium	EPA 200.7	1008342-003	0.044	1.09	1.09	1.00	mg/L	105	105	<1%
		Beryllium	EPA 200.7	1008342-003	<0.001	1.07	1.07	1.00	mg/L	107	107	<1%
		Bismuth	EPA 200.7	1008342-003	<0.100	1.04	1.04	1.00	mg/L	107	107	<1%
		Boron	EPA 200.7	1008342-003	<0.100	1.16	1.15	1.00	mg/L	108	107	1 %
		Cadmium	EPA 200.7	1008342-003	<0.001	1.04	1.04	1.00	mg/L	104	104	<1%
		Calcium	EPA 200.7	1008342-003	84.9	94.9	93.7	10.0	mg/L	100	88	1 %
		Chromium	EPA 200.7	1008342-003	<0.005	1.04	1.03	1.00	mg/L	104	103	1 %
		Cobalt	EPA 200.7	1008342-003	<0.010	1.04	1.04	1.00	mg/L	104	104	<1%
		Copper	EPA 200.7	1008342-003	<0.050	5.29	5.25	5.00	mg/L	105	105	1 %
		Gallium	EPA 200.7	1008342-003	<0.100	1.01	1.04	1.00	mg/L	101	104	3 %
		Iron	EPA 200.7	1008342-003	<0.010	1.05	1.05	1.00	mg/L	105	105	<1%
		Lithium	EPA 200.7	1008342-003	<0.100	1.07	1.06	1.00	mg/L	104	103	1 %
		Magnesium	EPA 200.7	1008342-003	12.5	22.4	22.1	10.0	mg/L	99	96	1 %
		Manganese	EPA 200.7	1008342-003	0.033	1.06	1.06	1.00	mg/L	103	103	<1%
		Molybdenum	EPA 200.7	1008342-003	0.396	1.46	1.44	1.00	mg/L	106	104	1 %
		Nickel	EPA 200.7	1008342-003	<0.010	5.08	5.09	5.00	mg/L	102	102	<1%
		Phosphorus	EPA 200.7	1008342-003	<0.500	5.38	5.38	5.00	mg/L	108	108	<1%
		Potassium	EPA 200.7	1008342-003	11.4	22.0	21.8	10.0	mg/L	106	104	1 %
		Scandium	EPA 200.7	1008342-003	<0.100	1.07	1.06	1.00	mg/L	107	106	1 %
		Silver	EPA 200.7	1008342-003	<0.005	0.101	0.098	0.090	mg/L	113	110	3 %
		Sodium	EPA 200.7	1008342-003	33.7	44.7	44.3	10.0	mg/L	110	106	1 %
		Strontium	EPA 200.7	1008342-003	0.735	1.81	1.80	1.00	mg/L	108	106	1 %
		Tin	EPA 200.7	1008342-003	<0.100	0.810	0.793	1.00	mg/L	108	106	2 %
		Titanium	EPA 200.7	1008342-003	<0.100	1.05	1.05	1.00	mg/L	105	105	<1%
		Vanadium	EPA 200.7	1008342-003	0.015	1.10	1.10	1.00	mg/L	108	108	<1%
		Zinc	EPA 200.7	1008342-003	<0.010	1.03	1.03	1.00	mg/L	103	103	<1%
QC1008760	MS 1	Aluminum	EPA 200.7	1008342-004	<0.045	1.04	1.03	1.00	mg/L	101	100	1 %
		Barium	EPA 200.7	1008342-004	0.040	1.07	1.05	1.00	mg/L	103	101	2 %
		Beryllium	EPA 200.7	1008342-004	<0.001	1.08	1.07	1.00	mg/L	108	107	1 %
		Bismuth	EPA 200.7	1008342-004	<0.100	1.01	1.01	1.00	mg/L	102	102	<1%
		Boron	EPA 200.7	1008342-004	<0.100	1.17	1.16	1.00	mg/L	108	107	1 %
		Cadmium	EPA 200.7	1008342-004	<0.001	1.03	1.01	1.00	mg/L	103	101	2 %
		Calcium	EPA 200.7	1008342-004	61.2	70.7	70.9	10.0	mg/L	95	97	<1%
		Chromium	EPA 200.7	1008342-004	<0.005	1.03	1.02	1.00	mg/L	103	102	1 %
		Cobalt	EPA 200.7	1008342-004	<0.010	1.02	1.01	1.00	mg/L	102	101	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Copper	EPA 200.7	1008342-004	<0.050	5.27	5.25	5.00	mg/L	105	105	<1%
		Gallium	EPA 200.7	1008342-004	<0.100	1.02	0.993	1.00	mg/L	102	99	3 %
		Iron	EPA 200.7	1008342-004	<0.010	1.06	1.06	1.00	mg/L	106	106	<1%
		Lithium	EPA 200.7	1008342-004	<0.100	1.05	1.05	1.00	mg/L	102	102	<1%
		Magnesium	EPA 200.7	1008342-004	9.47	19.4	19.4	10.0	mg/L	99	99	<1%
		Manganese	EPA 200.7	1008342-004	0.026	1.06	1.04	1.00	mg/L	103	101	2 %
		Molybdenum	EPA 200.7	1008342-004	0.106	1.09	1.08	1.00	mg/L	98	97	1 %
		Nickel	EPA 200.7	1008342-004	<0.010	5.06	4.97	5.00	mg/L	101	99	2 %
		Phosphorus	EPA 200.7	1008342-004	<0.500	5.20	5.13	5.00	mg/L	104	103	1 %
		Potassium	EPA 200.7	1008342-004	19.3	29.7	29.9	10.0	mg/L	104	106	1 %
		Scandium	EPA 200.7	1008342-004	<0.100	1.06	1.06	1.00	mg/L	106	106	<1%
		Silver	EPA 200.7	1008342-004	<0.005	0.098	0.098	0.090	mg/L	107	107	<1%
		Sodium	EPA 200.7	1008342-004	33.8	44.3	44.6	10.0	mg/L	105	108	1 %
		Strontium	EPA 200.7	1008342-004	0.545	1.60	1.62	1.00	mg/L	106	108	1 %
		Tin	EPA 200.7	1008342-004	<0.100	0.812	0.795	1.00	mg/L	102	100	2 %
		Titanium	EPA 200.7	1008342-004	<0.100	1.05	1.05	1.00	mg/L	105	105	<1%
		Vanadium	EPA 200.7	1008342-004	0.010	1.10	1.08	1.00	mg/L	109	107	2 %
		Zinc	EPA 200.7	1008342-004	<0.010	1.01	0.999	1.00	mg/L	101	100	1 %
QC1008765	MS 1	Mercury	EPA 200.8	1008342-001	<0.000100	0.000969	0.001026	0.001	mg/L	97	103	6 %
		Antimony	EPA 200.8	1008342-001	<0.0025	0.0121	0.0120	0.010	mg/L	104	103	1 %
		Arsenic	EPA 200.8	1008342-001	<0.0050	0.0510	0.0508	0.050	mg/L	102	102	<1%
		Lead	EPA 200.8	1008342-001	<0.0025	0.0096	0.0097	0.010	mg/L	96	97	1 %
		Selenium	EPA 200.8	1008342-001	<0.0050	0.0510	0.0519	0.050	mg/L	96	98	2 %
		Thallium	EPA 200.8	1008342-001	<0.0010	0.0098	0.0099	0.010	mg/L	98	99	1 %
		Uranium	EPA 200.8	1008342-001	0.0163	0.0274	0.0275	0.010	mg/L	111	112	<1%
QC1009047	MS 1	Mercury	EPA 200.8	1008342-002	<0.000100	0.001019	0.001054	0.001	mg/L	102	105	3 %
		Antimony	EPA 200.8	1008342-002	<0.0025	0.0124	0.0124	0.010	mg/L	101	102	<1%
		Arsenic	EPA 200.8	1008342-002	<0.0050	0.0546	0.0543	0.050	mg/L	106	105	1 %
		Lead	EPA 200.8	1008342-002	<0.0025	0.0109	0.0106	0.010	mg/L	109	106	3 %
		Selenium	EPA 200.8	1008342-002	0.0062	0.0560	0.0543	0.050	mg/L	100	96	3 %
		Thallium	EPA 200.8	1008342-002	<0.0010	0.0109	0.0106	0.010	mg/L	109	106	3 %
		Uranium	EPA 200.8	1008342-002	0.0135	0.0250	0.0246	0.010	mg/L	115	111	2 %
QC1009048	MS 1	Mercury	EPA 200.8	1008342-003	0.000473	0.001515	0.001509	0.001	mg/L	104	104	<1%
		Antimony	EPA 200.8	1008342-003	0.0063	0.0170	0.0175	0.010	mg/L	107	112	3 %
		Arsenic	EPA 200.8	1008342-003	0.0083	0.0613	0.0615	0.050	mg/L	106	106	<1%
		Lead	EPA 200.8	1008342-003	<0.0005	0.0100	0.0096	0.010	mg/L	100	96	4 %
		Selenium	EPA 200.8	1008342-003	0.0175	0.0678	0.0676	0.050	mg/L	101	100	<1%
		Thallium	EPA 200.8	1008342-003	<0.0020	0.0103	0.0098	0.010	mg/L	103	98	5 %
		Uranium	EPA 200.8	1008342-003	0.1124	SC 0.1240	0.1225	0.010	mg/L	NC	NC	NC
QC1009049	MS 1	Mercury	EPA 200.8	1008342-004	0.000137	0.001065	0.001096	0.001	mg/L	93	96	3 %
		Antimony	EPA 200.8	1008342-004	0.0034	0.0136	0.0137	0.010	mg/L	102	103	1 %
		Arsenic	EPA 200.8	1008342-004	<0.0050	0.0541	0.0555	0.050	mg/L	101	104	3 %
		Lead	EPA 200.8	1008342-004	<0.0025	0.0091	0.0091	0.010	mg/L	91	91	<1%
		Selenium	EPA 200.8	1008342-004	0.0145	0.0623	0.0640	0.050	mg/L	96	99	3 %
		Thallium	EPA 200.8	1008342-004	<0.0010	0.0094	0.0092	0.010	mg/L	94	92	2 %
		Uranium	EPA 200.8	1008342-004	0.0811	0.0890	0.0884	0.010	mg/L	890	884	1 %



475 E. Greg Street #119 | Sparks, Nevada 89431 | tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

9/9/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008397

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/24/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1008397

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/9/2010

OrderID: 1008397

Customer Sample ID: 604767 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-001

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		8/24/2010
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/24/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Total Alkalinity	SM 2320B	90	mg/L as CaCO ₃	1.0	8/24/2010
Chloride	EPA 300.0	31	mg/L	5.0	8/25/2010
Fluoride	EPA 300.0	7.8	mg/L	0.50	8/25/2010
Sulfate	EPA 300.0	720	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	1300	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	0.019	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	0.31	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	0.0024	mg/L	0.0010	9/2/2010
Calcium	EPA 200.7	180	mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Cobalt	EPA 200.7	0.013	mg/L	0.010	9/2/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	52	mg/L	0.50	9/2/2010
Manganese	EPA 200.7	0.94	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	0.069	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	59	mg/L	0.50	9/2/2010

Customer Sample ID: 604767 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-001

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Sodium	EPA 200.7	58	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	1.7	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.038	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	0.041	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	0.0040	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.041	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.19	mg/L	0.10	9/3/2010
Anions	Calculation	18.1	meq/L	0.10	
Cations	Calculation	17.3	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: 605184 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-002

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.47	pH Units		8/24/2010
Bicarbonate (HCO ₃)	SM 2320B	37	mg/L	1.0	8/24/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Total Alkalinity	SM 2320B	31	mg/L as CaCO ₃	1.0	8/24/2010
Chloride	EPA 300.0	18	mg/L	5.0	8/25/2010
Fluoride	EPA 300.0	8.8	mg/L	0.50	8/25/2010
Sulfate	EPA 300.0	2000	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	2800	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	0.016	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	0.068	mg/L	0.0010	9/2/2010

Customer Sample ID: 605184 MWMP
 WETLAB Sample ID: 1008397-002

Collect Date/Time: 8/24/2010 09:00
 Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	480	SC mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Cobalt	EPA 200.7	0.026	mg/L	0.010	9/2/2010
Copper	EPA 200.7	0.084	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	0.13	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	140	SC mg/L	0.50	9/2/2010
Manganese	EPA 200.7	36	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	42	mg/L	0.50	9/2/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Sodium	EPA 200.7	45	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	2.5	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.068	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	0.47	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.011	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.016	mg/L	0.010	9/1/2010
Anions	Calculation	43.2	meq/L	0.10	
Cations	Calculation	39.8	meq/L	0.10	
Error	Calculation	4.1	%	1.0	

Customer Sample ID: 604849 MWMP
 WETLAB Sample ID: 1008397-003

Collect Date/Time: 8/24/2010 09:00
 Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		8/24/2010
Bicarbonate (HCO3)	SM 2320B	120	mg/L	1.0	8/24/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010

Customer Sample ID: 604849 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-003

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	99	mg/L as CaCO3	1.0	8/24/2010
Chloride	EPA 300.0	6.9	mg/L	1.0	8/25/2010
Fluoride	EPA 300.0	4.4	mg/L	0.10	8/25/2010
Sulfate	EPA 300.0	220	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	0.16	mg/L	0.025	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	500	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	0.21	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Calcium	EPA 200.7	83	mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	16	mg/L	0.50	9/2/2010
Manganese	EPA 200.7	0.034	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	0.18	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	17	mg/L	0.50	9/2/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Sodium	EPA 200.7	39	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	1.4	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.015	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	0.0057	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	0.020	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.020	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.19	mg/L	0.10	9/3/2010

Customer Sample ID: 604849 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-003

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	6.97	meq/L	0.10	
Cations	Calculation	7.59	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: 604854 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-004

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		8/24/2010
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/24/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Total Alkalinity	SM 2320B	94	mg/L as CaCO ₃	1.0	8/24/2010
Chloride	EPA 300.0	29	mg/L	1.0	8/25/2010
Fluoride	EPA 300.0	4.6	mg/L	0.10	8/25/2010
Sulfate	EPA 300.0	240	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	580	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	0.25	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Calcium	EPA 200.7	78	mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Copper	EPA 200.7	0.14	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	18	mg/L	0.50	9/2/2010
Manganese	EPA 200.7	0.073	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	0.12	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	58	mg/L	0.50	9/2/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	0.0075	mg/L	0.0050	9/2/2010

Customer Sample ID: 604854 MWMP
 WETLAB Sample ID: 1008397-004

Collect Date/Time: 8/24/2010 09:00
 Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	40	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	1.3	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.017	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	0.013	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	0.0041	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	0.0066	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.023	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.037	mg/L	0.010	9/1/2010
Anions	Calculation	7.86	meq/L	0.10	
Cations	Calculation	8.60	meq/L	0.10	
Error	Calculation	4.5	%	1.0	

Customer Sample ID: 604867 MWMP
 WETLAB Sample ID: 1008397-005

Collect Date/Time: 8/24/2010 09:00
 Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		8/24/2010
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	8/24/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Total Alkalinity	SM 2320B	110	mg/L as CaCO3	1.0	8/24/2010
Chloride	EPA 300.0	6.1	mg/L	1.0	8/25/2010
Fluoride	EPA 300.0	74	mg/L	5.0	8/26/2010
Sulfate	EPA 300.0	670	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	1100	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	0.019	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	0.16	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	0.0013	mg/L	0.0010	9/2/2010
Calcium	EPA 200.7	190	mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010

Customer Sample ID: 604867 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-005

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	46	mg/L	0.50	9/2/2010
Manganese	EPA 200.7	0.22	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	0.12	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	61	mg/L	0.50	9/2/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Sodium	EPA 200.7	25	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	4.2	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.035	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	0.017	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.048	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/1/2010
Anions	Calculation	20.4	meq/L	0.10	
Cations	Calculation	15.9	meq/L	0.10	
Error	Calculation	12	%	1.0	

Customer Sample ID: 604562 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-006

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.28	pH Units		8/24/2010
Bicarbonate (HCO3)	SM 2320B	170	mg/L	1.0	8/24/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/24/2010
Total Alkalinity	SM 2320B	140	mg/L as CaCO3	1.0	8/24/2010
Chloride	EPA 300.0	29	mg/L	1.0	8/25/2010

Customer Sample ID: 604562 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-006

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	69	mg/L	5.0	8/26/2010
Sulfate	EPA 300.0	390	mg/L	100	8/25/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/25/2010
Nitrite Nitrogen	EPA 300.0	0.19	mg/L	0.025	8/25/2010
Total Dissolved Solids (TDS)	SM 2540C	800	mg/L	10	8/26/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/2/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Boron	EPA 200.7	0.36	mg/L	0.10	9/2/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/2/2010
Calcium	EPA 200.7	120	mg/L	0.50	9/2/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/2/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Magnesium	EPA 200.7	24	mg/L	0.50	9/2/2010
Manganese	EPA 200.7	0.071	mg/L	0.0050	9/2/2010
Molybdenum	EPA 200.7	0.039	mg/L	0.010	9/2/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/2/2010
Potassium	EPA 200.7	23	mg/L	0.50	9/2/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/2/2010
Sodium	EPA 200.7	79	mg/L	0.50	9/2/2010
Strontium	EPA 200.7	1.2	mg/L	0.10	9/2/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/2/2010
Vanadium	EPA 200.7	0.021	mg/L	0.010	9/2/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/2/2010
Mercury	EPA 200.8	0.0060	mg/L	0.00010	9/1/2010
Antimony	EPA 200.8	0.0083	mg/L	0.0025	9/1/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/1/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/1/2010
Selenium	EPA 200.8	0.015	mg/L	0.0050	9/1/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/1/2010
Uranium	EPA 200.8	0.037	mg/L	0.010	9/1/2010
Anions	Calculation	15.7	meq/L	0.10	
Cations	Calculation	12.0	meq/L	0.10	

Customer Sample ID: 604562 MWMP

Collect Date/Time: 8/24/2010 09:00

WETLAB Sample ID: 1008397-006

Receive Date: 8/24/2010 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	13	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008704	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008704	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008704	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008707	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008707	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008707	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008710	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.03	mg/kg
QC1008710	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.03	mg/kg
QC1008710	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.03	mg/kg
QC1008711	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008711	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008711	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008715	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008715	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008715	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1008725	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008725	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008725	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008779	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008779	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1008813	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1009045	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008665	LCS 1	pH	SM 4500-H+ B	7.04	7.00	101	pH Units
QC1008665	LCS 2	pH	SM 4500-H+ B	7.04	7.00	101	pH Units
QC1008665	LCS 3	pH	SM 4500-H+ B	7.04	7.00	101	pH Units
QC1008678	LCS 1	Alkalinity	SM 2320B	94.6	100	95	mg/L
QC1008678	LCS 2	Alkalinity	SM 2320B	95.2	100	95	mg/L
QC1008678	LCS 3	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC1008704	LCS 1	Fluoride	EPA 300.0	1.96	2.00	98	mg/L
QC1008707	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC1008710	LCS 1	Nitrite Nitrogen	EPA 300.0	0.543	0.500	109	mg/kg
QC1008711	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1008715	LCS 1	Sulfate	EPA 300.0	5.48	5.00	110	mg/L
QC1008725	LCS 1	Fluoride	EPA 300.0	1.94	2.00	97	mg/L
QC1008779	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC1008779	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC1008813	LCS 1	Aluminum	EPA 200.7	1.02	1.00	102	mg/L
		Barium	EPA 200.7	1.03	1.00	103	mg/L
		Beryllium	EPA 200.7	1.04	1.00	104	mg/L
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	1.02	1.00	102	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.4	10.0	104	mg/L
		Chromium	EPA 200.7	1.02	1.00	102	mg/L
		Cobalt	EPA 200.7	1.04	1.00	104	mg/L
		Copper	EPA 200.7	5.13	5.00	103	mg/L
		Gallium	EPA 200.7	1.03	1.00	103	mg/L
		Iron	EPA 200.7	1.02	1.00	102	mg/L
		Lithium	EPA 200.7	1.01	1.00	101	mg/L
		Magnesium	EPA 200.7	10.3	10.0	103	mg/L
		Manganese	EPA 200.7	1.03	1.00	103	mg/L
		Molybdenum	EPA 200.7	1.03	1.00	103	mg/L
		Nickel	EPA 200.7	5.23	5.00	105	mg/L
		Phosphorus	EPA 200.7	5.21	5.00	104	mg/L
		Potassium	EPA 200.7	10.5	10.0	105	mg/L
		Scandium	EPA 200.7	1.01	1.00	101	mg/L
		Silver	EPA 200.7	0.094	0.090	104	mg/L
		Sodium	EPA 200.7	10.3	10.0	103	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	1.05	1.00	105	mg/L
		Titanium	EPA 200.7	1.02	1.00	102	mg/L
		Vanadium	EPA 200.7	1.03	1.00	103	mg/L
		Zinc	EPA 200.7	1.07	1.00	107	mg/L
QC1009045	LCS 1	Mercury	EPA 200.8	0.001088	0.001	109	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0513	0.050	103	mg/L
		Lead	EPA 200.8	0.0102	0.010	102	mg/L
		Selenium	EPA 200.8	0.0476	0.050	95	mg/L
		Thallium	EPA 200.8	0.0102	0.010	102	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	98	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
-----------	--------	-----------	--------	------------------	---------------	------------------	-------	-----

QC1008665	Duplicate 1	pH	SM 4500-H+ B	1008026-006	7.61	7.63	pH Units	<1%
QC1008665	Duplicate 2	pH	SM 4500-H+ B	1008027-006	7.25	7.21	pH Units	1 %
QC1008665	Duplicate 3	pH	SM 4500-H+ B	1008397-001	7.80	7.89	pH Units	1 %
QC1008665	Duplicate 4	pH	SM 4500-H+ B	1008397-003	8.16	8.21	pH Units	1 %
QC1008665	Duplicate 5	pH	SM 4500-H+ B	1008397-004	8.16	8.19	pH Units	<1%
QC1008678	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008026-006	425	428	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008026-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008026-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008026-006	349	351	mg/L as CaCO3	1 %
QC1008678	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1008027-006	912	905	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008027-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008027-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008027-006	748	742	mg/L as CaCO3	1 %
QC1008678	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1008397-001	110	108	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008397-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008397-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008397-001	90.2	89.0	mg/L as CaCO3	1 %
QC1008678	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1008397-003	121	120	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008397-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008397-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008397-003	99.4	98.8	mg/L as CaCO3	1 %
QC1008678	Duplicate 5	Bicarbonate (HCO3)	SM 2320B	1008397-004	115	115	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008397-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008397-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008397-004	94.0	94.4	mg/L as CaCO3	<1%
QC1008779	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1008376-001	122	129	mg/L	6 %
QC1008779	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008376-011	24.0	20.0	mg/L	18 %
QC1008779	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008396-006	3950	3980	mg/L	1 %
QC1008779	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008402-001	179	184	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008704	MS 1	Fluoride	EPA 300.0	1008397-003	4.37	5.97	5.97	2.00	mg/L	80	80	<1%
QC1008704	MS 2	Fluoride	EPA 300.0	1008400-001	0.130	2.05	2.13	2.00	mg/L	96	100	4 %
QC1008707	MS 1	Chloride	EPA 300.0	1008397-003	6.95	11.9	12.0	5.00	mg/L	99	101	1 %
QC1008707	MS 2	Chloride	EPA 300.0	1008400-001	<1.000	5.57	5.61	5.00	mg/L	103	104	1 %
QC1008710	MS 1	Nitrite Nitrogen	EPA 300.0	1008397-003	0.163	0.718	0.731	0.500	mg/kg	111	114	2 %
QC1008710	MS 2	Nitrite Nitrogen	EPA 300.0	1008426-001	0.054	0.604	0.618	0.500	mg/kg	110	113	2 %
QC1008711	MS 1	Nitrate Nitrogen	EPA 300.0	1008397-003	<1.000	2.08	2.03	2.00	mg/L	99	97	2 %
QC1008711	MS 2	Nitrate Nitrogen	EPA 300.0	1008426-001	<1.000	2.33	2.33	2.00	mg/L	112	112	<1%
QC1008715	MS 1	Sulfate	EPA 300.0	1008399-001	1.26	3.88	3.91	2.50	mg/L	105	106	1 %
QC1008715	MS 2	Sulfate	EPA 300.0	1008399-010	6.42	8.90	8.89	2.50	mg/L	99	99	<1%
QC1008725	MS 1	Fluoride	EPA 300.0	1008026-001	<2.50	94.5	98.2	2.00	mg/L	93	96	4 %
QC1008725	MS 2	Fluoride	EPA 300.0	1008027-002	<2.500	99.4	95.5	2.00	mg/L	99	96	4 %
QC1008813	MS 1	Aluminum	EPA 200.7	1008397-002	<0.045	0.997	0.999	1.00	mg/L	96	96	<1%
		Barium	EPA 200.7	1008397-002	0.016	1.04	1.01	1.00	mg/L	102	99	3 %
		Beryllium	EPA 200.7	1008397-002	<0.001	1.04	1.04	1.00	mg/L	104	104	<1%
		Bismuth	EPA 200.7	1008397-002	<0.100	1.03	1.04	1.00	mg/L	106	107	1 %
		Boron	EPA 200.7	1008397-002	<0.100	1.13	1.14	1.00	mg/L	106	107	1 %
		Cadmium	EPA 200.7	1008397-002	0.068	1.10	1.10	1.00	mg/L	103	103	<1%
		Calcium	EPA 200.7	1008397-002	475	SC 464	475	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1008397-002	<0.005	1.02	1.01	1.00	mg/L	102	101	1 %
		Cobalt	EPA 200.7	1008397-002	0.026	1.04	1.03	1.00	mg/L	101	100	1 %
		Copper	EPA 200.7	1008397-002	0.084	5.46	5.42	5.00	mg/L	108	107	1 %
		Gallium	EPA 200.7	1008397-002	<0.100	0.965	0.961	1.00	mg/L	96	95	<1%
		Iron	EPA 200.7	1008397-002	<0.010	1.02	1.02	1.00	mg/L	102	102	<1%
		Lithium	EPA 200.7	1008397-002	0.131	1.23	1.23	1.00	mg/L	110	110	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1009045	MS 1	Magnesium	EPA 200.7	1008397-002	143	SC 144	147	10.0	mg/L	NC	NC	NC
		Manganese	EPA 200.7	1008397-002	36.2	35.5	36.0	1.00	mg/L	70	20	1 %
		Molybdenum	EPA 200.7	1008397-002	<0.010	1.05	1.05	1.00	mg/L	104	104	<1%
		Nickel	EPA 200.7	1008397-002	<0.010	5.13	5.10	5.00	mg/L	103	102	1 %
		Phosphorus	EPA 200.7	1008397-002	<0.500	5.46	5.44	5.00	mg/L	111	110	<1%
		Potassium	EPA 200.7	1008397-002	41.6	50.9	51.5	10.0	mg/L	93	99	1 %
		Scandium	EPA 200.7	1008397-002	<0.100	1.04	1.03	1.00	mg/L	104	103	1 %
		Silver	EPA 200.7	1008397-002	<0.005	0.094	0.095	0.090	mg/L	108	110	1 %
		Sodium	EPA 200.7	1008397-002	45.3	53.8	55.1	10.0	mg/L	85	98	2 %
		Strontium	EPA 200.7	1008397-002	2.48	3.37	3.46	1.00	mg/L	89	98	3 %
		Tin	EPA 200.7	1008397-002	<0.100	0.929	0.936	1.00	mg/L	104	104	1 %
		Titanium	EPA 200.7	1008397-002	<0.100	1.03	1.03	1.00	mg/L	103	103	<1%
		Vanadium	EPA 200.7	1008397-002	0.068	1.12	1.12	1.00	mg/L	105	105	<1%
		Zinc	EPA 200.7	1008397-002	0.468	1.45	1.44	1.00	mg/L	98	97	1 %
		Mercury	EPA 200.8	1008397-002	<0.000100	0.000977	0.000933	0.001	mg/L	98	93	5 %
		Antimony	EPA 200.8	1008397-002	<0.0025	0.0105	0.0102	0.010	mg/L	105	102	3 %
		Arsenic	EPA 200.8	1008397-002	<0.0050	0.0578	0.0562	0.050	mg/L	112	109	3 %
		Lead	EPA 200.8	1008397-002	0.0025	0.0124	0.0122	0.010	mg/L	99	97	2 %
		Selenium	EPA 200.8	1008397-002	0.0112	0.0702	0.0654	0.050	mg/L	118	108	7 %
		Thallium	EPA 200.8	1008397-002	<0.0010	0.0104	0.0099	0.010	mg/L	104	99	5 %
Uranium	EPA 200.8	1008397-002	0.0160	0.0258	0.0248	0.010	mg/L	97	87	4 %		



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1008397

Report 9/8/10

Due Date:

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name 3438

P.O. Number

Project Number

Email mli@mettest.com

Turnaround Time

Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results Y N To: Client Billing

Email Results Y N To: Client Billing

Compliance Monitoring Y N

Fax Results to State EPA Y N

Sample Type Codes

DW = Drinking Water

SD = Solid

WW = Wastewater

SO = Soil

SW = Surface Water

HW = Hazardous Waste

MW = Monitoring Well

OTHER: _____

SAMPLE ID/LOCATION

DATE

TIME

SAMPLE TYPE

NO. OF CONTAINERS

Profile II w/o WAD

Analyses Requested

Spl. No.

604767 MWMP

8/24/10

0900

WW

2

X

19

1

605184 MWMP

2

21

2

604849 MWMP

2

22

3

604854 MWMP

2

23

4

604867 MWMP

2

25

5

604562 MWMP

2

29

6

1008

397

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT

DATE

TIME

Samples Relinquished By

Samples Received By

Temperature

20°C

9/24

3:45

Loysa P. Fisher

Gene McClelland

Custody Seals Intact? Y N None

Number of Containers

12

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



9/10/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008456

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/26/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1008456

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1008456-004 Selenium

1008456-006 Mercury

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/10/2010

OrderID: 1008456

Customer Sample ID: 604606 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-001

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.31	pH Units		8/26/2010
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	8/26/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Total Alkalinity	SM 2320B	98	mg/L as CaCO ₃	1.0	8/26/2010
Chloride	EPA 300.0	19	mg/L	1.0	8/27/2010
Fluoride	EPA 300.0	6.0	mg/L	1.0	8/27/2010
Sulfate	EPA 300.0	100	mg/L	1.0	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	0.033	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	8/30/2010
Aluminum	EPA 200.7	0.050	mg/L	0.045	9/3/2010
Barium	EPA 200.7	0.014	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.36	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Calcium	EPA 200.7	35	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	5.5	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	0.013	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.086	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	25	mg/L	0.50	9/3/2010

Customer Sample ID: 604606 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-001

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Sodium	EPA 200.7	50	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	0.38	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	0.00043	mg/L	0.00010	9/7/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Selenium	EPA 200.8	0.0053	mg/L	0.0050	9/8/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/7/2010
Uranium	EPA 200.8	0.020	mg/L	0.010	9/7/2010
Anions	Calculation	4.90	meq/L	0.10	9/7/2010
Cations	Calculation	5.02	meq/L	0.10	9/7/2010
Error	Calculation	1.2	%	1.0	9/7/2010

Customer Sample ID: 604673 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-002

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.33	pH Units		8/26/2010
Bicarbonate (HCO ₃)	SM 2320B	97	mg/L	1.0	8/26/2010
Carbonate (CO ₃)	SM 2320B	1.2	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Total Alkalinity	SM 2320B	82	mg/L as CaCO ₃	1.0	8/26/2010
Chloride	EPA 300.0	12	mg/L	1.0	8/27/2010
Fluoride	EPA 300.0	5.6	mg/L	1.0	8/27/2010
Sulfate	EPA 300.0	110	mg/L	1.0	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	0.23	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	8/30/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/3/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.23	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010

Customer Sample ID: 604673 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-002

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	45	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	7.0	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.27	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	22	mg/L	0.50	9/3/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Sodium	EPA 200.7	34	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	0.35	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	0.0029	mg/L	0.00010	9/7/2010
Antimony	EPA 200.8	0.0028	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	0.0054	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Selenium	EPA 200.8	0.011	mg/L	0.0050	9/8/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/7/2010
Uranium	EPA 200.8	0.042	mg/L	0.010	9/7/2010
Anions	Calculation	4.55	meq/L	0.10	9/7/2010
Cations	Calculation	4.86	meq/L	0.10	9/7/2010
Error	Calculation	3.3	%	1.0	9/7/2010

Customer Sample ID: 604569 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-003

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.25	pH Units		8/26/2010
Bicarbonate (HCO ₃)	SM 2320B	73	mg/L	1.0	8/26/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010

Customer Sample ID: 604569 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-003

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	60	mg/L as CaCO3	1.0	8/26/2010
Chloride	EPA 300.0	7.8	mg/L	1.0	8/27/2010
Fluoride	EPA 300.0	3.9	mg/L	0.10	8/27/2010
Sulfate	EPA 300.0	93	mg/L	1.0	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	0.028	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	8/30/2010
Aluminum	EPA 200.7	<0.22	mg/L	0.22	9/3/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.14	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Calcium	EPA 200.7	28	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	9.4	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	0.052	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.035	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	14	mg/L	0.50	9/3/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Sodium	EPA 200.7	31	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	0.21	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	0.013	mg/L	0.010	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	0.00035	mg/L	0.00010	9/7/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/8/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/7/2010
Uranium	EPA 200.8	0.019	mg/L	0.010	9/7/2010

Customer Sample ID: 604569 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-003

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.56	meq/L	0.10	9/7/2010
Cations	Calculation	3.89	meq/L	0.10	9/7/2010
Error	Calculation	4.4	%	1.0	9/7/2010

Customer Sample ID: 604571 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-004

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.36	pH Units		8/26/2010
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/26/2010
Carbonate (CO ₃)	SM 2320B	1.8	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Total Alkalinity	SM 2320B	91	mg/L as CaCO ₃	1.0	8/26/2010
Chloride	EPA 300.0	15	mg/L	1.0	8/27/2010
Fluoride	EPA 300.0	7.3	mg/L	1.0	8/27/2010
Sulfate	EPA 300.0	290	mg/L	10	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	550	mg/L	10	8/30/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/3/2010
Barium	EPA 200.7	0.042	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.19	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Calcium	EPA 200.7	64	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	14	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	0.062	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.058	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	40	mg/L	0.50	9/3/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010

Customer Sample ID: 604571 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-004

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	64	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	0.58	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	0.016	mg/L	0.010	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	0.00052	mg/L	0.00010	9/7/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Selenium	EPA 200.8	<0.010	mg/L	0.010	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/7/2010
Uranium	EPA 200.8	0.040	mg/L	0.010	9/7/2010
Anions	Calculation	8.71	meq/L	0.10	9/7/2010
Cations	Calculation	8.16	meq/L	0.10	9/7/2010
Error	Calculation	3.3	%	1.0	9/7/2010

Customer Sample ID: 605175 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-005

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.78	pH Units		8/26/2010
Bicarbonate (HCO ₃)	SM 2320B	94	mg/L	1.0	8/26/2010
Carbonate (CO ₃)	SM 2320B	7.0	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Total Alkalinity	SM 2320B	89	mg/L as CaCO ₃	1.0	8/26/2010
Chloride	EPA 300.0	6.8	mg/L	1.0	8/27/2010
Fluoride	EPA 300.0	3.1	mg/L	0.10	8/27/2010
Sulfate	EPA 300.0	140	mg/L	1.0	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	8/30/2010
Aluminum	EPA 200.7	0.12	mg/L	0.045	9/3/2010
Barium	EPA 200.7	0.036	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.26	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Calcium	EPA 200.7	15	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010

Customer Sample ID: 605175 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-005

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	6.6	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	0.0094	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.081	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	18	mg/L	0.50	9/3/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Sodium	EPA 200.7	84	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	1.3	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	0.019	mg/L	0.010	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	0.00019	mg/L	0.00010	9/7/2010
Antimony	EPA 200.8	0.0046	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	0.0078	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/7/2010
Selenium	EPA 200.8	0.0087	mg/L	0.0050	9/8/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/7/2010
Uranium	EPA 200.8	0.013	mg/L	0.010	9/7/2010
Anions	Calculation	5.04	meq/L	0.10	9/7/2010
Cations	Calculation	5.42	meq/L	0.10	9/7/2010
Error	Calculation	3.6	%	1.0	9/7/2010

Customer Sample ID: 604601 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-006

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.47	pH Units		8/26/2010
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	8/26/2010
Carbonate (CO3)	SM 2320B	3.0	mg/L	1.0	8/26/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/26/2010
Total Alkalinity	SM 2320B	98	mg/L as CaCO3	1.0	8/26/2010
Chloride	EPA 300.0	16	mg/L	1.0	8/27/2010

Customer Sample ID: 604601 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-006

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	5.0	mg/L	0.10	8/27/2010
Sulfate	EPA 300.0	150	mg/L	1.0	8/27/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/27/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/27/2010
Total Dissolved Solids (TDS)	SM 2540C	390	mg/L	10	8/30/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/3/2010
Barium	EPA 200.7	0.020	mg/L	0.010	9/3/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Boron	EPA 200.7	0.34	mg/L	0.10	9/3/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/3/2010
Calcium	EPA 200.7	45	mg/L	0.50	9/3/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Magnesium	EPA 200.7	8.7	mg/L	0.50	9/3/2010
Manganese	EPA 200.7	0.022	mg/L	0.0050	9/3/2010
Molybdenum	EPA 200.7	0.091	mg/L	0.010	9/3/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/3/2010
Potassium	EPA 200.7	42	mg/L	0.50	9/3/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/3/2010
Sodium	EPA 200.7	56	mg/L	0.50	9/3/2010
Strontium	EPA 200.7	0.44	mg/L	0.10	9/3/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/3/2010
Vanadium	EPA 200.7	<0.050	mg/L	0.050	9/3/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/3/2010
Mercury	EPA 200.8	<0.0002	mg/L	0.0002	9/9/2010
Antimony	EPA 200.8	0.0033	mg/L	0.0025	9/7/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/7/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/8/2010
Selenium	EPA 200.8	0.011	mg/L	0.0050	9/7/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/8/2010
Uranium	EPA 200.8	0.051	mg/L	0.010	9/7/2010
Anions	Calculation	5.74	meq/L	0.10	9/7/2010
Cations	Calculation	6.47	meq/L	0.10	9/7/2010

Customer Sample ID: 604601 MWMP

Collect Date/Time: 8/26/2010 09:00

WETLAB Sample ID: 1008456-006

Receive Date: 8/26/2010 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	6.0	%	1.0	9/7/2010

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1008767	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1008767	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1008767	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1008769	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1008769	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1008769	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1008771	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008771	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008771	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1008772	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008772	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008772	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1008773	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1008773	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1008773	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1009039	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1009039	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1009084	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1009160	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008727	LCS 1	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008727	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1008729	LCS 1	Alkalinity	SM 2320B	94.2	100	94	mg/L
QC1008767	LCS 1	Fluoride	EPA 300.0	2.10	2.00	105	mg/L
QC1008769	LCS 1	Chloride	EPA 300.0	10.00	10.0	100	mg/L
QC1008771	LCS 1	Nitrite Nitrogen	EPA 300.0	0.534	0.500	107	mg/L
QC1008772	LCS 1	Nitrate Nitrogen	EPA 300.0	1.94	2.00	97	mg/L
QC1008773	LCS 1	Sulfate	EPA 300.0	25.7	25.0	103	mg/L
QC1009039	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC1009039	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC1009084	LCS 1	Aluminum	EPA 200.7	1.09	1.00	109	mg/L
		Barium	EPA 200.7	1.07	1.00	107	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.09	1.00	109	mg/L
		Boron	EPA 200.7	1.06	1.00	106	mg/L
		Cadmium	EPA 200.7	1.08	1.00	108	mg/L
		Calcium	EPA 200.7	10.5	10.0	105	mg/L
		Chromium	EPA 200.7	1.07	1.00	107	mg/L
		Cobalt	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.40	5.00	108	mg/L
		Gallium	EPA 200.7	1.08	1.00	108	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.06	1.00	106	mg/L
		Magnesium	EPA 200.7	10.6	10.0	106	mg/L
		Manganese	EPA 200.7	1.06	1.00	106	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.36	5.00	107	mg/L
		Phosphorus	EPA 200.7	5.33	5.00	107	mg/L
		Potassium	EPA 200.7	10.9	10.0	109	mg/L
		Scandium	EPA 200.7	1.08	1.00	108	mg/L
		Silver	EPA 200.7	0.098	0.090	109	mg/L
		Sodium	EPA 200.7	10.8	10.0	108	mg/L
		Strontium	EPA 200.7	1.08	1.00	108	mg/L
		Tin	EPA 200.7	1.05	1.00	105	mg/L
		Titanium	EPA 200.7	1.10	1.00	110	mg/L
		Vanadium	EPA 200.7	1.07	1.00	107	mg/L
		Zinc	EPA 200.7	1.09	1.00	109	mg/L
QC1009180	LCS 1	Mercury	EPA 200.8	0.000970	0.001	97	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0493	0.050	99	mg/L
		Lead	EPA 200.8	0.0095	0.010	95	mg/L
		Selenium	EPA 200.8	0.0491	0.050	98	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	93	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008727	Duplicate 1	pH	SM 4500-H+ B	1008436-001	7.74	7.70	pH Units	1 %
QC1008727	Duplicate 2	pH	SM 4500-H+ B	1008436-008	7.62	7.58	pH Units	1 %
QC1008727	Duplicate 3	pH	SM 4500-H+ B	1008456-001	8.31	8.34	pH Units	<1%
QC1008729	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008436-001	274	275	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008436-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008436-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008729	Duplicate 2	Total Alkalinity	SM 2320B	1008436-001	225	225	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1008436-008	378	378	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1008436-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008436-008	<1.000	<1.000	mg/L	<1%
QC1009039	Duplicate 1	Total Alkalinity	SM 2320B	1008436-008	310	310	mg/L as CaCO3	<1%
QC1009039	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008440-001	764	761	mg/L	<1%
QC1009039	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008456-001	321	319	mg/L	1 %
QC1009039	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008460-005	319	323	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1008767	MS 1	Fluoride	EPA 300.0	1008456-001	6.05	24.0	25.1	2.00	mg/L	90	95	4 %
QC1008767	MS 2	Fluoride	EPA 300.0	1008454-001	1.66	5.54	5.36	2.00	mg/L	97	92	3 %
QC1008769	MS 1	Chloride	EPA 300.0	1008456-001	18.7	23.6	23.7	5.00	mg/L	98	100	<1%
QC1008769	MS 2	Chloride	EPA 300.0	1008454-001	1.10	11.4	11.4	5.00	mg/L	103	103	<1%
QC1008771	MS 1	Nitrite Nitrogen	EPA 300.0	1008456-001	0.033	0.566	0.599	0.500	mg/L	112	118	6 %
QC1008771	MS 2	Nitrite Nitrogen	EPA 300.0	1008454-001	<0.050	1.14	1.13	0.500	mg/L	111	110	1 %
QC1008772	MS 1	Nitrate Nitrogen	EPA 300.0	1008456-001	<1.000	2.08	2.13	2.00	mg/L	102	104	2 %
QC1008772	MS 2	Nitrate Nitrogen	EPA 300.0	1008460-001	<1.000	2.32	2.33	2.00	mg/L	100	101	<1%
QC1008773	MS 1	Sulfate	EPA 300.0	1008456-001	101	109	109	10.0	mg/L	80	81	<1%
QC1008773	MS 2	Sulfate	EPA 300.0	1008460-001	57.6	66.7	66.7	10.0	mg/L	91	91	<1%
QC1009084	MS 1	Aluminum	EPA 200.7	1008436-002	<0.045	1.07	1.05	1.00	mg/L	105	103	2 %
		Barium	EPA 200.7	1008436-002	<0.010	1.10	1.08	1.00	mg/L	110	108	2 %
		Beryllium	EPA 200.7	1008436-002	<0.001	1.08	1.07	1.00	mg/L	108	107	1 %
		Bismuth	EPA 200.7	1008436-002	<0.100	1.08	1.07	1.00	mg/L	111	110	1 %
		Boron	EPA 200.7	1008436-002	0.151	1.30	1.29	1.00	mg/L	115	114	1 %
		Cadmium	EPA 200.7	1008436-002	<0.001	1.10	1.08	1.00	mg/L	110	108	2 %
		Calcium	EPA 200.7	1008436-002	47.6	57.1	57.1	10.0	mg/L	95	95	<1%
		Chromium	EPA 200.7	1008436-002	<0.005	1.10	1.08	1.00	mg/L	110	108	2 %
		Cobalt	EPA 200.7	1008436-002	<0.010	1.07	1.05	1.00	mg/L	107	105	2 %
		Copper	EPA 200.7	1008436-002	<0.050	5.45	5.36	5.00	mg/L	109	107	2 %
		Gallium	EPA 200.7	1008436-002	<0.100	1.08	1.05	1.00	mg/L	107	104	3 %
		Iron	EPA 200.7	1008436-002	8.92	9.64	9.65	1.00	mg/L	72	73	<1%
		Lithium	EPA 200.7	1008436-002	<0.100	1.11	1.10	1.00	mg/L	107	106	1 %
		Magnesium	EPA 200.7	1008436-002	85.2	93.4	93.8	10.0	mg/L	82	86	<1%
		Manganese	EPA 200.7	1008436-002	0.288	1.34	1.33	1.00	mg/L	105	104	1 %
		Molybdenum	EPA 200.7	1008436-002	<0.010	1.10	1.09	1.00	mg/L	110	109	1 %
		Nickel	EPA 200.7	1008436-002	<0.010	5.25	5.17	5.00	mg/L	105	103	2 %
		Phosphorus	EPA 200.7	1008436-002	<0.500	5.81	5.72	5.00	mg/L	117	115	2 %
		Potassium	EPA 200.7	1008436-002	4.63	15.7	15.6	10.0	mg/L	111	110	1 %
		Scandium	EPA 200.7	1008436-002	<0.100	1.11	1.09	1.00	mg/L	111	109	2 %
		Silver	EPA 200.7	1008436-002	<0.005	0.096	0.093	0.090	mg/L	109	105	3 %
		Sodium	EPA 200.7	1008436-002	42.1	51.4	50.9	10.0	mg/L	93	88	1 %
		Strontium	EPA 200.7	1008436-002	0.102	1.15	1.13	1.00	mg/L	105	103	2 %
		Tin	EPA 200.7	1008436-002	<0.100	1.05	1.05	1.00	mg/L	110	110	<1%
		Titanium	EPA 200.7	1008436-002	<0.100	1.12	1.11	1.00	mg/L	112	111	1 %
		Vanadium	EPA 200.7	1008436-002	0.056	1.18	1.16	1.00	mg/L	112	110	2 %
		Zinc	EPA 200.7	1008436-002	<0.010	1.10	1.09	1.00	mg/L	110	109	1 %
QC1009160	MS 1	Mercury	EPA 200.8	1008436-002	<0.000100	0.000961	0.001000	0.001	mg/L	96	100	4 %
		Antimony	EPA 200.8	1008436-002	<0.0025	0.0096	0.0099	0.010	mg/L	96	99	3 %
		Arsenic	EPA 200.8	1008436-002	<0.0050	0.0499	0.0509	0.050	mg/L	100	102	2 %
		Lead	EPA 200.8	1008436-002	<0.0025	0.0095	0.0096	0.010	mg/L	95	96	1 %
		Selenium	EPA 200.8	1008436-002	<0.0050	M 0.0232	0.0221	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1008436-002	<0.0010	0.0095	0.0096	0.010	mg/L	95	96	1 %
		Uranium	EPA 200.8	1008436-002	<0.0100	0.0125	0.0104	0.010	mg/L	120	99	18 %



3438-Profile Iwlo WAD MWMP

475 E. Greg Street #119 | Sparks, Nevada 89431 | tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

9/13/2010

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1008487

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/30/2010. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1008487

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/13/2010

OrderID: 1008487

Customer Sample ID: 604862 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-001

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.11	pH Units		8/31/2010
Bicarbonate (HCO ₃)	SM 2320B	150	mg/L	1.0	8/31/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	12	mg/L	1.0	8/31/2010
Fluoride	EPA 300.0	5.5	mg/L	1.0	8/31/2010
Sulfate	EPA 300.0	280	mg/L	10	8/31/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	580	mg/L	10	8/31/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/8/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.14	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Calcium	EPA 200.7	88	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	18	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.088	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	22	mg/L	0.50	9/8/2010

Customer Sample ID: 604862 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-001

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Sodium	EPA 200.7	44	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	2.2	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	0.027	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	0.018	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	0.019	mg/L	0.010	9/9/2010
Anions	Calculation	8.92	meq/L	0.10	9/8/2010
Cations	Calculation	8.35	meq/L	0.10	9/8/2010
Error	Calculation	3.3	%	1.0	9/8/2010

Customer Sample ID: 604734 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-002

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.74	pH Units		8/31/2010
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	8/31/2010
Carbonate (CO ₃)	SM 2320B	6.9	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	27	mg/L	1.0	8/31/2010
Fluoride	EPA 300.0	9.0	mg/L	1.0	8/31/2010
Sulfate	EPA 300.0	100	mg/L	10	8/31/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	360	mg/L	10	8/31/2010
Aluminum	EPA 200.7	0.055	mg/L	0.045	9/8/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.32	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010

Customer Sample ID: 604734 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-002

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	18	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	6.1	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	0.0072	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.094	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	17	mg/L	0.50	9/8/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Sodium	EPA 200.7	85	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	0.50	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	0.019	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	0.00056	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	0.0066	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/9/2010
Anions	Calculation	5.68	meq/L	0.10	9/8/2010
Cations	Calculation	5.54	meq/L	0.10	9/8/2010
Error	Calculation	1.2	%	1.0	9/8/2010

Customer Sample ID: 604552 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-003

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.27	pH Units		8/31/2010
Bicarbonate (HCO3)	SM 2320B	120	mg/L	1.0	8/31/2010
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010

Customer Sample ID: 604552 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-003

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	100	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	16	mg/L	1.0	8/31/2010
Fluoride	EPA 300.0	8.0	mg/L	1.0	8/31/2010
Sulfate	EPA 300.0	200	mg/L	10	8/31/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	0.17	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	450	mg/L	10	8/31/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/8/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.17	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Calcium	EPA 200.7	62	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	10	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	0.023	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.035	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	12	mg/L	0.50	9/8/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Sodium	EPA 200.7	54	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	0.49	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	0.016	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	0.0020	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	0.052	mg/L	0.010	9/9/2010

Customer Sample ID: 604552 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-003

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	7.00	meq/L	0.10	9/8/2010
Cations	Calculation	6.57	meq/L	0.10	9/8/2010
Error	Calculation	3.2	%	1.0	9/8/2010

Customer Sample ID: 604669 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-004

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.39	pH Units		8/31/2010
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/31/2010
Carbonate (CO ₃)	SM 2320B	2.4	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Total Alkalinity	SM 2320B	97	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	21	mg/L	1.0	8/31/2010
Fluoride	EPA 300.0	6.6	mg/L	1.0	8/31/2010
Sulfate	EPA 300.0	260	mg/L	10	8/31/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	0.22	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	560	mg/L	10	8/31/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/8/2010
Barium	EPA 200.7	0.013	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.21	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Calcium	EPA 200.7	83	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	13	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	0.043	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.12	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	24	mg/L	0.50	9/8/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010

Customer Sample ID: 604669 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-004

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	42	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	0.75	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	0.020	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	0.0018	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	0.0029	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	0.017	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	0.056	mg/L	0.010	9/9/2010
Anions	Calculation	8.24	meq/L	0.10	9/8/2010
Cations	Calculation	7.65	meq/L	0.10	9/8/2010
Error	Calculation	3.7	%	1.0	9/8/2010

Customer Sample ID: 605153 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-005

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.15	pH Units		8/31/2010
Bicarbonate (HCO ₃)	SM 2320B	76	mg/L	1.0	8/31/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	7.8	mg/L	1.0	8/31/2010
Fluoride	EPA 300.0	5.0	mg/L	1.0	8/31/2010
Sulfate	EPA 300.0	120	mg/L	10	8/31/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	0.043	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	270	mg/L	10	8/31/2010
Aluminum	EPA 200.7	0.066	mg/L	0.045	9/8/2010
Barium	EPA 200.7	0.039	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.29	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Calcium	EPA 200.7	18	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010

Customer Sample ID: 605153 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-005

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	4.2	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	0.0090	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.021	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	13	mg/L	0.50	9/8/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Sodium	EPA 200.7	52	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	1.2	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/9/2010
Anions	Calculation	4.23	meq/L	0.10	9/8/2010
Cations	Calculation	3.85	meq/L	0.10	9/8/2010
Error	Calculation	4.7	%	1.0	9/8/2010

Customer Sample ID: 604656 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-006

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.27	pH Units		8/31/2010
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	8/31/2010
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/31/2010
Total Alkalinity	SM 2320B	100	mg/L as CaCO ₃	1.0	8/31/2010
Chloride	EPA 300.0	91	mg/L	1.0	8/31/2010

Customer Sample ID: 604656 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-006

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	6.5	mg/L	1.0	9/1/2010
Sulfate	EPA 300.0	140	mg/L	10	9/1/2010
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2010
Nitrite Nitrogen	EPA 300.0	0.35	mg/L	0.025	8/31/2010
Total Dissolved Solids (TDS)	SM 2540C	540	mg/L	10	8/31/2010
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/8/2010
Barium	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Boron	EPA 200.7	0.12	mg/L	0.10	9/8/2010
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/8/2010
Calcium	EPA 200.7	79	mg/L	0.50	9/8/2010
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Copper	EPA 200.7	<0.050	mg/L	0.050	9/8/2010
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Iron	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Magnesium	EPA 200.7	13	mg/L	0.50	9/8/2010
Manganese	EPA 200.7	0.018	mg/L	0.0050	9/8/2010
Molybdenum	EPA 200.7	0.15	mg/L	0.010	9/8/2010
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/8/2010
Potassium	EPA 200.7	16	mg/L	0.50	9/8/2010
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/8/2010
Sodium	EPA 200.7	45	mg/L	0.50	9/8/2010
Strontium	EPA 200.7	0.80	mg/L	0.10	9/8/2010
Tin	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/8/2010
Vanadium	EPA 200.7	0.019	mg/L	0.010	9/8/2010
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/8/2010
Mercury	EPA 200.8	0.0009	mg/L	0.00010	9/9/2010
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/9/2010
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/9/2010
Selenium	EPA 200.8	0.0096	mg/L	0.0050	9/9/2010
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/9/2010
Uranium	EPA 200.8	0.029	mg/L	0.010	9/9/2010
Anions	Calculation	7.95	meq/L	0.10	9/8/2010
Cations	Calculation	7.38	meq/L	0.10	9/8/2010

Customer Sample ID: 604656 MWMP

Collect Date/Time: 8/30/2010 09:00

WETLAB Sample ID: 1008487-006

Receive Date: 8/30/2010 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	3.8	%	1.0	9/8/2010

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1009016	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1009016	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1009016	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1009018	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1009018	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1009018	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1009020	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1009020	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1009020	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1009022	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1009022	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1009022	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1009024	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1009024	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1009024	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1009072	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1009072	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1009151	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1009198	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1008808	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1008808	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1008810	LCS 1	Alkalinity	SM 2320B	93.4	100	93	mg/L
QC1008810	LCS 2	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC1009016	LCS 1	Fluoride	EPA 300.0	2.18	2.00	109	mg/L
QC1009018	LCS 1	Chloride	EPA 300.0	9.96	10.0	100	mg/L
QC1009020	LCS 1	Nitrite Nitrogen	EPA 300.0	0.529	0.500	106	mg/L
QC1009022	LCS 1	Nitrate Nitrogen	EPA 300.0	1.93	2.00	96	mg/L
QC1009024	LCS 1	Sulfate	EPA 300.0	26.1	25.0	104	mg/L
QC1009072	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	163	150	108	mg/L
QC1009072	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1009151	LCS 1	Aluminum	EPA 200.7	0.990	1.00	99	mg/L
		Barium	EPA 200.7	0.941	1.00	94	mg/L
		Beryllium	EPA 200.7	0.958	1.00	96	mg/L
		Bismuth	EPA 200.7	0.968	1.00	97	mg/L
		Boron	EPA 200.7	0.941	1.00	94	mg/L
		Cadmium	EPA 200.7	0.937	1.00	94	mg/L
		Calcium	EPA 200.7	9.51	10.0	95	mg/L
		Chromium	EPA 200.7	0.946	1.00	95	mg/L
		Cobalt	EPA 200.7	0.931	1.00	93	mg/L
		Copper	EPA 200.7	4.84	5.00	97	mg/L
		Gallium	EPA 200.7	0.975	1.00	98	mg/L
		Iron	EPA 200.7	0.957	1.00	96	mg/L
		Lithium	EPA 200.7	0.966	1.00	97	mg/L
		Magnesium	EPA 200.7	9.44	10.0	94	mg/L
		Manganese	EPA 200.7	0.947	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.912	1.00	91	mg/L
		Nickel	EPA 200.7	4.68	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.52	5.00	90	mg/L
		Potassium	EPA 200.7	9.82	10.0	98	mg/L
		Scandium	EPA 200.7	0.973	1.00	97	mg/L
		Silver	EPA 200.7	0.090	0.090	99	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	0.998	1.00	100	mg/L
		Tin	EPA 200.7	0.898	1.00	90	mg/L
		Titanium	EPA 200.7	0.964	1.00	96	mg/L
		Vanadium	EPA 200.7	0.955	1.00	96	mg/L
		Zinc	EPA 200.7	0.927	1.00	93	mg/L
QC1009198	LCS 1	Mercury	EPA 200.8	0.001071	0.001	107	mg/L
		Antimony	EPA 200.8	0.0107	0.010	106	mg/L
		Arsenic	EPA 200.8	0.0513	0.050	103	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0469	0.050	94	mg/L
		Thallium	EPA 200.8	0.0098	0.010	98	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	94	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008808	Duplicate 1	pH	SM 4500-H+ B	1008487-001	8.11	8.13	pH Units	<1%
QC1008808	Duplicate 2	pH	SM 4500-H+ B	1008489-002	8.10	8.19	pH Units	1 %
QC1008808	Duplicate 3	pH	SM 4500-H+ B	1008489-011	7.04	7.09	pH Units	1 %
QC1008810	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1008487-001	147	146	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1008487-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1008810	Duplicate 2	Hydroxide (OH)	SM 2320B	1008487-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008487-001	121	119	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1008489-002	54.6	53.5	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1008489-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008489-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008489-002	44.7	43.9	mg/L as CaCO3	2 %
QC1008810	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1008489-011	7.99	7.85	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1008489-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1008489-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1008489-011	6.55	6.44	mg/L as CaCO3	2 %
QC1009072	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1008474-001	86.0	83.0	mg/L	4 %
QC1009072	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1008487-004	563	551	mg/L	2 %
QC1009072	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1008489-008	46.0	42.0	mg/L	9 %
QC1009072	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1008490-003	1180	1174	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1009016	MS 1	Fluoride	EPA 300.0	1008486-001	0.102	2.15	2.12	2.00	mg/L	103	101	1 %
QC1009016	MS 2	Fluoride	EPA 300.0	1008489-002	0.428	2.24	2.37	2.00	mg/L	91	97	6 %
QC1009018	MS 1	Chloride	EPA 300.0	1008486-001	<1.000	5.26	5.35	5.00	mg/L	103	104	2 %
QC1009018	MS 2	Chloride	EPA 300.0	1008489-002	<1.000	5.19	5.28	5.00	mg/L	102	104	2 %
QC1009020	MS 1	Nitrite Nitrogen	EPA 300.0	1008486-001	<0.025	0.556	0.566	0.500	mg/L	110	112	2 %
QC1009020	MS 2	Nitrite Nitrogen	EPA 300.0	1008489-002	<0.025	0.562	0.569	0.500	mg/L	111	112	1 %
QC1009022	MS 1	Nitrate Nitrogen	EPA 300.0	1008486-001	<1.000	2.02	2.06	2.00	mg/L	99	101	2 %
QC1009022	MS 2	Nitrate Nitrogen	EPA 300.0	1008489-002	<1.000	2.58	2.62	2.00	mg/L	99	101	2 %
QC1009024	MS 1	Sulfate	EPA 300.0	1008486-001	16.0	25.1	25.1	10.0	mg/L	91	91	<1%
QC1009024	MS 2	Sulfate	EPA 300.0	1008489-002	1.30	11.6	11.8	10.0	mg/L	103	105	2 %
QC1009151	MS 1	Aluminum	EPA 200.7	1008487-001	<0.045	0.969	0.962	1.00	mg/L	94	93	1 %
		Barium	EPA 200.7	1008487-001	<0.010	0.930	0.910	1.00	mg/L	92	90	2 %
		Beryllium	EPA 200.7	1008487-001	<0.001	0.982	0.960	1.00	mg/L	98	96	2 %
		Bismuth	EPA 200.7	1008487-001	<0.100	0.916	0.897	1.00	mg/L	94	93	2 %
		Boron	EPA 200.7	1008487-001	0.143	1.12	1.10	1.00	mg/L	98	96	2 %
		Cadmium	EPA 200.7	1008487-001	<0.001	0.927	0.899	1.00	mg/L	93	90	3 %
		Calcium	EPA 200.7	1008487-001	88.0	96.9	98.4	10.0	mg/L	89	104	2 %
		Chromium	EPA 200.7	1008487-001	<0.005	0.944	0.923	1.00	mg/L	94	92	2 %
		Cobalt	EPA 200.7	1008487-001	<0.010	0.922	0.898	1.00	mg/L	92	90	3 %
		Copper	EPA 200.7	1008487-001	<0.050	4.91	4.84	5.00	mg/L	98	96	1 %
		Gallium	EPA 200.7	1008487-001	<0.100	0.960	0.936	1.00	mg/L	96	93	3 %
		Iron	EPA 200.7	1008487-001	<0.010	0.987	0.964	1.00	mg/L	99	96	2 %
		Lithium	EPA 200.7	1008487-001	<0.100	0.989	0.983	1.00	mg/L	94	93	1 %
		Magnesium	EPA 200.7	1008487-001	18.4	27.6	27.4	10.0	mg/L	92	90	1 %
		Manganese	EPA 200.7	1008487-001	<0.005	0.943	0.923	1.00	mg/L	94	92	2 %
		Molybdenum	EPA 200.7	1008487-001	0.088	1.02	1.01	1.00	mg/L	93	92	1 %
		Nickel	EPA 200.7	1008487-001	<0.010	4.55	4.43	5.00	mg/L	91	89	3 %
		Phosphorus	EPA 200.7	1008487-001	<0.500	4.94	4.75	5.00	mg/L	99	95	4 %
		Potassium	EPA 200.7	1008487-001	21.5	31.1	31.4	10.0	mg/L	96	99	1 %
		Scandium	EPA 200.7	1008487-001	<0.100	0.982	0.968	1.00	mg/L	98	97	1 %
		Silver	EPA 200.7	1008487-001	<0.005	0.090	0.089	0.090	mg/L	100	99	1 %
		Sodium	EPA 200.7	1008487-001	44.3	53.1	54.5	10.0	mg/L	88	102	3 %
Strontium	EPA 200.7	1008487-001	2.17	3.11	3.19	1.00	mg/L	94	102	3 %		
Tin	EPA 200.7	1008487-001	<0.100	0.814	0.796	1.00	mg/L	94	93	2 %		
Titanium	EPA 200.7	1008487-001	<0.100	0.982	0.977	1.00	mg/L	98	98	1 %		
Vanadium	EPA 200.7	1008487-001	0.027	1.01	0.988	1.00	mg/L	98	96	2 %		
Zinc	EPA 200.7	1008487-001	<0.010	0.949	0.917	1.00	mg/L	95	91	3 %		
QC1009198	MS 1	Mercury	EPA 200.8	1008487-001	<0.000100	0.001082	0.001093	0.001	mg/L	108	109	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Antimony	EPA 200.8	1008487-001	<0.0025	0.0126	0.0121	0.010	mg/L	109	105	4 %
		Arsenic	EPA 200.8	1008487-001	<0.0050	0.0564	0.0551	0.050	mg/L	108	105	2 %
		Lead	EPA 200.8	1008487-001	<0.0025	0.0102	0.0102	0.010	mg/L	102	102	<1%
		Selenium	EPA 200.8	1008487-001	0.0177	0.0650	0.0642	0.050	mg/L	95	93	1 %
		Thallium	EPA 200.8	1008487-001	<0.0010	0.0101	0.0101	0.010	mg/L	101	101	<1%
		Uranium	EPA 200.8	1008487-001	0.0191	0.0286	0.0275	0.010	mg/L	95	84	4 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1008400

Report Due Date: 9/8/10

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3398

Email mli@mettest.com

Turnaround Time
Standard 5 Day Other

Billing Address (if different than Client Address):

Company Fronteer Development (USA) INC

Address 1031 Railroad Street Suite 110

City, State & Zip Elko, Nv 89801-3975

Contact Guy Jeske

Phone 775-777-2900

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

S
A
M
P
L
E
T
Y
P
E

NO
OF
C
O
N
T
A
I
N
E
R
S

Analyses Requested

Profile II w/o WAD

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO OF CONTAINERS	Spl. No.
Comp 2 LCM01 48.5'-75' Wk: 2	8/24/10	0900	WW	2	1
Comp 5 LCM03 28.5'-40.8'				2	2
Comp 18 LCM08 260.5'-269'				2	3
Comp 22 LCM11 69'-73.5'				2	4
Comp 42 LCM16 176'-180'				2	5
Comp 44 LCM16 254.2'-259.5'				2	6
Comp 53 LCM18 362'-378'				2	7
Comp 55 LC337c 29'-41'				2	8

Instructions/Comments/Special 1008 1
400 1

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>21.2 °C</u>	<u>8/24</u>	<u>3:45</u>	<u>Walter Park</u>	<u>Will P...</u>
Custody Seals Intact? Y N None				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

3/30/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1203375


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 3/19/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1203375

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1203375-005 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 22

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 3/30/2012
OrderID: 1203375

Customer Sample ID: CF-11-01-B, 268.8-292 MWMP
WETLAB Sample ID: 1203375-001

Collect Date/Time: 3/19/2012 09:00
Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.98	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	48	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	2.0	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	0.93	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	99	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.038	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	3/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/28/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Calcium	EPA 200.7	43	mg/L	0.50	3/28/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Magnesium	EPA 200.7	6.8	mg/L	0.50	3/28/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Molybdenum	EPA 200.7	0.064	mg/L	0.010	3/28/2012

Page 3 of 22

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-01-B, 268.8-292 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-001

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Potassium	EPA 200.7	3.4	mg/L	0.50	3/28/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Sodium	EPA 200.7	8.3	mg/L	0.50	3/28/2012
Strontium	EPA 200.7	0.39	mg/L	0.10	3/28/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Vanadium	EPA 200.7	0.014	mg/L	0.010	3/28/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Mercury	EPA 200.8	0.0019	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	3.13	meq/L	0.10	
Cations	Calculation	3.15	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-03, 23.9-53.2 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-002

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.58	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	15	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	13	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	<0.10	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	2.2	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.027	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	25	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.089	mg/L	0.045	3/28/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012

Page 4 of 22

Customer Sample ID: CF-11-03, 23.9-53.2 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-002

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Calcium	EPA 200.7	4.4	mg/L	0.50	3/28/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	3/28/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	3/28/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Vanadium	EPA 200.7	0.012	mg/L	0.010	3/28/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.29	meq/L	0.10	
Cations	Calculation	0.27	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: CF-11-10, 565.1-585 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-003

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.66	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	22	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	18	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	0.24	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	7.6	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.033	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	27	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.062	mg/L	0.045	3/28/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Calcium	EPA 200.7	4.3	mg/L	0.50	3/28/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Magnesium	EPA 200.7	0.78	mg/L	0.50	3/28/2012
Manganese	EPA 200.7	0.0059	mg/L	0.0050	3/28/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Potassium	EPA 200.7	1.3	mg/L	0.50	3/28/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Sodium	EPA 200.7	5.7	mg/L	0.50	3/28/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/28/2012

Page 6 of 22

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-10, 565.1-585 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-003

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	0.00015	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.53	meq/L	0.10	
Cations	Calculation	0.57	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: CF-11-09, 588-628 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-004

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.46	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	18	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	14	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	0.14	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	2.2	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.027	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	17	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.064	mg/L	0.045	3/28/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Calcium	EPA 200.7	4.5	mg/L	0.50	3/28/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012

Page 7 of 22

Customer Sample ID: CF-11-09, 588-628 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-004

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Manganese	EPA 200.7	0.0065	mg/L	0.0050	3/28/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Potassium	EPA 200.7	0.56	mg/L	0.50	3/28/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	3/28/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.35	meq/L	0.10	
Cations	Calculation	0.31	meq/L	0.10	
Error	Calculation	6.3	%	1.0	

Customer Sample ID: CF-11-03, 922-949.5 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-005

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.30	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	14	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	11	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	<0.10	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	1.2	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.027	mg/L	0.025	3/20/2012

Page 8 of 22

Customer Sample ID: CF-11-03, 922-949.5 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-005

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	23	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.047	mg/L	0.045	3/28/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/28/2012
Calcium	EPA 200.7	3.0	mg/L	0.50	3/28/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	3/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/28/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/28/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	3/28/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/28/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/28/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.25	meq/L	0.10	
Cations	Calculation	0.22	meq/L	0.10	
Error	Calculation	8.2	%	1.0	

Customer Sample ID: CF-11-10-B, 1000-1035 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-006

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.68	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	25	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	20	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	0.18	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	4.0	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.028	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	24	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.055	mg/L	0.045	3/27/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Calcium	EPA 200.7	2.1	mg/L	0.50	3/27/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/27/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Magnesium	EPA 200.7	0.62	mg/L	0.50	3/27/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Molybdenum	EPA 200.7	0.016	mg/L	0.010	3/27/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Potassium	EPA 200.7	0.97	mg/L	0.50	3/27/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Sodium	EPA 200.7	8.5	mg/L	0.50	3/27/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/27/2012

Page 10 of 22

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-10-B, 1000-1035 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-006

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.50	meq/L	0.10	
Cations	Calculation	0.56	meq/L	0.10	
Error	Calculation	5.1	%	1.0	

Customer Sample ID: CF-11-07, 312-346.6 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-007

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.33	pH Units		3/19/2012
Bicarbonate (HCO3)	SM 2320B	17	mg/L	1.0	3/19/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	14	mg/L as CaCO3	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	<0.10	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	3.2	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.028	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	40	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.058	mg/L	0.045	3/27/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Calcium	EPA 200.7	4.7	mg/L	0.50	3/27/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/27/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012

Page 11 of 22

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-07, 312-346.6 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-007

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Manganese	EPA 200.7	0.0096	mg/L	0.0050	3/27/2012
Molybdenum	EPA 200.7	0.018	mg/L	0.010	3/27/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Potassium	EPA 200.7	0.50	mg/L	0.50	3/27/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Sodium	EPA 200.7	2.2	mg/L	0.50	3/27/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.35	meq/L	0.10	
Cations	Calculation	0.35	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02, 0-27 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-008

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.27	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	21	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	17	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	1.1	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	0.62	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	5.0	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.030	mg/L	0.025	3/20/2012

Page 12 of 22

Customer Sample ID: CF-11-02, 0-27 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-008

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	31	mg/L	10	3/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/27/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Calcium	EPA 200.7	5.6	mg/L	0.50	3/27/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/27/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Magnesium	EPA 200.7	0.83	mg/L	0.50	3/27/2012
Manganese	EPA 200.7	0.0075	mg/L	0.0050	3/27/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Potassium	EPA 200.7	0.60	mg/L	0.50	3/27/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Sodium	EPA 200.7	3.6	mg/L	0.50	3/27/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.51	meq/L	0.10	
Cations	Calculation	0.52	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02, 147-181 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-009

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.99	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	8.4	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	6.9	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	<0.10	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	0.030	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	12	mg/L	10	3/21/2012
Aluminum	EPA 200.7	0.048	mg/L	0.045	3/27/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Calcium	EPA 200.7	2.7	mg/L	0.50	3/27/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/27/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Manganese	EPA 200.7	0.011	mg/L	0.0050	3/27/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Sodium	EPA 200.7	0.58	mg/L	0.50	3/27/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/27/2012

Page 14 of 22

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02, 147-181 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-009

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	0.14	meq/L	0.10	
Cations	Calculation	0.17	meq/L	0.10	
Error	Calculation	9.2	%	1.0	

Customer Sample ID: CF-11-02, 367-408 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-010

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.86	pH Units		3/19/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/19/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	3/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/20/2012
Fluoride	EPA 300.0	<0.10	mg/L	0.10	3/20/2012
Sulfate	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/20/2012
Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L	10	3/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/27/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/27/2012
Calcium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/27/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012

Page 15 of 22

Customer Sample ID: CF-11-02, 367-408 MWMP

Collect Date/Time: 3/19/2012 09:00

WETLAB Sample ID: 1203375-010

Receive Date: 3/19/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/27/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/27/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/27/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/27/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/28/2012
Anions	Calculation	<0.10	meq/L	0.10	
Cations	Calculation	<0.10	meq/L	0.10	
Error	Calculation	NA	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12030720	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12030720	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12030720	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12030722	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12030722	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12030722	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12030724	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030724	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030724	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030725	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030725	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030725	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030726	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12030726	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12030726	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12030848	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030848	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030848	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030942	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12030961	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12031008	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12031031	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12030669	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12030670	LCS 1	Alkalinity	SM 2320B	103	100	103	mg/L
QC12030720	LCS 1	Fluoride	EPA 300.0	1.89	2.00	95	mg/L
QC12030722	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12030724	LCS 1	Nitrite Nitrogen	EPA 300.0	0.513	0.500	103	mg/L
QC12030725	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	101	mg/L
QC12030726	LCS 1	Sulfate	EPA 300.0	24.3	25.0	97	mg/L
QC12030848	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12030848	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC12030848	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC12030942	LCS 1	Aluminum	EPA 200.7	0.948	1.00	95	mg/L
		Barium	EPA 200.7	0.967	1.00	97	mg/L
		Beryllium	EPA 200.7	0.964	1.00	96	mg/L
		Bismuth	EPA 200.7	0.973	1.00	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Boron	EPA 200.7	0.910	1.00	91	mg/L
		Cadmium	EPA 200.7	0.962	1.00	96	mg/L
		Calcium	EPA 200.7	9.99	10.0	100	mg/L
		Chromium	EPA 200.7	0.959	1.00	96	mg/L
		Cobalt	EPA 200.7	0.975	1.00	98	mg/L
		Copper	EPA 200.7	4.71	5.00	94	mg/L
		Gallium	EPA 200.7	0.974	1.00	97	mg/L
		Iron	EPA 200.7	1.00	1.00	100	mg/L
		Lithium	EPA 200.7	0.994	1.00	99	mg/L
		Magnesium	EPA 200.7	9.97	10.0	100	mg/L
		Manganese	EPA 200.7	0.959	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.949	1.00	95	mg/L
		Nickel	EPA 200.7	4.85	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.88	5.00	98	mg/L
		Potassium	EPA 200.7	9.98	10.0	100	mg/L
		Scandium	EPA 200.7	0.971	1.00	97	mg/L
		Silver	EPA 200.7	0.083	0.090	92	mg/L
		Sodium	EPA 200.7	9.96	10.0	100	mg/L
		Strontium	EPA 200.7	0.994	1.00	99	mg/L
		Tin	EPA 200.7	0.938	1.00	94	mg/L
		Titanium	EPA 200.7	0.994	1.00	99	mg/L
		Vanadium	EPA 200.7	0.962	1.00	96	mg/L
		Zinc	EPA 200.7	0.986	1.00	99	mg/L
QC12030961	LCS 1	Aluminum	EPA 200.7	0.916	1.00	92	mg/L
		Barium	EPA 200.7	0.937	1.00	94	mg/L
		Beryllium	EPA 200.7	0.956	1.00	96	mg/L
		Bismuth	EPA 200.7	1.02	1.00	102	mg/L
		Boron	EPA 200.7	0.901	1.00	90	mg/L
		Cadmium	EPA 200.7	0.953	1.00	95	mg/L
		Calcium	EPA 200.7	10.4	10.0	104	mg/L
		Chromium	EPA 200.7	0.920	1.00	92	mg/L
		Cobalt	EPA 200.7	0.937	1.00	94	mg/L
		Copper	EPA 200.7	4.50	5.00	90	mg/L
		Gallium	EPA 200.7	0.926	1.00	93	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	0.988	1.00	99	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.906	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.948	1.00	95	mg/L
		Nickel	EPA 200.7	4.71	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.70	5.00	94	mg/L
		Potassium	EPA 200.7	9.84	10.0	98	mg/L
		Scandium	EPA 200.7	0.935	1.00	94	mg/L
		Silver	EPA 200.7	0.082	0.090	91	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.975	1.00	98	mg/L
		Titanium	EPA 200.7	0.982	1.00	98	mg/L
		Vanadium	EPA 200.7	0.930	1.00	93	mg/L
		Zinc	EPA 200.7	0.963	1.00	96	mg/L
QC12031008	LCS 1	Mercury	EPA 200.8	0.000992	0.001	99	mg/L
		Antimony	EPA 200.8	0.0103	0.010	103	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12031031	LCS 1	Lead	EPA 200.8	0.0107	0.010	107	mg/L
		Selenium	EPA 200.8	0.0485	0.050	97	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Mercury	EPA 200.8	0.001024	0.001	102	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0463	0.050	93	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0438	0.050	88	mg/L
		Thallium	EPA 200.8	0.0095	0.010	95	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12030669	Duplicate	pH	SM 4500-H+ B	1203375-001	7.98	7.97	pH Units	<1%
QC12030669	Duplicate	pH	SM 4500-H+ B	1203375-008	7.27	7.26	pH Units	<1%
QC12030670	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203375-001	59.0	57.6	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1203375-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203375-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203375-001	48.3	47.2	mg/L as CaCO3	2 %
QC12030670	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203375-008	20.9	19.0	mg/L	10 %
		Carbonate (CO3)	SM 2320B	1203375-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203375-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203375-008	17.2	15.5	mg/L as CaCO3	10 %
QC12030848	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203300-002	254	240	mg/L	6 %
QC12030848	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203372-008	70000	72000	mg/L	3 %
QC12030848	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203375-003	27.0	29.0	mg/L	7 %
QC12030848	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203381-001	2324	2320	mg/L	<1%
QC12030848	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203399-003	2344	2264	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12030720	MS 1	Fluoride	EPA 300.0	1203375-004	0.137	2.06	2.09	2.00	mg/L	96	98	1 %
QC12030720	MS 2	Fluoride	EPA 300.0	1203375-010	<0.100	1.87	1.92	2.00	mg/L	93	95	3 %
QC12030722	MS 1	Chloride	EPA 300.0	1203375-004	<1.000	5.36	5.46	5.00	mg/L	103	105	2 %
QC12030722	MS 2	Chloride	EPA 300.0	1203375-010	<1.000	5.15	5.21	5.00	mg/L	102	103	1 %
QC12030724	MS 1	Nitrite Nitrogen	EPA 300.0	1203375-004	0.027	0.536	0.546	0.500	mg/L	102	104	2 %
QC12030724	MS 2	Nitrite Nitrogen	EPA 300.0	1203375-010	<0.025	0.516	0.521	0.500	mg/L	100	101	1 %
QC12030725	MS 1	Nitrate Nitrogen	EPA 300.0	1203375-004	<1.000	2.06	2.10	2.00	mg/L	101	103	2 %
QC12030725	MS 2	Nitrate Nitrogen	EPA 300.0	1203375-010	<1.000	2.05	2.08	2.00	mg/L	101	102	1 %
QC12030726	MS 1	Sulfate	EPA 300.0	1203375-004	2.20	12.2	12.4	10.0	mg/L	100	102	2 %
QC12030726	MS 2	Sulfate	EPA 300.0	1203375-010	<1.000	10.0	10.2	10.0	mg/L	99	101	2 %
QC12030942	MS 1	Aluminum, Dissolved	EPA 200.7	1203304-003	<0.450	1.06	1.02	1.00	mg/L	106	102	4 %
		Barium, Dissolved	EPA 200.7	1203304-003	0.124	M 0.360	0.383	1.00	mg/L	NC	NC	NC
		Beryllium, Dissolved	EPA 200.7	1203304-003	<0.010	1.08	1.05	1.00	mg/L	108	105	3 %
		Bismuth, Dissolved	EPA 200.7	1203304-003	<1.000	0.693	0.716	1.00	mg/L	109	112	3 %
		Boron, Dissolved	EPA 200.7	1203304-003	25.7	SC 28.0	28.7	1.00	mg/L	NC	NC	NC
		Cadmium, Dissolved	EPA 200.7	1203304-003	<0.010	1.08	1.04	1.00	mg/L	110	106	4 %
		Calcium, Dissolved	EPA 200.7	1203304-003	410	SC 430	406	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1203304-003	<0.050	1.10	1.07	1.00	mg/L	107	104	3 %
		Cobalt, Dissolved	EPA 200.7	1203304-003	<0.100	1.08	1.06	1.00	mg/L	107	105	2 %
		Copper, Dissolved	EPA 200.7	1203304-003	<0.500	5.74	5.57	5.00	mg/L	115	111	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Gallium, Dissolved	EPA 200.7	1203304-003	<1.000	1.05	1.02	1.00	mg/L	99	96	3 %
		Iron, Dissolved	EPA 200.7	1203304-003	<0.100	0.885	0.828	1.00	mg/L	106	100	7 %
		Lithium, Dissolved	EPA 200.7	1203304-003	16.3	SC 18.0	17.9	1.00	mg/L	NC	NC	NC
		Magnesium, Dissolved	EPA 200.7	1203304-003	371	SC 389	388	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1203304-003	<0.050	0.877	0.860	1.00	mg/L	107	105	2 %
		Molybdenum, Dissolved	EPA 200.7	1203304-003	1.72	2.82	2.82	1.00	mg/L	110	110	<1%
		Nickel, Dissolved	EPA 200.7	1203304-003	0.139	5.64	5.45	5.00	mg/L	110	106	3 %
		Phosphorus, Dissolved	EPA 200.7	1203304-003	<5.000	6.45	6.35	5.00	mg/L	120	118	2 %
		Potassium, Dissolved	EPA 200.7	1203304-003	1050	SC 1090	1090	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1203304-003	<1.000	1.07	1.04	1.00	mg/L	108	105	3 %
		Silver, Dissolved	EPA 200.7	1203304-003	<0.050	0.094	0.095	0.090	mg/L	101	102	1 %
		Sodium, Dissolved	EPA 200.7	1203304-003	18300	SC 17800	18300	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1203304-003	10.6	11.8	10.7	1.00	mg/L	120	10	10 %
		Tin, Dissolved	EPA 200.7	1203304-003	<1.000	0.454	0.444	1.00	mg/L	111	110	2 %
		Titanium, Dissolved	EPA 200.7	1203304-003	<1.000	1.09	1.03	1.00	mg/L	109	103	6 %
		Vanadium, Dissolved	EPA 200.7	1203304-003	0.399	1.52	1.47	1.00	mg/L	112	107	3 %
		Zinc, Dissolved	EPA 200.7	1203304-003	<0.100	1.17	1.14	1.00	mg/L	112	109	3 %
QC12030961	MS 1	Aluminum, Dissolved	EPA 200.7	1203304-002	<0.450	1.00	0.965	1.00	mg/L	103	100	4 %
		Barium, Dissolved	EPA 200.7	1203304-002	0.153	M 0.290	0.286	1.00	mg/L	NC	NC	NC
		Beryllium, Dissolved	EPA 200.7	1203304-002	<0.010	1.03	1.02	1.00	mg/L	103	102	1 %
		Bismuth, Dissolved	EPA 200.7	1203304-002	<1.000	M 0.649	0.806	1.00	mg/L	NC	NC	NC
		Boron, Dissolved	EPA 200.7	1203304-002	15.6	SC 17.1	17.0	1.00	mg/L	NC	NC	NC
		Cadmium, Dissolved	EPA 200.7	1203304-002	<0.010	1.03	1.02	1.00	mg/L	104	103	1 %
		Calcium, Dissolved	EPA 200.7	1203304-002	223	SC 241	256	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1203304-002	<0.050	1.09	1.07	1.00	mg/L	105	103	2 %
		Cobalt, Dissolved	EPA 200.7	1203304-002	<0.100	1.05	1.04	1.00	mg/L	104	103	1 %
		Copper, Dissolved	EPA 200.7	1203304-002	<0.500	5.64	5.58	5.00	mg/L	112	111	1 %
		Gallium, Dissolved	EPA 200.7	1203304-002	<1.000	1.10	1.08	1.00	mg/L	105	103	2 %
		Iron, Dissolved	EPA 200.7	1203304-002	<0.100	0.925	0.918	1.00	mg/L	102	101	1 %
		Lithium, Dissolved	EPA 200.7	1203304-002	7.90	9.18	9.00	1.00	mg/L	128	110	2 %
		Magnesium, Dissolved	EPA 200.7	1203304-002	191	SC 205	199	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1203304-002	<0.050	0.934	0.916	1.00	mg/L	105	104	2 %
		Molybdenum, Dissolved	EPA 200.7	1203304-002	1.01	2.06	2.05	1.00	mg/L	105	104	<1%
		Nickel, Dissolved	EPA 200.7	1203304-002	<0.100	5.42	5.35	5.00	mg/L	107	105	1 %
		Phosphorus, Dissolved	EPA 200.7	1203304-002	<5.000	5.99	5.96	5.00	mg/L	113	112	1 %
		Potassium, Dissolved	EPA 200.7	1203304-002	543	SC 571	557	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1203304-002	<1.000	1.03	1.03	1.00	mg/L	103	103	<1%
		Silver, Dissolved	EPA 200.7	1203304-002	<0.050	0.104	0.106	0.090	mg/L	111	113	2 %
		Sodium, Dissolved	EPA 200.7	1203304-002	9780	SC 9750	9710	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1203304-002	6.96	SC 7.47	7.56	1.00	mg/L	NC	NC	NC
		Tin, Dissolved	EPA 200.7	1203304-002	<1.000	0.666	0.640	1.00	mg/L	103	101	4 %
		Titanium, Dissolved	EPA 200.7	1203304-002	<1.000	1.06	1.02	1.00	mg/L	107	103	4 %
		Vanadium, Dissolved	EPA 200.7	1203304-002	0.267	1.33	1.32	1.00	mg/L	106	105	1 %
		Zinc, Dissolved	EPA 200.7	1203304-002	<0.100	1.10	1.09	1.00	mg/L	108	107	1 %
QC12031008	MS 1	Mercury, Dissolved	EPA 200.8	1203304-002	0.026200	SC 0.025500	0.027040	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1203304-002	0.0467	0.0575	0.0587	0.010	mg/L	108	120	2 %
		Arsenic, Dissolved	EPA 200.8	1203304-002	<0.0500	0.1125	0.1107	0.050	mg/L	127	123	2 %
		Lead, Dissolved	EPA 200.8	1203304-002	<0.0100	<0.0100	<0.0100	0.010	mg/L	86	90	#Erro
		Selenium, Dissolved	EPA 200.8	1203304-002	<0.0500	0.0842	0.0821	0.050	mg/L	128	123	3 %
		Thallium, Dissolved	EPA 200.8	1203304-002	<0.0100	<0.0100	<0.0100	0.010	mg/L	83	86	#Erro
QC12031031	MS 1	Mercury, Dissolved	EPA 200.8	1203304-003	0.010100	SC 0.011930	0.013350	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1203304-003	0.0815	0.0922	0.0891	0.010	mg/L	107	76	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Arsenic, Dissolved	EPA 200.8	1203304-003	<0.2500	M <0.2500	<0.2500	0.050	mg/L	NC	NC	NC
		Lead, Dissolved	EPA 200.8	1203304-003	<0.0100	M <0.0100	<0.0100	0.010	mg/L	NC	NC	NC
		Selenium, Dissolved	EPA 200.8	1203304-003	<0.2500	M <0.2500	<0.2500	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1203304-003	<0.0100	M <0.0100	<0.0100	0.010	mg/L	NC	NC	NC

Appendix C
Tailings Static Test Results

McClelland Laboratories Reports

**Table . - ICP Metals Analysis Results,
Copper Flat Project - Cu Ro. Tail**

Analysis, mg/kg	Sample
	Copper Flat (Cu Ro. Tail)
Ag	1.06
Al	71,400
As	4.2
Ba	740
Be	3.23
Bi	0.65
Ca	15,900
Cd	0.73
Ce	56.9
Co	8.0
Cr	16
Cs	8.28
Cu	686
Fe	25,500
Ga	20.4
Ge	0.20
Hf	1.0
Hg	0.05
In	0.040
K	49,500
La	27.7
Li	21.1
Mg	4,500
Mn	451
Mo	18.80
Na	1.64
Nb	12.4
Ni	12.4
P	600
Pb	55.8
Rb	270
Re	0.020
S (Total)	7,800
Sb	0.74
Sc	5.5
Se	3
Sn	3.7
Sr	356
Ta	0.86
Te	0.23
Th	22.3
Ti	1,770
Tl	1.78
U	6.0
V	46
W	9.8
Y	21.1
Zn	108
Zr	25.5

Chemex Report # RE11179032

Table . - ICP Metals Analysis Results,
Copper Flat Project

Analysis, mg/kg	Sample								
	CF-11-02 (227-367)	CF-11-02 (52-117)	K-spar Breccia 5+	Biotite Breccia 5+	Quartz Monzonite 5+	K-spar Breccia (0-5)	Quartz Monzonite (0-5)	Biotite Breccia (0-5)	
Ag	0.51	0.60	1.35	0.66	0.69	0.61	0.55	0.79	
Al	81,800	82,600	69,400	72,200	75,500	69,200	75,100	71,600	
As	3.7	0.7	1.8	1.2	0.4	5.3	4.3	8.2	
Ba	840	830	870	1,000	800	820	690	810	
Be	3.83	3.76	2.94	2.48	3.38	2.88	3.62	2.61	
Bi	0.55	0.76	0.98	0.36	0.47	0.71	0.59	0.77	
Ca	16,700	15,700	14,600	11,400	12,900	12,400	14,200	14,400	
Cd	0.12	0.13	0.49	0.25	0.11	0.53	0.73	0.68	
Ce	70.0	81.2	46.6	80.7	68.5	67.6	76.7	59.5	
Co	1.4	1.3	5.7	2.7	1.0	10.9	9.3	12.7	
Cr	6	10	18	6	9	273	280	377	
Cs	8.55	10.15	11.10	10.55	8.65	7.45	8.44	8.63	
Cu	262	256	754	462	353	186.5	174.5	183.5	
Fe	24,900	25,100	13,000	18,200	14,200	21,400	20,100	32,400	
Ga	22.3	22.5	17.00	20.2	18.00	18.05	19.25	20.5	
Ge	0.10	0.13	0.08	0.12	0.09	0.14	0.14	0.15	
Hf	1.4	1.3	1.1	1.1	1.3	1.3	1.4	1.2	
Hg	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	
In	0.045	0.061	0.039	0.019	0.023	0.025	0.029	0.025	
K	47,700	47,600	44,400	40,500	47,100	43,700	46,400	48,200	
La	32.8	35.8	21.5	43.5	33.5	33.2	36.5	29.1	
Li	12.3	13.7	19.5	23.5	22.1	15.7	14.2	24.6	
Mg	5,600	5,400	3,700	6,800	4,400	3,400	3,400	5,400	
Mn	370	347	214	384	218	258	294	423	
Mo	2.45	2.56	64.3	11.15	31.5	32.1	31.9	47.3	
Na	28,600	25,500	16,000	14,700	19,700	14,800	18,500	13,100	
Nb	13.6	13.2	9.6	10.1	11.7	10.9	13.9	10.9	
Ni	3.8	3.4	6	4.9	4.6	171.0	180.5	236	
P	940	900	430	950	510	470	520	560	
Pb	12.8	14.4	44.7	12.4	11.2	19.3	25.6	31.1	
Rb	283	308	249	217	274	231	280	261	
Re	0.002	0.002	0.076	0.014	0.042	0.024	0.022	0.034	
S (Total)	500	600	3,600	1,700	800	8,900	7,200	10,500	
Sb	0.20	0.16	0.33	0.32	0.30	0.29	0.53	0.47	
Sc	6.0	7.4	3.9	5.3	4.2	4.2	4.7	5.7	
Se	1	2	2	2	2	3	3	3	
Sn	6.3	6.3	4.2	2.3	3.2	3.2	3.9	2.8	
Sr	781	733	337	351	474	362	416	325	
Ta	0.94	0.80	0.65	0.70	0.85	0.78	0.97	0.76	
Te	0.17	0.19	0.22	0.08	0.10	0.18	0.20	0.17	
Th	13.8	14.4	18.5	19.7	19.4	18.5	22.5	23.5	
Ti	2,700	2,610	1,330	1,660	1,680	1,440	1,670	1,660	
Tl	1.85	1.88	1.28	1.77	1.51	1.57	1.64	1.59	
U	4.7	4.5	6.1	5.0	5.3	5.2	6.1	6.7	
V	56	57	28	45	33	39	33	61	
W	19.0	21.3	11.6	6.9	9.9	9.9	10.0	9.7	
Y	29.2	33.0	16.8	20.5	23.3	19.3	24.0	19.6	
Zn	33	37	75	48	31	76	101	106	
Zr	23.4	22.4	32.8	32.0	31.5	35.1	33.7	33.3	

Chemex Report # RE12135747

**Table . - ICP Metals Analysis Results,
Copper Flat Project**

Analysis, mg/kg	Sample		
	Whole Tailings	Tailings Cyclone Underflow	Tailings Cyclone Overflow
Ag	0.43	26.6	0.40
Al	73,100	78,600	80,200
As	5.0	4.4	2.8
Ba	780	810	750
Be	3.41	3.94	4.25
Bi	0.52	0.54	0.47
Ca	13,800	15,600	17,500
Cd	0.51	0.48	0.27
Ce	65.5	72.2	67.5
Co	8.9	9.1	3.5
Cr	8	8	11
Cs	8.20	7.64	8.76
Cu	122.0	149.0	113.5
Fe	21,800	24,900	20,700
Ga	20.1	21.5	22.5
Ge	0.22	0.15	0.19
Hf	1.2	1.3	1.2
Hg	0.02	0.24	0.02
In	0.023	0.024	0.027
K	50,400	53,800	52,300
La	34.1	38.9	35.7
Li	16.8	19.8	23.6
Mg	3,600	4,000	4,800
Mn	288	324	361
Mo	6.71	6.89	6.40
Na	18,000	18,700	18,000
Nb	12.0	12.6	11.6
Ni	5.6	7.3	7.9
P	540	590	590
Pb	18.5	21.3	21.5
Rb	278	317	318
Re	0.017	0.017	0.020
S (Total)	8,100	8,200	2,100
Sb	0.35	0.32	0.37
Sc	4.2	4.9	5.4
Se	3	3	2
Sn	3.4	3.6	3.8
Sr	402	417	401
Ta	0.82	0.97	0.88
Te	0.18	0.19	0.12
Th	18.4	20.8	22.2
Ti	1,600	1,700	1,680
Tl	1.69	1.83	1.77
U	5.3	6.5	6.7
V	35	36	41
W	8.8	9	8.9
Y	19.7	23.8	22.8
Zn	70	78	52
Zr	29.9	34.0	30.1

Chemex Report # RE12225894

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Copper Flat Project - Cu Ro. Tail**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)					AGP ¹⁾	ANP	NNP	Ratio	NAG pH	NAG pH, kg H ₂ SO ₄ /T	
		Total	SO ₄	Pyritic S ⁼	Non-Ext S	Non Sulfate S						@ 4.5	@ 7
Copper Flat (Cu Ro. Tail)	8.12	0.82	0.21	0.61	<0.01	0.61	19.1	32.5	13.4	1.70	9.23	0.00	0.00

1) AGP based on Pyritic S⁼ content (%S⁼ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

SVL Report # W110199

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Flotation Tailings, Copper Flat Samples**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)							Sulfur, weight percent (as S) - HCl Wash				
		Total	SO ₄	Pyritic S ⁼	Non-Ext S	Non Sulfate S	AGP ¹⁾	ANP	NNP	Ratio	SO4	Pyritic S=	Non Sulfate S
CF-11-02 (227-367)	8.50	0.04	0.03	0.02	<0.01	0.02	0.6	20.6	20.0	34.33	0.02	0.03	0.03
CF-11-02 (52-117)	8.37	0.07	0.04	0.03	<0.01	0.03	0.9	24.7	23.8	27.44	0.03	0.04	0.04
K-SPAR BRECCIA 5+ COMP	8.28	0.38	0.08	0.26	0.03	0.29	8.1	34.5	26.4	4.26	0.15	0.19	0.22
BIOTITE BRECCIA 5+ COMP	8.49	0.28	0.06	0.20	0.02	0.22	6.3	30.9	24.6	4.90	0.12	0.14	0.16
QUARTZ MONZONITE 5+ COMP	8.33	0.07	0.03	0.03	0.02	0.04	0.9	25.3	24.4	28.11	0.04	0.02	0.03
K-SPAR BRECCIA (0-5) COMP	8.07	0.92	0.19	0.72	0.02	0.74	22.5	29.4	6.9	1.31	0.38	0.53	0.54
QUARTZ MONZONITE (0-5) COMP	7.89	0.72	0.14	0.57	0.01	0.59	17.8	30.9	13.1	1.74	0.30	0.41	0.42
BIOTITE BRECCIA (0-5) COMP	8.00	1.02	0.44	0.56	0.02	0.58	17.5	30.9	13.4	1.77	0.61	0.39	0.41

1) AGP based on Pyritic S⁼ content (%S⁼ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

SVL Report # W2F0447

**Table . - Modified Acid/Base Accounting (Mod ABA) Static ARD Potential Test Results,
Flotation Tailings, Copper Flat Samples**

Sample I.D.	Paste pH	Sulfur, weight percent (as S)							NAG pH	NAG pH, kg H ₂ SO ₄ /T		Sulfur, weight percent (as S) - HCl Wash				
		Total	SO ₄	Pyritic S ⁼	Non-Ext S	Non Sulfate S	AGP ¹⁾	ANP		NNP	Ratio	@ 4.5	@ 7	SO4	Pyritic S=	Non Sulfate S
WHOLE TAILINGS	7.98	0.71	0.30	0.41	<0.01	0.41	12.8	34.0	21.2	2.66	8.41	<0.1	<0.1	0.20	0.51	0.51
TAILINGS CYCLONE UNDERFLOW	8.11	0.73	0.27	0.46	<0.01	0.46	14.4	33.5	19.1	2.33	8.41	<0.1	<0.1	0.12	0.61	0.61
TAILINGS CYCLONE OVERFLOW	8.00	0.20	0.09	0.10	<0.01	0.10	3.1	39.0	35.9	12.58	8.41	<0.1	<0.1	0.05	0.15	0.15


1) AGP based on Pyritic S⁼ content (%S⁼ x 31.25). AGP, ANP and NNP in units of tons CaCO₃ equivalents per 1000 tons of solids.

Table . - Profile II Analytical Results, SPLP Extracts,
Copper Flat Project

Analysis, mg/L	Extract		
	Whole Tails	Overflow	Underflow (103-92557-010)
Alkalinity, CaCO ₃	36	34	27
CO ₃ , CaCO ₃	7.2	13	6.9
HCO ₃	29	15	18
Aluminum	0.1	0.1	0.1
Antimony	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050
Barium	0.08	0.08	0.07
Beryllium	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10
Boron	<0.1	<0.1	<0.1
Cadmium	<0.0010	<0.0010	<0.0010
Calcium	8.2	8.8	7.6
Chloride	1.3	1.6	<1.0
Chromium	<0.0050	<0.0050	<0.0050
Cobalt	<0.01	<0.01	<0.01
Copper	<0.05	<0.05	<0.05
Cyanate	2.4	3.3	4.8
Cyanide, Total	<0.010	<0.010	<0.010
Cyanide, WAD	<0.010	<0.010	<0.010
Fluoride	0.54	0.68	0.58
Gallium	<0.10	<0.10	<0.10
Iron	<0.1	<0.1	<0.1
Lead	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10
Magnesium	0.6	0.6	0.5
Manganese	<0.0050	<0.0050	<0.0050
Mercury	<0.0001	<0.0001	<0.0001
Molybdenum	0.01	0.01	<0.01
Nickel	<0.01	<0.01	<0.01
Nitrate/Nitrite as N	0.10	0.12	<0.10
pH, stu	8.99	9.09	8.92
Phosphorus	<0.5	<0.5	<0.5
Potassium	2.2	3.4	2.5
Scandium	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050
Sodium	8.1	7.8	6.4
Strontium	0.1	0.1	0.1
Sulfate	6.4	8.4	5.8
Thallium	<0.0010	<0.0010	<0.0010
Thiocyanate	2.8	6.5	7.4
Tin	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10
Total Dissolved Solids	40	60	46
Vanadium	<0.01	<0.01	<0.01
Zinc	<0.050	<0.050	<0.050

WET Lab Report # 1211511

Chemex Laboratory Reports



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - NOV- 2011
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE11179032

Method Analyte Units LOR	WEI- 21 Recvd Wt kg	ME- MS61 Ag ppm	ME- MS61 Al %	ME- MS61 As ppm	ME- MS61 Ba ppm	ME- MS61 Be ppm	ME- MS61 Bi ppm	ME- MS61 Ca %	ME- MS61 Cd ppm	ME- MS61 Ce ppm	ME- MS61 Co ppm	ME- MS61 Cr ppm	ME- MS61 Cs ppm	ME- MS61 Cu ppm	ME- MS61 Fe %
3438- 01- Copper Flat	0.14	1.06	7.14	4.2	740	3.23	0.65	1.59	0.73	56.9	8.0	16	8.28	686	2.55

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431


Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - NOV- 2011
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE11179032

Method Analyte Units LOR	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
3438-01- Copper Flat	20.4	0.20	1.0	0.05	0.040	4.95	27.7	21.1	0.45	451	18.80	1.64	12.4	12.4	600

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1 - NOV - 2011
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE11179032

Method Analyte Units LOR	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
3438-01 - Copper Flat	55.8	270	0.020	0.78	0.74	5.5	3	3.7	356	0.86	0.23	22.3	0.177	1.78	6.0

***** See Appendix Page for comments regarding this certificate *****



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1 - NOV - 2011
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE11179032

Method	Analyte	Units	LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
3438-01- Copper Flat	V	ppm	1	48	9.8	21.1	108	25.5
	W	ppm	0.1				2	
	Y	ppm	0.1					
	Zn	ppm						
	Zr	ppm	0.5					

***** See Appendix Page for comments regarding this certificate *****

ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395


Fax: 775 355 0179 www.alsglobal.com

To: MCLELLAND LABS
1016 GREG ST
SPARKS NV 89431


Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-NOV-2011
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE11179032



Method	CERTIFICATE COMMENTS
ME- MS61	REE's may not be totally soluble in this method.



ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: 1
Finalized Date: 24-JUN-2012
Account: EIM

CERTIFICATE RE12135747

Project: 3438

P.O. No.:

This report is for 8 Crushed Rock samples submitted to our lab in Reno, NV, USA on 15-JUN-2012.

The following have access to data associated with this certificate:

CHRISTINE DEBURLE

JACK MCPARTLAND

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Hg- CV41	Trace Hg - cold vapor/AAS	FIMS
ME- MS61	48 element four acid ICP- MS	

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project. Statement required by Nevada State Law NRS 519

To: MCCLELLAND LABS
ATTN: JACK MCPARTLAND
1016 GREG ST
SPARKS NV 89431

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



Project: 3438


CERTIFICATE OF ANALYSIS RE12135747


Method Analyte Units LOR	Sample Description	WEI-21 Recvd Wt. kg	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %
	3438-CF-11-02 (227-367)	0.26	0.51	8.18	3.7	840	3.83	0.55	1.67	0.12	70.0	1.4	6	8.55	262	2.49
	3438-CF-11-02 (52-117)	0.27	0.60	8.26	0.7	830	3.76	0.76	1.57	0.13	81.2	1.3	10	10.15	256	2.51
	3438-K-spar Breccia 5+ Comp	0.30	1.35	6.94	1.8	870	2.94	0.98	1.46	0.49	46.6	5.7	18	11.10	754	1.30
	3438-Biotite Breccia 5+ Comp	0.27	0.66	7.22	1.2	1000	2.48	0.36	1.14	0.25	80.7	2.7	6	10.55	462	1.82
	3438-Quartz Montzonite 5+ Comp	0.28	0.69	7.55	0.4	800	3.38	0.47	1.29	0.11	68.5	1.0	9	8.65	353	1.42
	3438-K-spar Breccia (0-5) Comp	0.28	0.61	6.92	5.3	820	2.88	0.71	1.24	0.53	67.6	10.9	273	7.45	186.5	2.14
	3438-Quartz Montzonite (0-5) Comp	0.28	0.55	7.51	4.3	690	3.62	0.59	1.42	0.73	76.7	9.3	280	8.44	174.5	2.01
	3438-Biotite Breccia (0-5) Comp	0.27	0.79	7.16	8.2	810	2.61	0.77	1.44	0.68	59.5	12.7	377	8.63	183.5	3.24

Project: 3438

CERTIFICATE OF ANALYSIS RE12135747

Method Analyte Units LOR	ME-MS61 Ca ppm	ME-MS61 Ce ppm	ME-MS61 HF ppm	Hg-CV41 Hg ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
3438-CF-11-02 (227-367)	22.3	0.10	1.4	0.02	0.045	4.77	32.8	12.3	0.56	370	2.45	2.86	13.6	3.8	940
3438-CF-11-02 (52-117)	22.5	0.13	1.3	0.01	0.061	4.76	35.8	13.7	0.54	347	2.56	2.55	13.2	3.4	900
3438-K-spar Breccia 5+ Comp	17.00	0.08	1.1	0.01	0.039	4.44	21.5	19.5	0.37	214	64.3	1.60	9.6	6.0	430
3438-Biotite Breccia 5+ Comp	20.2	0.12	1.1	0.01	0.019	4.05	43.5	23.5	0.68	384	11.15	1.47	10.1	4.9	950
3438-Quartz Monzonite 5+ Comp	18.00	0.09	1.3	0.01	0.023	4.71	33.5	22.1	0.44	218	31.5	1.97	11.7	4.6	510
3438-K-spar Breccia (0-5) Comp	18.05	0.14	1.3	0.01	0.025	4.37	33.2	15.7	0.34	258	32.1	1.48	10.9	171.0	470
3438-Quartz Monzonite (0-5) Comp	19.25	0.14	1.4	0.01	0.029	4.64	36.5	14.2	0.34	294	31.9	1.85	13.9	180.5	520
3438-Biotite Breccia (0-5) Comp	20.5	0.15	1.2	0.01	0.025	4.82	29.1	24.6	0.54	423	47.3	1.31	10.9	236	560





ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com


To: MCCLELLAND LABS
 1016 GREG ST
 SPARKS NV 89431

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-JUN-2012
 Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS RE12135747

Sample Description	Method Analyte Units	ME-MS61 Pb ppm	ME-MS61 Rb ppm	ME-MS61 Re ppm	ME-MS61 S %	ME-MS61 Sb ppm	ME-MS61 Sc ppm	ME-MS61 Se ppm	ME-MS61 Sn ppm	ME-MS61 Sr ppm	ME-MS61 Ta ppm	ME-MS61 Te ppm	ME-MS61 Th ppm	ME-MS61 Ti %	ME-MS61 Tl ppm	ME-MS61 U ppm
3438-CF-11-02 (227-367)	LOR	12.8	283	0.002	0.05	0.20	6.0	1	6.3	781	0.94	0.17	13.8	0.005	1.85	4.7
3438-CF-11-02 (52-117)		14.4	308	0.002	0.06	0.16	7.4	2	6.3	733	0.80	0.19	14.4	0.261	1.88	4.5
3438-K-spar Breccia S+ Comp		44.7	249	0.076	0.36	0.33	3.9	2	4.2	337	0.65	0.22	18.5	0.133	1.28	6.1
3438-Biotite Breccia S+ Comp		12.4	217	0.014	0.17	0.32	5.3	2	2.3	351	0.70	0.08	19.7	0.166	1.77	5.0
3438-Quartz Monzonite S+ Comp		11.2	274	0.042	0.08	0.30	4.2	2	3.2	474	0.85	0.10	19.4	0.168	1.51	5.3
3438-K-spar Breccia (0-5) Comp		19.3	231	0.024	0.89	0.29	4.2	3	3.2	362	0.78	0.18	18.5	0.144	1.57	5.2
3438-Quartz Monzonite (0-5) Comp		25.6	280	0.022	0.72	0.53	4.7	3	3.9	416	0.97	0.20	22.5	0.167	1.64	6.1
3438-Biotite Breccia (0-5) Comp		31.1	261	0.034	1.05	0.47	5.7	3	2.8	325	0.76	0.17	23.5	0.166	1.59	6.7



ALS
minerals

ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUN-2012
Account: EIM

Project: 3438

CERTIFICATE OF ANALYSIS REI2135747

Method Analyte Units LOR	ME-MS61 V ppm	ME-MS61 W ppm	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm
3438-CF-11-02 (227-367)	56	19.0	29.2	33	23.4
3438-CF-11-02 (52-117)	57	21.3	33.0	37	22.4
3438-K-spar Breccia S+ Comp	28	11.6	16.8	75	32.8
3438-Biotite Breccia S+ Comp	45	6.9	20.5	48	32.0
3438-Quartz Monzonite S+ Comp	33	9.9	23.3	31	31.5
3438-K-spar Breccia (0-5) Comp	39	9.9	19.3	76	35.1
3438-Quartz Monzonite (0-5) Comp	33	10.0	24.0	101	33.7
3438-Biotite Breccia (0-5) Comp	61	9.7	19.6	106	33.3

ALS USA Inc.
4977 Energy Way
Reno NV 89502
Phone: 775 356 5395

Fax: 775 355 0179 www.alsglobal.com

To: MCCLELLAND LABS
1016 GREG ST
SPARKS NV 89431

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-JUN-2012
Account: EIM



Project: 3438

CERTIFICATE OF ANALYSIS RE12135747

Method	CERTIFICATE COMMENTS
ME- MS61	REE's may not be totally soluble in this method.

SVL Laboratories Reports



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438-01
Work Order: **W110199**
Reported: 22-Sep-11 16:48

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
COPPER FLAT	W110199-01	Soil	06-Sep-11 09:00	08-Sep-2011

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, NCV, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438-01
Work Order: **W110199**
Reported: 22-Sep-11 16:48

Client Sample ID: **COPPER FLAT**
SVL Sample ID: **W110199-01 (Soil)**

Sampled: 06-Sep-11 09:00
Received: 08-Sep-11
Sampled By:

Sample Report Page 1 of 1

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	13.6	TCaCO3/kT	0.3			N/A		09/15/11 13:03	
Modified Sobek	AGP	19.0	TCaCO3/kT	0.3			N/A		09/14/11 14:29	
Modified Sobek	ANP	32.5	TCaCO3/kT	0.3	0.1		W137293	HJG	09/15/11 13:03	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.004		W137293	HJG	09/14/11 14:29	
Modified Sobek	Non-Sulfate Sulfur	0.61	%	0.01	0.004		W137293	HJG	09/14/11 12:13	
Modified Sobek	Pyritic Sulfur	0.61	%	0.01			N/A		09/14/11 14:29	
Modified Sobek	Sulfate Sulfur	0.21	%	0.01			N/A		09/14/11 12:13	
Modified Sobek	Total Sulfur	0.82	%	0.01	0.004		W137293	HJG	09/13/11 11:52	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	14.5	TCaCO3/kT	0.3			N/A		09/15/11 13:03	
Modified Sobek	AGP-HCl	18.0	TCaCO3/kT	0.3			N/A		09/14/11 16:17	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.004		W137293	HJG	09/14/11 14:29	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.58	%	0.01	0.004		W137293	HJG	09/14/11 16:17	
Modified Sobek	Pyritic Sulfur-HCl	0.58	%	0.01			N/A		09/14/11 16:17	
Modified Sobek	Sulfate Sulfur-HCl	0.24	%	0.01			N/A		09/14/11 16:17	
Modified Sobek	Total Sulfur	0.82	%	0.01	0.004		W137293	HJG	09/13/11 11:52	

Classical Chemistry Parameters

Handbook 60	Paste pH @20.0°C	8.12	pH Units				W138206	MAD	09/20/11 14:01	
NAG	NAG pH @21.5°C	9.23	pH Units				W139091	AGF	09/21/11 16:26	
NAG	NAG@pH 4.5	0.00	kg H2SO4/T				W139091	AGF	09/21/11 16:26	
NAG	NAG@pH 7	0.00	kg H2SO4/T				W139091	AGF	09/21/11 16:26	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438-01
Work Order: **W110199**
Reported: 22-Sep-11 16:48

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
--------	---------	-------	--------	-----	-----	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W137293	15-Sep-11	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W137293	14-Sep-11	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.004	0.01	W137293	16-Sep-11	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W137293	13-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W137293	14-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W137293	16-Sep-11	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W137293	14-Sep-11	
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.004	0.01	W137293	16-Sep-11	
Modified Sobek	Total Sulfur	%	<0.01	0.004	0.01	W137293	13-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W137293	14-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.004	0.01	W137293	16-Sep-11	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	------------	----------	--------	-------------------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	35.4	33.2	107	80 - 120	W137293	15-Sep-11	
Modified Sobek	Total Sulfur	%	0.98	0.942	104	80 - 120	W137293	13-Sep-11	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Total Sulfur	%	0.98	0.942	104	80 - 120	W137293	13-Sep-11	
----------------	--------------	---	------	-------	-----	----------	---------	-----------	--

Classical Chemistry Parameters

Handbook 60	Paste pH	pH Units	8.19	8.18	100	93.7 - 106.3	W138206	20-Sep-11	
-------------	----------	----------	------	------	-----	--------------	---------	-----------	--

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	88.7	85.4	3.8	20	W137293	15-Sep-11	
Modified Sobek	Non-Sulfate Sulfur	%	2.64	2.92	10.1	20	W137293	14-Sep-11	
Modified Sobek	Non-Sulfate Sulfur	%	7.10	7.10	0.0	20	W137293	16-Sep-11	D2
Modified Sobek	Total Sulfur	%	3.01	2.97	1.3	20	W137293	13-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	0.04	0.04	2.2	20	W137293	14-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	4.94	4.48	9.8	20	W137293	16-Sep-11	D2

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	2.55	2.34	8.6	20	W137293	14-Sep-11	
----------------	------------------------	---	------	------	-----	----	---------	-----------	--

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438-01
Work Order: **W110199**
Reported: 22-Sep-11 16:48

Quality Control - DUPLICATE Data (Continued)

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms (HCl Wash) (Continued)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.05	5.15	UDL	20	W137293	16-Sep-11	D2,R2
Modified Sobek	Total Sulfur	%	3.01	2.97	1.3	20	W137293	13-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	0.04	0.04	2.2	20	W137293	14-Sep-11	
Modified Sobek	Non-extractable Sulfur	%	4.94	4.48	9.8	20	W137293	16-Sep-11	D2
Classical Chemistry Parameters									
Handbook 60	Paste pH	pH Units	8.02	8.04	0.2	20	W138206	20-Sep-11	
NAG	NAG pH	pH Units	2.32	2.26	2.6	20	W139091	21-Sep-11	
NAG	NAG@pH 4.5	kg H2SO4/T	52.3	59.4	12.7	20	W139091	21-Sep-11	
NAG	NAG@pH 7	kg H2SO4/T	9.39	10.2	7.8	20	W139091	21-Sep-11	

Notes and Definitions

- D2 Sample required dilution due to high concentration of target analyte.
- R2 RPD exceeded the laboratory acceptance limit.
- LCS Laboratory Control Sample (Blank Spike)
- RPD Relative Percent Difference
- UDL A result is less than the detection limit
- R > 4S % recovery not applicable, sample concentration more than four times greater than spike level
- <RL A result is less than the reporting limit
- MRL Method Reporting Limit
- MDL Method Detection Limit
- N/A Not Applicable



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
CF-11-02 (227-367)	W2F0447-01	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
CF-11-02 (52-117)	W2F0447-02	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
K-SPAR BRECCIA 5+ COMP	W2F0447-03	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
BIOTITE BRECCIA 5+ COMP	W2F0447-04	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
QUARTZ MONZONITE 5+ COMP	W2F0447-05	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
K-SPAR BRECCIA (0-5) COMP	W2F0447-06	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
QUARTZ MONZONITE (0-5) COMP	W2F0447-07	Soil	15-Jun-12 09:00	TJ	19-Jun-2012
BIOTITE BRECCIA (0-5) COMP	W2F0447-08	Soil	15-Jun-12 09:00	TJ	19-Jun-2012

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **CF-11-02 (227-367)**

SVL Sample ID: **W2F0447-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	20.1	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	0.6	TCaCO3/kT	0.3			N/A		06/28/12 12:20	
Modified Sobek	ANP	20.6	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:20	
Modified Sobek	Non-Sulfate Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 10:53	
Modified Sobek	Pyritic Sulfur	0.02	%	0.01			N/A		06/28/12 12:20	
Modified Sobek	Sulfate Sulfur	0.03	%	0.01			N/A		06/28/12 10:53	
Modified Sobek	Total Sulfur	0.04	%	0.01	0.005		W226104	MAD	06/26/12 12:01	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	19.8	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	0.8	TCaCO3/kT	0.3			N/A		06/28/12 14:10	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:20	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.03	%	0.01	0.005		W226104	MAD	06/28/12 14:10	
Modified Sobek	Pyritic Sulfur-HCl	0.03	%	0.01			N/A		06/28/12 14:10	
Modified Sobek	Sulfate Sulfur-HCl	0.02	%	0.01			N/A		06/28/12 14:10	
Modified Sobek	Total Sulfur	0.04	%	0.01	0.005		W226104	MAD	06/26/12 12:01	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.3°C	8.50	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **CF-11-02 (52-117)**

SVL Sample ID: **W2F0447-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	23.8	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	0.9	TCaCO3/kT	0.3			N/A		06/28/12 12:30	
Modified Sobek	ANP	24.7	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:30	
Modified Sobek	Non-Sulfate Sulfur	0.03	%	0.01	0.005		W226104	MAD	06/28/12 10:56	
Modified Sobek	Pyritic Sulfur	0.03	%	0.01			N/A		06/28/12 12:30	
Modified Sobek	Sulfate Sulfur	0.04	%	0.01			N/A		06/28/12 10:56	
Modified Sobek	Total Sulfur	0.07	%	0.01	0.005		W226104	MAD	06/26/12 12:03	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	23.6	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	1.2	TCaCO3/kT	0.3			N/A		06/28/12 14:13	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:30	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.04	%	0.01	0.005		W226104	MAD	06/28/12 14:13	
Modified Sobek	Pyritic Sulfur-HCl	0.04	%	0.01			N/A		06/28/12 14:13	
Modified Sobek	Sulfate Sulfur-HCl	0.03	%	0.01			N/A		06/28/12 14:13	
Modified Sobek	Total Sulfur	0.07	%	0.01	0.005		W226104	MAD	06/26/12 12:03	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.3°C	8.37		pH Units			W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	--	----------	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **K-SPAR BRECCIA 5+ COMP**

SVL Sample ID: **W2F0447-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	26.4	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	8.1	TCaCO3/kT	0.3			N/A		06/28/12 12:33	
Modified Sobek	ANP	34.5	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01	0.005		W226104	MAD	06/28/12 12:33	
Modified Sobek	Non-Sulfate Sulfur	0.29	%	0.01	0.005		W226104	MAD	06/28/12 10:59	
Modified Sobek	Pyritic Sulfur	0.26	%	0.01			N/A		06/28/12 12:33	
Modified Sobek	Sulfate Sulfur	0.08	%	0.01			N/A		06/28/12 10:59	
Modified Sobek	Total Sulfur	0.38	%	0.01	0.005		W226104	MAD	06/26/12 12:06	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	28.5	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	6.0	TCaCO3/kT	0.3			N/A		06/28/12 14:16	
Modified Sobek	Non-extractable Sulfur	0.03	%	0.01	0.005		W226104	MAD	06/28/12 12:33	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.22	%	0.01	0.005		W226104	MAD	06/28/12 14:16	
Modified Sobek	Pyritic Sulfur-HCl	0.19	%	0.01			N/A		06/28/12 14:16	
Modified Sobek	Sulfate Sulfur-HCl	0.15	%	0.01			N/A		06/28/12 14:16	
Modified Sobek	Total Sulfur	0.38	%	0.01	0.005		W226104	MAD	06/26/12 12:06	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.3°C	8.28	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **BIOTITE BRECCIA 5+ COMP**

SVL Sample ID: **W2F0447-04 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	24.7	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	6.3	TCaCO3/kT	0.3			N/A		06/28/12 12:36	
Modified Sobek	ANP	30.9	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:36	
Modified Sobek	Non-Sulfate Sulfur	0.22	%	0.01	0.005		W226104	MAD	06/28/12 11:03	
Modified Sobek	Pyritic Sulfur	0.20	%	0.01			N/A		06/28/12 12:36	
Modified Sobek	Sulfate Sulfur	0.06	%	0.01			N/A		06/28/12 11:03	
Modified Sobek	Total Sulfur	0.28	%	0.01	0.005		W226104	MAD	06/26/12 12:09	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	26.6	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	4.3	TCaCO3/kT	0.3			N/A		06/28/12 14:19	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:36	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.16	%	0.01	0.005		W226104	MAD	06/28/12 14:19	
Modified Sobek	Pyritic Sulfur-HCl	0.14	%	0.01			N/A		06/28/12 14:19	
Modified Sobek	Sulfate Sulfur-HCl	0.12	%	0.01			N/A		06/28/12 14:19	
Modified Sobek	Total Sulfur	0.28	%	0.01	0.005		W226104	MAD	06/26/12 12:09	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.5°C	8.49	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **QUARTZ MONZONITE 5+ COMP**

SVL Sample ID: **W2F0447-05 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	24.4	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	0.9	TCaCO3/kT	0.3			N/A		06/28/12 12:38	
Modified Sobek	ANP	25.3	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:38	
Modified Sobek	Non-Sulfate Sulfur	0.04	%	0.01	0.005		W226104	MAD	06/28/12 11:06	
Modified Sobek	Pyritic Sulfur	0.03	%	0.01			N/A		06/28/12 12:38	
Modified Sobek	Sulfate Sulfur	0.03	%	0.01			N/A		06/28/12 11:06	
Modified Sobek	Total Sulfur	0.07	%	0.01	0.005		W226104	MAD	06/26/12 12:12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	24.7	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	0.6	TCaCO3/kT	0.3			N/A		06/28/12 14:21	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:38	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.03	%	0.01	0.005		W226104	MAD	06/28/12 14:21	
Modified Sobek	Pyritic Sulfur-HCl	0.02	%	0.01			N/A		06/28/12 14:21	
Modified Sobek	Sulfate Sulfur-HCl	0.04	%	0.01			N/A		06/28/12 14:21	
Modified Sobek	Total Sulfur	0.07	%	0.01	0.005		W226104	MAD	06/26/12 12:12	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.4°C	8.33	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **K-SPAR BRECCIA (0-5) COMP**

SVL Sample ID: **W2F0447-06 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	6.9	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	22.5	TCaCO3/kT	0.3			N/A		06/28/12 12:41	
Modified Sobek	ANP	29.4	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:41	
Modified Sobek	Non-Sulfate Sulfur	0.74	%	0.01	0.005		W226104	MAD	06/28/12 11:10	
Modified Sobek	Pyritic Sulfur	0.72	%	0.01			N/A		06/28/12 12:41	
Modified Sobek	Sulfate Sulfur	0.19	%	0.01			N/A		06/28/12 11:10	
Modified Sobek	Total Sulfur	0.92	%	0.01	0.005		W226104	MAD	06/26/12 12:15	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	13.0	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	16.4	TCaCO3/kT	0.3			N/A		06/28/12 14:24	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:41	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.54	%	0.01	0.005		W226104	MAD	06/28/12 14:24	
Modified Sobek	Pyritic Sulfur-HCl	0.53	%	0.01			N/A		06/28/12 14:24	
Modified Sobek	Sulfate Sulfur-HCl	0.38	%	0.01			N/A		06/28/12 14:24	
Modified Sobek	Total Sulfur	0.92	%	0.01	0.005		W226104	MAD	06/26/12 12:15	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @21.4°C	8.07	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **QUARTZ MONZONITE (0-5) COMP**

SVL Sample ID: **W2F0447-07 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	13.0	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	17.9	TCaCO3/kT	0.3			N/A		06/28/12 12:44	
Modified Sobek	ANP	30.9	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:44	
Modified Sobek	Non-Sulfate Sulfur	0.59	%	0.01	0.005		W226104	MAD	06/28/12 11:13	
Modified Sobek	Pyritic Sulfur	0.57	%	0.01			N/A		06/28/12 12:44	
Modified Sobek	Sulfate Sulfur	0.14	%	0.01			N/A		06/28/12 11:13	
Modified Sobek	Total Sulfur	0.72	%	0.01	0.005		W226104	MAD	06/26/12 12:18	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	18.2	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	12.7	TCaCO3/kT	0.3			N/A		06/28/12 14:27	
Modified Sobek	Non-extractable Sulfur	0.01	%	0.01	0.005		W226104	MAD	06/28/12 12:44	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.42	%	0.01	0.005		W226104	MAD	06/28/12 14:27	
Modified Sobek	Pyritic Sulfur-HCl	0.41	%	0.01			N/A		06/28/12 14:27	
Modified Sobek	Sulfate Sulfur-HCl	0.30	%	0.01			N/A		06/28/12 14:27	
Modified Sobek	Total Sulfur	0.72	%	0.01	0.005		W226104	MAD	06/26/12 12:18	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH @20.9°C	7.89	pH Units				W226326	AGF	06/29/12 14:59	
----------------	-------------------------	------	----------	--	--	--	---------	-----	----------------	--

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Client Sample ID: **BIOTITE BRECCIA (0-5) COMP**
SVL Sample ID: **W2F0447-08 (Soil)**

Sample Report Page 1 of 1

Sampled: 15-Jun-12 09:00
Received: 19-Jun-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	13.4	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP	17.5	TCaCO3/kT	0.3			N/A		06/28/12 12:47	
Modified Sobek	ANP	30.9	TCaCO3/kT	0.3	0.1		W226104	AGF	06/29/12 14:02	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:47	
Modified Sobek	Non-Sulfate Sulfur	0.58	%	0.01	0.005		W226104	MAD	06/28/12 11:17	
Modified Sobek	Pyritic Sulfur	0.56	%	0.01			N/A		06/28/12 12:47	
Modified Sobek	Sulfate Sulfur	0.44	%	0.01			N/A		06/28/12 11:17	
Modified Sobek	Total Sulfur	1.02	%	0.01	0.005		W226104	MAD	06/26/12 12:21	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	18.7	TCaCO3/kT	0.3			N/A		06/29/12 14:02	
Modified Sobek	AGP-HCl	12.2	TCaCO3/kT	0.3			N/A		06/28/12 14:30	
Modified Sobek	Non-extractable Sulfur	0.02	%	0.01	0.005		W226104	MAD	06/28/12 12:47	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.41	%	0.01	0.005		W226104	MAD	06/28/12 14:30	
Modified Sobek	Pyritic Sulfur-HCl	0.39	%	0.01			N/A		06/28/12 14:30	
Modified Sobek	Sulfate Sulfur-HCl	0.61	%	0.01			N/A		06/28/12 14:30	
Modified Sobek	Total Sulfur	1.02	%	0.01	0.005		W226104	MAD	06/26/12 12:21	
Classical Chemistry Parameters										
USDA HB60(21a)	Paste pH @21.2°C	8.00		pH Units			W226326	AGF	06/29/12 14:59	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
--------	---------	-------	--------	-----	-----	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W226104	29-Jun-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.005	0.01	W226104	28-Jun-12	
Modified Sobek	Total Sulfur	%	<0.01	0.005	0.01	W226104	26-Jun-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.005	0.01	W226104	28-Jun-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.005	0.01	W226104	28-Jun-12	
Modified Sobek	Total Sulfur	%	<0.01	0.005	0.01	W226104	26-Jun-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.005	0.01	W226104	28-Jun-12	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
--------	---------	-------	------------	----------	--------	-------------------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	112	112	99.9	80 - 120	W226104	29-Jun-12	
Modified Sobek	Total Sulfur	%	0.93	0.942	98.7	80 - 120	W226104	26-Jun-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Total Sulfur	%	0.93	0.942	98.7	80 - 120	W226104	26-Jun-12	
----------------	--------------	---	------	-------	------	----------	---------	-----------	--

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH	pH Units	7.51	7.57	99.2	93.7 - 106.3	W226326	29-Jun-12	
----------------	----------	----------	------	------	------	--------------	---------	-----------	--

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
--------	---------	-------	------------------	---------------	-----	-----------	----------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ANP	TCaCO3/kT	16.0	16.5	3.2	20	W226104	29-Jun-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	<0.01	UDL	20	W226104	28-Jun-12	
Modified Sobek	Total Sulfur	%	0.01	0.01	23.4	20	W226104	26-Jun-12	R2
Modified Sobek	Non-extractable Sulfur	%	<0.01	<0.01	<RL	20	W226104	28-Jun-12	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	<0.01	UDL	20	W226104	28-Jun-12	
Modified Sobek	Total Sulfur	%	0.01	0.01	23.4	20	W226104	26-Jun-12	R2
Modified Sobek	Non-extractable Sulfur	%	<0.01	<0.01	<RL	20	W226104	28-Jun-12	

Classical Chemistry Parameters

USDA HB60(21a)	Paste pH	pH Units	7.80	7.75	0.6	20	W226326	29-Jun-12	
----------------	----------	----------	------	------	-----	----	---------	-----------	--

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2F0447**
Reported: 02-Jul-12 14:54

Notes and Definitions

R2	RPD exceeded the laboratory acceptance limit.
LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Sampled By	Date Received
WHOLE TAILINGS	W2K0123-01	Soil	02-Nov-12 09:00	TJ	06-Nov-2012
TAILINGS CYCLONE UNDERFLOW	W2K0123-02	Soil	02-Nov-12 09:00	TJ	06-Nov-2012
TAILINGS CYCLONE OVERFLOW	W2K0123-03	Soil	02-Nov-12 09:00	TJ	06-Nov-2012

Solid samples are analyzed on an as-received, wet-weight basis, unless otherwise requested. Non-Detects are reported at the MDL.

Sample preparation is defined by the client as per their Data Quality Objectives.

This report supercedes any previous reports for this Work Order. The complete report includes pages for each sample, a full QC report, and a notes section.

The results presented in this report relate only to the samples, and meet all requirements of the NELAC Standards unless otherwise noted.

Case Narrative

Nevada does not accredit for NAG, ABA and Sulfur Forms. HCl wash added per NDEP directive.



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

Client Sample ID: **WHOLE TAILINGS**

SVL Sample ID: **W2K0123-01 (Soil)**

Sample Report Page 1 of 1

Sampled: 02-Nov-12 09:00
Received: 06-Nov-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	21.0	TCaCO3/kT	0.3			N/A		11/14/12 16:39	
Modified Sobek	AGP	12.9	TCaCO3/kT	0.3			N/A		11/14/12 16:39	
Modified Sobek	ANP	34.0	TCaCO3/kT	0.3	0.1		W246094	AGF	11/14/12 08:05	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:39	
Modified Sobek	Non-Sulfate Sulfur	0.41	%	0.01	0.005		W246094	HJG	11/14/12 13:56	
Modified Sobek	Pyritic Sulfur	0.41	%	0.01			N/A		11/14/12 16:39	
Modified Sobek	Sulfate Sulfur	0.30	%	0.01			N/A		11/14/12 13:56	
Modified Sobek	Total Sulfur	0.71	%	0.01	0.005		W246094	HJG	11/13/12 10:24	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	18.1	TCaCO3/kT	0.3			N/A		11/15/12 09:02	
Modified Sobek	AGP-HCl	15.8	TCaCO3/kT	0.3			N/A		11/15/12 09:02	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:39	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.51	%	0.01	0.005		W246094	HJG	11/15/12 09:02	
Modified Sobek	Pyritic Sulfur-HCl	0.51	%	0.01			N/A		11/15/12 09:02	
Modified Sobek	Sulfate Sulfur-HCl	0.20	%	0.01			N/A		11/15/12 09:02	
Modified Sobek	Total Sulfur	0.71	%	0.01	0.005		W246094	HJG	11/13/12 10:24	

Classical Chemistry Parameters

NAG	NAG pH @21.8°C	8.41	pH Units				W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 4.5	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 7	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
USDA HB60(21a)	Paste pH @19.5°C	7.98	pH Units				W246149	AGF	11/20/12 08:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

Client Sample ID: **TAILINGS CYCLONE UNDERFLOW**

SVL Sample ID: **W2K0123-02 (Soil)**

Sample Report Page 1 of 1

Sampled: 02-Nov-12 09:00
Received: 06-Nov-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
--------	---------	--------	-------	----	-----	----------	-------	---------	----------	-------

Acid/Base Accounting & Sulfur Forms

Modified Sobek	ABA	19.2	TCaCO3/kT	0.3			N/A		11/14/12 16:42	
Modified Sobek	AGP	14.3	TCaCO3/kT	0.3			N/A		11/14/12 16:42	
Modified Sobek	ANP	33.5	TCaCO3/kT	0.3	0.1		W246094	AGF	11/14/12 08:05	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:42	
Modified Sobek	Non-Sulfate Sulfur	0.46	%	0.01	0.005		W246094	HJG	11/14/12 14:00	
Modified Sobek	Pyritic Sulfur	0.46	%	0.01			N/A		11/14/12 16:42	
Modified Sobek	Sulfate Sulfur	0.27	%	0.01			N/A		11/14/12 14:00	
Modified Sobek	Total Sulfur	0.73	%	0.01	0.005		W246094	HJG	11/13/12 10:27	

Acid/Base Accounting & Sulfur Forms (HCl Wash)

Modified Sobek	ABA-HCl	14.4	TCaCO3/kT	0.3			N/A		11/15/12 09:05	
Modified Sobek	AGP-HCl	19.1	TCaCO3/kT	0.3			N/A		11/15/12 09:05	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:42	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.61	%	0.01	0.005		W246094	HJG	11/15/12 09:05	
Modified Sobek	Pyritic Sulfur-HCl	0.61	%	0.01			N/A		11/15/12 09:05	
Modified Sobek	Sulfate Sulfur-HCl	0.12	%	0.01			N/A		11/15/12 09:05	
Modified Sobek	Total Sulfur	0.73	%	0.01	0.005		W246094	HJG	11/13/12 10:27	

Classical Chemistry Parameters

NAG	NAG pH @21.7°C	8.41	pH Units				W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 4.5	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 7	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
USDA HB60(21a)	Paste pH @19.4°C	8.11	pH Units				W246149	AGF	11/20/12 08:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

Client Sample ID: **TAILINGS CYCLONE OVERFLOW**

SVL Sample ID: **W2K0123-03 (Soil)**

Sample Report Page 1 of 1

Sampled: 02-Nov-12 09:00
Received: 06-Nov-12
Sampled By: TJ

Method	Analyte	Result	Units	RL	MDL	Dilution	Batch	Analyst	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms										
Modified Sobek	ABA	35.7	TCaCO3/kT	0.3			N/A		11/14/12 16:44	
Modified Sobek	AGP	3.3	TCaCO3/kT	0.3			N/A		11/14/12 16:44	
Modified Sobek	ANP	39.0	TCaCO3/kT	0.3	0.1		W246094	AGF	11/14/12 08:05	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:44	
Modified Sobek	Non-Sulfate Sulfur	0.10	%	0.01	0.005		W246094	HJG	11/14/12 14:03	
Modified Sobek	Pyritic Sulfur	0.10	%	0.01			N/A		11/14/12 16:44	
Modified Sobek	Sulfate Sulfur	0.09	%	0.01			N/A		11/14/12 14:03	
Modified Sobek	Total Sulfur	0.20	%	0.01	0.005		W246094	HJG	11/13/12 10:29	
Acid/Base Accounting & Sulfur Forms (HCl Wash)										
Modified Sobek	ABA-HCl	34.3	TCaCO3/kT	0.3			N/A		11/15/12 09:08	
Modified Sobek	AGP-HCl	4.7	TCaCO3/kT	0.3			N/A		11/15/12 09:08	
Modified Sobek	Non-extractable Sulfur	< 0.01	%	0.01	0.005		W246094	HJG	11/14/12 16:44	
Modified Sobek	Non-Sulfate Sulfur-HCl	0.15	%	0.01	0.005		W246094	HJG	11/15/12 09:08	
Modified Sobek	Pyritic Sulfur-HCl	0.15	%	0.01			N/A		11/15/12 09:08	
Modified Sobek	Sulfate Sulfur-HCl	0.05	%	0.01			N/A		11/15/12 09:08	
Modified Sobek	Total Sulfur	0.20	%	0.01	0.005		W246094	HJG	11/13/12 10:29	
Classical Chemistry Parameters										
NAG	NAG pH @21.7°C	8.41	pH Units				W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 4.5	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
NAG	NAG@pH 7	0	kg H2SO4/T	0.1			W246154	AGF	11/16/12 13:30	
USDA HB60(21a)	Paste pH @19.2°C	8.00	pH Units				W246149	AGF	11/20/12 08:25	

This data has been reviewed for accuracy and has been authorized for release by the Laboratory Director or designee.

John Kern
Laboratory Director



McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

Quality Control - BLANK Data

Method	Analyte	Units	Result	MDL	MRL	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms								
Modified Sobek	ANP	TCaCO3/kT	<0.3	0.1	0.3	W246094	14-Nov-12	
Modified Sobek	Non-Sulfate Sulfur	%	<0.01	0.005	0.01	W246094	14-Nov-12	
Modified Sobek	Total Sulfur	%	<0.01	0.005	0.01	W246094	13-Nov-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.005	0.01	W246094	14-Nov-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)								
Modified Sobek	Non-Sulfate Sulfur-HCl	%	<0.01	0.005	0.01	W246094	14-Nov-12	
Modified Sobek	Total Sulfur	%	<0.01	0.005	0.01	W246094	13-Nov-12	
Modified Sobek	Non-extractable Sulfur	%	<0.01	0.005	0.01	W246094	14-Nov-12	

Quality Control - LABORATORY CONTROL SAMPLE Data

Method	Analyte	Units	LCS Result	LCS True	% Rec.	Acceptance Limits	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	115	112	103	80 - 120	W246094	14-Nov-12	
Modified Sobek	Total Sulfur	%	0.85	0.942	89.9	80 - 120	W246094	13-Nov-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Total Sulfur	%	0.85	0.942	89.9	80 - 120	W246094	13-Nov-12	
Classical Chemistry Parameters									
NAG	NAG pH	pH Units	8.17	7.93	103	0 - 200	W246154	16-Nov-12	
USDA HB60(21a)	Paste pH	pH Units	7.66	7.57	101	93.7 - 106.3	W246149	20-Nov-12	

Quality Control - DUPLICATE Data

Method	Analyte	Units	Duplicate Result	Sample Result	RPD	RPD Limit	Batch ID	Analyzed	Notes
Acid/Base Accounting & Sulfur Forms									
Modified Sobek	ANP	TCaCO3/kT	372	375	0.7	20	W246094	14-Nov-12	
Modified Sobek	Non-Sulfate Sulfur	%	0.78	0.58	30.2	20	W246094	14-Nov-12	R2
Modified Sobek	Total Sulfur	%	1.01	1.01	0.0	20	W246094	13-Nov-12	
Modified Sobek	Non-extractable Sulfur	%	0.02	0.02	4.3	20	W246094	14-Nov-12	
Acid/Base Accounting & Sulfur Forms (HCl Wash)									
Modified Sobek	Non-Sulfate Sulfur-HCl	%	0.70	0.71	1.4	20	W246094	14-Nov-12	
Modified Sobek	Total Sulfur	%	1.01	1.01	0.0	20	W246094	13-Nov-12	
Modified Sobek	Non-extractable Sulfur	%	0.02	0.02	4.3	20	W246094	14-Nov-12	
Classical Chemistry Parameters									
NAG	NAG pH	pH Units	8.99	8.99	0.0	20	W246154	16-Nov-12	
NAG	NAG@pH 4.5	kg H2SO4/T	0	0	UDL	20	W246154	16-Nov-12	
NAG	NAG@pH 7	kg H2SO4/T	0	0	UDL	20	W246154	16-Nov-12	
USDA HB60(21a)	Paste pH	pH Units	8.17	8.22	0.6	20	W246149	20-Nov-12	

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268



One Government Gulch - PO Box 929

Kellogg ID 83837-0929

(208) 784-1258

Fax (208) 783-0891

McClelland Laboratories Inc
1016 Greg Street
Sparks, NV 89431

Project Name: MLI: 3438
Work Order: **W2K0123**
Reported: 20-Nov-12 12:59

Notes and Definitions

R2	RPD exceeded the laboratory acceptance limit.
LCS	Laboratory Control Sample (Blank Spike)
RPD	Relative Percent Difference
UDL	A result is less than the detection limit
R > 4S	% recovery not applicable, sample concentration more than four times greater than spike level
<RL	A result is less than the reporting limit
MRL	Method Reporting Limit
MDL	Method Detection Limit
N/A	Not Applicable

SVL holds the following certifications:

AZ:0538, CA:2080, FL(NELAC):E87993, ID:ID00019 & ID00965 (Microbiology), NV:ID000192007A, WA:1268

Work order Report Page 6 of 6

EBID
06063 Exhibit 19

WetLab Laboratory Reports



Specializing in Soil, Hazardous Waste and Water Analysis.

12/27/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1211511

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/29/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1211511

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 10

Western Environmental Testing Laboratory

Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Date Printed: 12/27/2012

OrderID: 1211511

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Customer Sample ID: Whole Tails

Collect Date/Time: 11/29/2012 14:30

WETLAB Sample ID: 1211511-001

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thiocyanate, SPLP	SM 4500 CNM	2.8	mg/L	0.20	12/7/2012
Total Cyanide, SPLP	SM 4500CNE	<0.010	mg/L	0.010	12/6/2012
Cyanate, SPLP	SM 4500 CNL	2.4	mg/L	0.050	12/7/2012
pH, SPLP	SM 4500-H+ B	8.99	pH Units		12/6/2012
Trace Metals Digestion	EPA 3010A	Complete			12/7/2012
SPLP Extraction	EPA 1312	Complete			12/6/2012
Carbonate (CO ₃), SPLP	SM 2320B	7.2	mg/L	1.0	12/12/2012
Hydroxide (OH), SPLP	SM 2320B	<1.0	mg/L	1.0	12/12/2012
Total Alkalinity, SPLP	SM 2320B	36	mg/L as CaCO ₃	1.0	12/12/2012
Bicarbonate (HCO ₃), SPLP	SM 2320B	29	mg/L	1.0	12/12/2012
Sulfate, SPLP	EPA 300.0	6.4	mg/L	1.0	12/6/2012
Chloride, SPLP	EPA 300.0	1.3	mg/L	1.0	12/6/2012
Fluoride, SPLP	EPA 300.0	0.54	mg/L	0.10	12/6/2012
Nitrate + Nitrite Nitrogen, SPLP	EPA 353.2	0.10	mg/L	0.10	12/6/2012
Total Dissolved Solids (TDS), SPLP	SM 2540C	40	mg/L	10	12/6/2012
WAD Cyanide, SPLP	SM 4500CNI	<0.010	mg/L	0.010	12/6/2012
Molybdenum, SPLP	SW846 6010B	0.011	mg/L	0.010	12/20/2012
Nickel, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Phosphorus, SPLP	SW846 6010B	<0.5	mg/L	0.5	12/20/2012
Potassium, SPLP	SW846 6010B	2.2	mg/L	0.5	12/20/2012
Scandium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Silver, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Titanium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Vanadium, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Zinc, SPLP	SW846 6010B	<0.050	mg/L	0.050	12/20/2012
Manganese, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Sodium, SPLP	SW846 6010B	8.1	mg/L	0.5	12/20/2012

Page 3 of 10

Customer Sample ID: Whole Tails
 WETLAB Sample ID: 1211511-001

Collect Date/Time: 11/29/2012 14:30

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Strontium, SPLP	SW846 6010B	0.11	mg/L	0.10	12/20/2012
Calcium, SPLP	SW846 6010B	8.2	mg/L	0.5	12/20/2012
Aluminum, SPLP	SW846 6010B	0.13	mg/L	0.045	12/20/2012
Magnesium, SPLP	SW846 6010B	0.57	mg/L	0.50	12/20/2012
Beryllium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Bismuth, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Boron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Tin, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Barium, SPLP	SW846 6010B	0.077	mg/L	0.010	12/20/2012
Chromium, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Cobalt, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Copper, SPLP	SW846 6010B	<0.05	mg/L	0.05	12/20/2012
Gallium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Iron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Lithium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Cadmium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Selenium, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Thallium, SPLP	SW846 6020	<0.0010	mg/L	0.0010	12/26/2012
Lead, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Antimony, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Arsenic, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Mercury, SPLP	SW846 7470A	<0.0001	mg/L	0.0001	12/10/2012

Customer Sample ID: Overflow
 WETLAB Sample ID: 1211511-002

Collect Date/Time: 11/29/2012 14:30

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Cyanide, SPLP	SM 4500CNE	<0.010	mg/L	0.010	12/7/2012
Thiocyanate, SPLP	SM 4500 CNM	6.5	mg/L	0.20	12/7/2012
pH, SPLP	SM 4500-H+ B	9.09	pH Units		12/6/2012
Cyanate, SPLP	SM 4500 CNL	3.3	mg/L	0.050	12/7/2012
Trace Metals Digestion	EPA 3010A	Complete			12/7/2012
SPLP Extraction	EPA 1312	Complete			12/6/2012
Bicarbonate (HCO ₃), SPLP	SM 2320B	15	mg/L	1.0	12/6/2012
Total Alkalinity, SPLP	SM 2320B	34	mg/L as CaCO ₃	1.0	12/6/2012
Hydroxide (OH), SPLP	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Carbonate (CO ₃), SPLP	SM 2320B	13	mg/L	1.0	12/6/2012
Sulfate, SPLP	EPA 300.0	8.4	mg/L	1.0	12/6/2012

Page 4 of 10

Customer Sample ID: Overflow
 WETLAB Sample ID: 1211511-002

Collect Date/Time: 11/29/2012 14:30

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride, SPLP	EPA 300.0	0.68	mg/L	0.10	12/6/2012
Chloride, SPLP	EPA 300.0	1.6	mg/L	1.0	12/6/2012
Nitrate + Nitrite Nitrogen, SPLP	EPA 353.2	0.12	mg/L	0.10	12/6/2012
Total Dissolved Solids (TDS), SPLP	SM 2540C	60	mg/L	10	12/6/2012
WAD Cyanide, SPLP	SM 4500CNI	<0.010	mg/L	0.010	12/7/2012
Chromium, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Calcium, SPLP	SW846 6010B	8.8	mg/L	0.5	12/20/2012
Cadmium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Boron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Bismuth, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Beryllium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Aluminum, SPLP	SW846 6010B	0.10	mg/L	0.045	12/20/2012
Gallium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Barium, SPLP	SW846 6010B	0.081	mg/L	0.010	12/20/2012
Titanium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Cobalt, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Copper, SPLP	SW846 6010B	<0.05	mg/L	0.05	12/20/2012
Vanadium, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Tin, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Strontium, SPLP	SW846 6010B	0.13	mg/L	0.10	12/20/2012
Sodium, SPLP	SW846 6010B	7.8	mg/L	0.5	12/20/2012
Silver, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Scandium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Potassium, SPLP	SW846 6010B	3.4	mg/L	0.5	12/20/2012
Phosphorus, SPLP	SW846 6010B	<0.5	mg/L	0.5	12/20/2012
Nickel, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Molybdenum, SPLP	SW846 6010B	0.013	mg/L	0.010	12/20/2012
Manganese, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Magnesium, SPLP	SW846 6010B	0.64	mg/L	0.50	12/20/2012
Zinc, SPLP	SW846 6010B	<0.050	mg/L	0.050	12/20/2012
Lithium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Iron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Lead, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Selenium, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Arsenic, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Antimony, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Thallium, SPLP	SW846 6020	<0.0010	mg/L	0.0010	12/26/2012
Mercury, SPLP	SW846 7470A	<0.0001	mg/L	0.0001	12/10/2012

Page 5 of 10

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Underflow (103-92557-010)

Collect Date/Time: 11/29/2012 14:30

WETLAB Sample ID: 1211511-003

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH, SPLP	SM 4500-H+ B	8.92	pH Units		12/6/2012
Thiocyanate, SPLP	SM 4500 CNM	7.4	mg/L	0.20	12/7/2012
Total Cyanide, SPLP	SM 4500CNE	<0.010	mg/L	0.010	12/10/2012
Cyanate, SPLP	SM 4500 CNL	4.8	mg/L	0.050	12/7/2012
Trace Metals Digestion	EPA 3010A	Complete			12/7/2012
SPLP Extraction	EPA 1312	Complete			12/6/2012
Bicarbonate (HCO ₃), SPLP	SM 2320B	18	mg/L	1.0	12/6/2012
Carbonate (CO ₃), SPLP	SM 2320B	6.9	mg/L	1.0	12/6/2012
Hydroxide (OH), SPLP	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity, SPLP	SM 2320B	27	mg/L as CaCO ₃	1.0	12/6/2012
Sulfate, SPLP	EPA 300.0	5.8	mg/L	1.0	12/6/2012
Chloride, SPLP	EPA 300.0	<1.0	mg/L	1.0	12/6/2012
Fluoride, SPLP	EPA 300.0	0.58	mg/L	0.10	12/6/2012
Nitrate + Nitrite Nitrogen, SPLP	EPA 353.2	<0.10	mg/L	0.10	12/6/2012
Total Dissolved Solids (TDS), SPLP	SM 2540C	46	mg/L	10	12/6/2012
WAD Cyanide, SPLP	SM 4500CNI	<0.010	mg/L	0.010	12/7/2012
Tin, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Molybdenum, SPLP	SW846 6010B	<0.010	mg/L	0.010	12/20/2012
Phosphorus, SPLP	SW846 6010B	<0.5	mg/L	0.5	12/20/2012
Potassium, SPLP	SW846 6010B	2.5	mg/L	0.5	12/20/2012
Scandium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Silver, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Strontium, SPLP	SW846 6010B	0.11	mg/L	0.10	12/20/2012
Manganese, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Titanium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Vanadium, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Zinc, SPLP	SW846 6010B	<0.050	mg/L	0.050	12/20/2012
Sodium, SPLP	SW846 6010B	6.4	mg/L	0.5	12/20/2012
Boron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Aluminum, SPLP	SW846 6010B	0.10	mg/L	0.045	12/20/2012
Barium, SPLP	SW846 6010B	0.067	mg/L	0.010	12/20/2012
Nickel, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012
Bismuth, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Magnesium, SPLP	SW846 6010B	0.54	mg/L	0.50	12/20/2012
Cadmium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Calcium, SPLP	SW846 6010B	7.6	mg/L	0.5	12/20/2012
Chromium, SPLP	SW846 6010B	<0.0050	mg/L	0.0050	12/20/2012
Cobalt, SPLP	SW846 6010B	<0.01	mg/L	0.01	12/20/2012

Page 6 of 10

Customer Sample ID: Underflow (103-92557-010)

Collect Date/Time: 11/29/2012 14:30

WETLAB Sample ID: 1211511-003

Receive Date: 11/29/2012 16:10

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper, SPLP	SW846 6010B	<0.05	mg/L	0.05	12/20/2012
Gallium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Iron, SPLP	SW846 6010B	<0.1	mg/L	0.1	12/20/2012
Lithium, SPLP	SW846 6010B	<0.10	mg/L	0.10	12/20/2012
Beryllium, SPLP	SW846 6010B	<0.0010	mg/L	0.0010	12/20/2012
Antimony, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Arsenic, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Lead, SPLP	SW846 6020	<0.0025	mg/L	0.0025	12/26/2012
Selenium, SPLP	SW846 6020	<0.0050	mg/L	0.0050	12/26/2012
Thallium, SPLP	SW846 6020	<0.0010	mg/L	0.0010	12/26/2012
Mercury, SPLP	SW846 7470A	<0.0001	mg/L	0.0001	12/10/2012

Western Environmental Testing Laboratory

QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12120301	Blank 1	Chromium, SPLP	SW846 6010B	<0.05	mg/L
		Aluminum, SPLP	SW846 6010B	<0.10	mg/L
		Manganese, SPLP	SW846 6010B	<0.05	mg/L
		Magnesium, SPLP	SW846 6010B	<0.50	mg/L
		Lithium, SPLP	SW846 6010B	<0.5	mg/L
		Iron, SPLP	SW846 6010B	<0.1	mg/L
		Gallium, SPLP	SW846 6010B	<0.5	mg/L
		Nickel, SPLP	SW846 6010B	<0.01	mg/L
		Cobalt, SPLP	SW846 6010B	<0.01	mg/L
		Phosphorus, SPLP	SW846 6010B	<0.5	mg/L
		Calcium, SPLP	SW846 6010B	<0.5	mg/L
		Cadmium, SPLP	SW846 6010B	<0.01	mg/L
		Boron, SPLP	SW846 6010B	<0.1	mg/L
		Bismuth, SPLP	SW846 6010B	<0.5	mg/L
		Beryllium, SPLP	SW846 6010B	<0.01	mg/L
		Barium, SPLP	SW846 6010B	<0.20	mg/L
		Copper, SPLP	SW846 6010B	<0.05	mg/L
		Titanium, SPLP	SW846 6010B	<0.5	mg/L
		Molybdenum, SPLP	SW846 6010B	<0.010	mg/L
		Vanadium, SPLP	SW846 6010B	<0.01	mg/L
		Tin, SPLP	SW846 6010B	<0.5	mg/L
		Strontium, SPLP	SW846 6010B	<0.50	mg/L
		Sodium, SPLP	SW846 6010B	<0.5	mg/L
		Silver, SPLP	SW846 6010B	<0.05	mg/L
		Scandium, SPLP	SW846 6010B	<0.5	mg/L
		Potassium, SPLP	SW846 6010B	<0.5	mg/L
		Zinc, SPLP	SW846 6010B	<0.02	mg/L
QC12120322	Blank 1	Mercury, SPLP	SW846 7470A	<0.010	mg/L
QC12120322	Blank 2	Mercury, SPLP	SW846 7470A	<0.010	mg/L
QC12120817	Blank 1	Lead, SPLP	SW846 6020	<0.0025	mg/L
		Selenium, SPLP	SW846 6020	<0.0050	mg/L
		Thallium, SPLP	SW846 6020	<0.0010	mg/L
		Antimony, SPLP	SW846 6020	<0.0025	mg/L
		Arsenic, SPLP	SW846 6020	<0.0050	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC12120301	LCS 1	Sodium, SPLP	SW846 6010B	94.0	100	94	mg/L
		Cobalt, SPLP	SW846 6010B	9.69	10.0	97	mg/L
		Copper, SPLP	SW846 6010B	48.6	50.0	97	mg/L
		Gallium, SPLP	SW846 6010B	9.56	10.0	96	mg/L
		Iron, SPLP	SW846 6010B	9.87	10.0	99	mg/L
		Lithium, SPLP	SW846 6010B	9.78	10.0	98	mg/L
		Magnesium, SPLP	SW846 6010B	96.9	100	97	mg/L
		Manganese, SPLP	SW846 6010B	9.77	10.0	98	mg/L
		Molybdenum, SPLP	SW846 6010B	9.90	10.0	99	mg/L
		Nickel, SPLP	SW846 6010B	49.2	50.0	98	mg/L
		Phosphorus, SPLP	SW846 6010B	47.0	50.0	94	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
		Potassium, SPLP	SW846 6010B	86.7	100	87	mg/L
		Chromium, SPLP	SW846 6010B	9.71	10.0	97	mg/L
		Silver, SPLP	SW846 6010B	0.841	0.900	93	mg/L
		Strontium, SPLP	SW846 6010B	9.39	10.0	94	mg/L
		Tin, SPLP	SW846 6010B	9.73	10.0	97	mg/L
		Titanium, SPLP	SW846 6010B	9.77	10.0	98	mg/L
		Vanadium, SPLP	SW846 6010B	9.82	10.0	98	mg/L
		Zinc, SPLP	SW846 6010B	9.75	10.0	98	mg/L
		Aluminum, SPLP	SW846 6010B	9.65	10.0	96	mg/L
		Barium, SPLP	SW846 6010B	9.83	10.0	98	mg/L
		Beryllium, SPLP	SW846 6010B	9.79	10.0	98	mg/L
		Bismuth, SPLP	SW846 6010B	9.74	10.0	97	mg/L
		Boron, SPLP	SW846 6010B	9.31	10.0	93	mg/L
		Cadmium, SPLP	SW846 6010B	9.77	10.0	98	mg/L
		Calcium, SPLP	SW846 6010B	98.3	100	98	mg/L
		Scandium, SPLP	SW846 6010B	9.65	10.0	96	mg/L
QC12120322	LCS 1	Mercury, SPLP	SW846 7470A	<0.010	0.005	108	mg/L

QC Batch ID	QC Type	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12120422	Duplicate	Total Alkalinity, SPLP	SM 2320B	1211511-001	36.0	36.0	mg/L as CaCO3	<1%
		Hydroxide (OH), SPLP	SM 2320B	1211511-001	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3), SPLP	SM 2320B	1211511-001	7.23	7.23	mg/L	<1%
		Bicarbonate (HCO3), SPLP	SM 2320B	1211511-001	29.3	29.3	mg/L	<1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12120301	MS 1	Chromium, SPLP	SW846 6010B	1211511-001	<0.005	9.53	9.74	10.0	mg/L	95	97	2 %
		Manganese, SPLP	SW846 6010B	1211511-001	<0.005	9.62	9.59	10.0	mg/L	96	96	<1%
		Magnesium, SPLP	SW846 6010B	1211511-001	0.570	94.9	95.0	100	mg/L	94	94	<1%
		Lithium, SPLP	SW846 6010B	1211511-001	<0.100	9.49	9.70	10.0	mg/L	95	97	2 %
		Iron, SPLP	SW846 6010B	1211511-001	<0.100	9.75	9.74	10.0	mg/L	96	96	<1%
		Gallium, SPLP	SW846 6010B	1211511-001	<0.100	9.52	9.47	10.0	mg/L	95	95	1 %
		Aluminum, SPLP	SW846 6010B	1211511-001	0.133	9.69	9.70	10.0	mg/L	96	96	<1%
		Cobalt, SPLP	SW846 6010B	1211511-001	<0.010	9.55	9.55	10.0	mg/L	95	95	<1%
		Phosphorus, SPLP	SW846 6010B	1211511-001	<0.500	46.8	47.0	50.0	mg/L	92	93	<1%
		Calcium, SPLP	SW846 6010B	1211511-001	8.18	106	106	100	mg/L	98	98	<1%
		Cadmium, SPLP	SW846 6010B	1211511-001	<0.001	9.55	9.53	10.0	mg/L	95	95	<1%
		Boron, SPLP	SW846 6010B	1211511-001	<0.100	9.18	9.38	10.0	mg/L	91	93	2 %
		Bismuth, SPLP	SW846 6010B	1211511-001	<0.100	9.60	9.72	10.0	mg/L	95	96	1 %
		Beryllium, SPLP	SW846 6010B	1211511-001	<0.001	9.72	9.71	10.0	mg/L	97	97	<1%
		Barium, SPLP	SW846 6010B	1211511-001	0.077	9.73	9.74	10.0	mg/L	97	97	<1%
		Copper, SPLP	SW846 6010B	1211511-001	<0.050	48.7	49.0	50.0	mg/L	97	98	1 %
		Tin, SPLP	SW846 6010B	1211511-001	<0.100	9.57	9.65	10.0	mg/L	96	97	1 %
		Zinc, SPLP	SW846 6010B	1211511-001	<0.050	9.57	9.58	10.0	mg/L	95	95	<1%
		Molybdenum, SPLP	SW846 6010B	1211511-001	0.011	9.76	9.83	10.0	mg/L	97	98	1 %
		Titanium, SPLP	SW846 6010B	1211511-001	<0.100	9.64	9.68	10.0	mg/L	96	97	<1%
		Nickel, SPLP	SW846 6010B	1211511-001	<0.010	48.3	47.9	50.0	mg/L	97	96	1 %
		Strontium, SPLP	SW846 6010B	1211511-001	0.106	9.28	9.45	10.0	mg/L	92	93	2 %
		Sodium, SPLP	SW846 6010B	1211511-001	8.09	100	101	100	mg/L	93	94	1 %
		Silver, SPLP	SW846 6010B	1211511-001	<0.005	0.834	0.838	0.900	mg/L	93	93	<1%
		Scandium, SPLP	SW846 6010B	1211511-001	<0.100	9.61	9.61	10.0	mg/L	96	96	<1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Potassium, SPLP	SW846 6010B	1211511-001	2.24	89.3	89.8	100	mg/L	88	88	1 %
		Vanadium, SPLP	SW846 6010B	1211511-001	<0.010	9.65	9.60	10.0	mg/L	97	96	1 %
QC12120322	MS 1	Mercury, SPLP	SW846 7470A	1211511-001	<0.000	0.005	0.005	0.005	mg/L	104	98	<1%
QC12120817	MS 1	Thallium, SPLP	SW846 6020	1211511-001	<0.001	0.009	0.009	0.010	mg/L	89	89	<1%
		Antimony, SPLP	SW846 6020	1211511-001	<0.003	0.009	0.009	0.010	mg/L	95	95	<1%
		Arsenic, SPLP	SW846 6020	1211511-001	<0.005	0.049	0.050	0.050	mg/L	99	100	2 %
		Lead, SPLP	SW846 6020	1211511-001	<0.003	0.009	0.009	0.010	mg/L	92	93	<1%
		Selenium, SPLP	SW846 6020	1211511-001	<0.005	0.045	0.046	0.050	mg/L	89	93	2 %

NEW COC 2 3 SEPARATE SAMPLE



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Waste and Water Analysis.*
 475 E. Greg Street #119 | Sparks, Nevada 89431
 tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1211511

Report
 Due Date:

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Additional Information

Fax Results	Y	N	To Client	Billing
Email Results	Y	N	To Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Code

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	TYPE	QTY	ANALYSIS	SPLP w/ profile if ex-isting	Spl. No.
Whole Tails	11/29/12	2:30	SD	1	X		
Overflow	↓	↓	↓	↓	↓		
Underflow (103-92557-010)	↓	↓	↓	↓	↓		

Instructions/Comments/Special Requirements: Samples from New Mexico

SAMPLE RECEIPT	DATE	TIME	Samples Returned to By	Samples Received By
Temperature _____ °C			see original COC - Abs	
Custody Seals Intact? Y N None				
Number of Containers _____				

WETLAB'S Standard Terms and Conditions apply unless written agreement to the contrary. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

NEW COC 2 3 SEPARATE SAMPLE



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 121511

Report

Due Date:

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name RJ

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION

DATE

TIME

SD

1

X

Whole Tails

11/29/12

2:30

SD

1

X

Overflow

↓

↓

↓

↓

↓

Underflow (103-92557-010)

✓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

Instructions/Comments/Special Requirements: Samples form New Mexico

SAMPLE RECEIPT

DATE

TIME

Sample Received By

Sample Received By

Temperature °C

see original COC

-AOS

Custody Seals Intact? Y N None

Number of Containers

WETLAB'S Standard Terms and Conditions apply unless written agreement specifies otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Appendix D Mineralogy Reports

2010 Mineralogical Assessment

2010 Mineralogical Assessment of the Copper Flat Project, New Mexico, USA

Report Prepared for
THEMAC Resources Group Ltd.



Image Copyright Zsolt, Eiczó, 2011 Used under license from Shutterstock.com

Report Prepared by



SRK Consulting (UK) Limited
UK3939

COPYRIGHT AND DISCLAIMER

Copyright (and any other applicable intellectual property rights) in this document and any accompanying data or models is reserved by SRK Consulting (UK) Limited ("SRK") and is protected by international copyright and other laws.

This document may not be utilised or relied upon for any purpose other than that for which it is stated within and SRK shall not be liable for any loss or damage caused by such use or reliance. In the event that the recipient of this document wishes to use the content of this document in support of any purpose beyond or outside that which it is expressly stated or for the raising of any finance from a third party where the document is not being utilised in its full form for this purpose, the recipient shall, prior to such use, present a draft of any report or document produced by it that may incorporate any of the content of this document to SRK for review so that SRK may ensure that this is presented in a manner which accurately and reasonably reflects any results or conclusions produced by SRK.

The use of this document is strictly subject to terms licensed by SRK to its client as the recipient of this document and unless otherwise agreed by SRK, this does not grant rights to any third party. This document shall only be distributed to any third party in full as provided by SRK and may not be reproduced or circulated in the public domain (in whole or in part) or in any edited, abridged or otherwise amended form unless expressly agreed in writing by SRK. In the event that this document is disclosed or distributed to any third party, no such third party shall be entitled to place reliance upon any information, warranties or representations which may be contained within this document and the recipient of this document shall indemnify SRK against all and any claims, losses and costs which may be incurred by SRK relating to such third parties.

© SRK Consulting (UK) Limited 2011

SRK Consulting (UK) Limited

SRK Legal Entity:

SRK Address:

5th Floor Churchill House
17 Churchill Way
City and County of Cardiff, CF10 2HH
Wales, United Kingdom.

Date:

June 2012

Project Number:

UK3939

SRK Project Director:

Rob Howell

Corporate Consultant (Geochemistry)

SRK Project Manager:

Rob Howell

Corporate Consultant (Geochemistry)

Client Legal Entity:

THEMAC Resources Group Ltd

Client Address:

2425 San Pedro Drive, NE
Albuquerque, New Mexico 87110

Table of Contents

1	SUMMARY	1
2	SRK0864 (ANDESITE)	1
3	SAMPLE SRK 0867 (QUARTZ MONZONITE)	3
4	SAMPLE SRK 0868 (QUARTZ MONZONITE)	4
5	SAMPLE SRK 0870 (DOLERITE).....	5
6	SAMPLE SRK 0871 (QUARTZ MONZONITE)	7
7	SAMPLE SRK 0872 (BIOTITE BRECCIA).....	8
8	SAMPLE SRK 0873 (BIOTITE BRECCIA).....	9
9	SAMPLE SRK 0874 (ANDESITE).....	11
10	SAMPLE SRK 0874B (LATITE)	12
11	SAMPLE SRK 0879 (QUARTZ MONZONITE)	14
12	SAMPLE SRK 0884 (BIOTITE BRECCIA).....	15
13	SAMPLE SRK 0885 (QUARTZ FELDSPAR BRECCIA)	17
14	SAMPLE SRK 0889 (QUARTZ MONZONITE)	18
15	SAMPLE SRK 0890 (QUARTZ MONZONITE)	20
16	SAMPLE SRK 0892 (QUARTZ MONZONITE)	21
17	SAMPLE SRK 0894 (BIOTITE BRECCIA).....	23
18	SAMPLE SRK 0897 (BIOTITE BRECCIA).....	24

List of Tables

Table 2-1: Minerals found in SRK0864 and their abundance	1
Table 3-1: Minerals found in SRK0867 and their abundance	3
Table 4-1: Minerals found in SRK0868 and their abundance	4
Table 5-1: Minerals found in SRK0870 and their abundance	5
Table 6-1: Minerals found in SRK0871 and their abundance	7
Table 7-1: Minerals found in SRK0872 and their abundance	8
Table 8-1: Minerals found in SRK0873 and their abundance	9
Table 9-1: Minerals found in SRK0874 and their abundance	11
Table 10-1: Minerals found in SRK0874 and their abundance	12
Table 11-1: Minerals found in SRK0879 and their abundance	14
Table 12-1: Minerals found in SRK0884 and their abundance	15
Table 13-1: Minerals found in SRK0885 and their abundance	17

Table 14-1: Minerals found in SRK0889 and their abundance	18
Table 15-1: Minerals found in SRK0890 and their abundance	20
Table 16-1: Minerals found in SRK0892 and their abundance	21
Table 17-1: Minerals found in SRK0894 and their abundance	23
Table 18-1: Minerals found in SRK0897 and their abundance	24

List of Figures

Figure 2-1: Propylitic andesite showing plagioclase feldspar laths with no preferred orientation. (XPL x 10 magnification. Field of view = 1.16mm)	2
Figure 2-2: Malachite-filled amygdale (PPL x 10 magnification. Field of view = 1.16mm)	2
Figure 3-1: Chalcopyrite mineralisation within quartz (XPL and reflected light at x 10 magnification. Field of view = 1.16mm)	3
Figure 4-1: Pyrite associated with K-feldspar and chlorite (PPL at x 10 magnification. Field of view = 1.16mm)	4
Figure 4-2: Weathered K-feldspar (XPL at x 10 magnification. Field of view = 0.5mm)	5
Figure 5-1: Fine-grained plagioclase groundmass with plagioclase phenocrysts (PPL at x 10 magnification. Field of view = 1.16mm)	6
Figure 5-2: Fine-grained plagioclase groundmass with plagioclase phenocrysts and vesicles (PPL at x 10 magnification. Field of view = 1.16mm)	6
Figure 6-1: Intergrown quartz and feldspar (bottom right) with biotite and malachite banding (top left) (XPL at x 4 magnification. Field of view = 2.8mm)	7
Figure 6-2: Intergrown quartz, hematite malachite and biotite (PPL at x 10 magnification. Field of view = 1.16mm)	8
Figure 7-1: Heavily weathered K-feldspar (XPL at x 4 magnification. Field of view = 2.8mm)	9
Figure 8-1: Heavily altered K-feldspar by kaolinite and quartz inclusion in pyrite (XPL and reflected light at x 4 magnification. Field of view = 2.8mm)	10
Figure 8-2: Chalcopyrite within altered K-feldspar (XPL at x 10 magnification. Field of view = 1.16mm)	10
Figure 8-3: Chalcopyrite within altered K-feldspar (reflected light at x 10 magnification. Field of view = 1.16mm)	11
Figure 9-1: Porphyritic texture in andesite (XPL at x 10 magnification. Field of view = 1.16 mm)	12
Figure 10-1: Biotite phenocryst within fine-grained quartz and feldspar groundmass. (XPL at x 10 magnification. Field of view = 1.16 mm)	13
Figure 10-2: Fine-grained quartz and feldspar groundmass. (XPL at x 10 magnification. Field of view = 1.16 mm)	13

Figure 11-1: Sericitically altered feldspar with pyrite (top right). (XPL at x 10 magnification. Field of view = 1.16 mm).....	14
Figure 11-2: Sericitically altered feldspar quartz. (XPL at x 10 magnification. Field of view = 1.16 mm).....	15
Figure 12-1: Chalcopyrite mineralisation along edges of quartz grains. (XPL and reflected light at x 4 magnification. Field of view = 2.8 mm)	16
Figure 12-2: Chalcopyrite mineralisation with biotite and quartz. (PPL at x 10 magnification. Field of view = 1.16 mm).....	16
Figure 12-3: Chalcopyrite mineralisation with biotite and quartz. (reflected light at x 10 magnification. Field of view = 1.16 mm).....	17
Figure 13-1: Chalcopyrite mineralisation along edges of quartz grains. (XPL and reflected light at x 4 magnification. Field of view = 2.8 mm)	18
Figure 14-1: Carbonate mineral within quartz matrix. (XPL at x 10 magnification. Field of view = 1.16mm).....	19
Figure 14-2: Pyrite within quartz matrix. (reflected light at x 10 magnification. Field of view = 1.16mm).....	19
Figure 15-1: Chalcopyrite within quartz (left) and pyrite within chlorite (right). (PPL and reflected light at x 4 magnification. Field of view = 2.8 mm)	20
Figure 15-2: Pyrite inclusion within chlorite. (PPL and reflected light at x 4 magnification. Field of view = 2.8 mm).....	21
Figure 16-1: Heavily weathered K-feldspar with quartz and some pyrite. (XPL at x 4 magnification. Field of view = 2.8 mm).....	22
Figure 16-2: Chalcopyrite with quartz. (reflected light at x 10 magnification. Field of view = 1.16 mm).....	22
Figure 17-1: Association of pyrite with biotite. (PPL and reflected light at x 10 magnification. Field of view = 1.16 mm).....	23
Figure 17-2: Chalcopyrite and pyrite with biotite. (reflected light at x 10 magnification. Field of view = 1.16 mm).....	24
Figure 18-1: Chalcopyrite (left) and pyrite (right). (PPL and reflected light at x 10 magnification. Field of view = 1.16 mm).....	25
Figure 18-2: Pyrite in weathered feldspar. (XPL at x 4 magnification. Field of view = 2.8 mm).....	25
Figure 18-3: As above but in reflected light. (Pyrite in weathered feldspar – reflected light at x 4 magnification. Field of view = 2.8 mm).....	26

2010 Mineralogical Assessment of the Copper Flat Project, New Mexico, USA

1 SUMMARY

A site visit and waste rock sample collection exercise was undertaken by SRK staff at the Copper Flat project, New Mexico in April 2010. During the site visit, seventeen surface grab samples were collected from existing waste rock piles on site and submitted for optical mineralogical analysis. The purpose of the mineralogical assessment was to investigate the composition of the existing waste rock on site, particularly in the form of secondary copper salts in addition to acid generating sulfide minerals and acid neutralizing carbonate minerals. The results of the mineralogical assessment are presented herein and provide support to the ongoing Waste Rock Characterization Program.

2 SAMPLE SRK0864 (ANDESITE)

This sample of andesite is fine-grained with a porphyritic texture and is dominated by numerous small euhedral laths of plagioclase feldspar within a predominantly-amphibole groundmass (see Figure 2-1). Several small vughs of malachite are present, which are approximately ~1mm in size. These have possibly developed where malachite has infilled vesicles within the andesite. In places, the plagioclase laths show some preferential flow texture around these vughs (see Figure 2-2).

Table 2-1: Minerals found in SRK0864 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Olivine	Malachite	Plagioclase feldspar
Siderite	Hematite	Amphibole
Ankerite	Biotite	
Chlorite	Calcite	
Antigorite	Laumontite	
Dolomite		
Azurite		




Figure 2-1: Propylitic andesite showing plagioclase feldspar laths with no preferred orientation. (XPL x 10 magnification. Field of view = 1.16mm)




Figure 2-2: Malachite-filled amygdale (PPL x 10 magnification. Field of view = 1.16mm)

3 SAMPLE SRK 0867 (QUARTZ MONZONITE)

This sample of quartz monzonite has an equigranular texture and consists primarily of fine-grained intergrown quartz and K-feldspar with small, euhedral disseminated chalcopyrite crystals, which generally occur in association with the quartz (see Figure 3-1). Alteration of the feldspars to sericite is visible in places.

Table 3-1: Minerals found in SRK0867 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Pyrite	Sericite	Quartz
Chlorite	Chalcopyrite	K-feldspar




Figure 3-1: Chalcopyrite mineralisation within quartz (XPL and reflected light at x 10 magnification. Field of view = 1.16mm)

4 SAMPLE SRK 0868 (QUARTZ MONZONITE)

The sample of quartz monzonite is composed primarily of K-feldspar, biotite, quartz and is characterised by a porphyritic texture, containing phenocrysts of K-feldspar up to 10 mm long. In places the K-feldspar is heavily altered to sericite. Significant pyrite (approximately 5 to 10%) is also present in this thin section, which appears to be associated with chlorite or with quartz along a small (0.2mm thick) vein.

Table 4-1: Minerals found in SRK0868 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Sericite	Biotite	K-feldspar
Chalcopyrite	Pyrite	Quartz
Chlorite		
Apatite		
Monazite		
Kaolinite		




Figure 4-1: Pyrite associated with K-feldspar and chlorite (PPL at x 10 magnification. Field of view = 1.16mm)




Figure 4-2: Weathered K-feldspar (XPL at x 10 magnification. Field of view = 0.5mm)

5 SAMPLE SRK 0870 (DOLERITE)

The sample of dolerite is very fine-grained with a vesicular and porphyritic texture. The groundmass is almost glassy and is composed primarily of fine grained plagioclase feldspar. The phenocrysts are up to 0.5mm in size and are composed primarily of plagioclase (euhedral, often zoned crystals) and clinopyroxene, often replaced by serpentine group minerals, hematite and clays.

Table 5-1: Minerals found in SRK0870 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Kaolinite	Clinopyroxene	Plagioclase feldspar
Antigorite		
Hematite		




Figure 5-1: Fine-grained plagioclase groundmass with plagioclase phenocrysts (PPL at x 10 magnification. Field of view = 1.16mm)




Figure 5-2: Fine-grained plagioclase groundmass with plagioclase phenocrysts and vesicles (PPL at x 10 magnification. Field of view = 1.16mm)

6 SAMPLE SRK 0871 (QUARTZ MONZONITE)

The quartz monzonite is roughly equigranular in texture and consists primarily of intergrown quartz and altered K-feldspar with biotite and malachite veining. The K-feldspar is heavily altered to sericite in places. The biotite occurs as a thin vein (~2mm thick) on one side of the section (Figure 6-1). The malachite occurs both disseminated within the thin section (generally surrounding quartz and feldspar crystals) and as a thin vein (2mm thick) at the side of the section. Pyrite generally occurs as perfect cubic crystals ~0.1mm in size within quartz.

Table 6-1: Minerals found in SRK0871 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Zircon	Clay (sericite?)	Quartz
Chalcopyrite	Pyrite	K-feldspar
	Hematite	Biotite
	Kaolinite	Malachite




Figure 6-1: Intergrown quartz and feldspar (bottom right) with biotite and malachite banding (top left) (XPL at x 4 magnification. Field of view = 2.8mm)




Figure 6-2: Intergrown quartz, hematite malachite and biotite (PPL at x 10 magnification. Field of view = 1.16mm)

7 SAMPLE SRK 0872 (BIOTITE BRECCIA)

This sample of biotite breccia is dominated by heavily altered K-feldspar and quartz, with small amounts of pyrite and chalcopyrite being disseminated throughout the thin section. In places the K-feldspar appears to have been altered to sericite. Small amounts of chalcopyrite and pyrite present, which appear to be associated with both the quartz and weathered feldspars. The pyrite and chalcopyrite occur as small (0.2mm) crystals disseminated throughout the thin section and associated with both quartz and the weathered feldspars.

Table 7-1: Minerals found in SRK0872 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Pyrite	Clay (sericite?)	Quartz
Chalcopyrite		K-feldspar




Figure 7-1: Heavily weathered K-feldspar (XPL at x 4 magnification. Field of view = 2.8mm)

8 SAMPLE SRK 0873 (BIOTITE BRECCIA)

This sample of biotite breccia is dominated by heavily altered K-feldspar and quartz. Some pyrite is present as isolated subhedral to euhedral crystals generally 0.1mm in size, often as inclusions within the quartz crystals. The texture of the specimen is difficult to ascertain due to the significant alteration of the feldspars.

Table 8-1: Minerals found in SRK0873 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Chalcopyrite	Pyrite	Quartz
	Muscovite	K-feldspar
	Kaolinite	




Figure 8-1: Heavily altered K-feldspar by kaolinite and quartz inclusion in pyrite (XPL and reflected light at x 4 magnification. Field of view = 2.8mm)




Figure 8-2: Chalcopyrite within altered K-feldspar (XPL at x 10 magnification. Field of view = 1.16mm)




Figure 8-3: Chalcopyrite within altered K-feldspar (reflected light at x 10 magnification. Field of view = 1.16mm)

9 SAMPLE SRK 0874 (ANDESITE)

This sample of andesite has a fine-grained (almost glassy) texture containing phenocrysts (up to 0.5mm in size) of amphibole, and plagioclase feldspar (Figure 9-1). Plagioclase occurs as lath-shaped euhedral phenocrysts up to 0.5mm in size with multiple twinning visible. No preferred orientation of the phenocrysts is evident. The composition of the groundmass is indiscernible due to the fine grain size. Some pyrite is present, which is disseminated throughout the thin section and does not appear to be associated with any one mineral in particular.

Table 9-1: Minerals found in SRK0874 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Amphibole	Plagioclase
	Pyrite	Glassy groundmass




Figure 9-1: Porphyritic texture in andesite (XPL at x 10 magnification. Field of view = 1.16 mm)

10 SAMPLE SRK 0874B (LATITE)

The sample is characterised by a porphyritic texture with a very fine-grained groundmass (<0.01mm) composed primarily of quartz and plagioclase feldspar (Figure 10-1). Biotite is also present as euhedral phenocrysts up to 1mm in size.

Table 10-1: Minerals found in SRK0874 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Biotite	Quartz
		Plagioclase




Figure 10-1: Biotite phenocryst within fine-grained quartz and feldspar groundmass. (XPL at x 10 magnification. Field of view = 1.16 mm)




Figure 10-2: Fine-grained quartz and feldspar groundmass. (XPL at x 10 magnification. Field of view = 1.16 mm)

11 SAMPLE SRK 0879 (QUARTZ MONZONITE)

This sample of quartz monzonite is dominated by plagioclase and K-feldspar, which in places has been altered to sericite. The sample is roughly equigranular in texture (although difficult to discern in places due to significant alteration of feldspars) and contains small amounts of pyrite and chalcopyrite. The chalcopyrite is disseminated throughout the thin section as small (~0.1 to 0.2mm) anhedral crystals. It is characterised by bright yellow colour under reflected light and does not appear to be associated with any one mineral in particular.

Table 11-1: Minerals found in SRK0879 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Pyrite	Sericite	K-feldspar
	Chalcopyrite	Plagioclase




Figure 11-1: Sericitically altered feldspar with pyrite (top right). (XPL at x 10 magnification. Field of view = 1.16 mm)




Figure 11-2: Sericitically altered feldspar quartz. (XPL at x 10 magnification. Field of view = 1.16 mm)

12 SAMPLE SRK 0884 (BIOTITE BRECCIA)

This sample of biotite breccia has a roughly equigranular texture and is dominated by quartz, with some K-feldspar and biotite. There are numerous small (~0.1mm) anhedral chalcopyrite crystals disseminated throughout the thin section. These are often elongate and tend to occur as inclusions within the quartz or along boundaries of quartz crystals (see Figure 12-1).

Table 12-1: Minerals found in SRK0884 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Biotite	Quartz
	Chalcopyrite	K-feldspar



Figure 12-1: Chalcopyrite mineralisation along edges of quartz grains. (XPL and reflected light at x 4 magnification. Field of view = 2.8 mm)




Figure 12-2: Chalcopyrite mineralisation with biotite and quartz. (PPL at x 10 magnification. Field of view = 1.16 mm)




Figure 12-3: Chalcopyrite mineralisation with biotite and quartz. (reflected light at x 10 magnification. Field of view = 1.16 mm)

13 SAMPLE SRK 0885 (QUARTZ FELDSPAR BRECCIA)

This sample consists almost entirely of intergrown quartz crystals, with chalcopyrite veining along the crystal edges. The sample has an equigranular texture.

Table 13-1: Minerals found in SRK0885 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Chalcopyrite	Quartz



Figure 13-1: Chalcopyrite mineralisation along edges of quartz grains. (XPL and reflected light at x 4 magnification. Field of view = 2.8 mm)

14 SAMPLE SRK 0889 (QUARTZ MONZONITE)

The sample of quartz monzonite is dominated by intergrown, roughly equigranular quartz and altered K-feldspar, with small amounts (~5 to 10%) of a carbonate mineral (possibly calcite) also being present. This occurs as subhedral crystals up to 1mm in size and is characterised by bright interference colours in XPL and two strong, oblique cleavages in PPL. Generally occurs in association with quartz. See Figure 14-1. Small amounts of pyrite are also visible, which is disseminated throughout the thin section as small (0.2mm) anhedral crystals and is often associated with quartz.

Table 14-1: Minerals found in SRK0889 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Carbonate mineral (calcite?)	Quartz
	Pyrite	K-feldspar




Figure 14-1: Carbonate mineral within quartz matrix. (XPL at x 10 magnification. Field of view = 1.16mm)




Figure 14-2: Pyrite within quartz matrix. (reflected light at x 10 magnification. Field of view = 1.16mm)

15 SAMPLE SRK 0890 (QUARTZ MONZONITE)

The section is dominated by intergrown quartz and feldspar crystals between 0.1 and 4 mm in size. A porphyritic texture is evident, with simply-twinned, euhedral albite laths forming the phenocrysts. Weathering of the K-feldspars is evident from the speckled texture. Chlorite and biotite are also present, but their modal percentage is generally <5%. These minerals generally fill the voids between intergrown quartz and feldspar crystals and is often characterised by numerous small (<0.1mm) anhedral pyrite inclusions.

Table 15-1: Minerals found in SRK0890 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Biotite	Plagioclase	Quartz
Chalcopyrite	Chlorite	K-feldspar
	Pyrite	




Figure 15-1: Chalcopyrite within quartz (left) and pyrite within chlorite (right). (PPL and reflected light at x 4 magnification. Field of view = 2.8 mm)




Figure 15-2: Pyrite inclusion within chlorite. (PPL and reflected light at x 4 magnification. Field of view = 2.8 mm)

16 SAMPLE SRK 0892 (QUARTZ MONZONITE)

The section is dominated by numerous thin laths of K-feldspar up to 4mm long, which have been heavy weathered to sericite and are intergrown with quartz and some biotite. The texture is difficult to ascertain due to the heavy weathering of the feldspars. Pyrite occurs as anhedral crystals up to 0.5mm in size, generally in association with quartz (see Figure 16-1). Characterised by bright grey/silver colour in reflected light.

Table 16-1: Minerals found in SRK0892 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
	Biotite	K-feldspar (often heavily altered to sericite)
	Chalcopyrite	Quartz
	Pyrite	




Figure 16-1: Heavily weathered K-feldspar with quartz and some pyrite. (XPL at x 4 magnification. Field of view = 2.8 mm)



Figure 16-2: Chalcopyrite with quartz. (reflected light at x 10 magnification. Field of view = 1.16 mm)

17 SAMPLE SRK 0894 (BIOTITE BRECCIA)

The thin section is dominated by intergrown quartz, feldspar and biotite and has a roughly equigranular texture. Small amounts of pyrite are also present, which are commonly associated with biotite in the sample. No carbonate minerals are present. The feldspars within this sample appear less weathered than in some of the other thin sections.

Table 17-1: Minerals found in SRK0894 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Pyrite		Quartz
		K-feldspar
		Biotite




Figure 17-1: Association of pyrite with biotite. (PPL and reflected light at x 10 magnification. Field of view = 1.16 mm)




Figure 17-2: Chalcopyrite and pyrite with biotite. (reflected light at x 10 magnification. Field of view = 1.16 mm)

18 SAMPLE SRK 0897 (BIOTITE BRECCIA)

The section is dominated by intergrown, equigranular quartz and feldspar crystals, which are approximately 0.2 – 0.5mm in size. The K-feldspar is heavily altered in places. Both pyrite and chalcopyrite are present as small (<0.1mm) crystals, generally in association with chlorite (see Figure 18-1).

Table 18-1: Minerals found in SRK0897 and their abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Chalcopyrite	Chlorite	K-feldspar
	Pyrite	Quartz




Figure 18-1: Chalcopyrite (left) and pyrite (right). (PPL and reflected light at x 10 magnification. Field of view = 1.16 mm)




Figure 18-2: Pyrite in weathered feldspar. (XPL at x 4 magnification. Field of view = 2.8 mm)






Figure 18-3: As above but in reflected light. (Pyrite in weathered feldspar – reflected light at x 4 magnification. Field of view = 2.8 mm)

For and on behalf of SRK Consulting (UK) Limited



This signature has been scanned. The original has given permission to its use for this report. The original signature is held on file.

Eur. Geol. Robert Bowell PhD C.Chem
C.Geol
Corporate Consultant
(Geochemistry)
SRK Consulting (UK) Limited



This signature has been scanned. The original has given permission to its use for this report. The original signature is held on file.

Ruth Warrender PhD FGS
Consultant
(Geochemistry)
SRK Consulting (UK) Limited

2011 Mineralogical Assessment

Mineralogical Assessment of 1 Sample from the Sternberg Lode at the Copper Flat Project, New Mexico, USA

Report Prepared for
THEMAC Resources Group Ltd.



Image Copyright Zsolt, Eiczó, 2011 Used under license from Shutterstock.com

Report Prepared by



SRK Consulting (UK) Limited
UK3939

COPYRIGHT AND DISCLAIMER

Copyright (and any other applicable intellectual property rights) in this document and any accompanying data or models is reserved by SRK Consulting (UK) Limited ("SRK") and is protected by international copyright and other laws.

This document may not be utilised or relied upon for any purpose other than that for which it is stated within and SRK shall not be liable for any loss or damage caused by such use or reliance. In the event that the recipient of this document wishes to use the content of this document in support of any purpose beyond or outside that which it is expressly stated or for the raising of any finance from a third party where the document is not being utilised in its full form for this purpose, the recipient shall, prior to such use, present a draft of any report or document produced by it that may incorporate any of the content of this document to SRK for review so that SRK may ensure that this is presented in a manner which accurately and reasonably reflects any results or conclusions produced by SRK.

The use of this document is strictly subject to terms licensed by SRK to its client as the recipient of this document and unless otherwise agreed by SRK, this does not grant rights to any third party. This document shall only be distributed to any third party in full as provided by SRK and may not be reproduced or circulated in the public domain (in whole or in part) or in any edited, abridged or otherwise amended form unless expressly agreed in writing by SRK. In the event that this document is disclosed or distributed to any third party, no such third party shall be entitled to place reliance upon any information, warranties or representations which may be contained within this document and the recipient of this document shall indemnify SRK against all and any claims, losses and costs which may be incurred by SRK relating to such third parties.

© SRK Consulting (UK) Limited 2011

SRK Consulting (UK) Limited

SRK Legal Entity:

SRK Address:

5th Floor Churchill House
17 Churchill Way
City and County of Cardiff, CF10 2HH
Wales, United Kingdom.

Date:

June 2012

Project Number:

UK3939

SRK Project Director:

Rob Bowell

Corporate Consultant (Geochemistry)

SRK Project Manager:

Rob Bowell

Corporate Consultant (Geochemistry)

Client Legal Entity:

THEMAC Resources Group Ltd

Client Address:

2425 San Pedro Drive, NE
Albuquerque, New Mexico 87110

Table of Contents

1	SUMMARY	1
2	SRK2498	3
3	SRK2499	5
4	SRK2500	7

List of Tables

Table 1-1:	Summary of Minerals Found in the Polished Blocks.....	2
Table 2-1:	Minerals Found and Their Abundance	3
Table 3-1:	Minerals Found and Their Abundance	5
Table 4-1:	Minerals Found and Their Abundance	7

List of Figures

Figure 2-1:	Cross Polarized Image	3
Figure 2-2:	Reflected Light Image	4
Figure 2-3:	Back Scatter Image	4
Figure 3-1:	Cross Polarized Image	5
Figure 3-2:	Back Scatter Image	6
Figure 3-3:	Back Scatter Image	6
Figure 4-1:	Reflected Light Image	7
Figure 4-2:	Back Scatter Image	8
Figure 4-3:	Back Scatter Image	8

Mineralogical Assessment of 1 Sample from the Sternberg Lode at the Copper Flat Project, New Mexico, USA

1 SUMMARY

One sample of material from the Sternberg Lode at the Copper Flat project, New Mexico, USA was submitted for mineralogical analysis. The sample was collected by SRK staff during a site visit and sample collection exercise in December 2011. Owing to mineralogical variability of the sampled material it was split into three sub-samples in order to assess variability across the mineralization. The three sub-samples are all typical of an altered quartz monzonites or monzo-granite with major amounts of quartz, orthoclase and albite. The feldspars in particular have all undergone major alteration to illite with occasional minor kaolinite. The variation between the three samples is all within the nature and abundance of copper minerals that are present.

Copper mineralization was mainly associated with the sulfide chalcopyrite (CuFeS_2) which was present in all three sub-samples. For two of the three sub-samples chalcopyrite was the only copper-bearing mineral observed although other base-metal sulfides were often observed including molybdenite (MoS), pyrite (FeS_2) and galena (PbS). One of the sub-samples contained a wide variety of copper-bearing minerals which in addition to chalcopyrite included minor cuprite (Cu_2O) and trace amounts of covellite (CuS), malachite ($\text{Cu}_2(\text{CO}_3)(\text{OH})_2$), brochantite ($\text{Cu}_4(\text{SO}_4)(\text{OH})_6$), native Cu and Belloite ($\text{Cu}(\text{OH})\text{Cl}$).

Table 1-1: Summary of Minerals Found in the Polished Blocks

Minerals labelled in red are the copper-bearing minerals observed within the sample

		Sample ID	SRK2498	SRK2499	SRK2500
		Material →	Quartz Monzonite	Quartz Monzonite	Quartz Monzonite
		Ideal chemistry ↓			
	Quartz	SiO ₂	XXX	XXX	XXX
	Zircon	ZrSiO ₄		X	
	Fluorapatite	Ca ₅ (PO ₄) ₃ F	X		X
	Tsumoite	BiTe	X		
	Belloite	Cu(OH)Cl	X		
	Native Copper	Cu	X		
Oxide Minerals	Cuprite	Cu ₂ O	XX		
	Ilmenite	FeTiO ₃	X		
	Avasite	5Fe ₂ O ₃ ·2SiO ₂ ·9H ₂ O	X		X
	Goethite	FeOOH	X		
	Rutile	TiO ₂	X	X	X
Clay Minerals	Clinocllore - Chamosite	(Mg,Fe ²⁺) ₅ Al(AlSi ₃ O ₁₀)(OH) ₈	X	X	X
	Phlogopite - Annite	K(Mg, Fe ²⁺) ₃ (AlSi ₃ O ₁₀)(OH,F) ₂	XX		XX
	Illite	K _{0.65} Al _{2.0} [Al _{0.65} Si _{3.35} O ₁₀](OH) ₂	XXX	XXX	XX
	Kaolinite	Al ₂ (Si ₂ O ₅)(OH) ₄		XX	
Feldspar Minerals	Albite	NaAlSi ₃ O ₈	XXX	XXX	XXX
	Orthoclase	KAlSi ₃ O ₈	XXX	XXX	XXX
Sulfates	Brochantite	Cu ₄ (SO ₄)(OH) ₆	X		
	Baryte	BaSO ₄		X	
Sulfides	Covellite	CuS	X		
	Chalcopyrite	CuFeS ₂	XX	X	X
	Molybdenite	MoS	X	X	X
	Pyrite	FeS ₂	X	X	XX
	Galena	PbS		X	
Carbonates	Malachite	Cu ₂ (CO ₃)(OH) ₂	X		
X	Trace Minerals (<1% by area)				
XX	Minor Minerals (1-10% by area)				
XXX	Major Minerals (> 10% by area)				

2 SRK2498

This sub-sample is an altered quartz monzonite which contains the greatest amount and variety of copper minerals. Along with minor amounts of chalcopyrite and cuprite there was trace amounts of malachite, covellite, brochantite, native copper and belloite.

Table 2-1: Minerals Found and Their Abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Native Copper	Chalcopyrite	Quartz
Belloite	Cuprite	Albite
Brochantite	Phlogopite	Orthoclase
Covellite		Illite
Malachite		
Fluorapatite		
Tsumoite		
Ilmenite		
Avasite		
Goethite		
Rutile		
Clinochlore		
Molybdenite		
Pyrite		




Figure 2-1: Cross Polarized Image

This texture was typical of all three sub-samples with quartz, albite and orthoclase in close association. The orthoclase shows moderate to pervasive alteration to illite.




Figure 2-2: Reflected Light Image

Chalcopyrite (yellow) and covellite (violet/blue) in close associated within an altered silicate groundmass. The covellite is very fine-grained in comparison to the coarser chalcopyrite.




Figure 2-3: Back Scatter Image

Chalcopyrite (Spectra 1 & 2) associated with quartz (Spectrum 3), microcline (Spectrum 4), brochantite (Spectrum 5), belloite (Spectrum 6) and ilmenite (Spectrum 7).

3 SRK2499

This sub-sample is also an altered quartz monzonite which contains some trace amounts of chalcopyrite. No other copper minerals were observed within this sample and other trace mineral variability was limited.

Table 3-1: Minerals Found and Their Abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Zircon	Kaolinite	Quartz
Rutile		Albite
Clinocllore		Orthoclase
Baryte		Illite
Chalcopyrite		
Molybdenite		
Pyrite		
Galena		




Figure 3-1: Cross Polarized Image

Very fine-grained illite (high interference colours) altering from microcline and associated with small amounts of quartz.




Figure 3-2: Back Scatter Image

Chalcopyrite (Spectrum 1), associated with quartz (Spectrum 2), illite (Spectra 3-5) and microcline (Spectrum 6).




Figure 3-3: Back Scatter Image

Molybdenite grain (Spectrum 1), associated with quartz (Spectrum 2) and microcline (Spectrum 3).

4 SRK2500

This sub-sample is also an altered quartz monzonite which contains some minor amounts of pyrite and some trace amounts of chalcopyrite. No other copper minerals were observed within this sample and other trace mineral variability was limited.

Table 4-1: Minerals Found and Their Abundance

Trace Minerals (1% ≥)	Minor Minerals (1%–10%)	Major Minerals (10% <)
Zircon	Kaolinite	Quartz
Rutile	Pyrite	Albite
Clinochlore		Orthoclase
Baryte		Illite
Chalcopyrite		
Molybdenite		
Pyrite		
Galena		




Figure 4-1: Reflected Light Image

Chalcopyrite (yellow) and pyrite (cream) within a silicate groundmass.




Figure 4-2: Back Scatter Image

Sulfide composite consisting of chalcopyrite (Spectrum 1) and pyrite (Spectrum 2) surrounded by clinocllore (Spectrum 3), fluorapatite (Spectrum 4), quartz (Spectra 5-6), illite (Spectrum 7) and phlogopite (Spectrum 8).






Figure 4-3: Back Scatter Image

Molybdenite grain (Spectrum 1), associated with avasite (Spectra 2 & 5), microcline (Spectrum 3) and chalcopyrite (Spectra 4 & 6).

For and on behalf of SRK Consulting (UK) Limited

This signature has been scanned. The original has given permission to its use for this purpose. The original signature is held on file.

Eur. Geol. Robert Bowell PhD C.Chem
C.Geol
Corporate Consultant
(Geochemistry)
SRK Consulting (UK) Limited



This signature has been scanned. The original has given permission to its use for this purpose. The original signature is held on file.

Christopher Brough PhD MRes
MEarthSc FGS
Consultant
(Geochemistry / Mineralogy)
SRK Consulting (UK) Limited

Appendix E
Waste Rock and Ore Humidity Cell Test Results

McClelland Laboratory Weekly Reports

Table 1. - Humidity Cell Analytical Results, 604 562 (1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.595	8.06	179	2.11	0.02	0.008	0.008	0.02	0.00	1600.0	634.67	634.67	0	0.00	0.00	80	31.73	31.73
1	0.863	8.17	204	0.86	0.00	0.000	0.008	0.00	0.00	400.0	230.13	864.80	0	0.00	0.00	102	58.68	90.41
2	0.700	7.79	203	0.30	0.00	0.000	0.008	0.00	0.00	97.0	45.27	910.07	0	0.00	0.00	54	25.20	115.61
3	0.767	8.21	227	0.42	0.00	0.000	0.008	0.00	0.00	110.0	56.25	966.32	0	0.00	0.00	106	54.20	169.81
4	0.730	8.13	127	0.39	0.01	0.005	0.013	0.00	0.01	91.0	44.29	1010.61	0	0.00	0.00	107	52.07	221.88
5	0.774	8.22	220	0.35	0.00	0.000	0.013	0.00	0.00	84.0	43.34	1053.95	0	0.00	0.00	91	46.96	268.84
6	0.758	8.09	147	0.40	0.00	0.000	0.013	0.00	0.00	130.0	65.69	1119.64	0	0.00	0.00	80	40.43	309.27
7	0.738	8.15	244	0.40	0.00	0.000	0.013	0.00	0.00	100.0	49.20	1168.84	0	0.00	0.00	94	46.25	355.52
8	0.761	8.00	288	0.37	0.00	0.000	0.013	0.00	0.00	120.0	60.88	1229.72	0	0.00	0.00	71	36.02	391.54
9	0.732	8.20	134	0.41	0.00	0.000	0.013	0.00	0.00	130.0	63.44	1293.16	0	0.00	0.00	78	38.06	429.60
10	0.747	7.88	269	0.41	0.00	0.000	0.013	0.00	0.00	120.0	59.76	1352.92	0	0.00	0.00	74	36.85	466.45
11	0.739	7.61	130	0.39	0.00	0.000	0.013	0.00	0.00	110.0	54.19	1407.11	0	0.00	0.00	75	36.95	503.40
12	0.746	8.10	211	0.36	0.02	0.010	0.023	0.00	0.02	100.0	49.73	1456.84	0	0.00	0.00	64	31.83	535.23
13	0.742	8.13	167	0.34	0.01	0.005	0.028	0.00	0.01	91.0	45.01	1501.85	0	0.00	0.00	75	37.10	572.33
14	0.716	8.12	144	0.36	0.01	0.005	0.033	0.00	0.01	84.0	40.10	1541.95	0	0.00	0.00	76	36.28	608.61
15	0.783	7.89	202	0.32	0.02	0.010	0.043	0.00	0.02	56.0	29.23	1571.18	0	0.00	0.00	82	42.80	651.41
16	0.731	8.24	226	0.32	0.01	0.005	0.048	0.01	0.00	79.0	38.50	1609.68	0	0.00	0.00	61	29.73	681.14
17	0.733	7.91	323	0.33	0.02	0.010	0.058	0.02	0.00	80.0	39.09	1648.77	0	0.00	0.00	71	34.70	715.84
18	0.735	7.66	317	0.32	0.01	0.005	0.063	0.00	0.01	72.0	35.28	1684.05	0	0.00	0.00	51	24.99	740.83
19	0.762	7.89	250	0.35	0.02	0.010	0.073	0.00	0.02	78.0	39.62	1723.67	0	0.00	0.00	74	37.59	778.42
20	0.727	7.75	206	0.33	0.00	0.000	0.073	0.00	0.00	87.0	42.17	1765.84	0	0.00	0.00	60	29.08	807.50
21	0.745	7.85	231	0.35	0.01	0.005	0.078	0.00	0.01	71.0	35.26	1801.10	0	0.00	0.00	74	36.75	844.25
22	0.750	7.84	227	0.34	0.00	0.000	0.078	0.00	0.00	73.0	36.50	1837.60	0	0.00	0.00	75	37.50	881.75
23	0.733	7.83	192	0.38	0.02	0.010	0.088	0.01	0.01	76.0	37.14	1874.74	0	0.00	0.00	78	38.12	919.87
24	0.743	7.83	239	0.35	0.03	0.015	0.103	0.00	0.03	69.0	34.18	1908.92	0	0.00	0.00	80	39.63	959.50
25	0.728	8.11	192	0.33	0.03	0.015	0.118	0.00	0.03	61.0	29.61	1938.53	0	0.00	0.00	73	35.43	994.93
26	0.747	8.15	213	0.29	0.00	0.000	0.118	0.00	0.00	45.0	22.41	1960.94	0	0.00	0.00	73	36.35	1031.28
27	0.745	8.18	192	0.30	0.01	0.005	0.123	0.00	0.01	47.0	23.34	1984.28	0	0.00	0.00	72	35.76	1067.04
28	0.769	8.07	234	0.31	0.00	0.000	0.123	0.00	0.00	59.0	30.25	2014.53	0	0.00	0.00	70	35.89	1102.93
29	0.731	8.14	173	0.34	0.01	0.005	0.128	0.00	0.01	71.0	34.60	2049.13	0	0.00	0.00	63	30.70	1133.63
30	0.721	8.03	231	0.34	0.02	0.010	0.138	0.00	0.02	75.0	36.05	2085.18	0	0.00	0.00	63	30.28	1163.91
31	0.763	8.10	201	0.30	0.02	0.010	0.148	0.00	0.02	51.0	25.94	2111.12	0	0.00	0.00	67	34.08	1197.99
32	0.737	7.84	216	0.32	0.06	0.029	0.177	0.01	0.05	56.0	27.51	2138.63	0	0.00	0.00	71	34.88	1232.87
33	0.699	8.09	245	0.32	0.00	0.000	0.177	0.00	0.00	58.0	27.03	2165.66	0	0.00	0.00	71	33.09	1265.96
34	0.781	8.13	250	0.25	0.00	0.000	0.177	0.00	0.00	31.0	16.14	2181.80	0	0.00	0.00	72	37.49	1303.45
35	0.746	8.00	226	0.21	0.00	0.000	0.177	0.00	0.00	50.0	24.87	2206.67	0	0.00	0.00	54	26.86	1330.31
36	0.684	8.08	245	0.23	0.00	0.000	0.177	0.00	0.00	53.0	24.17	2230.84	0	0.00	0.00	64	29.18	1359.49
37	0.728	7.99	206	0.21	0.02	0.010	0.187	0.00	0.02	49.0	23.78	2254.62	0	0.00	0.00	63	30.58	1390.07
38	0.737	7.84	266	0.21	0.04	0.020	0.207	0.00	0.04	46.0	22.60	2277.22	0	0.00	0.00	65	31.94	1422.01
39	0.747	7.94	252	0.20	0.03	0.015	0.222	0.02	0.01	44.0	21.91	2299.13	0	0.00	0.00	63	31.37	1453.38
40	0.744	8.03	253	0.20	0.00	0.000	0.222	0.00	0.00	40.0	19.84	2318.97	0	0.00	0.00	63	31.25	1484.63
41	0.755	7.90	209	0.19	0.01	0.005	0.227	0.01	0.00	35.0	17.62	2336.59	0	0.00	0.00	67	33.72	1518.35
42	0.742	8.00	198	0.20	0.04	0.020	0.247	0.02	0.02	34.0	16.82	2353.41	0	0.00	0.00	62	30.67	1549.02
43	0.732	7.80	153	0.19	0.02	0.010	0.257	0.01	0.01	41.0	20.01	2373.42	0	0.00	0.00	61	29.77	1578.79
44	0.757	7.80	210	0.16	0.01	0.005	0.262	0.00	0.01	43.0	21.70	2395.12	0	0.00	0.00	60	30.28	1609.07

Test Terminated





Table 2. - Humidity Cell Analytical Results, 604 569 (1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.767	8.54	171	0.64	0.02	0.010	0.010	0.00	0.02	200.0	102.27	102.27	0	0.00	0.00	100	51.13	51.13
1	0.784	8.18	258	0.31	0.02	0.010	0.020	0.00	0.02	79.0	41.29	143.56	0	0.00	0.00	88	45.99	97.12
2	0.680	8.36	215	0.27	0.02	0.009	0.029	0.00	0.02	88.0	39.89	183.45	0	0.00	0.00	62	28.11	125.23
3	0.758	8.15	185	0.25	0.01	0.005	0.034	0.00	0.01	46.0	23.25	206.70	0	0.00	0.00	66	33.35	158.58
4	0.711	8.10	278	0.25	0.01	0.005	0.039	0.00	0.01	54.0	25.60	232.30	0	0.00	0.00	61	28.91	187.49
5	0.705	8.13	193	0.21	0.00	0.000	0.039	0.00	0.00	46.0	21.62	253.92	0	0.00	0.00	42	19.74	207.23
6	0.798	8.06	277	0.20	0.00	0.000	0.039	0.00	0.00	35.0	18.62	272.54	0	0.00	0.00	54	28.73	235.96
7	0.693	7.99	253	0.22	0.00	0.000	0.039	0.00	0.00	43.0	19.87	292.41	0	0.00	0.00	55	25.41	261.37
8	0.775	8.10	246	0.20	0.09	0.047	0.086	0.04	0.05	38.0	19.63	312.04	0	0.00	0.00	49	25.32	286.69
9	0.752	8.13	135	0.21	0.00	0.000	0.086	0.00	0.00	47.0	23.56	335.60	0	0.00	0.00	41	20.55	307.24
10	0.722	7.74	248	0.21	0.00	0.000	0.086	0.00	0.00	46.0	22.14	357.74	0	0.00	0.00	38	18.29	325.53
11	0.741	8.02	121	0.20	0.00	0.000	0.086	0.00	0.00	42.0	20.75	378.49	0	0.00	0.00	37	18.28	343.81
12	0.691	7.93	196	0.18	0.01	0.005	0.091	0.00	0.01	35.0	16.12	394.61	0	0.00	0.00	27	12.44	356.25
13	0.736	7.47	184	0.18	0.00	0.000	0.091	0.00	0.00	32.0	15.70	410.31	0	0.00	0.00	30	14.72	370.97
14	0.705	7.57	137	0.18	0.00	0.000	0.091	0.00	0.00	29.0	13.63	423.94	0	0.00	0.00	27	12.69	383.66
15	0.725	7.53	195	0.18	0.01	0.005	0.096	0.00	0.01	27.0	13.05	436.99	0	0.00	0.00	28	13.53	397.19
16	0.726	8.28	219	0.17	0.00	0.000	0.096	0.00	0.00	25.0	12.10	449.09	0	0.00	0.00	30	14.52	411.71
17	0.713	8.06	307	0.17	0.01	0.005	0.101	0.00	0.01	25.0	11.88	460.97	0	0.00	0.00	27	12.83	424.54
18	0.721	8.22	258	0.17	0.03	0.014	0.115	0.00	0.03	24.0	11.54	472.51	0	0.00	0.00	28	13.46	438.00
19	0.674	7.77	294	0.18	0.02	0.009	0.124	0.00	0.02	25.0	11.23	483.74	0	0.00	0.00	29	13.03	451.03
20	0.798	7.99	162	0.18	0.00	0.000	0.124	0.00	0.00	21.0	11.17	494.91	0	0.00	0.00	32	17.02	468.05
21	0.695	7.92	198	0.18	0.01	0.005	0.129	0.00	0.01	24.0	11.12	506.03	0	0.00	0.00	27	12.51	480.56
22	0.764	7.91	183	0.18	0.00	0.000	0.129	0.00	0.00	23.0	11.71	517.74	0	0.00	0.00	29	14.77	495.33
23	0.703	7.81	168	0.18	0.00	0.000	0.129	0.00	0.00	25.0	11.72	529.46	0	0.00	0.00	27	12.65	507.98
24	0.757	7.95	165	0.17	0.00	0.000	0.129	0.00	0.00	22.0	11.10	540.56	0	0.00	0.00	26	13.12	521.10
25	0.677	7.86	172	0.17	0.00	0.000	0.129	0.00	0.00	23.0	10.38	550.94	0	0.00	0.00	24	10.83	531.93
26	0.761	8.06	216	0.17	0.02	0.010	0.139	0.00	0.02	21.0	10.65	561.59	0	0.00	0.00	30	15.22	547.15
27	0.738	7.85	206	0.17	0.01	0.005	0.144	0.00	0.01	20.0	9.84	571.43	0	0.00	0.00	25	12.30	559.45
28	0.741	7.67	182	0.17	0.02	0.010	0.154	0.01	0.01	20.0	9.88	581.31	0	0.00	0.00	23	11.36	570.81
29	0.708	7.96	173	0.17	0.02	0.009	0.163	0.01	0.01	19.0	8.97	590.28	0	0.00	0.00	22	10.38	581.19
30	0.685	7.86	206	0.17	0.03	0.014	0.177	0.01	0.02	20.0	9.13	599.41	0	0.00	0.00	24	10.96	592.15
31	0.761	8.02	208	0.17	0.00	0.000	0.177	0.00	0.00	17.0	8.62	608.03	0	0.00	0.00	30	15.22	607.37
32	0.764	7.91	163	0.17	0.00	0.000	0.177	0.00	0.00	15.0	7.64	615.67	0	0.00	0.00	25	12.73	620.10
33	0.724	7.87	200	0.17	0.00	0.000	0.177	0.00	0.00	12.0	5.79	621.46	0	0.00	0.00	22	10.62	630.72
34	0.638	7.92	223	0.16	0.01	0.004	0.181	0.00	0.01	16.0	6.81	628.27	0	0.00	0.00	23	9.78	640.50
35	0.815	7.79	226	0.15	0.00	0.000	0.181	0.00	0.00	12.0	6.52	634.79	0	0.00	0.00	30	16.30	656.80
36	0.701	7.75	222	0.15	0.00	0.000	0.181	0.00	0.00	13.0	6.08	640.87	0	0.00	0.00	22	10.28	667.08
37	0.767	7.86	204	0.15	0.02	0.010	0.191	0.00	0.02	10.0	5.11	645.98	0	0.00	0.00	27	13.81	680.89
38	0.730	7.69	229	0.15	0.00	0.000	0.191	0.00	0.00	11.0	5.35	651.33	0	0.00	0.00	24	11.68	692.57
39	0.692	7.62	244	0.14	0.05	0.023	0.214	0.02	0.03	12.0	5.54	656.87	0	0.00	0.00	21	9.69	702.26
40	0.724	7.79	137	0.14	0.03	0.014	0.228	0.00	0.03	10.0	4.83	661.70	0	0.00	0.00	22	10.62	712.88
41	0.774	7.65	202	0.14	0.04	0.021	0.249	0.02	0.02	7.8	4.02	665.72	0	0.00	0.00	26	13.42	726.30
42	0.722	7.61	213	0.14	0.03	0.014	0.263	0.03	0.00	8.4	4.04	669.76	0	0.00	0.00	21	10.11	736.41
43	0.671	7.57	192	0.14	0.03	0.013	0.276	0.02	0.01	11.0	4.92	674.68	0	0.00	0.00	21	9.39	745.80
44	0.785	7.52	173	0.14	0.03	0.016	0.292	0.01	0.02	11.0	5.76	680.44	0	0.00	0.00	26	13.61	759.41

Test Terminated





Table 3. - Humidity Cell Analytical Results, 604 606 (1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.738	8.42	197	0.71	0.01	0.005	0.005	0.00	0.01	170.0	83.64	83.64	0	0.00	0.00	138	67.90	67.90
1	0.751	8.21	184	0.28	0.04	0.020	0.025	0.00	0.04	39.0	19.53	103.17	0	0.00	0.00	122	61.08	128.98
2	0.766	8.36	210	0.32	0.03	0.015	0.040	0.00	0.03	67.0	34.21	137.38	0	0.00	0.00	114	58.22	187.20
3	0.729	8.30	180	0.37	0.02	0.010	0.050	0.00	0.02	95.0	46.17	183.55	0	0.00	0.00	91	44.23	231.43
4	0.733	8.31	142	0.36	0.00	0.000	0.050	0.00	0.00	81.0	39.58	223.13	0	0.00	0.00	95	46.42	277.85
5	0.725	8.20	145	0.29	0.00	0.000	0.050	0.00	0.00	76.0	36.73	259.86	0	0.00	0.00	60	29.00	306.85
6	0.787	8.16	123	0.30	0.00	0.000	0.050	0.00	0.00	63.0	33.05	292.91	0	0.00	0.00	79	41.45	348.30
7	0.711	8.18	175	0.31	0.00	0.000	0.050	0.00	0.00	63.0	29.86	322.77	0	0.00	0.00	82	38.87	387.17
8	0.724	8.17	248	0.29	0.00	0.000	0.050	0.00	0.00	68.0	32.82	355.59	0	0.00	0.00	73	35.23	422.40
9	0.770	8.15	141	0.30	0.00	0.000	0.050	0.00	0.00	63.0	32.34	387.93	0	0.00	0.00	77	39.53	461.93
10	0.727	7.98	227	0.30	0.00	0.000	0.050	0.00	0.00	69.0	33.44	421.37	0	0.00	0.00	61	29.56	491.49
11	0.729	8.08	123	0.30	0.03	0.015	0.065	0.01	0.02	62.0	30.13	451.50	0	0.00	0.00	70	34.02	525.51
12	0.737	8.14	157	0.26	0.03	0.015	0.080	0.00	0.03	55.0	27.02	478.52	0	0.00	0.00	56	27.51	553.02
13	0.727	8.04	106	0.25	0.00	0.000	0.080	0.00	0.00	49.0	23.75	502.27	0	0.00	0.00	63	30.39	583.41
14	0.737	8.17	120	0.26	0.02	0.010	0.090	0.00	0.02	42.0	20.64	522.91	0	0.00	0.00	66	32.43	615.84
15	0.777	7.81	149	0.24	0.02	0.010	0.100	0.00	0.02	38.0	19.68	542.59	0	0.00	0.00	62	32.12	647.96
16	0.706	8.31	181	0.24	0.01	0.005	0.105	0.01	0.00	43.0	20.24	562.83	0	0.00	0.00	58	27.30	675.26
17	0.746	8.32	285	0.23	0.01	0.005	0.110	0.00	0.01	39.0	19.40	582.23	0	0.00	0.00	59	29.34	704.60
18	0.772	8.27	270	0.22	0.02	0.010	0.120	0.01	0.01	36.0	18.53	600.76	0	0.00	0.00	55	28.31	732.91
19	0.717	8.08	279	0.23	0.03	0.014	0.134	0.00	0.03	39.0	18.64	619.40	0	0.00	0.00	54	25.81	758.72
20	0.749	8.17	90	0.24	0.01	0.005	0.139	0.00	0.01	36.0	17.98	637.38	0	0.00	0.00	57	28.46	787.18
21	0.734	8.16	154	0.24	0.01	0.005	0.144	0.00	0.01	37.0	18.11	655.49	0	0.00	0.00	55	26.91	814.09
22	0.754	8.17	145	0.23	0.00	0.000	0.144	0.00	0.00	35.0	17.59	673.08	0	0.00	0.00	53	26.64	840.73
23	0.734	8.12	112	0.25	0.00	0.000	0.144	0.00	0.00	36.0	17.62	690.70	0	0.00	0.00	55	26.91	867.64
24	0.740	8.26	149	0.23	0.00	0.000	0.144	0.00	0.00	32.0	15.79	706.49	0	0.00	0.00	54	26.64	894.28
25	0.709	8.17	148	0.23	0.01	0.005	0.149	0.01	0.00	32.0	15.13	721.62	0	0.00	0.00	53	25.05	919.33
26	0.733	8.28	177	0.23	0.01	0.005	0.154	0.00	0.01	31.0	15.15	736.77	0	0.00	0.00	56	27.37	946.70
27	0.755	8.19	170	0.22	0.01	0.005	0.159	0.00	0.01	28.0	14.09	750.86	0	0.00	0.00	56	28.19	974.89
28	0.712	8.10	123	0.23	0.02	0.009	0.168	0.00	0.02	31.0	14.71	765.57	0	0.00	0.00	55	26.11	1001.00
29	0.745	8.20	154	0.22	0.03	0.015	0.183	0.00	0.03	23.0	11.42	776.99	0	0.00	0.00	57	28.31	1029.31
30	0.778	8.14	173	0.23	0.01	0.005	0.188	0.01	0.00	27.0	14.00	790.99	0	0.00	0.00	55	28.53	1057.84
31	0.735	8.15	194	0.22	0.01	0.005	0.193	0.01	0.00	28.0	13.72	804.71	0	0.00	0.00	49	24.01	1081.85
32	0.690	8.15	121	0.22	0.07	0.032	0.225	0.01	0.06	26.0	11.96	816.67	0	0.00	0.00	50	23.00	1104.85
33	0.778	8.18	174	0.21	0.00	0.000	0.225	0.00	0.00	20.0	10.37	827.04	0	0.00	0.00	53	27.49	1132.34
34	0.744	8.16	214	0.21	0.00	0.000	0.225	0.00	0.00	22.0	10.91	837.95	0	0.00	0.00	54	26.78	1159.12
35	0.739	8.06	200	0.18	0.00	0.000	0.225	0.00	0.00	21.0	10.35	848.30	0	0.00	0.00	52	25.62	1184.74
36	0.734	8.13	203	0.17	0.03	0.015	0.240	0.01	0.02	20.0	9.79	858.09	0	0.00	0.00	53	25.93	1210.67
37	0.739	8.15	185	0.17	0.01	0.005	0.245	0.00	0.01	17.0	8.38	866.47	0	0.00	0.00	53	26.11	1236.78
38	0.726	8.10	211	0.17	0.00	0.000	0.245	0.00	0.00	18.0	8.71	875.18	0	0.00	0.00	53	25.65	1262.43
39	0.708	8.00	227	0.17	0.03	0.014	0.259	0.01	0.02	18.0	8.50	883.68	0	0.00	0.00	53	25.02	1287.45
40	0.776	8.18	145	0.16	0.03	0.016	0.275	0.01	0.02	13.0	6.73	890.41	0	0.00	0.00	50	25.87	1313.32
41	0.748	7.92	193	0.16	0.01	0.005	0.280	0.01	0.00	11.0	5.49	895.90	0	0.00	0.00	52	25.93	1339.25
42	0.737	8.02	206	0.17	0.03	0.015	0.295	0.02	0.01	13.0	6.39	902.29	0	0.00	0.00	50	24.57	1363.82
43	0.707	7.99	201	0.16	0.01	0.005	0.300	0.01	0.00	16.0	7.54	909.83	0	0.00	0.00	49	23.10	1386.92
44	0.770	7.89	164	0.15	0.10	0.051	0.351	0.04	0.06	17.0	8.73	918.56	0	0.00	0.00	51	26.18	1413.10

Test Terminated





Table 4. - Humidity Cell Analytical Results, 604 653 (1,4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe		Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =		Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents				
					mg/l	mg/kg			Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.770	8.36	209	0.91	0.01	0.005	0.005	0.00	0.01	250.0	129.19	129.19	0	0.00	0.00	156	80.62	80.62
1	0.730	8.02	200	0.26	0.01	0.005	0.010	0.00	0.01	65.0	31.85	161.04	0	0.00	0.00	84	41.15	121.77
2	0.753	8.32	186	0.42	0.00	0.000	0.010	0.00	0.00	110.0	55.59	216.63	0	0.00	0.00	123	62.31	184.08
3	0.731	8.32	100	0.39	0.02	0.010	0.020	0.00	0.02	92.0	45.14	261.77	0	0.00	0.00	100	49.06	233.14
4	0.746	8.26	141	0.38	0.01	0.005	0.025	0.00	0.01	83.0	41.56	303.33	0	0.00	0.00	103	51.57	284.71
5	0.742	8.24	145	0.37	0.00	0.000	0.025	0.00	0.00	99.0	49.30	352.63	0	0.00	0.00	80	39.84	324.55
6	0.753	8.14	127	0.37	0.00	0.000	0.025	0.00	0.00	97.0	49.02	401.65	0	0.00	0.00	85	42.96	367.51
7	0.727	8.19	171	0.38	0.00	0.000	0.025	0.00	0.00	88.0	42.94	444.59	0	0.00	0.00	89	43.42	410.93
8	0.751	8.12	241	0.31	0.00	0.000	0.025	0.00	0.00	71.0	35.79	480.38	0	0.00	0.00	83	41.83	452.76
9	0.760	8.12	138	0.37	0.00	0.000	0.025	0.00	0.00	99.0	50.50	530.88	0	0.00	0.00	83	42.34	495.10
10	0.734	7.96	218	0.42	0.00	0.000	0.025	0.00	0.00	120.0	59.11	589.99	0	0.00	0.00	75	36.95	532.05
11	0.766	8.03	129	0.36	0.04	0.021	0.046	0.01	0.03	94.0	48.32	638.31	0	0.00	0.00	74	38.04	570.09
12	0.730	8.01	155	0.33	0.01	0.005	0.051	0.00	0.01	100.0	48.99	687.30	0	0.00	0.00	46	22.54	592.63
13	0.763	7.89	127	0.30	0.01	0.005	0.056	0.00	0.01	81.0	41.48	728.78	0	0.00	0.00	56	28.68	621.31
14	0.725	7.86	194	0.31	0.00	0.000	0.056	0.00	0.00	81.0	39.41	768.19	0	0.00	0.00	52	25.30	646.61
15	0.733	7.77	156	0.30	0.05	0.025	0.081	0.03	0.02	70.0	34.44	802.63	0	0.00	0.00	59	29.02	675.63
16	0.762	8.27	219	0.27	0.02	0.010	0.091	0.02	0.00	59.0	30.17	832.80	0	0.00	0.00	63	32.22	707.85
17	0.719	8.21	301	0.28	0.01	0.005	0.096	0.00	0.01	67.0	32.33	865.13	0	0.00	0.00	55	26.54	734.39
18	0.750	8.13	316	0.22	0.00	0.000	0.096	0.00	0.00	35.0	17.62	882.75	0	0.00	0.00	57	28.69	763.08
19	0.778	8.09	287	0.23	0.02	0.010	0.106	0.00	0.02	36.0	18.80	901.55	0	0.00	0.00	56	29.24	792.32
20	0.699	8.12	151	0.23	0.01	0.005	0.111	0.00	0.01	54.0	25.33	926.88	0	0.00	0.00	36	16.89	809.21
21	0.762	8.08	175	0.20	0.01	0.005	0.116	0.00	0.01	36.0	18.41	945.29	0	0.00	0.00	37	18.92	828.13
22	0.763	8.06	187	0.22	0.01	0.005	0.121	0.00	0.01	45.0	23.04	968.33	0	0.00	0.00	38	19.46	847.59
23	0.744	8.01	165	0.24	0.01	0.005	0.126	0.00	0.01	53.0	26.46	994.79	0	0.00	0.00	34	16.98	864.57
24	0.735	8.10	175	0.23	0.02	0.010	0.136	0.00	0.02	53.0	26.14	1020.93	0	0.00	0.00	32	15.79	880.36
25	0.715	8.04	152	0.22	0.01	0.005	0.141	0.00	0.01	50.0	23.99	1044.92	0	0.00	0.00	35	16.80	897.16
26	0.742	8.13	203	0.22	0.02	0.010	0.151	0.00	0.02	38.0	18.92	1063.84	0	0.00	0.00	47	23.41	920.57
27	0.768	8.05	180	0.22	0.01	0.005	0.156	0.00	0.01	33.0	17.01	1080.85	0	0.00	0.00	50	25.77	946.34
28	0.728	7.95	160	0.24	0.00	0.000	0.156	0.00	0.00	43.0	21.01	1101.86	0	0.00	0.00	43	21.01	967.35
29	0.747	8.09	164	0.23	0.01	0.005	0.161	0.00	0.01	38.0	19.05	1120.91	0	0.00	0.00	47	23.56	990.91
30	0.770	8.01	200	0.25	0.01	0.005	0.166	0.00	0.01	40.0	20.67	1141.58	0	0.00	0.00	51	26.36	1017.27
31	0.743	8.06	210	0.23	0.02	0.010	0.176	0.01	0.01	39.0	19.45	1161.03	0	0.00	0.00	41	20.44	1037.71
32	0.733	8.06	160	0.22	0.01	0.005	0.181	0.00	0.01	36.0	17.71	1178.74	0	0.00	0.00	41	20.17	1057.88
33	0.712	8.04	195	0.23	0.00	0.000	0.181	0.00	0.00	35.0	16.72	1195.46	0	0.00	0.00	45	21.50	1079.38
34	0.768	8.13	222	0.21	0.00	0.000	0.181	0.00	0.00	29.0	14.95	1210.41	0	0.00	0.00	47	24.23	1103.61
35	0.720	7.97	203	0.17	0.00	0.000	0.181	0.00	0.00	29.0	14.01	1224.42	0	0.00	0.00	41	19.81	1123.42
36	0.769	8.01	208	0.17	0.01	0.005	0.186	0.00	0.01	26.0	13.42	1237.84	0	0.00	0.00	47	24.26	1147.68
37	0.744	8.00	212	0.17	0.00	0.000	0.186	0.00	0.00	25.0	12.48	1250.32	0	0.00	0.00	43	21.47	1169.15
38	0.702	7.97	213	0.17	0.02	0.009	0.195	0.00	0.02	29.0	13.66	1263.98	0	0.00	0.00	44	20.73	1189.88
39	0.778	7.88	241	0.17	0.02	0.010	0.205	0.02	0.00	24.0	12.53	1276.51	0	0.00	0.00	46	24.02	1213.90
40	0.713	7.99	173	0.17	0.01	0.005	0.210	0.00	0.01	25.0	11.96	1288.47	0	0.00	0.00	39	18.66	1232.56
41	0.783	7.83	210	0.16	0.01	0.005	0.215	0.00	0.01	19.0	9.98	1298.45	0	0.00	0.00	45	23.65	1256.21
42	0.728	7.87	220	0.17	0.04	0.020	0.235	0.02	0.02	22.0	10.75	1309.20	0	0.00	0.00	39	19.06	1275.27
43	0.707	7.87	218	0.16	0.03	0.014	0.249	0.02	0.01	27.0	12.81	1322.01	0	0.00	0.00	38	18.03	1293.30
44	0.781	7.81	175	0.14	0.01	0.005	0.254	0.00	0.01	23.0	12.06	1334.07	0	0.00	0.00	43	22.54	1315.84

Test Terminated





Table 5. - Humidity Cell Analytical Results, 604 656 (1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.692	8.51	199	1.13	0.01	0.005	0.005	0.00	0.01	200.0	92.27	92.27	0	0.00	0.00	162	74.74	74.74
1	0.737	8.10	187	0.37	0.01	0.005	0.010	0.01	0.00	56.0	27.51	119.78	0	0.00	0.00	154	75.67	150.41
2	0.760	8.44	207	0.33	0.02	0.010	0.020	0.01	0.01	43.0	21.79	141.57	0	0.00	0.00	139	70.58	220.99
3	0.751	8.27	172	0.45	0.02	0.010	0.030	0.00	0.02	80.0	40.05	181.62	0	0.00	0.00	152	76.10	297.09
4	0.702	8.36	116	0.39	0.00	0.000	0.030	0.00	0.00	58.0	27.14	208.76	0	0.00	0.00	133	62.24	359.33
5	0.714	8.17	147	0.26	0.00	0.000	0.030	0.00	0.00	52.0	24.75	233.51	0	0.00	0.00	68	32.37	391.70
6	0.750	8.19	212	0.29	0.00	0.000	0.030	0.00	0.00	44.0	22.00	255.51	0	0.00	0.00	96	48.00	439.70
7	0.736	8.39	153	0.29	0.00	0.000	0.030	0.00	0.00	28.0	13.74	269.25	0	0.00	0.00	99	48.58	488.28
8	0.735	8.34	194	0.27	0.00	0.000	0.030	0.00	0.00	32.0	15.68	284.93	0	0.00	0.00	95	46.55	534.83
9	0.778	8.38	126	0.27	0.00	0.000	0.030	0.00	0.00	27.0	14.00	298.93	0	0.00	0.00	96	49.79	584.62
10	0.707	7.96	208	0.29	0.00	0.000	0.030	0.00	0.00	59.0	27.81	326.74	0	0.00	0.00	63	29.69	614.31
11	0.724	8.04	130	0.30	0.01	0.005	0.035	0.00	0.01	59.0	28.48	355.22	0	0.00	0.00	73	35.23	649.54
12	0.713	8.20	181	0.38	0.01	0.005	0.040	0.00	0.01	50.0	23.77	378.99	0	0.00	0.00	93	44.21	693.75
13	0.750	8.06	174	0.27	0.00	0.000	0.040	0.00	0.00	31.0	15.50	394.49	0	0.00	0.00	84	42.00	735.75
14	0.797	8.04	172	0.27	0.01	0.005	0.045	0.01	0.00	28.0	14.88	409.37	0	0.00	0.00	85	45.16	780.91
15	0.691	7.68	199	0.24	0.02	0.009	0.054	0.01	0.01	49.0	22.57	431.94	0	0.00	0.00	50	23.03	803.94
16	0.648	8.15	227	0.23	0.03	0.013	0.067	0.00	0.03	48.0	20.74	452.68	0	0.00	0.00	47	20.30	824.24
17	0.694	8.40	286	0.21	0.02	0.009	0.076	0.01	0.01	49.0	22.67	475.35	0	0.00	0.00	43	19.89	844.13
18	0.720	8.30	284	0.22	0.00	0.000	0.076	0.00	0.00	43.0	20.64	495.99	0	0.00	0.00	49	23.52	867.65
19	0.744	8.14	294	0.27	0.04	0.020	0.096	0.00	0.04	42.0	20.83	516.82	0	0.00	0.00	72	35.71	903.36
20	0.746	8.25	143	0.26	0.00	0.000	0.096	0.00	0.00	39.0	19.40	536.22	0	0.00	0.00	70	34.81	938.17
21	0.751	8.21	138	0.28	0.02	0.010	0.106	0.00	0.02	39.0	19.53	555.75	0	0.00	0.00	74	37.05	975.22
22	0.748	8.20	205	0.28	0.00	0.000	0.106	0.00	0.00	44.0	21.94	577.69	0	0.00	0.00	74	36.90	1012.12
23	0.754	8.23	153	0.30	0.00	0.000	0.106	0.00	0.00	42.0	21.11	598.80	0	0.00	0.00	77	38.71	1050.83
24	0.750	8.27	179	0.28	0.00	0.000	0.106	0.00	0.00	38.0	19.00	617.80	0	0.00	0.00	73	36.50	1087.33
25	0.754	8.25	149	0.26	0.02	0.010	0.116	0.00	0.02	35.0	17.59	635.39	0	0.00	0.00	75	37.70	1125.03
26	0.747	8.25	214	0.23	0.01	0.005	0.121	0.00	0.01	34.0	16.93	652.32	0	0.00	0.00	57	28.39	1153.42
27	0.754	8.21	185	0.23	0.01	0.005	0.126	0.00	0.01	32.0	16.09	668.41	0	0.00	0.00	54	27.14	1180.56
28	0.773	8.10	182	0.21	0.02	0.010	0.136	0.00	0.02	29.0	14.94	683.35	0	0.00	0.00	46	23.71	1204.27
29	0.716	8.17	165	0.22	0.02	0.010	0.146	0.02	0.00	38.0	18.14	701.49	0	0.00	0.00	44	21.00	1225.27
30	0.754	8.17	199	0.29	0.03	0.015	0.161	0.00	0.03	35.0	17.59	719.08	0	0.00	0.00	80	40.21	1265.48
31	0.767	8.26	219	0.25	0.00	0.000	0.161	0.00	0.00	26.0	13.29	732.37	0	0.00	0.00	72	36.82	1302.30
32	0.717	8.23	190	0.26	0.02	0.010	0.171	0.01	0.01	33.0	15.77	748.14	0	0.00	0.00	67	32.03	1334.33
33	0.789	8.21	209	0.26	0.00	0.000	0.171	0.00	0.00	22.0	11.57	759.71	0	0.00	0.00	76	39.98	1374.31
34	0.720	8.21	230	0.25	0.00	0.000	0.171	0.00	0.00	30.0	14.40	774.11	0	0.00	0.00	70	33.60	1407.91
35	0.783	8.17	205	0.19	0.00	0.000	0.171	0.00	0.00	21.0	10.96	785.07	0	0.00	0.00	75	39.15	1447.06
36	0.745	8.21	208	0.19	0.00	0.000	0.171	0.00	0.00	26.0	12.91	797.98	0	0.00	0.00	69	34.27	1481.33
37	0.733	8.16	220	0.18	0.03	0.015	0.186	0.00	0.03	22.0	10.75	808.73	0	0.00	0.00	65	31.76	1513.09
38	0.742	8.19	217	0.18	0.02	0.010	0.196	0.00	0.02	20.0	9.89	818.62	0	0.00	0.00	69	34.13	1547.22
39	0.741	8.09	236	0.18	0.01	0.005	0.201	0.00	0.01	19.0	9.39	828.01	0	0.00	0.00	70	34.58	1581.80
40	0.784	8.08	249	0.18	0.01	0.005	0.206	0.00	0.01	14.0	7.32	835.33	0	0.00	0.00	69	36.06	1617.86
41	0.744	8.02	217	0.17	0.04	0.020	0.226	0.01	0.03	15.0	7.44	842.77	0	0.00	0.00	68	33.73	1651.59
42	0.760	8.13	213	0.18	0.06	0.030	0.256	0.01	0.05	15.0	7.60	850.37	0	0.00	0.00	70	35.47	1687.06
43	0.753	8.04	227	0.17	0.04	0.020	0.276	0.01	0.03	18.0	9.04	859.41	0	0.00	0.00	64	32.13	1719.19
44	0.771	8.03	173	0.15	0.04	0.021	0.297	0.01	0.03	20.0	10.28	869.69	0	0.00	0.00	64	32.90	1752.09

Test Terminated





Table 6. - Humidity Cell Analytical Results, 604 669 (1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.691	8.54	205	1.59	0.00	0.000	0.000	0.00	0.00	690.0	317.86	317.86	0	0.00	0.00	164	75.55	75.55
1	0.741	8.04	186	0.50	0.00	0.000	0.000	0.00	0.00	120.0	59.28	377.14	0	0.00	0.00	146	72.12	147.67
2	0.729	8.29	214	0.55	0.01	0.005	0.005	0.01	0.00	170.0	82.62	459.76	0	0.00	0.00	132	64.10	211.77
3	0.720	8.41	181	0.53	0.00	0.000	0.005	0.00	0.00	150.0	72.00	531.76	0	0.00	0.00	96	46.08	257.85
4	0.676	8.33	138	0.58	0.00	0.000	0.005	0.00	0.00	170.0	76.61	608.37	0	0.00	0.00	91	41.01	298.86
5	0.727	8.15	175	0.33	0.00	0.000	0.005	0.00	0.00	91.0	44.10	652.47	0	0.00	0.00	61	29.56	328.42
6	0.732	8.12	156	0.34	0.00	0.000	0.005	0.00	0.00	78.0	38.06	690.53	0	0.00	0.00	87	42.46	370.88
7	0.743	8.21	145	0.26	0.00	0.000	0.005	0.00	0.00	41.0	20.31	710.84	0	0.00	0.00	82	40.62	411.50
8	0.728	8.27	216	0.25	0.01	0.005	0.010	0.00	0.01	40.0	19.41	730.25	0	0.00	0.00	80	38.83	450.33
9	0.746	8.01	149	0.24	0.00	0.000	0.010	0.00	0.00	30.0	14.92	745.17	0	0.00	0.00	74	36.80	487.13
10	0.740	7.98	199	0.27	0.00	0.000	0.010	0.00	0.00	46.0	22.69	767.86	0	0.00	0.00	67	33.05	520.18
11	0.750	7.92	136	0.23	0.02	0.010	0.020	0.01	0.01	30.0	15.00	782.86	0	0.00	0.00	64	32.00	552.18
12	0.738	7.93	226	0.23	0.01	0.005	0.025	0.00	0.01	40.0	19.68	802.54	0	0.00	0.00	60	29.52	581.70
13	0.746	7.95	178	0.34	0.01	0.005	0.030	0.00	0.01	99.0	49.24	851.78	0	0.00	0.00	64	31.83	613.53
14	0.698	7.51	195	0.27	0.00	0.000	0.030	0.00	0.00	72.0	33.50	885.28	0	0.00	0.00	36	16.75	630.28
15	0.707	7.45	213	0.30	0.01	0.005	0.035	0.00	0.01	89.0	41.95	927.23	0	0.00	0.00	37	17.44	647.72
16	0.726	7.99	250	0.28	0.02	0.010	0.045	0.00	0.02	85.0	41.14	968.37	0	0.00	0.00	38	18.39	666.11
17	0.715	8.01	252	0.29	0.02	0.010	0.055	0.00	0.02	85.0	40.52	1008.89	0	0.00	0.00	37	17.64	683.75
18	0.738	7.96	303	0.27	0.01	0.005	0.060	0.00	0.01	79.0	38.87	1047.76	0	0.00	0.00	38	18.70	702.45
19	0.795	7.96	289	0.17	0.01	0.005	0.065	0.00	0.01	66.0	34.98	1082.74	0	0.00	0.00	36	19.08	721.53
20	0.757	8.08	179	0.26	0.02	0.010	0.075	0.02	0.00	53.0	26.75	1109.49	0	0.00	0.00	55	27.76	749.29
21	0.739	7.95	195	0.30	0.00	0.000	0.075	0.00	0.00	74.0	36.46	1145.95	0	0.00	0.00	46	22.66	771.95
22	0.743	7.91	226	0.29	0.01	0.005	0.080	0.00	0.01	77.0	38.14	1184.09	0	0.00	0.00	42	20.80	792.75
23	0.717	7.65	222	0.29	0.01	0.005	0.085	0.00	0.01	79.0	37.76	1221.85	0	0.00	0.00	30	14.34	807.09
24	0.760	7.81	221	0.31	0.00	0.000	0.085	0.00	0.00	86.0	43.57	1265.42	0	0.00	0.00	33	16.72	823.81
25	0.742	7.74	182	0.27	0.00	0.000	0.085	0.00	0.00	73.0	36.11	1301.53	0	0.00	0.00	35	17.31	841.12
26	0.716	7.80	229	0.27	0.02	0.010	0.095	0.01	0.01	74.0	35.32	1336.85	0	0.00	0.00	31	14.80	855.92
27	0.703	7.71	200	0.27	0.02	0.009	0.104	0.00	0.02	77.0	36.09	1372.94	0	0.00	0.00	28	13.12	869.04
28	0.718	7.73	165	0.28	0.05	0.024	0.128	0.02	0.03	77.0	36.86	1409.80	0	0.00	0.00	32	15.32	884.36
29	0.740	7.82	182	0.28	0.03	0.015	0.143	0.00	0.03	73.0	36.01	1445.81	0	0.00	0.00	37	18.25	902.61
30	0.744	7.85	234	0.34	0.03	0.015	0.158	0.00	0.03	67.0	33.23	1479.04	0	0.00	0.00	46	22.82	925.43
31	0.639	8.00	216	0.31	0.00	0.000	0.158	0.00	0.00	63.0	26.84	1505.88	0	0.00	0.00	45	19.17	944.60
32	0.706	7.96	192	0.26	0.01	0.005	0.163	0.00	0.01	52.0	24.47	1530.35	0	0.00	0.00	44	20.71	965.31
33	0.722	8.04	218	0.24	0.05	0.024	0.187	0.00	0.05	37.0	17.81	1548.16	0	0.00	0.00	50	24.07	989.38
34	0.781	8.07	243	0.21	0.00	0.000	0.187	0.00	0.00	27.0	14.06	1562.22	0	0.00	0.00	49	25.51	1014.89
35	0.729	7.74	233	0.19	0.00	0.000	0.187	0.00	0.00	54.0	26.24	1588.46	0	0.00	0.00	38	18.47	1033.36
36	0.706	7.76	236	0.20	0.04	0.019	0.206	0.00	0.04	58.0	27.30	1615.76	0	0.00	0.00	37	17.41	1050.77
37	0.778	7.84	249	0.17	0.03	0.016	0.222	0.00	0.03	31.0	16.08	1631.84	0	0.00	0.00	43	22.30	1073.07
38	0.732	7.76	245	0.18	0.02	0.010	0.232	0.00	0.02	50.0	24.40	1656.24	0	0.00	0.00	32	15.62	1088.69
39	0.728	7.57	260	0.17	0.06	0.029	0.261	0.00	0.06	51.0	24.75	1680.99	0	0.00	0.00	26	12.62	1101.31
40	0.720	7.69	205	0.17	0.04	0.019	0.280	0.00	0.04	44.0	21.12	1702.11	0	0.00	0.00	24	11.52	1112.83
41	0.724	7.62	237	0.17	0.02	0.010	0.290	0.01	0.01	39.0	18.82	1720.93	0	0.00	0.00	26	12.55	1125.38
42	0.733	7.67	235	0.17	0.03	0.015	0.305	0.01	0.02	38.0	18.57	1739.50	0	0.00	0.00	26	12.71	1138.09
43	0.699	7.64	238	0.17	0.04	0.019	0.324	0.01	0.03	46.0	21.44	1760.94	0	0.00	0.00	24	11.18	1149.27
44	0.607	6.98	204	0.12	0.03	0.012	0.336	0.02	0.01	29.0	11.74	1772.68	0	0.00	0.00	7	2.83	1152.10
45	0.740	7.52	264	0.19	0.05	0.025	0.361	0.01	0.04	60.0	29.60	1802.28	0	0.00	0.00	23	11.35	1163.45
46	0.740	7.59	208	0.18	0.03	0.015	0.376	0.00	0.03	48.0	23.68	1825.96	0	0.00	0.00	28	13.81	1177.26
47	0.689	7.28	259	0.15	0.08	0.037	0.413	0.01	0.07	38.0	17.45	1843.41	0	0.00	0.00	15	6.89	1184.15
48	0.743	7.68	248	0.15	0.05	0.025	0.438	0.02	0.03	38.0	18.82	1862.23	0	0.00	0.00	31	15.36	1199.51
49	0.761	7.74	144	0.16	0.04	0.020	0.458	0.02	0.02	35.0	17.76	1879.99	0	0.00	0.00	31	15.73	1215.24
50	0.728	7.44	287	0.13	0.05	0.024	0.482	0.01	0.04	40.0	19.41	1899.40	0	0.00	0.00	14	6.79	1222.03
51	0.683	7.36	247	0.17	0.02	0.009	0.491	0.02	0.00	48.0	21.86	1921.26	0	0.00	0.00	18	8.20	1230.23
52	0.786	7.68	251	0.15	0.08	0.042	0.533	0.00	0.08	19.0	9.96	1931.22	0	0.00	0.00	28	14.67	1244.90
53	0.700	7.25	212	0.16	0.04	0.019	0.552	0.01	0.03	39.0	18.20	1949.42	0	0.00	0.00	13	6.07	1250.97
54	0.755	7.68	268	0.18	0.04	0.020	0.572	0.02	0.02	23.0	11.58	1961.00	0	0.00	0.00	28	14.09	1265.06
55	0.739	7.71	283	0.15	0.06	0.030	0.602	0.01	0.05	44.0	21.68	1982.68	0	0.00	0.00	25	12.32	1277.38
56	0.733	7.59	286	0.14	0.08	0.039	0.641	0.01	0.07	43.0	21.01	2003.69	0	0.00	0.00	22	10.75	1288.13
57	0.734	7.84	175	0.16	0.11	0.054	0.695	0.01	0.10	32.0	15.66	2019.35	0	0.00	0.00	28	13.70	1301.83
58	0.735	7.70	298	0.13	0.12	0.059	0.754	0.01	0.11	33.0	16.17	2035.52	0	0.00	0.00	27	13.23	1315.06
59	0.751	7.90	300	0.14	0.06	0.030	0.784	0.01	0.05	29.0	14.52	2050.04	0	0.00	0.00	33	16.52	1331.58
60	0.720	7.86	271	0.13	0.05	0.024	0.808	0.02	0.03	37.0	17.76	2067.80	0	0.00	0.00	29	13.92	1345.50
61	0.749	7.86	305	0.14	0.02	0.010	0.818	0.00	0.02	26.0	12.98	2080.78	0	0.00	0.00	33	16.48	1361.98

Table 6. - Humidity Cell Analytical Results, 604 669

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =		Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg





Table 7. - Humidity Cell Analytical Results, 604 673

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.756	9.02	248	0.54	0.03	0.015	0.015	0.00	0.03	140.0	70.56	70.56	0	0.00	0.00	90	45.36	45.36
1	0.740	8.24	171	0.30	0.00	0.000	0.015	0.00	0.00	66.0	32.56	103.12	0	0.00	0.00	78	38.48	83.84
2	0.769	8.30	201	0.23	0.02	0.010	0.025	0.00	0.02	42.0	21.53	124.65	0	0.00	0.00	72	36.86	120.70
3	0.732	8.30	131	0.23	0.00	0.000	0.025	0.00	0.00	39.0	19.03	143.68	0	0.00	0.00	58	28.30	149.00
4	0.739	8.05	143	0.21	0.00	0.000	0.025	0.00	0.00	35.0	17.24	160.92	0	0.00	0.00	58	28.57	177.57
5	0.754	8.17	169	0.19	0.00	0.000	0.025	0.00	0.00	26.0	13.07	173.99	0	0.00	0.00	50	25.13	202.70
6	0.768	8.05	105	0.18	0.00	0.000	0.025	0.00	0.00	27.0	13.82	187.81	0	0.00	0.00	42	21.50	224.20
7	0.746	7.98	143	0.18	0.00	0.000	0.025	0.00	0.00	31.0	15.42	203.23	0	0.00	0.00	36	17.90	242.10
8	0.735	7.83	243	0.18	0.00	0.000	0.025	0.00	0.00	33.0	16.17	219.40	0	0.00	0.00	32	15.68	257.78
9	0.772	7.85	146	0.17	0.00	0.000	0.025	0.00	0.00	30.0	15.44	234.84	0	0.00	0.00	24	12.35	270.13
10	0.738	7.59	200	0.17	0.00	0.000	0.025	0.00	0.00	32.0	15.74	250.58	1	0.49	0.49	16	7.87	278.00
11	0.772	7.89	135	0.18	0.00	0.000	0.025	0.00	0.00	37.0	19.04	269.62	5	2.57	3.07	17	8.75	286.75
12	0.742	7.28	243	0.17	0.00	0.000	0.025	0.00	0.00	32.0	15.83	285.45	3	1.48	4.55	11	5.44	292.19
13	0.732	6.97	161	0.16	0.00	0.000	0.025	0.00	0.00	30.0	14.64	300.09	5	2.44	6.99	9	4.39	296.58
14	0.727	6.99	212	0.16	0.02	0.010	0.035	0.00	0.02	28.0	13.57	313.66	8	3.88	10.87	9	4.36	300.94
15	0.754	7.17	256	0.16	0.00	0.000	0.035	0.00	0.00	25.0	12.57	326.23	7	3.52	14.39	9	4.52	305.46
16	0.740	7.44	280	0.16	0.00	0.000	0.035	0.00	0.00	26.0	12.83	339.06	1	0.49	14.88	8	3.95	309.41
17	0.744	7.58	295	0.16	0.01	0.005	0.040	0.00	0.01	27.0	13.39	352.45	2	0.99	15.87	7	3.47	312.88
18	0.736	7.81	309	0.15	0.00	0.000	0.040	0.00	0.00	25.0	12.27	364.72	3	1.47	17.34	7	3.43	316.31
19	0.742	7.04	294	0.15	0.02	0.010	0.050	0.01	0.01	23.0	11.38	376.10	4	1.98	19.32	7	3.46	319.77
20	0.751	7.55	222	0.15	0.00	0.000	0.050	0.00	0.00	20.0	10.01	386.11	2	1.00	20.32	7	3.50	323.27
21	0.774	7.23	229	0.15	0.01	0.005	0.055	0.01	0.00	21.0	10.84	396.95	3	1.55	21.87	7	3.61	326.88
22	0.761	6.92	241	0.16	0.01	0.005	0.060	0.00	0.01	29.0	14.71	411.66	6	3.04	24.91	5	2.54	329.42
23	0.726	7.24	219	0.17	0.00	0.000	0.060	0.00	0.00	31.0	15.00	426.66	5	2.42	27.33	5	2.42	331.84
24	0.726	7.59	243	0.16	0.02	0.010	0.070	0.01	0.01	27.0	13.07	439.73	35	16.94	44.27	5	2.42	334.26
25	0.775	6.88	188	0.15	0.01	0.005	0.075	0.00	0.01	19.0	9.82	449.55	13	6.72	50.99	5	2.58	336.84
26	0.716	6.77	267	0.16	0.01	0.005	0.080	0.00	0.01	28.0	13.37	462.92	4	1.91	52.90	4	1.91	338.75
27	0.797	6.87	236	0.15	0.00	0.000	0.080	0.00	0.00	20.0	10.63	473.55	2	1.06	53.96	5	2.66	341.41
28	0.711	6.48	261	0.16	0.02	0.009	0.089	0.00	0.02	30.0	14.22	487.77	2	0.95	54.91	4	1.90	343.31
29	0.761	7.24	197	0.16	0.02	0.010	0.099	0.00	0.02	26.0	13.19	500.96	4	2.03	56.94	5	2.54	345.85
30	0.765	7.12	240	0.16	0.03	0.015	0.114	0.01	0.02	26.0	13.26	514.22	2	1.02	57.96	5	2.55	348.40
31	0.738	6.94	223	0.16	0.01	0.005	0.119	0.00	0.01	24.0	11.81	526.03	4	1.97	59.93	4	1.97	350.37
32	0.733	6.73	245	0.16	0.00	0.000	0.119	0.00	0.00	22.0	10.75	536.78	3	1.47	61.39	4	1.95	352.32
33	0.690	7.03	232	0.16	0.00	0.000	0.119	0.00	0.00	22.0	10.12	546.90	1	0.46	61.85	4	1.84	354.16
34	0.757	7.28	243	0.15	0.00	0.000	0.119	0.00	0.00	18.0	9.08	555.98	3	1.51	63.37	5	2.52	356.68
35	0.769	6.59	287	0.13	0.02	0.010	0.129	0.00	0.02	18.0	9.23	565.21	3	1.54	64.91	5	2.56	359.24
36	0.740	6.50	279	0.14	0.03	0.015	0.144	0.00	0.03	21.0	10.36	575.57	2	0.99	65.89	4	1.97	361.21
37	0.716	6.58	297	0.13	0.03	0.014	0.158	0.00	0.03	17.0	8.11	583.68	2	0.96	66.85	4	1.91	363.12
38	0.766	6.56	303	0.13	0.01	0.005	0.163	0.00	0.01	16.0	8.17	591.85	0	0.00	66.85	4	2.04	365.16
39	0.751	6.56	310	0.13	0.06	0.030	0.193	0.00	0.06	18.0	9.01	600.86	2	1.00	67.85	4	2.00	367.16
40	0.768	6.49	275	0.13	0.02	0.010	0.203	0.01	0.01	16.0	8.19	609.05	2	1.02	68.87	4	2.05	369.21
41	0.777	6.40	301	0.13	0.02	0.010	0.213	0.01	0.01	14.0	7.25	616.30	1	0.52	69.39	4	2.07	371.28
42	0.725	6.40	308	0.13	0.05	0.024	0.237	0.02	0.03	15.0	7.25	623.55	0	0.00	69.39	3	1.45	372.73
43	0.700	6.44	301	0.13	0.02	0.009	0.246	0.02	0.00	18.0	8.40	631.95	3	1.40	70.79	3	1.40	374.13
44	0.798	6.31	257	0.11	0.04	0.021	0.267	0.01	0.03	17.0	9.04	640.99	0	0.00	70.79	3	1.60	375.73
45	0.730	6.27	319	0.05	0.04	0.019	0.286	0.01	0.03	17.0	8.27	649.26	2	0.97	71.76	3	1.46	377.19
46	0.757	6.32	267	0.05	0.04	0.020	0.306	0.01	0.03	18.0	9.08	658.34	2	1.01	72.77	3	1.51	378.70
47	0.719	6.24	313	0.06	0.02	0.010	0.316	0.01	0.01	17.0	8.15	666.49	3	1.44	74.21	3	1.44	380.14
48	0.760	6.27	306	0.05	0.07	0.035	0.351	0.02	0.05	17.0	8.61	675.10	4	2.03	76.24	3	1.52	381.66
49	0.707	6.20	267	0.06	0.05	0.024	0.375	0.01	0.04	20.0	9.43	684.53	3	1.41	77.65	3	1.41	383.07
50	0.758	6.64	306	0.05	0.05	0.025	0.400	0.01	0.04	18.0	9.10	693.63	4	2.02	79.67	3	1.52	384.59
51	0.733	6.08	303	0.06	0.06	0.029	0.429	0.02	0.04	18.0	8.80	702.43	2	0.98	80.65	2	0.98	385.57
52	0.775	6.17	321	0.06	0.04	0.021	0.450	0.01	0.03	12.0	6.20	708.63	5	2.58	83.23	3	1.55	387.12
53	0.734	6.24	291	0.07	0.05	0.024	0.474	0.01	0.04	17.0	8.32	716.95	4	1.96	85.19	3	1.47	388.59
54	0.758	6.17	342	0.07	0.10	0.051	0.525	0.02	0.08	13.0	6.57	723.52	3	1.52	86.71	4	2.02	390.61
55	0.704	6.12	356	0.06	0.08	0.038	0.563	0.01	0.07	21.0	9.86	733.38	2	0.94	87.65	4	1.88	392.49
56	0.751	6.14	360	0.06	0.12	0.060	0.623	0.01	0.11	19.0	9.51	742.89	1	0.50	88.15	4	2.00	394.49
57	0.748	6.28	315	0.06	0.09	0.045	0.668	0.02	0.07	16.0	7.98	750.87	4	2.00	90.14	4	1.99	396.48
58	0.757	6.23	350	0.06	0.12	0.061	0.729	0.01	0.11	23.0	11.61	762.48	3	1.51	91.66	4	2.02	398.50
59	0.736	6.56	303	0.06	0.04	0.020	0.749	0.01	0.03	22.0	10.79	773.27	3	1.47	93.13	4	1.96	400.46
60	0.750	7.06	284	0.05	0.05	0.025	0.774	0.02	0.03	19.0	9.50	782.77	2	1.00	94.13	5	2.50	402.96
61	0.752	6.43	309	0.06	0.01	0.005	0.779	0.00	0.01	16.0	8.02	790.79	2	1.00	95.13	4	2.01	404.97
62	0.739	6.29	307	0.06	0.02	0.010	0.789	0.01	0.01	21.0	10.35	801.14	4	1.97	97.10	4	1.97	406.94
63	0.752	6.96	297	0.05	0.03	0.015	0.804	0.03	0.00	22.0	11.03	812.17	3	1.50	98.61	4	2.01	408.95
64	0.750	6.40	321	0.05	0.01	0.005	0.809	0.01	0.00	21.0	10.50	822.67	3	1.50	100.11	4	2.00	410.95
65	0.744	6.24	347	0.06	0.00	0.000	0.809	0.00	0.00	24.0	11.90	834.57	5	2.48	102.59	4	1.98	412.93
66	0.759	6.13	373	0.06	0.01	0.005	0.814	0.00	0.01	16.0	8.10	842.67	3	1.52	104.10	4	2.02	414.95
67	0.752	6.09	351	0.06	0.00	0.000	0.814	0.00	0.00	20.0	10.03	852.70						

Table 7. - Humidity Cell Analytical Results, 604 673

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
71	0.700	5.85	323	0.09	0.07	0.033	0.872	0.01	0.06	28.0	13.07	909.79	5	2.33	115.46	2	0.93	423.92
72	0.769	6.07	344	0.06	0.03	0.015	0.887	0.00	0.03	19.0	9.74	919.53	5	2.56	118.02	3	1.54	425.46
73	0.715	6.02	371	0.07	0.03	0.014	0.901	0.00	0.03	31.0	14.78	934.31	5	2.38	120.40	4	1.91	427.37
74	0.800	6.22	343	0.06	0.03	0.016	0.917	0.00	0.03	21.0	11.20	945.51	5	2.67	123.07	4	2.13	429.50
75	0.708	6.14	272	0.08	0.03	0.014	0.931	0.03	0.00	24.0	11.33	956.84	12	5.66	128.73	6	2.83	432.33
76	0.771	5.99	278	0.07	0.04	0.021	0.952	0.02	0.02	25.0	12.85	969.69	7	3.60	132.33	4	2.06	434.39
77	0.728	5.68	328	0.08	0.12	0.058	1.010	0.04	0.08	27.0	13.10	982.79	6	2.91	135.24	2	0.97	435.36
78	0.739	5.58	288	0.07	0.03	0.015	1.025	0.00	0.03	23.0	11.33	994.12	7	3.45	138.69	2	0.99	436.35
79	0.765	5.51	307	0.07	0.03	0.015	1.040	0.01	0.02	21.0	10.71	1004.83	4	2.04	140.73	2	1.02	437.37
80	0.750	5.50	341	0.06	0.01	0.005	1.045	0.01	0.00	21.0	10.50	1015.33	7	3.50	144.23	2	1.00	438.37
81	0.757	5.31	324	0.07	0.03	0.015	1.060	0.00	0.03	21.0	10.60	1025.93	5	2.52	146.75	2	1.01	439.38
82	0.739	5.51	309	0.08	0.03	0.015	1.075	0.00	0.03	24.0	11.82	1037.75	8	3.94	150.70	2	0.99	440.37
83	0.753	5.29	324	0.08	0.02	0.010	1.085	0.00	0.02	27.0	13.55	1051.30	5	2.51	153.21	2	1.00	441.37
84	0.740	5.49	317	0.08	0.02	0.010	1.095	0.00	0.02	29.0	14.31	1065.61	8	3.95	157.15	2	0.99	442.36
85	0.759	5.47	312	0.08	0.02	0.010	1.105	0.00	0.02	25.0	12.65	1078.26	5	2.53	159.68	2	1.01	443.37
86	0.778	5.50	301	0.08	0.02	0.010	1.115	0.00	0.02	30.0	15.56	1093.82	5	2.59	162.28	2	1.04	444.41
87	0.729	5.35	286	0.08	0.11	0.053	1.168	0.00	0.11	31.0	15.07	1108.89	6	2.92	165.19	2	0.97	445.38
88	0.712	5.30	286	0.08	0.00	0.000	1.168	0.00	0.00	35.0	16.61	1125.50	7	3.32	168.51	2	0.95	446.33
89	0.783	5.58	300	0.07	0.03	0.016	1.184	0.00	0.03	26.0	13.57	1139.07	5	2.61	171.12	2	1.04	447.37
90	0.694	5.44	280	0.08	0.04	0.019	1.203	0.00	0.04	29.0	13.42	1152.49	6	2.78	173.90	2	0.93	448.30
91	0.732	5.29	292	0.07	0.02	0.010	1.213	0.00	0.02	27.0	13.18	1165.67	8	3.90	177.80	2	0.98	449.28
92	0.772	5.53	294	0.07	0.03	0.015	1.228	0.00	0.03	23.0	11.84	1177.51	5	2.57	180.38	2	1.03	450.31
93	0.734	5.52	293	0.09	0.04	0.020	1.248	0.00	0.04	30.0	14.68	1192.19	5	2.45	182.82	3	1.47	451.78
94	0.737	5.45	300	0.08	0.06	0.029	1.277	0.00	0.06	29.0	14.25	1206.44	5	2.46	185.28	2	0.98	452.76
95	0.747	5.38	307	0.06	0.03	0.015	1.292	0.00	0.03	24.0	11.95	1218.39	6	2.99	188.27	2	1.00	453.76
96	0.743	5.38	307	0.08	0.04	0.020	1.312	0.00	0.04	29.0	14.36	1232.75	6	2.97	191.24	2	0.99	454.75





Table 8. - Humidity Cell Analytical Results, 604 767

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.790	7.88	208	2.07	0.00	0.000	0.000	0.00	0.00	1100.0	579.33	579.33	0	0.00	0.00	84	44.24	44.24
1	0.756	7.54	194	0.50	0.01	0.005	0.005	0.00	0.01	180.0	90.72	670.05	0	0.00	0.00	78	39.31	83.55
2	0.746	8.17	216	0.34	0.02	0.010	0.015	0.00	0.02	110.0	54.71	724.76	0	0.00	0.00	80	39.79	123.34
3	0.771	8.01	170	0.29	0.03	0.015	0.030	0.01	0.02	62.0	31.87	756.63	0	0.00	0.00	73	37.52	160.86
4	0.778	8.04	177	0.34	0.00	0.000	0.030	0.00	0.00	95.0	49.27	805.90	0	0.00	0.00	70	36.31	197.17
5	0.750	7.63	201	0.36	0.00	0.000	0.030	0.00	0.00	150.0	75.00	880.90	0	0.00	0.00	22	11.00	208.17
6	0.743	7.77	177	0.38	0.00	0.000	0.030	0.00	0.00	150.0	74.30	955.20	0	0.00	0.00	34	16.84	225.01
7	0.761	7.82	152	0.33	0.00	0.000	0.030	0.00	0.00	110.0	55.81	1011.01	0	0.00	0.00	43	21.82	246.83
8	0.750	7.73	251	0.34	0.03	0.015	0.045	0.00	0.03	120.0	60.00	1071.01	0	0.00	0.00	39	19.50	266.33
9	0.762	7.81	162	0.36	0.00	0.000	0.045	0.00	0.00	110.0	55.88	1126.89	0	0.00	0.00	58	29.46	295.79
10	0.747	7.86	196	0.41	0.00	0.000	0.045	0.00	0.00	140.0	69.72	1196.61	0	0.00	0.00	41	20.42	316.21
11	0.795	7.85	144	0.36	0.03	0.016	0.061	0.00	0.03	120.0	63.60	1260.21	0	0.00	0.00	40	21.20	337.41
12	0.700	7.65	260	0.36	0.01	0.005	0.066	0.00	0.01	130.0	60.67	1320.88	0	0.00	0.00	23	10.73	348.14
13	0.788	7.60	211	0.30	0.01	0.005	0.071	0.00	0.01	98.0	51.48	1372.36	0	0.00	0.00	35	18.39	366.53
14	0.745	7.66	175	0.31	0.00	0.000	0.071	0.00	0.00	100.0	49.67	1422.03	0	0.00	0.00	26	12.91	379.44
15	0.761	7.66	215	0.30	0.02	0.010	0.081	0.00	0.02	92.0	46.67	1468.70	0	0.00	0.00	32	16.23	395.67
16	0.730	7.86	285	0.29	0.00	0.000	0.081	0.00	0.00	24.0	11.68	1480.38	0	0.00	0.00	32	15.57	411.24
17	0.791	7.95	329	0.28	0.01	0.005	0.086	0.00	0.01	82.0	43.24	1523.62	0	0.00	0.00	32	16.87	428.11
18	0.737	7.92	324	0.26	0.01	0.005	0.091	0.00	0.01	87.0	42.75	1566.37	0	0.00	0.00	25	12.28	440.39
19	0.753	7.82	320	0.29	0.02	0.010	0.101	0.01	0.01	91.0	45.68	1612.05	0	0.00	0.00	28	14.06	454.45
20	0.728	7.82	238	0.29	0.00	0.000	0.101	0.00	0.00	87.0	42.22	1654.27	0	0.00	0.00	26	12.62	467.07
21	0.768	7.82	252	0.29	0.00	0.000	0.101	0.00	0.00	79.0	40.45	1694.72	0	0.00	0.00	34	17.41	484.48
22	0.753	7.83	252	0.28	0.01	0.005	0.106	0.00	0.01	78.0	39.16	1733.88	0	0.00	0.00	29	14.56	499.04
23	0.752	7.81	244	0.31	0.01	0.005	0.111	0.00	0.01	79.0	39.61	1773.49	0	0.00	0.00	33	16.54	515.58
24	0.762	7.96	224	0.26	0.00	0.000	0.111	0.00	0.00	72.0	36.58	1810.07	0	0.00	0.00	26	13.21	528.79
25	0.752	7.49	212	0.26	0.00	0.000	0.111	0.00	0.00	70.0	35.09	1845.16	0	0.00	0.00	28	14.04	542.83
26	0.737	7.86	233	0.26	0.00	0.000	0.111	0.00	0.00	72.0	35.38	1880.54	0	0.00	0.00	28	13.76	556.59
27	0.767	7.89	210	0.27	0.03	0.015	0.126	0.00	0.03	65.0	33.24	1913.78	0	0.00	0.00	36	18.41	575.00
28	0.748	7.85	214	0.27	0.01	0.005	0.131	0.00	0.01	68.0	33.91	1947.69	0	0.00	0.00	35	17.45	592.45
29	0.748	7.86	204	0.28	0.02	0.010	0.141	0.00	0.02	65.0	32.41	1980.10	0	0.00	0.00	41	20.45	612.90
30	0.779	7.88	233	0.28	0.03	0.016	0.157	0.00	0.03	59.0	30.64	2010.74	0	0.00	0.00	44	22.85	635.75
31	0.739	7.86	259	0.26	0.01	0.005	0.162	0.00	0.01	64.0	31.53	2042.27	0	0.00	0.00	26	12.81	648.56
32	0.735	7.85	248	0.26	0.02	0.010	0.172	0.00	0.02	59.0	28.91	2071.18	0	0.00	0.00	33	16.17	664.73
33	0.788	7.90	217	0.25	0.00	0.000	0.172	0.00	0.00	54.0	28.37	2099.55	0	0.00	0.00	32	16.81	681.54
34	0.729	7.90	254	0.24	0.00	0.000	0.172	0.00	0.00	56.0	27.22	2126.77	0	0.00	0.00	30	14.58	696.12
35	0.754	7.80	244	0.19	0.02	0.010	0.182	0.00	0.02	52.0	26.14	2152.91	0	0.00	0.00	35	17.59	713.71
36	0.763	7.84	242	0.19	0.01	0.005	0.187	0.00	0.01	50.0	25.43	2178.34	0	0.00	0.00	33	16.79	730.50
37	0.746	7.76	265	0.18	0.01	0.005	0.192	0.01	0.00	48.0	23.87	2202.21	0	0.00	0.00	29	14.42	744.92
38	0.768	7.81	256	0.18	0.00	0.000	0.192	0.00	0.00	45.0	23.04	2225.25	0	0.00	0.00	31	15.87	760.79
39	0.739	7.70	247	0.18	0.06	0.030	0.222	0.00	0.06	46.0	22.66	2247.91	0	0.00	0.00	27	13.30	774.09
40	0.748	7.81	217	0.17	0.00	0.000	0.222	0.00	0.00	41.0	20.45	2268.36	0	0.00	0.00	29	14.46	788.55
41	0.774	7.65	246	0.16	0.02	0.010	0.232	0.02	0.00	31.0	16.00	2284.36	0	0.00	0.00	31	16.00	804.55
42	0.749	7.69	251	0.17	0.02	0.010	0.242	0.02	0.00	36.0	17.98	2302.34	0	0.00	0.00	27	13.48	818.03
43	0.727	7.75	248	0.17	0.05	0.024	0.266	0.01	0.04	42.0	20.36	2322.70	0	0.00	0.00	29	14.06	832.09
44	0.803	7.74	189	0.15	0.05	0.027	0.293	0.01	0.04	41.0	21.95	2344.65	0	0.00	0.00	34	18.20	850.29
45	0.732	7.60	262	0.17	0.07	0.034	0.327	0.01	0.06	40.0	19.52	2364.17	0	0.00	0.00	31	15.13	865.42
46	0.776	7.63	210	0.17	0.01	0.005	0.332	0.01	0.00	41.0	21.21	2385.38	0	0.00	0.00	31	16.04	881.46
47	0.737	7.53	239	0.18	0.03	0.015	0.347	0.00	0.03	36.0	17.69	2403.07	0	0.00	0.00	27	13.27	894.73
48	0.750	7.57	228	0.15	0.04	0.020	0.367	0.01	0.03	38.0	19.00	2422.07	0	0.00	0.00	23	11.50	906.23
49	0.723	7.56	188	0.17	0.06	0.029	0.396	0.01	0.05	41.0	19.76	2441.83	0	0.00	0.00	23	11.09	917.32
50	0.758	7.70	223	0.16	0.06	0.030	0.426	0.01	0.05	36.0	18.19	2460.02	0	0.00	0.00	24	12.13	929.45
51	0.712	7.59	223	0.16	0.02	0.009	0.435	0.01	0.01	37.0	17.56	2477.58	0	0.00	0.00	23	10.92	940.37
52	0.791	7.67	236	0.17	0.04	0.021	0.456	0.01	0.03	22.0	11.60	2489.18	0	0.00	0.00	29	15.29	955.66
53	0.725	7.63	195	0.17	0.07	0.034	0.490	0.01	0.06	35.0	16.92	2506.10	0	0.00	0.00	23	11.12	966.78
54	0.761	7.70	246	0.19	0.04	0.020	0.510	0.01	0.03	22.0	11.16	2517.26	0	0.00	0.00	28	14.21	980.99
55	0.737	7.68	254	0.14	0.07	0.034	0.544	0.01	0.06	31.0	15.23	2532.49	0	0.00	0.00	26	12.77	993.76
56	0.721	7.65	264	0.14	0.06	0.029	0.573	0.01	0.05	31.0	14.90	2547.39	0	0.00	0.00	28	13.46	1007.22
57	0.787	7.85	241	0.16	0.07	0.037	0.610	0.02	0.05	20.0	10.49	2557.88	0	0.00	0.00	37	19.41	1026.63
58	0.741	7.69	277	0.13	0.09	0.044	0.654	0.01	0.08	31.0	15.31	2573.19	0	0.00	0.00	29	14.33	1040.96
59	0.749	7.88	257	0.14	0.10	0.050	0.704	0.01	0.09	29.0	14.48	2587.67	0	0.00	0.00	31	15.48	1056.44
60	0.752	8.03	250	0.13	0.09	0.045	0.749	0.02	0.07	26.0	13.03	2600.70	0	0.00	0.00	35	17.55	1073.99
61	0.734	7.84	289	0.14	0.02	0.010	0.759	0.01	0.01	25.0	12.23	2612.93	0	0.00	0.00	32	15.66	1089.65
62	0.762	7.93	228	0.14	0.03	0.015	0.774	0.02	0.01	24.0	12.19	2625.12	0	0.00	0.00	38	19.30	1108.95
63	0.757	8.02	255	0.14	0.01	0.005	0.779	0.01	0.00	30.0	15.14	2640.26	0	0.00	0.00	35	17.66	1126.61
64	0.782	7.88	288	0.13	0.02	0.010	0.789	0.00	0.02	26.0	13.55	2653.81	0	0.00	0.00	34	17.73	1144.34
65	0.741	7.78	289	0.13	0.00	0.000	0.789	0.00	0.00	26.0	12.84	2666.65	0	0.00	0.00	28	13.83	1158.17
66	0.733	7.86	295	0.14	0.00	0.000	0.789	0.00	0.00	24.0	11.73	2678.38	0	0.00				

Table 8 . - Humidity Cell Analytical Results, 604 767

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
71	0.761	7.81	215	0.13	0.01	0.005	0.809	0.00	0.01	22.0	11.16	2741.58	0	0.00	0.00	31	15.73	1254.67
72	0.773	7.87	253	0.13	0.01	0.005	0.814	0.00	0.01	19.0	9.79	2751.37	0	0.00	0.00	34	17.52	1272.19
73	0.728	7.70	272	0.12	0.00	0.000	0.814	0.00	0.00	24.0	11.65	2763.02	0	0.00	0.00	27	13.10	1285.29
74	0.758	7.75	279	0.13	0.00	0.000	0.814	0.00	0.00	20.0	10.11	2773.13	0	0.00	0.00	33	16.68	1301.97
75	0.755	7.59	218	0.17	0.00	0.000	0.814	0.00	0.00	17.0	8.56	2781.69	0	0.00	0.00	54	27.18	1329.15
76	0.754	7.84	226	0.15	0.00	0.000	0.814	0.00	0.00	20.0	10.05	2791.74	0	0.00	0.00	43	21.61	1350.76
77	0.759	7.93	247	0.14	0.02	0.010	0.824	0.00	0.02	17.0	8.60	2800.34	0	0.00	0.00	40	20.24	1371.00
78	0.740	7.92	221	0.13	0.01	0.005	0.829	0.00	0.01	17.0	8.39	2808.73	0	0.00	0.00	37	18.25	1389.25
79	0.777	7.82	221	0.13	0.01	0.005	0.834	0.00	0.01	19.0	9.84	2818.57	0	0.00	0.00	36	18.65	1407.90
80	0.787	7.82	260	0.12	0.00	0.000	0.834	0.00	0.00	19.0	9.97	2828.54	0	0.00	0.00	35	18.36	1426.26
81	0.715	7.68	241	0.11	0.01	0.005	0.839	0.00	0.01	22.0	10.49	2839.03	0	0.00	0.00	23	10.96	1437.22
82	0.774	7.81	224	0.13	0.01	0.005	0.844	0.00	0.01	18.0	9.29	2848.32	0	0.00	0.00	35	18.06	1455.28
83	0.755	7.78	233	0.12	0.01	0.005	0.849	0.00	0.01	24.0	12.08	2860.40	0	0.00	0.00	30	15.10	1470.38
84	0.747	7.83	232	0.13	0.00	0.000	0.849	0.00	0.00	25.0	12.45	2872.85	0	0.00	0.00	33	16.43	1486.81
85	0.781	7.87	221	0.13	0.00	0.000	0.849	0.00	0.00	20.0	10.41	2883.26	0	0.00	0.00	39	20.31	1507.12
86	0.751	7.83	222	0.13	0.00	0.000	0.849	0.00	0.00	24.0	12.02	2895.28	0	0.00	0.00	35	17.52	1524.64

Test Terminated





Table 9. - Humidity Cell Analytical Results, 604 787

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.710	8.09	199	0.73	0.02	0.009	0.009	0.00	0.02	280.0	132.53	132.53	0	0.00	0.00	80	37.87	37.87
1	0.741	7.65	209	0.45	0.02	0.010	0.019	0.01	0.01	120.0	59.28	191.81	0	0.00	0.00	100	49.40	87.27
2	0.745	7.99	214	0.29	0.02	0.010	0.029	0.00	0.02	64.0	31.79	223.60	0	0.00	0.00	94	46.54	133.81
3	0.743	7.93	176	0.26	0.00	0.000	0.029	0.00	0.00	43.0	21.30	244.90	0	0.00	0.00	85	42.10	175.91
4	0.724	8.02	102	0.25	0.02	0.010	0.039	0.00	0.02	45.0	21.72	266.62	0	0.00	0.00	76	36.68	212.59
5	0.755	8.04	193	0.24	0.00	0.000	0.039	0.00	0.00	41.0	20.64	287.26	0	0.00	0.00	69	34.73	247.32
6	0.747	7.86	161	0.25	0.00	0.000	0.039	0.00	0.00	45.0	22.41	309.67	0	0.00	0.00	73	36.35	283.67
7	0.730	8.00	136	0.24	0.00	0.000	0.039	0.00	0.00	42.0	20.44	330.11	0	0.00	0.00	69	33.58	317.25
8	0.745	7.91	235	0.23	0.00	0.000	0.039	0.00	0.00	40.0	19.87	349.98	0	0.00	0.00	70	34.77	352.02
9	0.754	7.65	157	0.24	0.00	0.000	0.039	0.00	0.00	41.0	20.61	370.59	0	0.00	0.00	68	34.18	386.20
10	0.727	7.86	192	0.26	0.00	0.000	0.039	0.00	0.00	46.0	22.29	392.88	0	0.00	0.00	63	30.53	416.73
11	0.762	7.91	143	0.25	0.02	0.010	0.049	0.01	0.01	39.0	19.81	412.69	0	0.00	0.00	65	33.02	449.75
12	0.734	7.75	248	0.24	0.00	0.000	0.049	0.00	0.00	43.0	21.04	433.73	0	0.00	0.00	59	28.87	478.62
13	0.747	7.59	231	0.23	0.02	0.010	0.059	0.01	0.01	40.0	19.92	453.65	0	0.00	0.00	59	29.38	508.00
14	0.752	7.93	180	0.24	0.03	0.015	0.074	0.00	0.03	37.0	18.55	472.20	0	0.00	0.00	61	30.58	538.58
15	0.740	7.69	260	0.23	0.01	0.005	0.079	0.01	0.00	38.0	18.75	490.95	0	0.00	0.00	58	28.61	567.19
16	0.721	7.78	292	0.22	0.02	0.010	0.089	0.01	0.01	36.0	17.30	508.25	0	0.00	0.00	56	26.92	594.11
17	0.758	7.81	333	0.23	0.00	0.000	0.089	0.00	0.00	37.0	18.70	526.95	0	0.00	0.00	58	29.31	623.42
18	0.744	7.98	326	0.21	0.00	0.000	0.089	0.00	0.00	37.0	18.35	545.30	0	0.00	0.00	51	25.30	648.72
19	0.757	7.86	317	0.23	0.04	0.020	0.109	0.01	0.03	39.0	19.68	564.98	0	0.00	0.00	53	26.75	675.47
20	0.716	7.80	230	0.23	0.02	0.010	0.119	0.00	0.02	37.0	17.66	582.64	0	0.00	0.00	54	25.78	701.25
21	0.761	7.78	241	0.24	0.00	0.000	0.119	0.00	0.00	35.0	17.76	600.40	0	0.00	0.00	57	28.92	730.17
22	0.715	7.86	223	0.23	0.02	0.010	0.129	0.00	0.02	39.0	18.59	618.99	0	0.00	0.00	53	25.26	755.43
23	0.774	7.86	218	0.24	0.01	0.005	0.134	0.00	0.01	33.0	17.03	636.02	0	0.00	0.00	53	27.35	782.78
24	0.736	7.99	207	0.24	0.02	0.010	0.144	0.00	0.02	38.0	18.65	654.67	0	0.00	0.00	52	25.51	808.29
25	0.737	7.85	130	0.22	0.02	0.010	0.154	0.01	0.01	33.0	16.21	670.88	0	0.00	0.00	53	26.04	834.33
26	0.747	7.92	236	0.22	0.02	0.010	0.164	0.01	0.01	32.0	15.94	686.82	0	0.00	0.00	52	25.90	860.23
27	0.702	7.94	202	0.22	0.01	0.005	0.169	0.00	0.01	34.0	15.91	702.73	0	0.00	0.00	52	24.34	884.57
28	0.787	7.95	172	0.24	0.01	0.005	0.174	0.00	0.01	33.0	17.31	720.04	0	0.00	0.00	57	29.91	914.48
29	0.742	7.88	181	0.23	0.05	0.025	0.199	0.04	0.01	30.0	14.84	734.88	0	0.00	0.00	57	28.20	942.68
30	0.730	7.84	233	0.25	0.03	0.015	0.214	0.00	0.03	31.0	15.09	749.97	0	0.00	0.00	61	29.69	972.37
31	0.745	8.00	183	0.24	0.03	0.015	0.229	0.00	0.03	31.0	15.40	765.37	0	0.00	0.00	59	29.30	1001.67
32	0.733	7.97	200	0.21	0.00	0.000	0.229	0.00	0.00	25.0	12.22	777.59	0	0.00	0.00	48	23.46	1025.13
33	0.750	8.00	181	0.23	0.00	0.000	0.229	0.00	0.00	28.0	14.00	791.59	0	0.00	0.00	58	29.00	1054.13
34	0.750	8.01	200	0.22	0.00	0.000	0.229	0.00	0.00	25.0	12.50	804.09	0	0.00	0.00	58	29.00	1083.13
35	0.749	7.90	229	0.18	0.00	0.000	0.229	0.00	0.00	24.0	11.98	816.07	0	0.00	0.00	55	27.46	1110.59
36	0.745	7.95	228	0.18	0.01	0.005	0.234	0.00	0.01	25.0	12.42	828.49	0	0.00	0.00	62	30.79	1141.38
37	0.762	7.96	226	0.17	0.02	0.010	0.244	0.00	0.02	21.0	10.67	839.16	0	0.00	0.00	58	29.46	1170.84
38	0.734	7.91	244	0.19	0.00	0.000	0.244	0.00	0.00	25.0	12.23	851.39	0	0.00	0.00	65	31.81	1202.65
39	0.756	7.89	234	0.18	0.03	0.015	0.259	0.02	0.01	24.0	12.10	863.49	0	0.00	0.00	59	29.74	1232.39
40	0.719	7.85	268	0.18	0.02	0.010	0.269	0.01	0.01	24.0	11.50	874.99	0	0.00	0.00	61	29.24	1261.63
41	0.867	7.93	225	0.17	0.04	0.023	0.292	0.01	0.03	17.0	9.83	884.82	0	0.00	0.00	56	32.37	1294.00
42	0.736	7.78	234	0.26	0.07	0.034	0.326	0.01	0.06	94.0	46.12	930.94	0	0.00	0.00	33	16.19	1310.19
43	0.618	7.79	222	0.19	0.05	0.021	0.347	0.01	0.04	83.0	34.20	965.14	0	0.00	0.00	31	12.77	1322.96
44	0.840	7.90	192	0.17	0.05	0.028	0.375	0.01	0.04	45.0	25.20	990.34	0	0.00	0.00	52	29.12	1352.08
45	0.719	7.68	235	0.21	0.02	0.010	0.385	0.01	0.01	59.0	28.28	1018.62	0	0.00	0.00	34	16.30	1368.38
46	0.736	7.78	193	0.22	0.03	0.015	0.400	0.00	0.03	60.0	29.44	1048.06	0	0.00	0.00	40	19.63	1388.01
47	0.728	7.69	215	0.23	0.02	0.010	0.410	0.01	0.01	48.0	23.30	1071.36	0	0.00	0.00	39	18.93	1406.94
48	0.770	7.77	195	0.19	0.04	0.021	0.431	0.01	0.03	46.0	23.61	1094.97	0	0.00	0.00	36	18.48	1425.42
49	0.684	7.70	171	0.19	0.03	0.014	0.445	0.01	0.02	49.0	22.34	1117.31	0	0.00	0.00	27	12.31	1437.73
50	0.734	7.81	206	0.19	0.08	0.039	0.484	0.02	0.06	51.0	24.96	1142.27	0	0.00	0.00	33	16.15	1453.88
51	0.703	7.75	203	0.19	0.02	0.009	0.493	0.02	0.00	45.0	21.09	1163.36	0	0.00	0.00	29	13.59	1467.47
52	0.749	7.72	214	0.19	0.02	0.010	0.503	0.01	0.01	28.0	13.98	1177.34	0	0.00	0.00	33	16.48	1483.95
53	0.686	7.77	179	0.19	0.07	0.032	0.535	0.01	0.06	40.0	18.29	1195.63	0	0.00	0.00	26	11.89	1495.84
54	0.797	7.95	218	0.27	0.06	0.032	0.567	0.00	0.06	30.0	15.94	1211.57	0	0.00	0.00	56	29.75	1525.59
55	0.707	7.87	224	0.18	0.06	0.028	0.595	0.01	0.05	41.0	19.32	1230.89	0	0.00	0.00	40	18.85	1544.44
56	0.724	7.87	242	0.20	0.04	0.019	0.614	0.01	0.03	37.0	17.86	1248.75	0	0.00	0.00	55	26.55	1570.99

Test Terminated

Table 9. - Humidity Cell Analytical Results, 604 787

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ ⁼			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg





Table 10 . - Humidity Cell Analytical Results, 604 811

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.788	8.49	209	0.93	0.02	0.011	0.011	0.00	0.02	310.0	162.85	162.85	0	0.00	0.00	174	91.41	91.41
1	0.744	8.14	197	0.35	0.00	0.000	0.011	0.00	0.00	65.0	32.24	195.09	0	0.00	0.00	130	64.48	155.89
2	0.704	8.52	204	0.31	0.01	0.005	0.016	0.00	0.01	67.0	31.45	226.54	0	0.00	0.00	110	51.63	207.52
3	0.765	8.26	203	0.30	0.01	0.005	0.021	0.00	0.01	30.0	15.30	241.84	0	0.00	0.00	126	64.26	271.78
4	0.759	8.29	124	0.33	0.00	0.000	0.021	0.00	0.00	41.0	20.75	262.59	0	0.00	0.00	124	62.74	334.52
5	0.781	8.25	187	0.33	0.00	0.000	0.021	0.00	0.00	43.0	22.39	284.98	0	0.00	0.00	120	62.48	397.00
6	0.755	8.18	110	0.28	0.00	0.000	0.021	0.00	0.00	52.0	26.17	311.15	0	0.00	0.00	86	43.29	440.29
7	0.744	8.24	131	0.29	0.00	0.000	0.021	0.00	0.00	40.0	19.84	330.99	0	0.00	0.00	99	49.10	489.39
8	0.750	8.15	226	0.30	0.00	0.000	0.021	0.00	0.00	40.0	20.00	350.99	0	0.00	0.00	107	53.50	542.89
9	0.762	8.17	143	0.30	0.00	0.000	0.021	0.00	0.00	36.0	18.29	369.28	0	0.00	0.00	107	54.36	597.25
10	0.764	8.13	184	0.32	0.00	0.000	0.021	0.00	0.00	42.0	21.39	390.67	0	0.00	0.00	102	51.95	649.20
11	0.759	8.11	137	0.30	0.04	0.020	0.041	0.00	0.04	35.0	17.71	408.38	0	0.00	0.00	101	51.11	700.31
12	0.766	8.10	217	0.28	0.00	0.000	0.041	0.00	0.00	37.0	18.89	427.27	0	0.00	0.00	89	45.45	745.76
13	0.723	7.91	185	0.27	0.01	0.005	0.046	0.00	0.01	35.0	16.87	444.14	0	0.00	0.00	91	43.86	789.62
14	0.769	8.08	202	0.28	0.00	0.000	0.046	0.00	0.00	30.0	15.38	459.52	0	0.00	0.00	91	46.65	836.27
15	0.734	7.94	232	0.28	0.00	0.000	0.046	0.00	0.00	33.0	16.15	475.67	0	0.00	0.00	90	44.04	880.31
16	0.785	8.30	266	0.26	0.02	0.010	0.056	0.01	0.01	29.0	15.18	490.85	0	0.00	0.00	90	47.10	927.41
17	0.726	8.30	305	0.27	0.02	0.010	0.066	0.01	0.01	35.0	16.94	507.79	0	0.00	0.00	82	39.69	967.10
18	0.791	8.29	304	0.25	0.01	0.005	0.071	0.00	0.01	30.0	15.82	523.61	0	0.00	0.00	79	41.66	1008.76
19	0.746	8.22	300	0.26	0.01	0.005	0.076	0.01	0.01	35.0	17.41	541.02	0	0.00	0.00	79	39.29	1048.05
20	0.738	8.19	212	0.26	0.02	0.010	0.086	0.00	0.02	34.0	16.73	557.75	0	0.00	0.00	74	36.41	1084.46
21	0.780	8.20	225	0.28	0.01	0.005	0.091	0.00	0.01	31.0	16.12	573.87	0	0.00	0.00	85	44.20	1128.66
22	0.727	8.21	203	0.28	0.01	0.005	0.096	0.00	0.01	34.0	16.48	590.35	0	0.00	0.00	86	41.68	1170.34
23	0.748	8.18	214	0.31	0.01	0.005	0.101	0.00	0.01	31.0	15.46	605.81	0	0.00	0.00	94	46.87	1217.21
24	0.790	8.26	205	0.28	0.01	0.005	0.106	0.00	0.01	25.0	13.17	618.98	0	0.00	0.00	88	46.35	1263.56
25	0.721	8.16	135	0.26	0.01	0.005	0.111	0.00	0.01	35.0	16.82	635.80	0	0.00	0.00	74	35.57	1299.13
26	0.776	8.30	235	0.27	0.01	0.005	0.116	0.00	0.01	28.0	14.49	650.29	0	0.00	0.00	85	43.97	1343.10
27	0.759	8.27	194	0.27	0.00	0.000	0.116	0.00	0.00	29.0	14.67	664.96	0	0.00	0.00	89	45.03	1388.13
28	0.729	8.21	190	0.29	0.00	0.000	0.116	0.00	0.00	30.0	14.58	679.54	0	0.00	0.00	92	44.71	1432.84
29	0.788	8.25	184	0.29	0.01	0.005	0.121	0.00	0.01	26.0	13.66	693.20	0	0.00	0.00	92	48.33	1481.17
30	0.739	8.18	221	0.28	0.02	0.010	0.131	0.00	0.02	30.0	14.78	707.98	0	0.00	0.00	80	39.41	1520.58
31	0.751	8.28	175	0.28	0.01	0.005	0.136	0.00	0.01	26.0	13.02	721.00	0	0.00	0.00	87	43.56	1564.14
32	0.733	8.28	187	0.29	0.06	0.029	0.165	0.00	0.06	24.0	11.73	732.73	0	0.00	0.00	92	44.96	1609.10
33	0.778	8.27	173	0.27	0.00	0.000	0.165	0.00	0.00	20.0	10.37	743.10	0	0.00	0.00	90	46.68	1655.78
34	0.764	8.25	189	0.26	0.00	0.000	0.165	0.00	0.00	23.0	11.71	754.81	0	0.00	0.00	80	40.75	1696.53
35	0.725	8.20	218	0.20	0.02	0.010	0.175	0.00	0.02	22.0	10.63	765.44	0	0.00	0.00	85	41.08	1737.61
36	0.754	8.22	221	0.20	0.02	0.010	0.185	0.01	0.01	20.0	10.05	775.49	0	0.00	0.00	87	43.73	1781.34
37	0.731	8.21	235	0.19	0.00	0.000	0.185	0.00	0.00	18.0	8.77	784.26	0	0.00	0.00	81	39.47	1820.81
38	0.786	8.17	226	0.19	0.01	0.005	0.190	0.00	0.01	15.0	7.86	792.12	0	0.00	0.00	85	44.54	1865.35
39	0.731	8.08	242	0.19	0.02	0.010	0.200	0.00	0.02	20.0	9.75	801.87	0	0.00	0.00	75	36.55	1901.90
40	0.766	8.20	205	0.19	0.01	0.005	0.205	0.01	0.00	15.0	7.66	809.53	0	0.00	0.00	81	41.36	1943.26
41	0.834	8.06	228	0.18	0.03	0.017	0.222	0.01	0.02	13.0	7.23	816.76	0	0.00	0.00	74	41.14	1984.40
42	0.752	8.18	224	0.19	0.04	0.020	0.242	0.01	0.03	16.0	8.02	824.78	0	0.00	0.00	69	34.59	2018.99
43	0.752	8.12	211	0.18	0.04	0.020	0.262	0.01	0.03	16.0	8.02	832.80	0	0.00	0.00	66	33.09	2052.08
44	0.777	8.06	185	0.17	0.01	0.005	0.267	0.01	0.00	19.0	9.84	842.64	0	0.00	0.00	70	36.26	2088.34

Test Terminated





Table 11. - Humidity Cell Analytical Results, 604 854

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.777	8.34	204	1.12	0.02	0.010	0.010	0.00	0.02	410.0	212.38	212.38	0	0.00	0.00	122	63.20	63.20
1	0.724	8.12	182	0.48	0.02	0.010	0.020	0.00	0.02	120.0	57.92	270.30	0	0.00	0.00	122	58.89	122.09
2	0.759	8.21	207	0.37	0.00	0.000	0.020	0.00	0.00	110.0	55.66	325.96	0	0.00	0.00	91	46.25	168.34
3	0.760	8.32	172	0.36	0.00	0.000	0.020	0.00	0.00	76.0	38.51	364.47	0	0.00	0.00	103	52.19	220.53
4	0.709	8.22	133	0.43	0.01	0.005	0.025	0.00	0.01	140.0	66.17	430.64	0	0.00	0.00	77	36.40	256.93
5	0.758	7.99	191	0.36	0.00	0.000	0.025	0.00	0.00	88.0	44.47	475.11	0	0.00	0.00	91	45.99	302.92
6	0.748	8.00	102	0.41	0.00	0.000	0.025	0.00	0.00	130.0	64.83	539.94	0	0.00	0.00	83	41.39	344.31
7	0.713	8.06	161	0.41	0.00	0.000	0.025	0.00	0.00	110.0	52.29	592.23	0	0.00	0.00	87	41.35	385.66
8	0.758	7.93	228	0.32	0.00	0.000	0.025	0.00	0.00	69.0	34.87	627.10	0	0.00	0.00	90	45.48	431.14
9	0.783	7.94	151	0.39	0.00	0.000	0.025	0.00	0.00	120.0	62.64	689.74	0	0.00	0.00	71	37.06	468.20
10	0.724	7.86	189	0.43	0.02	0.010	0.035	0.00	0.02	130.0	62.75	752.49	0	0.00	0.00	63	30.41	498.61
11	0.771	7.36	168	0.38	0.04	0.021	0.056	0.02	0.02	110.0	56.54	809.03	0	0.00	0.00	50	25.70	524.31
12	0.733	7.67	207	0.35	0.01	0.005	0.061	0.00	0.01	120.0	58.64	867.67	0	0.00	0.00	36	17.59	541.90
13	0.712	7.35	229	0.32	0.00	0.000	0.061	0.00	0.00	100.0	47.47	915.14	0	0.00	0.00	37	17.56	559.46
14	0.729	7.50	243	0.32	0.00	0.000	0.061	0.00	0.00	92.0	44.71	959.85	0	0.00	0.00	43	20.90	580.36
15	0.744	7.52	208	0.31	0.01	0.005	0.066	0.00	0.01	81.0	40.18	1000.03	0	0.00	0.00	50	24.80	605.16
16	0.734	7.96	253	0.29	0.00	0.000	0.066	0.00	0.00	79.0	38.66	1038.69	0	0.00	0.00	46	22.51	627.67
17	0.760	8.00	334	0.28	0.01	0.005	0.071	0.00	0.01	77.0	39.01	1077.70	0	0.00	0.00	40	20.27	647.94
18	0.739	7.96	342	0.26	0.01	0.005	0.076	0.00	0.01	72.0	35.47	1113.17	0	0.00	0.00	40	19.71	667.65
19	0.695	7.83	334	0.28	0.02	0.009	0.085	0.00	0.02	74.0	34.29	1147.46	0	0.00	0.00	44	20.39	688.04
20	0.763	7.90	245	0.24	0.03	0.015	0.100	0.01	0.02	38.0	19.33	1166.79	0	0.00	0.00	56	28.49	716.53
21	0.771	7.86	244	0.28	0.00	0.000	0.100	0.00	0.00	60.0	30.84	1197.63	0	0.00	0.00	48	24.67	741.20
22	0.723	7.86	242	0.28	0.01	0.005	0.105	0.00	0.01	62.0	29.88	1227.51	0	0.00	0.00	48	23.14	764.34
23	0.769	7.87	250	0.30	0.02	0.010	0.115	0.01	0.01	59.0	30.25	1257.76	0	0.00	0.00	53	27.17	791.51
24	0.707	7.81	247	0.26	0.01	0.005	0.120	0.00	0.01	63.0	29.69	1287.45	0	0.00	0.00	32	15.08	806.59
25	0.740	7.86	205	0.26	0.01	0.005	0.125	0.00	0.01	54.0	26.64	1314.09	0	0.00	0.00	49	24.17	830.76
26	0.746	7.88	247	0.26	0.03	0.015	0.140	0.00	0.03	51.0	25.36	1339.45	0	0.00	0.00	52	25.86	856.62
27	0.763	7.84	218	0.25	0.04	0.020	0.160	0.00	0.04	53.0	26.96	1366.41	0	0.00	0.00	43	21.87	878.49
28	0.731	7.74	209	0.25	0.03	0.015	0.175	0.00	0.03	57.0	27.78	1394.19	0	0.00	0.00	36	17.54	896.03
29	0.750	7.83	203	0.26	0.02	0.010	0.185	0.00	0.02	54.0	27.00	1421.19	0	0.00	0.00	43	21.50	917.53
30	0.724	7.80	244	0.26	0.03	0.014	0.199	0.00	0.03	55.0	26.55	1447.74	0	0.00	0.00	39	18.82	936.35
31	0.757	7.93	237	0.25	0.01	0.005	0.204	0.00	0.01	49.0	24.73	1472.47	0	0.00	0.00	38	19.18	955.53
32	0.731	7.88	238	0.24	0.00	0.000	0.204	0.00	0.00	47.0	22.90	1495.37	0	0.00	0.00	36	17.54	973.07
33	0.731	7.86	221	0.24	0.02	0.010	0.214	0.00	0.02	46.0	22.42	1517.79	0	0.00	0.00	40	19.49	992.56
34	0.738	7.89	248	0.23	0.00	0.000	0.214	0.00	0.00	45.0	22.14	1539.93	0	0.00	0.00	42	20.66	1013.22
35	0.739	7.84	242	0.19	0.00	0.000	0.214	0.00	0.00	41.0	20.20	1560.13	0	0.00	0.00	46	22.66	1035.88
36	0.732	7.78	240	0.18	0.01	0.005	0.219	0.00	0.01	43.0	20.98	1581.11	0	0.00	0.00	38	18.54	1054.42
37	0.704	7.81	266	0.18	0.02	0.009	0.228	0.00	0.02	42.0	19.71	1600.82	0	0.00	0.00	41	19.24	1073.66
38	0.771	7.87	244	0.18	0.02	0.010	0.238	0.00	0.02	29.0	14.91	1615.73	0	0.00	0.00	48	24.67	1098.33
39	0.696	7.72	253	0.18	0.03	0.014	0.252	0.02	0.01	39.0	18.10	1633.83	0	0.00	0.00	42	19.49	1117.82
40	0.773	7.86	231	0.17	0.01	0.005	0.257	0.00	0.01	32.0	16.49	1650.32	0	0.00	0.00	44	22.67	1140.49
41	0.760	7.78	253	0.16	0.04	0.020	0.277	0.01	0.03	27.0	13.68	1664.00	0	0.00	0.00	40	20.27	1160.76
42	0.730	7.75	249	0.18	0.02	0.010	0.287	0.01	0.01	34.0	16.55	1680.55	0	0.00	0.00	35	17.03	1177.79
43	0.720	7.74	234	0.17	0.04	0.019	0.306	0.03	0.01	38.0	18.24	1698.79	0	0.00	0.00	35	16.80	1194.59
44	0.771	7.74	210	0.16	0.01	0.005	0.311	0.01	0.00	39.0	20.05	1718.84	0	0.00	0.00	42	21.59	1216.18

Test Terminated





Table 12. - Humidity Cell Analytical Results, 604 862

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.719	8.13	229	0.63	0.03	0.014	0.014	0.01	0.02	390.0	186.94	186.94	0	0.00	0.00	124	59.44	59.44
1	0.813	7.96	191	0.43	0.00	0.000	0.014	0.00	0.00	69.0	37.40	224.34	0	0.00	0.00	166	89.97	149.41
2	0.721	8.29	205	0.34	0.01	0.005	0.019	0.00	0.01	48.0	23.07	247.41	0	0.00	0.00	134	64.27	213.68
3	0.739	8.21	192	0.34	0.00	0.000	0.019	0.00	0.00	41.0	20.20	267.61	0	0.00	0.00	133	65.52	279.20
4	0.713	8.20	153	0.34	0.03	0.014	0.033	0.00	0.03	45.0	21.39	289.00	0	0.00	0.00	122	57.99	337.19
5	0.738	8.24	182	0.33	0.00	0.000	0.033	0.00	0.00	38.0	18.70	307.70	0	0.00	0.00	121	59.53	396.72
6	0.737	8.19	92	0.33	0.00	0.000	0.033	0.00	0.00	41.0	20.14	327.84	0	0.00	0.00	118	57.98	454.70
7	0.740	8.19	148	0.36	0.00	0.000	0.033	0.00	0.00	38.0	18.75	346.59	0	0.00	0.00	138	68.08	522.78
8	0.700	8.13	209	0.33	0.00	0.000	0.033	0.00	0.00	46.0	21.47	368.06	0	0.00	0.00	121	56.47	579.25
9	0.746	8.14	143	0.39	0.00	0.000	0.033	0.00	0.00	37.0	18.40	386.46	0	0.00	0.00	159	79.08	658.33
10	0.746	8.13	175	0.37	0.00	0.000	0.033	0.00	0.00	46.0	22.88	409.34	0	0.00	0.00	126	62.66	720.99
11	0.739	8.09	140	0.37	0.01	0.005	0.038	0.00	0.01	39.0	19.21	428.55	0	0.00	0.00	131	64.54	785.53
12	0.680	8.08	189	0.30	0.00	0.000	0.038	0.00	0.00	46.0	20.85	449.40	0	0.00	0.00	93	42.16	827.69
13	0.769	7.88	219	0.37	0.01	0.005	0.043	0.00	0.01	33.0	16.92	466.32	0	0.00	0.00	151	77.41	905.10
14	0.733	7.98	207	0.34	0.02	0.010	0.053	0.01	0.01	36.0	17.59	483.91	0	0.00	0.00	115	56.20	961.30
15	0.720	7.75	209	0.36	0.01	0.005	0.058	0.00	0.01	35.0	16.80	500.71	0	0.00	0.00	130	62.40	1023.70
16	0.758	8.12	256	0.35	0.01	0.005	0.063	0.00	0.01	31.0	15.67	516.38	0	0.00	0.00	142	71.76	1095.46
17	0.711	8.16	313	0.33	0.01	0.005	0.068	0.00	0.01	35.0	16.59	532.97	0	0.00	0.00	117	55.46	1150.92
18	0.684	8.10	317	0.36	0.03	0.014	0.082	0.00	0.03	33.0	15.05	548.02	0	0.00	0.00	143	65.21	1216.13
19	0.759	7.96	334	0.41	0.00	0.000	0.082	0.00	0.00	19.0	9.61	557.63	0	0.00	0.00	173	87.54	1303.67
20	0.762	7.91	218	0.43	0.02	0.010	0.092	0.02	0.00	24.0	12.19	569.82	0	0.00	0.00	181	91.95	1395.62
21	0.723	8.01	237	0.40	0.01	0.005	0.097	0.00	0.01	31.0	14.94	584.76	0	0.00	0.00	152	73.26	1468.88
22	0.706	7.96	253	0.44	0.00	0.000	0.097	0.00	0.00	28.0	13.18	597.94	0	0.00	0.00	181	85.19	1554.07
23	0.750	7.87	245	0.50	0.00	0.000	0.097	0.00	0.00	27.0	13.50	611.44	0	0.00	0.00	204	102.00	1656.07
24	0.734	7.93	218	0.46	0.04	0.020	0.117	0.01	0.03	24.0	11.74	623.18	0	0.00	0.00	190	92.97	1749.04
25	0.727	8.10	178	0.39	0.07	0.034	0.151	0.01	0.06	31.0	15.02	638.20	0	0.00	0.00	150	72.70	1821.74
26	0.732	7.97	240	0.46	0.03	0.015	0.166	0.00	0.03	25.0	12.20	650.40	0	0.00	0.00	197	96.14	1917.88
27	0.740	8.00	208	0.46	0.05	0.025	0.191	0.00	0.05	22.0	10.85	661.25	0	0.00	0.00	212	104.59	2022.47
28	0.722	7.90	201	0.49	0.05	0.024	0.215	0.00	0.05	22.0	10.59	671.84	0	0.00	0.00	218	104.93	2127.40
29	0.734	7.96	200	0.51	0.07	0.034	0.249	0.00	0.07	20.0	9.79	681.63	0	0.00	0.00	220	107.65	2235.05
30	0.715	7.91	241	0.53	0.04	0.019	0.268	0.00	0.04	20.0	9.53	691.16	0	0.00	0.00	230	109.63	2344.68
31	0.718	7.87	256	0.53	0.06	0.029	0.297	0.02	0.04	19.0	9.09	700.25	0	0.00	0.00	238	113.92	2458.60
32	0.748	7.84	245	0.53	0.02	0.010	0.307	0.00	0.02	9.4	4.69	704.94	0	0.00	0.00	236	117.69	2576.29
33	0.719	7.96	232	0.52	0.01	0.005	0.312	0.00	0.01	11.0	5.27	710.21	0	0.00	0.00	229	109.77	2686.06
34	0.761	7.90	245	0.51	0.00	0.000	0.312	0.00	0.00	9.8	4.97	715.18	0	0.00	0.00	232	117.70	2803.76
35	0.709	7.90	227	0.39	0.08	0.038	0.350	0.03	0.05	18.0	8.51	723.69	0	0.00	0.00	231	109.19	2912.95
36	0.723	7.94	235	0.39	0.03	0.014	0.364	0.00	0.03	17.0	8.19	731.88	0	0.00	0.00	229	110.38	3023.33
37	0.718	7.74	275	0.40	0.01	0.005	0.369	0.01	0.00	13.0	6.22	738.10	0	0.00	0.00	237	113.44	3136.77
38	0.754	8.03	229	0.36	0.04	0.020	0.389	0.00	0.04	13.0	6.53	744.63	0	0.00	0.00	209	105.06	3241.83
39	0.715	7.98	256	0.37	0.04	0.019	0.408	0.00	0.04	15.0	7.15	751.78	0	0.00	0.00	228	108.68	3350.51
40	0.735	7.78	282	0.40	0.03	0.015	0.423	0.00	0.03	11.0	5.39	757.17	0	0.00	0.00	240	117.60	3468.11
41	0.760	7.78	253	0.37	0.05	0.025	0.448	0.01	0.04	10.0	5.07	762.24	0	0.00	0.00	233	118.05	3586.16
42	0.723	8.09	244	0.28	0.06	0.029	0.477	0.01	0.05	16.0	7.71	769.95	0	0.00	0.00	157	75.67	3661.83
43	0.694	7.89	239	0.32	0.05	0.023	0.500	0.02	0.03	21.0	9.72	779.67	0	0.00	0.00	183	84.67	3746.50
44	0.769	7.96	199	0.36	0.06	0.031	0.531	0.01	0.05	14.0	7.18	786.85	0	0.00	0.00	223	114.32	3860.82

Test Terminated





Table 13. - Humidity Cell Analytical Results, 604 867

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.820	7.96	219	1.90	0.02	0.011	0.011	0.00	0.02	1100.0	601.33	601.33	0	0.00	0.00	148	80.91	80.91
1	0.734	7.93	184	0.61	0.01	0.005	0.016	0.00	0.01	230.0	112.55	713.88	0	0.00	0.00	96	46.98	127.89
2	0.715	7.99	213	0.60	0.01	0.005	0.021	0.00	0.01	240.0	114.40	828.28	0	0.00	0.00	94	44.66	172.55
3	0.732	8.02	203	0.46	0.02	0.010	0.031	0.00	0.02	120.0	58.56	886.84	0	0.00	0.00	127	61.98	234.53
4	0.751	8.25	254	0.47	0.02	0.010	0.041	0.01	0.01	120.0	60.08	946.92	0	0.00	0.00	112	56.07	290.60
5	0.755	7.93	200	0.54	0.01	0.005	0.046	0.00	0.01	200.0	100.67	1047.59	0	0.00	0.00	60	30.20	320.80
6	0.742	7.90	93	0.62	0.00	0.000	0.046	0.00	0.00	240.0	118.72	1166.31	0	0.00	0.00	79	39.08	359.88
7	0.703	7.92	162	0.57	0.00	0.000	0.046	0.00	0.00	230.0	107.79	1274.10	0	0.00	0.00	78	36.56	396.44
8	0.757	7.95	209	0.45	0.05	0.025	0.071	0.00	0.05	130.0	65.61	1339.71	0	0.00	0.00	118	59.55	455.99
9	0.752	7.85	159	0.59	0.00	0.000	0.071	0.00	0.00	230.0	115.31	1455.02	0	0.00	0.00	90	45.12	501.11
10	0.725	7.84	192	0.68	0.01	0.005	0.076	0.00	0.01	270.0	130.50	1585.52	0	0.00	0.00	74	35.77	536.88
11	0.765	7.72	161	0.56	0.04	0.020	0.096	0.00	0.04	190.0	96.90	1682.42	0	0.00	0.00	84	42.84	579.72
12	0.723	7.68	220	0.57	0.01	0.005	0.101	0.00	0.01	230.0	110.86	1793.28	0	0.00	0.00	49	23.62	603.34
13	0.772	7.39	227	0.51	0.01	0.005	0.106	0.00	0.01	190.0	97.79	1891.07	0	0.00	0.00	61	31.39	634.73
14	0.714	7.77	195	0.55	0.08	0.038	0.144	0.00	0.08	200.0	95.20	1986.27	0	0.00	0.00	49	23.32	658.05
15	0.745	7.51	232	0.53	0.08	0.040	0.184	0.00	0.08	180.0	89.40	2075.67	0	0.00	0.00	70	34.77	692.82
16	0.695	7.83	280	0.50	0.01	0.005	0.189	0.00	0.01	180.0	83.40	2159.07	0	0.00	0.00	63	29.19	722.01
17	0.769	7.83	375	0.45	0.00	0.000	0.189	0.00	0.00	130.0	66.65	2225.72	0	0.00	0.00	81	41.53	763.54
18	0.765	7.94	364	0.45	0.02	0.010	0.199	0.00	0.02	160.0	81.60	2307.32	0	0.00	0.00	64	32.64	796.18
19	0.713	7.67	360	0.51	0.03	0.014	0.213	0.00	0.03	190.0	90.31	2397.63	0	0.00	0.00	54	25.67	821.85
20	0.751	7.64	266	0.51	0.04	0.020	0.233	0.01	0.03	180.0	90.12	2487.75	0	0.00	0.00	56	28.04	849.89
21	0.730	7.72	272	0.53	0.00	0.000	0.233	0.00	0.00	190.0	92.47	2580.22	0	0.00	0.00	58	28.23	878.12
22	0.745	7.73	274	0.51	0.02	0.010	0.243	0.00	0.02	180.0	89.40	2669.62	0	0.00	0.00	55	27.32	905.44
23	0.741	7.71	261	0.56	0.01	0.005	0.248	0.00	0.01	190.0	93.86	2763.48	0	0.00	0.00	63	31.12	936.56
24	0.728	7.65	272	0.49	0.05	0.024	0.272	0.01	0.04	180.0	87.36	2850.84	0	0.00	0.00	40	19.41	955.97
25	0.731	7.82	221	0.47	0.03	0.015	0.287	0.01	0.02	190.0	92.59	2943.43	0	0.00	0.00	50	24.37	980.34
26	0.721	7.70	272	0.48	0.01	0.005	0.292	0.00	0.01	170.0	81.71	3025.14	0	0.00	0.00	57	27.40	1007.74
27	0.720	7.70	248	0.52	0.04	0.019	0.311	0.00	0.04	170.0	81.60	3106.74	0	0.00	0.00	57	27.36	1035.10
28	0.729	7.71	249	0.51	0.02	0.010	0.321	0.01	0.01	170.0	82.62	3189.36	0	0.00	0.00	81	39.37	1074.47
29	0.763	7.79	234	0.51	0.15	0.076	0.397	0.04	0.11	150.0	76.30	3265.66	0	0.00	0.00	89	45.27	1119.74
30	0.746	7.71	258	0.50	0.04	0.020	0.417	0.02	0.02	150.0	74.60	3340.26	0	0.00	0.00	65	32.33	1152.07
31	0.723	7.64	274	0.46	0.04	0.019	0.436	0.02	0.02	150.0	72.30	3412.56	0	0.00	0.00	43	20.73	1172.80
32	0.723	7.73	263	0.47	0.05	0.024	0.460	0.00	0.05	130.0	62.66	3475.22	0	0.00	0.00	62	29.88	1202.68
33	0.780	7.80	255	0.48	0.04	0.021	0.481	0.00	0.04	110.0	57.20	3532.42	0	0.00	0.00	94	48.88	1251.56
34	0.722	7.74	273	0.44	0.00	0.000	0.481	0.00	0.00	110.0	52.95	3585.37	0	0.00	0.00	77	37.06	1288.62
35	0.740	7.77	265	0.34	0.00	0.000	0.481	0.00	0.00	120.0	59.20	3644.57	0	0.00	0.00	84	41.44	1330.06
36	0.749	7.78	269	0.34	0.01	0.005	0.486	0.00	0.01	110.0	54.93	3699.50	0	0.00	0.00	85	42.44	1372.50
37	0.734	7.69	288	0.32	0.03	0.015	0.501	0.00	0.03	110.0	53.83	3753.33	0	0.00	0.00	82	40.13	1412.63
38	0.743	7.72	276	0.32	0.02	0.010	0.511	0.00	0.02	91.0	45.08	3798.41	0	0.00	0.00	87	43.09	1455.72
39	0.713	7.67	287	0.30	0.02	0.010	0.521	0.01	0.01	97.0	46.11	3844.52	0	0.00	0.00	77	36.60	1492.32
40	0.758	7.84	269	0.32	0.11	0.056	0.577	0.00	0.11	68.0	34.36	3878.88	0	0.00	0.00	111	56.09	1548.41
41	0.680	7.73	283	0.29	0.04	0.018	0.595	0.01	0.03	85.0	38.53	3917.41	0	0.00	0.00	73	33.09	1581.50
42	0.811	7.86	292	0.26	0.05	0.027	0.622	0.01	0.04	48.0	25.95	3943.36	0	0.00	0.00	105	56.77	1638.27
43	0.729	7.72	267	0.27	0.06	0.029	0.651	0.01	0.05	100.0	48.60	3991.96	0	0.00	0.00	59	28.67	1666.94
44	0.748	7.71	245	0.27	0.01	0.005	0.656	0.01	0.00	96.0	47.87	4039.83	0	0.00	0.00	74	36.90	1703.84

Test Terminated





Table 14. - Humidity Cell Analytical Results, 605 033

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.763	8.43	242	0.76	0.00	0.000	0.000	0.00	0.00	230.0	116.99	116.99	0	0.00	0.00	150	76.30	76.30
1	0.749	8.14	182	0.37	0.00	0.000	0.000	0.00	0.00	75.0	37.45	154.44	0	0.00	0.00	132	65.91	142.21
2	0.707	8.21	207	0.30	0.00	0.000	0.000	0.00	0.00	75.0	35.35	189.79	0	0.00	0.00	85	39.92	182.13
3	0.760	8.21	160	0.26	0.03	0.015	0.015	0.00	0.03	31.0	15.71	205.50	0	0.00	0.00	90	45.60	227.73
4	0.743	8.08	142	0.28	0.00	0.000	0.015	0.00	0.00	45.0	22.29	227.79	0	0.00	0.00	91	45.08	272.81
5	0.744	8.11	191	0.28	0.01	0.005	0.020	0.00	0.01	48.0	23.81	251.60	0	0.00	0.00	80	39.68	312.49
6	0.737	8.15	149	0.26	0.00	0.000	0.020	0.00	0.00	54.0	26.53	278.13	0	0.00	0.00	69	33.90	346.39
7	0.770	8.14	155	0.26	0.00	0.000	0.020	0.00	0.00	44.0	22.59	300.72	0	0.00	0.00	72	36.96	383.35
8	0.722	7.93	201	0.26	0.00	0.000	0.020	0.00	0.00	57.0	27.44	328.16	0	0.00	0.00	63	30.32	413.67
9	0.758	8.02	147	0.24	0.00	0.000	0.020	0.00	0.00	48.0	24.26	352.42	0	0.00	0.00	56	28.30	441.97
10	0.735	7.87	188	0.23	0.00	0.000	0.020	0.00	0.00	54.0	26.46	378.88	0	0.00	0.00	40	19.60	461.57
11	0.744	8.12	143	0.19	0.03	0.015	0.035	0.02	0.01	35.0	17.36	396.24	0	0.00	0.00	36	17.86	479.43
12	0.702	7.89	224	0.25	0.00	0.000	0.035	0.00	0.00	69.0	32.29	428.53	0	0.00	0.00	37	17.32	496.75
13	0.761	7.53	213	0.22	0.00	0.000	0.035	0.00	0.00	45.0	22.83	451.36	0	0.00	0.00	45	22.83	519.58
14	0.692	7.72	218	0.23	0.00	0.000	0.035	0.00	0.00	45.0	20.76	472.12	0	0.00	0.00	43	19.84	539.42
15	0.780	7.56	289	0.22	0.00	0.000	0.035	0.00	0.00	30.0	15.60	487.72	0	0.00	0.00	54	28.08	567.50
16	0.720	8.14	291	0.22	0.03	0.014	0.049	0.00	0.03	39.0	18.72	506.44	0	0.00	0.00	50	24.00	591.50
17	0.736	8.14	318	0.22	0.00	0.000	0.049	0.00	0.00	40.0	19.63	526.07	0	0.00	0.00	49	24.04	615.54
18	0.730	8.14	310	0.21	0.01	0.005	0.054	0.01	0.00	37.0	18.01	544.08	0	0.00	0.00	51	24.82	640.36
19	0.775	7.96	324	0.22	0.03	0.016	0.070	0.01	0.02	32.0	16.53	560.61	0	0.00	0.00	54	27.90	668.26
20	0.707	7.94	234	0.22	0.01	0.005	0.075	0.00	0.01	37.0	17.44	578.05	0	0.00	0.00	47	22.15	690.41
21	0.760	8.00	243	0.23	0.01	0.005	0.080	0.00	0.01	33.0	16.72	594.77	0	0.00	0.00	53	26.85	717.26
22	0.721	7.99	256	0.23	0.01	0.005	0.085	0.01	0.00	34.0	16.34	611.11	0	0.00	0.00	52	24.99	742.25
23	0.769	7.96	244	0.24	0.00	0.000	0.085	0.00	0.00	33.0	16.92	628.03	0	0.00	0.00	51	26.15	768.40
24	0.710	8.07	219	0.21	0.01	0.005	0.090	0.00	0.01	33.0	15.62	643.65	0	0.00	0.00	42	19.88	788.28
25	0.724	7.95	183	0.21	0.01	0.005	0.095	0.00	0.01	30.0	14.48	658.13	0	0.00	0.00	49	23.65	811.93
26	0.774	7.98	255	0.20	0.00	0.000	0.095	0.00	0.00	24.0	12.38	670.51	0	0.00	0.00	49	25.28	837.21
27	0.717	7.90	225	0.22	0.02	0.010	0.105	0.01	0.01	29.0	13.86	684.37	0	0.00	0.00	48	22.94	860.15
28	0.728	7.84	225	0.22	0.01	0.005	0.110	0.00	0.01	30.0	14.56	698.93	0	0.00	0.00	49	23.78	883.93
29	0.783	7.86	201	0.21	0.04	0.021	0.131	0.01	0.03	24.0	12.53	711.46	0	0.00	0.00	50	26.10	910.03
30	0.682	7.91	224	0.22	0.01	0.005	0.136	0.00	0.01	31.0	14.09	725.55	0	0.00	0.00	44	20.01	930.04
31	0.803	8.04	245	0.20	0.03	0.016	0.152	0.00	0.03	18.0	9.64	735.19	0	0.00	0.00	46	24.63	954.67
32	0.731	7.96	244	0.20	0.01	0.005	0.157	0.00	0.01	23.0	11.21	746.40	0	0.00	0.00	40	19.49	974.16
33	0.725	7.86	235	0.20	0.00	0.000	0.157	0.00	0.00	24.0	11.60	758.00	0	0.00	0.00	44	21.27	995.43
34	0.743	7.87	248	0.20	0.00	0.000	0.157	0.00	0.00	21.0	10.40	768.40	0	0.00	0.00	45	22.29	1017.72
35	0.749	7.80	246	0.16	0.02	0.010	0.167	0.00	0.02	20.0	9.99	778.39	0	0.00	0.00	40	19.97	1037.69
36	0.690	7.79	252	0.17	0.01	0.005	0.172	0.01	0.00	20.0	9.20	787.59	0	0.00	0.00	43	19.78	1057.47
37	0.777	7.83	260	0.16	0.01	0.005	0.177	0.00	0.01	13.0	6.73	794.32	0	0.00	0.00	44	22.79	1080.26
38	0.697	7.83	251	0.16	0.02	0.009	0.186	0.00	0.02	17.0	7.90	802.22	0	0.00	0.00	44	20.45	1100.71
39	0.768	7.71	261	0.16	0.01	0.005	0.191	0.00	0.01	14.0	7.17	809.39	0	0.00	0.00	43	22.02	1122.73
40	0.710	7.94	238	0.16	0.03	0.014	0.205	0.02	0.01	14.0	6.63	816.02	0	0.00	0.00	41	19.41	1142.14
41	0.781	7.72	262	0.15	0.01	0.005	0.210	0.01	0.00	10.0	5.21	821.23	0	0.00	0.00	41	21.35	1163.49
42	0.758	7.77	273	0.16	0.01	0.005	0.215	0.01	0.00	12.0	6.06	827.29	0	0.00	0.00	42	21.22	1184.71
43	0.703	7.89	238	0.16	0.05	0.023	0.238	0.02	0.03	17.0	7.97	835.26	0	0.00	0.00	40	18.75	1203.46
44	0.759	7.74	230	0.15	0.03	0.015	0.253	0.01	0.02	14.0	7.08	842.34	0	0.00	0.00	41	20.75	1224.21

Test Terminated





Table 15 - Humidity Cell Analytical Results, 605 153

(1.5300 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.718	8.44	226	0.47	0.00	0.000	0.000	0.00	0.00	190.0	89.16	89.16	0	0.00	0.00	64	30.03	30.03
1	0.816	7.96	169	0.27	0.00	0.000	0.000	0.00	0.00	44.0	23.47	112.63	0	0.00	0.00	102	54.40	84.43
2	0.726	8.46	187	0.19	0.02	0.009	0.009	0.00	0.02	27.0	12.81	125.44	0	0.00	0.00	108	51.29	135.72
3	0.759	8.25	149	0.21	0.03	0.015	0.024	0.03	0.00	20.0	9.92	135.36	0	0.00	0.00	91	45.14	180.86
4	0.748	8.31	141	0.21	0.00	0.000	0.024	0.00	0.00	28.0	13.69	149.05	0	0.00	0.00	90	44.00	224.86
5	0.732	8.25	193	0.21	0.00	0.000	0.024	0.00	0.00	35.0	16.75	165.80	0	0.00	0.00	60	28.71	253.57
6	0.761	8.10	101	0.21	0.00	0.000	0.024	0.00	0.00	31.0	15.42	181.22	0	0.00	0.00	71	35.31	288.88
7	0.757	8.14	155	0.21	0.00	0.000	0.024	0.00	0.00	30.0	14.84	196.06	0	0.00	0.00	64	31.67	320.55
8	0.744	8.01	208	0.20	0.00	0.000	0.024	0.00	0.00	31.0	15.07	211.13	0	0.00	0.00	60	29.18	349.73
9	0.757	8.08	155	0.20	0.00	0.000	0.024	0.00	0.00	27.0	13.36	224.49	0	0.00	0.00	62	30.68	380.41
10	0.731	8.07	180	0.21	0.00	0.000	0.024	0.00	0.00	29.0	13.86	238.35	0	0.00	0.00	58	27.71	408.12
11	0.801	8.22	138	0.19	0.00	0.000	0.024	0.00	0.00	19.0	9.95	248.30	0	0.00	0.00	64	33.51	441.63
12	0.728	8.15	209	0.18	0.00	0.000	0.024	0.00	0.00	22.0	10.47	258.77	0	0.00	0.00	58	27.60	469.23
13	0.733	7.76	190	0.18	0.01	0.005	0.029	0.00	0.01	19.0	9.10	267.87	0	0.00	0.00	48	23.00	492.23
14	0.775	7.85	207	0.18	0.00	0.000	0.029	0.00	0.00	17.0	8.61	276.48	0	0.00	0.00	46	23.30	515.53
15	0.753	7.68	202	0.18	0.03	0.015	0.044	0.00	0.03	17.0	8.37	284.85	0	0.00	0.00	45	22.15	537.68
16	0.760	8.37	257	0.17	0.00	0.000	0.044	0.00	0.00	14.0	6.95	291.80	0	0.00	0.00	47	23.35	561.03
17	0.729	8.39	298	0.17	0.03	0.014	0.058	0.00	0.03	16.0	7.62	299.42	0	0.00	0.00	44	20.96	581.99
18	0.744	8.34	291	0.17	0.01	0.005	0.063	0.00	0.01	17.0	8.27	307.69	0	0.00	0.00	42	20.42	602.41
19	0.733	8.04	316	0.18	0.00	0.000	0.063	0.00	0.00	16.0	7.67	315.36	0	0.00	0.00	44	21.08	623.49
20	0.761	8.09	210	0.18	0.02	0.010	0.073	0.01	0.01	15.0	7.46	322.82	0	0.00	0.00	46	22.88	646.37
21	0.789	8.10	236	0.18	0.00	0.000	0.073	0.00	0.00	15.0	7.74	330.56	0	0.00	0.00	47	24.24	670.61
22	0.737	8.13	234	0.18	0.01	0.005	0.078	0.00	0.01	15.0	7.23	337.79	0	0.00	0.00	40	19.27	689.88
23	0.756	8.10	206	0.19	0.01	0.005	0.083	0.00	0.01	16.0	7.91	345.70	0	0.00	0.00	41	20.26	710.14
24	0.715	8.25	213	0.17	0.02	0.009	0.092	0.00	0.02	14.0	6.54	352.24	0	0.00	0.00	38	17.76	727.90
25	0.766	8.09	149	0.17	0.03	0.015	0.107	0.00	0.03	14.0	7.01	359.25	0	0.00	0.00	39	19.53	747.43
26	0.743	8.08	244	0.17	0.00	0.000	0.107	0.00	0.00	13.0	6.31	365.56	0	0.00	0.00	37	17.97	765.40
27	0.729	8.10	205	0.17	0.01	0.005	0.112	0.01	0.00	12.0	5.72	371.28	0	0.00	0.00	36	17.15	782.55
28	0.777	7.96	223	0.17	0.02	0.010	0.122	0.00	0.02	12.0	6.09	377.37	0	0.00	0.00	39	19.81	802.36
29	0.729	8.13	184	0.17	0.03	0.014	0.136	0.01	0.02	12.0	5.72	383.09	0	0.00	0.00	37	17.63	819.99
30	0.773	8.12	210	0.18	0.01	0.005	0.141	0.00	0.01	13.0	6.57	389.66	0	0.00	0.00	42	21.22	841.21
31	0.739	8.22	220	0.17	0.02	0.010	0.151	0.01	0.01	12.0	5.80	395.46	0	0.00	0.00	35	16.91	858.12
32	0.783	8.24	216	0.17	0.01	0.005	0.156	0.00	0.01	10.0	5.12	400.58	0	0.00	0.00	38	19.45	877.57
33	0.761	8.22	208	0.17	0.00	0.000	0.156	0.00	0.00	9.2	4.58	405.16	0	0.00	0.00	36	17.91	895.48
34	0.702	8.18	227	0.16	0.01	0.005	0.161	0.00	0.01	8.3	3.81	408.97	0	0.00	0.00	34	15.60	911.08
35	0.749	7.99	229	0.15	0.01	0.005	0.166	0.00	0.01	11.0	5.38	414.35	0	0.00	0.00	36	17.62	928.70
36	0.787	8.04	230	0.15	0.03	0.015	0.181	0.00	0.03	9.1	4.68	419.03	0	0.00	0.00	36	18.52	947.22
37	0.748	8.10	227	0.14	0.02	0.010	0.191	0.00	0.02	6.9	3.37	422.40	0	0.00	0.00	31	15.16	962.38
38	0.743	8.08	230	0.14	0.02	0.010	0.201	0.02	0.00	6.9	3.35	425.75	0	0.00	0.00	29	14.08	976.46
39	0.731	7.84	246	0.14	0.02	0.010	0.211	0.00	0.02	8.3	3.97	429.72	0	0.00	0.00	28	13.38	989.84
40	0.751	8.09	223	0.14	0.03	0.015	0.226	0.01	0.02	6.9	3.39	433.11	0	0.00	0.00	28	13.74	1003.58
41	0.768	7.82	259	0.14	0.02	0.010	0.236	0.02	0.00	7.1	3.56	436.67	0	0.00	0.00	31	15.56	1019.14
42	0.767	7.93	263	0.15	0.04	0.020	0.256	0.01	0.03	7.4	3.71	440.38	0	0.00	0.00	30	15.04	1034.18
43	0.719	8.32	205	0.13	0.03	0.014	0.270	0.02	0.01	6.1	2.87	443.25	0	0.00	0.00	27	12.69	1046.87
44	0.773	7.89	208	0.14	0.04	0.020	0.290	0.01	0.03	11.0	5.56	448.81	0	0.00	0.00	32	16.17	1063.04

Test Terminated





Table 16 - Humidity Cell Analytical Results, SRK 0854

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.680	4.43	277	2.78	15.25	6.913	6.913	2.62	12.63	2300.0	1042.67	1042.67	1080	489.60	489.60	0	0.00	0.00
1	0.727	4.92	293	1.41	0.95	0.460	7.373	0.88	0.07	980.0	474.97	1517.64	260	126.01	615.61	2	0.97	0.97
2	0.707	5.52	331	0.72	0.46	0.217	7.590	0.10	0.36	430.0	202.67	1720.31	52	24.32	639.93	4	1.65	2.62
3	0.710	5.24	343	0.64	0.22	0.104	7.694	0.15	0.07	310.0	146.73	1867.04	72	34.08	674.01	12	5.68	8.30
4	0.718	5.20	352	0.57	0.62	0.297	7.991	0.12	0.50	290.0	138.81	2005.85	79	37.82	711.83	12	5.74	14.04
5	0.663	5.27	342	0.45	0.14	0.062	8.053	0.03	0.11	230.0	101.66	2107.51	69	30.50	742.33	12	5.30	19.34
6	0.692	5.28	340	0.45	0.23	0.106	8.159	0.08	0.15	240.0	110.72	2218.23	70	32.29	774.62	11	5.07	24.41
7	0.754	5.39	346	0.37	0.17	0.085	8.244	0.02	0.15	180.0	90.48	2308.71	60	30.16	804.78	13	6.53	30.94
8	0.702	5.41	349	0.34	0.30	0.140	8.384	0.10	0.20	160.0	74.88	2383.59	50	23.40	828.18	3	1.40	32.34
9	0.753	5.46	266	0.33	0.17	0.085	8.469	0.14	0.03	150.0	75.30	2458.89	48	24.10	852.28	3	1.51	33.85
10	0.724	5.39	310	0.32	0.11	0.053	8.522	0.07	0.04	130.0	62.75	2521.64	42	20.27	872.55	2	0.97	34.82
11	0.759	5.52	251	0.29	0.12	0.061	8.583	0.05	0.07	130.0	65.78	2587.42	40	20.24	892.79	3	1.52	36.34
12	0.716	5.43	325	0.25	0.10	0.048	8.631	0.10	0.00	100.0	47.73	2635.15	41	19.57	912.36	2	0.95	37.29
13	0.722	5.08	331	0.24	0.10	0.048	8.679	0.10	0.00	99.0	47.65	2682.80	44	21.18	933.54	1	0.48	37.77
14	0.683	5.15	372	0.27	0.17	0.077	8.756	0.02	0.15	120.0	54.64	2737.44	44	20.04	953.57	2	0.91	38.68
15	0.752	5.16	328	0.28	0.22	0.110	8.866	0.06	0.16	110.0	55.15	2792.59	49	24.57	978.14	1	0.50	39.18
16	0.749	5.45	364	0.25	0.25	0.125	8.991	0.03	0.22	100.0	49.93	2842.52	44	21.97	1000.11	3	1.50	40.68
17	0.745	5.46	424	0.26	0.16	0.079	9.070	0.10	0.06	110.0	54.63	2897.15	43	21.36	1021.47	2	0.99	41.67
18	0.713	5.41	419	0.26	0.18	0.086	9.156	0.16	0.02	110.0	52.29	2949.44	46	21.87	1043.33	3	1.43	43.10
19	0.737	5.29	419	0.31	0.26	0.128	9.284	0.14	0.12	130.0	63.87	3013.31	59	28.99	1072.32	2	0.98	44.08
20	0.694	5.30	344	0.32	0.31	0.143	9.427	0.18	0.13	130.0	60.15	3073.46	61	28.22	1100.54	2	0.93	45.01
21	0.746	5.22	366	0.35	0.28	0.139	9.566	0.19	0.09	140.0	69.63	3143.09	72	35.81	1136.35	2	0.99	46.00
22	0.688	5.19	368	0.32	0.82	0.376	9.942	0.29	0.53	130.0	59.63	3202.72	70	32.11	1168.46	2	0.92	46.92
23	0.700	5.12	357	0.39	1.31	0.611	10.553	0.25	1.06	160.0	74.67	3277.39	83	38.73	1207.19	2	0.93	47.85
24	0.691	5.19	374	0.35	0.93	0.428	10.981	0.30	0.63	180.0	82.92	3360.31	79	36.39	1243.58	2	0.92	48.77
25	0.693	5.02	333	0.34	0.90	0.416	11.397	0.22	0.68	160.0	73.92	3434.23	81	37.42	1281.01	3	1.39	50.16
26	0.689	5.06	348	0.36	1.72	0.790	12.187	0.35	1.37	150.0	68.90	3503.13	83	38.13	1319.13	2	0.92	51.08
27	0.681	5.12	341	0.34	1.08	0.490	12.677	0.52	0.56	150.0	68.10	3571.23	80	36.32	1355.45	2	0.91	51.99
28	0.701	5.02	350	0.37	1.05	0.491	13.168	0.23	0.82	160.0	74.77	3646.00	85	39.72	1395.17	2	0.93	52.92
29	0.733	5.16	351	0.35	0.95	0.464	13.632	0.26	0.69	150.0	73.30	3719.30	82	40.07	1435.25	3	1.47	54.39
30	0.740	5.23	359	0.33	0.82	0.405	14.037	0.16	0.66	130.0	64.13	3783.43	71	35.03	1470.27	3	1.48	55.87
31	0.722	5.24	370	0.31	0.80	0.385	14.422	0.09	0.71	120.0	57.76	3841.19	69	33.21	1503.48	3	1.44	57.31
32	0.691	5.20	357	0.31	0.94	0.433	14.855	0.19	0.75	120.0	55.28	3896.47	69	31.79	1535.27	3	1.38	58.69
33	0.708	5.19	352	0.34	0.91	0.430	15.285	0.08	0.83	140.0	66.08	3962.55	79	37.29	1572.56	3	1.42	60.11
34	0.709	5.19	368	0.33	1.61	0.761	16.046	0.07	1.54	130.0	61.45	4024.00	79	37.34	1609.90	3	1.42	61.53
35	0.738	5.16	345	0.25	1.38	0.679	16.725	0.44	0.94	130.0	63.96	4087.96	73	35.92	1645.82	2	0.98	62.51
36	0.725	5.19	347	0.22	1.26	0.609	17.334	0.15	1.11	120.0	58.00	4145.96	65	31.42	1677.23	2	0.97	63.48
37	0.713	5.24	371	0.22	0.49	0.233	17.567	0.11	0.38	120.0	57.04	4203.00	65	30.90	1708.13	3	1.43	64.91
38	0.729	5.26	340	0.21	0.75	0.365	17.932	0.22	0.53	99.0	48.11	4251.11	60	29.16	1737.29	2	0.97	65.88
39	0.701	5.21	362	0.20	0.82	0.383	18.315	0.26	0.56	100.0	46.73	4297.84	58	27.11	1764.39	2	0.93	66.81
40	0.696	5.32	349	0.20	0.41	0.190	18.505	0.19	0.22	95.0	44.08	4341.92	60	27.84	1792.23	2	0.93	67.74
41	0.731	5.29	362	0.21	0.80	0.390	18.895	0.33	0.47	92.0	44.83	4386.75	60	29.24	1821.47	2	0.97	68.71
42	0.681	5.27	377	0.21	0.58	0.263	19.158	0.41	0.17	97.0	44.04	4430.79	60	27.24	1848.71	2	0.91	69.62
43	0.640	5.27	343	0.21	0.94	0.401	19.559	0.69	0.25	120.0	51.20	4481.99	62	26.45	1875.17	2	0.85	70.47
44	0.784	5.14	357	0.19	1.05	0.549	20.108	0.25	0.80	110.0	57.49	4539.48	55	28.75	1903.91	1	0.52	70.99
45	0.702	5.20	366	0.25	1.02	0.477	20.585	0.25	0.77	110.0	51.48	4590.96	63	29.48	1933.40	2	0.94	71.93
46	0.685	5.27	353	0.21	0.39	0.178	20.763	0.26	0.13	97.0	44.30	4635.26	56	25.57	1958.97	2	0.91	72.84
47	0.774	5.24	360	0.22	0.71	0.366	21.129	0.35	0.36	84.0	43.34	4678.60	51	26.32	1985.29	2	1.03	73.87
48	0.758	5.27	344	0.17	1.34	0.677	21.806	0.28	1.06	79.0	39.92	4718.52	46	23.25	2008.53	2	1.01	74.88
49	0.711	5.25	340	0.20	1.48	0.702	22.508	0.34	1.14	84.0	39.82	4758.34	48	22.75	2031.28	2	0.95	75.83
50	0.734	5.30	364	0.18	0.83	0.406	22.914	0.30	0.53	70.0	34.25	4792.59	47	23.00	2054.28	2	0.98	76.81
51	0.728	5.25	327	0.17	0.59	0.286	23.200	0.26	0.33	66.0	32.03	4824.62	44	21.36	2075.64	2	0.97	77.78
52	0.731	5.29	346	0.18	0.80	0.390	23.590	0.13	0.67	50.0	24.37	4848.99	43	20.96	2096.59	2	0.97	78.75
53	0.725	5.31	334	0.19	0.83	0.401	23.991	0.20	0.63	62.0	29.97	4878.96	39	18.85	2115.44	2	0.97	79.72
54	0.748	5.32	360	0.22	0.33	0.165	24.156	0.19	0.14	59.0	29.42	4908.38	41	20.45	2135.89	3	1.50	81.22
55	0.733	5.31	369	0.15	0.23	0.112	24.268	0.16	0.07	64.0	31.27	4939.65	40	19.55	2155.44	3	1.47	82.69
56	0.707	5.25	356	0.15	0.22	0.104	24.372	0.21	0.01	63.0	29.69	4969.34	40	18.85	2174.29	3	1.41	84.10
57	0.739	5.41	366	0.16	0.22	0.108	24.480	0.18	0.04	54.0	26.60	4995.94	40	19.71	2194.00	3	1.48	85.58
58	0.709	5.33	376	0.14	0.29	0.137	24.617	0.28	0.01	59.0	27.89	5023.83	37	17.49	2211.48	3	1.42	87.00
59	0.732	5.43	374	0.13	1.06	0.517	25.134	0.23	0.83	55.0	26.84	5050.67	37	18.06	2229.54	3	1.46	88.46
60	0.747	5.63	366	0.11	0.42	0.209	25.343	0.09	0.33	52.0	25.90	5076.57	31	15.44	2244.98	4	1.99	90.45
61	0.729	5.52	379	0.13	0.21	0.102	25.445	0.03	0.18	50.0	24.30	5100.87	34	16.52	2261.50	3	1.46	91.91
62	0.721	5.46	367	0.12	0.22	0.106	25.551	0.03	0.19	54.0	25.96	5126.83	38	18.27	2279.77	3	1.44	93.35
63	0.719	5.56	374	0.12	1.05	0.503	26.054	0.02	1.03	55.0	26.36	5153.19	37	17.74	2297.50	4	1.92	95.27
64	0.702	5.45	374	0.13	0.95	0.445	26.499	0.02	0.93	55.0	25.74	5178.93	36	16.85	2314.35	4	1.87	97.14
65	0.740	5.55	406	0.13	0.54	0.266	26.765	0.09	0.45	53.0	26.15	520						

Table 16 . - Humidity Cell Analytical Results, SRK 0854

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe				SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents			
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
71	0.677	5.39	305	0.14	1.40	0.632	28.574	0.07	1.33	50.0	22.57	5355.40	37	16.70	2432.32	2	0.90	106.58
72	0.666	5.43	337	0.15	0.47	0.209	28.783	0.16	0.31	68.0	30.19	5385.59	39	17.32	2449.64	3	1.33	107.91
73	0.668	5.42	350	0.14	0.62	0.276	29.059	0.14	0.48	74.0	32.95	5418.54	37	16.48	2466.11	3	1.34	109.25
74	0.625	5.50	352	0.14	0.36	0.150	29.209	0.08	0.28	58.0	24.17	5442.71	36	15.00	2481.11	3	1.25	110.50
75	0.672	5.60	315	0.15	0.47	0.211	29.420	0.15	0.32	58.0	25.98	5468.69	50	22.40	2503.51	5	2.24	112.74
76	0.730	5.65	313	0.15	0.64	0.311	29.731	0.10	0.54	60.0	29.20	5497.89	36	17.52	2521.03	5	2.43	115.17
77	0.717	5.37	329	0.13	2.01	0.961	30.692	0.14	1.87	46.0	21.99	5519.88	37	17.69	2538.72	2	0.96	116.13
78	0.667	5.22	325	0.12	0.70	0.311	31.003	0.14	0.56	58.0	25.79	5545.67	40	17.79	2556.51	2	0.89	117.02
79	0.628	5.22	345	0.13	0.44	0.184	31.187	0.02	0.42	50.0	20.93	5566.60	40	16.75	2573.25	2	0.84	117.86
80	0.775	5.26	350	0.13	0.53	0.274	31.461	0.03	0.50	56.0	28.93	5595.53	41	21.18	2594.44	2	1.03	118.89
81	0.674	5.17	331	0.14	1.83	0.822	32.283	0.17	1.66	52.0	23.37	5618.90	44	19.77	2614.21	2	0.90	119.79
82	0.566	5.22	352	0.17	1.39	0.524	32.807	0.21	1.18	58.0	21.89	5640.79	47	17.74	2631.94	2	0.75	120.54
83	0.610	5.19	350	0.17	0.63	0.256	33.063	0.22	0.41	76.0	30.91	5671.70	56	22.77	2654.72	2	0.81	121.35
84	0.668	5.14	342	0.20	0.95	0.423	33.486	0.35	0.60	88.0	39.19	5710.89	67	29.84	2684.55	2	0.89	122.24
85	0.669	5.09	336	0.22	1.32	0.589	34.075	0.49	0.83	98.0	43.71	5754.60	77	34.34	2718.89	2	0.89	123.13
86	0.745	5.19	358	0.21	1.07	0.531	34.606	0.38	0.69	92.0	45.69	5800.29	66	32.78	2751.67	2	0.99	124.12
87	0.694	5.19	352	0.20	2.72	1.258	35.864	0.29	2.43	90.0	41.64	5841.93	66	30.54	2782.21	2	0.93	125.05
88	0.666	5.10	349	0.19	1.08	0.480	36.344	0.37	0.71	94.0	41.74	5883.67	65	28.86	2811.07	2	0.89	125.94
89	0.541	5.17	359	0.20	1.78	0.642	36.986	0.31	1.47	86.0	31.02	5914.69	62	22.36	2833.43	2	0.72	126.66
90	0.592	5.18	337	0.20	1.19	0.470	37.456	0.28	0.91	98.0	38.68	5953.37	67	26.44	2859.87	2	0.79	127.45
91	0.644	5.06	348	0.21	1.45	0.623	38.079	0.41	1.04	102.0	43.79	5997.16	68	29.20	2889.07	2	0.86	128.31
92	0.544	5.17	360	0.20	1.95	0.707	38.786	0.29	1.66	88.0	31.91	6029.07	65	23.57	2912.64	2	0.73	129.04
93	0.486	5.15	399	0.21	1.62	0.525	39.311	0.50	1.12	102.0	33.05	6062.12	71	23.00	2935.65	4	1.30	130.34
94	0.628	5.09	358	0.18	2.53	1.059	40.370	0.20	2.33	76.0	31.82	6093.94	52	21.77	2957.42	2	0.84	131.18
95	0.674	5.17	363	0.16	1.99	0.894	41.264	0.21	1.78	72.0	32.35	6126.29	50	22.47	2979.88	2	0.90	132.08
96	0.627	5.09	360	0.18	1.59	0.665	41.929	0.19	1.40	82.0	34.28	6160.57	54	22.57	3002.46	2	0.84	132.92

test terminated





Table 17. - Humidity Cell Analytical Results, SRK 0858 (1,4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.667	3.73	357	0.87	19.50	8.729	8.729	1.95	17.55	490.0	219.35	219.35	184	82.37	82.37	0	0.00	0.00
1	0.696	4.14	277	0.73	21.90	10.230	18.959	2.17	19.73	450.0	210.20	429.55	286	133.60	215.96	0	0.00	0.00
2	0.709	4.39	310	0.31	4.76	2.265	21.224	1.06	3.70	160.0	76.13	505.68	243	115.68	331.64	0	0.00	0.00
3	0.714	4.41	301	0.27	1.78	0.853	22.077	0.57	1.21	140.0	67.09	572.77	108	51.75	383.39	0	0.00	0.00
4	0.701	4.16	323	0.25	0.43	0.202	22.279	0.32	0.11	100.0	47.05	619.82	94	44.22	427.62	0	0.00	0.00
5	0.700	4.31	301	0.20	0.32	0.150	22.429	0.31	0.01	73.0	34.30	654.12	74	34.77	462.38	0	0.00	0.00
6	0.688	5.22	310	0.18	0.07	0.032	22.461	0.06	0.01	56.0	25.86	679.98	52	24.01	486.39	12	5.54	5.54
7	0.740	5.03	340	0.19	0.03	0.015	22.476	0.00	0.03	63.0	31.29	711.27	49	24.34	510.73	9	4.47	10.01
8	0.652	4.68	379	0.22	0.07	0.031	22.507	0.01	0.06	87.0	38.07	749.34	50	21.88	532.61	1	0.44	10.45
9	0.703	4.42	331	0.31	0.02	0.009	22.516	0.01	0.01	120.0	56.62	805.96	62	29.25	561.86	0	0.00	10.45
10	0.725	3.59	445	0.63	1.15	0.560	23.076	0.27	0.88	140.0	68.12	874.08	127	61.80	623.65	0	0.00	10.45
11	0.739	3.24	353	0.95	0.98	0.486	23.562	0.15	0.83	730.0	362.06	1236.14	194	96.22	719.87	0	0.00	10.45
12	0.696	3.59	526	0.51	2.44	1.140	24.702	0.23	2.21	200.0	93.42	1329.56	95	44.38	764.25	0	0.00	10.45
13	0.713	3.05	549	0.53	2.20	1.053	25.755	0.20	2.00	200.0	95.70	1425.26	99	47.37	811.62	0	0.00	10.45
14	0.726	3.16	569	0.59	3.55	1.730	27.485	0.16	3.39	310.0	151.05	1576.31	113	55.06	866.68	0	0.00	10.45
15	0.719	3.27	554	0.68	4.45	2.147	29.632	0.26	4.19	230.0	110.99	1687.30	140	67.56	934.24	0	0.00	10.45
16	0.706	3.11	566	0.72	6.95	3.293	32.925	0.28	6.67	270.0	127.93	1815.23	136	64.44	998.68	0	0.00	10.45
17	0.670	3.10	549	0.69	5.25	2.361	35.286	0.28	4.97	230.0	103.42	1918.65	125	56.21	1054.89	0	0.00	10.45
18	0.697	3.08	568	0.64	6.05	2.830	38.116	0.21	5.84	220.0	102.91	2021.56	126	58.94	1113.83	0	0.00	10.45
19	0.716	3.00	573	0.80	7.50	3.604	41.720	0.28	7.22	220.0	105.72	2127.28	150	72.08	1185.91	0	0.00	10.45
20	0.671	3.04	542	0.69	4.80	2.162	43.882	0.19	4.61	180.0	81.06	2208.34	123	55.39	1241.30	0	0.00	10.45
21	0.698	2.82	582	1.09	10.45	4.895	48.777	0.51	9.94	280.0	131.17	2339.51	227	106.34	1347.64	0	0.00	10.45
22	0.673	2.84	588	1.02	9.45	4.268	53.045	0.42	9.03	270.0	121.95	2461.46	206	93.05	1440.69	0	0.00	10.45
23	0.661	2.71	598	1.34	20.90	9.272	62.317	0.68	20.22	350.0	155.27	2616.73	286	126.88	1567.56	0	0.00	10.45
24	0.617	2.75	599	1.30	20.10	8.323	70.640	0.61	19.49	410.0	169.78	2786.51	266	110.15	1677.71	0	0.00	10.45
25	0.639	2.67	595	1.28	24.50	10.507	81.147	0.63	23.87	450.0	192.99	2979.50	288	123.51	1801.22	0	0.00	10.45
26	0.670	2.65	592	1.40	33.60	15.109	96.256	0.95	32.65	540.0	242.82	3222.32	347	156.03	1957.26	0	0.00	10.45
27	0.647	2.66	600	1.35	29.80	12.940	109.196	0.86	28.94	570.0	247.51	3469.83	293	127.23	2084.49	0	0.00	10.45
28	0.650	2.64	609	1.39	32.20	14.047	123.243	0.91	31.29	460.0	200.67	3670.50	315	137.42	2221.90	0	0.00	10.45
29	0.654	2.62	594	1.53	39.00	17.118	140.361	0.97	38.03	540.0	237.02	3907.52	347	152.31	2374.21	0	0.00	10.45
30	0.639	2.62	605	1.64	38.20	16.382	156.743	0.97	37.23	480.0	205.85	4113.37	340	145.81	2520.02	0	0.00	10.45
31	0.646	2.63	561	1.37	33.20	14.394	171.137	1.26	31.94	470.0	203.77	4317.14	287	124.43	2644.45	0	0.00	10.45
32	0.638	2.64	578	1.43	31.80	13.616	184.753	1.09	30.71	340.0	145.58	4462.72	278	119.04	2763.49	0	0.00	10.45
33	0.650	2.58	601	1.61	45.20	19.718	204.471	1.18	44.02	440.0	191.95	4654.67	353	153.99	2917.48	0	0.00	10.45
34	0.661	2.57	599	1.59	43.60	19.342	223.813	1.25	42.35	380.0	168.58	4823.25	342	151.72	3069.20	0	0.00	10.45
35	0.657	2.61	578	1.06	41.60	18.343	242.156	1.15	40.45	370.0	163.15	4986.40	314	138.46	3207.66	0	0.00	10.45
36	0.670	2.57	584	1.12	48.20	21.674	263.830	1.60	46.60	410.0	184.36	5170.76	327	147.04	3354.70	0	0.00	10.45
37	0.682	2.61	582	1.06	44.60	20.414	284.244	1.49	43.11	330.0	151.05	5321.81	304	139.15	3493.84	0	0.00	10.45
38	0.645	2.55	611	1.12	48.60	21.038	305.282	1.12	47.48	280.0	121.21	5443.02	335	145.02	3638.86	0	0.00	10.45
39	0.670	2.57	588	1.16	53.80	24.192	329.474	1.62	52.18	540.0	242.82	5685.84	340	152.89	3791.74	0	0.00	10.45
40	0.649	2.61	564	1.04	52.20	22.737	352.211	24.80	27.40	300.0	130.67	5816.51	308	134.16	3925.90	0	0.00	10.45
41	0.679	2.63	569	1.04	44.20	20.142	372.353	6.60	37.60	220.0	100.26	5916.77	282	128.51	4054.41	0	0.00	10.45
42	0.748	2.67	560	0.99	45.60	22.892	395.245	9.40	36.20	220.0	110.44	6027.21	261	131.03	4185.44	0	0.00	10.45
43	0.692	2.62	558	0.96	43.80	20.342	415.587	5.40	38.40	320.0	148.62	6175.83	270	125.40	4310.83	0	0.00	10.45
44	0.744	2.60	548	0.97	46.20	23.069	438.656	9.00	37.20	340.0	169.77	6345.60	280	139.81	4450.64	0	0.00	10.45
45	0.739	2.67	521	0.28	43.40	21.525	460.181	12.00	31.40	290.0	143.83	6489.43	265	131.43	4582.08	0	0.00	10.45
46	0.665	2.63	588	1.43	44.40	19.816	479.997	2.80	41.60	350.0	156.21	6645.64	298	133.00	4715.08	0	0.00	10.45
47	0.661	2.60	609	1.69	44.20	19.608	499.605	2.60	41.60	580.0	257.30	6902.94	339	150.39	4865.47	0	0.00	10.45
48	0.677	2.58	568	1.46	43.80	19.901	519.506	5.40	38.40	350.0	159.03	7061.97	317	144.03	5009.50	0	0.00	10.45
49	0.651	2.55	578	1.70	53.80	23.506	543.012	5.05	51.75	600.0	262.15	7324.12	368	160.78	5170.28	0	0.00	10.45
50	0.648	2.57	568	1.55	51.20	22.267	565.279	2.95	48.25	360.0	156.56	7480.68	346	150.48	5320.76	0	0.00	10.45
51	0.662	2.57	574	1.56	51.40	22.837	588.116	1.95	49.45	380.0	168.83	7649.51	322	143.06	5463.82	0	0.00	10.45
52	0.669	2.56	575	1.77	53.20	23.886	612.002	4.20	49.00	300.0	134.70	7784.21	338	151.76	5615.58	0	0.00	10.45
53	0.648	2.56	593	1.91	55.80	24.267	636.269	1.90	53.90	390.0	169.61	7953.82	353	153.52	5769.10	0	0.00	10.45
54	0.666	2.54	569	1.78	59.50	26.595	662.864	4.31	55.19	410.0	183.26	8137.08	374	167.17	5936.27	0	0.00	10.45
55	0.674	2.56	581	1.53	59.00	26.689	689.553	2.90	56.10	420.0	189.99	8327.07	363	164.20	6100.47	0	0.00	10.45
56	0.668	2.54	568	1.53	55.25	24.770	714.323	4.35	50.90	390.0	174.85	8501.92	344	154.22	6254.70	0	0.00	10.45
57	0.731	2.62	541	1.52	59.50	29.191	743.514	8.80	50.70	300.0	147.18	8649.10	307	150.62	6405.31	0	0.00	10.45
58	0.700	2.59	531	1.35	54.75	25.721	769.235	8.85	45.90	350.0	164.43	8813.53	286	134.36	6539.67	0	0.00	10.45
59	0.689	2.54	550	1.40	50.50	23.352	792.587	4.35	46.15	320.0	147.97	8961.50	295	136.41	6676.09	0	0.00	10.45
60	0.675	2.53	555	1.37	48.50	21.971	814.558	3.75	44.75	380.0	172.15	9133.65	302	136.81	6812.90	0	0.00	10.45
61	0.671	2.49	559	1.60	52.00	23.417	837.975	5.00	47.00	380.0	171.13	9304.78	334	150.41	6963.31	0	0.00	10.45

Table 17. - Humidity Cell Analytical Results, SRK 0858

(1.4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe		Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =		Acidity, CaCO ₃ Equivalents		Alkalinity, CaCO ₃ Equivalents	
					mg/l	mg/kg			Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg





Table 18 - Humidity Cell Analytical Results, SRK 0864

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.682	7.77	210	0.54	0.00	0.000	0.000	0.00	0.00	210.0	95.48	95.48	0	0.00	0.00	38	17.28	17.28
1	0.665	7.43	138	0.67	0.00	0.000	0.000	0.00	0.00	350.0	155.17	250.65	0	0.00	0.00	30	13.30	30.58
2	0.724	7.72	210	0.33	0.00	0.000	0.000	0.00	0.00	140.0	67.57	318.22	0	0.00	0.00	33	16.12	46.70
3	0.725	7.97	108	0.19	0.01	0.005	0.005	0.01	0.00	39.0	18.85	337.07	0	0.00	0.00	40	19.33	66.03
4	0.704	8.11	130	0.17	0.01	0.005	0.010	0.00	0.01	17.0	7.98	345.05	0	0.00	0.00	36	16.90	82.93
5	0.606	8.01	187	0.16	0.00	0.000	0.010	0.00	0.00	12.0	4.85	349.90	0	0.00	0.00	28	11.31	94.24
6	0.747	7.94	121	0.16	0.00	0.000	0.010	0.00	0.00	9.7	4.83	354.73	0	0.00	0.00	35	17.43	111.67
7	0.740	7.83	193	0.17	0.00	0.000	0.010	0.00	0.00	6.8	3.35	358.08	0	0.00	0.00	34	16.77	128.44
8	0.692	7.81	234	0.16	0.00	0.000	0.010	0.00	0.00	6.5	3.00	361.08	0	0.00	0.00	27	12.46	140.90
9	0.684	7.86	176	0.17	0.00	0.000	0.010	0.00	0.00	7.6	3.47	364.55	0	0.00	0.00	29	13.22	154.12
10	0.692	7.55	286	0.17	0.00	0.000	0.010	0.00	0.00	9.1	4.20	368.75	0	0.00	0.00	28	12.92	167.04
11	0.748	7.83	165	0.16	0.00	0.000	0.010	0.00	0.00	9.3	4.64	373.39	0	0.00	0.00	31	15.46	182.50
12	0.671	7.61	273	0.15	0.00	0.000	0.010	0.00	0.00	7.1	3.18	376.57	0	0.00	0.00	23	10.29	192.79
13	0.701	7.61	210	0.15	0.01	0.005	0.015	0.01	0.00	6.9	3.22	379.79	0	0.00	0.00	24	11.22	204.01
14	0.671	7.70	163	0.15	0.01	0.004	0.019	0.00	0.01	6.4	2.86	382.65	0	0.00	0.00	24	10.74	214.75
15	0.723	7.39	167	0.16	0.02	0.010	0.029	0.01	0.01	6.5	3.13	385.78	0	0.00	0.00	30	14.46	229.21
16	0.729	7.76	304	0.16	0.00	0.000	0.029	0.00	0.00	5.4	2.62	388.40	0	0.00	0.00	30	14.58	243.79
17	0.693	7.89	384	0.15	0.02	0.009	0.038	0.00	0.02	5.3	2.45	390.85	0	0.00	0.00	28	12.94	256.73
18	0.679	7.94	391	0.15	0.00	0.000	0.038	0.00	0.00	4.9	2.22	393.07	0	0.00	0.00	29	13.13	269.86
19	0.699	7.90	378	0.16	0.00	0.000	0.038	0.00	0.00	4.5	2.10	395.17	0	0.00	0.00	31	14.45	284.31
20	0.702	7.94	148	0.15	0.01	0.005	0.043	0.01	0.00	4.4	2.06	397.23	0	0.00	0.00	29	13.57	297.88
21	0.736	8.00	210	0.16	0.01	0.005	0.048	0.00	0.01	4.6	2.26	399.49	0	0.00	0.00	31	15.21	313.09
22	0.661	7.96	218	0.15	0.02	0.009	0.057	0.00	0.02	3.8	1.67	401.16	0	0.00	0.00	25	11.02	324.11
23	0.620	7.94	189	0.15	0.02	0.008	0.065	0.01	0.01	3.5	1.45	402.61	0	0.00	0.00	23	9.51	333.62
24	0.735	7.81	209	0.16	0.02	0.010	0.075	0.01	0.01	4.0	1.96	404.57	0	0.00	0.00	28	13.72	347.34
25	0.758	7.86	215	0.16	0.01	0.005	0.080	0.00	0.01	3.8	1.92	406.49	0	0.00	0.00	30	15.16	362.50
26	0.647	7.88	250	0.15	0.01	0.004	0.084	0.00	0.01	3.2	1.38	407.87	0	0.00	0.00	23	9.92	372.42
27	0.606	7.84	226	0.15	0.06	0.024	0.108	0.02	0.04	4.6	1.86	409.73	0	0.00	0.00	23	9.29	381.71
28	0.644	7.82	227	0.16	0.01	0.004	0.112	0.01	0.00	3.2	1.37	411.10	0	0.00	0.00	25	10.73	392.44
29	0.714	7.87	215	0.17	0.02	0.010	0.122	0.01	0.01	3.5	1.67	412.77	0	0.00	0.00	30	14.28	406.72
30	0.696	7.77	219	0.17	0.02	0.009	0.131	0.00	0.02	2.6	1.21	413.98	0	0.00	0.00	24	11.14	417.86
31	0.646	7.79	222	0.16	0.00	0.000	0.131	0.00	0.00	3.4	1.46	415.44	0	0.00	0.00	20	8.61	426.47
32	0.608	7.87	215	0.16	0.02	0.008	0.139	0.01	0.01	2.1	0.85	416.29	0	0.00	0.00	22	8.92	435.39
33	0.650	7.90	203	0.16	0.01	0.004	0.143	0.00	0.01	2.1	0.91	417.20	0	0.00	0.00	30	13.00	448.39
34	0.709	7.93	221	0.17	0.03	0.014	0.157	0.00	0.03	12.0	5.67	422.87	0	0.00	0.00	34	16.07	464.46
35	0.696	7.81	235	0.14	0.04	0.019	0.176	0.00	0.04	1.6	0.74	423.61	0	0.00	0.00	29	13.46	477.92
36	0.668	7.88	229	0.14	0.03	0.013	0.189	0.00	0.03	1.7	0.76	424.37	0	0.00	0.00	31	13.81	491.73
37	0.710	7.79	250	0.14	0.00	0.000	0.189	0.00	0.00	1.9	0.90	425.27	0	0.00	0.00	30	14.20	505.93
38	0.681	7.90	235	0.14	0.00	0.000	0.189	0.00	0.00	1.7	0.77	426.04	0	0.00	0.00	33	14.98	520.91
39	0.667	7.73	281	0.14	0.03	0.013	0.202	0.01	0.02	1.9	0.84	426.88	0	0.00	0.00	29	12.90	533.81
40	0.737	7.76	262	0.14	0.04	0.020	0.222	0.00	0.04	1.4	0.69	427.57	0	0.00	0.00	30	14.74	548.55
41	0.674	7.79	269	0.14	0.01	0.004	0.226	0.01	0.00	1.2	0.54	428.11	0	0.00	0.00	27	12.13	560.68
42	0.669	7.79	267	0.14	0.04	0.018	0.244	0.02	0.02	1.2	0.54	428.65	0	0.00	0.00	26	11.60	572.28
43	0.588	7.78	244	0.13	0.02	0.008	0.252	0.00	0.02	1.6	0.63	429.28	0	0.00	0.00	24	9.41	581.69
44	0.685	7.71	276	0.13	0.05	0.023	0.275	0.02	0.03	2.1	0.96	430.24	0	0.00	0.00	24	10.96	592.65

Test Terminated





Table 19 - Humidity Cell Analytical Results, SRK 0866

(1,4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.698	7.36	216	0.34	0.00	0.000	0.000	0.00	0.00	87.0	40.76	40.76	0	0.00	0.00	26	12.18	12.18
1	0.689	7.69	173	0.35	0.01	0.005	0.005	0.00	0.01	130.0	60.11	100.87	0	0.00	0.00	20	9.25	21.43
2	0.736	7.77	222	0.19	0.00	0.000	0.005	0.00	0.00	53.0	26.18	127.05	0	0.00	0.00	26	12.84	34.27
3	0.762	7.66	191	0.16	0.02	0.010	0.015	0.00	0.02	17.0	8.69	135.74	0	0.00	0.00	27	13.81	48.08
4	0.728	7.72	204	0.16	0.02	0.010	0.025	0.01	0.01	13.0	6.35	142.09	0	0.00	0.00	25	12.21	60.29
5	0.714	7.73	184	0.15	0.00	0.000	0.025	0.00	0.00	9.0	4.31	146.40	0	0.00	0.00	21	10.06	70.35
6	0.731	7.78	111	0.16	0.03	0.015	0.040	0.00	0.03	14.0	6.87	153.27	0	0.00	0.00	22	10.79	81.14
7	0.722	7.64	186	0.17	0.00	0.000	0.040	0.00	0.00	22.0	10.66	163.93	0	0.00	0.00	21	10.18	91.32
8	0.752	7.49	238	0.18	0.00	0.000	0.040	0.00	0.00	36.0	18.17	182.10	0	0.00	0.00	15	7.57	98.89
9	0.729	7.57	187	0.19	0.00	0.000	0.040	0.00	0.00	45.0	22.02	204.12	1	0.49	0.49	13	6.36	105.25
10	0.739	7.38	280	0.19	0.00	0.000	0.040	0.00	0.00	45.0	22.32	226.44	3	1.49	1.98	11	5.46	110.71
11	0.754	7.69	168	0.18	0.00	0.000	0.040	0.00	0.00	43.0	21.76	248.20	4	2.02	4.00	13	6.58	117.29
12	0.712	7.16	288	0.17	0.01	0.005	0.045	0.00	0.01	34.0	16.25	264.45	4	1.91	5.91	10	4.78	122.07
13	0.728	6.91	289	0.16	0.01	0.005	0.050	0.00	0.01	30.0	14.66	279.11	4	1.95	7.87	10	4.89	126.96
14	0.742	7.05	234	0.16	0.00	0.000	0.050	0.00	0.00	28.0	13.94	293.05	0	0.00	7.87	10	4.98	131.94
15	0.752	7.22	259	0.16	0.00	0.000	0.050	0.00	0.00	26.0	13.12	306.17	14	7.07	14.93	11	5.55	137.49
16	0.745	7.26	343	0.16	0.02	0.010	0.060	0.01	0.01	24.0	12.00	318.17	0	0.00	14.93	10	5.00	142.49
17	0.740	7.46	377	0.16	0.01	0.005	0.065	0.00	0.01	22.0	10.93	329.10	0	0.00	14.93	9	4.47	146.96
18	0.743	7.66	409	0.15	0.00	0.000	0.065	0.00	0.00	24.0	11.97	341.07	2	1.00	15.93	8	3.99	150.95
19	0.729	7.18	400	0.16	0.02	0.010	0.075	0.00	0.02	22.0	10.76	351.83	2	0.98	16.91	8	3.91	154.86
20	0.739	7.93	247	0.16	0.01	0.005	0.080	0.00	0.01	22.0	10.91	362.74	4	1.98	18.89	8	3.97	158.83
21	0.779	7.24	270	0.16	0.00	0.000	0.080	0.00	0.00	23.0	12.02	374.76	17	8.89	27.78	8	4.18	163.01
22	0.698	7.23	254	0.15	0.00	0.000	0.080	0.00	0.00	20.0	9.37	384.13	14	6.56	34.34	7	3.28	166.29
23	0.715	7.11	234	0.16	0.01	0.005	0.085	0.01	0.00	21.0	10.08	394.21	4	1.92	36.26	7	3.36	169.65
24	0.728	7.69	297	0.16	0.01	0.005	0.090	0.00	0.01	22.0	10.75	404.96	35	17.10	53.36	7	3.42	173.07
25	0.731	6.98	233	0.15	0.07	0.034	0.124	0.00	0.07	18.0	8.83	413.79	6	2.94	56.30	8	3.92	176.99
26	0.723	7.00	302	0.15	0.01	0.005	0.129	0.00	0.01	18.0	8.73	422.52	3	1.46	57.76	6	2.91	179.90
27	0.727	7.09	260	0.15	0.02	0.010	0.139	0.00	0.02	18.0	8.78	431.30	1	0.49	58.25	6	2.93	182.83
28	0.743	6.90	262	0.15	0.02	0.010	0.149	0.02	0.00	16.0	7.98	439.28	2	1.00	59.24	6	2.99	185.82
29	0.715	7.19	262	0.15	0.02	0.010	0.159	0.00	0.02	16.0	7.68	446.96	3	1.44	60.68	7	3.36	189.18
30	0.717	7.19	246	0.15	0.00	0.000	0.159	0.00	0.00	15.0	7.22	454.18	3	1.44	62.13	7	3.37	192.55
31	0.742	7.13	239	0.15	0.04	0.020	0.179	0.00	0.04	15.0	7.47	461.65	4	1.99	64.12	6	2.99	195.54
32	0.730	6.90	254	0.15	0.00	0.000	0.179	0.00	0.00	13.0	6.37	468.02	1	0.49	64.61	5	2.45	197.99
33	0.686	7.12	234	0.15	0.00	0.000	0.179	0.00	0.00	12.0	5.52	473.54	2	0.92	65.53	6	2.76	200.75
34	0.712	7.17	265	0.15	0.00	0.000	0.179	0.00	0.00	12.0	5.73	479.27	1	0.48	66.01	6	2.87	203.62
35	0.705	6.69	282	0.13	0.02	0.009	0.188	0.00	0.02	10.0	4.73	484.00	2	0.95	66.95	5	2.37	205.99
36	0.705	6.89	284	0.13	0.00	0.000	0.188	0.00	0.00	10.0	4.73	488.73	1	0.47	67.43	5	2.37	208.36
37	0.708	6.89	282	0.12	0.01	0.005	0.193	0.00	0.01	7.8	3.71	492.44	0	0.00	67.43	6	2.85	211.21
38	0.734	6.81	272	0.12	0.04	0.020	0.213	0.02	0.02	7.5	3.69	496.13	2	0.99	68.41	6	2.96	214.17
39	0.736	6.77	321	0.12	0.02	0.010	0.223	0.02	0.00	8.0	3.95	500.08	1	0.49	68.91	6	2.96	217.13
40	0.651	6.83	309	0.11	0.01	0.004	0.227	0.01	0.00	5.5	2.40	502.48	2	0.87	69.78	5	2.18	219.31
41	0.645	6.99	313	0.12	0.03	0.013	0.240	0.01	0.02	5.6	2.42	504.90	0	0.00	69.78	6	2.60	221.91
42	0.720	6.88	319	0.12	0.04	0.019	0.259	0.03	0.01	5.4	2.61	507.51	1	0.48	70.26	5	2.42	224.33
43	0.585	6.74	300	0.11	0.02	0.008	0.267	0.02	0.00	6.2	2.43	509.94	2	0.79	71.05	4	1.57	225.90
44	0.646	6.49	304	0.12	0.03	0.013	0.280	0.01	0.02	6.9	2.99	512.93	1	0.43	71.48	3	1.30	227.20

Test Terminated





Table 20 . - Humidity Cell Analytical Results, SRK 0867

(1.4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ ⁼			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.689	5.29	248	0.99	4.26	1.970	1.970	0.50	3.76	780.0	360.68	360.68	88	40.69	40.69	6	2.77	2.77
1	0.678	6.83	261	1.01	0.02	0.009	1.979	0.01	0.01	630.0	286.67	647.35	4	1.82	42.51	14	6.37	9.14
2	0.659	7.17	232	0.90	0.04	0.018	1.997	0.01	0.03	570.0	252.10	899.45	4	1.59	44.11	17	7.65	16.79
3	0.747	7.17	243	0.93	0.08	0.040	2.037	0.01	0.07	510.0	255.68	1155.13	0	0.00	44.11	24	12.03	28.82
4	0.695	7.40	214	0.69	0.03	0.014	2.051	0.00	0.03	350.0	163.26	1318.39	2	0.93	45.04	20	9.33	38.15
5	0.642	7.37	193	0.42	0.00	0.000	2.051	0.00	0.00	170.0	73.25	1391.64	4	1.72	46.76	20	8.62	46.77
6	0.688	7.51	115	0.36	0.00	0.000	2.051	0.00	0.00	150.0	69.26	1460.90	2	0.92	47.68	20	9.23	56.00
7	0.736	7.65	184	0.33	0.00	0.000	2.051	0.00	0.00	130.0	64.21	1525.11	0	0.00	47.68	26	12.84	68.84
8	0.697	7.57	238	0.31	0.01	0.005	2.056	0.00	0.01	120.0	56.13	1581.24	0	0.00	47.68	24	11.23	80.07
9	0.712	7.84	170	0.30	0.00	0.000	2.056	0.00	0.00	110.0	52.56	1633.80	0	0.00	47.68	26	12.42	92.49
10	0.722	7.71	251	0.30	0.00	0.000	2.056	0.00	0.00	96.0	46.52	1680.32	0	0.00	47.68	25	12.11	104.60
11	0.749	7.94	154	0.28	0.00	0.000	2.056	0.00	0.00	84.0	42.23	1722.55	0	0.00	47.68	30	15.08	119.68
12	0.717	7.52	249	0.24	0.01	0.005	2.061	0.00	0.01	76.0	36.57	1759.12	0	0.00	47.68	24	11.55	131.23
13	0.749	7.33	248	0.22	0.01	0.005	2.066	0.00	0.01	64.0	32.17	1791.29	0	0.00	47.68	22	11.06	142.29
14	0.664	7.68	158	0.22	0.01	0.004	2.070	0.00	0.01	62.0	27.63	1818.92	1	0.45	48.13	20	8.91	151.20
15	0.747	7.72	209	0.21	0.04	0.020	2.090	0.00	0.04	57.0	28.58	1847.50	0	0.00	48.13	25	12.53	163.73
16	0.709	7.58	322	0.20	0.03	0.014	2.104	0.00	0.03	50.0	23.79	1871.29	0	0.00	48.13	24	11.42	175.15
17	0.692	7.68	359	0.19	0.00	0.000	2.104	0.00	0.00	46.0	21.36	1892.65	0	0.00	48.13	21	9.75	184.90
18	0.675	7.71	379	0.19	0.00	0.000	2.104	0.00	0.00	50.0	22.65	1915.30	0	0.00	48.13	20	9.06	193.96
19	0.715	7.65	373	0.20	0.00	0.000	2.104	0.00	0.00	50.0	23.99	1939.29	0	0.00	48.13	25	12.00	205.96
20	0.676	7.69	248	0.20	0.03	0.014	2.118	0.00	0.03	48.0	21.78	1961.07	0	0.00	48.13	20	9.07	215.03
21	0.742	7.66	224	0.20	0.00	0.000	2.118	0.00	0.00	44.0	21.91	1982.98	0	0.00	48.13	25	12.45	227.48
22	0.693	7.66	204	0.20	0.02	0.009	2.127	0.00	0.02	43.0	20.00	2002.98	6	2.79	50.92	23	10.70	238.18
23	0.681	7.57	230	0.20	0.01	0.005	2.132	0.01	0.00	40.0	18.28	2021.26	6	2.74	53.66	22	10.06	248.24
24	0.728	7.86	224	0.18	0.02	0.010	2.142	0.01	0.01	37.0	18.08	2039.34	33	16.12	69.79	16	7.82	256.06
25	0.625	7.55	195	0.19	0.00	0.000	2.142	0.00	0.00	42.0	17.62	2056.96	13	5.45	75.24	19	7.97	264.03
26	0.682	7.66	279	0.19	0.00	0.000	2.142	0.00	0.00	36.0	16.48	2073.44	0	0.00	75.24	21	9.61	273.64
27	0.670	7.61	236	0.18	0.01	0.004	2.146	0.00	0.01	38.0	17.09	2090.53	0	0.00	75.24	18	8.09	281.73
28	0.677	7.54	225	0.18	0.02	0.009	2.155	0.00	0.02	32.0	14.54	2105.07	0	0.00	75.24	17	7.72	289.45
29	0.626	7.63	231	0.18	0.02	0.008	2.163	0.01	0.01	35.0	14.70	2119.77	0	0.00	75.24	19	7.98	297.43
30	0.691	7.68	221	0.19	0.03	0.014	2.177	0.03	0.00	31.0	14.38	2134.15	0	0.00	75.24	22	10.20	307.63
31	0.688	7.73	215	0.18	0.02	0.009	2.186	0.00	0.02	31.0	14.31	2148.46	0	0.00	75.24	18	8.31	315.94
32	0.611	7.59	232	0.17	0.00	0.000	2.186	0.00	0.00	24.0	9.84	2158.30	0	0.00	75.24	16	6.56	322.50
33	0.687	7.72	219	0.18	0.00	0.000	2.186	0.00	0.00	26.0	11.99	2170.29	0	0.00	75.24	21	9.68	332.18
34	0.695	7.75	240	0.18	0.00	0.000	2.186	0.00	0.00	24.0	11.19	2181.48	0	0.00	75.24	25	11.66	343.84
35	0.700	7.58	257	0.16	0.01	0.005	2.191	0.00	0.01	23.0	10.81	2192.29	0	0.00	75.24	21	9.87	353.71
36	0.688	7.63	249	0.16	0.02	0.009	2.200	0.00	0.02	22.0	10.16	2202.45	0	0.00	75.24	22	10.16	363.87
37	0.681	7.62	250	0.15	0.02	0.009	2.209	0.00	0.02	18.0	8.23	2210.68	0	0.00	75.24	22	10.06	373.93
38	0.656	7.65	250	0.15	0.00	0.000	2.209	0.00	0.00	19.0	8.37	2219.05	0	0.00	75.24	24	10.57	384.50
39	0.728	7.55	279	0.15	0.03	0.015	2.224	0.03	0.00	20.0	9.77	2228.82	0	0.00	75.24	23	11.24	395.74
40	0.690	7.66	263	0.15	0.04	0.019	2.243	0.00	0.04	17.0	7.87	2236.69	0	0.00	75.24	20	9.26	405.00
41	0.715	7.66	268	0.15	0.06	0.029	2.272	0.01	0.05	16.0	7.68	2244.37	0	0.00	75.24	25	12.00	417.00
42	0.706	7.68	278	0.15	0.04	0.019	2.291	0.01	0.03	15.0	7.11	2251.48	0	0.00	75.24	22	10.42	427.42
43	0.618	7.67	253	0.15	0.04	0.017	2.308	0.01	0.03	19.0	7.88	2259.36	0	0.00	75.24	23	9.54	436.96
44	0.713	7.61	267	0.14	0.02	0.010	2.318	0.01	0.01	19.0	9.09	2268.45	0	0.00	75.24	22	10.53	447.49
45	0.657	7.55	276	0.10	0.03	0.013	2.331	0.01	0.02	19.0	8.38	2276.83	0	0.00	75.24	24	10.58	458.07
46	0.683	7.59	246	0.10	0.01	0.005	2.336	0.00	0.01	17.0	7.79	2284.62	0	0.00	75.24	26	11.92	469.99
47	0.663	7.56	277	0.12	0.05	0.022	2.358	0.02	0.03	18.0	8.01	2292.63	0	0.00	75.24	27	12.01	482.00
48	0.800	7.57	252	0.09	0.03	0.016	2.374	0.01	0.02	18.0	9.66	2302.29	0	0.00	75.24	22	11.81	493.81
49	0.648	7.55	227	0.10	0.07	0.030	2.404	0.01	0.06	19.0	8.26	2310.55	0	0.00	75.24	20	8.70	502.51
50	0.677	7.54	237	0.10	0.06	0.027	2.431	0.01	0.05	13.0	5.91	2316.46	0	0.00	75.24	23	10.45	512.96
51	0.720	7.59	241	0.11	0.07	0.034	2.465	0.01	0.06	15.0	7.25	2323.71	0	0.00	75.24	23	11.11	524.07
52	0.721	7.57	262	0.11	0.08	0.039	2.504	0.01	0.07	10.0	4.84	2328.55	0	0.00	75.24	22	10.65	534.72
53	0.681	7.65	232	0.12	0.07	0.032	2.536	0.01	0.06	14.0	6.40	2334.95	0	0.00	75.24	23	10.51	545.23
54	0.688	7.67	261	0.12	0.05	0.023	2.559	0.01	0.04	12.0	5.54	2340.49	0	0.00	75.24	24	11.08	556.31
55	0.745	7.69	270	0.09	0.06	0.030	2.589	0.01	0.05	13.0	6.50	2346.99	0	0.00	75.24	24	12.00	568.31

Test Terminated

Table 20 . - Humidity Cell Analytical Results, SRK 0867

(1.4900 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ ⁼			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg





Table 21 - Humidity Cell Analytical Results, SRK 0872

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.686	4.56	272	1.46	8.35	3.819	3.819	5.10	3.25	950.0	434.47	434.47	108	49.39	49.39	2	0.91	0.91
1	0.677	6.59	142	1.39	0.02	0.009	3.828	0.00	0.02	960.0	433.28	867.75	4	1.81	51.20	22	9.93	10.84
2	0.715	7.32	229	1.20	0.18	0.086	3.914	0.03	0.15	830.0	395.63	1263.38	1	0.48	51.67	21	9.91	20.75
3	0.696	7.20	262	1.10	0.03	0.014	3.928	0.00	0.03	630.0	292.32	1555.70	0	0.00	51.67	22	10.21	30.96
4	0.718	7.20	205	1.06	0.03	0.014	3.942	0.00	0.03	630.0	301.56	1857.26	4	1.92	53.59	21	10.05	41.01
5	0.656	7.24	232	0.81	0.08	0.035	3.977	0.00	0.08	460.0	201.17	2058.43	4	1.75	55.34	14	6.12	47.13
6	0.676	7.42	135	0.70	0.01	0.005	3.982	0.00	0.01	450.0	202.80	2261.23	5	2.25	57.59	14	6.31	53.44
7	0.741	7.47	183	0.78	0.00	0.000	3.982	0.00	0.00	450.0	222.30	2483.53	4	1.98	59.57	19	9.39	62.83
8	0.691	7.26	245	0.64	0.02	0.009	3.991	0.00	0.02	360.0	165.84	2649.37	2	0.92	60.49	11	5.07	67.90
9	0.704	7.41	196	0.64	0.00	0.000	3.991	0.00	0.00	310.0	145.49	2794.86	5	2.35	62.84	13	6.10	74.00
10	0.690	7.26	269	0.60	0.00	0.000	3.991	0.00	0.00	270.0	124.20	2919.06	2	0.92	63.76	13	5.98	79.98
11	0.746	7.64	180	0.54	0.00	0.000	3.991	0.00	0.00	240.0	119.36	3038.42	2	1.00	64.75	24	11.94	91.92
12	0.696	7.25	314	0.39	0.02	0.009	4.000	0.00	0.02	160.0	74.24	3112.66	6	2.78	67.53	15	6.96	98.88
13	0.684	7.10	242	0.29	0.01	0.005	4.005	0.01	0.00	110.0	50.16	3162.82	0	0.00	67.53	14	6.38	105.26
14	0.762	7.41	182	0.30	0.01	0.005	4.010	0.00	0.01	100.0	50.80	3213.62	0	0.00	67.53	21	10.67	115.93
15	0.719	7.37	285	0.26	0.02	0.010	4.020	0.02	0.00	84.0	40.26	3253.88	0	0.00	67.53	17	8.15	124.08
16	0.716	7.38	329	0.22	0.03	0.014	4.034	0.01	0.02	68.0	32.46	3286.34	0	0.00	67.53	18	8.59	132.67
17	0.704	7.49	356	0.21	0.00	0.000	4.034	0.00	0.00	61.0	28.63	3314.97	0	0.00	67.53	14	6.57	139.24
18	0.737	7.69	367	0.21	0.02	0.010	4.044	0.01	0.01	66.0	32.43	3347.40	0	0.00	67.53	19	9.34	148.58
19	0.754	7.41	375	0.22	0.02	0.010	4.054	0.01	0.01	64.0	32.17	3379.57	0	0.00	67.53	20	10.05	158.63
20	0.729	7.42	251	0.22	0.02	0.010	4.064	0.00	0.02	64.0	31.10	3410.67	0	0.00	67.53	20	9.72	168.35
21	0.756	7.36	268	0.23	0.01	0.005	4.069	0.00	0.01	66.0	33.26	3443.93	7	3.53	71.06	21	10.58	178.93
22	0.740	7.39	197	0.22	0.02	0.010	4.079	0.00	0.02	62.0	30.59	3474.52	1	0.49	71.56	20	9.87	188.80
23	0.758	7.37	226	0.23	0.04	0.020	4.099	0.02	0.02	60.0	30.32	3504.84	0	0.00	71.56	21	10.61	199.41
24	0.743	7.62	199	0.23	0.01	0.005	4.104	0.00	0.01	62.0	30.71	3535.55	0	0.00	71.56	22	10.90	210.31
25	0.733	7.40	162	0.21	0.04	0.020	4.124	0.02	0.02	57.0	27.85	3563.40	13	6.35	77.91	17	8.31	218.62
26	0.719	7.46	300	0.21	0.02	0.010	4.134	0.02	0.00	59.0	28.28	3591.68	0	0.00	77.91	17	8.15	226.77
27	0.740	7.39	251	0.21	0.02	0.010	4.144	0.01	0.01	60.0	29.60	3621.28	1	0.49	78.40	14	6.91	233.68
28	0.735	7.36	243	0.24	0.02	0.010	4.154	0.01	0.01	71.0	34.79	3656.07	0	0.00	78.40	14	6.86	240.54
29	0.677	7.34	234	0.20	0.03	0.014	4.168	0.02	0.01	53.0	23.92	3679.99	0	0.00	78.40	11	4.96	245.50
30	0.635	7.30	226	0.21	0.05	0.021	4.189	0.04	0.01	56.0	23.71	3703.70	0	0.00	78.40	11	4.66	250.16
31	0.782	7.43	192	0.24	0.05	0.026	4.215	0.02	0.03	66.0	34.41	3738.11	0	0.00	78.40	17	8.86	259.02
32	0.628	7.26	237	0.26	0.04	0.017	4.232	0.00	0.04	79.0	33.07	3771.18	0	0.00	78.40	10	4.19	263.21
33	0.787	7.44	228	0.24	0.00	0.000	4.232	0.00	0.00	66.0	34.63	3805.81	0	0.00	78.40	16	8.39	271.60
34	0.707	7.46	259	0.27	0.01	0.005	4.237	0.00	0.01	78.0	36.76	3842.57	0	0.00	78.40	18	8.48	280.08
35	0.724	7.28	277	0.20	0.05	0.024	4.261	0.03	0.02	84.0	40.54	3883.11	0	0.00	78.40	13	6.27	286.35
36	0.742	7.35	268	0.19	0.04	0.020	4.281	0.01	0.03	65.0	32.15	3915.26	0	0.00	78.40	20	9.89	296.24
37	0.745	7.25	283	0.18	0.02	0.010	4.291	0.00	0.02	62.0	30.79	3946.05	0	0.00	78.40	22	10.93	307.17
38	0.745	7.29	264	0.18	0.05	0.025	4.316	0.02	0.03	59.0	29.30	3975.35	0	0.00	78.40	21	10.43	317.60
39	0.718	7.25	296	0.18	0.05	0.024	4.340	0.04	0.01	59.0	28.24	4003.59	0	0.00	78.40	23	11.01	328.61
40	0.767	7.35	289	0.17	0.03	0.015	4.355	0.02	0.01	50.0	25.57	4029.16	0	0.00	78.40	23	11.76	340.37
41	0.734	7.28	296	0.17	0.06	0.029	4.384	0.03	0.03	48.0	23.49	4052.65	0	0.00	78.40	20	9.79	350.16
42	0.766	7.36	298	0.17	0.05	0.026	4.410	0.01	0.04	42.0	21.45	4074.10	0	0.00	78.40	18	9.19	359.35
43	0.696	7.32	263	0.17	0.08	0.037	4.447	0.03	0.05	50.0	23.20	4097.30	0	0.00	78.40	18	8.35	367.70
44	0.778	7.21	283	0.16	0.04	0.021	4.468	0.03	0.01	48.0	24.90	4122.20	0	0.00	78.40	12	6.22	373.92
45	0.707	7.11	295	0.21	0.04	0.019	4.487	0.04	0.00	52.0	24.51	4146.71	0	0.00	78.40	12	5.66	379.58
46	0.735	7.28	263	0.15	0.04	0.020	4.507	0.00	0.04	47.0	23.03	4169.74	0	0.00	78.40	17	8.33	387.91
47	0.776	7.24	301	0.16	0.02	0.010	4.517	0.01	0.01	42.0	21.73	4191.47	0	0.00	78.40	17	8.79	396.70
48	0.682	7.24	277	0.14	0.06	0.027	4.544	0.04	0.02	45.0	20.46	4211.93	0	0.00	78.40	12	5.46	402.16
49	0.819	7.32	230	0.15	0.04	0.022	4.566	0.01	0.03	40.0	21.84	4233.77	0	0.00	78.40	19	10.37	412.53
50	0.740	7.28	249	0.12	0.05	0.025	4.591	0.03	0.02	38.0	18.75	4252.52	0	0.00	78.40	10	4.93	417.46
51	0.727	7.10	263	0.21	0.07	0.034	4.625	0.03	0.04	39.0	18.90	4271.42	0	0.00	78.40	9	4.36	421.82
52	0.738	7.16	285	0.14	0.03	0.015	4.640	0.02	0.01	33.0	16.24	4287.66	0	0.00	78.40	10	4.92	426.74
53	0.649	7.22	244	0.13	0.05	0.022	4.662	0.04	0.01	35.0	15.14	4302.80	0	0.00	78.40	9	3.89	430.63
54	0.754	7.34	273	0.20	0.09	0.045	4.707	0.03	0.06	51.0	25.64	4328.44	0	0.00	78.40	14	7.04	437.67
55	0.734	7.27	286	0.21	0.09	0.044	4.751	0.03	0.06	42.0	20.55	4348.99	0	0.00	78.40	12	5.87	443.54
56	0.708	7.34	270	0.13	0.11	0.052	4.803	0.02	0.09	41.0	19.35	4368.34	0	0.00	78.40	14	6.61	450.15
57	0.703	7.45	269	0.14	0.08	0.037	4.840	0.03	0.05	34.0	15.93	4384.27	0	0.00	78.40	19	8.90	459.05
58	0.822	7.43	275	0.12	0.03	0.016	4.856	0.01	0.02	33.0	18.08	4402.35	0	0.00	78.40	20	10.96	470.01
59	0.696	7.40	266	0.12	0.03	0.014	4.870	0.01	0.02	34.0	15.78	4418.13	0	0.00	78.40	18	8.35	478.36
60	0.839	7.62	278	0.11	0.03	0.017	4.887	0.03	0.00	32.0	17.90	4436.03	0	0.00	78.40	22	12.31	496.67
61	0.754	7.42	273	0.11	0.05	0.025	4.912	0.00	0.05	34.0	17.09	4453.12	0	0.00	78.40	12	6.03	490.70
62	0.654	7.42	253	0.11	0.07	0.031	4.943	0.02	0.05	40.0	17.44	4470.56	0	0.00	78.40	12	5.23	501.93
63	0.746	7.51	274	0.12	0.04	0.020	4.963	0.00	0.04	41.0	20.39	4490.95	1	0.50	78.90	16	7.96	509.89
64	0.767	7.47	248	0.10	0.04	0.020	4.983	0.01	0.03	35.0	17.90	4508.85	0	0.00	78.90	14	7.16	517.05
65	0.727	7.44	291	0.11	0.03	0.015	4.998	0.01	0.02	37.0	17.93	4526.78	0	0.00	78.90	13	6.30	523.35
66	0.673	7.49	255	0.11	0.01	0.004	5.002	0.01	0.00	34.0	15.25	4542.03	0					

Table 21 - Humidity Cell Analytical Results, SRK 0872

(1.5000 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =		Cum. mg/kg	Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg		mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
71	0.786	7.46	208	0.11	0.08	0.042	5.103	0.00	0.08	31.0	16.24	4623.05	0	0.00	79.36	15	7.86	567.69
72	0.667	7.31	240	0.08	0.03	0.013	5.116	0.00	0.03	26.0	11.56	4634.61	1	0.45	79.81	8	3.56	571.25
73	0.668	7.28	238	0.08	0.04	0.018	5.134	0.00	0.04	29.0	12.91	4647.52	0	0.00	79.81	9	4.01	575.26
74	0.627	7.15	257	0.09	0.03	0.013	5.147	0.00	0.03	31.0	12.96	4660.48	1	0.42	80.22	9	3.76	579.02
75	0.667	7.28	211	0.11	0.01	0.004	5.151	0.00	0.01	23.0	10.23	4670.71	2	0.89	81.11	26	11.56	590.58
76	0.705	7.55	231	0.08	0.05	0.024	5.175	0.00	0.05	24.0	11.28	4681.99	3	1.41	82.52	12	5.64	596.22
77	0.692	7.41	243	0.08	0.03	0.014	5.189	0.00	0.03	20.0	9.23	4691.22	1	0.46	82.98	8	3.69	599.91
78	0.705	7.39	274	0.07	0.01	0.005	5.194	0.00	0.01	17.0	7.99	4699.21	3	1.41	84.39	9	4.23	604.14
79	0.640	7.32	269	0.08	0.03	0.013	5.207	0.00	0.03	23.0	9.81	4709.02	2	0.85	85.25	9	3.84	607.98
80	0.645	7.38	350	0.07	0.03	0.013	5.220	0.00	0.03	21.0	9.03	4718.05	0	0.00	85.25	10	4.30	612.28
81	0.571	7.45	313	0.07	0.10	0.038	5.258	0.00	0.10	21.0	7.99	4726.04	0	0.00	85.25	10	3.81	616.09
82	0.626	7.39	290	0.08	0.06	0.025	5.283	0.00	0.06	22.0	9.18	4735.22	0	0.00	85.25	10	4.17	620.26
83	0.611	7.40	293	0.07	0.04	0.016	5.299	0.00	0.04	22.0	8.96	4744.18	1	0.41	85.65	10	4.07	624.33
84	0.682	7.38	293	0.08	0.04	0.018	5.317	0.00	0.04	25.0	11.37	4755.55	1	0.46	86.11	9	4.09	628.42
85	0.649	7.42	268	0.09	0.05	0.022	5.339	0.00	0.05	28.0	12.11	4767.66	2	0.87	86.97	11	4.76	633.18
86	0.763	7.43	299	0.08	0.03	0.015	5.354	0.01	0.02	23.0	11.70	4779.36	0	0.00	86.97	12	6.10	639.28
87	0.603	7.18	233	0.07	0.05	0.020	5.374	0.00	0.05	21.0	8.44	4787.80	2	0.80	87.78	9	3.62	642.90
88	0.650	7.26	301	0.07	0.00	0.000	5.374	0.00	0.00	21.0	9.10	4796.90	1	0.43	88.21	9	3.90	646.80
89	0.564	7.30	300	0.06	0.09	0.034	5.408	0.01	0.08	18.0	6.77	4803.67	0	0.00	88.21	9	3.38	650.18
90	0.596	7.34	281	0.07	0.05	0.020	5.428	0.00	0.05	21.0	8.34	4812.01	0	0.00	88.21	9	3.58	653.76
91	0.603	7.32	303	0.07	0.06	0.024	5.452	0.00	0.06	20.0	8.04	4820.05	2	0.80	89.02	9	3.62	657.38
92	0.614	7.41	297	0.07	0.05	0.020	5.472	0.00	0.05	19.0	7.78	4827.83	0	0.00	89.02	10	4.09	661.47
93	0.499	7.79	378	0.16	0.10	0.033	5.505	0.00	0.10	29.0	9.65	4837.48	0	0.00	89.02	43	14.30	675.77
94	0.594	7.52	271	0.08	0.10	0.040	5.545	0.00	0.10	24.0	9.50	4846.98	0	0.00	89.02	11	4.36	680.13
95	0.699	7.39	320	0.07	0.08	0.037	5.582	0.00	0.08	20.0	9.32	4856.30	0	0.00	89.02	11	5.13	685.26
96	0.660	7.48	276	0.08	0.06	0.026	5.608	0.00	0.06	24.0	10.56	4866.86	0	0.00	89.02	9	3.96	689.22

test terminated





Table 22 . - Humidity Cell Analytical Results, CF-11-02 (0-27)

(1.5315 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.715	8.01	207	0.56	0.00	0.000	0.000	0.00	0.00	90.0	42.02	42.02	0	0.00	0.00	105	49.02	49.02
1	0.786	7.89	230	0.35	0.01	0.005	0.005	0.00	0.01	40.0	20.53	62.55	0	0.00	0.00	85	43.62	92.64
2	0.700	8.02	209	0.27	0.01	0.005	0.010	0.00	0.01	10.0	4.57	67.12	0	0.00	0.00	77	35.19	127.83
3	0.743	7.93	206	0.21	0.01	0.005	0.015	0.00	0.01	16.0	7.76	74.88	0	0.00	0.00	65	31.53	159.36
4	0.730	7.98	156	0.19	0.01	0.005	0.020	0.00	0.01	24.0	11.44	86.32	0	0.00	0.00	58	27.65	187.01
5	0.704	8.00	197	0.19	0.01	0.005	0.025	0.00	0.01	24.0	11.03	97.35	0	0.00	0.00	58	26.66	213.67
6	0.789	8.02	204	0.16	0.01	0.005	0.030	0.00	0.01	28.0	14.43	111.78	0	0.00	0.00	52	26.79	240.46
7	0.749	7.89	233	0.18	0.00	0.000	0.030	0.00	0.00	34.0	16.63	128.41	0	0.00	0.00	42	20.54	261.00
8	0.662	7.67	193	0.25	0.00	0.000	0.030	0.00	0.00	41.0	17.72	146.13	0	0.00	0.00	70	30.26	291.26
9	0.799	7.96	218	0.20	0.00	0.000	0.030	0.00	0.00	27.0	14.09	160.22	0	0.00	0.00	54	28.17	319.43
10	0.676	8.03	199	0.17	0.00	0.000	0.030	0.00	0.00	32.0	14.12	174.34	0	0.00	0.00	38	16.77	336.20
11	0.736	8.08	215	0.16	0.01	0.005	0.035	0.00	0.01	27.0	12.98	187.32	0	0.00	0.00	46	22.11	358.31
12	0.756	7.98	210	0.17	0.01	0.005	0.040	0.00	0.01	26.0	12.83	200.15	0	0.00	0.00	42	20.73	379.04
13	0.754	7.94	241	0.15	0.01	0.005	0.045	0.00	0.01	27.0	13.29	213.44	0	0.00	0.00	41	20.19	399.23
14	0.669	8.01	230	0.15	0.02	0.009	0.054	0.00	0.02	27.0	11.79	225.23	0	0.00	0.00	40	17.47	416.70
15	0.728	8.03	220	0.15	0.02	0.010	0.064	0.00	0.02	19.0	9.03	234.26	0	0.00	0.00	46	21.87	438.57
16	0.744	7.98	239	0.14	0.01	0.005	0.069	0.00	0.01	20.0	9.72	243.98	0	0.00	0.00	44	21.38	459.95
17	0.760	8.03	232	0.13	0.01	0.005	0.074	0.00	0.01	17.0	8.44	252.42	0	0.00	0.00	44	21.83	481.78
18	0.733	7.96	219	0.15	0.01	0.005	0.079	0.00	0.01	22.0	10.53	262.95	0	0.00	0.00	44	21.06	502.84
19	0.775	8.01	230	0.15	0.01	0.005	0.084	0.00	0.01	21.0	10.63	273.58	0	0.00	0.00	47	23.78	526.62
20	0.725	7.93	206	0.14	0.00	0.000	0.084	0.00	0.00	22.0	10.41	283.99	0	0.00	0.00	40	18.94	545.56
21	0.747	7.83	249	0.13	0.00	0.000	0.084	0.00	0.00	23.0	11.22	295.21	0	0.00	0.00	41	20.00	565.56
22	0.729	7.87	238	0.14	0.02	0.010	0.094	0.00	0.02	24.0	11.42	306.63	0	0.00	0.00	39	18.56	584.12
23	0.674	7.93	224	0.13	0.01	0.004	0.098	0.00	0.01	24.0	10.56	317.19	0	0.00	0.00	39	17.16	601.28
24	0.794	8.02	247	0.14	0.01	0.005	0.103	0.00	0.01	20.0	10.37	327.56	0	0.00	0.00	43	22.29	623.57
25	0.705	8.01	244	0.14	0.02	0.009	0.112	0.00	0.02	24.0	11.05	338.61	0	0.00	0.00	39	17.95	641.52
26	0.709	7.99	331	0.14	0.02	0.009	0.121	0.00	0.02	25.0	11.57	350.18	0	0.00	0.00	41	18.98	660.50
27	0.717	8.06	224	0.14	0.03	0.014	0.135	0.00	0.03	23.0	10.77	360.95	0	0.00	0.00	43	20.13	680.63
28	0.740	7.95	258	0.13	0.02	0.010	0.145	0.00	0.02	17.0	8.21	369.16	0	0.00	0.00	42	20.29	700.92
29	0.734	8.09	215	0.15	0.02	0.010	0.155	0.00	0.02	24.0	11.50	380.66	0	0.00	0.00	45	21.57	722.49







Table 23 . - Humidity Cell Analytical Results, CF-11-02 (367-408)

(1.5063 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.739	8.78	127	0.34	0.01	0.005	0.005	0.00	0.01	25.0	12.27	12.27	0	0.00	0.00	55	26.98	26.98
1	0.697	8.22	180	0.22	0.01	0.005	0.010	0.00	0.01	20.0	9.25	21.52	0	0.00	0.00	43	19.90	46.88
2	0.740	8.01	173	0.15	0.01	0.005	0.015	0.00	0.01	18.0	8.84	30.36	0	0.00	0.00	42	20.63	67.51
3	0.742	7.98	175	0.13	0.01	0.005	0.020	0.00	0.01	5.0	2.46	32.82	0	0.00	0.00	38	18.72	86.23
4	0.733	7.88	147	0.14	0.01	0.005	0.025	0.00	0.01	24.0	11.68	44.50	0	0.00	0.00	38	18.49	104.72
5	0.716	7.97	178	0.14	0.01	0.005	0.030	0.00	0.01	22.0	10.46	54.96	0	0.00	0.00	39	18.54	123.26
6	0.761	8.05	141	0.12	0.00	0.000	0.030	0.00	0.00	28.0	14.15	69.11	0	0.00	0.00	37	18.69	141.95
7	0.769	7.90	206	0.14	0.00	0.000	0.030	0.00	0.00	26.0	13.27	82.38	0	0.00	0.00	34	17.36	159.31
8	0.675	7.74	178	0.22	0.01	0.004	0.034	0.00	0.01	24.0	10.75	93.13	0	0.00	0.00	76	34.06	193.37
9	0.708	7.93	210	0.14	0.00	0.000	0.034	0.00	0.00	16.0	7.52	100.65	0	0.00	0.00	40	18.80	212.17
10	0.758	8.05	182	0.13	0.00	0.000	0.034	0.00	0.00	14.0	7.05	107.70	0	0.00	0.00	35	17.61	229.78
11	0.749	7.92	199	0.12	0.02	0.010	0.044	0.00	0.02	14.0	6.96	114.66	0	0.00	0.00	34	16.91	246.69
12	0.721	7.81	193	0.12	0.00	0.000	0.044	0.00	0.00	14.0	6.70	121.36	0	0.00	0.00	31	14.84	261.53
13	0.775	7.83	216	0.12	0.00	0.000	0.044	0.00	0.00	16.0	8.23	129.59	0	0.00	0.00	31	15.95	277.48
14	0.667	7.80	214	0.11	0.02	0.009	0.053	0.00	0.02	18.0	7.97	137.56	0	0.00	0.00	28	12.40	289.88
15	0.780	7.81	204	0.12	0.02	0.010	0.063	0.00	0.02	17.0	8.80	146.36	0	0.00	0.00	30	15.53	305.41
16	0.575	7.88	219	0.22	0.01	0.004	0.067	0.00	0.01	25.0	9.54	155.90	0	0.00	0.00	44	16.80	322.21
17	0.740	7.83	219	0.12	0.00	0.000	0.067	0.00	0.00	18.0	8.84	164.74	0	0.00	0.00	35	17.19	339.40
18	0.769	7.80	212	0.11	0.01	0.005	0.072	0.00	0.01	17.0	8.68	173.42	0	0.00	0.00	33	16.85	356.25
19	0.736	7.81	220	0.12	0.01	0.005	0.077	0.00	0.01	19.0	9.28	182.70	0	0.00	0.00	33	16.12	372.37
20	0.745	7.79	188	0.11	0.00	0.000	0.077	0.00	0.00	15.0	7.42	190.12	0	0.00	0.00	31	15.33	387.70
21	0.740	7.63	224	0.10	0.00	0.000	0.077	0.00	0.00	18.0	8.84	198.96	0	0.00	0.00	30	14.74	402.44
22	0.747	7.71	225	0.11	0.01	0.005	0.082	0.00	0.01	17.0	8.43	207.39	0	0.00	0.00	28	13.89	416.33
23	0.666	7.67	224	0.10	0.01	0.004	0.086	0.00	0.01	18.0	7.96	215.35	0	0.00	0.00	26	11.50	427.83
24	0.719	7.72	238	0.11	0.01	0.005	0.091	0.00	0.01	18.0	8.59	223.94	0	0.00	0.00	29	13.84	441.67
25	0.738	7.82	231	0.10	0.02	0.010	0.101	0.00	0.02	16.0	7.84	231.78	0	0.00	0.00	30	14.70	456.37
26	0.659	7.80	293	0.10	0.01	0.004	0.105	0.00	0.01	15.0	6.56	238.34	0	0.00	0.00	29	12.69	469.06
27	0.632	7.80	233	0.09	0.03	0.013	0.118	0.00	0.03	12.0	5.03	243.37	0	0.00	0.00	27	11.33	480.39
28	0.754	7.80	285	0.10	0.02	0.010	0.128	0.00	0.02	17.0	8.51	251.88	0	0.00	0.00	30	15.02	495.41
29	0.625	7.77	224	0.10	0.01	0.004	0.132	0.00	0.01	19.0	7.88	259.76	0	0.00	0.00	28	11.62	507.03



McClelland Tabulated WetLab Results

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 562**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	80	84	44	98	85	63	60	57
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	98	100	53	120	100	77	73	70
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0041	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.019	0.022	0.017	0.033	0.032	0.027	0.025	0.021
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	320	150	38	53	52	51	43	44
Chloride	2.3	<2.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	4.2	1.8	0.91	1.6	1.4	1.3	1.0	1.1
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Lead	0.010	0.0071	<0.0025	0.0087	0.0031	<0.0025	<0.0025	0.0027
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	82	31	7.4	11	10	9.5	7.9	7.5
Manganese	1.0	0.91	0.18	0.33	0.32	0.30	0.28	0.28
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.12	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.90	8.01	7.34	8.08	8.04	7.95	7.80	7.83
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	42	22	7.2	11	6.7	4.7	2.7	2.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.090	0.0082	0.0051	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	40	9.6	2.0	3.1	1.2	0.91	0.52	0.54
Strontium	3.5	1.5	0.36	0.52	0.51	0.48	0.36	0.38
Sulfate	1,300	400	88	84	110	100	78	87
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	2,000	720	170	270	240	300	190	170
Uranium	0.023	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	0.093	0.031	<0.010	<0.010	0.015	0.017	<0.050	0.014
Zinc	0.013	0.033	<0.010	0.015	0.011	0.011	0.012	0.022
Cations, meq/L	25.6	11.0	2.78	3.98	3.65	3.50	2.90	2.90
Anions, meq/L	29.0	10.1	2.75	3.80	4.00	3.41	2.87	3.02
Balance, %	6.2	4.7	<1.0	2.3	4.6	1.2	<1.0	1.9
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 562**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	77	70	66	58	66	59
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	7.0	<1.0
HCO ₃	94	85	81	71	66	72
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.023	0.019	0.020	0.023	0.020	0.015
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	44	40	40	36	36	32
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.053	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.1	0.97	0.86	0.78	0.75	0.59
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.7	6.8	6.8	6.1	5.9	5.2
Manganese	0.41	0.36	0.39	0.31	0.36	0.30
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.01	7.90	7.99	7.63	8.68	7.90
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.4	1.6	1.5	1.2	1.2	0.96
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.010	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.73	0.65	0.50	0.69	0.53	<0.50
Strontium	0.37	0.30	0.29	0.28	0.26	0.23
Sulfate	71	57	57	54	44	35
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	170	160	150	110	120	110
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.040	0.030	0.033	0.026	0.038	0.024
Cations, meq/L	2.94	2.64	2.63	2.37	2.35	2.06
Anions, meq/L	3.08	2.63	2.56	2.33	2.27	1.94
Balance, %	2.3	<1.0	1.4	<1.0	1.7	3.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 569**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	77	72	51	54	46	26	29	32
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	94	88	62	66	56	31	35	38
Aluminum	<0.045	<0.045	<0.045	<0.22	0.055	0.082	0.057	0.069
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.013	0.015	0.019	0.015	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.13	0.11	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	42	28	28	26	21	16	15	14
Chloride	15	2.7	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	6.1	2.7	1.7	1.2	1.3	0.82	0.85	1.0
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	14	9.0	8.6	8.2	5.7	4.2	3.7	3.4
Manganese	0.060	0.15	0.13	0.13	0.12	0.080	0.073	0.061
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.024	0.060	0.025	0.012	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.034	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.01	8.16	7.54	7.96	6.61	7.50	7.58	7.76
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	22	14	9.4	7.6	3.9	2.6	1.8	1.6
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	51	20	8.2	3.4	1.4	0.89	0.58	0.60
Strontium	0.36	0.27	0.25	0.23	0.17	0.13	0.10	0.10
Sulfate	200	72	79	49	36	35	25	22
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	440	200	190	140	170	86	66	56
Uranium	0.029	0.048	0.047	0.044	0.028	<0.010	0.011	0.011
Vanadium	0.027	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	6.03	3.37	2.71	2.32	1.69	1.26	1.13	1.06
Anions, meq/L	6.45	3.16	2.75	2.16	1.74	1.28	1.14	1.13
Balance, %	3.3	3.2	<1.0	3.4	1.4	<1.0	<1.0	3.6
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 569**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	24	22	23	20	19	26
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	30	27	28	25	24	31
Aluminum	0.075	0.078	0.084	0.085	0.070	0.074
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	12	12	11	9.7	9.9	11
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.92	0.86	0.92	0.83	0.82	0.79
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.050	<0.010	<0.010	0.011
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	2.9	2.7	2.4	2.2	2.2	2.4
Manganese	0.051	0.046	0.039	0.042	0.036	0.052
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.21	7.32	7.48	7.22	7.94	7.58
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.4	1.1	0.77	0.78	0.73	<2.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.60	0.61	<0.50	<0.50	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	22	19	16	13	12	9.7
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	46	47	50	48	44	59
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.023	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	0.91	0.89	0.78	0.70	0.70	0.76
Anions, meq/L	1.00	0.88	0.84	0.72	0.69	0.75
Balance, %	4.6	<1.0	3.9	2.0	1.2	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 606**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	110	95	100	83	70	55	57	57
CO ₃ , CaCO ₃	1.3	4.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	130	110	120	100	85	67	69	69
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.046	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.026	0.040	0.051	0.053	0.041	0.036	0.038
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.32	0.20	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	46	24	36	42	38	33	30	29
Chloride	30	2.3	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	6.1	2.0	1.8	1.6	1.5	1.2	1.3	1.5
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.4	4.2	6.6	8.3	6.9	6.0	5.5	5.0
Manganese	0.012	0.020	0.045	0.048	0.055	0.053	0.051	0.045
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.073	0.083	0.048	0.016	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.032	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.22	8.43	8.17	8.21	6.97	7.71	7.99	8.07
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	30	22	18	15	7.6	4.6	3.1	2.8
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0069	<0.0050	0.0057	0.0056	0.0076	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	64	23	10	4.4	1.8	1.2	0.86	0.92
Strontium	0.47	0.30	0.43	0.49	0.41	0.34	0.28	0.27
Sulfate	170	35	62	73	62	55	42	37
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	460	180	230	250	180	150	120	94
Uranium	0.029	0.044	0.10	0.096	0.055	0.024	0.020	0.013
Vanadium	<0.050	<0.010	<0.010	<0.010	0.011	0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	6.46	3.11	3.24	3.36	2.74	2.32	2.07	1.97
Anions, meq/L	6.88	2.86	3.35	3.24	2.76	2.31	2.07	1.98
Balance, %	3.2	4.1	1.8	1.7	<1.0	<1.0	<1.0	<1.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 606**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	54	54	48	50	49	50
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	66	66	58	60	60	61
Aluminum	<0.045	0.056	0.056	0.047	0.047	0.050
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.035	0.032	0.035	0.028	0.030	0.030
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	26	28	26	22	22	22
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.5	1.5	1.5	1.5	1.4	1.3
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	0.021
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.6	4.6	4.4	3.7	3.6	3.6
Manganese	0.040	0.043	0.042	0.037	0.043	0.041
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.78	7.84	7.88	7.78	8.11	7.91
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.5	2.0	1.9	1.5	1.4	1.3
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.93	0.93	0.75	<0.50	0.68	0.62
Strontium	0.24	0.22	0.20	0.17	0.16	0.16
Sulfate	33	31	28	21	15	14
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	99	100	96	84	64	60
Uranium	0.011	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.78	1.88	1.75	1.45	1.47	1.46
Anions, meq/L	1.85	1.81	1.61	1.50	1.37	1.36
Balance, %	1.8	1.9	4.0	1.8	3.4	3.6
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 653**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	110	58	110	93	82	44	61	33
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	130	71	130	110	100	53	74	40
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.057	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.030	0.035	0.052	0.044	0.037	0.052	0.044
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.15	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	70	24	45	45	42	48	40	28
Chloride	47	3.0	1.6	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	5.7	1.3	2.7	2.2	1.9	1.3	1.7	1.0
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	0.023	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	14	4.3	8.4	8.5	6.6	5.8	4.8	2.9
Manganese	0.052	0.055	0.16	0.22	0.35	0.36	0.30	0.18
Mercury	0.00017	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.082	0.052	0.038	0.022	0.013	0.017	<0.050	0.014
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.40	8.13	8.19	8.23	7.16	7.82	7.91	7.81
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	38	16	23	19	9.8	6.2	4.4	2.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.010	<0.0050	0.0052	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	72	17	19	5.9	2.2	1.4	1.2	0.83
Strontium	0.62	0.24	0.44	0.43	0.36	0.37	0.28	0.19
Sulfate	260	59	100	77	65	100	59	55
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	630	170	270	260	210	220	100	110
Uranium	0.032	0.020	0.046	0.033	0.023	<0.010	0.011	<0.010
Vanadium	<0.050	<0.010	<0.010	<0.010	<0.010	0.012	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	8.75	2.70	4.36	3.70	3.00	3.11	2.57	1.74
Anions, meq/L	9.17	2.55	4.40	3.52	3.09	3.02	2.53	1.85
Balance, %	2.3	3.0	<1.0	2.4	1.5	1.5	<1.0	3.1
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 653**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	30	41	38	44	37	41
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	36	50	47	53	45	50
Aluminum	0.063	0.066	<0.20	0.051	<0.045	0.051
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.032	0.050	0.058	0.061	0.061	0.070
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	26	29	28	24	24	22
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.1	1.4	1.4	1.5	1.5	1.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	2.6	2.6	2.4	2.1	1.9	1.7
Manganese	0.17	0.18	0.17	0.16	0.15	0.15
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.017	0.018	0.018	0.018	0.022	0.023
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.34	7.67	7.73	7.67	7.84	7.79
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.4	2.4	2.2	1.7	1.8	1.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	1.1	1.1	0.90	0.61	0.75	0.65
Strontium	0.17	0.18	0.16	0.14	0.14	0.13
Sulfate	54	43	38	28	28	20
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	110	110	94	73	83	72
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.016	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.63	1.78	1.70	1.45	1.44	1.32
Anions, meq/L	1.77	1.79	1.64	1.53	1.40	1.30
Balance, %	4.0	<1.0	2.0	2.6	1.4	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 656**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	130	130	120	100	95	82	46	71
CO ₃ , CaCO ₃	<1.0	5.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	160	140	150	120	120	100	56	86
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	0.015	0.018	0.015	0.015	0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	0.17	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	120	26	26	42	32	40	27	31
Chloride	150	3.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.053	<0.050
Fluoride	6.0	3.7	2.6	2.0	1.5	1.5	1.2	1.7
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	20	5.6	5.2	8.2	6.2	7.2	5.0	6.0
Manganese	0.021	0.016	0.030	0.092	0.089	0.13	0.092	0.079
Mercury	0.00082	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.21	0.10	0.035	0.037	0.028	0.036	0.030	0.045
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.31	8.43	8.26	8.30	7.35	7.91	7.83	8.15
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	19	16	15	18	12	9.2	4.7	4.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.015	<0.0050	<0.0050	<0.0050	0.0053	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	55	40	25	11	1.8	1.0	0.61	0.65
Strontium	1.1	0.35	0.30	0.47	0.34	0.40	0.27	0.31
Sulfate	210	33	29	10	30	50	48	41
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	760	220	190	130	170	180	160	120
Uranium	0.046	0.050	0.048	0.072	0.038	0.035	0.012	0.017
Vanadium	0.037	<0.010	<0.010	0.012	0.078	0.013	<0.010	0.012
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	10.5	3.91	3.20	3.71	2.50	2.87	1.91	2.18
Anions, meq/L	11.5	3.45	3.20	2.28	2.67	2.76	1.98	2.35
Balance, %	4.7	6.2	<1.0	24	3.4	2.0	1.8	3.8
WET Lab Report #	1101435	1102081	1102180	1103017	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 656**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	73	44	64	65	67	62
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	89	54	79	80	81	76
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.011	0.011	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	33	24	31	28	28	25
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.7	0.82	1.7	1.7	1.6	1.3
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	6.6	4.3	6.2	5.7	5.6	5.0
Manganese	0.089	0.070	0.083	0.075	0.091	0.077
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.042	0.032	0.057	0.046	0.050	0.052
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.96	7.72	8.03	7.89	8.06	7.99
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	3.5	1.5	2.1	1.5	1.5	<2.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.60	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.33	0.21	0.28	0.26	0.26	0.23
Sulfate	40	29	35	27	16	17
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	130	80	110	100	97	97
Uranium	0.018	0.014	0.012	<0.010	0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	2.31	1.59	2.11	1.91	1.90	1.68
Anions, meq/L	2.38	1.53	2.11	1.96	1.74	1.67
Balance, %	1.5	1.9	<1.0	1.4	4.2	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 669**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	130	100	96	80	96	59	38	56
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0
HCO ₃	160	120	120	98	89	72	47	68
Aluminum	0.058	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0037	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	0.015	0.017	0.012	0.010	0.018	0.012
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.23	0.14	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	130	24	32	32	32	30	38	32
Chloride	31	<1.00	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	8.0	3.3	2.1	1.5	1.2	0.93	0.76	0.77
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	20	4.4	5.8	5.6	5.3	4.5	5.6	4.9
Manganese	0.039	0.064	0.18	0.27	0.39	0.42	0.52	0.60
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.20	0.042	0.022	0.014	0.016	0.016	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.24	8.27	8.13	8.11	8.49	7.69	7.72	8.00
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	35	19	18	13	8.0	5.5	4.6	3.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.026	0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0060	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	57	16	8.0	2.8	1.6	1.1	0.90	0.80
Strontium	1.0	0.23	0.32	0.30	0.30	0.25	0.32	0.26
Sulfate	380	30	36	75	37	40	84	54
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	800	180	180	210	170	130	170	160
Uranium	0.018	0.067	0.17	0.018	0.025	0.025	0.016	0.019
Vanadium	0.022	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	11.5	2.74	2.89	2.52	2.32	2.07	2.53	2.15
Anions, meq/L	11.8	2.77	2.83	3.25	2.76	2.06	2.56	2.28
Balance, %	1.3	<1.0	1.1	13	8.6	<1.0	<1.0	3.0
WET Lab Report #	1101453	1102081	1102180	1103017	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 669**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	32	31	41	34	20	5.2	30	30
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	40	38	51	41	25	6.3	37	37
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.070	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.011	<0.010	0.010	<0.010	0.12	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	0.0011	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	36	34	30	27	22	8.6	19	16
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.78	0.66	0.74	0.66	0.64	0.11	0.33	0.39
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.050	<0.010	<0.050	<0.010	<0.050
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	5.8	5.4	5.1	4.9	4.0	1.7	3.6	3.2
Manganese	0.66	0.67	0.67	0.83	0.71	0.28	0.82	0.73
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	0.011	0.012	<0.010	<0.050	<0.010	0.019	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.27	7.45	7.74	7.48	7.38	6.85	7.43	7.18
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	3.0	2.4	2.3	1.7	1.6	<0.50	1.5	1.1
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0054	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.78	0.79	0.62	<0.50	0.62	1.8	<0.50	<0.50
Strontium	0.29	0.25	0.21	0.20	0.16	<0.10	0.14	0.10
Sulfate	89	76	53	60	48	24	33	23
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	170	140	120	130	100	40	88	51
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.020	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	0.039
Cations, meq/L	2.41	2.26	2.03	1.82	1.52	0.67	1.31	1.12
Anions, meq/L	2.55	2.24	1.98	1.96	1.44	0.61	1.31	1.11
Balance, %	2.8	<1.0	1.2	3.5	2.6	4.4	<1.0	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 669**

Analysis, mg/L	Extract Week	
	Week 56	Week 60
Alkalinity, CaCO ₃	19	27
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	24	33
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	<0.010	<0.010
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.10
Cadmium	<0.0010	<0.0010
Calcium	16	16
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	0.46	0.37
Gallium	<0.10	<0.10
Iron	<0.010	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	3.5	3.4
Manganese	0.86	1.0
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.04	7.57
Phosphorus	<0.50	<0.50
Potassium	1.1	0.90
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	<0.50	<0.50
Strontium	0.12	0.12
Sulfate	37	33
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	100	85
Uranium	<0.010	<0.010
Vanadium	<0.010	<0.010
Zinc	<0.010	0.012
Cations, meq/L	1.15	1.14
Anions, meq/L	1.19	1.25
Balance, %	1.8	4.6
WET Lab Report #	1202374	1203479

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 673**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	76	70	67	52	31	8.0	6.1	4.7
CO ₃ , CaCO ₃	5.9	2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	81	82	82	64	38	9.8	7.4	5.7
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.019	0.029	0.049	0.059	0.038	0.034	0.035
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.11	0.13	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	52	25	20	21	18	12	9.3	7.0
Chloride	17	1.5	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.2	2.0	1.6	1.1	0.54	0.34	0.32	0.33
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.6	4.0	3.2	3.3	2.4	1.5	1.2	0.95
Manganese	<0.0050	0.010	0.014	0.020	0.016	0.017	0.033	0.019
Mercury	0.00032	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.26	0.094	0.057	0.051	0.042	0.024	0.018	0.014
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.20	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.50	8.33	7.98	7.85	6.52	6.82	6.96	6.98
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	19	16	12	12	6.4	3.2	2.4	2.1
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.010	0.0062	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	29	21	12	4.7	1.5	0.84	0.71	0.66
Strontium	0.38	0.23	0.19	0.19	0.16	0.10	<0.10	<0.10
Sulfate	140	60	38	32	31	31	26	20
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	350	190	140	150	110	56	48	62
Uranium	0.057	0.057	0.055	0.034	0.015	<0.010	<0.010	<0.010
Vanadium	0.017	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	4.97	2.90	2.09	1.83	1.33	0.84	0.66	0.51
Anions, meq/L	5.09	2.81	2.22	1.77	1.30	0.82	0.68	0.53
Balance, %	1.2	1.6	3.0	1.6	1.1	1.0	1.7	1.6
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 673**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	2.0	1.5	<1.0	1.0	1.1	1.4	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	2.4	1.8	<1.0	1.3	1.3	1.7	<1.0	<1.0
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.048	0.041	0.048	0.050	0.047	0.048	0.047	0.044
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0050	<0.0050	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	8.3	8.8	7.4	6.7	6.6	5.3	5.6	5.5
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.13	0.097
Fluoride	0.43	0.55	0.55	0.51	0.49	0.40	0.40	0.41
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	1.1	1.2	1.0	0.98	0.89	0.74	0.78	0.79
Manganese	0.024	0.061	0.044	0.037	0.050	0.024	0.028	0.025
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.018	0.015	0.015	0.016	0.015	0.012	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	6.35	6.22	6.14	6.06	6.29	6.33	5.89	5.92
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.2	1.9	1.8	1.5	1.5	1.2	1.4	1.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.73	0.74	0.55	<0.50	0.59	0.52	0.51	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	28	29	23	22	19	14	16	15
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	29	51	47	38	40	28	62	32
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.010	<0.010	0.017	0.013	0.021	0.014	0.017	0.016
Cations, meq/L	0.59	0.62	0.52	0.46	0.47	0.38	0.41	0.37
Anions, meq/L	0.64	0.66	0.51	0.51	0.44	0.34	0.35	0.33
Balance, %	4.1	3.2	1.5	5.3	2.9	5.5	7.0	5.7
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 673**

Analysis, mg/L	Extract Week							
	Week 56	Week 60	Week 64	Week 68	Week 72	Week 76	Week 80	Week 84
Alkalinity, CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	1.2	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	<0.045	<0.045	0.053	0.079	0.13	0.15	0.14	0.16
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.040	<0.0050
Barium	0.054	0.054	0.054	0.077	0.068	0.068	0.059	0.070
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	0.0012
Calcium	6.1	5.7	5.6	7.6	7.4	7.3	6.3	7.3
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.20	0.24	0.36	0.55	0.77	0.87	0.93	1.2
Fluoride	0.32	0.37	0.31	0.31	0.39	0.52	0.54	0.40
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050	0.018	0.017
Lead	<0.0025	<0.0025	<0.0025	<0.0025	0.0034	<0.0025	<0.0025	0.0027
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	0.92	0.83	0.81	1.1	1.0	1.0	0.90	1.0
Manganese	0.042	0.050	0.031	0.042	0.041	0.044	0.037	0.048
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.030	<0.030	<0.030	<0.025	<0.025	<0.025
pH, stu	5.46	5.96	5.70	5.44	5.42	5.41	4.92	5.17
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.2	0.92	0.90	1.1	<2.5	0.93	0.86	0.68
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.040	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.53	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	18	18	22 ¹⁾	25	23	27	28	28
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	35	43	18	55	35	52	58	51
Uranium	<0.010	<0.010	<0.0050	<0.0050	0.0078	0.0072	0.0096	0.014
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.028	0.031	0.030	0.046	0.044	0.048	0.040	0.050
Cations, meq/L	0.42	0.39	0.39	0.53	0.49	0.52	0.48	0.52
Anions, meq/L	0.41	0.41	0.41	0.54	0.50	0.59	0.61	0.60
Balance, %	<1.0	3.0	2.9	<1.0	<1.0	6.5	12	7.1
WET Lab Report #	1202374	1203479	1204385	1205361	1206343	1207261	1208181	1209076

1) Sulfate calculated from total sulfur result. The original sulfate analysis was higher than TDS result.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 673**

Analysis, mg/L	Extract Week		
	Week 88	Week 92	Week 96
Alkalinity, CaCO ₃	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	<1.0
Aluminum	0.16	0.18	0.20
Antimony	<0.0025	<0.010	<0.0025
Arsenic	<0.0050	<0.025	<0.0050
Barium	0.12	0.068	0.080
Beryllium	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010
Calcium	8.4	6.7	7.7
Chloride	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010
Copper	1.3	1.4	1.8
Fluoride	0.36	0.48	0.27
Gallium	<0.10	<0.10	<0.10
Iron	0.020	0.020	0.017
Lead	0.0026	0.0054	0.013
Lithium	<0.10	<0.10	<0.10
Magnesium	1.1	0.92	1.0
Manganese	0.051	0.048	0.051
Mercury	<0.00010	<0.0005	<0.00010
Molybdenum	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025
pH, stu	5.31	5.49	5.29
Phosphorus	<0.50	<0.50	<0.50
Potassium	1.0	0.84	0.88
Scandium	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.025	<0.0050
Silver	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	0.99
Strontium	<0.10	<0.10	<0.10
Sulfate	31	26	27
Thallium	<0.0010	<0.0050	<0.0010
Tin	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10
Total Dissolved Solids	63	34	65
Uranium	0.014	0.016	0.025
Vanadium	<0.010	<0.010	<0.010
Zinc	0.052	0.058	0.060
Cations, meq/L	0.60	0.50	0.62
Anions, meq/L	0.66	0.57	0.58
Balance, %	5.2	6.2	3.3
WET Lab Report #	1210131	1211013	1211513

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 767**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	71	68	68	63	39	22	32	26
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	87	83	83	77	47	27	39	31
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0028	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.024	0.028	0.048	0.036	0.039	0.036	0.035
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.27	0.16	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	220	69	44	45	44	48	35	32
Chloride	44	2.9	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.023	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	4.2	3.6	2.6	2.4	1.8	2.3	2.3	2.5
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	69	11	7.0	8.4	9.2	11	8.7	8.4
Manganese	1.6	0.46	0.40	0.50	0.58	0.59	0.52	0.40
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.050	0.024	0.015	0.010	<0.010	<0.010	<0.010	<0.010
Nickel	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.95	8.06	7.73	7.97	6.61	7.21	7.65	7.71
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	70	24	13	11	5.7	4.4	2.9	2.4
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.055	0.019	0.012	0.014	0.012	0.0063	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	67	16	6.0	2.9	1.2	0.78	0.56	0.50
Strontium	2.2	0.53	0.33	0.35	0.34	0.39	0.28	0.26
Sulfate	920	170	98	85	110	130	89	91
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	1,700	370	240	250	250	240	170	200
Uranium	<0.010	0.23	0.23	0.22	0.047	0.018	0.020	0.012
Vanadium	0.087	0.013	<0.010	<0.010	0.014	0.019	0.012	0.016
Zinc	0.060	0.012	0.018	0.024	0.022	0.016	0.019	0.015
Cations, meq/L	21.4	5.68	3.38	3.36	3.17	3.47	2.58	2.39
Anions, meq/L	22.0	5.17	3.54	3.16	3.16	3.27	2.61	2.53
Balance, %	1.4	4.6	2.3	3.1	<1.0	2.9	<1.0	3.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 767**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	25	34	31	31	28	33	20	32
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	30	41	38	38	34	40	24	38
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.034	0.044	0.041	0.034	0.032	0.037	0.029	0.027
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	27	28	27	23	22	20	17	16
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.052	<0.050
Fluoride	2.6	2.5	2.3	2.2	2.2	1.8	1.7	1.7
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.4	7.3	7.8	6.8	6.1	5.7	4.7	5.1
Manganese	0.35	0.44	0.42	0.35	0.28	0.26	0.20	0.20
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.18	7.55	7.53	7.34	7.44	7.54	7.36	7.26
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.2	1.9	1.8	1.3	1.4	1.1	1.1	0.97
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.22	0.21	0.22	0.19	0.18	0.16	0.14	0.13
Sulfate	74	66	61	51	45	34	34	26
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	120	120	130	100	56	63	77	61
Uranium	0.010	0.015	0.011	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.016	0.021	0.020	0.014	0.014	0.021	0.013	0.015
Cations, meq/L	2.03	2.08	2.05	1.75	1.65	1.51	1.27	1.25
Anions, meq/L	2.17	2.18	2.01	1.80	1.61	1.46	1.19	1.25
Balance, %	3.4	2.2	<1.0	1.3	1.1	1.6	3.3	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 767***

Analysis, mg/L	Extract Week							
	Week 56	Week 60	Week 64	Week 68	Week 72	Week 76	Week 80	Week 84
Alkalinity, CaCO ₃	28	33	34	28	35	42	34	32
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	34	41	41	34	43	51	42	39
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.028	0.033	0.033	0.034	0.052	0.037	0.030	0.028
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	16	15	15	15	17	17	15	14
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.6	1.8	1.9	1.5	1.6	1.7	1.9	1.8
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	5.1	4.8	4.5	4.6	5.4	5.2	4.6	4.3
Manganese	0.15	0.15	0.13	0.12	0.14	0.20	0.13	0.11
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.030	<0.030	<0.030	<0.025	<0.025	<0.025
pH, stu	7.14	7.70	7.39	6.67	7.54	7.40	7.54	7.25
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	0.87	<2.5	0.72	0.80	<2.5	0.63	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.13	0.13	0.12	0.12	0.14	0.14	0.12	0.11
Sulfate	28	23	23	27	22	20	21	24
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	61	70	74	70	62	79	72	73
Uranium	<0.010	<0.010	<0.0050	<0.0050	<0.0050	0.0053	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.012	0.011	<0.010	<0.010	0.011	0.018	<0.010	<0.010
Cations, meq/L	1.25	1.15	1.14	1.15	1.30	1.30	1.13	1.06
Anions, meq/L	1.22	1.25	1.25	1.20	1.25	1.34	1.23	1.23
Balance, %	<1.0	4.0	4.6	2.0	2.0	1.6	4.0	7.7
WET Lab Report #	1202374	1203479	1204385	1205361	1206343	1207261	1208181	1209076

*Test Terminated after week 86 on 9/20/12.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 787**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	71	91	88	68	69	58	57	56
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	86	110	110	83	84	71	69	68
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0030	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	0.010	0.010	0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	90	63	40	32	31	31	29	29
Chloride	14	2.2	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.4	1.7	1.3	1.2	1.2	1.1	1.1	1.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	13	9.9	6.4	5.6	5.1	4.8	4.6	4.6
Manganese	0.024	0.094	0.083	0.062	0.086	0.11	0.096	0.092
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.33	0.084	0.039	0.027	0.022	0.020	0.017	0.018
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.046	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.06	8.01	7.58	8.00	6.91	7.55	7.91	7.99
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	8.5	9.3	6.4	5.9	4.4	3.9	2.7	2.4
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.016	0.013	0.0071	0.0057	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	25	20	9.0	4.2	1.5	0.89	0.52	<0.50
Strontium	0.70	0.56	0.33	0.28	0.25	0.26	0.22	0.22
Sulfate	270	130	59	40	37	43	36	39
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	510	310	190	140	120	130	120	120
Uranium	0.12	0.20	0.16	0.092	0.061	0.040	0.045	0.041
Vanadium	0.022	0.013	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	6.87	5.07	3.08	2.39	2.15	2.08	1.92	1.89
Anions, meq/L	7.55	4.66	3.10	2.26	2.21	2.12	1.94	1.99
Balance, %	4.8	4.2	<1.0	2.9	1.4	<1.0	<1.0	2.6
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 787**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	52	56	46	59	58	51	35	35
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	64	68	56	72	71	62	43	43
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.012	<0.010	0.011	0.012	0.011	<0.010	0.011
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	28	28	23	27	30	29	27	21
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.5	1.5	1.3	1.6	1.5	1.2	0.97	0.83
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.6	4.6	4.0	4.7	5.2	5.0	4.7	4.2
Manganese	0.070	0.066	0.065	0.088	0.12	0.077	0.059	0.038
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.023	0.024	0.023	0.027	0.027	0.027	0.028	0.020
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.66	7.81	7.79	7.77	7.83	7.86	7.44	7.39
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.2	1.9	1.4	1.4	1.4	1.0	1.0	0.65
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	0.53	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.21	0.19	0.16	0.19	0.19	0.18	0.17	0.12
Sulfate	39	32	26	26	27	37	42	31
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	100	87	76	97	100	69	120	93
Uranium	0.035	0.033	0.026	0.026	0.032	0.020	0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	0.012	<0.010	<0.010	<0.010
Cations, meq/L	1.83	1.85	1.52	1.77	1.97	1.89	1.76	1.41
Anions, meq/L	1.94	1.86	1.53	1.81	1.80	1.85	1.63	1.39
Balance, %	2.8	<1.0	<1.0	<1.0	4.3	<1.0	3.9	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 787

Analysis, mg/L	Extract Week	
	Week 56 ²⁾	
Alkalinity, CaCO ₃	56	
CO ₃ , CaCO ₃	<1.0	
HCO ₃	68	
Aluminum	<0.045	
Antimony	<0.0025	
Arsenic	<0.0050	
Barium	<0.010	
Beryllium	<0.0010	
Bismuth	<0.10	
Boron	<0.10	
Cadmium	<0.0010	
Calcium	26	
Chloride	<1.00	
Chromium	<0.0050	
Cobalt	<0.010	
Copper	<0.050	
Fluoride	1.0	
Gallium	<0.10	
Iron	<0.010	
Lead	<0.0025	
Lithium	<0.10	
Magnesium	5.7	
Manganese	0.066	
Mercury	<0.00010	
Molybdenum	0.021	
Nickel	<0.010	
Nitrate as N	<1.0	
Nitrite as N	<0.025	
pH, stu	7.57	
Phosphorus	<0.50	
Potassium	0.71	
Scandium	<0.10	
Selenium	<0.0050	
Silver	<0.0050	
Sodium	<0.50	
Strontium	0.17	
Sulfate	30	
Thallium	<0.0010	
Tin	<0.10	
Titanium	<0.10	
Total Dissolved Solids	100	
Uranium	0.013	
Vanadium	<0.010	
Zinc	<0.010	
Cations, meq/L	1.79	
Anions, meq/L	1.79	
Balance, %	<1.0	
WET Lab Report #	1202374	

²⁾ Test terminated on 2/24/12.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 811**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	130	110	98	110	110	88	90	75
CO ₃ , CaCO ₃	<1.0	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	160	130	120	140	130	110	110	91
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0033	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	0.0095	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.10	0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	100	41	38	42	40	38	36	31
Chloride	24	<1.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	6.9	2.5	1.9	1.9	1.9	1.8	1.9	2.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	17	7.6	7.1	8.7	8.2	7.5	7.4	6.9
Manganese	<0.025	0.023	0.031	0.055	0.056	0.055	0.050	0.027
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.11	0.055	0.033	0.019	0.016	0.013	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.37	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.26	8.38	8.05	8.28	7.46	7.97	8.19	8.14
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	18	15	12	12	6.9	4.3	2.9	2.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.029	0.015	0.016	0.014	0.015	0.011	0.0068	0.0063
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	47	19	7.8	2.9	1.1	0.58	<0.50	<0.50
Strontium	1.4	0.64	0.59	0.63	0.57	0.52	0.47	0.40
Sulfate	290	59	60	37	37	37	29	35
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	700	230	220	200	180	160	140	140
Uranium	0.14	0.077	0.063	0.061	0.044	0.026	0.022	0.012
Vanadium	0.032	0.011	<0.010	<0.010	0.013	0.014	<0.050	0.012
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	8.89	3.88	3.13	3.25	2.90	2.65	2.48	2.17
Anions, meq/L	9.70	3.64	3.32	3.16	3.00	2.67	2.51	2.34
Balance, %	4.3	3.3	2.9	1.3	1.8	<1.0	<1.0	3.6
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 811**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	89	90	89	84	78	69
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	110	110	110	100	96	84
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	33	36	35	29	30	25
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.3	2.3	2.3	2.2	2.2	1.8
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.8	8.4	8.8	7.8	8.0	6.6
Manganese	0.039	0.038	0.042	0.037	0.038	0.024
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.10	8.05	8.13	8.02	8.03	8.01
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.9	1.4	1.2	1.1	<2.5	0.72
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	0.64	<0.50	<0.50
Strontium	0.42	0.40	0.36	0.32	0.29	0.24
Sulfate	26	30	25	21	18	16
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	120	110	120	130	110	47
Uranium	0.015	0.012	0.010	0.008	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	0.012	0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	2.34	2.52	2.50	2.15	2.16	1.81
Anions, meq/L	2.47	2.55	2.44	2.19	2.06	1.80
Balance, %	2.6	<1.0	1.2	1.1	2.2	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 854**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	91	110	85	70	92	35	46	56
CO ₃ , CaCO ₃	<1.0	3.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	110	130	100	86	110	43	57	69
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0036	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	0.0067	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.038	0.040	0.060	0.046	0.035	0.034	0.028
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.25	0.14	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	110	54	46	59	45	48	39	28
Chloride	41	2.6	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.14	<0.050	<0.050	<0.050	0.077	<0.050	<0.050	<0.050
Fluoride	4.6	2.6	1.8	1.9	2.3	1.9	2.1	2.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	0.033	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	25	10	8.8	12	8.6	9.6	7.2	5.3
Manganese	0.13	0.086	0.096	0.17	0.22	0.18	0.18	0.14
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.13	0.060	0.036	0.022	0.022	0.028	0.027	0.022
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025
pH, stu	8.11	8.36	7.92	8.06	7.20	7.39	7.80	7.97
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	72	41	24	18	7.9	4.3	3.2	2.7
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.024	0.015	0.013	0.015	0.0076	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	48	15	5.3	2.3	0.93	0.52	<0.50	<0.50
Strontium	1.7	0.91	0.70	0.82	0.55	0.46	0.35	0.24
Sulfate	380	120	99	130	64	120	78	40
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	800	350	300	340	200	270	170	120
Uranium	0.029	0.048	0.036	0.016	<0.010	<0.010	<0.010	<0.010
Vanadium	0.054	0.013	<0.010	<0.050	0.013	0.014	<0.050	<0.010
Zinc	0.013	<0.010	<0.010	0.010	0.022	<0.010	0.010	0.012
Cations, meq/L	11.5	5.22	3.87	4.50	3.21	3.33	2.63	1.91
Anions, meq/L	11.1	4.94	3.79	4.22	3.26	3.30	2.67	2.10
Balance, %	1.6	2.8	<1.0	3.2	<1.0	<1.0	<1.0	4.8
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 854**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	32	35	34	36	41	41
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	39	43	41	44	50	50
Aluminum	<0.045	0.046	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.030	0.029	0.030	0.028	0.031	0.028
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	30	29	25	23	26	23
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.5	2.3	2.2	2.3	2.3	1.8
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	6.0	5.8	5.5	5.4	6.0	5.4
Manganese	0.11	0.11	0.088	0.085	0.096	0.084
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.043	0.037	0.040	0.038	0.039	0.031
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.34	7.47	7.57	7.46	7.70	7.73
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.3	1.8	1.8	1.5	1.4	1.3
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.22	0.19	0.16	0.15	0.14	0.13
Sulfate	65	56	49	45	35	32
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	130	120	110	74	95	95
Uranium	<0.010	<0.010	<0.010	0.002	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	0.011	<0.010
Cations, meq/L	2.05	1.98	1.75	1.63	1.83	1.63
Anions, meq/L	2.12	1.99	1.81	1.78	1.67	1.58
Balance, %	1.7	<1.0	1.6	4.3	4.6	1.5
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 862**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	120	150	130	110	120	92	140	190
CO ₃ , CaCO ₃	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	150	180	150	140	150	110	170	230
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	0.011	0.011
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.11	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	110	56	48	45	49	45	56	64
Chloride	18	<1.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	4.4	3.6	3.0	2.6	2.3	2.6	2.3	2.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	22	12	9.7	9.2	9.0	8.2	9.2	9.8
Manganese	0.0088	<0.025	0.0096	0.014	0.022	0.025	0.041	0.064
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.11	0.043	0.034	0.024	0.017	0.014	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.14	8.30	8.18	8.24	7.61	7.94	8.23	8.25
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	23	21	15	13	7.0	3.1	2.7	2.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.029	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	53	13	4.4	1.6	0.80	0.53	0.54	0.54
Strontium	2.5	1.3	1.0	0.94	1.0	0.71	0.90	0.97
Sulfate	370	63	46	41	43	46	31	25
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	770	280	240	210	200	220	190	230
Uranium	0.017	0.021	0.019	0.017	0.015	<0.010	<0.010	<0.010
Vanadium	0.042	0.016	<0.010	<0.010	0.016	0.012	0.015	0.017
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	10.2	4.88	3.77	3.41	3.40	3.02	3.65	4.08
Anions, meq/L	10.9	4.51	3.57	3.28	3.47	2.90	3.55	4.43
Balance, %	3.4	4.0	2.7	1.8	1.1	2.1	1.3	4.1
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 862**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	190	210	230	220	230	220
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	230	250	280	270	290	260
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.012	0.014	0.013	0.016	0.013
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	72	80	80	81	95	79
Chloride	<1.00	<1.00	<1.00	<1.00	<2.0	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.7	2.6	2.6	2.6	2.5	2.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	10	11	11	10	12	10
Manganese	0.078	0.076	0.078	0.066	0.079	0.031
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.050	<0.025
pH, stu	8.16	8.05	8.14	8.06	7.99	8.15
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.9	1.6	1.5	1.4	1.3	1.1
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.50	0.79	0.53	0.66	0.63	0.64
Strontium	0.91	0.82	0.83	0.70	0.68	0.55
Sulfate	25	24	17	18	15	12
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	240	240	260	230	280	200
Uranium	<0.010	<0.010	<0.010	0.006	<0.010	<0.010
Vanadium	0.010	<0.010	0.012	0.015	0.014	0.012
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	4.49	4.98	4.96	4.93	5.79	4.82
Anions, meq/L	4.43	4.73	5.08	4.94	5.20	4.63
Balance, %	<1.0	2.5	1.2	<1.0	5.4	2.1
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 867**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	120	84	82	120	120	48	63	57
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	140	100	100	140	150	58	77	69
Aluminum	<0.22	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.024	0.020	0.019	0.013	0.013	0.014	0.017	0.012
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.11	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	260	110	110	78	83	120	97	91
Chloride	8.4	<1.0	<2.0	<1.0	<1.00	<1.00	<1.00	<2.0
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.074	<0.050	<0.050	0.13	0.13	0.055	0.10	0.069
Fluoride	4.2	3.9	3.3	2.4	1.8	1.8	1.6	1.7
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	0.12	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	56	8.7	8.5	6.2	4.6	4.5	3.2	3.1
Manganese	0.48	0.099	0.12	0.14	0.22	0.21	0.24	0.16
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.059	0.078	0.054	0.030	0.015	0.018	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.050
pH, stu	8.05	8.10	7.81	8.09	7.52	7.56	7.86	7.78
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	69	26	17	11	6.1	3.9	3.3	2.7
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.060	0.020	0.016	0.0092	0.0069	0.0061	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	28	6.2	2.7	1.3	0.78	0.52	0.56	<0.50
Strontium	5.6	1.8	1.5	1.0	0.83	0.73	0.57	0.48
Sulfate	900	210	230	110	110	380	180	190
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	1,600	490	500	320	330	450	350	390
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	0.073	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.024	<0.010	<0.010	0.011	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	20.6	7.14	6.75	4.75	4.72	6.49	5.22	4.87
Anions, meq/L	21.5	6.23	6.60	4.71	4.84	8.85	5.09	5.18
Balance, %	2.1	6.8	1.1	<1.0	1.3	15	1.3	3.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 604 867**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	39	80	60	82	110	72
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	48	97	73	100	130	88
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.012	0.017	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	86	89	71	72	77	59
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	0.14	0.060	0.13	0.24	0.067
Fluoride	1.9	1.7	1.8	1.7	1.6	1.4
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	3.5	4.4	4.0	4.3	4.6	3.4
Manganese	0.099	0.15	0.071	0.11	0.16	0.062
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.33	7.68	7.71	7.71	7.88	7.83
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.2	1.9	1.6	1.4	1.3	0.89
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	0.0067	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	0.66	<0.50	<0.50	0.50	<0.50
Strontium	0.39	0.38	0.31	0.31	0.31	0.24
Sulfate	180	160	140	110	85	76
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	330	320	290	240	240	180
Uranium	<0.010	<0.010	<0.010	<0.0010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	0.014	<0.010	0.011	0.025	<0.010
Cations, meq/L	4.64	4.89	3.92	3.99	4.29	3.25
Anions, meq/L	4.63	5.01	4.21	4.02	3.98	3.10
Balance, %	<1.0	1.2	3.6	<1.0	3.7	2.4
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 605 033**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	96	88	74	80	61	35	49	45
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	120	110	90	98	74	42	59	55
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.060	0.045	0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.029	0.025	0.038	0.029	0.025	0.036	0.023
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	65	42	34	35	36	35	31	29
Chloride	23	2.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	5.7	3.3	2.7	2.5	2.0	1.4	1.8	2.0
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	9.8	6.5	4.9	5.1	4.3	3.9	2.9	2.4
Manganese	0.016	0.023	0.029	0.056	0.059	0.074	0.077	0.072
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.10	0.048	0.024	0.018	0.017	0.012	0.011	<0.050
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.16	8.27	7.80	8.11	6.93	7.62	7.88	7.94
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	30	25	16	13	6.5	3.7	3.0	2.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	46	17	6.6	3.1	1.4	0.93	0.81	0.69
Strontium	0.69	0.51	0.40	0.40	0.37	0.32	0.27	0.24
Sulfate	230	83	68	41	52	68	39	39
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	540	250	200	190	150	170	100	120
Uranium	0.019	0.028	0.028	0.035	0.032	0.021	0.019	0.016
Vanadium	0.021	0.014	<0.010	<0.010	0.022	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	6.82	4.01	2.80	2.64	2.38	2.21	1.91	1.75
Anions, meq/L	7.70	3.76	3.03	2.59	2.40	2.18	1.87	1.82
Balance, %	6.1	3.2	4.0	<1.0	<1.0	<1.0	<1.0	2.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 605 033**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	41	49	38	40	38	38
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	50	59	46	49	47	46
Aluminum	<0.045	0.056	0.058	0.046	<0.045	0.055
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.019	0.016	0.014	0.013	0.013	0.012
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	28	28	22	23	23	21
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.0	1.9	1.7	1.8	1.9	1.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	2.1	1.8	1.3	1.3	1.1	0.98
Manganese	0.067	0.074	0.053	0.060	0.066	0.058
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.014	0.015	0.014	0.018	0.018	0.016
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.56	7.75	7.67	7.57	7.62	7.74
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.1	1.9	1.4	1.3	1.3	1.1
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.60	0.68	0.63	0.50	0.55	0.52
Strontium	0.20	0.19	0.15	0.14	0.13	0.12
Sulfate	34	30	25	21	16	12
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	100	100	88	76	76	55
Uranium	0.011	0.013	<0.010	0.007	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.65	1.63	1.28	1.32	1.30	1.19
Anions, meq/L	1.63	1.69	1.36	1.34	1.20	1.09
Balance, %	<1.0	1.8	3.3	<1.0	3.8	4.4
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 605 153**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	48	84	55	56	55	43	38	43
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	59	100	67	69	68	52	46	53
Aluminum	0.048	<0.045	0.047	0.057	0.055	0.053	0.061	<0.22
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.034	0.13	0.074	0.14	0.10	0.12	0.12	0.11
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.14	0.17	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	42	23	15	20	22	20	15	17
Chloride	4.3	<1.0	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.7	2.6	1.8	1.6	1.6	1.4	1.1	1.4
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	9.4	5.4	3.4	4.4	4.3	3.5	2.3	2.4
Manganese	0.048	0.048	0.014	0.038	0.044	0.036	0.031	0.032
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.020	0.019	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.18	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.91	8.26	7.62	8.00	6.95	7.77	7.80	7.94
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	16	14	8.2	7.8	6.1	3.5	2.7	2.3
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	39	19	6.1	3.1	1.7	0.90	0.73	0.72
Strontium	3.0	1.8	1.2	1.5	1.7	1.2	1.0	1.1
Sulfate	200	40	25	26	28	22	14	15
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	380	170	87	150	100	100	80	61
Uranium	0.033	0.021	0.013	0.017	0.020	0.014	<0.010	0.011
Vanadium	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	4.98	2.78	1.51	1.70	1.69	1.42	1.05	1.14
Anions, meq/L	5.45	2.61	1.71	1.76	1.78	1.38	1.10	1.25
Balance, %	4.5	3.2	6.3	1.6	2.7	1.4	2.6	4.6
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample 605 153**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	34	36	32	31	25	30
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	41	44	40	38	31	37
Aluminum	0.056	0.079	0.069	0.065	<0.20	0.065
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.11	0.11	0.094	0.11	0.080	0.094
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	15	15	14	14	12	14
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.3	1.2	1.2	1.1	0.88	0.91
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	0.027	<0.010	0.015
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	2.0	1.8	1.5	1.5	1.1	1.3
Manganese	0.027	0.033	0.022	0.030	0.035	0.034
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	0.010	0.011
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.45	7.62	7.68	7.54	7.52	7.70
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	2.0	1.5	1.4	1.0	<2.5	0.98
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.60	0.66	0.56	<0.50	<0.50	0.60
Strontium	0.88	0.83	0.77	0.72	0.55	0.66
Sulfate	15	12	12	9.9	8.4	9.3
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	52	50	67	39	25	32
Uranium	<0.010	<0.010	<0.010	0.006	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.00	0.97	0.89	0.86	0.69	0.87
Anions, meq/L	1.05	1.03	0.97	0.89	0.73	0.85
Balance, %	2.7	3.0	4.2	1.7	2.7	1.1
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0854**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	1.3	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	20	1.6	0.28	0.31	0.20	0.13	0.13	0.17
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	0.0080	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.050	<0.010	<0.010	<0.010	<0.010	0.012	0.018	0.010
Beryllium	0.010	0.0016	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.073	0.045	0.015	0.012	0.0059	0.0039	0.0038	0.0038
Calcium	180	220	120	78	37	25	23	24
Chloride	<10	<5.0	<2.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.025	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.50	0.24	0.077	0.044	0.020	0.013	0.011	0.011
Copper	830	160	33	46	34	25	29	42
Fluoride	5.5	1.7	0.51	0.64	0.45	0.48	0.59	0.29
Gallium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	44	0.61	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Lead	0.0071	0.0030	<0.0025	0.0056	0.0048	0.0055	0.0057	0.0087
Lithium	<0.50	0.16	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	34	21	8.0	5.6	2.6	1.7	1.4	1.5
Manganese	7.1	5.0	1.8	1.2	0.60	0.39	0.37	0.36
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	0.20	0.12	0.042	0.026	0.012	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.25	<0.12	<0.050	<0.050	<0.025	<0.025	<0.025	<0.025
pH, stu	4.38	4.98	5.21	5.11	4.90	5.15	5.19	5.03
Phosphorus	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	30	18	7.6	5.2	2.7	1.7	1.4	1.4
Scandium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.055	0.049	0.024	0.014	0.0078	<0.0050	<0.0050	<0.0050
Silver	<0.025	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	15	6.9	2.1	0.97	0.56	<0.50	<0.50	<0.50
Strontium	0.89	0.79	0.38	0.28	0.15	0.10	0.11	0.11
Sulfate	2,200	880	430	290	160	110	120	140
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	3,300	1,300	670	500	310	170	220	230
Uranium	0.18	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.050	0.019	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	6.3	3.2	0.98	0.76	0.38	0.27	0.25	0.27
Cations, meq/L	44.4	19.0	8.10	6.08	3.28	2.25	2.25	2.72
Anions, meq/L	46.3	18.5	9.03	6.07	3.35	2.32	2.53	2.93
Balance, %	2.2	1.3	5.5	<1.0	1.1	1.3	5.9	3.7
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0854**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	0.19	0.21	0.14	0.13	0.10	0.099	0.078	0.054
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.011	0.011	0.013	0.014	0.023	0.022	0.016	0.019
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.0045	0.0051	0.0031	0.0027	<0.0050	0.0022	<0.0050	<0.0050
Calcium	22	22	15	14	12	10	6.9	5.8
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.012	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	53	61	48	52	45	43	34	30
Fluoride	0.32	0.29	0.26	0.27	0.30	0.17	0.18	0.18
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	0.012	<0.010	<0.010	<0.010	<0.050	<0.010
Lead	0.012	0.010	0.0074	0.0074	0.0065	0.0064	0.0058	0.0039
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	1.4	1.4	0.89	0.88	0.70	0.62	<0.50	<0.50
Manganese	0.37	0.35	0.24	0.23	0.20	0.16	0.11	0.088
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	4.90	4.81	4.78	4.79	5.06	4.99	4.68	4.92
Phosphorus	<0.50	<0.50	<0.50	<0.50	0.64	<0.50	0.60	<0.50
Potassium	1.2	1.0	0.86	0.59	0.72	<2.5	<2.5	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	150	150	120	120	110	94	76	70
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	230	260	190	180	170	170	130	120
Uranium	<0.010	<0.010	<0.010	<0.0010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.44	0.32	0.24	0.27	0.25	0.20	0.14	0.14
Cations, meq/L	2.96	3.20	2.39	2.45	2.12	1.93	1.43	1.25
Anions, meq/L	3.14	3.14	2.51	2.51	2.31	1.97	1.59	1.47
Balance, %	3.0	1.0	2.6	1.2	4.3	1.0	5.3	8.1
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0854**

Analysis, mg/L	Extract Week							
	Week 56	Week 60	Week 64	Week 68	Week 72	Week 76	Week 80	Week 84
Alkalinity, CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Aluminum	0.056	0.050	0.056	<0.20	0.071	0.068	0.064	0.079
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.021	0.026	0.029	0.030	0.030	0.029	0.025	0.032
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0050	<0.0010	0.0025	<0.0050	<0.0010	<0.0050	<0.0010	0.0021
Calcium	5.9	3.8	3.8	3.9	4.7	3.9	3.5	4.8
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	30	24	25	28	34	29	29	48
Fluoride	0.17	0.19	0.23	0.25	0.29	0.31	0.32	0.34
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.050	<0.050	<0.050	<0.010
Lead	0.0032	0.0025	0.0030	0.018	0.0059	0.0045	0.0059	0.0075
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Manganese	0.079	0.064	0.063	0.068	0.076	0.066	0.057	0.090
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.030	<0.030	<0.030	<0.025	<0.025	<0.025
pH, stu	5.03	5.16	4.95	4.96	4.74	4.89	4.74	4.85
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	<0.50	<0.50	<0.50	<2.5	<0.50	<0.50	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.58
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	71	56	67	65	79	65	71	99
Thallium	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	95	75	98	97	100	120	91	140
Uranium	<0.010	<0.010	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.13	0.11	0.12	0.13	0.16	0.14	0.12	0.19
Cations, meq/L	1.25	0.96	0.99	1.08	1.32	1.12	1.10	1.79
Anions, meq/L	1.49	1.18	1.41	1.37	1.66	1.37	1.50	2.08
Balance, %	8.6	10	17	12	11	10	15	7.4
WET Lab Report #	1202374	1203479	1204385	1205361	1206343	1207261	1208181	1209076

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0854**

Analysis, mg/L	Extract Week		
	Week 88	Week 92	Week 96
Alkalinity, CaCO ₃	<1.0	<1.0	<1.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0
HCO ₃	<1.0	<1.0	<1.0
Aluminum	0.077	0.074	0.073
Antimony	<0.0025	<0.010	<0.0025
Arsenic	<0.0050	<0.025	<0.0050
Barium	0.031	0.069	0.027
Beryllium	<0.0010	<0.0010	<0.0010
Bismuth	0.14	0.13	0.11
Boron	<0.10	<0.10	<0.10
Cadmium	0.0011	0.0013	0.0012
Calcium	4.5	4.6	3.6
Chloride	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010
Copper	47	48	41
Fluoride	0.27	0.35	0.21
Gallium	<0.10	<0.10	<0.10
Iron	0.013	<0.010	<0.010
Lead	0.010	0.0092	0.0097
Lithium	<0.10	<0.10	<0.10
Magnesium	<0.50	<0.50	<0.50
Manganese	0.095	0.092	0.072
Mercury	<0.0002	<0.0005	<0.00010
Molybdenum	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025
pH, stu	4.76	5.02	4.86
Phosphorus	0.54	0.53	<0.50
Potassium	0.58	0.57	1.2
Scandium	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.025	<0.0050
Silver	<0.0050	0.012	<0.0050
Sodium	<0.50	<0.50	0.84
Strontium	<0.10	<0.10	<0.10
Sulfate	99	100	84
Thallium	<0.0020	<0.0050	<0.0010
Tin	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10
Total Dissolved Solids	140	150	130
Uranium	<0.0050	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010
Zinc	0.20	0.23	0.17
Cations, meq/L	1.74	1.77	1.55
Anions, meq/L	2.08	2.10	1.76
Balance, %	8.9	8.4	6.2
WET Lab Report #	1210131	1211013	1211513

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0858**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃ , (Acidity)	(180)	(280)	<1.0	(89)	(6)	(120)	(150)	(120)
CO ₃ , CaCO ₃	N/A	N/A	<1.0	N/A	N/A	N/A	N/A	N/A
HCO ₃	N/A	N/A	<1.0	N/A	N/A	N/A	N/A	N/A
Aluminum	14	40	18	10	5.7	7.4	7.7	4.9
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	<0.0050
Barium	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0050	0.0034	0.0016	0.0014	0.0010	0.0022	0.0021	0.0014
Bismuth	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.025	0.0048	0.0014	<0.0010	<0.0010	<0.0050	<0.0050	<0.0050
Calcium	90	85	27	20	18	48	38	21
Chloride	5.6	<2.0	<1.0	<10	<1.00	<1.00	<1.00	<2.0
Chromium	<0.12	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0072	0.0061
Cobalt	0.060	0.070	0.022	0.014	0.014	0.046	0.054	0.036
Copper	28	20	6.1	5.1	6.1	22	24	16
Fluoride	6.9	43	30	11	5.0	4.9	3.7	2.3
Gallium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	18	22	4.2	0.44	0.072	2.3	6.5	4.5
Lead	0.0055	<0.0025	0.0026	<0.0025	<0.0025	0.0029	<0.0025	0.0083
Lithium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.0	5.2	1.6	1.2	1.0	2.5	2.0	1.4
Manganese	1.2	1.7	0.54	0.38	0.33	0.78	0.63	0.35
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.050	0.029	<0.010	<0.010	<0.010	0.014	0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025	<0.050
pH, stu	3.83	4.27	4.59	4.39	4.30	3.56	3.13	3.06
Phosphorus	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	12	6.6	2.8	2.5	2.1	2.2	2.0	1.8
Scandium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.010	0.0072	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	<0.0050
Silver	<0.025	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	9.1	5.0	1.8	1.1	0.71	1.1	1.4	1.4
Strontium	<0.50	0.17	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	560	440	160	99	97	230	260	180
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	710	720	280	200	140	320	320	230
Uranium	0.060	0.026	<0.010	<0.010	<0.010	0.047	0.067	0.045
Vanadium	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.28	0.32	0.10	0.061	0.062	0.13	0.10	0.064
Cations, meq/L	11.1	14.2	4.07	3.43	1.97	5.60	5.69	3.80
Anions, meq/L	12.2	11.5	4.91	2.66	2.28	5.05	5.61	3.87
Balance, %	4.8	11	9.3	13	7.4	5.2	<1.0	<1.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

1) Sulfate Calculated from total sulfur result. The original sulfate analysis was higher than TDS result.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0858**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃ , (Acidity)	(290)	(320)	(310)	(340)	(330)	(280)	(320)	(400)
CO ₃ , CaCO ₃	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HCO ₃	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Aluminum	11	16	9.5	11	11	6.3	9.6	9.8
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	0.0052	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	0.013	<0.010
Beryllium	0.0015	<0.0050	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.0027	<0.0050	0.0036	0.0055	0.0049	0.0049	0.0043	0.0066
Calcium	16	9.4	4.3	3.7	3.0	2.0	2.5	2.0
Chloride	<10	<2.0	<1.00	<1.00	<5.0	<2.0	<1.00	<1.00
Chromium	0.029	0.046	0.022	0.024	0.021	0.0079	0.014	0.016
Cobalt	0.058	0.068	0.045	0.055	0.055	0.040	0.048	0.057
Copper	21	18	11	10	7.5	5.1	4.7	3.7
Fluoride	2.1	1.4	0.44	0.71	0.58	0.37	0.30	<0.20
Gallium	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	18	36	28	46	47	44	43	57
Lead	0.0068	0.0087	0.0043	0.0075	0.0066	0.0052	0.0053	0.013
Lithium	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	1.8	<2.5	1.2	1.4	1.4	1.1	1.5	1.4
Manganese	0.35	0.36	0.19	0.18	0.13	0.10	0.11	0.10
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.25	<0.050	<0.025	<0.025	<0.12	<0.050	<0.12	<0.050
pH, stu	2.78	2.69	2.67	2.63	2.69	2.76	2.67	2.65
Phosphorus	<0.50	<2.5	<0.50	<0.50	0.59	<0.50	<0.50	<0.50
Potassium	1.4	<2.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Scandium	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.025	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	1.6	<2.5	1.7	1.8	1.8	1.8	1.8	1.7
Strontium	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	350 ¹⁾	330	340 ¹⁾	390	440	340	390	340
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.50	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	350	390	300	460	460	300	410	450
Uranium	0.047	0.031	0.020	0.017	0.015	0.013	0.014	0.010
Vanadium	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.16	0.11	0.033	0.044	0.041	0.029	0.036	0.083
Cations, meq/L	6.88	8.27	6.47	7.86	7.70	6.36	7.12	8.64
Anions, meq/L	8.02	6.94	8.35	8.16	9.19	7.10	8.97	7.08
Balance, %	7.7	8.7	13	1.8	8.8	5.5	11	10
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

1) Sulfate Calculated from total sulfur result. The original sulfate analysis was higher than TDS result.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0858**

Analysis, mg/L	Extract Week	
	Week 56	Week 60
Alkalinity, CaCO ₃ , (Acidity)	(380)	(370)
CO ₃ , CaCO ₃	N/A	N/A
HCO ₃	N/A	N/A
Aluminum	8.5	7.2
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	<0.010	<0.010
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.10
Cadmium	0.0066	0.0047
Calcium	1.5	1.8
Chloride	<5.0	<5.0
Chromium	0.011	0.0087
Cobalt	0.056	0.056
Copper	3.5	3.5
Fluoride	<0.50	<0.50
Gallium	<0.10	<0.10
Iron	56	46
Lead	0.0034	0.0045
Lithium	<0.10	<0.10
Magnesium	1.4	1.7
Manganese	0.076	0.11
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.12	<0.12
pH, stu	2.63	2.63
Phosphorus	<0.50	<0.50
Potassium	<0.50	<0.50
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	1.9	1.8
Strontium	<0.10	<0.10
Sulfate	370 ¹⁾	330 ¹⁾
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	330	410
Uranium	0.011	0.011
Vanadium	<0.010	<0.010
Zinc	0.025	0.028
Cations, meq/L	8.22	7.47
Anions, meq/L	10.2	9.58
Balance, %	11	12
WET Lab Report #	1202374	1203479

1) Sulfate Calculated from total sulfur result. The original sulfate analysis was higher than TDS result.

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0864**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	33	27	31	33	25	24	31	29
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	40	33	38	40	30	30	38	35
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.014	0.018	<0.010	<0.010	0.011	<0.010	0.011	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	64	99	39	12	11	8.9	10	8.9
Chloride	4.9	4.8	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.4	2.2	2.1	2.1	2.0	0.86	0.66	0.51
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.050	<0.010	0.014	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	10	19	6.9	2.2	2.0	1.6	1.7	1.4
Manganese	0.057	0.12	0.042	0.014	<0.0050	<0.0050	<0.0050	<0.0050
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.029	0.075	0.049	0.045	0.027	<0.050	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	4.7	2.0	<1.0	<1.0	3.1	<1.0	<1.0	<1.0
Nitrite as N	0.090	0.085	<0.025	0.061	0.27	<0.025	<0.025	<0.025
pH, stu	7.45	7.60	7.12	7.98	8.51	8.00	7.91	7.90
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	4.1	4.8	2.6	1.7	1.6	0.81	1.2	<2.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0054	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	17	29	13	6.2	3.5	1.3	1.2	0.91
Strontium	0.27	0.44	0.17	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	250	310	120	16	7.7	7.2	5.9	4.7
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	390	560	230	94	64	42	44	70
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	0.020	0.026	0.011	<0.010	0.011	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	4.86	7.89	3.15	1.09	0.91	0.65	0.72	0.64
Anions, meq/L	6.41	7.39	3.26	1.10	0.98	0.69	0.78	0.70
Balance, %	14	3.3	1.7	<1.0	3.8	2.5	3.9	4.2
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0864**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	29	25	18	29	28	23
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	36	31	21	35	34	28
Aluminum	<0.045	0.047	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.015	0.010	0.011	0.014	0.012
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	9.1	8.4	8.5	9.4	11	8.7
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.35	0.32	0.27	0.28	0.20	0.14
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	0.016	<0.010	<0.010	0.023
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	1.5	1.4	1.4	1.4	1.5	1.2
Manganese	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	2.6	<1.0	<1.0	1.1
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.01	7.78	7.38	7.73	7.69	7.46
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.1	0.98	1.0	1.1	1.1	0.91
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	0.66	0.69	0.65	<0.50	0.62	0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	3.9	3.2	2.8	2.3	1.6	1.8
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	40	34	46	74	48	27
Uranium	<0.010	<0.010	<0.010	<0.0010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	0.63	0.59	0.59	0.61	0.73	0.58
Anions, meq/L	0.69	0.59	0.60	0.64	0.60	0.58
Balance, %	4.2	<1.0	<1.0	1.9	9.5	<1.0
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0866**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	24	17	25	22	13	7.7	7.7	4.6
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	29	21	31	27	16	9.4	9.4	5.7
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	38	50	19	9.9	17	13	10	8.0
Chloride	5.2	3.7	<1.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.55	1.4	1.5	1.3	0.61	0.61	0.60	0.56
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.8	6.7	2.4	1.2	2.0	1.4	1.1	0.83
Manganese	0.085	0.093	0.035	0.0087	0.011	0.0060	<0.0050	<0.0050
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	0.026	0.022	0.028	0.028	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	3.6	1.2	<1.0	<1.0	2.4	<1.0	<1.0	<1.0
Nitrite as N	0.026	0.029	<0.025	<0.025	0.54	<0.025	<0.025	<0.025
pH, stu	7.47	7.42	7.32	7.54	6.30	6.94	7.04	6.98
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	4.0	4.7	2.4	2.1	2.6	2.2	2.1	1.9
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	6.3	9.3	3.9	2.2	1.4	0.75	0.56	<0.50
Strontium	0.36	0.52	0.19	<0.10	0.18	0.12	<0.10	<0.10
Sulfate	110	130	49	12	34	33	24	22
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	220	220	94	60	86	82	48	57
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	2.67	3.57	1.38	0.74	1.14	0.85	0.67	0.52
Anions, meq/L	3.20	3.31	1.62	0.76	1.17	0.87	0.69	0.58
Balance, %	9.0	3.8	8.2	1.2	1.4	1.2	1.3	5.9
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0866**

Analysis, mg/L	Extract Week					
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44 ²⁾
Alkalinity, CaCO ₃	4.2	3.4	2.1	2.0	1.9	1.6
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	5.1	4.2	2.5	2.5	2.3	2.0
Aluminum	0.048	0.075	0.049	0.078	0.088	0.064
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	0.016	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	7.5	6.0	5.2	4.4	3.2	4.2
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.70	0.70	0.89	0.99	0.81	0.73
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	0.81	0.64	0.55	<0.50	<0.50	<0.50
Manganese	<0.0050	<0.0050	0.010	0.0051	0.0065	0.0095
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	1.3
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	6.60	6.62	6.49	6.42	6.44	6.38
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	1.9	1.5	1.8	2.2	1.6	1.5
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	0.56	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	21	16	13	10	6.6	5.9
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	28	29	26	15	12	16
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.023	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	0.50	0.40	0.36	0.31	0.21	0.26
Anions, meq/L	0.56	0.44	0.36	0.30	0.22	0.29
Balance, %	5.9	4.8	<1.0	1.3	1.7	5.8
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047

²⁾ Test terminated on 12/09/11

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0867**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	1.6	10	9.4	14	24	23	24	18
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	2.0	12	12	17	30	28	29	22
Aluminum	2.3	0.055	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	0.0027	0.0034	0.0045	0.0058	0.0052	0.0048	0.0069
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011	0.011
Beryllium	0.0024	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	0.16	0.32	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.015	0.0047	0.0013	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	130	200	170	130	50	39	27	23
Chloride	4.3	6.2	<2.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.12	0.070	0.021	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	30	0.72	0.12	<0.050	<0.050	<0.050	<0.050	0.061
Fluoride	3.6	1.2	1.5	2.1	2.1	1.8	1.4	1.3
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	3.4	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	0.42	0.31	0.12	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	13	22	17	8.3	2.7	2.3	1.7	1.6
Manganese	4.7	6.2	3.6	1.3	0.23	0.17	0.096	0.027
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	0.013	0.023	0.019	<0.050	0.020
Nickel	0.24	0.083	0.022	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.050	<0.050	<0.050	<0.025	<0.025	<0.025	<0.025
pH, stu	5.30	6.78	6.51	7.21	6.43	7.31	7.46	7.55
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	8.2	7.5	5.3	3.4	1.7	0.97	0.90	0.91
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.011	0.016	0.0099	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	7.2	12	5.5	1.6	0.76	<0.50	<0.50	<0.50
Strontium	0.34	0.49	0.37	0.23	0.11	<0.10	<0.10	<0.10
Sulfate	610	530	550	320	110	75	51	48
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	840	900	840	580	210	150	100	110
Uranium	0.013	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	0.019	0.022	0.011	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.58	0.12	0.022	0.018	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	9.65	12.8	10.4	7.37	2.80	2.17	1.51	1.31
Anions, meq/L	13.0	11.5	11.8	7.05	2.89	2.12	1.61	1.43
Balance, %	15	5.3	6.2	2.2	1.6	1.2	3.1	4.5
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0867**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52 ³⁾
Alkalinity, CaCO ₃	13	14	6.4	20	17	19	19	22
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	16	17	7.8	25	21	24	24	27
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0066	0.0069	<0.0025	0.0076	0.0073	0.0075	0.0067	0.0066
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.011	0.013	0.013	0.016	0.017	0.020	0.024
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	18	16	32	14	14	13	13	14
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.059
Fluoride	0.92	0.73	0.49	0.56	0.44	0.32	0.33	0.40
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	1.4	1.3	0.68	1.2	1.2	1.2	1.2	1.3
Manganese	0.012	0.0084	<0.0050	0.010	0.012	0.014	0.025	0.026
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.019	0.016	0.35	0.013	0.011	0.011	0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	6.92	7.14	6.85	7.26	7.27	7.45	7.46	7.66
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	0.73	0.52	<0.50	<2.5	<0.50	<0.50	<2.5	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	37	32	80	23	20	16	14	15
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	69	63	160	59	73	22	48	40
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.020	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.03	0.92	1.65	0.80	0.80	0.75	0.75	0.81
Anions, meq/L	1.08	0.98	1.82	0.92	0.78	0.74	0.70	0.78
Balance, %	2.3	3.4	4.8	7.0	<1.0	<1.0	3.2	2.1
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

³⁾Test terminated on 02/17/12

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0872**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	<1.0	15	17	13	8.9	12	16	20
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	<1.0	18	20	16	11	15	19	25
Aluminum	4.9	0.068	0.053	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Beryllium	0.0033	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	0.013	0.0027	<0.0050	<0.0050	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	250	330	260	240	140	74	34	32
Chloride	4.2	<5.0	<2.0	<1.0	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	0.091	0.024	0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	6.2	0.14	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.3	0.74	0.89	1.4	1.3	1.9	1.0	0.75
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	6.1	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	11	19	12	7.8	2.6	0.78	<0.50	0.56
Manganese	3.4	3.8	2.3	1.2	0.37	0.092	0.041	0.033
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	0.013	0.020	0.024	0.079
Nickel	0.020	0.014	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.12	<0.050	<0.050	<0.025	<0.025	<0.025	<0.025
pH, stu	4.93	7.00	6.66	7.14	6.19	7.10	7.38	7.52
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	7.8	4.4	2.7	2.0	1.0	0.52	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0089	0.014	0.0078	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	6.2	6.0	2.4	0.97	<0.50	<0.50	<0.50	<0.50
Strontium	0.39	0.29	0.18	0.12	<0.10	<0.10	<0.10	<0.10
Sulfate	910	830	800	650	380	160	68	64
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	1,300	1,400	1,200	1,000	560	300	150	160
Uranium	0.055	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	0.013	0.021	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.82	0.084	0.023	0.11	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	15.1	18.6	14.2	12.8	7.24	3.77	1.70	1.64
Anions, meq/L	19.2	17.7	17.0	13.9	8.16	3.68	1.78	1.78
Balance, %	12	2.3	9.0	4.2	6.0	1.3	2.3	4.0
WET Lab Report #	1101435	1102063	1102168	1102331	1103402	1104345	1105313	1106342

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0872**

Analysis, mg/L	Extract Week							
	Week 24	Week 28	Week 32	Week 36	Week 40	Week 44	Week 48	Week 52
Alkalinity, CaCO ₃	21	12	12	16	19	10	9.2	7.6
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	26	14	15	20	24	13	11	9.2
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	0.0075	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.015	0.014	0.010	0.019	0.020	0.015	0.022	0.018
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	33	32	13	32	29	21	21	18
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.57	0.58	0.68	0.29	0.27	0.25	0.29	0.26
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	0.012	<0.010	0.011
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	0.67	0.65	1.0	0.94	0.98	0.79	0.93	0.80
Manganese	0.022	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.21	0.29	0.016	0.33	0.31	0.24	0.25	0.19
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.07	7.05	7.10	7.19	7.26	7.16	7.00	6.63
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	<0.50	<0.50	0.61	<0.50	<0.50	<0.50	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	63	70	27	67	54	40	41	36
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	130	150	53	130	120	78	100	88
Uranium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.038	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	1.70	1.65	0.75	1.67	1.53	1.11	1.12	0.96
Anions, meq/L	1.77	1.72	0.84	1.74	1.53	1.06	1.05	0.91
Balance, %	1.8	2.0	6.1	1.9	<1.0	2.5	3.5	2.7
WET Lab Report #	1107281	1108216	1109159	1110123	1111082	1112047	1112489	1201427

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0872**

Analysis, mg/L	Extract Week							
	Week 56	Week 60	Week 64	Week 68	Week 72	Week 76	Week 80	Week 84
Alkalinity, CaCO ₃	11	17	10	12	4.2	6.0	7.0	6.0
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	13	21	12	15	5.2	7.3	8.6	7.3
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.046	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.021	0.024	0.025	0.034	0.020	0.017	0.018	0.018
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	0.0012	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	18	16	15	17	12	11	9.8	10
Chloride	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	0.35	0.32	0.43	0.47	0.38	0.48	0.54	0.52
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.050	<0.050	0.011	<0.010	<0.050	0.022	0.022	0.017
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	0.97	0.93	0.92	1.1	0.84	0.77	0.70	0.76
Manganese	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Mercury	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.20	0.15	0.16	0.16	0.098	0.11	0.075	0.065
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.025	<0.025	<0.030	<0.030	<0.030	<0.025	<0.025	<0.025
pH, stu	6.86	7.34	6.81	6.41	6.67	6.49	6.99	6.61
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Sulfate	39	30	34	37	31	25	26	28
Thallium	<0.0010	<0.0010	<0.0020	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	89	86	82	88	68	73	64	64
Uranium	<0.010	<0.010	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	0.98	0.87	0.82	0.94	0.67	0.62	0.55	0.56
Anions, meq/L	1.04	0.99	0.93	1.04	0.75	0.67	0.71	0.73
Balance, %	3.2	6.0	5.8	5.2	5.8	3.6	13	13
WET Lab Report #	1202374	1203479	1204385	1205361	1206343	1207261	1208181	1209076

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample SRK 0872**

Analysis, mg/L	Extract Week		
	Week 88	Week 92	Week 96
Alkalinity, CaCO ₃	5.8	6.3	5.9
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0
HCO ₃	7.1	7.7	7.2
Aluminum	<0.045	0.079	<0.045
Antimony	<0.0025	<0.010	0.0029
Arsenic	<0.0050	<0.025	<0.0050
Barium	0.037	0.024	0.042
Beryllium	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010
Calcium	9.5	9.7	10
Chloride	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010
Copper	<0.050	0.059	<0.050
Fluoride	0.49	0.67	0.62
Gallium	<0.10	<0.10	<0.10
Iron	0.024	0.049	0.032
Lead	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10
Magnesium	0.73	0.80	0.82
Manganese	<0.0050	<0.0050	0.012
Mercury	<0.00010	<0.00010	<0.00010
Molybdenum	0.062	0.064	0.045
Nickel	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	1.1
Nitrite as N	<0.025	0.074	0.080
pH, stu	6.73	6.66	6.74
Phosphorus	<0.50	<0.50	<0.50
Potassium	<0.50	<0.50	<0.50
Scandium	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.025	<0.0050
Silver	<0.0050	<0.0050	<0.0050
Sodium	<0.50	<0.50	<0.50
Strontium	<0.10	<0.10	<0.10
Sulfate	23	22	23
Thallium	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10
Total Dissolved Solids	70	54	74
Uranium	<0.0050	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010
Cations, meq/L	0.54	0.56	0.57
Anions, meq/L	0.62	0.62	0.71
Balance, %	7.4	4.8	11
WET Lab Report #	1210131	1211013	1211513

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample CF-11-02 (0-27)**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	110	92	76	64	78	43	44	39
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	140	110	92	78	96	52	53	47
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	0.048	0.049
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	<0.010
Barium	<0.010	<0.010	0.010	0.012	0.010	<0.010	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	0.20	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0050	<0.0010
Calcium	40	32	25	24	32	20	16	19
Chloride	20	1.7	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	8.6	4.4	2.5	1.8	0.86	0.93	1.2	1.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.050	<0.050	<0.050	<0.010
Lead	<0.0025	0.0028	0.0036	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.1	6.7	5.2	4.6	5.9	3.7	2.9	3.2
Manganese	0.031	0.12	0.064	0.043	0.061	0.035	0.028	0.028
Mercury	0.00037	0.00036	0.00032	0.00017	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.053	0.059	0.023	<0.010	<0.010	<0.010	0.011	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.059	<0.030	<0.030	<0.030	<0.025	<0.025	<0.025	<0.025
pH, stu	8.16	7.45	7.93	7.97	7.35	7.79	7.67	7.55
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	18	15	11	8.9	7.0	3.5	2.4	2.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0099	0.011	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	<0.010
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	48	18	7.4	2.8	1.6	0.72	0.62	0.53
Strontium	0.38	0.33	0.26	0.20	0.30	0.18	0.14	0.16
Sulfate	98	54	28	20	37	24	21	23
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	350	210	170	130	180	120	91	80
Uranium	0.014	0.027	0.020	0.014	0.0082	0.0067	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010	<0.010	0.011	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	5.13	3.32	2.28	1.93	2.33	1.42	1.13	1.30
Anions, meq/L	5.35	3.21	2.22	1.79	2.39	1.40	1.37	1.31
Balance, %	2.1	1.7	1.3	3.7	1.2	<1.0	9.5	<1.0
WET Lab Report #	1205220	1205362	1205478	1206157	1207066	1208040	1208599	1209549

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample CF-11-02 (0-27)**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	44	38
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	53	46
Aluminum	0.050	0.052
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	<0.010	<0.010
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.10
Cadmium	<0.0010	<0.0010
Calcium	18	16
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.0	0.91
Gallium	<0.10	<0.10
Iron	<0.010	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	3.2	2.9
Manganese	0.023	0.017
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.50	7.77
Phosphorus	<0.50	<0.50
Potassium	2.0	2.2
Scandium	<0.10	<0.1000
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.70	1.8
Strontium	0.15	0.14
Sulfate	19	17
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	83	84
Uranium	<0.0050	<0.0050
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.25	1.18
Anions, meq/L	1.32	1.16
Balance, %	2.6	<1.0
WET Lab Report #	1210537	1211395

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample CF-11-02 (367-408)**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	59	46	42	40	84	33	36	30
CO ₃ , CaCO ₃	2.9	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	66	56	51	49	100	40	44	36
Aluminum	0.078	0.090	0.088	0.099	0.13	0.089	0.074	0.11
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.010
Barium	<0.010	0.011	0.012	0.014	0.017	<0.010	0.015	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	0.22	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	18	16	14	18	29	15	20	16
Chloride	32	3.4	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.079	<0.050
Fluoride	3.3	1.7	1.2	1.2	0.75	0.87	1.9	1.1
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.050	<0.010	<0.010
Lead	<0.0025	0.0027	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	2.1	1.9	1.5	1.9	2.7	1.3	1.5	0.94
Manganese	<0.0050	<0.0050	0.0071	0.0086	0.020	0.019	0.023	0.020
Mercury	0.00041	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.020	0.016	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.044	<0.030	<0.030	<0.030	<0.025	<0.025	0.11	<0.025
pH, stu	8.53	7.25	7.83	7.60	7.45	7.36	7.40	7.50
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	12	10	8.0	8.1	6.1	2.9	2.8	1.7
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	0.0054	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.010
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	38	18	7.8	3.3	1.7	0.78	0.83	<0.50
Strontium	0.29	0.24	0.20	0.23	0.38	0.18	0.23	0.17
Sulfate	40	32	18	20	22	18	24	17
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	210	150	96	96	180	80	90	62
Uranium	<0.0050	0.0062	0.0075	0.0069	0.0058	<0.0050	<0.0050	<0.0050
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	3.04	2	1.38	1.42	1.91	0.97	1.24	0.93
Anions, meq/L	3.09	1.77	1.27	1.28	2.14	1.08	1.32	1.00
Balance, %	<1.0	6.2	3.9	5.0	5.5	5.0	3.1	3.6
WET Lab Report #	1205220	1205362	1205478	1206157	1207066	1208040	1208599	1209549

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project, Sample CF-11-02 (367-408)**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	29	23
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	36	28
Aluminum	0.10	0.14
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.049	<0.010
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.10
Cadmium	<0.0010	<0.0010
Calcium	16	15
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	0.056
Fluoride	1.0	1.0
Gallium	<0.10	<0.10
Iron	<0.010	0.033
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	0.83	0.69
Manganese	0.022	0.022
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.69	7.54
Phosphorus	<0.50	<0.50
Potassium	1.4	1.8
Scandium	<0.10	<0.1000
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.58	1.4
Strontium	0.15	0.15
Sulfate	17	16
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	63	89
Uranium	<0.0050	<0.0050
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	0.94	0.93
Anions, meq/L	1.00	0.84
Balance, %	2.9	4.9
WET Lab Report #	1210537	1211395

WetLab Laboratory Reports

Specializing in Soil, Hazardous Waste and Water Analysis.

12/10/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1211513


Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/29/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

for 
Andy Smith
Laboratory Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1211513

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1211513-001 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 13

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

POAProject: 3438 Wk:96

Date Printed: 12/10/2012

OrderID: 1211513

Customer Sample ID: 604 673 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-001

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.29	pH Units		11/29/2012
Trace Metals Digestion	EPA 200.2	Complete			12/3/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	11/29/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/30/2012
Fluoride	EPA 300.0	0.27 M	mg/L	0.10	11/30/2012
Sulfate	EPA 300.0	27	mg/L	1.0	11/30/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/30/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/30/2012
Total Dissolved Solids (TDS)	SM 2540C	65	mg/L	10	12/4/2012
Aluminum	EPA 200.7	0.20	mg/L	0.045	12/5/2012
Barium	EPA 200.7	0.080	mg/L	0.010	12/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/5/2012
Calcium	EPA 200.7	7.7	mg/L	0.50	12/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Copper	EPA 200.7	1.8	mg/L	0.050	12/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Iron	EPA 200.7	0.017	mg/L	0.010	12/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Magnesium	EPA 200.7	1.0	mg/L	0.50	12/5/2012
Manganese	EPA 200.7	0.051	mg/L	0.0050	12/5/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/5/2012

Page 3 of 13

Customer Sample ID: 604 673 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-001

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Potassium	EPA 200.7	0.88	mg/L	0.50	12/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Sodium	EPA 200.7	0.99	mg/L	0.50	12/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Zinc	EPA 200.7	0.060	mg/L	0.010	12/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Lead	EPA 200.8	0.013	mg/L	0.0025	12/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/5/2012
Uranium	EPA 200.8	0.025	mg/L	0.0050	12/5/2012
Anions	Calculation	0.58	meq/L	0.10	
Cations	Calculation	0.62	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: SRK 0854 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-002

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.86	pH Units		11/29/2012
Trace Metals Digestion	EPA 200.2	Complete			12/3/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	11/29/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/30/2012
Fluoride	EPA 300.0	0.21	mg/L	0.10	11/30/2012
Sulfate	EPA 300.0	84	mg/L	1.0	11/30/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/30/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/30/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	12/4/2012

Page 4 of 13

Customer Sample ID: SRK 0854 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-002

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	0.073	mg/L	0.045	12/5/2012
Barium	EPA 200.7	0.027	mg/L	0.010	12/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/5/2012
Bismuth	EPA 200.7	0.11	mg/L	0.10	12/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Cadmium	EPA 200.7	0.0012	mg/L	0.0010	12/5/2012
Calcium	EPA 200.7	3.6	mg/L	0.50	12/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Copper	EPA 200.7	41	mg/L	0.050	12/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Manganese	EPA 200.7	0.072	mg/L	0.0050	12/5/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Potassium	EPA 200.7	1.2	mg/L	0.50	12/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Sodium	EPA 200.7	0.84	mg/L	0.50	12/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Zinc	EPA 200.7	0.17	mg/L	0.010	12/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Lead	EPA 200.8	0.0097	mg/L	0.0025	12/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/5/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Anions	Calculation	1.76	meq/L	0.10	
Cations	Calculation	1.55	meq/L	0.10	
Error	Calculation	6.2	%	1.0	

Customer Sample ID: SRK 0872 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-003

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.74	pH Units		11/29/2012
Trace Metals Digestion	EPA 200.2	Complete			12/3/2012
Bicarbonate (HCO ₃)	SM 2320B	7.2	mg/L	1.0	11/29/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/29/2012
Total Alkalinity	SM 2320B	5.9	mg/L as CaCO ₃	1.0	11/29/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/30/2012
Fluoride	EPA 300.0	0.62	mg/L	0.10	11/30/2012
Sulfate	EPA 300.0	23	mg/L	1.0	11/30/2012
Nitrate Nitrogen	EPA 300.0	1.1	mg/L	1.0	11/30/2012
Nitrite Nitrogen	EPA 300.0	0.080	mg/L	0.025	11/30/2012
Total Dissolved Solids (TDS)	SM 2540C	74	mg/L	10	12/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/5/2012
Barium	EPA 200.7	0.042	mg/L	0.010	12/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/5/2012
Calcium	EPA 200.7	10	mg/L	0.50	12/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Iron	EPA 200.7	0.032	mg/L	0.010	12/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Magnesium	EPA 200.7	0.82	mg/L	0.50	12/5/2012
Manganese	EPA 200.7	0.012	mg/L	0.0050	12/5/2012
Molybdenum	EPA 200.7	0.045	mg/L	0.010	12/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/5/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/5/2012

Page 6 of 13

Customer Sample ID: SRK 0872 WK:96

Collect Date/Time: 11/29/2012 09:00

WETLAB Sample ID: 1211513-003

Receive Date: 11/29/2012 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/5/2012
Antimony	EPA 200.8	0.0029	mg/L	0.0025	12/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/5/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	12/5/2012
Anions	Calculation	0.71	meq/L	0.10	
Cations	Calculation	0.57	meq/L	0.10	
Error	Calculation	11	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12110975	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12110975	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12110976	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12110976	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12110977	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12110977	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12120040	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12120040	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12120041	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12120041	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12120043	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120043	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120043	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120044	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120044	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120044	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120045	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12120045	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12120110	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12120111	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12120177	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12120178	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12120191	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12120191	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12110944	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12110944	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110944	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110945	LCS 1	Total Alkalinity	SM 2320B	99.1	100	99	mg/L
QC12110945	LCS 2	Total Alkalinity	SM 2320B	99.4	100	99	mg/L
QC12110945	LCS 3	Total Alkalinity	SM 2320B	99.4	100	99	mg/L
QC12110945	LCS 4	Total Alkalinity	SM 2320B	99.2	100	99	mg/L
QC12110975	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12110976	LCS 1	Chloride	EPA 300.0	10.9	10.0	109	mg/L
QC12110977	LCS 1	Sulfate	EPA 300.0	23.9	25.0	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12120040	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12120041	LCS 1	Chloride	EPA 300.0	10.9	10.0	109	mg/L
QC12120043	LCS 1	Nitrite Nitrogen	EPA 300.0	0.540	0.500	108	mg/L
QC12120044	LCS 1	Nitrate Nitrogen	EPA 300.0	1.94	2.00	97	mg/L
QC12120045	LCS 1	Sulfate	EPA 300.0	23.9	25.0	96	mg/L
QC12120110	LCS 1	Mercury	EPA 200.8	0.000928	0.001	93	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic	EPA 200.8	0.0490	0.050	98	mg/L
		Lead	EPA 200.8	0.0100	0.010	100	mg/L
		Selenium	EPA 200.8	0.0437	0.050	87	mg/L
		Thallium	EPA 200.8	0.0098	0.010	98	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L
QC12120111	LCS 1	Mercury	EPA 200.8	0.000965	0.001	96	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0499	0.050	100	mg/L
		Lead	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium	EPA 200.8	0.0471	0.050	94	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0095	0.010	95	mg/L
QC12120177	LCS 1	Aluminum	EPA 200.7	0.943	1.00	94	mg/L
		Barium	EPA 200.7	0.946	1.00	95	mg/L
		Beryllium	EPA 200.7	0.961	1.00	96	mg/L
		Bismuth	EPA 200.7	0.980	1.00	98	mg/L
		Boron	EPA 200.7	0.909	1.00	91	mg/L
		Cadmium	EPA 200.7	0.958	1.00	96	mg/L
		Calcium	EPA 200.7	9.57	10.0	96	mg/L
		Chromium	EPA 200.7	0.934	1.00	93	mg/L
		Cobalt	EPA 200.7	0.940	1.00	94	mg/L
		Copper	EPA 200.7	4.57	5.00	91	mg/L
		Gallium	EPA 200.7	0.946	1.00	95	mg/L
		Iron	EPA 200.7	0.940	1.00	94	mg/L
		Lithium	EPA 200.7	0.948	1.00	95	mg/L
		Magnesium	EPA 200.7	9.30	10.0	93	mg/L
		Manganese	EPA 200.7	0.937	1.00	94	mg/L
		Molybdenum	EPA 200.7	0.945	1.00	94	mg/L
		Nickel	EPA 200.7	4.70	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.78	5.00	96	mg/L
		Potassium	EPA 200.7	9.51	10.0	95	mg/L
		Scandium	EPA 200.7	0.942	1.00	94	mg/L
		Silver	EPA 200.7	0.084	0.090	94	mg/L
		Sodium	EPA 200.7	9.64	10.0	96	mg/L
		Strontium	EPA 200.7	0.962	1.00	96	mg/L
		Tin	EPA 200.7	0.941	1.00	94	mg/L
		Titanium	EPA 200.7	0.953	1.00	95	mg/L
		Vanadium	EPA 200.7	0.931	1.00	93	mg/L
		Zinc	EPA 200.7	0.958	1.00	96	mg/L
QC12120178	LCS 1	Aluminum	EPA 200.7	0.940	1.00	94	mg/L
		Barium	EPA 200.7	0.944	1.00	94	mg/L
		Beryllium	EPA 200.7	0.954	1.00	95	mg/L
		Bismuth	EPA 200.7	0.980	1.00	98	mg/L
		Boron	EPA 200.7	0.920	1.00	92	mg/L
		Cadmium	EPA 200.7	0.951	1.00	95	mg/L
		Calcium	EPA 200.7	9.55	10.0	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Chromium	EPA 200.7	0.934	1.00	93	mg/L
		Cobalt	EPA 200.7	0.944	1.00	94	mg/L
		Copper	EPA 200.7	4.54	5.00	91	mg/L
		Gallium	EPA 200.7	0.950	1.00	95	mg/L
		Iron	EPA 200.7	0.933	1.00	93	mg/L
		Lithium	EPA 200.7	0.959	1.00	96	mg/L
		Magnesium	EPA 200.7	9.21	10.0	92	mg/L
		Manganese	EPA 200.7	0.931	1.00	93	mg/L
		Molybdenum	EPA 200.7	0.953	1.00	95	mg/L
		Nickel	EPA 200.7	4.72	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.82	5.00	96	mg/L
		Potassium	EPA 200.7	9.53	10.0	95	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	9.66	10.0	97	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.940	1.00	94	mg/L
		Titanium	EPA 200.7	0.951	1.00	95	mg/L
		Vanadium	EPA 200.7	0.935	1.00	94	mg/L
		Zinc	EPA 200.7	0.958	1.00	96	mg/L
QC12120191	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12120191	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12110944	Duplicate	pH	SM 4500-H+ B	1211498-001	6.86	6.86	pH Units	<1%
QC12110944	Duplicate	pH	SM 4500-H+ B	1211498-008	7.89	7.88	pH Units	<1%
QC12110944	Duplicate	pH	SM 4500-H+ B	1211503-009	7.34	7.34	pH Units	<1%
QC12110944	Duplicate	pH	SM 4500-H+ B	1211512-002	7.55	7.62	pH Units	1 %
QC12110944	Duplicate	pH	SM 4500-H+ B	1211514-001	5.82	5.77	pH Units	1 %
QC12110945	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211498-001	436	456	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1211498-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211498-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211498-001	358	374	mg/L as CaCO3	4 %
QC12110945	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211498-008	263	262	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211498-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211498-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211498-008	216	215	mg/L as CaCO3	<1%
QC12110945	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211503-009	150	152	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211503-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211503-009	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211503-009	123	124	mg/L as CaCO3	1 %
QC12110945	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211512-002	64.8	62.8	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1211512-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211512-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211512-002	53.1	51.5	mg/L as CaCO3	3 %
QC12110945	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211514-001	<1.000	<1.000	mg/L	17 %
		Carbonate (CO3)	SM 2320B	1211514-001	<1.000	<1.000	mg/L	<1%

QC Batch ID	QC Type	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
		Hydroxide (OH)	SM 2320B	1211514-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211514-001	<1.000	<1.000	mg/L as CaCO3	17%
QC12120191	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211512-001	2638	2618	mg/L	1%
QC12120191	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212008-002	39.0	32.0	mg/L	20%
QC12120191	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212009-002	40.0	32.0	mg/L	22%
QC12120191	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211530-001	213	203	mg/L	5%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12110975	MS 1	Fluoride	EPA 300.0	1211513-001	0.266	M 2.68	2.81	2.00	mg/L	NC	NC	NC
QC12110976	MS 1	Chloride	EPA 300.0	1211513-001	<1.000	5.27	5.50	5.00	mg/L	104	109	4%
QC12110977	MS 1	Sulfate	EPA 300.0	1211513-001	27.0	37.8	39.3	10.0	mg/L	108	124	4%
QC12120040	MS 1	Fluoride	EPA 300.0	1211515-001	<0.100	1.76	1.88	2.00	mg/L	87	93	7%
QC12120041	MS 1	Chloride	EPA 300.0	1211515-001	<1.000	4.99	5.15	5.00	mg/L	99	102	3%
QC12120043	MS 1	Nitrite Nitrogen	EPA 300.0	1211513-001	<0.025	0.513	0.524	0.500	mg/L	103	105	2%
QC12120043	MS 2	Nitrite Nitrogen	EPA 300.0	1211515-001	<0.025	0.476	0.497	0.500	mg/L	95	99	4%
QC12120044	MS 1	Nitrate Nitrogen	EPA 300.0	1211513-001	<1.000	1.86	1.93	2.00	mg/L	93	96	4%
QC12120044	MS 2	Nitrate Nitrogen	EPA 300.0	1211515-001	<1.000	1.93	2.01	2.00	mg/L	95	99	4%
QC12120045	MS 1	Sulfate	EPA 300.0	1211515-001	2.05	11.6	12.0	10.0	mg/L	95	100	3%
QC12120110	MS 1	Mercury	EPA 200.8	1211512-001	<0.00010	0.000903	0.000902	0.001	mg/L	82	81	<1%
		Antimony	EPA 200.8	1211512-001	0.0053	0.0147	0.0147	0.010	mg/L	94	94	<1%
		Arsenic	EPA 200.8	1211512-001	0.0178	0.0763	0.0757	0.050	mg/L	117	116	1%
		Lead	EPA 200.8	1211512-001	0.0053	0.0137	0.0140	0.010	mg/L	84	87	2%
		Selenium	EPA 200.8	1211512-001	0.1580	0.2185	0.2157	0.050	mg/L	121	115	1%
		Thallium	EPA 200.8	1211512-001	<0.0010	0.0083	0.0084	0.010	mg/L	83	83	1%
		Uranium	EPA 200.8	1211512-001	0.0104	0.0194	0.0195	0.010	mg/L	90	91	1%
QC12120111	MS 1	Mercury	EPA 200.8	1211521-001	<0.00010	0.000906	0.000949	0.001	mg/L	89	93	5%
		Antimony	EPA 200.8	1211521-001	<0.0025	0.0094	0.0094	0.010	mg/L	94	95	<1%
		Arsenic	EPA 200.8	1211521-001	<0.0050	0.0532	0.0535	0.050	mg/L	105	106	1%
		Lead	EPA 200.8	1211521-001	<0.0025	0.0097	0.0097	0.010	mg/L	96	95	<1%
		Selenium	EPA 200.8	1211521-001	<0.0050	0.0468	0.0463	0.050	mg/L	93	92	1%
		Thallium	EPA 200.8	1211521-001	<0.0010	0.0094	0.0094	0.010	mg/L	94	95	<1%
		Uranium	EPA 200.8	1211521-001	<0.0050	0.0108	0.0107	0.010	mg/L	98	96	1%
QC12120177	MS 1	Aluminum	EPA 200.7	1211512-001	62.4	SC 63.9	64.0	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1211512-001	0.011	0.870	0.858	1.00	mg/L	86	85	1%
		Beryllium	EPA 200.7	1211512-001	0.003	0.892	0.896	1.00	mg/L	89	89	<1%
		Bismuth	EPA 200.7	1211512-001	<0.100	0.945	0.946	1.00	mg/L	94	95	<1%
		Boron	EPA 200.7	1211512-001	0.163	1.07	1.05	1.00	mg/L	91	89	2%
		Cadmium	EPA 200.7	1211512-001	0.057	0.938	0.928	1.00	mg/L	88	87	1%
		Calcium	EPA 200.7	1211512-001	483	496	493	10.0	mg/L	130	100	1%
		Chromium	EPA 200.7	1211512-001	0.007	0.863	0.856	1.00	mg/L	86	85	1%
		Cobalt	EPA 200.7	1211512-001	0.405	1.26	1.25	1.00	mg/L	86	84	1%
		Copper	EPA 200.7	1211512-001	11.8	17.1	17.1	5.00	mg/L	106	106	<1%
		Gallium	EPA 200.7	1211512-001	<0.100	0.966	0.956	1.00	mg/L	96	95	1%
		Iron	EPA 200.7	1211512-001	2.67	3.65	3.65	1.00	mg/L	98	98	<1%
		Lithium	EPA 200.7	1211512-001	<0.100	1.05	1.05	1.00	mg/L	99	99	<1%
		Magnesium	EPA 200.7	1211512-001	17.8	27.0	27.0	10.0	mg/L	92	92	<1%
		Manganese	EPA 200.7	1211512-001	2.61	3.50	3.52	1.00	mg/L	89	91	1%
		Molybdenum	EPA 200.7	1211512-001	<0.010	0.868	0.877	1.00	mg/L	88	89	1%
		Nickel	EPA 200.7	1211512-001	0.291	4.60	4.55	5.00	mg/L	86	85	1%
		Phosphorus	EPA 200.7	1211512-001	<0.500	4.84	4.88	5.00	mg/L	95	96	1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12120178	MS 1	Potassium	EPA 200.7	1211512-001	2.58	12.6	12.7	10.0	mg/L	100	101	1%
		Scandium	EPA 200.7	1211512-001	<0.100	0.898	0.903	1.00	mg/L	90	90	1%
		Silver	EPA 200.7	1211512-001	<0.005	0.082	0.083	0.090	mg/L	92	93	1%
		Sodium	EPA 200.7	1211512-001	27.4	37.0	37.3	10.0	mg/L	96	99	1%
		Strontium	EPA 200.7	1211512-001	0.913	1.85	1.87	1.00	mg/L	94	96	1%
		Tin	EPA 200.7	1211512-001	<0.100	0.828	0.836	1.00	mg/L	88	89	1%
		Titanium	EPA 200.7	1211512-001	<0.100	0.921	0.924	1.00	mg/L	92	93	<1%
		Vanadium	EPA 200.7	1211512-001	0.013	0.908	0.898	1.00	mg/L	90	89	1%
		Zinc	EPA 200.7	1211512-001	10.6	11.3	11.1	1.00	mg/L	70	50	2%
		Aluminum	EPA 200.7	1211521-001	0.067	1.03	1.04	1.00	mg/L	96	97	1%
		Barium	EPA 200.7	1211521-001	0.028	0.962	0.964	1.00	mg/L	93	94	<1%
		Beryllium	EPA 200.7	1211521-001	<0.001	0.953	0.954	1.00	mg/L	95	95	<1%
		Bismuth	EPA 200.7	1211521-001	<0.100	0.957	0.964	1.00	mg/L	95	96	1%
		Boron	EPA 200.7	1211521-001	<0.100	0.948	0.955	1.00	mg/L	92	93	1%
		Cadmium	EPA 200.7	1211521-001	<0.001	0.939	0.940	1.00	mg/L	94	94	<1%
		Calcium	EPA 200.7	1211521-001	13.5	23.6	23.4	10.0	mg/L	101	99	1%
		Chromium	EPA 200.7	1211521-001	<0.005	0.922	0.926	1.00	mg/L	92	93	<1%
		Cobalt	EPA 200.7	1211521-001	<0.010	0.923	0.926	1.00	mg/L	92	93	<1%
		Copper	EPA 200.7	1211521-001	<0.050	4.51	4.50	5.00	mg/L	90	90	<1%
		Gallium	EPA 200.7	1211521-001	<0.100	0.962	0.968	1.00	mg/L	96	97	1%
		Iron	EPA 200.7	1211521-001	0.505	1.46	1.46	1.00	mg/L	96	96	<1%
		Lithium	EPA 200.7	1211521-001	<0.100	0.931	0.930	1.00	mg/L	93	93	<1%
		Magnesium	EPA 200.7	1211521-001	3.21	12.2	12.3	10.0	mg/L	90	91	1%
		Manganese	EPA 200.7	1211521-001	0.070	0.982	0.983	1.00	mg/L	91	91	<1%
		Molybdenum	EPA 200.7	1211521-001	<0.010	0.951	0.957	1.00	mg/L	94	95	1%
		Nickel	EPA 200.7	1211521-001	<0.010	4.60	4.61	5.00	mg/L	92	92	<1%
		Phosphorus	EPA 200.7	1211521-001	<0.500	4.89	4.89	5.00	mg/L	96	96	<1%
		Potassium	EPA 200.7	1211521-001	2.03	11.7	11.6	10.0	mg/L	97	96	1%
		Scandium	EPA 200.7	1211521-001	<0.100	0.940	0.942	1.00	mg/L	94	94	<1%
		Silver	EPA 200.7	1211521-001	<0.005	0.084	0.084	0.090	mg/L	93	93	<1%
		Sodium	EPA 200.7	1211521-001	17.1	26.5	26.1	10.0	mg/L	94	90	2%
		Strontium	EPA 200.7	1211521-001	0.145	1.15	1.16	1.00	mg/L	100	101	1%
Tin	EPA 200.7	1211521-001	<0.100	0.920	0.930	1.00	mg/L	93	94	1%		
Titanium	EPA 200.7	1211521-001	<0.100	0.964	0.974	1.00	mg/L	96	97	1%		
Vanadium	EPA 200.7	1211521-001	<0.010	0.938	0.943	1.00	mg/L	93	94	1%		
Zinc	EPA 200.7	1211521-001	0.011	0.960	0.961	1.00	mg/L	95	95	<1%		



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1211513

Report

Due Date: 12/17/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard 5 Day Other

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type/Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE TYPE NO OF CONTAINERS

Analyses Requested

Profile II w/o Wad
Uranium

SAMPLE ID/LOCATION	DATE	TIME										Spl. No.
604 673	Wk:96	11/29/12	9:00	WW	2	X	X					1
SRK 0854	↓	↓	↓	↓	↓	↓	↓					2
SRK 0872	↓	↓	↓	↓	↓	↓	↓					3

Instructions/Comments/Special Requirements: _____ 1211 \ 5

_____ 513 3

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>18.4°C</u>	<u>12/17/12</u>	<u>4:10P</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>6</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.
 475 E. Greg Street #119 | Sparks, Nevada 89431
 tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1211513
 Report
 Due Date: 12/13/12
 Page 1 of 1

Client McClelland Laboratories, Inc.		Turnaround Time Standard <input type="checkbox"/> 5-Day <input type="checkbox"/> Other <input type="checkbox"/> Billing Address (if different than Client Address): Company _____ Address _____ City, State & Zip _____ Contact _____ Phone _____ Fax _____ Email _____
Address 1016 Greg Street		
City, State & Zip Sparks, NV 89431		
Contact Mike Medina		
Phone 775-356-1300	Collector's Name Robert	
Fax 775-356-8917	Project Name _____	
P.O. Number _____	Project Number 3438	

Email **mlf@mettest.com**

Additional Information:

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes:

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION		DATE	TIME	NO. OF CONTAINERS		Profile II w/o Wad	Uranium	Spl. No.
604 673	Wk:96	11/29/12	9:00	WW 2	X	X		1
SRK 0854	↓	↓	↓	↓	↓	↓		2
SRK 0872	↓	↓	↓	↓	↓	↓		3

Instructions/Comments/Special Requirements: _____ 1211 \ 5 _____
 _____ 513 3 _____

SAMPLE RECEIPT		DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>18.4°C</u>		<u>12/28/12</u>	<u>9:10</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>					
Number of Containers <u>6</u>					

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

11/12/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1211013

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/1/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-5152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1211013

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1211013-001 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1211013-001 Antimony, Arsenic, Mercury, Selenium, Thallium

1211013-002 Antimony, Arsenic, Mercury, Selenium, Thallium, Uranium

1211013-003 Antimony, Arsenic, Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 11

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamaille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina
Phone: (775) 356-1300 Fax: (775) 356-8917
POProject: 3438

Date Printed: 11/12/2012
OrderID: 1211013

Customer Sample ID: 604 673 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-001

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.49	pH Units		11/1/2012
Trace Metals Digestion	EPA 200.2	Complete			11/2/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	11/1/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/1/2012
Fluoride	EPA 300.0	0.48	M mg/L	0.10	11/1/2012
Sulfate	EPA 300.0	26	mg/L	1.0	11/1/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/1/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/1/2012
Total Dissolved Solids (TDS)	SM 2540C	34	mg/L	10	11/6/2012
Aluminum	EPA 200.7	0.18	mg/L	0.045	11/5/2012
Barium	EPA 200.7	0.068	mg/L	0.010	11/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/5/2012
Calcium	EPA 200.7	6.7	mg/L	0.50	11/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Copper	EPA 200.7	1.4	mg/L	0.050	11/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Iron	EPA 200.7	0.020	mg/L	0.010	11/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Magnesium	EPA 200.7	0.92	mg/L	0.50	11/5/2012
Manganese	EPA 200.7	0.048	mg/L	0.0050	11/5/2012

Page 3 of 11

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-001

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Potassium	EPA 200.7	0.84	mg/L	0.50	11/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Zinc	EPA 200.7	0.058	mg/L	0.010	11/5/2012
Mercury	EPA 200.8	<0.0005	mg/L	0.0005	11/8/2012
Antimony	EPA 200.8	<0.010	mg/L	0.010	11/8/2012
Arsenic	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Lead	EPA 200.8	0.0054	mg/L	0.0050	11/8/2012
Selenium	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Thallium	EPA 200.8	<0.0050	mg/L	0.0050	11/8/2012
Uranium	EPA 200.8	0.016	mg/L	0.0050	11/8/2012
Anions	Calculation	0.57	meq/L	0.10	
Cations	Calculation	0.50	meq/L	0.10	
Error	Calculation	6.2	%	1.0	

Customer Sample ID: SRK 0854 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-002

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.02	pH Units		11/1/2012
Trace Metals Digestion	EPA 200.2	Complete			11/2/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	11/1/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/1/2012
Fluoride	EPA 300.0	0.35	mg/L	0.10	11/1/2012
Sulfate	EPA 300.0	100	mg/L	1.0	11/1/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/1/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/1/2012

Page 4 of 11

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0854 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-002

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	11/6/2012
Aluminum	EPA 200.7	0.074	mg/L	0.045	11/5/2012
Barium	EPA 200.7	0.069	mg/L	0.010	11/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/5/2012
Bismuth	EPA 200.7	0.13	mg/L	0.10	11/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Cadmium	EPA 200.7	0.0013	mg/L	0.0010	11/5/2012
Calcium	EPA 200.7	4.6	mg/L	0.50	11/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Copper	EPA 200.7	48	mg/L	0.050	11/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Manganese	EPA 200.7	0.092	mg/L	0.0050	11/5/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Phosphorus	EPA 200.7	0.53	mg/L	0.50	11/5/2012
Potassium	EPA 200.7	0.57	mg/L	0.50	11/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Silver	EPA 200.7	0.012	mg/L	0.0050	11/5/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Zinc	EPA 200.7	0.23	mg/L	0.010	11/5/2012
Mercury	EPA 200.8	<0.0005	mg/L	0.0005	11/8/2012
Antimony	EPA 200.8	<0.010	mg/L	0.010	11/8/2012
Arsenic	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Lead	EPA 200.8	0.0092	mg/L	0.0050	11/8/2012
Selenium	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Thallium	EPA 200.8	<0.0050	mg/L	0.0050	11/8/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	11/8/2012
Anions	Calculation	2.10	meq/L	0.10	
Cations	Calculation	1.77	meq/L	0.10	
Error	Calculation	8.4	%	1.0	

Customer Sample ID: SRK 0872 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-003

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.66	pH Units		11/1/2012
Trace Metals Digestion	EPA 200.2	Complete			11/2/2012
Bicarbonate (HCO ₃)	SM 2320B	7.7	mg/L	1.0	11/1/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/1/2012
Total Alkalinity	SM 2320B	6.3	mg/L as CaCO ₃	1.0	11/1/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/1/2012
Fluoride	EPA 300.0	0.67	mg/L	0.10	11/1/2012
Sulfate	EPA 300.0	22	mg/L	1.0	11/1/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/1/2012
Nitrite Nitrogen	EPA 300.0	0.074	mg/L	0.025	11/1/2012
Total Dissolved Solids (TDS)	SM 2540C	54	mg/L	10	11/6/2012
Aluminum	EPA 200.7	0.079	mg/L	0.045	11/5/2012
Barium	EPA 200.7	0.024	mg/L	0.010	11/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/5/2012
Calcium	EPA 200.7	9.7	mg/L	0.50	11/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Copper	EPA 200.7	0.059	mg/L	0.050	11/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Iron	EPA 200.7	0.049	mg/L	0.010	11/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Magnesium	EPA 200.7	0.80	mg/L	0.50	11/5/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Molybdenum	EPA 200.7	0.064	mg/L	0.010	11/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/5/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/5/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/5/2012

Page 6 of 11

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: SRK 0872 Wk:92

Collect Date/Time: 11/1/2012 09:00

WETLAB Sample ID: 1211013-003

Receive Date: 11/1/2012 13:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/6/2012
Antimony	EPA 200.8	<0.010	mg/L	0.010	11/8/2012
Arsenic	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/6/2012
Selenium	EPA 200.8	<0.025	mg/L	0.025	11/8/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/6/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	11/6/2012
Anions	Calculation	0.62	meq/L	0.10	
Cations	Calculation	0.56	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12110056	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12110056	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12110056	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12110058	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12110058	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12110058	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12110060	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110060	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110060	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110062	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110062	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110062	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110064	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12110064	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12110064	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12110138	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12110208	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L

Page 8 of 11

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Units
QC12110259	Blank 1	Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12110056	LCS 1	Fluoride	EPA 300.0	2.05	2.00	103	mg/L
QC12110058	LCS 1	Chloride	EPA 300.0	11.0	10.0	110	mg/L
QC12110060	LCS 1	Nitrite Nitrogen	EPA 300.0	0.496	0.500	99	mg/L
QC12110062	LCS 1	Nitrate Nitrogen	EPA 300.0	1.99	2.00	99	mg/L
QC12110064	LCS 1	Sulfate	EPA 300.0	24.3	25.0	97	mg/L
QC12110066	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12110066	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110066	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110068	LCS 1	Total Alkalinity	SM 2320B	96.2	100	96	mg/L
QC12110068	LCS 2	Total Alkalinity	SM 2320B	99.3	100	99	mg/L
QC12110068	LCS 3	Total Alkalinity	SM 2320B	98.6	100	99	mg/L
QC12110068	LCS 4	Total Alkalinity	SM 2320B	99.7	100	100	mg/L
QC12110138	LCS 1	Aluminum	EPA 200.7	0.965	1.00	96	mg/L
		Barium	EPA 200.7	0.977	1.00	98	mg/L
		Beryllium	EPA 200.7	0.979	1.00	98	mg/L
		Bismuth	EPA 200.7	0.985	1.00	98	mg/L
		Boron	EPA 200.7	0.935	1.00	94	mg/L
		Cadmium	EPA 200.7	0.982	1.00	98	mg/L
		Calcium	EPA 200.7	9.66	10.0	97	mg/L
		Chromium	EPA 200.7	0.968	1.00	97	mg/L
		Cobalt	EPA 200.7	0.978	1.00	98	mg/L
		Copper	EPA 200.7	4.76	5.00	95	mg/L
		Gallium	EPA 200.7	0.975	1.00	98	mg/L
		Iron	EPA 200.7	0.976	1.00	98	mg/L
		Lithium	EPA 200.7	0.974	1.00	97	mg/L
		Magnesium	EPA 200.7	9.54	10.0	95	mg/L
		Manganese	EPA 200.7	0.967	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.985	1.00	98	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.95	5.00	99	mg/L
		Potassium	EPA 200.7	9.86	10.0	99	mg/L
		Scandium	EPA 200.7	0.974	1.00	97	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	9.89	10.0	99	mg/L
		Strontium	EPA 200.7	0.989	1.00	99	mg/L
		Tin	EPA 200.7	0.964	1.00	96	mg/L
		Titanium	EPA 200.7	0.976	1.00	98	mg/L
		Vanadium	EPA 200.7	0.970	1.00	97	mg/L
		Zinc	EPA 200.7	0.998	1.00	100	mg/L
QC12110208	LCS 1	Uranium, Dissolved	EPA 200.8	0.0096	0.010	96	mg/L
		Mercury, Dissolved	EPA 200.8	0.000905	0.001	90	mg/L
		Antimony, Dissolved	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic, Dissolved	EPA 200.8	0.0510	0.050	102	mg/L
		Lead, Dissolved	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium, Dissolved	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium, Dissolved	EPA 200.8	0.0098	0.010	98	mg/L
QC12110259	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L

Duplicate Sample Duplicate

QCBatchID	QCType	Sample	Result	Result				
QC12110066	Duplicate	pH	SM 4500-H+ B	1211002-001	7.97	8.00	pH Units	<1%
QC12110066	Duplicate	pH	SM 4500-H+ B	1211006-007	7.44	7.42	pH Units	<1%
QC12110066	Duplicate	pH	SM 4500-H+ B	1211008-005	6.97	6.96	pH Units	<1%
QC12110066	Duplicate	pH	SM 4500-H+ B	1211011-001	7.46	7.51	pH Units	1 %
QC12110066	Duplicate	pH	SM 4500-H+ B	1211015-001	6.18	6.28	pH Units	2 %
QC12110068	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211002-001	215	215	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211002-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211002-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211002-001	176	177	mg/L as CaCO3	<1%
QC12110068	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211006-007	120	119	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211006-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211006-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211006-007	98.8	98.0	mg/L as CaCO3	1 %
QC12110068	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211008-005	1034	1041	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211008-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211008-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211008-005	848	854	mg/L as CaCO3	1 %
QC12110068	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211011-001	441	440	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211011-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211011-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211011-001	362	360	mg/L as CaCO3	<1%
QC12110068	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211015-001	2.68	2.51	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1211015-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211015-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211015-001	2.20	2.06	mg/L as CaCO3	7 %
QC12110259	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211054-001	331	327	mg/L	1 %
QC12110259	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211055-005	265	270	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12110056	MS 1	Fluoride	EPA 300.0	1210633-002	0.123	2.22	2.30	2.00	mg/L	105	109	4 %
QC12110056	MS 2	Fluoride	EPA 300.0	1211013-001	0.477	M 3.45	3.45	2.00	mg/L	NC	NC	NC
QC12110058	MS 1	Chloride	EPA 300.0	1210633-002	<1.000	5.47	5.67	5.00	mg/L	106	110	4 %
QC12110058	MS 2	Chloride	EPA 300.0	1211013-001	<1.000	5.61	5.60	5.00	mg/L	111	111	<1%
QC12110060	MS 1	Nitrite Nitrogen	EPA 300.0	1210633-002	<0.025	0.537	0.559	0.500	mg/L	106	110	4 %
QC12110060	MS 2	Nitrite Nitrogen	EPA 300.0	1211013-001	<0.025	0.536	0.543	0.500	mg/L	107	109	1 %
QC12110062	MS 1	Nitrate Nitrogen	EPA 300.0	1210633-002	<1.000	2.12	2.20	2.00	mg/L	104	108	4 %
QC12110062	MS 2	Nitrate Nitrogen	EPA 300.0	1211013-001	<1.000	2.17	2.17	2.00	mg/L	107	107	<1%
QC12110064	MS 1	Sulfate	EPA 300.0	1210633-002	11.2	21.2	21.6	10.0	mg/L	100	104	2 %
QC12110064	MS 2	Sulfate	EPA 300.0	1211013-001	25.9	37.4	38.0	10.0	mg/L	114	121	2 %
QC12110138	MS 1	Aluminum, Dissolved	EPA 200.7	1211011-001	<0.045	1.05	1.05	1.00	mg/L	103	103	<1%
		Barium, Dissolved	EPA 200.7	1211011-001	0.129	1.09	1.08	1.00	mg/L	96	95	1 %
		Beryllium, Dissolved	EPA 200.7	1211011-001	<0.001	0.984	0.983	1.00	mg/L	98	98	<1%
		Bismuth, Dissolved	EPA 200.7	1211011-001	<0.100	0.945	0.944	1.00	mg/L	98	98	<1%
		Boron, Dissolved	EPA 200.7	1211011-001	0.373	1.38	1.37	1.00	mg/L	101	100	1 %
		Cadmium, Dissolved	EPA 200.7	1211011-001	<0.001	0.968	0.964	1.00	mg/L	97	97	<1%
		Calcium, Dissolved	EPA 200.7	1211011-001	149	158	156	10.0	mg/L	90	70	1 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Chromium, Dissolved	EPA 200.7	1211011-001	<0.005	0.969	0.962	1.00	mg/L	97	96	1 %
		Cobalt, Dissolved	EPA 200.7	1211011-001	0.910	1.74	1.72	1.00	mg/L	83	81	1 %
		Copper, Dissolved	EPA 200.7	1211011-001	<0.050	4.93	4.87	5.00	mg/L	99	97	1 %
		Gallium, Dissolved	EPA 200.7	1211011-001	<0.100	1.05	1.04	1.00	mg/L	104	103	1 %
		Iron, Dissolved	EPA 200.7	1211011-001	0.081	1.06	1.05	1.00	mg/L	98	97	1 %
		Lithium, Dissolved	EPA 200.7	1211011-001	<0.100	0.975	0.960	1.00	mg/L	93	92	2 %
		Magnesium, Dissolved	EPA 200.7	1211011-001	34.8	42.6	42.5	10.0	mg/L	78	77	<1%
		Manganese, Dissolved	EPA 200.7	1211011-001	<0.005	0.905	0.898	1.00	mg/L	95	94	1 %
		Molybdenum, Dissolved	EPA 200.7	1211011-001	<0.010	1.02	1.02	1.00	mg/L	102	102	<1%
		Nickel, Dissolved	EPA 200.7	1211011-001	<0.010	4.75	4.72	5.00	mg/L	95	94	1 %
		Phosphorus, Dissolved	EPA 200.7	1211011-001	<0.500	5.61	5.62	5.00	mg/L	107	107	<1%
		Potassium, Dissolved	EPA 200.7	1211011-001	3.61	13.8	13.6	10.0	mg/L	102	100	1 %
		Scandium, Dissolved	EPA 200.7	1211011-001	<0.100	0.980	0.978	1.00	mg/L	98	98	<1%
		Silver, Dissolved	EPA 200.7	1211011-001	<0.005	0.087	0.085	0.090	mg/L	98	96	2 %
		Sodium, Dissolved	EPA 200.7	1211011-001	279	287	281	10.0	mg/L	80	20	2 %
		Strontium, Dissolved	EPA 200.7	1211011-001	1.39	2.39	2.34	1.00	mg/L	100	95	2 %
		Tin, Dissolved	EPA 200.7	1211011-001	<0.100	0.946	0.950	1.00	mg/L	99	99	<1%
		Titanium, Dissolved	EPA 200.7	1211011-001	<0.100	0.983	0.978	1.00	mg/L	98	98	1 %
		Vanadium, Dissolved	EPA 200.7	1211011-001	0.055	1.06	1.05	1.00	mg/L	101	100	1 %
		Zinc, Dissolved	EPA 200.7	1211011-001	<0.010	1.02	1.02	1.00	mg/L	102	102	<1%
QC12110208	MS 1	Uranium, Dissolved	EPA 200.8	1211011-001	0.0181	0.0267	0.0259	0.010	mg/L	86	78	3 %
		Mercury, Dissolved	EPA 200.8	1211011-001	0.002285 M	0.002942	0.002960	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1211011-001	<0.0025	0.0102	0.0103	0.010	mg/L	95	96	1 %
		Arsenic, Dissolved	EPA 200.8	1211011-001	0.0496	0.1014	0.0997	0.050	mg/L	104	100	2 %
		Lead, Dissolved	EPA 200.8	1211011-001	<0.0025	0.0079	0.0082	0.010	mg/L	77	80	4 %
		Selenium, Dissolved	EPA 200.8	1211011-001	0.0182	0.0607	0.0569	0.050	mg/L	85	77	6 %
		Thallium, Dissolved	EPA 200.8	1211011-001	<0.0010	0.0079	0.0080	0.010	mg/L	79	80	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1211013

Report
Due Date: 11/15/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID	LOCATION	DATE	TIME	TYPE	NO OF CONTAINERS	ANALYSES REQUESTED		SPL. NO.
						Profile II w/o Wad	Uranium	
604 673	Wk:92	11/1/12	9:00	ww	2	X	X	1
SRK 0854	↓	↓	↓	↓	↓	↓	↓	2
SRK 0872	↓	↓	↓	↓	↓	↓	↓	3

Instructions/Comments/Special Requirements:

1211 \ 1
013 1

SAMPLE RECEIPT	DATE	TIME	Samples Collected By	Samples Received By
Temperature <u>20.7</u> °C	<u>11/1/12</u>	<u>1320</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>6</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1211013

Report
Due Date: 11/15/12

Page 1 of 1

Client <u>McClelland Laboratories, Inc.</u>		Turnaround Time	
Address <u>1016 Greg Street</u>		Standard _____ Day _____ Other _____	
City, State & Zip <u>Sparks, NV 89431</u>		Billing Address (if different than Client Address):	
Contact <u>Mike Medina</u>		Company _____	
Phone <u>775-356-1300</u>	Collector's Name <u>Robert</u>	Address _____	
Fax <u>775-356-8917</u>	Project Name _____	City, State & Zip _____	
R.O. Number _____	Project Number <u>3438</u>	Contact _____	
Email <u>mli@mettest.com</u>		Phone _____	
		Fax _____	
		Email _____	

Additional Information			
Fax Results	<u>Y</u>	N	To: Client Billing
Email Results	<u>Y</u>	N	To: Client Billing
Compliance Monitoring	<u>Y</u>	N	
Fax Results to State EPA	<u>Y</u>	N	
Sample Type Codes			
DW = Drinking Water		SD = Solid	
WW = Wastewater		SO = Soil	
SW = Surface Water		HW = Hazardous Waste	
MW = Monitoring Well		OTHER:	

SAMPLE ID/LOCATION	DATE	TIME	NO. OF SAMPLES	S	Analyses Requested		Spl. No.
					Profile II w/o Wad	Uranium	
604 673	Wk:92	11/1/12	9:00	WW	2	X X	1
SRK 0854	↓	↓	↓	↓	↓	↓ ↓	2
SRK 0872	↓	↓	↓	↓	↓	↓ ↓	3

Instructions/Comments/Special Requirements: _____

1211 \ 1
013 1

SAMPLE RECEIPT	DATE	TIME	Samples Requested By	Samples Received By
Temperature <u>20.7</u> °C	<u>11/1/12</u>	<u>1320</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>6</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

10/23/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1210131

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/4/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1210131

General Comments

None

Specific Comments

Samples 1210131-001 and 003 had unexpectedly high TDS results. Reanalysis has been performed and confirming results have been obtained.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 10/23/2012

OrderID: 1210131

Customer Sample ID: 604 673 Wk:88

WETLAB Sample ID: 1210131-001

Collect Date/Time: 10/4/2012 09:00

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.31	pH Units		10/4/2012
Trace Metals Digestion	EPA 200.2	Complete			10/12/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	10/4/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/5/2012
Fluoride	EPA 300.0	0.36	mg/L	0.10	10/5/2012
Sulfate	EPA 300.0	31	mg/L	1.0	10/5/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/5/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/5/2012
Total Dissolved Solids (TDS)	SM 2540C	63	mg/L	10	10/9/2012
Aluminum	EPA 200.7	0.16	mg/L	0.045	10/15/2012
Barium	EPA 200.7	0.12	mg/L	0.010	10/15/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/15/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/15/2012
Calcium	EPA 200.7	8.4	mg/L	0.50	10/15/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Copper	EPA 200.7	1.3	mg/L	0.050	10/15/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Iron	EPA 200.7	0.020	mg/L	0.010	10/15/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Magnesium	EPA 200.7	1.1	mg/L	0.50	10/15/2012
Manganese	EPA 200.7	0.051	mg/L	0.0050	10/15/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 Wk:88

Collect Date/Time: 10/4/2012 09:00

WETLAB Sample ID: 1210131-001

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Potassium	EPA 200.7	1.0	mg/L	0.50	10/15/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/16/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Zinc	EPA 200.7	0.052	mg/L	0.010	10/15/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/15/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/15/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Lead	EPA 200.8	0.0026	mg/L	0.0025	10/15/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/15/2012
Uranium	EPA 200.8	0.014	mg/L	0.0050	10/15/2012
Anions	Calculation	0.66	meq/L	0.10	
Cations	Calculation	0.60	meq/L	0.10	
Error	Calculation	5.2	%	1.0	

Customer Sample ID: SRK 0854 Wk:88

Collect Date/Time: 10/4/2012 09:00

WETLAB Sample ID: 1210131-002

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.76	pH Units		10/4/2012
Trace Metals Digestion	EPA 200.2	Complete			10/12/2012
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	10/4/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/5/2012
Fluoride	EPA 300.0	0.27	mg/L	0.10	10/5/2012
Sulfate	EPA 300.0	99	mg/L	1.0	10/5/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/5/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/5/2012

Page 4 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: SRK 0854 Wk:88

WETLAB Sample ID: 1210131-002

Collect Date/Time: 10/4/2012 09:00

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	10/9/2012
Aluminum	EPA 200.7	0.077	mg/L	0.045	10/15/2012
Barium	EPA 200.7	0.031	mg/L	0.010	10/15/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/15/2012
Bismuth	EPA 200.7	0.14	mg/L	0.10	10/15/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Cadmium	EPA 200.7	0.0011	mg/L	0.0010	10/15/2012
Calcium	EPA 200.7	4.5	mg/L	0.50	10/15/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Copper	EPA 200.7	47	mg/L	0.050	10/15/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Iron	EPA 200.7	0.013	mg/L	0.010	10/15/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Manganese	EPA 200.7	0.095	mg/L	0.0050	10/15/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Phosphorus	EPA 200.7	0.54	mg/L	0.50	10/15/2012
Potassium	EPA 200.7	0.58	mg/L	0.50	10/15/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/16/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Zinc	EPA 200.7	0.20	mg/L	0.010	10/15/2012
Mercury	EPA 200.8	<0.0002	mg/L	0.0002	10/16/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/15/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Lead	EPA 200.8	0.010	mg/L	0.0025	10/16/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Thallium	EPA 200.8	<0.0020	mg/L	0.0020	10/16/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/16/2012
Anions	Calculation	2.08	meq/L	0.10	
Cations	Calculation	1.74	meq/L	0.10	
Error	Calculation	8.9	%	1.0	

Customer Sample ID: SRK 0872 Wk:88

Collect Date/Time: 10/4/2012 09:00

WETLAB Sample ID: 1210131-003

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.73	pH Units		10/4/2012
Trace Metals Digestion	EPA 200.2	Complete			10/12/2012
Bicarbonate (HCO ₃)	SM 2320B	7.1	mg/L	1.0	10/4/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/4/2012
Total Alkalinity	SM 2320B	5.8	mg/L as CaCO ₃	1.0	10/4/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/5/2012
Fluoride	EPA 300.0	0.49	mg/L	0.10	10/5/2012
Sulfate	EPA 300.0	23	mg/L	1.0	10/5/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/5/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/5/2012
Total Dissolved Solids (TDS)	SM 2540C	70	mg/L	10	10/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/15/2012
Barium	EPA 200.7	0.037	mg/L	0.010	10/15/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/15/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/15/2012
Calcium	EPA 200.7	9.5	mg/L	0.50	10/15/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/15/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Iron	EPA 200.7	0.024	mg/L	0.010	10/15/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Magnesium	EPA 200.7	0.73	mg/L	0.50	10/15/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Molybdenum	EPA 200.7	0.062	mg/L	0.010	10/15/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/15/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/15/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/16/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/15/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/15/2012

Page 6 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: SRK 0872 Wk:88

WETLAB Sample ID: 1210131-003

Collect Date/Time: 10/4/2012 09:00

Receive Date: 10/4/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/15/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/15/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/15/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/15/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/15/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/15/2012
Anions	Calculation	0.62	meq/L	0.10	
Cations	Calculation	0.54	meq/L	0.10	
Error	Calculation	7.4	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12100277	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12100277	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12100277	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12100278	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12100278	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12100279	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12100279	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12100279	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12100280	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12100280	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12100280	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12100281	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100281	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100281	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100282	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100282	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100283	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100283	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100283	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100284	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100284	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100285	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12100285	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12100285	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12100286	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12100286	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12100526	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100600	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L

Page 8 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00952

QCBatchID	QCType	Parameter	Method	Result	Units
QC12100615	Blank 1	Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12100238	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12100238	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12100238	LCS 3	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12100277	LCS 1	Fluoride	EPA 300.0	2.01	2.00	100	mg/L
QC12100278	LCS 1	Fluoride	EPA 300.0	2.01	2.00	100	mg/L
QC12100279	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC12100280	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC12100281	LCS 1	Nitrite Nitrogen	EPA 300.0	0.522	0.500	104	mg/L
QC12100282	LCS 1	Nitrite Nitrogen	EPA 300.0	0.522	0.500	104	mg/L
QC12100283	LCS 1	Nitrate Nitrogen	EPA 300.0	2.04	2.00	102	mg/L
QC12100284	LCS 1	Nitrate Nitrogen	EPA 300.0	2.04	2.00	102	mg/L
QC12100285	LCS 1	Sulfate	EPA 300.0	24.9	25.0	100	mg/L
QC12100286	LCS 1	Sulfate	EPA 300.0	24.9	25.0	100	mg/L
QC12100489	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC12100489	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12100489	LCS 3	Alkalinity	SM 2320B	99.3	100	99	mg/L
QC12100526	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	164	150	109	mg/L
QC12100600	LCS 1	Aluminum	EPA 200.7	0.995	1.00	100	mg/L
		Barium	EPA 200.7	0.966	1.00	97	mg/L
		Beryllium	EPA 200.7	0.965	1.00	96	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.937	1.00	94	mg/L
		Cadmium	EPA 200.7	0.953	1.00	95	mg/L
		Calcium	EPA 200.7	9.32	10.0	93	mg/L
		Chromium	EPA 200.7	0.961	1.00	96	mg/L
		Cobalt	EPA 200.7	0.961	1.00	96	mg/L
		Copper	EPA 200.7	4.85	5.00	97	mg/L
		Gallium	EPA 200.7	0.980	1.00	98	mg/L
		Iron	EPA 200.7	0.952	1.00	95	mg/L
		Lithium	EPA 200.7	0.954	1.00	95	mg/L
		Magnesium	EPA 200.7	9.21	10.0	92	mg/L
		Manganese	EPA 200.7	0.957	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.976	1.00	98	mg/L
		Nickel	EPA 200.7	4.80	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.85	5.00	97	mg/L
		Potassium	EPA 200.7	9.56	10.0	96	mg/L
		Scandium	EPA 200.7	0.978	1.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12100615	LCS 1	Silver	EPA 200.7	0.090	0.090	100	mg/L
		Sodium	EPA 200.7	9.15	10.0	92	mg/L
		Strontium	EPA 200.7	0.869	1.00	87	mg/L
		Tin	EPA 200.7	0.937	1.00	94	mg/L
		Titanium	EPA 200.7	0.963	1.00	96	mg/L
		Vanadium	EPA 200.7	0.972	1.00	97	mg/L
		Zinc	EPA 200.7	0.955	1.00	96	mg/L
		Mercury	EPA 200.8	0.000953	0.001	95	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0505	0.050	101	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0460	0.050	92	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12100238	Duplicate	pH	SM 4500-H+ B	1210104-001	8.06	8.09	pH Units	<1%
QC12100238	Duplicate	pH	SM 4500-H+ B	1210106-003	7.02	7.07	pH Units	1 %
QC12100238	Duplicate	pH	SM 4500-H+ B	1210099-002	8.04	8.04	pH Units	<1%
QC12100238	Duplicate	pH	SM 4500-H+ B	1210126-004	7.82	7.86	pH Units	1 %
QC12100238	Duplicate	pH	SM 4500-H+ B	1210127-001	9.45	9.47	pH Units	<1%
QC12100238	Duplicate	pH	SM 4500-H+ B	1210140-005	8.07	8.09	pH Units	<1%
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210104-001	273	273	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210104-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210104-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210104-001	224	224	mg/L as CaCO3	<1%
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210106-003	500	481	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1210106-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210106-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210106-003	410	395	mg/L as CaCO3	4 %
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210099-002	173	173	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210099-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210099-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210099-002	142	142	mg/L as CaCO3	<1%
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210126-004	70.2	68.3	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1210126-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210126-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210126-004	57.6	56.0	mg/L as CaCO3	3 %
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210127-001	115	112	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1210127-001	63.5	66.0	mg/L	4 %
		Hydroxide (OH)	SM 2320B	1210127-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210127-001	200	202	mg/L as CaCO3	1 %
QC12100489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210140-005	197	195	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210140-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210140-005	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12100526	Duplicate	Total Alkalinity	SM 2320B	1210140-005	161	160	mg/L as CaCO3	1 %
QC12100526	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209561-001	530	539	mg/L	<1%
QC12100526	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210171-001	1904	1976	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12100277	MS 1	Fluoride	EPA 300.0	1210126-002	0.140	2.45	2.48	2.00	mg/L	115	117	1 %
QC12100277	MS 2	Fluoride	EPA 300.0	1210130-001	0.769	2.65	2.73	2.00	mg/L	94	98	3 %
QC12100278	MS 1	Fluoride	EPA 300.0	1210131-003	0.490	4.25	4.25	4.00	mg/L	94	94	<1%
QC12100278	MS 2	Fluoride	EPA 300.0	1210156-001	<0.500	10.9	11.0	2.00	mg/L	106	107	1 %
QC12100279	MS 1	Chloride	EPA 300.0	1210126-002	1.33	6.82	6.92	5.00	mg/L	110	112	1 %
QC12100279	MS 2	Chloride	EPA 300.0	1210130-001	<1.000	5.50	5.65	5.00	mg/L	108	110	3 %
QC12100280	MS 1	Chloride	EPA 300.0	1210131-003	<1.000	10.6	10.8	10.0	mg/L	106	108	2 %
QC12100280	MS 2	Chloride	EPA 300.0	1210156-001	3.08	30.3	30.4	5.00	mg/L	109	109	<1%
QC12100281	MS 1	Nitrite Nitrogen	EPA 300.0	1210126-002	0.027	0.579	0.588	0.500	mg/L	110	112	2 %
QC12100281	MS 2	Nitrite Nitrogen	EPA 300.0	1210130-001	<0.025	0.547	0.561	0.500	mg/L	108	111	3 %
QC12100282	MS 1	Nitrite Nitrogen	EPA 300.0	1210131-003	<0.025	1.06	1.08	1.00	mg/L	105	107	2 %
QC12100283	MS 1	Nitrate Nitrogen	EPA 300.0	1210126-001	<1.000	2.16	2.21	2.00	mg/L	106	108	2 %
QC12100283	MS 2	Nitrate Nitrogen	EPA 300.0	1210130-001	<1.000	2.16	2.22	2.00	mg/L	106	109	3 %
QC12100284	MS 1	Nitrate Nitrogen	EPA 300.0	1210131-003	<1.000	4.58	4.65	4.00	mg/L	105	107	2 %
QC12100285	MS 1	Sulfate	EPA 300.0	1210126-002	50.5	59.5	59.6	10.0	mg/L	90	91	<1%
QC12100285	MS 2	Sulfate	EPA 300.0	1210130-001	58.2	SC 66.2	66.4	10.0	mg/L	NC	NC	NC
QC12100286	MS 1	Sulfate	EPA 300.0	1210131-003	23.3	40.5	40.5	20.0	mg/L	86	86	<1%
QC12100600	MS 1	Aluminum, Dissolved	EPA 200.7	1210106-006	<0.045	1.05	1.06	1.00	mg/L	104	105	1 %
		Barium, Dissolved	EPA 200.7	1210106-006	0.139	1.08	1.09	1.00	mg/L	94	95	1 %
		Beryllium, Dissolved	EPA 200.7	1210106-006	<0.001	0.972	0.975	1.00	mg/L	97	97	<1%
		Bismuth, Dissolved	EPA 200.7	1210106-006	<0.100	0.951	0.963	1.00	mg/L	98	99	1 %
		Boron, Dissolved	EPA 200.7	1210106-006	0.649	1.63	1.68	1.00	mg/L	98	103	3 %
		Cadmium, Dissolved	EPA 200.7	1210106-006	<0.001	0.933	0.935	1.00	mg/L	93	94	<1%
		Calcium, Dissolved	EPA 200.7	1210106-006	88.1	SC 93.4	98.6	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1210106-006	<0.005	0.955	0.962	1.00	mg/L	96	96	1 %
		Cobalt, Dissolved	EPA 200.7	1210106-006	<0.010	0.904	0.906	1.00	mg/L	90	90	<1%
		Copper, Dissolved	EPA 200.7	1210106-006	<0.050	4.88	4.86	5.00	mg/L	98	97	<1%
		Gallium, Dissolved	EPA 200.7	1210106-006	<0.100	1.02	1.03	1.00	mg/L	102	103	1 %
		Iron, Dissolved	EPA 200.7	1210106-006	0.123	1.07	1.08	1.00	mg/L	95	96	1 %
		Lithium, Dissolved	EPA 200.7	1210106-006	0.258	1.13	1.15	1.00	mg/L	87	89	2 %
		Magnesium, Dissolved	EPA 200.7	1210106-006	22.6	30.2	31.2	10.0	mg/L	76	86	3 %
		Manganese, Dissolved	EPA 200.7	1210106-006	<0.005	0.936	0.937	1.00	mg/L	95	95	<1%
		Molybdenum, Dissolved	EPA 200.7	1210106-006	<0.010	0.970	0.982	1.00	mg/L	97	98	1 %
		Nickel, Dissolved	EPA 200.7	1210106-006	<0.010	4.50	4.53	5.00	mg/L	90	91	1 %
		Phosphorus, Dissolved	EPA 200.7	1210106-006	<0.500	5.05	5.13	5.00	mg/L	101	102	2 %
		Potassium, Dissolved	EPA 200.7	1210106-006	18.6	26.9	27.6	10.0	mg/L	83	90	3 %
		Scandium, Dissolved	EPA 200.7	1210106-006	<0.100	0.974	0.979	1.00	mg/L	97	98	1 %
		Silver, Dissolved	EPA 200.7	1210106-006	<0.005	0.086	0.087	0.090	mg/L	95	96	1 %
		Sodium, Dissolved	EPA 200.7	1210106-006	58.5	SC 64.4	67.5	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1210106-006	0.561	1.40	1.45	1.00	mg/L	84	89	4 %
		Tin, Dissolved	EPA 200.7	1210106-006	<0.100	0.904	0.920	1.00	mg/L	95	96	2 %
		Titanium, Dissolved	EPA 200.7	1210106-006	<0.100	0.974	0.975	1.00	mg/L	97	98	<1%
		Vanadium, Dissolved	EPA 200.7	1210106-006	0.022	1.01	1.02	1.00	mg/L	99	100	1 %
		Zinc, Dissolved	EPA 200.7	1210106-006	<0.010	0.907	0.920	1.00	mg/L	91	92	1 %
QC12100615	MS 1	Uranium, Dissolved	EPA 200.8	1210106-006	<0.0050	0.0084	0.0084	0.010	mg/L	84	84	<1%
		Mercury, Dissolved	EPA 200.8	1210106-006	<0.00010	M 0.000736	0.000802	0.001	mg/L	NC	NC	NC

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Antimony, Dissolved	EPA 200.8	1210106-006	<0.0025	0.0101	0.0102	0.010	mg/L	84	86	1 %
		Arsenic, Dissolved	EPA 200.8	1210106-006	0.1074	0.1482	0.1493	0.050	mg/L	82	84	1 %
		Lead, Dissolved	EPA 200.8	1210106-006	<0.0025	0.0084	0.0083	0.010	mg/L	84	82	1 %
		Selenium, Dissolved	EPA 200.8	1210106-006	<0.0050	M 0.0284	0.0288	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1210106-006	<0.0010	0.0084	0.0084	0.010	mg/L	84	84	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1210131

Report

Due Date: 10/18/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Mike Medina**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround time

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION

DATE

TIME

WW

2

X

X

Spl. No.

604 673

Wk:88

10/04/12

9:00

1

SRK 0854

2

SRK 0872

3

Profile II w/o Wad

Uranium

1210

5

131

3

Instructions/Comments/Special Requirements:

SAMPLE RECEIVED

DATE

TIME

Sample Returned By

Samples Received By

Temperature 21.6 °C

10/9/12 2:10p

[Signature]

[Signature]

Custody Seals Intact? Y N None

Number of Containers 6

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

9/20/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1209076

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/6/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1209076

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Sulfate on sample 1209076-004 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3483

Date Printed: 9/20/2012
OrderID: 1209076

Customer Sample ID: 604 673 Wk:84
WETLAB Sample ID: 1209076-001

Collect Date/Time: 9/6/2012 09:00
Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.17	pH Units		9/6/2012
Trace Metals Digestion	EPA 200.2	Complete			9/10/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	9/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/7/2012
Fluoride	EPA 300.0	0.40	mg/L	0.10	9/7/2012
Sulfate	EPA 300.0	28	mg/L	1.0	9/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/7/2012
Total Dissolved Solids (TDS)	SM 2540C	51	mg/L	10	9/11/2012
Aluminum	EPA 200.7	0.16	mg/L	0.045	9/13/2012
Barium	EPA 200.7	0.070	mg/L	0.010	9/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Cadmium	EPA 200.7	0.0012	mg/L	0.0010	9/13/2012
Calcium	EPA 200.7	7.3	mg/L	0.50	9/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Copper	EPA 200.7	1.2	mg/L	0.050	9/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Iron	EPA 200.7	0.017	mg/L	0.010	9/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Magnesium	EPA 200.7	1.0	mg/L	0.50	9/13/2012
Manganese	EPA 200.7	0.048	mg/L	0.0050	9/13/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-001

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Potassium	EPA 200.7	0.68	mg/L	0.50	9/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Zinc	EPA 200.7	0.050	mg/L	0.010	9/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Lead	EPA 200.8	0.0027	mg/L	0.0025	9/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/12/2012
Uranium	EPA 200.8	0.014	mg/L	0.0050	9/12/2012
Anions	Calculation	0.60	meq/L	0.10	
Cations	Calculation	0.52	meq/L	0.10	
Error	Calculation	7.1	%	1.0	

Customer Sample ID: 604 767 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-002

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.25	pH Units		9/6/2012
Trace Metals Digestion	EPA 200.2	Complete			9/10/2012
Bicarbonate (HCO ₃)	SM 2320B	39	mg/L	1.0	9/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Total Alkalinity	SM 2320B	32	mg/L as CaCO ₃	1.0	9/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/7/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	9/7/2012
Sulfate	EPA 300.0	24	mg/L	1.0	9/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/7/2012

Page 4 of 12

Customer Sample ID: 604 767 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-002

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	73	mg/L	10	9/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/13/2012
Barium	EPA 200.7	0.028	mg/L	0.010	9/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Calcium	EPA 200.7	14	mg/L	0.50	9/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	9/13/2012
Manganese	EPA 200.7	0.11	mg/L	0.0050	9/13/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Strontium	EPA 200.7	0.11	mg/L	0.10	9/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/12/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Anions	Calculation	1.23	meq/L	0.10	
Cations	Calculation	1.06	meq/L	0.10	
Error	Calculation	7.7	%	1.0	

Customer Sample ID: SRK 0854 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-003

Receive Date: 9/6/2012 14:50

PROFILE H

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.85	pH Units		9/6/2012
Trace Metals Digestion	EPA 200.2	Complete			9/10/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	9/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/7/2012
Fluoride	EPA 300.0	0.34	mg/L	0.10	9/7/2012
Sulfate	EPA 300.0	99	mg/L	1.0	9/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/7/2012
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	9/11/2012
Aluminum	EPA 200.7	0.079	mg/L	0.045	9/13/2012
Barium	EPA 200.7	0.032	mg/L	0.010	9/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Cadmium	EPA 200.7	0.0021	mg/L	0.0010	9/13/2012
Calcium	EPA 200.7	4.8	mg/L	0.50	9/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Copper	EPA 200.7	48	mg/L	0.050	9/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Manganese	EPA 200.7	0.090	mg/L	0.0050	9/13/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Sodium	EPA 200.7	0.58	mg/L	0.50	9/13/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/13/2012

Page 6 of 12

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0854 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-003

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	0.19	mg/L	0.010	9/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Lead	EPA 200.8	0.0075	mg/L	0.0025	9/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/12/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Anions	Calculation	2.08	meq/L	0.10	
Cations	Calculation	1.79	meq/L	0.10	
Error	Calculation	7.4	%	1.0	

Customer Sample ID: SRK 0872 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-004

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.61	pH Units		9/6/2012
Trace Metals Digestion	EPA 200.2	Complete			9/10/2012
Bicarbonate (HCO3)	SM 2320B	7.3	mg/L	1.0	9/6/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/6/2012
Total Alkalinity	SM 2320B	6.0	mg/L as CaCO3	1.0	9/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/7/2012
Fluoride	EPA 300.0	0.52	mg/L	0.10	9/7/2012
Sulfate	EPA 300.0	28	M mg/L	1.0	9/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/7/2012
Total Dissolved Solids (TDS)	SM 2540C	64	mg/L	10	9/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/13/2012
Barium	EPA 200.7	0.018	mg/L	0.010	9/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/13/2012
Calcium	EPA 200.7	10	mg/L	0.50	9/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/13/2012

Customer Sample ID: SRK 0872 Wk:84

Collect Date/Time: 9/6/2012 09:00

WETLAB Sample ID: 1209076-004

Receive Date: 9/6/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Iron	EPA 200.7	0.017	mg/L	0.010	9/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Magnesium	EPA 200.7	0.76	mg/L	0.50	9/13/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Molybdenum	EPA 200.7	0.065	mg/L	0.010	9/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/13/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/13/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/12/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	9/12/2012
Anions	Calculation	0.73	meq/L	0.10	
Cations	Calculation	0.56	meq/L	0.10	
Error	Calculation	13	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12090186	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12090186	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12090186	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12090187	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12090187	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12090187	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12090189	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090189	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090189	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090190	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090190	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090190	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090191	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12090191	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12090191	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12090317	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12090343	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090343	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090358	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12090152	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090152	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090152	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12090162	LCS 1	Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12090162	LCS 2	Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12090162	LCS 3	Alkalinity	SM 2320B	99.9	100	100	mg/L
QC12090162	LCS 4	Alkalinity	SM 2320B	100	100	100	mg/L
QC12090186	LCS 1	Fluoride	EPA 300.0	2.10	2.00	105	mg/L
QC12090187	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12090189	LCS 1	Nitrite Nitrogen	EPA 300.0	0.481	0.500	96	mg/L
QC12090190	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC12090191	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC12090317	LCS 1	Mercury	EPA 200.8	0.001111	0.001	111	mg/L
		Antimony	EPA 200.8	0.0103	0.010	103	mg/L
		Arsenic	EPA 200.8	0.0517	0.050	103	mg/L
		Lead	EPA 200.8	0.0105	0.010	105	mg/L
		Selenium	EPA 200.8	0.0449	0.050	90	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0100	0.010	100	mg/L
QC12090343	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12090343	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L
QC12090358	LCS 1	Aluminum	EPA 200.7	0.924	1.00	92	mg/L
		Barium	EPA 200.7	0.924	1.00	92	mg/L
		Beryllium	EPA 200.7	0.949	1.00	95	mg/L
		Bismuth	EPA 200.7	0.944	1.00	94	mg/L
		Boron	EPA 200.7	0.891	1.00	89	mg/L
		Cadmium	EPA 200.7	0.926	1.00	93	mg/L
		Calcium	EPA 200.7	9.32	10.0	93	mg/L
		Chromium	EPA 200.7	0.930	1.00	93	mg/L
		Cobalt	EPA 200.7	0.934	1.00	93	mg/L
		Copper	EPA 200.7	4.53	5.00	91	mg/L
		Gallium	EPA 200.7	0.945	1.00	94	mg/L
		Iron	EPA 200.7	0.923	1.00	92	mg/L
		Lithium	EPA 200.7	0.930	1.00	93	mg/L
		Magnesium	EPA 200.7	9.29	10.0	93	mg/L
		Manganese	EPA 200.7	0.920	1.00	92	mg/L
		Molybdenum	EPA 200.7	0.940	1.00	94	mg/L
		Nickel	EPA 200.7	4.62	5.00	92	mg/L
		Phosphorus	EPA 200.7	4.77	5.00	95	mg/L
		Potassium	EPA 200.7	9.80	10.0	98	mg/L
		Scandium	EPA 200.7	0.929	1.00	93	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.61	10.0	96	mg/L
		Strontium	EPA 200.7	0.932	1.00	93	mg/L
		Tin	EPA 200.7	0.941	1.00	94	mg/L
		Titanium	EPA 200.7	0.916	1.00	92	mg/L
		Vanadium	EPA 200.7	0.916	1.00	92	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units					
		Zinc	EPA 200.7	0.961	1.00	96	mg/L					
QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209065-001	6.54	6.56	pH Units	<1%				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209065-002	6.84	6.86	pH Units	<1%				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209076-001	5.17	5.15	pH Units	<1%				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209079-001	6.90	6.86	pH Units	1 %				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209079-003	7.62	7.64	pH Units	<1%				
QC12090152	Duplicate	pH	SM 4500-H+ B	1209092-001	7.82	7.86	pH Units	1 %				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209065-001	1114	1114	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1209065-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209065-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209065-001	914	913	mg/L as CaCO3	<1%				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209065-002	980	978	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1209065-002	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209065-002	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209065-002	804	802	mg/L as CaCO3	<1%				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209076-001	<1.000	<1.000	mg/L	15 %				
		Carbonate (CO3)	SM 2320B	1209076-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209076-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209076-001	<1.000	<1.000	mg/L as CaCO3	18 %				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209079-001	125	123	mg/L	2 %				
		Carbonate (CO3)	SM 2320B	1209079-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209079-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209079-001	102	101	mg/L as CaCO3	2 %				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209079-003	127	127	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1209079-003	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209079-003	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209079-003	104	104	mg/L as CaCO3	<1%				
QC12090162	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209092-001	87.7	85.9	mg/L	2 %				
		Carbonate (CO3)	SM 2320B	1209092-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1209092-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1209092-001	71.9	70.4	mg/L as CaCO3	2 %				
QC12090343	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209076-001	51.0	49.0	mg/L	4 %				
QC12090343	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209078-007	12.0	<10.00	mg/L	29 %				
QC12090343	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209123-002	386	382	mg/L	1 %				
QC12090343	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209124-006	431	441	mg/L	2 %				
QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12090186	MS 1	Fluoride	EPA 300.0	1209076-004	0.518	2.55	2.50	2.00	mg/L	102	99	2 %
QC12090186	MS 2	Fluoride	EPA 300.0	1209092-002	0.348	2.26	2.32	2.00	mg/L	96	99	3 %
QC12090187	MS 1	Chloride	EPA 300.0	1209076-004	<1.000	5.23	5.36	5.00	mg/L	103	106	2 %
QC12090187	MS 2	Chloride	EPA 300.0	1209078-012	<1.000	5.27	5.37	5.00	mg/L	104	106	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12090189	MS 1	Nitrite Nitrogen	EPA 300.0	1209076-004	<0.025	0.511	0.542	0.500	mg/L	100	107	6 %
QC12090189	MS 2	Nitrite Nitrogen	EPA 300.0	1209092-002	0.042	0.565	0.585	0.500	mg/L	104	108	3 %
QC12090190	MS 1	Nitrate Nitrogen	EPA 300.0	1209076-004	<1.000	2.25	2.32	2.00	mg/L	103	107	3 %
QC12090190	MS 2	Nitrate Nitrogen	EPA 300.0	1209092-002	<1.000	2.35	2.41	2.00	mg/L	105	107	3 %
QC12090191	MS 1	Sulfate	EPA 300.0	1209076-004	27.8	M 34.1	33.8	10.0	mg/L	NC	NC	NC
QC12090191	MS 2	Sulfate	EPA 300.0	1209078-012	11.8	M 15.8	15.0	10.0	mg/L	NC	NC	NC
QC12090317	MS 1	Mercury	EPA 200.8	1209092-002	0.000249	0.001383	0.001345	0.001	mg/L	113	110	3 %
		Antimony	EPA 200.8	1209092-002	0.0901	0.1028	0.0998	0.010	mg/L	127	96	3 %
		Arsenic	EPA 200.8	1209092-002	0.0385	0.0903	0.0907	0.050	mg/L	104	104	<1%
		Lead	EPA 200.8	1209092-002	<0.0025	0.0099	0.0098	0.010	mg/L	99	98	1 %
		Selenium	EPA 200.8	1209092-002	0.0246	0.0675	0.0666	0.050	mg/L	86	84	1 %
		Thallium	EPA 200.8	1209092-002	<0.0010	0.0102	0.0101	0.010	mg/L	102	101	1 %
		Uranium	EPA 200.8	1209092-002	<0.0050	0.0116	0.0113	0.010	mg/L	101	99	3 %
QC12090358	MS 1	Aluminum	EPA 200.7	1209092-002	<0.045	0.976	1.00	1.00	mg/L	96	98	2 %
		Barium	EPA 200.7	1209092-002	0.099	1.02	1.04	1.00	mg/L	92	94	2 %
		Beryllium	EPA 200.7	1209092-002	<0.001	0.939	0.954	1.00	mg/L	94	95	2 %
		Bismuth	EPA 200.7	1209092-002	<0.100	0.944	0.966	1.00	mg/L	93	96	2 %
		Boron	EPA 200.7	1209092-002	<0.100	0.925	0.940	1.00	mg/L	90	92	2 %
		Cadmium	EPA 200.7	1209092-002	<0.001	0.933	0.944	1.00	mg/L	93	94	1 %
		Calcium	EPA 200.7	1209092-002	9.15	18.5	19.0	10.0	mg/L	94	98	3 %
		Chromium	EPA 200.7	1209092-002	<0.005	0.916	0.929	1.00	mg/L	92	93	1 %
		Cobalt	EPA 200.7	1209092-002	<0.010	0.938	0.948	1.00	mg/L	93	94	1 %
		Copper	EPA 200.7	1209092-002	<0.050	4.60	4.66	5.00	mg/L	92	93	1 %
		Gallium	EPA 200.7	1209092-002	<0.100	0.954	0.976	1.00	mg/L	96	98	2 %
		Iron	EPA 200.7	1209092-002	0.120	1.04	1.06	1.00	mg/L	92	94	2 %
		Lithium	EPA 200.7	1209092-002	<0.100	0.976	0.999	1.00	mg/L	96	98	2 %
		Magnesium	EPA 200.7	1209092-002	3.97	13.1	13.4	10.0	mg/L	91	94	2 %
		Manganese	EPA 200.7	1209092-002	<0.005	0.930	0.939	1.00	mg/L	93	93	1 %
		Molybdenum	EPA 200.7	1209092-002	0.040	0.972	0.979	1.00	mg/L	93	94	1 %
		Nickel	EPA 200.7	1209092-002	<0.010	4.65	4.71	5.00	mg/L	93	94	1 %
		Phosphorus	EPA 200.7	1209092-002	<0.500	4.85	4.92	5.00	mg/L	95	97	1 %
		Potassium	EPA 200.7	1209092-002	3.77	14.3	14.8	10.0	mg/L	105	110	3 %
		Scandium	EPA 200.7	1209092-002	<0.100	0.926	0.940	1.00	mg/L	93	94	2 %
		Silver	EPA 200.7	1209092-002	<0.005	0.083	0.085	0.090	mg/L	92	93	2 %
		Sodium	EPA 200.7	1209092-002	32.0	M 37.7	38.7	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1209092-002	0.149	1.06	1.08	1.00	mg/L	91	93	2 %
		Tin	EPA 200.7	1209092-002	<0.100	0.944	0.958	1.00	mg/L	95	96	1 %
		Titanium	EPA 200.7	1209092-002	<0.100	0.925	0.928	1.00	mg/L	93	93	<1%
		Vanadium	EPA 200.7	1209092-002	<0.010	0.930	0.944	1.00	mg/L	92	94	1 %
		Zinc	EPA 200.7	1209092-002	<0.010	0.976	0.986	1.00	mg/L	97	98	1 %



WETLAB

WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1209076

Report

Due Date: 9/20/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION		DATE	TIME	NO. OF CONTAINERS	TYPE	ANALYSES REQUESTED	Spl. No.
604 673	Wk:84	09/06/12	9:00	2	WW	Profile II w/o Wad Uranium	1
604 767							2
SRK 0854							3
SRK 0872							4
	↓	↓	↓	↓	↓		5

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 19.8°C	9/6/12	2:50p	[Signature]	[Signature]
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>2</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

8/27/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1208181


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/9/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1208181

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Sulfate on sample 1208181-004 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

The cation/anion balance for sample 1208181-003 was outside WETLAB acceptance criteria; however, reanalysis confirmed the original results.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1208181-001 Arsenic, Selenium

1208181-003 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438 WK:80

Date Printed: 8/27/2012

OrderID: 1208181

Customer Sample ID: 604 673 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-001

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.92	pH Units		8/10/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	8/10/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/10/2012
Fluoride	EPA 300.0	0.54	mg/L	0.10	8/10/2012
Sulfate	EPA 300.0	28	mg/L	1.0	8/10/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/10/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/10/2012
Total Dissolved Solids (TDS)	SM 2540C	58	mg/L	10	8/14/2012
Aluminum	EPA 200.7	0.14	mg/L	0.045	8/20/2012
Barium	EPA 200.7	0.059	mg/L	0.010	8/20/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Calcium	EPA 200.7	6.3	mg/L	0.50	8/20/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Copper	EPA 200.7	0.93	mg/L	0.050	8/20/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Iron	EPA 200.7	0.018	mg/L	0.010	8/20/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Magnesium	EPA 200.7	0.90	mg/L	0.50	8/20/2012
Manganese	EPA 200.7	0.037	mg/L	0.0050	8/20/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-001

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Potassium	EPA 200.7	0.86	mg/L	0.50	8/20/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Sodium	EPA 200.7	0.53	mg/L	0.50	8/20/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Zinc	EPA 200.7	0.040	mg/L	0.010	8/20/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Arsenic	EPA 200.8	<0.040	mg/L	0.040	8/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Selenium	EPA 200.8	<0.040	mg/L	0.040	8/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/17/2012
Uranium	EPA 200.8	0.0096	mg/L	0.0050	8/17/2012
Anions	Calculation	0.61	meq/L	0.10	
Cations	Calculation	0.48	meq/L	0.10	
Error	Calculation	12	%	1.0	

Customer Sample ID: 604 767 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-002

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		8/10/2012
Bicarbonate (HCO ₃)	SM 2320B	42	mg/L	1.0	8/10/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Total Alkalinity	SM 2320B	34	mg/L as CaCO ₃	1.0	8/10/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/10/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	8/10/2012
Sulfate	EPA 300.0	21	mg/L	1.0	8/10/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/10/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/10/2012
Total Dissolved Solids (TDS)	SM 2540C	72	mg/L	10	8/14/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/20/2012

Page 4 of 12

Customer Sample ID: 604 767 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-002

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.030	mg/L	0.010	8/20/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Calcium	EPA 200.7	15	mg/L	0.50	8/20/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/20/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	8/20/2012
Manganese	EPA 200.7	0.13	mg/L	0.0050	8/20/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	8/20/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/17/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Anions	Calculation	1.23	meq/L	0.10	
Cations	Calculation	1.13	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: SRK 0854 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-003

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.74	pH Units		8/10/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	8/10/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/10/2012
Fluoride	EPA 300.0	0.32	mg/L	0.10	8/10/2012
Sulfate	EPA 300.0	71	mg/L	1.0	8/10/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/10/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/10/2012
Total Dissolved Solids (TDS)	SM 2540C	91	mg/L	10	8/14/2012
Aluminum	EPA 200.7	0.064	mg/L	0.045	8/20/2012
Barium	EPA 200.7	0.025	mg/L	0.010	8/20/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Calcium	EPA 200.7	3.5	mg/L	0.50	8/20/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Copper	EPA 200.7	29	mg/L	0.050	8/20/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/21/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Manganese	EPA 200.7	0.057	mg/L	0.0050	8/20/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Zinc	EPA 200.7	0.12	mg/L	0.010	8/20/2012

Page 6 of 12

Customer Sample ID: SRK 0854 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-003

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Lead	EPA 200.8	0.0059	mg/L	0.0025	8/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/17/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Anions	Calculation	1.50	meq/L	0.10	
Cations	Calculation	1.10	meq/L	0.10	
Error	Calculation	15	%	1.0	

Customer Sample ID: SRK 0872 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-004

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.99	pH Units		8/10/2012
Bicarbonate (HCO ₃)	SM 2320B	8.6	mg/L	1.0	8/10/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/10/2012
Total Alkalinity	SM 2320B	7.0	mg/L as CaCO ₃	1.0	8/10/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/10/2012
Fluoride	EPA 300.0	0.54	mg/L	0.10	8/10/2012
Sulfate	EPA 300.0	26 M	mg/L	1.0	8/10/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/10/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/10/2012
Total Dissolved Solids (TDS)	SM 2540C	64	mg/L	10	8/14/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/20/2012
Barium	EPA 200.7	0.018	mg/L	0.010	8/20/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/20/2012
Calcium	EPA 200.7	9.8	mg/L	0.50	8/20/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/20/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Iron	EPA 200.7	0.022	mg/L	0.010	8/20/2012

Page 7 of 12

Customer Sample ID: SRK 0872 WK:80

Collect Date/Time: 8/9/2012 09:00

WETLAB Sample ID: 1208181-004

Receive Date: 8/9/2012 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Magnesium	EPA 200.7	0.70	mg/L	0.50	8/20/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Molybdenum	EPA 200.7	0.075	mg/L	0.010	8/20/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/20/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/20/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/20/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/20/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/17/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	8/17/2012
Anions	Calculation	0.71	meq/L	0.10	
Cations	Calculation	0.55	meq/L	0.10	
Error	Calculation	13	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12080392	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12080392	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12080392	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12080394	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12080394	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12080394	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12080396	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080396	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080396	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080397	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080397	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080397	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080398	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12080398	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12080398	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12080540	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12080540	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12080641	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12080653	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12080341	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12080341	LCS 2	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12080341	LCS 3	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12080345	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC12080345	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12080345	LCS 3	Alkalinity	SM 2320B	101	100	101	mg/L
QC12080392	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC12080394	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12080396	LCS 1	Nitrite Nitrogen	EPA 300.0	0.491	0.500	98	mg/L
QC12080397	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12080398	LCS 1	Sulfate	EPA 300.0	25.5	25.0	102	mg/L
QC12080540	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12080540	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12080641	LCS 1	Mercury	EPA 200.8	0.001137	0.001	114	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0486	0.050	97	mg/L
		Lead	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium	EPA 200.8	0.0462	0.050	92	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
QC12080653	LCS 1	Aluminum	EPA 200.7	1.02	1.00	102	mg/L
		Barium	EPA 200.7	0.970	1.00	97	mg/L
		Beryllium	EPA 200.7	0.961	1.00	96	mg/L
		Bismuth	EPA 200.7	0.992	1.00	99	mg/L
		Boron	EPA 200.7	0.946	1.00	95	mg/L
		Cadmium	EPA 200.7	0.946	1.00	95	mg/L
		Calcium	EPA 200.7	9.59	10.0	96	mg/L
		Chromium	EPA 200.7	0.960	1.00	96	mg/L
		Cobalt	EPA 200.7	0.960	1.00	96	mg/L
		Copper	EPA 200.7	4.83	5.00	97	mg/L
		Gallium	EPA 200.7	0.989	1.00	99	mg/L
		Iron	EPA 200.7	0.961	1.00	96	mg/L
		Lithium	EPA 200.7	0.979	1.00	98	mg/L
		Magnesium	EPA 200.7	9.25	10.0	92	mg/L
		Manganese	EPA 200.7	0.969	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.972	1.00	97	mg/L
		Nickel	EPA 200.7	4.80	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.75	5.00	95	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.971	1.00	97	mg/L
		Silver	EPA 200.7	0.088	0.090	98	mg/L
		Sodium	EPA 200.7	9.87	10.0	99	mg/L
		Strontium	EPA 200.7	0.994	1.00	99	mg/L
		Tin	EPA 200.7	0.932	1.00	93	mg/L
		Titanium	EPA 200.7	0.979	1.00	98	mg/L
		Vanadium	EPA 200.7	0.968	1.00	97	mg/L
		Zinc	EPA 200.7	0.947	1.00	95	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12080341	Duplicate	pH	SM 4500-H+ B	1208162-001	7.80	7.82	pH Units	<1%
QC12080341	Duplicate	pH	SM 4500-H+ B	1208161-001	8.41	8.50	pH Units	1 %
QC12080341	Duplicate	pH	SM 4500-H+ B	1208171-003	10.3	10.4	pH Units	1 %
QC12080341	Duplicate	pH	SM 4500-H+ B	1208172-005	7.22	7.21	pH Units	<1%
QC12080341	Duplicate	pH	SM 4500-H+ B	1208172-015	7.21	7.19	pH Units	<1%
QC12080341	Duplicate	pH	SM 4500-H+ B	1208175-001	7.52	7.49	pH Units	<1%
QC12080341	Duplicate	pH	SM 4500-H+ B	1208175-002	6.31	6.38	pH Units	1 %
QC12080345	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208162-001	186	186	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208162-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208162-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208162-001	152	153	mg/L as CaCO3	<1%
QC12080345	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208161-001	22.3	19.2	mg/L	15 %
		Carbonate (CO3)	SM 2320B	1208161-001	1.45	2.19	Q mg/L	41 %
		Hydroxide (OH)	SM 2320B	1208161-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208161-001	20.7	19.4	mg/L as CaCO3	7 %
QC12080345	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208172-005	917	916	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208172-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208172-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208172-005	752	751	mg/L as CaCO3	<1%
QC12080345	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208175-001	686	683	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208175-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208175-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208175-001	562	560	mg/L as CaCO3	<1%
QC12080345	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208175-002	5.50	5.41	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1208175-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208175-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208175-002	4.51	4.44	mg/L as CaCO3	2 %
QC12080540	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208179-001	36.0	36.0	mg/L	<1%
QC12080540	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208179-011	608	600	mg/L	1 %
QC12080540	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208214-002	2588	2568	mg/L	1 %
QC12080540	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208245-002	5570	5620	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12080392	MS 1	Fluoride	EPA 300.0	1208179-001	0.105	M 2.98	2.46	2.00	mg/L	NC	NC	NC
QC12080392	MS 2	Fluoride	EPA 300.0	1208181-004	0.543	2.58	2.52	2.00	mg/L	102	99	2 %
QC12080394	MS 1	Chloride	EPA 300.0	1208179-001	<1.000	5.29	5.46	5.00	mg/L	104	107	3 %
QC12080394	MS 2	Chloride	EPA 300.0	1208181-004	<1.000	5.28	5.40	5.00	mg/L	104	107	2 %
QC12080396	MS 1	Nitrite Nitrogen	EPA 300.0	1208179-001	<0.025	0.538	0.530	0.500	mg/L	106	105	1 %
QC12080396	MS 2	Nitrite Nitrogen	EPA 300.0	1208181-004	<0.025	0.537	0.545	0.500	mg/L	105	107	1 %
QC12080397	MS 1	Nitrate Nitrogen	EPA 300.0	1208179-001	<1.000	2.06	2.12	2.00	mg/L	101	104	3 %
QC12080397	MS 2	Nitrate Nitrogen	EPA 300.0	1208181-004	<1.000	2.11	2.16	2.00	mg/L	103	105	2 %
QC12080398	MS 1	Sulfate	EPA 300.0	1208179-001	2.59	13.7	12.2	10.0	mg/L	111	96	12 %
QC12080398	MS 2	Sulfate	EPA 300.0	1208181-004	25.5	M 31.1	30.7	10.0	mg/L	NC	NC	NC
QC12080641	MS 1	Uranium, Dissolved	EPA 200.8	1208129-001	<0.0050	0.0118	0.0119	0.010	mg/L	97	98	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12080653	MS 1	Mercury, Dissolved	EPA 200.8	1208129-001	<0.00010	0.001065	0.001082	0.001	mg/L	106	108	2 %
		Antimony, Dissolved	EPA 200.8	1208129-001	<0.0025	0.0099	0.0100	0.010	mg/L	94	95	1 %
		Arsenic, Dissolved	EPA 200.8	1208129-001	<0.0050	0.0523	0.0524	0.050	mg/L	102	102	<1%
		Lead, Dissolved	EPA 200.8	1208129-001	<0.0025	0.0094	0.0094	0.010	mg/L	94	94	<1%
		Selenium, Dissolved	EPA 200.8	1208129-001	<0.0050	0.0477	0.0472	0.050	mg/L	93	92	1 %
		Thallium, Dissolved	EPA 200.8	1208129-001	<0.0010	0.0090	0.0094	0.010	mg/L	90	94	4 %
		Aluminum, Dissolved	EPA 200.7	1208129-001	<0.045	0.939	0.937	1.00	mg/L	90	90	<1%
		Barium, Dissolved	EPA 200.7	1208129-001	0.108	1.08	1.08	1.00	mg/L	97	97	<1%
		Beryllium, Dissolved	EPA 200.7	1208129-001	<0.001	0.984	0.987	1.00	mg/L	98	99	<1%
		Bismuth, Dissolved	EPA 200.7	1208129-001	<0.100	0.970	0.967	1.00	mg/L	98	97	<1%
		Boron, Dissolved	EPA 200.7	1208129-001	<0.100	1.05	1.06	1.00	mg/L	100	101	1 %
		Cadmium, Dissolved	EPA 200.7	1208129-001	<0.001	0.971	0.978	1.00	mg/L	97	98	1 %
		Calcium, Dissolved	EPA 200.7	1208129-001	47.1	58.2	57.1	10.0	mg/L	111	100	2 %
		Chromium, Dissolved	EPA 200.7	1208129-001	<0.005	0.962	0.968	1.00	mg/L	96	97	1 %
		Cobalt, Dissolved	EPA 200.7	1208129-001	<0.010	0.951	0.956	1.00	mg/L	95	96	1 %
		Copper, Dissolved	EPA 200.7	1208129-001	<0.050	4.76	4.72	5.00	mg/L	95	94	1 %
		Gallium, Dissolved	EPA 200.7	1208129-001	<0.100	0.971	0.973	1.00	mg/L	97	97	<1%
		Iron, Dissolved	EPA 200.7	1208129-001	<0.050	0.965	0.965	1.00	mg/L	96	96	<1%
		Lithium, Dissolved	EPA 200.7	1208129-001	<0.100	0.948	0.945	1.00	mg/L	94	94	<1%
		Magnesium, Dissolved	EPA 200.7	1208129-001	15.9	25.1	24.7	10.0	mg/L	92	88	2 %
		Manganese, Dissolved	EPA 200.7	1208129-001	0.026	0.988	0.984	1.00	mg/L	96	96	<1%
		Molybdenum, Dissolved	EPA 200.7	1208129-001	<0.010	0.988	0.991	1.00	mg/L	98	99	<1%
		Nickel, Dissolved	EPA 200.7	1208129-001	<0.010	4.72	4.74	5.00	mg/L	94	95	<1%
		Phosphorus, Dissolved	EPA 200.7	1208129-001	<0.500	5.05	5.11	5.00	mg/L	100	101	1 %
		Potassium, Dissolved	EPA 200.7	1208129-001	2.70	12.7	12.6	10.0	mg/L	100	99	1 %
		Scandium, Dissolved	EPA 200.7	1208129-001	<0.100	0.968	0.972	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1208129-001	<0.005	0.089	0.089	0.090	mg/L	99	99	<1%
		Sodium, Dissolved	EPA 200.7	1208129-001	20.2	30.3	29.6	10.0	mg/L	101	94	2 %
		Strontium, Dissolved	EPA 200.7	1208129-001	0.221	1.18	1.18	1.00	mg/L	96	96	<1%
		Tin, Dissolved	EPA 200.7	1208129-001	<0.100	0.950	0.953	1.00	mg/L	97	97	<1%
		Titanium, Dissolved	EPA 200.7	1208129-001	<0.100	0.978	0.974	1.00	mg/L	98	97	<1%
		Vanadium, Dissolved	EPA 200.7	1208129-001	0.019	1.01	1.01	1.00	mg/L	99	99	<1%
		Zinc, Dissolved	EPA 200.7	1208129-001	<0.010	0.985	0.997	1.00	mg/L	98	100	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1208181

Report

Due Date:

8/23/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard 5 Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER

NO OF CONTAINERS

Analyses Requested

Profile II w/o Wat

Uranium

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO OF CONTAINERS	Profile II w/o Wat	Uranium	Spl. No.
604 673 Wk:80	08/09/12	9:00	WW	2	X	X	1
604 767							2
SRK 0854							3
SRK 0872							4

1208 5
181 4

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 25.0 °C	8/9/12	1525	Du [Signature]	[Signature]
Custody Seals Intact? Y N None				
Number of Containers 8				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

7/27/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1207261


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 7/12/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1207261

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1207261-001 Iron

1207261-002 Iron

1207261-003 Cadmium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 7/27/2012
OrderID: 1207261

Customer Sample ID: 604 673 Wk:76
WETLAB Sample ID: 1207261-001

Collect Date/Time: 7/12/2012 09:00
Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.41	pH Units		7/13/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	7/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/13/2012
Fluoride	EPA 300.0	0.52	mg/L	0.10	7/13/2012
Sulfate	EPA 300.0	27	mg/L	1.0	7/13/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/13/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/13/2012
Total Dissolved Solids (TDS)	SM 2540C	52	mg/L	10	7/16/2012
Aluminum	EPA 200.7	0.15	mg/L	0.045	7/23/2012
Barium	EPA 200.7	0.068	mg/L	0.010	7/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Calcium	EPA 200.7	7.3	mg/L	0.50	7/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Copper	EPA 200.7	0.87	mg/L	0.050	7/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/23/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Magnesium	EPA 200.7	1.0	mg/L	0.50	7/23/2012
Manganese	EPA 200.7	0.044	mg/L	0.0050	7/23/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/23/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-001

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Potassium	EPA 200.7	0.93	mg/L	0.50	7/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Zinc	EPA 200.7	0.048	mg/L	0.010	7/23/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/25/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/25/2012
Uranium	EPA 200.8	0.0072	mg/L	0.0050	7/25/2012
Anions	Calculation	0.59	meq/L	0.10	
Cations	Calculation	0.52	meq/L	0.10	
Error	Calculation	6.5	%	1.0	

Customer Sample ID: 604 767 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-002

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.40	pH Units		7/13/2012
Bicarbonate (HCO3)	SM 2320B	51	mg/L	1.0	7/13/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Total Alkalinity	SM 2320B	42	mg/L as CaCO3	1.0	7/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/13/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	7/13/2012
Sulfate	EPA 300.0	20	mg/L	1.0	7/13/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/13/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/13/2012
Total Dissolved Solids (TDS)	SM 2540C	79	mg/L	10	7/16/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/23/2012

Customer Sample ID: 604 767 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-002

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.037	mg/L	0.010	7/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Calcium	EPA 200.7	17	mg/L	0.50	7/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/23/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Magnesium	EPA 200.7	5.2	mg/L	0.50	7/23/2012
Manganese	EPA 200.7	0.20	mg/L	0.0050	7/23/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Potassium	EPA 200.7	0.63	mg/L	0.50	7/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	7/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Zinc	EPA 200.7	0.018	mg/L	0.010	7/23/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/26/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/25/2012
Uranium	EPA 200.8	0.0053	mg/L	0.0050	7/25/2012
Anions	Calculation	1.34	meq/L	0.10	
Cations	Calculation	1.30	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: SRK 0854 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-003

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.89	Q pH Units		7/13/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	7/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/13/2012
Fluoride	EPA 300.0	0.31	mg/L	0.10	7/13/2012
Sulfate	EPA 300.0	65	mg/L	1.0	7/13/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/13/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/13/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	7/16/2012
Aluminum	EPA 200.7	0.068	mg/L	0.045	7/23/2012
Barium	EPA 200.7	0.029	mg/L	0.010	7/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Calcium	EPA 200.7	3.9	mg/L	0.50	7/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Copper	EPA 200.7	29	mg/L	0.050	7/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/23/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Manganese	EPA 200.7	0.066	mg/L	0.0050	7/23/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Zinc	EPA 200.7	0.14	mg/L	0.010	7/23/2012

Page 6 of 12

Customer Sample ID: SRK 0854 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-003

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/26/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Lead	EPA 200.8	0.0045	mg/L	0.0025	7/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	7/25/2012
Anions	Calculation	1.37	meq/L	0.10	
Cations	Calculation	1.12	meq/L	0.10	
Error	Calculation	10	%	1.0	

Customer Sample ID: SRK 0872 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-004

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.49	pH Units		7/13/2012
Bicarbonate (HCO3)	SM 2320B	7.3	mg/L	1.0	7/13/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/13/2012
Total Alkalinity	SM 2320B	6.0	mg/L as CaCO3	1.0	7/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/13/2012
Fluoride	EPA 300.0	0.48	mg/L	0.10	7/13/2012
Sulfate	EPA 300.0	25	mg/L	1.0	7/13/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/13/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/13/2012
Total Dissolved Solids (TDS)	SM 2540C	73	mg/L	10	7/16/2012
Aluminum	EPA 200.7	0.046	mg/L	0.045	7/23/2012
Barium	EPA 200.7	0.017	mg/L	0.010	7/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/23/2012
Calcium	EPA 200.7	11	mg/L	0.50	7/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Iron	EPA 200.7	0.022	mg/L	0.010	7/23/2012

Page 7 of 12

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0872 Wk:76

Collect Date/Time: 7/12/2012 09:00

WETLAB Sample ID: 1207261-004

Receive Date: 7/12/2012 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Magnesium	EPA 200.7	0.77	mg/L	0.50	7/23/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Molybdenum	EPA 200.7	0.11	mg/L	0.010	7/23/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/23/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/23/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/23/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/26/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	7/25/2012
Anions	Calculation	0.67	meq/L	0.10	
Cations	Calculation	0.62	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12070456	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12070456	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12070456	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12070458	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12070458	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12070458	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12070460	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070460	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070460	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070462	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070462	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070462	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070466	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12070466	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12070466	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12070563	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070563	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070685	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12070778	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070441	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12070441	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12070456	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12070458	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12070460	LCS 1	Nitrite Nitrogen	EPA 300.0	0.518	0.500	104	mg/L
QC12070462	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	100	mg/L
QC12070466	LCS 1	Sulfate	EPA 300.0	24.3	25.0	97	mg/L
QC12070489	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070489	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12070489	LCS 3	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12070563	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	159	150	106	mg/L
QC12070563	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12070685	LCS 1	Aluminum	EPA 200.7	0.978	1.00	98	mg/L
		Barium	EPA 200.7	0.951	1.00	95	mg/L
		Beryllium	EPA 200.7	0.957	1.00	96	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.859	1.00	86	mg/L
		Cadmium	EPA 200.7	0.939	1.00	94	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.936	1.00	94	mg/L
		Cobalt	EPA 200.7	0.929	1.00	93	mg/L
		Copper	EPA 200.7	4.87	5.00	97	mg/L
		Gallium	EPA 200.7	0.969	1.00	97	mg/L
		Iron	EPA 200.7	0.998	1.00	100	mg/L
		Lithium	EPA 200.7	1.01	1.00	101	mg/L
		Magnesium	EPA 200.7	9.64	10.0	96	mg/L
		Manganese	EPA 200.7	0.961	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.944	1.00	94	mg/L
		Nickel	EPA 200.7	4.67	5.00	93	mg/L
		Phosphorus	EPA 200.7	4.42	5.00	88	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	0.952	1.00	95	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	10.2	10.0	102	mg/L
		Strontium	EPA 200.7	1.00	1.00	100	mg/L
		Tin	EPA 200.7	0.921	1.00	92	mg/L
		Titanium	EPA 200.7	1.01	1.00	101	mg/L
		Vanadium	EPA 200.7	0.943	1.00	94	mg/L
		Zinc	EPA 200.7	0.927	1.00	93	mg/L
QC12070778	LCS 1	Mercury	EPA 200.8	0.001109	0.001	111	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0478	0.050	96	mg/L
		Lead	EPA 200.8	0.0092	0.010	92	mg/L
		Selenium	EPA 200.8	0.0427	0.050	85	mg/L
		Thallium	EPA 200.8	0.0089	0.010	88	mg/L
		Uranium	EPA 200.8	0.0087	0.010	87	mg/L

Duplicate Sample Duplicate

QCBatchID	QCType	Sample	Result	Result					
QC12070441	Duplicate	pH	SM 4500-H+ B	1207242-001	7.69	7.71	pH Units	<1%	
QC12070441	Duplicate	pH	SM 4500-H+ B	1207264-001	6.69	6.69		%	
QC12070441	Duplicate	pH	SM 4500-H+ B	1207264-005	6.81	6.77	pH Units	1 %	
QC12070441	Duplicate	pH	SM 4500-H+ B	1207261-003	4.89	4.69	Q	pH Units	4 %
QC12070441	Duplicate	pH	SM 4500-H+ B	1207262-009	3.88	3.83		pH Units	1 %
QC12070489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207242-001	235	248		mg/L	5 %
		Carbonate (CO3)	SM 2320B	1207242-001	<1.000	<1.000		mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207242-001	<1.000	<1.000		mg/L	<1%
		Total Alkalinity	SM 2320B	1207242-001	193	203		mg/L as CaCO3	5 %
QC12070489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207264-001	5.51	6.71		mg/L	20 %
		Carbonate (CO3)	SM 2320B	1207264-001	<1.000	<1.000		mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207264-001	<1.000	<1.000		mg/L	<1%
		Total Alkalinity	SM 2320B	1207264-001	5.51	5.51		mg/L as CaCO3	<1%
QC12070489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207261-003	<1.000	15.2		mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207261-003	<1.000	<1.000		mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207261-003	<1.000	<1.000		mg/L	<1%
		Total Alkalinity	SM 2320B	1207261-003	<1.000	12.5		mg/L as CaCO3	<1%
QC12070489	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207260-001	201	201		mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207260-001	<1.000	<1.000		mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207260-001	<1.000	<1.000		mg/L	<1%
		Total Alkalinity	SM 2320B	1207260-001	165	164		mg/L as CaCO3	<1%
QC12070563	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207227-001	416	413		mg/L	1 %
QC12070563	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207262-001	73.0	75.0		mg/L	3 %
QC12070563	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207262-011	1284	1324		mg/L	3 %
QC12070563	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207285-001	4320	4810	Q	mg/L	11 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070456	MS 1	Fluoride	EPA 300.0	1207261-001	0.522	2.78	2.79	2.00	mg/L	113	113	<1%
QC12070456	MS 2	Fluoride	EPA 300.0	1207262-008	<0.100	M 3.88	4.56	2.00	mg/L	NC	NC	NC
QC12070458	MS 1	Chloride	EPA 300.0	1207261-001	<1.000	5.11	5.33	5.00	mg/L	100	105	4 %
QC12070458	MS 2	Chloride	EPA 300.0	1207262-008	<1.000	5.54	5.71	5.00	mg/L	106	110	3 %
QC12070460	MS 1	Nitrite Nitrogen	EPA 300.0	1207261-001	<0.025	0.506	0.528	0.500	mg/L	100	104	4 %
QC12070460	MS 2	Nitrite Nitrogen	EPA 300.0	1207262-008	<0.025	0.510	0.544	0.500	mg/L	101	108	6 %
QC12070462	MS 1	Nitrate Nitrogen	EPA 300.0	1207261-001	<1.000	2.00	2.08	2.00	mg/L	98	102	4 %
QC12070462	MS 2	Nitrate Nitrogen	EPA 300.0	1207262-008	<1.000	2.05	2.08	2.00	mg/L	101	102	1 %
QC12070466	MS 1	Sulfate	EPA 300.0	1207261-001	27.2	36.1	36.8	10.0	mg/L	88	96	2 %
QC12070466	MS 2	Sulfate	EPA 300.0	1207262-008	72.9	M 85.2	85.6	10.0	mg/L	NC	NC	NC
QC12070685	MS 1	Aluminum, Dissolved	EPA 200.7	1207318-002	<0.045	0.920	0.933	1.00	mg/L	89	91	1 %
		Barium, Dissolved	EPA 200.7	1207318-002	0.131	1.08	1.09	1.00	mg/L	95	96	1 %
		Beryllium, Dissolved	EPA 200.7	1207318-002	<0.001	0.975	0.972	1.00	mg/L	97	97	<1%
		Bismuth, Dissolved	EPA 200.7	1207318-002	<0.100	0.938	0.947	1.00	mg/L	94	95	1 %
		Boron, Dissolved	EPA 200.7	1207318-002	0.733	1.69	1.70	1.00	mg/L	96	97	1 %
		Cadmium, Dissolved	EPA 200.7	1207318-002	<0.001	0.949	0.944	1.00	mg/L	95	95	1 %
		Calcium, Dissolved	EPA 200.7	1207318-002	87.4	SC 102	103	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1207318-002	<0.005	0.934	0.936	1.00	mg/L	94	94	<1%
		Cobalt, Dissolved	EPA 200.7	1207318-002	<0.010	0.925	0.923	1.00	mg/L	92	92	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Copper, Dissolved	EPA 200.7	1207318-002	<0.050	4.88	4.88	5.00	mg/L	98	98	<1%
		Gallium, Dissolved	EPA 200.7	1207318-002	<0.100	0.913	0.919	1.00	mg/L	91	92	1 %
		Iron, Dissolved	EPA 200.7	1207318-002	0.493	1.51	1.52	1.00	mg/L	102	103	1 %
		Lithium, Dissolved	EPA 200.7	1207318-002	0.331	1.33	1.33	1.00	mg/L	100	100	<1%
		Magnesium, Dissolved	EPA 200.7	1207318-002	21.0	33.1	33.0	10.0	mg/L	121	120	<1%
		Manganese, Dissolved	EPA 200.7	1207318-002	<0.005	0.934	0.933	1.00	mg/L	95	95	<1%
		Molybdenum, Dissolved	EPA 200.7	1207318-002	0.014	0.960	0.967	1.00	mg/L	95	95	1 %
		Nickel, Dissolved	EPA 200.7	1207318-002	<0.010	4.65	4.63	5.00	mg/L	93	93	<1%
		Phosphorus, Dissolved	EPA 200.7	1207318-002	<0.500	4.68	4.68	5.00	mg/L	95	95	<1%
		Potassium, Dissolved	EPA 200.7	1207318-002	22.1	33.2	33.4	10.0	mg/L	111	113	1 %
		Scandium, Dissolved	EPA 200.7	1207318-002	<0.100	0.949	0.954	1.00	mg/L	95	95	1 %
		Silver, Dissolved	EPA 200.7	1207318-002	<0.005	0.081	0.082	0.090	mg/L	92	93	1 %
		Sodium, Dissolved	EPA 200.7	1207318-002	76.3	88.7	91.0	10.0	mg/L	124	147	3 %
		Strontium, Dissolved	EPA 200.7	1207318-002	0.648	1.63	1.66	1.00	mg/L	98	101	2 %
		Tin, Dissolved	EPA 200.7	1207318-002	<0.100	0.919	0.922	1.00	mg/L	95	96	<1%
		Titanium, Dissolved	EPA 200.7	1207318-002	<0.100	1.01	1.01	1.00	mg/L	101	101	<1%
		Vanadium, Dissolved	EPA 200.7	1207318-002	0.027	0.969	0.974	1.00	mg/L	94	95	1 %
		Zinc, Dissolved	EPA 200.7	1207318-002	<0.010	0.955	0.947	1.00	mg/L	95	95	1 %
QC12070778	MS 1	Uranium, Dissolved	EPA 200.8	1207318-002	<0.0050	0.0096	0.0097	0.010	mg/L	94	95	1 %
		Mercury, Dissolved	EPA 200.8	1207318-002	0.000200	0.001207	0.001133	0.001	mg/L	101	93	6 %
		Antimony, Dissolved	EPA 200.8	1207318-002	0.0058	0.0144	0.0147	0.010	mg/L	86	89	2 %
		Arsenic, Dissolved	EPA 200.8	1207318-002	0.0707	0.1089	0.1082	0.050	mg/L	76	75	1 %
		Lead, Dissolved	EPA 200.8	1207318-002	<0.0025	0.0090	0.0090	0.010	mg/L	90	89	<1%
		Selenium, Dissolved	EPA 200.8	1207318-002	<0.0050	M 0.0278	0.0274	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1207318-002	<0.0010	0.0087	0.0088	0.010	mg/L	84	86	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1207261

Report

Due Date: 7/26/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name

P.O. Number Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Standard 5 Day Other

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested		Spl. No.
					Profile II w/o Wat	Uranium	
604 673 Wk:76	07/12/12	9:00	WW	2	X	X	1
604 767							2
SRK 0854							3
SRK 0872							4
	↓	↓	↓	↓	↓	↓	5
							1207
							261

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>26.9</u> °C	7/12	1515	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers <u>8</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



6/29/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1206343

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 6/14/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1206343

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1206343-001 Potassium

1206343-002 Potassium

1206343-003 Iron

1206343-004 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 6/29/2012

OrderID: 1206343

Customer Sample ID: 604 673 (WK: 72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-001

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.42	pH Units		6/14/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	6/14/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/15/2012
Fluoride	EPA 300.0	0.39	mg/L	0.10	6/15/2012
Sulfate	EPA 300.0	23	mg/L	1.5	6/15/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/15/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/15/2012
Total Dissolved Solids (TDS)	SM 2540C	35	mg/L	10	6/18/2012
Aluminum	EPA 200.7	0.13	mg/L	0.045	6/21/2012
Barium	EPA 200.7	0.068	mg/L	0.010	6/21/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Calcium	EPA 200.7	7.4	mg/L	0.50	6/21/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Copper	EPA 200.7	0.77	mg/L	0.050	6/21/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Magnesium	EPA 200.7	1.0	mg/L	0.50	6/21/2012
Manganese	EPA 200.7	0.041	mg/L	0.0050	6/21/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/21/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 (WK: 72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-001

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	6/21/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Zinc	EPA 200.7	0.044	mg/L	0.010	6/21/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Lead	EPA 200.8	0.0034	mg/L	0.0025	6/21/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2012
Uranium	EPA 200.8	0.0078	mg/L	0.0050	6/21/2012
Anions	Calculation	0.50	meq/L	0.10	
Cations	Calculation	0.49	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 767(WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-002

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		6/14/2012
Bicarbonate (HCO ₃)	SM 2320B	43	mg/L	1.0	6/14/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Total Alkalinity	SM 2320B	35	mg/L as CaCO ₃	1.0	6/14/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/15/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	6/15/2012
Sulfate	EPA 300.0	22	mg/L	1.5	6/15/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/15/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/15/2012
Total Dissolved Solids (TDS)	SM 2540C	62	mg/L	10	6/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/21/2012

Page 4 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 767(WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-002

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.052	mg/L	0.010	6/21/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Calcium	EPA 200.7	17	mg/L	0.50	6/21/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/21/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Magnesium	EPA 200.7	5.4	mg/L	0.50	6/21/2012
Manganese	EPA 200.7	0.14	mg/L	0.0050	6/21/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	6/21/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	6/21/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Zinc	EPA 200.7	0.011	mg/L	0.010	6/21/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.30	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: SRK 0854 (WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-003

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.74	pH Units		6/14/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	6/14/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/15/2012
Fluoride	EPA 300.0	0.29	mg/L	0.10	6/15/2012
Sulfate	EPA 300.0	79	mg/L	1.5	6/15/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/15/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/15/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	6/18/2012
Aluminum	EPA 200.7	0.071	mg/L	0.045	6/21/2012
Barium	EPA 200.7	0.030	mg/L	0.010	6/21/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Calcium	EPA 200.7	4.7	mg/L	0.50	6/21/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Copper	EPA 200.7	34	mg/L	0.050	6/21/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	6/21/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Manganese	EPA 200.7	0.076	mg/L	0.0050	6/21/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Zinc	EPA 200.7	0.16	mg/L	0.010	6/21/2012

Page 6 of 12

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0854 (WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-003

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Lead	EPA 200.8	0.0059	mg/L	0.0025	6/21/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Anions	Calculation	1.66	meq/L	0.10	
Cations	Calculation	1.32	meq/L	0.10	
Error	Calculation	11	%	1.0	

Customer Sample ID: SRK 0872 (WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-004

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.67	Q pH Units		6/14/2012
Bicarbonate (HCO ₃)	SM 2320B	5.2	mg/L	1.0	6/14/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/14/2012
Total Alkalinity	SM 2320B	4.2	mg/L as CaCO ₃	1.0	6/14/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/15/2012
Fluoride	EPA 300.0	0.38	mg/L	0.10	6/15/2012
Sulfate	EPA 300.0	31	mg/L	1.5	6/15/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/15/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/15/2012
Total Dissolved Solids (TDS)	SM 2540C	68	mg/L	10	6/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/21/2012
Barium	EPA 200.7	0.020	mg/L	0.010	6/21/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/21/2012
Calcium	EPA 200.7	12	mg/L	0.50	6/21/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/21/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	6/21/2012

Page 7 of 12

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0872 (WK:72)

Collect Date/Time: 6/14/2012 09:00

WETLAB Sample ID: 1206343-004

Receive Date: 6/14/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Magnesium	EPA 200.7	0.84	mg/L	0.50	6/21/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Molybdenum	EPA 200.7	0.098	mg/L	0.010	6/21/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/21/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/21/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/21/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/21/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2012
Anions	Calculation	0.75	meq/L	0.10	
Cations	Calculation	0.67	meq/L	0.10	
Error	Calculation	5.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12060561	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12060561	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12060561	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12060563	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12060563	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12060563	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12060565	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060565	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060565	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060567	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060567	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060567	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060569	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12060569	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12060569	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12060695	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060695	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060747	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12060783	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12060504	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12060504	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060504	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060506	LCS 1	Alkalinity	SM 2320B	99.0	100	99	mg/L
QC12060506	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12060561	LCS 1	Fluoride	EPA 300.0	1.91	2.00	96	mg/L
QC12060563	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12060565	LCS 1	Nitrite Nitrogen	EPA 300.0	0.505	0.500	101	mg/L
QC12060567	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12060569	LCS 1	Sulfate	EPA 300.0	24.3	25.0	97	mg/L
QC12060695	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12060695	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12060747	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.11	1.00	111	mg/L
		Beryllium	EPA 200.7	1.12	1.00	112	mg/L
		Bismuth	EPA 200.7	1.09	1.00	109	mg/L
		Boron	EPA 200.7	1.01	1.00	101	mg/L
		Cadmium	EPA 200.7	1.15	1.00	115	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.09	1.00	109	mg/L
		Cobalt	EPA 200.7	1.12	1.00	112	mg/L
		Copper	EPA 200.7	5.34	5.00	107	mg/L
		Gallium	EPA 200.7	1.08	1.00	108	mg/L
		Iron	EPA 200.7	1.04	1.00	104	mg/L
		Lithium	EPA 200.7	1.02	1.00	102	mg/L
		Magnesium	EPA 200.7	10.9	10.0	109	mg/L
		Manganese	EPA 200.7	1.10	1.00	110	mg/L
		Molybdenum	EPA 200.7	1.11	1.00	111	mg/L
		Nickel	EPA 200.7	5.65	5.00	113	mg/L
		Phosphorus	EPA 200.7	5.66	5.00	113	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	1.07	1.00	107	mg/L
		Silver	EPA 200.7	0.096	0.090	107	mg/L
		Sodium	EPA 200.7	10.4	10.0	104	mg/L
		Strontium	EPA 200.7	1.04	1.00	104	mg/L
		Tin	EPA 200.7	1.09	1.00	109	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	1.11	1.00	111	mg/L
		Zinc	EPA 200.7	1.02	1.00	102	mg/L
QC12060783	LCS 1	Mercury	EPA 200.8		0.001		mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0505	0.050	101	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0466	0.050	93	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0094	0.010	94	mg/L

Duplicate Sample Duplicate

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Sample	Result	Result	Units	Rec.	RPD
QC12060504	Duplicate	pH		SM 4500-H+ B	1206326-001	7.22	7.34	Q	pH Units 2 %
QC12060504	Duplicate	pH		SM 4500-H+ B	1206343-004	6.67	6.54	Q	pH Units 2 %
QC12060504	Duplicate	pH		SM 4500-H+ B	1206341-009	3.96	3.91		pH Units 1 %
QC12060504	Duplicate	pH		SM 4500-H+ B	1206312-006	7.58	7.58		pH Units <1%
QC12060504	Duplicate	pH		SM 4500-H+ B	1206334-003	6.58	6.57		pH Units <1%
QC12060506	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206326-001	144	144	mg/L		<1%
		Carbonate (CO3)	SM 2320B	1206326-001	<1.000	<1.000	mg/L		<1%
		Hydroxide (OH)	SM 2320B	1206326-001	<1.000	<1.000	mg/L		<1%
		Total Alkalinity	SM 2320B	1206326-001	118	118	mg/L as CaCO3		<1%
QC12060506	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206343-004	5.16	5.16	mg/L		<1%
		Carbonate (CO3)	SM 2320B	1206343-004	<1.000	<1.000	mg/L		<1%
		Hydroxide (OH)	SM 2320B	1206343-004	<1.000	<1.000	mg/L		<1%
		Total Alkalinity	SM 2320B	1206343-004	4.23	4.23	mg/L as CaCO3		<1%
QC12060506	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206312-002	181	186	mg/L		3 %
		Carbonate (CO3)	SM 2320B	1206312-002	<1.000	<1.000	mg/L		<1%
		Hydroxide (OH)	SM 2320B	1206312-002	<1.000	<1.000	mg/L		<1%
		Total Alkalinity	SM 2320B	1206312-002	148	152	mg/L as CaCO3		3 %
QC12060506	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206312-006	252	251	mg/L		1 %
		Carbonate (CO3)	SM 2320B	1206312-006	<1.000	<1.000	mg/L		<1%
		Hydroxide (OH)	SM 2320B	1206312-006	<1.000	<1.000	mg/L		<1%
		Total Alkalinity	SM 2320B	1206312-006	207	205	mg/L as CaCO3		1 %
QC12060506	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206334-003	33.4	33.1	mg/L		1 %
		Carbonate (CO3)	SM 2320B	1206334-003	<1.000	<1.000	mg/L		<1%
		Hydroxide (OH)	SM 2320B	1206334-003	<1.000	<1.000	mg/L		<1%
		Total Alkalinity	SM 2320B	1206334-003	27.4	27.2	mg/L as CaCO3		1 %
QC12060695	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206333-001	24.0	24.0	mg/L		<1%
QC12060695	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206341-006	598	594	mg/L		1 %
QC12060695	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206350-001	349	352	mg/L		%
QC12060695	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206356-001	6310	6310	mg/L		<1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12060561	MS 1	Fluoride	EPA 300.0	1206341-002	<0.100	2.03	2.16	2.00	mg/L	100	106	6 %
QC12060561	MS 2	Fluoride	EPA 300.0	1206331-001	0.506	10.6	10.5	2.00	mg/L	100	100	1 %
QC12060563	MS 1	Chloride	EPA 300.0	1206341-002	<1.000	5.20	5.21	5.00	mg/L	103	103	<1%
QC12060563	MS 2	Chloride	EPA 300.0	1206341-009	<1.000	5.31	5.49	5.00	mg/L	105	108	3 %
QC12060565	MS 1	Nitrite Nitrogen	EPA 300.0	1206341-002	<0.030	0.510	0.510	0.500	mg/L	101	101	<1%
QC12060565	MS 2	Nitrite Nitrogen	EPA 300.0	1206341-009	<0.030	0.490	0.507	0.500	mg/L	96	100	3 %
QC12060567	MS 1	Nitrate Nitrogen	EPA 300.0	1206341-002	<1.000	2.04	2.05	2.00	mg/L	100	101	<1%
QC12060567	MS 2	Nitrate Nitrogen	EPA 300.0	1206341-009	<1.000	2.05	2.12	2.00	mg/L	101	104	3 %
QC12060569	MS 1	Sulfate	EPA 300.0	1206341-009	64.9	71.8	72.7	10.0	mg/L	NC	NC	NC
QC12060569	MS 2	Sulfate	EPA 300.0	1206334-007	<1.500	10.8	11.4	10.0	mg/L	103	109	5 %
QC12060747	MS 1	Aluminum	EPA 200.7	1206327-001	<0.045	1.09	1.08	1.00	mg/L	107	106	1 %
		Barium	EPA 200.7	1206327-001	<0.010	1.13	1.13	1.00	mg/L	112	112	<1%
		Beryllium	EPA 200.7	1206327-001	<0.001	1.14	1.12	1.00	mg/L	114	112	2 %
		Bismuth	EPA 200.7	1206327-001	<0.100	1.11	1.10	1.00	mg/L	110	109	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron	EPA 200.7	1206327-001	<0.100	1.04	1.03	1.00	mg/L	105	104	1 %
		Cadmium	EPA 200.7	1206327-001	0.001	1.18	1.16	1.00	mg/L	118	116	2 %
		Calcium	EPA 200.7	1206327-001	2.61	13.1	13.2	10.0	mg/L	105	106	1 %
		Chromium	EPA 200.7	1206327-001	<0.005	1.11	1.10	1.00	mg/L	111	110	1 %
		Cobalt	EPA 200.7	1206327-001	<0.010	1.14	1.13	1.00	mg/L	114	113	1 %
		Copper	EPA 200.7	1206327-001	<0.050	5.37	5.34	5.00	mg/L	107	107	1 %
		Gallium	EPA 200.7	1206327-001	<0.100	1.09	1.09	1.00	mg/L	109	109	<1%
		Iron	EPA 200.7	1206327-001	<0.050	1.08	1.08	1.00	mg/L	105	105	<1%
		Lithium	EPA 200.7	1206327-001	<0.100	1.01	1.02	1.00	mg/L	100	101	1 %
		Magnesium	EPA 200.7	1206327-001	0.508	11.6	11.5	10.0	mg/L	111	110	1 %
		Manganese	EPA 200.7	1206327-001	0.022	1.13	1.12	1.00	mg/L	111	110	1 %
		Molybdenum	EPA 200.7	1206327-001	<0.010	1.11	1.11	1.00	mg/L	111	111	<1%
		Nickel	EPA 200.7	1206327-001	<0.010	5.74	5.67	5.00	mg/L	115	113	1 %
		Phosphorus	EPA 200.7	1206327-001	<0.500	5.82	5.73	5.00	mg/L	116	114	2 %
		Potassium	EPA 200.7	1206327-001	0.535	11.0	11.1	10.0	mg/L	105	106	1 %
		Scandium	EPA 200.7	1206327-001	<0.100	1.08	1.07	1.00	mg/L	108	107	1 %
		Silver	EPA 200.7	1206327-001	<0.005	0.095	0.100	0.090	mg/L	106	111	5 %
		Sodium	EPA 200.7	1206327-001	2.41	12.3	12.4	10.0	mg/L	99	100	1 %
		Strontium	EPA 200.7	1206327-001	<0.100	1.03	1.03	1.00	mg/L	101	101	<1%
		Tin	EPA 200.7	1206327-001	<0.100	1.13	1.11	1.00	mg/L	113	111	2 %
		Titanium	EPA 200.7	1206327-001	<0.100	1.02	1.01	1.00	mg/L	102	101	1 %
		Vanadium	EPA 200.7	1206327-001	<0.010	1.12	1.11	1.00	mg/L	112	111	1 %
		Zinc	EPA 200.7	1206327-001	0.058	1.27	1.25	1.00	mg/L	121	119	2 %
QC12060783	MS 1	Mercury	EPA 200.8	1206327-001	0.001158	0.002043	0.002096	0.001	mg/L	88	94	3 %
		Antimony	EPA 200.8	1206327-001	<0.0025	0.0101	0.0106	0.010	mg/L	94	98	5 %
		Arsenic	EPA 200.8	1206327-001	<0.0050	0.0513	0.0534	0.050	mg/L	101	105	4 %
		Lead	EPA 200.8	1206327-001	<0.0025	0.0099	0.0102	0.010	mg/L	99	102	3 %
		Selenium	EPA 200.8	1206327-001	<0.0050	0.0443	0.0466	0.050	mg/L	89	93	5 %
		Thallium	EPA 200.8	1206327-001	<0.0010	0.0102	0.0104	0.010	mg/L	98	100	2 %
		Uranium	EPA 200.8	1206327-001	<0.0050	0.0098	0.0101	0.010	mg/L	98	101	3 %

**WETLAB**WESTERN ENVIRONMENTAL
TESTING LABORATORY*Specializing in Soil, Hazardous Waste and Water Analysis.*

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1206343

Report

Dues Date: 6/28/12Page 1 of 1Client McClelland Laboratories, Inc.Address 1016 Greg StreetCity, State & Zip Sparks, NV 89431Contact Gene McClellandPhone 775-356-1300Collector's Name RobertFax 775-356-8917

Project Name

P.O. Number

Project Number 3438Email mli@mettest.com**Turnaround Time****Billing Address (if different than Client Address):**

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

		Analyses Requested										Spl. No.	
SAMPLE ID/LOCATION	DATE	TIME	NO. OF CONTAINERS	NO. OF SAMPLES	Profile II w/o Wad	Uranium							
604 673	06/14/12	9:00	2	2	X	X							1
604 767													2
SRK 0854													3
SRK 0872													4
													5
													6
													7
													8
													9
													10
													11
													12
													13
													14
													15
													16
													17
													18
													19
													20

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Sample's Temperature	Samples Received By
Temperature <u>22.5°C</u>	<u>6/14</u>	<u>14:50</u>	<u>DUSTO</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>2</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreement specifies otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

5/30/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1205361

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/17/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamaille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1205361

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:
1205361-003 Aluminum, Cadmium
The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 353-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1034 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 5/30/2012
OrderID: 1205361

Customer Sample ID: 604 673 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-001

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.44	pH Units		5/17/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	5/17/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	0.31	mg/L	0.10	5/18/2012
Sulfate	EPA 300.0	25	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	55	mg/L	10	5/21/2012
Aluminum	EPA 200.7	0.079	mg/L	0.045	5/24/2012
Barium	EPA 200.7	0.077	mg/L	0.010	5/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Calcium	EPA 200.7	7.6	mg/L	0.50	5/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Copper	EPA 200.7	0.55	mg/L	0.050	5/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Magnesium	EPA 200.7	1.1	mg/L	0.50	5/24/2012
Manganese	EPA 200.7	0.042	mg/L	0.0050	5/24/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2012

Page 3 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-001

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Potassium	EPA 200.7	1.1	mg/L	0.50	5/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Zinc	EPA 200.7	0.046	mg/L	0.010	5/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Anions	Calculation	0.54	meq/L	0.10	
Cations	Calculation	0.53	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 767 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-002

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.67	pH Units		5/17/2012
Bicarbonate (HCO ₃)	SM 2320B	34	mg/L	1.0	5/17/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	28	mg/L as CaCO ₃	1.0	5/17/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	5/18/2012
Sulfate	EPA 300.0	27	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	70	mg/L	10	5/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2012

Page 4 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 767 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-002

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.034	mg/L	0.010	5/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Calcium	EPA 200.7	15	mg/L	0.50	5/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	5/24/2012
Manganese	EPA 200.7	0.12	mg/L	0.0050	5/24/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Potassium	EPA 200.7	0.80	mg/L	0.50	5/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	5/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Anions	Calculation	1.20	meq/L	0.10	
Cations	Calculation	1.15	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: SRK 0854 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-003

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.96	pH Units		5/17/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	5/17/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	0.25	mg/L	0.10	5/18/2012
Sulfate	EPA 300.0	65	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	97	mg/L	10	5/21/2012
Aluminum	EPA 200.7	<0.20	mg/L	0.20	5/25/2012
Barium	EPA 200.7	0.030	mg/L	0.010	5/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2012
Calcium	EPA 200.7	3.9	mg/L	0.50	5/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Copper	EPA 200.7	28	mg/L	0.050	5/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Manganese	EPA 200.7	0.068	mg/L	0.0050	5/24/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	5/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Zinc	EPA 200.7	0.13	mg/L	0.010	5/24/2012

Page 6 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: SRK 0854 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-003

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Lead	EPA 200.8	0.018	mg/L	0.0025	5/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Anions	Calculation	1.37	meq/L	0.10	
Cations	Calculation	1.08	meq/L	0.10	
Error	Calculation	12	%	1.0	

Customer Sample ID: SRK 0872 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-004

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.41	pH Units		5/17/2012
Bicarbonate (HCO3)	SM 2320B	15	mg/L	1.0	5/17/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	12	mg/L as CaCO3	1.0	5/17/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	0.47	mg/L	0.10	5/18/2012
Sulfate	EPA 300.0	37	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	88	mg/L	10	5/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2012
Barium	EPA 200.7	0.034	mg/L	0.010	5/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2012
Calcium	EPA 200.7	17	mg/L	0.50	5/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2012

Page 7 of 12

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 353-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: SRK 0872 WK:68

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205361-004

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Magnesium	EPA 200.7	1.1	mg/L	0.50	5/24/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Molybdenum	EPA 200.7	0.16	mg/L	0.010	5/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/25/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/25/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/25/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	5/25/2012
Anions	Calculation	1.04	meq/L	0.10	
Cations	Calculation	0.94	meq/L	0.10	
Error	Calculation	5.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12050684	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12050684	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12050685	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12050685	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12050685	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12050687	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050687	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050687	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050688	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050688	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050688	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050690	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12050690	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12050833	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050833	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050890	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12050981	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L

Page 9 of 12

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Result	Units
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC12050681	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12050681	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12050681	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12050681	LCS 4	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC12050682	LCS 1	Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12050682	LCS 2	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12050682	LCS 3	Alkalinity	SM 2320B	100	100	100	mg/L
QC12050684	LCS 1	Fluoride	EPA 300.0	1.86	2.00	93	mg/L
QC12050685	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC12050687	LCS 1	Nitrite Nitrogen	EPA 300.0	0.520	0.500	104	mg/L
QC12050688	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC12050690	LCS 1	Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC12050833	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12050833	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12050890	LCS 1	Aluminum	EPA 200.7	1.02	1.00	102	mg/L
		Barium	EPA 200.7	1.00	1.00	100	mg/L
		Beryllium	EPA 200.7	0.995	1.00	100	mg/L
		Bismuth	EPA 200.7	0.998	1.00	100	mg/L
		Boron	EPA 200.7	0.961	1.00	96	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	9.48	10.0	95	mg/L
		Chromium	EPA 200.7	0.984	1.00	98	mg/L
		Cobalt	EPA 200.7	0.990	1.00	99	mg/L
		Copper	EPA 200.7	4.81	5.00	96	mg/L
		Gallium	EPA 200.7	0.989	1.00	99	mg/L
		Iron	EPA 200.7	0.947	1.00	95	mg/L
		Lithium	EPA 200.7	0.935	1.00	94	mg/L
		Magnesium	EPA 200.7	9.49	10.0	95	mg/L
		Manganese	EPA 200.7	0.984	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.993	1.00	99	mg/L
		Nickel	EPA 200.7	5.01	5.00	100	mg/L
		Phosphorus	EPA 200.7	4.93	5.00	99	mg/L
		Potassium	EPA 200.7	9.69	10.0	97	mg/L
		Scandium	EPA 200.7	0.972	1.00	97	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	9.50	10.0	95	mg/L
		Strontium	EPA 200.7	0.944	1.00	94	mg/L
		Tin	EPA 200.7	0.979	1.00	98	mg/L
		Titanium	EPA 200.7	0.939	1.00	94	mg/L
		Vanadium	EPA 200.7	0.989	1.00	99	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L
QC12050981	LCS 1	Mercury	EPA 200.8	0.000950	0.001	95	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0483	0.050	97	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0445	0.050	89	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L
		Uranium	EPA 200.8	0.0095	0.010	96	mg/L

Duplicate Sample Duplicate

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Eiko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type		Sample	Result	Result		
QC12050681	Duplicate	pH	SM 4500-H+ B	1205340-001	7.76	7.78	pH Units <1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205343-002	7.28	7.24	pH Units 1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205353-001	7.56	7.60	pH Units 1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205353-006	6.86	6.85	pH Units <1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205356-001	7.40	7.42	pH Units <1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205360-001	7.17	6.91	Q pH Units 4 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205360-005	6.57	6.53	pH Units 1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205367-002	7.40	7.36	pH Units 1 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205340-001	219	219	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205340-001	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205340-001	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205340-001	180	180	mg/L as CaCO3 <1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205343-002	172	171	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205343-002	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205343-002	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205343-002	141	140	mg/L as CaCO3 <1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205353-001	165	165	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205353-001	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205353-001	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205353-001	135	135	mg/L as CaCO3 <1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205353-006	164	163	mg/L 1 %
		Carbonate (CO3)	SM 2320B	1205353-006	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205353-006	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205353-006	135	134	mg/L as CaCO3 1 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205356-001	164	164	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205356-001	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205356-001	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205356-001	135	135	mg/L as CaCO3 <1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205360-001	49.7	48.1	mg/L 3 %
		Carbonate (CO3)	SM 2320B	1205360-001	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205360-001	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205360-001	40.7	39.5	mg/L as CaCO3 3 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205360-005	17.1	16.3	mg/L 5 %
		Carbonate (CO3)	SM 2320B	1205360-005	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205360-005	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205360-005	14.0	13.4	mg/L as CaCO3 5 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205367-002	395	395	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205367-002	<1.000	<1.000	mg/L <1%
		Hydroxide (OH)	SM 2320B	1205367-002	<1.000	<1.000	mg/L <1%
		Total Alkalinity	SM 2320B	1205367-002	324	324	mg/L as CaCO3 <1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205366-008	147	147	mg/L <1%
		Carbonate (CO3)	SM 2320B	1205366-008	<1.000	<1.000	mg/L <1%

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
		Hydroxide (OH)	SM 2320B	1205366-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205366-008	120	121	mg/L as CaCO3	<1%
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205347-002	214	217	mg/L	1 %
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205363-004	392	417	Q mg/L	6 %
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205366-006	574	575	mg/L	<1%
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205375-001	896	888	mg/L	1 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050684	MS 1	Fluoride	EPA 300.0	1205361-004	0.474	2.31	2.28	2.00	mg/L	92	90	1 %
QC12050685	MS 1	Chloride	EPA 300.0	1205328-004	25.6	35.6	35.7	5.00	mg/L	100	100	<1%
QC12050685	MS 2	Chloride	EPA 300.0	1205361-004	<1.000	5.04	5.08	5.00	mg/L	99	100	1 %
QC12050687	MS 1	Nitrite Nitrogen	EPA 300.0	1205328-004	<0.060	1.05	1.05	0.500	mg/L	103	104	<1%
QC12050687	MS 2	Nitrite Nitrogen	EPA 300.0	1205361-004	<0.030	0.505	0.511	0.500	mg/L	99	101	1 %
QC12050688	MS 1	Nitrate Nitrogen	EPA 300.0	1205328-004	<1.000	4.25	4.28	2.00	mg/L	103	104	1 %
QC12050688	MS 2	Nitrate Nitrogen	EPA 300.0	1205361-004	<1.000	2.00	2.02	2.00	mg/L	98	99	1 %
QC12050690	MS 1	Sulfate	EPA 300.0	1205294-005	2472	3471	3453	10.0	mg/L	100	98	1 %
QC12050890	MS 1	Aluminum, Dissolved	EPA 200.7	1205378-004	<0.045	1.01	1.01	1.00	mg/L	100	100	<1%
		Barium, Dissolved	EPA 200.7	1205378-004	0.125	1.13	1.13	1.00	mg/L	100	100	<1%
		Beryllium, Dissolved	EPA 200.7	1205378-004	<0.001	1.00	0.994	1.00	mg/L	100	99	1 %
		Bismuth, Dissolved	EPA 200.7	1205378-004	<0.100	0.982	0.981	1.00	mg/L	98	98	<1%
		Boron, Dissolved	EPA 200.7	1205378-004	<0.100	1.02	1.02	1.00	mg/L	99	99	<1%
		Cadmium, Dissolved	EPA 200.7	1205378-004	<0.001	1.00	0.996	1.00	mg/L	100	100	<1%
		Calcium, Dissolved	EPA 200.7	1205378-004	58.3	70.1	68.9	10.0	mg/L	118	106	2 %
		Chromium, Dissolved	EPA 200.7	1205378-004	<0.005	0.984	0.983	1.00	mg/L	98	98	<1%
		Cobalt, Dissolved	EPA 200.7	1205378-004	<0.010	0.975	0.977	1.00	mg/L	97	98	<1%
		Copper, Dissolved	EPA 200.7	1205378-004	<0.050	4.87	4.88	5.00	mg/L	97	98	<1%
		Gallium, Dissolved	EPA 200.7	1205378-004	<0.100	0.986	0.984	1.00	mg/L	98	98	<1%
		Iron, Dissolved	EPA 200.7	1205378-004	<0.010	0.947	0.946	1.00	mg/L	95	95	<1%
		Lithium, Dissolved	EPA 200.7	1205378-004	<0.100	0.949	0.948	1.00	mg/L	94	94	<1%
		Magnesium, Dissolved	EPA 200.7	1205378-004	8.92	18.8	18.7	10.0	mg/L	99	98	1 %
		Manganese, Dissolved	EPA 200.7	1205378-004	<0.005	0.948	0.949	1.00	mg/L	97	97	<1%
		Molybdenum, Dissolved	EPA 200.7	1205378-004	<0.010	0.995	0.998	1.00	mg/L	99	100	<1%
		Nickel, Dissolved	EPA 200.7	1205378-004	<0.010	4.93	4.92	5.00	mg/L	99	98	<1%
		Phosphorus, Dissolved	EPA 200.7	1205378-004	<0.500	5.03	5.01	5.00	mg/L	99	99	<1%
		Potassium, Dissolved	EPA 200.7	1205378-004	2.49	12.5	12.4	10.0	mg/L	100	99	1 %
		Scandium, Dissolved	EPA 200.7	1205378-004	<0.100	0.969	0.967	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1205378-004	<0.005	0.090	0.089	0.090	mg/L	101	100	1 %
		Sodium, Dissolved	EPA 200.7	1205378-004	16.3	26.6	26.2	10.0	mg/L	103	99	2 %
		Strontium, Dissolved	EPA 200.7	1205378-004	0.326	1.29	1.27	1.00	mg/L	96	94	2 %
		Tin, Dissolved	EPA 200.7	1205378-004	<0.100	0.938	0.948	1.00	mg/L	98	99	1 %
		Titanium, Dissolved	EPA 200.7	1205378-004	<0.100	0.940	0.941	1.00	mg/L	94	94	<1%
		Vanadium, Dissolved	EPA 200.7	1205378-004	0.017	1.01	1.01	1.00	mg/L	99	99	<1%
		Zinc, Dissolved	EPA 200.7	1205378-004	<0.010	1.01	1.00	1.00	mg/L	101	100	1 %
QC12050981	MS 1	Uranium, Dissolved	EPA 200.8	1205378-004	<0.0050	0.0126	0.0123	0.010	mg/L	95	93	2 %
		Mercury, Dissolved	EPA 200.8	1205378-004	<0.00010	0.001036	0.001102	0.001	mg/L	95	102	6 %
		Antimony, Dissolved	EPA 200.8	1205378-004	<0.0025	0.0097	0.0097	0.010	mg/L	96	95	<1%
		Arsenic, Dissolved	EPA 200.8	1205378-004	<0.0050	0.0527	0.0529	0.050	mg/L	100	100	<1%
		Lead, Dissolved	EPA 200.8	1205378-004	<0.0025	0.0090	0.0090	0.010	mg/L	90	94	<1%
		Selenium, Dissolved	EPA 200.8	1205378-004	<0.0050	0.0458	0.0471	0.050	mg/L	86	88	3 %
		Thallium, Dissolved	EPA 200.8	1205378-004	<0.0010	0.0091	0.0092	0.010	mg/L	90	91	1 %

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1205361

Report

Due Date: 06/01/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Billing Address (if different than Client Address):

Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information:

Fax Results Y N To: Client Billing
Email Results Y N To: Client Billing
Compliance Monitoring Y N
Fax Results to State EPA Y N

Sample Type Codes

DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER:

Analyses Requested:

SAMPLE ID/LOCATION	DATE	TIME	NO. OF	ANALYSES	Profile II w/o Wad	Uranium	Spl. No.
604 673	Wk:68	05/17/12	9:00	WW	2	X X	1
604 767							2
SRK 0854							3
SRK 0872							4
							5

1205 1E
361 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Returned By	Samples Received By
Temperature <u>20°C</u>	<u>5/17</u>	<u>1520</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>8</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

5/15/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1204385

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 4/20/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1204385

General Comments

On Samples 1204385-002 and 005 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result. The calculated Sulfate result has been used in the cation/anion balance for sample 1204385-005.

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Sulfate on sample 1204385-006 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

The cation/anion balance for sample 1204385-004 was outside WETLAB acceptance criteria; however, reanalysis confirmed the original results.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1204385-002 Arsenic, Selenium

1204385-003 Arsenic, Selenium

1204385-004 Arsenic, Selenium, Thallium, Uranium

1204385-005 Nitrite Nitrogen, Chloride, Fluoride, Arsenic, Selenium, Thallium, Uranium

1204385-006 Arsenic, Selenium, Thallium, Uranium

The reporting limits have been adjusted accordingly.

The result for the continuing calibration verification (CCV) sample during the analysis for Sulfate was outside WETLAB acceptance criteria. Laboratory Control Sample (LCS) data was however acceptable. The reported data for Sulfate on all samples should be considered estimates. We apologize for any inconvenience this may have caused.

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on sample 1204385-003 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 5/15/2012
OrderID: 1204385

Customer Sample ID: 604 669 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-001

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.65	pH Units		4/20/2012
Bicarbonate (HCO ₃)	SM 2320B	37	mg/L	1.0	4/20/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Total Alkalinity	SM 2320B	30	mg/L as CaCO ₃	1.0	4/20/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/21/2012
Fluoride	EPA 300.0	0.39	mg/L	0.10	4/21/2012
Sulfate	EPA 300.0	26	mg/L	1.5	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	4/21/2012
Total Dissolved Solids (TDS)	SM 2540C	63	mg/L	10	4/23/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/30/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	14	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	3.1	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	0.97	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/30/2012

Page 3 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 669 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-001

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	0.80	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	0.016	mg/L	0.010	4/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/30/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	4/30/2012
Anions	Calculation	1.17	meq/L	0.10	
Cations	Calculation	1.01	meq/L	0.10	
Error	Calculation	7.3	%	1.0	

Customer Sample ID: 604 673 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-002

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.70	pH Units		4/20/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	4/20/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/21/2012
Fluoride	EPA 300.0	0.31	mg/L	0.10	4/21/2012
Sulfate	EPA 300.0	19	mg/L	1.5	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	4/21/2012
Sulfate (as calculated from S)	Calc.	22	mg/L	1.0	5/10/2012
Total Dissolved Solids (TDS)	SM 2540C	18	mg/L	10	4/23/2012

Page 4 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 673 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-002

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfur	EPA 200.7	7.2	mg/L	2.0	5/10/2012
Aluminum	EPA 200.7	0.053	mg/L	0.045	4/30/2012
Barium	EPA 200.7	0.054	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	5.6	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Copper	EPA 200.7	0.36	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	0.81	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	0.031	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	0.90	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	0.030	mg/L	0.010	4/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/30/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	4/30/2012
Anions	Calculation	0.41	meq/L	0.10	
Cations	Calculation	0.39	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Customer Sample ID: 604 767 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-003

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.39	pH Units		4/20/2012
Bicarbonate (HCO ₃)	SM 2320B	41	mg/L	1.0	4/20/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Total Alkalinity	SM 2320B	34	mg/L as CaCO ₃	1.0	4/20/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/21/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	4/21/2012
Sulfate	EPA 300.0	23	mg/L	1.5	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	4/21/2012
Total Dissolved Solids (TDS)	SM 2540C	74	HT mg/L	10	5/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/30/2012
Barium	EPA 200.7	0.033	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	15	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	4.5	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	0.13	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	0.72	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/30/2012

Page 6 of 17

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: 604 767 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-003

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/30/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	4/30/2012
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.14	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: SRK 0854 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-004

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.95	pH Units		4/20/2012
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	4/20/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/21/2012
Fluoride	EPA 300.0	0.23	mg/L	0.10	4/21/2012
Sulfate	EPA 300.0	67	mg/L	1.5	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	4/21/2012
Total Dissolved Solids (TDS)	SM 2540C	98	mg/L	10	4/23/2012
Aluminum	EPA 200.7	0.056	mg/L	0.045	4/30/2012
Barium	EPA 200.7	0.029	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	0.0025	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	3.8	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Copper	EPA 200.7	25	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	4/30/2012

Page 7 of 17

Customer Sample ID: SRK 0854 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-004

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	0.063	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	0.12	mg/L	0.010	4/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Lead	EPA 200.8	0.0030	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Thallium	EPA 200.8	<0.0020	mg/L	0.0020	5/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Anions	Calculation	1.41	meq/L	0.10	
Cations	Calculation	0.99	meq/L	0.10	
Error	Calculation	17	%	1.0	

Customer Sample ID: SRK 0858 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-005

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.57	pH Units		4/20/2012
Acidity (Titrimetric)	SM 2310B	410	mg/L as CaCO3		4/20/2012
Chloride	EPA 300.0	<10	mg/L	10	4/21/2012
Fluoride	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Sulfate	EPA 300.0	800	mg/L	15	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.30	mg/L	0.30	4/21/2012
Sulfate (as calculated from S)	Calc.	400	mg/L	1.0	5/10/2012

Page 8 of 17

Customer Sample ID: SRK 0858 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-005

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	370	mg/L	10	4/23/2012
Sulfur	EPA 200.7	130	mg/L	10	5/10/2012
Aluminum	EPA 200.7	7.6	mg/L	0.045	4/30/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	0.0054	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	1.7	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	0.0079	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	0.054	mg/L	0.010	4/30/2012
Copper	EPA 200.7	2.6	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	49	mg/L	0.010	4/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	1.5	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	0.10	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Sodium	EPA 200.7	2.0	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	0.025	mg/L	0.010	4/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Thallium	EPA 200.8	<0.0020	mg/L	0.0020	5/1/2012
Uranium	EPA 200.8	0.012	mg/L	0.010	5/1/2012
Anions	Calculation	8.33	meq/L	0.10	
Cations	Calculation	8.04	meq/L	0.10	

Page 9 of 17

Customer Sample ID: SRK 0858 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-005

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	1.7	%	1.0	

Customer Sample ID: SRK 0872 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-006

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.81	pH Units		4/20/2012
Bicarbonate (HCO3)	SM 2320B	12	mg/L	1.0	4/20/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/20/2012
Total Alkalinity	SM 2320B	10	mg/L as CaCO3	1.0	4/20/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/21/2012
Fluoride	EPA 300.0	0.43	mg/L	0.10	4/21/2012
Sulfate	EPA 300.0	34	M mg/L	1.5	4/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/21/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	4/21/2012
Total Dissolved Solids (TDS)	SM 2540C	82	mg/L	10	4/23/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/30/2012
Barium	EPA 200.7	0.025	mg/L	0.010	4/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/30/2012
Calcium	EPA 200.7	15	mg/L	0.50	4/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	4/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Iron	EPA 200.7	0.011	mg/L	0.010	4/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Magnesium	EPA 200.7	0.92	mg/L	0.50	4/30/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012
Molybdenum	EPA 200.7	0.16	mg/L	0.010	4/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/30/2012

Customer Sample ID: SRK 0872 WK:64

Collect Date/Time: 4/20/2012 09:00

WETLAB Sample ID: 1204385-006

Receive Date: 4/20/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/30/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Thallium	EPA 200.8	<0.0020	mg/L	0.0020	5/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/1/2012
Anions	Calculation	0.93	meq/L	0.10	
Cations	Calculation	0.82	meq/L	0.10	
Error	Calculation	5.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12040700	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12040700	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12040700	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12040704	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12040704	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12040704	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12040705	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040705	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040705	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040706	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040706	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040707	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040707	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040707	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040708	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040708	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040716	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12040716	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12040716	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12040803	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050007	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC12050008	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	0.022	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		QC12050013	Blank 1	Uranium, Dissolved	EPA 200.8
Mercury, Dissolved	EPA 200.8			<0.00010	mg/L
Antimony, Dissolved	EPA 200.8			<0.0025	mg/L
Arsenic, Dissolved	EPA 200.8			<0.0050	mg/L
Lead, Dissolved	EPA 200.8			<0.0025	mg/L
Selenium, Dissolved	EPA 200.8			<0.0050	mg/L
Thallium, Dissolved	EPA 200.8			<0.0010	mg/L
QC12050016	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12040696	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12040696	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12040698	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L
QC12040698	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12040700	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12040704	LCS 1	Chloride	EPA 300.0	10.4	10.0	104	mg/L
QC12040705	LCS 1	Nitrite Nitrogen	EPA 300.0	0.522	0.500	104	mg/L
QC12040706	LCS 1	Nitrite Nitrogen	EPA 300.0	0.522	0.500	104	mg/L
QC12040707	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	100	mg/L
QC12040708	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	100	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12040716	LCS 1	Sulfate	EPA 300.0	24.9	25.0	100	mg/L
QC12040803	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC12050007	LCS 1	Aluminum	EPA 200.7	0.953	1.00	95	mg/L
		Barium	EPA 200.7	0.953	1.00	95	mg/L
		Beryllium	EPA 200.7	0.952	1.00	95	mg/L
		Bismuth	EPA 200.7	0.983	1.00	98	mg/L
		Boron	EPA 200.7	0.909	1.00	91	mg/L
		Cadmium	EPA 200.7	0.959	1.00	96	mg/L
		Calcium	EPA 200.7	9.75	10.0	98	mg/L
		Chromium	EPA 200.7	0.944	1.00	94	mg/L
		Cobalt	EPA 200.7	0.959	1.00	96	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.951	1.00	95	mg/L
		Iron	EPA 200.7	0.969	1.00	97	mg/L
		Lithium	EPA 200.7	0.955	1.00	96	mg/L
		Magnesium	EPA 200.7	9.63	10.0	96	mg/L
		Manganese	EPA 200.7	0.951	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.953	1.00	95	mg/L
		Nickel	EPA 200.7	4.79	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.81	5.00	96	mg/L
		Potassium	EPA 200.7	9.73	10.0	97	mg/L
		Scandium	EPA 200.7	0.946	1.00	95	mg/L
		Silver	EPA 200.7	0.084	0.090	93	mg/L
		Sodium	EPA 200.7	9.77	10.0	98	mg/L
		Strontium	EPA 200.7	0.979	1.00	98	mg/L
		Tin	EPA 200.7	0.940	1.00	94	mg/L
		Titanium	EPA 200.7	0.957	1.00	96	mg/L
		Vanadium	EPA 200.7	0.948	1.00	95	mg/L
		Zinc	EPA 200.7	0.973	1.00	97	mg/L
QC12050008	LCS 1	Aluminum	EPA 200.7	0.952	1.00	95	mg/L
		Barium	EPA 200.7	0.945	1.00	94	mg/L
		Beryllium	EPA 200.7	0.944	1.00	94	mg/L
		Bismuth	EPA 200.7	0.965	1.00	96	mg/L
		Boron	EPA 200.7	0.910	1.00	91	mg/L
		Cadmium	EPA 200.7	0.946	1.00	95	mg/L
		Calcium	EPA 200.7	9.57	10.0	96	mg/L
		Chromium	EPA 200.7	0.936	1.00	94	mg/L
		Cobalt	EPA 200.7	0.946	1.00	95	mg/L
		Copper	EPA 200.7	4.62	5.00	92	mg/L
		Gallium	EPA 200.7	0.943	1.00	94	mg/L
		Iron	EPA 200.7	0.959	1.00	96	mg/L
		Lithium	EPA 200.7	0.931	1.00	93	mg/L
		Magnesium	EPA 200.7	9.36	10.0	94	mg/L
		Manganese	EPA 200.7	0.940	1.00	94	mg/L
		Molybdenum	EPA 200.7	0.946	1.00	95	mg/L
		Nickel	EPA 200.7	4.74	5.00	95	mg/L
		Phosphorus	EPA 200.7	4.73	5.00	95	mg/L
		Potassium	EPA 200.7	9.54	10.0	95	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.084	0.090	93	mg/L
		Sodium	EPA 200.7	9.68	10.0	97	mg/L
		Strontium	EPA 200.7	0.977	1.00	98	mg/L
		Tin	EPA 200.7	0.928	1.00	93	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12050013	LCS 1	Titanium	EPA 200.7	0.951	1.00	95	mg/L
		Vanadium	EPA 200.7	0.941	1.00	94	mg/L
		Zinc	EPA 200.7	0.955	1.00	96	mg/L
		Mercury	EPA 200.8	0.000878	0.001	88	mg/L
		Antimony	EPA 200.8	0.0091	0.010	91	mg/L
		Arsenic	EPA 200.8	0.0479	0.050	96	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0447	0.050	89	mg/L
QC12050016	LCS 1	Thallium	EPA 200.8	0.0092	0.010	92	mg/L
		Uranium	EPA 200.8	0.0091	0.010	91	mg/L
		Mercury	EPA 200.8	0.001052	0.001	105	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0495	0.050	99	mg/L
		Lead	EPA 200.8	0.0106	0.010	106	mg/L
		Selenium	EPA 200.8	0.0471	0.050	94	mg/L
		Thallium	EPA 200.8	0.0103	0.010	103	mg/L
Uranium	EPA 200.8	0.0105	0.010	105	mg/L		

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12040696	Duplicate	pH	SM 4500-H+ B	1204377-001	7.34	7.38	pH Units	1 %
QC12040696	Duplicate	pH	SM 4500-H+ B	1204379-001	7.62	7.64	pH Units	<1%
QC12040696	Duplicate	pH	SM 4500-H+ B	1204384-001	7.19	7.24	pH Units	1 %
QC12040696	Duplicate	pH	SM 4500-H+ B	1204384-005	7.30	7.18	Q pH Units	2 %
QC12040698	Duplicate	Bicarbonate (HCO3)	SM 2320B	1204377-001	151	152	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1204377-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1204377-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1204377-001	124	124	mg/L as CaCO3	<1%
QC12040698	Duplicate	Bicarbonate (HCO3)	SM 2320B	1204379-001	159	157	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1204379-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1204379-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1204379-001	130	129	mg/L as CaCO3	1 %
QC12040698	Duplicate	Bicarbonate (HCO3)	SM 2320B	1204384-001	22.4	22.7	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1204384-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1204384-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1204384-001	18.4	18.6	mg/L as CaCO3	1 %
QC12040698	Duplicate	Bicarbonate (HCO3)	SM 2320B	1204384-005	47.7	46.1	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1204384-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1204384-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1204384-005	39.1	37.8	mg/L as CaCO3	3 %
QC12040803	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1204370-002	810	848	mg/L	5 %
QC12040803	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1204385-005	374	374	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12040700	MS 1	Fluoride	EPA 300.0	1204384-001	0.153	2.11	2.09	2.00	mg/L	98	97	1 %
QC12040700	MS 2	Fluoride	EPA 300.0	1204385-006	0.431	2.30	2.24	2.00	mg/L	94	90	3 %
QC12040704	MS 1	Chloride	EPA 300.0	1204384-001	<1.000	5.42	5.38	5.00	mg/L	103	102	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12040704	MS 2	Chloride	EPA 300.0	1204385-006	<1.000	5.16	5.14	5.00	mg/L	102	102	<1%
QC12040705	MS 1	Nitrite Nitrogen	EPA 300.0	1204363-001	<0.025	0.506	0.512	0.500	mg/L	100	101	1 %
QC12040705	MS 2	Nitrite Nitrogen	EPA 300.0	1204363-012	<0.025	0.518	0.515	0.500	mg/L	102	101	1 %
QC12040706	MS 1	Nitrite Nitrogen	EPA 300.0	1204385-006	<0.030	0.510	0.508	0.500	mg/L	100	100	<1%
QC12040707	MS 1	Nitrate Nitrogen	EPA 300.0	1204363-001	<1.000	2.03	2.06	2.00	mg/L	100	101	1 %
QC12040707	MS 2	Nitrate Nitrogen	EPA 300.0	1204363-012	<1.000	2.04	2.05	2.00	mg/L	100	101	<1%
QC12040708	MS 1	Nitrate Nitrogen	EPA 300.0	1204385-006	<1.000	2.05	2.10	2.00	mg/L	99	101	2 %
QC12040716	MS 1	Sulfate	EPA 300.0	1204384-001	23.4	32.4	32.2	10.0	mg/L	89	88	1 %
QC12040716	MS 2	Sulfate	EPA 300.0	1204385-006	33.8	M 39.6	39.0	10.0	mg/L	NC	NC	NC
QC12050007	MS 1	Aluminum, Dissolved	EPA 200.7	1204454-002	<0.045	0.939	0.951	1.00	mg/L	91	93	1 %
		Barium, Dissolved	EPA 200.7	1204454-002	0.883	1.79	1.87	1.00	mg/L	91	99	4 %
		Beryllium, Dissolved	EPA 200.7	1204454-002	<0.001	0.965	0.975	1.00	mg/L	96	97	1 %
		Bismuth, Dissolved	EPA 200.7	1204454-002	<0.100	0.943	0.943	1.00	mg/L	93	93	<1%
		Boron, Dissolved	EPA 200.7	1204454-002	<0.100	0.957	0.982	1.00	mg/L	95	98	3 %
		Cadmium, Dissolved	EPA 200.7	1204454-002	<0.001	0.946	0.966	1.00	mg/L	95	97	2 %
		Calcium, Dissolved	EPA 200.7	1204454-002	101	110	115	10.0	mg/L	90	140	4 %
		Chromium, Dissolved	EPA 200.7	1204454-002	<0.005	0.942	0.958	1.00	mg/L	94	96	2 %
		Cobalt, Dissolved	EPA 200.7	1204454-002	<0.010	0.940	0.959	1.00	mg/L	94	96	2 %
		Copper, Dissolved	EPA 200.7	1204454-002	<0.050	4.83	4.89	5.00	mg/L	97	98	1 %
		Gallium, Dissolved	EPA 200.7	1204454-002	<0.100	0.921	0.932	1.00	mg/L	92	93	1 %
		Iron, Dissolved	EPA 200.7	1204454-002	<0.010	0.975	0.973	1.00	mg/L	97	97	<1%
		Lithium, Dissolved	EPA 200.7	1204454-002	<0.100	0.991	0.988	1.00	mg/L	94	94	<1%
		Magnesium, Dissolved	EPA 200.7	1204454-002	<0.500	9.78	9.88	10.0	mg/L	96	97	1 %
		Manganese, Dissolved	EPA 200.7	1204454-002	<0.005	0.894	0.906	1.00	mg/L	93	94	1 %
		Molybdenum, Dissolved	EPA 200.7	1204454-002	<0.010	0.940	0.952	1.00	mg/L	94	95	1 %
		Nickel, Dissolved	EPA 200.7	1204454-002	<0.010	4.69	4.78	5.00	mg/L	94	96	2 %
		Phosphorus, Dissolved	EPA 200.7	1204454-002	<0.500	4.93	5.05	5.00	mg/L	99	101	2 %
		Potassium, Dissolved	EPA 200.7	1204454-002	32.3	42.0	43.2	10.0	mg/L	97	109	3 %
		Scandium, Dissolved	EPA 200.7	1204454-002	<0.100	0.951	0.955	1.00	mg/L	95	96	<1%
		Silver, Dissolved	EPA 200.7	1204454-002	<0.005	0.085	0.086	0.090	mg/L	97	98	1 %
		Sodium, Dissolved	EPA 200.7	1204454-002	85.9	95.2	99.0	10.0	mg/L	93	131	4 %
		Strontium, Dissolved	EPA 200.7	1204454-002	1.34	2.29	2.34	1.00	mg/L	95	100	2 %
		Tin, Dissolved	EPA 200.7	1204454-002	<0.100	0.895	0.906	1.00	mg/L	94	95	1 %
		Titanium, Dissolved	EPA 200.7	1204454-002	<0.100	0.966	0.961	1.00	mg/L	97	96	1 %
		Vanadium, Dissolved	EPA 200.7	1204454-002	<0.010	0.948	0.963	1.00	mg/L	95	97	2 %
		Zinc, Dissolved	EPA 200.7	1204454-002	<0.010	0.970	0.995	1.00	mg/L	97	99	3 %
QC12050008	MS 1	Aluminum, Dissolved	EPA 200.7	1204454-003	0.059	0.981	1.03	1.00	mg/L	92	97	5 %
		Barium, Dissolved	EPA 200.7	1204454-003	<0.010	0.959	0.972	1.00	mg/L	95	97	1 %
		Beryllium, Dissolved	EPA 200.7	1204454-003	<0.001	0.963	0.980	1.00	mg/L	96	98	2 %
		Bismuth, Dissolved	EPA 200.7	1204454-003	<0.100	0.938	0.954	1.00	mg/L	93	95	2 %
		Boron, Dissolved	EPA 200.7	1204454-003	<0.100	0.944	0.961	1.00	mg/L	95	97	2 %
		Cadmium, Dissolved	EPA 200.7	1204454-003	<0.001	0.975	0.977	1.00	mg/L	98	98	<1%
		Calcium, Dissolved	EPA 200.7	1204454-003	22.2	30.7	30.1	10.0	mg/L	85	79	2 %
		Chromium, Dissolved	EPA 200.7	1204454-003	<0.005	0.951	0.965	1.00	mg/L	95	97	1 %
		Cobalt, Dissolved	EPA 200.7	1204454-003	<0.010	0.966	0.969	1.00	mg/L	97	97	<1%
		Copper, Dissolved	EPA 200.7	1204454-003	<0.050	4.74	4.85	5.00	mg/L	95	97	2 %
		Gallium, Dissolved	EPA 200.7	1204454-003	<0.100	0.942	0.955	1.00	mg/L	94	96	1 %
		Iron, Dissolved	EPA 200.7	1204454-003	<0.010	0.950	0.944	1.00	mg/L	95	95	1 %
		Lithium, Dissolved	EPA 200.7	1204454-003	<0.100	0.904	0.903	1.00	mg/L	91	91	<1%
		Magnesium, Dissolved	EPA 200.7	1204454-003	7.43	16.7	16.3	10.0	mg/L	93	89	2 %
		Manganese, Dissolved	EPA 200.7	1204454-003	<0.005	0.941	0.958	1.00	mg/L	95	97	2 %
		Molybdenum, Dissolved	EPA 200.7	1204454-003	<0.010	0.954	0.975	1.00	mg/L	96	98	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050013	MS 1	Nickel, Dissolved	EPA 200.7	1204454-003	<0.010	4.82	4.83	5.00	mg/L	96	97	<1%
		Phosphorus, Dissolved	EPA 200.7	1204454-003	<0.500	5.04	5.07	5.00	mg/L	100	101	1 %
		Potassium, Dissolved	EPA 200.7	1204454-003	21.8	30.7	30.3	10.0	mg/L	89	85	1 %
		Scandium, Dissolved	EPA 200.7	1204454-003	<0.100	0.941	0.962	1.00	mg/L	94	96	2 %
		Silver, Dissolved	EPA 200.7	1204454-003	<0.005	0.084	0.086	0.090	mg/L	95	97	2 %
		Sodium, Dissolved	EPA 200.7	1204454-003	60.2	SC 67.1	66.2	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1204454-003	<0.100	0.988	0.991	1.00	mg/L	93	93	<1%
		Tin, Dissolved	EPA 200.7	1204454-003	<0.100	0.930	0.949	1.00	mg/L	95	97	2 %
		Titanium, Dissolved	EPA 200.7	1204454-003	<0.100	0.933	0.934	1.00	mg/L	93	93	<1%
		Vanadium, Dissolved	EPA 200.7	1204454-003	<0.010	0.966	0.978	1.00	mg/L	96	97	1 %
		Zinc, Dissolved	EPA 200.7	1204454-003	<0.010	1.01	0.999	1.00	mg/L	101	100	1 %
		Uranium, Dissolved	EPA 200.8	1204454-002	<0.0100	<0.0100	<0.0100	0.010	mg/L	100	100	#Erro
		Mercury, Dissolved	EPA 200.8	1204454-002	<0.00010	0.000839	0.000871	0.001	mg/L	80	83	4 %
		Antimony, Dissolved	EPA 200.8	1204454-002	<0.0025	0.0099	0.0098	0.010	mg/L	98	98	1 %
		Arsenic, Dissolved	EPA 200.8	1204454-002	<0.0050	0.0511	0.0510	0.050	mg/L	102	103	<1%
		Lead, Dissolved	EPA 200.8	1204454-002	<0.0025	0.0093	0.0093	0.010	mg/L	93	93	<1%
		Selenium, Dissolved	EPA 200.8	1204454-002	<0.0050	0.0438	0.0436	0.050	mg/L	87	86	<1%
Thallium, Dissolved	EPA 200.8	1204454-002	<0.0010	0.0091	0.0091	0.010	mg/L	90	91	<1%		
QC12050016	MS 1	Uranium, Dissolved	EPA 200.8	1204454-003	<0.0050	0.0097	0.0098	0.010	mg/L	97	98	1 %
		Mercury, Dissolved	EPA 200.8	1204454-003	<0.00010	0.000941	0.000950	0.001	mg/L	92	93	1 %
		Antimony, Dissolved	EPA 200.8	1204454-003	<0.0025	0.0106	0.0105	0.010	mg/L	99	98	1 %
		Arsenic, Dissolved	EPA 200.8	1204454-003	<0.0050	0.0499	0.0499	0.050	mg/L	100	100	<1%
		Lead, Dissolved	EPA 200.8	1204454-003	<0.0025	0.0097	0.0097	0.010	mg/L	97	97	<1%
		Selenium, Dissolved	EPA 200.8	1204454-003	<0.0050	0.0438	0.0445	0.050	mg/L	88	89	2 %
		Thallium, Dissolved	EPA 200.8	1204454-003	<0.0010	0.0091	0.0093	0.010	mg/L	91	93	2 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1204385

Report

Due Date: 5/4/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Standard 5 Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO. OF CONTAINERS	Analyses Requested		Spl. No.
					Profile II w/o Wat	Uranium	
604 669	Wk:64	04/20/12	9:00	WW	2	X X	1
604 673							2
604 767							3
SRK 0854							4
SRK 0858							5
SRK 0872							6

1204
385

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>5</u> °C	<u>4/20</u>	<u>16:15</u>		
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>2</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

4/6/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1203479


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 3/23/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1203479

General Comments

On Sample 1203479-005 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1203479-003 Potassium

1203479-005 Nitrite Nitrogen, Chloride, Fluoride

1203479-006 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 4/6/2012

OrderID: 1203479

Customer Sample ID: 604 669 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-001

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.57	pH Units		3/23/2012
Bicarbonate (HCO ₃)	SM 2320B	33	mg/L	1.0	3/23/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Total Alkalinity	SM 2320B	27	mg/L as CaCO ₃	1.0	3/23/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/23/2012
Fluoride	EPA 300.0	0.37	mg/L	0.10	3/23/2012
Sulfate	EPA 300.0	33	mg/L	1.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/23/2012
Total Dissolved Solids (TDS)	SM 2540C	85	mg/L	10	3/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/29/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Calcium	EPA 200.7	16	mg/L	0.50	3/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Magnesium	EPA 200.7	3.4	mg/L	0.50	3/29/2012
Manganese	EPA 200.7	1.0	mg/L	0.0050	3/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/29/2012

Page 3 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 669 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-001

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Potassium	EPA 200.7	0.90	mg/L	0.50	3/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	3/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Zinc	EPA 200.7	0.012	mg/L	0.010	3/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/30/2012
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.14	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: 604 673 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-002

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.96	pH Units		3/23/2012
Bicarbonate (HCO3)	SM 2320B	1.0	mg/L	1.0	3/23/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	3/23/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/23/2012
Fluoride	EPA 300.0	0.37	mg/L	0.10	3/23/2012
Sulfate	EPA 300.0	18	mg/L	1.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/23/2012
Total Dissolved Solids (TDS)	SM 2540C	43	mg/L	10	3/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/29/2012

Page 4 of 17

Customer Sample ID: 604 673 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-002

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.054	mg/L	0.010	3/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Calcium	EPA 200.7	5.7	mg/L	0.50	3/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Copper	EPA 200.7	0.24	mg/L	0.050	3/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Magnesium	EPA 200.7	0.83	mg/L	0.50	3/29/2012
Manganese	EPA 200.7	0.050	mg/L	0.0050	3/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Potassium	EPA 200.7	0.92	mg/L	0.50	3/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Zinc	EPA 200.7	0.031	mg/L	0.010	3/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/30/2012
Anions	Calculation	0.41	meq/L	0.10	
Cations	Calculation	0.39	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 767 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-003

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.70	pH Units		3/23/2012
Bicarbonate (HCO ₃)	SM 2320B	41	mg/L	1.0	3/23/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Total Alkalinity	SM 2320B	33	mg/L as CaCO ₃	1.0	3/23/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/23/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	3/23/2012
Sulfate	EPA 300.0	23	mg/L	1.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/23/2012
Total Dissolved Solids (TDS)	SM 2540C	70	mg/L	10	3/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/29/2012
Barium	EPA 200.7	0.033	mg/L	0.010	3/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Calcium	EPA 200.7	15	mg/L	0.50	3/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Magnesium	EPA 200.7	4.8	mg/L	0.50	3/29/2012
Manganese	EPA 200.7	0.15	mg/L	0.0050	3/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	3/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Strontium	EPA 200.7	0.13	mg/L	0.10	3/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Zinc	EPA 200.7	0.011	mg/L	0.010	3/29/2012

Page 6 of 17

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: 604 767 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-003

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/30/2012
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.15	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: SRK 0854 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-004

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.16	pH Units		3/23/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	3/23/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/23/2012
Fluoride	EPA 300.0	0.19	mg/L	0.10	3/23/2012
Sulfate	EPA 300.0	56	mg/L	1.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/23/2012
Total Dissolved Solids (TDS)	SM 2540C	75	mg/L	10	3/26/2012
Aluminum	EPA 200.7	0.050	mg/L	0.045	3/29/2012
Barium	EPA 200.7	0.026	mg/L	0.010	3/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Calcium	EPA 200.7	3.8	mg/L	0.50	3/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Copper	EPA 200.7	24	mg/L	0.050	3/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/29/2012

Page 7 of 17

Customer Sample ID: SRK 0854 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-004

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Manganese	EPA 200.7	0.064	mg/L	0.0050	3/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Zinc	EPA 200.7	0.11	mg/L	0.010	3/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	0.0025	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/30/2012
Anions	Calculation	1.18	meq/L	0.10	
Cations	Calculation	0.96	meq/L	0.10	
Error	Calculation	10	%	1.0	

Customer Sample ID: SRK 0858 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-005

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.63	pH Units		3/23/2012
Acidity (Titrimetric)	SM 2310B	370	mg/L as CaCO3		3/23/2012
Chloride	EPA 300.0	<5.0	mg/L	5.0	3/23/2012
Fluoride	EPA 300.0	<0.50	mg/L	0.50	3/23/2012
Sulfate	EPA 300.0	460	mg/L	5.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	3/23/2012
Sulfate (as calculated from S)	Calc.	330	mg/L	1.0	4/4/2012

Page 8 of 17

Customer Sample ID: SRK 0858 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-005

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	410	mg/L	10	3/26/2012
Sulfur	EPA 200.7	110	mg/L	20	4/4/2012
Aluminum	EPA 200.7	7.2	mg/L	0.045	3/29/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Cadmium	EPA 200.7	0.0047	mg/L	0.0010	3/29/2012
Calcium	EPA 200.7	1.8	mg/L	0.50	3/29/2012
Chromium	EPA 200.7	0.0087	mg/L	0.0050	3/29/2012
Cobalt	EPA 200.7	0.056	mg/L	0.010	3/29/2012
Copper	EPA 200.7	3.5	mg/L	0.050	3/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Iron	EPA 200.7	46	mg/L	0.010	3/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Magnesium	EPA 200.7	1.7	mg/L	0.50	3/29/2012
Manganese	EPA 200.7	0.11	mg/L	0.0050	3/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/29/2012
Sodium	EPA 200.7	1.8	mg/L	0.50	3/29/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/29/2012
Zinc	EPA 200.7	0.028	mg/L	0.010	3/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	0.0045	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	0.011	mg/L	0.010	3/30/2012
Anions	Calculation	9.58	meq/L	0.10	
Cations	Calculation	7.47	meq/L	0.10	

Page 9 of 17

Customer Sample ID: SRK 0858 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-005

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	12	%	1.0	

Customer Sample ID: SRK 0872 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-006

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.34	pH Units		3/23/2012
Bicarbonate (HCO ₃)	SM 2320B	21	mg/L	1.0	3/23/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/23/2012
Total Alkalinity	SM 2320B	17	mg/L as CaCO ₃	1.0	3/23/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/23/2012
Fluoride	EPA 300.0	0.32	mg/L	0.10	3/23/2012
Sulfate	EPA 300.0	30	mg/L	1.0	3/23/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/23/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/23/2012
Total Dissolved Solids (TDS)	SM 2540C	86	mg/L	10	3/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/30/2012
Barium	EPA 200.7	0.024	mg/L	0.010	3/30/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/30/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Cadmium	EPA 200.7	0.0012	mg/L	0.0010	3/30/2012
Calcium	EPA 200.7	16	mg/L	0.50	3/30/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/30/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/30/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/30/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	3/30/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Magnesium	EPA 200.7	0.93	mg/L	0.50	3/30/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/30/2012
Molybdenum	EPA 200.7	0.15	mg/L	0.010	3/30/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/30/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/30/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/30/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/30/2012

Page 10 of 17

Customer Sample ID: SRK 0872 WK:60

Collect Date/Time: 3/23/2012 09:00

WETLAB Sample ID: 1203479-006

Receive Date: 3/23/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/30/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/30/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/30/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/30/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/30/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/30/2012
Anions	Calculation	0.99	meq/L	0.10	
Cations	Calculation	0.87	meq/L	0.10	
Error	Calculation	6.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12030920	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12030920	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12030924	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12030924	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12030924	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12030928	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030928	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030932	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030932	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030934	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12030934	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12030986	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030986	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030986	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12031063	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12031064	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12031081	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12031082	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12030881	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12030881	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12030886	LCS 1	Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12030886	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12030920	LCS 1	Fluoride	EPA 300.0	1.87	2.00	93	mg/L
QC12030924	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12030928	LCS 1	Nitrite Nitrogen	EPA 300.0	0.511	0.500	102	mg/L
QC12030932	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC12030934	LCS 1	Sulfate	EPA 300.0	24.1	25.0	97	mg/L
QC12030986	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12030986	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12030986	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12031063	LCS 1	Aluminum	EPA 200.7	0.990	1.00	99	mg/L
		Barium	EPA 200.7	1.00	1.00	100	mg/L
		Beryllium	EPA 200.7	0.996	1.00	100	mg/L
		Bismuth	EPA 200.7	0.979	1.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Boron	EPA 200.7	0.969	1.00	97	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	0.998	1.00	100	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	4.92	5.00	98	mg/L
		Gallium	EPA 200.7	0.985	1.00	98	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	0.997	1.00	100	mg/L
		Magnesium	EPA 200.7	10.3	10.0	103	mg/L
		Manganese	EPA 200.7	1.00	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.969	1.00	97	mg/L
		Nickel	EPA 200.7	5.05	5.00	101	mg/L
		Phosphorus	EPA 200.7	5.14	5.00	103	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.984	1.00	98	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	9.79	10.0	98	mg/L
		Strontium	EPA 200.7	0.965	1.00	96	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.988	1.00	99	mg/L
		Zinc	EPA 200.7	1.04	1.00	104	mg/L
QC12031064	LCS 1	Aluminum	EPA 200.7	0.990	1.00	99	mg/L
		Barium	EPA 200.7	1.00	1.00	100	mg/L
		Beryllium	EPA 200.7	0.996	1.00	100	mg/L
		Bismuth	EPA 200.7	0.979	1.00	98	mg/L
		Boron	EPA 200.7	0.969	1.00	97	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	0.998	1.00	100	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	4.92	5.00	98	mg/L
		Gallium	EPA 200.7	0.985	1.00	98	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	0.997	1.00	100	mg/L
		Magnesium	EPA 200.7	10.3	10.0	103	mg/L
		Manganese	EPA 200.7	1.00	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.969	1.00	97	mg/L
		Nickel	EPA 200.7	5.05	5.00	101	mg/L
		Phosphorus	EPA 200.7	5.14	5.00	103	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.984	1.00	98	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	9.79	10.0	98	mg/L
		Strontium	EPA 200.7	0.965	1.00	96	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.988	1.00	99	mg/L
		Zinc	EPA 200.7	1.04	1.00	104	mg/L
QC12031081	LCS 1	Mercury	EPA 200.8	0.000953	0.001	95	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0482	0.050	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12031082	LCS 1	Lead	EPA 200.8	0.0090	0.010	90	mg/L
		Selenium	EPA 200.8	0.0456	0.050	91	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
		Uranium	EPA 200.8	0.0089	0.010	89	mg/L
		Mercury	EPA 200.8	0.000953	0.001	95	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0482	0.050	96	mg/L
		Lead	EPA 200.8	0.0090	0.010	90	mg/L
		Selenium	EPA 200.8	0.0456	0.050	91	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
		Uranium	EPA 200.8	0.0089	0.010	89	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12030881	Duplicate	pH	SM 4500-H+ B	1203474-001	7.82	7.88	pH Units	1 %
QC12030881	Duplicate	pH	SM 4500-H+ B	1203469-005	7.87	7.90	pH Units	<1%
QC12030881	Duplicate	pH	SM 4500-H+ B	1203479-001	7.57	7.56	pH Units	<1%
QC12030881	Duplicate	pH	SM 4500-H+ B	1203484-001	8.08	8.14	pH Units	1 %
QC12030886	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203474-001	77.0	86.2	mg/L	11 %
		Carbonate (CO3)	SM 2320B	1203474-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203474-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203474-001	63.2	70.6	mg/L as CaCO3	11 %
QC12030886	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203469-005	174	174	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1203469-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203469-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203469-005	143	142	mg/L as CaCO3	<1%
QC12030886	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203479-001	33.2	35.8	mg/L	8 %
		Carbonate (CO3)	SM 2320B	1203479-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203479-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203479-001	27.2	29.4	mg/L as CaCO3	8 %
QC12030886	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203484-001	782	725	mg/L	8 %
		Carbonate (CO3)	SM 2320B	1203484-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203484-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203484-001	641	594	mg/L as CaCO3	8 %
QC12030986	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203467-002	904	930	mg/L	3 %
QC12030986	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203472-003	367	358	mg/L	2 %
QC12030986	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203476-004	3700	3690	mg/L	<1%
QC12030986	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203483-001	2376	2328	mg/L	2 %
QC12030986	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203485-004	367	363	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12030920	MS 1	Fluoride	EPA 300.0	1203483-001	1.43	39.2	39.4	2.00	mg/L	94	95	1 %
QC12030924	MS 1	Chloride	EPA 300.0	1203479-001	<1.000	5.14	5.23	5.00	mg/L	102	104	2 %
QC12030924	MS 2	Chloride	EPA 300.0	1203483-001	734	837	838	5.00	mg/L	102	104	<1%
QC12030928	MS 1	Nitrite Nitrogen	EPA 300.0	1203479-001	<0.025	0.510	0.529	0.500	mg/L	101	104	4 %
QC12030932	MS 1	Nitrate Nitrogen	EPA 300.0	1203479-001	<1.000	2.01	2.07	2.00	mg/L	99	102	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12030934	MS 1	Sulfate	EPA 300.0	1203479-001	32.7	41.3	41.5	10.0	mg/L	87	88	<1%
QC12031063	MS 1	Aluminum	EPA 200.7	1203468-003	0.190	1.27	1.24	1.00	mg/L	108	105	2 %
		Barium	EPA 200.7	1203468-003	0.024	1.01	0.963	1.00	mg/L	99	94	5 %
		Beryllium	EPA 200.7	1203468-003	<0.001	0.978	0.933	1.00	mg/L	98	93	5 %
		Bismuth	EPA 200.7	1203468-003	<0.100	0.953	0.939	1.00	mg/L	98	97	1 %
		Boron	EPA 200.7	1203468-003	0.153	1.15	1.11	1.00	mg/L	100	96	4 %
		Cadmium	EPA 200.7	1203468-003	<0.001	0.982	0.920	1.00	mg/L	98	92	7 %
		Calcium	EPA 200.7	1203468-003	106	116	115	10.0	mg/L	100	90	1 %
		Chromium	EPA 200.7	1203468-003	<0.005	0.982	0.937	1.00	mg/L	98	94	5 %
		Cobalt	EPA 200.7	1203468-003	<0.010	0.971	0.921	1.00	mg/L	97	92	5 %
		Copper	EPA 200.7	1203468-003	<0.050	5.00	4.76	5.00	mg/L	100	95	5 %
		Gallium	EPA 200.7	1203468-003	<0.100	0.978	0.955	1.00	mg/L	97	95	2 %
		Iron	EPA 200.7	1203468-003	0.186	1.18	1.15	1.00	mg/L	99	96	3 %
		Lithium	EPA 200.7	1203468-003	<0.100	1.03	1.01	1.00	mg/L	99	97	2 %
		Magnesium	EPA 200.7	1203468-003	31.4	41.2	39.1	10.0	mg/L	98	77	5 %
		Manganese	EPA 200.7	1203468-003	<0.005	0.942	0.896	1.00	mg/L	98	93	5 %
		Molybdenum	EPA 200.7	1203468-003	<0.010	0.971	0.935	1.00	mg/L	97	94	4 %
		Nickel	EPA 200.7	1203468-003	<0.010	4.81	4.56	5.00	mg/L	96	91	5 %
		Phosphorus	EPA 200.7	1203468-003	<0.500	5.26	4.83	5.00	mg/L	105	96	9 %
		Potassium	EPA 200.7	1203468-003	1.67	12.1	12.1	10.0	mg/L	104	104	<1%
		Scandium	EPA 200.7	1203468-003	<0.100	0.972	0.944	1.00	mg/L	97	94	3 %
		Silver	EPA 200.7	1203468-003	<0.005	0.089	0.086	0.090	mg/L	100	97	3 %
		Sodium	EPA 200.7	1203468-003	24.4	34.2	34.7	10.0	mg/L	98	103	1 %
		Strontium	EPA 200.7	1203468-003	0.427	1.39	1.41	1.00	mg/L	96	98	1 %
		Tin	EPA 200.7	1203468-003	<0.100	0.885	0.842	1.00	mg/L	97	93	5 %
		Titanium	EPA 200.7	1203468-003	<0.100	0.987	0.975	1.00	mg/L	98	97	1 %
		Vanadium	EPA 200.7	1203468-003	0.029	1.01	0.972	1.00	mg/L	98	94	4 %
		Zinc	EPA 200.7	1203468-003	<0.010	0.999	0.927	1.00	mg/L	100	92	7 %
QC12031064	MS 1	Aluminum, Dissolved	EPA 200.7	1203484-001	<0.200	J 1.08	1.02	1.00	mg/L	91	85	6 %
		Barium, Dissolved	EPA 200.7	1203484-001	0.034	1.03	0.965	1.00	mg/L	100	93	7 %
		Beryllium, Dissolved	EPA 200.7	1203484-001	<0.001	1.03	0.964	1.00	mg/L	103	96	7 %
		Bismuth, Dissolved	EPA 200.7	1203484-001	<0.100	0.925	0.947	1.00	mg/L	102	105	2 %
		Boron, Dissolved	EPA 200.7	1203484-001	<0.100	1.08	1.01	1.00	mg/L	105	98	7 %
		Cadmium, Dissolved	EPA 200.7	1203484-001	<0.001	1.05	0.966	1.00	mg/L	105	97	8 %
		Calcium, Dissolved	EPA 200.7	1203484-001	391	SC 422	401	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1203484-001	<0.005	1.02	0.970	1.00	mg/L	102	97	5 %
		Cobalt, Dissolved	EPA 200.7	1203484-001	1.00	2.07	1.84	1.00	mg/L	107	84	12 %
		Copper, Dissolved	EPA 200.7	1203484-001	31.9	36.8	35.7	5.00	mg/L	98	76	3 %
		Gallium, Dissolved	EPA 200.7	1203484-001	<0.100	0.930	0.900	1.00	mg/L	92	89	3 %
		Iron, Dissolved	EPA 200.7	1203484-001	0.032	1.02	0.992	1.00	mg/L	99	96	3 %
		Lithium, Dissolved	EPA 200.7	1203484-001	0.149	1.26	1.21	1.00	mg/L	111	106	4 %
		Magnesium, Dissolved	EPA 200.7	1203484-001	10.2	21.1	19.7	10.0	mg/L	109	95	7 %
		Manganese, Dissolved	EPA 200.7	1203484-001	0.610	1.64	1.55	1.00	mg/L	103	94	6 %
		Molybdenum, Dissolved	EPA 200.7	1203484-001	0.962	1.99	1.92	1.00	mg/L	103	96	4 %
		Nickel, Dissolved	EPA 200.7	1203484-001	0.131	5.29	4.95	5.00	mg/L	103	96	7 %
		Phosphorus, Dissolved	EPA 200.7	1203484-001	<0.500	6.03	5.55	5.00	mg/L	120	110	8 %
		Potassium, Dissolved	EPA 200.7	1203484-001	99.2	SC 115	112	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1203484-001	<0.100	0.985	0.963	1.00	mg/L	98	96	2 %
		Silver, Dissolved	EPA 200.7	1203484-001	0.303	1.16	1.14	0.090	mg/L	952	930	2 %
		Sodium, Dissolved	EPA 200.7	1203484-001	905	SC 863	860	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1203484-001	1.82	2.72	2.71	1.00	mg/L	90	89	<1%
		Tin, Dissolved	EPA 200.7	1203484-001	<0.100	0.919	0.845	1.00	mg/L	107	100	8 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12031081	MS 1	Titanium, Dissolved	EPA 200.7	1203484-001	<0.100	0.977	0.970	1.00	mg/L	98	97	1 %
		Vanadium, Dissolved	EPA 200.7	1203484-001	0.052	1.07	1.03	1.00	mg/L	102	98	4 %
		Zinc, Dissolved	EPA 200.7	1203484-001	0.090	1.20	1.11	1.00	mg/L	111	102	8 %
		Mercury	EPA 200.8	1203468-003	<0.00010	0.000884	0.000888	0.001	mg/L	88	89	<1%
		Antimony	EPA 200.8	1203468-003	<0.0025	0.0109	0.0107	0.010	mg/L	95	94	2 %
		Arsenic	EPA 200.8	1203468-003	0.0329	0.0856	0.0850	0.050	mg/L	105	104	1 %
		Lead	EPA 200.8	1203468-003	<0.0025	0.0085	0.0084	0.010	mg/L	85	84	1 %
		Selenium	EPA 200.8	1203468-003	<0.0050	0.0475	0.0477	0.050	mg/L	95	95	<1%
		Thallium	EPA 200.8	1203468-003	<0.0010	0.0082	0.0082	0.010	mg/L	82	82	<1%
QC12031082	MS 1	Uranium	EPA 200.8	1203468-003	<0.0050	0.0122	0.0120	0.010	mg/L	92	90	2 %
		Uranium, Dissolved	EPA 200.8	1203484-001	<0.0100	0.0147	0.0147	0.010	mg/L	85	84	<1%
		Mercury, Dissolved	EPA 200.8	1203484-001	0.008218	0.009038	0.008939	0.001	mg/L	82	72	1 %
		Antimony, Dissolved	EPA 200.8	1203484-001	0.9844	SC 1.0274	0.9889	0.010	mg/L	NC	NC	NC
		Arsenic, Dissolved	EPA 200.8	1203484-001	1.0964	SC 1.1901	1.1708	0.050	mg/L	NC	NC	NC
		Lead, Dissolved	EPA 200.8	1203484-001	<0.0025	0.0070	0.0071	0.010	mg/L	70	71	1 %
		Selenium, Dissolved	EPA 200.8	1203484-001	12.0	SC 12.5	12.2	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1203484-001	<0.0010	0.0076	0.0077	0.010	mg/L	70	71	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1703479

Report Due Date: 4/16/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard 3-Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

NO. OF SAMPLE CONTAINERS

Analyses Requested

Profile II w/o Wad
Uranium

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO. OF CONTAINERS	Profile II w/o Wad	Uranium	Spi. No.
604 669 Wk:60	03/23/12	9:00	WW	2	X	X	1
604 673							2
604 767							3
604 787							
SRK 0854							4
SRK 0858							5
SRK 0872							6

1203
479
5
6

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>19 °C</u>	<u>3/23</u>	<u>13:50</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>12</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



3/8/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1202374

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 2/24/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1202374

General Comments

On Sample 1202374-006 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1202374-005 Cadmium

1202374-006 Nitrite Nitrogen, Chloride, Fluoride

1202374-007 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 3/8/2012
OrderID: 1202374

Customer Sample ID: 604 669 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-001

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.04	pH Units		2/24/2012
Bicarbonate (HCO ₃)	SM 2320B	24	mg/L	1.0	2/25/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Total Alkalinity	SM 2320B	19	mg/L as CaCO ₃	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	0.46	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	37	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	2/28/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Calcium	EPA 200.7	16	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	3.5	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.86	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	1.1	mg/L	0.50	3/2/2012

Customer Sample ID: 604 669 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-001

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/1/2012
Anions	Calculation	1.19	meq/L	0.10	
Cations	Calculation	1.15	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 673 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-002

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.46	pH Units		2/24/2012
Bicarbonate (HCO ₃)	SM 2320B	1.2	mg/L	1.0	2/25/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	0.32	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	18	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	35	mg/L	10	2/28/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2012
Barium	EPA 200.7	0.054	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012

Customer Sample ID: 604 673 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-002

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	6.1	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	0.20	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	0.92	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.042	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	1.2	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	0.028	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/1/2012
Anions	Calculation	0.41	meq/L	0.10	
Cations	Calculation	0.42	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 767 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-003

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-HI+ B	7.14	pH Units		2/24/2012
Bicarbonate (HCO3)	SM 2320B	34	mg/L	1.0	2/25/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012

Customer Sample ID: 604 767 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-003

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	28	mg/L as CaCO ₃	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	28	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	61	mg/L	10	2/28/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2012
Barium	EPA 200.7	0.028	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Calcium	EPA 200.7	16	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	5.1	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.15	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	0.87	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	0.13	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	0.012	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/1/2012

Customer Sample ID: 604 767 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-003

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.22	meq/L	0.10	
Cations	Calculation	1.25	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 787 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-004

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.57	pH Units		2/24/2012
Bicarbonate (HCO ₃)	SM 2320B	68	mg/L	1.0	2/25/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Total Alkalinity	SM 2320B	56	mg/L as CaCO ₃	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	1.0	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	30	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	2/28/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Calcium	EPA 200.7	26	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	5.7	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.066	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	0.021	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	0.71	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012

Customer Sample ID: 604 787 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-004

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	0.17	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	0.013	mg/L	0.010	3/1/2012
Anions	Calculation	1.79	meq/L	0.10	
Cations	Calculation	1.79	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0854 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-005

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.03	pH Units		2/24/2012
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	0.17	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	71	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	95	mg/L	10	2/28/2012
Aluminum	EPA 200.7	0.056	mg/L	0.045	3/2/2012
Barium	EPA 200.7	0.021	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Calcium	EPA 200.7	5.9	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012

Customer Sample ID: SRK 0854 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-005

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	30	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.079	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	0.13	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	0.0032	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/1/2012
Anions	Calculation	1.49	meq/L	0.10	
Cations	Calculation	1.25	meq/L	0.10	
Error	Calculation	8.6	%	1.0	

Customer Sample ID: SRK 0858 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-006

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.63	pH Units		2/24/2012
Acidity (Titrimetric)	SM 2310B	380	mg/L as CaCO3		2/25/2012
Chloride	EPA 300.0	<5.0	mg/L	5.0	2/24/2012
Fluoride	EPA 300.0	<0.50	mg/L	0.50	2/24/2012
Sulfate	EPA 300.0	490	mg/L	5.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012

Customer Sample ID: SRK 0858 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-006

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	2/24/2012
Sulfate (as calculated from S)	Calc.	370	mg/L	1.0	3/7/2012
Total Dissolved Solids (TDS)	SM 2540C	330	mg/L	10	2/28/2012
Sulfur	EPA 200.7	120	mg/L	20	3/7/2012
Aluminum	EPA 200.7	8.5	mg/L	0.045	3/2/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	0.0066	mg/L	0.0010	3/2/2012
Calcium	EPA 200.7	1.5	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	0.011	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	0.056	mg/L	0.010	3/2/2012
Copper	EPA 200.7	3.5	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	56	mg/L	0.010	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	1.4	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	0.076	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	1.9	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	0.025	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	0.0034	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	0.011	mg/L	0.010	3/1/2012
Anions	Calculation	10.2	meq/L	0.10	
Cations	Calculation	8.22	meq/L	0.10	
Error	Calculation	11	%	1.0	

Customer Sample ID: SRK 0858 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-006

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0872 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-007

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.86	pH Units		2/24/2012
Bicarbonate (HCO3)	SM 2320B	13	mg/L	1.0	2/25/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2012
Total Alkalinity	SM 2320B	11	mg/L as CaCO3	1.0	2/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/24/2012
Fluoride	EPA 300.0	0.35	mg/L	0.10	2/24/2012
Sulfate	EPA 300.0	39	mg/L	1.0	2/24/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/24/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/24/2012
Total Dissolved Solids (TDS)	SM 2540C	89	mg/L	10	2/28/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2012
Barium	EPA 200.7	0.021	mg/L	0.010	3/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2012
Calcium	EPA 200.7	18	mg/L	0.50	3/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	3/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Magnesium	EPA 200.7	0.97	mg/L	0.50	3/2/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Molybdenum	EPA 200.7	0.20	mg/L	0.010	3/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	3/2/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2012

Customer Sample ID: SRK 0872 WK:56

Collect Date/Time: 2/24/2012 09:00

WETLAB Sample ID: 1202374-007

Receive Date: 2/24/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/1/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/1/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/1/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/1/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/1/2012
Anions	Calculation	1.04	meq/L	0.10	
Cations	Calculation	0.98	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12020747	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12020747	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12020748	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12020748	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12020748	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12020750	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12020750	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12020752	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12020752	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12020753	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12020753	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12020753	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12030027	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030027	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030068	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12030069	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12030087	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC12030088	Blank 1	Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12020747	LCS 1	Fluoride	EPA 300.0	1.87	2.00	94	mg/L
QC12020748	LCS 1	Chloride	EPA 300.0	10.4	10.0	104	mg/L
QC12020750	LCS 1	Nitrite Nitrogen	EPA 300.0	0.475	0.500	95	mg/L
QC12020752	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC12020753	LCS 1	Sulfate	EPA 300.0	23.2	25.0	93	mg/L
QC12020760	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12020760	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC12020763	LCS 1	Alkalinity	SM 2320B	103	100	103	mg/L
QC12020763	LCS 2	Alkalinity	SM 2320B	98.8	100	99	mg/L
QC12030027	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12030027	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC12030068	LCS 1	Mercury	EPA 200.8	0.001000	0.001	100	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0514	0.050	103	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0489	0.050	98	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	100	mg/L
		QC12030069	LCS 1	Mercury	EPA 200.8	0.001000	0.001
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0514	0.050	103	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC12030087	LCS 1	Selenium	EPA 200.8	0.0489	0.050	98	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	100	mg/L
		Aluminum	EPA 200.7	0.926	1.00	93	mg/L
		Barium	EPA 200.7	0.966	1.00	97	mg/L
		Beryllium	EPA 200.7	0.969	1.00	97	mg/L
		Bismuth	EPA 200.7	0.988	1.00	99	mg/L
		Boron	EPA 200.7	0.959	1.00	96	mg/L
		Cadmium	EPA 200.7	0.978	1.00	98	mg/L
		Calcium	EPA 200.7	9.89	10.0	99	mg/L
		Chromium	EPA 200.7	0.959	1.00	96	mg/L
		Cobalt	EPA 200.7	0.982	1.00	98	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.971	1.00	97	mg/L
		Iron	EPA 200.7	0.986	1.00	99	mg/L
		Lithium	EPA 200.7	0.975	1.00	98	mg/L
		Magnesium	EPA 200.7	9.74	10.0	97	mg/L
		Manganese	EPA 200.7	0.947	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.944	1.00	94	mg/L
		Nickel	EPA 200.7	4.85	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.87	5.00	97	mg/L
		Potassium	EPA 200.7	9.80	10.0	98	mg/L
		Scandium	EPA 200.7	0.964	1.00	96	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.92	10.0	99	mg/L
		Strontium	EPA 200.7	0.982	1.00	98	mg/L
		Tin	EPA 200.7	0.942	1.00	94	mg/L
Titanium	EPA 200.7	0.986	1.00	99	mg/L		
Vanadium	EPA 200.7	0.960	1.00	96	mg/L		
QC12030088	LCS 1	Zinc	EPA 200.7	1.02	1.00	102	mg/L
		Aluminum	EPA 200.7	0.926	1.00	93	mg/L
		Barium	EPA 200.7	0.966	1.00	97	mg/L
		Beryllium	EPA 200.7	0.969	1.00	97	mg/L
		Bismuth	EPA 200.7	0.988	1.00	99	mg/L
		Boron	EPA 200.7	0.959	1.00	96	mg/L
		Cadmium	EPA 200.7	0.978	1.00	98	mg/L
		Calcium	EPA 200.7	9.89	10.0	99	mg/L
		Chromium	EPA 200.7	0.959	1.00	96	mg/L
		Cobalt	EPA 200.7	0.982	1.00	98	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.971	1.00	97	mg/L
		Iron	EPA 200.7	0.986	1.00	99	mg/L
		Lithium	EPA 200.7	0.975	1.00	98	mg/L
		Magnesium	EPA 200.7	9.74	10.0	97	mg/L
		Manganese	EPA 200.7	0.947	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.944	1.00	94	mg/L
		Nickel	EPA 200.7	4.85	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.87	5.00	97	mg/L
		Potassium	EPA 200.7	9.80	10.0	98	mg/L
		Scandium	EPA 200.7	0.964	1.00	96	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.92	10.0	99	mg/L
		Strontium	EPA 200.7	0.982	1.00	98	mg/L
		Tin	EPA 200.7	0.942	1.00	94	mg/L
		Titanium	EPA 200.7	0.986	1.00	99	mg/L
		Vanadium	EPA 200.7	0.960	1.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units	
		Zinc	EPA 200.7	1.02	1.00	102	mg/L	

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12020760	Duplicate	pH	SM 4500-H+ B	1202362-001	7.79	7.83	pH Units	1 %
QC12020760	Duplicate	pH	SM 4500-H+ B	1202368-001	7.38	7.40	pH Units	<1%
QC12020760	Duplicate	pH	SM 4500-H+ B	1202370-002	8.18	8.21	pH Units	<1%
QC12020760	Duplicate	pH	SM 4500-H+ B	1202372-001	2.71	2.67	pH Units	1 %
QC12020760	Duplicate	pH	SM 4500-H+ B	1202378-003	7.17	7.20	pH Units	<1%
QC12020763	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202362-001	70.9	70.8	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1202362-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202362-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202362-001	58.2	58.0	mg/L as CaCO3	<1%
QC12020763	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202369-004	21.1	20.9	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1202369-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202369-004	<1.000		mg/L	%
		Total Alkalinity	SM 2320B	1202369-004	17.3	17.1	mg/L as CaCO3	1 %
QC12020763	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202371-006	370	370	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1202371-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202371-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202371-006	304	304	mg/L as CaCO3	<1%
QC12020763	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202378-001	297	298	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1202378-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202378-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202378-001	243	244	mg/L as CaCO3	<1%
QC12030027	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202372-001	80.0	78.0	mg/L	3 %
QC12030027	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202378-002	112	121	mg/L	8 %
QC12030027	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202391-004	370	362	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12020747	MS 1	Fluoride	EPA 300.0	1202372-001	<0.500	M 20.9	23.9	2.00	mg/L	NC	NC	NC
QC12020748	MS 1	Chloride	EPA 300.0	1202350-005	<1.000	5.31	5.43	5.00	mg/L	104	107	2 %
QC12020748	MS 2	Chloride	EPA 300.0	1202372-001	<5.000	27.2	27.3	5.00	mg/L	107	108	<1%
QC12020750	MS 1	Nitrite Nitrogen	EPA 300.0	1202372-001	<0.125	2.62	2.64	0.500	mg/L	104	105	1 %
QC12020752	MS 1	Nitrate Nitrogen	EPA 300.0	1202372-001	<1.000	10.6	10.7	2.00	mg/L	105	105	1 %
QC12020753	MS 1	Sulfate	EPA 300.0	1202350-005	67.4	76.2	76.5	10.0	mg/L	88	92	<1%
QC12020753	MS 2	Sulfate	EPA 300.0	1202372-001	277	M 313	314	10.0	mg/L	NC	NC	NC
QC12030068	MS 1	Mercury	EPA 200.8	1202391-001	0.000230	0.001034	0.001061	0.001	mg/L	80	83	3 %
		Antimony	EPA 200.8	1202391-001	<0.0025	0.0099	0.0103	0.010	mg/L	96	99	4 %
		Arsenic	EPA 200.8	1202391-001	0.0107	0.0667	0.0673	0.050	mg/L	112	113	1 %
		Lead	EPA 200.8	1202391-001	<0.0025	0.0082	0.0083	0.010	mg/L	82	83	1 %
		Selenium	EPA 200.8	1202391-001	0.0165	0.0648	0.0663	0.050	mg/L	96	99	2 %
		Thallium	EPA 200.8	1202391-001	<0.0010	0.0079	0.0080	0.010	mg/L	79	80	1 %
		Uranium	EPA 200.8	1202391-001	<0.0100	0.0116	0.0116	0.010	mg/L	97	98	<1%
QC12030069	MS 1	Mercury	EPA 200.8	1202391-002	0.000419	0.001242	0.001378	0.001	mg/L	82	96	10 %
		Antimony	EPA 200.8	1202391-002	<0.0025	0.0100	0.0101	0.010	mg/L	95	96	1 %
		Arsenic	EPA 200.8	1202391-002	0.0107	0.0670	0.0665	0.050	mg/L	113	111	1 %
		Lead	EPA 200.8	1202391-002	<0.0025	0.0084	0.0085	0.010	mg/L	84	85	1 %
		Selenium	EPA 200.8	1202391-002	0.0149	0.0644	0.0629	0.050	mg/L	99	96	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12030087	MS 1	Thallium	EPA 200.8	1202391-002	<0.0010	0.0082	0.0084	0.010	mg/L	82	84	2 %
		Uranium	EPA 200.8	1202391-002	<0.0100	0.0122	0.0123	0.010	mg/L	98	99	1 %
		Aluminum	EPA 200.7	1202391-001	0.122	1.04	1.05	1.00	mg/L	92	93	1 %
		Barium	EPA 200.7	1202391-001	0.053	1.00	1.00	1.00	mg/L	95	95	<1%
		Beryllium	EPA 200.7	1202391-001	<0.001	0.971	0.971	1.00	mg/L	97	97	<1%
		Bismuth	EPA 200.7	1202391-001	<0.100	0.919	0.918	1.00	mg/L	94	94	<1%
		Boron	EPA 200.7	1202391-001	<0.100	0.968	0.971	1.00	mg/L	99	100	<1%
		Cadmium	EPA 200.7	1202391-001	<0.001	0.938	0.935	1.00	mg/L	94	94	<1%
		Calcium	EPA 200.7	1202391-001	296	SC 314	305	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1202391-001	0.061	1.02	1.02	1.00	mg/L	96	96	<1%
		Cobalt	EPA 200.7	1202391-001	0.277	1.24	1.24	1.00	mg/L	96	96	<1%
		Copper	EPA 200.7	1202391-001	<0.050	4.94	4.96	5.00	mg/L	99	99	<1%
		Gallium	EPA 200.7	1202391-001	<0.100	0.880	0.862	1.00	mg/L	87	85	2 %
		Iron	EPA 200.7	1202391-001	0.085	1.07	1.07	1.00	mg/L	98	98	<1%
		Lithium	EPA 200.7	1202391-001	<0.100	0.965	0.973	1.00	mg/L	96	96	1 %
		Magnesium	EPA 200.7	1202391-001	11.8	21.1	20.6	10.0	mg/L	93	88	2 %
		Manganese	EPA 200.7	1202391-001	<0.005	0.889	0.888	1.00	mg/L	93	92	<1%
		Molybdenum	EPA 200.7	1202391-001	0.153	1.12	1.12	1.00	mg/L	97	97	<1%
		Nickel	EPA 200.7	1202391-001	0.035	4.80	4.79	5.00	mg/L	95	95	<1%
		Phosphorus	EPA 200.7	1202391-001	<0.500	5.14	5.14	5.00	mg/L	103	103	<1%
		Potassium	EPA 200.7	1202391-001	3.77	14.0	14.0	10.0	mg/L	102	102	<1%
		Scandium	EPA 200.7	1202391-001	<0.100	0.964	0.967	1.00	mg/L	96	97	<1%
		Silver	EPA 200.7	1202391-001	0.019	0.106	0.107	0.090	mg/L	97	98	1 %
		Sodium	EPA 200.7	1202391-001	189	SC 204	199	10.0	mg/L	NC	NC	NC
Strontium	EPA 200.7	1202391-001	1.71	2.70	2.65	1.00	mg/L	99	94	2 %		
Tin	EPA 200.7	1202391-001	<0.100	0.789	0.796	1.00	mg/L	96	97	1 %		
Titanium	EPA 200.7	1202391-001	<0.100	0.977	0.983	1.00	mg/L	98	98	1 %		
Vanadium	EPA 200.7	1202391-001	0.028	1.00	1.00	1.00	mg/L	97	97	<1%		
Zinc	EPA 200.7	1202391-001	<0.010	1.01	1.00	1.00	mg/L	101	100	1 %		
QC12030088	MS 1	Aluminum	EPA 200.7	1202391-002	0.117	1.10	1.08	1.00	mg/L	98	96	2 %
		Barium	EPA 200.7	1202391-002	0.043	0.996	1.00	1.00	mg/L	95	96	<1%
		Beryllium	EPA 200.7	1202391-002	<0.001	0.965	0.971	1.00	mg/L	97	97	1 %
		Bismuth	EPA 200.7	1202391-002	<0.100	0.917	0.929	1.00	mg/L	94	95	1 %
		Boron	EPA 200.7	1202391-002	<0.100	0.996	1.01	1.00	mg/L	100	101	1 %
		Cadmium	EPA 200.7	1202391-002	<0.001	0.950	0.955	1.00	mg/L	95	96	1 %
		Calcium	EPA 200.7	1202391-002	261	271	279	10.0	mg/L	100	180	3 %
		Chromium	EPA 200.7	1202391-002	0.065	1.03	1.04	1.00	mg/L	97	98	1 %
		Cobalt	EPA 200.7	1202391-002	0.293	1.26	1.27	1.00	mg/L	97	98	1 %
		Copper	EPA 200.7	1202391-002	<0.050	4.98	5.02	5.00	mg/L	99	100	1 %
		Gallium	EPA 200.7	1202391-002	<0.100	0.902	0.911	1.00	mg/L	89	90	1 %
		Iron	EPA 200.7	1202391-002	0.120	1.14	1.15	1.00	mg/L	102	103	1 %
		Lithium	EPA 200.7	1202391-002	<0.100	0.957	0.965	1.00	mg/L	95	95	1 %
		Magnesium	EPA 200.7	1202391-002	11.1	20.4	20.7	10.0	mg/L	93	96	1 %
		Manganese	EPA 200.7	1202391-002	<0.005	0.895	0.898	1.00	mg/L	92	92	<1%
		Molybdenum	EPA 200.7	1202391-002	0.169	1.13	1.14	1.00	mg/L	96	97	1 %
		Nickel	EPA 200.7	1202391-002	0.049	4.82	4.85	5.00	mg/L	95	96	1 %
		Phosphorus	EPA 200.7	1202391-002	<0.500	5.23	5.30	5.00	mg/L	103	105	1 %
		Potassium	EPA 200.7	1202391-002	3.49	13.7	13.8	10.0	mg/L	102	103	1 %
		Scandium	EPA 200.7	1202391-002	<0.100	0.965	0.973	1.00	mg/L	97	97	1 %
		Silver	EPA 200.7	1202391-002	0.041	0.132	0.132	0.090	mg/L	101	101	<1%
		Sodium	EPA 200.7	1202391-002	167	177	183	10.0	mg/L	100	160	3 %
		Strontium	EPA 200.7	1202391-002	1.50	2.42	2.49	1.00	mg/L	92	99	3 %
		Tin	EPA 200.7	1202391-002	<0.100	0.786	0.786	1.00	mg/L	96	96	<1%
Titanium	EPA 200.7	1202391-002	<0.100	0.969	0.977	1.00	mg/L	97	98	1 %		
Vanadium	EPA 200.7	1202391-002	0.030	1.01	1.01	1.00	mg/L	98	98	<1%		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Zinc	EPA 200.7	1202391-002	<0.010	1.01	1.02	1.00	mg/L	101	102	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number

1202374

Report

Due Date:

3/9/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE TYPE NO. OF CONTAINERS

Analyses Requested

Profile II w/o Wat

Uranium

SAMPLE ID/LOCATION	DATE	TIME	WV	NO. OF CONTAINERS	Profile II w/o Wat	Uranium	Spl. No.
604 669 Wk:56	02/24/12	9:00	WW	2	X	X	1
604 673							2
604 767							3
604 787							4
SRK 0854							5
SRK 0858							6
SRK 0872							7

1202 374

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>21</u> °C	<u>2-24-12</u>	<u>14:45</u>		
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>11</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



2/9/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1201427

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 1/27/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1201427

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1201427-001 Iron

1201427-005 Cadmium

1201427-006 Nitrite Nitrogen, Fluoride

1201427-007 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 2/9/2012
OrderID: 1201427

Customer Sample ID: 604 669 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-001

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.18	pH Units		1/27/2012
Bicarbonate (HCO ₃)	SM 2320B	37	mg/L	1.0	1/27/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	30	mg/L as CaCO ₃	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.39	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	23	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	51	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	16	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	3.2	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.73	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	1.1	mg/L	0.50	2/8/2012

Customer Sample ID: 604 669 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-001

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	0.039	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	1.11	meq/L	0.10	
Cations	Calculation	1.12	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-002

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.92	pH Units		1/27/2012
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.41	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	15	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	32	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.044	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012

Customer Sample ID: 604 673 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-002

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	5.5	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	0.097	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	0.79	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	1.2	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	0.016	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	0.33	meq/L	0.10	
Cations	Calculation	0.37	meq/L	0.10	
Error	Calculation	5.7	%	1.0	

Customer Sample ID: 604 767 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-003

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.26	pH Units		1/27/2012
Bicarbonate (HCO3)	SM 2320B	38	mg/L	1.0	1/27/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012

Customer Sample ID: 604 767 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-003

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	32	mg/L as CaCO ₃	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	26	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	61	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.027	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	16	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	5.1	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.20	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	0.97	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	0.13	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	0.015	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012

Customer Sample ID: 604 767 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-003

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.25	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 787 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-004

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.39	pH Units		1/27/2012
Bicarbonate (HCO ₃)	SM 2320B	43	mg/L	1.0	1/27/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	35	mg/L as CaCO ₃	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.83	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	31	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	93	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.011	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	21	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	4.2	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.038	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	0.020	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	0.65	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012

Customer Sample ID: 604 787 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-004

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	0.12	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	1.39	meq/L	0.10	
Cations	Calculation	1.41	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0854 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-005

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.92	pH Units		1/27/2012
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.18	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	70	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	1/31/2012
Aluminum	EPA 200.7	0.054	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.019	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Calcium	EPA 200.7	5.8	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012

Customer Sample ID: SRK 0854 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-005

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	30	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.088	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	0.14	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	0.0039	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	1.47	meq/L	0.10	
Cations	Calculation	1.25	meq/L	0.10	
Error	Calculation	8.1	%	1.0	

Customer Sample ID: SRK 0858 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-006

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.65	pH Units		1/27/2012
Acidity (Titrimetric)	SM 2310B	400	mg/L as CaCO3		1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	<0.20	mg/L	0.20	1/28/2012
Sulfate	EPA 300.0	340	mg/L	10	2/2/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012

Customer Sample ID: SRK 0858 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-006

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	450	mg/L	10	1/31/2012
Aluminum	EPA 200.7	9.8	mg/L	0.045	2/8/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	0.0066	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	2.0	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	0.016	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	0.057	mg/L	0.010	2/8/2012
Copper	EPA 200.7	3.7	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	57	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	1.4	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.10	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	1.7	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	0.083	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	0.013	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	0.010	mg/L	0.010	2/7/2012
Anions	Calculation	7.08	meq/L	0.10	
Cations	Calculation	8.64	meq/L	0.10	
Error	Calculation	10	%	1.0	

Customer Sample ID: SRK 0867 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-007

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.66	pH Units		1/27/2012
Bicarbonate (HCO ₃)	SM 2320B	27	mg/L	1.0	1/27/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	22	mg/L as CaCO ₃	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.40	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	15	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	40	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.024	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	14	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	0.059	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	1.3	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	0.026	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	0.0066	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012

Customer Sample ID: SRK 0867 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-007

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	0.78	meq/L	0.10	
Cations	Calculation	0.81	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: SRK 0872 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-008

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.63	pH Units		1/27/2012
Bicarbonate (HCO3)	SM 2320B	9.2	mg/L	1.0	1/27/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/27/2012
Total Alkalinity	SM 2320B	7.6	mg/L as CaCO3	1.0	1/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/28/2012
Fluoride	EPA 300.0	0.26	mg/L	0.10	1/28/2012
Sulfate	EPA 300.0	36	mg/L	1.0	1/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/28/2012
Total Dissolved Solids (TDS)	SM 2540C	88	mg/L	10	1/31/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/8/2012
Barium	EPA 200.7	0.018	mg/L	0.010	2/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/8/2012
Calcium	EPA 200.7	18	mg/L	0.50	2/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	2/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Iron	EPA 200.7	0.011	mg/L	0.010	2/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Magnesium	EPA 200.7	0.80	mg/L	0.50	2/8/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Molybdenum	EPA 200.7	0.19	mg/L	0.010	2/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/8/2012

Customer Sample ID: SRK 0872 WK:52

Collect Date/Time: 1/27/2012 09:00

WETLAB Sample ID: 1201427-008

Receive Date: 1/27/2012 14:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/8/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	2/8/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/7/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/7/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/7/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/7/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/7/2012
Anions	Calculation	0.91	meq/L	0.10	
Cations	Calculation	0.96	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12010879	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12010879	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12010879	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12010881	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12010881	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12010881	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12010882	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010882	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010882	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010883	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010883	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010883	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010886	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12010886	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12010886	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12020065	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12020065	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12020098	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12020098	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12020216	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12020235	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12010879	LCS 1	Fluoride	EPA 300.0	1.89	2.00	94	mg/L
QC12010881	LCS 1	Chloride	EPA 300.0	9.99	10.0	100	mg/L
QC12010882	LCS 1	Nitrite Nitrogen	EPA 300.0	0.509	0.500	102	mg/L
QC12010883	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L
QC12010886	LCS 1	Sulfate	EPA 300.0	22.9	25.0	92	mg/L
QC12010909	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12010909	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12010913	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC12010913	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12020065	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12020065	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12020098	LCS 1	Sulfate	EPA 300.0	23.4	25.0	94	mg/L
QC12020216	LCS 1	Mercury	EPA 200.8	0.000962	0.001	96	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0467	0.050	93	mg/L
		Thallium	EPA 200.8	0.0098	0.010	98	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
QC12020235	LCS 1	Aluminum	EPA 200.7	0.949	1.00	95	mg/L
		Barium	EPA 200.7	0.973	1.00	97	mg/L
		Beryllium	EPA 200.7	0.963	1.00	96	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.932	1.00	93	mg/L
		Cadmium	EPA 200.7	0.964	1.00	96	mg/L
		Calcium	EPA 200.7	9.88	10.0	99	mg/L
		Chromium	EPA 200.7	0.970	1.00	97	mg/L
		Cobalt	EPA 200.7	0.982	1.00	98	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.980	1.00	98	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	1.00	1.00	100	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.942	1.00	94	mg/L
		Molybdenum	EPA 200.7	0.969	1.00	97	mg/L
		Nickel	EPA 200.7	4.88	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.89	5.00	98	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.984	1.00	98	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.59	10.0	96	mg/L
		Strontium	EPA 200.7	0.947	1.00	95	mg/L
		Tin	EPA 200.7	0.960	1.00	96	mg/L
		Titanium	EPA 200.7	1.03	1.00	103	mg/L
		Vanadium	EPA 200.7	0.967	1.00	97	mg/L
		Zinc	EPA 200.7	0.997	1.00	100	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12010909	Duplicate	pH	SM 4500-H+ B	1201420-001	7.76	7.80	pH Units	1 %
QC12010909	Duplicate	pH	SM 4500-H+ B	1201425-001	7.95	7.96	pH Units	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12010909	Duplicate	pH	SM 4500-H+ B	1201426-001	8.49	8.55	pH Units	1 %
QC12010909	Duplicate	pH	SM 4500-H+ B	1201426-007	8.33	8.61	Q pH Units	3 %
QC12010909	Duplicate	pH	SM 4500-H+ B	1201427-008	6.63	6.67	pH Units	1 %
QC12010913	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201420-001	177	177	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1201420-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201420-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1201420-001	145	145	mg/L as CaCO3	<1%
QC12010913	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201425-001	253	252	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1201425-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201425-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1201425-001	207	206	mg/L as CaCO3	<1%
QC12010913	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201426-001	72.9	71.0	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1201426-001	4.37	5.52	mg/L	23 %
		Hydroxide (OH)	SM 2320B	1201426-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1201426-001	67.0	67.4	mg/L as CaCO3	<1%
QC12010913	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201426-007	96.0	98.5	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1201426-007	1.25	<1.000	Q mg/L	200 %
		Hydroxide (OH)	SM 2320B	1201426-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1201426-007	80.8	80.7	mg/L as CaCO3	<1%
QC12010913	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201427-008	9.22	9.20	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1201427-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201427-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1201427-008	7.56	7.54	mg/L as CaCO3	<1%
QC12020065	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1201425-001	1118	1082	mg/L	3 %
QC12020065	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1201426-007	145	144	mg/L	1 %
QC12020065	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1201433-001	960	962	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12010879	MS 1	Fluoride	EPA 300.0	1201425-001	<0.500	9.43	9.48	2.00	mg/L	94	95	1 %
QC12010879	MS 2	Fluoride	EPA 300.0	1201427-001	0.386	2.17	2.16	2.00	mg/L	89	89	<1%
QC12010881	MS 1	Chloride	EPA 300.0	1201425-001	1.04	27.3	27.5	5.00	mg/L	105	106	1 %
QC12010881	MS 2	Chloride	EPA 300.0	1201427-001	<1.000	5.32	5.32	5.00	mg/L	105	105	<1%
QC12010882	MS 1	Nitrite Nitrogen	EPA 300.0	1201425-001	<0.125	2.15	2.12	0.500	mg/L	85	84	1 %
QC12010882	MS 2	Nitrite Nitrogen	EPA 300.0	1201427-001	<0.025	0.478	0.488	0.500	mg/L	95	97	2 %
QC12010883	MS 1	Nitrate Nitrogen	EPA 300.0	1201425-001	<1.000	10.5	10.6	2.00	mg/L	103	104	1 %
QC12010883	MS 2	Nitrate Nitrogen	EPA 300.0	1201427-001	<1.000	2.11	2.11	2.00	mg/L	104	104	<1%
QC12010886	MS 1	Sulfate	EPA 300.0	1201425-001	530	571	573	10.0	mg/L	83	86	<1%
QC12010886	MS 2	Sulfate	EPA 300.0	1201427-001	22.7	31.7	31.7	10.0	mg/L	90	90	<1%
QC12020098	MS 1	Sulfate	EPA 300.0	1201397-008	277	1182	1175	10.0	mg/L	90	90	1 %
QC12020216	MS 1	Uranium, Dissolved	EPA 200.8	1202062-001	<0.0100	0.0184	0.0179	0.010	mg/L	94	89	3 %
		Mercury, Dissolved	EPA 200.8	1202062-001	<0.00010	0.000872	0.000832	0.001	mg/L	86	82	5 %
		Antimony, Dissolved	EPA 200.8	1202062-001	<0.0025	0.0112	0.0106	0.010	mg/L	102	96	6 %
		Arsenic, Dissolved	EPA 200.8	1202062-001	0.0843	0.1454	0.1404	0.050	mg/L	122	112	3 %
		Lead, Dissolved	EPA 200.8	1202062-001	<0.0025	0.0085	0.0082	0.010	mg/L	85	82	4 %
		Selenium, Dissolved	EPA 200.8	1202062-001	<0.0050	0.0491	0.0472	0.050	mg/L	98	94	4 %
		Thallium, Dissolved	EPA 200.8	1202062-001	<0.0010	0.0083	0.0080	0.010	mg/L	83	80	4 %
QC12020235	MS 1	Aluminum, Dissolved	EPA 200.7	1202062-001	0.196	1.11	1.11	1.00	mg/L	91	91	<1%
		Barium, Dissolved	EPA 200.7	1202062-001	0.090	1.04	1.04	1.00	mg/L	95	95	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Beryllium, Dissolved	EPA 200.7	1202062-001	<0.001	0.961	0.962	1.00	mg/L	96	96	<1%
		Bismuth, Dissolved	EPA 200.7	1202062-001	<0.100	0.927	0.933	1.00	mg/L	93	94	1 %
		Boron, Dissolved	EPA 200.7	1202062-001	0.556	1.52	1.51	1.00	mg/L	96	95	1 %
		Cadmium, Dissolved	EPA 200.7	1202062-001	<0.001	0.938	0.935	1.00	mg/L	94	94	<1%
		Calcium, Dissolved	EPA 200.7	1202062-001	49.3	59.2	57.4	10.0	mg/L	99	81	3 %
		Chromium, Dissolved	EPA 200.7	1202062-001	<0.005	0.948	0.946	1.00	mg/L	95	95	<1%
		Cobalt, Dissolved	EPA 200.7	1202062-001	<0.010	0.961	0.960	1.00	mg/L	96	96	<1%
		Copper, Dissolved	EPA 200.7	1202062-001	<0.050	4.85	4.85	5.00	mg/L	97	97	<1%
		Gallium, Dissolved	EPA 200.7	1202062-001	<0.100	0.941	0.938	1.00	mg/L	94	93	<1%
		Iron, Dissolved	EPA 200.7	1202062-001	0.176	1.17	1.16	1.00	mg/L	99	98	1 %
		Lithium, Dissolved	EPA 200.7	1202062-001	<0.100	1.07	1.06	1.00	mg/L	97	96	1 %
		Magnesium, Dissolved	EPA 200.7	1202062-001	17.3	27.1	26.6	10.0	mg/L	98	93	2 %
		Manganese, Dissolved	EPA 200.7	1202062-001	0.018	0.933	0.930	1.00	mg/L	92	91	<1%
		Molybdenum, Dissolved	EPA 200.7	1202062-001	0.028	0.981	0.981	1.00	mg/L	95	95	<1%
		Nickel, Dissolved	EPA 200.7	1202062-001	<0.010	4.74	4.74	5.00	mg/L	95	95	<1%
		Phosphorus, Dissolved	EPA 200.7	1202062-001	<0.500	5.09	5.09	5.00	mg/L	98	98	<1%
		Potassium, Dissolved	EPA 200.7	1202062-001	17.3	27.2	26.7	10.0	mg/L	99	94	2 %
		Scandium, Dissolved	EPA 200.7	1202062-001	<0.100	0.965	0.967	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1202062-001	<0.005	0.086	0.086	0.090	mg/L	96	96	<1%
		Sodium, Dissolved	EPA 200.7	1202062-001	127	SC 132	127	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1202062-001	0.359	1.25	1.22	1.00	mg/L	89	86	2 %
		Tin, Dissolved	EPA 200.7	1202062-001	<0.100	0.876	0.876	1.00	mg/L	95	95	<1%
		Titanium, Dissolved	EPA 200.7	1202062-001	<0.100	1.01	1.00	1.00	mg/L	101	100	1 %
		Vanadium, Dissolved	EPA 200.7	1202062-001	0.026	0.986	0.983	1.00	mg/L	96	96	<1%
		Zinc, Dissolved	EPA 200.7	1202062-001	<0.010	0.995	0.993	1.00	mg/L	99	98	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 120427

Report

Due Date: 02/10/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround Time
Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information

Fax Results Y N To: Client Billing
Email Results Y N To: Client Billing
Compliance Monitoring Y N
Fax Results to State EPA Y N

Sample Type Codes

DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	S	A	M	P	L	E	T	Y	P	Analyses Requested										Spl. No.			
												Profile II w/o Wad	Uranium												
604 669	Wk:52	01/27/12	9:00	WW	2	X	X																	1	
604 673																									2
604 767																									3
604 787																									4
SRK 0854																									5
SRK 0858																									6
SRK 0867																									7
SRK 0872	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓													8

Instructions/Comments/Special Requirements: 1201 427

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>20°C</u>	<u>01/27</u>	<u>1430</u>	<u>A. Moreno</u>	<u>(Signature)</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



1/17/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1112489

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/30/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1112489

General Comments

On Sample 1112489-006 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1112489-005 Cadmium
1112489-006 Nitrite Nitrogen
1112489-007 Potassium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 1/17/2012

OrderID: 1112489

Customer Sample ID: 604 669 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-001

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.43	pH Units		12/30/2011
Bicarbonate (HCO ₃)	SM 2320B	37	mg/L	1.0	12/30/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	30	mg/L as CaCO ₃	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.33	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	33	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	88	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	19	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	3.6	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.82	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	0.019	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	1.5	mg/L	0.50	1/9/2012

Customer Sample ID: 604 669 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-001

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	0.011	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012
Anions	Calculation	1.31	meq/L	0.10	
Cations	Calculation	1.31	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-002

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.89	pH Units		12/30/2011
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.40	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	16	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	62	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.047	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012

Customer Sample ID: 604 673 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-002

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	5.6	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	0.13	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	0.78	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.028	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	1.4	mg/L	0.50	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	0.51	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	0.017	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012
Anions	Calculation	0.35	meq/L	0.10	
Cations	Calculation	0.41	meq/L	0.10	
Error	Calculation	7.0	%	1.0	

Customer Sample ID: 604 767 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-003

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-II+ B	7.36	pH Units		12/30/2011
Bicarbonate (HCO3)	SM 2320B	24	mg/L	1.0	12/30/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011

Customer Sample ID: 604 767 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-003

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	20	mg/L as CaCO ₃	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	34	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	77	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.029	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	17	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	0.052	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	4.7	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.20	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	1.1	mg/L	0.50	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	0.013	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012

Customer Sample ID: 604 767 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-003

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.19	meq/L	0.10	
Cations	Calculation	1.27	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: 604 787 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-004

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.44 Q	pH Units		12/30/2011
Bicarbonate (HCO ₃)	SM 2320B	43	mg/L	1.0	12/30/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	35	mg/L as CaCO ₃	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.97	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	42	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	27	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	4.7	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.059	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	0.028	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	1.0	mg/L	0.50	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012

Customer Sample ID: 604 787 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-004

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	0.17	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	0.010	mg/L	0.010	1/6/2012
Anions	Calculation	1.63	meq/L	0.10	
Cations	Calculation	1.76	meq/L	0.10	
Error	Calculation	3.9	%	1.0	

Customer Sample ID: SRK 0854 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-005

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.68	pH Units		12/30/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.18	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	76	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	1/4/2012
Aluminum	EPA 200.7	0.078	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.016	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Calcium	EPA 200.7	6.9	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012

Customer Sample ID: SRK 0854 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-005

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	34	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.11	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	0.60	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	0.14	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	0.0058	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012
Anions	Calculation	1.59	meq/L	0.10	
Cations	Calculation	1.43	meq/L	0.10	
Error	Calculation	5.3	%	1.0	

Customer Sample ID: SRK 0858 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-006

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.67	pH Units		12/30/2011
Acidity (Titrimetric)	SM 2310B	320	mg/L as CaCO3		12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2012
Fluoride	EPA 300.0	0.30	mg/L	0.10	1/4/2012
Sulfate	EPA 300.0	430	mg/L	5.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011

Customer Sample ID: SRK 0858 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-006

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	12/31/2011
Sulfate (as calculated from S)	Calc.	390	mg/L	1.0	1/12/2012
Total Dissolved Solids (TDS)	SM 2540C	410	mg/L	10	1/4/2012
Sulfur	EPA 200.7	130	mg/L	50	1/12/2012
Aluminum	EPA 200.7	9.6	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.013	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	0.0043	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	2.5	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	0.014	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	0.048	mg/L	0.010	1/9/2012
Copper	EPA 200.7	4.7	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	43	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	1.5	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.11	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	1.8	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	0.036	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	0.0053	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	0.014	mg/L	0.010	1/6/2012
Anions	Calculation	8.97	meq/L	0.10	
Cations	Calculation	7.12	meq/L	0.10	
Error	Calculation	11	%	1.0	

Customer Sample ID: SRK 0858 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-006

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0867 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-007

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

pH	SM 4500-H+ B	7.46	pH Units		12/30/2011
Bicarbonate (HCO ₃)	SM 2320B	24	mg/L	1.0	12/30/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	19	mg/L as CaCO ₃	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.33	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	14	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	48	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.020	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	13	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	1.2	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	0.010	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	<2.5	mg/L	2.5	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012

Customer Sample ID: SRK 0867 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-007

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	0.0067	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012
Anions	Calculation	0.70	meq/L	0.10	
Cations	Calculation	0.75	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: SRK 0872 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-008

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.00	pH Units		12/30/2011
Bicarbonate (HCO3)	SM 2320B	11	mg/L	1.0	12/30/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/30/2011
Total Alkalinity	SM 2320B	9.2	mg/L as CaCO3	1.0	12/30/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/31/2011
Fluoride	EPA 300.0	0.29	mg/L	0.10	12/31/2011
Sulfate	EPA 300.0	41	mg/L	1.0	12/31/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/31/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/31/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	1/4/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/9/2012
Barium	EPA 200.7	0.022	mg/L	0.010	1/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/9/2012
Calcium	EPA 200.7	21	mg/L	0.50	1/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	1/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012

Customer Sample ID: SRK 0872 WK:48

Collect Date/Time: 12/30/2011 09:00

WETLAB Sample ID: 1112489-008

Receive Date: 12/30/2011 15:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Magnesium	EPA 200.7	0.93	mg/L	0.50	1/9/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Molybdenum	EPA 200.7	0.25	mg/L	0.010	1/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Potassium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/9/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	1/9/2012
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/6/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/6/2012
Uranium	EPA 200.8	<0.010	mg/L	0.010	1/6/2012
Anions	Calculation	1.05	meq/L	0.10	
Cations	Calculation	1.12	meq/L	0.10	
Error	Calculation	3.5	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12010020	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12010020	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12010020	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12010023	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12010023	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12010023	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12010025	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010025	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010025	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010026	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010026	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010026	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010028	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010028	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010028	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010031	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12010031	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12010031	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12010099	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12010099	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12010099	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12010100	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12010100	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12010100	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12010152	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12010152	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12010164	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12010165	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12010208	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12010209	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12010020	LCS 1	Fluoride	EPA 300.0	1.89	2.00	95	mg/L
QC12010023	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12010025	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC12010026	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC12010028	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC12010031	LCS 1	Sulfate	EPA 300.0	22.5	25.0	90	mg/L
QC12010048	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12010048	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12010048	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12010050	LCS 1	Alkalinity	SM 2320B	86.8	100	87	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12010050	LCS 2	Alkalinity	SM 2320B	93.2	100	93	mg/L
QC12010050	LCS 3	Alkalinity	SM 2320B	93.6	100	94	mg/L
QC12010099	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12010100	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12010152	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12010152	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC12010164	LCS 1	Mercury	EPA 200.8	0.000981	0.001	98	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0500	0.050	100	mg/L
		Lead	EPA 200.8	0.0100	0.010	100	mg/L
		Selenium	EPA 200.8	0.0499	0.050	100	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	94	mg/L
QC12010165	LCS 1	Mercury	EPA 200.8	0.000981	0.001	98	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0500	0.050	100	mg/L
		Lead	EPA 200.8	0.0100	0.010	100	mg/L
		Selenium	EPA 200.8	0.0499	0.050	100	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	94	mg/L
QC12010208	LCS 1	Aluminum	EPA 200.7	0.991	1.00	99	mg/L
		Barium	EPA 200.7	0.981	1.00	98	mg/L
		Beryllium	EPA 200.7	0.988	1.00	99	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.933	1.00	93	mg/L
		Cadmium	EPA 200.7	0.981	1.00	98	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.955	1.00	96	mg/L
		Cobalt	EPA 200.7	0.961	1.00	96	mg/L
		Copper	EPA 200.7	4.68	5.00	94	mg/L
		Gallium	EPA 200.7	0.974	1.00	97	mg/L
		Iron	EPA 200.7	0.988	1.00	99	mg/L
		Lithium	EPA 200.7	0.975	1.00	98	mg/L
		Magnesium	EPA 200.7	9.78	10.0	98	mg/L
		Manganese	EPA 200.7	0.988	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.997	1.00	100	mg/L
		Nickel	EPA 200.7	4.91	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.84	5.00	97	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.976	1.00	98	mg/L
		Silver	EPA 200.7	0.084	0.090	94	mg/L
		Sodium	EPA 200.7	9.86	10.0	99	mg/L
		Strontium	EPA 200.7	0.998	1.00	100	mg/L
		Tin	EPA 200.7	0.978	1.00	98	mg/L
		Titanium	EPA 200.7	0.981	1.00	98	mg/L
		Vanadium	EPA 200.7	0.976	1.00	98	mg/L
		Zinc	EPA 200.7	0.981	1.00	98	mg/L
QC12010209	LCS 1	Aluminum	EPA 200.7	0.991	1.00	99	mg/L
		Barium	EPA 200.7	0.981	1.00	98	mg/L
		Beryllium	EPA 200.7	0.988	1.00	99	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.933	1.00	93	mg/L
		Cadmium	EPA 200.7	0.981	1.00	98	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.955	1.00	96	mg/L
		Cobalt	EPA 200.7	0.961	1.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Copper	EPA 200.7	4.68	5.00	94	mg/L
		Gallium	EPA 200.7	0.974	1.00	97	mg/L
		Iron	EPA 200.7	0.988	1.00	99	mg/L
		Lithium	EPA 200.7	0.975	1.00	98	mg/L
		Magnesium	EPA 200.7	9.78	10.0	98	mg/L
		Manganese	EPA 200.7	0.988	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.997	1.00	100	mg/L
		Nickel	EPA 200.7	4.91	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.84	5.00	97	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.976	1.00	98	mg/L
		Silver	EPA 200.7	0.084	0.090	94	mg/L
		Sodium	EPA 200.7	9.86	10.0	99	mg/L
		Strontium	EPA 200.7	0.998	1.00	100	mg/L
		Tin	EPA 200.7	0.978	1.00	98	mg/L
		Titanium	EPA 200.7	0.981	1.00	98	mg/L
		Vanadium	EPA 200.7	0.976	1.00	98	mg/L
		Zinc	EPA 200.7	0.981	1.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12010048	Duplicate	pH	SM 4500-H+ B	1112482-002	6.26	6.31	pH Units	1 %
QC12010048	Duplicate	pH	SM 4500-H+ B	1112486-002	7.28	7.23	pH Units	1 %
QC12010048	Duplicate	pH	SM 4500-H+ B	1112488-003	7.72	7.74	pH Units	<1%
QC12010048	Duplicate	pH	SM 4500-H+ B	1112491-006	8.20	8.21	pH Units	<1%
QC12010048	Duplicate	pH	SM 4500-H+ B	1112489-004	7.44	7.57	pH Units	2 %
QC12010050	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112482-002	70.6	66.4	mg/L	6 %
		Carbonate (CO3)	SM 2320B	1112482-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112482-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112482-002	57.9	54.4	mg/L as CaCO3	6 %
QC12010050	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112486-002	153	152	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1112486-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112486-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112486-002	126	125	mg/L as CaCO3	1 %
QC12010050	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112488-003	148	149	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112488-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112488-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112488-003	122	122	mg/L as CaCO3	<1%
QC12010050	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112491-006	183	183	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112491-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112491-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112491-006	150	150	mg/L as CaCO3	<1%
QC12010050	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112489-004	43.0	43.2	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1112489-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112489-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112489-004	35.2	35.4	mg/L as CaCO3	1 %
QC12010152	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112489-002	62.0	57.0	mg/L	8 %
QC12010152	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112491-003	2476	2464	mg/L	<1%
QC12010152	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112491-010	804	798	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12010020	MS 1	Fluoride	EPA 300.0	1112403-003	<0.100	1.75	1.75	2.00	mg/L	90	90	<1%
QC12010020	MS 2	Fluoride	EPA 300.0	1112489-001	0.334	2.10	2.11	2.00	mg/L	88	89	<1%
QC12010023	MS 1	Chloride	EPA 300.0	1112403-003	<1.000	5.18	5.19	5.00	mg/L	102	103	<1%
QC12010023	MS 2	Chloride	EPA 300.0	1112489-001	<1.000	5.27	5.30	5.00	mg/L	104	104	1 %
QC12010025	MS 1	Nitrite Nitrogen	EPA 300.0	1112470-005	<0.025	0.496	0.518	0.500	mg/L	98	103	4 %
QC12010025	MS 2	Nitrite Nitrogen	EPA 300.0	1112470-012	<0.025	0.519	0.542	0.500	mg/L	103	107	4 %
QC12010026	MS 1	Nitrite Nitrogen	EPA 300.0	1112489-001	<0.025	0.531	0.536	0.500	mg/L	105	106	1 %
QC12010026	MS 2	Nitrite Nitrogen	EPA 300.0	1112491-002	<0.025	0.510	0.511	0.500	mg/L	101	101	<1%
QC12010028	MS 1	Nitrate Nitrogen	EPA 300.0	1112489-001	<1.000	2.12	2.14	2.00	mg/L	104	105	1 %
QC12010028	MS 2	Nitrate Nitrogen	EPA 300.0	1112491-002	<1.000	2.15	2.16	2.00	mg/L	105	106	<1%
QC12010031	MS 1	Sulfate	EPA 300.0	1112403-003	<1.000	9.08	9.10	10.0	mg/L	95	95	<1%
QC12010031	MS 2	Sulfate	EPA 300.0	1112489-001	33.2	41.8	41.8	10.0	mg/L	86	87	<1%
QC12010099	MS 1	Fluoride	EPA 300.0	1201024-001	<0.100	1.80	1.86	2.00	mg/L	92	95	3 %
QC12010099	MS 2	Fluoride	EPA 300.0	1112486-006	0.125	2.20	2.21	2.00	mg/L	87	88	<1%
QC12010100	MS 1	Chloride	EPA 300.0	1201024-001	<1.000	5.25	5.40	5.00	mg/L	104	107	3 %
QC12010100	MS 2	Chloride	EPA 300.0	1112486-006	2.37	7.53	7.64	5.00	mg/L	103	106	1 %
QC12010164	MS 1	Mercury	EPA 200.8	1201042-002	0.003576	0.004529	0.004927	0.001	mg/L	95	135	8 %
		Antimony	EPA 200.8	1201042-002	<0.0025	0.0124	0.0122	0.010	mg/L	106	103	2 %
		Arsenic	EPA 200.8	1201042-002	0.7137	SC 0.7447	0.7567	0.050	mg/L	NC	NC	NC
		Lead	EPA 200.8	1201042-002	<0.0025	0.0100	0.0105	0.010	mg/L	95	100	5 %
		Selenium	EPA 200.8	1201042-002	0.0059	0.0525	0.0547	0.050	mg/L	93	98	4 %
		Thallium	EPA 200.8	1201042-002	<0.0010	0.0092	0.0097	0.010	mg/L	92	97	5 %
		Uranium	EPA 200.8	1201042-002	<0.0100	<0.0100	0.0101	0.010	mg/L	95	101	#Erro
QC12010165	MS 1	Mercury	EPA 200.8	1201042-003	0.001996	0.003259	0.003208	0.001	mg/L	126	121	2 %
		Antimony	EPA 200.8	1201042-003	0.0029	0.0131	0.0137	0.010	mg/L	102	108	4 %
		Arsenic	EPA 200.8	1201042-003	0.2294	0.2891	0.2864	0.050	mg/L	120	114	1 %
		Lead	EPA 200.8	1201042-003	<0.0025	0.0109	0.0104	0.010	mg/L	106	101	5 %
		Selenium	EPA 200.8	1201042-003	0.0110	0.0586	0.0586	0.050	mg/L	95	95	<1%
		Thallium	EPA 200.8	1201042-003	<0.0010	0.0102	0.0097	0.010	mg/L	102	97	5 %
		Uranium	EPA 200.8	1201042-003	<0.0100	0.0107	0.0103	0.010	mg/L	107	103	4 %
QC12010208	MS 1	Aluminum	EPA 200.7	1201042-002	<0.045	0.944	0.943	1.00	mg/L	93	93	<1%
		Barium	EPA 200.7	1201042-002	0.051	0.995	1.00	1.00	mg/L	94	95	1 %
		Beryllium	EPA 200.7	1201042-002	<0.001	0.984	1.00	1.00	mg/L	98	100	2 %
		Bismuth	EPA 200.7	1201042-002	<0.100	0.901	0.906	1.00	mg/L	96	96	1 %
		Boron	EPA 200.7	1201042-002	0.681	1.61	1.63	1.00	mg/L	93	95	1 %
		Cadmium	EPA 200.7	1201042-002	0.377	1.30	1.30	1.00	mg/L	92	92	<1%
		Calcium	EPA 200.7	1201042-002	31.8	42.2	42.2	10.0	mg/L	104	104	<1%
		Chromium	EPA 200.7	1201042-002	0.007	0.928	0.932	1.00	mg/L	92	92	<1%
		Cobalt	EPA 200.7	1201042-002	0.068	0.923	0.942	1.00	mg/L	85	87	2 %
		Copper	EPA 200.7	1201042-002	29.9	34.1	33.8	5.00	mg/L	84	78	1 %
		Gallium	EPA 200.7	1201042-002	<0.100	0.881	0.879	1.00	mg/L	88	87	<1%
		Iron	EPA 200.7	1201042-002	0.103	1.04	1.05	1.00	mg/L	94	95	1 %
		Lithium	EPA 200.7	1201042-002	<0.100	1.03	1.04	1.00	mg/L	102	103	1 %
		Magnesium	EPA 200.7	1201042-002	<0.500	9.36	9.52	10.0	mg/L	91	93	2 %
		Manganese	EPA 200.7	1201042-002	0.105	1.05	1.06	1.00	mg/L	94	96	1 %
		Molybdenum	EPA 200.7	1201042-002	0.105	1.07	1.07	1.00	mg/L	97	97	<1%
		Nickel	EPA 200.7	1201042-002	0.040	4.69	4.75	5.00	mg/L	93	94	1 %
		Phosphorus	EPA 200.7	1201042-002	0.613	5.54	5.61	5.00	mg/L	99	100	1 %
		Potassium	EPA 200.7	1201042-002	9.34	21.9	21.9	10.0	mg/L	126	126	<1%
		Scandium	EPA 200.7	1201042-002	<0.100	0.973	0.983	1.00	mg/L	97	98	1 %
		Silver	EPA 200.7	1201042-002	0.022	0.109	0.109	0.090	mg/L	97	97	<1%
		Sodium	EPA 200.7	1201042-002	838	SC 845	881	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1201042-002	0.467	1.47	1.45	1.00	mg/L	100	98	1 %
		Tin	EPA 200.7	1201042-002	<0.100	0.931	0.942	1.00	mg/L	95	96	1 %
		Titanium	EPA 200.7	1201042-002	<0.100	0.957	0.951	1.00	mg/L	95	95	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12010209	MS 1	Vanadium	EPA 200.7	1201042-002	0.378	1.33	1.34	1.00	mg/L	95	96	1 %
		Zinc	EPA 200.7	1201042-002	2.25	3.10	3.12	1.00	mg/L	85	87	1 %
		Aluminum	EPA 200.7	1201042-003	<0.045	0.935	0.932	1.00	mg/L	92	92	<1%
		Barium	EPA 200.7	1201042-003	0.107	1.05	1.05	1.00	mg/L	94	94	<1%
		Beryllium	EPA 200.7	1201042-003	<0.001	1.00	0.984	1.00	mg/L	100	98	2 %
		Bismuth	EPA 200.7	1201042-003	<0.100	0.889	0.891	1.00	mg/L	94	94	<1%
		Boron	EPA 200.7	1201042-003	0.390	1.35	1.34	1.00	mg/L	96	95	1 %
		Cadmium	EPA 200.7	1201042-003	0.123	1.08	1.08	1.00	mg/L	96	96	<1%
		Calcium	EPA 200.7	1201042-003	40.6	53.3	51.5	10.0	mg/L	127	109	3 %
		Chromium	EPA 200.7	1201042-003	0.006	0.911	0.908	1.00	mg/L	91	90	<1%
		Cobalt	EPA 200.7	1201042-003	0.024	0.849	0.868	1.00	mg/L	83	84	2 %
		Copper	EPA 200.7	1201042-003	29.3	35.6	33.7	5.00	mg/L	126	88	5 %
		Gallium	EPA 200.7	1201042-003	<0.100	0.864	0.868	1.00	mg/L	86	86	<1%
		Iron	EPA 200.7	1201042-003	0.332	1.12	1.13	1.00	mg/L	79	80	1 %
		Lithium	EPA 200.7	1201042-003	<0.100	1.05	1.04	1.00	mg/L	103	102	1 %
		Magnesium	EPA 200.7	1201042-003	<0.500	9.08	9.07	10.0	mg/L	90	90	<1%
		Manganese	EPA 200.7	1201042-003	0.033	0.992	0.993	1.00	mg/L	96	96	<1%
		Molybdenum	EPA 200.7	1201042-003	0.076	1.06	1.05	1.00	mg/L	98	97	1 %
		Nickel	EPA 200.7	1201042-003	0.030	4.68	4.69	5.00	mg/L	93	93	<1%
		Phosphorus	EPA 200.7	1201042-003	0.640	5.61	5.64	5.00	mg/L	99	100	1 %
		Potassium	EPA 200.7	1201042-003	14.7	M 28.5	27.4	10.0	mg/L	NC	NC	NC
		Scandium	EPA 200.7	1201042-003	<0.100	0.970	0.953	1.00	mg/L	97	95	2 %
		Silver	EPA 200.7	1201042-003	0.024	0.112	0.110	0.090	mg/L	98	95	2 %
		Sodium	EPA 200.7	1201042-003	1030	SC 1050	1000	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1201042-003	0.682	1.71	1.67	1.00	mg/L	103	99	2 %
		Tin	EPA 200.7	1201042-003	<0.100	0.933	0.935	1.00	mg/L	95	95	<1%
		Titanium	EPA 200.7	1201042-003	<0.100	0.920	0.920	1.00	mg/L	92	92	<1%
Vanadium	EPA 200.7	1201042-003	0.281	1.26	1.25	1.00	mg/L	98	97	1 %		
Zinc	EPA 200.7	1201042-003	2.22	3.30	3.22	1.00	mg/L	108	100	2 %		



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1112489

Report Due Date: 1/16/12

Page 1 of 1

Client McClelland Laboratories, Inc.
 Address 1016 Greg Street
 City, State & Zip Sparks, NV 89431
 Contact Gene McClelland
 Phone 775-356-1300 Collector's Name Robert
 Fax 775-356-8917 Project Name _____
 P.O. Number _____ Project Number 3438

Turnaround Time
 Standard _____ 5-Day _____ Other _____
Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested										Spl. No.			
					Profile II w/o vad	Uranium												
604 669	Wk:48	12/30/11	9:00	WW	2	X	X											
604 673																		2
604 767																		3
604 787																		4
604 656 <i>LAB</i>																		5 <i>LAB</i>
SRK 0854																		6
SRK 0858																		7
SRK 0867																		8
SRK 0872																		9

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>19 °C</u>	<u>12/30/11</u>	<u>5:45</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>18</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

12/20/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1112047


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/2/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1112047

General Comments

On Sample 1112047-017 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1112047-002 Potassium
- 1112047-005 Potassium
- 1112047-006 Iron
- 1112047-016 Potassium
- 1112047-017 Nitrite Nitrogen, Chloride
- 1112047-019 Iron

The reporting limits have been adjusted accordingly.

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on samples 1112047-002, 005, and 011 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 12/20/2011

OrderID: 1112047

Customer Sample ID: 604 562 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-001

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.90	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	72	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	59	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	0.59	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	35	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.015	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	32	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	5.2	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.30	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	0.96	mg/L	0.50	12/13/2011

Customer Sample ID: 604 562 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-001

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.23	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	0.024	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011
Anions	Calculation	1.94	meq/L	0.10	
Cations	Calculation	2.06	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 569 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-002

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.58	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	31	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	26	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	0.79	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	9.7	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	59	HT mg/L	10	12/15/2011
Aluminum	EPA 200.7	0.074	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011

Customer Sample ID: 604 569 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-002

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	11	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	0.011	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.052	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011
Anions	Calculation	0.75	meq/L	0.10	
Cations	Calculation	0.76	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 606 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-003

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	61	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011

Customer Sample ID: 604 606 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-003

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	50	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	14	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	60	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.050	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.030	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	22	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	0.021	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	3.6	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.041	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.62	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011

Customer Sample ID: 604 606 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-003

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.36	meq/L	0.10	
Cations	Calculation	1.46	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Customer Sample ID: 604 653 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-004

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	50	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	20	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	72	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.051	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.070	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	22	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.7	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.15	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.023	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011

Customer Sample ID: 604 653 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-004

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	0.65	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.13	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011
Anions	Calculation	1.30	meq/L	0.10	
Cations	Calculation	1.32	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 656 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-005

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	76	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	62	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	17	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	97	HT mg/L	10	12/15/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	25	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011

Customer Sample ID: 604 656 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-005

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	5.0	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.077	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.052	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.23	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011
Anions	Calculation	1.67	meq/L	0.10	
Cations	Calculation	1.68	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 669 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-006

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.85	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	6.3	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	5.2	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011

Customer Sample ID: 604 669 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-006

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.11	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	24	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	40	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.070	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.12	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	8.6	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.7	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.28	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/13/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/13/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/13/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/13/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/13/2011
Anions	Calculation	0.61	meq/L	0.10	
Cations	Calculation	0.67	meq/L	0.10	

Customer Sample ID: 604 669 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-006

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	4.4	%	1.0	

Customer Sample ID: 604 673 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-007

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.33	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	1.7	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	1.4	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	0.40	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	14	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	28	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.048	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	5.3	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	0.74	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.024	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.012	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011

Customer Sample ID: 604 673 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-007

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	0.014	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	0.34	meq/L	0.10	
Cations	Calculation	0.38	meq/L	0.10	
Error	Calculation	5.5	%	1.0	

Customer Sample ID: 604 767 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-008

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	40	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	33	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	34	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	63	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.037	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	20	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011

Customer Sample ID: 604 767 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-008

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	5.7	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.26	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	0.021	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	1.46	meq/L	0.10	
Cations	Calculation	1.51	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 787 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-009

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.86	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	62	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	51	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	37	mg/L	1.0	12/3/2011

Customer Sample ID: 604 787 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-009

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	69	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.011	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	29	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	5.0	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.077	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.0	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.18	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	0.020	mg/L	0.010	12/14/2011
Anions	Calculation	1.85	meq/L	0.10	
Cations	Calculation	1.89	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-010

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	84	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	69	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	16	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	47	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	25	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	6.6	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.024	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	0.72	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011

Customer Sample ID: 604 811 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-010

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	1.80	meq/L	0.10	
Cations	Calculation	1.81	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 854 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-011

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.73	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	50	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	32	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	95	HT mg/L	10	12/15/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.028	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	23	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	5.4	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.084	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.031	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011

Customer Sample ID: 604 854 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-011

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.13	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	1.58	meq/L	0.10	
Cations	Calculation	1.63	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: 604 862 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-012

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.15	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	260	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	220	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/3/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	12/3/2011
Sulfate	EPA 300.0	12	mg/L	1.0	12/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/3/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/3/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.013	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011

Customer Sample ID: 604 862 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-012

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	79	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	10	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.031	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.64	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.55	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	4.63	meq/L	0.10	
Cations	Calculation	4.82	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: 604 867 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-013

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	88	mg/L	1.0	12/2/2011

Customer Sample ID: 604 867 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-013

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	72	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	76	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	59	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	0.067	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	3.4	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.062	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	0.89	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011

Customer Sample ID: 604 867 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-013

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	3.10	meq/L	0.10	
Cations	Calculation	3.25	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Customer Sample ID: 605 033 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-014

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.74	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	46	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	12	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	55	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.055	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.012	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	21	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	0.98	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.058	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	12/13/2011

Customer Sample ID: 605 033 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-014

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.12	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	1.09	meq/L	0.10	
Cations	Calculation	1.19	meq/L	0.10	
Error	Calculation	4.4	%	1.0	

Customer Sample ID: 605 153 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-015

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.70	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	37	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	30	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.91	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	9.3	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	32	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.065	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.094	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011

Customer Sample ID: 605 153 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-015

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	14	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	0.015	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.3	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.034	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.011	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	0.98	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	0.66	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	0.85	meq/L	0.10	
Cations	Calculation	0.87	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: SRK 0854 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-016

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.99	pH Units		12/2/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011

Customer Sample ID: SRK 0854 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-016

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.17	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	94	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.099	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.022	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	0.0022	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	10	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	43	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	0.62	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.16	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	12/14/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	0.20	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	0.0064	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011

Customer Sample ID: SRK 0854 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-016

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.97	meq/L	0.10	
Cations	Calculation	1.93	meq/L	0.10	
Error	Calculation	1.0	%	1.0	

Customer Sample ID: SRK 0858 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-017

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.76	pH Units		12/2/2011
Acidity (Titrimetric)	SM 2310B	280	mg/L as CaCO ₃		12/2/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	12/4/2011
Fluoride	EPA 300.0	0.37	mg/L	0.20	12/4/2011
Sulfate	EPA 300.0	340	mg/L	10	12/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	12/4/2011
Sulfate (as calculated from S)	Calc.	340	mg/L	1.0	12/16/2011
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	12/6/2011
Sulfur	EPA 200.7	110	mg/L	20	12/16/2011
Aluminum	EPA 200.7	6.3	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	0.0049	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	2.0	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	0.0079	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	0.040	mg/L	0.010	12/13/2011
Copper	EPA 200.7	5.1	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	44	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.1	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.10	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	12/13/2011

Customer Sample ID: SRK 0858 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-017

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	0.029	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	0.0052	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	0.013	mg/L	0.010	12/14/2011
Anions	Calculation	7.10	meq/L	0.10	
Cations	Calculation	6.36	meq/L	0.10	
Error	Calculation	5.5	%	1.0	

Customer Sample ID: SRK 0864 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-018

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.46	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	28	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	23	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.14	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	1.8	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	1.1	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	27	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.012	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	8.7	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011

Customer Sample ID: SRK 0864 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-018

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	0.023	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	0.91	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	0.58	meq/L	0.10	
Cations	Calculation	0.58	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0866 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-019

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.38	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	2.0	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	1.6	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.73	mg/L	0.10	12/4/2011

Customer Sample ID: SRK 0866 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-019

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	5.9	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	1.3	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	16	mg/L	10	12/6/2011
Aluminum	EPA 200.7	0.064	mg/L	0.045	12/13/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	4.2	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	12/14/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.0095	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	0.29	meq/L	0.10	
Cations	Calculation	0.26	meq/L	0.10	
Error	Calculation	5.8	%	1.0	

Customer Sample ID: SRK 0866 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-019

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0867 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-020

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

pH	SM 4500-H+ B	7.45	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	24	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	19	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.32	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	16	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	22	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.017	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	13	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	0.014	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.011	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011

Customer Sample ID: SRK 0867 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-020

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	0.0075	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	0.74	meq/L	0.10	
Cations	Calculation	0.75	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0872 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-021

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.16	pH Units		12/2/2011
Bicarbonate (HCO ₃)	SM 2320B	13	mg/L	1.0	12/2/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/2/2011
Total Alkalinity	SM 2320B	10	mg/L as CaCO ₃	1.0	12/2/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/4/2011
Fluoride	EPA 300.0	0.25	mg/L	0.10	12/4/2011
Sulfate	EPA 300.0	40	mg/L	1.0	12/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/4/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/4/2011
Total Dissolved Solids (TDS)	SM 2540C	78	mg/L	10	12/6/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/13/2011
Barium	EPA 200.7	0.015	mg/L	0.010	12/13/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/13/2011
Calcium	EPA 200.7	21	mg/L	0.50	12/13/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/13/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011

Customer Sample ID: SRK 0872 WK:44

Collect Date/Time: 12/2/2011 09:00

WETLAB Sample ID: 1112047-021

Receive Date: 12/2/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	0.012	mg/L	0.010	12/13/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Magnesium	EPA 200.7	0.79	mg/L	0.50	12/13/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Molybdenum	EPA 200.7	0.24	mg/L	0.010	12/13/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/13/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	12/13/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/13/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/13/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/14/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	12/14/2011
Anions	Calculation	1.06	meq/L	0.10	
Cations	Calculation	1.11	meq/L	0.10	
Error	Calculation	2.5	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11120104	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11120104	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11120104	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11120105	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11120105	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11120105	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11120106	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11120106	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11120106	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11120107	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11120107	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11120107	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11120108	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120108	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120108	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120109	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120109	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120110	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.00	mg/L
QC11120110	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.00	mg/L
QC11120110	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.00	mg/L
QC11120111	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120111	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120111	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120112	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11120112	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11120112	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11120113	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11120113	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11120113	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11120209	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11120209	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11120209	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11120253	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11120253	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11120351	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11120388	Blank 1	Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
Gallium, Dissolved	EPA 200.7	<0.10	mg/L		
Iron, Dissolved	EPA 200.7	<0.010	mg/L		
Lithium, Dissolved	EPA 200.7	<0.10	mg/L		
Magnesium, Dissolved	EPA 200.7	<0.50	mg/L		
Manganese, Dissolved	EPA 200.7	<0.0050	mg/L		
Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L		
Nickel, Dissolved	EPA 200.7	<0.010	mg/L		
Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L		
Potassium, Dissolved	EPA 200.7	<0.50	mg/L		
Scandium, Dissolved	EPA 200.7	<0.10	mg/L		
Silver, Dissolved	EPA 200.7	<0.0050	mg/L		
Sodium, Dissolved	EPA 200.7	<0.50	mg/L		
Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC11120389	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11120413	Blank 1	Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
QC11120433	Blank 1	Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
QC11120434	Blank 1	Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
Lead, Dissolved	EPA 200.8	<0.0025	mg/L		
Selenium, Dissolved	EPA 200.8	<0.0050	mg/L		
Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11120090	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120090	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120090	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120090	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120093	LCS 1	Alkalinity	SM 2320B	93.7	100	94	mg/L
QC11120093	LCS 2	Alkalinity	SM 2320B	94.3	100	94	mg/L
QC11120093	LCS 3	Alkalinity	SM 2320B	93.9	100	94	mg/L
QC11120093	LCS 4	Alkalinity	SM 2320B	94.2	100	94	mg/L
QC11120104	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC11120105	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC11120106	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11120107	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11120108	LCS 1	Nitrite Nitrogen	EPA 300.0	0.516	0.500	103	mg/L
QC11120109	LCS 1	Nitrite Nitrogen	EPA 300.0	0.516	0.500	103	mg/L
QC11120110	LCS 1	Nitrate Nitrogen	EPA 300.0	2.04	2.00	102	mg/L
QC11120111	LCS 1	Nitrate Nitrogen	EPA 300.0	2.04	2.00	102	mg/L
QC11120112	LCS 1	Sulfate	EPA 300.0	23.8	25.0	95	mg/L
QC11120113	LCS 1	Sulfate	EPA 300.0	23.8	25.0	95	mg/L
QC11120209	LCS 1	Sulfate	EPA 300.0	27.4	25.0	109	mg/L
QC11120253	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC11120253	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC11120351	LCS 1	Aluminum	EPA 200.7	0.975	1.00	98	mg/L
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	0.971	1.00	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Bismuth	EPA 200.7	0.988	1.00	99	mg/L
		Boron	EPA 200.7	0.947	1.00	95	mg/L
		Cadmium	EPA 200.7	0.981	1.00	98	mg/L
		Calcium	EPA 200.7	9.81	10.0	98	mg/L
		Chromium	EPA 200.7	0.957	1.00	96	mg/L
		Cobalt	EPA 200.7	0.981	1.00	98	mg/L
		Copper	EPA 200.7	4.85	5.00	97	mg/L
		Gallium	EPA 200.7	0.965	1.00	96	mg/L
		Iron	EPA 200.7	0.976	1.00	98	mg/L
		Lithium	EPA 200.7	0.965	1.00	96	mg/L
		Magnesium	EPA 200.7	9.67	10.0	97	mg/L
		Manganese	EPA 200.7	0.962	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.958	1.00	96	mg/L
		Nickel	EPA 200.7	4.89	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.91	5.00	98	mg/L
		Potassium	EPA 200.7	9.84	10.0	98	mg/L
		Scandium	EPA 200.7	0.961	1.00	96	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
		Sodium	EPA 200.7	9.89	10.0	99	mg/L
		Strontium	EPA 200.7	0.983	1.00	98	mg/L
		Tin	EPA 200.7	0.943	1.00	94	mg/L
		Titanium	EPA 200.7	0.986	1.00	99	mg/L
		Vanadium	EPA 200.7	0.965	1.00	96	mg/L
		Zinc	EPA 200.7	0.989	1.00	99	mg/L
QC11120388	LCS 1	Aluminum	EPA 200.7	0.911	1.00	91	mg/L
		Barium	EPA 200.7	0.902	1.00	90	mg/L
		Beryllium	EPA 200.7	0.907	1.00	91	mg/L
		Bismuth	EPA 200.7	0.915	1.00	92	mg/L
		Boron	EPA 200.7	0.878	1.00	88	mg/L
		Cadmium	EPA 200.7	0.904	1.00	90	mg/L
		Calcium	EPA 200.7	9.23	10.0	92	mg/L
		Chromium	EPA 200.7	0.879	1.00	88	mg/L
		Cobalt	EPA 200.7	0.896	1.00	90	mg/L
		Copper	EPA 200.7	4.41	5.00	88	mg/L
		Gallium	EPA 200.7	0.907	1.00	91	mg/L
		Iron	EPA 200.7	0.909	1.00	91	mg/L
		Lithium	EPA 200.7	0.900	1.00	90	mg/L
		Magnesium	EPA 200.7	8.89	10.0	89	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.939	1.00	94	mg/L
		Nickel	EPA 200.7	4.49	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.42	5.00	88	mg/L
		Potassium	EPA 200.7	9.17	10.0	92	mg/L
		Scandium	EPA 200.7	0.900	1.00	90	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.20	10.0	92	mg/L
		Strontium	EPA 200.7	0.922	1.00	92	mg/L
		Tin	EPA 200.7	0.930	1.00	93	mg/L
		Titanium	EPA 200.7	0.942	1.00	94	mg/L
		Vanadium	EPA 200.7	0.895	1.00	90	mg/L
		Zinc	EPA 200.7	0.905	1.00	90	mg/L
QC11120389	LCS 1	Aluminum	EPA 200.7	0.911	1.00	91	mg/L
		Barium	EPA 200.7	0.902	1.00	90	mg/L
		Beryllium	EPA 200.7	0.907	1.00	91	mg/L
		Bismuth	EPA 200.7	0.915	1.00	92	mg/L
		Boron	EPA 200.7	0.878	1.00	88	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Cadmium	EPA 200.7	0.904	1.00	90	mg/L
		Calcium	EPA 200.7	9.23	10.0	92	mg/L
		Chromium	EPA 200.7	0.879	1.00	88	mg/L
		Cobalt	EPA 200.7	0.896	1.00	90	mg/L
		Copper	EPA 200.7	4.41	5.00	88	mg/L
		Gallium	EPA 200.7	0.907	1.00	91	mg/L
		Iron	EPA 200.7	0.909	1.00	91	mg/L
		Lithium	EPA 200.7	0.900	1.00	90	mg/L
		Magnesium	EPA 200.7	8.89	10.0	89	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.939	1.00	94	mg/L
		Nickel	EPA 200.7	4.49	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.42	5.00	88	mg/L
		Potassium	EPA 200.7	9.17	10.0	92	mg/L
		Scandium	EPA 200.7	0.900	1.00	90	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.20	10.0	92	mg/L
		Strontium	EPA 200.7	0.922	1.00	92	mg/L
		Tin	EPA 200.7	0.930	1.00	93	mg/L
		Titanium	EPA 200.7	0.942	1.00	94	mg/L
		Vanadium	EPA 200.7	0.895	1.00	90	mg/L
		Zinc	EPA 200.7	0.905	1.00	90	mg/L
QC11120413	LCS 1	Mercury	EPA 200.8	0.001079	0.001	108	mg/L
		Antimony	EPA 200.8	0.0111	0.010	111	mg/L
		Arsenic	EPA 200.8	0.0544	0.050	109	mg/L
		Lead	EPA 200.8	0.0109	0.010	109	mg/L
		Selenium	EPA 200.8	0.0513	0.050	103	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0107	0.010	107	mg/L
QC11120433	LCS 1	Mercury	EPA 200.8	0.000989	0.001	99	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0496	0.050	99	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0508	0.050	102	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L
QC11120434	LCS 1	Mercury	EPA 200.8	0.000989	0.001	99	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0496	0.050	99	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0508	0.050	102	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11120090	Duplicate	pH	SM 4500-H+ B	1112023-001	6.26	6.25	pH Units	<1%
QC11120090	Duplicate	pH	SM 4500-H+ B	1112032-003	7.23	7.17	pH Units	1 %
QC11120090	Duplicate	pH	SM 4500-H+ B	1112034-006	5.59	5.68	pH Units	2 %
QC11120090	Duplicate	pH	SM 4500-H+ B	1112041-003	8.97	8.99	pH Units	<1%
QC11120090	Duplicate	pH	SM 4500-H+ B	1112047-008	7.54	7.64	pH Units	1 %
QC11120090	Duplicate	pH	SM 4500-H+ B	1112047-018	7.46	7.44	pH Units	<1%
QC11120090	Duplicate	pH	SM 4500-H+ B	1112043-004	7.65	7.61	pH Units	1 %
QC11120090	Duplicate	pH	SM 4500-H+ B	1112046-011	6.57	6.64	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112023-001	44.1	44.1	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112023-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112023-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112023-001	36.2	36.2	mg/L as CaCO3	<1%
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112032-003	332	330	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1112032-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112032-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112032-003	272	270	mg/L as CaCO3	1 %
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112034-006	<1.000	<1.000	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1112034-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112034-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112034-006	<1.000	<1.000	mg/L as CaCO3	6 %
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112041-003	66.4	64.1	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1112041-003	21.3	22.0	mg/L	3 %
		Hydroxide (OH)	SM 2320B	1112041-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112041-003	89.8	89.0	mg/L as CaCO3	1 %
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112047-008	40.1	40.2	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112047-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112047-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112047-008	32.8	33.0	mg/L as CaCO3	<1%
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112047-018	28.1	25.9	mg/L	8 %
		Carbonate (CO3)	SM 2320B	1112047-018	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112047-018	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112047-018	23.0	21.2	mg/L as CaCO3	8 %
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112043-004	308	308	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112043-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112043-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112043-004	252	252	mg/L as CaCO3	<1%
QC11120093	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112046-011	3.94	5.65	Q mg/L	36 %
		Carbonate (CO3)	SM 2320B	1112046-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112046-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112046-011	3.23	4.63	Q mg/L as CaCO3	36 %
QC11120253	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112046-001	702	705	mg/L	<1%
QC11120253	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112046-013	29.0	31.0	mg/L	7 %
QC11120253	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112047-005	97.0	47.0	HT mg/L	11 %
QC11120253	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112047-016	171	167	mg/L	2 %
QC11120253	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112047-021	78.0	83.0	mg/L	6 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11120104	MS 1	Fluoride	EPA 300.0	1112047-001	0.590	2.33	2.34	2.00	mg/L	87	87	<1%
QC11120104	MS 2	Fluoride	EPA 300.0	1112047-002	0.789	2.50	2.51	2.00	mg/L	86	86	<1%
QC11120105	MS 1	Fluoride	EPA 300.0	1112047-009	1.16	2.81	2.81	2.00	mg/L	82	83	<1%
QC11120105	MS 2	Fluoride	EPA 300.0	1112047-019	0.731	2.53	2.53	2.00	mg/L	90	90	<1%
QC11120106	MS 1	Chloride	EPA 300.0	1112047-001	<1.000	5.28	5.32	5.00	mg/L	104	105	1 %
QC11120106	MS 2	Chloride	EPA 300.0	1112047-002	<1.000	5.36	5.38	5.00	mg/L	105	106	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11120107	MS 1	Chloride	EPA 300.0	1112047-009	<1.000	5.32	5.33	5.00	mg/L	104	105	<1%
QC11120107	MS 2	Chloride	EPA 300.0	1112047-019	<1.000	5.35	5.35	5.00	mg/L	105	105	<1%
QC11120108	MS 1	Nitrite Nitrogen	EPA 300.0	1112047-001	<0.025	0.498	0.510	0.500	mg/L	100	102	2 %
QC11120108	MS 2	Nitrite Nitrogen	EPA 300.0	1112047-009	<0.025	0.524	0.526	0.500	mg/L	104	104	<1%
QC11120109	MS 1	Nitrite Nitrogen	EPA 300.0	1112047-019	<0.025	0.542	0.545	0.500	mg/L	107	107	1 %
QC11120110	MS 1	Nitrate Nitrogen	EPA 300.0	1112047-001	<1.000	2.17	2.18	2.00	mg/L	106	107	<1%
QC11120110	MS 2	Nitrate Nitrogen	EPA 300.0	1112047-002	<1.000	2.19	2.20	2.00	mg/L	108	108	<1%
QC11120111	MS 1	Nitrate Nitrogen	EPA 300.0	1112047-009	<1.000	2.19	2.19	2.00	mg/L	107	108	<1%
QC11120111	MS 2	Nitrate Nitrogen	EPA 300.0	1112047-019	1.33	3.49	3.49	2.00	mg/L	108	108	<1%
QC11120112	MS 1	Sulfate	EPA 300.0	1112047-001	35.4	44.2	44.2	10.0	mg/L	88	88	<1%
QC11120112	MS 2	Sulfate	EPA 300.0	1112047-002	9.69	19.4	19.4	10.0	mg/L	97	97	<1%
QC11120113	MS 1	Sulfate	EPA 300.0	1112047-009	36.8	45.6	45.7	10.0	mg/L	88	89	<1%
QC11120113	MS 2	Sulfate	EPA 300.0	1112047-019	5.87	15.7	15.7	10.0	mg/L	98	99	<1%
QC11120209	MS 1	Sulfate	EPA 300.0	1111409-006	<10.00	112	113	10.0	mg/L	108	108	1 %
QC11120209	MS 2	Sulfate	EPA 300.0	1111449-003	666	SC 787	783	10.0	mg/L	NC	NC	NC
QC11120351	MS 1	Aluminum	EPA 200.7	1112106-001	<0.045	1.00	1.02	1.00	mg/L	96	98	2 %
		Barium	EPA 200.7	1112106-001	0.096	1.05	1.06	1.00	mg/L	95	96	1 %
		Beryllium	EPA 200.7	1112106-001	<0.001	0.965	0.966	1.00	mg/L	96	97	<1%
		Bismuth	EPA 200.7	1112106-001	<0.100	0.957	0.952	1.00	mg/L	97	96	1 %
		Boron	EPA 200.7	1112106-001	<0.100	0.977	0.982	1.00	mg/L	97	97	1 %
		Cadmium	EPA 200.7	1112106-001	<0.001	0.957	0.957	1.00	mg/L	96	96	<1%
		Calcium	EPA 200.7	1112106-001	82.2	SC 88.1	91.4	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1112106-001	<0.005	0.934	0.943	1.00	mg/L	93	94	1 %
		Cobalt	EPA 200.7	1112106-001	<0.010	0.939	0.943	1.00	mg/L	94	94	<1%
		Copper	EPA 200.7	1112106-001	<0.050	4.93	4.98	5.00	mg/L	99	100	1 %
		Gallium	EPA 200.7	1112106-001	<0.100	0.951	0.960	1.00	mg/L	94	95	1 %
		Iron	EPA 200.7	1112106-001	0.044	1.00	1.01	1.00	mg/L	96	97	1 %
		Lithium	EPA 200.7	1112106-001	<0.100	0.970	0.986	1.00	mg/L	96	98	2 %
		Magnesium	EPA 200.7	1112106-001	21.0	28.3	29.2	10.0	mg/L	73	82	3 %
		Manganese	EPA 200.7	1112106-001	<0.005	0.938	0.938	1.00	mg/L	94	94	<1%
		Molybdenum	EPA 200.7	1112106-001	<0.010	0.947	0.956	1.00	mg/L	94	95	1 %
		Nickel	EPA 200.7	1112106-001	<0.010	4.70	4.71	5.00	mg/L	94	94	<1%
		Phosphorus	EPA 200.7	1112106-001	<0.500	4.91	4.95	5.00	mg/L	96	97	1 %
		Potassium	EPA 200.7	1112106-001	1.76	12.1	12.1	10.0	mg/L	103	103	<1%
		Scandium	EPA 200.7	1112106-001	<0.100	0.942	0.955	1.00	mg/L	94	96	1 %
		Silver	EPA 200.7	1112106-001	<0.005	0.090	0.090	0.090	mg/L	99	100	<1%
		Sodium	EPA 200.7	1112106-001	9.26	18.7	19.4	10.0	mg/L	94	101	4 %
		Strontium	EPA 200.7	1112106-001	0.147	1.12	1.15	1.00	mg/L	97	100	3 %
		Tin	EPA 200.7	1112106-001	<0.100	0.843	0.850	1.00	mg/L	93	93	1 %
		Titanium	EPA 200.7	1112106-001	<0.100	0.964	0.985	1.00	mg/L	96	98	2 %
		Vanadium	EPA 200.7	1112106-001	0.028	0.981	0.990	1.00	mg/L	95	96	1 %
		Zinc	EPA 200.7	1112106-001	0.028	0.987	0.991	1.00	mg/L	96	96	<1%
QC11120388	MS 1	Aluminum, Dissolved	EPA 200.7	1112109-001	<0.045	0.914	0.918	1.00	mg/L	89	90	<1%
		Barium, Dissolved	EPA 200.7	1112109-001	0.080	1.01	1.01	1.00	mg/L	93	93	<1%
		Beryllium, Dissolved	EPA 200.7	1112109-001	<0.001	0.943	0.951	1.00	mg/L	94	95	1 %
		Bismuth, Dissolved	EPA 200.7	1112109-001	<0.100	0.926	0.922	1.00	mg/L	94	94	<1%
		Boron, Dissolved	EPA 200.7	1112109-001	0.675	1.67	1.67	1.00	mg/L	99	99	<1%
		Cadmium, Dissolved	EPA 200.7	1112109-001	<0.001	0.926	0.938	1.00	mg/L	93	94	1 %
		Calcium, Dissolved	EPA 200.7	1112109-001	147	158	156	10.0	mg/L	110	90	1 %
		Chromium, Dissolved	EPA 200.7	1112109-001	<0.005	0.915	0.918	1.00	mg/L	92	92	<1%
		Cobalt, Dissolved	EPA 200.7	1112109-001	<0.010	0.912	0.919	1.00	mg/L	91	92	1 %
		Copper, Dissolved	EPA 200.7	1112109-001	<0.050	4.69	4.70	5.00	mg/L	94	94	<1%
		Gallium, Dissolved	EPA 200.7	1112109-001	<0.100	0.929	0.933	1.00	mg/L	92	92	<1%
		Iron, Dissolved	EPA 200.7	1112109-001	1.03	2.03	2.01	1.00	mg/L	100	98	1 %
		Lithium, Dissolved	EPA 200.7	1112109-001	0.306	1.24	1.24	1.00	mg/L	93	93	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Magnesium, Dissolved	EPA 200.7	1112109-001	34.5	42.6	42.5	10.0	mg/L	81	80	<1%
		Manganese, Dissolved	EPA 200.7	1112109-001	<0.005	0.931	0.937	1.00	mg/L	94	94	1 %
		Molybdenum, Dissolved	EPA 200.7	1112109-001	0.022	0.969	0.967	1.00	mg/L	95	95	<1%
		Nickel, Dissolved	EPA 200.7	1112109-001	<0.010	4.55	4.59	5.00	mg/L	91	92	1 %
		Phosphorus, Dissolved	EPA 200.7	1112109-001	<0.500	4.79	4.83	5.00	mg/L	96	96	1 %
		Potassium, Dissolved	EPA 200.7	1112109-001	23.4	33.8	33.3	10.0	mg/L	104	99	1 %
		Scandium, Dissolved	EPA 200.7	1112109-001	<0.100	0.939	0.942	1.00	mg/L	94	94	<1%
		Silver, Dissolved	EPA 200.7	1112109-001	<0.005	0.084	0.085	0.090	mg/L	94	95	1 %
		Sodium, Dissolved	EPA 200.7	1112109-001	68.7	79.5	77.5	10.0	mg/L	108	88	3 %
		Strontium, Dissolved	EPA 200.7	1112109-001	0.752	1.73	1.70	1.00	mg/L	98	95	2 %
		Tin, Dissolved	EPA 200.7	1112109-001	<0.100	0.836	0.841	1.00	mg/L	94	95	1 %
		Titanium, Dissolved	EPA 200.7	1112109-001	<0.100	0.958	0.951	1.00	mg/L	96	95	1 %
		Vanadium, Dissolved	EPA 200.7	1112109-001	0.040	0.980	0.983	1.00	mg/L	94	94	<1%
		Zinc, Dissolved	EPA 200.7	1112109-001	<0.010	0.934	0.942	1.00	mg/L	93	94	1 %
QC11120389	MS 1	Aluminum, Dissolved	EPA 200.7	1112109-002	<0.045	0.915	0.921	1.00	mg/L	90	90	1 %
		Barium, Dissolved	EPA 200.7	1112109-002	0.030	0.962	0.957	1.00	mg/L	93	93	1 %
		Beryllium, Dissolved	EPA 200.7	1112109-002	<0.001	0.952	0.950	1.00	mg/L	95	95	<1%
		Bismuth, Dissolved	EPA 200.7	1112109-002	<0.100	0.935	0.931	1.00	mg/L	96	95	<1%
		Boron, Dissolved	EPA 200.7	1112109-002	<0.100	1.01	1.02	1.00	mg/L	95	96	1 %
		Cadmium, Dissolved	EPA 200.7	1112109-002	<0.001	0.930	0.929	1.00	mg/L	93	93	<1%
		Calcium, Dissolved	EPA 200.7	1112109-002	59.3	69.6	68.3	10.0	mg/L	103	90	2 %
		Chromium, Dissolved	EPA 200.7	1112109-002	<0.005	0.913	0.905	1.00	mg/L	91	91	1 %
		Cobalt, Dissolved	EPA 200.7	1112109-002	0.046	0.953	0.951	1.00	mg/L	91	91	<1%
		Copper, Dissolved	EPA 200.7	1112109-002	<0.050	4.64	4.71	5.00	mg/L	93	94	1 %
		Gallium, Dissolved	EPA 200.7	1112109-002	<0.100	0.936	0.940	1.00	mg/L	93	93	<1%
		Iron, Dissolved	EPA 200.7	1112109-002	<0.010	0.971	0.962	1.00	mg/L	97	96	1 %
		Lithium, Dissolved	EPA 200.7	1112109-002	<0.100	0.970	0.977	1.00	mg/L	95	96	1 %
		Magnesium, Dissolved	EPA 200.7	1112109-002	32.9	41.7	40.4	10.0	mg/L	88	75	3 %
		Manganese, Dissolved	EPA 200.7	1112109-002	<0.005	0.933	0.935	1.00	mg/L	94	95	<1%
		Molybdenum, Dissolved	EPA 200.7	1112109-002	<0.010	0.963	0.957	1.00	mg/L	96	95	1 %
		Nickel, Dissolved	EPA 200.7	1112109-002	<0.010	4.53	4.53	5.00	mg/L	91	91	<1%
		Phosphorus, Dissolved	EPA 200.7	1112109-002	<0.500	4.71	4.73	5.00	mg/L	92	93	<1%
		Potassium, Dissolved	EPA 200.7	1112109-002	6.98	17.4	17.4	10.0	mg/L	104	104	<1%
		Scandium, Dissolved	EPA 200.7	1112109-002	<0.100	0.932	0.931	1.00	mg/L	93	93	<1%
		Silver, Dissolved	EPA 200.7	1112109-002	<0.005	0.085	0.086	0.090	mg/L	96	97	1 %
		Sodium, Dissolved	EPA 200.7	1112109-002	23.5	33.9	33.4	10.0	mg/L	104	99	1 %
		Strontium, Dissolved	EPA 200.7	1112109-002	0.231	1.19	1.20	1.00	mg/L	96	97	1 %
		Tin, Dissolved	EPA 200.7	1112109-002	<0.100	0.901	0.892	1.00	mg/L	97	96	1 %
		Titanium, Dissolved	EPA 200.7	1112109-002	<0.100	0.952	0.947	1.00	mg/L	95	95	1 %
		Vanadium, Dissolved	EPA 200.7	1112109-002	0.044	0.981	0.982	1.00	mg/L	94	94	<1%
		Zinc, Dissolved	EPA 200.7	1112109-002	<0.010	0.926	0.920	1.00	mg/L	93	92	1 %
QC11120413	MS 1	Mercury	EPA 200.8	1112106-001	<0.00010	0.001120	0.001108	0.001	mg/L	112	111	1 %
		Antimony	EPA 200.8	1112106-001	<0.0025	0.0112	0.0111	0.010	mg/L	112	111	1 %
		Arsenic	EPA 200.8	1112106-001	<0.0050	0.0619	0.0600	0.050	mg/L	124	120	3 %
		Lead	EPA 200.8	1112106-001	<0.0025	0.0116	0.0121	0.010	mg/L	116	121	4 %
		Selenium	EPA 200.8	1112106-001	0.0087	0.0639	0.0618	0.050	mg/L	110	106	3 %
		Thallium	EPA 200.8	1112106-001	<0.0010	0.0110	0.0113	0.010	mg/L	110	113	3 %
		Uranium	EPA 200.8	1112106-001	<0.0100	0.0129	0.0134	0.010	mg/L	111	117	4 %
QC11120433	MS 1	Uranium, Dissolved	EPA 200.8	1112109-001	<0.0100	0.0101	0.0100	0.010	mg/L	101	100	1 %
		Mercury, Dissolved	EPA 200.8	1112109-001	<0.00010	0.000874	0.000903	0.001	mg/L	87	90	3 %
		Antimony, Dissolved	EPA 200.8	1112109-001	0.0506	0.0608	0.0631	0.010	mg/L	102	125	4 %
		Arsenic, Dissolved	EPA 200.8	1112109-001	0.6307	0.6631	0.6713	0.050	mg/L	65	81	1 %
		Lead, Dissolved	EPA 200.8	1112109-001	<0.0025	0.0101	0.0100	0.010	mg/L	79	78	1 %
		Selenium, Dissolved	EPA 200.8	1112109-001	<0.0050	0.0450	0.0445	0.050	mg/L	90	89	1 %
		Thallium, Dissolved	EPA 200.8	1112109-001	<0.0010	0.0098	0.0097	0.010	mg/L	98	97	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11120434	MS 1	Uranium, Dissolved	EPA 200.8	1112109-002	<0.0100	0.0133	0.0131	0.010	mg/L	108	106	2 %
		Mercury, Dissolved	EPA 200.8	1112109-002	<0.00010	0.001064	0.001071	0.001	mg/L	106	107	1 %
		Antimony, Dissolved	EPA 200.8	1112109-002	<0.0025	0.0105	0.0105	0.010	mg/L	105	105	<1%
		Arsenic, Dissolved	EPA 200.8	1112109-002	0.0103	0.0646	0.0653	0.050	mg/L	109	110	1 %
		Lead, Dissolved	EPA 200.8	1112109-002	<0.0025	0.0108	0.0106	0.010	mg/L	108	106	2 %
		Selenium, Dissolved	EPA 200.8	1112109-002	0.0232	0.0743	0.0771	0.050	mg/L	102	108	4 %
		Thallium, Dissolved	EPA 200.8	1112109-002	<0.0010	0.0108	0.0104	0.010	mg/L	108	104	4 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1112047

Report

Due Date: 12/16/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

S
A
M
P
L
E
T
Y
P
E

N
O.
O
F
C
O
N
T
A
I
N
E
R
S

Analyses Requested

Profile II w/o Wad

Uranium

Spl. No.

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO. OF CONTAINERS	Profile II w/o Wad	Uranium	Spl. No.
604 562	12/2/11	9:00	Wk:44	2	X	X	1
604 569							2
604 606							3
604 653							4
604 656							5
604 669							6
604 673							7
604 767							8
604 787							9
604 811							10
604 854							11
604 862							12

1112 5
047 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>18 °C</u>	<u>12/2</u>	<u>16:05</u>		
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>2</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1112047

Report Due Date: 12/16/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO. OF SAMPLE CONTAINERS

Analyses Requested

Profile II w/o Wad

Uranium

SAMPLE ID/LOCATION	DATE	TIME	NO. OF SAMPLE CONTAINERS	Profile II w/o Wad	Uranium	Spl. No.
604 867 Wk:44	12/2/11	9:00	2	X	X	13
605 033						14
605 153						15
SRK 0854						16
SRK 0858						17
SRK 0864						18
SRK 0866						19
SRK 0867						20
SRK 0872	↓	↓	↓	↓	↓	21

1112 5
047 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>18 °C</u>	<u>12/2</u>	<u>16:00</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>2</u> <u>412</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



11/29/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1111082

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/4/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1111082

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1111082-006 Molybdenum
- 1111082-010 Potassium
- 1111082-012 Nitrite Nitrogen, Chloride
- 1111082-015 Aluminum, Potassium
- 1111082-016 Cadmium
- 1111082-017 Nitrite Nitrogen, Chloride

The reporting limits have been adjusted accordingly.

The result for the continuing calibration verification (CCV) sample during the analysis for Fluoride was outside WETLAB acceptance criteria. Spike/Spike Duplicate data was however acceptable. The reported data for Fluoride on samples 1111082-008 through 017 should be considered estimates. We apologize for any inconvenience this may have caused.

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on samples 1111082-019 and 020 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 11/29/2011

OrderID: 1111082

Customer Sample ID: 604 562 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-001

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.68	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	66	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	7.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	66	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.75	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	44	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	0.020	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	36	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	5.9	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.36	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	11/10/2011

Customer Sample ID: 604 562 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-001

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	0.53	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	0.038	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/22/2011
Anions	Calculation	2.27	meq/L	0.10	
Cations	Calculation	2.35	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: 604 569 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-002

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	24	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	19	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.82	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	12	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	44	mg/L	10	11/5/2011
Aluminum	EPA 200.7	0.070	mg/L	0.045	11/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011

Customer Sample ID: 604 569 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-002

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	9.9	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	2.2	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.036	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	0.73	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/22/2011
Anions	Calculation	0.69	meq/L	0.10	
Cations	Calculation	0.70	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 606 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-003

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.11	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	60	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011

Customer Sample ID: 604 606 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-003

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	49	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	15	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	64	mg/L	10	11/5/2011
Aluminum	EPA 200.7	0.047	mg/L	0.045	11/10/2011
Barium	EPA 200.7	0.030	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	22	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	3.6	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.043	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	0.68	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/22/2011

Customer Sample ID: 604 606 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-003

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.37	meq/L	0.10	
Cations	Calculation	1.47	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: 604 653 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-004

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	45	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	37	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	28	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	83	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	0.061	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	24	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	1.9	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.15	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011

Customer Sample ID: 604 653 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-004

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	0.75	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.14	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/11/2011
Anions	Calculation	1.40	meq/L	0.10	
Cations	Calculation	1.44	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 656 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-005

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	81	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	67	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	16	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	97	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	28	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011

Customer Sample ID: 604 656 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-005

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	5.6	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.091	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	0.050	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	0.010	mg/L	0.010	11/11/2011
Anions	Calculation	1.74	meq/L	0.10	
Cations	Calculation	1.90	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: 604 669 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-006

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.38	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	25	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	20	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011

Customer Sample ID: 604 669 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-006

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.64	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	48	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	22	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	4.0	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.71	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	0.62	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/11/2011
Anions	Calculation	1.44	meq/L	0.10	
Cations	Calculation	1.52	meq/L	0.10	

Customer Sample ID: 604 669 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-006

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	2.6	%	1.0	

Customer Sample ID: 604 673 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-007

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.29	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	1.3	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	1.1	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.49	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	19	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	40	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	0.047	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	6.6	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	0.89	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.050	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	0.59	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011

Customer Sample ID: 604 673 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-007

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	0.021	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/11/2011
Anions	Calculation	0.44	meq/L	0.10	
Cations	Calculation	0.47	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Customer Sample ID: 604 767 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-008

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.44	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	34	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	28	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	45	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	56	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/10/2011
Barium	EPA 200.7	0.032	mg/L	0.010	11/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/10/2011
Calcium	EPA 200.7	22	mg/L	0.50	11/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/10/2011

Customer Sample ID: 604 767 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-008

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Magnesium	EPA 200.7	6.1	mg/L	0.50	11/10/2011
Manganese	EPA 200.7	0.28	mg/L	0.0050	11/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	11/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/10/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/10/2011
Strontium	EPA 200.7	0.18	mg/L	0.10	11/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/10/2011
Zinc	EPA 200.7	0.014	mg/L	0.010	11/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/11/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/11/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/11/2011
Anions	Calculation	1.61	meq/L	0.10	
Cations	Calculation	1.65	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: 604 787 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-009

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	71	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	58	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	27	mg/L	1.0	11/5/2011

Customer Sample ID: 604 787 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-009

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.012	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	30	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	5.2	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.12	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	0.012	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	0.032	mg/L	0.010	11/17/2011
Anions	Calculation	1.80	meq/L	0.10	
Cations	Calculation	1.97	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: 604 811 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-010

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.03	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	96	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	78	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	18	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	30	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	8.0	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.038	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	11/15/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.29	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011

Customer Sample ID: 604 811 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-010

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	2.06	meq/L	0.10	
Cations	Calculation	2.16	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: 604 854 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-011

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.70	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	50	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	35	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	95	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.031	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	26	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	6.0	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.096	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.039	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011

Customer Sample ID: 604 854 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-011

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.14	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	0.011	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	1.67	meq/L	0.10	
Cations	Calculation	1.83	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: 604 862 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-012

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	290	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	230	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	11/5/2011
Fluoride	EPA 300.0	2.5	mg/L	0.20	11/5/2011
Sulfate	EPA 300.0	15	mg/L	2.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	280	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.016	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011

Customer Sample ID: 604 862 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-012

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	95	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	12	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.079	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	0.63	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.68	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	5.20	meq/L	0.10	
Cations	Calculation	5.79	meq/L	0.10	
Error	Calculation	5.4	%	1.0	

Customer Sample ID: 604 867 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-013

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	11/4/2011

Customer Sample ID: 604 867 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-013

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	85	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	77	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	0.24	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.16	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.31	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	0.025	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011

Customer Sample ID: 604 867 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-013

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	3.98	meq/L	0.10	
Cations	Calculation	4.29	meq/L	0.10	
Error	Calculation	3.7	%	1.0	

Customer Sample ID: 605 033 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-014

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.62	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	47	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	16	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	76	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.013	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	23	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	1.1	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.066	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	11/11/2011

Customer Sample ID: 605 033 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-014

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	0.55	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.13	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	1.20	meq/L	0.10	
Cations	Calculation	1.30	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Customer Sample ID: 605 153 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-015

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.52	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	31	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	25	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.88	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	8.4	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	25	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.20	mg/L	0.20	11/15/2011
Barium	EPA 200.7	0.080	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011

Customer Sample ID: 605 153 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-015

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	12	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	1.1	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.035	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	11/15/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	0.55	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	0.73	meq/L	0.10	
Cations	Calculation	0.69	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: SRK 0854 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-016

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.06	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011

Customer Sample ID: SRK 0854 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-016

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.30	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	110	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	11/5/2011
Aluminum	EPA 200.7	0.10	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.023	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	11/14/2011
Calcium	EPA 200.7	12	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	45	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	0.70	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.20	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	0.64	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	0.72	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	0.25	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	0.0065	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011

Customer Sample ID: SRK 0854 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-016

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.31	meq/L	0.10	
Cations	Calculation	2.12	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: SRK 0858 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-017

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.69	pH Units		11/4/2011
Acidity (Titrimetric)	SM 2310B	330	mg/L as CaCO3		11/4/2011
Chloride	EPA 300.0	<5.0	mg/L	5.0	11/5/2011
Fluoride	EPA 300.0	0.58	mg/L	0.50	11/5/2011
Sulfate	EPA 300.0	440	mg/L	5.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	460	mg/L	10	11/5/2011
Aluminum	EPA 200.7	11	mg/L	0.045	11/11/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	0.0049	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	3.0	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	0.021	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	0.055	mg/L	0.010	11/11/2011
Copper	EPA 200.7	7.5	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	47	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.13	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	0.59	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011

Customer Sample ID: SRK 0858 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-017

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	0.041	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	0.0066	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	0.015	mg/L	0.010	11/17/2011
Anions	Calculation	9.19	meq/L	0.10	
Cations	Calculation	7.70	meq/L	0.10	
Error	Calculation	8.8	%	1.0	

Customer Sample ID: SRK 0864 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-018

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.69	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	34	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	28	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.20	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	1.6	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	48	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.014	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	11	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011

Customer Sample ID: SRK 0864 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-018

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	0.62	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	0.60	meq/L	0.10	
Cations	Calculation	0.73	meq/L	0.10	
Error	Calculation	9.5	%	1.0	

Customer Sample ID: SRK 0866 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-019

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.44	pH Units		11/4/2011
Bicarbonate (HCO3)	SM 2320B	2.3	mg/L	1.0	11/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	1.9	mg/L as CaCO3	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.81	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	6.6	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011

Customer Sample ID: SRK 0866 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-019

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	12	HT mg/L	10	11/17/2011
Aluminum	EPA 200.7	0.088	mg/L	0.045	11/11/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	3.2	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.0065	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	0.22	meq/L	0.10	
Cations	Calculation	0.21	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: SRK 0867 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-020

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.27	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	21	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	17	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.44	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	20	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	73	HT mg/L	10	11/17/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.016	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	14	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	0.012	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.011	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	0.0073	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011

Customer Sample ID: SRK 0867 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-020

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	0.78	meq/L	0.10	
Cations	Calculation	0.80	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0872 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-021

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.26	pH Units		11/4/2011
Bicarbonate (HCO ₃)	SM 2320B	24	mg/L	1.0	11/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/4/2011
Total Alkalinity	SM 2320B	19	mg/L as CaCO ₃	1.0	11/4/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/5/2011
Fluoride	EPA 300.0	0.27	mg/L	0.10	11/5/2011
Sulfate	EPA 300.0	54	mg/L	1.0	11/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/5/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	11/5/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/11/2011
Barium	EPA 200.7	0.020	mg/L	0.010	11/11/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/11/2011
Calcium	EPA 200.7	29	mg/L	0.50	11/11/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Magnesium	EPA 200.7	0.98	mg/L	0.50	11/11/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Molybdenum	EPA 200.7	0.31	mg/L	0.010	11/11/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/11/2011

Customer Sample ID: SRK 0872 WK:40

Collect Date/Time: 11/4/2011 09:00

WETLAB Sample ID: 1111082-021

Receive Date: 11/4/2011 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/11/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	11/11/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/11/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/11/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	11/17/2011
Anions	Calculation	1.53	meq/L	0.10	
Cations	Calculation	1.53	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11110172	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11110172	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11110173	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11110173	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11110173	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11110175	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11110175	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11110175	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11110176	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11110176	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11110177	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110177	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110177	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110178	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110178	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110178	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110180	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110180	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110180	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110181	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110181	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110183	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11110183	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11110183	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11110184	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11110184	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11110184	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11110280	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110280	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110280	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110342	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11110344	Blank 1	Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
Sodium, Dissolved	EPA 200.7	<0.50	mg/L		
Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.0050	mg/L		
QC11110358	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
Silver	EPA 200.7	<0.0050	mg/L		
Sodium	EPA 200.7	<0.50	mg/L		

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC11110359	Blank 1	Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
Potassium	EPA 200.7	<0.50	mg/L		
Scandium	EPA 200.7	<0.10	mg/L		
Silver	EPA 200.7	<0.0050	mg/L		
Sodium	EPA 200.7	<0.50	mg/L		
Strontium	EPA 200.7	<0.10	mg/L		
Tin	EPA 200.7	<0.10	mg/L		
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		
QC11110363	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L
QC11110375	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L
QC11110588	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11110589	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units		
		Lead	EPA 200.8	<0.0025	mg/L		
		Selenium	EPA 200.8	<0.0050	mg/L		
		Thallium	EPA 200.8	<0.0010	mg/L		
		Uranium	EPA 200.8	<0.010	mg/L		
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11110161	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11110161	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11110161	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11110161	LCS 4	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11110163	LCS 1	Alkalinity	SM 2320B	94.9	100	95	mg/L
QC11110163	LCS 2	Alkalinity	SM 2320B	94.4	100	94	mg/L
QC11110163	LCS 3	Alkalinity	SM 2320B	93.6	100	94	mg/L
QC11110163	LCS 4	Alkalinity	SM 2320B	94.5	100	94	mg/L
QC11110172	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC11110173	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC11110175	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC11110176	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC11110177	LCS 1	Nitrite Nitrogen	EPA 300.0	0.517	0.500	103	mg/L
QC11110178	LCS 1	Nitrite Nitrogen	EPA 300.0	0.517	0.500	103	mg/L
QC11110180	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11110181	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11110183	LCS 1	Sulfate	EPA 300.0	25.0	25.0	100	mg/L
QC11110184	LCS 1	Sulfate	EPA 300.0	25.0	25.0	100	mg/L
QC11110280	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC11110280	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC11110280	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC11110342	LCS 1	Aluminum	EPA 200.7	1.04	1.00	104	mg/L
		Barium	EPA 200.7	1.06	1.00	106	mg/L
		Beryllium	EPA 200.7	1.06	1.00	106	mg/L
		Bismuth	EPA 200.7	1.06	1.00	106	mg/L
		Boron	EPA 200.7	1.04	1.00	104	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.6	10.0	106	mg/L
		Chromium	EPA 200.7	1.05	1.00	105	mg/L
		Cobalt	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.14	5.00	103	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.03	1.00	103	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.05	1.00	105	mg/L
		Molybdenum	EPA 200.7	1.06	1.00	106	mg/L
		Nickel	EPA 200.7	5.34	5.00	107	mg/L
		Phosphorus	EPA 200.7	5.34	5.00	107	mg/L
		Potassium	EPA 200.7	10.7	10.0	107	mg/L
		Scandium	EPA 200.7	1.04	1.00	104	mg/L
		Silver	EPA 200.7	0.094	0.090	105	mg/L
		Sodium	EPA 200.7	10.6	10.0	106	mg/L
		Strontium	EPA 200.7	1.05	1.00	105	mg/L
		Tin	EPA 200.7	1.06	1.00	106	mg/L
		Titanium	EPA 200.7	1.07	1.00	107	mg/L
		Vanadium	EPA 200.7	1.05	1.00	105	mg/L
		Zinc	EPA 200.7	1.09	1.00	109	mg/L
QC11110344	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.07	1.00	107	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Beryllium	EPA 200.7	1.08	1.00	108	mg/L
		Bismuth	EPA 200.7	1.10	1.00	110	mg/L
		Boron	EPA 200.7	1.06	1.00	106	mg/L
		Cadmium	EPA 200.7	1.09	1.00	109	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.08	1.00	108	mg/L
		Copper	EPA 200.7	5.18	5.00	104	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.06	1.00	106	mg/L
		Lithium	EPA 200.7	1.05	1.00	105	mg/L
		Magnesium	EPA 200.7	10.6	10.0	106	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.08	1.00	108	mg/L
		Nickel	EPA 200.7	5.38	5.00	108	mg/L
		Phosphorus	EPA 200.7	5.47	5.00	109	mg/L
		Potassium	EPA 200.7	10.6	10.0	106	mg/L
		Scandium	EPA 200.7	1.06	1.00	106	mg/L
		Silver	EPA 200.7	0.096	0.090	107	mg/L
		Sodium	EPA 200.7	10.9	10.0	109	mg/L
		Strontium	EPA 200.7	1.09	1.00	109	mg/L
		Tin	EPA 200.7	1.08	1.00	108	mg/L
		Titanium	EPA 200.7	1.05	1.00	105	mg/L
		Vanadium	EPA 200.7	1.07	1.00	107	mg/L
		Zinc	EPA 200.7	1.10	1.00	110	mg/L
QC11110358	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.08	1.00	108	mg/L
		Beryllium	EPA 200.7	1.06	1.00	106	mg/L
		Bismuth	EPA 200.7	1.08	1.00	108	mg/L
		Boron	EPA 200.7	1.05	1.00	105	mg/L
		Cadmium	EPA 200.7	1.10	1.00	110	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L
		Copper	EPA 200.7	5.10	5.00	102	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	0.984	1.00	98	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.09	1.00	109	mg/L
		Nickel	EPA 200.7	5.45	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.60	5.00	112	mg/L
		Potassium	EPA 200.7	10.4	10.0	104	mg/L
		Scandium	EPA 200.7	1.03	1.00	103	mg/L
		Silver	EPA 200.7	0.096	0.090	106	mg/L
		Sodium	EPA 200.7	9.99	10.0	100	mg/L
		Strontium	EPA 200.7	0.985	1.00	98	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.06	1.00	106	mg/L
		Zinc	EPA 200.7	1.13	1.00	113	mg/L
QC11110359	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.08	1.00	108	mg/L
		Beryllium	EPA 200.7	1.06	1.00	106	mg/L
		Bismuth	EPA 200.7	1.08	1.00	108	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Boron	EPA 200.7	1.05	1.00	105	mg/L
		Cadmium	EPA 200.7	1.10	1.00	110	mg/L
		Calcium	EPA 200.7	10.7	10.0	107	mg/L
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.09	1.00	109	mg/L
		Copper	EPA 200.7	5.10	5.00	102	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	0.984	1.00	98	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.08	1.00	108	mg/L
		Molybdenum	EPA 200.7	1.09	1.00	109	mg/L
		Nickel	EPA 200.7	5.45	5.00	109	mg/L
		Phosphorus	EPA 200.7	5.60	5.00	112	mg/L
		Potassium	EPA 200.7	10.4	10.0	104	mg/L
		Scandium	EPA 200.7	1.03	1.00	103	mg/L
		Silver	EPA 200.7	0.096	0.090	106	mg/L
		Sodium	EPA 200.7	9.99	10.0	100	mg/L
		Strontium	EPA 200.7	0.985	1.00	98	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.06	1.00	106	mg/L
		Zinc	EPA 200.7	1.13	1.00	113	mg/L
QC11110363	LCS 1	Mercury	EPA 200.8	0.000989	0.001	99	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0496	0.050	99	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0483	0.050	97	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
QC11110375	LCS 1	Mercury	EPA 200.8	0.001041	0.001	104	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0501	0.050	100	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0490	0.050	98	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0099	0.010	99	mg/L
QC11110588	LCS 1	Mercury	EPA 200.8	0.000983	0.001	98	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0493	0.050	99	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0495	0.050	99	mg/L
		Thallium	EPA 200.8	0.0095	0.010	95	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	97	mg/L
QC11110589	LCS 1	Mercury	EPA 200.8	0.000983	0.001	98	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0493	0.050	99	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0495	0.050	99	mg/L
		Thallium	EPA 200.8	0.0095	0.010	95	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	97	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11110161	Duplicate	pH	SM 4500-H+ B	1111030-001	8.42	8.48	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11110161	Duplicate	pH	SM 4500-H+ B	1111032-002	8.07	8.08	pH Units	<1%
QC11110161	Duplicate	pH	SM 4500-H+ B	1111072-001	8.37	8.43	pH Units	1 %
QC11110161	Duplicate	pH	SM 4500-H+ B	1111074-005	7.53	7.46	pH Units	1 %
QC11110161	Duplicate	pH	SM 4500-H+ B	1111084-001	2.96	2.94	pH Units	1 %
QC11110161	Duplicate	pH	SM 4500-H+ B	1111085-001	9.79	9.81	pH Units	<1%
QC11110161	Duplicate	pH	SM 4500-H+ B	1111085-002	9.94	9.95	pH Units	<1%
QC11110161	Duplicate	pH	SM 4500-H+ B	1111086-003	7.77	7.69	pH Units	1 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111030-001	48.1	55.1	mg/L	14 %
		Carbonate (CO3)	SM 2320B	1111030-001	3.19	<1.000	mg/L	200 %
		Hydroxide (OH)	SM 2320B	1111030-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111030-001	44.8	45.2	mg/L as CaCO3	1 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111032-002	254	253	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1111032-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111032-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111032-002	209	207	mg/L as CaCO3	1 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111072-001	81.7	79.0	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1111072-001	2.27	4.70	mg/L	70 %
		Hydroxide (OH)	SM 2320B	1111072-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111072-001	70.7	72.5	mg/L as CaCO3	3 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111074-005	423	422	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111074-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111074-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111074-005	347	346	mg/L as CaCO3	<1%
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111082-002	23.7	22.5	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1111082-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111082-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111082-002	19.4	18.5	mg/L as CaCO3	5 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111085-001	36.2	31.4	mg/L	14 %
		Carbonate (CO3)	SM 2320B	1111085-001	60.1	62.0	mg/L	3 %
		Hydroxide (OH)	SM 2320B	1111085-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111085-001	129	129	mg/L as CaCO3	1 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111085-002	25.9	23.2	mg/L	11 %
		Carbonate (CO3)	SM 2320B	1111085-002	76.3	83.8	mg/L	9 %
		Hydroxide (OH)	SM 2320B	1111085-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111085-002	148	158	mg/L as CaCO3	7 %
QC11110163	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111086-003	315	332	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1111086-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111086-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111086-003	258	272	mg/L as CaCO3	5 %
QC11110280	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111032-001	534	528	mg/L	1 %
QC11110280	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111073-001	207	205	mg/L	1 %
QC11110280	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111082-003	64.0	56.0	mg/L	13 %
QC11110280	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111082-013	238	228	mg/L	4 %
QC11110280	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111085-001	156	163	mg/L	4 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11110172	MS 1	Fluoride	EPA 300.0	1111025-003	<0.100	HT 2.14	2.15	2.00	mg/L	108	108	<1%
QC11110173	MS 1	Fluoride	EPA 300.0	1111082-008	2.21	3.96	3.95	2.00	mg/L	87	87	<1%
QC11110173	MS 2	Fluoride	EPA 300.0	1111082-018	0.197	2.33	2.32	2.00	mg/L	107	106	<1%
QC11110175	MS 1	Chloride	EPA 300.0	1111078-001	21.4	25.9	26.0	5.00	mg/L	90	91	<1%
QC11110175	MS 2	Chloride	EPA 300.0	1111082-008	<1.000	5.22	5.19	5.00	mg/L	103	102	1%
QC11110176	MS 1	Chloride	EPA 300.0	1111082-018	<1.000	5.29	5.28	5.00	mg/L	104	103	<1%
QC11110177	MS 1	Nitrite Nitrogen	EPA 300.0	1111067-005	<0.025	0.464	0.473	0.500	mg/L	92	94	2%
QC11110177	MS 2	Nitrite Nitrogen	EPA 300.0	1111067-012	<0.025	0.505	0.510	0.500	mg/L	100	101	1%
QC11110178	MS 1	Nitrite Nitrogen	EPA 300.0	1111082-008	<0.025	0.507	0.489	0.500	mg/L	100	97	4%
QC11110178	MS 2	Nitrite Nitrogen	EPA 300.0	1111082-018	<0.025	0.512	0.514	0.500	mg/L	101	101	<1%
QC11110180	MS 1	Nitrate Nitrogen	EPA 300.0	1111078-001	<1.000	2.12	2.13	2.00	mg/L	103	104	<1%
QC11110180	MS 2	Nitrate Nitrogen	EPA 300.0	1111082-008	<1.000	2.08	2.08	2.00	mg/L	103	103	<1%
QC11110181	MS 1	Nitrate Nitrogen	EPA 300.0	1111082-018	<1.000	2.81	2.81	2.00	mg/L	105	105	<1%
QC11110183	MS 1	Sulfate	EPA 300.0	1111025-003	<1.000	HT 10.1	10.2	10.0	mg/L	102	102	1%
QC11110183	MS 2	Sulfate	EPA 300.0	1111078-001	88.0	M 95.5	95.5	10.0	mg/L	NC	NC	NC
QC11110184	MS 1	Sulfate	EPA 300.0	1111082-008	44.7	53.0	53.6	10.0	mg/L	83	89	1%
QC11110184	MS 2	Sulfate	EPA 300.0	1111082-018	1.58	12.1	12.0	10.0	mg/L	105	104	1%
QC11110342	MS 1	Aluminum, Dissolved	EPA 200.7	1111086-001	<0.045	1.10	1.05	1.00	mg/L	109	104	5%
		Barium, Dissolved	EPA 200.7	1111086-001	0.031	1.05	1.06	1.00	mg/L	102	103	1%
		Beryllium, Dissolved	EPA 200.7	1111086-001	<0.001	0.985	1.02	1.00	mg/L	99	102	3%
		Bismuth, Dissolved	EPA 200.7	1111086-001	<0.100	0.976	1.00	1.00	mg/L	102	104	2%
		Boron, Dissolved	EPA 200.7	1111086-001	<0.100	1.08	1.11	1.00	mg/L	103	106	3%
		Cadmium, Dissolved	EPA 200.7	1111086-001	<0.001	0.974	1.00	1.00	mg/L	98	100	3%
		Calcium, Dissolved	EPA 200.7	1111086-001	176	SC 179	188	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1111086-001	<0.005	1.02	1.04	1.00	mg/L	102	104	2%
		Cobalt, Dissolved	EPA 200.7	1111086-001	<0.010	0.988	1.02	1.00	mg/L	98	102	3%
		Copper, Dissolved	EPA 200.7	1111086-001	<0.050	5.37	5.44	5.00	mg/L	107	109	1%
		Gallium, Dissolved	EPA 200.7	1111086-001	<0.100	1.03	1.03	1.00	mg/L	103	103	<1%
		Iron, Dissolved	EPA 200.7	1111086-001	0.027	1.02	1.06	1.00	mg/L	99	103	4%
		Lithium, Dissolved	EPA 200.7	1111086-001	<0.100	1.06	1.11	1.00	mg/L	101	106	5%
		Magnesium, Dissolved	EPA 200.7	1111086-001	52.4	SC 57.5	60.5	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1111086-001	0.031	1.04	1.05	1.00	mg/L	101	102	1%
		Molybdenum, Dissolved	EPA 200.7	1111086-001	0.015	1.03	1.05	1.00	mg/L	102	104	2%
		Nickel, Dissolved	EPA 200.7	1111086-001	<0.010	4.92	5.07	5.00	mg/L	98	101	3%
		Phosphorus, Dissolved	EPA 200.7	1111086-001	<0.500	5.22	5.35	5.00	mg/L	102	104	2%
		Potassium, Dissolved	EPA 200.7	1111086-001	7.76	18.6	19.6	10.0	mg/L	108	118	5%
		Scandium, Dissolved	EPA 200.7	1111086-001	<0.100	1.02	1.06	1.00	mg/L	102	106	4%
		Silver, Dissolved	EPA 200.7	1111086-001	<0.005	0.094	0.094	0.090	mg/L	104	104	<1%
		Sodium, Dissolved	EPA 200.7	1111086-001	41.2	50.8	53.8	10.0	mg/L	96	126	6%
		Strontium, Dissolved	EPA 200.7	1111086-001	0.954	1.97	2.10	1.00	mg/L	102	115	6%
		Tin, Dissolved	EPA 200.7	1111086-001	<0.100	0.890	0.891	1.00	mg/L	99	99	<1%
		Titanium, Dissolved	EPA 200.7	1111086-001	<0.100	0.995	1.07	1.00	mg/L	100	107	7%
		Vanadium, Dissolved	EPA 200.7	1111086-001	0.048	1.07	1.09	1.00	mg/L	102	104	2%
		Zinc, Dissolved	EPA 200.7	1111086-001	<0.010	0.965	0.997	1.00	mg/L	96	100	3%
QC11110344	MS 1	Aluminum, Dissolved	EPA 200.7	1111086-002	<0.045	1.01	0.971	1.00	mg/L	99	95	4%
		Barium, Dissolved	EPA 200.7	1111086-002	0.110	1.15	1.12	1.00	mg/L	104	101	3%
		Beryllium, Dissolved	EPA 200.7	1111086-002	<0.001	1.05	1.05	1.00	mg/L	105	105	<1%
		Bismuth, Dissolved	EPA 200.7	1111086-002	<0.100	1.03	1.03	1.00	mg/L	105	105	<1%
		Boron, Dissolved	EPA 200.7	1111086-002	<0.100	1.12	1.09	1.00	mg/L	104	101	3%
		Cadmium, Dissolved	EPA 200.7	1111086-002	<0.001	1.04	1.01	1.00	mg/L	104	101	3%
		Calcium, Dissolved	EPA 200.7	1111086-002	45.2	56.0	55.6	10.0	mg/L	108	104	1%
		Chromium, Dissolved	EPA 200.7	1111086-002	<0.005	1.02	0.991	1.00	mg/L	102	99	3%
		Cobalt, Dissolved	EPA 200.7	1111086-002	<0.010	1.02	1.02	1.00	mg/L	102	102	<1%
		Copper, Dissolved	EPA 200.7	1111086-002	<0.050	5.10	4.94	5.00	mg/L	102	99	3%
		Gallium, Dissolved	EPA 200.7	1111086-002	<0.100	1.01	0.994	1.00	mg/L	100	99	2%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Iron, Dissolved	EPA 200.7	1111086-002	1.47	2.58	2.55	1.00	mg/L	111	108	1 %
		Lithium, Dissolved	EPA 200.7	1111086-002	<0.100	1.02	1.02	1.00	mg/L	99	99	<1%
		Magnesium, Dissolved	EPA 200.7	1111086-002	21.3	31.6	31.3	10.0	mg/L	103	100	1 %
		Manganese, Dissolved	EPA 200.7	1111086-002	0.907	1.97	1.91	1.00	mg/L	106	100	3 %
		Molybdenum, Dissolved	EPA 200.7	1111086-002	<0.010	1.05	1.04	1.00	mg/L	105	104	1 %
		Nickel, Dissolved	EPA 200.7	1111086-002	<0.010	5.13	5.03	5.00	mg/L	103	101	2 %
		Phosphorus, Dissolved	EPA 200.7	1111086-002	<0.500	5.40	5.37	5.00	mg/L	105	104	1 %
		Potassium, Dissolved	EPA 200.7	1111086-002	10.4	21.7	21.5	10.0	mg/L	113	111	1 %
		Scandium, Dissolved	EPA 200.7	1111086-002	<0.100	1.03	1.03	1.00	mg/L	103	103	<1%
		Silver, Dissolved	EPA 200.7	1111086-002	<0.005	0.092	0.089	0.090	mg/L	103	100	3 %
		Sodium, Dissolved	EPA 200.7	1111086-002	47.6	58.6	58.2	10.0	mg/L	110	106	1 %
		Strontium, Dissolved	EPA 200.7	1111086-002	0.637	1.69	1.69	1.00	mg/L	105	105	<1%
		Tin, Dissolved	EPA 200.7	1111086-002	<0.100	0.998	0.981	1.00	mg/L	106	104	2 %
		Titanium, Dissolved	EPA 200.7	1111086-002	<0.100	1.03	1.02	1.00	mg/L	103	102	1 %
		Vanadium, Dissolved	EPA 200.7	1111086-002	0.025	1.07	1.04	1.00	mg/L	105	102	3 %
		Zinc, Dissolved	EPA 200.7	1111086-002	<0.010	1.06	1.04	1.00	mg/L	106	104	2 %
QC11110358	MS 1	Aluminum	EPA 200.7	1111116-001	<0.045	1.05	1.09	1.00	mg/L	102	106	4 %
		Barium	EPA 200.7	1111116-001	0.037	1.08	1.12	1.00	mg/L	104	108	4 %
		Beryllium	EPA 200.7	1111116-001	<0.001	1.04	1.08	1.00	mg/L	104	108	4 %
		Bismuth	EPA 200.7	1111116-001	<0.100	1.00	1.05	1.00	mg/L	103	108	5 %
		Boron	EPA 200.7	1111116-001	0.163	1.27	1.32	1.00	mg/L	111	116	4 %
		Cadmium	EPA 200.7	1111116-001	<0.001	1.05	1.09	1.00	mg/L	105	109	4 %
		Calcium	EPA 200.7	1111116-001	493	SC 488	503	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1111116-001	<0.005	1.05	1.09	1.00	mg/L	105	109	4 %
		Cobalt	EPA 200.7	1111116-001	<0.010	1.02	1.06	1.00	mg/L	102	106	4 %
		Copper	EPA 200.7	1111116-001	<0.050	5.25	5.44	5.00	mg/L	105	109	4 %
		Gallium	EPA 200.7	1111116-001	<0.100	1.00	1.04	1.00	mg/L	99	103	4 %
		Iron	EPA 200.7	1111116-001	2.94	4.06	4.21	1.00	mg/L	112	127	4 %
		Lithium	EPA 200.7	1111116-001	0.124	1.14	1.19	1.00	mg/L	102	107	4 %
		Magnesium	EPA 200.7	1111116-001	67.7	75.5	78.5	10.0	mg/L	78	108	4 %
		Manganese	EPA 200.7	1111116-001	0.310	1.35	1.40	1.00	mg/L	104	109	4 %
		Molybdenum	EPA 200.7	1111116-001	0.289	1.35	1.41	1.00	mg/L	106	112	4 %
		Nickel	EPA 200.7	1111116-001	<0.010	5.14	5.31	5.00	mg/L	103	106	3 %
		Phosphorus	EPA 200.7	1111116-001	<0.500	5.78	5.98	5.00	mg/L	114	118	3 %
		Potassium	EPA 200.7	1111116-001	11.6	23.5	24.3	10.0	mg/L	119	127	3 %
		Scandium	EPA 200.7	1111116-001	<0.100	1.03	1.07	1.00	mg/L	103	107	4 %
		Silver	EPA 200.7	1111116-001	<0.005	0.096	0.101	0.090	mg/L	109	114	5 %
		Sodium	EPA 200.7	1111116-001	143	SC 148	153	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1111116-001	3.00	3.87	3.99	1.00	mg/L	87	99	3 %
		Tin	EPA 200.7	1111116-001	<0.100	0.900	0.944	1.00	mg/L	105	109	5 %
		Titanium	EPA 200.7	1111116-001	<0.100	1.01	1.05	1.00	mg/L	102	106	4 %
		Vanadium	EPA 200.7	1111116-001	0.053	1.10	1.14	1.00	mg/L	105	109	4 %
		Zinc	EPA 200.7	1111116-001	<0.010	1.07	1.11	1.00	mg/L	106	110	4 %
QC11110359	MS 1	Aluminum	EPA 200.7	1111116-002	0.112	1.19	1.13	1.00	mg/L	108	102	5 %
		Barium	EPA 200.7	1111116-002	0.021	1.07	1.00	1.00	mg/L	105	98	7 %
		Beryllium	EPA 200.7	1111116-002	<0.001	1.11	1.03	1.00	mg/L	111	103	7 %
		Bismuth	EPA 200.7	1111116-002	<0.100	1.04	0.984	1.00	mg/L	105	99	6 %
		Boron	EPA 200.7	1111116-002	0.451	1.53	1.45	1.00	mg/L	108	100	5 %
		Cadmium	EPA 200.7	1111116-002	<0.001	1.09	1.02	1.00	mg/L	109	102	7 %
		Calcium	EPA 200.7	1111116-002	43.0	54.6	53.0	10.0	mg/L	116	100	3 %
		Chromium	EPA 200.7	1111116-002	<0.005	1.02	0.958	1.00	mg/L	102	96	6 %
		Cobalt	EPA 200.7	1111116-002	<0.010	1.06	0.984	1.00	mg/L	106	98	7 %
		Copper	EPA 200.7	1111116-002	<0.050	5.04	4.74	5.00	mg/L	101	95	6 %
		Gallium	EPA 200.7	1111116-002	<0.100	0.990	0.935	1.00	mg/L	98	93	6 %
		Iron	EPA 200.7	1111116-002	2.63	3.88	3.78	1.00	mg/L	125	115	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11110363	MS 1	Lithium	EPA 200.7	1111116-002	<0.100	1.13	1.09	1.00	mg/L	104	100	4 %
		Magnesium	EPA 200.7	1111116-002	5.87	16.8	16.1	10.0	mg/L	109	102	4 %
		Manganese	EPA 200.7	1111116-002	0.020	1.09	1.02	1.00	mg/L	107	100	7 %
		Molybdenum	EPA 200.7	1111116-002	<0.010	1.08	1.03	1.00	mg/L	108	103	5 %
		Nickel	EPA 200.7	1111116-002	<0.010	5.31	4.98	5.00	mg/L	106	100	6 %
		Phosphorus	EPA 200.7	1111116-002	<0.500	5.80	5.38	5.00	mg/L	112	103	8 %
		Potassium	EPA 200.7	1111116-002	5.36	17.6	16.9	10.0	mg/L	122	115	4 %
		Scandium	EPA 200.7	1111116-002	<0.100	1.06	0.986	1.00	mg/L	106	99	7 %
		Silver	EPA 200.7	1111116-002	<0.005	0.093	0.088	0.090	mg/L	104	98	6 %
		Sodium	EPA 200.7	1111116-002	210	SC 224	219	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1111116-002	0.398	1.45	1.40	1.00	mg/L	105	100	4 %
		Tin	EPA 200.7	1111116-002	<0.100	1.06	1.01	1.00	mg/L	110	105	5 %
		Titanium	EPA 200.7	1111116-002	<0.100	1.02	1.00	1.00	mg/L	102	100	2 %
		Vanadium	EPA 200.7	1111116-002	0.018	1.08	1.01	1.00	mg/L	106	99	7 %
Zinc	EPA 200.7	1111116-002	<0.010	1.12	1.05	1.00	mg/L	111	104	6 %		
QC11110375	MS 1	Uranium, Dissolved	EPA 200.8	1111086-001	<0.0100	0.0129	0.0130	0.010	mg/L	89	90	1 %
		Mercury, Dissolved	EPA 200.8	1111086-001	<0.00010	0.000918	0.000924	0.001	mg/L	92	92	1 %
		Antimony, Dissolved	EPA 200.8	1111086-001	<0.0025	0.0109	0.0107	0.010	mg/L	102	100	2 %
		Arsenic, Dissolved	EPA 200.8	1111086-001	0.0050	0.0557	0.0564	0.050	mg/L	101	103	1 %
		Lead, Dissolved	EPA 200.8	1111086-001	<0.0025	0.0095	0.0097	0.010	mg/L	95	97	2 %
		Selenium, Dissolved	EPA 200.8	1111086-001	<0.0050	0.0477	0.0489	0.050	mg/L	93	95	2 %
		Thallium, Dissolved	EPA 200.8	1111086-001	<0.0010	0.0094	0.0095	0.010	mg/L	94	95	1 %
QC11110588	MS 1	Uranium, Dissolved	EPA 200.8	1111086-002	<0.0100	0.0113	0.0114	0.010	mg/L	101	103	1 %
		Mercury, Dissolved	EPA 200.8	1111086-002	<0.00010	0.001022	0.001051	0.001	mg/L	102	105	3 %
		Antimony, Dissolved	EPA 200.8	1111086-002	<0.0025	0.0101	0.0101	0.010	mg/L	100	99	<1%
		Arsenic, Dissolved	EPA 200.8	1111086-002	0.0051	0.0568	0.0571	0.050	mg/L	103	104	1 %
		Lead, Dissolved	EPA 200.8	1111086-002	<0.0025	0.0101	0.0102	0.010	mg/L	101	102	1 %
		Selenium, Dissolved	EPA 200.8	1111086-002	<0.0050	0.0490	0.0493	0.050	mg/L	97	98	1 %
		Thallium, Dissolved	EPA 200.8	1111086-002	<0.0010	0.0098	0.0099	0.010	mg/L	98	99	1 %
QC11110589	MS 1	Mercury	EPA 200.8	1111116-001	<0.00010	0.001087	0.001138	0.001	mg/L	105	110	5 %
		Antimony	EPA 200.8	1111116-001	<0.0025	0.0122	0.0124	0.010	mg/L	100	102	2 %
		Arsenic	EPA 200.8	1111116-001	0.0088	0.0681	0.0690	0.050	mg/L	119	120	1 %
		Lead	EPA 200.8	1111116-001	<0.0025	0.0106	0.0106	0.010	mg/L	106	106	<1%
		Selenium	EPA 200.8	1111116-001	<0.0050	0.0556	0.0562	0.050	mg/L	107	108	1 %
		Thallium	EPA 200.8	1111116-001	<0.0010	0.0100	0.0102	0.010	mg/L	100	102	2 %
		Uranium	EPA 200.8	1111116-001	<0.0100	0.0152	0.0150	0.010	mg/L	109	108	1 %
QC11110589	MS 1	Mercury	EPA 200.8	1111116-002	<0.00010	0.001155	0.001177	0.001	mg/L	107	109	2 %
		Antimony	EPA 200.8	1111116-002	<0.0025	0.0106	0.0104	0.010	mg/L	105	103	2 %
		Arsenic	EPA 200.8	1111116-002	0.0181	0.0728	0.0707	0.050	mg/L	109	105	3 %
		Lead	EPA 200.8	1111116-002	<0.0025	0.0105	0.0103	0.010	mg/L	103	101	2 %
		Selenium	EPA 200.8	1111116-002	<0.0050	0.0625	0.0613	0.050	mg/L	116	114	2 %
		Thallium	EPA 200.8	1111116-002	<0.0010	0.0099	0.0097	0.010	mg/L	99	97	2 %
		Uranium	EPA 200.8	1111116-002	<0.0100	0.0133	0.0131	0.010	mg/L	104	102	2 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 1111082

Report

Due Date: 11/18/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Profile II w/o Wad	Uranium	Spt. No.
X	X	1
		2
		3
		4
		5
		6
		7
		8
		9
		10
		11
		12

Sample ID	Wk	Date	Time	WW	2	X	X	Spt. No.
604 562	Wk:40	11/04/11	9:00	WW	2	X	X	1
604 569								2
604 606								3
604 653								4
604 656								5
604 669								6
604 673								7
604 767								8
604 787								9
604 811								10
604 854								11
604 862	↓	↓	↓	↓	↓	↓	↓	12

Instructions/Comments/Special Requirements:

Temperature 19 °C 11/18/11 10:10 Y SKM/ML

Custody Seals Intact? Y N None

Number of Containers 42

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY 301.2E



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 1111082

Report

Due Date: 11/18/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Profile II w/o Wat

Uranium

Spl. No.

604 867	Wk:40	11/04/11	9:00	WW	2	X	X													13	
605 033																					14
605 153																					15
SRK 0854																					16
SRK 0858																					17
SRK 0864																					18
SRK 0866																					19
SRK 0867																					20
SRK 0872	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	21

Instructions/Comments/Special Requirements:

Temperature 19 °C

11/4/11 11:00

Custody Seals Intact? Y N (None)

Number of Containers 42

[Handwritten signature]

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY

301.2E



10/27/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1110123

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/7/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1110123

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1110123-001 Selenium

1110123-006 Iron

1110123-009 Iron

1110123-020 Potassium

The reporting limits have been adjusted accordingly.

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on samples 1110123-002, 010, and 018 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 10/27/2011
OrderID: 1110123

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-001

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.63	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	71	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	58	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	0.78	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	54	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	110 Q	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.023	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	36	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	6.1	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.31	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	10/17/2011

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-001

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	0.69	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.026	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	10/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	2.33	meq/L	0.10	
Cations	Calculation	2.37	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 569 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-002

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.22	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	25	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	20	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	0.83	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	13	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	48	HT mg/L	10	10/20/2011
Aluminum	EPA 200.7	0.085	mg/L	0.045	10/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011

Customer Sample ID: 604 569 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-002

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	9.7	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	2.2	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.042	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	0.78	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	0.72	meq/L	0.10	
Cations	Calculation	0.70	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: 604 606 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-003

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	60	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011

Customer Sample ID: 604 606 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-003

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	50	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	21	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	84	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.047	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.028	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	22	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	3.7	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.037	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.17	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011

Customer Sample ID: 604 606 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-003

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.50	meq/L	0.10	
Cations	Calculation	1.45	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 653 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-004

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.67	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	53	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	44	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	28	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	73	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.051	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.061	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	24	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	2.1	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.16	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.7	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011

Customer Sample ID: 604 653 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-004

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	0.61	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.14	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	1.53	meq/L	0.10	
Cations	Calculation	1.45	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: 604 656 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-005

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	80	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	65	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	27	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	28	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011

Customer Sample ID: 604 656 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-005

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	5.7	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.075	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.046	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	1.96	meq/L	0.10	
Cations	Calculation	1.91	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 669 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-006

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.48	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	41	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	34	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011

Customer Sample ID: 604 669 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-006

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.66	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	60	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	27	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	10/18/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	4.9	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.83	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.7	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.20	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	1.96	meq/L	0.10	
Cations	Calculation	1.82	meq/L	0.10	

Customer Sample ID: 604 669 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-006

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	3.5	%	1.0	

Customer Sample ID: 604 673 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-007

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.06	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	1.3	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	1.0	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	0.51	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	22	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	38	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.050	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	6.7	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	0.98	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.037	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011

Customer Sample ID: 604 673 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-007

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.013	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	0.51	meq/L	0.10	
Cations	Calculation	0.46	meq/L	0.10	
Error	Calculation	5.3	%	1.0	

Customer Sample ID: 604 767 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-008

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.34	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	38	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	51	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.034	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	23	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011

Customer Sample ID: 604 767 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-008

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	6.8	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.014	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/18/2011
Anions	Calculation	1.80	meq/L	0.10	
Cations	Calculation	1.75	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 604 787 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-009

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.77	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	72	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	59	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	26	mg/L	1.0	10/7/2011

Customer Sample ID: 604 787 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-009

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	97	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.011	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	27	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	10/18/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	4.7	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.088	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.026	mg/L	0.010	10/18/2011
Anions	Calculation	1.81	meq/L	0.10	
Cations	Calculation	1.77	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-010

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.02	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	84	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	21	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	130	Q,HTmg/L	10	10/20/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	29	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	7.8	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.037	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	0.64	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.32	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/18/2011

Customer Sample ID: 604 811 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-010

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.008	mg/L	0.0010	10/18/2011
Anions	Calculation	2.19	meq/L	0.10	
Cations	Calculation	2.15	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: 604 854 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-011

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.46	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	44	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	36	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	45	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	74	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.028	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	23	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	5.4	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.085	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.038	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011

Customer Sample ID: 604 854 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-011

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.15	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.002	mg/L	0.0010	10/18/2011
Anions	Calculation	1.78	meq/L	0.10	
Cations	Calculation	1.63	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: 604 862 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-012

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	270	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	220	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	18	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.013	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011

Customer Sample ID: 604 862 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-012

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	81	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	10	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.066	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	0.66	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.70	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	0.015	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.006	mg/L	0.0010	10/18/2011
Anions	Calculation	4.94	meq/L	0.10	
Cations	Calculation	4.93	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 867 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-013

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	10/7/2011

Customer Sample ID: 604 867 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-013

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	82	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	110	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	72	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	0.13	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	4.3	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.11	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.31	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.011	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	0.0067	mg/L	0.0050	10/17/2011

Customer Sample ID: 604 867 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-013

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.0010	mg/L	0.0010	10/18/2011
Anions	Calculation	4.02	meq/L	0.10	
Cations	Calculation	3.99	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 033 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-014

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.57	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	49	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	40	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	21	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	76	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.046	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.013	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	23	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	1.3	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.060	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.3	mg/L	0.50	10/17/2011

Customer Sample ID: 605 033 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-014

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.14	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.007	mg/L	0.0010	10/18/2011
Anions	Calculation	1.34	meq/L	0.10	
Cations	Calculation	1.32	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-015

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	38	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	9.9	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	39	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.065	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.11	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011

Customer Sample ID: 605 153 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-015

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	14	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	0.027	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.030	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.0	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.72	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.006	mg/L	0.0010	10/18/2011
Anions	Calculation	0.89	meq/L	0.10	
Cations	Calculation	0.86	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: SRK 0864 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-016

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.79	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011

Customer Sample ID: SRK 0864 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-016

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.27	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	120	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.13	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.014	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	0.0027	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	14	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	52	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	0.88	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.23	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	0.59	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.27	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	0.0074	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.0010	mg/L	0.0010	10/18/2011

Customer Sample ID: SRK 0864 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-016

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.51	meq/L	0.10	
Cations	Calculation	2.45	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: SRK 0866 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-017

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.63	pH Units		10/7/2011
Acidity (Titrimetric)	SM 2310B	340	mg/L as CaCO3		10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.71	mg/L	0.20	10/21/2011
Sulfate	EPA 300.0	390	mg/L	2.0	10/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	460	mg/L	10	10/11/2011
Aluminum	EPA 200.7	11	mg/L	0.045	10/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	0.0055	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	3.7	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	0.024	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	0.055	mg/L	0.010	10/17/2011
Copper	EPA 200.7	10	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	46	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011

Customer Sample ID: SRK 0866 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-017

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	0.044	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	0.0052	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	0.0075	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	0.017	mg/L	0.0010	10/18/2011
Anions	Calculation	8.16	meq/L	0.10	
Cations	Calculation	7.86	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: SRK 0867 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-018

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.73	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	35	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	29	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.28	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	2.3	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	74	HT mg/L	10	10/20/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.011	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	9.4	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011

Customer Sample ID: SRK 0867 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-018

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	10/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.0010	mg/L	0.0010	10/18/2011
Anions	Calculation	0.64	meq/L	0.10	
Cations	Calculation	0.61	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: SRK 0872 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-019

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.42	pH Units		10/7/2011
Bicarbonate (HCO3)	SM 2320B	2.5	mg/L	1.0	10/7/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	2.0	mg/L as CaCO3	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.99	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	10	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011

Customer Sample ID: SRK 0872 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-019

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	15	mg/L	10	10/11/2011
Aluminum	EPA 200.7	0.078	mg/L	0.045	10/18/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Calcium	EPA 200.7	4.4	mg/L	0.50	10/18/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/18/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Magnesium	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Manganese	EPA 200.7	0.0051	mg/L	0.0050	10/18/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	10/18/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	10/18/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	0.30	meq/L	0.10	
Cations	Calculation	0.31	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-020

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.26	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	25	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	20	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.56	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	23	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	59	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/18/2011
Barium	EPA 200.7	0.013	mg/L	0.010	10/18/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Calcium	EPA 200.7	14	mg/L	0.50	10/18/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/18/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	10/18/2011
Manganese	EPA 200.7	0.010	mg/L	0.0050	10/18/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	10/18/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	10/18/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	0.0076	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-020

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	0.92	meq/L	0.10	
Cations	Calculation	0.80	meq/L	0.10	
Error	Calculation	7.0	%	1.0	

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-021

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.19	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	20	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	16	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/8/2011
Fluoride	EPA 300.0	0.29	mg/L	0.10	10/8/2011
Sulfate	EPA 300.0	67	mg/L	1.0	10/8/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/8/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/8/2011
Total Dissolved Solids (TDS)	SM 2540C	130 Q	mg/L	10	10/11/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/18/2011
Barium	EPA 200.7	0.019	mg/L	0.010	10/18/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/18/2011
Calcium	EPA 200.7	32	mg/L	0.50	10/18/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/18/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Magnesium	EPA 200.7	0.94	mg/L	0.50	10/18/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Molybdenum	EPA 200.7	0.33	mg/L	0.010	10/18/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/18/2011

Customer Sample ID: 604 562 wk:36

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110123-021

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/18/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/18/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/18/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/18/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/17/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	10/17/2011
Anions	Calculation	1.74	meq/L	0.10	
Cations	Calculation	1.67	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11100258	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11100258	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11100258	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11100259	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11100259	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11100259	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11100260	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11100260	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11100260	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11100261	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11100261	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11100261	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11100262	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100262	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100262	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100263	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100263	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100263	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100264	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100264	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100264	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100265	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100265	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100265	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100266	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11100266	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11100266	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11100267	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11100267	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11100267	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11100414	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100414	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100414	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100532	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11100533	Blank 1	Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC11100547	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L
QC11100548	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC11100578	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11100255	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11100255	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100255	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100257	LCS 1	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC11100257	LCS 2	Alkalinity	SM 2320B	94.5	100	94	mg/L
QC11100257	LCS 3	Alkalinity	SM 2320B	94.3	100	94	mg/L
QC11100258	LCS 1	Fluoride	EPA 300.0	2.08	2.00	104	mg/L
QC11100259	LCS 1	Fluoride	EPA 300.0	2.08	2.00	104	mg/L
QC11100260	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11100261	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11100262	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC11100263	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC11100264	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC11100265	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC11100266	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC11100267	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC11100414	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC11100414	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC11100414	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	136	150	91	mg/L
QC11100532	LCS 1	Aluminum	EPA 200.7	0.984	1.00	98	mg/L
		Barium	EPA 200.7	0.972	1.00	97	mg/L
		Beryllium	EPA 200.7	0.973	1.00	97	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.933	1.00	93	mg/L
		Cadmium	EPA 200.7	0.986	1.00	99	mg/L
		Calcium	EPA 200.7	9.81	10.0	98	mg/L
		Chromium	EPA 200.7	0.962	1.00	96	mg/L
		Cobalt	EPA 200.7	0.974	1.00	97	mg/L
		Copper	EPA 200.7	4.75	5.00	95	mg/L
		Gallium	EPA 200.7	0.978	1.00	98	mg/L
		Iron	EPA 200.7	0.969	1.00	97	mg/L
		Lithium	EPA 200.7	0.955	1.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Magnesium	EPA 200.7	9.71	10.0	97	mg/L
		Manganese	EPA 200.7	0.965	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.969	1.00	97	mg/L
		Nickel	EPA 200.7	4.90	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.90	5.00	98	mg/L
		Potassium	EPA 200.7	9.94	10.0	99	mg/L
		Scandium	EPA 200.7	0.967	1.00	97	mg/L
		Silver	EPA 200.7	0.087	0.090	96	mg/L
		Sodium	EPA 200.7	9.57	10.0	96	mg/L
		Strontium	EPA 200.7	0.965	1.00	96	mg/L
		Tin	EPA 200.7	0.943	1.00	94	mg/L
		Titanium	EPA 200.7	0.971	1.00	97	mg/L
		Vanadium	EPA 200.7	0.969	1.00	97	mg/L
		Zinc	EPA 200.7	1.00	1.00	100	mg/L
QC11100533	LCS 1	Aluminum	EPA 200.7	0.946	1.00	95	mg/L
		Barium	EPA 200.7	0.951	1.00	95	mg/L
		Beryllium	EPA 200.7	0.974	1.00	97	mg/L
		Bismuth	EPA 200.7	0.963	1.00	96	mg/L
		Boron	EPA 200.7	0.938	1.00	94	mg/L
		Cadmium	EPA 200.7	0.962	1.00	96	mg/L
		Calcium	EPA 200.7	9.81	10.0	98	mg/L
		Chromium	EPA 200.7	0.946	1.00	95	mg/L
		Cobalt	EPA 200.7	0.963	1.00	96	mg/L
		Copper	EPA 200.7	4.76	5.00	95	mg/L
		Gallium	EPA 200.7	0.964	1.00	96	mg/L
		Iron	EPA 200.7	0.981	1.00	98	mg/L
		Lithium	EPA 200.7	0.985	1.00	98	mg/L
		Magnesium	EPA 200.7	9.66	10.0	97	mg/L
		Manganese	EPA 200.7	0.948	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.950	1.00	95	mg/L
		Nickel	EPA 200.7	4.79	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.68	5.00	94	mg/L
		Potassium	EPA 200.7	9.68	10.0	97	mg/L
		Scandium	EPA 200.7	0.966	1.00	97	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.83	10.0	98	mg/L
		Strontium	EPA 200.7	0.991	1.00	99	mg/L
		Tin	EPA 200.7	0.922	1.00	92	mg/L
		Titanium	EPA 200.7	0.986	1.00	99	mg/L
		Vanadium	EPA 200.7	0.954	1.00	95	mg/L
		Zinc	EPA 200.7	0.964	1.00	96	mg/L
QC11100547	LCS 1	Mercury	EPA 200.8	0.001056	0.001	106	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0477	0.050	95	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0461	0.050	92	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L
QC11100548	LCS 1	Mercury	EPA 200.8	0.000916	0.001	92	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0477	0.050	96	mg/L
		Lead	EPA 200.8	0.0095	0.010	95	mg/L
		Selenium	EPA 200.8	0.0467	0.050	93	mg/L
		Thallium	EPA 200.8	0.0092	0.010	92	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L
QC11100578	LCS 1	Aluminum	EPA 200.7	0.980	1.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	0.970	1.00	97	mg/L
		Bismuth	EPA 200.7	0.997	1.00	100	mg/L
		Boron	EPA 200.7	0.951	1.00	95	mg/L
		Cadmium	EPA 200.7	0.993	1.00	99	mg/L
		Calcium	EPA 200.7	9.89	10.0	99	mg/L
		Chromium	EPA 200.7	0.967	1.00	97	mg/L
		Cobalt	EPA 200.7	0.999	1.00	100	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.965	1.00	96	mg/L
		Iron	EPA 200.7	0.942	1.00	94	mg/L
		Lithium	EPA 200.7	0.961	1.00	96	mg/L
		Magnesium	EPA 200.7	9.61	10.0	96	mg/L
		Manganese	EPA 200.7	0.972	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.978	1.00	98	mg/L
		Nickel	EPA 200.7	4.94	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.96	5.00	99	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.959	1.00	96	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.73	10.0	97	mg/L
		Strontium	EPA 200.7	0.979	1.00	98	mg/L
		Tin	EPA 200.7	0.968	1.00	97	mg/L
		Titanium	EPA 200.7	0.946	1.00	95	mg/L
		Vanadium	EPA 200.7	0.966	1.00	97	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100255	Duplicate	pH	SM 4500-H+ B	1110104-001	8.20	8.17	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110108-001	8.76	8.82	pH Units	1 %
QC11100255	Duplicate	pH	SM 4500-H+ B	1110111-006	7.03	7.01	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110118-005	7.79	7.80	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110122-001	7.89	7.95	pH Units	1 %
QC11100255	Duplicate	pH	SM 4500-H+ B	1110123-018	7.73	7.73	pH Units	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110104-001	247	248	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110104-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110104-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110104-001	203	203	mg/L as CaCO3	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110108-001	31.0	27.8	mg/L	11 %
		Carbonate (CO3)	SM 2320B	1110108-001	9.04	10.2	mg/L	12 %
		Hydroxide (OH)	SM 2320B	1110108-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110108-001	40.5	39.7	mg/L as CaCO3	2 %
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110111-006	396	396	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110111-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110111-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110111-006	325	325	mg/L as CaCO3	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110118-005	168	166	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1110118-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110118-005	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100257	Duplicate	Total Alkalinity	SM 2320B	1110118-005	137	136	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1110122-001	120	120	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110122-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110122-001	<1.000	<1.000	mg/L	<1%
QC11100257	Duplicate	Total Alkalinity	SM 2320B	1110122-001	98.4	98.8	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1110123-018	35.1	35.7	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1110123-018	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110123-018	<1.000	<1.000	mg/L	<1%
QC11100257	Duplicate	Total Alkalinity	SM 2320B	1110123-018	28.8	29.3	mg/L as CaCO3	2 %
		Total Dissolved Solids (TDS)	SM 2540C	1110123-001	112	124	Q mg/L	10 %
		Total Dissolved Solids (TDS)	SM 2540C	1110123-010	126	54.0	Q,HT mg/L	20 %
		Total Dissolved Solids (TDS)	SM 2540C	1110123-021	132	120	Q mg/L	10 %
QC11100414	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110126-010	506	462	Q,HT mg/L	9 %
QC11100414	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109121-011	6360	6720	Q mg/L	6 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100258	MS 1	Fluoride	EPA 300.0	1110095-007	<0.100	2.18	2.20	2.00	mg/L	107	108	1 %
QC11100258	MS 2	Fluoride	EPA 300.0	1110095-009	<0.100	2.31	2.45	2.00	mg/L	112	119	6 %
QC11100259	MS 1	Fluoride	EPA 300.0	1110123-005	1.67	3.54	3.51	2.00	mg/L	93	92	1 %
QC11100259	MS 2	Fluoride	EPA 300.0	1110123-015	1.06	3.03	3.02	2.00	mg/L	98	98	<1%
QC11100260	MS 1	Chloride	EPA 300.0	1110095-007	<1.000	5.47	5.60	5.00	mg/L	101	104	2 %
QC11100260	MS 2	Chloride	EPA 300.0	1110095-009	2.40	7.48	7.61	5.00	mg/L	102	104	2 %
QC11100261	MS 1	Chloride	EPA 300.0	1110123-005	<1.000	5.19	5.15	5.00	mg/L	103	102	1 %
QC11100261	MS 2	Chloride	EPA 300.0	1110123-015	<1.000	5.18	5.16	5.00	mg/L	103	103	<1%
QC11100262	MS 1	Nitrite Nitrogen	EPA 300.0	1110095-007	<0.025	0.496	0.509	0.500	mg/L	98	100	3 %
QC11100262	MS 2	Nitrite Nitrogen	EPA 300.0	1110095-009	<0.025	0.491	0.502	0.500	mg/L	97	99	2 %
QC11100263	MS 1	Nitrite Nitrogen	EPA 300.0	1110123-005	<0.025	0.496	0.493	0.500	mg/L	98	98	1 %
QC11100263	MS 2	Nitrite Nitrogen	EPA 300.0	1110123-015	<0.025	0.503	0.502	0.500	mg/L	99	99	<1%
QC11100264	MS 1	Nitrate Nitrogen	EPA 300.0	1110095-007	<1.000	2.06	2.12	2.00	mg/L	102	105	3 %
QC11100264	MS 2	Nitrate Nitrogen	EPA 300.0	1110095-009	<1.000	2.19	2.24	2.00	mg/L	103	106	2 %
QC11100265	MS 1	Nitrate Nitrogen	EPA 300.0	1110123-005	<1.000	2.09	2.07	2.00	mg/L	104	103	1 %
QC11100265	MS 2	Nitrate Nitrogen	EPA 300.0	1110123-015	<1.000	2.10	2.09	2.00	mg/L	104	104	<1%
QC11100266	MS 1	Sulfate	EPA 300.0	1110095-007	4.48	13.9	14.1	10.0	mg/L	95	96	1 %
QC11100266	MS 2	Sulfate	EPA 300.0	1110095-009	35.7	M 43.3	43.9	10.0	mg/L	NC	NC	NC
QC11100267	MS 1	Sulfate	EPA 300.0	1110123-005	26.7	36.5	36.4	10.0	mg/L	98	97	<1%
QC11100267	MS 2	Sulfate	EPA 300.0	1110123-015	9.91	20.2	20.2	10.0	mg/L	103	103	<1%
QC11100532	MS 1	Aluminum, Dissolved	EPA 200.7	1110204-002	<0.045	0.764	0.779	1.00	mg/L	75	77	2 %
		Barium, Dissolved	EPA 200.7	1110204-002	0.127	M 0.170	0.162	1.00	mg/L	NC	NC	NC
		Beryllium, Dissolved	EPA 200.7	1110204-002	<0.001	0.965	0.951	1.00	mg/L	97	95	1 %
		Bismuth, Dissolved	EPA 200.7	1110204-002	<0.100	0.902	0.889	1.00	mg/L	98	97	1 %
		Boron, Dissolved	EPA 200.7	1110204-002	15.2	SC 16.6	16.3	1.00	mg/L	NC	NC	NC
		Cadmium, Dissolved	EPA 200.7	1110204-002	<0.001	0.902	0.885	1.00	mg/L	91	89	2 %
		Calcium, Dissolved	EPA 200.7	1110204-002	342	SC 356	355	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1110204-002	0.010	0.907	0.899	1.00	mg/L	90	89	1 %
		Cobalt, Dissolved	EPA 200.7	1110204-002	<0.010	0.864	0.849	1.00	mg/L	86	85	2 %
		Copper, Dissolved	EPA 200.7	1110204-002	<0.050	5.20	5.22	5.00	mg/L	104	104	<1%
		Gallium, Dissolved	EPA 200.7	1110204-002	<0.100	0.820	0.822	1.00	mg/L	81	81	<1%
		Iron, Dissolved	EPA 200.7	1110204-002	<0.010	0.824	0.823	1.00	mg/L	93	93	<1%
		Lithium, Dissolved	EPA 200.7	1110204-002	15.3	SC 17.8	18.3	1.00	mg/L	NC	NC	NC
		Magnesium, Dissolved	EPA 200.7	1110204-002	165	176	173	10.0	mg/L	110	80	2 %
Manganese, Dissolved	EPA 200.7	1110204-002	<0.005	0.758	0.752	1.00	mg/L	88	87	1 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100533	MS 1	Molybdenum, Dissolved	EPA 200.7	1110204-002	0.914	1.85	1.81	1.00	mg/L	94	90	2 %
		Nickel, Dissolved	EPA 200.7	1110204-002	0.052	4.53	4.47	5.00	mg/L	90	88	1 %
		Phosphorus, Dissolved	EPA 200.7	1110204-002	<0.500	5.82	5.69	5.00	mg/L	113	110	2 %
		Potassium, Dissolved	EPA 200.7	1110204-002	564	SC 584	596	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1110204-002	<0.100	0.950	0.950	1.00	mg/L	95	95	<1%
		Silver, Dissolved	EPA 200.7	1110204-002	<0.005	0.095	0.096	0.090	mg/L	108	109	1 %
		Sodium, Dissolved	EPA 200.7	1110204-002	10000	SC 10000	10300	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1110204-002	7.22	8.18	8.30	1.00	mg/L	96	108	1 %
		Tin, Dissolved	EPA 200.7	1110204-002	<0.100	0.798	0.764	1.00	mg/L	89	86	4 %
		Titanium, Dissolved	EPA 200.7	1110204-002	<0.100	0.979	0.962	1.00	mg/L	98	96	2 %
		Vanadium, Dissolved	EPA 200.7	1110204-002	0.130	1.07	1.07	1.00	mg/L	94	94	<1%
		Zinc, Dissolved	EPA 200.7	1110204-002	<0.010	0.948	0.925	1.00	mg/L	95	93	2 %
		Aluminum, Dissolved	EPA 200.7	1110204-003	<0.450	0.710	0.704	1.00	mg/L	80	79	1 %
		Barium, Dissolved	EPA 200.7	1110204-003	0.103	M 0.352	0.432	1.00	mg/L	NC	NC	NC
		Beryllium, Dissolved	EPA 200.7	1110204-003	<0.010	1.04	1.09	1.00	mg/L	104	109	5 %
		Bismuth, Dissolved	EPA 200.7	1110204-003	<1.000	0.366	0.498	1.00	mg/L	72	85	31 %
		Boron, Dissolved	EPA 200.7	1110204-003	31.5	SC 32.3	33.6	1.00	mg/L	NC	NC	NC
		Cadmium, Dissolved	EPA 200.7	1110204-003	<0.010	1.02	1.09	1.00	mg/L	104	111	7 %
		Calcium, Dissolved	EPA 200.7	1110204-003	280	SC 232	301	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1110204-003	<0.050	1.04	1.10	1.00	mg/L	100	106	6 %
		Cobalt, Dissolved	EPA 200.7	1110204-003	<0.100	1.01	1.06	1.00	mg/L	100	105	5 %
		Copper, Dissolved	EPA 200.7	1110204-003	<0.500	5.45	5.70	5.00	mg/L	108	113	4 %
		Gallium, Dissolved	EPA 200.7	1110204-003	<1.000	0.897	0.943	1.00	mg/L	89	94	5 %
		Iron, Dissolved	EPA 200.7	1110204-003	<0.100	0.794	0.853	1.00	mg/L	96	102	7 %
		Lithium, Dissolved	EPA 200.7	1110204-003	22.8	SC 23.8	25.6	1.00	mg/L	NC	NC	NC
		Magnesium, Dissolved	EPA 200.7	1110204-003	405	418	445	10.0	mg/L	130	400	6 %
		Manganese, Dissolved	EPA 200.7	1110204-003	<0.050	0.951	0.969	1.00	mg/L	103	104	2 %
		Molybdenum, Dissolved	EPA 200.7	1110204-003	1.78	2.81	2.96	1.00	mg/L	103	118	5 %
		Nickel, Dissolved	EPA 200.7	1110204-003	0.176	5.34	5.66	5.00	mg/L	103	110	6 %
		Phosphorus, Dissolved	EPA 200.7	1110204-003	<5.000	6.62	7.06	5.00	mg/L	115	124	6 %
		Potassium, Dissolved	EPA 200.7	1110204-003	1250	SC 1250	1340	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1110204-003	<1.000	0.882	0.990	1.00	mg/L	88	99	12 %
Silver, Dissolved	EPA 200.7	1110204-003	<0.050	0.104	0.077	0.090	mg/L	111	81	30 %		
Sodium, Dissolved	EPA 200.7	1110204-003	24100	SC 24000	25600	10.0	mg/L	NC	NC	NC		
Strontium, Dissolved	EPA 200.7	1110204-003	5.14	SC 4.48	6.05	1.00	mg/L	NC	NC	NC		
Tin, Dissolved	EPA 200.7	1110204-003	<1.000	0.847	0.865	1.00	mg/L	109	111	2 %		
Titanium, Dissolved	EPA 200.7	1110204-003	<1.000	0.966	1.05	1.00	mg/L	99	107	8 %		
Vanadium, Dissolved	EPA 200.7	1110204-003	0.624	1.67	1.73	1.00	mg/L	105	111	4 %		
Zinc, Dissolved	EPA 200.7	1110204-003	<0.100	1.10	1.18	1.00	mg/L	109	117	7 %		
QC11100547	MS 1	Uranium, Dissolved	EPA 200.8	1110204-003	0.0098	0.0200	0.0202	0.010	mg/L	102	104	1 %
		Mercury, Dissolved	EPA 200.8	1110204-003	<0.00200	M <0.00200	0.002011	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1110204-003	0.1144	SC 0.1364	0.1395	0.010	mg/L	NC	NC	NC
		Arsenic, Dissolved	EPA 200.8	1110204-003	0.1432	M 0.2260	0.2242	0.050	mg/L	NC	NC	NC
		Lead, Dissolved	EPA 200.8	1110204-003	<0.0050	M 0.0062	0.0064	0.010	mg/L	NC	NC	NC
		Selenium, Dissolved	EPA 200.8	1110204-003	0.1143	M 0.1931	0.1929	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1110204-003	<0.0050	0.0095	0.0099	0.010	mg/L	94	98	4 %
		QC11100548	MS 1	Uranium, Dissolved	EPA 200.8	1110232-001	<0.0100	0.0112	0.0109	0.010	mg/L	100
Mercury, Dissolved	EPA 200.8			1110232-001	<0.00010	0.001017	0.000995	0.001	mg/L	116	118	2 %
Antimony, Dissolved	EPA 200.8			1110232-001	0.0044	0.0140	0.0138	0.010	mg/L	96	94	1 %
Arsenic, Dissolved	EPA 200.8			1110232-001	0.0434	0.0849	0.0837	0.050	mg/L	83	81	1 %
Lead, Dissolved	EPA 200.8			1110232-001	<0.0025	0.0099	0.0097	0.010	mg/L	98	96	2 %
Selenium, Dissolved	EPA 200.8			1110232-001	<0.0100	M 0.0343	0.0352	0.050	mg/L	NC	NC	NC
Thallium, Dissolved	EPA 200.8			1110232-001	<0.0010	0.0095	0.0092	0.010	mg/L	95	92	3 %
QC11100578	MS 1	Aluminum, Dissolved	EPA 200.7	1110232-001	<0.045	0.964	0.968	1.00	mg/L	95	95	<1%
		Barium, Dissolved	EPA 200.7	1110232-001	<0.010	0.954	0.963	1.00	mg/L	95	96	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Beryllium, Dissolved	EPA 200.7	1110232-001	<0.001	0.960	0.968	1.00	mg/L	96	97	1 %
		Bismuth, Dissolved	EPA 200.7	1110232-001	<0.100	0.966	0.970	1.00	mg/L	96	96	<1%
		Boron, Dissolved	EPA 200.7	1110232-001	0.249	1.19	1.21	1.00	mg/L	94	96	2 %
		Cadmium, Dissolved	EPA 200.7	1110232-001	<0.001	0.957	0.970	1.00	mg/L	96	97	1 %
		Calcium, Dissolved	EPA 200.7	1110232-001	9.24	19.0	19.0	10.0	mg/L	98	98	<1%
		Chromium, Dissolved	EPA 200.7	1110232-001	<0.005	0.938	0.946	1.00	mg/L	94	95	1 %
		Cobalt, Dissolved	EPA 200.7	1110232-001	<0.010	0.967	0.970	1.00	mg/L	97	97	<1%
		Copper, Dissolved	EPA 200.7	1110232-001	<0.050	4.84	4.86	5.00	mg/L	97	97	<1%
		Gallium, Dissolved	EPA 200.7	1110232-001	<0.100	0.949	0.953	1.00	mg/L	95	95	<1%
		Iron, Dissolved	EPA 200.7	1110232-001	0.031	0.954	0.961	1.00	mg/L	92	93	1 %
		Lithium, Dissolved	EPA 200.7	1110232-001	<0.100	0.991	0.981	1.00	mg/L	97	96	1 %
		Magnesium, Dissolved	EPA 200.7	1110232-001	1.84	11.2	11.3	10.0	mg/L	94	95	1 %
		Manganese, Dissolved	EPA 200.7	1110232-001	0.074	1.03	1.03	1.00	mg/L	96	96	<1%
		Molybdenum, Dissolved	EPA 200.7	1110232-001	0.017	0.970	0.973	1.00	mg/L	95	96	<1%
		Nickel, Dissolved	EPA 200.7	1110232-001	<0.010	4.78	4.83	5.00	mg/L	96	97	1 %
		Phosphorus, Dissolved	EPA 200.7	1110232-001	<0.500	4.83	4.87	5.00	mg/L	97	97	1 %
		Potassium, Dissolved	EPA 200.7	1110232-001	5.68	16.3	16.3	10.0	mg/L	106	106	<1%
		Scandium, Dissolved	EPA 200.7	1110232-001	<0.100	0.949	0.952	1.00	mg/L	95	95	<1%
		Silver, Dissolved	EPA 200.7	1110232-001	<0.005	0.077	0.078	0.090	mg/L	87	88	1 %
		Sodium, Dissolved	EPA 200.7	1110232-001	89.5	98.3	97.6	10.0	mg/L	88	81	1 %
		Strontium, Dissolved	EPA 200.7	1110232-001	<0.100	1.03	1.02	1.00	mg/L	99	98	1 %
		Tin, Dissolved	EPA 200.7	1110232-001	<0.100	0.930	0.940	1.00	mg/L	94	95	1 %
		Titanium, Dissolved	EPA 200.7	1110232-001	<0.100	0.936	0.940	1.00	mg/L	93	94	<1%
		Vanadium, Dissolved	EPA 200.7	1110232-001	<0.010	0.958	0.963	1.00	mg/L	96	96	1 %
		Zinc, Dissolved	EPA 200.7	1110232-001	<0.010	0.987	1.00	1.00	mg/L	99	100	1 %



WETLAB

WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1110123

Report

Due Date: 10-21-11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results Y N To: Client Billing

Email Results Y N To: Client Billing

Compliance Monitoring Y N

Fax Results to State EPA Y N

DW = Drinking Water

SD = Solid

WW = Wastewater

SO = Soil

SW = Surface Water

HW = Hazardous Waste

MW = Monitoring Well

OTHER: _____

Profile II w/o Wat

Uranium

SpL. No.

Sample No.	Wk	Date	Time	Water	Temp	Uranium	SpL. No.
604 562	Wk:36	10/07/11	9:00	WW	2	X X	1
604 569							2
604 606							3
604 653							4
604 656							5
604 669							6
604 673							7
604 767							8
604 787							9
604 811							10
604 854							11
604 862							12

1110
123

Instructions/Comments/Special Requirements:

Temperature 22 °C

10-7-11 1605

Y

Signature

Custody Seals Intact? Y N (None)

Number of Containers 42

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY

301.2E



WETLAB

WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1110123

Report

Due Date: 10-21-11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

Profile II w/o Wad

Uranium

	Wk:36	10/07/11	9:00	WW	2	X	X					Spl. No.
604 867						X	X					13
605 033												14
605 153												15
SRK 0854												16
SRK 0858												17
SRK 0864												18
SRK 0866												19
SRK 0867												20
SRK 0872	∇	∇	∇	∇	∇	∇	∇					21

Instructions/Comments/Special Requirements:

Temperature	22 °C	10-7-11	1205		
Custody Seals Intact?	Y N (None)				
Number of Containers	42				

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY

301.2E

EBID
06539 Exhibit 19



475 E. Greg Street #119 | Sparks, Nevada 89431 | tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

10/4/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1109159

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/9/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1109159

General Comments

On Sample 1109159017 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1109159-002 Iron
- 1109159-004 Aluminum
- 1109159-007 Cadmium
- 1109159-016 Arsenic, Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 10/4/2011

OrderID: 1109159

Customer Sample ID: 604 562 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-001

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	81	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	66	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/9/2011
Fluoride	EPA 300.0	0.86	mg/L	0.10	9/9/2011
Sulfate	EPA 300.0	57	mg/L	1.0	9/9/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/9/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/9/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.020	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	40	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	6.8	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.39	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	9/19/2011

Customer Sample ID: 604 562 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-001

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.29	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	0.033	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	2.56	meq/L	0.10	
Cations	Calculation	2.63	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 569 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-002

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.48	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	28	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	23	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/9/2011
Fluoride	EPA 300.0	0.92	mg/L	0.10	9/9/2011
Sulfate	EPA 300.0	16	mg/L	1.0	9/9/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/9/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/9/2011
Total Dissolved Solids (TDS)	SM 2540C	50	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.084	mg/L	0.045	9/21/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/21/2011

Customer Sample ID: 604 569 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-002

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	11	mg/L	0.50	9/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	9/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	9/21/2011
Manganese	EPA 200.7	0.039	mg/L	0.0050	9/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/21/2011
Potassium	EPA 200.7	0.77	mg/L	0.50	9/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/21/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.84	meq/L	0.10	
Cations	Calculation	0.78	meq/L	0.10	
Error	Calculation	3.9	%	1.0	

Customer Sample ID: 604 606 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-003

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	58	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011

Customer Sample ID: 604 606 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-003

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	48	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	28	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	96	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.056	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.035	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	26	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	4.4	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.042	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	0.75	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.20	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011

Customer Sample ID: 604 606 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-003

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.61	meq/L	0.10	
Cations	Calculation	1.75	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: 604 653 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-004

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.73	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	47	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	38	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	94	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.20	mg/L	0.20	9/20/2011
Barium	EPA 200.7	0.058	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	28	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.17	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011

Customer Sample ID: 604 653 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-004

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	0.90	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	1.64	meq/L	0.10	
Cations	Calculation	1.70	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: 604 656 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-005

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.03	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	79	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	64	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	35	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.011	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	31	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011

Customer Sample ID: 604 656 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-005

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	6.2	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.083	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.057	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	0.012	mg/L	0.010	9/21/2011
Anions	Calculation	2.11	meq/L	0.10	
Cations	Calculation	2.11	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 669 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-006

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.74	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	51	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011

Customer Sample ID: 604 669 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-006

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.74	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	53	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	30	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	5.1	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.67	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.012	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	2.3	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	0.62	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.21	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	1.98	mcq/L	0.10	
Cations	Calculation	2.03	meq/L	0.10	

Customer Sample ID: 604 669 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-006

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 673 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-007

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.14	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.55	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	23	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	47	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.048	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Calcium	EPA 200.7	7.4	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	1.0	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.044	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	0.55	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011

Customer Sample ID: 604 673 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-007

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	0.017	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.51	meq/L	0.10	
Cations	Calculation	0.52	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: 604 767 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-008

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.53	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	38	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	61	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.041	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	27	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011

Customer Sample ID: 604 767 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-008

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	7.8	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.42	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	0.020	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	9/21/2011
Anions	Calculation	2.01	meq/L	0.10	
Cations	Calculation	2.05	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 787 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-009

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	56	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	46	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	26	mg/L	1.0	9/10/2011

Customer Sample ID: 604 787 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-009

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	76	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	23	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	4.0	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.065	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.023	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	0.026	mg/L	0.010	9/21/2011
Anions	Calculation	1.53	meq/L	0.10	
Cations	Calculation	1.52	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-010

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.13	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	89	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	25	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	35	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	8.8	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.042	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.010	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011

Customer Sample ID: 604 811 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-010

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	0.010	mg/L	0.010	9/21/2011
Anions	Calculation	2.44	meq/L	0.10	
Cations	Calculation	2.50	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 854 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-011

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.57	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	41	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	34	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	49	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/19/2011
Barium	EPA 200.7	0.030	mg/L	0.010	9/19/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/19/2011
Calcium	EPA 200.7	25	mg/L	0.50	9/19/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/19/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Magnesium	EPA 200.7	5.5	mg/L	0.50	9/19/2011
Manganese	EPA 200.7	0.088	mg/L	0.0050	9/19/2011
Molybdenum	EPA 200.7	0.040	mg/L	0.010	9/19/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/19/2011

Customer Sample ID: 604 854 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-011

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	9/19/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/19/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/19/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	9/19/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/19/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/19/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	1.81	meq/L	0.10	
Cations	Calculation	1.75	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 862 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-012

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.14	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	280	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	230	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	17	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.014	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011

Customer Sample ID: 604 862 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-012

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	80	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	11	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.078	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	0.53	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	0.83	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	5.08	meq/L	0.10	
Cations	Calculation	4.96	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 867 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-013

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	73	mg/L	1.0	9/9/2011

Customer Sample ID: 604 867 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-013

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	60	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	140	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	290	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.017	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	71	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	0.060	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	4.0	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.071	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	0.31	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011

Customer Sample ID: 604 867 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-013

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	4.21	meq/L	0.10	
Cations	Calculation	3.92	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Customer Sample ID: 605 033 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-014

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.67	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	46	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	25	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	88	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.058	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.014	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	22	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	1.3	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.053	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	0.014	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	9/20/2011

Customer Sample ID: 605 033 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-014

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	0.63	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	0.15	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	1.36	meq/L	0.10	
Cations	Calculation	1.28	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: 605 153 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-015

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.68	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	40	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	32	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	12	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	67	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.069	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.094	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011

Customer Sample ID: 605 153 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-015

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	14	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.022	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	0.77	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.97	meq/L	0.10	
Cations	Calculation	0.89	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: SRK 0854 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-016

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.78	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011

Customer Sample ID: SRK 0854 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-016

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.26	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	120	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.14	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.013	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	0.0031	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	15	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	48	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	0.012	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	0.89	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.24	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	0.86	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	0.24	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	9/22/2011
Lead	EPA 200.8	0.0074	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	9/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011

Customer Sample ID: SRK 0854 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-016

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.51	meq/L	0.10	
Cations	Calculation	2.39	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: SRK 0858 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-017

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.67	pH Units		9/9/2011
Acidity (Titrimetric)	SM 2310B	310	mg/L as CaCO3		9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.44	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	400	mg/L	5.0	9/28/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Sulfate (as calculated from S)	Calc.	340	mg/L	1.0	9/30/2011
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	9/13/2011
Sulfur	EPA 200.7	110	mg/L	50	9/30/2011
Aluminum	EPA 200.7	9.5	mg/L	0.045	9/20/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	0.0036	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	4.3	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	0.022	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	0.045	mg/L	0.010	9/20/2011
Copper	EPA 200.7	11	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	28	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.19	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	1.7	mg/L	0.50	9/20/2011

Customer Sample ID: SRK 0858 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-017

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	0.033	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	0.0043	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	0.020	mg/L	0.010	9/21/2011
Anions	Calculation	8.35	meq/L	0.10	
Cations	Calculation	6.47	meq/L	0.10	
Error	Calculation	13	%	1.0	

Customer Sample ID: SRK 0864 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-018

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.38	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	21	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	18	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.27	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	2.8	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	2.6	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	46	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.010	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	8.5	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011

Customer Sample ID: SRK 0864 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-018

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	0.016	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.0	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	0.65	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.60	meq/L	0.10	
Cations	Calculation	0.59	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0866 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-019

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.49	pH Units		9/9/2011
Bicarbonate (HCO3)	SM 2320B	2.5 Q	mg/L	1.0	9/9/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	2.1 Q	mg/L as CaCO3	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.89	mg/L	0.10	9/10/2011

Customer Sample ID: SRK 0866 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-019

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	13	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	26	mg/L	10	9/13/2011
Aluminum	EPA 200.7	0.049	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.016	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	5.2	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	0.55	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	0.010	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.36	meq/L	0.10	
Cations	Calculation	0.36	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0866 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-019

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0867 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-020

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

pH	SM 4500-H+ B	6.85	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	7.8	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	6.4	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.49	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	80	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.013	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	32	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	0.68	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	0.35	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011

Customer Sample ID: SRK 0867 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-020

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	1.82	meq/L	0.10	
Cations	Calculation	1.65	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Customer Sample ID: SRK 0872 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-021

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.10	pH Units		9/9/2011
Bicarbonate (HCO ₃)	SM 2320B	15	mg/L	1.0	9/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/9/2011
Total Alkalinity	SM 2320B	12	mg/L as CaCO ₃	1.0	9/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/10/2011
Fluoride	EPA 300.0	0.68	mg/L	0.10	9/10/2011
Sulfate	EPA 300.0	27	mg/L	1.0	9/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/10/2011
Total Dissolved Solids (TDS)	SM 2540C	53	mg/L	10	9/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/20/2011
Barium	EPA 200.7	0.010	mg/L	0.010	9/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/20/2011
Calcium	EPA 200.7	13	mg/L	0.50	9/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011

Customer Sample ID: SRK 0872 WK:32

Collect Date/Time: 9/9/2011 09:00

WETLAB Sample ID: 1109159-021

Receive Date: 9/9/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Magnesium	EPA 200.7	1.0	mg/L	0.50	9/20/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	9/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Potassium	EPA 200.7	0.61	mg/L	0.50	9/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	9/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/21/2011
Antimony	EPA 200.8	0.0075	mg/L	0.0025	9/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	9/21/2011
Anions	Calculation	0.84	meq/L	0.10	
Cations	Calculation	0.75	meq/L	0.10	
Error	Calculation	6.1	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11090328	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11090328	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11090328	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11090329	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11090329	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11090329	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11090330	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11090330	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11090330	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11090331	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11090331	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11090331	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11090332	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090332	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090332	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090333	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090333	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090333	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090334	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090334	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090334	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090335	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090335	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090335	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090336	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11090336	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11090336	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11090337	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11090337	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11090337	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11090442	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11090442	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11090573	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC11090574	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC11090601	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC11090602	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC11090613	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11090614	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11090641	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC11090642	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units		
		Antimony	EPA 200.8	<0.0025	mg/L		
		Arsenic	EPA 200.8	<0.0050	mg/L		
		Lead	EPA 200.8	<0.0025	mg/L		
		Selenium	EPA 200.8	<0.0050	mg/L		
		Thallium	EPA 200.8	<0.0010	mg/L		
		Uranium	EPA 200.8	<0.010	mg/L		
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11090294	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11090294	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11090294	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11090297	LCS 1	Alkalinity	SM 2320B	90.8	100	91	mg/L
QC11090297	LCS 2	Alkalinity	SM 2320B	90.8	100	91	mg/L
QC11090297	LCS 3	Alkalinity	SM 2320B	91.5	100	91	mg/L
QC11090328	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC11090329	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC11090330	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11090331	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11090332	LCS 1	Nitrite Nitrogen	EPA 300.0	0.487	0.500	97	mg/L
QC11090333	LCS 1	Nitrite Nitrogen	EPA 300.0	0.487	0.500	97	mg/L
QC11090334	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11090335	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11090336	LCS 1	Sulfate	EPA 300.0	26.2	25.0	105	mg/L
QC11090337	LCS 1	Sulfate	EPA 300.0	26.2	25.0	105	mg/L
QC11090442	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC11090442	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC11090573	LCS 1	Aluminum	EPA 200.7	1.03	1.00	103	mg/L
		Barium	EPA 200.7	1.04	1.00	104	mg/L
		Beryllium	EPA 200.7	1.04	1.00	104	mg/L
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	1.00	1.00	100	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.6	10.0	106	mg/L
		Chromium	EPA 200.7	1.03	1.00	103	mg/L
		Cobalt	EPA 200.7	1.06	1.00	106	mg/L
		Copper	EPA 200.7	5.14	5.00	103	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.03	1.00	103	mg/L
		Lithium	EPA 200.7	0.997	1.00	100	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.04	1.00	104	mg/L
		Molybdenum	EPA 200.7	1.03	1.00	103	mg/L
		Nickel	EPA 200.7	5.29	5.00	106	mg/L
		Phosphorus	EPA 200.7	5.38	5.00	108	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	1.01	1.00	101	mg/L
		Silver	EPA 200.7	0.092	0.090	102	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	0.976	1.00	98	mg/L
		Tin	EPA 200.7	1.03	1.00	103	mg/L
		Titanium	EPA 200.7	1.03	1.00	103	mg/L
		Vanadium	EPA 200.7	1.03	1.00	103	mg/L
		Zinc	EPA 200.7	1.08	1.00	108	mg/L
QC11090574	LCS 1	Aluminum	EPA 200.7	1.03	1.00	103	mg/L
		Barium	EPA 200.7	1.04	1.00	104	mg/L
		Beryllium	EPA 200.7	1.04	1.00	104	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	1.00	1.00	100	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.6	10.0	106	mg/L
		Chromium	EPA 200.7	1.03	1.00	103	mg/L
		Cobalt	EPA 200.7	1.06	1.00	106	mg/L
		Copper	EPA 200.7	5.14	5.00	103	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.03	1.00	103	mg/L
		Lithium	EPA 200.7	0.997	1.00	100	mg/L
		Magnesium	EPA 200.7	10.7	10.0	107	mg/L
		Manganese	EPA 200.7	1.04	1.00	104	mg/L
		Molybdenum	EPA 200.7	1.03	1.00	103	mg/L
		Nickel	EPA 200.7	5.29	5.00	106	mg/L
		Phosphorus	EPA 200.7	5.38	5.00	108	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	1.01	1.00	101	mg/L
		Silver	EPA 200.7	0.092	0.090	102	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	0.976	1.00	98	mg/L
		Tin	EPA 200.7	1.03	1.00	103	mg/L
		Titanium	EPA 200.7	1.03	1.00	103	mg/L
		Vanadium	EPA 200.7	1.03	1.00	103	mg/L
		Zinc	EPA 200.7	1.08	1.00	108	mg/L
QC11090601	LCS 1	Aluminum	EPA 200.7	0.926	1.00	93	mg/L
		Barium	EPA 200.7	0.906	1.00	91	mg/L
		Beryllium	EPA 200.7	0.895	1.00	90	mg/L
		Bismuth	EPA 200.7	0.923	1.00	92	mg/L
		Boron	EPA 200.7	0.858	1.00	86	mg/L
		Cadmium	EPA 200.7	0.888	1.00	89	mg/L
		Calcium	EPA 200.7	9.07	10.0	91	mg/L
		Chromium	EPA 200.7	0.882	1.00	88	mg/L
		Cobalt	EPA 200.7	0.896	1.00	90	mg/L
		Copper	EPA 200.7	4.49	5.00	90	mg/L
		Gallium	EPA 200.7	0.908	1.00	91	mg/L
		Iron	EPA 200.7	0.904	1.00	90	mg/L
		Lithium	EPA 200.7	0.875	1.00	88	mg/L
		Magnesium	EPA 200.7	8.75	10.0	88	mg/L
		Manganese	EPA 200.7	0.894	1.00	89	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	4.48	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.46	5.00	89	mg/L
		Potassium	EPA 200.7	9.25	10.0	92	mg/L
		Scandium	EPA 200.7	0.902	1.00	90	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.27	10.0	93	mg/L
		Strontium	EPA 200.7	0.934	1.00	93	mg/L
		Tin	EPA 200.7	0.930	1.00	93	mg/L
		Titanium	EPA 200.7	0.979	1.00	98	mg/L
		Vanadium	EPA 200.7	0.895	1.00	90	mg/L
		Zinc	EPA 200.7	0.887	1.00	89	mg/L
QC11090602	LCS 1	Aluminum	EPA 200.7	0.926	1.00	93	mg/L
		Barium	EPA 200.7	0.906	1.00	91	mg/L
		Beryllium	EPA 200.7	0.895	1.00	90	mg/L
		Bismuth	EPA 200.7	0.923	1.00	92	mg/L
		Boron	EPA 200.7	0.858	1.00	86	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Cadmium	EPA 200.7	0.888	1.00	89	mg/L
		Calcium	EPA 200.7	9.07	10.0	91	mg/L
		Chromium	EPA 200.7	0.882	1.00	88	mg/L
		Cobalt	EPA 200.7	0.896	1.00	90	mg/L
		Copper	EPA 200.7	4.49	5.00	90	mg/L
		Gallium	EPA 200.7	0.908	1.00	91	mg/L
		Iron	EPA 200.7	0.904	1.00	90	mg/L
		Lithium	EPA 200.7	0.875	1.00	88	mg/L
		Magnesium	EPA 200.7	8.75	10.0	88	mg/L
		Manganese	EPA 200.7	0.894	1.00	89	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	4.48	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.46	5.00	89	mg/L
		Potassium	EPA 200.7	9.25	10.0	92	mg/L
		Scandium	EPA 200.7	0.902	1.00	90	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.27	10.0	93	mg/L
		Strontium	EPA 200.7	0.934	1.00	93	mg/L
		Tin	EPA 200.7	0.930	1.00	93	mg/L
		Titanium	EPA 200.7	0.979	1.00	98	mg/L
		Vanadium	EPA 200.7	0.895	1.00	90	mg/L
		Zinc	EPA 200.7	0.887	1.00	89	mg/L
QC11090613	LCS 1	Mercury	EPA 200.8	0.001071	0.001	107	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0519	0.050	104	mg/L
		Lead	EPA 200.8	0.0109	0.010	109	mg/L
		Selenium	EPA 200.8	0.0518	0.050	104	mg/L
		Thallium	EPA 200.8	0.0103	0.010	103	mg/L
		Uranium	EPA 200.8	0.0111	0.010	111	mg/L
QC11090614	LCS 1	Mercury	EPA 200.8	0.001071	0.001	107	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0519	0.050	104	mg/L
		Lead	EPA 200.8	0.0109	0.010	109	mg/L
		Selenium	EPA 200.8	0.0518	0.050	104	mg/L
		Thallium	EPA 200.8	0.0103	0.010	103	mg/L
		Uranium	EPA 200.8	0.0111	0.010	111	mg/L
QC11090641	LCS 1	Mercury	EPA 200.8	0.001114	0.001	111	mg/L
		Antimony	EPA 200.8	0.0111	0.010	111	mg/L
		Arsenic	EPA 200.8	0.0519	0.050	104	mg/L
		Lead	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium	EPA 200.8	0.0506	0.050	101	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0095	0.010	95	mg/L
QC11090642	LCS 1	Mercury	EPA 200.8	0.001114	0.001	111	mg/L
		Antimony	EPA 200.8	0.0111	0.010	111	mg/L
		Arsenic	EPA 200.8	0.0519	0.050	104	mg/L
		Lead	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium	EPA 200.8	0.0506	0.050	101	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	95	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090294	Duplicate	pH	SM 4500-H+ B	1109141-003	7.53	7.51	pH Units	<1%
QC11090294	Duplicate	pH	SM 4500-H+ B	1109142-008	7.08	7.07	pH Units	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090294	Duplicate	pH	SM 4500-H+ B	1109155-002	7.75	7.77	pH Units	<1%
QC11090294	Duplicate	pH	SM 4500-H+ B	1109158-001	7.75	7.76	pH Units	<1%
QC11090294	Duplicate	pH	SM 4500-H+ B	1109159-019	6.49	6.44	pH Units	1 %
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109141-003	184	184	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109141-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109141-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109141-003	151	151	mg/L as CaCO3	<1%
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109142-008	120	120	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109142-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109142-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109142-008	98.6	98.8	mg/L as CaCO3	<1%
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109155-002	113	113	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109155-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109155-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109155-002	92.5	92.6	mg/L as CaCO3	<1%
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109158-001	49.0	47.7	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1109158-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109158-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109158-001	40.2	39.1	mg/L as CaCO3	3 %
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109159-019	2.54	5.59	Q mg/L	75 %
		Carbonate (CO3)	SM 2320B	1109159-019	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109159-019	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109159-019	2.08	4.58	Q mg/L as CaCO3	75 %
QC11090297	Duplicate	Bicarbonate (HCO3)	SM 2320B				mg/L	%
		Carbonate (CO3)	SM 2320B				mg/L	%
		Hydroxide (OH)	SM 2320B				mg/L	%
		Total Alkalinity	SM 2320B				mg/L as CaCO3	%
QC11090442	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109159-002	50.0	48.0	mg/L	4 %
QC11090442	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109159-011	114	104	mg/L	9 %
QC11090442	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109164-004	267	266	mg/L	<1%
QC11090442	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109182-001	1328	1348	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090328	MS 1	Fluoride	EPA 300.0	1109127-004	0.307	2.31	2.37	2.00	mg/L	100	103	3 %
QC11090328	MS 2	Fluoride	EPA 300.0	1109159-001	0.862	2.79	2.80	2.00	mg/L	97	97	<1%
QC11090329	MS 1	Fluoride	EPA 300.0	1109159-011	2.17	3.90	3.90	2.00	mg/L	87	87	<1%
QC11090329	MS 2	Fluoride	EPA 300.0	1109158-001	0.476	2.50	2.49	2.00	mg/L	101	101	<1%
QC11090330	MS 1	Chloride	EPA 300.0	1109127-004	<1.000	5.02	5.18	5.00	mg/L	100	103	3 %
QC11090330	MS 2	Chloride	EPA 300.0	1109159-001	<1.000	5.13	5.16	5.00	mg/L	102	102	1 %
QC11090331	MS 1	Chloride	EPA 300.0	1109159-011	<1.000	5.17	5.17	5.00	mg/L	102	102	<1%
QC11090331	MS 2	Chloride	EPA 300.0	1109158-001	<1.000	5.18	5.17	5.00	mg/L	103	103	<1%
QC11090332	MS 1	Nitrite Nitrogen	EPA 300.0	1109127-004	<0.025	0.479	0.499	0.500	mg/L	94	98	4 %
QC11090332	MS 2	Nitrite Nitrogen	EPA 300.0	1109159-001	<0.025	0.425	0.417	0.500	mg/L	84	82	2 %
QC11090333	MS 1	Nitrite Nitrogen	EPA 300.0	1109159-011	<0.025	0.445	0.441	0.500	mg/L	88	87	1 %
QC11090333	MS 2	Nitrite Nitrogen	EPA 300.0	1109158-001	<0.025	0.470	0.468	0.500	mg/L	93	92	<1%
QC11090334	MS 1	Nitrate Nitrogen	EPA 300.0	1109127-004	<1.000	2.02	2.09	2.00	mg/L	100	104	3 %
QC11090334	MS 2	Nitrate Nitrogen	EPA 300.0	1109159-001	<1.000	2.06	2.07	2.00	mg/L	102	103	<1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090335	MS 1	Nitrate Nitrogen	EPA 300.0	1109159-011	<1.000	2.06	2.07	2.00	mg/L	103	103	<1%
QC11090335	MS 2	Nitrate Nitrogen	EPA 300.0	1109158-001	<1.000	2.08	2.08	2.00	mg/L	103	103	<1%
QC11090336	MS 1	Sulfate	EPA 300.0	1109127-004	23.4	32.9	33.2	10.0	mg/L	95	98	1 %
QC11090336	MS 2	Sulfate	EPA 300.0	1109159-001	57.0	65.6	65.7	10.0	mg/L	85	87	<1%
QC11090337	MS 1	Sulfate	EPA 300.0	1109159-011	48.9	57.6	57.6	10.0	mg/L	87	87	<1%
QC11090337	MS 2	Sulfate	EPA 300.0	1109158-001	14.6	24.5	24.5	10.0	mg/L	100	99	<1%
QC11090573	MS 1	Aluminum	EPA 200.7	1109210-003	<0.450	1.19	1.13	1.00	mg/L	126	120	5 %
		Barium	EPA 200.7	1109210-003	<0.100	M 0.214	0.242	1.00	mg/L	NC	NC	NC
		Beryllium	EPA 200.7	1109210-003	<0.010	1.16	1.18	1.00	mg/L	116	118	2 %
		Bismuth	EPA 200.7	1109210-003	<1.000	1.11	1.07	1.00	mg/L	114	110	4 %
		Boron	EPA 200.7	1109210-003	86.8	SC 91.1	86.8	1.00	mg/L	NC	NC	NC
		Cadmium	EPA 200.7	1109210-003	<0.010	1.19	1.19	1.00	mg/L	119	119	<1%
		Calcium	EPA 200.7	1109210-003	6.50	18.1	17.6	10.0	mg/L	116	111	3 %
		Chromium	EPA 200.7	1109210-003	<0.050	1.18	1.18	1.00	mg/L	117	117	<1%
		Cobalt	EPA 200.7	1109210-003	<0.100	1.15	1.16	1.00	mg/L	115	116	1 %
		Copper	EPA 200.7	1109210-003	<0.500	6.03	5.95	5.00	mg/L	120	119	1 %
		Gallium	EPA 200.7	1109210-003	<1.000	1.07	1.06	1.00	mg/L	105	104	1 %
		Iron	EPA 200.7	1109210-003	<0.100	1.04	1.01	1.00	mg/L	116	113	3 %
		Lithium	EPA 200.7	1109210-003	25.0	SC 27.5	26.4	1.00	mg/L	NC	NC	NC
		Magnesium	EPA 200.7	1109210-003	17.2	29.0	28.2	10.0	mg/L	118	110	3 %
		Manganese	EPA 200.7	1109210-003	<0.050	1.19	1.19	1.00	mg/L	118	118	<1%
		Molybdenum	EPA 200.7	1109210-003	<0.100	1.18	1.18	1.00	mg/L	116	116	<1%
		Nickel	EPA 200.7	1109210-003	<0.100	5.92	5.98	5.00	mg/L	118	119	1 %
		Phosphorus	EPA 200.7	1109210-003	<5.000	6.56	6.60	5.00	mg/L	124	125	1 %
		Potassium	EPA 200.7	1109210-003	651	SC 698	663	10.0	mg/L	NC	NC	NC
		Scandium	EPA 200.7	1109210-003	<1.000	1.16	1.16	1.00	mg/L	116	116	<1%
		Silver	EPA 200.7	1109210-003	<0.050	0.095	0.097	0.090	mg/L	111	113	2 %
		Sodium	EPA 200.7	1109210-003	7720	SC 8230	7660	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1109210-003	1.22	2.26	2.25	1.00	mg/L	104	103	<1%
		Tin	EPA 200.7	1109210-003	<1.000	1.19	1.20	1.00	mg/L	118	119	1 %
		Titanium	EPA 200.7	1109210-003	<1.000	1.14	1.12	1.00	mg/L	115	113	2 %
		Vanadium	EPA 200.7	1109210-003	<0.100	1.24	1.25	1.00	mg/L	119	120	1 %
		Zinc	EPA 200.7	1109210-003	<0.100	1.21	1.22	1.00	mg/L	121	122	1 %
QC11090574	MS 1	Aluminum	EPA 200.7	1109210-005	<0.045	0.986	0.978	1.00	mg/L	96	95	1 %
		Barium	EPA 200.7	1109210-005	0.019	0.984	0.969	1.00	mg/L	96	95	2 %
		Beryllium	EPA 200.7	1109210-005	<0.001	0.969	0.948	1.00	mg/L	97	95	2 %
		Bismuth	EPA 200.7	1109210-005	<0.100	0.966	0.949	1.00	mg/L	97	95	2 %
		Boron	EPA 200.7	1109210-005	0.244	1.22	1.21	1.00	mg/L	98	97	1 %
		Cadmium	EPA 200.7	1109210-005	<0.001	0.946	0.939	1.00	mg/L	95	94	1 %
		Calcium	EPA 200.7	1109210-005	94.3	105	106	10.0	mg/L	107	117	1 %
		Chromium	EPA 200.7	1109210-005	<0.005	0.950	0.931	1.00	mg/L	95	93	2 %
		Cobalt	EPA 200.7	1109210-005	<0.010	0.955	0.945	1.00	mg/L	95	94	1 %
		Copper	EPA 200.7	1109210-005	<0.050	4.92	4.90	5.00	mg/L	98	98	<1%
		Gallium	EPA 200.7	1109210-005	<0.100	0.929	0.903	1.00	mg/L	93	90	3 %
		Iron	EPA 200.7	1109210-005	<0.010	0.976	0.956	1.00	mg/L	97	95	2 %
		Lithium	EPA 200.7	1109210-005	0.107	1.09	1.07	1.00	mg/L	98	96	2 %
		Magnesium	EPA 200.7	1109210-005	8.99	18.2	18.3	10.0	mg/L	92	93	1 %
		Manganese	EPA 200.7	1109210-005	<0.005	0.920	0.907	1.00	mg/L	96	94	1 %
		Molybdenum	EPA 200.7	1109210-005	<0.010	0.959	0.951	1.00	mg/L	96	95	1 %
		Nickel	EPA 200.7	1109210-005	<0.010	4.74	4.69	5.00	mg/L	95	94	1 %
		Phosphorus	EPA 200.7	1109210-005	<0.500	4.94	4.89	5.00	mg/L	97	96	1 %
		Potassium	EPA 200.7	1109210-005	8.67	19.3	19.2	10.0	mg/L	106	105	1 %
		Scandium	EPA 200.7	1109210-005	<0.100	0.970	0.942	1.00	mg/L	97	94	3 %
		Silver	EPA 200.7	1109210-005	<0.005	0.088	0.088	0.090	mg/L	97	96	<1%
		Sodium	EPA 200.7	1109210-005	88.7	99.3	99.5	10.0	mg/L	106	108	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090601	MS 1	Strontium	EPA 200.7	1109210-005	0.854	1.85	1.82	1.00	mg/L	100	97	2 %
		Tin	EPA 200.7	1109210-005	<0.100	0.872	0.873	1.00	mg/L	92	92	<1%
		Titanium	EPA 200.7	1109210-005	<0.100	0.963	0.959	1.00	mg/L	96	96	<1%
		Vanadium	EPA 200.7	1109210-005	0.016	0.984	0.968	1.00	mg/L	97	95	2 %
		Zinc	EPA 200.7	1109210-005	<0.010	0.957	0.950	1.00	mg/L	96	95	1 %
		Aluminum, Dissolved	EPA 200.7	1109213-001	0.162	1.11	1.08	1.00	mg/L	95	92	3 %
		Barium, Dissolved	EPA 200.7	1109213-001	0.069	1.02	0.992	1.00	mg/L	95	92	3 %
		Beryllium, Dissolved	EPA 200.7	1109213-001	<0.001	0.945	0.917	1.00	mg/L	94	92	3 %
		Bismuth, Dissolved	EPA 200.7	1109213-001	<0.100	0.967	0.932	1.00	mg/L	98	94	4 %
		Boron, Dissolved	EPA 200.7	1109213-001	<0.100	0.983	0.953	1.00	mg/L	94	91	3 %
		Cadmium, Dissolved	EPA 200.7	1109213-001	<0.001	0.920	0.899	1.00	mg/L	92	90	2 %
		Calcium, Dissolved	EPA 200.7	1109213-001	40.7	50.1	48.4	10.0	mg/L	94	77	3 %
		Chromium, Dissolved	EPA 200.7	1109213-001	<0.005	0.934	0.911	1.00	mg/L	94	91	2 %
		Cobalt, Dissolved	EPA 200.7	1109213-001	<0.010	0.926	0.903	1.00	mg/L	92	90	3 %
		Copper, Dissolved	EPA 200.7	1109213-001	<0.050	4.85	4.66	5.00	mg/L	97	93	4 %
		Gallium, Dissolved	EPA 200.7	1109213-001	<0.100	0.962	0.929	1.00	mg/L	96	93	3 %
		Iron, Dissolved	EPA 200.7	1109213-001	0.046	1.01	0.989	1.00	mg/L	96	94	2 %
		Lithium, Dissolved	EPA 200.7	1109213-001	<0.100	0.953	0.944	1.00	mg/L	94	93	1 %
		Magnesium, Dissolved	EPA 200.7	1109213-001	13.6	22.0	21.6	10.0	mg/L	84	80	2 %
		Manganese, Dissolved	EPA 200.7	1109213-001	<0.005	0.927	0.902	1.00	mg/L	94	92	3 %
		Molybdenum, Dissolved	EPA 200.7	1109213-001	<0.010	0.954	0.921	1.00	mg/L	95	92	4 %
		Nickel, Dissolved	EPA 200.7	1109213-001	<0.010	4.61	4.49	5.00	mg/L	92	90	3 %
		Phosphorus, Dissolved	EPA 200.7	1109213-001	<0.500	4.70	4.55	5.00	mg/L	92	89	3 %
		Potassium, Dissolved	EPA 200.7	1109213-001	1.41	11.7	11.3	10.0	mg/L	103	99	3 %
		Scandium, Dissolved	EPA 200.7	1109213-001	<0.100	0.967	0.934	1.00	mg/L	97	93	3 %
Silver, Dissolved	EPA 200.7	1109213-001	<0.005	0.088	0.085	0.090	mg/L	97	94	3 %		
Sodium, Dissolved	EPA 200.7	1109213-001	9.48	19.5	19.0	10.0	mg/L	100	95	3 %		
Strontium, Dissolved	EPA 200.7	1109213-001	0.149	1.17	1.14	1.00	mg/L	102	99	3 %		
Tin, Dissolved	EPA 200.7	1109213-001	<0.100	0.885	0.860	1.00	mg/L	92	90	3 %		
Titanium, Dissolved	EPA 200.7	1109213-001	<0.100	0.987	0.959	1.00	mg/L	99	96	3 %		
Vanadium, Dissolved	EPA 200.7	1109213-001	0.016	0.967	0.937	1.00	mg/L	95	92	3 %		
Zinc, Dissolved	EPA 200.7	1109213-001	<0.010	0.916	0.899	1.00	mg/L	91	90	2 %		
QC11090602	MS 1	Aluminum	EPA 200.7	1109210-017	0.472	M 2.08	2.01	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1109210-017	0.035	1.01	0.968	1.00	mg/L	98	93	4 %
		Beryllium	EPA 200.7	1109210-017	<0.001	0.956	0.924	1.00	mg/L	96	92	3 %
		Bismuth	EPA 200.7	1109210-017	<0.100	0.955	0.932	1.00	mg/L	97	95	2 %
		Boron	EPA 200.7	1109210-017	0.402	1.40	1.35	1.00	mg/L	100	95	4 %
		Cadmium	EPA 200.7	1109210-017	<0.001	0.929	0.900	1.00	mg/L	93	90	3 %
		Calcium	EPA 200.7	1109210-017	83.5	SC 99.7	96.1	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1109210-017	<0.005	0.957	0.921	1.00	mg/L	96	92	4 %
		Cobalt	EPA 200.7	1109210-017	<0.010	0.949	0.916	1.00	mg/L	95	91	4 %
		Copper	EPA 200.7	1109210-017	<0.050	5.00	4.81	5.00	mg/L	100	96	4 %
		Gallium	EPA 200.7	1109210-017	<0.100	0.931	0.895	1.00	mg/L	93	89	4 %
		Iron	EPA 200.7	1109210-017	0.508	1.66	1.64	1.00	mg/L	115	113	1 %
		Lithium	EPA 200.7	1109210-017	<0.100	1.00	0.967	1.00	mg/L	98	95	3 %
		Magnesium	EPA 200.7	1109210-017	14.4	24.5	24.0	10.0	mg/L	101	96	2 %
		Manganese	EPA 200.7	1109210-017	<0.005	0.965	0.933	1.00	mg/L	96	93	3 %
		Molybdenum	EPA 200.7	1109210-017	<0.010	0.954	0.923	1.00	mg/L	96	92	3 %
		Nickel	EPA 200.7	1109210-017	<0.010	4.69	4.54	5.00	mg/L	94	91	3 %
		Phosphorus	EPA 200.7	1109210-017	<0.500	4.91	4.79	5.00	mg/L	96	94	2 %
		Potassium	EPA 200.7	1109210-017	2.93	14.0	13.5	10.0	mg/L	111	106	4 %
		Scandium	EPA 200.7	1109210-017	<0.100	0.986	0.946	1.00	mg/L	99	95	4 %
Silver	EPA 200.7	1109210-017	<0.005	0.090	0.086	0.090	mg/L	99	95	5 %		
Sodium	EPA 200.7	1109210-017	94.6	SC 113	111	10.0	mg/L	NC	NC	NC		
Strontium	EPA 200.7	1109210-017	1.21	2.31	2.26	1.00	mg/L	110	105	2 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090613	MS 1	Tin	EPA 200.7	1109210-017	<0.100	0.883	0.863	1.00	mg/L	94	92	2 %
		Titanium	EPA 200.7	1109210-017	<0.100	1.01	0.977	1.00	mg/L	100	97	3 %
		Vanadium	EPA 200.7	1109210-017	0.020	0.993	0.956	1.00	mg/L	97	94	4 %
		Zinc	EPA 200.7	1109210-017	<0.010	0.938	0.911	1.00	mg/L	94	91	3 %
		Mercury	EPA 200.8	1109210-003	<0.00050	0.001660	0.001871	0.001	mg/L	126	147	12 %
		Antimony	EPA 200.8	1109210-003	0.0273	0.0390	0.0394	0.010	mg/L	117	121	1 %
		Arsenic	EPA 200.8	1109210-003	0.2361	0.2730	0.2679	0.050	mg/L	74	64	2 %
		Lead	EPA 200.8	1109210-003	<0.0050	0.0115	0.0114	0.010	mg/L	115	114	1 %
		Selenium	EPA 200.8	1109210-003	0.0756	0.1317	0.1351	0.050	mg/L	112	119	3 %
		Thallium	EPA 200.8	1109210-003	<0.0050	0.0115	0.0114	0.010	mg/L	115	114	1 %
QC11090614	MS 1	Uranium	EPA 200.8	1109210-003	0.0308	0.0410	0.0420	0.010	mg/L	102	112	2 %
		Mercury	EPA 200.8	1109210-005	0.000209	0.001392	0.001396	0.001	mg/L	118	119	<1%
		Antimony	EPA 200.8	1109210-005	<0.0025	0.0114	0.0113	0.010	mg/L	111	110	1 %
		Arsenic	EPA 200.8	1109210-005	<0.0050	0.0603	0.0615	0.050	mg/L	111	113	2 %
		Lead	EPA 200.8	1109210-005	<0.0025	0.0108	0.0110	0.010	mg/L	108	110	2 %
		Selenium	EPA 200.8	1109210-005	<0.0050	0.0555	0.0576	0.050	mg/L	108	112	4 %
		Thallium	EPA 200.8	1109210-005	<0.0010	0.0104	0.0107	0.010	mg/L	104	107	3 %
		Uranium	EPA 200.8	1109210-005	<0.0100	0.0157	0.0157	0.010	mg/L	109	110	<1%
QC11090641	MS 1	Uranium, Dissolved	EPA 200.8	1109213-001	<0.0100	0.0117	0.0114	0.010	mg/L	104	101	3 %
		Mercury, Dissolved	EPA 200.8	1109213-001	<0.00010	0.001209	0.001200	0.001	mg/L	119	118	1 %
		Antimony, Dissolved	EPA 200.8	1109213-001	<0.0025	0.0118	0.0118	0.010	mg/L	107	107	<1%
		Arsenic, Dissolved	EPA 200.8	1109213-001	0.0054	0.0610	0.0612	0.050	mg/L	111	112	<1%
		Lead, Dissolved	EPA 200.8	1109213-001	<0.0025	0.0106	0.0104	0.010	mg/L	106	104	2 %
		Selenium, Dissolved	EPA 200.8	1109213-001	<0.0050	0.0548	0.0542	0.050	mg/L	108	107	1 %
		Thallium, Dissolved	EPA 200.8	1109213-001	<0.0010	0.0104	0.0103	0.010	mg/L	103	101	1 %
QC11090642	MS 1	Mercury	EPA 200.8	1109210-017	<0.00010	0.001097	0.001078	0.001	mg/L	110	108	2 %
		Antimony	EPA 200.8	1109210-017	<0.0025	0.0115	0.0118	0.010	mg/L	106	109	3 %
		Arsenic	EPA 200.8	1109210-017	<0.0050	0.0607	0.0624	0.050	mg/L	113	117	3 %
		Lead	EPA 200.8	1109210-017	<0.0025	0.0103	0.0104	0.010	mg/L	99	101	1 %
		Selenium	EPA 200.8	1109210-017	<0.0050	0.0546	0.0548	0.050	mg/L	103	103	<1%
		Thallium	EPA 200.8	1109210-017	<0.0010	0.0098	0.0100	0.010	mg/L	98	100	2 %
		Uranium	EPA 200.8	1109210-017	<0.0100	0.0146	0.0147	0.010	mg/L	103	104	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1109159

Report Due Date: 9/23/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

R.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time
Standard _____ 5 Day _____ Other _____

Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE TYPE NO OF CONTAINERS

Analyses Requested

Profile II w/o Wad	Uranium																			Spl. No.
X	X																			1
																				2
																				3
																				4
																				5
																				6
																				7
																				8
																				9
																				10
																				11
																				17

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO OF CONTAINERS	Profile II w/o Wad	Uranium														Spl. No.
604 562	9/09/11	9:00	WW	2	X	X														1
604 569																				2
604 606																				3
604 653																				4
604 656																				5
604 669																				6
604 673																				7
604 767																				8
604 787																				9
604 811																				10
604 854																				11
604 862																				17

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>25°C</u>	<u>9/9</u>	<u>15:30</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>22</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.





WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Waste and Water Analysis.*

475 E. Greg Street # 119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1109159
Report 9/23/11
Due Date: _____
Page 2 of 2

Client McClelland Laboratories, Inc.
Address 1016 Greg Street
City, State & Zip Sparks, NV 89431
Contact Gene McClelland
Phone 775-356-1300 Collector's Name Robert
Fax 775-356-8917 Project Name _____
P.O. Number _____ Project Number 3438

Turnaround Time
Standard _____ 5-Days _____ Other _____
Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Analyses Requested										Spi. No.
SAMPLE TYPE	NO. OF CONTAINERS	Profile II w/o Wad	Uranium							
WW	2	X	X							13
										14
										15
										16
										17
										18
										19
										20
										21

Instructions/Comments/Special Requirements: _____

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>25°C</u>	<u>9/14</u>	<u>15:30</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers <u>412</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.





8/30/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1108216

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/12/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1108216

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1108216-007 Cadmium

1108216-017 Nitrite Nitrogen, Chloride, All metals

The reporting limits have been adjusted accordingly.

Due to a laboratory reanalysis requirement the analysis for Total Dissolved Solids (TDS) on sample 1108216-015 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 8/30/2011
OrderID: 1108216

Customer Sample ID: 604 562 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-001

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.90	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	85	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	70	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/12/2011
Fluoride	EPA 300.0	0.97	mg/L	0.10	8/12/2011
Sulfate	EPA 300.0	57	mg/L	1.0	8/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/12/2011
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.019	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	40	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	6.8	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.36	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	8/22/2011

Customer Sample ID: 604 562 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-001

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.65	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.30	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	0.030	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2011
Anions	Calculation	2.63	meq/L	0.10	
Cations	Calculation	2.64	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 569 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-002

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.32	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	27	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	22	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.86	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	19	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	47	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.078	mg/L	0.045	8/22/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011

Customer Sample ID: 604 569 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-002

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	12	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	2.7	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.046	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.61	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	0.88	meq/L	0.10	
Cations	Calculation	0.89	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 606 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-003

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	66	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011

Customer Sample ID: 604 606 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-003

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	54	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	31	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.056	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.032	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	28	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.043	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	2.0	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.93	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011

Customer Sample ID: 604 606 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-003

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.81	meq/L	0.10	
Cations	Calculation	1.88	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: 604 653 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-004

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.67	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	50	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	43	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.066	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.050	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	29	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	2.6	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011

Customer Sample ID: 604 653 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-004

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	1.1	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.18	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2011
Anions	Calculation	1.79	meq/L	0.10	
Cations	Calculation	1.78	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 656 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-005

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.72	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	54	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	44	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.82	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	29	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	80	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	24	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011

Customer Sample ID: 604 656 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-005

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	4.3	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.070	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.032	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.21	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.014	mg/L	0.010	8/18/2011
Anions	Calculation	1.53	meq/L	0.10	
Cations	Calculation	1.59	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: 604 669 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-006

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.45	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	38	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011

Customer Sample ID: 604 669 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-006

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.66	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	76	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	0.0011	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	34	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	5.4	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.67	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.79	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.25	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	2.24	meq/L	0.10	
Cations	Calculation	2.26	meq/L	0.10	

Customer Sample ID: 604 669 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-006

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-007

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.22	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	1.8	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	1.5	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.55	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	29	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	51	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.041	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2011
Calcium	EPA 200.7	8.8	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.061	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.74	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011

Customer Sample ID: 604 673 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-007

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	0.66	meq/L	0.10	
Cations	Calculation	0.62	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: 604 767 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-008

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.55	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	41	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	34	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	2.5	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	66	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.044	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	28	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011

Customer Sample ID: 604 767 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-008

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	7.3	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.44	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.21	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	0.021	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.015	mg/L	0.010	8/18/2011
Anions	Calculation	2.18	meq/L	0.10	
Cations	Calculation	2.08	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: 604 787 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-009

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	68	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	56	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	32	mg/L	1.0	8/13/2011

Customer Sample ID: 604 787 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-009

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	87	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.012	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	28	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.066	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.53	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.033	mg/L	0.010	8/18/2011
Anions	Calculation	1.86	meq/L	0.10	
Cations	Calculation	1.85	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-010

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.05	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	90	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	30	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	36	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	8.4	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.038	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.40	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011

Customer Sample ID: 604 811 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-010

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.012	mg/L	0.010	8/18/2011
Anions	Calculation	2.55	meq/L	0.10	
Cations	Calculation	2.52	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 854 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-011

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.47	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	43	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	35	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	56	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.046	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.029	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	29	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	5.8	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.11	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.037	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011

Customer Sample ID: 604 854 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-011

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/19/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/19/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/19/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/19/2011
Anions	Calculation	1.99	meq/L	0.10	
Cations	Calculation	1.98	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 862 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-012

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.05	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	250	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	210	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	24	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.012	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011

Customer Sample ID: 604 862 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-012

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	80	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	11	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.076	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.79	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.82	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	4.73	meq/L	0.10	
Cations	Calculation	4.98	meq/L	0.10	
Error	Calculation	2.5	%	1.0	

Customer Sample ID: 604 867 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-013

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.68	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	97	mg/L	1.0	8/12/2011

Customer Sample ID: 604 867 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-013

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	80	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	160	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.012	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	89	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	0.14	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	4.4	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.15	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.66	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.38	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	0.014	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011

Customer Sample ID: 604 867 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-013

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	5.01	meq/L	0.10	
Cations	Calculation	4.89	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 605 033 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-014

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	49	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	30	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.056	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.016	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	28	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.8	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.074	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	8/22/2011

Customer Sample ID: 605 033 WK:28
 WETLAB Sample ID: 1108216-014

Collect Date/Time: 8/12/2011 09:00
 Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.68	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.013	mg/L	0.010	8/18/2011
Anions	Calculation	1.69	meq/L	0.10	
Cations	Calculation	1.63	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 605 153 WK:28
 WETLAB Sample ID: 1108216-015

Collect Date/Time: 8/12/2011 09:00
 Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.62	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	44	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	36	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	12	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	50	HT mg/L	10	8/25/2011
Aluminum	EPA 200.7	0.079	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.11	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011

Customer Sample ID: 605 153 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-015

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	15	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.8	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.033	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.66	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	0.83	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	1.03	meq/L	0.10	
Cations	Calculation	0.97	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: SRK 0854 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-016

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.81	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011

Customer Sample ID: SRK 0854 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-016

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.29	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	150	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.21	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	0.0051	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	22	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Copper	EPA 200.7	61	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.0	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	0.32	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	0.010	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011

Customer Sample ID: SRK 0854 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-016

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.14	meq/L	0.10	
Cations	Calculation	3.20	meq/L	0.10	
Error	Calculation	1.0	%	1.0	

Customer Sample ID: SRK 0858 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-017

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.69	pH Units		8/12/2011
Acidity (Titrimetric)	SM 2310B	320	mg/L as CaCO3		8/12/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	8/13/2011
Fluoride	EPA 300.0	1.4	mg/L	0.20	8/13/2011
Sulfate	EPA 300.0	330	mg/L	2.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	390	mg/L	10	8/16/2011
Aluminum	EPA 200.7	16	mg/L	0.22	8/23/2011
Barium	EPA 200.7	<0.050	mg/L	0.050	8/23/2011
Beryllium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2011
Bismuth	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Boron	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	8/23/2011
Calcium	EPA 200.7	9.4	mg/L	2.5	8/23/2011
Chromium	EPA 200.7	0.046	mg/L	0.025	8/23/2011
Cobalt	EPA 200.7	0.068	mg/L	0.050	8/23/2011
Copper	EPA 200.7	18	mg/L	0.25	8/23/2011
Gallium	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Iron	EPA 200.7	36	mg/L	0.050	8/23/2011
Lithium	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Magnesium	EPA 200.7	<2.5	mg/L	2.5	8/23/2011
Manganese	EPA 200.7	0.36	mg/L	0.025	8/23/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	8/23/2011
Nickel	EPA 200.7	<0.050	mg/L	0.050	8/23/2011
Phosphorus	EPA 200.7	<2.5	mg/L	2.5	8/23/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	8/23/2011
Scandium	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Silver	EPA 200.7	<0.025	mg/L	0.025	8/23/2011
Sodium	EPA 200.7	<2.5	mg/L	2.5	8/23/2011
Strontium	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Tin	EPA 200.7	<0.50	mg/L	0.50	8/23/2011

Customer Sample ID: SRK 0858 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-017

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.50	mg/L	0.50	8/23/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	8/23/2011
Zinc	EPA 200.7	0.11	mg/L	0.050	8/23/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	0.0087	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	0.031	mg/L	0.010	8/18/2011
Anions	Calculation	6.94	meq/L	0.10	
Cations	Calculation	8.27	meq/L	0.10	
Error	Calculation	8.7	%	1.0	

Customer Sample ID: SRK 0864 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-018

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	31	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	25	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.32	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	3.2	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	34	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.047	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.015	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	8.4	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011

Customer Sample ID: SRK 0864 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-018

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	0.98	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	0.69	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	0.59	meq/L	0.10	
Cations	Calculation	0.59	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0866 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-019

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.62	pH Units		8/12/2011
Bicarbonate (HCO3)	SM 2320B	4.2	mg/L	1.0	8/12/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	3.4	mg/L as CaCO3	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.70	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	16	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011

Customer Sample ID: SRK 0866 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-019

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	29	mg/L	10	8/16/2011
Aluminum	EPA 200.7	0.075	mg/L	0.045	8/22/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	6.0	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	0.64	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	1.5	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	0.44	meq/L	0.10	
Cations	Calculation	0.40	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Customer Sample ID: SRK 0867 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-020

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.14	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	17	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	14	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.73	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	32	mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	63	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.011	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	16	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	1.3	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	0.0084	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	0.52	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	0.0069	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011

Customer Sample ID: SRK 0867 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-020

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	0.98	meq/L	0.10	
Cations	Calculation	0.92	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: SRK 0872 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-021

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.05	pH Units		8/12/2011
Bicarbonate (HCO ₃)	SM 2320B	14	mg/L	1.0	8/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/12/2011
Total Alkalinity	SM 2320B	12	mg/L as CaCO ₃	1.0	8/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/13/2011
Fluoride	EPA 300.0	0.58	mg/L	0.10	8/13/2011
Sulfate	EPA 300.0	70	SC mg/L	1.0	8/13/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/13/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/13/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	8/16/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/22/2011
Barium	EPA 200.7	0.014	mg/L	0.010	8/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/22/2011
Calcium	EPA 200.7	32	mg/L	0.50	8/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	8/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Magnesium	EPA 200.7	0.65	mg/L	0.50	8/22/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Molybdenum	EPA 200.7	0.29	mg/L	0.010	8/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/22/2011

Customer Sample ID: SRK 0872 WK:28

Collect Date/Time: 8/12/2011 09:00

WETLAB Sample ID: 1108216-021

Receive Date: 8/12/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/22/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	8/22/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/18/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/18/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/18/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/18/2011
Anions	Calculation	1.72	meq/L	0.10	
Cations	Calculation	1.65	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11080450	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11080450	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11080450	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11080457	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11080457	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11080457	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11080458	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11080458	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11080458	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11080459	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11080459	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11080459	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11080461	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11080461	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11080461	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11080462	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11080462	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11080464	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080464	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080464	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080465	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080465	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080465	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11080467	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11080467	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11080467	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11080468	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11080468	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11080468	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11080619	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11080619	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11080621	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC11080622	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC11080623	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11080730	Blank 1	Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.0050	mg/L		
QC11080731	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11080732	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11080450	LCS 1	Fluoride	EPA 300.0	2.20	2.00	110	mg/L
QC11080457	LCS 1	Fluoride	EPA 300.0	2.20	2.00	110	mg/L
QC11080458	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11080459	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11080461	LCS 1	Nitrite Nitrogen	EPA 300.0	0.486	0.500	97	mg/L
QC11080462	LCS 1	Nitrite Nitrogen	EPA 300.0	0.486	0.500	97	mg/L
QC11080464	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11080465	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11080467	LCS 1	Sulfate	EPA 300.0	26.1	25.0	104	mg/L
QC11080468	LCS 1	Sulfate	EPA 300.0	26.1	25.0	104	mg/L
QC11080490	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11080490	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11080490	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11080491	LCS 1	Alkalinity	SM 2320B	95.5	100	96	mg/L
QC11080491	LCS 2	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC11080491	LCS 3	Alkalinity	SM 2320B	93.7	100	94	mg/L
QC11080619	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC11080619	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC11080621	LCS 1	Mercury	EPA 200.8	0.001010	0.001	101	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0495	0.050	99	mg/L
		Lead	EPA 200.8	0.0103	0.010	103	mg/L
		Selenium	EPA 200.8	0.0477	0.050	95	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
		Uranium	EPA 200.8	0.0102	0.010	102	mg/L
QC11080622	LCS 1	Mercury	EPA 200.8	0.001010	0.001	101	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11080623	LCS 1	Arsenic	EPA 200.8	0.0495	0.050	99	mg/L
		Lead	EPA 200.8	0.0103	0.010	103	mg/L
		Selenium	EPA 200.8	0.0477	0.050	95	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
		Uranium	EPA 200.8	0.0102	0.010	102	mg/L
		Mercury	EPA 200.8	0.001062	0.001	106	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0486	0.050	97	mg/L
		Lead	EPA 200.8	0.0107	0.010	107	mg/L
		Selenium	EPA 200.8	0.0503	0.050	101	mg/L
QC11080730	LCS 1	Thallium	EPA 200.8	0.0103	0.010	103	mg/L
		Uranium	EPA 200.8	0.0110	0.010	110	mg/L
		Aluminum	EPA 200.7	0.960	1.00	96	mg/L
		Barium	EPA 200.7	0.965	1.00	96	mg/L
		Beryllium	EPA 200.7	0.963	1.00	96	mg/L
		Bismuth	EPA 200.7	0.993	1.00	99	mg/L
		Boron	EPA 200.7	0.899	1.00	90	mg/L
		Cadmium	EPA 200.7	0.979	1.00	98	mg/L
		Calcium	EPA 200.7	10.0	10.0	100	mg/L
		Chromium	EPA 200.7	0.952	1.00	95	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.944	1.00	94	mg/L
		Iron	EPA 200.7	0.983	1.00	98	mg/L
		Lithium	EPA 200.7	0.947	1.00	95	mg/L
		Magnesium	EPA 200.7	10.0	10.0	100	mg/L
		Manganese	EPA 200.7	0.969	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.990	1.00	99	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L
		Phosphorus	EPA 200.7	5.08	5.00	102	mg/L
		Potassium	EPA 200.7	9.59	10.0	96	mg/L
		Scandium	EPA 200.7	0.946	1.00	95	mg/L
		Silver	EPA 200.7	0.086	0.090	95	mg/L
		Sodium	EPA 200.7	9.59	10.0	96	mg/L
Strontium	EPA 200.7	0.948	1.00	95	mg/L		
Tin	EPA 200.7	0.994	1.00	99	mg/L		
Titanium	EPA 200.7	0.986	1.00	99	mg/L		
Vanadium	EPA 200.7	0.949	1.00	95	mg/L		
Zinc	EPA 200.7	1.02	1.00	102	mg/L		
QC11080731	LCS 1	Aluminum	EPA 200.7	0.960	1.00	96	mg/L
		Barium	EPA 200.7	0.965	1.00	96	mg/L
		Beryllium	EPA 200.7	0.963	1.00	96	mg/L
		Bismuth	EPA 200.7	0.993	1.00	99	mg/L
		Boron	EPA 200.7	0.899	1.00	90	mg/L
		Cadmium	EPA 200.7	0.979	1.00	98	mg/L
		Calcium	EPA 200.7	10.0	10.0	100	mg/L
		Chromium	EPA 200.7	0.952	1.00	95	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.944	1.00	94	mg/L
		Iron	EPA 200.7	0.983	1.00	98	mg/L
		Lithium	EPA 200.7	0.947	1.00	95	mg/L
		Magnesium	EPA 200.7	10.0	10.0	100	mg/L
		Manganese	EPA 200.7	0.969	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.990	1.00	99	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11080732	LCS 1	Phosphorus	EPA 200.7	5.08	5.00	102	mg/L
		Potassium	EPA 200.7	9.59	10.0	96	mg/L
		Scandium	EPA 200.7	0.946	1.00	95	mg/L
		Silver	EPA 200.7	0.086	0.090	95	mg/L
		Sodium	EPA 200.7	9.59	10.0	96	mg/L
		Strontium	EPA 200.7	0.948	1.00	95	mg/L
		Tin	EPA 200.7	0.994	1.00	99	mg/L
		Titanium	EPA 200.7	0.986	1.00	99	mg/L
		Vanadium	EPA 200.7	0.949	1.00	95	mg/L
		Zinc	EPA 200.7	1.02	1.00	102	mg/L
		Aluminum	EPA 200.7	0.937	1.00	94	mg/L
		Barium	EPA 200.7	0.906	1.00	91	mg/L
		Beryllium	EPA 200.7	0.899	1.00	90	mg/L
		Bismuth	EPA 200.7	0.913	1.00	91	mg/L
		Boron	EPA 200.7	0.877	1.00	88	mg/L
		Cadmium	EPA 200.7	0.885	1.00	88	mg/L
		Calcium	EPA 200.7	9.82	10.0	98	mg/L
		Chromium	EPA 200.7	0.901	1.00	90	mg/L
		Cobalt	EPA 200.7	0.915	1.00	92	mg/L
		Copper	EPA 200.7	4.54	5.00	91	mg/L
		Gallium	EPA 200.7	0.910	1.00	91	mg/L
		Iron	EPA 200.7	0.943	1.00	94	mg/L
		Lithium	EPA 200.7	0.894	1.00	89	mg/L
		Magnesium	EPA 200.7	9.49	10.0	95	mg/L
		Manganese	EPA 200.7	0.929	1.00	93	mg/L
		Molybdenum	EPA 200.7	0.863	1.00	86	mg/L
		Nickel	EPA 200.7	4.49	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.48	5.00	90	mg/L
		Potassium	EPA 200.7	9.18	10.0	92	mg/L
		Scandium	EPA 200.7	0.917	1.00	92	mg/L
		Silver	EPA 200.7	0.083	0.090	92	mg/L
		Sodium	EPA 200.7	9.34	10.0	93	mg/L
Strontium	EPA 200.7	0.960	1.00	96	mg/L		
Tin	EPA 200.7	0.884	1.00	88	mg/L		
Titanium	EPA 200.7	0.982	1.00	98	mg/L		
Vanadium	EPA 200.7	0.895	1.00	90	mg/L		
Zinc	EPA 200.7	0.883	1.00	88	mg/L		

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11080490	Duplicate	pH	SM 4500-H+ B	1108196-001	8.98	8.95	pH Units	<1%
QC11080490	Duplicate	pH	SM 4500-H+ B	1108198-002	7.71	7.64	pH Units	1 %
QC11080490	Duplicate	pH	SM 4500-H+ B	1108213-001	7.54	7.66	pH Units	2 %
QC11080490	Duplicate	pH	SM 4500-H+ B	1108201-003	7.22	7.20	pH Units	<1%
QC11080490	Duplicate	pH	SM 4500-H+ B	1108216-004	7.67	7.64	pH Units	<1%
QC11080490	Duplicate	pH	SM 4500-H+ B	1108216-014	7.75	7.73	pH Units	<1%
QC11080490	Duplicate	pH	SM 4500-H+ B	1108218-001	7.55	7.64	pH Units	1 %
QC11080491	Duplicate	Bicarbonate (HCO3)	SM 2320B	1108196-001	210	215	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1108196-001	27.3	25.6	mg/L	6 %
		Hydroxide (OH)	SM 2320B	1108196-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108196-001	218	218	mg/L as CaCO3	<1%
QC11080491	Duplicate	Bicarbonate (HCO3)	SM 2320B	1108198-002	39.8	39.0	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1108198-002	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11080491	Duplicate	Hydroxide (OH)	SM 2320B	1108198-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108198-002	32.7	32.0	mg/L as CaCO3	2 %
		Bicarbonate (HCO3)	SM 2320B	1108213-001	63.4	63.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1108213-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1108213-001	<1.000	<1.000	mg/L	<1%
QC11080491	Duplicate	Total Alkalinity	SM 2320B	1108213-001	52.0	52.2	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1108201-003	237	239	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1108201-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1108201-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108201-003	194	196	mg/L as CaCO3	1 %
QC11080491	Duplicate	Bicarbonate (HCO3)	SM 2320B	1108216-004	50.5	50.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1108216-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1108216-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108216-004	41.4	45.2	mg/L as CaCO3	9 %
		Bicarbonate (HCO3)	SM 2320B	1108216-014	59.4	57.6	mg/L	3 %
QC11080491	Duplicate	Carbonate (CO3)	SM 2320B	1108216-014	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1108216-014	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108216-014	48.7	47.2	mg/L as CaCO3	3 %
		Bicarbonate (HCO3)	SM 2320B	1108218-001	47.6	47.9	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1108218-001	<1.000	<1.000	mg/L	<1%
QC11080491	Duplicate	Hydroxide (OH)	SM 2320B	1108218-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1108218-001	39.0	39.3	mg/L as CaCO3	1 %
		Total Dissolved Solids (TDS)	SM 2540C	1108216-005	80.0	76.0	mg/L	5 %
		Total Dissolved Solids (TDS)	SM 2540C	1108216-012	244	253	mg/L	4 %
		Total Dissolved Solids (TDS)	SM 2540C	1108228-011	856	862	mg/L	1 %
QC11080619	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1108236-003	577	607	Q mg/L	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11080450	MS 1	Fluoride	EPA 300.0	1108202-006	<0.100	2.05	2.09	2.00	mg/L	102	104	2 %
QC11080450	MS 2	Fluoride	EPA 300.0	1108216-001	0.966	2.85	2.85	2.00	mg/L	94	94	<1%
QC11080457	MS 1	Fluoride	EPA 300.0	1108216-011	2.26	3.97	3.97	2.00	mg/L	86	85	<1%
QC11080457	MS 2	Fluoride	EPA 300.0	1108216-021	0.583	2.53	2.53	2.00	mg/L	98	98	<1%
QC11080458	MS 1	Chloride	EPA 300.0	1108202-006	<1.000	5.46	5.56	5.00	mg/L	99	101	2 %
QC11080458	MS 2	Chloride	EPA 300.0	1108216-001	<1.000	4.99	4.99	5.00	mg/L	99	99	<1%
QC11080459	MS 1	Chloride	EPA 300.0	1108216-011	<1.000	5.13	5.11	5.00	mg/L	101	100	<1%
QC11080459	MS 2	Chloride	EPA 300.0	1108216-021	<1.000	5.03	5.06	5.00	mg/L	100	100	1 %
QC11080461	MS 1	Nitrite Nitrogen	EPA 300.0	1108216-001	<0.025	0.475	0.473	0.500	mg/L	95	95	<1%
QC11080461	MS 2	Nitrite Nitrogen	EPA 300.0	1108216-011	<0.025	0.490	0.488	0.500	mg/L	97	97	<1%
QC11080462	MS 1	Nitrite Nitrogen	EPA 300.0	1108216-021	<0.025	0.489	0.491	0.500	mg/L	97	97	<1%
QC11080464	MS 1	Nitrate Nitrogen	EPA 300.0	1108202-006	<1.000	2.46	2.50	2.00	mg/L	99	101	2 %
QC11080464	MS 2	Nitrate Nitrogen	EPA 300.0	1108216-001	<1.000	1.98	1.98	2.00	mg/L	98	98	<1%
QC11080465	MS 1	Nitrate Nitrogen	EPA 300.0	1108216-011	<1.000	2.00	1.99	2.00	mg/L	99	99	1 %
QC11080465	MS 2	Nitrate Nitrogen	EPA 300.0	1108216-021	<1.000	2.00	2.01	2.00	mg/L	100	100	<1%
QC11080467	MS 1	Sulfate	EPA 300.0	1108202-006	<1.000	10.5	10.7	10.0	mg/L	100	102	2 %
QC11080467	MS 2	Sulfate	EPA 300.0	1108216-001	57.1	65.3	65.3	10.0	mg/L	82	82	<1%
QC11080468	MS 1	Sulfate	EPA 300.0	1108216-011	55.9	64.2	64.1	10.0	mg/L	82	82	<1%
QC11080468	MS 2	Sulfate	EPA 300.0	1108216-021	70.4	SC 77.8	77.9	10.0	mg/L	NC	NC	NC
QC11080621	MS 1	Uranium, Dissolved	EPA 200.8	1108246-001	0.0181	0.0292	0.0278	0.010	mg/L	111	97	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11080622	MS 1	Mercury, Dissolved	EPA 200.8	1108246-001	<0.00010	0.001124	0.001183	0.001	mg/L	106	112	5 %
		Antimony, Dissolved	EPA 200.8	1108246-001	0.0035	0.0139	0.0140	0.010	mg/L	104	105	1 %
		Arsenic, Dissolved	EPA 200.8	1108246-001	0.1622	0.2189	0.2209	0.050	mg/L	113	117	1 %
		Lead, Dissolved	EPA 200.8	1108246-001	<0.0025	0.0105	0.0102	0.010	mg/L	105	102	3 %
		Selenium, Dissolved	EPA 200.8	1108246-001	0.1206	0.1819	0.1765	0.050	mg/L	123	112	3 %
		Thallium, Dissolved	EPA 200.8	1108246-001	<0.0010	0.0102	0.0100	0.010	mg/L	99	96	2 %
		Uranium, Dissolved	EPA 200.8	1108246-002	<0.0100	0.0123	0.0124	0.010	mg/L	107	108	1 %
		Mercury, Dissolved	EPA 200.8	1108246-002	<0.00010	0.001065	0.001090	0.001	mg/L	106	109	2 %
		Antimony, Dissolved	EPA 200.8	1108246-002	<0.0025	0.0105	0.0106	0.010	mg/L	100	102	1 %
		Arsenic, Dissolved	EPA 200.8	1108246-002	<0.0050	0.0530	0.0535	0.050	mg/L	102	103	1 %
		Lead, Dissolved	EPA 200.8	1108246-002	<0.0025	0.0110	0.0112	0.010	mg/L	110	112	2 %
		Selenium, Dissolved	EPA 200.8	1108246-002	<0.0050	0.0539	0.0556	0.050	mg/L	101	105	3 %
QC11080623	MS 1	Thallium, Dissolved	EPA 200.8	1108246-002	<0.0010	0.0104	0.0105	0.010	mg/L	104	105	1 %
		Uranium, Dissolved	EPA 200.8	1108246-003	<0.0100	0.0138	0.0143	0.010	mg/L	108	113	4 %
		Mercury, Dissolved	EPA 200.8	1108246-003	<0.00010	0.001065	0.001135	0.001	mg/L	107	113	6 %
		Antimony, Dissolved	EPA 200.8	1108246-003	0.0048	0.0143	0.0155	0.010	mg/L	95	107	8 %
		Arsenic, Dissolved	EPA 200.8	1108246-003	0.1701	0.2171	0.2185	0.050	mg/L	94	97	1 %
		Lead, Dissolved	EPA 200.8	1108246-003	<0.0025	0.0106	0.0113	0.010	mg/L	106	113	6 %
		Selenium, Dissolved	EPA 200.8	1108246-003	0.0318	0.0809	0.0826	0.050	mg/L	98	101	2 %
		Thallium, Dissolved	EPA 200.8	1108246-003	<0.0010	0.0096	0.0106	0.010	mg/L	95	105	10 %
		Aluminum, Dissolved	EPA 200.7	1108246-001	<0.045	0.953	0.988	1.00	mg/L	93	96	4 %
		Barium, Dissolved	EPA 200.7	1108246-001	0.023	M 0.398	0.482	1.00	mg/L	NC	NC	NC
		Beryllium, Dissolved	EPA 200.7	1108246-001	<0.001	0.927	0.936	1.00	mg/L	93	94	1 %
		Bismuth, Dissolved	EPA 200.7	1108246-001	<0.100	0.946	0.946	1.00	mg/L	95	95	<1%
QC11080730	MS 1	Boron, Dissolved	EPA 200.7	1108246-001	0.200	1.14	1.18	1.00	mg/L	94	98	3 %
		Cadmium, Dissolved	EPA 200.7	1108246-001	<0.001	0.881	0.887	1.00	mg/L	89	90	1 %
		Calcium, Dissolved	EPA 200.7	1108246-001	700	SC 700	720	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1108246-001	<0.005	0.915	0.931	1.00	mg/L	92	94	2 %
		Cobalt, Dissolved	EPA 200.7	1108246-001	<0.010	0.911	0.914	1.00	mg/L	91	91	<1%
		Copper, Dissolved	EPA 200.7	1108246-001	<0.050	5.16	5.32	5.00	mg/L	103	106	3 %
		Gallium, Dissolved	EPA 200.7	1108246-001	<0.100	0.959	0.989	1.00	mg/L	95	98	3 %
		Iron, Dissolved	EPA 200.7	1108246-001	<0.010	0.921	0.922	1.00	mg/L	94	94	<1%
		Lithium, Dissolved	EPA 200.7	1108246-001	<0.100	1.10	1.12	1.00	mg/L	101	103	2 %
		Magnesium, Dissolved	EPA 200.7	1108246-001	396	SC 394	388	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1108246-001	<0.005	0.663	0.680	1.00	mg/L	92	94	3 %
		Molybdenum, Dissolved	EPA 200.7	1108246-001	<0.010	0.960	0.961	1.00	mg/L	96	96	<1%
		Nickel, Dissolved	EPA 200.7	1108246-001	0.053	4.55	4.59	5.00	mg/L	90	91	1 %
		Phosphorus, Dissolved	EPA 200.7	1108246-001	<0.500	5.14	5.13	5.00	mg/L	101	101	<1%
		Potassium, Dissolved	EPA 200.7	1108246-001	19.0	29.7	30.4	10.0	mg/L	107	114	2 %
		Scandium, Dissolved	EPA 200.7	1108246-001	<0.100	0.918	0.931	1.00	mg/L	92	93	1 %
		Silver, Dissolved	EPA 200.7	1108246-001	<0.005	0.087	0.090	0.090	mg/L	99	101	3 %
		Sodium, Dissolved	EPA 200.7	1108246-001	250	259	264	10.0	mg/L	90	140	2 %
		Strontium, Dissolved	EPA 200.7	1108246-001	4.28	5.10	5.26	1.00	mg/L	82	98	3 %
		Tin, Dissolved	EPA 200.7	1108246-001	<0.100	0.868	0.859	1.00	mg/L	95	94	1 %
		Titanium, Dissolved	EPA 200.7	1108246-001	<0.100	0.954	0.956	1.00	mg/L	96	96	<1%
		Vanadium, Dissolved	EPA 200.7	1108246-001	0.081	1.01	1.03	1.00	mg/L	93	95	2 %
		Zinc, Dissolved	EPA 200.7	1108246-001	0.090	1.01	1.01	1.00	mg/L	92	92	<1%
		QC11080731	MS 1	Aluminum, Dissolved	EPA 200.7	1108246-002	<0.045	1.00	0.947	1.00	mg/L	97
Barium, Dissolved	EPA 200.7			1108246-002	0.102	1.05	1.02	1.00	mg/L	95	92	3 %
Beryllium, Dissolved	EPA 200.7			1108246-002	<0.001	0.941	0.915	1.00	mg/L	94	91	3 %
Bismuth, Dissolved	EPA 200.7			1108246-002	<0.100	0.924	0.902	1.00	mg/L	93	91	2 %
Boron, Dissolved	EPA 200.7			1108246-002	<0.100	1.02	0.995	1.00	mg/L	96	93	2 %
Cadmium, Dissolved	EPA 200.7			1108246-002	<0.001	0.918	0.881	1.00	mg/L	92	88	4 %
Calcium, Dissolved	EPA 200.7			1108246-002	47.1	56.9	56.1	10.0	mg/L	98	90	1 %
Chromium, Dissolved	EPA 200.7			1108246-002	<0.005	0.950	0.921	1.00	mg/L	95	92	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Cobalt, Dissolved	EPA 200.7	1108246-002	<0.010	0.934	0.904	1.00	mg/L	93	90	3%
		Copper, Dissolved	EPA 200.7	1108246-002	<0.050	4.85	4.69	5.00	mg/L	97	94	3%
		Gallium, Dissolved	EPA 200.7	1108246-002	<0.100	0.973	0.950	1.00	mg/L	97	95	2%
		Iron, Dissolved	EPA 200.7	1108246-002	<0.010	0.966	0.965	1.00	mg/L	97	97	<1%
		Lithium, Dissolved	EPA 200.7	1108246-002	<0.100	0.913	0.917	1.00	mg/L	91	91	<1%
		Magnesium, Dissolved	EPA 200.7	1108246-002	23.2	32.4	32.0	10.0	mg/L	92	88	1%
		Manganese, Dissolved	EPA 200.7	1108246-002	<0.005	0.952	0.917	1.00	mg/L	97	94	4%
		Molybdenum, Dissolved	EPA 200.7	1108246-002	<0.010	0.918	0.893	1.00	mg/L	92	89	3%
		Nickel, Dissolved	EPA 200.7	1108246-002	<0.010	4.58	4.42	5.00	mg/L	92	88	4%
		Phosphorus, Dissolved	EPA 200.7	1108246-002	<0.500	5.00	4.84	5.00	mg/L	93	90	3%
		Potassium, Dissolved	EPA 200.7	1108246-002	5.60	15.4	15.5	10.0	mg/L	98	99	1%
		Scandium, Dissolved	EPA 200.7	1108246-002	<0.100	0.954	0.939	1.00	mg/L	95	94	2%
		Silver, Dissolved	EPA 200.7	1108246-002	<0.005	0.087	0.086	0.090	mg/L	94	93	1%
		Sodium, Dissolved	EPA 200.7	1108246-002	17.3	27.3	27.3	10.0	mg/L	100	100	<1%
		Strontium, Dissolved	EPA 200.7	1108246-002	0.150	1.12	1.12	1.00	mg/L	97	97	<1%
		Tin, Dissolved	EPA 200.7	1108246-002	<0.100	0.923	0.890	1.00	mg/L	94	91	4%
		Titanium, Dissolved	EPA 200.7	1108246-002	<0.100	1.02	1.02	1.00	mg/L	102	102	<1%
		Vanadium, Dissolved	EPA 200.7	1108246-002	0.026	0.969	0.944	1.00	mg/L	94	92	3%
		Zinc, Dissolved	EPA 200.7	1108246-002	<0.010	0.918	0.884	1.00	mg/L	92	88	4%
QC11080732	MS 1	Aluminum, Dissolved	EPA 200.7	1108246-003	<0.045	0.916	0.935	1.00	mg/L	88	90	2%
		Barium, Dissolved	EPA 200.7	1108246-003	0.053	0.933	0.936	1.00	mg/L	88	88	<1%
		Beryllium, Dissolved	EPA 200.7	1108246-003	<0.001	0.896	0.887	1.00	mg/L	90	89	1%
		Bismuth, Dissolved	EPA 200.7	1108246-003	<0.100	0.880	0.871	1.00	mg/L	88	87	1%
		Boron, Dissolved	EPA 200.7	1108246-003	0.102	1.01	1.01	1.00	mg/L	91	91	<1%
		Cadmium, Dissolved	EPA 200.7	1108246-003	<0.001	0.859	0.870	1.00	mg/L	86	87	1%
		Calcium, Dissolved	EPA 200.7	1108246-003	119	132	131	10.0	mg/L	130	120	1%
		Chromium, Dissolved	EPA 200.7	1108246-003	<0.005	0.884	0.891	1.00	mg/L	89	89	1%
		Cobalt, Dissolved	EPA 200.7	1108246-003	0.434	1.14	1.14	1.00	mg/L	71	71	<1%
		Copper, Dissolved	EPA 200.7	1108246-003	<0.050	4.43	4.42	5.00	mg/L	88	88	<1%
		Gallium, Dissolved	EPA 200.7	1108246-003	<0.100	0.916	0.918	1.00	mg/L	91	91	<1%
		Iron, Dissolved	EPA 200.7	1108246-003	0.101	1.05	1.08	1.00	mg/L	95	98	3%
		Lithium, Dissolved	EPA 200.7	1108246-003	<0.100	0.919	0.911	1.00	mg/L	89	88	1%
		Magnesium, Dissolved	EPA 200.7	1108246-003	12.4	21.9	22.3	10.0	mg/L	95	99	2%
		Manganese, Dissolved	EPA 200.7	1108246-003	<0.005	0.868	0.871	1.00	mg/L	91	91	<1%
		Molybdenum, Dissolved	EPA 200.7	1108246-003	0.112	0.969	0.972	1.00	mg/L	86	86	<1%
		Nickel, Dissolved	EPA 200.7	1108246-003	<0.010	4.34	4.38	5.00	mg/L	87	88	1%
		Phosphorus, Dissolved	EPA 200.7	1108246-003	<0.500	4.62	4.65	5.00	mg/L	91	91	1%
		Potassium, Dissolved	EPA 200.7	1108246-003	13.8	23.6	23.5	10.0	mg/L	98	97	<1%
		Scandium, Dissolved	EPA 200.7	1108246-003	<0.100	0.907	0.896	1.00	mg/L	91	90	1%
		Silver, Dissolved	EPA 200.7	1108246-003	<0.005	0.082	0.081	0.090	mg/L	87	87	1%
		Sodium, Dissolved	EPA 200.7	1108246-003	92.8	104	102	10.0	mg/L	112	92	2%
		Strontium, Dissolved	EPA 200.7	1108246-003	0.589	1.54	1.50	1.00	mg/L	95	91	3%
		Tin, Dissolved	EPA 200.7	1108246-003	<0.100	0.840	0.841	1.00	mg/L	88	88	<1%
		Titanium, Dissolved	EPA 200.7	1108246-003	<0.100	0.977	0.975	1.00	mg/L	98	97	<1%
		Vanadium, Dissolved	EPA 200.7	1108246-003	0.015	0.907	0.911	1.00	mg/L	89	90	<1%
		Zinc, Dissolved	EPA 200.7	1108246-003	<0.010	0.870	0.891	1.00	mg/L	87	89	2%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1108216

Report Due Date: 8/26/11

Page 1 of 2

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name _____

P.O. Number _____ Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Standard _____ 5 Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE NO.	CONTAINER TYPE	Analyses Requested										Spl. No.			
		Profile II w/o Wad	Uranium												
604 562	Wk:28	8/12/11	9:00	ww	2	X	X								1
604 569															2
604 606															3
604 653															4
604 656															5
604 669	1108														6
604 673															7
604 767	216 1														8
604 787															9
604 811															10
604 854															11
604 862															12

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>21</u> °C	8/12/11	15:15	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.





WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1108216

Report Due Date: 8/26/11

Page 2 of 2

Client McClelland Laboratories, Inc.
 Address 1016 Greg Street
 City, State & Zip Sparks, NV 89431
 Contact Gene McClelland
 Phone 775-356-1300 Collector's Name Robert
 Fax 775-356-8917 Project Name
 P.O. Number Project Number 3438

Turnaround Time
 Standard _____ 5-Day _____ Other _____
Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

ANALYSES REQUESTED		Profile II w/o Wad	Uranium	Spi. No.
NO OF CONTAINERS	SAMPLE TYPE			
2	WW	X	X	13
				14
				15
				16
				17
				18
				19
				20
				21

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 21 °C	8/12/11	15:15	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



8/5/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1107281

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 7/15/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1107281

General Comments

On Sample 1107281-017 the result for Sulfate (as analyzed using EPA 300.0) was unexpectedly high when compared to the TDS results. Because of this, the results for Sulfur have been used to calculate a theoretical Sulfate result.

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:
1107281-017 Nitrite Nitrogen, Chloride
The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 8/5/2011

OrderID: 1107281

Customer Sample ID: 604 562 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-001

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	94	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	77	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	71	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.023	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	44	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	0.053	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	7.7	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.41	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	7/20/2011

Customer Sample ID: 604 562 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-001

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.73	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.37	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.040	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	7/20/2011
Anions	Calculation	3.08	meq/L	0.10	
Cations	Calculation	2.94	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Customer Sample ID: 604 569 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-002

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.21	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	30	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	24	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	0.92	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	22	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	46	mg/L	10	7/18/2011
Aluminum	EPA 200.7	0.075	mg/L	0.045	7/20/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011

Customer Sample ID: 604 569 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-002

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	12	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	2.9	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.051	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.023	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	7/20/2011
Anions	Calculation	1.00	meq/L	0.10	
Cations	Calculation	0.91	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: 604 606 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-003

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	66	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011

Customer Sample ID: 604 606 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-003

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	54	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	33	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	99	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.035	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	26	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.040	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.5	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.93	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	7/20/2011

Customer Sample ID: 604 606 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-003

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.85	meq/L	0.10	
Cations	Calculation	1.78	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 653 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-004

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.34	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	36	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	30	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	54	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	7/18/2011
Aluminum	EPA 200.7	0.063	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.032	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	26	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	2.6	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.17	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	0.017	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011

Customer Sample ID: 604 653 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-004

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	1.1	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.17	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.016	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	7/20/2011
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	1.63	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: 604 656 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-005

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.96	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	89	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	73	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	40	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	33	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011

Customer Sample ID: 604 656 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-005

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	6.6	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.089	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	0.042	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	3.5	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.33	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	0.018	mg/L	0.010	7/20/2011
Anions	Calculation	2.38	meq/L	0.10	
Cations	Calculation	2.31	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: 604 669 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-006

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.27	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	40	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	32	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011

Customer Sample ID: 604 669 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-006

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.78	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	89	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.012	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	36	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	5.8	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.66	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	3.0	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.78	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.29	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.020	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	0.0054	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	7/20/2011
Anions	Calculation	2.55	meq/L	0.10	
Cations	Calculation	2.41	meq/L	0.10	

Customer Sample ID: 604 669 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-006

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	2.8	%	1.0	

Customer Sample ID: 604 673 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-007

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.35	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	2.4	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	2.0	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	0.43	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	28	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	29	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.048	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	8.3	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	1.1	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.024	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	0.73	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011

Customer Sample ID: 604 673 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-007

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.010	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	7/20/2011
Anions	Calculation	0.64	meq/L	0.10	
Cations	Calculation	0.59	meq/L	0.10	
Error	Calculation	4.1	%	1.0	

Customer Sample ID: 604 767 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-008

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.18	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	30	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	25	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/15/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	7/15/2011
Sulfate	EPA 300.0	74	mg/L	1.0	7/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/15/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	0.034	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	27	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011

Customer Sample ID: 604 767 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-008

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	7.4	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	0.016	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	0.010	mg/L	0.010	7/20/2011
Anions	Calculation	2.17	meq/L	0.10	
Cations	Calculation	2.03	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: 604 787 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-009

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.66	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	64	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	52	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	39	mg/L	1.0	7/16/2011

Customer Sample ID: 604 787 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-009

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	28	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.070	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	0.023	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.21	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	0.035	mg/L	0.010	7/20/2011
Anions	Calculation	1.94	meq/L	0.10	
Cations	Calculation	1.83	meq/L	0.10	
Error	Calculation	2.8	%	1.0	

Customer Sample ID: 604 811 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-010

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.10	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	89	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	26	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/20/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/20/2011
Calcium	EPA 200.7	33	mg/L	0.50	7/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Magnesium	EPA 200.7	7.8	mg/L	0.50	7/20/2011
Manganese	EPA 200.7	0.039	mg/L	0.0050	7/20/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	7/20/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/20/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/20/2011
Strontium	EPA 200.7	0.42	mg/L	0.10	7/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/20/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011

Customer Sample ID: 604 811 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-010

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/20/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/20/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/20/2011
Uranium	EPA 200.8	0.015	mg/L	0.010	7/20/2011
Anions	Calculation	2.47	meq/L	0.10	
Cations	Calculation	2.34	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: 604 854 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-011

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.34	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	39	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	32	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	2.5	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	65	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.030	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	30	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	6.0	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.11	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	0.043	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011

Customer Sample ID: 604 854 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-011

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	2.3	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	2.12	meq/L	0.10	
Cations	Calculation	2.05	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: 604 862 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-012

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	230	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	190	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	2.7	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	25	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.012	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011

Customer Sample ID: 604 862 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-012

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	72	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	10	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.078	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.91	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	4.43	meq/L	0.10	
Cations	Calculation	4.49	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 867 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-013

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.33	Q pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	48	mg/L	1.0	7/15/2011

Customer Sample ID: 604 867 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-013

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	39	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	180	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	330	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	86	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	3.5	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.099	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.39	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011

Customer Sample ID: 604 867 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-013

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	4.63	meq/L	0.10	
Cations	Calculation	4.64	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 033 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-014

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.56	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	50	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	41	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	2.0	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	34	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.019	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	28	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	2.1	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.067	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	0.014	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	7/21/2011

Customer Sample ID: 605 033 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-014

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.20	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	8/2/2011
Anions	Calculation	1.63	meq/L	0.10	
Cations	Calculation	1.65	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-015

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.45	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	41	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	34	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	15	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	52	mg/L	10	7/18/2011
Aluminum	EPA 200.7	0.056	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.11	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011

Customer Sample ID: 605 153 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-015

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	15	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	2.0	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.027	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	2.0	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.88	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	1.05	meq/L	0.10	
Cations	Calculation	1.00	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: SRK 0854 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-016

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.90	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011

Customer Sample ID: SRK 0854 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-016

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	0.32	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	150	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	7/18/2011
Aluminum	EPA 200.7	0.19	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.011	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	0.0045	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	22	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	0.012	mg/L	0.010	7/21/2011
Copper	EPA 200.7	53	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.37	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	0.44	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	0.012	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011

Customer Sample ID: SRK 0854 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-016

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.14	meq/L	0.10	
Cations	Calculation	2.96	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: SRK 0858 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-017

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	2.78	pH Units		7/15/2011
Acidity (Titrimetric)	SM 2310B	290	mg/L as CaCO ₃		7/15/2011
Chloride	EPA 300.0	<10	mg/L	10	7/16/2011
Fluoride	EPA 300.0	2.1	mg/L	1.0	7/16/2011
Sulfate	EPA 300.0	380	mg/L	10	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.25	mg/L	0.25	7/16/2011
Sulfate (as calculated from S)	Calc.	350	mg/L	1.0	7/26/2011
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	7/18/2011
Sulfur	EPA 200.7	120	mg/L	20	7/26/2011
Aluminum	EPA 200.7	11	mg/L	0.045	7/21/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	0.0015	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	0.0027	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	16	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	0.029	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	0.058	mg/L	0.010	7/21/2011
Copper	EPA 200.7	21	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	18	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	1.8	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	1.6	mg/L	0.50	7/21/2011

Customer Sample ID: SRK 0858 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-017

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	0.16	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	0.0068	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	0.047	mg/L	0.010	8/2/2011
Anions	Calculation	8.02	meq/L	0.10	
Cations	Calculation	6.88	meq/L	0.10	
Error	Calculation	7.7	%	1.0	

Customer Sample ID: SRK 0864 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-018

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	36	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	29	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	0.35	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	3.9	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	40	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.012	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	9.1	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011

Customer Sample ID: SRK 0864 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-018

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	1.1	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	0.66	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	0.69	meq/L	0.10	
Cations	Calculation	0.63	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: SRK 0866 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-019

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.60	pH Units		7/15/2011
Bicarbonate (HCO3)	SM 2320B	5.1	mg/L	1.0	7/15/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	4.2	mg/L as CaCO3	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	0.70	mg/L	0.10	7/16/2011

Customer Sample ID: SRK 0866 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-019

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	21	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	28	mg/L	10	7/18/2011
Aluminum	EPA 200.7	0.048	mg/L	0.045	7/21/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	7.5	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	0.81	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	0.023	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	0.56	meq/L	0.10	
Cations	Calculation	0.50	meq/L	0.10	
Error	Calculation	5.9	%	1.0	

Customer Sample ID: SRK 0866 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-019

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0867 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-020

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.92	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	16	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	13	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	0.92	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	37	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	69	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.012	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	18	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.012	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	0.019	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	0.73	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011

Customer Sample ID: SRK 0867 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-020

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	0.020	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	0.0066	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	1.08	meq/L	0.10	
Cations	Calculation	1.03	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Customer Sample ID: SRK 0872 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-021

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.07	pH Units		7/15/2011
Bicarbonate (HCO ₃)	SM 2320B	26	mg/L	1.0	7/15/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/15/2011
Total Alkalinity	SM 2320B	21	mg/L as CaCO ₃	1.0	7/15/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/16/2011
Fluoride	EPA 300.0	0.57	mg/L	0.10	7/16/2011
Sulfate	EPA 300.0	63	mg/L	1.0	7/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/16/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/16/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	7/18/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/21/2011
Barium	EPA 200.7	0.015	mg/L	0.010	7/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/21/2011
Calcium	EPA 200.7	33	mg/L	0.50	7/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	7/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011

Customer Sample ID: SRK 0872 WK:24

Collect Date/Time: 7/15/2011 09:00

WETLAB Sample ID: 1107281-021

Receive Date: 7/15/2011 13:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Magnesium	EPA 200.7	0.67	mg/L	0.50	7/21/2011
Manganese	EPA 200.7	0.022	mg/L	0.0050	7/21/2011
Molybdenum	EPA 200.7	0.21	mg/L	0.010	7/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/21/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	7/21/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/21/2011
Zinc	EPA 200.7	0.038	mg/L	0.010	7/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	8/2/2011
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	1.70	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11070482	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11070482	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11070482	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11070483	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11070483	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11070485	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11070485	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11070485	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11070486	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11070486	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11070488	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11070488	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11070488	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11070489	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11070489	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11070491	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11070491	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11070491	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11070492	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11070492	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11070494	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11070494	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11070494	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11070495	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11070495	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11070611	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11070611	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11070628	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC11070629	Blank 1	Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
Scandium	EPA 200.7	<0.10	mg/L		
Silver	EPA 200.7	<0.0050	mg/L		
Sodium	EPA 200.7	<0.50	mg/L		
Strontium	EPA 200.7	<0.10	mg/L		
Tin	EPA 200.7	<0.10	mg/L		
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		
QC11070633	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11070634	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
QC11070639	Blank 1	Uranium	EPA 200.8	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
Copper	EPA 200.7	<0.050	mg/L		
Gallium	EPA 200.7	<0.10	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Units
QC11070640	Blank 1	Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
QC11070664	Blank 1	Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		
QC11070665	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
		Mercury	EPA 200.8	<0.00010	mg/L
Antimony	EPA 200.8	<0.0025	mg/L		
Arsenic	EPA 200.8	<0.0050	mg/L		
Lead	EPA 200.8	<0.0025	mg/L		
Selenium	EPA 200.8	<0.0050	mg/L		
Thallium	EPA 200.8	<0.0010	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Units		
		Uranium	EPA 200.8	<0.010	mg/L		
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11070478	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11070478	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11070482	LCS 1	Fluoride	EPA 300.0	2.15	2.00	107	mg/L
QC11070483	LCS 1	Fluoride	EPA 300.0	2.15	2.00	107	mg/L
QC11070485	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC11070486	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC11070488	LCS 1	Nitrite Nitrogen	EPA 300.0	0.528	0.500	106	mg/L
QC11070489	LCS 1	Nitrite Nitrogen	EPA 300.0	0.528	0.500	106	mg/L
QC11070491	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	101	mg/L
QC11070492	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	101	mg/L
QC11070494	LCS 1	Sulfate	EPA 300.0	26.3	25.0	105	mg/L
QC11070495	LCS 1	Sulfate	EPA 300.0	26.3	25.0	105	mg/L
QC11070498	LCS 1	Alkalinity	SM 2320B	95.7	100	96	mg/L
QC11070498	LCS 2	Alkalinity	SM 2320B	94.4	100	94	mg/L
QC11070611	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC11070611	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC11070628	LCS 1	Aluminum	EPA 200.7	0.988	1.00	99	mg/L
		Barium	EPA 200.7	0.978	1.00	98	mg/L
		Beryllium	EPA 200.7	0.973	1.00	97	mg/L
		Bismuth	EPA 200.7	0.998	1.00	100	mg/L
		Boron	EPA 200.7	0.906	1.00	91	mg/L
		Cadmium	EPA 200.7	0.966	1.00	97	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.965	1.00	96	mg/L
		Cobalt	EPA 200.7	0.973	1.00	97	mg/L
		Copper	EPA 200.7	4.82	5.00	96	mg/L
		Gallium	EPA 200.7	0.961	1.00	96	mg/L
		Iron	EPA 200.7	0.996	1.00	100	mg/L
		Lithium	EPA 200.7	0.964	1.00	96	mg/L
		Magnesium	EPA 200.7	9.85	10.0	98	mg/L
		Manganese	EPA 200.7	0.971	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.965	1.00	96	mg/L
		Nickel	EPA 200.7	4.86	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.82	5.00	96	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.980	1.00	98	mg/L
		Silver	EPA 200.7	0.086	0.090	95	mg/L
		Sodium	EPA 200.7	9.97	10.0	100	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.946	1.00	95	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.973	1.00	97	mg/L
		Zinc	EPA 200.7	0.971	1.00	97	mg/L
QC11070629	LCS 1	Aluminum	EPA 200.7	0.988	1.00	99	mg/L
		Barium	EPA 200.7	0.978	1.00	98	mg/L
		Beryllium	EPA 200.7	0.973	1.00	97	mg/L
		Bismuth	EPA 200.7	0.998	1.00	100	mg/L
		Boron	EPA 200.7	0.906	1.00	91	mg/L
		Cadmium	EPA 200.7	0.966	1.00	97	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.965	1.00	96	mg/L
		Cobalt	EPA 200.7	0.973	1.00	97	mg/L
		Copper	EPA 200.7	4.82	5.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Gallium	EPA 200.7	0.961	1.00	96	mg/L
		Iron	EPA 200.7	0.996	1.00	100	mg/L
		Lithium	EPA 200.7	0.964	1.00	96	mg/L
		Magnesium	EPA 200.7	9.85	10.0	98	mg/L
		Manganese	EPA 200.7	0.971	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.965	1.00	96	mg/L
		Nickel	EPA 200.7	4.86	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.82	5.00	96	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.980	1.00	98	mg/L
		Silver	EPA 200.7	0.086	0.090	95	mg/L
		Sodium	EPA 200.7	9.97	10.0	100	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.946	1.00	95	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.973	1.00	97	mg/L
		Zinc	EPA 200.7	0.971	1.00	97	mg/L
QC11070633	LCS 1	Mercury	EPA 200.8	0.001119	0.001	112	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L
		Lead	EPA 200.8	0.0108	0.010	108	mg/L
		Selenium	EPA 200.8	0.0520	0.050	104	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0105	0.010	105	mg/L
QC11070634	LCS 1	Mercury	EPA 200.8	0.001119	0.001	112	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L
		Lead	EPA 200.8	0.0108	0.010	108	mg/L
		Selenium	EPA 200.8	0.0520	0.050	104	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0105	0.010	105	mg/L
QC11070639	LCS 1	Aluminum	EPA 200.7	0.918	1.00	92	mg/L
		Barium	EPA 200.7	0.972	1.00	97	mg/L
		Beryllium	EPA 200.7	0.991	1.00	99	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.932	1.00	93	mg/L
		Cadmium	EPA 200.7	0.990	1.00	99	mg/L
		Calcium	EPA 200.7	10.0	10.0	100	mg/L
		Chromium	EPA 200.7	0.961	1.00	96	mg/L
		Cobalt	EPA 200.7	0.987	1.00	99	mg/L
		Copper	EPA 200.7	4.62	5.00	92	mg/L
		Gallium	EPA 200.7	0.941	1.00	94	mg/L
		Iron	EPA 200.7	0.992	1.00	99	mg/L
		Lithium	EPA 200.7	0.970	1.00	97	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.960	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.984	1.00	98	mg/L
		Nickel	EPA 200.7	4.94	5.00	99	mg/L
		Phosphorus	EPA 200.7	5.04	5.00	101	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.963	1.00	96	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.71	10.0	97	mg/L
		Strontium	EPA 200.7	1.00	1.00	100	mg/L
		Tin	EPA 200.7	0.979	1.00	98	mg/L
		Titanium	EPA 200.7	0.988	1.00	99	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11070640	LCS 1	Vanadium	EPA 200.7	0.964	1.00	96	mg/L
		Zinc	EPA 200.7	1.02	1.00	102	mg/L
		Aluminum	EPA 200.7	0.918	1.00	92	mg/L
		Barium	EPA 200.7	0.972	1.00	97	mg/L
		Beryllium	EPA 200.7	0.991	1.00	99	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.932	1.00	93	mg/L
		Cadmium	EPA 200.7	0.990	1.00	99	mg/L
		Calcium	EPA 200.7	10.0	10.0	100	mg/L
		Chromium	EPA 200.7	0.961	1.00	96	mg/L
		Cobalt	EPA 200.7	0.987	1.00	99	mg/L
		Copper	EPA 200.7	4.62	5.00	92	mg/L
		Gallium	EPA 200.7	0.941	1.00	94	mg/L
		Iron	EPA 200.7	0.992	1.00	99	mg/L
		Lithium	EPA 200.7	0.970	1.00	97	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.960	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.984	1.00	98	mg/L
		Nickel	EPA 200.7	4.94	5.00	99	mg/L
		QC11070664	LCS 1	Phosphorus	EPA 200.7	5.04	5.00
Potassium	EPA 200.7			10.0	10.0	100	mg/L
Scandium	EPA 200.7			0.963	1.00	96	mg/L
Silver	EPA 200.7			0.085	0.090	94	mg/L
Sodium	EPA 200.7			9.71	10.0	97	mg/L
Strontium	EPA 200.7			1.00	1.00	100	mg/L
Tin	EPA 200.7			0.979	1.00	98	mg/L
Titanium	EPA 200.7			0.988	1.00	99	mg/L
Vanadium	EPA 200.7			0.964	1.00	96	mg/L
Zinc	EPA 200.7			1.02	1.00	102	mg/L
Mercury	EPA 200.8			0.001138	0.001	114	mg/L
Antimony	EPA 200.8			0.0103	0.010	103	mg/L
QC11070665	LCS 1	Arsenic	EPA 200.8	0.0512	0.050	102	mg/L
		Lead	EPA 200.8	0.0108	0.010	108	mg/L
		Selenium	EPA 200.8	0.0491	0.050	98	mg/L
		Thallium	EPA 200.8	0.0103	0.010	103	mg/L
		Uranium	EPA 200.8	0.0111	0.010	111	mg/L
		Mercury	EPA 200.8	0.001138	0.001	114	mg/L
		Antimony	EPA 200.8	0.0103	0.010	103	mg/L
		Arsenic	EPA 200.8	0.0512	0.050	102	mg/L
		Lead	EPA 200.8	0.0108	0.010	108	mg/L
		Selenium	EPA 200.8	0.0491	0.050	98	mg/L
		Thallium	EPA 200.8	0.0103	0.010	103	mg/L
		Uranium	EPA 200.8	0.0111	0.010	111	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11070478	Duplicate	pH	SM 4500-H+ B	1107278-001	3.29	3.30	pH Units	<1%
QC11070478	Duplicate	pH	SM 4500-H+ B	1107281-003	7.78	7.73	pH Units	1 %
QC11070478	Duplicate	pH	SM 4500-H+ B	1107283-001	2.60	2.60	pH Units	<1%
QC11070478	Duplicate	pH	SM 4500-H+ B	1107283-002	9.06	9.09	pH Units	<1%
QC11070498	Duplicate	Bicarbonate (HCO3)	SM 2320B	1107278-002	178	177	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1107278-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1107278-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1107278-002	146	145	mg/L as CaCO3	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11070498	Duplicate	Bicarbonate (HCO3)	SM 2320B	1107281-003	66.0	64.2	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1107281-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1107281-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1107281-003	54.1	52.6	mg/L as CaCO3	3 %
QC11070498	Duplicate	Bicarbonate (HCO3)	SM 2320B	1107281-013	47.8	47.9	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1107281-013	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1107281-013	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1107281-013	39.2	39.3	mg/L as CaCO3	<1%
QC11070498	Duplicate	Bicarbonate (HCO3)	SM 2320B	1107283-002	30.1	26.1	mg/L	14 %
		Carbonate (CO3)	SM 2320B	1107283-002	13.9	15.1	mg/L	8 %
		Hydroxide (OH)	SM 2320B	1107283-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1107283-002	47.8	46.5	mg/L as CaCO3	3 %
QC11070611	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1107275-001	2304	2336	mg/L	1 %
QC11070611	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1107278-006	509	512	mg/L	1 %
QC11070611	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1107281-008	123	132	mg/L	7 %
QC11070611	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1107281-018	40.0	41.0	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11070482	MS 1	Fluoride	EPA 300.0	1107280-001	0.468	2.58	2.59	2.00	mg/L	106	106	<1%
QC11070482	MS 2	Fluoride	EPA 300.0	1107281-009	1.45	3.42	3.42	2.00	ng/L	99	99	<1%
QC11070483	MS 1	Fluoride	EPA 300.0	1107281-019	0.698	2.77	2.79	2.00	mg/L	103	105	1 %
QC11070485	MS 1	Chloride	EPA 300.0	1107280-001	<1.000	5.32	5.35	5.00	mg/L	105	106	1 %
QC11070485	MS 2	Chloride	EPA 300.0	1107281-009	<1.000	5.32	5.35	5.00	mg/L	105	105	1 %
QC11070486	MS 1	Chloride	EPA 300.0	1107281-019	<1.000	5.33	5.37	5.00	mg/L	105	106	1 %
QC11070488	MS 1	Nitrite Nitrogen	EPA 300.0	1107280-001	<0.025	0.531	0.532	0.500	mg/L	106	106	<1%
QC11070488	MS 2	Nitrite Nitrogen	EPA 300.0	1107281-009	<0.025	0.527	0.530	0.500	mg/L	104	105	1 %
QC11070489	MS 1	Nitrite Nitrogen	EPA 300.0	1107281-019	<0.025	0.542	0.543	0.500	mg/L	106	106	<1%
QC11070491	MS 1	Nitrate Nitrogen	EPA 300.0	1107280-001	<1.000	2.07	2.08	2.00	mg/L	102	103	<1%
QC11070491	MS 2	Nitrate Nitrogen	EPA 300.0	1107281-009	<1.000	2.07	2.08	2.00	mg/L	102	103	<1%
QC11070492	MS 1	Nitrate Nitrogen	EPA 300.0	1107281-019	<1.000	2.12	2.12	2.00	mg/L	104	104	<1%
QC11070494	MS 1	Sulfate	EPA 300.0	1107280-001	14.9	25.2	25.2	10.0	mg/L	103	103	<1%
QC11070494	MS 2	Sulfate	EPA 300.0	1107281-009	38.8	48.1	48.2	10.0	mg/L	93	94	<1%
QC11070495	MS 1	Sulfate	EPA 300.0	1107281-019	20.5	30.4	30.4	10.0	mg/L	98	99	<1%
QC11070628	MS 1	Aluminum	EPA 200.7	1107275-001	<0.045	0.963	0.974	1.00	mg/L	92	94	1 %
		Barium	EPA 200.7	1107275-001	0.099	1.06	1.06	1.00	mg/L	96	96	<1%
		Beryllium	EPA 200.7	1107275-001	<0.001	0.993	0.988	1.00	mg/L	99	99	1 %
		Bismuth	EPA 200.7	1107275-001	<0.100	0.932	0.927	1.00	mg/L	93	93	1 %
		Boron	EPA 200.7	1107275-001	5.06	SC 6.37	6.32	1.00	mg/L	NC	NC	NC
		Cadmium	EPA 200.7	1107275-001	<0.001	0.970	0.964	1.00	mg/L	97	96	1 %
		Calcium	EPA 200.7	1107275-001	25.3	36.5	36.2	10.0	mg/L	112	109	1 %
		Chromium	EPA 200.7	1107275-001	<0.005	0.949	0.950	1.00	ng/L	95	95	<1%
		Cobalt	EPA 200.7	1107275-001	<0.010	0.956	0.954	1.00	mg/L	96	95	<1%
		Copper	EPA 200.7	1107275-001	<0.050	5.08	5.04	5.00	mg/L	102	101	1 %
		Gallium	EPA 200.7	1107275-001	<0.100	0.878	0.890	1.00	mg/L	88	89	1 %
		Iron	EPA 200.7	1107275-001	0.084	1.02	0.987	1.00	mg/L	94	90	3 %
		Lithium	EPA 200.7	1107275-001	1.57	2.72	2.71	1.00	mg/L	115	114	<1%
		Magnesium	EPA 200.7	1107275-001	0.802	10.7	10.4	10.0	ng/L	99	96	3 %
		Manganese	EPA 200.7	1107275-001	0.029	0.987	0.985	1.00	mg/L	96	96	<1%
		Molybdenum	EPA 200.7	1107275-001	<0.010	0.962	0.961	1.00	mg/L	97	97	<1%
		Nickel	EPA 200.7	1107275-001	<0.010	4.82	4.80	5.00	mg/L	96	96	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11070629	MS 1	Phosphorus	EPA 200.7	1107275-001	<0.500	5.14	5.06	5.00	mg/L	102	100	2 %
		Potassium	EPA 200.7	1107275-001	72.2	SC 89.9	89.7	10.0	mg/L	NC	NC	NC
		Scandium	EPA 200.7	1107275-001	<0.100	0.970	0.980	1.00	mg/L	97	98	1 %
		Silver	EPA 200.7	1107275-001	<0.005	0.089	0.089	0.090	mg/L	98	99	<1%
		Sodium	EPA 200.7	1107275-001	805	SC 862	850	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1107275-001	1.27	2.30	2.28	1.00	mg/L	103	101	1 %
		Tin	EPA 200.7	1107275-001	<0.100	0.933	0.930	1.00	mg/L	96	95	<1%
		Titanium	EPA 200.7	1107275-001	<0.100	0.985	0.979	1.00	mg/L	98	98	1 %
		Vanadium	EPA 200.7	1107275-001	<0.010	0.974	0.976	1.00	mg/L	97	97	<1%
		Zinc	EPA 200.7	1107275-001	<0.010	1.00	0.992	1.00	mg/L	100	99	1 %
		Aluminum	EPA 200.7	1107275-003	<0.045	0.915	0.960	1.00	mg/L	88	92	5 %
		Barium	EPA 200.7	1107275-003	0.100	1.04	1.06	1.00	mg/L	94	96	2 %
		Beryllium	EPA 200.7	1107275-003	<0.001	0.980	1.00	1.00	mg/L	98	100	2 %
		Bismuth	EPA 200.7	1107275-003	<0.100	0.924	0.933	1.00	mg/L	93	94	1 %
		Boron	EPA 200.7	1107275-003	5.19	6.17	6.44	1.00	mg/L	98	125	4 %
		Cadmium	EPA 200.7	1107275-003	<0.001	0.960	0.979	1.00	mg/L	96	98	2 %
		Calcium	EPA 200.7	1107275-003	25.3	35.8	35.9	10.0	mg/L	105	106	<1%
		Chromium	EPA 200.7	1107275-003	<0.005	0.929	0.952	1.00	mg/L	93	95	2 %
		Cobalt	EPA 200.7	1107275-003	<0.010	0.947	0.961	1.00	mg/L	95	96	1 %
		Copper	EPA 200.7	1107275-003	<0.050	4.92	5.07	5.00	mg/L	98	101	3 %
		Gallium	EPA 200.7	1107275-003	<0.100	0.860	0.885	1.00	mg/L	86	88	3 %
		Iron	EPA 200.7	1107275-003	0.062	1.04	1.03	1.00	mg/L	98	97	1 %
		Lithium	EPA 200.7	1107275-003	1.62	2.75	2.74	1.00	mg/L	113	112	<1%
		Magnesium	EPA 200.7	1107275-003	0.890	10.7	10.6	10.0	mg/L	98	97	1 %
Manganese	EPA 200.7	1107275-003	0.030	0.961	0.990	1.00	mg/L	93	96	3 %		
Molybdenum	EPA 200.7	1107275-003	<0.010	0.953	0.972	1.00	mg/L	96	97	2 %		
Nickel	EPA 200.7	1107275-003	<0.010	4.76	4.85	5.00	mg/L	95	97	2 %		
Phosphorus	EPA 200.7	1107275-003	<0.500	5.09	5.18	5.00	mg/L	100	102	2 %		
Potassium	EPA 200.7	1107275-003	74.1	SC 89.3	89.9	10.0	mg/L	NC	NC	NC		
Scandium	EPA 200.7	1107275-003	<0.100	0.953	0.977	1.00	mg/L	95	98	2 %		
Silver	EPA 200.7	1107275-003	<0.005	0.087	0.089	0.090	mg/L	97	99	2 %		
Sodium	EPA 200.7	1107275-003	830	SC 837	876	10.0	mg/L	NC	NC	NC		
Strontium	EPA 200.7	1107275-003	1.29	2.28	2.28	1.00	mg/L	99	99	<1%		
Tin	EPA 200.7	1107275-003	<0.100	0.914	0.931	1.00	mg/L	94	96	2 %		
Titanium	EPA 200.7	1107275-003	<0.100	0.979	0.978	1.00	mg/L	98	98	<1%		
Vanadium	EPA 200.7	1107275-003	<0.010	0.962	0.980	1.00	mg/L	96	98	2 %		
Zinc	EPA 200.7	1107275-003	<0.010	0.995	1.01	1.00	mg/L	100	101	1 %		
QC11070633	MS 1	Mercury	EPA 200.8	1107275-001	0.000175	0.001358	0.001406	0.001	mg/L	118	123	3 %
		Antimony	EPA 200.8	1107275-001	0.0080	0.0184	0.0188	0.010	mg/L	104	108	2 %
		Arsenic	EPA 200.8	1107275-001	0.0169	0.0561	0.0551	0.050	mg/L	78	76	2 %
		Lead	EPA 200.8	1107275-001	<0.0025	0.0111	0.0114	0.010	mg/L	111	114	3 %
		Selenium	EPA 200.8	1107275-001	0.0058	M 0.0392	0.0365	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1107275-001	0.0013	0.0122	0.0125	0.010	mg/L	109	112	2 %
		Uranium	EPA 200.8	1107275-001	<0.0100	0.0112	0.0113	0.010	mg/L	112	113	1 %
		QC11070634	MS 1	Mercury	EPA 200.8	1107275-003	0.000316	0.001397	0.001492	0.001	mg/L	108
Antimony	EPA 200.8			1107275-003	0.0080	0.0185	0.0185	0.010	mg/L	105	105	<1%
Arsenic	EPA 200.8			1107275-003	0.0154	0.0518	0.0516	0.050	mg/L	73	72	<1%
Lead	EPA 200.8			1107275-003	<0.0025	0.0114	0.0114	0.010	mg/L	114	114	<1%
Selenium	EPA 200.8			1107275-003	<0.0050	M 0.0340	0.0324	0.050	mg/L	NC	NC	NC
Thallium	EPA 200.8			1107275-003	0.0011	0.0120	0.0120	0.010	mg/L	109	109	<1%
Uranium	EPA 200.8			1107275-003	<0.0100	0.0116	0.0117	0.010	mg/L	116	117	1 %
QC11070639	MS 1	Aluminum	EPA 200.7	1107319-001	0.107	1.12	1.20	1.00	mg/L	101	109	7 %
		Barium	EPA 200.7	1107319-001	0.244	1.18	1.21	1.00	mg/L	94	97	3 %
		Beryllium	EPA 200.7	1107319-001	<0.001	0.965	0.980	1.00	mg/L	96	98	2 %
		Bismuth	EPA 200.7	1107319-001	<0.100	0.941	0.955	1.00	mg/L	95	96	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron	EPA 200.7	1107319-001	0.211	1.18	1.21	1.00	mg/L	97	100	3 %
		Cadmium	EPA 200.7	1107319-001	<0.001	0.961	0.972	1.00	mg/L	96	97	1 %
		Calcium	EPA 200.7	1107319-001	66.8	76.8	75.7	10.0	mg/L	100	89	1 %
		Chromium	EPA 200.7	1107319-001	<0.005	0.935	0.957	1.00	mg/L	93	96	2 %
		Cobalt	EPA 200.7	1107319-001	<0.010	0.948	0.961	1.00	mg/L	95	96	1 %
		Copper	EPA 200.7	1107319-001	<0.050	4.69	4.85	5.00	mg/L	94	97	3 %
		Gallium	EPA 200.7	1107319-001	<0.100	0.923	0.953	1.00	mg/L	92	95	3 %
		Iron	EPA 200.7	1107319-001	6.15	SC 7.46	7.48	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1107319-001	<0.100	0.975	0.972	1.00	mg/L	96	96	<1%
		Magnesium	EPA 200.7	1107319-001	26.9	35.4	35.2	10.0	mg/L	85	83	1 %
		Manganese	EPA 200.7	1107319-001	0.367	1.29	1.33	1.00	mg/L	92	96	3 %
		Molybdenum	EPA 200.7	1107319-001	0.026	0.994	1.01	1.00	mg/L	97	98	2 %
		Nickel	EPA 200.7	1107319-001	<0.010	4.75	4.81	5.00	mg/L	95	96	1 %
		Phosphorus	EPA 200.7	1107319-001	<0.500	5.05	5.12	5.00	mg/L	99	100	1 %
		Potassium	EPA 200.7	1107319-001	4.47	14.9	15.0	10.0	mg/L	104	105	1 %
		Scandium	EPA 200.7	1107319-001	<0.100	0.946	0.974	1.00	mg/L	95	97	3 %
		Silver	EPA 200.7	1107319-001	<0.005	0.084	0.086	0.090	mg/L	94	96	2 %
		Sodium	EPA 200.7	1107319-001	61.9	71.0	71.4	10.0	mg/L	91	95	1 %
		Strontium	EPA 200.7	1107319-001	0.685	1.63	1.65	1.00	mg/L	94	96	1 %
		Tin	EPA 200.7	1107319-001	<0.100	0.917	0.929	1.00	mg/L	97	98	1 %
		Titanium	EPA 200.7	1107319-001	<0.100	1.00	1.01	1.00	mg/L	99	100	1 %
		Vanadium	EPA 200.7	1107319-001	0.028	0.987	1.01	1.00	mg/L	96	98	2 %
		Zinc	EPA 200.7	1107319-001	0.017	1.01	1.01	1.00	mg/L	99	99	<1%
QC11070640	MS 1	Aluminum	EPA 200.7	1107319-002	0.074	1.05	1.04	1.00	mg/L	98	97	1 %
		Barium	EPA 200.7	1107319-002	0.235	1.19	1.18	1.00	mg/L	96	94	1 %
		Beryllium	EPA 200.7	1107319-002	<0.001	0.973	0.978	1.00	mg/L	97	98	1 %
		Bismuth	EPA 200.7	1107319-002	<0.100	0.942	0.948	1.00	mg/L	96	96	1 %
		Boron	EPA 200.7	1107319-002	0.207	1.17	1.17	1.00	mg/L	96	96	<1%
		Cadmium	EPA 200.7	1107319-002	<0.001	0.968	0.961	1.00	mg/L	97	96	1 %
		Calcium	EPA 200.7	1107319-002	67.6	77.9	76.6	10.0	mg/L	103	90	2 %
		Chromium	EPA 200.7	1107319-002	<0.005	0.940	0.938	1.00	mg/L	94	94	<1%
		Cobalt	EPA 200.7	1107319-002	<0.010	0.962	0.957	1.00	mg/L	96	96	1 %
		Copper	EPA 200.7	1107319-002	<0.050	4.66	4.66	5.00	mg/L	93	93	<1%
		Gallium	EPA 200.7	1107319-002	<0.100	0.919	0.918	1.00	mg/L	92	92	<1%
		Iron	EPA 200.7	1107319-002	6.18	SC 7.55	7.40	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1107319-002	<0.100	0.980	0.979	1.00	mg/L	96	96	<1%
		Magnesium	EPA 200.7	1107319-002	27.1	36.9	36.8	10.0	mg/L	98	97	<1%
		Manganese	EPA 200.7	1107319-002	0.354	1.30	1.30	1.00	mg/L	95	95	<1%
		Molybdenum	EPA 200.7	1107319-002	0.025	0.995	0.996	1.00	mg/L	97	97	<1%
		Nickel	EPA 200.7	1107319-002	<0.010	4.81	4.78	5.00	mg/L	96	96	1 %
		Phosphorus	EPA 200.7	1107319-002	<0.500	5.10	5.11	5.00	mg/L	101	101	<1%
		Potassium	EPA 200.7	1107319-002	4.47	15.0	14.9	10.0	mg/L	105	104	1 %
		Scandium	EPA 200.7	1107319-002	<0.100	0.950	0.957	1.00	mg/L	95	96	1 %
		Silver	EPA 200.7	1107319-002	<0.005	0.081	0.081	0.090	mg/L	91	91	<1%
		Sodium	EPA 200.7	1107319-002	63.2	73.4	72.0	10.0	mg/L	102	88	2 %
		Strontium	EPA 200.7	1107319-002	0.688	1.66	1.63	1.00	mg/L	97	94	2 %
		Tin	EPA 200.7	1107319-002	<0.100	0.938	0.939	1.00	mg/L	99	99	<1%
		Titanium	EPA 200.7	1107319-002	<0.100	1.00	0.991	1.00	mg/L	99	98	1 %
		Vanadium	EPA 200.7	1107319-002	0.028	0.990	0.987	1.00	mg/L	96	96	<1%
		Zinc	EPA 200.7	1107319-002	<0.010	1.02	1.01	1.00	mg/L	101	100	1 %
QC11070664	MS 1	Mercury	EPA 200.8	1107319-001	<0.00010	0.001225	0.001176	0.001	mg/L	122	118	4 %
		Antimony	EPA 200.8	1107319-001	<0.0025	0.0110	0.0109	0.010	mg/L	107	105	1 %
		Arsenic	EPA 200.8	1107319-001	0.0046	0.0596	0.0582	0.050	mg/L	110	107	2 %
		Lead	EPA 200.8	1107319-001	<0.0025	0.0117	0.0115	0.010	mg/L	114	112	2 %
		Selenium	EPA 200.8	1107319-001	<0.0050	0.0510	0.0498	0.050	mg/L	102	100	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11070665	MS 1	Thallium	EPA 200.8	1107319-001	<0.0010	0.0112	0.0109	0.010	mg/L	112	109	3 %
		Uranium	EPA 200.8	1107319-001	<0.0100	0.0153	0.0150	0.010	mg/L	119	116	2 %
		Mercury	EPA 200.8	1107319-002	<0.00010	0.001172	0.001181	0.001	mg/L	117	118	1 %
		Antimony	EPA 200.8	1107319-002	<0.0025	0.0105	0.0102	0.010	mg/L	102	99	3 %
		Arsenic	EPA 200.8	1107319-002	0.0037	0.0590	0.0554	0.050	mg/L	111	104	6 %
		Lead	EPA 200.8	1107319-002	<0.0025	0.0114	0.0113	0.010	mg/L	112	111	1 %
		Selenium	EPA 200.8	1107319-002	<0.0050	0.0488	0.0470	0.050	mg/L	97	93	4 %
		Thallium	EPA 200.8	1107319-002	<0.0010	0.0109	0.0106	0.010	mg/L	109	106	3 %
		Uranium	EPA 200.8	1107319-002	<0.0100	0.0144	0.0143	0.010	mg/L	117	117	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street # 119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number

1107281

Report

Due Date:

07/29/11

Page 1

of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Profile II w/o Wat

Uranium

Spl. No.

604 562	Wk:24	7/15/11	9:00	ww	2	X	X													1	
604 569																					2
604 606																					3
604 653																					4
604 656																					5
604 669																					6
604 673																					7
604 767																					8
604 787																					9
604 811																					10
604 854																					11
604 862	↓	↓	↓	↓	↓	↓	↓														12

1107
281

Instructions/Comments/Special Requirements:

Temperature 22°C 7/15 BBS A. Moreno W. Booney

Custody Seals Intact? Y N None

Number of Containers 42

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1107281

Report
Due Date: 07/29/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

Profile II w/o Wad

Uranium

Sample ID	Wk	Date	Time	Mat	Q	X	X	Spl. No.
604 867	Wk:24	7/15/11	9:00	WW	2	X	X	3
605 033								4
605 153								5
SRK 0854								6
SRK 0858								7
SRK 0864								8
SRK 0866								9
SRK 0867								20
SRK 0872	↓	↓	↓	↓	↓	↓	↓	21

Instructions/Comments/Special Requirements:

Temperature 24°C VIS BBS A. Moreno Beamy

Custody Seals Intact? Y N None

Number of Containers 42

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



7/6/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1106342

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 6/17/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1106342

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1106342-013 Nitrite Nitrogen, Chloride
- 1106342-014 Molybdenum
- 1106342-015 Aluminum
- 1106342-017 Nitrite Nitrogen, Chloride, Cadmium
- 1106342-018 Potassium
- 1106342-021 Iron

The reporting limits have been adjusted accordingly.

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on samples 1106342-009, 015, 018, and 019 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 7/6/2011
OrderID: 1106342

Customer Sample ID: 604 562 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-001

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	70	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	57	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/17/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	6/17/2011
Sulfate	EPA 300.0	87	mg/L SC	1.0	6/17/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/17/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/17/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.021	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	44	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	7.5	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.28	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	6/24/2011

Customer Sample ID: 604 562 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-001

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.54	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.38	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	0.022	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	0.0027	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	3.02	meq/L	0.10	
Cations	Calculation	2.90	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: 604 569 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-002

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.76	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	38	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	32	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.0	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	22	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	56	mg/L	10	6/21/2011
Aluminum	EPA 200.7	0.069	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011

Customer Sample ID: 604 569 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-002

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	14	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	3.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.061	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.60	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	6/21/2011
Anions	Calculation	1.13	meq/L	0.10	
Cations	Calculation	1.06	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Customer Sample ID: 604 606 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-003

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.07	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	69	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011

Customer Sample ID: 604 606 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-003

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	57	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	37	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	94 Q	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.038	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	29	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	5.0	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.045	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.8	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.92	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.27	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.013	mg/L	0.010	6/21/2011

Customer Sample ID: 604 606 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-003

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	1.98	meq/L	0.10	
Cations	Calculation	1.97	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 653 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-004

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	40	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	33	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.0	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	55	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.044	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	28	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	2.9	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.014	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.5	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011

Customer Sample ID: 604 653 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-004

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	0.83	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	1.85	meq/L	0.10	
Cations	Calculation	1.74	meq/L	0.10	
Error	Calculation	3.1	%	1.0	

Customer Sample ID: 604 656 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-005

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.15	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	86	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	71	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	41	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	31	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011

Customer Sample ID: 604 656 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-005

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	6.0	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.079	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.045	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	4.2	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.65	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.31	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.017	mg/L	0.010	6/21/2011
Anions	Calculation	2.35	meq/L	0.10	
Cations	Calculation	2.18	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Customer Sample ID: 604 669 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-006

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	68	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	56	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011

Customer Sample ID: 604 669 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-006

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.77	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	54	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.012	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	32	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	4.9	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.60	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	3.5	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.80	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.019	mg/L	0.010	6/21/2011
Anions	Calculation	2.28	meq/L	0.10	
Cations	Calculation	2.15	meq/L	0.10	

Customer Sample ID: 604 669 WK:20
 WETLAB Sample ID: 1106342-006

Collect Date/Time: 6/17/2011 09:00
 Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 673 WK:20
 WETLAB Sample ID: 1106342-007

Collect Date/Time: 6/17/2011 09:00
 Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.98	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	5.7	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	4.7	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	0.33	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	20	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	62	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.035	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	7.0	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	0.95	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.019	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.014	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.66	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011

Customer Sample ID: 604 673 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-007

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	0.53	meq/L	0.10	
Cations	Calculation	0.51	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 767 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-008

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	31	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	26	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	2.5	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	91	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.035	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	32	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011

Customer Sample ID: 604 767 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-008

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	8.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.40	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	0.016	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	0.015	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.012	mg/L	0.010	6/21/2011
Anions	Calculation	2.53	meq/L	0.10	
Cations	Calculation	2.39	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 787 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-009

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	68	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	56	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	39	mg/L	1.0	6/18/2011

Customer Sample ID: 604 787 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-009

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	120 HT	mg/L	10	6/30/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	29	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.092	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.041	mg/L	0.010	6/21/2011
Anions	Calculation	1.99	meq/L	0.10	
Cations	Calculation	1.89	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: 604 811 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-010

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.14	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	91	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	75	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	35	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	31	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	6.9	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.027	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.40	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011

Customer Sample ID: 604 811 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-010

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	0.0063	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.012	mg/L	0.010	6/21/2011
Anions	Calculation	2.34	meq/L	0.10	
Cations	Calculation	2.17	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Customer Sample ID: 604 854 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-011

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.97	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	69	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	56	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	40	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.028	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	28	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	5.3	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.14	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011

Customer Sample ID: 604 854 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-011

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	0.012	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	2.10	meq/L	0.10	
Cations	Calculation	1.91	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Customer Sample ID: 604 862 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-012

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.25	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	230	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	190	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	25	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.011	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011

Customer Sample ID: 604 862 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-012

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	64	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	9.8	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.064	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.54	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.97	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	0.017	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	4.43	meq/L	0.10	
Cations	Calculation	4.08	meq/L	0.10	
Error	Calculation	4.1	%	1.0	

Customer Sample ID: 604 867 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-013

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	69	mg/L	1.0	6/17/2011

Customer Sample ID: 604 867 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-013

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	57	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	6/18/2011
Fluoride	EPA 300.0	1.7	mg/L	0.20	6/18/2011
Sulfate	EPA 300.0	190	mg/L	2.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	390 Q	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.012	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	91	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	0.069	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	3.1	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.16	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.48	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011

Customer Sample ID: 604 867 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-013

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	5.18	meq/L	0.10	
Cations	Calculation	4.87	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 605 033 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-014

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	55	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	45	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	2.0	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	39	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	6/21/2011
Aluminum	EPA 200.7	0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.023	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	29	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.072	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	6/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.5	mg/L	0.50	6/24/2011

Customer Sample ID: 605 033 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-014

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.69	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.016	mg/L	0.010	6/21/2011
Anions	Calculation	1.82	meq/L	0.10	
Cations	Calculation	1.75	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: 605 153 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-015

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	53	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	43	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	15	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	61	HT mg/L	10	6/30/2011
Aluminum	EPA 200.7	<0.22	mg/L	0.22	6/27/2011
Barium	EPA 200.7	0.11	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011

Customer Sample ID: 605 153 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-015

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	17	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.032	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	2.3	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.72	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	1.1	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	6/21/2011
Anions	Calculation	1.25	meq/L	0.10	
Cations	Calculation	1.14	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: SRK 0854 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-016

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.03	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011

Customer Sample ID: SRK 0854 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-016

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	0.29	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	140	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	6/21/2011
Aluminum	EPA 200.7	0.17	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	0.0038	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	24	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	0.011	mg/L	0.010	6/24/2011
Copper	EPA 200.7	42	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.36	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	0.11	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	0.27	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	0.0087	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011

Customer Sample ID: SRK 0854 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-016

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.93	meq/L	0.10	
Cations	Calculation	2.72	meq/L	0.10	
Error	Calculation	3.7	%	1.0	

Customer Sample ID: SRK 0858 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-017

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.06	pH Units		6/17/2011
Acidity (Titrimetric)	SM 2310B	120	mg/L as CaCO3		6/17/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	6/18/2011
Fluoride	EPA 300.0	2.3	mg/L	0.20	6/18/2011
Sulfate	EPA 300.0	180	mg/L	2.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	6/21/2011
Aluminum	EPA 200.7	4.9	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	0.0014	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	6/27/2011
Calcium	EPA 200.7	21	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	0.0061	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	0.036	mg/L	0.010	6/24/2011
Copper	EPA 200.7	16	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	4.5	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	1.4	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011

Customer Sample ID: SRK 0858 WK:20

WETLAB Sample ID: 1106342-017

Collect Date/Time: 6/17/2011 09:00

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	0.064	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	0.0083	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	0.045	mg/L	0.010	6/21/2011
Anions	Calculation	3.87	meq/L	0.10	
Cations	Calculation	3.80	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0864 WK:20

WETLAB Sample ID: 1106342-018

Collect Date/Time: 6/17/2011 09:00

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.90	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	35	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	29	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	0.51	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	4.7	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	70	HT mg/L	10	6/30/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	8.9	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011

Customer Sample ID: SRK 0864 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-018

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	<2.5	mg/L	2.5	6/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	0.91	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/23/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/23/2011
Anions	Calculation	0.70	meq/L	0.10	
Cations	Calculation	0.64	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: SRK 0866 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-019

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.98	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	5.7	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	4.6	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	0.56	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	22	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011

Customer Sample ID: SRK 0866 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-019

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	57 HT	mg/L	10	6/30/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	8.0	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	0.83	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	1.9	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/23/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/23/2011
Anions	Calculation	0.58	meq/L	0.10	
Cations	Calculation	0.52	meq/L	0.10	
Error	Calculation	5.9	%	1.0	

Customer Sample ID: SRK 0867 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-020

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.55	pH Units		6/17/2011
Bicarbonate (HCO ₃)	SM 2320B	22	mg/L	1.0	6/17/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	18	mg/L as CaCO ₃	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	48	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	0.011	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	23	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	0.061	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	1.6	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.027	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.020	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	0.91	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	0.0069	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011

Customer Sample ID: SRK 0867 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-020

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/23/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/23/2011
Anions	Calculation	1.43	meq/L	0.10	
Cations	Calculation	1.31	meq/L	0.10	
Error	Calculation	4.5	%	1.0	

Customer Sample ID: SRK 0872 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-021

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.52	pH Units		6/17/2011
Bicarbonate (HCO3)	SM 2320B	25	mg/L	1.0	6/17/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/17/2011
Total Alkalinity	SM 2320B	20	mg/L as CaCO3	1.0	6/17/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/18/2011
Fluoride	EPA 300.0	0.75	mg/L	0.10	6/18/2011
Sulfate	EPA 300.0	64	mg/L	1.0	6/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/18/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/18/2011
Total Dissolved Solids (TDS)	SM 2540C	160 Q	mg/L	10	6/21/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/24/2011
Calcium	EPA 200.7	32	mg/L	0.50	6/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	6/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	6/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Magnesium	EPA 200.7	0.56	mg/L	0.50	6/24/2011
Manganese	EPA 200.7	0.033	mg/L	0.0050	6/24/2011
Molybdenum	EPA 200.7	0.079	mg/L	0.010	6/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/24/2011

Customer Sample ID: SRK 0872 WK:20

Collect Date/Time: 6/17/2011 09:00

WETLAB Sample ID: 1106342-021

Receive Date: 6/17/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	6/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/23/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/21/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/21/2011
Anions	Calculation	1.78	meq/L	0.10	
Cations	Calculation	1.64	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1106606	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1106606	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1106606	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1106607	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1106607	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1106607	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1106608	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1106608	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1106608	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1106609	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1106609	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1106609	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1106610	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1106610	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1106610	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1106611	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1106611	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1106612	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1106612	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1106612	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1106613	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1106613	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1106622	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1106622	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1106622	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1106623	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1106623	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1106623	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1106709	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1106710	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1106711	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1106772	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1106772	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1106772	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1106830	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L
QC1106831	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1106832	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1106606	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC1106607	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC1106608	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC1106609	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC1106610	LCS 1	Nitrite Nitrogen	EPA 300.0	0.516	0.500	103	mg/L
QC1106611	LCS 1	Nitrite Nitrogen	EPA 300.0	0.516	0.500	103	mg/L
QC1106612	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L
QC1106613	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L
QC1106614	LCS 1	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1106614	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1106614	LCS 3	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1106614	LCS 4	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1106614	LCS 5	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1106621	LCS 1	Alkalinity	SM 2320B	96.2	100	96	mg/L
QC1106621	LCS 2	Alkalinity	SM 2320B	95.5	100	96	mg/L
QC1106621	LCS 3	Alkalinity	SM 2320B	96.0	100	96	mg/L
QC1106621	LCS 4	Alkalinity	SM 2320B	95.6	100	96	mg/L
QC1106622	LCS 1	Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC1106623	LCS 1	Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC1106709	LCS 1	Mercury	EPA 200.8	0.000860	0.001	86	mg/L
		Antimony	EPA 200.8	0.0087	0.010	87	mg/L
		Arsenic	EPA 200.8	0.0464	0.050	93	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0504	0.050	101	mg/L
		Thallium	EPA 200.8	0.0092	0.010	92	mg/L
		Uranium	EPA 200.8	0.0101	0.010	101	mg/L
QC1106710	LCS 1	Mercury	EPA 200.8	0.000860	0.001	86	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC1106711	LCS 1	Antimony	EPA 200.8	0.0087	0.010	87	mg/L
		Arsenic	EPA 200.8	0.0464	0.050	93	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0504	0.050	101	mg/L
		Thallium	EPA 200.8	0.0092	0.010	92	mg/L
		Uranium	EPA 200.8	0.0101	0.010	101	mg/L
		Mercury	EPA 200.8	0.000869	0.001	87	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0503	0.050	101	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0497	0.050	99	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
Uranium	EPA 200.8	0.0104	0.010	104	mg/L		
QC1106772	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC1106772	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC1106772	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC1106830	LCS 1	Aluminum	EPA 200.7	0.930	1.00	93	mg/L
		Barium	EPA 200.7	0.927	1.00	93	mg/L
		Beryllium	EPA 200.7	0.925	1.00	92	mg/L
		Bismuth	EPA 200.7	0.963	1.00	96	mg/L
		Boron	EPA 200.7	0.863	1.00	86	mg/L
		Cadmium	EPA 200.7	0.911	1.00	91	mg/L
		Calcium	EPA 200.7	9.75	10.0	98	mg/L
		Chromium	EPA 200.7	0.916	1.00	92	mg/L
		Cobalt	EPA 200.7	0.923	1.00	92	mg/L
		Copper	EPA 200.7	4.57	5.00	91	mg/L
		Gallium	EPA 200.7	0.933	1.00	93	mg/L
		Iron	EPA 200.7	0.972	1.00	97	mg/L
		Lithium	EPA 200.7	0.880	1.00	88	mg/L
		Magnesium	EPA 200.7	9.58	10.0	96	mg/L
		Manganese	EPA 200.7	0.918	1.00	92	mg/L
		Molybdenum	EPA 200.7	0.926	1.00	93	mg/L
		Nickel	EPA 200.7	4.59	5.00	92	mg/L
		Phosphorus	EPA 200.7	4.54	5.00	91	mg/L
		Potassium	EPA 200.7	9.58	10.0	96	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.74	10.0	97	mg/L
		Strontium	EPA 200.7	0.991	1.00	99	mg/L
		Tin	EPA 200.7	0.898	1.00	90	mg/L
Titanium	EPA 200.7	0.987	1.00	99	mg/L		
Vanadium	EPA 200.7	0.926	1.00	93	mg/L		
Zinc	EPA 200.7	0.915	1.00	92	mg/L		
QC1106831	LCS 1	Aluminum	EPA 200.7	0.930	1.00	93	mg/L
		Barium	EPA 200.7	0.927	1.00	93	mg/L
		Beryllium	EPA 200.7	0.925	1.00	92	mg/L
		Bismuth	EPA 200.7	0.963	1.00	96	mg/L
		Boron	EPA 200.7	0.863	1.00	86	mg/L
		Cadmium	EPA 200.7	0.911	1.00	91	mg/L
		Calcium	EPA 200.7	9.75	10.0	98	mg/L
		Chromium	EPA 200.7	0.916	1.00	92	mg/L
		Cobalt	EPA 200.7	0.923	1.00	92	mg/L
		Copper	EPA 200.7	4.57	5.00	91	mg/L
Gallium	EPA 200.7	0.933	1.00	93	mg/L		
Iron	EPA 200.7	0.972	1.00	97	mg/L		
Lithium	EPA 200.7	0.880	1.00	88	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Magnesium	EPA 200.7	9.58	10.0	96	mg/L
		Manganese	EPA 200.7	0.918	1.00	92	mg/L
		Molybdenum	EPA 200.7	0.926	1.00	93	mg/L
		Nickel	EPA 200.7	4.59	5.00	92	mg/L
		Phosphorus	EPA 200.7	4.54	5.00	91	mg/L
		Potassium	EPA 200.7	9.58	10.0	96	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.74	10.0	97	mg/L
		Strontium	EPA 200.7	0.991	1.00	99	mg/L
		Tin	EPA 200.7	0.898	1.00	90	mg/L
		Titanium	EPA 200.7	0.987	1.00	99	mg/L
		Vanadium	EPA 200.7	0.926	1.00	93	mg/L
		Zinc	EPA 200.7	0.915	1.00	92	mg/L
QC1106832	LCS 1	Aluminum	EPA 200.7	0.967	1.00	97	mg/L
		Barium	EPA 200.7	0.918	1.00	92	mg/L
		Beryllium	EPA 200.7	0.914	1.00	91	mg/L
		Bismuth	EPA 200.7	0.947	1.00	95	mg/L
		Boron	EPA 200.7	0.880	1.00	88	mg/L
		Cadmium	EPA 200.7	0.887	1.00	89	mg/L
		Calcium	EPA 200.7	9.40	10.0	94	mg/L
		Chromium	EPA 200.7	0.908	1.00	91	mg/L
		Cobalt	EPA 200.7	0.904	1.00	90	mg/L
		Copper	EPA 200.7	4.60	5.00	92	mg/L
		Gallium	EPA 200.7	0.934	1.00	93	mg/L
		Iron	EPA 200.7	0.937	1.00	94	mg/L
		Lithium	EPA 200.7	0.891	1.00	89	mg/L
		Magnesium	EPA 200.7	9.01	10.0	90	mg/L
		Manganese	EPA 200.7	0.916	1.00	92	mg/L
		Molybdenum	EPA 200.7	0.936	1.00	94	mg/L
		Nickel	EPA 200.7	4.49	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.42	5.00	88	mg/L
		Potassium	EPA 200.7	9.41	10.0	94	mg/L
		Scandium	EPA 200.7	0.936	1.00	94	mg/L
		Silver	EPA 200.7	0.081	0.090	90	mg/L
		Sodium	EPA 200.7	9.58	10.0	96	mg/L
		Strontium	EPA 200.7	0.968	1.00	97	mg/L
		Tin	EPA 200.7	0.907	1.00	91	mg/L
		Titanium	EPA 200.7	0.990	1.00	99	mg/L
		Vanadium	EPA 200.7	0.915	1.00	92	mg/L
		Zinc	EPA 200.7	0.879	1.00	88	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1106614	Duplicate 1	pH	SM 4500-H+ B	1106317-001	7.65	7.66	pH Units	<1%
QC1106614	Duplicate 2	pH	SM 4500-H+ B	1106317-002	7.72	7.65	pH Units	1 %
QC1106614	Duplicate 3	pH	SM 4500-H+ B	1106319-002	8.24	8.25	pH Units	<1%
QC1106614	Duplicate 4	pH	SM 4500-H+ B	1106325-001	8.00	7.92	pH Units	1 %
QC1106614	Duplicate 5	pH	SM 4500-H+ B	1106332-001	7.89	7.88	pH Units	<1%
QC1106614	Duplicate 6	pH	SM 4500-H+ B	1106333-003	7.95	7.92	pH Units	<1%
QC1106614	Duplicate 7	pH	SM 4500-H+ B	1106338-001	8.16	8.19	pH Units	<1%
QC1106614	Duplicate 8	pH	SM 4500-H+ B	1106339-001	7.50	7.49	pH Units	<1%
QC1106614	Duplicate 9	pH	SM 4500-H+ B	1106343-002	7.74	7.71	pH Units	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1106621	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1106317-001	120	120	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1106317-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106317-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106317-001	98.1	98.0	mg/L as CaCO3	<1%
QC1106621	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1106317-002	124	123	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1106317-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106317-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106317-002	102	101	mg/L as CaCO3	1 %
QC1106621	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1106319-002	146	146	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1106319-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106319-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106319-002	120	120	mg/L as CaCO3	<1%
QC1106621	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1106325-001	181	180	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1106325-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106325-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106325-001	149	148	mg/L as CaCO3	1 %
QC1106621	Duplicate 5	Bicarbonate (HCO3)	SM 2320B	1106332-001	197	197	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1106332-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106332-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106332-001	162	162	mg/L as CaCO3	<1%
QC1106621	Duplicate 6	Bicarbonate (HCO3)	SM 2320B	1106333-003	188	187	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1106333-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106333-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106333-003	154	154	mg/L as CaCO3	1 %
QC1106621	Duplicate 7	Bicarbonate (HCO3)	SM 2320B	1106338-001	144	148	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1106338-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106338-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106338-001	118	121	mg/L as CaCO3	3 %
QC1106621	Duplicate 8	Bicarbonate (HCO3)	SM 2320B	1106339-001	19.7	18.2	mg/L	8 %
		Carbonate (CO3)	SM 2320B	1106339-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106339-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106339-001	16.1	14.9	mg/L as CaCO3	8 %
QC1106621	Duplicate 9	Bicarbonate (HCO3)	SM 2320B	1106343-002	160	160	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1106343-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1106343-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1106343-002	131	131	mg/L as CaCO3	<1%
QC1106772	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1106324-001	225	223	mg/L	1 %
QC1106772	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1106326-003	214	226	Q mg/L	5 %
QC1106772	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1106342-003	94.0	86.0	Q mg/L	9 %
QC1106772	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1106342-013	390	414	Q mg/L	6 %
QC1106772	Duplicate 5	Total Dissolved Solids (TDS)	SM 2540C	1106342-021	156	144	Q mg/L	8 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1106606	MS 1	Fluoride	EPA 300.0	1106198-010	0.494	2.56	2.59	2.00	mg/L	104	105	1 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1106606	MS 2	Fluoride	EPA 300.0	1106342-001	1.13	3.11	3.13	2.00	mg/L	99	100	1 %
QC1106607	MS 1	Fluoride	EPA 300.0	1106342-010	2.18	3.99	4.01	2.00	mg/L	91	92	<1%
QC1106607	MS 2	Fluoride	EPA 300.0	1106342-019	0.561	2.60	2.63	2.00	mg/L	102	103	1 %
QC1106608	MS 1	Chloride	EPA 300.0	1106198-010	18.8	23.0	22.7	5.00	mg/L	85	77	1 %
QC1106608	MS 2	Chloride	EPA 300.0	1106203-002	30.8	35.3	35.4	5.00	mg/L	89	92	<1%
QC1106609	MS 1	Chloride	EPA 300.0	1106342-010	<1.000	5.25	5.28	5.00	mg/L	103	104	1 %
QC1106609	MS 2	Chloride	EPA 300.0	1106342-019	<1.000	5.26	5.28	5.00	mg/L	104	104	<1%
QC1106610	MS 1	Nitrite Nitrogen	EPA 300.0	1106300-002	<0.025	0.476	0.488	0.500	mg/L	94	96	2 %
QC1106610	MS 2	Nitrite Nitrogen	EPA 300.0	1106342-010	<0.025	0.502	0.504	0.500	mg/L	99	99	<1%
QC1106611	MS 1	Nitrite Nitrogen	EPA 300.0	1106342-019	<0.025	0.512	0.516	0.500	mg/L	101	102	1 %
QC1106612	MS 1	Nitrate Nitrogen	EPA 300.0	1106300-002	<1.000	2.67	2.70	2.00	mg/L	103	105	1 %
QC1106612	MS 2	Nitrate Nitrogen	EPA 300.0	1106342-010	<1.000	2.08	2.09	2.00	mg/L	102	103	<1%
QC1106613	MS 1	Nitrate Nitrogen	EPA 300.0	1106342-019	<1.000	2.07	2.08	2.00	mg/L	102	102	<1%
QC1106622	MS 1	Sulfate	EPA 300.0	1106198-010	22.3	31.9	31.7	10.0	mg/L	95	94	1 %
QC1106622	MS 2	Sulfate	EPA 300.0	1106342-001	87.5	SC 94.9	94.9	10.0	mg/L	NC	NC	NC
QC1106623	MS 1	Sulfate	EPA 300.0	1106342-010	35.1	44.3	44.4	10.0	mg/L	92	93	<1%
QC1106623	MS 2	Sulfate	EPA 300.0	1106342-019	21.8	31.3	31.4	10.0	mg/L	96	96	<1%
QC1106709	MS 1	Uranium, Dissolved	EPA 200.8	1106322-001	0.0224	0.0336	0.0321	0.010	mg/L	112	98	5 %
		Mercury, Dissolved	EPA 200.8	1106322-001	<0.00010	0.000934	0.000869	0.001	mg/L	93	87	7 %
		Antimony, Dissolved	EPA 200.8	1106322-001	0.0139	0.0224	0.0222	0.010	mg/L	85	83	1 %
		Arsenic, Dissolved	EPA 200.8	1106322-001	0.0882	0.1412	0.1389	0.050	mg/L	106	101	2 %
		Lead, Dissolved	EPA 200.8	1106322-001	<0.0025	0.0100	0.0096	0.010	mg/L	100	96	4 %
		Selenium, Dissolved	EPA 200.8	1106322-001	<0.0050	0.0592	0.0614	0.050	mg/L	115	120	4 %
		Thallium, Dissolved	EPA 200.8	1106322-001	0.0010	0.0107	0.0103	0.010	mg/L	97	93	4 %
QC1106710	MS 1	Uranium, Dissolved	EPA 200.8	1106322-002	0.0112	0.0212	0.0207	0.010	mg/L	101	95	2 %
		Mercury, Dissolved	EPA 200.8	1106322-002	<0.00010	0.000876	0.000874	0.001	mg/L	88	87	<1%
		Antimony, Dissolved	EPA 200.8	1106322-002	<0.0025	0.0111	0.0106	0.010	mg/L	107	103	5 %
		Arsenic, Dissolved	EPA 200.8	1106322-002	0.0101	0.0611	0.0585	0.050	mg/L	102	97	4 %
		Lead, Dissolved	EPA 200.8	1106322-002	<0.0025	0.0098	0.0096	0.010	mg/L	98	96	2 %
		Selenium, Dissolved	EPA 200.8	1106322-002	<0.0050	0.0493	0.0487	0.050	mg/L	98	97	1 %
		Thallium, Dissolved	EPA 200.8	1106322-002	<0.0010	0.0095	0.0095	0.010	mg/L	95	95	<1%
QC1106711	MS 1	Uranium, Dissolved	EPA 200.8	1106322-003	<0.0100	0.0180	0.0177	0.010	mg/L	111	108	2 %
		Mercury, Dissolved	EPA 200.8	1106322-003	<0.00010	0.001087	0.001107	0.001	mg/L	109	111	2 %
		Antimony, Dissolved	EPA 200.8	1106322-003	<0.0025	0.0112	0.0112	0.010	mg/L	106	106	<1%
		Arsenic, Dissolved	EPA 200.8	1106322-003	0.1275	0.1856	0.1811	0.050	mg/L	116	107	2 %
		Lead, Dissolved	EPA 200.8	1106322-003	<0.0025	0.0100	0.0098	0.010	mg/L	100	98	2 %
		Selenium, Dissolved	EPA 200.8	1106322-003	<0.0050	0.0502	0.0493	0.050	mg/L	100	99	2 %
		Thallium, Dissolved	EPA 200.8	1106322-003	<0.0010	0.0098	0.0097	0.010	mg/L	98	97	1 %
QC1106830	MS 1	Aluminum, Dissolved	EPA 200.7	1106322-001	<0.045	0.966	0.952	1.00	mg/L	92	91	1 %
		Barium, Dissolved	EPA 200.7	1106322-001	0.037	0.951	0.967	1.00	mg/L	91	93	2 %
		Beryllium, Dissolved	EPA 200.7	1106322-001	<0.001	0.936	0.950	1.00	mg/L	94	95	1 %
		Bismuth, Dissolved	EPA 200.7	1106322-001	<0.100	0.917	0.930	1.00	mg/L	96	97	1 %
		Boron, Dissolved	EPA 200.7	1106322-001	0.137	1.10	1.12	1.00	mg/L	96	98	2 %
		Cadmium, Dissolved	EPA 200.7	1106322-001	<0.001	0.885	0.913	1.00	mg/L	89	92	3 %
		Calcium, Dissolved	EPA 200.7	1106322-001	402	411	411	10.0	mg/L	90	90	<1%
		Chromium, Dissolved	EPA 200.7	1106322-001	<0.005	0.931	0.947	1.00	mg/L	93	95	2 %
		Cobalt, Dissolved	EPA 200.7	1106322-001	<0.010	0.924	0.943	1.00	mg/L	92	93	2 %
		Copper, Dissolved	EPA 200.7	1106322-001	<0.050	5.03	5.02	5.00	mg/L	101	100	<1%
		Gallium, Dissolved	EPA 200.7	1106322-001	<0.100	0.943	0.943	1.00	mg/L	94	94	<1%
		Iron, Dissolved	EPA 200.7	1106322-001	0.046	1.01	1.01	1.00	mg/L	96	96	<1%
		Lithium, Dissolved	EPA 200.7	1106322-001	<0.100	1.00	1.02	1.00	mg/L	93	95	2 %
		Magnesium, Dissolved	EPA 200.7	1106322-001	56.4	64.5	65.3	10.0	mg/L	81	89	1 %
		Manganese, Dissolved	EPA 200.7	1106322-001	0.170	1.10	1.12	1.00	mg/L	93	95	2 %
		Molybdenum, Dissolved	EPA 200.7	1106322-001	0.015	0.963	0.974	1.00	mg/L	95	96	1 %
		Nickel, Dissolved	EPA 200.7	1106322-001	0.075	4.63	4.75	5.00	mg/L	91	94	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1106831	MS 1	Phosphorus, Dissolved	EPA 200.7	1106322-001	<0.500	4.78	4.90	5.00	mg/L	97	99	2 %
		Potassium, Dissolved	EPA 200.7	1106322-001	11.6	22.1	22.2	10.0	mg/L	105	106	<1%
		Scandium, Dissolved	EPA 200.7	1106322-001	<0.100	0.957	0.963	1.00	mg/L	96	96	1 %
		Silver, Dissolved	EPA 200.7	1106322-001	<0.005	0.080	0.081	0.090	mg/L	95	96	1 %
		Sodium, Dissolved	EPA 200.7	1106322-001	74.1	84.7	84.2	10.0	mg/L	106	101	1 %
		Strontium, Dissolved	EPA 200.7	1106322-001	1.40	2.39	2.37	1.00	mg/L	99	97	1 %
		Tin, Dissolved	EPA 200.7	1106322-001	<0.100	0.834	0.846	1.00	mg/L	92	94	1 %
		Titanium, Dissolved	EPA 200.7	1106322-001	<0.100	0.974	0.965	1.00	mg/L	98	97	1 %
		Vanadium, Dissolved	EPA 200.7	1106322-001	0.067	1.01	1.02	1.00	mg/L	94	95	1 %
		Zinc, Dissolved	EPA 200.7	1106322-001	0.014	0.919	0.948	1.00	mg/L	90	93	3 %
		Aluminum, Dissolved	EPA 200.7	1106322-002	0.085	1.00	1.04	1.00	mg/L	91	95	4 %
		Barium, Dissolved	EPA 200.7	1106322-002	0.073	0.993	1.03	1.00	mg/L	92	96	4 %
		Beryllium, Dissolved	EPA 200.7	1106322-002	<0.001	0.928	0.966	1.00	mg/L	93	97	4 %
		Bismuth, Dissolved	EPA 200.7	1106322-002	<0.100	0.935	0.956	1.00	mg/L	94	96	2 %
		Boron, Dissolved	EPA 200.7	1106322-002	<0.100	0.951	0.999	1.00	mg/L	92	96	5 %
		Cadmium, Dissolved	EPA 200.7	1106322-002	<0.001	0.883	0.938	1.00	mg/L	88	94	6 %
		Calcium, Dissolved	EPA 200.7	1106322-002	39.7	49.4	49.9	10.0	mg/L	97	102	1 %
		Chromium, Dissolved	EPA 200.7	1106322-002	<0.005	0.906	0.943	1.00	mg/L	91	94	4 %
		Cobalt, Dissolved	EPA 200.7	1106322-002	<0.010	0.905	0.945	1.00	mg/L	90	94	4 %
		Copper, Dissolved	EPA 200.7	1106322-002	<0.050	4.71	4.83	5.00	mg/L	94	97	3 %
		Gallium, Dissolved	EPA 200.7	1106322-002	<0.100	0.931	0.958	1.00	mg/L	93	96	3 %
		Iron, Dissolved	EPA 200.7	1106322-002	0.021	0.992	0.996	1.00	mg/L	97	98	<1%
		Lithium, Dissolved	EPA 200.7	1106322-002	<0.100	0.966	0.957	1.00	mg/L	96	95	1 %
		Magnesium, Dissolved	EPA 200.7	1106322-002	4.97	14.0	14.3	10.0	mg/L	90	93	2 %
		Manganese, Dissolved	EPA 200.7	1106322-002	<0.005	0.900	0.941	1.00	mg/L	91	95	4 %
		Molybdenum, Dissolved	EPA 200.7	1106322-002	<0.010	0.931	0.959	1.00	mg/L	92	95	3 %
		Nickel, Dissolved	EPA 200.7	1106322-002	<0.010	4.46	4.69	5.00	mg/L	89	94	5 %
Phosphorus, Dissolved	EPA 200.7	1106322-002	<0.500	4.59	4.86	5.00	mg/L	89	95	6 %		
Potassium, Dissolved	EPA 200.7	1106322-002	2.85	13.1	13.0	10.0	mg/L	102	102	1 %		
Scandium, Dissolved	EPA 200.7	1106322-002	<0.100	0.949	0.960	1.00	mg/L	95	96	1 %		
Silver, Dissolved	EPA 200.7	1106322-002	<0.005	0.082	0.084	0.090	mg/L	93	94	2 %		
Sodium, Dissolved	EPA 200.7	1106322-002	16.1	26.5	26.6	10.0	mg/L	104	105	<1%		
Strontium, Dissolved	EPA 200.7	1106322-002	0.228	1.25	1.24	1.00	mg/L	102	101	1 %		
Tin, Dissolved	EPA 200.7	1106322-002	<0.100	0.858	0.900	1.00	mg/L	89	93	5 %		
Titanium, Dissolved	EPA 200.7	1106322-002	<0.100	0.990	0.983	1.00	mg/L	99	98	1 %		
Vanadium, Dissolved	EPA 200.7	1106322-002	0.015	0.939	0.970	1.00	mg/L	92	96	3 %		
Zinc, Dissolved	EPA 200.7	1106322-002	<0.010	0.891	0.955	1.00	mg/L	89	95	7 %		
QC1106832	MS 1	Aluminum, Dissolved	EPA 200.7	1106322-003	<0.045	0.906	0.920	1.00	mg/L	88	90	2 %
		Barium, Dissolved	EPA 200.7	1106322-003	<0.010	0.926	0.938	1.00	mg/L	92	93	1 %
		Beryllium, Dissolved	EPA 200.7	1106322-003	<0.001	0.935	0.933	1.00	mg/L	93	93	<1%
		Bismuth, Dissolved	EPA 200.7	1106322-003	<0.100	0.947	0.942	1.00	mg/L	95	95	1 %
		Boron, Dissolved	EPA 200.7	1106322-003	<0.100	0.974	0.999	1.00	mg/L	91	94	3 %
		Cadmium, Dissolved	EPA 200.7	1106322-003	<0.001	0.900	0.917	1.00	mg/L	90	92	2 %
		Calcium, Dissolved	EPA 200.7	1106322-003	57.0	64.4	64.7	10.0	mg/L	74	77	<1%
		Chromium, Dissolved	EPA 200.7	1106322-003	<0.005	0.909	0.919	1.00	mg/L	91	92	1 %
		Cobalt, Dissolved	EPA 200.7	1106322-003	<0.010	0.907	0.920	1.00	mg/L	91	92	1 %
		Copper, Dissolved	EPA 200.7	1106322-003	<0.050	4.63	4.66	5.00	mg/L	93	93	1 %
		Gallium, Dissolved	EPA 200.7	1106322-003	<0.100	0.923	0.937	1.00	mg/L	92	94	2 %
		Iron, Dissolved	EPA 200.7	1106322-003	<0.010	0.970	0.982	1.00	mg/L	96	97	1 %
		Lithium, Dissolved	EPA 200.7	1106322-003	<0.100	0.852	0.939	1.00	mg/L	84	93	10 %
		Magnesium, Dissolved	EPA 200.7	1106322-003	9.30	18.1	18.5	10.0	mg/L	88	92	2 %
		Manganese, Dissolved	EPA 200.7	1106322-003	<0.005	0.897	0.909	1.00	mg/L	90	92	1 %
		Molybdenum, Dissolved	EPA 200.7	1106322-003	<0.010	0.943	0.943	1.00	mg/L	94	94	<1%
		Nickel, Dissolved	EPA 200.7	1106322-003	<0.010	4.50	4.57	5.00	mg/L	90	91	2 %
		Phosphorus, Dissolved	EPA 200.7	1106322-003	<0.500	4.85	4.88	5.00	mg/L	94	94	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Potassium, Dissolved	EPA 200.7	1106322-003	3.80	13.2	13.7	10.0	mg/L	94	99	4 %
		Scandium, Dissolved	EPA 200.7	1106322-003	<0.100	0.940	0.932	1.00	mg/L	94	93	1 %
		Silver, Dissolved	EPA 200.7	1106322-003	<0.005	0.080	0.082	0.090	mg/L	91	93	2 %
		Sodium, Dissolved	EPA 200.7	1106322-003	27.2	35.8	35.8	10.0	mg/L	86	86	<1%
		Strontium, Dissolved	EPA 200.7	1106322-003	0.261	1.23	1.22	1.00	mg/L	97	96	1 %
		Tin, Dissolved	EPA 200.7	1106322-003	<0.100	0.880	0.881	1.00	mg/L	92	92	<1%
		Titanium, Dissolved	EPA 200.7	1106322-003	<0.100	0.975	0.974	1.00	mg/L	97	97	<1%
		Vanadium, Dissolved	EPA 200.7	1106322-003	0.017	0.938	0.947	1.00	mg/L	92	93	1 %
		Zinc, Dissolved	EPA 200.7	1106322-003	<0.010	0.913	0.935	1.00	mg/L	91	93	2 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number **1106342**

Report Due Date: **7/1/11**

Page **1** of **2**

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name _____

P.O. Number _____ Project Number **3438**

Turnaround Time
 Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Email **mli@mettest.com**

Additional Information:			
Fax Results	<input type="checkbox"/> Y <input type="checkbox"/> N	To: Client	Billing
Email Results	<input type="checkbox"/> Y <input type="checkbox"/> N	To: Client	Billing
Compliance Monitoring	<input type="checkbox"/> Y <input type="checkbox"/> N		
Fax Results to State EPA	<input type="checkbox"/> Y <input type="checkbox"/> N		

Sample Type Codes	
DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested										Spl. No.			
					Profile II w/o Wad	Uranium												
604 562	Wk:20	6/17/11	9:00	ww	2	X	X											1
604 569																		2
604 606																		3
604 653																		4
604 656																		5
604 669																		6
604 673																		7
604 767																		8
604 787																		9
604 811																		10
604 854																		11
604 862	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	12

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>22 °C</u>	<u>6/17/11</u>	<u>16:15</u>		
Custody Seals Intact? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N (None)				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

1106
342
1

**WETLAB**

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0517 | www.WETLaboratory.com

Lab Number 1106342

Report Date: 7/1/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5 Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information:

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes:

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO OF CONTAINERS SAMPLE TYPE

Analyses Requested

Profile II w/o Wad
Uranium

SAMPLE ID/LOCATION	DATE	TIME	NO OF CONTAINERS	SAMPLE TYPE	Profile II w/o Wad	Uranium	Spl. No.
604 867	6/17/11	9:00	2	WW	X	X	13
605 033							14
605 153							15
SRK 0854							16
SRK 0858							17
SRK 0864							18
SRK 0866							19
SRK 0867							20
SRK 0872							21

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 22°C	6/17/11	16:15	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N (None)				
Number of Containers 42				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



6/7/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1105313

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/20/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1105313

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1105313-001,010,011 Vanadium

1105313-004,020 Molybdenum

1105313-017 Cadmium, Arsenic, Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Date Printed: 6/7/2011
OrderID: 1105313

Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Customer Sample ID: 604 562 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-001

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	73	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	60	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.0	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	78	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.025	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	43	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	7.9	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.28	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	5/25/2011

Customer Sample ID: 604 562 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-001

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	5/27/2011
Zinc	EPA 200.7	0.012	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/31/2011
Anions	Calculation	2.87	meq/L	0.10	
Cations	Calculation	2.90	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 569 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-002

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.58	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	35	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	29	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	0.85	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	25	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	66	mg/L	10	5/23/2011
Aluminum	EPA 200.7	0.057	mg/L	0.045	5/25/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011

Customer Sample ID: 604 569 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-002

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	15	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	3.7	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.073	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	1.8	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.58	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.10	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	5/31/2011
Anions	Calculation	1.14	meq/L	0.10	
Cations	Calculation	1.13	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 606 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-003

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	69	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011

Customer Sample ID: 604 606 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-003

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	57	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	42	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.036	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	30	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	5.5	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.051	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	3.1	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.86	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.020	mg/L	0.010	5/31/2011

Customer Sample ID: 604 606 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-003

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.07	meq/L	0.10	
Cations	Calculation	2.07	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 653 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-004

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	74	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	61	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	59	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.052	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	40	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	4.8	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.30	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	5/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	4.4	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011

Customer Sample ID: 604 653 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-004

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	1.2	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.011	mg/L	0.010	5/31/2011
Anions	Calculation	2.53	meq/L	0.10	
Cations	Calculation	2.57	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 656 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-005

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	56	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	46	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	48	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.015	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	27	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011

Customer Sample ID: 604 656 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-005

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	0.053	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	5.0	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.092	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	0.030	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	4.7	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.61	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.27	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.012	mg/L	0.010	5/31/2011
Anions	Calculation	1.98	meq/L	0.10	
Cations	Calculation	1.91	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 669 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-006

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.72	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	47	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011

Customer Sample ID: 604 669 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-006

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.76	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	84	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.018	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	38	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	5.6	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.52	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	4.6	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.90	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.32	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	0.0060	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.016	mg/L	0.010	5/31/2011
Anions	Calculation	2.56	meq/L	0.10	
Cations	Calculation	2.53	meq/L	0.10	

Customer Sample ID: 604 669 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-006

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-007

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.96	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	7.4	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	6.1	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	0.32	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	26	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	48	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.034	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	9.3	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.033	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.71	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011

Customer Sample ID: 604 673 WK:16
 WETLAB Sample ID: 1105313-007

Collect Date/Time: 5/20/2011 09:00
 Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/31/2011
Anions	Calculation	0.68	meq/L	0.10	
Cations	Calculation	0.66	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: 604 767 WK:16
 WETLAB Sample ID: 1105313-008

Collect Date/Time: 5/20/2011 09:00
 Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.65	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	39	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	32	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	89	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.036	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	35	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011

Customer Sample ID: 604 767 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-008

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	8.7	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.52	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	2.9	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	0.019	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.020	mg/L	0.010	5/31/2011
Anions	Calculation	2.61	meq/L	0.10	
Cations	Calculation	2.58	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 787 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-009

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	69	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	57	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	36	mg/L	1.0	5/21/2011

Customer Sample ID: 604 787 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-009

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/25/2011
Barium	EPA 200.7	0.010	mg/L	0.010	5/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/25/2011
Calcium	EPA 200.7	29	mg/L	0.50	5/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	5/25/2011
Manganese	EPA 200.7	0.096	mg/L	0.0050	5/25/2011
Molybdenum	EPA 200.7	0.017	mg/L	0.010	5/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/25/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	5/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/25/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	5/25/2011
Strontium	EPA 200.7	0.22	mg/L	0.10	5/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/31/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/31/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/31/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/31/2011
Uranium	EPA 200.8	0.045	mg/L	0.010	5/31/2011
Anions	Calculation	1.94	meq/L	0.10	
Cations	Calculation	1.92	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-010

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.19	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	90	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	29	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	36	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	7.4	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.050	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	2.9	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.47	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	5/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011

Customer Sample ID: 604 811 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-010

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	0.0068	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	0.022	mg/L	0.010	5/26/2011
Anions	Calculation	2.51	meq/L	0.10	
Cations	Calculation	2.48	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 854 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-011

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	57	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	46	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	2.1	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	78	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.034	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	39	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	7.2	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011

Customer Sample ID: 604 854 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-011

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	3.2	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.35	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	5/27/2011
Zinc	EPA 200.7	0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011
Anions	Calculation	2.67	meq/L	0.10	
Cations	Calculation	2.63	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 862 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-012

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.23	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	170	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	140	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	31	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.011	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011

Customer Sample ID: 604 862 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-012

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	56	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	9.2	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.041	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	0.54	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.90	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	0.015	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011
Anions	Calculation	3.55	meq/L	0.10	
Cations	Calculation	3.65	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 604 867 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-013

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.86	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	77	mg/L	1.0	5/20/2011

Customer Sample ID: 604 867 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-013

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	63	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	180	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	5/25/2011
Aluminium	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.017	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	97	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	0.10	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	3.2	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.24	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	3.3	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.57	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011

Customer Sample ID: 604 867 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-013

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011
Anions	Calculation	5.09	meq/L	0.10	
Cations	Calculation	5.22	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 605 033 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-014

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	49	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	39	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	5/23/2011
Aluminum	EPA 200.7	0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.036	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	31	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	2.9	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.077	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	0.011	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	3.0	mg/L	0.50	5/24/2011

Customer Sample ID: 605 033 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-014

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	0.81	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.27	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	0.019	mg/L	0.010	5/26/2011
Anions	Calculation	1.87	meq/L	0.10	
Cations	Calculation	1.91	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-015

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	46	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	38	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	14	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	80	mg/L	10	5/23/2011
Aluminum	EPA 200.7	0.061	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.12	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011

Customer Sample ID: 605 153 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-015

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	15	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	2.3	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.031	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	0.73	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	1.0	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011
Anions	Calculation	1.10	meq/L	0.10	
Cations	Calculation	1.05	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: SRK.0854 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-016

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.19	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011

Customer Sample ID: SRK 0854 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-016

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	0.59	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	120	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	5/23/2011
Aluminum	EPA 200.7	0.13	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.018	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	0.0038	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	23	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	0.011	mg/L	0.010	5/24/2011
Copper	EPA 200.7	29	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.37	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	1.4	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	0.11	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	0.25	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	0.0057	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011

Customer Sample ID: SRK 0854 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-016

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.53	meq/L	0.10	
Cations	Calculation	2.25	meq/L	0.10	
Error	Calculation	5.9	%	1.0	

Customer Sample ID: SRK 0858 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-017

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.13	pH Units		5/20/2011
Acidity (Titrimetric)	SM 2310B	150	mg/L as CaCO3		5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	3.7	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	260	mg/L	50	5/22/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	5/23/2011
Aluminum	EPA 200.7	7.7	mg/L	0.045	5/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	0.0021	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	5/27/2011
Calcium	EPA 200.7	38	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	0.0072	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	0.054	mg/L	0.010	5/24/2011
Copper	EPA 200.7	24	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	6.5	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	2.0	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.63	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	2.0	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	1.4	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011

Customer Sample ID: SRK 0858 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-017

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	0.10	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	6/1/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	6/1/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	0.067	mg/L	0.010	5/26/2011
Anions	Calculation	5.61	meq/L	0.10	
Cations	Calculation	5.69	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0864 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-018

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	38	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	0.66	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	5.9	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	44	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.011	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	10	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011

Customer Sample ID: SRK 0864 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-018

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	1.7	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	1.2	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	1.2	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/26/2011
Anions	Calculation	0.78	meq/L	0.10	
Cations	Calculation	0.72	meq/L	0.10	
Error	Calculation	3.9	%	1.0	

Customer Sample ID: SRK 0866 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-019

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.04	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	9.4	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	7.7	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	0.60	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	24	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011

Customer Sample ID: SRK 0866 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-019

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	48	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	10	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	1.1	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/1/2011
Anions	Calculation	0.69	meq/L	0.10	
Cations	Calculation	0.67	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: SRK 0867 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-020

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.46	pH Units		5/20/2011
Bicarbonate (HCO ₃)	SM 2320B	29	mg/L	1.0	5/20/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	24	mg/L as CaCO ₃	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	51	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	0.011	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	27	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	1.7	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.096	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	5/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	0.90	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	0.0048	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011

Customer Sample ID: SRK 0867 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-020

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/1/2011
Anions	Calculation	1.61	meq/L	0.10	
Cations	Calculation	1.51	meq/L	0.10	
Error	Calculation	3.1	%	1.0	

Customer Sample ID: SRK 0872 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-021

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.38	pH Units		5/20/2011
Bicarbonate (HCO3)	SM 2320B	19	mg/L	1.0	5/20/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/20/2011
Total Alkalinity	SM 2320B	16	mg/L as CaCO3	1.0	5/20/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/21/2011
Fluoride	EPA 300.0	1.0	mg/L	0.10	5/21/2011
Sulfate	EPA 300.0	68	mg/L	1.0	5/21/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/21/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	5/21/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	5/23/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/24/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/24/2011
Calcium	EPA 200.7	34	mg/L	0.50	5/24/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	5/24/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Magnesium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Manganese	EPA 200.7	0.041	mg/L	0.0050	5/24/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	5/24/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/24/2011

Customer Sample ID: SRK 0872 WK:16

Collect Date/Time: 5/20/2011 09:00

WETLAB Sample ID: 1105313-021

Receive Date: 5/20/2011 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Potassium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/24/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	5/24/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/24/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/24/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	6/1/2011
Anions	Calculation	1.78	meq/L	0.10	
Cations	Calculation	1.70	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1105597	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1105597	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1105597	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1105598	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1105598	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1105598	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1105601	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1105601	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1105601	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1105602	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1105602	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1105602	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1105604	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105604	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105604	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105605	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105605	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105605	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1105607	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1105607	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1105607	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1105608	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1105608	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1105611	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1105611	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1105611	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1105612	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1105612	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1105612	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1105639	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1105639	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1105639	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1105705	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1105705	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1105719	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1105720	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1105723	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1105724	Blank 1	Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
Scandium, Dissolved	EPA 200.7	<0.10	mg/L		
Silver, Dissolved	EPA 200.7	<0.0050	mg/L		
Sodium, Dissolved	EPA 200.7	<0.50	mg/L		
Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC1105786	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1105787	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		
QC1105792	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1105792	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1106010	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1105593	LCS 1	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1105593	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1105593	LCS 3	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC1105594	LCS 1	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC1105594	LCS 2	Alkalinity	SM 2320B	94.7	100	95	mg/L
QC1105594	LCS 3	Alkalinity	SM 2320B	94.5	100	95	mg/L
QC1105597	LCS 1	Fluoride	EPA 300.0	1.99	2.00	99	mg/L
QC1105598	LCS 1	Fluoride	EPA 300.0	1.99	2.00	99	mg/L
QC1105601	LCS 1	Chloride	EPA 300.0	10.6	10.0	106	mg/L
QC1105602	LCS 1	Chloride	EPA 300.0	10.6	10.0	106	mg/L
QC1105604	LCS 1	Nitrite Nitrogen	EPA 300.0	0.496	0.500	99	mg/L
QC1105605	LCS 1	Nitrite Nitrogen	EPA 300.0	0.496	0.500	99	mg/L
QC1105607	LCS 1	Nitrate Nitrogen	EPA 300.0	1.97	2.00	98	mg/L
QC1105608	LCS 1	Nitrate Nitrogen	EPA 300.0	1.97	2.00	98	mg/L
QC1105611	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC1105612	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC1105639	LCS 1	Sulfate	EPA 300.0	25.1	25.0	101	mg/L
QC1105705	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC1105705	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC1105719	LCS 1	Aluminum	EPA 200.7	0.976	1.00	98	mg/L
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	0.975	1.00	98	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.931	1.00	93	mg/L
		Cadmium	EPA 200.7	0.973	1.00	97	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.960	1.00	96	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.80	5.00	96	mg/L
		Gallium	EPA 200.7	0.966	1.00	97	mg/L
		Iron	EPA 200.7	0.970	1.00	97	mg/L
		Lithium	EPA 200.7	0.951	1.00	95	mg/L
		Magnesium	EPA 200.7	9.61	10.0	96	mg/L
		Manganese	EPA 200.7	0.978	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.973	1.00	97	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.96	5.00	99	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.976	1.00	98	mg/L
		Silver	EPA 200.7	0.089	0.090	98	mg/L
		Sodium	EPA 200.7	9.87	10.0	99	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.973	1.00	97	mg/L
		Titanium	EPA 200.7	0.974	1.00	97	mg/L
		Vanadium	EPA 200.7	0.966	1.00	97	mg/L
		Zinc	EPA 200.7	0.993	1.00	99	mg/L
QC1105720	LCS 1	Aluminum	EPA 200.7	0.976	1.00	98	mg/L
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	0.975	1.00	98	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.931	1.00	93	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Cadmium	EPA 200.7	0.973	1.00	97	mg/L
		Calcium	EPA 200.7	9.95	10.0	100	mg/L
		Chromium	EPA 200.7	0.960	1.00	96	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.80	5.00	96	mg/L
		Gallium	EPA 200.7	0.966	1.00	97	mg/L
		Iron	EPA 200.7	0.970	1.00	97	mg/L
		Lithium	EPA 200.7	0.951	1.00	95	mg/L
		Magnesium	EPA 200.7	9.61	10.0	96	mg/L
		Manganese	EPA 200.7	0.978	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.973	1.00	97	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.96	5.00	99	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.976	1.00	98	mg/L
		Silver	EPA 200.7	0.089	0.090	98	mg/L
		Sodium	EPA 200.7	9.87	10.0	99	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.973	1.00	97	mg/L
		Titanium	EPA 200.7	0.974	1.00	97	mg/L
		Vanadium	EPA 200.7	0.966	1.00	97	mg/L
		Zinc	EPA 200.7	0.993	1.00	99	mg/L
QC1105723	LCS 1	Aluminum	EPA 200.7	0.894	1.00	89	mg/L
		Barium	EPA 200.7	0.918	1.00	92	mg/L
		Beryllium	EPA 200.7	0.934	1.00	93	mg/L
		Bismuth	EPA 200.7	0.950	1.00	95	mg/L
		Boron	EPA 200.7	0.873	1.00	87	mg/L
		Cadmium	EPA 200.7	0.925	1.00	92	mg/L
		Calcium	EPA 200.7	9.48	10.0	95	mg/L
		Chromium	EPA 200.7	0.904	1.00	90	mg/L
		Cobalt	EPA 200.7	0.920	1.00	92	mg/L
		Copper	EPA 200.7	4.44	5.00	89	mg/L
		Gallium	EPA 200.7	0.926	1.00	93	mg/L
		Iron	EPA 200.7	0.957	1.00	96	mg/L
		Lithium	EPA 200.7	0.932	1.00	93	mg/L
		Magnesium	EPA 200.7	9.44	10.0	94	mg/L
		Manganese	EPA 200.7	0.901	1.00	90	mg/L
		Molybdenum	EPA 200.7	0.923	1.00	92	mg/L
		Nickel	EPA 200.7	4.61	5.00	92	mg/L
		Phosphorus	EPA 200.7	4.63	5.00	93	mg/L
		Potassium	EPA 200.7	9.54	10.0	95	mg/L
		Scandium	EPA 200.7	0.924	1.00	92	mg/L
		Silver	EPA 200.7	0.083	0.090	92	mg/L
		Sodium	EPA 200.7	9.39	10.0	94	mg/L
		Strontium	EPA 200.7	0.943	1.00	94	mg/L
		Tin	EPA 200.7	0.902	1.00	90	mg/L
		Titanium	EPA 200.7	0.956	1.00	96	mg/L
		Vanadium	EPA 200.7	0.915	1.00	92	mg/L
		Zinc	EPA 200.7	0.941	1.00	94	mg/L
QC1105724	LCS 1	Aluminum	EPA 200.7	0.969	1.00	97	mg/L
		Barium	EPA 200.7	0.974	1.00	97	mg/L
		Beryllium	EPA 200.7	0.954	1.00	95	mg/L
		Bismuth	EPA 200.7	0.993	1.00	99	mg/L
		Boron	EPA 200.7	0.940	1.00	94	mg/L
		Cadmium	EPA 200.7	0.988	1.00	99	mg/L
		Calcium	EPA 200.7	9.68	10.0	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Chromium	EPA 200.7	0.959	1.00	96	mg/L
		Cobalt	EPA 200.7	0.981	1.00	98	mg/L
		Copper	EPA 200.7	4.84	5.00	97	mg/L
		Gallium	EPA 200.7	0.976	1.00	98	mg/L
		Iron	EPA 200.7	0.968	1.00	97	mg/L
		Lithium	EPA 200.7	0.947	1.00	95	mg/L
		Magnesium	EPA 200.7	9.50	10.0	95	mg/L
		Manganese	EPA 200.7	0.975	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.952	1.00	95	mg/L
		Nickel	EPA 200.7	4.90	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.87	5.00	97	mg/L
		Potassium	EPA 200.7	9.52	10.0	95	mg/L
		Scandium	EPA 200.7	0.949	1.00	95	mg/L
		Silver	EPA 200.7	0.088	0.090	98	mg/L
		Sodium	EPA 200.7	9.53	10.0	95	mg/L
		Strontium	EPA 200.7	0.940	1.00	94	mg/L
		Tin	EPA 200.7	0.947	1.00	95	mg/L
		Titanium	EPA 200.7	0.990	1.00	99	mg/L
		Vanadium	EPA 200.7	0.969	1.00	97	mg/L
		Zinc	EPA 200.7	1.00	1.00	100	mg/L
QC1105786	LCS 1	Mercury	EPA 200.8	0.000987	0.001	99	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0476	0.050	95	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0487	0.050	97	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0109	0.010	109	mg/L
QC1105787	LCS 1	Mercury	EPA 200.8	0.000987	0.001	99	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0476	0.050	95	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0487	0.050	97	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0109	0.010	109	mg/L
QC1105792	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC1105792	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC1106010	LCS 1	Mercury	EPA 200.8	0.001149	0.001	115	mg/L
		Antimony	EPA 200.8	0.0102	0.010	102	mg/L
		Arsenic	EPA 200.8	0.0561	0.050	112	mg/L
		Lead	EPA 200.8	0.0107	0.010	107	mg/L
		Selenium	EPA 200.8	0.0553	0.050	111	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0107	0.010	107	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1105593	Duplicate 1	pH	SM 4500-H+ B	1105300-001	7.93	7.92	pH Units	<1%
QC1105593	Duplicate 2	pH	SM 4500-H+ B	1105302-001	8.24	8.23	pH Units	<1%
QC1105593	Duplicate 3	pH	SM 4500-H+ B	1105309-003	8.09	8.09	pH Units	<1%
QC1105593	Duplicate 4	pH	SM 4500-H+ B	1105309-009	8.06	8.06	pH Units	<1%
QC1105593	Duplicate 5	pH	SM 4500-H+ B	1105309-010	8.03	8.03	pH Units	<1%
QC1105594	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1105300-001	185	186	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1105300-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1105300-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1105594	Duplicate 2	Total Alkalinity	SM 2320B	1105300-001	152	153	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1105302-001	206	204	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1105302-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1105302-001	<1.000	<1.000	mg/L	<1%
QC1105594	Duplicate 3	Total Alkalinity	SM 2320B	1105302-001	169	167	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1105309-003	225	226	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1105309-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1105309-003	<1.000	<1.000	mg/L	<1%
QC1105594	Duplicate 4	Total Alkalinity	SM 2320B	1105309-003	185	185	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1105309-009	233	232	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1105309-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1105309-009	<1.000	<1.000	mg/L	<1%
QC1105594	Duplicate 5	Total Alkalinity	SM 2320B	1105309-009	191	190	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1105309-010	195	195	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1105309-010	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1105309-010	<1.000	<1.000	mg/L	<1%
QC1105705	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1105299-001	320	324	mg/L	1 %
QC1105705	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1105302-002	114	103	mg/L	10 %
QC1105705	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1105304-003	423	406	mg/L	4 %
QC1105705	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1105313-015	80.0	76.0	mg/L	5 %
QC1105792	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1105313-013	354	340	mg/L	4 %
QC1105792	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1105334-003	27.0	19.0	mg/L	35 %
QC1105792	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1105355-001	103	104	mg/L	1 %
QC1105792	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1105355-011	766	738	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1105597	MS 1	Fluoride	EPA 300.0	1105302-001	0.211	2.11	2.14	2.00	mg/L	95	96	1 %
QC1105597	MS 2	Fluoride	EPA 300.0	1105266-003	0.279	2.15	2.16	2.00	mg/L	94	94	<1%
QC1105598	MS 1	Fluoride	EPA 300.0	1105313-011	2.06	3.76	3.77	2.00	mg/L	85	86	<1%
QC1105598	MS 2	Fluoride	EPA 300.0	1105313-021	1.04	2.88	2.88	2.00	mg/L	92	92	<1%
QC1105601	MS 1	Chloride	EPA 300.0	1105302-001	5.55	10.8	10.9	5.00	mg/L	105	107	1 %
QC1105601	MS 2	Chloride	EPA 300.0	1105266-003	5.24	10.4	10.5	5.00	mg/L	103	104	1 %
QC1105602	MS 1	Chloride	EPA 300.0	1105313-011	<1.000	5.57	5.56	5.00	mg/L	109	109	<1%
QC1105602	MS 2	Chloride	EPA 300.0	1105313-021	<1.000	5.63	5.66	5.00	mg/L	109	110	1 %
QC1105604	MS 1	Nitrite Nitrogen	EPA 300.0	1105292-001	<0.025	0.527	0.537	0.500	mg/L	103	105	2 %
QC1105604	MS 2	Nitrite Nitrogen	EPA 300.0	1105292-009	<0.025	0.443	0.415	0.500	mg/L	89	83	7 %
QC1105605	MS 1	Nitrite Nitrogen	EPA 300.0	1105313-011	<0.025	0.534	0.525	0.500	mg/L	107	105	2 %
QC1105605	MS 2	Nitrite Nitrogen	EPA 300.0	1105313-021	<0.025	0.528	0.528	0.500	mg/L	103	103	<1%
QC1105607	MS 1	Nitrate Nitrogen	EPA 300.0	1105313-001	<1.000	2.14	2.15	2.00	mg/L	105	106	<1%
QC1105607	MS 2	Nitrate Nitrogen	EPA 300.0	1105313-011	<1.000	2.14	2.14	2.00	mg/L	106	105	<1%
QC1105608	MS 1	Nitrate Nitrogen	EPA 300.0	1105313-021	<1.000	2.14	2.15	2.00	mg/L	105	106	<1%
QC1105611	MS 1	Sulfate	EPA 300.0	1105266-003	23.4	32.6	32.8	10.0	mg/L	92	94	1 %
QC1105611	MS 2	Sulfate	EPA 300.0	1105313-011	77.7	86.4	86.2	10.0	mg/L	87	86	<1%
QC1105612	MS 1	Sulfate	EPA 300.0	1105313-021	67.9	76.5	76.7	10.0	mg/L	86	88	<1%
QC1105612	MS 2	Sulfate	EPA 300.0	1105267-004	6.75	16.8	17.1	10.0	mg/L	100	104	2 %
QC1105639	MS 1	Sulfate	EPA 300.0	1105279-001	3444	4512	4520	10.0	mg/L	107	108	<1%
QC1105639	MS 2	Sulfate	EPA 300.0	1105299-006	16.5	28.0	26.4	10.0	mg/L	115	99	6 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1105719	MS 1	Aluminum, Dissolved	EPA 200.7	1105304-001	<0.045	0.942	0.950	1.00	mg/L	92	93	1 %
		Barium, Dissolved	EPA 200.7	1105304-001	0.060	1.02	1.00	1.00	mg/L	96	94	2 %
		Beryllium, Dissolved	EPA 200.7	1105304-001	<0.001	0.965	0.964	1.00	mg/L	97	96	<1%
		Bismuth, Dissolved	EPA 200.7	1105304-001	<0.100	0.965	0.952	1.00	mg/L	98	97	1 %
		Boron, Dissolved	EPA 200.7	1105304-001	<0.100	1.03	1.00	1.00	mg/L	95	92	3 %
		Cadmium, Dissolved	EPA 200.7	1105304-001	<0.001	0.959	0.931	1.00	mg/L	96	93	3 %
		Calcium, Dissolved	EPA 200.7	1105304-001	49.3	57.5	57.6	10.0	mg/L	82	83	<1%
		Chromium, Dissolved	EPA 200.7	1105304-001	<0.005	0.953	0.934	1.00	mg/L	95	93	2 %
		Cobalt, Dissolved	EPA 200.7	1105304-001	<0.010	0.955	0.937	1.00	mg/L	95	94	2 %
		Copper, Dissolved	EPA 200.7	1105304-001	<0.050	4.82	4.80	5.00	mg/L	96	96	<1%
		Gallium, Dissolved	EPA 200.7	1105304-001	<0.100	0.958	0.951	1.00	mg/L	96	95	1 %
		Iron, Dissolved	EPA 200.7	1105304-001	<0.010	0.964	0.952	1.00	mg/L	97	95	1 %
		Lithium, Dissolved	EPA 200.7	1105304-001	<0.100	0.947	0.951	1.00	mg/L	93	93	<1%
		Magnesium, Dissolved	EPA 200.7	1105304-001	7.75	16.4	16.1	10.0	mg/L	86	84	2 %
		Manganese, Dissolved	EPA 200.7	1105304-001	<0.005	0.944	0.931	1.00	mg/L	96	95	1 %
		Molybdenum, Dissolved	EPA 200.7	1105304-001	<0.010	0.975	0.959	1.00	mg/L	98	96	2 %
		Nickel, Dissolved	EPA 200.7	1105304-001	<0.010	4.73	4.62	5.00	mg/L	95	92	2 %
		Phosphorus, Dissolved	EPA 200.7	1105304-001	<0.500	5.02	4.86	5.00	mg/L	98	95	3 %
		Potassium, Dissolved	EPA 200.7	1105304-001	2.97	13.3	13.5	10.0	mg/L	103	105	1 %
		Scandium, Dissolved	EPA 200.7	1105304-001	<0.100	0.962	0.971	1.00	mg/L	96	97	1 %
		Silver, Dissolved	EPA 200.7	1105304-001	<0.005	0.088	0.087	0.090	mg/L	97	97	1 %
		Sodium, Dissolved	EPA 200.7	1105304-001	27.7	36.7	37.4	10.0	mg/L	90	97	2 %
		Strontium, Dissolved	EPA 200.7	1105304-001	0.291	1.21	1.24	1.00	mg/L	92	95	2 %
		Tin, Dissolved	EPA 200.7	1105304-001	<0.100	0.954	0.921	1.00	mg/L	98	95	4 %
		Titanium, Dissolved	EPA 200.7	1105304-001	<0.100	0.984	0.979	1.00	mg/L	98	98	1 %
		Vanadium, Dissolved	EPA 200.7	1105304-001	0.022	0.983	0.971	1.00	mg/L	96	95	1 %
		Zinc, Dissolved	EPA 200.7	1105304-001	<0.010	0.989	0.957	1.00	mg/L	99	96	3 %
		QC1105720	MS 1	Aluminum, Dissolved	EPA 200.7	1105304-002	0.207	1.27	1.29	1.00	mg/L	106
Barium, Dissolved	EPA 200.7			1105304-002	0.022	1.03	1.04	1.00	mg/L	101	102	1 %
Beryllium, Dissolved	EPA 200.7			1105304-002	<0.001	1.01	1.01	1.00	mg/L	101	101	<1%
Bismuth, Dissolved	EPA 200.7			1105304-002	<0.100	1.01	1.03	1.00	mg/L	102	104	2 %
Boron, Dissolved	EPA 200.7			1105304-002	<0.100	1.01	1.04	1.00	mg/L	96	99	3 %
Cadmium, Dissolved	EPA 200.7			1105304-002	<0.001	0.997	1.02	1.00	mg/L	100	102	2 %
Calcium, Dissolved	EPA 200.7			1105304-002	16.1	25.5	25.8	10.0	mg/L	94	97	1 %
Chromium, Dissolved	EPA 200.7			1105304-002	<0.005	0.989	1.00	1.00	mg/L	99	100	1 %
Cobalt, Dissolved	EPA 200.7			1105304-002	<0.010	1.00	1.02	1.00	mg/L	100	102	2 %
Copper, Dissolved	EPA 200.7			1105304-002	<0.050	4.98	5.15	5.00	mg/L	100	103	3 %
Gallium, Dissolved	EPA 200.7			1105304-002	<0.100	0.996	1.02	1.00	mg/L	100	102	2 %
Iron, Dissolved	EPA 200.7			1105304-002	0.154	1.17	1.16	1.00	mg/L	102	101	1 %
Lithium, Dissolved	EPA 200.7			1105304-002	<0.100	0.933	0.939	1.00	mg/L	92	93	1 %
Magnesium, Dissolved	EPA 200.7			1105304-002	3.40	12.8	12.8	10.0	mg/L	94	94	<1%
Manganese, Dissolved	EPA 200.7			1105304-002	0.011	1.00	1.02	1.00	mg/L	99	101	2 %
Molybdenum, Dissolved	EPA 200.7			1105304-002	<0.010	1.02	1.03	1.00	mg/L	102	103	1 %
Nickel, Dissolved	EPA 200.7			1105304-002	<0.010	4.95	5.05	5.00	mg/L	99	101	2 %
Phosphorus, Dissolved	EPA 200.7			1105304-002	<0.500	5.21	5.31	5.00	mg/L	101	103	2 %
Potassium, Dissolved	EPA 200.7			1105304-002	2.55	12.6	12.8	10.0	mg/L	100	102	2 %
Scandium, Dissolved	EPA 200.7			1105304-002	<0.100	1.01	1.01	1.00	mg/L	101	101	<1%
Silver, Dissolved	EPA 200.7			1105304-002	<0.005	0.091	0.092	0.090	mg/L	101	102	1 %
Sodium, Dissolved	EPA 200.7			1105304-002	12.6	22.4	22.7	10.0	mg/L	98	101	1 %
Strontium, Dissolved	EPA 200.7			1105304-002	<0.100	1.07	1.07	1.00	mg/L	98	98	<1%
Tin, Dissolved	EPA 200.7			1105304-002	<0.100	0.989	0.999	1.00	mg/L	100	101	1 %
Titanium, Dissolved	EPA 200.7			1105304-002	<0.100	0.992	0.983	1.00	mg/L	98	98	1 %
Vanadium, Dissolved	EPA 200.7			1105304-002	<0.010	1.01	1.03	1.00	mg/L	100	102	2 %
Zinc, Dissolved	EPA 200.7			1105304-002	<0.010	1.02	1.05	1.00	mg/L	102	105	3 %
QC1105723	MS 1			Aluminum, Dissolved	EPA 200.7	1105301-002	0.065	0.927	0.987	1.00	mg/L	86

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Barium, Dissolved	EPA 200.7	1105301-002	0.024	0.932	0.949	1.00	mg/L	91	92	2 %
		Beryllium, Dissolved	EPA 200.7	1105301-002	<0.001	0.989	1.05	1.00	mg/L	99	105	6 %
		Bismuth, Dissolved	EPA 200.7	1105301-002	<0.100	0.930	0.992	1.00	mg/L	100	106	6 %
		Boron, Dissolved	EPA 200.7	1105301-002	<0.100	0.871	0.907	1.00	mg/L	96	100	4 %
		Cadmium, Dissolved	EPA 200.7	1105301-002	<0.001	0.982	1.03	1.00	mg/L	99	104	5 %
		Calcium, Dissolved	EPA 200.7	1105301-002	518	507	540	10.0	mg/L	110	220	6 %
		Chromium, Dissolved	EPA 200.7	1105301-002	0.018	0.956	1.01	1.00	mg/L	94	99	5 %
		Cobalt, Dissolved	EPA 200.7	1105301-002	0.203	1.14	1.17	1.00	mg/L	94	97	3 %
		Copper, Dissolved	EPA 200.7	1105301-002	<0.050	5.04	5.39	5.00	mg/L	101	108	7 %
		Gallium, Dissolved	EPA 200.7	1105301-002	<0.100	0.906	0.965	1.00	mg/L	90	96	6 %
		Iron, Dissolved	EPA 200.7	1105301-002	<0.010	0.903	0.973	1.00	mg/L	96	103	7 %
		Lithium, Dissolved	EPA 200.7	1105301-002	1.34	2.47	2.61	1.00	mg/L	113	127	6 %
		Magnesium, Dissolved	EPA 200.7	1105301-002	166	176	186	10.0	mg/L	100	200	6 %
		Manganese, Dissolved	EPA 200.7	1105301-002	<0.005	0.730	0.772	1.00	mg/L	92	96	6 %
		Molybdenum, Dissolved	EPA 200.7	1105301-002	1.39	2.45	2.53	1.00	mg/L	106	114	3 %
		Nickel, Dissolved	EPA 200.7	1105301-002	0.019	4.82	5.07	5.00	mg/L	96	101	5 %
		Phosphorus, Dissolved	EPA 200.7	1105301-002	<0.500	5.56	5.66	5.00	mg/L	111	113	2 %
		Potassium, Dissolved	EPA 200.7	1105301-002	330	SC 336	354	10.0	mg/L	NC	NC	NC
		Scandium, Dissolved	EPA 200.7	1105301-002	<0.100	0.963	1.03	1.00	mg/L	96	103	7 %
		Silver, Dissolved	EPA 200.7	1105301-002	0.007	0.100	0.105	0.090	mg/L	103	109	5 %
		Sodium, Dissolved	EPA 200.7	1105301-002	1260	SC 1200	1290	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1105301-002	0.934	1.81	1.94	1.00	mg/L	88	101	7 %
		Tin, Dissolved	EPA 200.7	1105301-002	<0.100	0.884	0.911	1.00	mg/L	96	99	3 %
		Titanium, Dissolved	EPA 200.7	1105301-002	<0.100	0.945	1.01	1.00	mg/L	96	102	7 %
		Vanadium, Dissolved	EPA 200.7	1105301-002	0.092	1.07	1.13	1.00	mg/L	98	104	5 %
		Zinc, Dissolved	EPA 200.7	1105301-002	<0.010	1.02	1.04	1.00	mg/L	102	104	2 %
QC1105724	MS 1	Aluminum, Dissolved	EPA 200.7	1105303-001	<0.045	0.951	0.947	1.00	mg/L	93	93	<1%
		Barium, Dissolved	EPA 200.7	1105303-001	0.115	1.06	1.07	1.00	mg/L	94	96	1 %
		Beryllium, Dissolved	EPA 200.7	1105303-001	<0.001	0.945	0.969	1.00	mg/L	95	97	3 %
		Bismuth, Dissolved	EPA 200.7	1105303-001	<0.100	0.948	0.964	1.00	mg/L	96	98	2 %
		Boron, Dissolved	EPA 200.7	1105303-001	<0.100	1.00	1.02	1.00	mg/L	94	96	2 %
		Cadmium, Dissolved	EPA 200.7	1105303-001	<0.001	0.938	0.964	1.00	mg/L	94	96	3 %
		Calcium, Dissolved	EPA 200.7	1105303-001	47.2	55.7	56.5	10.0	mg/L	85	93	1 %
		Chromium, Dissolved	EPA 200.7	1105303-001	<0.005	0.933	0.952	1.00	mg/L	93	95	2 %
		Cobalt, Dissolved	EPA 200.7	1105303-001	<0.010	0.937	0.954	1.00	mg/L	94	95	2 %
		Copper, Dissolved	EPA 200.7	1105303-001	<0.050	4.97	4.87	5.00	mg/L	99	97	2 %
		Gallium, Dissolved	EPA 200.7	1105303-001	<0.100	0.964	0.968	1.00	mg/L	96	97	<1%
		Iron, Dissolved	EPA 200.7	1105303-001	<0.010	0.954	0.969	1.00	mg/L	95	97	2 %
		Lithium, Dissolved	EPA 200.7	1105303-001	<0.100	0.949	0.950	1.00	mg/L	94	94	<1%
		Magnesium, Dissolved	EPA 200.7	1105303-001	8.35	16.7	17.2	10.0	mg/L	84	88	3 %
		Manganese, Dissolved	EPA 200.7	1105303-001	<0.005	0.933	0.946	1.00	mg/L	95	96	1 %
		Molybdenum, Dissolved	EPA 200.7	1105303-001	<0.010	0.940	0.959	1.00	mg/L	94	96	2 %
		Nickel, Dissolved	EPA 200.7	1105303-001	<0.010	4.63	4.74	5.00	mg/L	93	95	2 %
		Phosphorus, Dissolved	EPA 200.7	1105303-001	<0.500	4.76	4.97	5.00	mg/L	93	97	4 %
		Potassium, Dissolved	EPA 200.7	1105303-001	2.32	12.5	12.5	10.0	mg/L	102	102	<1%
		Scandium, Dissolved	EPA 200.7	1105303-001	<0.100	0.953	0.965	1.00	mg/L	95	97	1 %
		Silver, Dissolved	EPA 200.7	1105303-001	<0.005	0.088	0.088	0.090	mg/L	98	98	<1%
		Sodium, Dissolved	EPA 200.7	1105303-001	28.3	38.1	38.2	10.0	mg/L	98	99	<1%
		Strontium, Dissolved	EPA 200.7	1105303-001	0.277	1.24	1.24	1.00	mg/L	96	96	<1%
		Tin, Dissolved	EPA 200.7	1105303-001	<0.100	0.895	0.933	1.00	mg/L	92	96	4 %
		Titanium, Dissolved	EPA 200.7	1105303-001	<0.100	0.988	0.981	1.00	mg/L	99	98	1 %
		Vanadium, Dissolved	EPA 200.7	1105303-001	0.028	0.984	0.994	1.00	mg/L	96	97	1 %
		Zinc, Dissolved	EPA 200.7	1105303-001	<0.010	0.953	0.991	1.00	mg/L	95	99	4 %
QC1105786	MS 1	Uranium, Dissolved	EPA 200.8	1105304-001	<0.0100	0.0138	0.0146	0.010	mg/L	107	115	6 %
		Mercury, Dissolved	EPA 200.8	1105304-001	<0.000100	0.001003	0.000990	0.001	mg/L	100	99	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1105787	MS 1	Antimony, Dissolved	EPA 200.8	1105304-001	<0.0025	0.0096	0.0102	0.010	mg/L	93	99	6 %
		Arsenic, Dissolved	EPA 200.8	1105304-001	0.0167	0.0653	0.0671	0.050	mg/L	97	101	3 %
		Lead, Dissolved	EPA 200.8	1105304-001	<0.0025	0.0100	0.0106	0.010	mg/L	100	106	6 %
		Selenium, Dissolved	EPA 200.8	1105304-001	<0.0050	0.0496	0.0522	0.050	mg/L	97	102	5 %
		Thallium, Dissolved	EPA 200.8	1105304-001	<0.0010	0.0097	0.0103	0.010	mg/L	97	103	6 %
		Uranium, Dissolved	EPA 200.8	1105304-002	<0.0100	0.0113	0.0111	0.010	mg/L	110	108	2 %
		Mercury, Dissolved	EPA 200.8	1105304-002	<0.000100	0.000949	0.000937	0.001	mg/L	95	94	1 %
		Antimony, Dissolved	EPA 200.8	1105304-002	<0.0025	0.0097	0.0094	0.010	mg/L	94	90	3 %
		Arsenic, Dissolved	EPA 200.8	1105304-002	<0.0050	0.0525	0.0507	0.050	mg/L	98	94	3 %
		Lead, Dissolved	EPA 200.8	1105304-002	<0.0025	0.0105	0.0100	0.010	mg/L	105	100	5 %
QC1106010	MS 1	Selenium, Dissolved	EPA 200.8	1105304-002	<0.0050	0.0506	0.0477	0.050	mg/L	101	95	6 %
		Thallium, Dissolved	EPA 200.8	1105304-002	<0.0010	0.0102	0.0098	0.010	mg/L	102	98	4 %
		Uranium, Dissolved	EPA 200.8	1105303-001	<0.0100	0.0168	0.0169	0.010	mg/L	120	121	1 %
		Mercury, Dissolved	EPA 200.8	1105303-001	<0.000100	0.001194	0.001230	0.001	mg/L	119	123	3 %
		Antimony, Dissolved	EPA 200.8	1105303-001	<0.0025	0.0113	0.0112	0.010	mg/L	110	109	1 %
		Arsenic, Dissolved	EPA 200.8	1105303-001	0.0139	0.0720	0.0701	0.050	mg/L	116	112	3 %
		Lead, Dissolved	EPA 200.8	1105303-001	<0.0025	0.0123	0.0124	0.010	mg/L	123	124	1 %
		Selenium, Dissolved	EPA 200.8	1105303-001	<0.0050	0.0559	0.0560	0.050	mg/L	109	110	<1%
Thallium, Dissolved	EPA 200.8	1105303-001	<0.0010	0.0121	0.0120	0.010	mg/L	121	120	1 %		



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1105313

Report
Due Date: 06/06/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time
Standard 3 Day Other _____

Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	ANALYSIS REQUESTED										Spl. No.					
					1	2	3	4	5	6	7	8	9	10		11	12			
604 562	Wk:16	5/20/11	9:00	WW	2	X	X													1
604 569																				2
604 606																				3
604 653																				4
604 656																				5
604 669																				6
604 673																				7
604 767																				8
604 787																				9
604 811																				10
604 854																				11
604 862																				12

1105
313

Profile II w/o Wad
Uranium

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Requisitioned By	Samples Received By
Temperature <u>23 °C</u>	<u>5/20</u>	<u>15:50</u>	<u>Taylor</u>	<u>Beauchamp</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street # 119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1105313

Report

Due Date: 06/02/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO. OF CONTAINERS	Analyses Requested		Spl. No.	
					Profile II w/o Wat	Uranium		
604 867	Wk:16	5/20/11	9:00	WW	2	X	X	13
605 033								14
605 153								15
SRK 0854								16
SRK 0858								17
SRK 0864								18
SRK 0866								19
SRK 0867								20
SRK 0872	↓	↓	↓	↓	↓	↓	↓	21

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 23°C	5/20	15:50	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers _____				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



5/20/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1104345

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 4/22/2011. Additional comments are located on page 2 of this report.

This is an amended report that includes results for Uranium as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1104345

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on samples 1104345-011 and 021 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

The cation/anion balance for sample 1104345-013 was outside WETLAB acceptance criteria; however, reanalysis confirmed the original results.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1104345-017 Cadmium

1104345-018 Molybdenum

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 5/20/2011

OrderID: 1104345

Customer Sample ID: 604 562 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-001

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.95	pH Units		4/22/2011
Bicarbonate (HCO ₃)	SM 2320B	77	mg/L	1.0	4/22/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/22/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	4/22/2011
Sulfate	EPA 300.0	100	SC mg/L	1.0	4/22/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/22/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/22/2011
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/25/2011
Barium	EPA 200.7	0.027	mg/L	0.010	4/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011
Calcium	EPA 200.7	51	mg/L	0.50	4/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Magnesium	EPA 200.7	9.5	mg/L	0.50	4/25/2011
Manganese	EPA 200.7	0.30	mg/L	0.0050	4/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/25/2011
Potassium	EPA 200.7	4.7	mg/L	0.50	4/25/2011

Customer Sample ID: 604 562 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-001

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Sodium	EPA 200.7	0.91	mg/L	0.50	4/25/2011
Strontium	EPA 200.7	0.48	mg/L	0.10	4/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Vanadium	EPA 200.7	0.017	mg/L	0.010	4/25/2011
Zinc	EPA 200.7	0.011	mg/L	0.010	4/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/26/2011
Anions	Calculation	3.41	meq/L	0.10	
Cations	Calculation	3.50	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 569 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-002

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.50	pH Units		4/22/2011
Bicarbonate (HCO3)	SM 2320B	31	mg/L	1.0	4/22/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	26	mg/L as CaCO3	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	0.82	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	35	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	86	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.082	mg/L	0.045	4/25/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011

Customer Sample ID: 604 569 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-002

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	16	mg/L	0.50	4/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Magnesium	EPA 200.7	4.2	mg/L	0.50	4/25/2011
Manganese	EPA 200.7	0.080	mg/L	0.0050	4/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/25/2011
Potassium	EPA 200.7	2.6	mg/L	0.50	4/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Sodium	EPA 200.7	0.89	mg/L	0.50	4/25/2011
Strontium	EPA 200.7	0.13	mg/L	0.10	4/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/26/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/26/2011
Anions	Calculation	1.28	meq/L	0.10	
Cations	Calculation	1.26	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 606 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-003

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	67	mg/L	1.0	4/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011

Customer Sample ID: 604 606 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-003

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	55	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	55	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.046	mg/L	0.045	4/25/2011
Barium	EPA 200.7	0.041	mg/L	0.010	4/25/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/25/2011
Calcium	EPA 200.7	33	mg/L	0.50	4/25/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/25/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Magnesium	EPA 200.7	6.0	mg/L	0.50	4/25/2011
Manganese	EPA 200.7	0.053	mg/L	0.0050	4/25/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/25/2011
Potassium	EPA 200.7	4.6	mg/L	0.50	4/25/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/25/2011
Sodium	EPA 200.7	1.2	mg/L	0.50	4/25/2011
Strontium	EPA 200.7	0.34	mg/L	0.10	4/25/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/25/2011
Vanadium	EPA 200.7	0.010	mg/L	0.010	4/25/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/25/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/26/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/26/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/26/2011
Uranium	EPA 200.8	0.024	mg/L	0.010	4/26/2011

Customer Sample ID: 604 606 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-003

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.31	meq/L	0.10	
Cations	Calculation	2.32	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 653 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-004

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.82	pH Units		4/22/2011
Bicarbonate (HCO3)	SM 2320B	53	mg/L	1.0	4/22/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	44	mg/L as CaCO3	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	100	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.057	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.037	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	48	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	0.023	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	5.8	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.36	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.017	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	6.2	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011

Customer Sample ID: 604 653 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-004

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	1.4	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.37	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/19/2011
Anions	Calculation	3.02	meq/L	0.10	
Cations	Calculation	3.11	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: 604 656 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-005

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		4/25/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	4/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	82	mg/L as CaCO ₃	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	50	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.015	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	40	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011

Customer Sample ID: 604 656 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-005

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	7.2	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.13	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.036	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	9.2	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	1.0	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.40	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.035	mg/L	0.010	5/19/2011
Anions	Calculation	2.76	meq/L	0.10	
Cations	Calculation	2.87	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: 604 669 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-006

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.69	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	72	mg/L	1.0	4/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	59	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011

Customer Sample ID: 604 669 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-006

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.93	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	40	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.010	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	30	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	4.5	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.42	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	5.5	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	1.1	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.25	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.025	mg/L	0.010	4/27/2011
Anions	Calculation	2.06	meq/L	0.10	
Cations	Calculation	2.07	meq/L	0.10	

Customer Sample ID: 604 669 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-006

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-007

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.82	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	9.8	mg/L	1.0	4/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	8.0	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	0.34	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	31	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	56	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.038	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	12	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	1.5	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.017	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	3.2	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	0.84	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.10	mg/L	0.10	4/26/2011

Customer Sample ID: 604 673 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-007

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/27/2011
Anions	Calculation	0.82	meq/L	0.10	
Cations	Calculation	0.84	meq/L	0.10	
Error	Calculation	1.0	%	1.0	

Customer Sample ID: 604 767 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-008

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.21	pH Units		4/25/2011
Bicarbonate (HCO ₃)	SM 2320B	27	mg/L	1.0	4/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	22	mg/L as CaCO ₃	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	130	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.039	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	48	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011

Customer Sample ID: 604 767 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-008

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	11	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.59	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	4.4	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	0.78	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.39	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	0.019	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	0.016	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	0.0063	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.018	mg/L	0.010	4/27/2011
Anions	Calculation	3.27	meq/L	0.10	
Cations	Calculation	3.47	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Customer Sample ID: 604 787 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-009

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.55	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	71	mg/L	1.0	4/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	58	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	43	mg/L	1.0	4/23/2011

Customer Sample ID: 604 787 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-009

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	0.010	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	31	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	4.8	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.11	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.020	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	3.9	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	0.89	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.26	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.040	mg/L	0.010	4/27/2011
Anions	Calculation	2.12	meq/L	0.10	
Cations	Calculation	2.08	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-010

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.97	pH Units		4/25/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	4/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	88	mg/L as CaCO ₃	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	37	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/26/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/26/2011
Calcium	EPA 200.7	38	mg/L	0.50	4/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Magnesium	EPA 200.7	7.5	mg/L	0.50	4/26/2011
Manganese	EPA 200.7	0.055	mg/L	0.0050	4/26/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	4/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/26/2011
Potassium	EPA 200.7	4.3	mg/L	0.50	4/26/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/26/2011
Sodium	EPA 200.7	0.58	mg/L	0.50	4/26/2011
Strontium	EPA 200.7	0.52	mg/L	0.10	4/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/26/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	4/26/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/26/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011

Customer Sample ID: 604 811 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-010

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	0.011	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.026	mg/L	0.010	4/27/2011
Anions	Calculation	2.67	meq/L	0.10	
Cations	Calculation	2.65	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 854 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-011

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.39	pH Units		4/25/2011
Bicarbonate (HCO ₃)	SM 2320B	43	mg/L	1.0	4/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	35	mg/L as CaCO ₃	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.9	M mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	120	SC mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	270	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/27/2011
Barium	EPA 200.7	0.035	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Calcium	EPA 200.7	48	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	0.033	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	9.6	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	0.028	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011

Customer Sample ID: 604 854 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-011

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	4.3	mg/L	0.50	4/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	0.46	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/27/2011
Anions	Calculation	3.30	meq/L	0.10	
Cations	Calculation	3.33	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 862 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-012

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	4/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	92	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	46	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/27/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011

Customer Sample ID: 604 862 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-012

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Calcium	EPA 200.7	45	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	8.2	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.025	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	0.014	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	3.1	mg/L	0.50	4/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	0.53	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	0.71	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/19/2011
Anions	Calculation	2.90	meq/L	0.10	
Cations	Calculation	3.02	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: 604 867 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-013

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.56	pH Units		4/25/2011
Bicarbonate (HCO3)	SM 2320B	58	mg/L	1.0	4/25/2011

Customer Sample ID: 604 867 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-013

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/25/2011
Total Alkalinity	SM 2320B	48	mg/L as CaCO3	1.0	4/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	380	mg/L	10	5/3/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	450	mg/L	10	4/25/2011
Aluminium	EPA 200.7	<0.045	mg/L	0.045	4/27/2011
Barium	EPA 200.7	0.014	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Calcium	EPA 200.7	120	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Copper	EPA 200.7	0.055	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	4.5	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.21	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	3.9	mg/L	0.50	4/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	0.52	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	0.73	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	0.0061	mg/L	0.0050	4/27/2011

Customer Sample ID: 604 867 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-013

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/19/2011
Anions	Calculation	8.85	meq/L	0.10	
Cations	Calculation	6.49	meq/L	0.10	
Error	Calculation	15	%	1.0	

Customer Sample ID: 605 033 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-014

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.62	pH Units		4/22/2011
Bicarbonate (HCO3)	SM 2320B	42	mg/L	1.0	4/22/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	35	mg/L as CaCO3	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	68	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.060	mg/L	0.045	4/27/2011
Barium	EPA 200.7	0.025	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Calcium	EPA 200.7	35	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	3.9	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.074	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	0.012	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	3.7	mg/L	0.50	4/27/2011

Customer Sample ID: 605 033 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-014

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	0.93	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	0.32	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.021	mg/L	0.010	5/19/2011
Anions	Calculation	2.18	meq/L	0.10	
Cations	Calculation	2.21	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-015

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.77	pH Units		4/22/2011
Bicarbonate (HCO ₃)	SM 2320B	52	mg/L	1.0	4/22/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	43	mg/L as CaCO ₃	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	22	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.053	mg/L	0.045	4/27/2011
Barium	EPA 200.7	0.12	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011

Customer Sample ID: 605 153 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-015

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	20	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	3.5	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.036	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	3.5	mg/L	0.50	4/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	0.90	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	1.2	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	0.014	mg/L	0.010	5/19/2011
Anions	Calculation	1.38	meq/L	0.10	
Cations	Calculation	1.42	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: SRK 0854 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-016

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.15	pH Units		4/22/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011

Customer Sample ID: SRK 0854 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-016

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	0.48	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	110	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	4/25/2011
Aluminum	EPA 200.7	0.13	mg/L	0.045	4/27/2011
Barium	EPA 200.7	0.012	mg/L	0.010	4/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Cadmium	EPA 200.7	0.0039	mg/L	0.0010	4/27/2011
Calcium	EPA 200.7	25	mg/L	0.50	4/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Cobalt	EPA 200.7	0.013	mg/L	0.010	4/27/2011
Copper	EPA 200.7	25	mg/L	0.050	4/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Magnesium	EPA 200.7	1.7	mg/L	0.50	4/27/2011
Manganese	EPA 200.7	0.39	mg/L	0.0050	4/27/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Potassium	EPA 200.7	1.7	mg/L	0.50	4/27/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/27/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/27/2011
Strontium	EPA 200.7	0.10	mg/L	0.10	4/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/27/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/27/2011
Zinc	EPA 200.7	0.27	mg/L	0.010	4/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/27/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/27/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Lead	EPA 200.8	0.0055	mg/L	0.0025	4/27/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/27/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/27/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	5/19/2011

Customer Sample ID: SRK 0854 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-016

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.32	meq/L	0.10	
Cations	Calculation	2.25	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: SRK 0858 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-017

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.56	pH Units		4/22/2011
Acidity (Titrimetric)	SM 2310B	120	mg/L as CaCO ₃		4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	4.9	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	230	mg/L	50	4/27/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	4/25/2011
Aluminum	EPA 200.7	7.4	mg/L	0.045	4/28/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Beryllium	EPA 200.7	0.0022	mg/L	0.0010	4/28/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	4/29/2011
Calcium	EPA 200.7	48	mg/L	0.50	4/28/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Cobalt	EPA 200.7	0.046	mg/L	0.010	4/28/2011
Copper	EPA 200.7	22	mg/L	0.050	4/28/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Iron	EPA 200.7	2.3	mg/L	0.010	4/28/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Magnesium	EPA 200.7	2.5	mg/L	0.50	4/28/2011
Manganese	EPA 200.7	0.78	mg/L	0.0050	4/28/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Nickel	EPA 200.7	0.014	mg/L	0.010	4/28/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	4/28/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Sodium	EPA 200.7	1.1	mg/L	0.50	4/28/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/28/2011

Customer Sample ID: SRK 0858 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-017

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Zinc	EPA 200.7	0.13	mg/L	0.010	4/28/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/28/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Lead	EPA 200.8	0.0029	mg/L	0.0025	4/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/28/2011
Uranium	EPA 200.8	0.047	mg/L	0.010	4/28/2011
Anions	Calculation	5.05	meq/L	0.10	
Cations	Calculation	5.60	meq/L	0.10	
Error	Calculation	5.2	%	1.0	

Customer Sample ID: SRK 0864 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-018

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		4/22/2011
Bicarbonate (HCO3)	SM 2320B	30	mg/L	1.0	4/22/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	24	mg/L as CaCO3	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	0.86	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	7.2	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	42	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/28/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Calcium	EPA 200.7	8.9	mg/L	0.50	4/28/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/28/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011

Customer Sample ID: SRK 0864 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-018

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	0.014	mg/L	0.010	4/28/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Magnesium	EPA 200.7	1.6	mg/L	0.50	4/28/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	4/29/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Potassium	EPA 200.7	0.81	mg/L	0.50	4/28/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Sodium	EPA 200.7	1.3	mg/L	0.50	4/28/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/28/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/28/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/28/2011
Anions	Calculation	0.69	meq/L	0.10	
Cations	Calculation	0.65	meq/L	0.10	
Error	Calculation	2.5	%	1.0	

Customer Sample ID: SRK 0866 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-019

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.94	pH Units		4/22/2011
Bicarbonate (HCO ₃)	SM 2320B	9.4	mg/L	1.0	4/22/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	7.7	mg/L as CaCO ₃	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	0.61	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	33	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011

Customer Sample ID: SRK 0866 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-019

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	82	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/28/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Calcium	EPA 200.7	13	mg/L	0.50	4/28/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/28/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Magnesium	EPA 200.7	1.4	mg/L	0.50	4/28/2011
Manganese	EPA 200.7	0.0060	mg/L	0.0050	4/28/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Potassium	EPA 200.7	2.2	mg/L	0.50	4/28/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Sodium	EPA 200.7	0.75	mg/L	0.50	4/28/2011
Strontium	EPA 200.7	0.12	mg/L	0.10	4/28/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/28/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/28/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/28/2011
Anions	Calculation	0.87	meq/L	0.10	
Cations	Calculation	0.85	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: SRK 0867 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-020

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.31	pH Units		4/22/2011
Bicarbonate (HCO ₃)	SM 2320B	28	mg/L	1.0	4/22/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	23	mg/L as CaCO ₃	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	75	mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/28/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Calcium	EPA 200.7	39	mg/L	0.50	4/28/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/28/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Magnesium	EPA 200.7	2.3	mg/L	0.50	4/28/2011
Manganese	EPA 200.7	0.17	mg/L	0.0050	4/28/2011
Molybdenum	EPA 200.7	0.019	mg/L	0.010	4/28/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Potassium	EPA 200.7	0.97	mg/L	0.50	4/28/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/28/2011
Antimony	EPA 200.8	0.0052	mg/L	0.0025	4/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011

Customer Sample ID: SRK 0867 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-020

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/28/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/28/2011
Anions	Calculation	2.12	meq/L	0.10	
Cations	Calculation	2.17	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: SRK 0872 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-021

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.10	pH Units		4/22/2011
Bicarbonate (HCO ₃)	SM 2320B	15	mg/L	1.0	4/22/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	4/22/2011
Total Alkalinity	SM 2320B	12	mg/L as CaCO ₃	1.0	4/22/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	4/23/2011
Fluoride	EPA 300.0	1.9	M mg/L	0.10	4/23/2011
Sulfate	EPA 300.0	160	SC mg/L	1.0	4/23/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	4/23/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	4/23/2011
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	4/25/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/28/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/28/2011
Calcium	EPA 200.7	74	mg/L	0.50	4/28/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/28/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Magnesium	EPA 200.7	0.78	mg/L	0.50	4/28/2011
Manganese	EPA 200.7	0.092	mg/L	0.0050	4/28/2011
Molybdenum	EPA 200.7	0.020	mg/L	0.010	4/28/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/28/2011

Customer Sample ID: SRK 0872 WK:12

Collect Date/Time: 4/22/2011 09:00

WETLAB Sample ID: 1104345-021

Receive Date: 4/22/2011 16:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Potassium	EPA 200.7	0.52	mg/L	0.50	4/28/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/28/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/28/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/28/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/28/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/28/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/28/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/28/2011
Anions	Calculation	3.68	meq/L	0.10	
Cations	Calculation	3.77	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1104691	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1104691	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1104691	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1104693	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1104693	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1104693	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1104695	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104695	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104695	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104696	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104696	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104698	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104698	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104698	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104699	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104699	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104701	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1104701	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1104701	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1104706	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1104706	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1104707	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1104707	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1104707	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1104710	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104710	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104710	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1104711	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104711	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104711	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1104712	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1104712	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1104761	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1104783	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1104784	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Units
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1104794	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1104799	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1104800	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1104802	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1104802	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1104813	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1104813	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1104813	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1104830	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1104845	Blank 1	Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
		Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1104687	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1104687	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1104689	LCS 1	Alkalinity	SM 2320B	105	100	105	mg/L
QC1104689	LCS 2	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC1104691	LCS 1	Fluoride	EPA 300.0	1.83	2.00	91	mg/L
QC1104693	LCS 1	Chloride	EPA 300.0	10.4	10.0	104	mg/L
QC1104695	LCS 1	Nitrite Nitrogen	EPA 300.0	0.531	0.500	106	mg/L
QC1104696	LCS 1	Nitrite Nitrogen	EPA 300.0	0.531	0.500	106	mg/L
QC1104698	LCS 1	Nitrate Nitrogen	EPA 300.0	1.99	2.00	99	mg/L
QC1104699	LCS 1	Nitrate Nitrogen	EPA 300.0	1.99	2.00	99	mg/L
QC1104701	LCS 1	Sulfate	EPA 300.0	24.7	25.0	99	mg/L
QC1104706	LCS 1	Fluoride	EPA 300.0	1.81	2.00	90	mg/L
QC1104707	LCS 1	Chloride	EPA 300.0	10.4	10.0	104	mg/L
QC1104710	LCS 1	Nitrite Nitrogen	EPA 300.0	0.507	0.500	101	mg/L
QC1104711	LCS 1	Nitrate Nitrogen	EPA 300.0	1.99	2.00	99	mg/L
QC1104712	LCS 1	Sulfate	EPA 300.0	24.9	25.0	100	mg/L
QC1104736	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1104736	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1104737	LCS 1	Alkalinity	SM 2320B	95.2	100	95	mg/L
QC1104761	LCS 1	Aluminum	EPA 200.7	0.972	1.00	97	mg/L
		Barium	EPA 200.7	0.958	1.00	96	mg/L
		Beryllium	EPA 200.7	0.950	1.00	95	mg/L
		Bismuth	EPA 200.7	0.976	1.00	98	mg/L
		Boron	EPA 200.7	0.946	1.00	95	mg/L
		Cadmium	EPA 200.7	0.961	1.00	96	mg/L
		Calcium	EPA 200.7	9.41	10.0	94	mg/L
		Chromium	EPA 200.7	0.948	1.00	95	mg/L
		Cobalt	EPA 200.7	0.953	1.00	95	mg/L
		Copper	EPA 200.7	4.77	5.00	95	mg/L
		Gallium	EPA 200.7	0.960	1.00	96	mg/L
		Iron	EPA 200.7	0.918	1.00	92	mg/L
		Lithium	EPA 200.7	0.954	1.00	95	mg/L
		Magnesium	EPA 200.7	9.15	10.0	92	mg/L
		Manganese	EPA 200.7	0.955	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.945	1.00	94	mg/L
		Nickel	EPA 200.7	4.76	5.00	95	mg/L
		Phosphorus	EPA 200.7	4.65	5.00	93	mg/L
		Potassium	EPA 200.7	9.92	10.0	99	mg/L
		Scandium	EPA 200.7	0.944	1.00	94	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
		Sodium	EPA 200.7	9.88	10.0	99	mg/L
		Strontium	EPA 200.7	0.990	1.00	99	mg/L
		Tin	EPA 200.7	0.938	1.00	94	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1104783	LCS 1	Titanium	EPA 200.7	0.943	1.00	94	mg/L
		Vanadium	EPA 200.7	0.959	1.00	96	mg/L
		Zinc	EPA 200.7	0.964	1.00	96	mg/L
		Aluminum	EPA 200.7	0.946	1.00	95	mg/L
		Barium	EPA 200.7	0.965	1.00	96	mg/L
		Beryllium	EPA 200.7	0.974	1.00	97	mg/L
		Bismuth	EPA 200.7	0.969	1.00	97	mg/L
		Boron	EPA 200.7	0.934	1.00	93	mg/L
		Cadmium	EPA 200.7	0.990	1.00	99	mg/L
		Calcium	EPA 200.7	9.72	10.0	97	mg/L
		Chromium	EPA 200.7	0.948	1.00	95	mg/L
		Cobalt	EPA 200.7	0.960	1.00	96	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.949	1.00	95	mg/L
		Iron	EPA 200.7	0.876	1.00	88	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	9.04	10.0	90	mg/L
		Manganese	EPA 200.7	0.982	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.968	1.00	97	mg/L
		Nickel	EPA 200.7	4.85	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.75	5.00	95	mg/L
		Potassium	EPA 200.7	10.5	10.0	105	mg/L
		Scandium	EPA 200.7	0.948	1.00	95	mg/L
		Silver	EPA 200.7	0.082	0.090	92	mg/L
		Sodium	EPA 200.7	10.5	10.0	105	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
Tin	EPA 200.7	0.977	1.00	98	mg/L		
Titanium	EPA 200.7	0.897	1.00	90	mg/L		
Vanadium	EPA 200.7	0.960	1.00	96	mg/L		
Zinc	EPA 200.7	0.995	1.00	100	mg/L		
QC1104784	LCS 1	Aluminum	EPA 200.7	0.946	1.00	95	mg/L
		Barium	EPA 200.7	0.965	1.00	96	mg/L
		Beryllium	EPA 200.7	0.974	1.00	97	mg/L
		Bismuth	EPA 200.7	0.969	1.00	97	mg/L
		Boron	EPA 200.7	0.934	1.00	93	mg/L
		Cadmium	EPA 200.7	0.990	1.00	99	mg/L
		Calcium	EPA 200.7	9.72	10.0	97	mg/L
		Chromium	EPA 200.7	0.948	1.00	95	mg/L
		Cobalt	EPA 200.7	0.960	1.00	96	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.949	1.00	95	mg/L
		Iron	EPA 200.7	0.876	1.00	88	mg/L
		Lithium	EPA 200.7	1.07	1.00	107	mg/L
		Magnesium	EPA 200.7	9.04	10.0	90	mg/L
		Manganese	EPA 200.7	0.982	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.968	1.00	97	mg/L
		Nickel	EPA 200.7	4.85	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.75	5.00	95	mg/L
		Potassium	EPA 200.7	10.5	10.0	105	mg/L
		Scandium	EPA 200.7	0.948	1.00	95	mg/L
		Silver	EPA 200.7	0.082	0.090	92	mg/L
		Sodium	EPA 200.7	10.5	10.0	105	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.977	1.00	98	mg/L
		Titanium	EPA 200.7	0.897	1.00	90	mg/L
		Vanadium	EPA 200.7	0.960	1.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1104794	LCS 1	Zinc	EPA 200.7	0.995	1.00	100	mg/L
		Mercury	EPA 200.8	0.001002	0.001	100	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0477	0.050	95	mg/L
		Lead	EPA 200.8	0.0097	0.010	97	mg/L
		Selenium	EPA 200.8	0.0458	0.050	92	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
QC1104799	LCS 1	Uranium	EPA 200.8	0.0098	0.010	98	mg/L
		Mercury	EPA 200.8	0.001010	0.001	101	mg/L
		Antimony	EPA 200.8	0.0103	0.010	103	mg/L
		Arsenic	EPA 200.8	0.0529	0.050	106	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0492	0.050	98	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
QC1104800	LCS 1	Uranium	EPA 200.8	<0.0100	0.010	94	mg/L
		Mercury	EPA 200.8	0.001010	0.001	101	mg/L
		Antimony	EPA 200.8	0.0103	0.010	103	mg/L
		Arsenic	EPA 200.8	0.0529	0.050	106	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0492	0.050	98	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
QC1104802	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC1104802	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1104813	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC1104830	LCS 1	Aluminum	EPA 200.7	0.961	1.00	96	mg/L
		Barium	EPA 200.7	0.982	1.00	98	mg/L
		Beryllium	EPA 200.7	0.981	1.00	98	mg/L
		Bismuth	EPA 200.7	0.977	1.00	98	mg/L
		Boron	EPA 200.7	0.935	1.00	94	mg/L
		Cadmium	EPA 200.7	0.979	1.00	98	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	0.969	1.00	97	mg/L
		Cobalt	EPA 200.7	0.981	1.00	98	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.979	1.00	98	mg/L
		Iron	EPA 200.7	1.02	1.00	102	mg/L
		Lithium	EPA 200.7	0.936	1.00	94	mg/L
		Magnesium	EPA 200.7	10.3	10.0	103	mg/L
		Manganese	EPA 200.7	0.979	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.991	1.00	99	mg/L
		Nickel	EPA 200.7	4.88	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.92	5.00	98	mg/L
		Potassium	EPA 200.7	9.61	10.0	96	mg/L
		Scandium	EPA 200.7	0.983	1.00	98	mg/L
		Silver	EPA 200.7	0.087	0.090	96	mg/L
Sodium	EPA 200.7	9.67	10.0	97	mg/L		
Strontium	EPA 200.7	0.966	1.00	97	mg/L		
Tin	EPA 200.7	0.982	1.00	98	mg/L		
Titanium	EPA 200.7	1.01	1.00	101	mg/L		
Vanadium	EPA 200.7	0.976	1.00	98	mg/L		
QC1104845	LCS 1	Zinc	EPA 200.7	1.00	1.00	100	mg/L
		Mercury	EPA 200.8	0.001011	0.001	101	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0488	0.050	98	mg/L
		Lead	EPA 200.8	0.0100	0.010	100	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Selenium	EPA 200.8	0.0498	0.050	100	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	97	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1104687	Duplicate 1	pH	SM 4500-H+ B	1104339-002	6.05	6.14	pH Units	1 %
QC1104687	Duplicate 2	pH	SM 4500-H+ B	1104341-001	9.83	9.84	pH Units	<1%
QC1104687	Duplicate 3	pH	SM 4500-H+ B	1104346-001	7.54	7.61	pH Units	1 %
QC1104689	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1104339-002	1.43	1.33	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1104339-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1104339-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1104339-002	1.17	1.09	mg/L as CaCO3	7 %
QC1104689	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1104341-001	47.9	45.2	mg/L	6 %
		Carbonate (CO3)	SM 2320B	1104341-001	248	249	mg/L	1 %
		Hydroxide (OH)	SM 2320B	1104341-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1104341-001	450	451	mg/L as CaCO3	<1%
QC1104689	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1104346-001	44.3	44.3	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1104346-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1104346-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1104346-001	36.3	36.4	mg/L as CaCO3	<1%
QC1104736	Duplicate 1	pH	SM 4500-H+ B	1104345-009	7.55	7.61	pH Units	1 %
QC1104736	Duplicate 2	pH	SM 4500-H+ B	1104353-001	9.21	9.22	pH Units	<1%
QC1104736	Duplicate 3	pH	SM 4500-H+ B	1104353-002	9.29	9.30	pH Units	<1%
QC1104736	Duplicate 4	pH	SM 4500-H+ B	1104356-005	7.14	7.13	pH Units	<1%
QC1104737	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1104345-009	71.3	71.4	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1104345-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1104345-009	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1104345-009	58.5	58.5	mg/L as CaCO3	<1%
QC1104737	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1104353-001	146	144	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1104353-001	59.9	60.8	mg/L	1 %
		Hydroxide (OH)	SM 2320B	1104353-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1104353-001	219	219	mg/L as CaCO3	<1%
QC1104802	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1104284-001	62.0	58.0	mg/L	7 %
QC1104802	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1104284-002	195	178	mg/L	9 %
QC1104802	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1104345-003	148	151	mg/L	2 %
QC1104802	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1104345-009	132	137	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1104691	MS 1	Fluoride	EPA 300.0	1104345-001	1.33	3.03	3.05	2.00	mg/L	85	86	1 %
QC1104691	MS 2	Fluoride	EPA 300.0	1104345-011	1.90	M 3.46	3.47	2.00	mg/L	NC	NC	NC
QC1104693	MS 1	Chloride	EPA 300.0	1104345-001	<1.000	5.32	5.36	5.00	mg/L	105	106	1 %
QC1104693	MS 2	Chloride	EPA 300.0	1104345-011	<1.000	5.30	5.33	5.00	mg/L	104	105	1 %
QC1104695	MS 1	Nitrite Nitrogen	EPA 300.0	1104317-001	<0.025	0.496	0.503	0.500	mg/L	99	101	1 %
QC1104695	MS 2	Nitrite Nitrogen	EPA 300.0	1104345-001	<0.025	0.488	0.489	0.500	mg/L	98	98	<1%
QC1104696	MS 1	Nitrite Nitrogen	EPA 300.0	1104345-011	<0.025	0.468	0.501	0.500	mg/L	94	100	7 %
QC1104698	MS 1	Nitrate Nitrogen	EPA 300.0	1104317-001	<1.000	2.96	2.99	2.00	mg/L	99	100	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1104698	MS 2	Nitrate Nitrogen	EPA 300.0	1104345-001	<1.000	2.03	2.04	2.00	mg/L	100	100	<1%
QC1104699	MS 1	Nitrate Nitrogen	EPA 300.0	1104345-011	<1.000	2.01	2.03	2.00	mg/L	99	99	1 %
QC1104701	MS 1	Sulfate	EPA 300.0	1104345-001	101	SC 109	109	10.0	mg/L	NC	NC	NC
QC1104701	MS 2	Sulfate	EPA 300.0	1104345-011	117	SC 124	124	10.0	mg/L	NC	NC	NC
QC1104706	MS 1	Fluoride	EPA 300.0	1104345-021	1.90	M 3.47	3.46	2.00	mg/L	NC	NC	NC
QC1104707	MS 1	Chloride	EPA 300.0	1104345-021	<1.000	5.33	5.33	5.00	mg/L	105	105	<1%
QC1104707	MS 2	Chloride	EPA 300.0	1104350-006	300	57.4	57.2	5.00	mg/L	90	84	<1%
QC1104710	MS 1	Nitrite Nitrogen	EPA 300.0	1104345-021	<0.025	0.497	0.519	0.500	mg/L	99	104	4 %
QC1104710	MS 2	Nitrite Nitrogen	EPA 300.0	1104350-006	2.19	0.426	0.405	0.500	mg/L	85	81	5 %
QC1104711	MS 1	Nitrate Nitrogen	EPA 300.0	1104345-021	<1.000	2.03	2.02	2.00	mg/L	99	99	<1%
QC1104711	MS 2	Nitrate Nitrogen	EPA 300.0	1104350-006	4444	2.47	2.50	2.00	mg/L	101	102	1 %
QC1104712	MS 1	Sulfate	EPA 300.0	1104345-021	159	SC 164	164	10.0	mg/L	NC	NC	NC
QC1104761	MS 1	Aluminum, Dissolved	EPA 200.7	1104311-003	0.336	M 2.08	2.00	1.00	mg/L	NC	NC	NC
		Barium, Dissolved	EPA 200.7	1104311-003	0.013	0.971	0.964	1.00	mg/L	96	95	1 %
		Beryllium, Dissolved	EPA 200.7	1104311-003	<0.001	0.956	0.947	1.00	mg/L	96	95	1 %
		Bismuth, Dissolved	EPA 200.7	1104311-003	<0.100	0.974	0.965	1.00	mg/L	97	96	1 %
		Boron, Dissolved	EPA 200.7	1104311-003	<0.100	1.03	1.02	1.00	mg/L	96	95	1 %
		Cadmium, Dissolved	EPA 200.7	1104311-003	<0.001	0.970	0.956	1.00	mg/L	97	96	1 %
		Calcium, Dissolved	EPA 200.7	1104311-003	5.94	15.5	15.2	10.0	mg/L	96	93	2 %
		Chromium, Dissolved	EPA 200.7	1104311-003	<0.005	0.946	0.942	1.00	mg/L	95	94	<1%
		Cobalt, Dissolved	EPA 200.7	1104311-003	<0.010	0.960	0.950	1.00	mg/L	96	95	1 %
		Copper, Dissolved	EPA 200.7	1104311-003	<0.050	4.90	4.86	5.00	mg/L	98	97	1 %
		Gallium, Dissolved	EPA 200.7	1104311-003	<0.100	0.960	0.955	1.00	mg/L	96	95	1 %
		Iron, Dissolved	EPA 200.7	1104311-003	0.231	1.47	1.43	1.00	mg/L	124	120	3 %
		Lithium, Dissolved	EPA 200.7	1104311-003	<0.100	0.975	0.974	1.00	mg/L	97	97	<1%
		Magnesium, Dissolved	EPA 200.7	1104311-003	1.02	10.3	10.1	10.0	mg/L	93	91	2 %
		Manganese, Dissolved	EPA 200.7	1104311-003	0.007	0.968	0.951	1.00	mg/L	96	94	2 %
		Molybdenum, Dissolved	EPA 200.7	1104311-003	<0.010	0.956	0.936	1.00	mg/L	95	93	2 %
		Nickel, Dissolved	EPA 200.7	1104311-003	<0.010	4.75	4.70	5.00	mg/L	95	94	1 %
		Phosphorus, Dissolved	EPA 200.7	1104311-003	<0.500	4.82	4.72	5.00	mg/L	96	94	2 %
		Potassium, Dissolved	EPA 200.7	1104311-003	0.610	10.9	10.9	10.0	mg/L	103	103	<1%
		Scandium, Dissolved	EPA 200.7	1104311-003	<0.100	0.950	0.946	1.00	mg/L	95	95	<1%
		Silver, Dissolved	EPA 200.7	1104311-003	<0.005	0.088	0.087	0.090	mg/L	96	95	1 %
		Sodium, Dissolved	EPA 200.7	1104311-003	19.3	29.7	29.2	10.0	mg/L	104	99	2 %
		Strontium, Dissolved	EPA 200.7	1104311-003	<0.100	1.05	1.04	1.00	mg/L	100	99	1 %
		Tin, Dissolved	EPA 200.7	1104311-003	<0.100	0.934	0.913	1.00	mg/L	95	93	2 %
		Titanium, Dissolved	EPA 200.7	1104311-003	<0.100	0.956	0.957	1.00	mg/L	95	95	<1%
		Vanadium, Dissolved	EPA 200.7	1104311-003	<0.010	0.970	0.961	1.00	mg/L	97	96	1 %
		Zinc, Dissolved	EPA 200.7	1104311-003	0.042	1.03	1.01	1.00	mg/L	99	97	2 %
QC1104783	MS 1	Aluminum	EPA 200.7	1104330-002	0.072	1.06	1.04	1.00	mg/L	99	97	2 %
		Barium	EPA 200.7	1104330-002	<0.010	0.970	0.947	1.00	mg/L	96	94	2 %
		Beryllium	EPA 200.7	1104330-002	<0.001	0.999	0.994	1.00	mg/L	100	99	1 %
		Bismuth	EPA 200.7	1104330-002	<0.100	1.02	0.999	1.00	mg/L	104	102	2 %
		Boron	EPA 200.7	1104330-002	<0.100	0.969	0.958	1.00	mg/L	102	101	1 %
		Cadmium	EPA 200.7	1104330-002	0.002	1.01	0.980	1.00	mg/L	101	98	3 %
		Calcium	EPA 200.7	1104330-002	521	SC 562	572	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1104330-002	<0.005	0.958	0.940	1.00	mg/L	96	94	2 %
		Cobalt	EPA 200.7	1104330-002	<0.010	0.970	0.948	1.00	mg/L	97	94	2 %
		Copper	EPA 200.7	1104330-002	<0.050	5.45	5.39	5.00	mg/L	109	108	1 %
		Gallium	EPA 200.7	1104330-002	<0.100	0.979	0.962	1.00	mg/L	97	95	2 %
		Iron	EPA 200.7	1104330-002	26.7	SC 29.3	30.2	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1104330-002	<0.100	1.06	1.01	1.00	mg/L	106	101	5 %
		Magnesium	EPA 200.7	1104330-002	25.2	34.7	35.4	10.0	mg/L	95	102	2 %
		Manganese	EPA 200.7	1104330-002	0.925	1.96	1.93	1.00	mg/L	103	100	2 %
		Molybdenum	EPA 200.7	1104330-002	<0.010	0.995	0.972	1.00	mg/L	100	98	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1104784	MS 1	Nickel	EPA 200.7	1104330-002	<0.010	4.92	4.80	5.00	mg/L	98	96	2 %
		Phosphorus	EPA 200.7	1104330-002	<0.500	5.38	5.23	5.00	mg/L	108	105	3 %
		Potassium	EPA 200.7	1104330-002	8.78	20.8	20.2	10.0	mg/L	120	114	3 %
		Scandium	EPA 200.7	1104330-002	<0.100	0.961	0.956	1.00	mg/L	96	96	1 %
		Silver	EPA 200.7	1104330-002	<0.005	0.082	0.081	0.090	mg/L	97	95	1 %
		Sodium	EPA 200.7	1104330-002	23.2	34.6	34.2	10.0	mg/L	114	110	1 %
		Strontium	EPA 200.7	1104330-002	<0.100	0.988	0.964	1.00	mg/L	97	95	2 %
		Tin	EPA 200.7	1104330-002	<0.100	0.953	0.933	1.00	mg/L	104	102	2 %
		Titanium	EPA 200.7	1104330-002	<0.100	0.949	0.962	1.00	mg/L	95	97	1 %
		Vanadium	EPA 200.7	1104330-002	0.036	1.04	1.02	1.00	mg/L	100	98	2 %
		Zinc	EPA 200.7	1104330-002	0.211	1.23	1.20	1.00	mg/L	102	99	2 %
		Aluminum	EPA 200.7	1104330-001	1160	SC 1140	1110	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1104330-001	0.334	M 0.926	0.750	1.00	mg/L	NC	NC	NC
		Beryllium	EPA 200.7	1104330-001	<0.010	0.841	0.850	1.00	mg/L	83	84	1 %
		Bismuth	EPA 200.7	1104330-001	1.79	2.64	2.86	1.00	mg/L	85	107	8 %
		Boron	EPA 200.7	1104330-001	<1.000	0.907	1.22	1.00	mg/L	78	110	29 %
		Cadmium	EPA 200.7	1104330-001	2.16	2.95	2.91	1.00	mg/L	79	75	1 %
		Calcium	EPA 200.7	1104330-001	416	SC 387	414	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1104330-001	0.063	0.865	0.936	1.00	mg/L	80	87	8 %
		Cobalt	EPA 200.7	1104330-001	21.5	SC 21.7	23.1	1.00	mg/L	NC	NC	NC
		Copper	EPA 200.7	1104330-001	156	SC 157	160	5.00	mg/L	NC	NC	NC
		Gallium	EPA 200.7	1104330-001	2.86	3.67	3.77	1.00	mg/L	81	91	3 %
		Iron	EPA 200.7	1104330-001	15600	SC 16300	16700	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1104330-001	<1.000	2.04	1.80	1.00	mg/L	104	80	12 %
		Magnesium	EPA 200.7	1104330-001	1430	SC 1350	1620	10.0	mg/L	NC	NC	NC
Manganese	EPA 200.7	1104330-001	129	SC 126	122	1.00	mg/L	NC	NC	NC		
Molybdenum	EPA 200.7	1104330-001	<0.100	0.238	0.262	1.00	mg/L	81	83	10 %		
Nickel	EPA 200.7	1104330-001	5.01	8.66	9.11	5.00	mg/L	73	82	5 %		
Phosphorus	EPA 200.7	1104330-001	13.6	M 16.9	17.8	5.00	mg/L	NC	NC	NC		
Potassium	EPA 200.7	1104330-001	<5.000	4.51	5.42	10.0	mg/L	96	105	18 %		
Scandium	EPA 200.7	1104330-001	<1.000	0.867	0.914	1.00	mg/L	85	89	5 %		
Silver	EPA 200.7	1104330-001	<0.050	M -0.013	<0.050	0.090	mg/L	NC	NC	NC		
Sodium	EPA 200.7	1104330-001	7.59	17.2	17.9	10.0	mg/L	96	103	4 %		
Strontium	EPA 200.7	1104330-001	<1.000	0.912	0.842	1.00	mg/L	90	83	8 %		
Tin	EPA 200.7	1104330-001	<1.000	M 0.333	0.082	1.00	mg/L	NC	NC	NC		
Titanium	EPA 200.7	1104330-001	<1.000	0.885	1.02	1.00	mg/L	79	93	14 %		
Vanadium	EPA 200.7	1104330-001	0.528	1.35	1.40	1.00	mg/L	82	87	4 %		
Zinc	EPA 200.7	1104330-001	111	SC 109	115	1.00	mg/L	NC	NC	NC		
QC1104794	MS 1	Uranium, Dissolved	EPA 200.8	1104311-003	<0.0100	0.0107	0.0108	0.010	mg/L	107	108	1 %
		Mercury, Dissolved	EPA 200.8	1104311-003	0.000818	0.002029	0.002035	0.001	mg/L	121	122	<1%
		Antimony, Dissolved	EPA 200.8	1104311-003	<0.0025	0.0106	0.0105	0.010	mg/L	92	90	1 %
		Arsenic, Dissolved	EPA 200.8	1104311-003	0.0124	0.0622	0.0619	0.050	mg/L	100	99	<1%
		Lead, Dissolved	EPA 200.8	1104311-003	0.0038	0.0155	0.0154	0.010	mg/L	116	115	1 %
		Selenium, Dissolved	EPA 200.8	1104311-003	<0.0050	0.0474	0.0467	0.050	mg/L	95	93	1 %
		Thallium, Dissolved	EPA 200.8	1104311-003	<0.0010	0.0101	0.0101	0.010	mg/L	101	101	<1%
QC1104799	MS 1	Mercury	EPA 200.8	1104330-002	<0.000100	0.000954	0.000954	0.001	mg/L	95	95	<1%
		Antimony	EPA 200.8	1104330-002	<0.0025	0.0102	0.0106	0.010	mg/L	100	104	4 %
		Arsenic	EPA 200.8	1104330-002	0.0694	0.1281	0.1294	0.050	mg/L	117	120	1 %
		Lead	EPA 200.8	1104330-002	<0.0025	0.0105	0.0105	0.010	mg/L	104	104	<1%
		Selenium	EPA 200.8	1104330-002	<0.0050	0.0602	0.0611	0.050	mg/L	112	114	1 %
		Thallium	EPA 200.8	1104330-002	<0.0010	0.0107	0.0105	0.010	mg/L	107	105	2 %
QC1104800	MS 1	Uranium	EPA 200.8	1104330-002	<0.0100	0.0113	0.0114	0.010	mg/L	113	114	1 %
		Mercury	EPA 200.8	1104330-001	<0.001000	M <0.001000	<0.001000	0.001	mg/L	NC	NC	NC
		Antimony	EPA 200.8	1104330-001	<0.0100	0.0186	0.0190	0.010	mg/L	89	93	2 %
Arsenic	EPA 200.8	1104330-001	0.2029	0.2625	0.2625	0.050	mg/L	119	119	<1%		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Lead	EPA 200.8	1104330-001	0.0108	0.0192	0.0199	0.010	mg/L	84	91	4 %
		Selenium	EPA 200.8	1104330-001	0.1612	M 0.2305	0.2271	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1104330-001	<0.0100	<0.0100	0.0103	0.010	mg/L	92	97	#Erro
		Uranium	EPA 200.8	1104330-001	0.4166	SC 0.4268	0.4442	0.010	mg/L	NC	NC	NC
QC1104813	MS 1	Sulfate	EPA 300.0	1104345-013	375	855	816	10.0	mg/L	82	74	5 %
QC1104813	MS 2	Sulfate	EPA 300.0	1104377-001	66.2	SC 73.8	74.1	10.0	mg/L	NC	NC	NC
QC1104830	MS 1	Aluminum	EPA 200.7	1104368-001	<0.045	0.952	0.938	1.00	mg/L	94	93	1 %
		Barium	EPA 200.7	1104368-001	0.014	0.993	0.981	1.00	mg/L	98	97	1 %
		Beryllium	EPA 200.7	1104368-001	<0.001	0.974	0.970	1.00	mg/L	97	97	<1%
		Bismuth	EPA 200.7	1104368-001	<0.100	0.979	0.964	1.00	mg/L	99	98	2 %
		Boron	EPA 200.7	1104368-001	<0.100	0.961	0.952	1.00	mg/L	96	95	1 %
		Cadmium	EPA 200.7	1104368-001	<0.001	0.968	0.956	1.00	mg/L	97	96	1 %
		Calcium	EPA 200.7	1104368-001	18.0	27.7	27.5	10.0	mg/L	97	95	1 %
		Chromium	EPA 200.7	1104368-001	<0.005	0.967	0.953	1.00	mg/L	97	95	1 %
		Cobalt	EPA 200.7	1104368-001	<0.010	0.949	0.936	1.00	mg/L	95	94	1 %
		Copper	EPA 200.7	1104368-001	<0.050	4.70	4.63	5.00	mg/L	94	93	2 %
		Gallium	EPA 200.7	1104368-001	<0.100	0.977	0.963	1.00	mg/L	98	96	1 %
		Iron	EPA 200.7	1104368-001	0.011	1.03	1.00	1.00	mg/L	102	99	3 %
		Lithium	EPA 200.7	1104368-001	<0.100	0.895	0.914	1.00	mg/L	89	91	2 %
		Magnesium	EPA 200.7	1104368-001	7.67	17.7	17.3	10.0	mg/L	100	96	2 %
		Manganese	EPA 200.7	1104368-001	<0.005	0.980	0.968	1.00	mg/L	98	97	1 %
		Molybdenum	EPA 200.7	1104368-001	<0.010	0.984	0.973	1.00	mg/L	99	98	1 %
		Nickel	EPA 200.7	1104368-001	<0.010	4.73	4.67	5.00	mg/L	95	93	1 %
		Phosphorus	EPA 200.7	1104368-001	<0.500	4.96	4.88	5.00	mg/L	97	95	2 %
		Potassium	EPA 200.7	1104368-001	3.46	12.8	13.0	10.0	mg/L	93	95	2 %
		Scandium	EPA 200.7	1104368-001	<0.100	0.973	0.966	1.00	mg/L	97	97	1 %
		Silver	EPA 200.7	1104368-001	<0.005	0.085	0.084	0.090	mg/L	93	92	1 %
		Sodium	EPA 200.7	1104368-001	5.58	15.0	15.3	10.0	mg/L	94	97	2 %
		Strontium	EPA 200.7	1104368-001	0.129	1.10	1.11	1.00	mg/L	97	98	1 %
		Tin	EPA 200.7	1104368-001	<0.100	0.928	0.923	1.00	mg/L	99	98	1 %
		Titanium	EPA 200.7	1104368-001	<0.100	1.00	0.986	1.00	mg/L	100	99	1 %
		Vanadium	EPA 200.7	1104368-001	0.015	0.990	0.977	1.00	mg/L	97	96	1 %
		Zinc	EPA 200.7	1104368-001	<0.010	0.983	0.973	1.00	mg/L	98	97	1 %
QC1104845	MS 1	Mercury	EPA 200.8	1104368-001	<0.000100	0.001009	0.001000	0.001	mg/L	101	100	1 %
		Antimony	EPA 200.8	1104368-001	<0.0025	0.0095	0.0094	0.010	mg/L	94	93	1 %
		Arsenic	EPA 200.8	1104368-001	<0.0050	0.0517	0.0505	0.050	mg/L	100	98	2 %
		Lead	EPA 200.8	1104368-001	<0.0025	0.0107	0.0105	0.010	mg/L	102	100	2 %
		Selenium	EPA 200.8	1104368-001	<0.0050	0.0487	0.0477	0.050	mg/L	97	95	2 %
		Thallium	EPA 200.8	1104368-001	<0.0010	0.0102	0.0101	0.010	mg/L	102	101	1 %
		Uranium	EPA 200.8	1104368-001	<0.0100	0.0104	0.0102	0.010	mg/L	100	98	2 %



5/18/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1103402

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 3/25/2011. Additional comments are located on page 2 of this report.

This is an amended report that includes results for Uranium as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1103402

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on samples 1103402-001 and 011 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

The result for the continuing calibration verification (CCV) sample during the analysis for Fluoride was outside WETLAB acceptance criteria. Reanalysis was performed and the same issue was encountered. The reported data for Fluoride on all samples should be considered estimates. We apologize for any inconvenience this may have caused.

The following is a synopsis of the reanalysis of Total Alkalinity, Bicarbonate, Carbonate and Hydroxide:

Sample 1103402-018 reanalysis results for Total Alkalinity, Bicarbonate, Carbonate and Hydroxide have been reported.

This reanalysis was performed past the EPA recommended holding time due to an unacceptable cation/anion balance using data obtained within the holding time. We apologize for any inconvenience this may cause.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 5/18/2011

OrderID: 1103402

Customer Sample ID: 604 562 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-001

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.04	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	85	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.4	M mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	110	SC mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.032	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	52	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	10	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.32	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.7	mg/L	0.50	4/6/2011

Customer Sample ID: 604 562 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-001

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.2	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.51	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.015	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	0.011	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	0.0031	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	4.00	meq/L	0.10	
Cations	Calculation	3.65	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: 604 569 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-002

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.61	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	56	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	46	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	36	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	3/29/2011
Aluminum	EPA 200.7	0.055	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.015	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011

Customer Sample ID: 604 569 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-002

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	21	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	5.7	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.12	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	3.9	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.4	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.17	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.028	mg/L	0.010	4/7/2011
Anions	Calculation	1.74	meq/L	0.10	
Cations	Calculation	1.69	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 606 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-003

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.97	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	85	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011

Customer Sample ID: 604 606 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-003

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	70	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	62	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.053	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	38	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	6.9	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.055	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	7.6	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.41	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.011	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.0076	mg/L	0.0050	4/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.055	mg/L	0.010	4/7/2011

Customer Sample ID: 604 606 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-003

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	2.76	meq/L	0.10	
Cations	Calculation	2.74	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 653 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-004

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.16	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	82	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	65	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.044	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	42	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	6.6	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.35	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	9.8	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011

Customer Sample ID: 604 653 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-004

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	2.2	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.023	mg/L	0.010	4/7/2011
Anions	Calculation	3.09	meq/L	0.10	
Cations	Calculation	3.00	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: 604 656 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-005

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.35	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	95	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	30	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.018	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	32	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011

Customer Sample ID: 604 656 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-005

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	6.2	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.089	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.028	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	12	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.34	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.078	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.0053	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.038	mg/L	0.010	4/7/2011
Anions	Calculation	2.67	meq/L	0.10	
Cations	Calculation	2.50	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: 604 669 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-006

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.49	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	89	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	14	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	96	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011

Customer Sample ID: 604 669 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-006

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	1.2	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	37	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.012	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	32	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	5.3	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.39	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	8.0	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.6	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.30	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.025	mg/L	0.010	4/7/2011
Anions	Calculation	2.76	meq/L	0.10	
Cations	Calculation	2.32	meq/L	0.10	

Customer Sample ID: 604 669 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-006

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	8.6	%	1.0	

Customer Sample ID: 604 673 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-007

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.52	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	38	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	31	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	0.54	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	31	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.059	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	18	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.016	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.042	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.4	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.5	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.16	mg/L	0.10	4/6/2011

Customer Sample ID: 604 673 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-007

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.015	mg/L	0.010	4/7/2011
Anions	Calculation	1.30	meq/L	0.10	
Cations	Calculation	1.33	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: 604 767 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-008

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.61	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	47	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	39	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	110	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.036	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	44	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011

Customer Sample ID: 604 767 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-008

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	9.2	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.58	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	5.7	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.2	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.34	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	0.022	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.012	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.047	mg/L	0.010	4/7/2011
Anions	Calculation	3.16	meq/L	0.10	
Cations	Calculation	3.17	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 787 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-009

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.91	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	84	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	69	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	37	mg/L	1.0	3/26/2011

Customer Sample ID: 604 787 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-009

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	31	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	5.1	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.086	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	4.4	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.5	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.25	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.061	mg/L	0.010	4/7/2011
Anions	Calculation	2.21	meq/L	0.10	
Cations	Calculation	2.15	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 811 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-010

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.46	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	37	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	40	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	8.2	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.056	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.9	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.1	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.57	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011

Customer Sample ID: 604 811 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-010

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.015	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.044	mg/L	0.010	4/7/2011
Anions	Calculation	3.00	meq/L	0.10	
Cations	Calculation	2.90	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 854 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-011

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.20	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	92	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	2.3	M mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	64	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.046	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	45	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	0.077	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	8.6	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.22	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011

Customer Sample ID: 604 854 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-011

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	7.9	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.93	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.55	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	0.022	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.0076	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	3.26	meq/L	0.10	
Cations	Calculation	3.21	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 862 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-012

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.61	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	150	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	120	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	2.3	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	43	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011

Customer Sample ID: 604 862 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-012

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	49	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	9.0	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.022	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.017	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	7.0	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.80	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	1.0	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.016	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.015	mg/L	0.010	4/7/2011
Anions	Calculation	3.47	meq/L	0.10	
Cations	Calculation	3.40	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: 604 867 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-013

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.52	Q pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	150	mg/L	1.0	3/25/2011

Customer Sample ID: 604 867 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-013

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	120	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	110	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	330	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.013	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	83	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	0.13	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	4.6	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.22	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.1	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.78	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.83	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.0069	mg/L	0.0050	4/7/2011

Customer Sample ID: 604 867 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-013

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	4.84	meq/L	0.10	
Cations	Calculation	4.72	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 605 033 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-014

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.93	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	74	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	61	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	2.0	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	52	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.029	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	36	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	4.3	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.059	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.017	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.5	mg/L	0.50	4/6/2011

Customer Sample ID: 605 033 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-014

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.4	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.37	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.022	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.032	mg/L	0.010	4/7/2011
Anions	Calculation	2.40	meq/L	0.10	
Cations	Calculation	2.38	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-015

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.95	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	68	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	55	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	28	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	3/29/2011
Aluminum	EPA 200.7	0.055	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.10	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011

Customer Sample ID: 605 153 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-015

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	22	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	4.3	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.044	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	6.1	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.7	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	1.7	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	0.020	mg/L	0.010	4/7/2011
Anions	Calculation	1.78	meq/L	0.10	
Cations	Calculation	1.69	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: SRK 0854 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-016

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.90	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011

Customer Sample ID: SRK 0854 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-016

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	0.45	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	160	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	310	mg/L	10	3/29/2011
Aluminum	EPA 200.7	0.20	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	0.0059	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	37	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	0.020	mg/L	0.010	4/6/2011
Copper	EPA 200.7	34	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	2.6	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.60	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	0.012	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.56	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.15	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	0.38	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	0.0048	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	0.0078	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011

Customer Sample ID: SRK 0854 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-016

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.35	meq/L	0.10	
Cations	Calculation	3.28	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: SRK 0858 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-017

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.30	pH Units		3/25/2011
Acidity (Titrimetric)	SM 2310B	6	mg/L as CaCO ₃		4/1/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	5.0	mg/L	0.50	3/29/2011
Sulfate	EPA 300.0	97	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	3/29/2011
Aluminum	EPA 200.7	5.7	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	18	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	0.014	mg/L	0.010	4/6/2011
Copper	EPA 200.7	6.1	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	0.072	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	1.0	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.33	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.71	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011

Customer Sample ID: SRK 0858 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-017

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	0.062	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	2.28	meq/L	0.10	
Cations	Calculation	1.97	meq/L	0.10	
Error	Calculation	7.4	%	1.0	

Customer Sample ID: SRK 0864 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-018

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.51	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	30	HT mg/L	1.0	4/12/2011
Carbonate (CO ₃)	SM 2320B	<1.0	HT mg/L	1.0	4/12/2011
Hydroxide (OH)	SM 2320B	<1.0	HT mg/L	1.0	4/12/2011
Total Alkalinity	SM 2320B	25	HT mg/L as CaCO ₃	1.0	4/12/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	2.0	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	7.7	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	3.1	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	0.27	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	64	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	0.011	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	11	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011

Customer Sample ID: SRK 0864 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-018

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	2.0	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	1.6	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	3.5	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	0.011	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	0.98	meq/L	0.10	
Cations	Calculation	0.91	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Customer Sample ID: SRK 0866 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-019

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.30	pH Units		3/25/2011
Bicarbonate (HCO3)	SM 2320B	16	mg/L	1.0	3/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	13	mg/L as CaCO3	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	0.61	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	34	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	2.4	mg/L	1.0	3/26/2011

Customer Sample ID: SRK 0866 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-019

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	0.54	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	86	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	17	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	2.0	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.011	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.028	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	2.6	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	1.4	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.18	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	1.17	meq/L	0.10	
Cations	Calculation	1.14	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: SRK 0867 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-020

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.43	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	30	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	24	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	2.1	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	110	mg/L	1.0	3/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/6/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/6/2011
Calcium	EPA 200.7	50	mg/L	0.50	4/6/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/6/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Magnesium	EPA 200.7	2.7	mg/L	0.50	4/6/2011
Manganese	EPA 200.7	0.23	mg/L	0.0050	4/6/2011
Molybdenum	EPA 200.7	0.023	mg/L	0.010	4/6/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/6/2011
Potassium	EPA 200.7	1.7	mg/L	0.50	4/6/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/6/2011
Sodium	EPA 200.7	0.76	mg/L	0.50	4/6/2011
Strontium	EPA 200.7	0.11	mg/L	0.10	4/6/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/6/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/6/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	0.0058	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011

Customer Sample ID: SRK 0867 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-020

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	2.89	meq/L	0.10	
Cations	Calculation	2.80	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: SRK 0872 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-021

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.19	pH Units		3/25/2011
Bicarbonate (HCO ₃)	SM 2320B	11	mg/L	1.0	3/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/25/2011
Total Alkalinity	SM 2320B	8.9	mg/L as CaCO ₃	1.0	3/25/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/26/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	3/26/2011
Sulfate	EPA 300.0	380	mg/L	10	3/29/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/26/2011
Total Dissolved Solids (TDS)	SM 2540C	560	mg/L	10	3/29/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/7/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	4/7/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/7/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/7/2011
Calcium	EPA 200.7	140	mg/L	0.50	4/7/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/7/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/7/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	4/7/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	4/7/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Magnesium	EPA 200.7	2.6	mg/L	0.50	4/7/2011
Manganese	EPA 200.7	0.37	mg/L	0.0050	4/7/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	4/7/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/7/2011

Customer Sample ID: SRK 0872 WK:8

Collect Date/Time: 3/25/2011 09:00

WETLAB Sample ID: 1103402-021

Receive Date: 3/25/2011 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/7/2011
Potassium	EPA 200.7	1.0	mg/L	0.50	4/7/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/7/2011
Sodium	EPA 200.7	<0.50	mg/L	0.50	4/7/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/7/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/7/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/7/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/7/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	4/7/2011
Anions	Calculation	8.16	meq/L	0.10	
Cations	Calculation	7.24	meq/L	0.10	
Error	Calculation	6.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1103683	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1103683	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1103683	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1103684	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1103684	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1103684	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1103686	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1103686	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1103686	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1103687	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1103687	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1103687	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1103689	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103689	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103689	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103690	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103690	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103690	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1103692	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103692	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103692	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103693	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103693	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103693	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1103695	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1103695	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1103695	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1103696	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1103696	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1103696	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1103725	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1103725	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1103725	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1103735	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1103735	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1103820	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1103820	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1104161	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1104162	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1104163	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units		
QC1104171	Blank 1	Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L		
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L		
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L		
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L		
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L		
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L		
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L		
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
		Tin, Dissolved	EPA 200.7	<0.10	mg/L		
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L		
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L		
QC1104205	Blank 1	Antimony, Dissolved	EPA 200.8	<0.0025	mg/L		
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L		
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L		
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L		
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		
		Uranium, Dissolved	EPA 200.8	<0.010	mg/L		
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L		
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L		
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L		
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L		
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L		
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		
		QC1104206	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
				Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
Antimony, Dissolved	EPA 200.8			<0.0025	mg/L		
Arsenic, Dissolved	EPA 200.8			<0.0050	mg/L		
Lead, Dissolved	EPA 200.8			<0.0025	mg/L		
Selenium, Dissolved	EPA 200.8			<0.0050	mg/L		
Thallium, Dissolved	EPA 200.8			<0.0010	mg/L		
QC1104207	Blank 1			Uranium, Dissolved	EPA 200.8	<0.010	mg/L
				Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
				Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
				Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
				Lead, Dissolved	EPA 200.8	<0.0025	mg/L
				Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
				Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		QC1104211	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
				Barium, Dissolved	EPA 200.7	<0.010	mg/L
				Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
				Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
				Boron, Dissolved	EPA 200.7	<0.10	mg/L
				Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
				Calcium, Dissolved	EPA 200.7	<0.50	mg/L
Chromium, Dissolved	EPA 200.7			<0.0050	mg/L		
Cobalt, Dissolved	EPA 200.7			<0.010	mg/L		
Copper, Dissolved	EPA 200.7			<0.050	mg/L		
Gallium, Dissolved	EPA 200.7			<0.10	mg/L		
Iron, Dissolved	EPA 200.7			<0.010	mg/L		
Lithium, Dissolved	EPA 200.7			<0.10	mg/L		
Magnesium, Dissolved	EPA 200.7			<0.50	mg/L		
Manganese, Dissolved	EPA 200.7	<0.0050	mg/L				
Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L				

QCBatchID	QCType	Parameter	Method	Result	Units
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1103672	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1103672	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1103672	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1103675	LCS 1	Alkalinity	SM 2320B	95.4	100	95	mg/L
QC1103675	LCS 2	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC1103683	LCS 1	Fluoride	EPA 300.0	1.85	2.00	93	mg/L
QC1103684	LCS 1	Fluoride	EPA 300.0	1.85	2.00	93	mg/L
QC1103686	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC1103687	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC1103689	LCS 1	Nitrite Nitrogen	EPA 300.0	0.508	0.500	102	mg/L
QC1103690	LCS 1	Nitrite Nitrogen	EPA 300.0	0.508	0.500	102	mg/L
QC1103692	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC1103693	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC1103695	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC1103696	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC1103725	LCS 1	Fluoride	EPA 300.0	1.83	2.00	91	mg/L
QC1103735	LCS 1	Sulfate	EPA 300.0	4.84	5.00	97	mg/L
QC1103820	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC1103820	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC1104161	LCS 1	Aluminum	EPA 200.7	0.987	1.00	99	mg/L
		Barium	EPA 200.7	0.987	1.00	99	mg/L
		Beryllium	EPA 200.7	0.988	1.00	99	mg/L
		Bismuth	EPA 200.7	1.01	1.00	101	mg/L
		Boron	EPA 200.7	0.954	1.00	95	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	0.982	1.00	98	mg/L
		Cobalt	EPA 200.7	0.990	1.00	99	mg/L
		Copper	EPA 200.7	4.77	5.00	95	mg/L
		Gallium	EPA 200.7	0.985	1.00	98	mg/L
		Iron	EPA 200.7	0.986	1.00	99	mg/L
		Lithium	EPA 200.7	0.973	1.00	97	mg/L
		Magnesium	EPA 200.7	9.99	10.0	100	mg/L
		Manganese	EPA 200.7	0.991	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.979	1.00	98	mg/L
		Nickel	EPA 200.7	4.96	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.95	5.00	99	mg/L
		Potassium	EPA 200.7	9.93	10.0	99	mg/L
		Scandium	EPA 200.7	0.974	1.00	97	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
		Sodium	EPA 200.7	9.94	10.0	99	mg/L
		Strontium	EPA 200.7	0.973	1.00	97	mg/L
		Tin	EPA 200.7	0.981	1.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1104162	LCS 1	Titanium	EPA 200.7	0.988	1.00	99	mg/L
		Vanadium	EPA 200.7	0.982	1.00	98	mg/L
		Zinc	EPA 200.7	1.03	1.00	103	mg/L
		Aluminum	EPA 200.7	0.987	1.00	99	mg/L
		Barium	EPA 200.7	0.987	1.00	99	mg/L
		Beryllium	EPA 200.7	0.988	1.00	99	mg/L
		Bismuth	EPA 200.7	1.01	1.00	101	mg/L
		Boron	EPA 200.7	0.954	1.00	95	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	0.982	1.00	98	mg/L
		Cobalt	EPA 200.7	0.990	1.00	99	mg/L
		Copper	EPA 200.7	4.77	5.00	95	mg/L
		Gallium	EPA 200.7	0.985	1.00	98	mg/L
		Iron	EPA 200.7	0.986	1.00	99	mg/L
		Lithium	EPA 200.7	0.973	1.00	97	mg/L
		Magnesium	EPA 200.7	9.99	10.0	100	mg/L
		Manganese	EPA 200.7	0.991	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.979	1.00	98	mg/L
		Nickel	EPA 200.7	4.96	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.95	5.00	99	mg/L
		Potassium	EPA 200.7	9.93	10.0	99	mg/L
		Scandium	EPA 200.7	0.974	1.00	97	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
Sodium	EPA 200.7	9.94	10.0	99	mg/L		
Strontium	EPA 200.7	0.973	1.00	97	mg/L		
Tin	EPA 200.7	0.981	1.00	98	mg/L		
Titanium	EPA 200.7	0.988	1.00	99	mg/L		
Vanadium	EPA 200.7	0.982	1.00	98	mg/L		
Zinc	EPA 200.7	1.03	1.00	103	mg/L		
QC1104163	LCS 1	Aluminum	EPA 200.7	0.978	1.00	98	mg/L
		Barium	EPA 200.7	0.962	1.00	96	mg/L
		Beryllium	EPA 200.7	0.955	1.00	96	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.917	1.00	92	mg/L
		Cadmium	EPA 200.7	0.957	1.00	96	mg/L
		Calcium	EPA 200.7	9.51	10.0	95	mg/L
		Chromium	EPA 200.7	0.960	1.00	96	mg/L
		Cobalt	EPA 200.7	0.957	1.00	96	mg/L
		Copper	EPA 200.7	4.74	5.00	95	mg/L
		Gallium	EPA 200.7	0.966	1.00	97	mg/L
		Iron	EPA 200.7	0.962	1.00	96	mg/L
		Lithium	EPA 200.7	0.977	1.00	98	mg/L
		Magnesium	EPA 200.7	9.48	10.0	95	mg/L
		Manganese	EPA 200.7	0.952	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.966	1.00	97	mg/L
		Nickel	EPA 200.7	4.79	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.76	5.00	95	mg/L
		Potassium	EPA 200.7	9.93	10.0	99	mg/L
		Scandium	EPA 200.7	0.969	1.00	97	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.937	1.00	94	mg/L
Titanium	EPA 200.7	0.999	1.00	100	mg/L		
Vanadium	EPA 200.7	0.958	1.00	96	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1104171	LCS 1	Zinc	EPA 200.7	0.965	1.00	96	mg/L
		Mercury	EPA 200.8	0.000867	0.001	87	mg/L
		Antimony	EPA 200.8	0.0105	0.010	105	mg/L
		Arsenic	EPA 200.8	0.0517	0.050	103	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0519	0.050	104	mg/L
		Thallium	EPA 200.8	0.0102	0.010	102	mg/L
QC1104205	LCS 1	Uranium	EPA 200.8	0.0104	0.010	104	mg/L
		Mercury	EPA 200.8	0.000867	0.001	87	mg/L
		Antimony	EPA 200.8	0.0105	0.010	105	mg/L
		Arsenic	EPA 200.8	0.0517	0.050	103	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0519	0.050	104	mg/L
		Thallium	EPA 200.8	0.0102	0.010	102	mg/L
QC1104206	LCS 1	Uranium	EPA 200.8	0.0104	0.010	104	mg/L
		Mercury	EPA 200.8	0.001025	0.001	103	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0526	0.050	105	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0569	0.050	114	mg/L
		Thallium	EPA 200.8	0.0113	0.010	113	mg/L
QC1104207	LCS 1	Uranium	EPA 200.8	0.0102	0.010	102	mg/L
		Mercury	EPA 200.8	0.001025	0.001	103	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0526	0.050	105	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0569	0.050	114	mg/L
		Thallium	EPA 200.8	0.0113	0.010	113	mg/L
QC1104211	LCS 1	Uranium	EPA 200.8	0.0102	0.010	102	mg/L
		Aluminum	EPA 200.7	0.971	1.00	97	mg/L
		Barium	EPA 200.7	0.961	1.00	96	mg/L
		Beryllium	EPA 200.7	0.962	1.00	96	mg/L
		Bismuth	EPA 200.7	0.994	1.00	99	mg/L
		Boron	EPA 200.7	0.938	1.00	94	mg/L
		Cadmium	EPA 200.7	0.968	1.00	97	mg/L
		Calcium	EPA 200.7	9.79	10.0	98	mg/L
		Chromium	EPA 200.7	0.957	1.00	96	mg/L
		Cobalt	EPA 200.7	0.962	1.00	96	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.961	1.00	96	mg/L
		Iron	EPA 200.7	0.987	1.00	99	mg/L
		Lithium	EPA 200.7	0.949	1.00	95	mg/L
		Magnesium	EPA 200.7	9.91	10.0	99	mg/L
		Manganese	EPA 200.7	0.950	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.955	1.00	96	mg/L
		Nickel	EPA 200.7	4.81	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.82	5.00	96	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.963	1.00	96	mg/L
Silver	EPA 200.7	0.087	0.090	96	mg/L		
Sodium	EPA 200.7	9.75	10.0	98	mg/L		
Strontium	EPA 200.7	0.992	1.00	99	mg/L		
Tin	EPA 200.7	0.950	1.00	95	mg/L		
Titanium	EPA 200.7	0.997	1.00	100	mg/L		
Vanadium	EPA 200.7	0.956	1.00	96	mg/L		
Zinc	EPA 200.7	0.983	1.00	98	mg/L		

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1103672	Duplicate 1	pH	SM 4500-H+ B	1103385-001	6.51	6.55	pH Units	1 %
QC1103672	Duplicate 2	pH	SM 4500-H+ B	1103398-003	6.97	6.77	Q pH Units	3 %
QC1103672	Duplicate 3	pH	SM 4500-H+ B	1103399-006	3.93	3.98	pH Units	1 %
QC1103672	Duplicate 4	pH	SM 4500-H+ B	1103402-013	7.52	7.36	Q pH Units	2 %
QC1103672	Duplicate 5	pH	SM 4500-H+ B	1103405-003	7.62	7.86	Q pH Units	3 %
QC1103675	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1103385-001	44.7	44.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1103385-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1103385-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1103385-001	36.6	36.6	mg/L as CaCO3	<1%
QC1103675	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1103398-003	84.7	79.4	mg/L	6 %
		Carbonate (CO3)	SM 2320B	1103398-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1103398-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1103398-003	69.4	65.1	mg/L as CaCO3	6 %
QC1103675	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1103402-013	147	144	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1103402-013	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1103402-013	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1103402-013	120	118	mg/L as CaCO3	2 %
QC1103820	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1103402-001	244	246	mg/L	1 %
QC1103820	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1103402-011	204	202	mg/L	1 %
QC1103820	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1103402-021	564	570	mg/L	1 %
QC1103820	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1103404-012	3690	3670	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1103683	MS 1	Fluoride	EPA 300.0	1103385-001	0.182	M 1.72	1.83	2.00	mg/L	NC	NC	NC
QC1103683	MS 2	Fluoride	EPA 300.0	1103397-001	0.481	2.12	2.05	2.00	mg/L	82	78	3 %
QC1103684	MS 1	Fluoride	EPA 300.0	1103402-001	1.39	M 2.90	2.79	2.00	mg/L	NC	NC	NC
QC1103684	MS 2	Fluoride	EPA 300.0	1103402-011	2.32	M 3.64	3.74	2.00	mg/L	NC	NC	NC
QC1103686	MS 1	Chloride	EPA 300.0	1103269-001	17.5	43.3	42.2	5.00	mg/L	103	99	3 %
QC1103686	MS 2	Chloride	EPA 300.0	1103397-001	<1.000	5.26	5.24	5.00	mg/L	103	103	<1%
QC1103687	MS 1	Chloride	EPA 300.0	1103402-001	<1.000	5.34	5.31	5.00	mg/L	105	104	1 %
QC1103687	MS 2	Chloride	EPA 300.0	1103402-011	<1.000	5.31	5.30	5.00	mg/L	104	104	<1%
QC1103689	MS 1	Nitrite Nitrogen	EPA 300.0	1103397-001	<0.025	0.561	0.563	0.500	mg/L	110	111	<1%
QC1103689	MS 2	Nitrite Nitrogen	EPA 300.0	1103399-006	<0.050	0.514	0.508	0.500	mg/L	101	100	1 %
QC1103690	MS 1	Nitrite Nitrogen	EPA 300.0	1103402-001	<0.025	0.563	0.562	0.500	mg/L	112	112	<1%
QC1103690	MS 2	Nitrite Nitrogen	EPA 300.0	1103402-011	<0.025	0.563	0.559	0.500	mg/L	112	111	1 %
QC1103692	MS 1	Nitrate Nitrogen	EPA 300.0	1103397-001	<1.000	1.96	2.01	2.00	mg/L	97	100	3 %
QC1103692	MS 2	Nitrate Nitrogen	EPA 300.0	1103399-006	<1.000	5.22	5.19	2.00	mg/L	106	106	1 %
QC1103693	MS 1	Nitrate Nitrogen	EPA 300.0	1103402-001	<1.000	2.04	2.03	2.00	mg/L	101	101	<1%
QC1103693	MS 2	Nitrate Nitrogen	EPA 300.0	1103402-011	<1.000	2.02	2.01	2.00	mg/L	100	99	<1%
QC1103695	MS 1	Sulfate	EPA 300.0	1103397-001	17.0	26.7	26.6	10.0	mg/L	97	96	<1%
QC1103695	MS 2	Sulfate	EPA 300.0	1103399-006	233	SC 244	246	10.0	mg/L	NC	NC	NC
QC1103696	MS 1	Sulfate	EPA 300.0	1103402-001	109	SC 116	116	10.0	mg/L	NC	NC	NC
QC1103696	MS 2	Sulfate	EPA 300.0	1103402-011	63.9	72.4	72.4	10.0	mg/L	85	85	<1%
QC1103725	MS 1	Fluoride	EPA 300.0	1103409-002	<0.100	1.74	1.82	2.00	mg/L	82	87	4 %
QC1103725	MS 2	Fluoride	EPA 300.0	1103387-001	0.170	1.80	1.74	2.00	mg/L	82	79	3 %
QC1103735	MS 1	Sulfate	EPA 300.0	1103381-005	288	391	395	10.0	mg/L	103	107	1 %
QC1104161	MS 1	Aluminum, Dissolved	EPA 200.7	1103479-001	<0.045	0.952	0.973	1.00	mg/L	94	96	2 %
		Barium, Dissolved	EPA 200.7	1103479-001	0.092	1.04	1.05	1.00	mg/L	95	96	1 %
		Beryllium, Dissolved	EPA 200.7	1103479-001	<0.001	0.979	0.968	1.00	mg/L	98	97	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Bismuth, Dissolved	EPA 200.7	1103479-001	<0.100	0.940	0.945	1.00	mg/L	94	94	1 %
		Boron, Dissolved	EPA 200.7	1103479-001	<0.100	0.981	1.00	1.00	mg/L	96	97	2 %
		Cadmium, Dissolved	EPA 200.7	1103479-001	<0.001	0.959	0.965	1.00	mg/L	96	97	1 %
		Calcium, Dissolved	EPA 200.7	1103479-001	34.2	44.3	44.0	10.0	mg/L	101	98	1 %
		Chromium, Dissolved	EPA 200.7	1103479-001	<0.005	0.951	0.961	1.00	mg/L	95	96	1 %
		Cobalt, Dissolved	EPA 200.7	1103479-001	<0.010	0.909	0.918	1.00	mg/L	91	92	1 %
		Copper, Dissolved	EPA 200.7	1103479-001	<0.050	4.57	4.64	5.00	mg/L	91	93	2 %
		Gallium, Dissolved	EPA 200.7	1103479-001	<0.100	0.974	0.992	1.00	mg/L	97	99	2 %
		Iron, Dissolved	EPA 200.7	1103479-001	<0.010	0.967	0.952	1.00	mg/L	97	95	2 %
		Lithium, Dissolved	EPA 200.7	1103479-001	<0.100	0.952	1.06	1.00	mg/L	94	105	11 %
		Magnesium, Dissolved	EPA 200.7	1103479-001	20.8	29.9	30.0	10.0	mg/L	91	92	<1%
		Manganese, Dissolved	EPA 200.7	1103479-001	<0.005	0.941	0.946	1.00	mg/L	95	95	1 %
		Molybdenum, Dissolved	EPA 200.7	1103479-001	<0.010	0.962	0.963	1.00	mg/L	96	96	<1%
		Nickel, Dissolved	EPA 200.7	1103479-001	<0.010	4.53	4.57	5.00	mg/L	91	91	1 %
		Phosphorus, Dissolved	EPA 200.7	1103479-001	<0.500	4.93	4.98	5.00	mg/L	98	99	1 %
		Potassium, Dissolved	EPA 200.7	1103479-001	1.41	11.5	12.0	10.0	mg/L	101	106	4 %
		Scandium, Dissolved	EPA 200.7	1103479-001	<0.100	0.960	0.954	1.00	mg/L	96	95	1 %
		Silver, Dissolved	EPA 200.7	1103479-001	<0.005	0.086	0.088	0.090	mg/L	95	97	2 %
		Sodium, Dissolved	EPA 200.7	1103479-001	9.40	19.4	20.1	10.0	mg/L	100	107	4 %
		Strontium, Dissolved	EPA 200.7	1103479-001	0.140	1.11	1.12	1.00	mg/L	97	98	1 %
		Tin, Dissolved	EPA 200.7	1103479-001	<0.100	0.939	0.931	1.00	mg/L	98	98	1 %
		Titanium, Dissolved	EPA 200.7	1103479-001	<0.100	0.979	0.988	1.00	mg/L	98	99	1 %
		Vanadium, Dissolved	EPA 200.7	1103479-001	0.028	0.987	0.998	1.00	mg/L	96	97	1 %
		Zinc, Dissolved	EPA 200.7	1103479-001	0.504	1.47	1.49	1.00	mg/L	97	99	1 %
QC1104162	MS 1	Aluminum, Dissolved	EPA 200.7	1103479-002	0.195	M 2.38	2.24	1.00	mg/L	NC	NC	NC
		Barium, Dissolved	EPA 200.7	1103479-002	0.062	1.01	1.00	1.00	mg/L	95	94	1 %
		Beryllium, Dissolved	EPA 200.7	1103479-002	<0.001	0.959	0.957	1.00	mg/L	96	96	<1%
		Bismuth, Dissolved	EPA 200.7	1103479-002	<0.100	0.927	0.926	1.00	mg/L	94	94	<1%
		Boron, Dissolved	EPA 200.7	1103479-002	<0.100	1.02	1.01	1.00	mg/L	96	95	1 %
		Cadmium, Dissolved	EPA 200.7	1103479-002	<0.001	0.940	0.931	1.00	mg/L	94	93	1 %
		Calcium, Dissolved	EPA 200.7	1103479-002	29.7	39.4	38.9	10.0	mg/L	97	92	1 %
		Chromium, Dissolved	EPA 200.7	1103479-002	<0.005	0.945	0.938	1.00	mg/L	94	94	1 %
		Cobalt, Dissolved	EPA 200.7	1103479-002	<0.010	0.892	0.887	1.00	mg/L	89	89	1 %
		Copper, Dissolved	EPA 200.7	1103479-002	<0.050	4.64	4.61	5.00	mg/L	93	92	1 %
		Gallium, Dissolved	EPA 200.7	1103479-002	<0.100	0.974	0.968	1.00	mg/L	97	97	1 %
		Iron, Dissolved	EPA 200.7	1103479-002	0.583	1.82	1.76	1.00	mg/L	124	118	3 %
		Lithium, Dissolved	EPA 200.7	1103479-002	<0.100	0.950	0.952	1.00	mg/L	94	94	<1%
		Magnesium, Dissolved	EPA 200.7	1103479-002	42.7	51.8	50.7	10.0	mg/L	91	80	2 %
		Manganese, Dissolved	EPA 200.7	1103479-002	0.012	0.943	0.934	1.00	mg/L	93	92	1 %
		Molybdenum, Dissolved	EPA 200.7	1103479-002	<0.010	0.976	0.971	1.00	mg/L	98	97	1 %
		Nickel, Dissolved	EPA 200.7	1103479-002	<0.010	4.43	4.39	5.00	mg/L	89	88	1 %
		Phosphorus, Dissolved	EPA 200.7	1103479-002	<0.500	5.15	5.14	5.00	mg/L	98	98	<1%
		Potassium, Dissolved	EPA 200.7	1103479-002	2.31	12.8	12.7	10.0	mg/L	105	104	1 %
		Scandium, Dissolved	EPA 200.7	1103479-002	<0.100	0.964	0.964	1.00	mg/L	96	96	<1%
		Silver, Dissolved	EPA 200.7	1103479-002	<0.005	0.086	0.086	0.090	mg/L	96	96	<1%
		Sodium, Dissolved	EPA 200.7	1103479-002	19.0	28.7	28.4	10.0	mg/L	97	94	1 %
		Strontium, Dissolved	EPA 200.7	1103479-002	0.292	1.27	1.26	1.00	mg/L	98	97	1 %
		Tin, Dissolved	EPA 200.7	1103479-002	<0.100	0.922	0.920	1.00	mg/L	97	97	<1%
		Titanium, Dissolved	EPA 200.7	1103479-002	<0.100	0.995	0.995	1.00	mg/L	99	99	<1%
		Vanadium, Dissolved	EPA 200.7	1103479-002	0.047	1.01	0.997	1.00	mg/L	96	95	1 %
		Zinc, Dissolved	EPA 200.7	1103479-002	2.57	3.52	3.42	1.00	mg/L	95	85	3 %
QC1104163	MS 1	Aluminum, Dissolved	EPA 200.7	1103479-003	<0.045	0.956	0.960	1.00	mg/L	94	95	<1%
		Barium, Dissolved	EPA 200.7	1103479-003	0.115	1.06	1.06	1.00	mg/L	94	94	<1%
		Beryllium, Dissolved	EPA 200.7	1103479-003	<0.001	0.963	0.970	1.00	mg/L	96	97	1 %
		Bismuth, Dissolved	EPA 200.7	1103479-003	<0.100	0.952	0.954	1.00	mg/L	96	97	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron, Dissolved	EPA 200.7	1103479-003	<0.100	0.991	0.989	1.00	mg/L	96	95	<1%
		Cadmium, Dissolved	EPA 200.7	1103479-003	<0.001	0.948	0.943	1.00	mg/L	95	94	1 %
		Calcium, Dissolved	EPA 200.7	1103479-003	34.5	42.4	43.8	10.0	mg/L	79	93	3 %
		Chromium, Dissolved	EPA 200.7	1103479-003	<0.005	0.958	0.955	1.00	mg/L	96	96	<1%
		Cobalt, Dissolved	EPA 200.7	1103479-003	<0.010	0.910	0.907	1.00	mg/L	91	91	<1%
		Copper, Dissolved	EPA 200.7	1103479-003	<0.050	4.67	4.66	5.00	mg/L	93	93	<1%
		Gallium, Dissolved	EPA 200.7	1103479-003	<0.100	0.982	0.977	1.00	mg/L	98	98	1 %
		Iron, Dissolved	EPA 200.7	1103479-003	<0.010	0.967	0.983	1.00	mg/L	97	99	2 %
		Lithium, Dissolved	EPA 200.7	1103479-003	<0.100	0.972	0.975	1.00	mg/L	96	97	<1%
		Magnesium, Dissolved	EPA 200.7	1103479-003	19.1	27.2	27.9	10.0	mg/L	81	88	3 %
		Manganese, Dissolved	EPA 200.7	1103479-003	<0.005	0.933	0.928	1.00	mg/L	94	94	1 %
		Molybdenum, Dissolved	EPA 200.7	1103479-003	<0.010	0.975	0.979	1.00	mg/L	97	98	<1%
		Nickel, Dissolved	EPA 200.7	1103479-003	<0.010	4.54	4.51	5.00	mg/L	91	90	1 %
		Phosphorus, Dissolved	EPA 200.7	1103479-003	<0.500	4.99	5.02	5.00	mg/L	98	98	1 %
		Potassium, Dissolved	EPA 200.7	1103479-003	1.50	11.7	11.8	10.0	mg/L	102	103	1 %
		Scandium, Dissolved	EPA 200.7	1103479-003	<0.100	0.969	0.977	1.00	mg/L	97	98	1 %
		Silver, Dissolved	EPA 200.7	1103479-003	<0.005	0.088	0.088	0.090	mg/L	98	98	<1%
		Sodium, Dissolved	EPA 200.7	1103479-003	9.16	19.1	19.6	10.0	mg/L	99	104	3 %
		Strontium, Dissolved	EPA 200.7	1103479-003	0.176	1.17	1.20	1.00	mg/L	99	102	3 %
		Tin, Dissolved	EPA 200.7	1103479-003	<0.100	0.920	0.928	1.00	mg/L	96	97	1 %
		Titanium, Dissolved	EPA 200.7	1103479-003	<0.100	1.00	1.01	1.00	mg/L	100	101	1 %
		Vanadium, Dissolved	EPA 200.7	1103479-003	0.029	0.995	0.993	1.00	mg/L	97	96	<1%
		Zinc, Dissolved	EPA 200.7	1103479-003	1.52	2.42	2.44	1.00	mg/L	90	92	1 %
QC1104171	MS 1	Uranium, Dissolved	EPA 200.8	1103479-001	<0.0100	0.0117	0.0114	0.010	mg/L	108	105	3 %
		Mercury, Dissolved	EPA 200.8	1103479-001	<0.000100	0.000791	0.000902	0.001	mg/L	79	90	13 %
		Antimony, Dissolved	EPA 200.8	1103479-001	<0.0025	0.0115	0.0112	0.010	mg/L	105	102	3 %
		Arsenic, Dissolved	EPA 200.8	1103479-001	<0.0050	0.0591	0.0577	0.050	mg/L	109	107	2 %
		Lead, Dissolved	EPA 200.8	1103479-001	0.0027	0.0135	0.0132	0.010	mg/L	108	105	2 %
		Selenium, Dissolved	EPA 200.8	1103479-001	<0.0050	0.0540	0.0538	0.050	mg/L	106	106	<1%
		Thallium, Dissolved	EPA 200.8	1103479-001	<0.0010	0.0104	0.0102	0.010	mg/L	104	102	2 %
QC1104205	MS 1	Uranium, Dissolved	EPA 200.8	1103479-002	<0.0100	0.0125	0.0124	0.010	mg/L	125	124	1 %
		Mercury, Dissolved	EPA 200.8	1103479-002	<0.000100	0.001091	0.001027	0.001	mg/L	109	103	6 %
		Antimony, Dissolved	EPA 200.8	1103479-002	<0.0025	0.0118	0.0116	0.010	mg/L	112	110	2 %
		Arsenic, Dissolved	EPA 200.8	1103479-002	<0.0050	0.0642	0.0621	0.050	mg/L	123	119	3 %
		Lead, Dissolved	EPA 200.8	1103479-002	0.0147	0.0272	0.0269	0.010	mg/L	124	121	1 %
		Selenium, Dissolved	EPA 200.8	1103479-002	<0.0050	0.0570	0.0553	0.050	mg/L	114	111	3 %
		Thallium, Dissolved	EPA 200.8	1103479-002	<0.0010	0.0120	0.0119	0.010	mg/L	120	118	1 %
QC1104206	MS 1	Uranium, Dissolved	EPA 200.8	1103479-003	<0.0100	0.0120	0.0122	0.010	mg/L	120	122	2 %
		Mercury, Dissolved	EPA 200.8	1103479-003	<0.000100	0.001072	0.001031	0.001	mg/L	107	103	4 %
		Antimony, Dissolved	EPA 200.8	1103479-003	<0.0025	0.0118	0.0120	0.010	mg/L	113	115	2 %
		Arsenic, Dissolved	EPA 200.8	1103479-003	0.0110	0.0715	0.0721	0.050	mg/L	121	122	1 %
		Lead, Dissolved	EPA 200.8	1103479-003	<0.0025	0.0117	0.0119	0.010	mg/L	113	115	2 %
		Selenium, Dissolved	EPA 200.8	1103479-003	<0.0050	0.0608	0.0622	0.050	mg/L	120	122	2 %
		Thallium, Dissolved	EPA 200.8	1103479-003	<0.0010	0.0109	0.0112	0.010	mg/L	109	112	3 %
QC1104207	MS 1	Uranium, Dissolved	EPA 200.8	1103479-004	<0.0100	0.0121	0.0116	0.010	mg/L	120	116	4 %
		Mercury, Dissolved	EPA 200.8	1103479-004	<0.000100	0.001112	0.001075	0.001	mg/L	111	108	3 %
		Antimony, Dissolved	EPA 200.8	1103479-004	<0.0025	0.0126	0.0124	0.010	mg/L	113	111	2 %
		Arsenic, Dissolved	EPA 200.8	1103479-004	<0.0050	0.0636	0.0632	0.050	mg/L	123	122	1 %
		Lead, Dissolved	EPA 200.8	1103479-004	<0.0025	0.0119	0.0122	0.010	mg/L	119	122	2 %
		Selenium, Dissolved	EPA 200.8	1103479-004	<0.0050	0.0616	0.0654	0.050	mg/L	123	130	6 %
		Thallium, Dissolved	EPA 200.8	1103479-004	<0.0010	0.0117	0.0121	0.010	mg/L	117	121	3 %
QC1104211	MS 1	Aluminum, Dissolved	EPA 200.7	1103479-004	<0.045	0.969	0.933	1.00	mg/L	95	92	4 %
		Barium, Dissolved	EPA 200.7	1103479-004	0.134	1.09	1.04	1.00	mg/L	96	91	5 %
		Beryllium, Dissolved	EPA 200.7	1103479-004	<0.001	0.958	0.918	1.00	mg/L	96	92	4 %
		Bismuth, Dissolved	EPA 200.7	1103479-004	<0.100	0.951	0.916	1.00	mg/L	96	93	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron, Dissolved	EPA 200.7	1103479-004	<0.100	0.981	0.944	1.00	mg/L	96	92	4 %
		Cadmium, Dissolved	EPA 200.7	1103479-004	<0.001	0.951	0.912	1.00	mg/L	95	91	4 %
		Calcium, Dissolved	EPA 200.7	1103479-004	34.0	43.6	42.0	10.0	mg/L	96	80	4 %
		Chromium, Dissolved	EPA 200.7	1103479-004	<0.005	0.960	0.922	1.00	mg/L	96	92	4 %
		Cobalt, Dissolved	EPA 200.7	1103479-004	<0.010	0.906	0.869	1.00	mg/L	90	87	4 %
		Copper, Dissolved	EPA 200.7	1103479-004	<0.050	4.66	4.49	5.00	mg/L	93	90	4 %
		Gallium, Dissolved	EPA 200.7	1103479-004	<0.100	0.985	0.947	1.00	mg/L	98	94	4 %
		Iron, Dissolved	EPA 200.7	1103479-004	0.226	1.20	1.20	1.00	mg/L	97	97	<1%
		Lithium, Dissolved	EPA 200.7	1103479-004	<0.100	0.947	0.929	1.00	mg/L	94	93	2 %
		Magnesium, Dissolved	EPA 200.7	1103479-004	20.0	29.1	28.7	10.0	mg/L	91	87	1 %
		Manganese, Dissolved	EPA 200.7	1103479-004	<0.005	0.942	0.904	1.00	mg/L	94	90	4 %
		Molybdenum, Dissolved	EPA 200.7	1103479-004	<0.010	0.971	0.937	1.00	mg/L	97	94	4 %
		Nickel, Dissolved	EPA 200.7	1103479-004	<0.010	4.50	4.31	5.00	mg/L	90	86	4 %
		Phosphorus, Dissolved	EPA 200.7	1103479-004	<0.500	4.92	4.74	5.00	mg/L	97	94	4 %
		Potassium, Dissolved	EPA 200.7	1103479-004	1.05	11.4	11.2	10.0	mg/L	104	101	2 %
		Scandium, Dissolved	EPA 200.7	1103479-004	<0.100	0.963	0.927	1.00	mg/L	96	93	4 %
		Silver, Dissolved	EPA 200.7	1103479-004	<0.005	0.088	0.084	0.090	mg/L	98	93	5 %
		Sodium, Dissolved	EPA 200.7	1103479-004	7.19	17.3	16.8	10.0	mg/L	101	96	3 %
		Strontium, Dissolved	EPA 200.7	1103479-004	0.111	1.11	1.09	1.00	mg/L	100	98	2 %
		Tin, Dissolved	EPA 200.7	1103479-004	<0.100	0.935	0.897	1.00	mg/L	97	93	4 %
		Titanium, Dissolved	EPA 200.7	1103479-004	<0.100	1.00	1.00	1.00	mg/L	100	100	<1%
		Vanadium, Dissolved	EPA 200.7	1103479-004	0.025	0.994	0.956	1.00	mg/L	97	93	4 %
		Zinc, Dissolved	EPA 200.7	1103479-004	<0.010	0.954	0.912	1.00	mg/L	95	91	5 %



3/22/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1102331

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 2/25/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

MCClelland Laboratory - 1102331

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1102331-010 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1102331-001 Iron
1102331-002 Aluminum, Arsenic, Selenium
1102331-009 Nitrite Nitrogen, Vanadium
1102331-010 Iron
1102331-014 Nitrite Nitrogen, Iron
1102331-016 Iron
1102331-018 Nitrite Nitrogen
1102331-019 Nitrite Nitrogen, Cadmium

The reporting limits have been adjusted accordingly.

The result for the continuing calibration verification (CCV) sample during the analysis for Fluoride was outside WETLAB acceptance criteria. The reported data for Fluoride on all samples should be considered estimates. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B — Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT — Sample held beyond the accepted holding time
- J — The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M — Reported value is estimated; The sample matrix interfered with the analysis
- N — There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC — Not calculated due to matrix interference
- Q — Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA — Reported value was calculated using the method of Standard Additions.
- SC — Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 3/22/2011

OrderID: 1102331

Customer Sample ID: 604 562 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-001

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.08	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	98	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	2/25/2011
Sulfate	EPA 300.0	84	mg/L	1.0	2/25/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/25/2011
Total Dissolved Solids (TDS)	SM 2540C	270	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.033	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	53	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	3/3/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	11	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.33	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	11	mg/L	0.50	3/2/2011

Customer Sample ID: 604 562 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-001

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	3.1	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.52	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	0.015	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/4/2011
Lead	EPA 200.8	0.0087	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/4/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/18/2011
Anions	Calculation	3.80	meq/L	0.10	
Cations	Calculation	3.98	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Customer Sample ID: 604 569 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-002

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.96	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	66	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	54	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	2/25/2011
Sulfate	EPA 300.0	49	mg/L	1.0	2/25/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/25/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.22	mg/L	0.22	3/3/2011
Barium	EPA 200.7	0.019	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011

Customer Sample ID: 604 569 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-002

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	26	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	8.2	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.13	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.012	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	7.6	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	3.4	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.23	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	3/4/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	3/4/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.044	mg/L	0.010	3/18/2011
Anions	Calculation	2.16	meq/L	0.10	
Cations	Calculation	2.32	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: 604 606 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-003

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.21	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011

Customer Sample ID: 604 606 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-003

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	83	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	2/25/2011
Sulfate	EPA 300.0	73	mg/L	1.0	2/25/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/25/2011
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.051	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	42	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	8.3	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.048	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	15	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	4.4	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.49	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	0.0056	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.096	mg/L	0.010	3/18/2011

Customer Sample ID: 604 606 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-003

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.24	meq/L	0.10	
Cations	Calculation	3.36	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: 604 653 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-004

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.23	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	93	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Fluoride	EPA 300.0	2.2	mg/L	0.10	2/25/2011
Sulfate	EPA 300.0	77	mg/L	1.0	2/25/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/25/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/25/2011
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.052	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	45	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	8.5	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.22	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	19	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011

Customer Sample ID: 604 653 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-004

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	5.9	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.43	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.033	mg/L	0.010	3/3/2011
Anions	Calculation	3.52	meq/L	0.10	
Cations	Calculation	3.70	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Customer Sample ID: 604 673 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-005

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.85	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	64	mg/L	1.0	3/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/11/2011
Total Alkalinity	SM 2320B	52	mg/L as CaCO ₃	1.0	3/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.1	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	32	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.049	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	21	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011

Customer Sample ID: 604 673 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-005

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	3.3	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.020	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.051	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	12	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	4.7	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.034	mg/L	0.010	3/3/2011
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	1.83	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 767 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-006

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.97	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	77	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	63	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011

Customer Sample ID: 604 767 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-006

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	2.4	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	85	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.048	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	45	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	8.4	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.50	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.010	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	11	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	2.9	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.35	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	0.024	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	0.014	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.22	mg/L	0.010	3/18/2011
Anions	Calculation	3.16	meq/L	0.10	
Cations	Calculation	3.36	meq/L	0.10	

Customer Sample ID: 604 767 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-006

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	3.1	%	1.0	

Customer Sample ID: 604 787 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-007

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	83	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	68	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.2	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	40	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	32	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	5.6	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.062	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.027	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	5.9	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	4.2	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	3/2/2011

Customer Sample ID: 604 787 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-007

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	0.0057	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.092	mg/L	0.010	3/3/2011
Anions	Calculation	2.26	meq/L	0.10	
Cations	Calculation	2.39	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Customer Sample ID: 604 811 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-008

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.28	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	37	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	42	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011

Customer Sample ID: 604 811 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-008

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	8.7	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.055	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.019	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	12	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	2.9	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.63	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	0.014	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.061	mg/L	0.010	3/3/2011
Anions	Calculation	3.16	meq/L	0.10	
Cations	Calculation	3.25	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: 604 854 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-009

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	86	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	70	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.9	mg/L	0.20	2/26/2011
Sulfate	EPA 300.0	130	mg/L	2.0	2/26/2011

Customer Sample ID: 604 854 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-009

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	340	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	0.060	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	59	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	12	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.17	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	18	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	2.3	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.82	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	3/3/2011
Zinc	EPA 200.7	0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	0.015	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.016	mg/L	0.010	3/3/2011
Anions	Calculation	4.22	meq/L	0.10	
Cations	Calculation	4.50	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: 604 862 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-010

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.24	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	2.6	M mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	41	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/2/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/2/2011
Calcium	EPA 200.7	45	mg/L	0.50	3/2/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/2/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	3/3/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Magnesium	EPA 200.7	9.2	mg/L	0.50	3/2/2011
Manganese	EPA 200.7	0.014	mg/L	0.0050	3/2/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	3/2/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/2/2011
Potassium	EPA 200.7	13	mg/L	0.50	3/2/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/2/2011
Sodium	EPA 200.7	1.6	mg/L	0.50	3/2/2011
Strontium	EPA 200.7	0.94	mg/L	0.10	3/2/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/2/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/2/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/3/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011

Customer Sample ID: 604 862 WK:4
 WETLAB Sample ID: 1102331-010

Collect Date/Time: 2/25/2011 09:00

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/3/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/3/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/3/2011
Uranium	EPA 200.8	0.017	mg/L	0.010	3/3/2011
Anions	Calculation	3.28	meq/L	0.10	
Cations	Calculation	3.41	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 867 WK:4
 WETLAB Sample ID: 1102331-011

Collect Date/Time: 2/25/2011 09:00

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.09	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	2.4	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	110	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	320	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	0.013	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	78	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	0.13	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	6.2	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.14	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	0.030	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011

Customer Sample ID: 604 867 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-011

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	11	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	1.3	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	1.0	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	0.011	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Selenium	EPA 200.8	0.0092	mg/L	0.0050	3/9/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/7/2011
Anions	Calculation	4.71	meq/L	0.10	
Cations	Calculation	4.75	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 033 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-012

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.11	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	98	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	80	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	2.5	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	41	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	0.038	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011

Customer Sample ID: 605 033 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-012

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	35	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	5.1	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.056	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	13	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	3.1	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	0.40	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/9/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/7/2011
Uranium	EPA 200.8	0.035	mg/L	0.010	3/7/2011
Anions	Calculation	2.59	meq/L	0.10	
Cations	Calculation	2.64	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 605 153 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-013

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	69	mg/L	1.0	2/25/2011

Customer Sample ID: 605 153 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-013

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	56	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	26	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	2/28/2011
Aluminum	EPA 200.7	0.057	mg/L	0.045	3/8/2011
Barium	EPA 200.7	0.14	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	20	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	4.4	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.038	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	7.8	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	3.1	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	1.5	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011

Customer Sample ID: 605 153 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-013

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/8/2011
Uranium	EPA 200.8	0.017	mg/L	0.010	3/8/2011
Anions	Calculation	1.76	meq/L	0.10	
Cations	Calculation	1.70	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: SRK 0854 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-014

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.11	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	0.64	mg/L	0.20	2/26/2011
Sulfate	EPA 300.0	290	mg/L	2.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	500	mg/L	10	2/28/2011
Aluminum	EPA 200.7	0.31	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	0.012	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	78	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	0.044	mg/L	0.010	3/8/2011
Copper	EPA 200.7	46	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	3/9/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	5.6	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	1.2	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	0.026	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	5.2	mg/L	0.50	3/8/2011

Customer Sample ID: SRK 0854 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-014

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	0.97	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	0.28	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	0.76	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Lead	EPA 200.8	0.0056	mg/L	0.0025	3/8/2011
Selenium	EPA 200.8	0.014	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	6.07	meq/L	0.10	
Cations	Calculation	6.08	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0858 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-015

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.39	pH Units		2/25/2011
Acidity (Titrimetric)	SM 2310B	89	mg/L as CaCO3		3/1/2011
Chloride	EPA 300.0	<10	mg/L	10	2/28/2011
Fluoride	EPA 300.0	11	mg/L	0.50	2/28/2011
Sulfate	EPA 300.0	99	mg/L	10	2/28/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	2/28/2011
Aluminum	EPA 200.7	10	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	0.0014	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	20	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	0.014	mg/L	0.010	3/8/2011

Customer Sample ID: SRK 0858 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-015

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	5.1	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	0.44	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.38	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	2.5	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	1.1	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	0.061	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	2.66	meq/L	0.10	
Cations	Calculation	3.43	meq/L	0.10	
Error	Calculation	13	%	1.0	

Customer Sample ID: SRK 0864 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-016

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.98	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	40	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	33	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	2.1	mg/L	0.10	2/26/2011

Customer Sample ID: SRK 0864 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-016

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	16	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	0.061	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	94	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	12	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	3/9/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	2.2	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.014	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	0.045	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	1.7	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	6.2	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/7/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/7/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/7/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	1.10	meq/L	0.10	
Cations	Calculation	1.09	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: SRK 0864 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-016

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0866 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-017

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		2/25/2011
Bicarbonate (HCO3)	SM 2320B	27	mg/L	1.0	2/25/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	22	mg/L as CaCO3	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	2/26/2011
Sulfate	EPA 300.0	12	mg/L	1.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	60	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	9.9	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	1.2	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	0.0087	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	0.028	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	2.1	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	2.2	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011

Customer Sample ID: SRK 0866 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-017

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	0.76	meq/L	0.10	
Cations	Calculation	0.74	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: SRK 0867 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-018

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.21	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	17	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	14	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	2.1	mg/L	0.20	2/26/2011
Sulfate	EPA 300.0	320	mg/L	2.0	2/26/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	580	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Calcium	EPA 200.7	130	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011

Customer Sample ID: SRK 0867 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-018

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	8.3	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	1.3	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	3.4	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	1.6	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	0.23	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	0.018	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/8/2011
Antimony	EPA 200.8	0.0045	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/7/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	7.05	meq/L	0.10	
Cations	Calculation	7.37	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: SRK 0872 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-019

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.14	pH Units		2/25/2011
Bicarbonate (HCO ₃)	SM 2320B	16	mg/L	1.0	2/25/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/25/2011
Total Alkalinity	SM 2320B	13	mg/L as CaCO ₃	1.0	2/25/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/26/2011
Fluoride	EPA 300.0	1.4	mg/L	0.20	2/26/2011
Sulfate	EPA 300.0	650	mg/L	100	3/1/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/26/2011

Customer Sample ID: SRK 0872 WK:4

Collect Date/Time: 2/25/2011 09:00

WETLAB Sample ID: 1102331-019

Receive Date: 2/25/2011 15:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/26/2011
Total Dissolved Solids (TDS)	SM 2540C	1000	mg/L	10	2/28/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	3/9/2011
Calcium	EPA 200.7	240	mg/L	0.50	3/8/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Magnesium	EPA 200.7	7.8	mg/L	0.50	3/8/2011
Manganese	EPA 200.7	1.2	mg/L	0.0050	3/8/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2011
Potassium	EPA 200.7	2.0	mg/L	0.50	3/8/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2011
Sodium	EPA 200.7	0.97	mg/L	0.50	3/8/2011
Strontium	EPA 200.7	0.12	mg/L	0.10	3/8/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2011
Zinc	EPA 200.7	0.11	mg/L	0.010	3/8/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/8/2011
Anions	Calculation	13.9	meq/L	0.10	
Cations	Calculation	12.8	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102669	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102669	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102669	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102671	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102671	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102671	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1102672	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102672	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102672	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102673	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102673	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102674	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102674	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102674	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102675	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102675	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102676	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102676	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102676	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102680	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102680	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1103012	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1103012	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1103024	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1103024	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1103041	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1103041	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1103055	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1103056	Blank 1	Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
Silver, Dissolved	EPA 200.7	<0.0050	mg/L		
Sodium, Dissolved	EPA 200.7	<0.50	mg/L		
Strontium, Dissolved	EPA 200.7	<0.10	mg/L		
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC1103096	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1103097	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
QC1103148	Blank 1	Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
Gallium	EPA 200.7	<0.10	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Units
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1103149	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1103150	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1103152	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units		
		Uranium	EPA 200.8	<0.010	mg/L		
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1102669	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC1102671	LCS 1	Chloride	EPA 300.0	9.97	10.0	100	mg/L
QC1102672	LCS 1	Nitrite Nitrogen	EPA 300.0	0.504	0.500	101	mg/L
QC1102673	LCS 1	Nitrite Nitrogen	EPA 300.0	0.504	0.500	101	mg/L
QC1102674	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC1102675	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC1102676	LCS 1	Sulfate	EPA 300.0	24.4	25.0	97	mg/L
QC1102680	LCS 1	Sulfate	EPA 300.0	24.4	25.0	97	mg/L
QC1102681	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1102681	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1102683	LCS 1	Alkalinity	SM 2320B	95.0	100	95	mg/L
QC1102683	LCS 2	Alkalinity	SM 2320B	95.0	100	95	mg/L
QC1103012	LCS 1	Sulfate	EPA 300.0	5.04	5.00	101	mg/L
QC1103024	LCS 1	Fluoride	EPA 300.0	2.19	2.00	110	mg/L
QC1103041	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC1103041	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC1103055	LCS 1	Aluminum	EPA 200.7	0.942	1.00	94	mg/L
		Barium	EPA 200.7	1.00	1.00	100	mg/L
		Beryllium	EPA 200.7	0.997	1.00	100	mg/L
		Bismuth	EPA 200.7	1.04	1.00	104	mg/L
		Boron	EPA 200.7	0.962	1.00	96	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	9.99	10.0	100	mg/L
		Chromium	EPA 200.7	0.989	1.00	99	mg/L
		Cobalt	EPA 200.7	1.00	1.00	100	mg/L
		Copper	EPA 200.7	4.91	5.00	98	mg/L
		Gallium	EPA 200.7	1.00	1.00	100	mg/L
		Iron	EPA 200.7	0.992	1.00	99	mg/L
		Lithium	EPA 200.7	0.995	1.00	100	mg/L
		Magnesium	EPA 200.7	9.54	10.0	95	mg/L
		Manganese	EPA 200.7	0.996	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	5.00	5.00	100	mg/L
		Phosphorus	EPA 200.7	5.02	5.00	100	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	0.992	1.00	99	mg/L
		Silver	EPA 200.7	0.094	0.090	105	mg/L
		Sodium	EPA 200.7	10.0	10.0	100	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	0.942	1.00	94	mg/L
		Titanium	EPA 200.7	0.967	1.00	97	mg/L
		Vanadium	EPA 200.7	0.994	1.00	99	mg/L
		Zinc	EPA 200.7	1.02	1.00	102	mg/L
QC1103056	LCS 1	Aluminum	EPA 200.7	0.964	1.00	96	mg/L
		Barium	EPA 200.7	1.03	1.00	103	mg/L
		Beryllium	EPA 200.7	1.00	1.00	100	mg/L
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	0.986	1.00	99	mg/L
		Cadmium	EPA 200.7	1.02	1.00	102	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	1.02	1.00	102	mg/L
		Cobalt	EPA 200.7	1.04	1.00	104	mg/L
		Copper	EPA 200.7	5.25	5.00	105	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Gallium	EPA 200.7	1.03	1.00	103	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	0.999	1.00	100	mg/L
		Magnesium	EPA 200.7	10.2	10.0	102	mg/L
		Manganese	EPA 200.7	0.981	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.964	1.00	96	mg/L
		Nickel	EPA 200.7	5.10	5.00	102	mg/L
		Phosphorus	EPA 200.7	5.13	5.00	103	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	1.02	1.00	102	mg/L
		Silver	EPA 200.7	0.098	0.090	108	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.00	1.00	100	mg/L
		Tin	EPA 200.7	0.918	1.00	92	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.02	1.00	102	mg/L
		Zinc	EPA 200.7	1.03	1.00	103	mg/L
QC1103096	LCS 1	Mercury	EPA 200.8	0.000943	0.001	94	mg/L
		Antimony	EPA 200.8	0.0101	0.010	101	mg/L
		Arsenic	EPA 200.8	0.0503	0.050	101	mg/L
		Lead	EPA 200.8	0.0103	0.010	103	mg/L
		Selenium	EPA 200.8	0.0468	0.050	94	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L
QC1103097	LCS 1	Mercury	EPA 200.8	0.000996	0.001	100	mg/L
		Antimony	EPA 200.8	0.0101	0.010	101	mg/L
		Arsenic	EPA 200.8	0.0520	0.050	104	mg/L
		Lead	EPA 200.8	0.0109	0.010	109	mg/L
		Selenium	EPA 200.8	0.0490	0.050	98	mg/L
		Thallium	EPA 200.8	0.0102	0.010	102	mg/L
		Uranium	EPA 200.8	0.0104	0.010	104	mg/L
QC1103148	LCS 1	Aluminum	EPA 200.7	0.946	1.00	95	mg/L
		Barium	EPA 200.7	1.01	1.00	101	mg/L
		Beryllium	EPA 200.7	1.00	1.00	100	mg/L
		Bismuth	EPA 200.7	1.04	1.00	104	mg/L
		Boron	EPA 200.7	0.967	1.00	97	mg/L
		Cadmium	EPA 200.7	1.03	1.00	103	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	1.01	1.00	101	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	4.90	5.00	98	mg/L
		Gallium	EPA 200.7	1.00	1.00	100	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	1.00	1.00	100	mg/L
		Magnesium	EPA 200.7	9.96	10.0	100	mg/L
		Manganese	EPA 200.7	0.996	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.973	1.00	97	mg/L
		Nickel	EPA 200.7	5.08	5.00	102	mg/L
		Phosphorus	EPA 200.7	5.17	5.00	103	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	0.997	1.00	100	mg/L
		Silver	EPA 200.7	0.093	0.090	103	mg/L
		Sodium	EPA 200.7	10.0	10.0	100	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.972	1.00	97	mg/L
		Titanium	EPA 200.7	0.974	1.00	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1103149	LCS 1	Vanadium	EPA 200.7	1.00	1.00	100	mg/L
		Zinc	EPA 200.7	1.05	1.00	105	mg/L
		Aluminum	EPA 200.7	0.946	1.00	95	mg/L
		Barium	EPA 200.7	1.01	1.00	101	mg/L
		Beryllium	EPA 200.7	1.00	1.00	100	mg/L
		Bismuth	EPA 200.7	1.04	1.00	104	mg/L
		Boron	EPA 200.7	0.967	1.00	97	mg/L
		Cadmium	EPA 200.7	1.03	1.00	103	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	1.01	1.00	101	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	4.90	5.00	98	mg/L
		Gallium	EPA 200.7	1.00	1.00	100	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	1.00	1.00	100	mg/L
		Magnesium	EPA 200.7	9.96	10.0	100	mg/L
		Manganese	EPA 200.7	0.996	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.973	1.00	97	mg/L
		Nickel	EPA 200.7	5.08	5.00	102	mg/L
		QC1103150	LCS 1	Phosphorus	EPA 200.7	5.17	5.00
Potassium	EPA 200.7			10.0	10.0	100	mg/L
Scandium	EPA 200.7			0.997	1.00	100	mg/L
Silver	EPA 200.7			0.093	0.090	103	mg/L
Sodium	EPA 200.7			10.0	10.0	100	mg/L
Strontium	EPA 200.7			1.01	1.00	101	mg/L
Tin	EPA 200.7			0.972	1.00	97	mg/L
Titanium	EPA 200.7			0.974	1.00	97	mg/L
Vanadium	EPA 200.7			1.00	1.00	100	mg/L
Zinc	EPA 200.7			1.05	1.00	105	mg/L
Mercury	EPA 200.8			0.001074	0.001	107	mg/L
Antimony	EPA 200.8			0.0109	0.010	109	mg/L
QC1103152	LCS 1	Arsenic	EPA 200.8	0.0553	0.050	111	mg/L
		Lead	EPA 200.8	0.0110	0.010	110	mg/L
		Selenium	EPA 200.8	0.0521	0.050	104	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
		Uranium	EPA 200.8	0.0107	0.010	107	mg/L
		Mercury	EPA 200.8	0.001074	0.001	107	mg/L
		Antimony	EPA 200.8	0.0109	0.010	109	mg/L
		Arsenic	EPA 200.8	0.0553	0.050	111	mg/L
Lead	EPA 200.8	0.0110	0.010	110	mg/L		
Selenium	EPA 200.8	0.0521	0.050	104	mg/L		
Thallium	EPA 200.8	0.0106	0.010	106	mg/L		
Uranium	EPA 200.8	0.0107	0.010	107	mg/L		

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1102681	Duplicate 1	pH	SM 4500-H+ B	1102333-001	8.16	8.19	pH Units	<1%
QC1102681	Duplicate 2	pH	SM 4500-H+ B	1102332-001	7.30	7.22	pH Units	1 %
QC1102681	Duplicate 3	pH	SM 4500-H+ B	1102334-001	7.73	7.82	pH Units	1 %
QC1102683	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1102331-001	119	119	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102331-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102331-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102331-001	97.8	97.8	mg/L as CaCO3	<1%
QC1102683	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1102332-001	18.2	17.0	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1102332-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102332-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1102683	Duplicate 3	Total Alkalinity	SM 2320B	1102332-001	14.9	14.0	mg/L as CaCO3	7 %
		Bicarbonate (HCO3)	SM 2320B	1102334-001	48.6	48.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102334-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102334-001	<1.000	<1.000	mg/L	<1%
QC1103041	Duplicate 1	Total Alkalinity	SM 2320B	1102334-001	39.8	39.9	mg/L as CaCO3	<1%
QC1103041	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1102248-005	233	236	mg/L	1 %
QC1103041	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1102248-006	426	421	mg/L	1 %
QC1103041	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1102333-001	800	808	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102669	MS 1	Fluoride	EPA 300.0	1102333-001	<0.500	10.0	10.5	2.00	mg/L	100	105	5 %
QC1102669	MS 2	Fluoride	EPA 300.0	1102331-010	2.59	M 3.92	3.85	2.00	mg/L	NC	NC	NC
QC1102671	MS 1	Chloride	EPA 300.0	1102333-001	12.6	38.6	39.1	5.00	mg/L	104	106	1 %
QC1102671	MS 2	Chloride	EPA 300.0	1102331-010	<1.000	5.29	5.32	5.00	mg/L	103	104	1 %
QC1102672	MS 1	Nitrite Nitrogen	EPA 300.0	1102328-001	<0.025	0.490	0.495	0.500	mg/L	98	99	1 %
QC1102672	MS 2	Nitrite Nitrogen	EPA 300.0	1102333-001	<0.125	2.65	2.69	0.500	mg/L	106	108	1 %
QC1102673	MS 1	Nitrite Nitrogen	EPA 300.0	1102331-010	<0.025	0.507	0.510	0.500	mg/L	101	102	1 %
QC1102674	MS 1	Nitrate Nitrogen	EPA 300.0	1102328-001	<1.000	2.13	2.15	2.00	mg/L	102	103	1 %
QC1102674	MS 2	Nitrate Nitrogen	EPA 300.0	1102333-001	<1.000	10.0	10.2	2.00	mg/L	100	102	2 %
QC1102675	MS 1	Nitrate Nitrogen	EPA 300.0	1102331-010	<1.000	1.98	1.99	2.00	mg/L	98	98	1 %
QC1102676	MS 1	Sulfate	EPA 300.0	1102328-001	174	SC 179	179	10.0	mg/L	NC	NC	NC
QC1102676	MS 2	Sulfate	EPA 300.0	1102333-001	<1.000	46.8	47.6	10.0	mg/L	94	95	2 %
QC1102680	MS 1	Sulfate	EPA 300.0	1102331-010	41.0	49.3	49.3	10.0	mg/L	82	83	<1%
QC1103012	MS 1	Sulfate	EPA 300.0	1102324-001	29.5	39.2	39.4	10.0	mg/L	97	99	1 %
QC1103024	MS 1	Fluoride	EPA 300.0	1102314-001	1.38	M 2.84	2.91	2.00	mg/L	NC	NC	NC
QC1103055	MS 1	Aluminum, Dissolved	EPA 200.7	1102287-002	<0.045	0.944	0.935	1.00	mg/L	94	93	1 %
		Barium, Dissolved	EPA 200.7	1102287-002	0.071	1.09	1.09	1.00	mg/L	102	102	<1%
		Beryllium, Dissolved	EPA 200.7	1102287-002	<0.001	1.02	1.01	1.00	mg/L	102	101	1 %
		Bismuth, Dissolved	EPA 200.7	1102287-002	<0.100	1.04	1.02	1.00	mg/L	105	103	2 %
		Boron, Dissolved	EPA 200.7	1102287-002	<0.100	1.09	1.08	1.00	mg/L	103	102	1 %
		Cadmium, Dissolved	EPA 200.7	1102287-002	<0.001	1.03	1.03	1.00	mg/L	103	103	<1%
		Calcium, Dissolved	EPA 200.7	1102287-002	29.1	38.6	38.0	10.0	mg/L	95	89	2 %
		Chromium, Dissolved	EPA 200.7	1102287-002	<0.005	1.01	1.01	1.00	mg/L	101	101	<1%
		Cobalt, Dissolved	EPA 200.7	1102287-002	<0.010	1.04	1.03	1.00	mg/L	104	103	1 %
		Copper, Dissolved	EPA 200.7	1102287-002	<0.050	5.28	5.27	5.00	mg/L	106	105	<1%
		Gallium, Dissolved	EPA 200.7	1102287-002	<0.100	1.01	1.02	1.00	mg/L	101	102	1 %
		Iron, Dissolved	EPA 200.7	1102287-002	<0.050	1.04	1.04	1.00	mg/L	101	101	<1%
		Lithium, Dissolved	EPA 200.7	1102287-002	<0.100	0.997	0.989	1.00	mg/L	99	98	1 %
		Magnesium, Dissolved	EPA 200.7	1102287-002	8.77	18.3	17.9	10.0	mg/L	95	91	2 %
		Manganese, Dissolved	EPA 200.7	1102287-002	<0.005	0.990	0.980	1.00	mg/L	99	98	1 %
		Molybdenum, Dissolved	EPA 200.7	1102287-002	<0.010	0.974	0.968	1.00	mg/L	97	97	1 %
		Nickel, Dissolved	EPA 200.7	1102287-002	<0.010	5.07	5.04	5.00	mg/L	101	101	1 %
		Phosphorus, Dissolved	EPA 200.7	1102287-002	<0.500	5.44	5.41	5.00	mg/L	102	102	1 %
		Potassium, Dissolved	EPA 200.7	1102287-002	5.84	16.4	16.5	10.0	mg/L	106	107	1 %
		Scandium, Dissolved	EPA 200.7	1102287-002	<0.100	1.01	1.01	1.00	mg/L	101	101	<1%
		Silver, Dissolved	EPA 200.7	1102287-002	<0.005	0.096	0.097	0.090	mg/L	108	109	1 %
		Sodium, Dissolved	EPA 200.7	1102287-002	22.7	32.4	32.2	10.0	mg/L	97	95	1 %
		Strontium, Dissolved	EPA 200.7	1102287-002	0.180	1.18	1.18	1.00	mg/L	100	100	<1%
		Tin, Dissolved	EPA 200.7	1102287-002	<0.100	0.927	0.914	1.00	mg/L	96	95	1 %
		Titanium, Dissolved	EPA 200.7	1102287-002	<0.100	1.00	0.999	1.00	mg/L	100	100	<1%
		Vanadium, Dissolved	EPA 200.7	1102287-002	0.019	1.05	1.04	1.00	mg/L	103	102	1 %
		Zinc, Dissolved	EPA 200.7	1102287-002	<0.010	1.08	1.07	1.00	mg/L	108	107	1 %
QC1103056	MS 1	Aluminum, Dissolved	EPA 200.7	1102287-003	<0.045	0.949	0.966	1.00	mg/L	94	96	2 %
		Barium, Dissolved	EPA 200.7	1102287-003	0.055	1.08	1.10	1.00	mg/L	102	104	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Beryllium, Dissolved	EPA 200.7	1102287-003	<0.001	1.00	1.02	1.00	mg/L	100	102	2 %
		Bismuth, Dissolved	EPA 200.7	1102287-003	<0.100	1.03	1.05	1.00	mg/L	103	105	2 %
		Boron, Dissolved	EPA 200.7	1102287-003	<0.100	1.11	1.13	1.00	mg/L	102	104	2 %
		Cadmium, Dissolved	EPA 200.7	1102287-003	<0.001	1.02	1.04	1.00	mg/L	102	104	2 %
		Calcium, Dissolved	EPA 200.7	1102287-003	26.4	35.2	36.1	10.0	mg/L	88	97	3 %
		Chromium, Dissolved	EPA 200.7	1102287-003	<0.005	1.02	1.03	1.00	mg/L	102	103	1 %
		Cobalt, Dissolved	EPA 200.7	1102287-003	<0.010	1.03	1.06	1.00	mg/L	103	106	3 %
		Copper, Dissolved	EPA 200.7	1102287-003	<0.050	5.37	5.49	5.00	mg/L	107	110	2 %
		Gallium, Dissolved	EPA 200.7	1102287-003	<0.100	1.01	1.03	1.00	mg/L	101	103	2 %
		Iron, Dissolved	EPA 200.7	1102287-003	<0.010	1.07	1.07	1.00	mg/L	106	106	<1%
		Lithium, Dissolved	EPA 200.7	1102287-003	<0.100	0.945	0.988	1.00	mg/L	93	97	4 %
		Magnesium, Dissolved	EPA 200.7	1102287-003	5.77	15.5	15.6	10.0	mg/L	97	98	1 %
		Manganese, Dissolved	EPA 200.7	1102287-003	<0.005	0.971	0.981	1.00	mg/L	97	98	1 %
		Molybdenum, Dissolved	EPA 200.7	1102287-003	<0.010	0.965	0.984	1.00	mg/L	96	98	2 %
		Nickel, Dissolved	EPA 200.7	1102287-003	<0.010	5.03	5.13	5.00	mg/L	101	103	2 %
		Phosphorus, Dissolved	EPA 200.7	1102287-003	<0.500	5.26	5.43	5.00	mg/L	102	105	3 %
		Potassium, Dissolved	EPA 200.7	1102287-003	5.79	15.7	16.4	10.0	mg/L	99	106	4 %
		Scandium, Dissolved	EPA 200.7	1102287-003	<0.100	1.02	1.03	1.00	mg/L	102	103	1 %
		Silver, Dissolved	EPA 200.7	1102287-003	<0.005	0.098	0.099	0.090	mg/L	110	112	1 %
		Sodium, Dissolved	EPA 200.7	1102287-003	31.0	39.3	40.7	10.0	mg/L	83	97	4 %
		Strontium, Dissolved	EPA 200.7	1102287-003	0.151	1.11	1.15	1.00	mg/L	96	100	4 %
		Tin, Dissolved	EPA 200.7	1102287-003	<0.100	0.894	0.914	1.00	mg/L	92	94	2 %
		Titanium, Dissolved	EPA 200.7	1102287-003	<0.100	1.05	1.05	1.00	mg/L	105	105	<1%
		Vanadium, Dissolved	EPA 200.7	1102287-003	0.020	1.05	1.07	1.00	mg/L	103	105	2 %
		Zinc, Dissolved	EPA 200.7	1102287-003	<0.010	1.05	1.08	1.00	mg/L	105	108	3 %
QC1103096	MS 1	Uranium, Dissolved	EPA 200.8	1102287-002	<0.0100	0.0114	0.0109	0.010	mg/L	108	102	4 %
		Mercury, Dissolved	EPA 200.8	1102287-002	<0.000100	0.001020	0.001056	0.001	mg/L	102	106	3 %
		Antimony, Dissolved	EPA 200.8	1102287-002	<0.0025	0.0100	0.0103	0.010	mg/L	100	103	3 %
		Arsenic, Dissolved	EPA 200.8	1102287-002	0.0072	0.0606	0.0607	0.050	mg/L	107	107	<1%
		Lead, Dissolved	EPA 200.8	1102287-002	<0.0025	0.0112	0.0108	0.010	mg/L	112	108	4 %
		Selenium, Dissolved	EPA 200.8	1102287-002	<0.0050	0.0499	0.0500	0.050	mg/L	100	100	<1%
		Thallium, Dissolved	EPA 200.8	1102287-002	<0.0010	0.0103	0.0100	0.010	mg/L	103	100	3 %
QC1103097	MS 1	Uranium, Dissolved	EPA 200.8	1102287-003	<0.0100	0.0123	0.0127	0.010	mg/L	111	115	3 %
		Mercury, Dissolved	EPA 200.8	1102287-003	<0.000100	0.001058	0.001154	0.001	mg/L	104	113	9 %
		Antimony, Dissolved	EPA 200.8	1102287-003	<0.0025	0.0103	0.0102	0.010	mg/L	99	98	1 %
		Arsenic, Dissolved	EPA 200.8	1102287-003	0.0126	0.0650	0.0655	0.050	mg/L	105	106	1 %
		Lead, Dissolved	EPA 200.8	1102287-003	<0.0025	0.0115	0.0116	0.010	mg/L	114	114	1 %
		Selenium, Dissolved	EPA 200.8	1102287-003	<0.0050	0.0483	0.0488	0.050	mg/L	95	96	1 %
		Thallium, Dissolved	EPA 200.8	1102287-003	<0.0010	0.0105	0.0102	0.010	mg/L	104	101	3 %
QC1103148	MS 1	Aluminum	EPA 200.7	1102319-001	0.535	M 1.87	1.89	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1102319-001	0.047	1.04	1.05	1.00	mg/L	99	100	1 %
		Beryllium	EPA 200.7	1102319-001	<0.001	1.00	0.999	1.00	mg/L	100	100	<1%
		Bismuth	EPA 200.7	1102319-001	<0.100	1.02	1.01	1.00	mg/L	102	101	1 %
		Boron	EPA 200.7	1102319-001	<0.100	1.05	1.06	1.00	mg/L	100	101	1 %
		Cadmium	EPA 200.7	1102319-001	<0.001	1.00	1.01	1.00	mg/L	100	101	1 %
		Calcium	EPA 200.7	1102319-001	34.1	43.4	44.9	10.0	mg/L	93	108	3 %
		Chromium	EPA 200.7	1102319-001	<0.005	0.989	0.994	1.00	mg/L	99	99	1 %
		Cobalt	EPA 200.7	1102319-001	<0.010	1.00	1.00	1.00	mg/L	100	100	<1%
		Copper	EPA 200.7	1102319-001	<0.050	5.02	5.10	5.00	mg/L	100	102	2 %
		Gallium	EPA 200.7	1102319-001	<0.100	0.988	0.994	1.00	mg/L	99	99	1 %
		Iron	EPA 200.7	1102319-001	0.379	1.54	1.56	1.00	mg/L	116	118	1 %
		Lithium	EPA 200.7	1102319-001	<0.100	0.979	0.984	1.00	mg/L	97	97	1 %
		Magnesium	EPA 200.7	1102319-001	11.4	21.1	21.2	10.0	mg/L	97	98	<1%
		Manganese	EPA 200.7	1102319-001	0.017	0.989	0.992	1.00	mg/L	97	98	<1%
		Molybdenum	EPA 200.7	1102319-001	<0.010	0.967	0.958	1.00	mg/L	97	96	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1103149	MS 1	Nickel	EPA 200.7	1102319-001	<0.010	4.92	4.95	5.00	mg/L	98	99	1 %
		Phosphorus	EPA 200.7	1102319-001	<0.500	5.28	5.24	5.00	mg/L	104	103	1 %
		Potassium	EPA 200.7	1102319-001	4.14	14.7	14.9	10.0	mg/L	106	108	1 %
		Scandium	EPA 200.7	1102319-001	<0.100	1.00	1.01	1.00	mg/L	100	101	1 %
		Silver	EPA 200.7	1102319-001	<0.005	0.093	0.094	0.090	mg/L	105	106	1 %
		Sodium	EPA 200.7	1102319-001	23.4	33.0	34.2	10.0	mg/L	96	108	4 %
		Strontium	EPA 200.7	1102319-001	0.197	1.19	1.22	1.00	mg/L	99	102	2 %
		Tin	EPA 200.7	1102319-001	<0.100	0.935	0.918	1.00	mg/L	98	96	2 %
		Titanium	EPA 200.7	1102319-001	<0.100	1.02	1.02	1.00	mg/L	101	101	<1%
		Vanadium	EPA 200.7	1102319-001	0.015	1.02	1.02	1.00	mg/L	100	100	<1%
		Zinc	EPA 200.7	1102319-001	<0.010	1.05	1.05	1.00	mg/L	104	104	<1%
		Aluminum	EPA 200.7	1102319-002	0.354	1.51	1.51	1.00	mg/L	116	116	<1%
		Barium	EPA 200.7	1102319-002	0.060	1.02	1.02	1.00	mg/L	96	96	<1%
		Beryllium	EPA 200.7	1102319-002	<0.001	0.982	0.984	1.00	mg/L	98	98	<1%
		Bismuth	EPA 200.7	1102319-002	<0.100	0.981	0.983	1.00	mg/L	100	100	<1%
		Boron	EPA 200.7	1102319-002	<0.100	1.07	1.08	1.00	mg/L	99	100	1 %
		Cadmium	EPA 200.7	1102319-002	<0.001	0.946	0.970	1.00	mg/L	95	97	3 %
		Calcium	EPA 200.7	1102319-002	86.1	96.8	98.8	10.0	mg/L	107	127	2 %
		Chromium	EPA 200.7	1102319-002	<0.005	0.956	0.961	1.00	mg/L	96	96	1 %
		Cobalt	EPA 200.7	1102319-002	<0.010	0.953	0.968	1.00	mg/L	95	97	2 %
		Copper	EPA 200.7	1102319-002	<0.050	4.93	4.90	5.00	mg/L	99	98	1 %
		Gallium	EPA 200.7	1102319-002	<0.100	0.946	0.945	1.00	mg/L	95	94	<1%
		Iron	EPA 200.7	1102319-002	0.312	1.44	1.43	1.00	mg/L	113	112	1 %
		Lithium	EPA 200.7	1102319-002	<0.100	0.978	0.957	1.00	mg/L	96	94	2 %
		Magnesium	EPA 200.7	1102319-002	30.4	39.2	40.0	10.0	mg/L	88	96	2 %
Manganese	EPA 200.7	1102319-002	0.010	0.953	0.964	1.00	mg/L	94	95	1 %		
Molybdenum	EPA 200.7	1102319-002	<0.010	0.943	0.950	1.00	mg/L	95	95	1 %		
Nickel	EPA 200.7	1102319-002	<0.010	4.69	4.77	5.00	mg/L	94	95	2 %		
Phosphorus	EPA 200.7	1102319-002	<0.500	5.16	5.27	5.00	mg/L	101	103	2 %		
Potassium	EPA 200.7	1102319-002	5.89	16.4	16.3	10.0	mg/L	105	104	1 %		
Scandium	EPA 200.7	1102319-002	<0.100	0.993	0.979	1.00	mg/L	99	98	1 %		
Silver	EPA 200.7	1102319-002	<0.005	0.090	0.089	0.090	mg/L	101	100	1 %		
Sodium	EPA 200.7	1102319-002	48.1	58.3	58.0	10.0	mg/L	102	99	1 %		
Strontium	EPA 200.7	1102319-002	0.460	1.46	1.43	1.00	mg/L	100	97	2 %		
Tin	EPA 200.7	1102319-002	<0.100	0.865	0.889	1.00	mg/L	94	96	3 %		
Titanium	EPA 200.7	1102319-002	<0.100	1.01	0.990	1.00	mg/L	100	98	2 %		
Vanadium	EPA 200.7	1102319-002	0.034	1.01	1.02	1.00	mg/L	98	99	1 %		
Zinc	EPA 200.7	1102319-002	<0.010	0.974	1.00	1.00	mg/L	97	100	3 %		
QC1103150	MS 1	Mercury	EPA 200.8	1102319-001	<0.000100	0.001048	0.001046	0.001	mg/L	98	98	<1%
		Antimony	EPA 200.8	1102319-001	<0.0025	0.0107	0.0107	0.010	mg/L	98	97	<1%
		Arsenic	EPA 200.8	1102319-001	<0.0050	0.0605	0.0599	0.050	mg/L	111	110	1 %
		Lead	EPA 200.8	1102319-001	<0.0025	0.0114	0.0116	0.010	mg/L	112	114	2 %
		Selenium	EPA 200.8	1102319-001	<0.0050	0.0551	0.0552	0.050	mg/L	103	104	<1%
		Thallium	EPA 200.8	1102319-001	<0.0010	0.0113	0.0113	0.010	mg/L	112	112	<1%
		Uranium	EPA 200.8	1102319-001	<0.0100	0.0114	0.0117	0.010	mg/L	111	114	3 %
		Mercury	EPA 200.8	1102319-002	<0.000100	0.000984	0.000994	0.001	mg/L	96	97	1 %
QC1103152	MS 1	Antimony	EPA 200.8	1102319-002	<0.0025	0.0112	0.0112	0.010	mg/L	97	97	<1%
		Arsenic	EPA 200.8	1102319-002	0.0082	0.0687	0.0666	0.050	mg/L	121	117	3 %
		Lead	EPA 200.8	1102319-002	<0.0025	0.0111	0.0107	0.010	mg/L	109	105	4 %
		Selenium	EPA 200.8	1102319-002	0.0099	0.0644	0.0598	0.050	mg/L	109	100	7 %
		Thallium	EPA 200.8	1102319-002	<0.0010	0.0110	0.0104	0.010	mg/L	110	104	6 %
		Uranium	EPA 200.8	1102319-002	<0.0100	0.0121	0.0117	0.010	mg/L	112	107	3 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1102331

Report

Due Date: 03/11/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5-Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

S
A
M
P
L
E
T
Y
P
E

N
O
O
F
C
O
N
T
A
I
N
E
R
S

Analyses Requested

Profile II w/o Wat

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO OF CONTAINERS	Spl. No.
604 562 Wk:4	2/25/11	9:00	WW	2	1
604 569					2
604 606					3
604 653					4
604 653					5
604 653					6
604 673					7
604 767					8
604 787					9
604 811					10
604 854					11
604 862					12

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 21°C	2/25	15:05	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers 4-30				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number **1102331**

Report

Due Date: **03/11/11**

Page **2** of **2**

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Fax **775-356-8917**

P.O. Number

Email **mli@mettest.com**

Collector's Name **Robert**

Project Name

Project Number **3438**

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	ANALYSES REQUESTED										Spt. No.				
					1	2	3	4	5	6	7	8	9	10		11	12		
604 867	2/25/11	9:00	WW	2	X														
605 033																			13
605 153																			14
SRK 0854																			15
SRK 0858																			16
SRK 0864																			17
SRK 0866																			18
SRK 0867																			19
SRK 0872																			20
																			21

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 21°C	2/25	15:25	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y NR None				
Number of Containers 58				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



3/17/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1102168

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 2/11/2011. Additional comments are located on page 2 of this report.

This is an amended report that includes the results for Uranium as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1102168

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1102168-012 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1102168-011 Nitrite Nitrogen
- 1102168-014 Nitrite Nitrogen, Chloride
- 1102168-018 Nitrite Nitrogen, Chloride, Iron
- 1102168-019 Nitrite Nitrogen, Chloride, Cadmium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
POAProject: 3438

Date Printed: 3/17/2011
OrderID: 1102168

Customer Sample ID: 604 562 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-001

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.34	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	53	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	44	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Fluoride	EPA 300.0	0.91	mg/L	0.10	2/11/2011
Sulfate	EPA 300.0	88	SC mg/L	1.0	2/11/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/11/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.017	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	38	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	7.4	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.18	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	7.2	mg/L	0.50	2/17/2011

Customer Sample ID: 604 562 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-001

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	2.0	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0051	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	3/11/2011
Anions	Calculation	2.75	meq/L	0.10	
Cations	Calculation	2.78	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 569 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-002

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	62	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	51	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	2/11/2011
Sulfate	EPA 300.0	79	mg/L	1.0	2/11/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/11/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	2/14/2011
Aluminium	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.015	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011

Customer Sample ID: 604 569 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-002

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	28	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	8.6	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.13	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.025	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	9.4	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	8.2	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.25	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.047	mg/L	0.010	3/11/2011
Anions	Calculation	2.75	meq/L	0.10	
Cations	Calculation	2.71	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 606 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-003

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.17	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	120	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011

Customer Sample ID: 604 606 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-003

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	100	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	2/11/2011
Sulfate	EPA 300.0	62	mg/L	1.0	2/11/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/11/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.040	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	36	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	6.6	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.045	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.048	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	18	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	10	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.43	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0057	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.10	mg/L	0.10	3/11/2011

Customer Sample ID: 604 606 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-003

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.35	meq/L	0.10	
Cations	Calculation	3.24	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: 604 653 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-004

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.19	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	1.6	mg/L	1.0	2/11/2011
Fluoride	EPA 300.0	2.7	mg/L	0.10	2/11/2011
Sulfate	EPA 300.0	100	mg/L	1.0	2/11/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/11/2011
Total Dissolved Solids (TDS)	SM 2540C	270 Q	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.035	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	45	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	8.4	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.16	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.038	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	23	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011

Customer Sample ID: 604 653 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-004

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	19	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.44	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0052	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.046	mg/L	0.010	3/11/2011
Anions	Calculation	4.40	meq/L	0.10	
Cations	Calculation	4.36	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 673 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-005

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.98	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	82	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	67	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	2/11/2011
Sulfate	EPA 300.0	38	mg/L	1.0	2/11/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/11/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/11/2011
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.029	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	20	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011

Customer Sample ID: 604 673 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-005

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	3.2	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.014	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.057	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	12	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	12	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.055	mg/L	0.010	3/11/2011
Anions	Calculation	2.22	meq/L	0.10	
Cations	Calculation	2.09	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 767 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-006

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.73	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	83	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	68	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011

Customer Sample ID: 604 767 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-006

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	2.6	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	98	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.028	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	44	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	7.0	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.40	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.015	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	13	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	6.0	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.33	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	0.018	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.012	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.23	mg/L	0.10	3/11/2011
Anions	Calculation	3.54	meq/L	0.10	
Cations	Calculation	3.38	meq/L	0.10	

Customer Sample ID: 604 767 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-006

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	2.3	%	1.0	

Customer Sample ID: 604 787 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-007

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.58	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	88	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	59	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	40	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	6.4	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.083	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.039	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	6.4	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	9.0	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.33	mg/L	0.10	2/17/2011

Customer Sample ID: 604 787 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-007

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0071	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.16	mg/L	0.10	3/11/2011
Anions	Calculation	3.10	meq/L	0.10	
Cations	Calculation	3.08	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 811 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-008

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.05	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	98	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	1.9	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	60	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	38	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011

Customer Sample ID: 604 811 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-008

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	7.1	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.031	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.033	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	12	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	7.8	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.59	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.016	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.063	mg/L	0.010	3/11/2011
Anions	Calculation	3.32	meq/L	0.10	
Cations	Calculation	3.13	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Customer Sample ID: 604 854 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-009

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.92	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	85	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	99	mg/L	1.0	2/12/2011

Customer Sample ID: 604 854 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-009

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.040	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	46	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	8.8	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.096	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.036	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	24	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	5.3	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.70	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.013	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.036	mg/L	0.010	3/11/2011
Anions	Calculation	3.79	meq/L	0.10	
Cations	Calculation	3.87	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: 604 862 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-010

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.18	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	150	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	130	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	3.0	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	46	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	48	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	9.7	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.0096	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.034	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	15	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	4.4	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	1.0	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011

Customer Sample ID: 604 862 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-010

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.019	mg/L	0.010	2/22/2011
Anions	Calculation	3.57	meq/L	0.10	
Cations	Calculation	3.77	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: 604 867 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-011

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	82	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/12/2011
Fluoride	EPA 300.0	3.3	mg/L	0.20	2/12/2011
Sulfate	EPA 300.0	230	mg/L	2.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	500	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.019	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	110	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	8.5	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.12	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.054	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011

Customer Sample ID: 604 867 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-011

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	17	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	2.7	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	1.5	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.016	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	6.60	meq/L	0.10	
Cations	Calculation	6.75	meq/L	0.10	
Error	Calculation	1.1	%	1.0	

Customer Sample ID: 605 033 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-012

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	90	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	74	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	2.7	M mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	68	SC mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.025	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011

Customer Sample ID: 605 033 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-012

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	34	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	4.9	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.029	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	16	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	6.6	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.40	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.028	mg/L	0.010	2/22/2011
Anions	Calculation	3.03	meq/L	0.10	
Cations	Calculation	2.80	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: 605 153 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-013

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.62	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	67	mg/L	1.0	2/11/2011

Customer Sample ID: 605 153 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-013

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	55	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	1.8	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	25	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	87	mg/L	10	2/14/2011
Aluminum	EPA 200.7	0.047	mg/L	0.045	2/17/2011
Barium	EPA 200.7	0.074	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	15	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	3.4	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.014	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	8.2	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	6.1	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	1.2	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011

Customer Sample ID: 605 153 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-013

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	0.013	mg/L	0.010	2/22/2011
Anions	Calculation	1.71	meq/L	0.10	
Cations	Calculation	1.51	meq/L	0.10	
Error	Calculation	6.3	%	1.0	

Customer Sample ID: SRK 0854 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-014

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.21	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	1.3	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	1.1	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/12/2011
Fluoride	EPA 300.0	0.51	mg/L	0.20	2/12/2011
Sulfate	EPA 300.0	430	mg/L	100	2/14/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	670	mg/L	10	2/14/2011
Aluminum	EPA 200.7	0.28	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	0.015	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	120	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	0.077	mg/L	0.010	2/17/2011
Copper	EPA 200.7	33	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	8.0	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	1.8	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	0.042	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	7.6	mg/L	0.50	2/17/2011

Customer Sample ID: SRK 0854 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-014

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	2.1	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.38	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	0.98	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.024	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	9.03	meq/L	0.10	
Cations	Calculation	8.10	meq/L	0.10	
Error	Calculation	5.5	%	1.0	

Customer Sample ID: SRK 0858 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-015

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.59	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	30	mg/L	1.0	2/15/2011
Sulfate	EPA 300.0	160	mg/L	10	2/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	280	mg/L	10	2/14/2011
Aluminum	EPA 200.7	18	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	0.0016	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	0.0014	mg/L	0.0010	2/17/2011

Customer Sample ID: SRK 0858 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-015

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	27	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	0.022	mg/L	0.010	2/17/2011
Copper	EPA 200.7	6.1	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	4.2	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	1.6	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.54	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	2.8	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	0.10	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	0.0026	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	4.91	meq/L	0.10	
Cations	Calculation	4.07	meq/L	0.10	
Error	Calculation	9.3	%	1.0	

Customer Sample ID: SRK 0864 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-016

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.12	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	38	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011

Customer Sample ID: SRK 0864 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-016

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	31	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	2.1	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	120	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	39	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	6.9	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.042	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.049	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	2.6	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	13	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.17	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	0.011	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011

Customer Sample ID: SRK 0864 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-016

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	3.26	meq/L	0.10	
Cations	Calculation	3.15	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: SRK 0866 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-017

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.32	Q pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	31	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	25	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	2/12/2011
Sulfate	EPA 300.0	49	mg/L	1.0	2/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	94	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	19	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	2.4	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	0.035	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	0.022	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	2.4	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011

Customer Sample ID: SRK 0866 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-017

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	3.9	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.19	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/23/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	1.62	meq/L	0.10	
Cations	Calculation	1.38	meq/L	0.10	
Error	Calculation	8.2	%	1.0	

Customer Sample ID: SRK 0867 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-018

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.51	pH Units		2/11/2011
Bicarbonate (HCO ₃)	SM 2320B	12	mg/L	1.0	2/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	9.4	mg/L as CaCO ₃	1.0	2/11/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/12/2011
Fluoride	EPA 300.0	1.5	mg/L	0.20	2/12/2011
Sulfate	EPA 300.0	550	mg/L	100	2/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	840	mg/L	10	2/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	0.0013	mg/L	0.0010	2/17/2011
Calcium	EPA 200.7	170	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011

Customer Sample ID: SRK 0867 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-018

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	0.021	mg/L	0.010	2/17/2011
Copper	EPA 200.7	0.12	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.050	mg/L	0.050	2/22/2011
Lithium	EPA 200.7	0.12	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	17	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	3.6	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	0.022	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	5.3	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	5.5	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.37	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	0.011	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	0.022	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	0.0034	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0099	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	11.8	meq/L	0.10	
Cations	Calculation	10.4	meq/L	0.10	
Error	Calculation	6.2	%	1.0	

Customer Sample ID: SRK 0872 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-019

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.66	pH Units		2/11/2011
Bicarbonate (HCO3)	SM 2320B	20	mg/L	1.0	2/11/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/11/2011
Total Alkalinity	SM 2320B	17	mg/L as CaCO3	1.0	2/11/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/12/2011

Customer Sample ID: SRK 0872 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-019

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	0.89	mg/L	0.20	2/12/2011
Sulfate	EPA 300.0	800	mg/L	100	2/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/12/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/12/2011
Total Dissolved Solids (TDS)	SM 2540C	1200	mg/L	10	2/14/2011
Aluminum	EPA 200.7	0.053	mg/L	0.045	2/17/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	2/22/2011
Calcium	EPA 200.7	260	mg/L	0.50	2/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Cobalt	EPA 200.7	0.010	mg/L	0.010	2/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Magnesium	EPA 200.7	12	mg/L	0.50	2/17/2011
Manganese	EPA 200.7	2.3	mg/L	0.0050	2/17/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/17/2011
Potassium	EPA 200.7	2.7	mg/L	0.50	2/17/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/17/2011
Sodium	EPA 200.7	2.4	mg/L	0.50	2/17/2011
Strontium	EPA 200.7	0.18	mg/L	0.10	2/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/17/2011
Zinc	EPA 200.7	0.023	mg/L	0.010	2/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/22/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/22/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/22/2011
Selenium	EPA 200.8	0.0078	mg/L	0.0050	2/22/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/22/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/22/2011
Anions	Calculation	17.0	meq/L	0.10	
Cations	Calculation	14.2	meq/L	0.10	

Customer Sample ID: SRK 0872 WK:2

Collect Date/Time: 2/11/2011 09:00

WETLAB Sample ID: 1102168-019

Receive Date: 2/11/2011 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	9.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102336	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102336	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102336	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102338	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102338	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102338	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1102340	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102340	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102340	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102342	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102342	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102342	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102344	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102344	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102344	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102387	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102387	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102387	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102391	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102391	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102391	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102396	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102396	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102444	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102444	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102482	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102483	Blank 1	Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC1102556	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1102557	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1102558	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1102333	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC1102333	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1102334	LCS 1	Alkalinity	SM 2320B	96.7	100	97	mg/L
QC1102334	LCS 2	Alkalinity	SM 2320B	96.2	100	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1102336	LCS 1	Fluoride	EPA 300.0	2.02	2.00	101	mg/L
QC1102338	LCS 1	Chloride	EPA 300.0	9.78	10.0	98	mg/L
QC1102340	LCS 1	Nitrite Nitrogen	EPA 300.0	0.532	0.500	106	mg/L
QC1102342	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC1102344	LCS 1	Sulfate	EPA 300.0	24.2	25.0	97	mg/L
QC1102387	LCS 1	Fluoride	EPA 300.0	2.02	2.00	101	mg/L
QC1102391	LCS 1	Sulfate	EPA 300.0	24.4	25.0	97	mg/L
QC1102396	LCS 1	Sulfate	EPA 300.0	5.09	5.00	102	mg/L
QC1102444	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	160	150	107	mg/L
QC1102444	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	137	150	92	mg/L
QC1102482	LCS 1	Aluminum	EPA 200.7	0.940	1.00	94	mg/L
		Barium	EPA 200.7	0.949	1.00	95	mg/L
		Beryllium	EPA 200.7	0.962	1.00	96	mg/L
		Bismuth	EPA 200.7	0.989	1.00	99	mg/L
		Boron	EPA 200.7	0.880	1.00	88	mg/L
		Cadmium	EPA 200.7	0.964	1.00	96	mg/L
		Calcium	EPA 200.7	9.74	10.0	97	mg/L
		Chromium	EPA 200.7	0.946	1.00	95	mg/L
		Cobalt	EPA 200.7	0.961	1.00	96	mg/L
		Copper	EPA 200.7	4.59	5.00	92	mg/L
		Gallium	EPA 200.7	0.959	1.00	96	mg/L
		Iron	EPA 200.7	0.965	1.00	96	mg/L
		Lithium	EPA 200.7	0.878	1.00	88	mg/L
		Magnesium	EPA 200.7	9.81	10.0	98	mg/L
		Manganese	EPA 200.7	0.929	1.00	93	mg/L
		Molybdenum	EPA 200.7	0.961	1.00	96	mg/L
		Nickel	EPA 200.7	4.78	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.89	5.00	98	mg/L
		Potassium	EPA 200.7	9.51	10.0	95	mg/L
		Scandium	EPA 200.7	0.957	1.00	96	mg/L
		Silver	EPA 200.7	0.084	0.090	93	mg/L
		Sodium	EPA 200.7	9.19	10.0	92	mg/L
		Strontium	EPA 200.7	0.930	1.00	93	mg/L
		Tin	EPA 200.7	0.964	1.00	96	mg/L
		Titanium	EPA 200.7	0.991	1.00	99	mg/L
		Vanadium	EPA 200.7	0.941	1.00	94	mg/L
		Zinc	EPA 200.7	0.983	1.00	98	mg/L
QC1102483	LCS 1	Aluminum	EPA 200.7	0.930	1.00	93	mg/L
		Barium	EPA 200.7	0.925	1.00	92	mg/L
		Beryllium	EPA 200.7	0.941	1.00	94	mg/L
		Bismuth	EPA 200.7	0.967	1.00	97	mg/L
		Boron	EPA 200.7	0.850	1.00	85	mg/L
		Cadmium	EPA 200.7	0.928	1.00	93	mg/L
		Calcium	EPA 200.7	9.44	10.0	94	mg/L
		Chromium	EPA 200.7	0.919	1.00	92	mg/L
		Cobalt	EPA 200.7	0.929	1.00	93	mg/L
		Copper	EPA 200.7	4.53	5.00	91	mg/L
		Gallium	EPA 200.7	0.939	1.00	94	mg/L
		Iron	EPA 200.7	0.939	1.00	94	mg/L
		Lithium	EPA 200.7	0.882	1.00	88	mg/L
		Magnesium	EPA 200.7	9.17	10.0	92	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.936	1.00	94	mg/L
		Nickel	EPA 200.7	4.63	5.00	93	mg/L
		Phosphorus	EPA 200.7	4.70	5.00	94	mg/L
		Potassium	EPA 200.7	9.52	10.0	95	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1102556	LCS 1	Scandium	EPA 200.7	0.945	1.00	94	mg/L
		Silver	EPA 200.7	0.083	0.090	92	mg/L
		Sodium	EPA 200.7	8.99	10.0	90	mg/L
		Strontium	EPA 200.7	0.917	1.00	92	mg/L
		Tin	EPA 200.7	0.924	1.00	92	mg/L
		Titanium	EPA 200.7	0.958	1.00	96	mg/L
		Vanadium	EPA 200.7	0.921	1.00	92	mg/L
		Zinc	EPA 200.7	0.934	1.00	93	mg/L
		Mercury	EPA 200.8	0.000968	0.001	97	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0516	0.050	103	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0572	0.050	114	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
QC1102557	LCS 1	Uranium	EPA 200.8	0.0108	0.010	108	mg/L
		Mercury	EPA 200.8	0.000968	0.001	97	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0516	0.050	103	mg/L
		Lead	EPA 200.8	0.0104	0.010	104	mg/L
		Selenium	EPA 200.8	0.0572	0.050	114	mg/L
		Thallium	EPA 200.8	0.0106	0.010	106	mg/L
QC1102558	LCS 1	Uranium	EPA 200.8	0.0108	0.010	108	mg/L
		Mercury	EPA 200.8	0.000939	0.001	94	mg/L
		Antimony	EPA 200.8	0.0100	0.010	100	mg/L
		Arsenic	EPA 200.8	0.0565	0.050	113	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0562	0.050	112	mg/L
		Thallium	EPA 200.8	0.0100	0.010	100	mg/L
Uranium	EPA 200.8	0.0108	0.010	108	mg/L		

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1102333	Duplicate 1	pH	SM 4500-H+ B	1102157-001	8.34	8.36	pH Units	<1%
QC1102333	Duplicate 2	pH	SM 4500-H+ B	1102164-001	8.85	8.87	pH Units	<1%
QC1102333	Duplicate 3	pH	SM 4500-H+ B	1102168-007	7.58	7.65	pH Units	1 %
QC1102333	Duplicate 4	pH	SM 4500-H+ B	1102168-017	7.32	6.98	pH Units	5 %
QC1102334	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1102157-001	484	486	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1102157-001	6.14	6.48	mg/L	5 %
		Hydroxide (OH)	SM 2320B	1102157-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102157-001	407	409	mg/L as CaCO3	1 %
QC1102334	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1102164-001	150	146	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1102164-001	23.4	25.2	mg/L	7 %
		Hydroxide (OH)	SM 2320B	1102164-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102164-001	162	162	mg/L as CaCO3	<1%
QC1102334	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1102168-007	108	108	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102168-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102168-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102168-007	88.3	88.4	mg/L as CaCO3	<1%
QC1102334	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1102168-017	30.8	29.4	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1102168-017	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102168-017	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102168-017	25.2	24.1	mg/L as CaCO3	5 %
QC1102444	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1102146-001	30.0	37.0	mg/L	21 %
QC1102444	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1102160-001	289	272	mg/L	6 %
QC1102444	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1102168-004	273	289	mg/L	6 %
QC1102444	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1102168-016	227	235	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102336	MS 1	Fluoride	EPA 300.0	1102168-001	0.905	2.53	2.44	2.00	mg/L	81	77	4 %
QC1102336	MS 2	Fluoride	EPA 300.0	1102168-012	2.68	M 4.02	3.98	2.00	mg/L	NC	NC	NC
QC1102338	MS 1	Chloride	EPA 300.0	1102168-001	<1.000	5.36	5.34	5.00	mg/L	106	106	<1%
QC1102338	MS 2	Chloride	EPA 300.0	1102168-012	<1.000	5.42	5.45	5.00	mg/L	103	104	1 %
QC1102340	MS 1	Nitrite Nitrogen	EPA 300.0	1102168-001	<0.025	0.528	0.531	0.500	mg/L	105	106	1 %
QC1102340	MS 2	Nitrite Nitrogen	EPA 300.0	1102168-012	<0.025	0.527	0.529	0.500	mg/L	105	106	<1%
QC1102342	MS 1	Nitrate Nitrogen	EPA 300.0	1102168-001	<1.000	1.97	1.99	2.00	mg/L	97	98	1 %
QC1102342	MS 2	Nitrate Nitrogen	EPA 300.0	1102168-012	<1.000	1.96	1.98	2.00	mg/L	97	98	1 %
QC1102344	MS 1	Sulfate	EPA 300.0	1102168-001	87.7	SC 94.8	94.8	10.0	mg/L	NC	NC	NC
QC1102344	MS 2	Sulfate	EPA 300.0	1102168-012	67.8	SC 75.3	75.4	10.0	mg/L	NC	NC	NC
QC1102387	MS 1	Fluoride	EPA 300.0	1102135-005	0.520	2.20	2.19	2.00	mg/L	84	83	<1%
QC1102387	MS 2	Fluoride	EPA 300.0	1102160-002	0.256	1.96	1.96	2.00	mg/L	85	85	<1%
QC1102391	MS 1	Sulfate	EPA 300.0	1102135-005	87.6	96.3	96.3	10.0	mg/L	87	87	<1%
QC1102391	MS 2	Sulfate	EPA 300.0	1102160-002	31.4	40.3	40.3	10.0	mg/L	89	89	<1%
QC1102396	MS 1	Sulfate	EPA 300.0	1102166-022	53.2	105	106	10.0	mg/L	104	105	1 %
QC1102482	MS 1	Aluminum, Dissolved	EPA 200.7	1102187-002	<0.045	0.995	0.952	1.00	mg/L	96	92	4 %
		Barium, Dissolved	EPA 200.7	1102187-002	0.194	1.16	1.09	1.00	mg/L	97	90	6 %
		Beryllium, Dissolved	EPA 200.7	1102187-002	<0.001	0.993	0.935	1.00	mg/L	99	94	6 %
		Bismuth, Dissolved	EPA 200.7	1102187-002	<0.100	0.937	0.884	1.00	mg/L	97	91	6 %
		Boron, Dissolved	EPA 200.7	1102187-002	0.115	1.15	1.07	1.00	mg/L	103	96	7 %
		Cadmium, Dissolved	EPA 200.7	1102187-002	<0.001	0.956	0.881	1.00	mg/L	96	88	8 %
		Calcium, Dissolved	EPA 200.7	1102187-002	238	SC 263	252	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1102187-002	<0.005	0.967	0.908	1.00	mg/L	97	91	6 %
		Cobalt, Dissolved	EPA 200.7	1102187-002	<0.010	0.917	0.851	1.00	mg/L	91	85	7 %
		Copper, Dissolved	EPA 200.7	1102187-002	<0.050	4.81	4.59	5.00	mg/L	96	92	5 %
		Gallium, Dissolved	EPA 200.7	1102187-002	<0.100	0.977	0.923	1.00	mg/L	97	92	6 %
		Iron, Dissolved	EPA 200.7	1102187-002	<0.010	0.972	0.931	1.00	mg/L	97	93	4 %
		Lithium, Dissolved	EPA 200.7	1102187-002	0.547	1.48	1.48	1.00	mg/L	93	93	<1%
		Magnesium, Dissolved	EPA 200.7	1102187-002	75.1	87.7	83.2	10.0	mg/L	126	81	5 %
		Manganese, Dissolved	EPA 200.7	1102187-002	<0.005	0.891	0.839	1.00	mg/L	93	88	6 %
		Molybdenum, Dissolved	EPA 200.7	1102187-002	<0.010	1.00	0.940	1.00	mg/L	101	95	6 %
		Nickel, Dissolved	EPA 200.7	1102187-002	0.012	4.49	4.17	5.00	mg/L	90	83	7 %
		Phosphorus, Dissolved	EPA 200.7	1102187-002	<0.500	5.27	4.82	5.00	mg/L	105	96	9 %
		Potassium, Dissolved	EPA 200.7	1102187-002	9.22	21.4	21.1	10.0	mg/L	122	119	1 %
		Scandium, Dissolved	EPA 200.7	1102187-002	<0.100	0.991	0.945	1.00	mg/L	99	95	5 %
		Silver, Dissolved	EPA 200.7	1102187-002	<0.005	0.089	0.085	0.090	mg/L	100	96	5 %
		Sodium, Dissolved	EPA 200.7	1102187-002	87.3	SC 104	105	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1102187-002	1.55	2.60	2.61	1.00	mg/L	105	106	<1%
		Tin, Dissolved	EPA 200.7	1102187-002	<0.100	0.945	0.866	1.00	mg/L	101	93	9 %
		Titanium, Dissolved	EPA 200.7	1102187-002	<0.100	1.01	0.980	1.00	mg/L	101	98	3 %
		Vanadium, Dissolved	EPA 200.7	1102187-002	0.028	1.03	0.969	1.00	mg/L	100	94	6 %
		Zinc, Dissolved	EPA 200.7	1102187-002	0.035	0.987	0.898	1.00	mg/L	95	86	9 %
QC1102483	MS 1	Aluminum, Dissolved	EPA 200.7	1102187-003	<0.045	0.952	0.925	1.00	mg/L	93	91	3 %
		Barium, Dissolved	EPA 200.7	1102187-003	0.141	1.07	1.02	1.00	mg/L	93	88	5 %
		Beryllium, Dissolved	EPA 200.7	1102187-003	<0.001	0.971	0.931	1.00	mg/L	97	93	4 %
		Bismuth, Dissolved	EPA 200.7	1102187-003	<0.100	0.934	0.905	1.00	mg/L	97	94	3 %
		Boron, Dissolved	EPA 200.7	1102187-003	<0.100	0.976	0.935	1.00	mg/L	96	92	4 %
		Cadmium, Dissolved	EPA 200.7	1102187-003	<0.001	0.913	0.867	1.00	mg/L	91	87	5 %
		Calcium, Dissolved	EPA 200.7	1102187-003	118	126	122	10.0	mg/L	80	40	3 %
		Chromium, Dissolved	EPA 200.7	1102187-003	<0.005	0.935	0.897	1.00	mg/L	93	90	4 %
		Cobalt, Dissolved	EPA 200.7	1102187-003	<0.010	0.880	0.842	1.00	mg/L	88	84	4 %
		Copper, Dissolved	EPA 200.7	1102187-003	<0.050	4.65	4.50	5.00	mg/L	93	90	3 %
		Gallium, Dissolved	EPA 200.7	1102187-003	<0.100	0.960	0.922	1.00	mg/L	95	92	4 %
		Iron, Dissolved	EPA 200.7	1102187-003	<0.010	0.948	1.01	1.00	mg/L	95	101	6 %
		Lithium, Dissolved	EPA 200.7	1102187-003	<0.100	0.897	0.884	1.00	mg/L	88	87	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Magnesium, Dissolved	EPA 200.7	1102187-003	43.1	SC 49.6	47.6	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1102187-003	<0.005	0.895	0.861	1.00	mg/L	92	88	4 %
		Molybdenum, Dissolved	EPA 200.7	1102187-003	<0.010	0.973	0.929	1.00	mg/L	98	93	5 %
		Nickel, Dissolved	EPA 200.7	1102187-003	<0.010	4.33	4.13	5.00	mg/L	87	83	5 %
		Phosphorus, Dissolved	EPA 200.7	1102187-003	<0.500	4.92	4.68	5.00	mg/L	97	92	5 %
		Potassium, Dissolved	EPA 200.7	1102187-003	7.29	17.9	17.8	10.0	mg/L	106	105	1 %
		Scandium, Dissolved	EPA 200.7	1102187-003	<0.100	0.973	0.941	1.00	mg/L	97	94	3 %
		Silver, Dissolved	EPA 200.7	1102187-003	<0.005	0.086	0.084	0.090	mg/L	97	94	2 %
		Sodium, Dissolved	EPA 200.7	1102187-003	42.2	51.9	52.5	10.0	mg/L	97	103	1 %
		Strontium, Dissolved	EPA 200.7	1102187-003	0.670	1.60	1.60	1.00	mg/L	93	93	<1%
		Tin, Dissolved	EPA 200.7	1102187-003	<0.100	0.897	0.842	1.00	mg/L	98	92	6 %
		Titanium, Dissolved	EPA 200.7	1102187-003	<0.100	0.989	0.961	1.00	mg/L	99	96	3 %
		Vanadium, Dissolved	EPA 200.7	1102187-003	0.035	0.996	0.956	1.00	mg/L	96	92	4 %
		Zinc, Dissolved	EPA 200.7	1102187-003	<0.010	0.903	0.853	1.00	mg/L	90	85	6 %
QC1102556	MS 1	Uranium, Dissolved	EPA 200.8	1102187-001	<0.0100	0.0122	0.0122	0.010	mg/L	105	105	<1%
		Mercury, Dissolved	EPA 200.8	1102187-001	<0.000100 M	0.001363	0.001400	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1102187-001	<0.0025	0.0113	0.0113	0.010	mg/L	112	112	<1%
		Arsenic, Dissolved	EPA 200.8	1102187-001	0.0114	0.0733	0.0731	0.050	mg/L	124	123	<1%
		Lead, Dissolved	EPA 200.8	1102187-001	<0.0025	0.0111	0.0112	0.010	mg/L	111	112	1 %
		Selenium, Dissolved	EPA 200.8	1102187-001	<0.0050	0.0585	0.0582	0.050	mg/L	112	112	1 %
		Thallium, Dissolved	EPA 200.8	1102187-001	<0.0010	0.0110	0.0112	0.010	mg/L	110	112	2 %
QC1102557	MS 1	Uranium, Dissolved	EPA 200.8	1102187-002	<0.0100	0.0123	0.0124	0.010	mg/L	116	117	1 %
		Mercury, Dissolved	EPA 200.8	1102187-002	0.000302 M	0.001692	0.001727	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1102187-002	<0.0025	0.0115	0.0117	0.010	mg/L	115	117	2 %
		Arsenic, Dissolved	EPA 200.8	1102187-002	0.0052	0.0673	0.0681	0.050	mg/L	124	126	1 %
		Lead, Dissolved	EPA 200.8	1102187-002	<0.0025	0.0114	0.0117	0.010	mg/L	114	117	3 %
		Selenium, Dissolved	EPA 200.8	1102187-002	0.0163	0.0712	0.0719	0.050	mg/L	110	111	1 %
		Thallium, Dissolved	EPA 200.8	1102187-002	<0.0010	0.0108	0.0114	0.010	mg/L	108	114	5 %
QC1102558	MS 1	Uranium, Dissolved	EPA 200.8	1102187-003	0.0104	0.0220	0.0222	0.010	mg/L	115	117	1 %
		Mercury, Dissolved	EPA 200.8	1102187-003	0.005191	SC 0.006942	0.006970	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1102187-003	<0.0025	0.0120	0.0119	0.010	mg/L	118	117	1 %
		Arsenic, Dissolved	EPA 200.8	1102187-003	0.0781	M 0.1441	0.1437	0.050	mg/L	NC	NC	NC
		Lead, Dissolved	EPA 200.8	1102187-003	<0.0025	0.0119	0.0118	0.010	mg/L	119	118	1 %
		Selenium, Dissolved	EPA 200.8	1102187-003	0.0095	0.0668	0.0669	0.050	mg/L	114	115	<1%
		Thallium, Dissolved	EPA 200.8	1102187-003	<0.0010	0.0115	0.0114	0.010	mg/L	115	114	1 %



2/18/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1102063

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 2/4/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
Laboratory Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1102063

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on samples 1102063-002 and 013 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1102063-001,014,015,019 Nitrite Nitrogen, Chloride

1102063-010 Manganese

1102063-018 Nitrite Nitrogen

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA -- Reported value was calculated using the method of Standard Additions.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 2/18/2011

OrderID: 1102063

Customer Sample ID: 604 562 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-001

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	84	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/5/2011
Fluoride	EPA 300.0	1.8	mg/L	0.20	2/5/2011
Sulfate	EPA 300.0	400	mg/L	2.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	720	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.022	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	150	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	31	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.91	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	22	mg/L	0.50	2/10/2011

Customer Sample ID: 604 562 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-001

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	9.6	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	1.5	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.031	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	0.033	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	0.0071	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.0082	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	10.1	meq/L	0.10	
Cations	Calculation	11.0	meq/L	0.10	
Error	Calculation	4.7	%	1.0	

Customer Sample ID: 604 569 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-002

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	88	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	72	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	2.7	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	2.7	M mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	72	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.013	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.11	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	28	mg/L	0.50	2/10/2011

Customer Sample ID: 604 569 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-002

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	9.0	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.15	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.060	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	14	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	20	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.27	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	3.16	meq/L	0.10	
Cations	Calculation	3.37	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: 604 606 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-003

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.43	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	4.8	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	95	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	2.3	mg/L	1.0	2/5/2011

Customer Sample ID: 604 606 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-003

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	2.0	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	35	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.026	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.20	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	24	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	4.2	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.020	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.083	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	22	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	23	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.30	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	2.86	meq/L	0.10	
Cations	Calculation	3.11	meq/L	0.10	
Error	Calculation	4.1	%	1.0	

Customer Sample ID: 604 606 WK:1
 WETLAB Sample ID: 1102063-003

Collect Date/Time: 2/4/2011 09:00

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: 604 653 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-004

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.13	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	71	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	58	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	3.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	1.3	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	59	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.030	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	24	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	4.3	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.055	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.052	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	16	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	17	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.24	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011

Customer Sample ID: 604 653 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-004

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	2.55	meq/L	0.10	
Cations	Calculation	2.70	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: 604 673 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-005

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.33	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	82	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	2.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	70	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	1.5	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	2.0	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	60	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.019	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.13	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	25	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011

Customer Sample ID: 604 673 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-005

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	4.0	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.010	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.094	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	16	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	21	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.23	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.0062	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	2.81	meq/L	0.10	
Cations	Calculation	2.90	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 767 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-006

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	83	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	68	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	2.9	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	3.6	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	170	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	370	mg/L	10	2/7/2011

Customer Sample ID: 604 767 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-006

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.024	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.16	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	69	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	11	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.46	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	24	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	16	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.53	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	0.012	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.019	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	5.17	meq/L	0.10	
Cations	Calculation	5.68	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: 604 787 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-007

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	91	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	2.2	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	130	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	310	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	63	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	9.9	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.094	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.084	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	9.3	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	20	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.56	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/16/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011

Customer Sample ID: 604 787 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-007

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Selenium	EPA 200.8	0.013	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/16/2011
Anions	Calculation	4.66	meq/L	0.10	
Cations	Calculation	5.07	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: 604 811 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-008

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.38	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	3.7	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	2.5	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	59	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	41	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	7.6	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.023	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.055	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011

Customer Sample ID: 604 811 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-008

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Potassium	EPA 200.7	15	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	19	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.64	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.011	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/16/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Selenium	EPA 200.8	0.015	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/16/2011
Anions	Calculation	3.64	meq/L	0.10	
Cations	Calculation	3.88	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: 604 854 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-009

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.36	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	3.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	2.6	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	120	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	2/9/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.038	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.14	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011

Customer Sample ID: 604 854 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-009

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	54	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	10	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.086	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.060	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	41	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	15	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.91	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/16/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/16/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/16/2011
Selenium	EPA 200.8	0.015	mg/L	0.0050	2/16/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/16/2011
Anions	Calculation	4.94	meq/L	0.10	
Cations	Calculation	5.22	meq/L	0.10	
Error	Calculation	2.8	%	1.0	

Customer Sample ID: 604 862 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-010

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.30	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	180	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	1.1	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	150	mg/L as CaCO ₃	1.0	2/4/2011

Customer Sample ID: 604 862 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-010

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	3.6	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	63	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	280	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	56	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	12	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	<0.025	mg/L	0.025	2/11/2011
Molybdenum	EPA 200.7	0.043	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	21	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	13	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	1.3	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.016	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	4.51	meq/L	0.10	
Cations	Calculation	4.88	meq/L	0.10	

Customer Sample ID: 604 862 WK:1
 WETLAB Sample ID: 1102063-010

Collect Date/Time: 2/4/2011 09:00
 Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	4.0	%	1.0	

Customer Sample ID: 604 867 WK:1
 WETLAB Sample ID: 1102063-011

Collect Date/Time: 2/4/2011 09:00
 Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.10	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	84	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	3.9	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	210	mg/L	1.0	2/18/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	490	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.020	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	110	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	8.7	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.099	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.078	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	26	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	6.2	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	1.8	mg/L	0.10	2/10/2011

Customer Sample ID: 604 867 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-011

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.012	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.020	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	6.23	meq/L	0.10	
Cations	Calculation	7.14	meq/L	0.10	
Error	Calculation	6.8	%	1.0	

Customer Sample ID: 605 033 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-012

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.27	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	88	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	2.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	3.3	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	83	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.029	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	42	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011

Customer Sample ID: 605 033 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-012

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	6.5	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.023	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.048	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	25	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	17	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.51	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.014	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	3.76	meq/L	0.10	
Cations	Calculation	4.01	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: 605 153 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-013

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.26	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	84	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	2.6	M mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	40	mg/L	1.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/5/2011

Customer Sample ID: 605 153 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-013

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.13	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.17	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	23	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	5.4	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.048	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.019	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	14	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	19	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	1.8	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	2.61	meq/L	0.10	
Cations	Calculation	2.78	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: SRK 0854 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-014

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.98	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	<5.0	mg/L	5.0	2/5/2011
Fluoride	EPA 300.0	1.7	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	880	mg/L	5.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	1300	mg/L	10	2/7/2011
Aluminum	EPA 200.7	1.6	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	0.0016	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	0.045	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	220	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	0.24	mg/L	0.010	2/10/2011
Copper	EPA 200.7	160	mg/L	0.25	2/11/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	0.61	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	0.16	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	21	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	5.0	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	0.12	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	18	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	6.9	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.79	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.019	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	3.2	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011

Customer Sample ID: SRK 0854 WK:1
 WETLAB Sample ID: 1102063-014

Collect Date/Time: 2/4/2011 09:00
 Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	0.0030	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.049	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	18.5	meq/L	0.10	
Cations	Calculation	19.0	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: SRK 0858 WK:1
 WETLAB Sample ID: 1102063-015

Collect Date/Time: 2/4/2011 09:00
 Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.27	pH Units		2/4/2011
Acidity (Titrimetric)	SM 2310B	280	mg/L as CaCO3		2/11/2011
Chloride	EPA 300.0	<2.0	mg/L	2.0	2/5/2011
Fluoride	EPA 300.0	43	mg/L	1.0	2/10/2011
Sulfate	EPA 300.0	440	mg/L	10	2/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	720	mg/L	10	2/7/2011
Aluminum	EPA 200.7	40	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	0.0034	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	0.0048	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	85	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	0.070	mg/L	0.010	2/10/2011
Copper	EPA 200.7	20	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	22	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	5.2	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	1.7	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	0.029	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	6.6	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011

Customer Sample ID: SRK 0858 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-015

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	5.0	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.17	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	0.32	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.0072	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	11.5	meq/L	0.10	
Cations	Calculation	14.2	meq/L	0.10	
Error	Calculation	11	%	1.0	

Customer Sample ID: SRK 0864 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-016

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.60	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	33	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	27	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	4.8	mg/L	2.0	2/5/2011
Fluoride	EPA 300.0	2.2	mg/L	0.20	2/5/2011
Sulfate	EPA 300.0	310	mg/L	2.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	2.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	0.085	mg/L	0.050	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	560	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.018	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	99	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011

Customer Sample ID: SRK 0864 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-016

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	19	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.12	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.075	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	4.8	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	29	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.44	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.026	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	7.39	meq/L	0.10	
Cations	Calculation	7.89	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: SRK 0866 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-017

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.42	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	21	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	17	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	3.7	mg/L	1.0	2/5/2011
Fluoride	EPA 300.0	1.4	mg/L	0.10	2/5/2011
Sulfate	EPA 300.0	130	mg/L	1.0	2/5/2011

Customer Sample ID: SRK 0866 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-017

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	1.2	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	0.029	mg/L	0.025	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	2/7/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/10/2011
Barium	EPA 200.7	0.012	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	50	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	6.7	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	0.093	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	0.026	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	4.7	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	9.3	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.52	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	3.31	meq/L	0.10	
Cations	Calculation	3.57	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Customer Sample ID: SRK 0867 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-018

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	6.78	pH Units		2/4/2011
Bicarbonate (HCO ₃)	SM 2320B	12	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	10	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	6.2	mg/L	2.0	2/5/2011
Fluoride	EPA 300.0	1.2	mg/L	0.20	2/5/2011
Sulfate	EPA 300.0	530	mg/L	2.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	900	mg/L	10	2/7/2011
Aluminum	EPA 200.7	0.055	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	0.32	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	0.0047	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	200	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	0.070	mg/L	0.010	2/10/2011
Copper	EPA 200.7	0.72	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	0.31	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	22	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	6.2	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	0.083	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011
Potassium	EPA 200.7	7.5	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	12	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.49	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.022	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	0.12	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	0.0027	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011

Customer Sample ID: SRK 0867 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-018

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.016	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	11.5	meq/L	0.10	
Cations	Calculation	12.8	meq/L	0.10	
Error	Calculation	5.3	%	1.0	

Customer Sample ID: SRK 0872 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-019

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.00	pH Units		2/4/2011
Bicarbonate (HCO3)	SM 2320B	18	mg/L	1.0	2/4/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	15	mg/L as CaCO3	1.0	2/4/2011
Chloride	EPA 300.0	<5.0	mg/L	5.0	2/5/2011
Fluoride	EPA 300.0	0.74	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	830	mg/L	5.0	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/5/2011
Nitrite Nitrogen	EPA 300.0	<0.12	mg/L	0.12	2/5/2011
Total Dissolved Solids (TDS)	SM 2540C	1400	mg/L	10	2/7/2011
Aluminum	EPA 200.7	0.068	mg/L	0.045	2/10/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/10/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Cadmium	EPA 200.7	0.0027	mg/L	0.0010	2/10/2011
Calcium	EPA 200.7	330	mg/L	0.50	2/10/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Cobalt	EPA 200.7	0.024	mg/L	0.010	2/10/2011
Copper	EPA 200.7	0.14	mg/L	0.050	2/10/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Magnesium	EPA 200.7	19	mg/L	0.50	2/10/2011
Manganese	EPA 200.7	3.8	mg/L	0.0050	2/10/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/10/2011
Nickel	EPA 200.7	0.014	mg/L	0.010	2/10/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/10/2011

Customer Sample ID: SRK 0872 WK:1

Collect Date/Time: 2/4/2011 09:00

WETLAB Sample ID: 1102063-019

Receive Date: 2/4/2011 16:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Potassium	EPA 200.7	4.4	mg/L	0.50	2/10/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/10/2011
Sodium	EPA 200.7	6.0	mg/L	0.50	2/10/2011
Strontium	EPA 200.7	0.29	mg/L	0.10	2/10/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/10/2011
Vanadium	EPA 200.7	0.021	mg/L	0.010	2/10/2011
Zinc	EPA 200.7	0.084	mg/L	0.010	2/10/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/14/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/14/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/14/2011
Selenium	EPA 200.8	0.014	mg/L	0.0050	2/14/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/14/2011
Anions	Calculation	17.7	meq/L	0.10	
Cations	Calculation	18.6	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102176	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102176	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102176	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102177	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102177	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102177	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1102178	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102178	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102178	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102179	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102179	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102179	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102180	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102180	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102180	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102182	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102182	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102182	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102183	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102183	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102184	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102184	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102185	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102185	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102186	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102186	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102186	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102250	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102250	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102269	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102269	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102280	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102280	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102282	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102282	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102282	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102293	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1102294	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1102295	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC1102315	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102378	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1102379	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC1102380	Blank 1	Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1102165	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1102165	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC1102166	LCS 1	Alkalinity	SM 2320B	95.2	100	95	mg/L
QC1102166	LCS 2	Alkalinity	SM 2320B	95.6	100	96	mg/L
QC1102176	LCS 1	Fluoride	EPA 300.0	1.92	2.00	96	mg/L
QC1102177	LCS 1	Chloride	EPA 300.0	9.99	10.0	100	mg/L
QC1102178	LCS 1	Nitrite Nitrogen	EPA 300.0	0.517	0.500	103	mg/L
QC1102179	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC1102180	LCS 1	Sulfate	EPA 300.0	25.4	25.0	102	mg/L
QC1102182	LCS 1	Fluoride	EPA 300.0	1.92	2.00	96	mg/L
QC1102183	LCS 1	Chloride	EPA 300.0	9.99	10.0	100	mg/L
QC1102184	LCS 1	Nitrite Nitrogen	EPA 300.0	0.517	0.500	103	mg/L
QC1102185	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC1102186	LCS 1	Sulfate	EPA 300.0	25.4	25.0	102	mg/L
QC1102250	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC1102250	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC1102269	LCS 1	Fluoride	EPA 300.0	2.17	2.00	109	mg/L
QC1102280	LCS 1	Sulfate	EPA 300.0	23.0	25.0	92	mg/L
QC1102282	LCS 1	Sulfate	EPA 300.0	5.15	5.00	103	mg/L
QC1102293	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	1.06	1.00	106	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.08	1.00	108	mg/L
		Boron	EPA 200.7	1.02	1.00	102	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Cadmium	EPA 200.7	1.08	1.00	108	mg/L
		Calcium	EPA 200.7	10.5	10.0	105	mg/L
		Chromium	EPA 200.7	1.05	1.00	105	mg/L
		Cobalt	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.27	5.00	105	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.01	1.00	101	mg/L
		Magnesium	EPA 200.7	10.4	10.0	104	mg/L
		Manganese	EPA 200.7	1.05	1.00	105	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.35	5.00	107	mg/L
		Phosphorus	EPA 200.7	5.44	5.00	109	mg/L
		Potassium	EPA 200.7	10.3	10.0	103	mg/L
		Scandium	EPA 200.7	1.05	1.00	105	mg/L
		Silver	EPA 200.7	0.098	0.090	109	mg/L
		Sodium	EPA 200.7	10.3	10.0	103	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.05	1.00	105	mg/L
		Zinc	EPA 200.7	1.10	1.00	110	mg/L
QC1102294	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	1.06	1.00	106	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.08	1.00	108	mg/L
		Boron	EPA 200.7	1.02	1.00	102	mg/L
		Cadmium	EPA 200.7	1.08	1.00	108	mg/L
		Calcium	EPA 200.7	10.5	10.0	105	mg/L
		Chromium	EPA 200.7	1.05	1.00	105	mg/L
		Cobalt	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.27	5.00	105	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.01	1.00	101	mg/L
		Magnesium	EPA 200.7	10.4	10.0	104	mg/L
		Manganese	EPA 200.7	1.05	1.00	105	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.35	5.00	107	mg/L
		Phosphorus	EPA 200.7	5.44	5.00	109	mg/L
		Potassium	EPA 200.7	10.3	10.0	103	mg/L
		Scandium	EPA 200.7	1.05	1.00	105	mg/L
		Silver	EPA 200.7	0.098	0.090	109	mg/L
		Sodium	EPA 200.7	10.3	10.0	103	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	1.07	1.00	107	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.05	1.00	105	mg/L
		Zinc	EPA 200.7	1.10	1.00	110	mg/L
QC1102295	LCS 1	Aluminum	EPA 200.7	1.08	1.00	108	mg/L
		Barium	EPA 200.7	1.08	1.00	108	mg/L
		Beryllium	EPA 200.7	1.07	1.00	107	mg/L
		Bismuth	EPA 200.7	1.08	1.00	108	mg/L
		Boron	EPA 200.7	1.04	1.00	104	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.4	10.0	104	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Chromium	EPA 200.7	1.06	1.00	106	mg/L
		Cobalt	EPA 200.7	1.07	1.00	107	mg/L
		Copper	EPA 200.7	5.43	5.00	109	mg/L
		Gallium	EPA 200.7	1.09	1.00	109	mg/L
		Iron	EPA 200.7	1.07	1.00	107	mg/L
		Lithium	EPA 200.7	1.05	1.00	105	mg/L
		Magnesium	EPA 200.7	10.4	10.0	104	mg/L
		Manganese	EPA 200.7	1.03	1.00	103	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.39	5.00	108	mg/L
		Phosphorus	EPA 200.7	5.40	5.00	108	mg/L
		Potassium	EPA 200.7	10.8	10.0	108	mg/L
		Scandium	EPA 200.7	1.08	1.00	108	mg/L
		Silver	EPA 200.7	0.098	0.090	109	mg/L
		Sodium	EPA 200.7	10.8	10.0	108	mg/L
		Strontium	EPA 200.7	1.06	1.00	106	mg/L
		Tin	EPA 200.7	1.05	1.00	105	mg/L
		Titanium	EPA 200.7	1.08	1.00	108	mg/L
		Vanadium	EPA 200.7	1.07	1.00	107	mg/L
		Zinc	EPA 200.7	1.10	1.00	110	mg/L
QC1102315	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC1102378	LCS 1	Mercury	EPA 200.8	0.001132	0.001	113	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0566	0.050	113	mg/L
		Lead	EPA 200.8	0.0110	0.010	110	mg/L
		Selenium	EPA 200.8	0.0544	0.050	109	mg/L
		Thallium	EPA 200.8	0.0110	0.010	110	mg/L
QC1102379	LCS 1	Mercury	EPA 200.8	0.001132	0.001	113	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0566	0.050	113	mg/L
		Lead	EPA 200.8	0.0110	0.010	110	mg/L
		Selenium	EPA 200.8	0.0544	0.050	109	mg/L
		Thallium	EPA 200.8	0.0110	0.010	110	mg/L
QC1102380	LCS 1	Mercury	EPA 200.8	0.001116	0.001	112	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0565	0.050	113	mg/L
		Lead	EPA 200.8	0.0112	0.010	112	mg/L
		Selenium	EPA 200.8	0.0561	0.050	112	mg/L
		Thallium	EPA 200.8	0.0112	0.010	112	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1102165	Duplicate 1	pH	SM 4500-H+ B	1102056-001	7.69	7.68	pH Units	<1%
QC1102165	Duplicate 2	pH	SM 4500-H+ B	1102059-002	7.86	7.84	pH Units	<1%
QC1102165	Duplicate 3	pH	SM 4500-H+ B	1102063-007	8.01	8.04	pH Units	<1%
QC1102165	Duplicate 4	pH	SM 4500-H+ B	1102063-017	7.42	7.36	pH Units	1 %
QC1102166	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1102056-001	170	170	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102056-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102056-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102056-001	139	140	mg/L as CaCO3	<1%
QC1102166	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1102059-002	213	213	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102059-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102059-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102059-002	175	174	mg/L as CaCO3	<1%
QC1102166	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1102063-007	111	111	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1102063-007	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1102166	Duplicate 4	Hydroxide (OH)	SM 2320B	1102063-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1102063-007	91.1	91.4	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1102063-017	20.6	19.2	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1102063-017	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1102063-017	<1.000	<1.000	mg/L	<1%
QC1102250	Duplicate 1	Total Alkalinity	SM 2320B	1102063-017	16.8	15.8	mg/L as CaCO3	7 %
		Total Dissolved Solids (TDS)	SM 2540C	1102052-001	606	608	mg/L	<1%
QC1102250	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1102056-009	535	523	mg/L	2 %
QC1102250	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1102063-010	282	280	mg/L	1 %
QC1102250	Duplicate 4	Total Dissolved Solids (TDS)	SM 2540C	1102065-001	1424	1400	mg/L	2 %
QC1102315	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1102082-001	579	577	mg/L	<1%
QC1102315	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1102098-008	301	309	mg/L	3 %
QC1102325	Duplicate 1	Acidity (Titrimetric)	SM 2310B	1102078-001	16.0	16.0	mg/L as CaCO3	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102176	MS 1	Fluoride	EPA 300.0	1102059-001	<0.100	1.82	1.79	2.00	mg/L	89	88	2 %
QC1102176	MS 2	Fluoride	EPA 300.0	1102063-002	2.70	M 4.06	4.13	2.00	mg/L	NC	NC	NC
QC1102177	MS 1	Chloride	EPA 300.0	1102059-001	2.74	8.04	8.13	5.00	mg/L	106	108	1 %
QC1102177	MS 2	Chloride	EPA 300.0	1102063-002	2.72	7.92	7.92	5.00	mg/L	104	104	<1%
QC1102178	MS 1	Nitrite Nitrogen	EPA 300.0	1102059-001	<0.025	0.564	0.575	0.500	mg/L	110	113	2 %
QC1102178	MS 2	Nitrite Nitrogen	EPA 300.0	1102063-002	<0.025	0.541	0.540	0.500	mg/L	107	107	<1%
QC1102179	MS 1	Nitrate Nitrogen	EPA 300.0	1102059-001	<1.000	2.17	2.19	2.00	mg/L	107	108	1 %
QC1102179	MS 2	Nitrate Nitrogen	EPA 300.0	1102063-002	<1.000	2.05	2.10	2.00	mg/L	102	104	2 %
QC1102180	MS 1	Sulfate	EPA 300.0	1102059-001	65.2	74.0	74.1	10.0	mg/L	88	89	<1%
QC1102180	MS 2	Sulfate	EPA 300.0	1102063-002	72.1	80.7	80.7	10.0	mg/L	86	86	<1%
QC1102182	MS 1	Fluoride	EPA 300.0	1102063-013	2.63	M 3.97	3.97	2.00	mg/L	NC	NC	NC
QC1102182	MS 2	Fluoride	EPA 300.0	1101435-014	3.65	21.9	20.9	2.00	mg/L	91	86	5 %
QC1102183	MS 1	Chloride	EPA 300.0	1102063-013	<1.000	5.78	5.72	5.00	mg/L	106	105	1 %
QC1102184	MS 1	Nitrite Nitrogen	EPA 300.0	1102063-013	<0.025	0.541	0.540	0.500	mg/L	107	107	<1%
QC1102185	MS 1	Nitrate Nitrogen	EPA 300.0	1102063-013	<1.000	2.13	2.14	2.00	mg/L	104	104	<1%
QC1102186	MS 1	Sulfate	EPA 300.0	1102063-013	40.4	49.8	49.8	10.0	mg/L	94	95	<1%
QC1102186	MS 2	Sulfate	EPA 300.0	1101435-014	202	308	306	10.0	mg/L	105	104	1 %
QC1102269	MS 1	Fluoride	EPA 300.0	1102113-001	0.968	2.57	2.64	2.00	mg/L	80	83	3 %
QC1102280	MS 1	Sulfate	EPA 300.0	1102113-001	145	M 151	152	10.0	mg/L	NC	NC	NC
QC1102282	MS 1	Sulfate	EPA 300.0	1102100-019	40.5	60.8	60.7	10.0	mg/L	101	101	<1%
QC1102282	MS 2	Sulfate	EPA 300.0	1102100-027	<1.000	11.1	11.3	10.0	mg/L	104	106	2 %
QC1102293	MS 1	Aluminum, Dissolved	EPA 200.7	1102056-001	<0.045	0.955	0.952	1.00	mg/L	93	93	<1%
		Barium, Dissolved	EPA 200.7	1102056-001	0.223	1.25	1.25	1.00	mg/L	103	103	<1%
		Beryllium, Dissolved	EPA 200.7	1102056-001	<0.001	1.06	1.06	1.00	mg/L	106	106	<1%
		Bismuth, Dissolved	EPA 200.7	1102056-001	<0.100	0.984	0.986	1.00	mg/L	102	102	<1%
		Boron, Dissolved	EPA 200.7	1102056-001	0.300	1.36	1.37	1.00	mg/L	106	107	1 %
		Cadmium, Dissolved	EPA 200.7	1102056-001	<0.001	1.03	1.03	1.00	mg/L	103	103	<1%
		Calcium, Dissolved	EPA 200.7	1102056-001	137	146	145	10.0	mg/L	90	80	1 %
		Chromium, Dissolved	EPA 200.7	1102056-001	<0.005	1.03	1.03	1.00	mg/L	103	103	<1%
		Cobalt, Dissolved	EPA 200.7	1102056-001	<0.010	1.00	1.00	1.00	mg/L	100	100	<1%
		Copper, Dissolved	EPA 200.7	1102056-001	<0.050	5.06	5.09	5.00	mg/L	101	102	1 %
		Gallium, Dissolved	EPA 200.7	1102056-001	<0.100	0.962	0.963	1.00	mg/L	96	96	<1%
		Iron, Dissolved	EPA 200.7	1102056-001	<0.050	1.04	1.03	1.00	mg/L	104	103	1 %
		Lithium, Dissolved	EPA 200.7	1102056-001	<0.100	1.00	1.00	1.00	mg/L	99	99	<1%
		Magnesium, Dissolved	EPA 200.7	1102056-001	35.6	44.6	44.2	10.0	mg/L	90	86	1 %
		Manganese, Dissolved	EPA 200.7	1102056-001	<0.005	0.989	0.989	1.00	mg/L	101	101	<1%
		Molybdenum, Dissolved	EPA 200.7	1102056-001	<0.010	1.06	1.07	1.00	mg/L	107	108	1 %
		Nickel, Dissolved	EPA 200.7	1102056-001	<0.010	4.96	4.99	5.00	mg/L	99	100	1 %
		Phosphorus, Dissolved	EPA 200.7	1102056-001	<0.500	5.64	5.65	5.00	mg/L	110	110	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Potassium, Dissolved	EPA 200.7	1102056-001	5.73	16.3	16.1	10.0	mg/L	106	104	1 %
		Scandium, Dissolved	EPA 200.7	1102056-001	<0.100	1.04	1.05	1.00	mg/L	104	105	1 %
		Silver, Dissolved	EPA 200.7	1102056-001	<0.005	0.093	0.095	0.090	mg/L	105	106	2 %
		Sodium, Dissolved	EPA 200.7	1102056-001	75.0	84.4	84.8	10.0	mg/L	94	98	<1%
		Strontium, Dissolved	EPA 200.7	1102056-001	1.24	2.22	2.22	1.00	mg/L	98	98	<1%
		Tin, Dissolved	EPA 200.7	1102056-001	<0.100	0.903	0.904	1.00	mg/L	108	108	<1%
		Titanium, Dissolved	EPA 200.7	1102056-001	<0.100	1.04	1.03	1.00	mg/L	104	103	1 %
		Vanadium, Dissolved	EPA 200.7	1102056-001	0.037	1.09	1.09	1.00	mg/L	105	105	<1%
		Zinc, Dissolved	EPA 200.7	1102056-001	0.035	1.08	1.09	1.00	mg/L	105	106	1 %
QC1102294	MS 1	Aluminum, Dissolved	EPA 200.7	1102056-002	<0.045	0.990	0.991	1.00	mg/L	98	98	<1%
		Barium, Dissolved	EPA 200.7	1102056-002	0.059	1.10	1.10	1.00	mg/L	104	104	<1%
		Beryllium, Dissolved	EPA 200.7	1102056-002	<0.001	1.06	1.06	1.00	mg/L	106	106	<1%
		Bismuth, Dissolved	EPA 200.7	1102056-002	<0.100	1.03	1.03	1.00	mg/L	105	105	<1%
		Boron, Dissolved	EPA 200.7	1102056-002	0.166	1.23	1.24	1.00	mg/L	106	107	1 %
		Cadmium, Dissolved	EPA 200.7	1102056-002	<0.001	1.05	1.05	1.00	mg/L	105	105	<1%
		Calcium, Dissolved	EPA 200.7	1102056-002	45.2	54.5	55.9	10.0	mg/L	93	107	3 %
		Chromium, Dissolved	EPA 200.7	1102056-002	<0.005	1.04	1.04	1.00	mg/L	104	104	<1%
		Cobalt, Dissolved	EPA 200.7	1102056-002	<0.010	1.03	1.03	1.00	mg/L	103	103	<1%
		Copper, Dissolved	EPA 200.7	1102056-002	<0.050	5.19	5.21	5.00	mg/L	104	104	<1%
		Gallium, Dissolved	EPA 200.7	1102056-002	<0.100	1.01	1.01	1.00	mg/L	101	101	<1%
		Iron, Dissolved	EPA 200.7	1102056-002	0.064	1.10	1.10	1.00	mg/L	104	104	<1%
		Lithium, Dissolved	EPA 200.7	1102056-002	<0.100	1.01	1.03	1.00	mg/L	100	102	2 %
		Magnesium, Dissolved	EPA 200.7	1102056-002	18.6	27.8	28.6	10.0	mg/L	92	100	3 %
		Manganese, Dissolved	EPA 200.7	1102056-002	0.066	1.08	1.08	1.00	mg/L	101	101	<1%
		Molybdenum, Dissolved	EPA 200.7	1102056-002	<0.010	1.07	1.07	1.00	mg/L	107	107	<1%
		Nickel, Dissolved	EPA 200.7	1102056-002	<0.010	5.12	5.12	5.00	mg/L	102	102	<1%
		Phosphorus, Dissolved	EPA 200.7	1102056-002	<0.500	5.52	5.54	5.00	mg/L	109	109	<1%
		Potassium, Dissolved	EPA 200.7	1102056-002	6.94	17.4	17.9	10.0	mg/L	105	110	3 %
		Scandium, Dissolved	EPA 200.7	1102056-002	<0.100	1.06	1.06	1.00	mg/L	106	106	<1%
		Silver, Dissolved	EPA 200.7	1102056-002	<0.005	0.097	0.096	0.090	mg/L	108	107	1 %
		Sodium, Dissolved	EPA 200.7	1102056-002	42.9	52.4	53.8	10.0	mg/L	95	109	3 %
		Strontium, Dissolved	EPA 200.7	1102056-002	0.246	1.27	1.28	1.00	mg/L	102	103	1 %
		Tin, Dissolved	EPA 200.7	1102056-002	<0.100	0.963	0.964	1.00	mg/L	107	107	<1%
		Titanium, Dissolved	EPA 200.7	1102056-002	<0.100	1.05	1.06	1.00	mg/L	105	106	1 %
		Vanadium, Dissolved	EPA 200.7	1102056-002	0.021	1.08	1.08	1.00	mg/L	106	106	<1%
		Zinc, Dissolved	EPA 200.7	1102056-002	<0.010	1.08	1.08	1.00	mg/L	108	108	<1%
QC1102295	MS 1	Aluminum, Dissolved	EPA 200.7	1102056-003	<0.045	1.01	1.01	1.00	mg/L	100	100	<1%
		Barium, Dissolved	EPA 200.7	1102056-003	0.048	1.11	1.11	1.00	mg/L	106	106	<1%
		Beryllium, Dissolved	EPA 200.7	1102056-003	<0.001	1.07	1.07	1.00	mg/L	107	107	<1%
		Bismuth, Dissolved	EPA 200.7	1102056-003	<0.100	1.03	1.03	1.00	mg/L	106	106	<1%
		Boron, Dissolved	EPA 200.7	1102056-003	0.148	1.23	1.23	1.00	mg/L	108	108	<1%
		Cadmium, Dissolved	EPA 200.7	1102056-003	<0.001	1.07	1.06	1.00	mg/L	107	106	1 %
		Calcium, Dissolved	EPA 200.7	1102056-003	45.3	57.0	55.6	10.0	mg/L	117	103	2 %
		Chromium, Dissolved	EPA 200.7	1102056-003	<0.005	1.05	1.04	1.00	mg/L	105	104	1 %
		Cobalt, Dissolved	EPA 200.7	1102056-003	<0.010	1.05	1.04	1.00	mg/L	105	104	1 %
		Copper, Dissolved	EPA 200.7	1102056-003	<0.050	5.30	5.28	5.00	mg/L	106	106	<1%
		Gallium, Dissolved	EPA 200.7	1102056-003	<0.100	1.02	1.02	1.00	mg/L	102	102	<1%
		Iron, Dissolved	EPA 200.7	1102056-003	3.06	4.27	4.22	1.00	mg/L	121	116	1 %
		Lithium, Dissolved	EPA 200.7	1102056-003	<0.100	1.02	1.04	1.00	mg/L	102	104	2 %
		Magnesium, Dissolved	EPA 200.7	1102056-003	17.0	26.8	26.6	10.0	mg/L	98	96	1 %
		Manganese, Dissolved	EPA 200.7	1102056-003	0.225	1.24	1.23	1.00	mg/L	101	100	1 %
		Molybdenum, Dissolved	EPA 200.7	1102056-003	<0.010	1.08	1.07	1.00	mg/L	108	107	1 %
		Nickel, Dissolved	EPA 200.7	1102056-003	<0.010	5.27	5.21	5.00	mg/L	105	104	1 %
		Phosphorus, Dissolved	EPA 200.7	1102056-003	<0.500	5.66	5.59	5.00	mg/L	111	110	1 %
		Potassium, Dissolved	EPA 200.7	1102056-003	9.24	19.6	19.6	10.0	mg/L	104	104	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102378	MS 1	Scandium, Dissolved	EPA 200.7	1102056-003	<0.100	1.07	1.08	1.00	mg/L	107	108	1 %
		Silver, Dissolved	EPA 200.7	1102056-003	<0.005	0.098	0.097	0.090	mg/L	109	107	1 %
		Sodium, Dissolved	EPA 200.7	1102056-003	35.7	45.5	44.9	10.0	mg/L	98	92	1 %
		Strontium, Dissolved	EPA 200.7	1102056-003	0.249	1.26	1.26	1.00	mg/L	101	101	<1%
		Tin, Dissolved	EPA 200.7	1102056-003	<0.100	0.978	0.966	1.00	mg/L	110	108	1 %
		Titanium, Dissolved	EPA 200.7	1102056-003	<0.100	1.07	1.07	1.00	mg/L	107	107	<1%
		Vanadium, Dissolved	EPA 200.7	1102056-003	0.020	1.10	1.10	1.00	mg/L	108	108	<1%
		Zinc, Dissolved	EPA 200.7	1102056-003	0.030	1.15	1.13	1.00	mg/L	112	110	2 %
		Mercury, Dissolved	EPA 200.8	1102056-001	<0.000100 M	0.001376	0.001271	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1102056-001	<0.0025	0.0123	0.0115	0.010	mg/L	119	111	7 %
QC1102379	MS 1	Arsenic, Dissolved	EPA 200.8	1102056-001	0.0180	0.0824	0.0771	0.050	mg/L	129	118	7 %
		Lead, Dissolved	EPA 200.8	1102056-001	<0.0025	0.0124	0.0112	0.010	mg/L	124	111	10 %
		Selenium, Dissolved	EPA 200.8	1102056-001	<0.0050	0.0649	0.0602	0.050	mg/L	121	112	8 %
		Thallium, Dissolved	EPA 200.8	1102056-001	<0.0010	0.0121	0.0107	0.010	mg/L	120	107	12 %
		Mercury, Dissolved	EPA 200.8	1102056-002	<0.000100	0.001270	0.001270	0.001	mg/L	127	127	<1%
		Antimony, Dissolved	EPA 200.8	1102056-002	<0.0025	0.0125	0.0115	0.010	mg/L	114	104	8 %
		Arsenic, Dissolved	EPA 200.8	1102056-002	0.0086	0.0683	0.0657	0.050	mg/L	119	114	4 %
		Lead, Dissolved	EPA 200.8	1102056-002	<0.0025	0.0118	0.0109	0.010	mg/L	118	109	8 %
		Selenium, Dissolved	EPA 200.8	1102056-002	<0.0050	0.0575	0.0539	0.050	mg/L	115	108	6 %
		Thallium, Dissolved	EPA 200.8	1102056-002	<0.0010	0.0113	0.0108	0.010	mg/L	113	108	5 %
QC1102380	MS 1	Mercury, Dissolved	EPA 200.8	1102056-003	<0.000100	0.001261	0.001209	0.001	mg/L	126	121	4 %
		Antimony, Dissolved	EPA 200.8	1102056-003	<0.0025	0.0117	0.0114	0.010	mg/L	114	110	3 %
		Arsenic, Dissolved	EPA 200.8	1102056-003	0.0059	0.0659	0.0645	0.050	mg/L	120	117	2 %
		Lead, Dissolved	EPA 200.8	1102056-003	<0.0025	0.0117	0.0114	0.010	mg/L	117	114	3 %
		Selenium, Dissolved	EPA 200.8	1102056-003	<0.0050	0.0567	0.0569	0.050	mg/L	113	114	<1%
		Thallium, Dissolved	EPA 200.8	1102056-003	<0.0010	0.0116	0.0114	0.010	mg/L	112	109	2 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1102063

Report Due Date: 2/18/11

Page 1 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time
Standard _____ 3 Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO OF CONTAINERS
SAMPLE TYPE

Analyses Requested

Profile II w/o Wat

SAMPLE ID/LOCATION	DATE	TIME	NO OF CONTAINERS	SAMPLE TYPE	Profile II w/o Wat	Spl. No.
604 562	2/4/11	9:00	2	WW	X	1
604 569						2
604 606						3
604 653						4
604 650						
604 630						
604 673						5
604 767						6
604 787						7
604 811						8
604 854						9
604 862						0

1102063
DUB

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Returned By	Samples Received By
Temperature <u>23°C</u>	<u>2/4/11</u>	<u>16:20</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1102063

Report Due Date: 2/18/11

Page 2 of 2

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ 5 Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO OF SAMPLE CONTAINERS

Analyses Requested

Profile II w/o Wad

SAMPLE ID/LOCATION	DATE	TIME	NO OF CONTAINERS	NO OF CONTAINERS	NO OF CONTAINERS	NO OF CONTAINERS	NO OF CONTAINERS	NO OF CONTAINERS	Spl. No.
604 867 Wk:1	2/4/11	9:00	WW	2	X				11
605 033									12
605 153									13
SRK 0854									14
SRK 0858									15
SRK 0864									16
SRK 0866									17
SRK 0867									18
SRK 0872	↓	↓	↓	↓	↓	↓	↓	↓	19

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>23</u> °C	<u>2/4/11</u>	<u>16:20</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>42</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



3/25/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1101435

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 1/28/2011. Additional comments are located on page 2 of this report.

This is an amended report that includes the results for Uranium as requested by the client. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1101435

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1101435-004 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1101435-003 Vanadium
1101435-004 Selenium, Vanadium
1101435-007 Arsenic, Molybdenum
1101435-008 Arsenic
1101435-009 Manganese
1101435-012 Aluminum, Arsenic
1101435-013 Selenium
1101435-014 Arsenic, Selenium, Vanadium
1101435-015 All metals
1101435-016 All metals

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SA – Reported value was calculated using the method of Standard Additions.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 3/25/2011

OrderID: 1101435

Customer Sample ID: 604 562 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-001

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.90	pH Units		1/28/2011
Bicarbonate (HCO ₃)	SM 2320B	98	mg/L	1.0	2/1/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/1/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/1/2011
Total Alkalinity	SM 2320B	80	mg/L as CaCO ₃	1.0	2/1/2011
Chloride	EPA 300.0	2.3	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	4.2	mg/L	0.50	2/4/2011
Sulfate	EPA 300.0	1300	mg/L	10	2/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.12	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	2000	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	0.019	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	320	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	82	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	1.0	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	42	mg/L	0.50	2/4/2011

Customer Sample ID: 604 562 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-001

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	40	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	3.5	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.093	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.013	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/10/2011
Antimony	EPA 200.8	0.0041	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/10/2011
Lead	EPA 200.8	0.010	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.090	mg/L	0.0050	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.023	mg/L	0.010	2/8/2011
Anions	Calculation	29.0	meq/L	0.10	
Cations	Calculation	25.6	meq/L	0.10	
Error	Calculation	6.2	%	1.0	

Customer Sample ID: 604 569 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-002

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.01	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	94	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	77	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	15	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	6.1	mg/L	0.50	2/4/2011
Sulfate	EPA 300.0	200	mg/L	10	2/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.034	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	440	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.13	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011

Customer Sample ID: 604 569 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-002

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	42	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	14	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.060	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.024	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	22	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	51	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.027	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/10/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.029	mg/L	0.010	2/8/2011
Anions	Calculation	6.45	meq/L	0.10	
Cations	Calculation	6.03	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: 604 606 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-003

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.22	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	1.3	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011

Customer Sample ID: 604 606 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-003

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	30	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	6.1	mg/L	0.50	2/4/2011
Sulfate	EPA 300.0	170	mg/L	10	2/4/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.032	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	460	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.32	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	46	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	7.4	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.012	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.073	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	30	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	64	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.47	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/10/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.0069	mg/L	0.0050	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.029	mg/L	0.010	2/8/2011

Customer Sample ID: 604 606 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-003

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Anions	Calculation	6.88	meq/L	0.10	
Cations	Calculation	6.46	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: 604 653 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-004

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.40	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	110	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	47	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	5.7	M mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	260	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	630	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.15	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	70	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	14	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.052	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.082	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	38	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011

Customer Sample ID: 604 653 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-004

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sodium	EPA 200.7	72	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.62	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	0.00017	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.032	mg/L	0.010	2/8/2011
Anions	Calculation	9.17	meq/L	0.10	
Cations	Calculation	8.75	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Customer Sample ID: 604 656 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-005

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.31	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	160	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	130	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	150	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	6.0	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	210	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	760	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	120	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011

Customer Sample ID: 604 656 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-005

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	20	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.021	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.21	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	19	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	55	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	1.1	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.037	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	0.00082	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.015	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.046	mg/L	0.010	2/8/2011
Anions	Calculation	11.5	meq/L	0.10	
Cations	Calculation	10.5	meq/L	0.10	
Error	Calculation	4.7	%	1.0	

Customer Sample ID: 604 673 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-006

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.50	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	81	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	5.9	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	76	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	17	mg/L	1.0	1/29/2011

Customer Sample ID: 604 673 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-006

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Fluoride	EPA 300.0	3.2	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	140	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.20	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.11	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	52	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	7.6	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.26	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	19	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	29	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.38	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.017	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	0.00032	mg/L	0.0002	2/10/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.010	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.057	mg/L	0.010	2/8/2011
Anions	Calculation	5.09	meq/L	0.10	
Cations	Calculation	4.97	meq/L	0.10	

Customer Sample ID: 604 673 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-006

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Error	Calculation	1.2	%	1.0	

Customer Sample ID: 604 767 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-007

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.95	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	87	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	71	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	44	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	4.2	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	920	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	1700	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	0.012	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.27	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	220	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	0.023	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	69	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	1.6	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Nickel	EPA 200.7	0.012	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	70	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	67	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	2.2	mg/L	0.10	2/4/2011

Customer Sample ID: 604 767 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-007

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.087	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.060	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	0.0028	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.055	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/8/2011
Anions	Calculation	22.0	meq/L	0.10	
Cations	Calculation	21.4	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: 604 787 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-008

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.06	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	86	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	71	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	14	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	2.4	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	270	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.046	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	510	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	90	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011

Customer Sample ID: 604 787 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-008

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	13	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.024	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.33	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	8.5	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	25	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.70	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.022	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	0.0030	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.016	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.12	mg/L	0.010	3/23/2011
Anions	Calculation	7.55	meq/L	0.10	
Cations	Calculation	6.87	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Customer Sample ID: 604 811 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-009

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.26	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	160	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	130	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	24	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	6.9	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	290	mg/L	10	2/5/2011

Customer Sample ID: 604 811 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-009

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.37	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	700	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	100	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	17	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	<0.025	mg/L	0.025	2/4/2011
Molybdenum	EPA 200.7	0.11	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	18	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	47	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	1.4	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.032	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	0.0033	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	0.0095	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.029	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.14	mg/L	0.010	3/23/2011
Anions	Calculation	9.70	meq/L	0.10	
Cations	Calculation	8.89	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: 604 854 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-010

Receive Date: 1/28/2011 16:25

PROFILE H

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.11	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	91	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	41	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	4.6	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	380	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	800	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.25	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	110	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	0.14	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	25	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.13	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.13	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	72	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	48	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	1.7	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.054	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.013	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	0.0036	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	0.0067	mg/L	0.0050	2/8/2011

Customer Sample ID: 604 854 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-010

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.024	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.029	mg/L	0.010	2/8/2011
Anions	Calculation	11.1	meq/L	0.10	
Cations	Calculation	11.5	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: 604 862 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-011

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.14	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	150	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	18	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	4.4	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	370	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	770	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.11	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	110	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	22	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.0088	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.11	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011

Customer Sample ID: 604 862 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-011

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	23	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	53	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	2.5	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.042	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.029	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.017	mg/L	0.010	2/8/2011
Anions	Calculation	10.9	meq/L	0.10	
Cations	Calculation	10.2	meq/L	0.10	
Error	Calculation	3.4	%	1.0	

Customer Sample ID: 604 867 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-012

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.05	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	8.4	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	4.2	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	900	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	1600	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.22	mg/L	0.22	2/4/2011
Barium	EPA 200.7	0.024	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011

Customer Sample ID: 604 867 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-012

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Boron	EPA 200.7	0.11	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	260	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	0.074	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	0.12	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	56	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.48	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.059	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	69	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	28	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	5.6	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.073	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.024	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.060	mg/L	0.010	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/8/2011
Anions	Calculation	21.5	meq/L	0.10	
Cations	Calculation	20.6	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: 605 033 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-013

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	1/28/2011

Customer Sample ID: 605 033 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-013

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	96	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	23	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	5.7	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	230	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	540	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	65	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	9.8	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.016	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.10	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	30	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	46	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.69	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.021	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	2/10/2011

Customer Sample ID: 605 033 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-013

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.019	mg/L	0.010	2/8/2011
Anions	Calculation	7.70	meq/L	0.10	
Cations	Calculation	6.82	meq/L	0.10	
Error	Calculation	6.1	%	1.0	

Customer Sample ID: 605 153 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-014

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.91	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	48	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	4.3	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	3.7	mg/L	1.0	2/5/2011
Sulfate	EPA 300.0	200	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.18	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	380	mg/L	10	2/2/2011
Aluminum	EPA 200.7	0.048	mg/L	0.045	2/4/2011
Barium	EPA 200.7	0.034	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.14	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	42	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	9.4	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.048	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.020	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	16	mg/L	0.50	2/4/2011

Customer Sample ID: 605 153 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-014

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	39	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	3.0	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.033	mg/L	0.010	2/8/2011
Anions	Calculation	5.45	meq/L	0.10	
Cations	Calculation	4.98	meq/L	0.10	
Error	Calculation	4.5	%	1.0	

Customer Sample ID: SRK 0854 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-015

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.38	pH Units		1/28/2011
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/4/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	2/4/2011
Chloride	EPA 300.0	<10	mg/L	10	1/29/2011
Fluoride	EPA 300.0	5.5	mg/L	1.0	2/5/2011
Sulfate	EPA 300.0	2200	mg/L	100	2/9/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.25	mg/L	0.25	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	3300	mg/L	10	2/2/2011
Aluminum	EPA 200.7	20	mg/L	0.22	2/4/2011
Barium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Beryllium	EPA 200.7	0.010	mg/L	0.0050	2/4/2011
Bismuth	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Boron	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Cadmium	EPA 200.7	0.073	mg/L	0.0050	2/4/2011

Customer Sample ID: SRK 0854 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-015

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Calcium	EPA 200.7	180	mg/L	2.5	2/4/2011
Chromium	EPA 200.7	<0.025	mg/L	0.025	2/4/2011
Cobalt	EPA 200.7	0.50	mg/L	0.050	2/4/2011
Copper	EPA 200.7	830	mg/L	1.2	2/7/2011
Gallium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Iron	EPA 200.7	44	mg/L	0.050	2/4/2011
Lithium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Magnesium	EPA 200.7	34	mg/L	2.5	2/4/2011
Manganese	EPA 200.7	7.1	mg/L	0.025	2/4/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Nickel	EPA 200.7	0.20	mg/L	0.050	2/4/2011
Phosphorus	EPA 200.7	<2.5	mg/L	2.5	2/4/2011
Potassium	EPA 200.7	30	mg/L	2.5	2/4/2011
Scandium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Silver	EPA 200.7	<0.025	mg/L	0.025	2/4/2011
Sodium	EPA 200.7	15	mg/L	2.5	2/4/2011
Strontium	EPA 200.7	0.89	mg/L	0.50	2/4/2011
Tin	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Titanium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Zinc	EPA 200.7	6.3	mg/L	0.050	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	0.0080	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	0.0071	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.055	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.18	mg/L	0.010	3/23/2011
Anions	Calculation	46.3	meq/L	0.10	
Cations	Calculation	44.4	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: SRK 0858 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-016

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	3.83	pH Units		1/30/2011
Acidity (Titrimetric)	SM 2310B	180	mg/L as CaCO3		1/28/2011
Chloride	EPA 300.0	5.6	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	6.9	mg/L	1.0	2/5/2011

Customer Sample ID: SRK 0858 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-016

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Sulfate	EPA 300.0	560	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	710	mg/L	10	2/2/2011
Aluminum	EPA 200.7	14	mg/L	0.22	2/4/2011
Barium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Beryllium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Bismuth	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Boron	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Cadmium	EPA 200.7	<0.025	mg/L	0.025	2/7/2011
Calcium	EPA 200.7	90	mg/L	2.5	2/4/2011
Chromium	EPA 200.7	<0.12	mg/L	0.12	2/7/2011
Cobalt	EPA 200.7	0.060	mg/L	0.050	2/4/2011
Copper	EPA 200.7	28	mg/L	0.25	2/4/2011
Gallium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Iron	EPA 200.7	18	mg/L	0.050	2/4/2011
Lithium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Magnesium	EPA 200.7	7.0	mg/L	2.5	2/4/2011
Manganese	EPA 200.7	1.2	mg/L	0.025	2/4/2011
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Nickel	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Phosphorus	EPA 200.7	<2.5	mg/L	2.5	2/4/2011
Potassium	EPA 200.7	12	mg/L	2.5	2/4/2011
Scandium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Silver	EPA 200.7	<0.025	mg/L	0.025	2/4/2011
Sodium	EPA 200.7	9.1	mg/L	2.5	2/4/2011
Strontium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Tin	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Titanium	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Zinc	EPA 200.7	0.28	mg/L	0.050	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	0.0055	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.010	mg/L	0.010	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.060	mg/L	0.010	2/8/2011
Anions	Calculation	12.2	meq/L	0.10	
Cations	Calculation	11.1	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Customer Sample ID: SRK 0858 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-016

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
-----------	--------	---------	-------	-----------------	---------------

Customer Sample ID: SRK 0864 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-017

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.45	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	40	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	33	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	4.9	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	1.4	mg/L	1.0	2/5/2011
Sulfate	EPA 300.0	250	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	4.7	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.090	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	390	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	0.014	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	64	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	10	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.057	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	0.029	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	4.1	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	17	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.27	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011

Customer Sample ID: SRK 0864 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-017

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.020	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.0054	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/8/2011
Anions	Calculation	6.41	meq/L	0.10	
Cations	Calculation	4.86	meq/L	0.10	
Error	Calculation	14	%	1.0	

Customer Sample ID: SRK 0866 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-018

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.47	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	29	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	24	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	5.2	mg/L	1.0	1/29/2011
Fluoride	EPA 300.0	0.55	mg/L	0.50	2/5/2011
Sulfate	EPA 300.0	110	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	3.6	mg/L	1.0	1/29/2011
Nitrite Nitrogen	EPA 300.0	0.026	mg/L	0.025	1/29/2011
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	2/2/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	38	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011

Customer Sample ID: SRK 0866 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-018

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Iron	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	4.8	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	0.085	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	4.0	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	6.3	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.36	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	<0.010	mg/L	0.010	2/8/2011
Anions	Calculation	3.20	meq/L	0.10	
Cations	Calculation	2.67	meq/L	0.10	
Error	Calculation	9.0	%	1.0	

Customer Sample ID: SRK 0867 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-019

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	5.30	pH Units		1/30/2011
Bicarbonate (HCO3)	SM 2320B	2.0	mg/L	1.0	1/28/2011
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	1.6	mg/L as CaCO3	1.0	1/28/2011
Chloride	EPA 300.0	4.3	mg/L	1.0	1/30/2011
Fluoride	EPA 300.0	3.6	mg/L	1.0	2/5/2011
Sulfate	EPA 300.0	610	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/30/2011

Customer Sample ID: SRK 0867 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-019

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/30/2011
Total Dissolved Solids (TDS)	SM 2540C	840	mg/L	10	2/2/2011
Aluminum	EPA 200.7	2.3	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	0.0024	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	0.16	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	0.015	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	130	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	0.12	mg/L	0.010	2/4/2011
Copper	EPA 200.7	30	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	3.4	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	0.42	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	13	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	4.7	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	0.24	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	8.2	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	7.2	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.34	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.019	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.58	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.011	mg/L	0.0050	2/10/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.013	mg/L	0.010	2/8/2011
Anions	Calculation	13.0	meq/L	0.10	
Cations	Calculation	9.65	meq/L	0.10	
Error	Calculation	15	%	1.0	

Customer Sample ID: SRK 0872 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-020

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	4.93	pH Units		1/30/2011
Bicarbonate (HCO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/28/2011
Total Alkalinity	SM 2320B	<1.0	mg/L as CaCO ₃	1.0	1/28/2011
Chloride	EPA 300.0	4.2	mg/L	1.0	1/30/2011
Fluoride	EPA 300.0	3.3	mg/L	1.0	2/5/2011
Sulfate	EPA 300.0	910	mg/L	10	2/5/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/30/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/30/2011
Total Dissolved Solids (TDS)	SM 2540C	1300	mg/L	10	2/2/2011
Aluminum	EPA 200.7	4.9	mg/L	0.045	2/4/2011
Barium	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Beryllium	EPA 200.7	0.0033	mg/L	0.0010	2/4/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Cadmium	EPA 200.7	0.013	mg/L	0.0010	2/4/2011
Calcium	EPA 200.7	250	mg/L	0.50	2/4/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Cobalt	EPA 200.7	0.091	mg/L	0.010	2/4/2011
Copper	EPA 200.7	6.2	mg/L	0.050	2/4/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Iron	EPA 200.7	6.1	mg/L	0.010	2/4/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Magnesium	EPA 200.7	11	mg/L	0.50	2/4/2011
Manganese	EPA 200.7	3.4	mg/L	0.0050	2/4/2011
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	2/4/2011
Nickel	EPA 200.7	0.020	mg/L	0.010	2/4/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/4/2011
Potassium	EPA 200.7	7.8	mg/L	0.50	2/4/2011
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/4/2011
Sodium	EPA 200.7	6.2	mg/L	0.50	2/4/2011
Strontium	EPA 200.7	0.39	mg/L	0.10	2/4/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/4/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	2/4/2011
Zinc	EPA 200.7	0.82	mg/L	0.010	2/4/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/8/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/10/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/8/2011

Customer Sample ID: SRK 0872 WK:0

Collect Date/Time: 1/28/2011 09:00

WETLAB Sample ID: 1101435-020

Receive Date: 1/28/2011 16:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/8/2011
Selenium	EPA 200.8	0.0089	mg/L	0.0050	2/8/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/8/2011
Uranium	EPA 200.8	0.055	mg/L	0.010	2/8/2011
Anions	Calculation	19.2	meq/L	0.10	
Cations	Calculation	15.1	meq/L	0.10	
Error	Calculation	12	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102082	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102082	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102082	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC1102086	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC1102086	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC1102087	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102087	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102087	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102088	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102088	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC1102089	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102089	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102089	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102090	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102090	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC1102117	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102117	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC1102162	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1102163	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1102164	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC1102173	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102173	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC1102173	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102175	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102175	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102175	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102182	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC1102182	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC1102182	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC1102186	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102186	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC1102186	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC1102218	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1102233	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1102234	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC1102243	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC1102243	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC1101795	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC1101801	LCS 1	Alkalinity	SM 2320B	94.4	100	94	mg/L
QC1101801	LCS 2	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC1101811	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC1101811	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC1101811	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC1102028	LCS 1	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC1102082	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC1102086	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC1102087	LCS 1	Nitrite Nitrogen	EPA 300.0	0.523	0.500	105	mg/L
QC1102088	LCS 1	Nitrite Nitrogen	EPA 300.0	0.523	0.500	105	mg/L
QC1102089	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC1102090	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC1102117	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC1102117	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC1102147	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC1102162	LCS 1	Aluminum	EPA 200.7	0.938	1.00	94	mg/L
		Barium	EPA 200.7	0.913	1.00	91	mg/L
		Beryllium	EPA 200.7	0.902	1.00	90	mg/L
		Bismuth	EPA 200.7	0.950	1.00	95	mg/L
		Boron	EPA 200.7	0.878	1.00	88	mg/L
		Cadmium	EPA 200.7	0.899	1.00	90	mg/L
		Calcium	EPA 200.7	9.08	10.0	91	mg/L
		Chromium	EPA 200.7	0.911	1.00	91	mg/L
		Cobalt	EPA 200.7	0.913	1.00	91	mg/L
		Copper	EPA 200.7	4.55	5.00	91	mg/L
		Gallium	EPA 200.7	0.928	1.00	93	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Iron	EPA 200.7	0.941	1.00	94	mg/L
		Lithium	EPA 200.7	0.948	1.00	95	mg/L
		Magnesium	EPA 200.7	9.21	10.0	92	mg/L
		Manganese	EPA 200.7	0.891	1.00	89	mg/L
		Molybdenum	EPA 200.7	0.948	1.00	95	mg/L
		Nickel	EPA 200.7	4.53	5.00	91	mg/L
		Phosphorus	EPA 200.7	4.58	5.00	92	mg/L
		Potassium	EPA 200.7	9.40	10.0	94	mg/L
		Scandium	EPA 200.7	0.921	1.00	92	mg/L
		Silver	EPA 200.7	0.082	0.090	91	mg/L
		Sodium	EPA 200.7	9.56	10.0	96	mg/L
		Strontium	EPA 200.7	0.963	1.00	96	mg/L
		Tin	EPA 200.7	0.922	1.00	92	mg/L
		Titanium	EPA 200.7	0.978	1.00	98	mg/L
		Vanadium	EPA 200.7	0.904	1.00	90	mg/L
		Zinc	EPA 200.7	0.924	1.00	92	mg/L
QC1102163	LCS 1	Aluminum	EPA 200.7	0.938	1.00	94	mg/L
		Barium	EPA 200.7	0.913	1.00	91	mg/L
		Beryllium	EPA 200.7	0.902	1.00	90	mg/L
		Bismuth	EPA 200.7	0.950	1.00	95	mg/L
		Boron	EPA 200.7	0.878	1.00	88	mg/L
		Cadmium	EPA 200.7	0.899	1.00	90	mg/L
		Calcium	EPA 200.7	9.08	10.0	91	mg/L
		Chromium	EPA 200.7	0.911	1.00	91	mg/L
		Cobalt	EPA 200.7	0.913	1.00	91	mg/L
		Copper	EPA 200.7	4.55	5.00	91	mg/L
		Gallium	EPA 200.7	0.928	1.00	93	mg/L
		Iron	EPA 200.7	0.941	1.00	94	mg/L
		Lithium	EPA 200.7	0.948	1.00	95	mg/L
		Magnesium	EPA 200.7	9.21	10.0	92	mg/L
		Manganese	EPA 200.7	0.891	1.00	89	mg/L
		Molybdenum	EPA 200.7	0.948	1.00	95	mg/L
		Nickel	EPA 200.7	4.53	5.00	91	mg/L
		Phosphorus	EPA 200.7	4.58	5.00	92	mg/L
		Potassium	EPA 200.7	9.40	10.0	94	mg/L
		Scandium	EPA 200.7	0.921	1.00	92	mg/L
		Silver	EPA 200.7	0.082	0.090	91	mg/L
		Sodium	EPA 200.7	9.56	10.0	96	mg/L
		Strontium	EPA 200.7	0.963	1.00	96	mg/L
		Tin	EPA 200.7	0.922	1.00	92	mg/L
		Titanium	EPA 200.7	0.978	1.00	98	mg/L
		Vanadium	EPA 200.7	0.904	1.00	90	mg/L
		Zinc	EPA 200.7	0.924	1.00	92	mg/L
QC1102164	LCS 1	Aluminum	EPA 200.7	0.907	1.00	91	mg/L
		Barium	EPA 200.7	0.887	1.00	89	mg/L
		Beryllium	EPA 200.7	0.922	1.00	92	mg/L
		Bismuth	EPA 200.7	0.907	1.00	91	mg/L
		Boron	EPA 200.7	0.861	1.00	86	mg/L
		Cadmium	EPA 200.7	0.904	1.00	90	mg/L
		Calcium	EPA 200.7	9.36	10.0	94	mg/L
		Chromium	EPA 200.7	0.891	1.00	89	mg/L
		Cobalt	EPA 200.7	0.882	1.00	88	mg/L
		Copper	EPA 200.7	4.37	5.00	87	mg/L
		Gallium	EPA 200.7	0.902	1.00	90	mg/L
		Iron	EPA 200.7	0.908	1.00	91	mg/L
		Lithium	EPA 200.7	0.916	1.00	92	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Magnesium	EPA 200.7	9.13	10.0	91	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.891	1.00	89	mg/L
		Nickel	EPA 200.7	4.48	5.00	90	mg/L
		Phosphorus	EPA 200.7	4.41	5.00	88	mg/L
		Potassium	EPA 200.7	9.12	10.0	91	mg/L
		Scandium	EPA 200.7	0.888	1.00	89	mg/L
		Silver	EPA 200.7	0.079	0.090	88	mg/L
		Sodium	EPA 200.7	9.18	10.0	92	mg/L
		Strontium	EPA 200.7	0.920	1.00	92	mg/L
		Tin	EPA 200.7	0.899	1.00	90	mg/L
		Titanium	EPA 200.7	0.946	1.00	95	mg/L
		Vanadium	EPA 200.7	0.894	1.00	89	mg/L
		Zinc	EPA 200.7	0.893	1.00	89	mg/L
QC1102173	LCS 1	Fluoride	EPA 300.0	1.92	2.00	96	mg/L
QC1102175	LCS 1	Sulfate	EPA 300.0	25.4	25.0	102	mg/L
QC1102182	LCS 1	Fluoride	EPA 300.0	1.92	2.00	96	mg/L
QC1102186	LCS 1	Sulfate	EPA 300.0	25.4	25.0	102	mg/L
QC1102218	LCS 1	Mercury	EPA 200.8	0.001044	0.001	104	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0563	0.050	113	mg/L
		Lead	EPA 200.8	0.0112	0.010	112	mg/L
		Selenium	EPA 200.8	0.0534	0.050	107	mg/L
		Thallium	EPA 200.8	0.0112	0.010	112	mg/L
		Uranium	EPA 200.8	0.0115	0.010	115	mg/L
QC1102233	LCS 1	Mercury	EPA 200.8	0.001044	0.001	104	mg/L
		Antimony	EPA 200.8	0.0113	0.010	113	mg/L
		Arsenic	EPA 200.8	0.0563	0.050	113	mg/L
		Lead	EPA 200.8	0.0112	0.010	112	mg/L
		Selenium	EPA 200.8	0.0534	0.050	107	mg/L
		Thallium	EPA 200.8	0.0112	0.010	112	mg/L
		Uranium	EPA 200.8	0.0115	0.010	115	mg/L
QC1102234	LCS 1	Mercury	EPA 200.8	0.001137	0.001	114	mg/L
		Antimony	EPA 200.8	0.0107	0.010	107	mg/L
		Arsenic	EPA 200.8	0.0518	0.050	104	mg/L
		Lead	EPA 200.8	0.0114	0.010	114	mg/L
		Selenium	EPA 200.8	0.0462	0.050	92	mg/L
		Thallium	EPA 200.8	0.0115	0.010	115	mg/L
		Uranium	EPA 200.8	0.0111	0.010	111	mg/L
QC1102243	LCS 1	Sulfate	EPA 300.0	5.49	5.00	110	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1101795	Duplicate 1	pH	SM 4500-H+ B	1101435-001	7.90	7.92	pH Units	<1%
QC1101801	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1101414-001	38.0	37.9	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1101414-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1101414-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1101414-001	31.1	31.0	mg/L as CaCO3	<1%
QC1101801	Duplicate 2	Bicarbonate (HCO3)	SM 2320B	1101417-001	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1101417-001	97.6	95.8	mg/L	2 %
		Hydroxide (OH)	SM 2320B	1101417-001	25.0	27.1	mg/L	8 %
		Total Alkalinity	SM 2320B	1101417-001	236	239	mg/L as CaCO3	1 %
QC1101801	Duplicate 3	Bicarbonate (HCO3)	SM 2320B	1101421-001	252	252	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1101421-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1101421-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1101421-001	207	207	mg/L as CaCO3	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC1101801	Duplicate 4	Bicarbonate (HCO3)	SM 2320B	1101428-001	73.3	72.2	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1101428-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1101428-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1101428-001	60.1	59.2	mg/L as CaCO3	1 %
QC1101811	Duplicate 1	pH	SM 4500-H+ B	1101425-001	7.50	7.26	pH Units	<1%
QC1101811	Duplicate 2	pH	SM 4500-H+ B	1101414-001	7.43	7.48	pH Units	1 %
QC1101811	Duplicate 3	pH	SM 4500-H+ B	1101417-001	10.0	10.1	pH Units	1 %
QC1101811	Duplicate 4	pH	SM 4500-H+ B	1101428-001	7.83	7.90	pH Units	1 %
QC1101811	Duplicate 5	pH	SM 4500-H+ B	1101421-001	7.38	7.39	pH Units	<1%
QC1102028	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1101360-002	29.0	141	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1101360-002	<1.000	14.4	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1101360-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1101360-002	24.0	140	mg/L as CaCO3	3 %
QC1102117	Duplicate 1	Total Dissolved Solids (TDS)	SM 2540C	1101434-001	108	104	mg/L	4 %
QC1102117	Duplicate 2	Total Dissolved Solids (TDS)	SM 2540C	1101435-007	1732	1718	mg/L	1 %
QC1102117	Duplicate 3	Total Dissolved Solids (TDS)	SM 2540C	1101435-015	3320	3324	mg/L	<1%
QC1102147	Duplicate 1	Bicarbonate (HCO3)	SM 2320B	1101360-003	58.5	156	mg/L	10 %
		Carbonate (CO3)	SM 2320B	1101360-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1101360-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1101360-003	48.0	128	mg/L as CaCO3	10 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102082	MS 1	Chloride	EPA 300.0	1101434-001	<1.000	5.30	5.45	5.00	mg/L	106	109	3 %
QC1102082	MS 2	Chloride	EPA 300.0	1101435-009	24.1	29.0	29.1	5.00	mg/L	98	99	<1%
QC1102086	MS 1	Chloride	EPA 300.0	1101435-019	4.35	9.53	9.56	5.00	mg/L	104	104	<1%
QC1102087	MS 1	Nitrite Nitrogen	EPA 300.0	1101434-001	<0.025	0.547	0.564	0.500	mg/L	108	112	3 %
QC1102087	MS 2	Nitrite Nitrogen	EPA 300.0	1101435-009	0.371	0.941	0.964	0.500	mg/L	114	119	2 %
QC1102088	MS 1	Nitrite Nitrogen	EPA 300.0	1101435-019	<0.025	0.525	0.528	0.500	mg/L	105	106	1 %
QC1102089	MS 1	Nitrate Nitrogen	EPA 300.0	1101434-001	<1.000	2.08	2.14	2.00	mg/L	103	106	3 %
QC1102089	MS 2	Nitrate Nitrogen	EPA 300.0	1101435-009	<1.000	2.52	2.51	2.00	mg/L	115	115	<1%
QC1102090	MS 1	Nitrate Nitrogen	EPA 300.0	1101435-019	<1.000	2.37	2.38	2.00	mg/L	112	112	<1%
QC1102162	MS 1	Aluminum	EPA 200.7	1101417-002	0.254	1.20	1.18	1.00	mg/L	95	93	2 %
		Barium	EPA 200.7	1101417-002	0.066	0.992	0.982	1.00	mg/L	93	92	1 %
		Beryllium	EPA 200.7	1101417-002	<0.001	0.919	0.908	1.00	mg/L	92	91	1 %
		Bismuth	EPA 200.7	1101417-002	<0.100	0.935	0.916	1.00	mg/L	96	94	2 %
		Boron	EPA 200.7	1101417-002	<0.100	0.848	0.856	1.00	mg/L	96	97	1 %
		Cadmium	EPA 200.7	1101417-002	0.008	0.895	0.893	1.00	mg/L	89	88	<1%
		Calcium	EPA 200.7	1101417-002	745	SC 785	762	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1101417-002	0.013	0.946	0.946	1.00	mg/L	93	93	<1%
		Cobalt	EPA 200.7	1101417-002	0.058	0.955	0.946	1.00	mg/L	90	89	1 %
		Copper	EPA 200.7	1101417-002	0.105	5.05	4.96	5.00	mg/L	99	97	2 %
		Gallium	EPA 200.7	1101417-002	<0.100	0.923	0.906	1.00	mg/L	92	90	2 %
		Iron	EPA 200.7	1101417-002	0.052	0.954	0.958	1.00	mg/L	90	91	<1%
		Lithium	EPA 200.7	1101417-002	<0.100	0.970	0.950	1.00	mg/L	93	91	2 %
		Magnesium	EPA 200.7	1101417-002	4.01	12.4	12.6	10.0	mg/L	84	86	2 %
		Manganese	EPA 200.7	1101417-002	<0.005	0.812	0.800	1.00	mg/L	91	90	1 %
		Molybdenum	EPA 200.7	1101417-002	0.250	1.19	1.15	1.00	mg/L	94	90	3 %
		Nickel	EPA 200.7	1101417-002	0.013	4.49	4.47	5.00	mg/L	90	89	<1%
		Phosphorus	EPA 200.7	1101417-002	<0.500	4.74	4.65	5.00	mg/L	98	97	2 %
		Potassium	EPA 200.7	1101417-002	56.7	67.1	65.5	10.0	mg/L	104	88	2 %
Scandium	EPA 200.7	1101417-002	<0.100	0.951	0.930	1.00	mg/L	95	93	2 %		
Silver	EPA 200.7	1101417-002	0.006	0.095	0.093	0.090	mg/L	99	97	2 %		
Sodium	EPA 200.7	1101417-002	191	201	196	10.0	mg/L	100	50	3 %		
Strontium	EPA 200.7	1101417-002	2.34	3.28	3.20	1.00	mg/L	94	86	2 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC1102163	MS 1	Tin	EPA 200.7	1101417-002	<0.100	0.820	0.802	1.00	mg/L	93	91	2 %
		Titanium	EPA 200.7	1101417-002	<0.100	0.966	0.974	1.00	mg/L	97	98	1 %
		Vanadium	EPA 200.7	1101417-002	0.037	1.01	0.993	1.00	mg/L	97	96	2 %
		Zinc	EPA 200.7	1101417-002	0.190	1.07	1.06	1.00	mg/L	88	87	1 %
		Aluminum	EPA 200.7	1102013-001	<0.045	0.913	0.952	1.00	mg/L	89	93	4 %
		Barium	EPA 200.7	1102013-001	<0.010	0.890	0.933	1.00	mg/L	89	93	5 %
		Beryllium	EPA 200.7	1102013-001	<0.001	0.928	0.958	1.00	mg/L	93	96	3 %
		Bismuth	EPA 200.7	1102013-001	<0.100	0.900	0.941	1.00	mg/L	89	93	4 %
		Boron	EPA 200.7	1102013-001	<0.100	0.869	0.921	1.00	mg/L	87	92	6 %
		Cadmium	EPA 200.7	1102013-001	<0.001	0.899	0.938	1.00	mg/L	90	94	4 %
		Calcium	EPA 200.7	1102013-001	5.47	14.5	15.0	10.0	mg/L	90	95	3 %
		Chromium	EPA 200.7	1102013-001	<0.005	0.888	0.925	1.00	mg/L	89	93	4 %
		Cobalt	EPA 200.7	1102013-001	<0.010	0.880	0.920	1.00	mg/L	88	92	4 %
		Copper	EPA 200.7	1102013-001	<0.050	4.40	4.60	5.00	mg/L	88	92	4 %
		Gallium	EPA 200.7	1102013-001	<0.100	0.890	0.931	1.00	mg/L	89	93	5 %
		Iron	EPA 200.7	1102013-001	<0.010	0.941	0.958	1.00	mg/L	94	95	2 %
		Lithium	EPA 200.7	1102013-001	<0.100	0.920	0.945	1.00	mg/L	91	94	3 %
		Magnesium	EPA 200.7	1102013-001	1.58	10.8	10.9	10.0	mg/L	92	93	1 %
		Manganese	EPA 200.7	1102013-001	<0.005	0.903	0.946	1.00	mg/L	90	95	5 %
		Molybdenum	EPA 200.7	1102013-001	<0.010	0.908	0.962	1.00	mg/L	91	96	6 %
		Nickel	EPA 200.7	1102013-001	<0.010	4.44	4.64	5.00	mg/L	89	93	4 %
		Phosphorus	EPA 200.7	1102013-001	<0.500	4.40	4.64	5.00	mg/L	87	92	5 %
		Potassium	EPA 200.7	1102013-001	<2.50	10.3	10.4	10.0	mg/L	NC	NC	NC
		Scandium	EPA 200.7	1102013-001	<0.100	0.892	0.929	1.00	mg/L	89	93	4 %
		Silver	EPA 200.7	1102013-001	<0.005	0.079	0.083	0.090	mg/L	88	93	5 %
		Sodium	EPA 200.7	1102013-001	2.91	12.2	12.2	10.0	mg/L	93	93	<1%
		Strontium	EPA 200.7	1102013-001	<0.100	1.01	1.02	1.00	mg/L	93	94	1 %
		Tin	EPA 200.7	1102013-001	<0.100	0.907	0.963	1.00	mg/L	93	99	6 %
Titanium	EPA 200.7	1102013-001	<0.100	0.962	0.981	1.00	mg/L	96	98	2 %		
Vanadium	EPA 200.7	1102013-001	<0.010	0.891	0.935	1.00	mg/L	89	93	5 %		
Zinc	EPA 200.7	1102013-001	<0.010	0.896	0.943	1.00	mg/L	89	94	5 %		
QC1102164	MS 1	Aluminum	EPA 200.7	1102013-002	0.045	0.933	0.943	1.00	mg/L	89	90	1 %
		Barium	EPA 200.7	1102013-002	0.035	0.910	0.930	1.00	mg/L	88	90	2 %
		Beryllium	EPA 200.7	1102013-002	<0.001	0.918	0.930	1.00	mg/L	92	93	1 %
		Bismuth	EPA 200.7	1102013-002	<0.100	0.872	0.908	1.00	mg/L	86	90	4 %
		Boron	EPA 200.7	1102013-002	<0.100	0.886	0.907	1.00	mg/L	87	90	2 %
		Cadmium	EPA 200.7	1102013-002	<0.001	0.878	0.907	1.00	mg/L	88	91	3 %
		Calcium	EPA 200.7	1102013-002	9.84	19.5	19.4	10.0	mg/L	97	96	1 %
		Chromium	EPA 200.7	1102013-002	<0.005	0.884	0.895	1.00	mg/L	88	90	1 %
		Cobalt	EPA 200.7	1102013-002	<0.010	0.859	0.883	1.00	mg/L	86	88	3 %
		Copper	EPA 200.7	1102013-002	<0.050	4.43	4.47	5.00	mg/L	89	89	1 %
		Gallium	EPA 200.7	1102013-002	<0.100	0.889	0.889	1.00	mg/L	89	89	<1%
		Iron	EPA 200.7	1102013-002	1.19	2.10	2.10	1.00	mg/L	91	91	<1%
		Lithium	EPA 200.7	1102013-002	<0.100	0.898	0.908	1.00	mg/L	89	90	1 %
		Magnesium	EPA 200.7	1102013-002	4.98	13.7	13.9	10.0	mg/L	87	89	1 %
		Manganese	EPA 200.7	1102013-002	0.283	1.20	1.21	1.00	mg/L	92	93	1 %
		Molybdenum	EPA 200.7	1102013-002	<0.010	0.868	0.917	1.00	mg/L	87	92	5 %
		Nickel	EPA 200.7	1102013-002	<0.010	4.35	4.48	5.00	mg/L	87	90	3 %
		Phosphorus	EPA 200.7	1102013-002	<0.500	4.42	4.61	5.00	mg/L	84	88	4 %
		Potassium	EPA 200.7	1102013-002	4.31	13.5	13.5	10.0	mg/L	92	92	<1%
		Scandium	EPA 200.7	1102013-002	<0.100	0.881	0.888	1.00	mg/L	88	89	1 %
		Silver	EPA 200.7	1102013-002	<0.005	0.079	0.081	0.090	mg/L	88	90	3 %
		Sodium	EPA 200.7	1102013-002	6.96	16.2	16.2	10.0	mg/L	92	92	<1%
		Strontium	EPA 200.7	1102013-002	<0.100	0.998	1.00	1.00	mg/L	91	91	<1%
		Tin	EPA 200.7	1102013-002	<0.100	0.848	0.902	1.00	mg/L	89	94	6 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Titanium	EPA 200.7	1102013-002	<0.100	0.936	0.950	1.00	mg/L	94	95	1 %
		Vanadium	EPA 200.7	1102013-002	<0.010	0.904	0.913	1.00	mg/L	90	91	1 %
		Zinc	EPA 200.7	1102013-002	<0.010	0.869	0.898	1.00	mg/L	87	90	3 %
QC1102173	MS 1	Fluoride	EPA 300.0	1102023-001	<0.250	8.86	8.56	2.00	mg/L	87	84	3 %
QC1102173	MS 2	Fluoride	EPA 300.0	1101435-004	5.71	M 21.4	21.9	2.00	mg/L	NC	NC	NC
QC1102175	MS 1	Sulfate	EPA 300.0	1102023-001	205	253	255	10.0	mg/L	98	101	1 %
QC1102175	MS 2	Sulfate	EPA 300.0	1101435-004	256	356	357	10.0	mg/L	100	101	<1%
QC1102182	MS 1	Fluoride	EPA 300.0	1102063-013	2.63	M 3.97	3.97	2.00	mg/L	NC	NC	NC
QC1102182	MS 2	Fluoride	EPA 300.0	1101435-014	3.65	21.9	20.9	2.00	mg/L	91	86	5 %
QC1102186	MS 1	Sulfate	EPA 300.0	1102063-013	40.4	49.8	49.8	10.0	mg/L	94	95	<1%
QC1102186	MS 2	Sulfate	EPA 300.0	1101435-014	202	308	306	10.0	mg/L	105	104	1 %
QC1102218	MS 1	Mercury	EPA 200.8	1101417-002	0.170700	SC 0.171515	0.158195	0.001	mg/L	NC	NC	NC
		Antimony	EPA 200.8	1101417-002	0.0222	0.0329	0.0329	0.010	mg/L	107	108	<1%
		Arsenic	EPA 200.8	1101417-002	2.4907	SC 2.4786	2.3841	0.050	mg/L	NC	NC	NC
		Lead	EPA 200.8	1101417-002	<0.0025	0.0100	0.0100	0.010	mg/L	100	100	<1%
		Selenium	EPA 200.8	1101417-002	0.0485	0.1131	0.1155	0.050	mg/L	129	134	2 %
		Thallium	EPA 200.8	1101417-002	0.0533	0.0604	0.0611	0.010	mg/L	71	78	1 %
		Uranium	EPA 200.8	1101417-002	<0.0100	0.0108	0.0108	0.010	mg/L	106	NC	NC
QC1102233	MS 1	Mercury	EPA 200.8	1102013-001	<0.000100	0.001271	0.001240	0.001	mg/L	127	124	2 %
		Antimony	EPA 200.8	1102013-001	<0.0025	0.0111	0.0116	0.010	mg/L	111	116	4 %
		Arsenic	EPA 200.8	1102013-001	<0.0050	0.0544	0.0565	0.050	mg/L	108	112	4 %
		Lead	EPA 200.8	1102013-001	<0.0025	0.0109	0.0110	0.010	mg/L	109	110	1 %
		Selenium	EPA 200.8	1102013-001	<0.0050	0.0503	0.0495	0.050	mg/L	100	98	2 %
		Thallium	EPA 200.8	1102013-001	<0.0010	0.0111	0.0112	0.010	mg/L	111	112	1 %
		Uranium	EPA 200.8	1102013-001	<0.0100	0.0105	0.0106	0.010	mg/L	105	106	1 %
QC1102234	MS 1	Mercury	EPA 200.8	1102013-002	<0.000100	0.001080	0.001078	0.001	mg/L	108	108	<1%
		Antimony	EPA 200.8	1102013-002	<0.0025	0.0115	0.0111	0.010	mg/L	115	111	4 %
		Arsenic	EPA 200.8	1102013-002	<0.0050	0.0562	0.0551	0.050	mg/L	105	103	2 %
		Lead	EPA 200.8	1102013-002	<0.0025	0.0117	0.0116	0.010	mg/L	117	116	1 %
		Selenium	EPA 200.8	1102013-002	<0.0050	0.0479	0.0492	0.050	mg/L	93	96	3 %
		Thallium	EPA 200.8	1102013-002	<0.0010	0.0118	0.0117	0.010	mg/L	118	117	1 %
		Uranium	EPA 200.8	1102013-002	<0.0100	0.0117	0.0115	0.010	mg/L	116	114	2 %
QC1102243	MS 1	Sulfate	EPA 300.0	1102080-021	<1.000	11.9	12.0	10.0	mg/L	118	118	1 %



Specializing in Soil, Hazardous Waste and Water Analysis.

12/4/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1211395

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/21/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamaille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1211395

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1211395-001 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina
Phone: (775) 356-1300 Fax: (775) 356-8917
POProject: 3438 Wk:28

Date Printed: 12/4/2012
OrderID: 1211395

Customer Sample ID: CF-11-02 (0-27) Wk:28

Collect Date/Time: 11/22/2012 09:00

WETLAB Sample ID: 1211395-001

Receive Date: 11/21/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.77	pH Units		11/21/2012
Trace Metals Digestion	EPA 200.2	Complete			11/28/2012
Bicarbonate (HCO ₃)	SM 2320B	46	mg/L	1.0	11/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/21/2012
Total Alkalinity	SM 2320B	38	mg/L as CaCO ₃	1.0	11/21/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/21/2012
Fluoride	EPA 300.0	0.91	M mg/L	0.10	11/21/2012
Sulfate	EPA 300.0	17	mg/L	1.0	11/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/21/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/21/2012
Total Dissolved Solids (TDS)	SM 2540C	84	mg/L	10	11/26/2012
Aluminum	EPA 200.7	0.052	mg/L	0.045	11/29/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/29/2012
Calcium	EPA 200.7	16	mg/L	0.50	11/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Magnesium	EPA 200.7	2.9	mg/L	0.50	11/29/2012
Manganese	EPA 200.7	0.017	mg/L	0.0050	11/29/2012

Page 3 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) Wk:28

Collect Date/Time: 11/22/2012 09:00

WETLAB Sample ID: 1211395-001

Receive Date: 11/21/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/29/2012
Potassium	EPA 200.7	2.2	mg/L	0.50	11/29/2012
Scandium	EPA 200.7	<0.1000	mg/L	0.1000	11/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/29/2012
Sodium	EPA 200.7	1.8	mg/L	0.50	11/29/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	11/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/29/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/29/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/29/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	11/29/2012
Anions	Calculation	1.16	meq/L	0.10	
Cations	Calculation	1.18	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02 (367-408) Wk:28

Collect Date/Time: 11/22/2012 09:00

WETLAB Sample ID: 1211395-002

Receive Date: 11/21/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		11/21/2012
Trace Metals Digestion	EPA 200.2	Complete			11/28/2012
Bicarbonate (HCO3)	SM 2320B	28	mg/L	1.0	11/21/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	11/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/21/2012
Total Alkalinity	SM 2320B	23	mg/L as CaCO3	1.0	11/21/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/21/2012
Fluoride	EPA 300.0	1.0	mg/L	0.10	11/21/2012
Sulfate	EPA 300.0	16	mg/L	1.0	11/21/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/21/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/21/2012

Page 4 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) Wk:28

Collect Date/Time: 11/22/2012 09:00

WETLAB Sample ID: 1211395-002

Receive Date: 11/21/2012 13:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	89	mg/L	10	11/26/2012
Aluminum	EPA 200.7	0.14	mg/L	0.045	11/29/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/29/2012
Calcium	EPA 200.7	15	mg/L	0.50	11/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Copper	EPA 200.7	0.056	mg/L	0.050	11/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Iron	EPA 200.7	0.033	mg/L	0.010	11/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Magnesium	EPA 200.7	0.69	mg/L	0.50	11/29/2012
Manganese	EPA 200.7	0.022	mg/L	0.0050	11/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/29/2012
Potassium	EPA 200.7	1.8	mg/L	0.50	11/29/2012
Scandium	EPA 200.7	<0.1000	mg/L	0.1000	11/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/29/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	11/29/2012
Strontium	EPA 200.7	0.15	mg/L	0.10	11/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/29/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/28/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	11/28/2012
Anions	Calculation	0.84	meq/L	0.10	
Cations	Calculation	0.93	meq/L	0.10	
Error	Calculation	4.9	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12110735	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12110735	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12110735	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12110737	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12110737	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12110737	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12110740	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110740	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110740	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110742	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110742	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110742	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110744	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12110744	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12110744	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12110864	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	11	mg/L
QC12110864	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12110894	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12110930	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	0.80	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12110733	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12110733	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110733	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110733	LCS 4	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12110735	LCS 1	Fluoride	EPA 300.0	2.02	2.00	101	mg/L
QC12110737	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12110738	LCS 1	Total Alkalinity	SM 2320B	99.0	100	99	mg/L
QC12110738	LCS 2	Total Alkalinity	SM 2320B	99.4	100	99	mg/L
QC12110738	LCS 3	Total Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12110738	LCS 4	Total Alkalinity	SM 2320B	91.6	100	92	mg/L
QC12110738	LCS 5	Total Alkalinity	SM 2320B	99.5	100	100	mg/L
QC12110740	LCS 1	Nitrite Nitrogen	EPA 300.0	0.529	0.500	106	mg/L
QC12110742	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12110744	LCS 1	Sulfate	EPA 300.0	24.3	25.0	97	mg/L
QC12110864	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	160	150	107	mg/L
QC12110864	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12110894	LCS 1	Uranium, Dissolved	EPA 200.8	0.0094	0.010	94	mg/L
		Mercury, Dissolved	EPA 200.8	0.000884	0.001	88	mg/L
		Antimony, Dissolved	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic, Dissolved	EPA 200.8	0.0492	0.050	98	mg/L
		Lead, Dissolved	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium, Dissolved	EPA 200.8	0.0474	0.050	95	mg/L
		Thallium, Dissolved	EPA 200.8	0.0097	0.010	97	mg/L
QC12110930	LCS 1	Aluminum, Dissolved	EPA 200.7	0.977	1.00	98	mg/L
		Barium, Dissolved	EPA 200.7	0.989	1.00	99	mg/L
		Beryllium, Dissolved	EPA 200.7	0.977	1.00	98	mg/L
		Bismuth, Dissolved	EPA 200.7	1.03	1.00	103	mg/L
		Boron, Dissolved	EPA 200.7	0.971	1.00	97	mg/L
		Cadmium, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Calcium, Dissolved	EPA 200.7	9.67	10.0	97	mg/L
		Chromium, Dissolved	EPA 200.7	0.973	1.00	97	mg/L
		Cobalt, Dissolved	EPA 200.7	0.993	1.00	99	mg/L
		Copper, Dissolved	EPA 200.7	4.75	5.00	95	mg/L
		Gallium, Dissolved	EPA 200.7	0.975	1.00	98	mg/L
		Iron, Dissolved	EPA 200.7	0.992	1.00	99	mg/L
		Lithium, Dissolved	EPA 200.7	0.962	1.00	96	mg/L
		Magnesium, Dissolved	EPA 200.7	9.98	10.0	100	mg/L
		Manganese, Dissolved	EPA 200.7	0.973	1.00	97	mg/L
		Molybdenum, Dissolved	EPA 200.7	0.982	1.00	98	mg/L
		Nickel, Dissolved	EPA 200.7	4.98	5.00	100	mg/L
		Phosphorus, Dissolved	EPA 200.7	5.10	5.00	102	mg/L
		Potassium, Dissolved	EPA 200.7	10.0	10.0	100	mg/L
		Scandium, Dissolved	EPA 200.7	0.967	1.00	97	mg/L
		Silver, Dissolved	EPA 200.7	0.086	0.090	96	mg/L
		Sodium, Dissolved	EPA 200.7	10.1	10.0	101	mg/L
		Strontium, Dissolved	EPA 200.7	0.980	1.00	98	mg/L
		Tin, Dissolved	EPA 200.7	0.975	1.00	98	mg/L

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Titanium, Dissolved	EPA 200.7	0.969	1.00	97	mg/L
		Vanadium, Dissolved	EPA 200.7	0.979	1.00	98	mg/L
		Zinc, Dissolved	EPA 200.7	1.03	1.00	103	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12110733	Duplicate	pH	SM 4500-H+ B	1211385-001	7.13	7.20	pH Units	1 %
QC12110733	Duplicate	pH	SM 4500-H+ B	1211386-007	6.85	6.93	pH Units	1 %
QC12110733	Duplicate	pH	SM 4500-H+ B	1211389-001	7.22	7.21	pH Units	<1%
QC12110733	Duplicate	pH	SM 4500-H+ B	1211389-008	7.97	7.95	pH Units	<1%
QC12110733	Duplicate	pH	SM 4500-H+ B	1211396-001	7.87	7.97	pH Units	1 %
QC12110733	Duplicate	pH	SM 4500-H+ B	1211400-001	6.08	5.92	Q pH Units	3 %
QC12110733	Duplicate	pH	SM 4500-H+ B	1211404-001	7.81	7.81	pH Units	<1%
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211385-001	886	926	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1211385-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211385-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211385-001	727	759	mg/L as CaCO3	4 %
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211386-007	287	244	mg/L	16 %
		Carbonate (CO3)	SM 2320B	1211386-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211386-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211386-007	235	200	mg/L as CaCO3	16 %
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211389-001	361	366	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211389-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211389-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211389-001	296	300	mg/L as CaCO3	1 %
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211389-008	236	239	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211389-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211389-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211389-008	194	196	mg/L as CaCO3	1 %
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211396-001	24.7	24.9	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211396-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211396-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211396-001	20.3	20.4	mg/L as CaCO3	1 %
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211400-001	<1.000	<1.000	Q mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211400-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211400-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211400-001	<1.000	<1.000	Q mg/L as CaCO3	<1%
QC12110738	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211404-001	125	118	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1211404-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211404-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211404-001	102	96.9	mg/L as CaCO3	5 %
QC12110864	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211389-001	596	650	Q mg/L	9 %
QC12110864	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211396-002	94.0	94.0	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12110864	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211396-011	1052	1044	mg/L	1 %
QC12110864	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211400-001	<10.00	13.0	mg/L	36 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12110735	MS 1	Fluoride	EPA 300.0	1211379-004	<0.100	1.79	1.85	2.00	mg/L	85	88	3 %
QC12110735	MS 2	Fluoride	EPA 300.0	1211395-001	0.914	M 2.48	2.49	2.00	mg/L	NC	NC	NC
QC12110737	MS 1	Chloride	EPA 300.0	1211379-004	<1.000	5.15	5.27	5.00	mg/L	102	105	2 %
QC12110737	MS 2	Chloride	EPA 300.0	1211395-001	<1.000	5.24	5.32	5.00	mg/L	103	105	2 %
QC12110740	MS 1	Nitrite Nitrogen	EPA 300.0	1211379-004	<0.025	0.549	0.560	0.500	mg/L	107	109	2 %
QC12110740	MS 2	Nitrite Nitrogen	EPA 300.0	1211395-001	<0.025	0.549	0.556	0.500	mg/L	107	108	1 %
QC12110742	MS 1	Nitrate Nitrogen	EPA 300.0	1211379-004	<1.000	2.03	2.08	2.00	mg/L	100	102	2 %
QC12110742	MS 2	Nitrate Nitrogen	EPA 300.0	1211395-001	<1.000	2.07	2.08	2.00	mg/L	102	103	<1%
QC12110744	MS 1	Sulfate	EPA 300.0	1211379-004	29.6	38.6	38.8	10.0	mg/L	90	92	1 %
QC12110744	MS 2	Sulfate	EPA 300.0	1211395-001	17.4	26.8	27.0	10.0	mg/L	94	95	1 %
QC12110894	MS 1	Uranium, Dissolved	EPA 200.8	1211386-010	<0.0050	0.0090	0.0091	0.010	mg/L	90	91	1 %
		Mercury, Dissolved	EPA 200.8	1211386-010	<0.00110	0.001300	0.001100	0.001	mg/L	130	110	17 %
		Antimony, Dissolved	EPA 200.8	1211386-010	<0.0025	0.0083	0.0083	0.010	mg/L	82	82	<1%
		Arsenic, Dissolved	EPA 200.8	1211386-010	<0.2500	M <0.2500	<0.2500	0.050	mg/L	NC	NC	NC
		Lead, Dissolved	EPA 200.8	1211386-010	<0.0025	0.0084	0.0084	0.010	mg/L	84	84	<1%
		Selenium, Dissolved	EPA 200.8	1211386-010	<0.2500	M <0.2500	<0.2500	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1211386-010	<0.0010	0.0083	0.0084	0.010	mg/L	83	84	1 %
QC12110930	MS 1	Aluminum, Dissolved	EPA 200.7	1211386-010	0.118	1.14	1.16	1.00	mg/L	102	104	2 %
		Barium, Dissolved	EPA 200.7	1211386-010	0.073	1.03	1.01	1.00	mg/L	96	94	2 %
		Beryllium, Dissolved	EPA 200.7	1211386-010	0.002	0.983	0.963	1.00	mg/L	98	96	2 %
		Bismuth, Dissolved	EPA 200.7	1211386-010	<0.100	0.821	0.782	1.00	mg/L	83	79	5 %
		Boron, Dissolved	EPA 200.7	1211386-010	7.00	8.18	7.86	1.00	mg/L	118	86	4 %
		Cadmium, Dissolved	EPA 200.7	1211386-010	<0.001	0.983	0.918	1.00	mg/L	98	92	7 %
		Calcium, Dissolved	EPA 200.7	1211386-010	44.6	54.2	51.4	10.0	mg/L	96	68	5 %
		Chromium, Dissolved	EPA 200.7	1211386-010	<0.005	0.921	0.895	1.00	mg/L	92	89	3 %
		Cobalt, Dissolved	EPA 200.7	1211386-010	0.014	0.969	0.933	1.00	mg/L	96	92	4 %
		Copper, Dissolved	EPA 200.7	1211386-010	<0.050	4.83	4.90	5.00	mg/L	97	98	1 %
		Gallium, Dissolved	EPA 200.7	1211386-010	<0.100	0.903	0.922	1.00	mg/L	90	92	2 %
		Iron, Dissolved	EPA 200.7	1211386-010	0.032	0.988	0.955	1.00	mg/L	96	92	3 %
		Lithium, Dissolved	EPA 200.7	1211386-010	1.39	2.32	2.37	1.00	mg/L	93	98	2 %
		Magnesium, Dissolved	EPA 200.7	1211386-010	9.26	18.7	17.4	10.0	mg/L	94	81	7 %
		Manganese, Dissolved	EPA 200.7	1211386-010	0.563	1.52	1.48	1.00	mg/L	96	92	3 %
		Molybdenum, Dissolved	EPA 200.7	1211386-010	<0.010	0.750	0.679	1.00	mg/L	75	68	10 %
		Nickel, Dissolved	EPA 200.7	1211386-010	<0.010	4.78	4.57	5.00	mg/L	96	91	4 %
		Phosphorus, Dissolved	EPA 200.7	1211386-010	<0.500	5.47	5.07	5.00	mg/L	107	99	8 %
		Potassium, Dissolved	EPA 200.7	1211386-010	41.8	51.7	51.4	10.0	mg/L	99	96	1 %
		Scandium, Dissolved	EPA 200.7	1211386-010	<0.100	0.967	0.971	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1211386-010	<0.005	0.076	0.078	0.090	mg/L	85	86	3 %
		Sodium, Dissolved	EPA 200.7	1211386-010	606	sc 623	617	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1211386-010	0.638	1.60	1.62	1.00	mg/L	96	98	1 %
		Tin, Dissolved	EPA 200.7	1211386-010	<0.100	0.938	0.883	1.00	mg/L	96	90	6 %
		Titanium, Dissolved	EPA 200.7	1211386-010	<0.100	0.961	0.942	1.00	mg/L	96	94	2 %
		Vanadium, Dissolved	EPA 200.7	1211386-010	<0.010	0.990	0.978	1.00	mg/L	98	97	1 %
		Zinc, Dissolved	EPA 200.7	1211386-010	<0.010	1.04	0.975	1.00	mg/L	104	97	6 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 855-0202 | fax [775] 366-0817 | www.WETLaboratory.com

Lab Number 1211395

Report

Due Date: 12/7/12

Page 1 of 1

Turnaround Time		
Standard	Day	Other
Billing Address (if different than Client Address):		
Company	_____	
Address	_____	
City, State & Zip	_____	
Contact	_____	
Phone	_____	
Fax	_____	
Email	_____	

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Mike Medina**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name _____

P.O. Number _____ Project Number **3438**

Email **mli@mettest.com**

Additional Information

Fax Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Email Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Compliance Monitoring	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N		
Fax Results to State EPA	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID / LOCATION	DATE	TIME	DATE		TIME	NO.	ANALYSES REQUESTED		Spl. No.
			YEAR	MONTH			NAME	CODE	
CF-11-02 (0-27)	11/22/12	9:00	2012	11	00	2	X	X	1
CF-11-02 (367-408)	↓	↓				↓	↓	↓	2

1211 -05
395 2

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Held (hours)	Samples Received By
Temperature 20.1 °C	12/1/12	1:50p	Duck	[Signature]
Custody Seals Intact? Y <input type="checkbox"/> N <input checked="" type="checkbox"/> None				
Number of Containers 4				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.
475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0217 | www.WETLaboratory.com

Lab Number 1211395

Report
Due Date: 12/7/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**
Address 1016 Greg Street
City, State & Zip Sparks, NV 89431
Contact Mike Medina
Phone 775-356-1300 Collector's Name Robert
Fax 775-356-8917 Project Name
P.O. Number Project Number 3438

Turnaround Time
Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Email **mli@mettest.com**

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type/Code

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID/LOCATION	DATE	TIME							Spl. No.
CF-11-02 (0-27)	11/22/12	9:00	Wk:28	ww	2	X	X		1
CF-11-02 (367-408)	↓	↓	↓	↓	↓	↓	↓		2

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Sampler/Received/ID	Sampler Received By
Temperature 20.1 °C	12/1/12	1:50p	[Signature]	[Signature]
Custody Seals Intact? Y N (None)				
Number of Containers 4				

WETLAB'S Standard terms and Conditions apply unless otherwise agreed. Payment terms are Net 30.
To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

11/6/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1210537

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/25/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1210537

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 11/6/2012

OrderID: 1210537

Customer Sample ID: CF-11-02 (0-27) Wk:24

Collect Date/Time: 10/25/2012 09:00

WETLAB Sample ID: 1210537-001

Receive Date: 10/25/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.50 Q	pH Units		10/25/2012
Trace Metals Digestion	EPA 200.2	Complete			10/30/2012
Bicarbonate (HCO ₃)	SM 2320B	53	mg/L	1.0	10/25/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/25/2012
Total Alkalinity	SM 2320B	44	mg/L as CaCO ₃	1.0	10/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/26/2012
Fluoride	EPA 300.0	1.0	mg/L	0.10	10/26/2012
Sulfate	EPA 300.0	19	mg/L	1.0	10/26/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/26/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/26/2012
Total Dissolved Solids (TDS)	SM 2540C	83	mg/L	10	10/30/2012
Aluminum	EPA 200.7	0.050	mg/L	0.045	10/31/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/31/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/31/2012
Calcium	EPA 200.7	18	mg/L	0.50	10/31/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/31/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/31/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Magnesium	EPA 200.7	3.2	mg/L	0.50	10/31/2012
Manganese	EPA 200.7	0.023	mg/L	0.0050	10/31/2012

Page 3 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) Wk:24

Collect Date/Time: 10/25/2012 09:00

WETLAB Sample ID: 1210537-001

Receive Date: 10/25/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/31/2012
Potassium	EPA 200.7	2.0	mg/L	0.50	10/31/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/31/2012
Sodium	EPA 200.7	0.70	mg/L	0.50	10/31/2012
Strontium	EPA 200.7	0.15	mg/L	0.10	10/31/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/30/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Anions	Calculation	1.32	meq/L	0.10	
Cations	Calculation	1.25	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: CF-11-02 (367-408) Wk:24

Collect Date/Time: 10/25/2012 09:00

WETLAB Sample ID: 1210537-002

Receive Date: 10/25/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.69	pH Units		10/25/2012
Trace Metals Digestion	EPA 200.2	Complete			10/30/2012
Bicarbonate (HCO3)	SM 2320B	36	mg/L	1.0	10/25/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/25/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/25/2012
Total Alkalinity	SM 2320B	29	mg/L as CaCO3	1.0	10/25/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/26/2012
Fluoride	EPA 300.0	1.0	mg/L	0.10	10/26/2012
Sulfate	EPA 300.0	17	mg/L	1.0	10/26/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/26/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/26/2012

Page 4 of 10

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) Wk:24

Collect Date/Time: 10/25/2012 09:00

WETLAB Sample ID: 1210537-002

Receive Date: 10/25/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	63	mg/L	10	10/30/2012
Aluminum	EPA 200.7	0.10	mg/L	0.045	10/31/2012
Barium	EPA 200.7	0.049	mg/L	0.010	10/31/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/31/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/31/2012
Calcium	EPA 200.7	16	mg/L	0.50	10/31/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/31/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/31/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Magnesium	EPA 200.7	0.83	mg/L	0.50	10/31/2012
Manganese	EPA 200.7	0.022	mg/L	0.0050	10/31/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/31/2012
Potassium	EPA 200.7	1.4	mg/L	0.50	10/31/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/31/2012
Sodium	EPA 200.7	0.58	mg/L	0.50	10/31/2012
Strontium	EPA 200.7	0.15	mg/L	0.10	10/31/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/31/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/31/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/30/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/30/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/30/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/30/2012
Anions	Calculation	1.00	meq/L	0.10	
Cations	Calculation	0.94	meq/L	0.10	
Error	Calculation	2.9	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12101050	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12101050	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12101050	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12101053	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12101053	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12101053	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12101057	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12101057	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12101057	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12101062	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12101062	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12101062	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12101065	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12101065	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12101065	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12101136	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12101182	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L

Page 6 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Units
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12110033	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12110033	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12110033	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12101023	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12101023	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12101023	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12101023	LCS 4	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC12101024	LCS 1	Total Alkalinity	SM 2320B	98.1	100	98	mg/L
QC12101024	LCS 2	Total Alkalinity	SM 2320B	98.4	100	98	mg/L
QC12101024	LCS 3	Total Alkalinity	SM 2320B	98.2	100	98	mg/L
QC12101024	LCS 4	Total Alkalinity	SM 2320B	98.0	100	98	mg/L
QC12101024	LCS 5	Total Alkalinity	SM 2320B	98.9	100	99	mg/L
QC12101050	LCS 1	Fluoride	EPA 300.0	1.97	2.00	99	mg/L
QC12101053	LCS 1	Chloride	EPA 300.0	10.7	10.0	107	mg/L
QC12101057	LCS 1	Nitrite Nitrogen	EPA 300.0	0.524	0.500	105	mg/L
QC12101062	LCS 1	Nitrate Nitrogen	EPA 300.0	2.05	2.00	102	mg/L
QC12101065	LCS 1	Sulfate	EPA 300.0	24.9	25.0	100	mg/L
QC12101136	LCS 1	Mercury	EPA 200.8	0.000887	0.001	89	mg/L
		Antimony	EPA 200.8	0.0097	0.010	97	mg/L
		Arsenic	EPA 200.8	0.0513	0.050	103	mg/L
		Lead	EPA 200.8	0.0095	0.010	95	mg/L
		Selenium	EPA 200.8	0.0479	0.050	96	mg/L
		Thallium	EPA 200.8	0.0097	0.010	97	mg/L
		Uranium	EPA 200.8	0.0096	0.010	96	mg/L
QC12101182	LCS 1	Aluminum	EPA 200.7	0.949	1.00	95	mg/L
		Barium	EPA 200.7	0.959	1.00	96	mg/L
		Beryllium	EPA 200.7	0.970	1.00	97	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.823	1.00	82	mg/L
		Cadmium	EPA 200.7	0.951	1.00	95	mg/L
		Calcium	EPA 200.7	9.58	10.0	96	mg/L
		Chromium	EPA 200.7	0.956	1.00	96	mg/L
		Cobalt	EPA 200.7	0.959	1.00	96	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.984	1.00	98	mg/L
		Iron	EPA 200.7	0.968	1.00	97	mg/L
		Lithium	EPA 200.7	0.981	1.00	98	mg/L
		Magnesium	EPA 200.7	9.48	10.0	95	mg/L
		Manganese	EPA 200.7	0.959	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.962	1.00	96	mg/L
		Nickel	EPA 200.7	4.77	5.00	95	mg/L
		Phosphorus	EPA 200.7	4.84	5.00	97	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.974	1.00	97	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.942	1.00	94	mg/L
		Titanium	EPA 200.7	0.980	1.00	98	mg/L

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
		Vanadium	EPA 200.7	0.956	1.00	96	mg/L
		Zinc	EPA 200.7	0.949	1.00	95	mg/L
QC12110033	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12110033	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12110033	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L

QC Batch ID	QC Type	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12101023	Duplicate	pH	SM 4500-H+ B	1210527-001	7.44	7.48	pH Units	1 %
QC12101023	Duplicate	pH	SM 4500-H+ B	1210528-002	6.82	6.83	pH Units	<1%
QC12101023	Duplicate	pH	SM 4500-H+ B	1210530-003	7.33	7.37	pH Units	1 %
QC12101023	Duplicate	pH	SM 4500-H+ B	1210537-001	7.50	7.32	Q pH Units	2 %
QC12101023	Duplicate	pH	SM 4500-H+ B	1210540-002	7.92	7.98	pH Units	1 %
QC12101023	Duplicate	pH	SM 4500-H+ B	1210542-001	7.67	7.66	pH Units	<1%
QC12101023	Duplicate	pH	SM 4500-H+ B	1210542-011	8.00	8.05	pH Units	1 %
QC12101023	Duplicate	pH	SM 4500-H+ B	1210545-007	8.14	8.12	pH Units	<1%
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210527-001	237	238	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210527-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210527-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210527-001	195	195	mg/L as CaCO3	<1%
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210528-002	489	488	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210528-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210528-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210528-002	401	400	mg/L as CaCO3	<1%
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210530-003	173	174	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210530-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210530-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210530-003	142	142	mg/L as CaCO3	<1%
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210537-001	53.2	50.6	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1210537-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210537-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210537-001	43.6	41.5	mg/L as CaCO3	5 %
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210540-002	98.6	98.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210540-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210540-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210540-002	80.8	80.8	mg/L as CaCO3	<1%
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210542-001	140	137	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1210542-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210542-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210542-001	114	112	mg/L as CaCO3	2 %
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210542-011	124	125	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1210542-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210542-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210542-011	102	102	mg/L as CaCO3	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12101024	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210545-007	178	175	mg/L	1%
		Carbonate (CO3)	SM 2320B	1210545-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210545-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210545-007	146	144	mg/L as CaCO3	1%
QC12110033	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210516-001	181	179	mg/L	1%
QC12110033	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210517-010	108	99.0	mg/L	9%
QC12110033	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210537-001	83.0	80.0	mg/L	4%
QC12110033	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210537-002	63.0	65.0	mg/L	3%
QC12110033	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210549-006	2536	2520	mg/L	1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD		
QC12101050	MS 1	Fluoride	EPA 300.0	1210537-002	1.02	2.91	2.98	2.00	mg/L	94	98	2%		
QC12101050	MS 2	Fluoride	EPA 300.0	1210540-004	1.58	3.57	3.62	2.00	mg/L	100	102	1%		
QC12101053	MS 1	Chloride	EPA 300.0	1210537-002	<1.000	5.47	5.58	5.00	mg/L	108	110	2%		
QC12101053	MS 2	Chloride	EPA 300.0	1210540-004	10.4	15.6	15.7	5.00	mg/L	103	105	1%		
QC12101057	MS 1	Nitrite Nitrogen	EPA 300.0	1210537-002	<0.025	0.565	0.574	0.500	mg/L	112	113	2%		
QC12101057	MS 2	Nitrite Nitrogen	EPA 300.0	1210540-004	0.100	0.654	0.665	0.500	mg/L	111	113	2%		
QC12101062	MS 1	Nitrate Nitrogen	EPA 300.0	1210537-002	<1.000	2.16	2.20	2.00	mg/L	106	108	2%		
QC12101062	MS 2	Nitrate Nitrogen	EPA 300.0	1210540-004	<1.000	2.17	2.20	2.00	mg/L	105	107	1%		
QC12101065	MS 1	Sulfate	EPA 300.0	1210537-002	16.8	26.5	26.8	10.0	mg/L	97	100	1%		
QC12101065	MS 2	Sulfate	EPA 300.0	1210540-004	14.0	23.8	23.9	10.0	mg/L	98	99	<1%		
QC12101136	MS 1	Uranium, Dissolved	EPA 200.8	1210528-008	<0.0050	0.0096	0.0096	0.010	mg/L	94	94	<1%		
		Mercury, Dissolved	EPA 200.8	1210528-008	<0.00010	0.000791	0.000795	0.001	mg/L	79	80	1%		
		Antimony, Dissolved	EPA 200.8	1210528-008	0.0069	0.0166	0.0164	0.010	mg/L	97	95	1%		
		Arsenic, Dissolved	EPA 200.8	1210528-008	0.0062	0.0576	0.0577	0.050	mg/L	103	103	<1%		
		Lead, Dissolved	EPA 200.8	1210528-008	<0.0025	0.0089	0.0092	0.010	mg/L	88	90	3%		
		Selenium, Dissolved	EPA 200.8	1210528-008	<0.0050	0.0458	0.0453	0.050	mg/L	91	90	1%		
		Thallium, Dissolved	EPA 200.8	1210528-008	<0.0010	0.0094	0.0094	0.010	mg/L	94	94	<1%		
		QC12101182	MS 1	Aluminum, Dissolved	EPA 200.7	1210528-008	<0.045	0.954	0.947	1.00	mg/L	95	94	1%
		Barium, Dissolved		EPA 200.7	1210528-008	0.075	1.05	1.02	1.00	mg/L	97	94	3%	
		Beryllium, Dissolved		EPA 200.7	1210528-008	<0.001	0.993	0.979	1.00	mg/L	99	98	1%	
Bismuth, Dissolved	EPA 200.7	1210528-008		<0.100	1.00	0.989	1.00	mg/L	101	100	1%			
Boron, Dissolved	EPA 200.7	1210528-008		<0.100	0.922	0.898	1.00	mg/L	89	87	3%			
Cadmium, Dissolved	EPA 200.7	1210528-008		<0.001	0.980	0.948	1.00	mg/L	98	95	3%			
Calcium, Dissolved	EPA 200.7	1210528-008		44.2	52.9	52.0	10.0	mg/L	87	78	2%			
Chromium, Dissolved	EPA 200.7	1210528-008		<0.005	0.975	0.951	1.00	mg/L	98	95	2%			
Cobalt, Dissolved	EPA 200.7	1210528-008		<0.010	0.942	0.912	1.00	mg/L	94	91	3%			
Copper, Dissolved	EPA 200.7	1210528-008		<0.050	4.79	4.71	5.00	mg/L	96	94	2%			
Gallium, Dissolved	EPA 200.7	1210528-008	<0.100	1.02	1.00	1.00	mg/L	102	100	2%				
Iron, Dissolved	EPA 200.7	1210528-008	0.028	1.01	1.00	1.00	mg/L	98	97	1%				
Lithium, Dissolved	EPA 200.7	1210528-008	<0.100	0.959	0.965	1.00	mg/L	95	95	1%				
Magnesium, Dissolved	EPA 200.7	1210528-008	21.5	29.7	29.0	10.0	mg/L	82	75	2%				
Manganese, Dissolved	EPA 200.7	1210528-008	0.054	1.03	1.00	1.00	mg/L	98	95	3%				
Molybdenum, Dissolved	EPA 200.7	1210528-008	<0.010	0.996	0.980	1.00	mg/L	99	98	2%				
Nickel, Dissolved	EPA 200.7	1210528-008	<0.010	4.68	4.54	5.00	mg/L	94	91	3%				
Phosphorus, Dissolved	EPA 200.7	1210528-008	<0.500	5.25	5.12	5.00	mg/L	103	101	3%				
Potassium, Dissolved	EPA 200.7	1210528-008	3.18	13.1	13.1	10.0	mg/L	99	99	<1%				
Scandium, Dissolved	EPA 200.7	1210528-008	<0.100	0.972	0.970	1.00	mg/L	97	97	<1%				
Silver, Dissolved	EPA 200.7	1210528-008	<0.005	0.088	0.087	0.090	mg/L	99	97	1%				

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Sodium, Dissolved	EPA 200.7	1210528-008	9.56	19.2	19.3	10.0	mg/L	96	97	1 %
		Strontium, Dissolved	EPA 200.7	1210528-008	0.180	1.18	1.17	1.00	mg/L	100	99	1 %
		Tin, Dissolved	EPA 200.7	1210528-008	<0.100	0.985	0.960	1.00	mg/L	101	98	3 %
		Titanium, Dissolved	EPA 200.7	1210528-008	<0.100	0.989	0.987	1.00	mg/L	99	99	<1%
		Vanadium, Dissolved	EPA 200.7	1210528-008	0.023	1.01	0.988	1.00	mg/L	99	97	2 %
		Zinc, Dissolved	EPA 200.7	1210528-008	<0.010	0.991	0.948	1.00	mg/L	99	95	4 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Wastes and Water Analysis.*
 475 E. Greg Street #119 | Sparks, Nevada 89431
 tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1210537
 Report
 Due Date: 11/8/12
 Page 1 of 1

Client McClelland Laboratories, Inc.
 Address 1016 Greg Street
 City, State & Zip Sparks, NV 89431
 Contact Mike Medina
 Phone 775-356-1300 Collector's Name Robert
 Fax 775-356-8917 Project Name _____
 P.O. Number _____ Project Number 3438
 Email mli@mettest.com

Turnaround Time
 Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Additional Information:
 Fax Results Y N To: Client Billing
 Email Results Y N To: Client Billing
 Compliance Monitoring Y N
 Fax Results to State EPA Y N

Sample Type Codes:
 DW = Drinking Water SD = Solid
 WW = Wastewater SO = Soil
 SW = Surface Water HW = Hazardous Waste
 MW = Monitoring Well OTHER: _____

Analyses Requested										Spl. No.
Profile II w/o Wad	Uranium									
X	X									1
↓	↓									2

Instructions/Comments/Special Requirements: _____ 1210 1
 _____ 537 1

SAMPLE RECEIPT	DATE	TIME	Sample Received By	Samples Received By
Temperature <u>20.3 °C</u>	<u>10/25/12</u>	<u>1500</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1210537

Report
Due Date: 11/8/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time
 _____ Day _____ Night

Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Additional Information

Fax Results	<input type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Email Results	<input type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Compliance Monitoring	<input type="checkbox"/> Y	<input type="checkbox"/> N		
Fax Results to State EPA	<input type="checkbox"/> Y	<input type="checkbox"/> N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

Analyses Requested

Profile II w/o Wad	Uranium	Analyses Requested										Spl. No.
X	X											1
↓	↓											2

Instructions/Comments/Special Requirements: _____ 1210 1
 _____ 537 1

SAMPLE RECEIVED	DATE	TIME	Signature (Collector)	Signature (Received By)
Temperature <u>20.3 °C</u>	<u>10/25/12</u>	<u>1500</u>		
Custody Seals Intact? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N <u>(None)</u>				
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

10/10/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1209549

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/27/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1209549

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1209549-001 Arsenic, Selenium

1209549-002 Arsenic, Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
 1016 Greg Street
 Sparks, NV 89431
 Attn: Gene McClelland
 Phone: (775) 356-1300 Fax: (775) 356-8917
 PO\Project: 3438

Date Printed: 10/10/2012
 OrderID: 1209549

Customer Sample ID: CF-11-02 (0-27) Wk:20
 WETLAB Sample ID: 1209549-001

Collect Date/Time: 9/27/2012 09:00
 Receive Date: 9/27/2012 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.55	pH Units		9/27/2012
Trace Metals Digestion	EPA 200.2	Complete			10/3/2012
Bicarbonate (HCO3)	SM 2320B	47	mg/L	1.0	9/27/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	9/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/27/2012
Total Alkalinity	SM 2320B	39	mg/L as CaCO3	1.0	9/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/28/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	9/28/2012
Sulfate	EPA 300.0	23	mg/L	1.0	9/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/28/2012
Total Dissolved Solids (TDS)	SM 2540C	80	mg/L	10	10/1/2012
Aluminum	EPA 200.7	0.049	mg/L	0.045	10/4/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/4/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/4/2012
Calcium	EPA 200.7	19	mg/L	0.50	10/4/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/4/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/4/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Magnesium	EPA 200.7	3.2	mg/L	0.50	10/4/2012
Manganese	EPA 200.7	0.028	mg/L	0.0050	10/4/2012

Customer Sample ID: CF-11-02 (0-27) Wk:20

Collect Date/Time: 9/27/2012 09:00

WETLAB Sample ID: 1209549-001

Receive Date: 9/27/2012 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/4/2012
Potassium	EPA 200.7	2.2	mg/L	0.50	10/4/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/4/2012
Sodium	EPA 200.7	0.53	mg/L	0.50	10/4/2012
Strontium	EPA 200.7	0.16	mg/L	0.10	10/4/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/3/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/3/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	10/4/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/3/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	10/4/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/3/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/3/2012
Anions	Calculation	1.31	meq/L	0.10	
Cations	Calculation	1.30	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02 (367-408) Wk:20

Collect Date/Time: 9/27/2012 09:00

WETLAB Sample ID: 1209549-002

Receive Date: 9/27/2012 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.50	pH Units		9/27/2012
Trace Metals Digestion	EPA 200.2	Complete			10/3/2012
Bicarbonate (HCO ₃)	SM 2320B	36	mg/L	1.0	9/27/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/27/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/27/2012
Total Alkalinity	SM 2320B	30	mg/L as CaCO ₃	1.0	9/27/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/28/2012
Fluoride	EPA 300.0	1.1	mg/L	0.10	9/28/2012
Sulfate	EPA 300.0	17	mg/L	1.0	9/28/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/28/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/28/2012

Page 4 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) Wk:20

Collect Date/Time: 9/27/2012 09:00

WETLAB Sample ID: 1209549-002

Receive Date: 9/27/2012 15:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	62	mg/L	10	10/1/2012
Aluminum	EPA 200.7	0.11	mg/L	0.045	10/4/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/4/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/4/2012
Calcium	EPA 200.7	16	mg/L	0.50	10/4/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/4/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/4/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Magnesium	EPA 200.7	0.94	mg/L	0.50	10/4/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	10/4/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/4/2012
Potassium	EPA 200.7	1.7	mg/L	0.50	10/4/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/4/2012
Sodium	EPA 200.7	<0.50	mg/L	0.50	10/4/2012
Strontium	EPA 200.7	0.17	mg/L	0.10	10/4/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/4/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/4/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/3/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/3/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	10/4/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/3/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	10/4/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/3/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	10/3/2012
Anions	Calculation	1.00	meq/L	0.10	
Cations	Calculation	0.93	meq/L	0.10	
Error	Calculation	3.6	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12100003	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12100003	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12100003	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12100006	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12100006	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12100006	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12100009	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100009	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100009	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100016	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100016	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100016	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100019	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12100019	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12100019	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12100140	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100140	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100140	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100180	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12100188	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12090834	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090834	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090835	LCS 1	Alkalinity	SM 2320B	96.3	100	96	mg/L
QC12090835	LCS 2	Alkalinity	SM 2320B	97.5	100	98	mg/L
QC12090835	LCS 3	Alkalinity	SM 2320B	98.2	100	98	mg/L
QC12100003	LCS 1	Fluoride	EPA 300.0	1.94	2.00	97	mg/L
QC12100006	LCS 1	Chloride	EPA 300.0	10.8	10.0	108	mg/L
QC12100009	LCS 1	Nitrite Nitrogen	EPA 300.0	0.487	0.500	97	mg/L
QC12100016	LCS 1	Nitrate Nitrogen	EPA 300.0	2.05	2.00	103	mg/L
QC12100019	LCS 1	Sulfate	EPA 300.0	24.8	25.0	99	mg/L
QC12100140	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12100140	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12100140	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12100160	LCS 1	Mercury	EPA 200.8	0.000916	0.001	92	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0507	0.050	101	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0462	0.050	92	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L
		Uranium	EPA 200.8	0.0091	0.010	91	mg/L
QC12100188	LCS 1	Aluminum	EPA 200.7	0.960	1.00	96	mg/L
		Barium	EPA 200.7	0.961	1.00	96	mg/L
		Beryllium	EPA 200.7	1.00	1.00	100	mg/L
		Bismuth	EPA 200.7	1.01	1.00	101	mg/L
		Boron	EPA 200.7	0.934	1.00	93	mg/L
		Cadmium	EPA 200.7	0.992	1.00	99	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.964	1.00	96	mg/L
		Cobalt	EPA 200.7	0.973	1.00	97	mg/L
		Copper	EPA 200.7	4.75	5.00	95	mg/L
		Gallium	EPA 200.7	0.963	1.00	96	mg/L
		Iron	EPA 200.7	0.980	1.00	98	mg/L
		Lithium	EPA 200.7	0.977	1.00	98	mg/L
		Magnesium	EPA 200.7	9.85	10.0	98	mg/L
		Manganese	EPA 200.7	0.975	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.966	1.00	97	mg/L
		Nickel	EPA 200.7	4.86	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.88	5.00	98	mg/L
		Potassium	EPA 200.7	9.81	10.0	98	mg/L
		Scandium	EPA 200.7	0.963	1.00	96	mg/L
		Silver	EPA 200.7	0.086	0.090	95	mg/L
		Sodium	EPA 200.7	9.94	10.0	99	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	0.997	1.00	100	mg/L
		Vanadium	EPA 200.7	0.956	1.00	96	mg/L

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Zinc	EPA 200.7	1.01	1.00	101	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12090834	Duplicate	pH	SM 4500-H+ B	1209526-001	7.75	7.80	pH Units	1 %
QC12090834	Duplicate	pH	SM 4500-H+ B	1209528-006	5.81	5.60	Q pH Units	4 %
QC12090834	Duplicate	pH	SM 4500-H+ B	1209549-001	7.55	7.56	pH Units	<1%
QC12090835	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209526-001	174	174	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1209526-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209526-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209526-001	143	143	mg/L as CaCO3	<1%
QC12090835	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209528-006	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1209528-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209528-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209528-006	<1.000	<1.000	mg/L as CaCO3	<1%
QC12090835	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209549-001	47.3	47.0	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1209549-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209549-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209549-001	38.8	38.6	mg/L as CaCO3	1 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209500-001	109	120	Q mg/L	10 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209500-011	276	284	mg/L	3 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209554-002	450	442	mg/L	2 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209572-002	1584	1614	mg/L	2 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209580-009	2148	2336	Q mg/L	8 %
QC12100140	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209580-018	824	858	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12100003	MS 1	Fluoride	EPA 300.0	1209549-001	1.22	2.88	2.85	2.00	mg/L	83	82	1 %
QC12100003	MS 2	Fluoride	EPA 300.0	1209562-006	<0.100	2.05	2.12	2.00	mg/L	102	106	3 %
QC12100006	MS 1	Chloride	EPA 300.0	1209549-001	<1.000	5.03	5.21	5.00	mg/L	100	103	4 %
QC12100006	MS 2	Chloride	EPA 300.0	1209562-006	<1.000	5.21	5.39	5.00	mg/L	104	108	3 %
QC12100009	MS 1	Nitrite Nitrogen	EPA 300.0	1209549-001	<0.025	0.500	0.520	0.500	mg/L	99	102	4 %
QC12100009	MS 2	Nitrite Nitrogen	EPA 300.0	1209583-001	<0.025	0.522	0.530	0.500	mg/L	102	104	2 %
QC12100016	MS 1	Nitrate Nitrogen	EPA 300.0	1209549-001	<1.000	1.98	2.05	2.00	mg/L	97	101	3 %
QC12100016	MS 2	Nitrate Nitrogen	EPA 300.0	1209562-006	<1.000	2.06	2.13	2.00	mg/L	102	105	3 %
QC12100019	MS 1	Sulfate	EPA 300.0	1209549-001	23.2	31.4	31.6	10.0	mg/L	82	84	1 %
QC12100019	MS 2	Sulfate	EPA 300.0	1209562-006	<1.000	9.95	10.3	10.0	mg/L	99	102	3 %
QC12100180	MS 1	Uranium, Dissolved	EPA 200.8	1209528-004	<0.0050	0.0115	0.0114	0.010	mg/L	94	92	1 %
		Mercury, Dissolved	EPA 200.8	1209528-004	<0.00050	0.001300	0.001300	0.001	mg/L	110	110	<1%
		Antimony, Dissolved	EPA 200.8	1209528-004	<0.0025	0.0097	0.0096	0.010	mg/L	96	95	1 %
		Arsenic, Dissolved	EPA 200.8	1209528-004	<0.0050	0.0540	0.0534	0.050	mg/L	104	102	1 %
		Lead, Dissolved	EPA 200.8	1209528-004	<0.0025	0.0089	0.0088	0.010	mg/L	89	88	1 %
		Selenium, Dissolved	EPA 200.8	1209528-004	<0.0050	0.0454	0.0441	0.050	mg/L	88	86	3 %
		Thallium, Dissolved	EPA 200.8	1209528-004	<0.0010	0.0090	0.0089	0.010	mg/L	90	89	1 %
QC12100188	MS 1	Aluminum, Dissolved	EPA 200.7	1209528-004	<0.045	0.995	0.994	1.00	mg/L	97	97	<1%
		Barium, Dissolved	EPA 200.7	1209528-004	0.107	1.07	1.07	1.00	mg/L	96	96	<1%
		Beryllium, Dissolved	EPA 200.7	1209528-004	<0.001	1.01	1.02	1.00	mg/L	101	102	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Bismuth, Dissolved	EPA 200.7	1209528-004	<0.100	0.973	0.980	1.00	mg/L	96	97	1 %
		Boron, Dissolved	EPA 200.7	1209528-004	0.242	1.25	1.25	1.00	mg/L	101	101	<1%
		Cadmium, Dissolved	EPA 200.7	1209528-004	<0.001	0.997	1.00	1.00	mg/L	100	100	<1%
		Calcium, Dissolved	EPA 200.7	1209528-004	34.8	45.2	45.2	10.0	mg/L	104	104	<1%
		Chromium, Dissolved	EPA 200.7	1209528-004	<0.005	0.960	0.964	1.00	mg/L	96	96	<1%
		Cobalt, Dissolved	EPA 200.7	1209528-004	<0.010	0.973	0.976	1.00	mg/L	97	97	<1%
		Copper, Dissolved	EPA 200.7	1209528-004	<0.050	4.88	4.88	5.00	mg/L	98	98	<1%
		Gallium, Dissolved	EPA 200.7	1209528-004	<0.100	0.958	0.959	1.00	mg/L	96	96	<1%
		Iron, Dissolved	EPA 200.7	1209528-004	<0.010	1.00	0.996	1.00	mg/L	99	99	<1%
		Lithium, Dissolved	EPA 200.7	1209528-004	<0.100	0.948	0.950	1.00	mg/L	90	91	<1%
		Magnesium, Dissolved	EPA 200.7	1209528-004	11.6	21.2	21.1	10.0	mg/L	96	95	<1%
		Manganese, Dissolved	EPA 200.7	1209528-004	0.467	1.45	1.45	1.00	mg/L	98	98	<1%
		Molybdenum, Dissolved	EPA 200.7	1209528-004	0.035	1.01	1.01	1.00	mg/L	98	98	<1%
		Nickel, Dissolved	EPA 200.7	1209528-004	<0.010	4.76	4.78	5.00	mg/L	95	96	<1%
		Phosphorus, Dissolved	EPA 200.7	1209528-004	<0.500	5.12	5.15	5.00	mg/L	101	102	1 %
		Potassium, Dissolved	EPA 200.7	1209528-004	6.08	15.5	15.4	10.0	mg/L	94	93	1 %
		Scandium, Dissolved	EPA 200.7	1209528-004	<0.100	0.960	0.962	1.00	mg/L	96	96	<1%
		Silver, Dissolved	EPA 200.7	1209528-004	<0.005	0.085	0.086	0.090	mg/L	95	96	1 %
		Sodium, Dissolved	EPA 200.7	1209528-004	51.8	61.5	61.4	10.0	mg/L	97	96	<1%
		Strontium, Dissolved	EPA 200.7	1209528-004	0.310	1.31	1.33	1.00	mg/L	100	102	2 %
		Tin, Dissolved	EPA 200.7	1209528-004	<0.100	0.981	0.988	1.00	mg/L	101	101	1 %
		Titanium, Dissolved	EPA 200.7	1209528-004	<0.100	1.00	1.00	1.00	mg/L	100	100	<1%
		Vanadium, Dissolved	EPA 200.7	1209528-004	<0.010	0.983	0.984	1.00	mg/L	98	98	<1%
		Zinc, Dissolved	EPA 200.7	1209528-004	<0.010	1.04	1.05	1.00	mg/L	104	105	1 %



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 1209549
Report
Due Date: 10/11/12
Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300 Collector's Name Robert

Fax 775-356-8917 Project Name

P.O. Number Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information			
Fax Results	Y	N	To: Client Billing
Email Results	Y	N	To: Client Billing
Compliance Monitoring	Y	N	
Fax Results to State EPA	Y	N	

Sample Types	
DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE IDENTIFICATION		DATE	TIME	TYPE	QTY	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	ANALYSES	SPL No.	
CF-11-02 (0-27)	Wk:20	09/27/12	9:00	WW	2	X	X																	1
CF-11-02 (367-408)	↓	↓	↓	↓	↓	↓	↓																	2

Instructions/Comments/Special Requirements: _____

SAMPLE RECEIPT				DATE	TIME	Signature of Client Representative	Signature of WETLAB Representative
Temperature	21.6 °C	7/27/12	3:50p	[Signature]	[Signature]		
Custody Seals Intact?	Y N None						
Number of Containers	4						

WETLAB'S Standard Terms and Conditions apply to all services rendered. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

9/14/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1208599

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/30/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1208599

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1208599-001 Cadmium

1208599-001 Iron

1208599-001 Arsenic

1208599-001 Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 9/14/2012
OrderID: 1208599

Customer Sample ID: CF-11-02 (0-27) Wk:16
WETLAB Sample ID: 1208599-001

Collect Date/Time: 8/30/2012 09:00
Receive Date: 8/30/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.67	pH Units		8/30/2012
Trace Metals Digestion	EPA 200.2	Complete			8/31/2012
Bicarbonate (HCO ₃)	SM 2320B	53	mg/L	1.0	8/30/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/30/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/30/2012
Total Alkalinity	SM 2320B	44	mg/L as CaCO ₃	1.0	8/30/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/31/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	8/31/2012
Sulfate	EPA 300.0	21	mg/L	1.0	8/31/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/31/2012
Total Dissolved Solids (TDS)	SM 2540C	91	mg/L	10	9/4/2012
Aluminum	EPA 200.7	0.048	mg/L	0.045	9/6/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/6/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Cadmium	EPA 200.7	<0.0050	mg/L	0.0050	9/7/2012
Calcium	EPA 200.7	16	mg/L	0.50	9/6/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/6/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/6/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	9/7/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Magnesium	EPA 200.7	2.9	mg/L	0.50	9/6/2012
Manganese	EPA 200.7	0.028	mg/L	0.0050	9/6/2012

Page 3 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) Wk:16

Collect Date/Time: 8/30/2012 09:00

WETLAB Sample ID: 1208599-001

Receive Date: 8/30/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	0.011	mg/L	0.010	9/6/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/6/2012
Potassium	EPA 200.7	2.4	mg/L	0.50	9/6/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/6/2012
Sodium	EPA 200.7	0.62	mg/L	0.50	9/6/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	9/6/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/5/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	9/6/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/5/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	9/6/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/5/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	9/5/2012
Anions	Calculation	1.37	meq/L	0.10	
Cations	Calculation	1.13	meq/L	0.10	
Error	Calculation	9.5	%	1.0	

Customer Sample ID: CF-11-02 (367-408) Wk:16

Collect Date/Time: 8/30/2012 09:00

WETLAB Sample ID: 1208599-002

Receive Date: 8/30/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.40	pH Units		8/30/2012
Trace Metals Digestion	EPA 200.2	Complete			8/31/2012
Bicarbonate (HCO ₃)	SM 2320B	44	mg/L	1.0	8/30/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/30/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/30/2012
Total Alkalinity	SM 2320B	36	mg/L as CaCO ₃	1.0	8/30/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/31/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	8/31/2012
Sulfate	EPA 300.0	24	mg/L	1.0	8/31/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/31/2012
Nitrite Nitrogen	EPA 300.0	0.11	mg/L	0.025	8/31/2012

Page 4 of 9

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamaille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) Wk:16

Collect Date/Time: 8/30/2012 09:00

WETLAB Sample ID: 1208599-002

Receive Date: 8/30/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	90	mg/L	10	9/4/2012
Aluminum	EPA 200.7	0.074	mg/L	0.045	9/6/2012
Barium	EPA 200.7	0.015	mg/L	0.010	9/6/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/6/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/6/2012
Calcium	EPA 200.7	20	mg/L	0.50	9/6/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/6/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Copper	EPA 200.7	0.079	mg/L	0.050	9/6/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Magnesium	EPA 200.7	1.5	mg/L	0.50	9/6/2012
Manganese	EPA 200.7	0.023	mg/L	0.0050	9/6/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/6/2012
Potassium	EPA 200.7	2.8	mg/L	0.50	9/6/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/6/2012
Sodium	EPA 200.7	0.83	mg/L	0.50	9/6/2012
Strontium	EPA 200.7	0.23	mg/L	0.10	9/6/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/6/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/6/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/5/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	9/5/2012
Anions	Calculation	1.32	meq/L	0.10	
Cations	Calculation	1.24	meq/L	0.10	
Error	Calculation	3.1	%	1.0	

Page 5 of 9

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12090001	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12090001	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12090001	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12090004	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12090004	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12090004	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12090009	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090009	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090009	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090012	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090012	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090012	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090015	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12090015	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12090015	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12090114	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12090131	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090131	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090131	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090165	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12081057	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12081057	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12081057	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12081059	LCS 1	Alkalinity	SM 2320B	98.9	100	99	mg/L
QC12081059	LCS 2	Alkalinity	SM 2320B	98.7	100	99	mg/L
QC12081059	LCS 3	Alkalinity	SM 2320B	99.2	100	99	mg/L
QC12081059	LCS 4	Alkalinity	SM 2320B	99.4	100	99	mg/L
QC12090001	LCS 1	Fluoride	EPA 300.0	2.00	2.00	100	mg/L
QC12090004	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12090009	LCS 1	Nitrite Nitrogen	EPA 300.0	0.504	0.500	101	mg/L
QC12090012	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC12090015	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12090114	LCS 1	Mercury	EPA 200.8	0.001068	0.001	107	mg/L
		Antimony	EPA 200.8	0.0097	0.010	97	mg/L
		Arsenic	EPA 200.8	0.0497	0.050	99	mg/L
		Lead	EPA 200.8	0.0092	0.010	92	mg/L
		Seelenium	EPA 200.8	0.0450	0.050	90	mg/L
		Thallium	EPA 200.8	0.0087	0.010	87	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L
QC12090131	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12090131	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12090131	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	161	150	108	mg/L
QC12090165	LCS 1	Aluminum	EPA 200.7	0.930	1.00	93	mg/L
		Barium	EPA 200.7	0.930	1.00	93	mg/L
		Beryllium	EPA 200.7	0.912	1.00	91	mg/L
		Bismuth	EPA 200.7	0.958	1.00	96	mg/L
		Boron	EPA 200.7	0.879	1.00	88	mg/L
		Cadmium	EPA 200.7	0.933	1.00	93	mg/L
		Calcium	EPA 200.7	9.33	10.0	93	mg/L
		Chromium	EPA 200.7	0.913	1.00	91	mg/L
		Cobalt	EPA 200.7	0.930	1.00	93	mg/L
		Copper	EPA 200.7	4.43	5.00	89	mg/L
		Gallium	EPA 200.7	0.931	1.00	93	mg/L
		Iron	EPA 200.7	0.963	1.00	96	mg/L
		Lithium	EPA 200.7	0.924	1.00	92	mg/L
		Magnesium	EPA 200.7	9.71	10.0	97	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.947	1.00	95	mg/L
		Nickel	EPA 200.7	4.63	5.00	93	mg/L
		Phosphorus	EPA 200.7	4.66	5.00	93	mg/L
		Potassium	EPA 200.7	9.56	10.0	96	mg/L
		Scandium	EPA 200.7	0.908	1.00	91	mg/L
		Silver	EPA 200.7	0.082	0.090	91	mg/L
		Sodium	EPA 200.7	9.69	10.0	97	mg/L
		Strontium	EPA 200.7	0.968	1.00	97	mg/L
		Tin	EPA 200.7	0.925	1.00	92	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Titanium	EPA 200.7	0.935	1.00	94	mg/L
		Vanadium	EPA 200.7	0.911	1.00	91	mg/L
		Zinc	EPA 200.7	0.954	1.00	95	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12081057	Duplicate	pH	SM 4500-H+ B	1208583-001	8.29	8.32	pH Units	<1%
QC12081057	Duplicate	pH	SM 4500-H+ B	1208588-001	7.13	7.09	pH Units	1 %
QC12081057	Duplicate	pH	SM 4500-H+ B	1208594-007	7.70	7.73	pH Units	<1%
QC12081057	Duplicate	pH	SM 4500-H+ B	1208598-001	5.22	5.40	Q pH Units	3 %
QC12081057	Duplicate	pH	SM 4500-H+ B	1208600-005	7.30	7.33	pH Units	<1%
QC12081057	Duplicate	pH	SM 4500-H+ B	1208604-004	7.83	7.83	pH Units	<1%
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208583-001	95.8	98.6	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1208583-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208583-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208583-001	78.6	80.8	mg/L as CaCO3	3 %
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208588-001	17.1	16.9	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1208588-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208588-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208588-001	14.0	13.8	mg/L as CaCO3	1 %
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208594-007	145	145	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208594-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208594-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208594-007	119	119	mg/L as CaCO3	<1%
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208598-001	<1.000	<1.000	Q mg/L	103 %
		Carbonate (CO3)	SM 2320B	1208598-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208598-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208598-001	<1.000	<1.000	Q mg/L as CaCO3	103 %
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208600-005	146	147	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208600-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208600-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208600-005	120	120	mg/L as CaCO3	<1%
QC12081059	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208604-004	194	192	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1208604-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208604-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208604-004	159	158	mg/L as CaCO3	1 %
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208583-001	6890	7130	mg/L	3 %
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208588-001	1236	1240	mg/L	<1%
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208598-001	709	699	mg/L	1 %
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208600-006	582	610	mg/L	5 %
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208614-003	610	612	mg/L	<1%
QC12090131	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208554-008	406	387	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
-----------	--------	-----------	--------	--------------	---------------	-----------	------------	-------------	-------	-----------	------------	-----

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC12090001	MS 1	Fluoride	EPA 300.0	1208597-002	<0.100	2.07	2.09	2.00	mg/L	102	103	1 %
QC12090001	MS 2	Fluoride	EPA 300.0	1208599-002	1.85	3.61	3.57	2.00	mg/L	88	86	1 %
QC12090004	MS 1	Chloride	EPA 300.0	1208597-002	<1.000	5.24	5.32	5.00	mg/L	104	105	2 %
QC12090004	MS 2	Chloride	EPA 300.0	1208599-002	<1.000	5.26	5.34	5.00	mg/L	103	105	2 %
QC12090009	MS 1	Nitrite Nitrogen	EPA 300.0	1208597-002	<0.025	0.523	0.532	0.500	mg/L	103	105	2 %
QC12090009	MS 2	Nitrite Nitrogen	EPA 300.0	1208617-001	<0.025	0.514	0.510	0.500	mg/L	101	100	1 %
QC12090012	MS 1	Nitrate Nitrogen	EPA 300.0	1208597-002	<1.000	2.08	2.11	2.00	mg/L	102	104	1 %
QC12090012	MS 2	Nitrate Nitrogen	EPA 300.0	1208617-001	<1.000	2.08	2.09	2.00	mg/L	102	103	<1%
QC12090015	MS 1	Sulfate	EPA 300.0	1208597-002	<1.000	10.6	10.7	10.0	mg/L	99	101	1 %
QC12090015	MS 2	Sulfate	EPA 300.0	1208617-001	4.02	15.1	15.0	10.0	mg/L	111	110	1 %
QC12090114	MS 1	Uranium, Dissolved	EPA 200.8	1208594-007	<0.0050	0.0119	0.0121	0.010	mg/L	89	92	2 %
		Mercury, Dissolved	EPA 200.8	1208594-007	<0.00010	0.000976	0.001002	0.001	mg/L	96	99	3 %
		Antimony, Dissolved	EPA 200.8	1208594-007	<0.0025	0.0097	0.0097	0.010	mg/L	89	88	<1%
		Arsenic, Dissolved	EPA 200.8	1208594-007	0.0211	0.0661	0.0674	0.050	mg/L	90	93	2 %
		Lead, Dissolved	EPA 200.8	1208594-007	<0.0025	0.0090	0.0092	0.010	mg/L	85	87	2 %
		Selenium, Dissolved	EPA 200.8	1208594-007	<0.0050	0.0390	0.0396	0.050	mg/L	78	79	2 %
		Thallium, Dissolved	EPA 200.8	1208594-007	<0.0010	0.0083	0.0083	0.010	mg/L	81	83	2 %
QC12090165	MS 1	Aluminum, Dissolved	EPA 200.7	1208594-007	<0.045	0.979	0.895	1.00	mg/L	97	88	9 %
		Barium, Dissolved	EPA 200.7	1208594-007	<0.010	0.974	0.894	1.00	mg/L	97	89	9 %
		Beryllium, Dissolved	EPA 200.7	1208594-007	<0.001	0.954	0.872	1.00	mg/L	95	87	9 %
		Bismuth, Dissolved	EPA 200.7	1208594-007	<0.100	0.997	0.919	1.00	mg/L	97	90	8 %
		Boron, Dissolved	EPA 200.7	1208594-007	0.269	1.21	1.14	1.00	mg/L	94	87	6 %
		Cadmium, Dissolved	EPA 200.7	1208594-007	<0.001	0.958	0.881	1.00	mg/L	96	88	8 %
		Calcium, Dissolved	EPA 200.7	1208594-007	26.2	35.7	34.8	10.0	mg/L	95	86	3 %
		Chromium, Dissolved	EPA 200.7	1208594-007	<0.005	0.950	0.868	1.00	mg/L	95	87	9 %
		Cobalt, Dissolved	EPA 200.7	1208594-007	<0.010	0.959	0.879	1.00	mg/L	96	88	9 %
		Copper, Dissolved	EPA 200.7	1208594-007	<0.050	4.96	4.58	5.00	mg/L	99	91	8 %
		Gallium, Dissolved	EPA 200.7	1208594-007	<0.100	0.974	0.890	1.00	mg/L	97	89	9 %
		Iron, Dissolved	EPA 200.7	1208594-007	<0.010	1.02	0.935	1.00	mg/L	101	93	9 %
		Lithium, Dissolved	EPA 200.7	1208594-007	<0.100	1.00	0.920	1.00	mg/L	96	88	8 %
		Magnesium, Dissolved	EPA 200.7	1208594-007	1.69	11.5	10.6	10.0	mg/L	98	89	8 %
		Manganese, Dissolved	EPA 200.7	1208594-007	<0.005	0.939	0.860	1.00	mg/L	95	87	9 %
		Molybdenum, Dissolved	EPA 200.7	1208594-007	0.013	0.917	0.917	1.00	mg/L	90	90	<1%
		Nickel, Dissolved	EPA 200.7	1208594-007	<0.010	4.71	4.32	5.00	mg/L	94	86	9 %
		Phosphorus, Dissolved	EPA 200.7	1208594-007	<0.500	4.85	4.43	5.00	mg/L	96	88	9 %
		Potassium, Dissolved	EPA 200.7	1208594-007	1.89	12.1	11.1	10.0	mg/L	102	92	9 %
		Scandium, Dissolved	EPA 200.7	1208594-007	<0.100	0.973	0.892	1.00	mg/L	97	89	9 %
		Silver, Dissolved	EPA 200.7	1208594-007	<0.005	0.088	0.080	0.090	mg/L	98	90	10 %
		Sodium, Dissolved	EPA 200.7	1208594-007	52.2	62.6	60.0	10.0	mg/L	104	78	4 %
		Strontium, Dissolved	EPA 200.7	1208594-007	0.226	1.24	1.13	1.00	mg/L	101	90	9 %
		Tin, Dissolved	EPA 200.7	1208594-007	<0.100	0.863	0.862	1.00	mg/L	88	88	<1%
		Titanium, Dissolved	EPA 200.7	1208594-007	<0.100	0.925	0.926	1.00	mg/L	92	92	<1%
		Vanadium, Dissolved	EPA 200.7	1208594-007	<0.010	0.984	0.901	1.00	mg/L	98	90	9 %
		Zinc, Dissolved	EPA 200.7	1208594-007	0.010	1.00	0.918	1.00	mg/L	99	91	9 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 1208399

Report Due Date: 9/14/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Temperature

Site

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results Y N To: Client Billing
Email Results Y N To: Client Billing
Compliance Monitoring Y N
Fax Results to State EPA Y N

Sample Type Code

DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER:

Analyses Requested

Profile II w/o Wad	Uranium									Spl. No.
X	X									1
↓	↓									2

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Sampler (Initials/Signature)	Sampler (Signature)
Temperature 22.6 °C	8/30	3:20	De [Signature]	[Signature]
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreement specifies otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

8/16/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1208040


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/2/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

MCClelland Laboratory - 1208040

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1208040-001 Iron

1208040-002 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination: Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 8/16/2012

OrderID: 1208040

Customer Sample ID: CF-11-02 (0-27) WK12

Collect Date/Time: 8/2/2012 09:00

WETLAB Sample ID: 1208040-001

Receive Date: 8/2/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		8/2/2012
Bicarbonate (HCO ₃)	SM 2320B	52	mg/L	1.0	8/2/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/2/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/2/2012
Total Alkalinity	SM 2320B	43	mg/L as CaCO ₃	1.0	8/2/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/3/2012
Fluoride	EPA 300.0	0.93	mg/L	0.10	8/3/2012
Sulfate	EPA 300.0	24	mg/L	1.0	8/3/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/3/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/3/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	8/7/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/15/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/15/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/15/2012
Calcium	EPA 200.7	20	mg/L	0.50	8/15/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/15/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/15/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/15/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Magnesium	EPA 200.7	3.7	mg/L	0.50	8/15/2012
Manganese	EPA 200.7	0.035	mg/L	0.0050	8/15/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/15/2012

Page 3 of 9

Customer Sample ID: CF-11-02 (0-27) WK12

Collect Date/Time: 8/2/2012 09:00

WETLAB Sample ID: 1208040-001

Receive Date: 8/2/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/15/2012
Potassium	EPA 200.7	3.5	mg/L	0.50	8/15/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/15/2012
Sodium	EPA 200.7	0.72	mg/L	0.50	8/15/2012
Strontium	EPA 200.7	0.18	mg/L	0.10	8/15/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/15/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/15/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/15/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/15/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/15/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/15/2012
Uranium	EPA 200.8	0.0067	mg/L	0.0050	8/15/2012
Anions	Calculation	1.40	meq/L	0.10	
Cations	Calculation	1.42	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02 (367-408) WK:12

Collect Date/Time: 8/2/2012 09:00

WETLAB Sample ID: 1208040-002

Receive Date: 8/2/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.36	pH Units		8/2/2012
Bicarbonate (HCO ₃)	SM 2320B	40	mg/L	1.0	8/2/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/2/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/2/2012
Total Alkalinity	SM 2320B	33	mg/L as CaCO ₃	1.0	8/2/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/3/2012
Fluoride	EPA 300.0	0.87	mg/L	0.10	8/3/2012
Sulfate	EPA 300.0	18	mg/L	1.0	8/3/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/3/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/3/2012
Total Dissolved Solids (TDS)	SM 2540C	80	mg/L	10	8/7/2012
Aluminum	EPA 200.7	0.089	mg/L	0.045	8/15/2012

Page 4 of 9

Customer Sample ID: CF-11-02 (367-408) WK:12

Collect Date/Time: 8/2/2012 09:00

WETLAB Sample ID: 1208040-002

Receive Date: 8/2/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/15/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/15/2012
Calcium	EPA 200.7	15	mg/L	0.50	8/15/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/15/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/15/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/15/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Magnesium	EPA 200.7	1.3	mg/L	0.50	8/15/2012
Manganese	EPA 200.7	0.019	mg/L	0.0050	8/15/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/15/2012
Potassium	EPA 200.7	2.9	mg/L	0.50	8/15/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/15/2012
Sodium	EPA 200.7	0.78	mg/L	0.50	8/15/2012
Strontium	EPA 200.7	0.18	mg/L	0.10	8/15/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/15/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/15/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/15/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/15/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/15/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/15/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/15/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/15/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	8/15/2012
Anions	Calculation	1.08	meq/L	0.10	
Cations	Calculation	0.97	meq/L	0.10	
Error	Calculation	5.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12080190	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12080190	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12080190	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12080194	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12080194	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12080194	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12080198	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080198	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080198	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080201	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080201	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080201	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080205	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12080205	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12080205	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12080321	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12080456	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12080495	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12080149	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12080149	LCS 2	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12080151	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L
QC12080151	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12080190	LCS 1	Fluoride	EPA 300.0	2.12	2.00	106	mg/L
QC12080194	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12080198	LCS 1	Nitrite Nitrogen	EPA 300.0	0.493	0.500	99	mg/L
QC12080201	LCS 1	Nitrate Nitrogen	EPA 300.0	1.95	2.00	97	mg/L
QC12080205	LCS 1	Sulfate	EPA 300.0	23.0	25.0	92	mg/L
QC12080321	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	160	150	107	mg/L
QC12080456	LCS 1	Aluminum	EPA 200.7	0.998	1.00	100	mg/L
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	1.01	1.00	101	mg/L
		Bismuth	EPA 200.7	1.02	1.00	102	mg/L
		Boron	EPA 200.7	0.939	1.00	94	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.981	1.00	98	mg/L
		Cobalt	EPA 200.7	1.02	1.00	102	mg/L
		Copper	EPA 200.7	4.83	5.00	97	mg/L
		Gallium	EPA 200.7	0.963	1.00	96	mg/L
		Iron	EPA 200.7	1.01	1.00	101	mg/L
		Lithium	EPA 200.7	0.953	1.00	95	mg/L
		Magnesium	EPA 200.7	10.0	10.0	100	mg/L
		Manganese	EPA 200.7	1.02	1.00	102	mg/L
		Molybdenum	EPA 200.7	0.971	1.00	97	mg/L
		Nickel	EPA 200.7	4.92	5.00	98	mg/L
		Phosphorus	EPA 200.7	5.06	5.00	101	mg/L
		Potassium	EPA 200.7	9.78	10.0	98	mg/L
		Scandium	EPA 200.7	0.961	1.00	96	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.66	10.0	97	mg/L
		Strontium	EPA 200.7	0.934	1.00	93	mg/L
		Tin	EPA 200.7	1.02	1.00	102	mg/L
		Titanium	EPA 200.7	0.995	1.00	100	mg/L
		Vanadium	EPA 200.7	0.963	1.00	96	mg/L
		Zinc	EPA 200.7	1.02	1.00	102	mg/L
QC12080495	LCS 1	Mercury	EPA 200.8	0.001145	0.001	114	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0488	0.050	98	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0457	0.050	91	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0093	0.010	93	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12080149	Duplicate	pH	SM 4500-H+ B	1208030-005	7.00	7.04	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12080149	Duplicate	pH	SM 4500-H+ B	1208032-007	7.15	7.14	pH Units	<1%
QC12080149	Duplicate	pH	SM 4500-H+ B	1208035-009	7.55	7.56	pH Units	<1%
QC12080149	Duplicate	pH	SM 4500-H+ B	1208040-002	7.36	7.39	pH Units	<1%
QC12080151	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208030-005	283	284	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208030-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208030-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208030-005	232	233	mg/L as CaCO3	<1%
QC12080151	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208032-007	276	275	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208032-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208032-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208032-007	226	225	mg/L as CaCO3	<1%
QC12080151	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208035-009	160	160	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208035-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208035-009	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208035-009	131	131	mg/L as CaCO3	<1%
QC12080151	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208040-002	40.1	38.2	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1208040-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208040-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208040-002	32.8	31.3	mg/L as CaCO3	5 %
QC12080321	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208040-001	116	122	mg/L	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12080190	MS 1	Fluoride	EPA 300.0	1208040-002	0.872	2.74	2.80	2.00	mg/L	94	96	2 %
QC12080190	MS 2	Fluoride	EPA 300.0	1208059-001	<0.100	2.33	2.30	2.00	mg/L	112	111	1 %
QC12080194	MS 1	Chloride	EPA 300.0	1208040-002	<1.000	5.24	5.35	5.00	mg/L	103	105	2 %
QC12080194	MS 2	Chloride	EPA 300.0	1208059-001	<1.000	5.69	5.69	5.00	mg/L	104	104	<1%
QC12080198	MS 1	Nitrite Nitrogen	EPA 300.0	1208040-002	<0.025	0.508	0.517	0.500	mg/L	100	102	2 %
QC12080198	MS 2	Nitrite Nitrogen	EPA 300.0	1208070-003	<0.025	0.504	0.497	0.500	mg/L	99	98	1 %
QC12080201	MS 1	Nitrate Nitrogen	EPA 300.0	1208040-002	<1.000	2.01	2.06	2.00	mg/L	99	101	2 %
QC12080201	MS 2	Nitrate Nitrogen	EPA 300.0	1208059-001	<1.000	2.06	2.07	2.00	mg/L	101	101	<1%
QC12080205	MS 1	Sulfate	EPA 300.0	1208040-002	17.8	27.1	27.2	10.0	mg/L	92	94	<1%
QC12080205	MS 2	Sulfate	EPA 300.0	1208059-001	<1.000	10.1	10.1	10.0	mg/L	98	98	<1%
QC12080456	MS 1	Aluminum, Dissolved	EPA 200.7	1208176-003	<0.045	0.953	0.938	1.00	mg/L	93	92	2 %
		Barium, Dissolved	EPA 200.7	1208176-003	<0.010	0.941	0.950	1.00	mg/L	94	95	1 %
		Beryllium, Dissolved	EPA 200.7	1208176-003	<0.001	0.999	1.02	1.00	mg/L	100	102	2 %
		Bismuth, Dissolved	EPA 200.7	1208176-003	<0.100	0.988	0.989	1.00	mg/L	100	100	<1%
		Boron, Dissolved	EPA 200.7	1208176-003	0.208	1.18	1.20	1.00	mg/L	97	99	2 %
		Cadmium, Dissolved	EPA 200.7	1208176-003	<0.001	0.953	0.977	1.00	mg/L	95	98	2 %
		Calcium, Dissolved	EPA 200.7	1208176-003	2.52	12.3	12.4	10.0	mg/L	98	99	1 %
		Chromium, Dissolved	EPA 200.7	1208176-003	<0.005	0.943	0.954	1.00	mg/L	94	95	1 %
		Cobalt, Dissolved	EPA 200.7	1208176-003	<0.010	0.976	0.995	1.00	mg/L	98	100	2 %
		Copper, Dissolved	EPA 200.7	1208176-003	<0.050	5.08	5.05	5.00	mg/L	102	101	1 %
		Gallium, Dissolved	EPA 200.7	1208176-003	<0.100	0.910	0.910	1.00	mg/L	91	91	<1%
		Iron, Dissolved	EPA 200.7	1208176-003	0.012	0.994	0.999	1.00	mg/L	98	99	1 %
		Lithium, Dissolved	EPA 200.7	1208176-003	0.314	1.22	1.22	1.00	mg/L	91	91	<1%
		Magnesium, Dissolved	EPA 200.7	1208176-003	<0.500	9.36	9.59	10.0	mg/L	93	95	2 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Manganese, Dissolved	EPA 200.7	1208176-003	<0.005	0.993	1.01	1.00	mg/L	99	101	2 %
		Molybdenum, Dissolved	EPA 200.7	1208176-003	0.018	0.963	0.969	1.00	mg/L	95	95	1 %
		Nickel, Dissolved	EPA 200.7	1208176-003	<0.010	4.66	4.73	5.00	mg/L	93	95	1 %
		Phosphorus, Dissolved	EPA 200.7	1208176-003	<0.500	4.88	4.97	5.00	mg/L	97	99	2 %
		Potassium, Dissolved	EPA 200.7	1208176-003	2.59	12.4	12.4	10.0	mg/L	98	98	<1%
		Scandium, Dissolved	EPA 200.7	1208176-003	<0.100	0.963	0.961	1.00	mg/L	96	96	<1%
		Silver, Dissolved	EPA 200.7	1208176-003	<0.005	0.087	0.087	0.090	mg/L	97	97	<1%
		Sodium, Dissolved	EPA 200.7	1208176-003	97.7	105	106	10.0	mg/L	73	83	1 %
		Strontium, Dissolved	EPA 200.7	1208176-003	<0.100	0.882	0.866	1.00	mg/L	88	86	2 %
		Tin, Dissolved	EPA 200.7	1208176-003	<0.100	0.986	0.999	1.00	mg/L	99	100	1 %
		Titanium, Dissolved	EPA 200.7	1208176-003	<0.100	1.01	1.01	1.00	mg/L	101	101	<1%
		Vanadium, Dissolved	EPA 200.7	1208176-003	<0.010	0.955	0.960	1.00	mg/L	95	96	1 %
		Zinc, Dissolved	EPA 200.7	1208176-003	<0.010	0.979	1.01	1.00	mg/L	98	101	3 %
QC12080495	MS 1	Uranium, Dissolved	EPA 200.8	1208175-002	<0.0050	0.0095	0.0095	0.010	mg/L	95	95	<1%
		Mercury, Dissolved	EPA 200.8	1208175-002	<0.00010	0.000952	0.000953	0.001	mg/L	95	95	<1%
		Antimony, Dissolved	EPA 200.8	1208175-002	<0.0025	0.0096	0.0096	0.010	mg/L	93	94	<1%
		Arsenic, Dissolved	EPA 200.8	1208175-002	<0.0050	0.0504	0.0496	0.050	mg/L	97	96	2 %
		Lead, Dissolved	EPA 200.8	1208175-002	<0.0025	0.0084	0.0084	0.010	mg/L	84	84	<1%
		Selenium, Dissolved	EPA 200.8	1208175-002	<0.0050	0.0457	0.0453	0.050	mg/L	87	86	1 %
		Thallium, Dissolved	EPA 200.8	1208175-002	<0.0010	0.0081	0.0081	0.010	mg/L	81	81	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Waste and Water Analysis.*

475 E. Greg Street #118 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1208040

Report Due Date: 8/16/12

Page 1 of 1

Client McClelland Laboratories, Inc.
Address 1016 Greg Street
City, State & Zip Sparks, NV 89431
Contact Gene McClelland
Phone 775-356-1300 **Collector's Name** Robert
Fax 775-356-8917 **Project Name**
P.O. Number **Project Number** 3438

Turnaround Time
Standard: 5-Day Other:
Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Email mli@metttest.com

Additional Information
Fax Results Y N To: Client Billing
Email Results Y N To: Client Billing
Compliance Monitoring Y N
Fax Results to State EPA Y N

Sample Type Codes
DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER: _____

SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested								Spl. No.
		Profile II w/o Wad	Uranium							
WW	2	X	X							1
		↓	↓							2

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 21.6°C	8/2/12	1505		
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

7/19/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1207066


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 7/5/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

MCClelland Laboratory - 1207066

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1207066-001 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO/Project: 3438

Date Printed: 7/19/2012
OrderID: 1207066

Customer Sample ID: CF-11-02 (0-27) WK:8

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207066-001

Receive Date: 7/5/2012 10:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.35	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	96	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	78	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/5/2012
Fluoride	EPA 300.0	0.86	mg/L	0.10	7/5/2012
Sulfate	EPA 300.0	37	mg/L	1.0	7/5/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/5/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/5/2012
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/11/2012
Barium	EPA 200.7	0.010	mg/L	0.010	7/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Boron	EPA 200.7	0.20	mg/L	0.10	7/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/11/2012
Calcium	EPA 200.7	32	mg/L	0.50	7/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/16/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Magnesium	EPA 200.7	5.9	mg/L	0.50	7/11/2012
Manganese	EPA 200.7	0.061	mg/L	0.0050	7/11/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/11/2012

Page 3 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) WK:8
 WETLAB Sample ID: 1207066-001

Collect Date/Time: 7/5/2012 09:00
 Receive Date: 7/5/2012 10:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/11/2012
Potassium	EPA 200.7	7.0	mg/L	0.50	7/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/11/2012
Sodium	EPA 200.7	1.6	mg/L	0.50	7/11/2012
Strontium	EPA 200.7	0.30	mg/L	0.10	7/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Vanadium	EPA 200.7	0.011	mg/L	0.010	7/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/13/2012
Uranium	EPA 200.8	0.0082	mg/L	0.0050	7/13/2012
Anions	Calculation	2.39	meq/L	0.10	
Cations	Calculation	2.33	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: CF-11-02 (367-408) WK:8
 WETLAB Sample ID: 1207066-002

Collect Date/Time: 7/5/2012 09:00
 Receive Date: 7/5/2012 10:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.45	pH Units		7/5/2012
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	7/5/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	84	mg/L as CaCO3	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/5/2012
Fluoride	EPA 300.0	0.75	mg/L	0.10	7/5/2012
Sulfate	EPA 300.0	22	mg/L	1.0	7/5/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/5/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/5/2012
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	7/9/2012
Aluminum	EPA 200.7	0.13	mg/L	0.045	7/11/2012

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) WK:8

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207066-002

Receive Date: 7/5/2012 10:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.017	mg/L	0.010	7/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Boron	EPA 200.7	0.22	mg/L	0.10	7/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/11/2012
Calcium	EPA 200.7	29	mg/L	0.50	7/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Magnesium	EPA 200.7	2.7	mg/L	0.50	7/11/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	7/11/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/11/2012
Potassium	EPA 200.7	6.1	mg/L	0.50	7/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/11/2012
Sodium	EPA 200.7	1.7	mg/L	0.50	7/11/2012
Strontium	EPA 200.7	0.38	mg/L	0.10	7/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/13/2012
Uranium	EPA 200.8	0.0058	mg/L	0.0050	7/13/2012
Anions	Calculation	2.14	meq/L	0.10	
Cations	Calculation	1.91	meq/L	0.10	
Error	Calculation	5.5	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12070201	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12070201	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12070202	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12070202	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12070202	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12070203	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070203	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070203	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070205	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070205	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070205	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070207	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12070207	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12070360	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070360	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070360	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070393	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12070469	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070201	LCS 1	Fluoride	EPA 300.0	1.95	2.00	98	mg/L
QC12070202	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12070203	LCS 1	Nitrite Nitrogen	EPA 300.0	0.501	0.500	100	mg/L
QC12070205	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12070207	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12070220	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12070220	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12070222	LCS 1	Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12070222	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070222	LCS 3	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070222	LCS 4	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070360	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L
QC12070360	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12070360	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC12070393	LCS 1	Aluminum	EPA 200.7	1.02	1.00	102	mg/L
		Barium	EPA 200.7	0.955	1.00	96	mg/L
		Beryllium	EPA 200.7	0.924	1.00	92	mg/L
		Bismuth	EPA 200.7	0.968	1.00	97	mg/L
		Boron	EPA 200.7	0.889	1.00	89	mg/L
		Cadmium	EPA 200.7	0.928	1.00	93	mg/L
		Calcium	EPA 200.7	9.14	10.0	91	mg/L
		Chromium	EPA 200.7	0.939	1.00	94	mg/L
		Cobalt	EPA 200.7	0.936	1.00	94	mg/L
		Copper	EPA 200.7	4.76	5.00	95	mg/L
		Gallium	EPA 200.7	0.969	1.00	97	mg/L
		Iron	EPA 200.7	0.933	1.00	93	mg/L
		Lithium	EPA 200.7	0.943	1.00	94	mg/L
		Magnesium	EPA 200.7	9.02	10.0	90	mg/L
		Manganese	EPA 200.7	0.942	1.00	94	mg/L
		Molybdenum	EPA 200.7	0.957	1.00	96	mg/L
		Nickel	EPA 200.7	4.69	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.55	5.00	91	mg/L
		Potassium	EPA 200.7	9.61	10.0	96	mg/L
		Scandium	EPA 200.7	0.952	1.00	95	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	9.62	10.0	96	mg/L
		Strontium	EPA 200.7	0.962	1.00	96	mg/L
		Tin	EPA 200.7	0.910	1.00	91	mg/L
		Titanium	EPA 200.7	0.948	1.00	95	mg/L
		Vanadium	EPA 200.7	0.946	1.00	95	mg/L
		Zinc	EPA 200.7	0.923	1.00	92	mg/L
QC12070469	LCS 1	Mercury	EPA 200.8	0.001044	0.001	104	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic	EPA 200.8	0.0485	0.050	97	mg/L
		Lead	EPA 200.8	0.0095	0.010	95	mg/L
		Selenium	EPA 200.8	0.0446	0.050	89	mg/L
		Thallium	EPA 200.8	0.0093	0.010	93	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12070220	Duplicate	pH	SM 4500-H+ B	1207061-001	6.76	6.79	pH Units	<1%
QC12070220	Duplicate	pH	SM 4500-H+ B	1207066-001	7.35	7.41	pH Units	1 %
QC12070220	Duplicate	pH	SM 4500-H+ B	1207079-002	7.24	7.27	pH Units	<1%
QC12070220	Duplicate	pH	SM 4500-H+ B	1207094-001	7.49	7.44	pH Units	1 %
QC12070220	Duplicate	pH	SM 4500-H+ B	1207093-001	7.24	7.19	pH Units	1 %
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207061-001	505	504	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207061-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207061-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207061-001	414	413	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207066-001	95.5	95.8	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207066-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207066-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207066-001	78.4	78.6	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207079-002	73.5	74.1	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1207079-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207079-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207079-002	60.3	60.8	mg/L as CaCO3	1 %
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207094-001	186	187	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207094-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207094-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207094-001	153	153	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207093-001	291	290	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207093-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207093-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207093-001	238	238	mg/L as CaCO3	<1%
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207047-001	103	101	mg/L	2 %
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207048-002	248	245	mg/L	1 %
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207048-012	69.0	72.0	mg/L	4 %
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207069-004	223	223	mg/L	<1%
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207080-005	185	179	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070201	MS 1	Fluoride	EPA 300.0	1207066-001	0.859	2.74	2.71	2.00	mg/L	94	93	1 %
QC12070202	MS 1	Chloride	EPA 300.0	1207063-011	179	228	232	5.00	mg/L	100	107	2 %
QC12070202	MS 2	Chloride	EPA 300.0	1207069-005	<1.000	5.50	5.50	5.00	mg/L	106	106	<1%
QC12070203	MS 1	Nitrite Nitrogen	EPA 300.0	1207058-004	<0.025	0.511	0.536	0.500	mg/L	101	106	5 %
QC12070203	MS 2	Nitrite Nitrogen	EPA 300.0	1207066-001	<0.025	0.524	0.527	0.500	mg/L	103	104	1 %
QC12070205	MS 1	Nitrate Nitrogen	EPA 300.0	1207058-004	<1.000	2.01	2.11	2.00	mg/L	99	104	5 %
QC12070205	MS 2	Nitrate Nitrogen	EPA 300.0	1207066-001	<1.000	2.07	2.08	2.00	mg/L	102	103	<1%
QC12070207	MS 1	Sulfate	EPA 300.0	1207066-001	36.8	45.7	45.7	10.0	mg/L	88	89	<1%
QC12070393	MS 1	Aluminum, Dissolved	EPA 200.7	1207138-001	<0.045	0.890	0.911	1.00	mg/L	88	91	2 %
		Barium, Dissolved	EPA 200.7	1207138-001	0.154	1.06	1.09	1.00	mg/L	91	94	3 %
		Beryllium, Dissolved	EPA 200.7	1207138-001	<0.001	0.938	0.947	1.00	mg/L	94	95	1 %
		Bismuth, Dissolved	EPA 200.7	1207138-001	<0.100	0.909	0.913	1.00	mg/L	92	93	<1%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Boron, Dissolved	EPA 200.7	1207138-001	0.661	1.56	1.62	1.00	mg/L	90	96	4 %
		Cadmium, Dissolved	EPA 200.7	1207138-001	<0.001	0.915	0.940	1.00	mg/L	92	94	3 %
		Calcium, Dissolved	EPA 200.7	1207138-001	89.9	98.4	102	10.0	mg/L	85	121	4 %
		Chromium, Dissolved	EPA 200.7	1207138-001	<0.005	0.910	0.936	1.00	mg/L	91	94	3 %
		Cobalt, Dissolved	EPA 200.7	1207138-001	<0.010	0.898	0.923	1.00	mg/L	90	92	3 %
		Copper, Dissolved	EPA 200.7	1207138-001	<0.050	4.61	4.69	5.00	mg/L	92	94	2 %
		Gallium, Dissolved	EPA 200.7	1207138-001	<0.100	0.897	0.923	1.00	mg/L	90	92	3 %
		Iron, Dissolved	EPA 200.7	1207138-001	0.132	1.06	1.08	1.00	mg/L	93	95	2 %
		Lithium, Dissolved	EPA 200.7	1207138-001	0.280	1.18	1.19	1.00	mg/L	90	91	1 %
		Magnesium, Dissolved	EPA 200.7	1207138-001	22.3	30.1	31.5	10.0	mg/L	78	92	5 %
		Manganese, Dissolved	EPA 200.7	1207138-001	<0.005	0.887	0.910	1.00	mg/L	90	93	3 %
		Molybdenum, Dissolved	EPA 200.7	1207138-001	<0.010	0.959	0.967	1.00	mg/L	96	97	1 %
		Nickel, Dissolved	EPA 200.7	1207138-001	<0.010	4.48	4.61	5.00	mg/L	90	92	3 %
		Phosphorus, Dissolved	EPA 200.7	1207138-001	<0.500	4.82	4.94	5.00	mg/L	96	98	2 %
		Potassium, Dissolved	EPA 200.7	1207138-001	19.7	28.7	29.6	10.0	mg/L	90	99	3 %
		Scandium, Dissolved	EPA 200.7	1207138-001	<0.100	0.935	0.945	1.00	mg/L	94	94	1 %
		Silver, Dissolved	EPA 200.7	1207138-001	<0.005	0.080	0.080	0.090	mg/L	89	90	<1%
		Sodium, Dissolved	EPA 200.7	1207138-001	65.1	73.8	77.5	10.0	mg/L	87	124	5 %
		Strontium, Dissolved	EPA 200.7	1207138-001	0.624	1.54	1.60	1.00	mg/L	92	98	4 %
		Tin, Dissolved	EPA 200.7	1207138-001	<0.100	0.904	0.916	1.00	mg/L	93	94	1 %
		Titanium, Dissolved	EPA 200.7	1207138-001	<0.100	0.954	0.951	1.00	mg/L	95	95	<1%
		Vanadium, Dissolved	EPA 200.7	1207138-001	0.028	0.961	0.988	1.00	mg/L	93	96	3 %
		Zinc, Dissolved	EPA 200.7	1207138-001	<0.010	0.932	0.964	1.00	mg/L	93	96	3 %
QC12070469	MS 1	Uranium, Dissolved	EPA 200.8	1207138-001	<0.0050	0.0093	0.0093	0.010	mg/L	93	93	<1%
		Mercury, Dissolved	EPA 200.8	1207138-001	0.000197	0.001111	0.001134	0.001	mg/L	91	94	2 %
		Antimony, Dissolved	EPA 200.8	1207138-001	<0.0025	0.0101	0.0101	0.010	mg/L	91	91	<1%
		Arsenic, Dissolved	EPA 200.8	1207138-001	0.0900	0.1326	0.1325	0.050	mg/L	85	85	<1%
		Lead, Dissolved	EPA 200.8	1207138-001	<0.0025	0.0085	0.0085	0.010	mg/L	85	85	<1%
		Selenium, Dissolved	EPA 200.8	1207138-001	<0.0050	M 0.0333	0.0330	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1207138-001	<0.0010	0.0086	0.0086	0.010	mg/L	86	86	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1207066
~~7207068 DS~~

Report
Due Date: 7/19/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Billing Address (if different than Client Address):

Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Analysis Requested

Profile II w/o vad	Uranium									Spl. No.
X	X									1
↓	↓									2

Additional Information

Fax Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Email Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Compliance Monitoring	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N		
Fax Results to State EPA	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE LOCATION	Wk:	DATE	TIME							
CF-11-02 (0-27)	Wk:8	07/05/12	9:00	WW	2	X	X			
CF-11-02 (367-408)	↓	↓	↓	↓	↓	↓	↓			

1207 15
066 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Sample Collected By	Sample Received By
Temperature <u>17.1</u> °C	<u>7-5-12</u>	<u>10:00</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> None				
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless otherwise agreed to in writing. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

6/27/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1206157

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 6/7/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1206157

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 6/27/2012
OrderID: 1206157

Customer Sample ID: CF-11-02 (0-27) Week:4
WETLAB Sample ID: 1206157-001

Collect Date/Time: 6/7/2012 09:00
Receive Date: 6/7/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.97	pH Units		6/7/2012
Bicarbonate (HCO ₃)	SM 2320B	78	mg/L	1.0	6/7/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/7/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/7/2012
Total Alkalinity	SM 2320B	64	mg/L as CaCO ₃	1.0	6/7/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/8/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	6/8/2012
Sulfate	EPA 300.0	20	mg/L	1.5	6/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/8/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/8/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	6/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/19/2012
Barium	EPA 200.7	0.012	mg/L	0.010	6/19/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/19/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/19/2012
Calcium	EPA 200.7	24	mg/L	0.50	6/19/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/19/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/19/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	6/19/2012
Manganese	EPA 200.7	0.043	mg/L	0.0050	6/19/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/19/2012

Page 3 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) Week:4

Collect Date/Time: 6/7/2012 09:00

WETLAB Sample ID: 1206157-001

Receive Date: 6/7/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/19/2012
Potassium	EPA 200.7	8.9	mg/L	0.50	6/19/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/19/2012
Sodium	EPA 200.7	2.8	mg/L	0.50	6/19/2012
Strontium	EPA 200.7	0.20	mg/L	0.10	6/19/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Mercury	EPA 200.8	0.00017	mg/L	0.00010	6/19/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/19/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/18/2012
Uranium	EPA 200.8	0.014	mg/L	0.0050	6/18/2012
Anions	Calculation	1.79	meq/L	0.10	
Cations	Calculation	1.93	meq/L	0.10	
Error	Calculation	3.7	%	1.0	

Customer Sample ID: CF-11-02 (367-408) Wk:4

Collect Date/Time: 6/7/2012 09:00

WETLAB Sample ID: 1206157-002

Receive Date: 6/7/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.60	pH Units		6/7/2012
Bicarbonate (HCO ₃)	SM 2320B	49	mg/L	1.0	6/7/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/7/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/7/2012
Total Alkalinity	SM 2320B	40	mg/L as CaCO ₃	1.0	6/7/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/8/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	6/8/2012
Sulfate	EPA 300.0	20	mg/L	1.5	6/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/8/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	6/8/2012
Total Dissolved Solids (TDS)	SM 2540C	96	mg/L	10	6/11/2012
Aluminum	EPA 200.7	0.099	mg/L	0.045	6/19/2012

Page 4 of 10

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) Wk:4

Collect Date/Time: 6/7/2012 09:00

WETLAB Sample ID: 1206157-002

Receive Date: 6/7/2012 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.014	mg/L	0.010	6/19/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/19/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/19/2012
Calcium	EPA 200.7	18	mg/L	0.50	6/19/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/19/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/19/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Magnesium	EPA 200.7	1.9	mg/L	0.50	6/19/2012
Manganese	EPA 200.7	0.0086	mg/L	0.0050	6/19/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/19/2012
Potassium	EPA 200.7	8.1	mg/L	0.50	6/19/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/19/2012
Sodium	EPA 200.7	3.3	mg/L	0.50	6/19/2012
Strontium	EPA 200.7	0.23	mg/L	0.10	6/19/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/19/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/19/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/19/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/19/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/18/2012
Uranium	EPA 200.8	0.0069	mg/L	0.0050	6/18/2012
Anions	Calculation	1.28	meq/L	0.10	
Cations	Calculation	1.42	meq/L	0.10	
Error	Calculation	5.0	%	1.0	

Page 5 of 10

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12060295	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12060295	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12060295	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12060300	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12060300	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12060300	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12060304	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060304	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060304	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060308	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060308	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060308	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060312	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12060312	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12060312	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12060433	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060433	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060433	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060617	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12060633	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12060247	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060247	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060247	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060247	LCS 4	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060251	LCS 1	Alkalinity	SM 2320B	98.5	100	98	mg/L
QC12060251	LCS 2	Alkalinity	SM 2320B	99.2	100	99	mg/L
QC12060251	LCS 3	Alkalinity	SM 2320B	99.5	100	100	mg/L
QC12060251	LCS 4	Alkalinity	SM 2320B	100	100	100	mg/L
QC12060295	LCS 1	Fluoride	EPA 300.0	1.93	2.00	96	mg/L
QC12060300	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12060304	LCS 1	Nitrite Nitrogen	EPA 300.0	0.496	0.500	99	mg/L
QC12060308	LCS 1	Nitrate Nitrogen	EPA 300.0	1.97	2.00	99	mg/L
QC12060312	LCS 1	Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC12060433	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	159	150	106	mg/L
QC12060433	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC12060433	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC12060617	LCS 1	Mercury	EPA 200.8	0.000905	0.001	90	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0484	0.050	97	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0483	0.050	96	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0096	0.010	96	mg/L
QC12060633	LCS 1	Aluminum	EPA 200.7	1.06	1.00	106	mg/L
		Barium	EPA 200.7	1.05	1.00	105	mg/L
		Beryllium	EPA 200.7	1.05	1.00	105	mg/L
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	1.02	1.00	102	mg/L
		Cadmium	EPA 200.7	1.07	1.00	107	mg/L
		Calcium	EPA 200.7	10.5	10.0	105	mg/L
		Chromium	EPA 200.7	1.03	1.00	103	mg/L
		Cobalt	EPA 200.7	1.06	1.00	106	mg/L
		Copper	EPA 200.7	5.19	5.00	104	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.03	1.00	103	mg/L
		Lithium	EPA 200.7	1.03	1.00	103	mg/L
		Magnesium	EPA 200.7	10.5	10.0	105	mg/L
		Manganese	EPA 200.7	1.05	1.00	105	mg/L
		Molybdenum	EPA 200.7	1.03	1.00	103	mg/L
		Nickel	EPA 200.7	5.31	5.00	106	mg/L
		Phosphorus	EPA 200.7	5.30	5.00	106	mg/L
		Potassium	EPA 200.7	10.5	10.0	105	mg/L
		Scandium	EPA 200.7	1.03	1.00	103	mg/L
		Silver	EPA 200.7	0.094	0.090	104	mg/L
		Sodium	EPA 200.7	10.0	10.0	100	mg/L
		Strontium	EPA 200.7	0.992	1.00	99	mg/L

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Tin	EPA 200.7	1.04	1.00	104	mg/L
		Titanium	EPA 200.7	1.05	1.00	105	mg/L
		Vanadium	EPA 200.7	1.04	1.00	104	mg/L
		Zinc	EPA 200.7	1.10	1.00	110	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12060247	Duplicate	pH	SM 4500-H+ B	1206130-001	7.55	7.56	pH Units	<1%
QC12060247	Duplicate	pH	SM 4500-H+ B	1206132-002	7.07	7.08	pH Units	<1%
QC12060247	Duplicate	pH	SM 4500-H+ B	1206134-003	7.55	7.56	pH Units	<1%
QC12060247	Duplicate	pH	SM 4500-H+ B	1206145-002	8.00	7.99	pH Units	<1%
QC12060247	Duplicate	pH	SM 4500-H+ B	1206145-009	7.07	7.08	pH Units	<1%
QC12060247	Duplicate	pH	SM 4500-H+ B	1206146-007	9.40	9.45	pH Units	1 %
QC12060247	Duplicate	pH	SM 4500-H+ B	1206160-001	7.78	7.84	pH Units	1 %
QC12060247	Duplicate	pH	SM 4500-H+ B	1206162-002	7.13	7.88	pH Units	10 %
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206130-001	207	207	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206130-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206130-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206130-001	170	170	mg/L as CaCO3	<1%
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206132-002	170	169	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206132-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206132-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206132-002	139	139	mg/L as CaCO3	<1%
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206134-003	184	184	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206134-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206134-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206134-003	151	151	mg/L as CaCO3	<1%
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206145-002	149	147	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206145-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206145-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206145-002	122	121	mg/L as CaCO3	1 %
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206145-009	141	141	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206145-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206145-009	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206145-009	116	116	mg/L as CaCO3	<1%
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206152-001	262	264	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206152-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206152-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206152-001	215	217	mg/L as CaCO3	1 %
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206160-001	61.4	61.8	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206160-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206160-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206160-001	50.4	50.7	mg/L as CaCO3	1 %
QC12060251	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206162-002	8.13	7.67	mg/L	6 %

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
		Carbonate (CO3)	SM 2320B	1206162-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206162-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206162-002	6.67	6.29	mg/L as CaCO3	6 %
QC12060433	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206136-001	616	580	Q mg/L	6 %
QC12060433	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206145-005	307	307	mg/L	<1%
QC12060433	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206146-006	2900	2876	mg/L	1 %
QC12060433	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206158-003	402	395	mg/L	2 %
QC12060433	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206178-002	892	904	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12060295	MS 1	Fluoride	EPA 300.0	1206157-002	1.25	2.97	2.98	2.00	mg/L	86	87	<1%
QC12060295	MS 2	Fluoride	EPA 300.0	1206162-004	<0.100	2.14	2.17	2.00	mg/L	104	105	1 %
QC12060300	MS 1	Chloride	EPA 300.0	1206157-002	<1.000	5.28	5.48	5.00	mg/L	103	107	4 %
QC12060300	MS 2	Chloride	EPA 300.0	1206162-004	1.61	6.80	6.92	5.00	mg/L	104	106	2 %
QC12060304	MS 1	Nitrite Nitrogen	EPA 300.0	1206157-002	<0.030	0.527	0.546	0.500	mg/L	104	108	4 %
QC12060304	MS 2	Nitrite Nitrogen	EPA 300.0	1206162-004	0.068	0.586	0.600	0.500	mg/L	104	106	2 %
QC12060308	MS 1	Nitrate Nitrogen	EPA 300.0	1206157-002	<1.000	2.03	2.12	2.00	mg/L	100	104	4 %
QC12060308	MS 2	Nitrate Nitrogen	EPA 300.0	1206162-004	<1.000	2.19	2.24	2.00	mg/L	103	105	2 %
QC12060312	MS 1	Sulfate	EPA 300.0	1206157-002	19.6	29.0	29.3	10.0	mg/L	94	97	1 %
QC12060312	MS 2	Sulfate	EPA 300.0	1206162-004	1.49	11.7	11.9	10.0	mg/L	103	105	2 %
QC12060617	MS 1	Uranium, Dissolved	EPA 200.8	1206146-001	0.0116	0.0224	0.0222	0.010	mg/L	108	105	1 %
		Mercury, Dissolved	EPA 200.8	1206146-001	1.006000	SC 1.096000	1.004000	0.001	mg/L	NC	NC	NC
		Antimony, Dissolved	EPA 200.8	1206146-001	0.0143	0.0231	0.0237	0.010	mg/L	89	94	3 %
		Arsenic, Dissolved	EPA 200.8	1206146-001	0.3972	0.4364	0.4440	0.050	mg/L	78	94	2 %
		Lead, Dissolved	EPA 200.8	1206146-001	<0.0025	0.0093	0.0093	0.010	mg/L	92	92	<1%
		Selenium, Dissolved	EPA 200.8	1206146-001	<0.5000	M <0.5000	<0.5000	0.050	mg/L	NC	NC	NC
		Thallium, Dissolved	EPA 200.8	1206146-001	<0.0010	0.0094	0.0096	0.010	mg/L	91	93	2 %
QC12060633	MS 1	Aluminum, Dissolved	EPA 200.7	1206146-001	<0.045	0.912	0.910	1.00	mg/L	91	91	<1%
		Barium, Dissolved	EPA 200.7	1206146-001	0.027	1.05	1.06	1.00	mg/L	102	103	1 %
		Beryllium, Dissolved	EPA 200.7	1206146-001	<0.001	1.06	1.07	1.00	mg/L	106	107	1 %
		Bismuth, Dissolved	EPA 200.7	1206146-001	<0.100	0.882	0.912	1.00	mg/L	99	102	3 %
		Boron, Dissolved	EPA 200.7	1206146-001	0.177	1.22	1.24	1.00	mg/L	104	106	2 %
		Cadmium, Dissolved	EPA 200.7	1206146-001	0.253	1.30	1.32	1.00	mg/L	105	107	2 %
		Calcium, Dissolved	EPA 200.7	1206146-001	40.8	SC 47.7	50.0	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1206146-001	<0.005	1.02	1.02	1.00	mg/L	102	102	<1%
		Cobalt, Dissolved	EPA 200.7	1206146-001	0.026	1.10	1.19	1.00	mg/L	107	116	8 %
		Copper, Dissolved	EPA 200.7	1206146-001	54.5	59.2	62.2	5.00	mg/L	94	154	5 %
		Gallium, Dissolved	EPA 200.7	1206146-001	<0.100	0.866	0.866	1.00	mg/L	87	87	<1%
		Iron, Dissolved	EPA 200.7	1206146-001	0.359	1.35	1.52	1.00	mg/L	99	116	12 %
		Lithium, Dissolved	EPA 200.7	1206146-001	<0.100	1.07	1.10	1.00	mg/L	107	110	3 %
		Magnesium, Dissolved	EPA 200.7	1206146-001	7.03	16.4	17.0	10.0	mg/L	94	100	4 %
		Manganese, Dissolved	EPA 200.7	1206146-001	<0.005	1.03	1.03	1.00	mg/L	104	104	<1%
		Molybdenum, Dissolved	EPA 200.7	1206146-001	2.22	3.20	3.29	1.00	mg/L	98	107	3 %
		Nickel, Dissolved	EPA 200.7	1206146-001	0.335	5.54	5.72	5.00	mg/L	104	108	3 %
		Phosphorus, Dissolved	EPA 200.7	1206146-001	<0.500	6.16	6.24	5.00	mg/L	117	119	1 %
		Potassium, Dissolved	EPA 200.7	1206146-001	23.2	32.8	34.4	10.0	mg/L	96	112	5 %
		Scandium, Dissolved	EPA 200.7	1206146-001	<0.100	1.03	1.03	1.00	mg/L	103	103	<1%
		Silver, Dissolved	EPA 200.7	1206146-001	5.43	13.9	13.8	9.00	mg/L	94	93	1 %
		Sodium, Dissolved	EPA 200.7	1206146-001	991	SC 895	933	10.0	mg/L	NC	NC	NC

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Strontium, Dissolved	EPA 200.7	1206146-001	0.515	1.37	1.39	1.00	mg/L	86	87	1 %
		Tin, Dissolved	EPA 200.7	1206146-001	<0.100	1.02	1.04	1.00	mg/L	106	108	2 %
		Titanium, Dissolved	EPA 200.7	1206146-001	<0.100	1.02	1.04	1.00	mg/L	102	104	2 %
		Vanadium, Dissolved	EPA 200.7	1206146-001	0.038	1.10	1.11	1.00	mg/L	106	107	1 %
		Zinc, Dissolved	EPA 200.7	1206146-001	286	SC 265	278	1.00	mg/L	NC	NC	NC



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 855-0202 | fax [775] 855-0817 | www.WETLaboratory.com

Lab Number 1206157

Report Due Date: 6/21/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information
Fax Results: Y N To: Client Billing
Email Results: Y N To: Client Billing
Compliance Monitoring: Y N
Fax Results to State EPA: Y N

DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER: _____

Profile II w/o Wad

Uranium

Profile II w/o Wad	Uranium	Spt. No.
		1
		2

1206 1
157 1

Instructions/Comments/Special Requirements:

SAMPLER ID	DATE	TIME	SIGNATURE
Temperature 24.5 °C	6/7	16/15	[Signature]
Custody Seals Intact? Y N (None)			
Number of Containers 4			

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

6/8/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1205478

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/24/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1205478

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO/Project: 3438

Date Printed: 6/8/2012
OrderID: 1205478

Customer Sample ID: CF-11-02 (0-27) WK:2
WETLAB Sample ID: 1205478-001

Collect Date/Time: 5/24/2012 09:00
Receive Date: 5/24/2012 14:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.93	pH Units		5/24/2012
Bicarbonate (HCO ₃)	SM 2320B	92	mg/L	1.0	5/24/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/24/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/24/2012
Total Alkalinity	SM 2320B	76	mg/L as CaCO ₃	1.0	5/24/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/25/2012
Fluoride	EPA 300.0	2.5	mg/L	0.10	5/25/2012
Sulfate	EPA 300.0	28	mg/L	1.5	5/25/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/25/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/25/2012
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	5/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/4/2012
Barium	EPA 200.7	0.010	mg/L	0.010	6/4/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/4/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/4/2012
Calcium	EPA 200.7	25	mg/L	0.50	6/4/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/4/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/4/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Magnesium	EPA 200.7	5.2	mg/L	0.50	6/4/2012
Manganese	EPA 200.7	0.064	mg/L	0.0050	6/4/2012
Molybdenum	EPA 200.7	0.023	mg/L	0.010	6/4/2012

Page 3 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamaille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (0-27) WK:2

Collect Date/Time: 5/24/2012 09:00

WETLAB Sample ID: 1205478-001

Receive Date: 5/24/2012 14:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/4/2012
Potassium	EPA 200.7	11	mg/L	0.50	6/4/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/4/2012
Sodium	EPA 200.7	7.4	mg/L	0.50	6/4/2012
Strontium	EPA 200.7	0.26	mg/L	0.10	6/4/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Mercury	EPA 200.8	0.00032	mg/L	0.00010	6/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/4/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/4/2012
Lead	EPA 200.8	0.0036	mg/L	0.0025	6/4/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/4/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/4/2012
Uranium	EPA 200.8	0.020	mg/L	0.0050	6/4/2012
Anions	Calculation	2.22	meq/L	0.10	
Cations	Calculation	2.28	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: CF-11-02 (367-408) WK:2

Collect Date/Time: 5/24/2012 09:00

WETLAB Sample ID: 1205478-002

Receive Date: 5/24/2012 14:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		5/24/2012
Bicarbonate (HCO3)	SM 2320B	51	mg/L	1.0	5/24/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	5/24/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/24/2012
Total Alkalinity	SM 2320B	42	mg/L as CaCO3	1.0	5/24/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	5/25/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	5/25/2012
Sulfate	EPA 300.0	18	mg/L	1.5	5/25/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/25/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/25/2012
Total Dissolved Solids (TDS)	SM 2540C	96	mg/L	10	5/26/2012
Aluminum	EPA 200.7	0.088	mg/L	0.045	6/4/2012

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) WK:2

Collect Date/Time: 5/24/2012 09:00

WETLAB Sample ID: 1205478-002

Receive Date: 5/24/2012 14:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.012	mg/L	0.010	6/4/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/4/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/4/2012
Calcium	EPA 200.7	14	mg/L	0.50	6/4/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/4/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/4/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Magnesium	EPA 200.7	1.5	mg/L	0.50	6/4/2012
Manganese	EPA 200.7	0.0071	mg/L	0.0050	6/4/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/4/2012
Potassium	EPA 200.7	8.0	mg/L	0.50	6/4/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/4/2012
Sodium	EPA 200.7	7.8	mg/L	0.50	6/4/2012
Strontium	EPA 200.7	0.20	mg/L	0.10	6/4/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/4/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/4/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/4/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/4/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/4/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/4/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/4/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/4/2012
Uranium	EPA 200.8	0.0075	mg/L	0.0050	6/4/2012
Anions	Calculation	1.27	meq/L	0.10	
Cations	Calculation	1.38	meq/L	0.10	
Error	Calculation	3.9	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12050989	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12050989	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12050989	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12050993	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12050993	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12050993	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12050996	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050996	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050996	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050999	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050999	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050999	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12051003	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12051003	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12051003	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12051009	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12051009	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060084	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12060100	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L

Page 6 of 9

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12050959	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12050959	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050959	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050961	LCS 1	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12050961	LCS 2	Alkalinity	SM 2320B	99.5	100	99	mg/L
QC12050989	LCS 1	Fluoride	EPA 300.0	1.82	2.00	91	mg/L
QC12050993	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC12050996	LCS 1	Nitrite Nitrogen	EPA 300.0	0.509	0.500	102	mg/L
QC12050999	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	101	mg/L
QC12051003	LCS 1	Sulfate	EPA 300.0	24.2	25.0	97	mg/L
QC12051009	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC12051009	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12060084	LCS 1	Aluminum	EPA 200.7	0.961	1.00	96	mg/L
		Barium	EPA 200.7	0.939	1.00	94	mg/L
		Beryllium	EPA 200.7	0.930	1.00	93	mg/L
		Bismuth	EPA 200.7	0.948	1.00	95	mg/L
		Boron	EPA 200.7	0.888	1.00	89	mg/L
		Cadmium	EPA 200.7	0.918	1.00	92	mg/L
		Calcium	EPA 200.7	9.66	10.0	97	mg/L
		Chromium	EPA 200.7	0.925	1.00	92	mg/L
		Cobalt	EPA 200.7	0.925	1.00	92	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.947	1.00	95	mg/L
		Iron	EPA 200.7	0.967	1.00	97	mg/L
		Lithium	EPA 200.7	0.964	1.00	96	mg/L
		Magnesium	EPA 200.7	9.48	10.0	95	mg/L
		Manganese	EPA 200.7	0.930	1.00	93	mg/L
		Molybdenum	EPA 200.7	0.931	1.00	93	mg/L
		Nickel	EPA 200.7	4.63	5.00	93	mg/L
		Phosphorus	EPA 200.7	4.56	5.00	91	mg/L
		Potassium	EPA 200.7	9.91	10.0	99	mg/L
		Scandium	EPA 200.7	0.946	1.00	95	mg/L
		Silver	EPA 200.7	0.084	0.090	94	mg/L
		Sodium	EPA 200.7	9.61	10.0	96	mg/L
		Strontium	EPA 200.7	0.969	1.00	97	mg/L
		Tin	EPA 200.7	0.907	1.00	91	mg/L
		Titanium	EPA 200.7	0.969	1.00	97	mg/L
		Vanadium	EPA 200.7	0.931	1.00	93	mg/L
		Zinc	EPA 200.7	0.919	1.00	92	mg/L
QC12060100	LCS 1	Mercury	EPA 200.8	0.000895	0.001	90	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0493	0.050	99	mg/L
		Lead	EPA 200.8	0.0092	0.010	92	mg/L
		Selenium	EPA 200.8	0.0449	0.050	90	mg/L
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	0.0091	0.010	91	mg/L

Duplicate Sample Duplicate

QCBatchID	QCType	Sample	Result	Result		
QC12050959	Duplicate	pH SM 4500-H+ B 1205462-002	8.07	8.10	pH Units	<1%
QC12050959	Duplicate	pH SM 4500-H+ B 1205465-005	7.17	7.17	pH Units	<1%
QC12050959	Duplicate	pH SM 4500-H+ B 1205484-001	7.56	7.59	pH Units	<1%
QC12050959	Duplicate	pH SM 4500-H+ B 1205486-001	7.88	7.88	pH Units	<1%
QC12050959	Duplicate	pH SM 4500-H+ B 1205486-003	7.62	7.64	pH Units	<1%
QC12050961	Duplicate	Bicarbonate (HCO3) SM 2320B 1205462-002	213	213	mg/L	<1%
		Carbonate (CO3) SM 2320B 1205462-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH) SM 2320B 1205462-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity SM 2320B 1205462-002	174	175	mg/L as CaCO3	<1%
QC12050961	Duplicate	Bicarbonate (HCO3) SM 2320B 1205465-005	375	375	mg/L	<1%
		Carbonate (CO3) SM 2320B 1205465-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH) SM 2320B 1205465-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity SM 2320B 1205465-005	308	307	mg/L as CaCO3	<1%
QC12050961	Duplicate	Bicarbonate (HCO3) SM 2320B 1205484-001	114	114	mg/L	<1%
		Carbonate (CO3) SM 2320B 1205484-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH) SM 2320B 1205484-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity SM 2320B 1205484-001	93.2	93.2	mg/L as CaCO3	<1%
QC12050961	Duplicate	Bicarbonate (HCO3) SM 2320B 1205486-001	132	131	mg/L	1 %
		Carbonate (CO3) SM 2320B 1205486-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH) SM 2320B 1205486-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity SM 2320B 1205486-001	109	107	mg/L as CaCO3	1 %
QC12050961	Duplicate	Bicarbonate (HCO3) SM 2320B 1205486-003	205	205	mg/L	<1%
		Carbonate (CO3) SM 2320B 1205486-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH) SM 2320B 1205486-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity SM 2320B 1205486-003	168	168	mg/L as CaCO3	<1%
QC12051009	Duplicate	Total Dissolved Solids (TDS) SM 2540C 1205463-001	7000	6960	mg/L	1 %
QC12051009	Duplicate	Total Dissolved Solids (TDS) SM 2540C 1205470-002	136	134	mg/L	2 %
QC12051009	Duplicate	Total Dissolved Solids (TDS) SM 2540C 1205474-006	29.0	31.0	mg/L	7 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050989	MS 1	Fluoride	EPA 300.0	1205478-002	1.23	2.92	2.93	2.00	mg/L	84	85	<1%
QC12050989	MS 2	Fluoride	EPA 300.0	1205479-001	<0.100	1.97	1.99	2.00	mg/L	96	97	1 %
QC12050993	MS 1	Chloride	EPA 300.0	1205478-002	<1.000	5.49	5.72	5.00	mg/L	101	106	4 %
QC12050993	MS 2	Chloride	EPA 300.0	1205479-001	<1.000	5.13	5.29	5.00	mg/L	101	104	3 %
QC12050996	MS 1	Nitrite Nitrogen	EPA 300.0	1205478-002	<0.030	0.510	0.532	0.500	mg/L	101	105	4 %
QC12050996	MS 2	Nitrite Nitrogen	EPA 300.0	1205479-001	<0.030	0.510	0.526	0.500	mg/L	101	104	3 %
QC12050999	MS 1	Nitrate Nitrogen	EPA 300.0	1205478-002	<1.000	2.04	2.13	2.00	mg/L	100	105	4 %
QC12050999	MS 2	Nitrate Nitrogen	EPA 300.0	1205479-001	<1.000	2.04	2.10	2.00	mg/L	100	104	3 %
QC12051003	MS 1	Sulfate	EPA 300.0	1205478-002	18.0	27.3	27.8	10.0	mg/L	93	97	2 %
QC12051003	MS 2	Sulfate	EPA 300.0	1205479-001	10.8	20.3	20.6	10.0	mg/L	95	98	1 %
QC12060084	MS 1	Aluminum	EPA 200.7	1205432-005	<0.045	0.967	1.03	1.00	mg/L	94	101	6 %
		Barium	EPA 200.7	1205432-005	0.050	0.987	1.03	1.00	mg/L	94	98	4 %
		Beryllium	EPA 200.7	1205432-005	<0.001	0.942	0.981	1.00	mg/L	94	98	4 %
		Bismuth	EPA 200.7	1205432-005	<0.100	0.943	0.963	1.00	mg/L	94	96	2 %
		Boron	EPA 200.7	1205432-005	0.146	1.08	1.13	1.00	mg/L	93	98	5 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Cadmium	EPA 200.7	1205432-005	<0.001	0.898	0.959	1.00	mg/L	90	96	7 %
		Calcium	EPA 200.7	1205432-005	36.3	46.8	45.0	10.0	mg/L	105	87	4 %
		Chromium	EPA 200.7	1205432-005	<0.005	0.927	0.976	1.00	mg/L	93	98	5 %
		Cobalt	EPA 200.7	1205432-005	<0.010	0.914	0.959	1.00	mg/L	91	96	5 %
		Copper	EPA 200.7	1205432-005	<0.050	4.91	5.13	5.00	mg/L	98	103	4 %
		Gallium	EPA 200.7	1205432-005	<0.100	0.985	1.02	1.00	mg/L	98	102	3 %
		Iron	EPA 200.7	1205432-005	0.031	1.01	1.01	1.00	mg/L	98	98	<1%
		Lithium	EPA 200.7	1205432-005	<0.100	1.04	1.03	1.00	mg/L	96	95	1 %
		Magnesium	EPA 200.7	1205432-005	11.1	20.6	20.4	10.0	mg/L	95	93	1 %
		Manganese	EPA 200.7	1205432-005	0.109	1.03	1.09	1.00	mg/L	92	98	6 %
		Molybdenum	EPA 200.7	1205432-005	<0.010	0.956	0.984	1.00	mg/L	95	97	3 %
		Nickel	EPA 200.7	1205432-005	<0.010	4.55	4.80	5.00	mg/L	91	96	5 %
		Phosphorus	EPA 200.7	1205432-005	<0.500	4.66	4.88	5.00	mg/L	93	97	5 %
		Potassium	EPA 200.7	1205432-005	7.21	17.6	17.1	10.0	mg/L	104	99	3 %
		Scandium	EPA 200.7	1205432-005	<0.100	0.965	0.991	1.00	mg/L	97	99	3 %
		Silver	EPA 200.7	1205432-005	<0.005	0.085	0.089	0.090	mg/L	96	100	5 %
		Sodium	EPA 200.7	1205432-005	59.7	SC 73.6	69.5	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1205432-005	0.438	1.49	1.43	1.00	mg/L	105	99	4 %
		Tin	EPA 200.7	1205432-005	<0.100	0.882	0.924	1.00	mg/L	91	95	5 %
		Titanium	EPA 200.7	1205432-005	<0.100	0.993	0.991	1.00	mg/L	99	99	<1%
		Vanadium	EPA 200.7	1205432-005	0.015	0.964	1.00	1.00	mg/L	95	98	4 %
		Zinc	EPA 200.7	1205432-005	<0.010	0.908	0.965	1.00	mg/L	91	96	6 %
QC12080100	MS 1	Mercury	EPA 200.8	1205432-005	<0.00010	0.000892	0.000871	0.001	mg/L	89	87	2 %
		Antimony	EPA 200.8	1205432-005	<0.0025	0.0103	0.0103	0.010	mg/L	102	102	<1%
		Arsenic	EPA 200.8	1205432-005	0.0557	0.1079	0.1076	0.050	mg/L	104	104	<1%
		Lead	EPA 200.8	1205432-005	<0.0025	0.0100	0.0099	0.010	mg/L	100	99	1 %
		Selenium	EPA 200.8	1205432-005	<0.0050	0.0430	0.0439	0.050	mg/L	84	86	2 %
		Thallium	EPA 200.8	1205432-005	<0.0010	0.0099	0.0098	0.010	mg/L	100	98	1 %
		Uranium	EPA 200.8	1205432-005	<0.0050	0.0106	0.0106	0.010	mg/L	106	106	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 1205478

Report
Due Date: 6/8/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample ID/Use Code

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

Profile II w/o Wad	Uranium	Analytes Requested		Spl. No.
X	X			1
↓	↓			2

SAMPLE ID/LOCATION	DATE	TIME													
CF-11-02 (0-27)	Wk:2	05/24/12	9:00	WW	2	X	X								
CF-11-02 (367-408)	↓	↓	↓	↓	↓	↓	↓								

Instructions/Comments/Special Requirements: _____

SAMPLE RECEIPT	DATE	TIME	Sample ID/Location	Sample Analysis
Temperature <u>22.5 °C</u>	<u>5/24</u>	<u>1420</u>	<u>Duct</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>(None)</u>				<u>[Signature]</u>
Number of Containers <u>4</u>				

WETLAB'S Standard Terms and Conditions apply unless otherwise specified. Client 100% Payment required. Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

5/30/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1205362

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/17/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1205362

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
 1016 Greg Street
 Sparks, NV 89431
 Attn: Gene McClelland
 Phone: (775) 356-1300 Fax: (775) 356-8917
 PO\Project: 3438

Date Printed: 5/30/2012
 OrderID: 1205362

Customer Sample ID: CF-11-02 (0-27) WK:1
 WETLAB Sample ID: 1205362-001

Collect Date/Time: 5/17/2012 09:00
 Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.45	pH Units		5/17/2012
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	5/17/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	92	mg/L as CaCO ₃	1.0	5/17/2012
Chloride	EPA 300.0	1.7	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	4.4	mg/L	0.50	5/21/2012
Sulfate	EPA 300.0	54	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	5/21/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/23/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/23/2012
Calcium	EPA 200.7	32	mg/L	0.50	5/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Magnesium	EPA 200.7	6.7	mg/L	0.50	5/23/2012
Manganese	EPA 200.7	0.12	mg/L	0.0050	5/23/2012
Molybdenum	EPA 200.7	0.059	mg/L	0.010	5/23/2012

Customer Sample ID: CF-11-02 (0-27) WK:1

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205362-001

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/23/2012
Potassium	EPA 200.7	15	mg/L	0.50	5/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/23/2012
Sodium	EPA 200.7	18	mg/L	0.50	5/23/2012
Strontium	EPA 200.7	0.33	mg/L	0.10	5/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Mercury	EPA 200.8	0.00036	mg/L	0.00010	5/24/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/23/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/23/2012
Lead	EPA 200.8	0.0028	mg/L	0.0025	5/24/2012
Selenium	EPA 200.8	0.011	mg/L	0.0050	5/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/24/2012
Uranium	EPA 200.8	0.027	mg/L	0.0050	5/24/2012
Anions	Calculation	3.21	meq/L	0.10	
Cations	Calculation	3.32	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: CF-11-02 (367-408) WK:1

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205362-002

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.25	pH Units		5/17/2012
Bicarbonate (HCO ₃)	SM 2320B	56	mg/L	1.0	5/17/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/17/2012
Total Alkalinity	SM 2320B	46	mg/L as CaCO ₃	1.0	5/17/2012
Chloride	EPA 300.0	3.4	mg/L	1.00	5/18/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	5/18/2012
Sulfate	EPA 300.0	32	mg/L	1.5	5/18/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/18/2012
Nitrite Nitrogen	EPA 300.0	<0.030	mg/L	0.030	5/18/2012
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	5/21/2012
Aluminum	EPA 200.7	0.090	mg/L	0.045	5/23/2012

Page 4 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (367-408) WK:1

Collect Date/Time: 5/17/2012 09:00

WETLAB Sample ID: 1205362-002

Receive Date: 5/17/2012 15:20

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.011	mg/L	0.010	5/23/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/23/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/23/2012
Calcium	EPA 200.7	16	mg/L	0.50	5/23/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/23/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/23/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Magnesium	EPA 200.7	1.9	mg/L	0.50	5/23/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	5/23/2012
Molybdenum	EPA 200.7	0.016	mg/L	0.010	5/23/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/23/2012
Potassium	EPA 200.7	10	mg/L	0.50	5/23/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/23/2012
Sodium	EPA 200.7	18	mg/L	0.50	5/23/2012
Strontium	EPA 200.7	0.24	mg/L	0.10	5/23/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/23/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/23/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	5/24/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/23/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/23/2012
Lead	EPA 200.8	0.0027	mg/L	0.0025	5/24/2012
Selenium	EPA 200.8	0.0054	mg/L	0.0050	5/24/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/24/2012
Uranium	EPA 200.8	0.0062	mg/L	0.0050	5/24/2012
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	2.00	meq/L	0.10	
Error	Calculation	6.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12050733	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12050733	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12050733	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12050737	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12050737	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12050737	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12050739	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12050739	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12050739	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12050764	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050764	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050764	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050768	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050768	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050768	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050780	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12050780	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12050780	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12050833	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050833	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050868	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10 ¹	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC12050892	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12050681	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12050681	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12050681	LCS 3	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12050681	LCS 4	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC12050682	LCS 1	Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12050682	LCS 2	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12050682	LCS 3	Alkalinity	SM 2320B	100	100	100	mg/L
QC12050686	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12050733	LCS 1	Fluoride	EPA 300.0	1.92	2.00	96	mg/L
QC12050737	LCS 1	Chloride	EPA 300.0	10.8	10.0	108	mg/L
QC12050739	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12050764	LCS 1	Nitrite Nitrogen	EPA 300.0	0.520	0.500	104	mg/L
QC12050768	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	100	mg/L
QC12050780	LCS 1	Fluoride	EPA 300.0	1.87	2.00	93	mg/L
QC12050833	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12050833	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12050868	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	0.999	1.00	100	mg/L
		Beryllium	EPA 200.7	0.995	1.00	100	mg/L
		Bismuth	EPA 200.7	0.993	1.00	99	mg/L
		Boron	EPA 200.7	0.968	1.00	97	mg/L
		Cadmium	EPA 200.7	0.994	1.00	99	mg/L
		Calcium	EPA 200.7	9.86	10.0	99	mg/L
		Chromium	EPA 200.7	0.989	1.00	99	mg/L
		Cobalt	EPA 200.7	0.990	1.00	99	mg/L
		Copper	EPA 200.7	4.93	5.00	99	mg/L
		Gallium	EPA 200.7	1.00	1.00	100	mg/L
		Iron	EPA 200.7	0.978	1.00	98	mg/L
		Lithium	EPA 200.7	0.966	1.00	97	mg/L
		Magnesium	EPA 200.7	9.73	10.0	97	mg/L
		Manganese	EPA 200.7	0.996	1.00	100	mg/L
		Molybdenum	EPA 200.7	0.968	1.00	97	mg/L
		Nickel	EPA 200.7	4.96	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.91	5.00	98	mg/L
		Potassium	EPA 200.7	9.97	10.0	100	mg/L
		Scandium	EPA 200.7	0.992	1.00	99	mg/L
		Silver	EPA 200.7	0.088	0.090	97	mg/L
		Sodium	EPA 200.7	9.70	10.0	97	mg/L
		Strontium	EPA 200.7	0.962	1.00	96	mg/L
		Tin	EPA 200.7	0.956	1.00	96	mg/L
		Titanium	EPA 200.7	0.969	1.00	97	mg/L
		Vanadium	EPA 200.7	0.988	1.00	99	mg/L
		Zinc	EPA 200.7	0.996	1.00	100	mg/L
QC12050892	LCS 1	Mercury	EPA 200.8	0.001011	0.001	101	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0494	0.050	99	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0497	0.050	99	mg/L
		Thallium	EPA 200.8	0.0113	0.010	113	mg/L
		Uranium	EPA 200.8	0.0112	0.010	112	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12050681	Duplicate	pH	SM 4500-H+ B	1205340-001	7.76	7.78	pH Units	<1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205343-002	7.28	7.24	pH Units	1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205353-001	7.56	7.60	pH Units	1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205353-006	6.86	6.85	pH Units	<1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205356-001	7.40	7.42	pH Units	<1%
QC12050681	Duplicate	pH	SM 4500-H+ B	1205360-001	7.17	6.91	Q pH Units	4 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205360-005	6.57	6.53	pH Units	1 %
QC12050681	Duplicate	pH	SM 4500-H+ B	1205367-002	7.40	7.36	pH Units	1 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205340-001	219	219	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205340-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205340-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205340-001	180	180	mg/L as CaCO3	<1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205343-002	172	171	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205343-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205343-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205343-002	141	140	mg/L as CaCO3	<1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205353-001	165	165	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205353-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205353-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205353-001	135	135	mg/L as CaCO3	<1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205353-006	164	163	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1205353-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205353-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205353-006	135	134	mg/L as CaCO3	1 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205356-001	164	164	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205356-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205356-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205356-001	135	135	mg/L as CaCO3	<1%
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205360-001	49.7	48.1	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1205360-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205360-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205360-001	40.7	39.5	mg/L as CaCO3	3 %
QC12050682	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205360-005	17.1	16.3	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1205360-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205360-005	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12050682	Duplicate	Total Alkalinity	SM 2320B	1205360-005	14.0	13.4	mg/L as CaCO3	5 %
		Bicarbonate (HCO3)	SM 2320B	1205367-002	395	395	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205367-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205367-002	<1.000	<1.000	mg/L	<1%
QC12050682	Duplicate	Total Alkalinity	SM 2320B	1205367-002	324	324	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1205366-008	147	147	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205366-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205366-008	<1.000	<1.000	mg/L	<1%
QC12050686	Duplicate	pH	SM 4500-H+ B	1205366-008	8.09	6.91	pH Units	16 %
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205347-002	214	217	mg/L	1 %
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205363-004	392	417	Q mg/L	6 %
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205366-006	574	575	mg/L	<1%
QC12050833	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205375-001	896	888	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050733	MS 1	Fluoride	EPA 300.0	1205362-002	1.66	3.33	3.40	2.00	mg/L	84	87	2 %
QC12050733	MS 2	Fluoride	EPA 300.0	1205359-004	<0.100	2.04	2.05	2.00	mg/L	100	100	<1%
QC12050737	MS 1	Chloride	EPA 300.0	1205362-002	3.42	8.58	8.74	5.00	mg/L	103	106	2 %
QC12050737	MS 2	Chloride	EPA 300.0	1205359-004	<1.000	5.24	5.30	5.00	mg/L	104	105	1 %
QC12050739	MS 1	Sulfate	EPA 300.0	1205362-002	31.7	40.7	41.1	10.0	mg/L	91	94	1 %
QC12050739	MS 2	Sulfate	EPA 300.0	1205359-004	11.8	21.4	21.5	10.0	mg/L	97	97	<1%
QC12050764	MS 1	Nitrite Nitrogen	EPA 300.0	1205362-002	<0.030	0.530	0.546	0.500	mg/L	104	107	3 %
QC12050764	MS 2	Nitrite Nitrogen	EPA 300.0	1205359-004	<0.030	0.526	0.534	0.500	mg/L	104	105	2 %
QC12050768	MS 1	Nitrate Nitrogen	EPA 300.0	1205362-002	<1.000	2.09	2.15	2.00	mg/L	103	105	3 %
QC12050768	MS 2	Nitrate Nitrogen	EPA 300.0	1205359-004	<1.000	2.13	2.15	2.00	mg/L	103	105	1 %
QC12050780	MS 1	Fluoride	EPA 300.0	1205343-002	<1.000	20.7	20.6	2.00	mg/L	102	101	<1%
QC12050780	MS 2	Fluoride	EPA 300.0	1205349-002	0.651	2.57	2.62	2.00	mg/L	96	99	2 %
QC12050868	MS 1	Aluminum, Dissolved	EPA 200.7	1205372-002	<0.045	1.03	1.02	1.00	mg/L	101	100	1 %
		Barium, Dissolved	EPA 200.7	1205372-002	0.062	1.02	1.03	1.00	mg/L	96	97	1 %
		Beryllium, Dissolved	EPA 200.7	1205372-002	<0.001	0.974	0.988	1.00	mg/L	97	99	1 %
		Bismuth, Dissolved	EPA 200.7	1205372-002	<0.100	0.946	0.952	1.00	mg/L	97	97	1 %
		Boron, Dissolved	EPA 200.7	1205372-002	<0.100	1.07	1.09	1.00	mg/L	99	101	2 %
		Cadmium, Dissolved	EPA 200.7	1205372-002	<0.001	0.941	0.968	1.00	mg/L	94	97	3 %
		Calcium, Dissolved	EPA 200.7	1205372-002	200	209	210	10.0	mg/L	90	100	<1%
		Chromium, Dissolved	EPA 200.7	1205372-002	<0.005	0.966	0.974	1.00	mg/L	96	97	1 %
		Cobalt, Dissolved	EPA 200.7	1205372-002	<0.010	0.940	0.954	1.00	mg/L	94	95	1 %
		Copper, Dissolved	EPA 200.7	1205372-002	<0.050	5.08	5.05	5.00	mg/L	102	101	1 %
		Gallium, Dissolved	EPA 200.7	1205372-002	<0.100	0.967	0.960	1.00	mg/L	96	95	1 %
		Iron, Dissolved	EPA 200.7	1205372-002	<0.010	0.962	0.965	1.00	mg/L	97	97	<1%
		Lithium, Dissolved	EPA 200.7	1205372-002	<0.100	0.991	0.979	1.00	mg/L	98	96	1 %
		Magnesium, Dissolved	EPA 200.7	1205372-002	42.1	49.5	50.6	10.0	mg/L	74	85	2 %
		Manganese, Dissolved	EPA 200.7	1205372-002	<0.005	0.882	0.886	1.00	mg/L	97	97	<1%
		Molybdenum, Dissolved	EPA 200.7	1205372-002	0.072	1.02	1.06	1.00	mg/L	95	99	4 %
		Nickel, Dissolved	EPA 200.7	1205372-002	<0.010	4.68	4.77	5.00	mg/L	94	95	2 %
		Phosphorus, Dissolved	EPA 200.7	1205372-002	<0.500	5.00	5.14	5.00	mg/L	99	101	3 %
		Potassium, Dissolved	EPA 200.7	1205372-002	6.52	17.0	16.8	10.0	mg/L	105	103	1 %
		Scandium, Dissolved	EPA 200.7	1205372-002	<0.100	0.989	0.986	1.00	mg/L	99	99	<1%

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050892	MS 1	Silver, Dissolved	EPA 200.7	1205372-002	<0.005	0.089	0.090	0.090	mg/L	101	102	1%
		Sodium, Dissolved	EPA 200.7	1205372-002	121	133	135	10.0	mg/L	120	140	1%
		Strontium, Dissolved	EPA 200.7	1205372-002	1.33	2.34	2.36	1.00	mg/L	101	103	1%
		Tin, Dissolved	EPA 200.7	1205372-002	<0.100	0.864	0.903	1.00	mg/L	93	97	4%
		Titanium, Dissolved	EPA 200.7	1205372-002	<0.100	0.954	0.967	1.00	mg/L	96	97	1%
		Vanadium, Dissolved	EPA 200.7	1205372-002	0.045	1.03	1.03	1.00	mg/L	98	98	<1%
		Zinc, Dissolved	EPA 200.7	1205372-002	<0.010	0.933	0.965	1.00	mg/L	93	97	3%
		Uranium, Dissolved	EPA 200.8	1205372-002	0.0186	0.0259	0.0262	0.010	mg/L	73	76	1%
		Mercury, Dissolved	EPA 200.8	1205372-002	0.000108	0.000910	0.000923	0.001	mg/L	80	82	1%
		Antimony, Dissolved	EPA 200.8	1205372-002	<0.0025	0.0103	0.0101	0.010	mg/L	98	97	2%
		Arsenic, Dissolved	EPA 200.8	1205372-002	0.0122	0.0656	0.0653	0.050	mg/L	107	106	<1%
		Lead, Dissolved	EPA 200.8	1205372-002	<0.0025	0.0078	0.0077	0.010	mg/L	78	77	1%
		Selenium, Dissolved	EPA 200.8	1205372-002	<0.0050	0.0458	0.0474	0.050	mg/L	84	88	3%
		Thallium, Dissolved	EPA 200.8	1205372-002	<0.0010	0.0081	0.0081	0.010	mg/L	81	81	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1205302

Report

Due Date: 06/01/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____
Expedited _____
Overtime _____

Billing Address (if different than Client Address):

Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Analyses Requested

Profile II w/o Wad	Uranium															Spl. No.
X	X															1
∇	∇															2

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION

CF-11-02 (0-27) Wk:1 05/17/12 9:00 WW 2

CF-11-02 (367-408) ∇ ∇ ∇ ∇ ∇

Instructions/Comments/Special Requirements:

1205 1E
362 1F

SAMPLE RECEIVED	DATE	TIME	STARTED BY	COLLECTED BY
Temperature 20°C	5/17	15:00	Du	CGO
Custody Seals Intact? Y N None				
Number of Containers 4				

WETLAB Standard Terms and Conditions apply unless written agreement specifies otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

5/24/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1205220

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 5/10/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-8152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1205220

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 5/24/2012
OrderID: 1205220

Customer Sample ID: CF-11-02 (0-27) WK:0
WETLAB Sample ID: 1205220-001

Collect Date/Time: 5/10/2012 09:00
Receive Date: 5/10/2012 16:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.16	pH Units		5/10/2012
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	5/10/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	5/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/10/2012
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	5/10/2012
Chloride	EPA 300.0	20	mg/L	1.00	5/11/2012
Fluoride	EPA 300.0	8.6	mg/L	1.0	5/11/2012
Sulfate	EPA 300.0	98	mg/L	1.5	5/11/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/11/2012
Nitrite Nitrogen	EPA 300.0	0.059	mg/L	0.030	5/11/2012
Total Dissolved Solids (TDS)	SM 2540C	350	mg/L	10	5/14/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	5/18/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/18/2012
Calcium	EPA 200.7	40	mg/L	0.50	5/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Magnesium	EPA 200.7	7.1	mg/L	0.50	5/18/2012
Manganese	EPA 200.7	0.031	mg/L	0.0050	5/18/2012
Molybdenum	EPA 200.7	0.053	mg/L	0.010	5/18/2012

Page 3 of 10

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF -11- 02 (0-27) WK:0

Collect Date/Time: 5/10/2012 09:00

WETLAB Sample ID: 1205220-001

Receive Date: 5/10/2012 16:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/18/2012
Potassium	EPA 200.7	18	mg/L	0.50	5/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/18/2012
Sodium	EPA 200.7	48	mg/L	0.50	5/18/2012
Strontium	EPA 200.7	0.38	mg/L	0.10	5/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/18/2012
Mercury	EPA 200.8	0.00037	mg/L	0.00010	5/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/22/2012
Selenium	EPA 200.8	0.0099	mg/L	0.0050	5/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/22/2012
Uranium	EPA 200.8	0.014	mg/L	0.0050	5/22/2012
Anions	Calculation	5.35	meq/L	0.10	
Cations	Calculation	5.13	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: CF -11- 02 (367-408) WK:0

Collect Date/Time: 5/10/2012 09:00

WETLAB Sample ID: 1205220-002

Receive Date: 5/10/2012 16:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.53	pH Units		5/10/2012
Bicarbonate (HCO ₃)	SM 2320B	66	mg/L	1.0	5/10/2012
Carbonate (CO ₃)	SM 2320B	2.9	mg/L	1.0	5/10/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	5/10/2012
Total Alkalinity	SM 2320B	59	mg/L as CaCO ₃	1.0	5/10/2012
Chloride	EPA 300.0	32	mg/L	1.00	5/11/2012
Fluoride	EPA 300.0	3.3	mg/L	1.0	5/11/2012
Sulfate	EPA 300.0	40	mg/L	1.5	5/11/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	5/11/2012
Nitrite Nitrogen	EPA 300.0	0.044	mg/L	0.030	5/11/2012
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	5/14/2012
Aluminum	EPA 200.7	0.078	mg/L	0.045	5/21/2012

Page 4 of 10

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF -11- 02 (367-408) WK:0

Collect Date/Time: 5/10/2012 09:00

WETLAB Sample ID: 1205220-002

Receive Date: 5/10/2012 16:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	5/21/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	5/21/2012
Calcium	EPA 200.7	18	mg/L	0.50	5/21/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	5/21/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	5/21/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Magnesium	EPA 200.7	2.1	mg/L	0.50	5/21/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	5/21/2012
Molybdenum	EPA 200.7	0.020	mg/L	0.010	5/21/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	5/21/2012
Potassium	EPA 200.7	12	mg/L	0.50	5/21/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	5/21/2012
Sodium	EPA 200.7	38	mg/L	0.50	5/21/2012
Strontium	EPA 200.7	0.29	mg/L	0.10	5/21/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	5/21/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	5/21/2012
Mercury	EPA 200.8	0.00041	mg/L	0.00010	5/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	5/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	5/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	5/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	5/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	5/22/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	5/22/2012
Anions	Calculation	3.09	meq/L	0.10	
Cations	Calculation	3.04	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12050439	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12050439	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12050441	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12050441	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12050441	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12050443	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050443	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12050446	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050446	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050446	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12050459	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12050459	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12050459	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12050608	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050608	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050608	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12050722	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12050819	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L

Page 6 of 10

475 East Greg Street, Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Units
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12050418	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12050418	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050418	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050418	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050418	LCS 5	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12050439	LCS 1	Fluoride	EPA 300.0	1.87	2.00	93	mg/L
QC12050441	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12050443	LCS 1	Nitrite Nitrogen	EPA 300.0	0.520	0.500	104	mg/L
QC12050446	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC12050459	LCS 1	Sulfate	EPA 300.0	23.9	25.0	96	mg/L
QC12050608	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12050608	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC12050608	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12050722	LCS 1	Aluminum	EPA 200.7	0.953	1.00	95	mg/L
		Barium	EPA 200.7	0.956	1.00	96	mg/L
		Beryllium	EPA 200.7	0.953	1.00	95	mg/L
		Bismuth	EPA 200.7	0.958	1.00	96	mg/L
		Boron	EPA 200.7	0.926	1.00	93	mg/L
		Cadmium	EPA 200.7	0.960	1.00	96	mg/L
		Calcium	EPA 200.7	10.3	10.0	103	mg/L
		Chromium	EPA 200.7	0.948	1.00	95	mg/L
		Cobalt	EPA 200.7	0.960	1.00	96	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.941	1.00	94	mg/L
		Iron	EPA 200.7	0.977	1.00	98	mg/L
		Lithium	EPA 200.7	0.963	1.00	96	mg/L
		Magnesium	EPA 200.7	9.74	10.0	97	mg/L
		Manganese	EPA 200.7	0.956	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.924	1.00	92	mg/L
		Nickel	EPA 200.7	4.78	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.74	5.00	95	mg/L
		Potassium	EPA 200.7	9.69	10.0	97	mg/L
		Scandium	EPA 200.7	0.951	1.00	95	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.01	1.00	101	mg/L
		Tin	EPA 200.7	0.930	1.00	93	mg/L
		Titanium	EPA 200.7	0.977	1.00	98	mg/L
		Vanadium	EPA 200.7	0.948	1.00	95	mg/L
		Zinc	EPA 200.7	0.977	1.00	98	mg/L
QC12050819	LCS 1	Mercury	EPA 200.8	0.000880	0.001	88	mg/L
		Antimony	EPA 200.8	0.0097	0.010	97	mg/L
		Arsenic	EPA 200.8	0.0502	0.050	100	mg/L
		Lead	EPA 200.8	0.0101	0.010	101	mg/L
		Selenium	EPA 200.8	0.0476	0.050	95	mg/L
		Thallium	EPA 200.8	0.0100	0.010	100	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L
QC12050882	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units	
QC12050882	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L	
QC12050882	LCS 3	Alkalinity	SM 2320B	101	100	101	mg/L	
QC12050882	LCS 4	Alkalinity	SM 2320B	101	100	101	mg/L	
QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12050418	Duplicate	pH	SM 4500-H+ B	1205194-001	7.16	7.18	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205196-008	7.02	7.00	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205198-002	7.93	7.93	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205155-009	9.21	9.24	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205204-001	8.43	8.47	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205206-002	7.72	7.76	pH Units	1 %
QC12050418	Duplicate	pH	SM 4500-H+ B	1205214-002	7.78	7.80	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205219-003	8.36	8.40	pH Units	<1%
QC12050418	Duplicate	pH	SM 4500-H+ B	1205223-003	7.85	7.88	pH Units	<1%
QC12050608	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205214-001	966	978	mg/L	1 %
QC12050608	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205219-003	630	618	mg/L	2 %
QC12050608	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205233-002	894	890	mg/L	<1%
QC12050608	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205244-002	346	354	mg/L	2 %
QC12050608	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1205257-001	56000	57100	mg/L	2 %
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205194-001	985	984	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205194-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205194-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205194-001	807	807	mg/L as CaCO3	<1%
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205196-008	1058	1055	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205196-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205196-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205196-008	867	865	mg/L as CaCO3	<1%
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205198-002	230	230	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205198-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205198-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205198-002	188	189	mg/L as CaCO3	<1%
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205155-009	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205155-009	57.9	55.4	mg/L	4 %
		Hydroxide (OH)	SM 2320B	1205155-009	3.35	5.14	mg/L	42 %
		Total Alkalinity	SM 2320B	1205155-009	106	107	mg/L as CaCO3	1 %
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205204-001	181	180	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1205204-001	3.53	4.27	mg/L	19 %
		Hydroxide (OH)	SM 2320B	1205204-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205204-001	154	155	mg/L as CaCO3	<1%
QC12050882	Duplicate	Bicarbonate (HCO3)	SM 2320B	1205206-002	200	199	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205206-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205206-002	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12050882	Duplicate	Total Alkalinity	SM 2320B	1205206-002	164	163	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1205214-002	319	319	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205214-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205214-002	<1.000	<1.000	mg/L	<1%
QC12050882	Duplicate	Total Alkalinity	SM 2320B	1205214-002	261	262	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1205219-003	264	260	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1205219-003	2.29	3.69	Q mg/L	47 %
		Hydroxide (OH)	SM 2320B	1205219-003	<1.000	<1.000	mg/L	<1%
QC12050882	Duplicate	Total Alkalinity	SM 2320B	1205219-003	220	220	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1205223-003	119	119	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1205223-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1205223-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1205223-003	97.2	97.4	mg/L as CaCO3	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050439	MS 1	Fluoride	EPA 300.0	1205175-006	0.620	10.1	10.1	2.00	mg/L	95	95	<1%
QC12050441	MS 1	Chloride	EPA 300.0	1205174-002	103	155	156	5.00	mg/L	104	106	1 %
QC12050441	MS 2	Chloride	EPA 300.0	1205220-002	32.3	36.8	36.9	5.00	mg/L	90	91	<1%
QC12050443	MS 1	Nitrite Nitrogen	EPA 300.0	1205220-002	0.044	0.566	0.572	0.500	mg/L	113	114	1 %
QC12050446	MS 1	Nitrate Nitrogen	EPA 300.0	1205191-028	8.24	18.9	19.0	2.00	mg/L	107	108	1 %
QC12050446	MS 2	Nitrate Nitrogen	EPA 300.0	1205220-002	<1.000	2.12	2.14	2.00	mg/L	104	105	1 %
QC12050459	MS 1	Sulfate	EPA 300.0	1205174-002	36.0	135	136	10.0	mg/L	99	100	1 %
QC12050459	MS 2	Sulfate	EPA 300.0	1205220-002	40.4	49.2	49.3	10.0	mg/L	88	89	<1%
QC12050722	MS 1	Aluminum	EPA 200.7	1205241-001	<0.045	0.942	0.949	1.00	mg/L	92	92	1 %
		Barium	EPA 200.7	1205241-001	0.049	1.01	1.02	1.00	mg/L	96	97	1 %
		Beryllium	EPA 200.7	1205241-001	<0.001	0.963	0.977	1.00	mg/L	96	98	1 %
		Bismuth	EPA 200.7	1205241-001	<0.100	0.947	0.964	1.00	mg/L	95	97	2 %
		Boron	EPA 200.7	1205241-001	<0.100	1.01	1.04	1.00	mg/L	95	98	3 %
		Cadmium	EPA 200.7	1205241-001	<0.001	0.966	0.988	1.00	mg/L	97	99	2 %
		Calcium	EPA 200.7	1205241-001	53.1	61.6	62.7	10.0	mg/L	85	96	2 %
		Chromium	EPA 200.7	1205241-001	<0.005	0.957	0.968	1.00	mg/L	96	97	1 %
		Cobalt	EPA 200.7	1205241-001	<0.010	0.949	0.967	1.00	mg/L	95	97	2 %
		Copper	EPA 200.7	1205241-001	<0.050	4.70	4.75	5.00	mg/L	94	95	1 %
		Gallium	EPA 200.7	1205241-001	<0.100	0.950	0.962	1.00	mg/L	95	96	1 %
		Iron	EPA 200.7	1205241-001	0.030	1.01	1.02	1.00	mg/L	98	99	1 %
		Lithium	EPA 200.7	1205241-001	<0.100	0.950	0.966	1.00	mg/L	94	96	2 %
		Magnesium	EPA 200.7	1205241-001	26.3	34.7	35.3	10.0	mg/L	84	90	2 %
		Manganese	EPA 200.7	1205241-001	<0.005	0.961	0.976	1.00	mg/L	96	97	2 %
		Molybdenum	EPA 200.7	1205241-001	<0.010	0.954	0.971	1.00	mg/L	95	97	2 %
		Nickel	EPA 200.7	1205241-001	<0.010	4.70	4.79	5.00	mg/L	94	96	2 %
		Phosphorus	EPA 200.7	1205241-001	<0.500	5.26	5.43	5.00	mg/L	98	102	3 %
		Potassium	EPA 200.7	1205241-001	3.20	13.0	13.2	10.0	mg/L	98	100	2 %
		Scandium	EPA 200.7	1205241-001	<0.100	0.948	0.956	1.00	mg/L	95	96	1 %
		Silver	EPA 200.7	1205241-001	<0.005	0.086	0.087	0.090	mg/L	95	97	1 %
		Sodium	EPA 200.7	1205241-001	15.8	24.9	25.0	10.0	mg/L	91	92	<1%
		Strontium	EPA 200.7	1205241-001	0.157	1.11	1.11	1.00	mg/L	95	95	<1%
		Tin	EPA 200.7	1205241-001	<0.100	0.944	0.968	1.00	mg/L	98	100	3 %
		Titanium	EPA 200.7	1205241-001	<0.100	0.978	0.986	1.00	mg/L	98	99	1 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12050819	MS 1	Vanadium	EPA 200.7	1205241-001	0.029	0.987	0.998	1.00	mg/L	96	97	1 %
		Zinc	EPA 200.7	1205241-001	<0.010	0.993	1.02	1.00	mg/L	99	102	3 %
		Mercury	EPA 200.8	1205241-001	<0.00010	0.000990	0.000963	0.001	mg/L	97	94	3 %
		Antimony	EPA 200.8	1205241-001	<0.0025	0.0106	0.0106	0.010	mg/L	100	100	<1%
		Arsenic	EPA 200.8	1205241-001	0.0056	0.0577	0.0572	0.050	mg/L	104	103	1 %
		Lead	EPA 200.8	1205241-001	<0.0025	0.0101	0.0103	0.010	mg/L	99	101	2 %
		Selenium	EPA 200.8	1205241-001	<0.0050	0.0461	0.0456	0.050	mg/L	92	91	1 %
		Thallium	EPA 200.8	1205241-001	<0.0010	0.0095	0.0098	0.010	mg/L	95	98	3 %
		Uranium	EPA 200.8	1205241-001	<0.0050	0.0114	0.0115	0.010	mg/L	102	104	1 %

Appendix F
Tailings Humidity Cell Test Results

McClelland Laboratory Weekly Reports

Table 1. - Humidity Cell Analytical Results, Copper Flat, Cu Ro. Tail (1.5244 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.528	8.05	171	1.64	0.00	0.000	0.000	0.00	0.00	220.0	76.20	76.20	0	0.00	0.00	137	47.45	47.45
1	0.739	7.99	236	0.63	0.00	0.000	0.000	0.00	0.00	91.0	44.12	120.32	0	0.00	0.00	155	75.14	122.59
2	0.731	8.19	222	0.41	0.01	0.005	0.005	0.00	0.01	58.0	27.81	148.13	0	0.00	0.00	156	74.81	197.40
3	0.801	8.13	229	0.25	0.03	0.016	0.021	0.02	0.01	38.0	19.97	168.10	0	0.00	0.00	108	56.75	254.15
4	0.682	8.05	237	0.31	0.01	0.004	0.025	0.00	0.01	120.0	53.69	221.79	0	0.00	0.00	61	27.29	281.44
5	0.748	8.09	225	0.31	0.00	0.000	0.025	0.00	0.00	120.0	58.88	280.67	0	0.00	0.00	98	48.09	329.53
6	0.743	8.05	240	0.30	0.02	0.010	0.035	0.00	0.02	90.0	43.87	324.54	0	0.00	0.00	80	38.99	368.52
7	0.746	8.09	165	0.27	0.03	0.015	0.050	0.00	0.03	91.0	44.53	369.07	0	0.00	0.00	59	28.87	397.39
8	0.681	8.07	250	0.26	0.01	0.004	0.054	0.01	0.00	74.0	33.06	402.13	0	0.00	0.00	66	29.48	426.87
9	0.750	8.11	253	0.28	0.04	0.020	0.074	0.02	0.02	68.0	33.46	435.59	0	0.00	0.00	88	43.30	470.17
10	0.791	7.91	188	0.27	0.01	0.005	0.079	0.01	0.00	72.0	37.36	472.95	0	0.00	0.00	100	51.89	522.06
11	0.732	8.06	212	0.23	0.03	0.014	0.093	0.02	0.01	76.0	36.49	509.44	0	0.00	0.00	64	30.73	552.79
12	0.769	7.99	249	0.29	0.06	0.030	0.123	0.04	0.02	65.0	32.79	542.23	0	0.00	0.00	72	36.32	589.11
13	0.742	7.97	213	0.31	0.04	0.019	0.142	0.01	0.03	69.0	33.59	575.82	0	0.00	0.00	70	34.07	623.18
14	0.696	7.92	259	0.32	0.09	0.041	0.183	0.01	0.08	61.0	27.85	603.67	0	0.00	0.00	67	30.59	653.77
15	0.732	8.01	209	0.29	0.02	0.010	0.193	0.00	0.02	59.0	28.33	632.00	0	0.00	0.00	68	32.65	686.42
16	0.767	7.95	236	0.29	0.04	0.020	0.213	0.01	0.03	59.0	29.69	661.69	0	0.00	0.00	67	33.71	720.13
17	0.727	8.00	221	0.27	0.05	0.024	0.237	0.01	0.04	60.0	28.61	690.30	0	0.00	0.00	61	29.09	749.22
18	0.675	8.03	242	0.30	0.08	0.035	0.272	0.01	0.07	66.0	29.22	719.52	0	0.00	0.00	66	29.22	778.44
19	0.822	8.09	196	0.32	0.09	0.049	0.321	0.02	0.07	48.0	25.88	745.40	0	0.00	0.00	81	43.68	822.12
20	0.687	8.04	208	0.32	0.05	0.023	0.344	0.01	0.04	57.0	25.69	771.09	0	0.00	0.00	63	28.39	850.51
21	0.801	8.11	206	0.35	0.07	0.037	0.381	0.01	0.06	36.0	18.92	790.01	0	0.00	0.00	77	40.46	890.97
22	0.668	7.99	231	0.24	0.10	0.044	0.425	0.02	0.08	49.0	21.47	811.48	0	0.00	0.00	62	27.17	918.14
23	0.764	8.05	238	0.27	0.09	0.045	0.470	0.01	0.08	39.0	19.55	831.03	0	0.00	0.00	79	39.59	957.73
24	0.747	8.12	227	0.29	0.10	0.049	0.519	0.02	0.08	44.0	21.56	852.59	0	0.00	0.00	77	37.73	995.46
25	0.745	8.03	252	0.24	0.01	0.005	0.524	0.01	0.00	45.0	21.99	874.58	0	0.00	0.00	74	36.17	1031.63
26	0.725	8.14	243	0.25	0.14	0.067	0.591	0.01	0.13	42.0	19.98	894.56	0	0.00	0.00	75	35.67	1067.30
27	0.749	8.18	305	0.24	0.03	0.015	0.606	0.01	0.02	38.0	18.67	913.23	0	0.00	0.00	82	40.29	1107.59
28	0.759	8.18	256	0.25	0.01	0.005	0.611	0.00	0.01	35.0	17.43	930.66	0	0.00	0.00	81	40.33	1147.92





Table 24 . - Humidity Cell Analytical Results, CF-11-02 (227-367) Flotation Tailings (1.4818 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.606	8.09	160	0.38	0.00	0.000	0.000	0.00	0.00	50.0	20.45	20.45	0	0.00	0.00	97	39.67	39.67
1	0.810	8.12	215	0.31	0.00	0.000	0.000	0.00	0.00	36.0	19.68	40.13	0	0.00	0.00	97	53.02	92.69
2	0.773	7.72	238	0.31	0.00	0.000	0.000	0.00	0.00	56.0	29.21	69.34	0	0.00	0.00	86	44.86	137.55
3	0.725	7.98	210	0.28	0.00	0.000	0.000	0.00	0.00	58.0	28.38	97.72	0	0.00	0.00	60	29.36	166.91
4	0.752	8.19	176	0.29	0.00	0.000	0.000	0.00	0.00	53.0	26.90	124.62	0	0.00	0.00	67	34.00	200.91
5	0.766	8.23	181	0.26	0.01	0.005	0.005	0.00	0.01	52.0	26.88	151.50	0	0.00	0.00	74	38.25	239.16
6	0.758	8.10	175	0.25	0.01	0.005	0.010	0.01	0.00	45.0	23.02	174.52	0	0.00	0.00	60	30.69	269.85
7	0.790	8.12	214	0.22	0.01	0.005	0.015	0.00	0.01	38.0	20.26	194.78	0	0.00	0.00	59	31.45	301.30
8	0.713	8.12	178	0.20	0.02	0.010	0.025	0.00	0.02	34.0	16.36	211.14	0	0.00	0.00	54	25.98	327.28
9	0.770	8.16	172	0.21	0.02	0.010	0.035	0.00	0.02	31.0	16.11	227.25	0	0.00	0.00	65	33.78	361.06
10	0.817	8.10	191	0.19	0.01	0.006	0.041	0.00	0.01	28.0	15.44	242.69	0	0.00	0.00	59	32.53	393.59
11	0.673	8.06	209	0.18	0.01	0.005	0.046	0.00	0.01	28.0	12.72	255.41	0	0.00	0.00	52	23.62	417.21
12	0.769	8.10	191	0.19	0.01	0.005	0.051	0.00	0.01	23.0	11.94	267.35	0	0.00	0.00	62	32.18	449.39
13	0.751	8.11	215	0.18	0.01	0.005	0.056	0.00	0.01	22.0	11.15	278.50	0	0.00	0.00	61	30.92	480.31
14	0.726	8.07	184	0.17	0.00	0.000	0.056	0.00	0.00	18.0	8.82	287.32	0	0.00	0.00	60	29.40	509.71
15	0.760	7.98	209	0.16	0.00	0.000	0.056	0.00	0.00	17.0	8.72	296.04	0	0.00	0.00	60	30.77	540.48
16	0.756	8.08	214	0.17	0.02	0.010	0.066	0.00	0.02	16.0	8.16	304.20	0	0.00	0.00	58	29.59	570.07
17	0.676	8.06	210	0.15	0.02	0.009	0.075	0.00	0.02	18.0	8.21	312.41	0	0.00	0.00	57	26.00	596.07
18	0.746	8.11	228	0.24	0.01	0.005	0.080	0.00	0.01	22.0	11.08	323.49	0	0.00	0.00	81	40.78	636.85
19	0.722	8.17	197	0.15	0.02	0.010	0.090	0.00	0.02	10.0	4.87	328.36	0	0.00	0.00	58	28.26	665.11
20	0.759	8.14	270	0.15	0.01	0.005	0.095	0.00	0.01	11.0	5.63	333.99	0	0.00	0.00	59	30.22	695.33
21	0.728	8.19	185	0.15	0.02	0.010	0.105	0.00	0.02	10.0	4.91	338.90	0	0.00	0.00	59	28.99	724.32
22	0.772	8.07	249	0.13	0.02	0.010	0.115	0.00	0.02	6.0	3.13	342.03	0	0.00	0.00	55	28.65	752.97
23	0.685	8.13	196	0.15	0.01	0.005	0.120	0.00	0.01	11.0	5.09	347.12	0	0.00	0.00	59	27.27	780.24





Table 25 - Humidity Cell Analytical Results, CF-11-02 (52-117) Flotation Tailings (1.5346 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.563	7.90	208	0.47	0.01	0.004	0.004	0.00	0.01	69.0	25.31	25.31	0	0.00	0.00	102	37.42	37.42
1	0.773	8.10	200	0.36	0.00	0.000	0.004	0.00	0.00	63.0	31.73	57.04	0	0.00	0.00	89	44.83	82.25
2	0.755	7.77	228	0.35	0.00	0.000	0.004	0.00	0.00	30.0	14.76	71.80	0	0.00	0.00	77	37.88	120.13
3	0.682	7.98	207	0.31	0.00	0.000	0.004	0.00	0.00	65.0	28.89	100.69	0	0.00	0.00	53	23.55	143.68
4	0.751	8.16	181	0.30	0.00	0.000	0.004	0.00	0.00	50.0	24.47	125.16	0	0.00	0.00	63	30.83	174.51
5	0.758	8.12	185	0.25	0.01	0.005	0.009	0.00	0.01	30.0	14.82	139.98	0	0.00	0.00	61	30.13	204.64
6	0.683	7.99	177	0.24	0.01	0.004	0.013	0.00	0.01	30.0	13.35	153.33	0	0.00	0.00	52	23.14	227.78
7	0.831	8.12	225	0.23	0.01	0.005	0.018	0.00	0.01	25.0	13.54	166.87	0	0.00	0.00	63	34.12	261.90
8	0.662	8.03	185	0.19	0.02	0.009	0.027	0.00	0.02	20.0	8.63	175.50	0	0.00	0.00	47	20.27	282.17
9	0.744	8.10	176	0.22	0.02	0.010	0.037	0.00	0.02	35.0	16.97	192.47	0	0.00	0.00	59	28.60	310.77
10	0.761	8.06	193	0.19	0.01	0.005	0.042	0.00	0.01	32.0	15.87	208.34	0	0.00	0.00	56	27.77	338.54
11	0.725	8.08	219	0.19	0.00	0.000	0.042	0.00	0.00	31.0	14.65	222.99	0	0.00	0.00	56	26.46	365.00
12	0.748	8.01	201	0.17	0.00	0.000	0.042	0.00	0.00	27.0	13.16	236.15	0	0.00	0.00	53	25.83	390.83
13	0.714	8.04	234	0.17	0.01	0.005	0.047	0.00	0.01	28.0	13.03	249.18	0	0.00	0.00	53	24.66	415.49
14	0.746	8.02	201	0.17	0.00	0.000	0.047	0.00	0.00	23.0	11.18	260.36	0	0.00	0.00	56	27.22	442.71
15	0.775	7.90	230	0.16	0.00	0.000	0.047	0.00	0.00	22.0	11.11	271.47	0	0.00	0.00	53	26.77	469.48
16	0.650	7.92	233	0.16	0.01	0.004	0.051	0.00	0.01	22.0	9.32	280.79	0	0.00	0.00	49	20.75	490.23
17	0.815	7.99	225	0.15	0.02	0.011	0.062	0.00	0.02	15.0	7.97	288.76	0	0.00	0.00	51	27.09	517.32
18	0.746	8.01	239	0.15	0.02	0.010	0.072	0.00	0.02	16.0	7.78	296.54	0	0.00	0.00	51	24.79	542.11
19	0.753	8.13	219	0.15	0.02	0.010	0.082	0.00	0.02	15.0	7.36	303.90	0	0.00	0.00	50	24.53	566.64
20	0.735	8.05	293	0.14	0.01	0.005	0.087	0.00	0.01	15.0	7.18	311.08	0	0.00	0.00	50	23.95	590.59
21	0.707	8.05	196	0.15	0.02	0.009	0.096	0.00	0.02	14.0	6.45	317.53	0	0.00	0.00	52	23.96	614.55
22	0.734	8.02	263	0.13	0.02	0.010	0.106	0.00	0.02	11.0	5.26	322.79	0	0.00	0.00	52	24.87	639.42
23	0.751	8.10	203	0.17	0.01	0.005	0.111	0.00	0.01	16.0	7.83	330.62	0	0.00	0.00	57	27.89	667.31





Table 26 . - Humidity Cell Analytical Results, K-Spar Breccia 5+ Comp Flotation Tailings (1.4954 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.482	8.01	169	0.77	0.02	0.006	0.006	0.00	0.02	220.0	70.91	70.91	0	0.00	0.00	115	37.07	37.07
1	0.793	8.20	210	0.38	0.00	0.000	0.006	0.00	0.00	45.0	23.86	94.77	0	0.00	0.00	105	55.68	92.75
2	0.737	7.90	221	0.36	0.00	0.000	0.006	0.00	0.00	55.0	27.11	121.88	0	0.00	0.00	106	52.24	144.99
3	0.725	8.12	206	0.46	0.00	0.000	0.006	0.00	0.00	85.0	41.21	163.09	0	0.00	0.00	104	50.42	195.41
4	0.745	8.24	186	0.39	0.00	0.000	0.006	0.00	0.00	65.0	32.38	195.47	0	0.00	0.00	91	45.34	240.75
5	0.706	8.19	182	0.36	0.00	0.000	0.006	0.00	0.00	65.0	30.69	226.16	0	0.00	0.00	87	41.07	281.82
6	0.763	8.15	173	0.33	0.00	0.000	0.006	0.00	0.00	45.0	22.96	249.12	0	0.00	0.00	80	40.82	322.64
7	0.726	8.07	214	0.32	0.00	0.000	0.006	0.00	0.00	60.0	29.13	278.25	0	0.00	0.00	72	34.96	357.60
8	0.746	8.18	184	0.32	0.02	0.010	0.016	0.00	0.02	50.0	24.94	303.19	0	0.00	0.00	77	38.41	396.01
9	0.703	8.19	175	0.35	0.02	0.009	0.025	0.00	0.02	78.0	36.67	339.86	0	0.00	0.00	78	36.67	432.68
10	0.746	8.12	192	0.28	0.00	0.000	0.025	0.00	0.00	66.0	32.92	372.78	0	0.00	0.00	73	36.42	469.10
11	0.738	8.14	218	0.27	0.00	0.000	0.025	0.00	0.00	64.0	31.58	404.36	0	0.00	0.00	71	35.04	504.14
12	0.717	8.10	210	0.27	0.01	0.005	0.030	0.00	0.01	58.0	27.81	432.17	0	0.00	0.00	69	33.08	537.22
13	0.758	8.12	242	0.25	0.01	0.005	0.035	0.00	0.01	55.0	27.88	460.05	0	0.00	0.00	67	33.96	571.18
14	0.714	8.09	216	0.28	0.00	0.000	0.035	0.00	0.00	69.0	32.95	493.00	0	0.00	0.00	69	32.95	604.13
15	0.767	7.99	230	0.24	0.00	0.000	0.035	0.00	0.00	55.0	28.21	521.21	0	0.00	0.00	67	34.36	638.49
16	0.719	8.06	243	0.28	0.01	0.005	0.040	0.00	0.01	69.0	33.18	554.39	0	0.00	0.00	67	32.21	670.70
17	0.782	8.08	239	0.23	0.02	0.010	0.050	0.00	0.02	51.0	26.67	581.06	0	0.00	0.00	67	35.04	705.74
18	0.719	8.01	248	0.29	0.01	0.005	0.055	0.00	0.01	79.0	37.98	619.04	0	0.00	0.00	61	29.33	735.07
19	0.730	8.15	232	0.25	0.01	0.005	0.060	0.00	0.01	59.0	28.80	647.84	0	0.00	0.00	63	30.75	765.82
20	0.770	8.11	286	0.23	0.01	0.005	0.065	0.00	0.01	49.0	25.23	673.07	0	0.00	0.00	64	32.95	798.77
21	0.723	8.11	215	0.26	0.02	0.010	0.075	0.00	0.02	64.0	30.94	704.01	0	0.00	0.00	60	29.01	827.78
22	0.718	8.09	270	0.23	0.01	0.005	0.080	0.00	0.01	54.0	25.93	729.94	0	0.00	0.00	62	29.77	857.55
23	0.764	8.04	215	0.23	0.01	0.005	0.085	0.00	0.01	53.0	27.08	757.02	0	0.00	0.00	64	32.70	890.25





Table 27 . - Humidity Cell Analytical Results, Biotite Breccia 5+ Comp. Flotation Tailings (1.4964 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.552	8.10	173	0.39	0.01	0.004	0.004	0.00	0.01	68.0	25.08	25.08	0	0.00	0.00	71	26.19	26.19
1	0.754	8.25	220	0.47	0.00	0.000	0.004	0.00	0.00	62.0	31.24	56.32	0	0.00	0.00	135	68.02	94.21
2	0.734	7.94	221	0.45	0.00	0.000	0.004	0.00	0.00	69.0	33.85	90.17	0	0.00	0.00	136	66.71	160.92
3	0.755	8.15	204	0.45	0.01	0.005	0.009	0.00	0.01	88.0	44.40	134.57	0	0.00	0.00	116	58.53	219.45
4	0.725	8.31	190	0.38	0.00	0.000	0.009	0.00	0.00	80.0	38.76	173.33	0	0.00	0.00	81	39.24	258.69
5	0.718	8.29	182	0.35	0.00	0.000	0.009	0.00	0.00	74.0	35.51	208.84	0	0.00	0.00	97	46.54	305.23
6	0.764	8.22	171	0.34	0.01	0.005	0.014	0.00	0.01	114.0	58.20	267.04	0	0.00	0.00	88	44.93	350.16
7	0.751	8.17	210	0.29	0.01	0.005	0.019	0.00	0.01	62.0	31.12	298.16	0	0.00	0.00	69	34.63	384.79
8	0.758	8.14	192	0.26	0.02	0.010	0.029	0.00	0.02	50.0	25.33	323.49	0	0.00	0.00	62	31.41	416.20
9	0.646	8.10	181	0.28	0.02	0.009	0.038	0.00	0.02	63.0	27.20	350.69	0	0.00	0.00	60	25.90	442.10
10	0.752	8.23	189	0.29	0.01	0.005	0.043	0.00	0.01	60.0	30.15	380.84	0	0.00	0.00	78	39.20	481.30
11	0.762	8.27	215	0.27	0.00	0.000	0.043	0.00	0.00	54.0	27.50	408.34	0	0.00	0.00	82	41.76	523.06
12	0.728	8.15	213	0.24	0.00	0.000	0.043	0.00	0.00	52.0	25.30	433.64	0	0.00	0.00	65	31.62	554.68
13	0.730	8.18	241	0.26	0.01	0.005	0.048	0.00	0.01	46.0	22.44	456.08	0	0.00	0.00	72	35.12	589.80
14	0.723	8.12	218	0.24	0.00	0.000	0.048	0.00	0.00	50.0	24.16	480.24	0	0.00	0.00	67	32.37	622.17
15	0.743	8.05	223	0.23	0.01	0.005	0.053	0.01	0.00	46.0	22.84	503.08	0	0.00	0.00	72	35.75	657.92
16	0.732	8.06	241	0.23	0.01	0.005	0.058	0.00	0.01	42.0	20.55	523.63	0	0.00	0.00	67	32.77	690.69
17	0.743	8.11	240	0.21	0.02	0.010	0.068	0.00	0.02	37.0	18.37	542.00	0	0.00	0.00	66	32.77	723.46
18	0.725	8.09	242	0.21	0.02	0.010	0.078	0.00	0.02	35.0	16.96	558.96	0	0.00	0.00	66	31.98	755.44
19	0.730	8.24	235	0.21	0.02	0.010	0.088	0.00	0.02	27.0	13.17	572.13	0	0.00	0.00	68	33.17	788.61
20	0.727	8.18	278	0.20	0.01	0.005	0.093	0.00	0.01	28.0	13.60	585.73	0	0.00	0.00	68	33.04	821.65
21	0.763	8.21	220	0.20	0.02	0.010	0.103	0.00	0.02	23.0	11.73	597.46	0	0.00	0.00	72	36.71	858.36
22	0.697	8.10	272	0.18	0.02	0.009	0.112	0.00	0.02	20.0	9.32	606.78	0	0.00	0.00	66	30.74	889.10
23	0.743	8.22	212	0.20	0.01	0.005	0.117	0.00	0.01	25.0	12.41	619.19	0	0.00	0.00	73	36.25	925.35





Table 28 . - Humidity Cell Analytical Results, Quartz Monzonite 5+ Comp Flotation Tailings (1.5106 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.549	8.19	140	0.58	0.01	0.004	0.004	0.00	0.01	75.0	27.26	27.26	0	0.00	0.00	124	45.07	45.07
1	0.785	8.30	210	0.39	0.00	0.000	0.004	0.00	0.00	46.0	23.90	51.16	0	0.00	0.00	120	62.36	107.43
2	0.731	7.92	220	0.32	0.01	0.005	0.009	0.00	0.01	45.0	21.78	72.94	0	0.00	0.00	96	46.46	153.89
3	0.761	8.18	201	0.33	0.00	0.000	0.009	0.00	0.00	43.0	21.66	94.60	0	0.00	0.00	97	48.87	202.76
4	0.745	8.31	198	0.28	0.00	0.000	0.009	0.00	0.00	43.0	21.21	115.81	0	0.00	0.00	71	35.02	237.78
5	0.756	8.24	193	0.25	0.00	0.000	0.009	0.00	0.00	42.0	21.02	136.83	0	0.00	0.00	72	36.03	273.81
6	0.749	8.12	179	0.25	0.01	0.005	0.014	0.00	0.01	40.0	19.83	156.66	0	0.00	0.00	64	31.73	305.54
7	0.702	8.09	220	0.22	0.01	0.005	0.019	0.00	0.01	41.0	19.05	175.71	0	0.00	0.00	59	27.42	332.96
8	0.791	8.21	201	0.26	0.02	0.010	0.029	0.00	0.02	42.0	21.99	197.70	0	0.00	0.00	81	42.41	375.37
9	0.704	8.17	177	0.24	0.02	0.009	0.038	0.00	0.02	42.0	19.57	217.27	0	0.00	0.00	65	30.29	405.66
10	0.789	8.19	192	0.25	0.01	0.005	0.043	0.00	0.01	44.0	22.98	240.25	0	0.00	0.00	79	41.26	446.92
11	0.704	8.10	222	0.22	0.00	0.000	0.043	0.00	0.00	45.0	20.97	261.22	0	0.00	0.00	62	28.89	475.81
12	0.766	8.15	208	0.23	0.01	0.005	0.048	0.00	0.01	41.0	20.79	282.01	0	0.00	0.00	71	36.00	511.81
13	0.782	8.17	234	0.24	0.00	0.000	0.048	0.00	0.00	41.0	21.22	303.23	0	0.00	0.00	73	37.79	549.60
14	0.680	8.02	221	0.20	0.01	0.005	0.053	0.00	0.01	41.0	18.46	321.69	0	0.00	0.00	57	25.66	575.26
15	0.726	7.98	223	0.21	0.00	0.000	0.053	0.00	0.00	40.0	19.22	340.91	0	0.00	0.00	66	31.72	606.98
16	0.779	8.08	236	0.21	0.02	0.010	0.063	0.00	0.02	31.0	15.99	356.90	0	0.00	0.00	70	36.10	643.08
17	0.770	8.07	232	0.19	0.02	0.010	0.073	0.00	0.02	32.0	16.31	373.21	0	0.00	0.00	62	31.60	674.68
18	0.760	8.06	237	0.19	0.02	0.010	0.083	0.00	0.02	29.0	14.59	387.80	0	0.00	0.00	59	29.68	704.36
19	0.702	8.13	238	0.18	0.02	0.009	0.092	0.00	0.02	29.0	13.48	401.28	0	0.00	0.00	57	26.49	730.85
20	0.759	8.12	281	0.18	0.02	0.010	0.102	0.00	0.02	27.0	13.57	414.85	0	0.00	0.00	61	30.65	761.50
21	0.722	8.11	230	0.19	0.02	0.010	0.112	0.00	0.02	25.0	11.95	426.80	0	0.00	0.00	64	30.59	792.09
22	0.752	8.16	269	0.18	0.02	0.010	0.122	0.00	0.02	21.0	10.45	437.25	0	0.00	0.00	67	33.35	825.44
23	0.750	8.17	215	0.19	0.02	0.010	0.132	0.00	0.02	25.0	12.41	449.66	0	0.00	0.00	68	33.76	859.20





Table 29 . - Humidity Cell Analytical Results, Biotite Breccia 0-5 Comp. Flotation Tailings (1.5047 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe					SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg	Fe ²⁺ mg/l	Fe ³⁺ mg/l	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.460	7.93	164	0.90	0.04	0.012	0.012	0.00	0.04	200.0	61.14	61.14	0	0.00	0.00	86	26.29	26.29
1	0.873	8.11	207	0.42	0.00	0.000	0.012	0.00	0.00	65.0	37.71	98.85	0	0.00	0.00	82	47.57	73.86
2	0.685	7.76	223	0.44	0.01	0.005	0.017	0.00	0.01	115.0	52.35	151.20	0	0.00	0.00	77	35.05	108.91
3	0.776	7.96	210	0.45	0.00	0.000	0.017	0.00	0.00	140.0	72.20	223.40	0	0.00	0.00	54	27.85	136.76
4	0.740	8.06	203	0.34	0.00	0.000	0.017	0.00	0.00	85.0	41.80	265.20	0	0.00	0.00	45	22.13	158.89
5	0.666	7.96	202	0.28	0.00	0.000	0.017	0.00	0.00	60.0	26.56	291.76	0	0.00	0.00	47	20.80	179.69
6	0.797	8.01	180	0.27	0.00	0.000	0.017	0.00	0.00	50.0	26.48	318.24	0	0.00	0.00	52	27.54	207.23
7	0.773	7.97	228	0.20	0.01	0.005	0.022	0.00	0.01	35.0	17.98	336.22	0	0.00	0.00	47	24.15	231.38
8	0.603	7.98	202	0.18	0.02	0.008	0.030	0.00	0.02	30.0	12.02	348.24	0	0.00	0.00	44	17.63	249.01
9	0.724	8.07	181	0.20	0.02	0.010	0.040	0.00	0.02	34.0	16.36	364.60	0	0.00	0.00	52	25.02	274.03
10	0.807	8.06	197	0.19	0.01	0.005	0.045	0.00	0.01	30.0	16.09	380.69	0	0.00	0.00	58	31.11	305.14
11	0.713	7.96	229	0.16	0.00	0.000	0.045	0.00	0.00	24.0	11.37	392.06	0	0.00	0.00	50	23.69	328.83
12	0.777	8.01	211	0.15	0.01	0.005	0.050	0.00	0.01	20.0	10.33	402.39	0	0.00	0.00	49	25.30	354.13
13	0.649	7.98	245	0.17	0.01	0.004	0.054	0.00	0.01	23.0	9.92	412.31	0	0.00	0.00	52	22.43	376.56
14	0.752	8.04	224	0.16	0.00	0.000	0.054	0.00	0.00	22.0	10.99	423.30	0	0.00	0.00	55	27.49	404.05
15	0.683	7.89	235	0.16	0.00	0.000	0.054	0.00	0.00	21.0	9.53	432.83	0	0.00	0.00	55	24.97	429.02
16	0.825	7.94	245	0.16	0.01	0.005	0.059	0.00	0.01	18.0	9.87	442.70	0	0.00	0.00	55	30.16	459.18
17	0.692	7.95	234	0.14	0.02	0.009	0.068	0.00	0.02	17.0	7.82	450.52	0	0.00	0.00	49	22.53	481.71
18	0.752	7.90	245	0.16	0.01	0.005	0.073	0.00	0.01	17.0	8.50	459.02	0	0.00	0.00	52	25.99	507.70
19	0.677	8.02	243	0.15	0.02	0.009	0.082	0.00	0.02	18.0	8.10	467.12	0	0.00	0.00	52	23.40	531.10
20	0.714	8.03	285	0.16	0.01	0.005	0.087	0.00	0.01	18.0	8.54	475.66	0	0.00	0.00	56	26.57	557.67
21	0.835	8.01	233	0.16	0.02	0.011	0.098	0.00	0.02	16.0	8.88	484.54	0	0.00	0.00	57	31.63	589.30
22	0.713	7.98	272	0.14	0.01	0.005	0.103	0.00	0.01	13.0	6.16	490.70	0	0.00	0.00	50	23.69	612.99
23	0.692	8.00	219	0.15	0.01	0.005	0.108	0.00	0.01	19.0	8.74	499.44	0	0.00	0.00	53	24.37	637.36





Table 30 . - Humidity Cell Analytical Results, K-Spar Breccia 0-5 Comp. Flotation Tailings (1.4926 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.483	7.86	196	0.87	0.01	0.003	0.003	0.00	0.01	215.0	69.57	69.57	0	0.00	0.00	63	20.39	20.39
1	0.854	8.10	194	0.51	0.00	0.000	0.003	0.00	0.00	130.0	74.38	143.95	0	0.00	0.00	80	45.77	66.16
2	0.550	7.83	205	0.37	0.01	0.004	0.007	0.00	0.01	59.0	21.74	165.69	0	0.00	0.00	105	38.69	104.85
3	0.610	8.01	207	0.52	0.00	0.000	0.007	0.00	0.00	105.0	42.91	208.60	0	0.00	0.00	62	25.34	130.19
4	0.701	8.13	205	0.33	0.00	0.000	0.007	0.00	0.00	55.0	25.83	234.43	0	0.00	0.00	85	39.92	170.11
5	0.744	8.20	180	0.25	0.00	0.000	0.007	0.00	0.00	15.0	7.48	241.91	0	0.00	0.00	83	41.37	211.48
6	0.737	8.10	181	0.24	0.00	0.000	0.007	0.00	0.00	15.0	7.41	249.32	0	0.00	0.00	77	38.02	249.50
7	0.739	8.12	235	0.22	0.00	0.000	0.007	0.00	0.00	15.0	7.43	256.75	0	0.00	0.00	74	36.64	286.14
8	0.739	8.12	206	0.20	0.02	0.010	0.017	0.00	0.02	10.0	4.95	261.70	0	0.00	0.00	72	35.65	321.79
9	0.738	8.13	181	0.20	0.01	0.005	0.022	0.00	0.01	17.0	8.41	270.11	0	0.00	0.00	70	34.61	356.40
10	0.737	8.07	204	0.19	0.01	0.005	0.027	0.00	0.01	16.0	7.90	278.01	0	0.00	0.00	68	33.58	389.98
11	0.755	8.12	229	0.18	0.01	0.005	0.032	0.00	0.01	16.0	8.09	286.10	0	0.00	0.00	68	34.40	424.38
12	0.832	8.24	199	0.16	0.01	0.006	0.038	0.00	0.01	14.0	7.80	293.90	0	0.00	0.00	64	35.67	460.05
13	0.726	8.11	245	0.20	0.00	0.000	0.038	0.00	0.00	34.0	16.54	310.44	0	0.00	0.00	61	29.67	489.72
14	0.616	8.30	178	0.10	0.01	0.004	0.042	0.00	0.01	15.0	6.19	316.63	0	0.00	0.00	30	12.38	502.10
15	0.619	7.57	219	0.04	0.00	0.000	0.042	0.00	0.00	1.0	0.41	317.04	0	0.00	0.00	16	6.64	508.74
16	0.597	7.91	225	0.21	0.02	0.008	0.050	0.00	0.02	49.0	19.60	336.64	0	0.00	0.00	43	17.20	525.94
17	0.583	7.78	212	0.04	0.02	0.008	0.058	0.00	0.02	4.0	1.56	338.20	0	0.00	0.00	19	7.42	533.36
18	0.628	8.63	185	0.05	0.04	0.017	0.075	0.01	0.03	3.0	1.26	339.46	0	0.00	0.00	22	9.26	542.62
19	0.540	8.11	175	0.21	0.02	0.007	0.082	0.00	0.02	49.0	17.73	357.19	0	0.00	0.00	45	16.28	558.90
20	0.676	8.13	247	0.18	0.02	0.009	0.091	0.00	0.02	31.0	14.04	371.23	0	0.00	0.00	55	24.91	583.81
21	0.752	8.16	223	0.16	0.02	0.010	0.101	0.00	0.02	21.0	10.58	381.81	0	0.00	0.00	54	27.21	611.02
22	0.615	8.13	237	0.13	0.02	0.008	0.109	0.00	0.02	12.0	4.94	386.75	0	0.00	0.00	45	18.54	629.56
23	0.666	8.14	205	0.18	0.01	0.004	0.113	0.00	0.01	23.0	10.26	397.01	0	0.00	0.00	59	26.33	655.89







Table 31 . - Humidity Cell Analytical Results, Quartz Monzonite 0-5 Comp. Flotation Tailings (1.4823 Kg)

Week	Vol. L	Effluent pH	Redox, mV (vs Ag/AgCl)	Conductivity mS/cm	Total Fe			Fe ²⁺ mg/l	Fe ³⁺ mg/l	SO ₄ =			Acidity, CaCO ₃ Equivalents			Alkalinity, CaCO ₃ Equivalents		
					mg/l	mg/kg	Cum. mg/kg			mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg	mg/l	mg/kg	Cum. mg/kg
0	0.484	7.93	201	0.86	0.01	0.003	0.003	0.00	0.01	200.0	65.30	65.30	0	0.00	0.00	74	24.16	24.16
1	0.867	8.16	200	0.42	0.00	0.000	0.003	0.00	0.00	80.0	46.79	112.09	0	0.00	0.00	79	46.21	70.37
2	0.673	7.83	187	0.20	0.01	0.005	0.008	0.00	0.01	34.0	15.44	127.53	0	0.00	0.00	67	30.42	100.79
3	0.549	8.04	202	0.50	0.00	0.000	0.008	0.00	0.00	150.0	55.56	183.09	0	0.00	0.00	58	21.48	122.27
4	0.720	8.10	210	0.39	0.00	0.000	0.008	0.00	0.00	60.0	29.14	212.23	0	0.00	0.00	92	44.69	166.96
5	0.735	8.16	199	0.26	0.00	0.000	0.008	0.00	0.00	15.0	7.44	219.67	0	0.00	0.00	82	40.66	207.62
6	0.730	8.11	189	0.24	0.00	0.000	0.008	0.00	0.00	15.0	7.39	227.06	0	0.00	0.00	75	36.94	244.56
7	0.736	8.10	238	0.21	0.00	0.000	0.008	0.00	0.00	15.0	7.45	234.51	0	0.00	0.00	71	35.25	279.81
8	0.726	8.15	213	0.20	0.01	0.005	0.013	0.00	0.01	10.0	4.90	239.41	0	0.00	0.00	68	33.30	313.11
9	0.734	8.15	184	0.21	0.01	0.005	0.018	0.00	0.01	24.0	11.88	251.29	0	0.00	0.00	70	34.66	347.77
10	0.732	8.11	215	0.20	0.01	0.005	0.023	0.00	0.01	21.0	10.37	261.66	0	0.00	0.00	69	34.07	381.84
11	0.734	8.11	230	0.19	0.00	0.000	0.023	0.00	0.00	21.0	10.40	272.06	0	0.00	0.00	66	32.68	414.52
12	0.736	8.03	195	0.18	0.00	0.000	0.023	0.00	0.00	15.0	7.45	279.51	0	0.00	0.00	65	32.27	446.79
13	0.725	8.09	242	0.18	0.00	0.000	0.023	0.00	0.00	21.0	10.27	289.78	0	0.00	0.00	64	31.30	478.09
14	0.737	8.11	156	0.18	0.00	0.000	0.023	0.00	0.00	18.0	8.95	298.73	0	0.00	0.00	65	32.32	510.41
15	0.734	8.01	199	0.17	0.00	0.000	0.023	0.00	0.00	17.0	8.42	307.15	0	0.00	0.00	65	32.19	542.60
16	0.736	8.02	219	0.18	0.01	0.005	0.028	0.00	0.01	15.0	7.45	314.60	0	0.00	0.00	63	31.28	573.88
17	0.735	8.10	190	0.16	0.02	0.010	0.038	0.00	0.02	15.0	7.44	322.04	0	0.00	0.00	62	30.74	604.62
18	0.739	8.09	173	0.17	0.01	0.005	0.043	0.00	0.01	16.0	7.98	330.02	0	0.00	0.00	62	30.91	635.53
19	0.741	8.18	161	0.16	0.01	0.005	0.048	0.00	0.01	15.0	7.50	337.52	0	0.00	0.00	60	29.99	665.52
20	0.817	8.23	234	0.14	0.02	0.011	0.059	0.00	0.02	12.0	6.61	344.13	0	0.00	0.00	60	33.07	698.59
21	0.730	8.07	202	0.20	0.02	0.010	0.069	0.00	0.02	37.0	18.22	362.35	0	0.00	0.00	66	32.50	731.09
22	0.714	8.08	209	0.19	0.01	0.005	0.074	0.00	0.01	29.0	13.97	376.32	0	0.00	0.00	64	30.83	761.92
23	0.728	8.08	206	0.20	0.01	0.005	0.079	0.00	0.01	32.0	15.72	392.04	0	0.00	0.00	69	33.89	795.81



McClelland Tabulated WetLab Results

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Sample**

Analysis, mg/L	Extract Week								
	Week 0	Week 1	Week 2	Week 3	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	130	150	130	98	57	63	70	67	68
CO ₃ , CaCO ₃	1.9	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	150	180	160	120	69	77	86	82	83
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	0.0031	0.0015	0.0012	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.013	0.057	0.070	0.050	0.072	0.050	0.068	0.070	0.072
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	90	53	55	36	53	42	39	40	32
Chloride	38	1.1	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.1	3.0	2.6	2.1	1.5	1.6	1.7	1.8	2.0
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Lead	<0.0025	<0.0010	<0.0010	<0.0025	<0.0010	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	9.9	7.0	7.7	5.2	7.3	6.8	6.7	7.2	6.2
Manganese	0.020	0.060	0.059	0.044	0.043	0.047	0.048	0.052	0.043
Mercury	0.0036	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.19	0.077	0.040	0.013	0.018	0.019	0.016	0.019	0.018
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.56	<0.050	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.38	7.99	8.04	7.89	7.55	7.92	7.94	7.88	7.83
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	40	28	26	16	13	6.8	5.0	4.2	2.8
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.014	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	89	28	9.0	3.1	1.8	1.3	0.89	1.0	0.72
Strontium	1.2	0.72	0.74	0.51	0.67	0.60	0.45	0.46	0.39
Sulfate	270	100	65	39	110	76	53	55	49
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	640	340	260	180	230	180	190	160	140
Uranium	0.040	0.054	0.049	0.031	0.028	0.032	0.025	0.020	0.017
Vanadium	0.013	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	0.014	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	10.2	5.16	4.44	2.77	3.66	2.89	2.67	2.74	2.21
Anions, meq/L	9.27	5.22	4.11	2.89	3.50	2.93	2.60	2.58	2.49
Balance, %	4.8	<1.0	3.8	2.1	2.2	<1.0	1.2	3.0	5.8
WET Lab Report #	1109289	1109409	1109542	1110122	1110250	1111214	1112182	1201095	1202066

Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Sample

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	83	83
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	100	100
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.10	0.11
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.10
Cadmium	<0.0010	<0.0010
Calcium	33	34
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.9	2.1
Gallium	<0.10	<0.10
Iron	<0.010	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	6.6	6.6
Manganese	0.054	0.043
Mercury	<0.00010	<0.00010
Molybdenum	0.016	0.014
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	8.10	7.88
Phosphorus	<0.50	<0.50
Potassium	2.8	2.4
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.73	0.65
Strontium	0.39	0.38
Sulfate	38	34
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	130	130
Uranium	0.018	0.018
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	2.30	2.33
Anions, meq/L	2.53	2.46
Balance, %	4.9	2.6
WET Lab Report #	1203051	1203592

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample CF-11-02 (227-367)**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	100	110	94	71	54	62	59	57
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	120	130	110	87	66	76	72	69
Aluminum	<0.22	0.069	<0.045	0.064	0.073	0.055	0.076	0.070
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0025	<0.0050	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.010	<0.0050	<0.010	<0.0050
Barium	0.022	0.049	0.068	0.083	0.049	0.055	0.044	0.044
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.14	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	22	23	30	30	22	23	20	19
Chloride	5.3	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.053	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.5	1.8	1.5	1.6	1.6	1.6	1.5	1.5
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	0.027	<0.010	<0.010	<0.050	<0.050	0.021	0.017
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.4	5.3	6.8	7.2	5.0	4.9	3.9	3.7
Manganese	<0.0050	0.030	<0.025	0.015	0.024	0.025	0.027	0.023
Mercury	0.0003	<0.00010	<0.00010	0.00016	<0.00010	<0.00010	0.0012	<0.00010
Molybdenum	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.069	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.78	7.78	7.60	7.61	7.66	7.75	7.81	7.75
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	22	17	16	12	7.5	6.0	4.8	4.3
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.010	<0.0050	<0.010	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	28	15	7.9	3.9	2.0	1.5	1.2	1.0
Strontium	0.22	0.24	0.30	0.29	0.22	0.21	0.20	0.18
Sulfate	46	33	51	49	35	24	17	12
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	250	180	190	160	110	120	100	92
Uranium	0.0091	0.017	0.025	0.030	0.016	0.012	0.0082	0.0068
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	3.24	2.68	2.81	2.57	1.80	1.78	1.50	1.42
Anions, meq/L	3.26	2.91	2.94	2.53	1.89	1.83	1.61	1.46
Balance, %	<1.0	4.1	2.3	<1.0	2.6	1.5	3.5	1.5
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample CF-11-02 (227-367)**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	58	58
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	71	71
Aluminum	0.070	0.062
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.049	0.047
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	18	18
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.1	1.1
Gallium	<0.10	<0.10
Iron	0.054	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	3.4	3.1
Manganese	0.038	0.027
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.85	7.84
Phosphorus	<0.50	<0.50
Potassium	3.8	3.3
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.94	1.2
Strontium	0.19	0.17
Sulfate	8.4	6.9
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	86	77
Uranium	<0.0050	<0.0050
Vanadium	<0.010	<0.010
Zinc	0.019	<0.010
Cations, meq/L	1.33	1.30
Anions, meq/L	1.40	1.37
Balance, %	2.5	2.5
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample CF-11-02 (52-117)**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	110	98	83	65	48	53	49	48
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	130	120	100	79	58	64	59	58
Aluminum	0.055	0.083	<0.045	0.067	<0.20	0.045	0.055	0.054
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	0.0056	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.013	0.017	0.015	0.010	0.019	<0.010	<0.010
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.13	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	24	26	32	31	22	23	20	19
Chloride	9.5	1.4	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	0.051	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.9	1.9	1.6	1.6	1.3	1.3	1.3	1.2
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	0.042	<0.010	0.013	<0.050	<0.010	0.018	0.014
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.0	4.8	5.8	5.6	3.5	3.4	2.8	2.5
Manganese	<0.0050	0.0093	0.013	0.019	0.022	0.022	0.027	0.026
Mercury	0.00027	0.00021	0.00017	<0.0002	<0.00010	<0.00010	0.00026	<0.00010
Molybdenum	0.013	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.064	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.84	7.79	7.54	7.43	7.67	7.71	7.78	7.69
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	29	24	21	15	8.1	6.0	4.9	4.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	36	21	9.6	4.3	1.8	1.4	1.2	0.94
Strontium	0.24	0.24	0.29	0.27	0.18	0.17	0.16	0.14
Sulfate	67	58	72	59	36	25	22	16
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	300	200	210	170	120	89	92	89
Uranium	0.015	0.025	0.027	0.032	0.021	0.021	0.017	0.014
Vanadium	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	3.84	3.23	3.03	2.59	1.67	1.65	1.41	1.31
Anions, meq/L	4.00	3.31	3.22	2.61	1.77	1.64	1.49	1.35
Balance, %	2.0	1.3	3.1	<1.0	2.8	<1.0	2.7	1.4
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample CF-11-02 (52-117)**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	55	50
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	67	61
Aluminum	0.054	0.048
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.011	<0.010
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	20	18
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.0	0.92
Gallium	<0.10	<0.10
Iron	0.012	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	2.4	2.0
Manganese	0.032	0.028
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.74	7.77
Phosphorus	<0.50	<0.50
Potassium	3.8	3.0
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	1.0	0.98
Strontium	0.16	0.13
Sulfate	12	10
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	100	86
Uranium	0.013	0.013
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.34	1.19
Anions, meq/L	1.40	1.26
Balance, %	2.1	2.8
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample K-Spar Breccia 5+ Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	120	120	120	96	79	70	68	63
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	150	140	140	120	96	85	83	76
Aluminum	<0.045	<0.045	<0.045	0.050	<0.045	<0.045	<0.045	<0.045
Antimony	0.0033	<0.0025	<0.0025	<0.0025	<0.0025	<0.0050	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.010	<0.0050	<0.0050
Barium	0.013	0.082	0.10	0.083	0.061	0.076	0.080	0.078
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.11	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	56	27	31	41	39	38	38	33
Chloride	11	1.0	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	3.3	2.2	1.6	1.5	1.4	1.3	1.3	1.3
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.011
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	15	7.7	8.6	11	8.0	6.5	5.5	4.3
Manganese	<0.0050	0.011	0.032	0.034	0.044	0.047	0.055	0.051
Mercury	<0.00011	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	<0.0005	<0.00010
Molybdenum	0.24	0.13	0.054	0.059	0.050	0.042	0.044	0.042
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.25	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.94	8.03	7.89	7.78	7.88	7.84	7.95	7.80
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	36	23	22	16	7.4	4.8	4.2	3.6
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0091	<0.0050	<0.010	<0.0050	<0.0050	<0.010	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	42	20	8.4	2.5	1.4	1.2	2.2	0.98
Strontium	2.2	1.0	1.2	1.5	1.2	1.0	1.0	0.74
Sulfate	210	52	52	72	70	56	58	45
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	520	210	200	220	200	170	160	140
Uranium	0.13	0.11	0.12	0.13	0.087	0.059	0.049	0.035
Vanadium	0.026	<0.050	0.011	0.014	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	6.78	3.44	3.18	3.48	2.86	2.61	2.55	2.14
Anions, meq/L	7.31	3.52	3.46	3.54	3.10	2.63	2.64	2.25
Balance, %	3.8	1.2	4.2	<1.0	4.2	<1.0	1.6	2.6
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample K-Spar Breccia 5+ Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	65	60
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	79	73
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.091	0.090
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	36	31
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.2	1.1
Gallium	<0.10	<0.10
Iron	<0.010	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	4.3	3.2
Manganese	0.065	0.052
Mercury	<0.00010	<0.00010
Molybdenum	0.051	0.043
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.84	7.86
Phosphorus	<0.50	<0.50
Potassium	3.4	2.7
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	1.0	1.1
Strontium	0.90	0.66
Sulfate	55	37
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	170	140
Uranium	0.030	0.023
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	2.28	1.93
Anions, meq/L	2.50	2.02
Balance, %	4.6	2.4
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Biotite Breccia 5+ Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	72	150	150	86	63	64	66	67
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	87	180	180	100	77	78	81	82
Aluminum	0.098	<0.045	<0.045	0.065	0.057	<0.045	0.050	0.047
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.038	0.032	0.076	0.067	0.066	0.069	0.078	0.082
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.11	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	21	25	36	35	27	29	27	26
Chloride	12	2.4	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.6	3.2	2.2	2.3	1.9	1.8	1.8	1.9
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	0.036	<0.010	<0.010	<0.010	<0.050	<0.010	0.014	<0.010
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	4.6	8.2	12	11	7.8	7.8	6.3	5.8
Manganese	0.012	0.028	0.024	0.022	0.027	0.034	0.039	0.041
Mercury	<0.00011	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010	0.00012	<0.00010
Molybdenum	0.020	0.019	<0.010	0.015	0.016	0.011	0.010	0.011
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.071	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.74	8.05	7.97	7.78	7.87	7.83	7.96	7.89
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	32	42	36	20	8.4	6.0	4.8	4.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	24	24	9.9	3.1	1.5	1.1	1.7	0.87
Strontium	0.42	0.61	0.89	0.73	0.52	0.51	0.46	0.38
Sulfate	62	55	65	72	53	47	35	27
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	240	250	260	190	150	120	130	120
Uranium	0.013	0.028	0.038	0.039	0.019	0.013	0.011	0.0097
Vanadium	<0.010	0.012	0.013	0.016	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	3.30	4.04	4.14	3.31	2.28	2.29	2.07	1.93
Anions, meq/L	3.19	4.33	4.42	3.26	2.47	2.35	2.15	2.01
Balance, %	1.7	3.5	3.3	<1.0	4.0	1.3	1.9	2.0
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Biotite Breccia 5+ Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	70	69
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	86	84
Aluminum	0.049	0.048
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.080	0.068
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	24	23
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.5	1.5
Gallium	<0.10	<0.10
Iron	0.012	0.016
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	5.1	4.5
Manganese	0.046	0.046
Mercury	<0.00010	<0.00010
Molybdenum	0.012	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.92	7.93
Phosphorus	<0.50	<0.50
Potassium	3.7	2.9
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.84	0.85
Strontium	0.41	0.31
Sulfate	18	13
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	110	100
Uranium	0.0075	0.0065
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.76	1.64
Anions, meq/L	1.86	1.73
Balance, %	3.0	2.7
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Quartz Monzonite 5+ Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	130	130	100	76	82	71	70	60
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	160	160	130	92	100	86	85	73
Aluminum	0.057	<0.045	<0.045	0.073	<0.045	<0.045	<0.045	<0.045
Antimony	0.0037	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	<0.010	0.062	0.087	0.10	0.11	0.12	0.11	0.099
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	32	20	21	23	27	28	26	23
Chloride	11	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	5.0	2.5	2.1	2.0	1.7	1.5	1.6	1.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010	<0.010	0.011
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.8	5.2	5.5	6.2	6.7	7.1	6.1	5.3
Manganese	<0.0050	<0.0050	0.013	0.0071	0.014	0.020	0.021	0.020
Mercury	0.00014	0.00016	0.00033	0.00045	<0.00010	<0.00010	0.00015	<0.00010
Molybdenum	0.21	0.099	0.057	0.056	0.064	0.069	0.066	0.079
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.066	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	8.00	8.11	7.78	7.74	7.96	7.89	8.00	7.82
Phosphorus	0.54	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	39	27	25	20	11	7.0	5.3	4.1
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	55	30	16	4.8	2.3	1.7	2.0	1.2
Strontium	1.1	0.71	0.78	0.82	0.91	0.91	0.83	0.64
Sulfate	92	40	41	40	39	36	27	26
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	370	200	180	150	160	120	120	120
Uranium	0.031	0.041	0.040	0.049	0.052	0.041	0.030	0.022
Vanadium	0.012	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	5.64	3.42	2.84	2.39	2.28	2.24	2.02	1.74
Anions, meq/L	5.11	3.59	3.09	2.45	2.54	2.24	2.04	1.82
Balance, %	4.9	2.4	4.4	1.2	5.4	<1.0	<1.0	2.2
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Quartz Monzonite 5+ Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	60	62
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	73	75
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.11	0.11
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	21	21
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.2	1.1
Gallium	<0.10	<0.10
Iron	<0.010	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	4.7	4.4
Manganese	0.023	0.025
Mercury	<0.00010	<0.00010
Molybdenum	0.069	0.055
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.83	7.89
Phosphorus	<0.50	<0.50
Potassium	3.4	2.8
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	1.1	1.2
Strontium	0.70	0.57
Sulfate	20	15
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	110	94
Uranium	0.017	0.015
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.57	1.53
Anions, meq/L	1.68	1.60
Balance, %	3.3	2.1
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Biotite Breccia (0-5) Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	91	90	85	46	45	49	55	55
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	110	110	100	56	54	59	67	67
Aluminum	0.048	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.018	0.016	0.038	0.032	0.030	0.047	0.063	0.079
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.13	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	72	31	47	37	22	20	20	21
Chloride	45	6.4	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	2.5	1.9	1.4	1.4	1.7	1.7	1.7	1.8
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	0.013	0.014	<0.010	<0.010	<0.050	<0.010	<0.010	0.019
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.9	4.7	7.5	6.3	4.0	4.2	4.1	4.3
Manganese	0.0085	0.031	0.025	0.017	0.015	0.015	0.014	0.018
Mercury	0.00011	<0.00010	0.00011	<0.00010	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.18	0.14	0.072	0.042	0.034	0.023	0.020	0.022
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	0.30	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.75	7.76	7.64	7.27	7.61	7.70	7.87	7.78
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	29	17	18	9.6	5.0	3.6	3.1	2.6
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	72	29	12	3.5	1.6	1.0	1.2	0.71
Strontium	1.3	0.51	0.83	0.61	0.36	0.34	0.34	0.31
Sulfate	200	72	110	86	36	20	18	18
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	610	220	300	160	110	75	83	98
Uranium	0.030	0.039	0.032	0.037	0.032	0.036	0.040	0.041
Vanadium	0.013	<0.010	<0.010	<0.050	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	8.12	3.63	3.95	2.76	1.62	1.48	1.47	1.50
Anions, meq/L	7.45	3.58	4.00	2.78	1.72	1.47	1.56	1.57
Balance, %	4.3	<1.0	<1.0	<1.0	3.0	<1.0	3.1	2.2
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Biotite Breccia (0-5) Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	53	54
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	65	65
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.071	0.076
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	19	19
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.5	1.4
Gallium	<0.10	<0.10
Iron	0.011	0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	4.0	4.0
Manganese	0.020	0.023
Mercury	<0.00010	<0.00010
Molybdenum	0.021	0.015
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.81	7.81
Phosphorus	<0.50	<0.50
Potassium	2.3	1.8
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.67	0.72
Strontium	0.29	0.27
Sulfate	15	13
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	84	88
Uranium	0.034	0.034
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.37	1.36
Anions, meq/L	1.46	1.41
Balance, %	3.2	1.9
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample K-spar Breccia (0-5) Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	66	88	110	94	73	60	42	53
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	80	110	140	110	89	73	51	65
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	0.10	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.091	0.097	0.045	0.089	0.21	0.096	0.073
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.20	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	68	44	37	40	24	21	25	24
Chloride	34	8.5	1.2	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.075	<0.050
Fluoride	1.8	1.7	1.1	2.0	2.0	1.6	1.6	1.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.010	0.012	<0.010	0.011	0.020	0.010	0.017
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	8.7	6.6	6.0	7.2	4.2	3.8	4.6	4.6
Manganese	0.024	0.040	0.060	0.040	0.024	0.017	0.015	0.020
Mercury	<0.00010	<0.00010	<0.00010	0.00012	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.17	0.098	0.049	0.049	0.027	<0.050	0.054	0.033
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.25	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.58	7.75	7.82	7.75	7.84	7.95	7.79	7.79
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	24	16	14	12	5.6	3.4	3.2	3.2
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	0.0054	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	68	33	15	6.8	2.0	2.2	2.7	1.2
Strontium	1.5	0.92	0.80	0.88	0.51	0.45	0.51	0.43
Sulfate	220	110	60	61	21	15	44	30
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	580	310	280	170	110	100	130	130
Uranium	0.020	0.046	0.021	0.074	0.036	0.026	0.034	0.050
Vanadium	0.015	<0.010	<0.010	0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	7.68	4.58	3.35	3.19	1.77	1.56	1.83	1.71
Anions, meq/L	6.95	4.42	3.64	3.18	2.00	1.59	1.84	1.77
Balance, %	5.0	1.8	4.0	<1.0	6.0	1.2	<1.0	1.8
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample K-spar Breccia (0-5) Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	56	61
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	68	75
Aluminum	<0.045	<0.045
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050
Barium	0.083	0.10
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	20	20
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.4	1.3
Gallium	<0.10	<0.10
Iron	0.012	<0.010
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	4.3	4.2
Manganese	0.017	0.018
Mercury	<0.00010	<0.00010
Molybdenum	0.026	0.017
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	0.13	0.092
pH, stu	7.78	7.90
Phosphorus	<0.50	<0.50
Potassium	3.0	2.3
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.95	0.80
Strontium	0.41	0.44
Sulfate	17	13
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	94	98
Uranium	0.038	0.040
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.47	1.44
Anions, meq/L	1.54	1.57
Balance, %	2.4	4.3
WET Lab Report #	1212123	1301048

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Quartz Monzonite (0-5) Comp**

Analysis, mg/L	Extract Week							
	Week 0	Week 1	Week 2	Week 4	Week 8	Week 12	Week 16	Week 20
Alkalinity, CaCO ₃	77	84	71	96	69	66	63	53
CO ₃ , CaCO ₃	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
HCO ₃	94	100	87	120	84	80	77	65
Aluminum	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045	<0.045
Antimony	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Arsenic	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Barium	0.012	0.022	0.031	0.040	0.091	0.12	0.12	0.11
Beryllium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Bismuth	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Boron	<0.10	<0.10	0.21	<0.10	<0.10	<0.10	<0.10	<0.10
Cadmium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Calcium	70	32	27	43	25	24	23	20
Chloride	39	7.2	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Chromium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Cobalt	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Copper	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050
Fluoride	1.9	1.5	0.45	1.9	1.8	1.8	1.7	1.6
Gallium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Iron	<0.010	<0.050	0.020	<0.010	<0.050	<0.010	<0.010	0.016
Lead	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025
Lithium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Magnesium	7.2	4.3	2.6	6.9	4.0	4.1	4.0	3.6
Manganese	0.018	0.025	0.029	0.048	0.023	0.020	0.013	0.0089
Mercury	0.00012	<0.00010	<0.00010	0.00021	<0.00010	<0.00010	<0.00010	<0.00010
Molybdenum	0.17	0.11	0.020	0.032	0.018	<0.010	<0.010	<0.010
Nickel	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Nitrate as N	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
Nitrite as N	<0.25	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025
pH, stu	7.71	7.76	7.69	7.73	7.88	7.83	7.94	7.71
Phosphorus	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50
Potassium	26	15	4.3	13	6.3	4.3	3.4	2.8
Scandium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Selenium	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Silver	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050
Sodium	73	30	4.9	8.1	2.0	1.4	1.4	0.91
Strontium	1.1	0.55	0.35	0.74	0.42	0.42	0.40	0.30
Sulfate	220	83	29	68	23	18	16	13
Thallium	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010	<0.0010
Tin	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Titanium	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
Total Dissolved Solids	600	260	190	220	120	120	100	110
Uranium	0.027	0.039	0.013	0.078	0.038	0.033	0.032	0.025
Vanadium	0.011	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Zinc	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010
Cations, meq/L	7.93	3.64	1.89	3.40	1.83	1.71	1.63	1.41
Anions, meq/L	7.32	3.65	2.05	3.48	1.95	1.78	1.68	1.42
Balance, %	4.0	<1.0	4.2	1.2	3.3	2.1	1.8	<1.0
WET Lab Report #	1206505	1206646	1207080	1207417	1208332	1209232	1210284	1211156

**Table . - Profile II Analytical Results, HC Extracts,
Copper Flat Project Flotation Tailings, Sample Quartz Monzonite (0-5) Comp**

Analysis, mg/L	Extract Week	
	Week 24	Week 28
Alkalinity, CaCO ₃	68	18
CO ₃ , CaCO ₃	<1.0	<1.0
HCO ₃	83	22
Aluminum	<0.045	0.11
Antimony	<0.0025	<0.0025
Arsenic	<0.0050	0.0060
Barium	0.16	0.056
Beryllium	<0.0010	<0.0010
Bismuth	<0.10	<0.10
Boron	<0.10	<0.100
Cadmium	<0.0010	<0.0010
Calcium	26	6.5
Chloride	<1.00	<1.00
Chromium	<0.0050	<0.0050
Cobalt	<0.010	<0.010
Copper	<0.050	<0.050
Fluoride	1.3	0.22
Gallium	<0.10	<0.10
Iron	0.010	0.018
Lead	<0.0025	<0.0025
Lithium	<0.10	<0.10
Magnesium	4.7	0.86
Manganese	0.025	<0.0050
Mercury	<0.00010	<0.00010
Molybdenum	<0.010	<0.010
Nickel	<0.010	<0.010
Nitrate as N	<1.0	<1.0
Nitrite as N	<0.025	<0.025
pH, stu	7.88	7.48
Phosphorus	<0.50	<0.50
Potassium	2.5	<0.50
Scandium	<0.10	<0.10
Selenium	<0.0050	<0.0050
Silver	<0.0050	<0.0050
Sodium	0.87	1.7
Strontium	0.38	<0.10
Sulfate	21	4.2
Thallium	<0.0010	<0.0010
Tin	<0.10	<0.10
Titanium	<0.10	<0.10
Total Dissolved Solids	100	45
Uranium	0.034	<0.0050
Vanadium	<0.010	<0.010
Zinc	<0.010	<0.010
Cations, meq/L	1.79	0.48
Anions, meq/L	1.87	0.46
Balance, %	2.2	2.4
WET Lab Report #	1212123	1301048

WetLab Laboratory Reports

Specializing in Soil, Hazardous Waste and Water Analysis.

4/11/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1203592


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 3/30/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1203592

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 8

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438-01

Date Printed: 4/11/2012
OrderID: 1203592

Customer Sample ID: Copper Flat WK;28

Collect Date/Time: 3/30/2012 09:00

WETLAB Sample ID: 1203592-001

Receive Date: 3/30/2012 09:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		3/30/2012
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	3/30/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/30/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/30/2012
Total Alkalinity	SM 2320B	83	mg/L as CaCO ₃	1.0	3/30/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/31/2012
Fluoride	EPA 300.0	2.1	mg/L	0.50	4/2/2012
Sulfate	EPA 300.0	34	mg/L	1.0	3/31/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/31/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/31/2012
Total Dissolved Solids (TDS)	SM 2540C	130 Q	mg/L	10	4/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	4/9/2012
Barium	EPA 200.7	0.11	mg/L	0.010	4/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	4/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	4/9/2012
Calcium	EPA 200.7	34	mg/L	0.50	4/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	4/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	4/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	4/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	4/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Magnesium	EPA 200.7	6.6	mg/L	0.50	4/9/2012
Manganese	EPA 200.7	0.043	mg/L	0.0050	4/9/2012
Molybdenum	EPA 200.7	0.014	mg/L	0.010	4/9/2012

Page 3 of 8

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Copper Flat WK;28

Collect Date/Time: 3/30/2012 09:00

WETLAB Sample ID: 1203592-001

Receive Date: 3/30/2012 09:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	4/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	4/9/2012
Potassium	EPA 200.7	2.4	mg/L	0.50	4/9/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	4/9/2012
Sodium	EPA 200.7	0.65	mg/L	0.50	4/9/2012
Strontium	EPA 200.7	0.38	mg/L	0.10	4/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	4/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	4/9/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	4/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	4/9/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	4/9/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	4/9/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	4/9/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	4/9/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	4/9/2012
Uranium	EPA 200.8	0.018	mg/L	0.0050	4/9/2012
Anions	Calculation	2.46	meq/L	0.10	
Cations	Calculation	2.33	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12040015	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12040015	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12040015	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12040019	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040019	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040019	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12040030	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040030	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040030	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12040032	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12040032	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12040032	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12040077	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12040077	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12040077	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12040157	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12040157	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12040301	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12040306	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12040001	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12040001	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12040001	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12040015	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	ug/L
QC12040019	LCS 1	Nitrite Nitrogen	EPA 300.0	0.509	0.500	102	mg/L
QC12040030	LCS 1	Nitrate Nitrogen	EPA 300.0	2.04	2.00	102	mg/L
QC12040032	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12040077	LCS 1	Fluoride	EPA 300.0	1.82	2.00	91	mg/L
QC12040157	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12040157	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC12040301	LCS 1	Aluminum	EPA 200.7	0.953	1.00	95	mg/L
		Barium	EPA 200.7	0.961	1.00	96	mg/L
		Beryllium	EPA 200.7	0.960	1.00	96	mg/L
		Bismuth	EPA 200.7	0.984	1.00	98	mg/L
		Boron	EPA 200.7	0.897	1.00	90	mg/L
		Cadmium	EPA 200.7	0.976	1.00	98	mg/L
		Calcium	EPA 200.7	9.76	10.0	98	mg/L
		Chromium	EPA 200.7	0.951	1.00	95	mg/L
		Cobalt	EPA 200.7	0.958	1.00	96	mg/L
		Copper	EPA 200.7	4.72	5.00	94	mg/L
		Gallium	EPA 200.7	0.959	1.00	96	mg/L
		Iron	EPA 200.7	0.954	1.00	95	mg/L
		Lithium	EPA 200.7	0.949	1.00	95	mg/L
		Magnesium	EPA 200.7	9.62	10.0	96	mg/L
		Manganese	EPA 200.7	0.950	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.966	1.00	97	mg/L
		Nickel	EPA 200.7	4.84	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.79	5.00	96	mg/L
		Potassium	EPA 200.7	9.66	10.0	97	mg/L
		Scandium	EPA 200.7	0.948	1.00	95	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	9.71	10.0	97	mg/L
		Strontium	EPA 200.7	0.969	1.00	97	mg/L
		Tin	EPA 200.7	0.958	1.00	96	mg/L
		Titanium	EPA 200.7	0.955	1.00	96	mg/L
		Vanadium	EPA 200.7	0.956	1.00	96	mg/L
		Zinc	EPA 200.7	0.981	1.00	98	mg/L
QC12040306	LCS 1	Mercury	EPA 200.8	0.001028	0.001	103	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0513	0.050	103	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0453	0.050	91	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0091	0.010	91	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
-----------	--------	-----------	--------	------------------	---------------	------------------	-------	-----

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12040001	Duplicate	pH	SM 4500-H+ B	1203599-001	8.14	8.16	pH Units	<1%
QC12040001	Duplicate	pH	SM 4500-H+ B	1203600-001	7.73	7.73	pH Units	<1%
QC12040001	Duplicate	pH	SM 4500-H+ B	1203604-004	7.75	7.78	pH Units	<1%
QC12040001	Duplicate	pH	SM 4500-H+ B	1203619-001	6.66	6.69	pH Units	<1%
QC12040001	Duplicate	pH	SM 4500-H+ B	1203619-002	6.47	6.52	pH Units	1 %
QC12040001	Duplicate	pH	SM 4500-H+ B	1203619-013	6.67	6.63	pH Units	1 %
QC12040157	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203592-001	126	140	Q mg/L	11 %
QC12040157	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203600-003	152	148	mg/L	3 %
QC12040157	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203608-002	668	688	mg/L	3 %
QC12040157	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203619-014	23.0	29.0	mg/L	23 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12040015	MS 1	Chloride	EPA 300.0	1203580-003	9.68	14.7	14.8	5.00	mg/L	101	103	1 %
QC12040015	MS 2	Chloride	EPA 300.0	1203580-005	1.11	6.31	6.48	5.00	mg/L	104	107	3 %
QC12040019	MS 1	Nitrite Nitrogen	EPA 300.0	1203580-003	<0.025	0.539	0.546	0.500	mg/L	103	104	1 %
QC12040019	MS 2	Nitrite Nitrogen	EPA 300.0	1203580-005	<0.025	0.532	0.548	0.500	mg/L	102	105	3 %
QC12040030	MS 1	Nitrate Nitrogen	EPA 300.0	1203592-001	<1.000	2.04	2.08	2.00	mg/L	100	102	2 %
QC12040030	MS 2	Nitrate Nitrogen	EPA 300.0	1203619-009	<1.000	2.31	2.32	2.00	mg/L	104	104	<1%
QC12040032	MS 1	Sulfate	EPA 300.0	1203580-003	30.6	39.7	40.0	10.0	mg/L	91	94	1 %
QC12040032	MS 2	Sulfate	EPA 300.0	1203580-005	1.79	11.9	12.2	10.0	mg/L	102	104	2 %
QC12040077	MS 1	Fluoride	EPA 300.0	1203592-001	2.08	11.4	11.6	2.00	mg/L	93	95	2 %
QC12040077	MS 2	Fluoride	EPA 300.0	1204007-001	1.15	19.8	19.9	2.00	mg/L	93	94	1 %
QC12040301	MS 1	Aluminum	EPA 200.7	1204101-002	3.25	M 8.19	8.33	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1204101-002	0.293	1.25	1.24	1.00	mg/L	96	95	1 %
		Beryllium	EPA 200.7	1204101-002	<0.001	0.996	0.992	1.00	mg/L	100	99	<1%
		Bismuth	EPA 200.7	1204101-002	<0.100	0.933	0.917	1.00	mg/L	93	91	2 %
		Boron	EPA 200.7	1204101-002	5.44	6.36	6.44	1.00	mg/L	92	100	1 %
		Cadmium	EPA 200.7	1204101-002	<0.001	0.986	0.985	1.00	mg/L	99	98	<1%
		Calcium	EPA 200.7	1204101-002	51.8	61.1	61.5	10.0	mg/L	93	97	1 %
		Chromium	EPA 200.7	1204101-002	0.006	0.946	0.942	1.00	mg/L	94	94	<1%
		Cobalt	EPA 200.7	1204101-002	<0.010	0.956	0.951	1.00	mg/L	95	95	1 %
		Copper	EPA 200.7	1204101-002	<0.050	4.87	4.81	5.00	mg/L	97	96	1 %
		Gallium	EPA 200.7	1204101-002	<0.100	0.877	0.874	1.00	mg/L	87	87	<1%
		Iron	EPA 200.7	1204101-002	7.33	SC 10.0	10.1	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1204101-002	1.73	2.66	2.67	1.00	mg/L	93	94	<1%
		Magnesium	EPA 200.7	1204101-002	6.49	16.5	16.6	10.0	mg/L	100	101	1 %
		Manganese	EPA 200.7	1204101-002	0.185	1.13	1.12	1.00	mg/L	94	94	1 %
		Molybdenum	EPA 200.7	1204101-002	<0.010	0.979	0.975	1.00	mg/L	98	97	<1%
		Nickel	EPA 200.7	1204101-002	<0.010	4.81	4.79	5.00	mg/L	96	96	<1%
		Phosphorus	EPA 200.7	1204101-002	<0.500	5.56	5.58	5.00	mg/L	105	105	<1%
		Potassium	EPA 200.7	1204101-002	83.4	92.3	93.0	10.0	mg/L	89	96	1 %
		Scandium	EPA 200.7	1204101-002	<0.100	0.948	0.939	1.00	mg/L	95	94	1 %
		Silver	EPA 200.7	1204101-002	<0.005	0.089	0.087	0.090	mg/L	99	97	2 %
		Sodium	EPA 200.7	1204101-002	993	SC 976	988	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1204101-002	1.71	2.57	2.53	1.00	mg/L	86	82	2 %
		Tin	EPA 200.7	1204101-002	<0.100	0.962	0.964	1.00	mg/L	102	102	<1%
		Titanium	EPA 200.7	1204101-002	0.131	1.18	1.17	1.00	mg/L	105	104	1 %
		Vanadium	EPA 200.7	1204101-002	0.016	0.986	0.981	1.00	mg/L	97	97	1 %
		Zinc	EPA 200.7	1204101-002	0.049	1.07	1.07	1.00	mg/L	102	102	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12040306	MS 1	Mercury	EPA 200.8	1204101-002	0.001936	M	0.002422	0.002377	0.001 mg/L	NC	NC	NC
		Antimony	EPA 200.8	1204101-002	0.0132		0.0202	0.0201	0.010 mg/L	70	69	<1%
		Arsenic	EPA 200.8	1204101-002	0.0489	M	0.0772	0.0783	0.050 mg/L	NC	NC	NC
		Lead	EPA 200.8	1204101-002	0.0030		0.0128	0.0129	0.010 mg/L	98	98	1%
		Selenium	EPA 200.8	1204101-002	0.0070	M	0.0275	0.0270	0.050 mg/L	NC	NC	NC
		Thallium	EPA 200.8	1204101-002	<0.0010		0.0078	0.0080	0.010 mg/L	72	74	3%
		Uranium	EPA 200.8	1204101-002	<0.0050		0.0102	0.010 mg/L	86	87	<1%	



3/16/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1203051

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 3/2/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1203051

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 3/16/2012

OrderID: 1203051

Customer Sample ID: Copper Flat WK:24

Collect Date/Time: 3/2/2012 09:00

WETLAB Sample ID: 1203051-001

Receive Date: 3/2/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.10	pH Units		3/2/2012
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	3/2/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	3/2/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	3/2/2012
Total Alkalinity	SM 2320B	83	mg/L as CaCO ₃	1.0	3/2/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	3/3/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	3/3/2012
Sulfate	EPA 300.0	38	mg/L	1.0	3/3/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	3/3/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	3/3/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	3/5/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	3/8/2012
Barium	EPA 200.7	0.10	mg/L	0.010	3/8/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	3/8/2012
Calcium	EPA 200.7	33	mg/L	0.50	3/8/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	3/8/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	3/8/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	3/8/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Magnesium	EPA 200.7	6.6	mg/L	0.50	3/8/2012
Manganese	EPA 200.7	0.054	mg/L	0.0050	3/8/2012
Molybdenum	EPA 200.7	0.016	mg/L	0.010	3/8/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	3/8/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	3/8/2012
Potassium	EPA 200.7	2.8	mg/L	0.50	3/8/2012

Customer Sample ID: Copper Flat WK:24

Collect Date/Time: 3/2/2012 09:00

WETLAB Sample ID: 1203051-001

Receive Date: 3/2/2012 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	3/8/2012
Sodium	EPA 200.7	0.73	mg/L	0.50	3/8/2012
Strontium	EPA 200.7	0.39	mg/L	0.10	3/8/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	3/8/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	3/8/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	3/8/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	3/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	3/10/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	3/10/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	3/10/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	3/10/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	3/10/2012
Uranium	EPA 200.8	0.018	mg/L	0.010	3/12/2012
Anions	Calculation	2.53	meq/L	0.10	
Cations	Calculation	2.30	meq/L	0.10	
Error	Calculation	4.9	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12030151	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12030151	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12030151	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12030153	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12030153	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12030153	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12030155	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030155	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030155	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12030157	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030157	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030157	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12030159	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12030159	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12030159	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12030233	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030233	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030233	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12030299	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12030363	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12030106	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12030106	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12030108	LCS 1	Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12030108	LCS 2	Alkalinity	SM 2320B	99.9	100	100	mg/L
QC12030151	LCS 1	Fluoride	EPA 300.0	1.88	2.00	94	mg/L
QC12030153	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12030155	LCS 1	Nitrite Nitrogen	EPA 300.0	0.517	0.500	103	mg/L
QC12030157	LCS 1	Nitrate Nitrogen	EPA 300.0	2.01	2.00	100	mg/L
QC12030159	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12030233	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC12030233	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12030233	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L
QC12030299	LCS 1	Aluminum	EPA 200.7	0.999	1.00	100	mg/L
		Barium	EPA 200.7	0.992	1.00	99	mg/L
		Beryllium	EPA 200.7	0.974	1.00	97	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.951	1.00	95	mg/L
		Cadmium	EPA 200.7	1.00	1.00	100	mg/L
		Calcium	EPA 200.7	9.88	10.0	99	mg/L
		Chromium	EPA 200.7	0.986	1.00	99	mg/L
		Cobalt	EPA 200.7	0.996	1.00	100	mg/L
		Copper	EPA 200.7	4.92	5.00	98	mg/L
		Gallium	EPA 200.7	0.966	1.00	97	mg/L
		Iron	EPA 200.7	1.03	1.00	103	mg/L
		Lithium	EPA 200.7	0.969	1.00	97	mg/L
		Magnesium	EPA 200.7	9.79	10.0	98	mg/L
		Manganese	EPA 200.7	0.987	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.977	1.00	98	mg/L
		Nickel	EPA 200.7	4.98	5.00	100	mg/L
		Phosphorus	EPA 200.7	4.96	5.00	99	mg/L
		Potassium	EPA 200.7	9.92	10.0	99	mg/L
		Scandium	EPA 200.7	0.976	1.00	98	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.93	10.0	99	mg/L
		Strontium	EPA 200.7	0.999	1.00	100	mg/L
		Tin	EPA 200.7	0.962	1.00	96	mg/L
		Titanium	EPA 200.7	0.984	1.00	98	mg/L
		Vanadium	EPA 200.7	0.986	1.00	99	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L
QC12030363	LCS 1	Mercury	EPA 200.8	0.000960	0.001	96	mg/L
		Antimony	EPA 200.8	0.0099	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0485	0.050	97	mg/L
		Lead	EPA 200.8	0.0093	0.010	92	mg/L
		Selenium	EPA 200.8	0.0448	0.050	90	mg/L
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	0.0094	0.010	94	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12030106	Duplicate	pH	SM 4500-H+ B	1203031-001	7.80	7.84	pH Units	1 %
QC12030106	Duplicate	pH	SM 4500-H+ B	1203035-005	6.89	6.88	pH Units	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12030106	Duplicate	pH	SM 4500-H+ B	1203040-005	8.09	8.10	pH Units	<1%
QC12030106	Duplicate	pH	SM 4500-H+ B	1203052-008	3.17	3.19	pH Units	1 %
QC12030106	Duplicate	pH	SM 4500-H+ B	1203053-002	7.51	7.53	pH Units	<1%
QC12030108	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203031-001	236	237	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1203031-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203031-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203031-001	194	194	mg/L as CaCO3	<1%
QC12030108	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203035-005	169	168	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1203035-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203035-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203035-005	138	138	mg/L as CaCO3	<1%
QC12030108	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203040-005	226	226	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1203040-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203040-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203040-005	185	186	mg/L as CaCO3	<1%
QC12030108	Duplicate	Bicarbonate (HCO3)	SM 2320B	1203053-002	221	221	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1203053-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1203053-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1203053-002	181	181	mg/L as CaCO3	<1%
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203025-001	63.0	65.0	mg/L	3 %
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203030-007	104	110	mg/L	6 %
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203038-001	191	199	mg/L	4 %
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203052-002	50.0	42.0	mg/L	17 %
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203052-011	14.0	17.0	mg/L	19 %
QC12030233	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1203062-004	756	760	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12030151	MS 1	Fluoride	EPA 300.0	1203040-005	0.790	10.3	10.4	2.00	mg/L	95	96	1 %
QC12030151	MS 2	Fluoride	EPA 300.0	1203052-011	0.222	2.33	2.22	2.00	mg/L	105	100	5 %
QC12030153	MS 1	Chloride	EPA 300.0	1203052-001	<5.000	26.4	26.6	5.00	mg/L	105	106	1 %
QC12030153	MS 2	Chloride	EPA 300.0	1203052-011	<1.000	5.23	5.24	5.00	mg/L	104	104	<1%
QC12030155	MS 1	Nitrite Nitrogen	EPA 300.0	1203052-001	<0.125	2.55	2.65	0.500	mg/L	100	104	4 %
QC12030155	MS 2	Nitrite Nitrogen	EPA 300.0	1203052-011	<0.025	0.516	0.514	0.500	mg/L	102	101	<1%
QC12030157	MS 1	Nitrate Nitrogen	EPA 300.0	1203052-001	<1.000	10.6	10.7	2.00	mg/L	104	105	1 %
QC12030157	MS 2	Nitrate Nitrogen	EPA 300.0	1203052-011	<1.000	2.10	2.10	2.00	mg/L	103	104	<1%
QC12030159	MS 1	Sulfate	EPA 300.0	1203052-001	303	SC 335	331	10.0	mg/L	NC	NC	NC
QC12030159	MS 2	Sulfate	EPA 300.0	1203052-011	4.35	14.4	14.2	10.0	mg/L	101	98	1 %
QC12030299	MS 1	Aluminum, Dissolved	EPA 200.7	1203053-001	0.337	1.23	1.21	1.00	mg/L	89	87	2 %
		Barium, Dissolved	EPA 200.7	1203053-001	0.021	0.966	0.961	1.00	mg/L	94	94	1 %
		Beryllium, Dissolved	EPA 200.7	1203053-001	0.005	0.957	0.947	1.00	mg/L	95	94	1 %
		Bismuth, Dissolved	EPA 200.7	1203053-001	<0.100	0.910	0.901	1.00	mg/L	92	91	1 %
		Boron, Dissolved	EPA 200.7	1203053-001	1.20	2.13	2.15	1.00	mg/L	93	95	1 %
		Cadmium, Dissolved	EPA 200.7	1203053-001	<0.001	0.929	0.934	1.00	mg/L	93	93	1 %
		Calcium, Dissolved	EPA 200.7	1203053-001	62.5	69.7	70.0	10.0	mg/L	72	75	<1%
		Chromium, Dissolved	EPA 200.7	1203053-001	<0.005	0.938	0.935	1.00	mg/L	94	94	<1%
		Cobalt, Dissolved	EPA 200.7	1203053-001	<0.010	0.937	0.939	1.00	mg/L	94	94	<1%
		Copper, Dissolved	EPA 200.7	1203053-001	<0.050	4.94	4.86	5.00	mg/L	99	97	2 %
		Gallium, Dissolved	EPA 200.7	1203053-001	<0.100	0.860	0.879	1.00	mg/L	88	90	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Iron, Dissolved	EPA 200.7	1203053-001	6.91	7.68	7.68	1.00	mg/L	77	77	<1%
		Lithium, Dissolved	EPA 200.7	1203053-001	0.650	1.67	1.63	1.00	mg/L	102	98	2 %
		Magnesium, Dissolved	EPA 200.7	1203053-001	12.4	21.0	21.1	10.0	mg/L	86	87	<1%
		Manganese, Dissolved	EPA 200.7	1203053-001	2.21	3.11	3.13	1.00	mg/L	90	92	1 %
		Molybdenum, Dissolved	EPA 200.7	1203053-001	<0.010	0.943	0.954	1.00	mg/L	94	95	1 %
		Nickel, Dissolved	EPA 200.7	1203053-001	<0.010	4.69	4.70	5.00	mg/L	94	94	<1%
		Phosphorus, Dissolved	EPA 200.7	1203053-001	<0.500	4.98	5.01	5.00	mg/L	97	97	1 %
		Potassium, Dissolved	EPA 200.7	1203053-001	39.2	49.7	49.1	10.0	mg/L	105	99	1 %
		Scandium, Dissolved	EPA 200.7	1203053-001	<0.100	0.981	0.961	1.00	mg/L	98	96	2 %
		Silver, Dissolved	EPA 200.7	1203053-001	<0.005	0.086	0.085	0.090	mg/L	99	98	1 %
		Sodium, Dissolved	EPA 200.7	1203053-001	324	331	331	10.0	mg/L	70	70	<1%
		Strontium, Dissolved	EPA 200.7	1203053-001	0.331	1.32	1.31	1.00	mg/L	99	98	1 %
		Tin, Dissolved	EPA 200.7	1203053-001	<0.100	0.837	0.848	1.00	mg/L	93	94	1 %
		Titanium, Dissolved	EPA 200.7	1203053-001	<0.100	0.991	0.984	1.00	mg/L	99	98	1 %
		Vanadium, Dissolved	EPA 200.7	1203053-001	0.016	0.986	0.979	1.00	mg/L	97	96	1 %
		Zinc, Dissolved	EPA 200.7	1203053-001	0.051	1.01	1.01	1.00	mg/L	96	96	<1%
QC12030363	MS 1	Uranium, Dissolved	EPA 200.8	1203053-001	<0.0100	<0.0100	<0.0100	0.010	mg/L	98	99	#Erro
		Mercury, Dissolved	EPA 200.8	1203053-001	<0.00010	0.000748	0.000726	0.001	mg/L	75	73	3 %
		Antimony, Dissolved	EPA 200.8	1203053-001	0.0056	0.0150	0.0151	0.010	mg/L	94	96	1 %
		Arsenic, Dissolved	EPA 200.8	1203053-001	0.1217	0.1690	0.1696	0.050	mg/L	95	96	<1%
		Lead, Dissolved	EPA 200.8	1203053-001	<0.0025	0.0084	0.0085	0.010	mg/L	83	84	1 %
		Selenium, Dissolved	EPA 200.8	1203053-001	<0.0050	0.0423	0.0430	0.050	mg/L	83	84	2 %
		Thallium, Dissolved	EPA 200.8	1203053-001	<0.0010	0.0081	0.0083	0.010	mg/L	81	83	2 %



2/14/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1202066

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 2/3/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1202066

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1202066-001 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

The result for the continuing calibration verification (CCV) sample during the analysis for Fluoride was outside WETLAB acceptance criteria. Lab Fortified Blank (LFB/LCS) data was however acceptable. The reported data for Fluoride on all samples should be considered estimates. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
 1016 Greg Street
 Sparks, NV 89431
 Attn: Gene McClelland
 Phone: (775) 356-1300 Fax: (775) 356-8917
 PO\Project: 3438-01

Date Printed: 2/14/2012
 OrderID: 1202066

Customer Sample ID: Copper Flat WK:20

Collect Date/Time: 2/3/2012 09:00

WETLAB Sample ID: 1202066-001

Receive Date: 2/3/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		2/3/2012
Bicarbonate (HCO3)	SM 2320B	83	mg/L	1.0	2/3/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	2/3/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	2/3/2012
Total Alkalinity	SM 2320B	68	mg/L as CaCO3	1.0	2/3/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	2/4/2012
Fluoride	EPA 300.0	2.0	M mg/L	0.10	2/4/2012
Sulfate	EPA 300.0	49	mg/L	1.0	2/4/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	2/4/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	2/4/2012
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	2/6/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	2/9/2012
Barium	EPA 200.7	0.072	mg/L	0.010	2/9/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	2/9/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	2/9/2012
Calcium	EPA 200.7	32	mg/L	0.50	2/9/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	2/9/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	2/9/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	2/9/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	2/9/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Magnesium	EPA 200.7	6.2	mg/L	0.50	2/9/2012
Manganese	EPA 200.7	0.043	mg/L	0.0050	2/9/2012
Molybdenum	EPA 200.7	0.018	mg/L	0.010	2/9/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	2/9/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	2/9/2012
Potassium	EPA 200.7	2.8	mg/L	0.50	2/9/2012

Customer Sample ID: Copper Flat WK:20

Collect Date/Time: 2/3/2012 09:00

WETLAB Sample ID: 1202066-001

Receive Date: 2/3/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	2/9/2012
Sodium	EPA 200.7	0.72	mg/L	0.50	2/9/2012
Strontium	EPA 200.7	0.39	mg/L	0.10	2/9/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	2/9/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	2/9/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	2/9/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	2/9/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	2/9/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	2/10/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	2/9/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	2/10/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	2/9/2012
Uranium	EPA 200.8	0.017	mg/L	0.010	2/9/2012
Anions	Calculation	2.49	meq/L	0.10	
Cations	Calculation	2.21	meq/L	0.10	
Error	Calculation	5.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12020142	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12020142	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12020142	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12020150	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12020150	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12020150	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12020154	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12020154	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12020154	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12020159	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12020159	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12020159	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12020163	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12020163	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12020163	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12020239	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12020239	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12020287	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12020305	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units			
		Zinc	EPA 200.7	<0.010	mg/L			
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units	
QC12020130	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units	
QC12020130	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units	
QC12020132	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L	
QC12020132	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L	
QC12020142	LCS 1	Fluoride	EPA 300.0	1.89	2.00	94	mg/L	
QC12020150	LCS 1	Chloride	EPA 300.0	10.0	10.0	100	mg/L	
QC12020154	LCS 1	Nitrite Nitrogen	EPA 300.0	0.472	0.500	94	mg/L	
QC12020154	LCS 2	Nitrite Nitrogen	EPA 300.0		0.500		mg/L	
QC12020159	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L	
QC12020163	LCS 1	Sulfate	EPA 300.0	22.8	25.0	91	mg/L	
QC12020239	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	144	150	96	mg/L	
QC12020239	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	136	150	91	mg/L	
QC12020287	LCS 1	Mercury	EPA 200.8	0.000861	0.001	86	mg/L	
		Antimony	EPA 200.8	0.0089	0.010	89	mg/L	
		Arsenic	EPA 200.8	0.0471	0.050	94	mg/L	
		Lead	EPA 200.8	0.0090	0.010	90	mg/L	
		Selenium	EPA 200.8	0.0437	0.050	87	mg/L	
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L	
		Uranium	EPA 200.8	<0.0100	0.010	90	mg/L	
QC12020305	LCS 1	Aluminum	EPA 200.7	0.953	1.00	95	mg/L	
		Barium	EPA 200.7	0.933	1.00	93	mg/L	
		Beryllium	EPA 200.7	0.943	1.00	94	mg/L	
		Bismuth	EPA 200.7	0.906	1.00	91	mg/L	
		Boron	EPA 200.7	0.904	1.00	90	mg/L	
		Cadmium	EPA 200.7	0.924	1.00	92	mg/L	
		Calcium	EPA 200.7	9.43	10.0	94	mg/L	
		Chromium	EPA 200.7	0.927	1.00	93	mg/L	
		Cobalt	EPA 200.7	0.934	1.00	93	mg/L	
		Copper	EPA 200.7	4.59	5.00	92	mg/L	
		Gallium	EPA 200.7	0.980	1.00	98	mg/L	
		Iron	EPA 200.7	0.947	1.00	95	mg/L	
		Lithium	EPA 200.7	0.937	1.00	94	mg/L	
		Magnesium	EPA 200.7	9.21	10.0	92	mg/L	
		Manganese	EPA 200.7	0.932	1.00	93	mg/L	
		Molybdenum	EPA 200.7	0.918	1.00	92	mg/L	
		Nickel	EPA 200.7	4.64	5.00	93	mg/L	
		Phosphorus	EPA 200.7	4.62	5.00	92	mg/L	
		Potassium	EPA 200.7	10.2	10.0	102	mg/L	
		Scandium	EPA 200.7	0.944	1.00	94	mg/L	
		Silver	EPA 200.7	0.082	0.090	92	mg/L	
		Sodium	EPA 200.7	10.1	10.0	101	mg/L	
		Strontium	EPA 200.7	0.958	1.00	96	mg/L	
		Tin	EPA 200.7	0.902	1.00	90	mg/L	
		Titanium	EPA 200.7	0.924	1.00	92	mg/L	
		Vanadium	EPA 200.7	0.923	1.00	92	mg/L	
		Zinc	EPA 200.7	0.932	1.00	93	mg/L	
QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12020130	Duplicate	pH	SM 4500-H+ B	1202057-001	7.78	7.81	pH Units	<1%
QC12020130	Duplicate	pH	SM 4500-H+ B	1202063-001	8.14	8.15	pH Units	<1%
QC12020130	Duplicate	pH	SM 4500-H+ B	1202065-002	8.36	8.42	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12020130	Duplicate	pH	SM 4500-H+ B	1202069-001	6.62	6.70	pH Units	1 %
QC12020130	Duplicate	pH	SM 4500-H+ B	1202069-011	6.25	6.25	pH Units	<1%
QC12020132	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202057-001	176	176	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1202057-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202057-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202057-001	144	144	mg/L as CaCO3	<1%
QC12020132	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202063-001	151	150	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1202063-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202063-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202063-001	124	123	mg/L as CaCO3	1 %
QC12020132	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202065-002	121	119	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1202065-002	2.53	3.92	mg/L	43 %
		Hydroxide (OH)	SM 2320B	1202065-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202065-002	104	104	mg/L as CaCO3	1 %
QC12020132	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202069-001	7.80	8.05	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1202069-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202069-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202069-001	6.40	6.60	mg/L as CaCO3	3 %
QC12020132	Duplicate	Bicarbonate (HCO3)	SM 2320B	1202069-011	2.39	2.18	mg/L	9 %
		Carbonate (CO3)	SM 2320B	1202069-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1202069-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1202069-011	1.96	1.79	mg/L as CaCO3	9 %
QC12020239	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202041-001	38.0	33.0	mg/L	14 %
QC12020239	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202041-011	<10.0	15.0	mg/L	40 %
QC12020239	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202062-005	425	426	mg/L	<1%
QC12020239	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1202065-007	397	406	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12020142	MS 1	Fluoride	EPA 300.0	1201217-072	<0.100	1.89	1.90	2.00	mg/L	93	93	1 %
QC12020142	MS 2	Fluoride	EPA 300.0	1202066-001	1.95	M 3.50	4.15	2.00	mg/L	NC	NC	NC
QC12020150	MS 1	Chloride	EPA 300.0	1201217-072	2.65	7.87	7.81	5.00	mg/L	104	103	1 %
QC12020150	MS 2	Chloride	EPA 300.0	1202066-001	<1.000	5.37	5.38	5.00	mg/L	106	106	<1%
QC12020154	MS 1	Nitrite Nitrogen	EPA 300.0	1202042-008	<0.025	0.537	0.552	0.500	mg/L	106	109	3 %
QC12020154	MS 2	Nitrite Nitrogen	EPA 300.0	1202066-001	<0.025	0.542	0.539	0.500	mg/L	107	107	1 %
QC12020159	MS 1	Nitrate Nitrogen	EPA 300.0	1202063-002	<1.000	20.7	20.7	2.00	mg/L	102	102	<1%
QC12020159	MS 2	Nitrate Nitrogen	EPA 300.0	1202066-001	<1.000	2.21	2.13	2.00	mg/L	108	104	4 %
QC12020163	MS 1	Sulfate	EPA 300.0	1201217-072	111	SC 115	114	10.0	mg/L	NC	NC	NC
QC12020163	MS 2	Sulfate	EPA 300.0	1202066-001	48.6	56.6	56.7	10.0	mg/L	81	81	<1%
QC12020287	MS 1	Mercury	EPA 200.8	1202075-010	<0.00010	0.000788	0.000773	0.001	mg/L	79	77	2 %
		Antimony	EPA 200.8	1202075-010	<0.0025	0.0093	0.0092	0.010	mg/L	92	92	1 %
		Arsenic	EPA 200.8	1202075-010	0.0059	0.0586	0.0577	0.050	mg/L	105	104	2 %
		Lead	EPA 200.8	1202075-010	<0.0025	0.0085	0.0085	0.010	mg/L	84	83	<1%
		Selenium	EPA 200.8	1202075-010	<0.0050	0.0480	0.0468	0.050	mg/L	92	90	3 %
		Thallium	EPA 200.8	1202075-010	<0.0010	0.0081	0.0081	0.010	mg/L	81	81	<1%
		Uranium	EPA 200.8	1202075-010	0.0153	0.0250	0.0244	0.010	mg/L	97	91	2 %
QC12020305	MS 1	Aluminum	EPA 200.7	1202075-010	0.047	1.08	1.09	1.00	mg/L	103	104	1 %
		Barium	EPA 200.7	1202075-010	0.038	0.950	0.985	1.00	mg/L	91	95	4 %
		Beryllium	EPA 200.7	1202075-010	<0.001	0.932	0.937	1.00	mg/L	93	94	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Bismuth	EPA 200.7	1202075-010	<0.100	0.928	0.921	1.00	mg/L	93	92	1 %
		Boron	EPA 200.7	1202075-010	0.559	1.52	1.53	1.00	mg/L	96	97	1 %
		Cadmium	EPA 200.7	1202075-010	<0.001	0.895	0.931	1.00	mg/L	90	93	4 %
		Calcium	EPA 200.7	1202075-010	118	SC 131	133	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1202075-010	<0.005	0.911	0.953	1.00	mg/L	91	95	5 %
		Cobalt	EPA 200.7	1202075-010	<0.010	0.932	0.897	1.00	mg/L	93	90	4 %
		Copper	EPA 200.7	1202075-010	<0.050	4.51	4.54	5.00	mg/L	90	91	1 %
		Gallium	EPA 200.7	1202075-010	<0.100	1.04	1.04	1.00	mg/L	104	104	<1%
		Iron	EPA 200.7	1202075-010	0.023	0.932	0.929	1.00	mg/L	91	91	<1%
		Lithium	EPA 200.7	1202075-010	<0.100	1.30	1.30	1.00	mg/L	127	127	<1%
		Magnesium	EPA 200.7	1202075-010	29.3	38.3	38.4	10.0	mg/L	90	91	<1%
		Manganese	EPA 200.7	1202075-010	<0.005	0.874	0.872	1.00	mg/L	90	90	<1%
		Molybdenum	EPA 200.7	1202075-010	<0.010	0.919	0.900	1.00	mg/L	91	90	2 %
		Nickel	EPA 200.7	1202075-010	<0.010	4.28	4.27	5.00	mg/L	86	85	<1%
		Phosphorus	EPA 200.7	1202075-010	<0.500	4.96	4.85	5.00	mg/L	98	96	2 %
		Potassium	EPA 200.7	1202075-010	6.89	M 22.1	22.2	10.0	mg/L	NC	NC	NC
		Scandium	EPA 200.7	1202075-010	<0.100	0.936	0.942	1.00	mg/L	94	94	1 %
		Silver	EPA 200.7	1202075-010	<0.005	0.086	0.084	0.090	mg/L	95	91	2 %
		Sodium	EPA 200.7	1202075-010	114	SC 130	136	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1202075-010	0.885	1.80	1.82	1.00	mg/L	92	94	1 %
		Tin	EPA 200.7	1202075-010	<0.100	0.870	0.864	1.00	mg/L	91	90	1 %
		Titanium	EPA 200.7	1202075-010	<0.100	0.912	0.927	1.00	mg/L	91	93	2 %
		Vanadium	EPA 200.7	1202075-010	0.038	0.948	0.951	1.00	mg/L	91	91	<1%
		Zinc	EPA 200.7	1202075-010	0.012	0.914	0.884	1.00	mg/L	90	87	3 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1202066

Report Due Date: 02/17/2012

Page 1 of 1

Client McClelland Laboratories, Inc.
 Address 1016 Greg Street
 City, State & Zip Sparks, NV 89431
 Contact Gene McClelland
 Phone 775-356-1300 Collector's Name Robert
 Fax 775-356-8917 Project Name _____
 P.O. Number _____ Project Number 3438-01

Turnaround Time
 Standard _____ 5-Day _____ Other _____
 Billing Address (if different than Client Address):
 Company SAME
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Email mli@mettest.com
 Additional Information
 Fax Results Y N To: Client Billing
 Email Results Y N To: Client Billing
 Compliance Monitoring Y N
 Fax Results to State EPA Y N
 Sample Type Codes
 DW = Drinking Water SD = Solid
 WW = Wastewater SO = Soil
 SW = Surface Water HW = Hazardous Waste
 MW = Monitoring Well OTHER: _____

SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested										Spl. No.		
		Profile II w/o WAD	Uranium											
Copper Flat	2	X	X											1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>19</u> °C	<u>02/03</u>	<u>1540</u>	<u>A. McKenna</u>	<u>[Signature]</u>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>2</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



1/19/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1201095

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 1/6/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1201095

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 1/19/2012

OrderID: 1201095

Customer Sample ID: Copper Flat

Collect Date/Time: 1/6/2012 09:00

WETLAB Sample ID: 1201095-001

Receive Date: 1/6/2012 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		1/6/2012
Bicarbonate (HCO ₃)	SM 2320B	82	mg/L	1.0	1/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/6/2012
Total Alkalinity	SM 2320B	67	mg/L as CaCO ₃	1.0	1/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/7/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	1/7/2012
Sulfate	EPA 300.0	55	mg/L	1.0	1/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/7/2012
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	1/10/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/11/2012
Barium	EPA 200.7	0.070	mg/L	0.010	1/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/11/2012
Calcium	EPA 200.7	40	mg/L	0.50	1/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	1/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	1/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Magnesium	EPA 200.7	7.2	mg/L	0.50	1/11/2012
Manganese	EPA 200.7	0.052	mg/L	0.0050	1/11/2012
Molybdenum	EPA 200.7	0.019	mg/L	0.010	1/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/11/2012
Potassium	EPA 200.7	4.2	mg/L	0.50	1/11/2012

Customer Sample ID: Copper Flat
WETLAB Sample ID: 1201095-001

Collect Date/Time: 1/6/2012 09:00

Receive Date: 1/6/2012 15:35

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/11/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	1/11/2012
Strontium	EPA 200.7	0.46	mg/L	0.10	1/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/10/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/10/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/10/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/10/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/10/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/10/2012
Uranium	EPA 200.8	0.020	mg/L	0.010	1/10/2012
Anions	Calculation	2.58	meq/L	0.10	
Cations	Calculation	2.74	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12010189	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12010189	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12010189	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12010192	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12010192	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12010192	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12010194	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010194	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010194	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12010198	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010198	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010198	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12010202	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12010202	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12010202	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12010294	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC12010303	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12010345	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	10000	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12010175	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12010175	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12010178	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC12010178	LCS 2	Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12010189	LCS 1	Fluoride	EPA 300.0	1.86	2.00	93	mg/L
QC12010192	LCS 1	Chloride	EPA 300.0	10.4	10.0	104	mg/L
QC12010194	LCS 1	Nitrite Nitrogen	EPA 300.0	0.484	0.500	97	mg/L
QC12010198	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	102	mg/L
QC12010202	LCS 1	Sulfate	EPA 300.0	22.5	25.0	90	mg/L
QC12010294	LCS 1	Mercury	EPA 200.8	0.000906	0.001	91	mg/L
		Antimony	EPA 200.8	0.0096	0.010	96	mg/L
		Arsenic	EPA 200.8	0.0466	0.050	93	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0442	0.050	88	mg/L
		Thallium	EPA 200.8	0.0093	0.010	93	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	90	mg/L
QC12010303	LCS 1	Aluminum	EPA 200.7	0.922	1.00	92	mg/L
		Barium	EPA 200.7	0.963	1.00	96	mg/L
		Beryllium	EPA 200.7	0.975	1.00	98	mg/L
		Bismuth	EPA 200.7	0.999	1.00	100	mg/L
		Boron	EPA 200.7	0.945	1.00	94	mg/L
		Cadmium	EPA 200.7	0.995	1.00	100	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.945	1.00	94	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.65	5.00	93	mg/L
		Gallium	EPA 200.7	0.945	1.00	94	mg/L
		Iron	EPA 200.7	0.993	1.00	99	mg/L
		Lithium	EPA 200.7	0.971	1.00	97	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.957	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.963	1.00	96	mg/L
		Nickel	EPA 200.7	4.90	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.97	5.00	99	mg/L
		Potassium	EPA 200.7	9.94	10.0	99	mg/L
		Scandium	EPA 200.7	0.944	1.00	94	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	9.98	10.0	100	mg/L
		Strontium	EPA 200.7	0.985	1.00	98	mg/L
		Tin	EPA 200.7	0.959	1.00	96	mg/L
		Titanium	EPA 200.7	0.978	1.00	98	mg/L
		Vanadium	EPA 200.7	0.957	1.00	96	mg/L
		Zinc	EPA 200.7	1.03	1.00	103	mg/L
QC12010345	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	160	150	107	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12010175	Duplicate	pH	SM 4500-H+ B	1201083-001	7.69	7.74	pH Units	1 %
QC12010175	Duplicate	pH	SM 4500-H+ B	1201094-002	7.34	7.31	pH Units	<1%
QC12010175	Duplicate	pH	SM 4500-H+ B	1201098-001	4.90	4.90	pH Units	<1%
QC12010175	Duplicate	pH	SM 4500-H+ B	1201098-009	7.74	7.69	pH Units	1 %
QC12010178	Duplicate	Bicarbonate (HCO3)	SM 2320B	1201083-001	155	155	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1201083-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201083-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12010178	Duplicate	Total Alkalinity	SM 2320B	1201083-001	127	127	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1201094-002	28.1	26.1	mg/L	8 %
		Carbonate (CO3)	SM 2320B	1201094-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201094-002	<1.000	<1.000	mg/L	<1%
QC12010178	Duplicate	Total Alkalinity	SM 2320B	1201094-002	23.0	21.4	mg/L as CaCO3	8 %
		Bicarbonate (HCO3)	SM 2320B	1201098-001	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1201098-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201098-001	<1.000	<1.000	mg/L	<1%
QC12010178	Duplicate	Total Alkalinity	SM 2320B	1201098-001	<1.000	<1.000	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1201098-009	47.1	46.7	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1201098-009	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1201098-009	<1.000	<1.000	mg/L	<1%
QC12010345	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1201094-001	42.0	44.0	mg/L	5 %
		Total Dissolved Solids (TDS)	SM 2540C	1201101-001	709	713	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12010189	MS 1	Fluoride	EPA 300.0	1201063-008	0.207	2.04	2.03	2.00	mg/L	92	91	<1%
QC12010189	MS 2	Fluoride	EPA 300.0	1201094-001	<0.100	2.00	1.93	2.00	mg/L	96	92	4 %
QC12010192	MS 1	Chloride	EPA 300.0	1201063-008	1.49	6.75	6.69	5.00	mg/L	105	104	1 %
QC12010192	MS 2	Chloride	EPA 300.0	1201094-001	1.13	6.40	6.36	5.00	mg/L	105	105	1 %
QC12010194	MS 1	Nitrite Nitrogen	EPA 300.0	1201071-001	<0.025	0.511	0.523	0.500	mg/L	102	105	2 %
QC12010194	MS 2	Nitrite Nitrogen	EPA 300.0	1201094-001	<0.025	0.551	0.548	0.500	mg/L	107	107	1 %
QC12010198	MS 1	Nitrate Nitrogen	EPA 300.0	1201063-008	<1.000	2.15	2.13	2.00	mg/L	105	104	1 %
QC12010198	MS 2	Nitrate Nitrogen	EPA 300.0	1201094-001	<1.000	2.14	2.12	2.00	mg/L	105	104	1 %
QC12010202	MS 1	Sulfate	EPA 300.0	1201063-008	32.6	41.2	41.1	10.0	mg/L	86	84	<1%
QC12010202	MS 2	Sulfate	EPA 300.0	1201044-048	69.1	78.4	79.0	10.0	mg/L	93	99	1 %
QC12010294	MS 1	Mercury	EPA 200.8	1201101-001	<0.00050	M 0.000699	0.000579	0.001	mg/L	NC	NC	NC
		Antimony	EPA 200.8	1201101-001	0.0288	0.0380	0.0385	0.010	mg/L	92	97	1 %
		Arsenic	EPA 200.8	1201101-001	0.0583	0.1005	0.0966	0.050	mg/L	84	77	4 %
		Lead	EPA 200.8	1201101-001	<0.0025	0.0101	0.0101	0.010	mg/L	100	100	<1%
		Selenium	EPA 200.8	1201101-001	<0.0250	M <0.0250	<0.0250	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1201101-001	<0.0010	0.0102	0.0102	0.010	mg/L	98	97	<1%
		Uranium	EPA 200.8	1201101-001	<0.0100	<0.0100	<0.0100	0.010	mg/L	94	92	#Error
		Aluminum	EPA 200.7	1201101-001	0.325	1.22	1.20	1.00	mg/L	90	88	2 %
		Barium	EPA 200.7	1201101-001	0.054	1.01	1.00	1.00	mg/L	96	95	1 %
		Beryllium	EPA 200.7	1201101-001	0.003	1.01	1.00	1.00	mg/L	101	100	1 %
QC12010303	MS 1	Bismuth	EPA 200.7	1201101-001	<0.100	0.960	0.957	1.00	mg/L	97	96	<1%
		Boron	EPA 200.7	1201101-001	1.45	2.46	2.39	1.00	mg/L	101	94	3 %
		Cadmium	EPA 200.7	1201101-001	<0.001	0.977	0.976	1.00	mg/L	98	98	<1%
		Calcium	EPA 200.7	1201101-001	2.48	12.6	12.4	10.0	mg/L	101	99	2 %
		Chromium	EPA 200.7	1201101-001	<0.005	0.930	0.928	1.00	mg/L	93	93	<1%
		Cobalt	EPA 200.7	1201101-001	<0.010	0.975	0.975	1.00	mg/L	98	98	<1%
		Copper	EPA 200.7	1201101-001	<0.050	4.93	4.95	5.00	mg/L	99	99	<1%
		Gallium	EPA 200.7	1201101-001	<0.100	0.883	0.883	1.00	mg/L	87	87	<1%
		Iron	EPA 200.7	1201101-001	0.100	1.08	1.08	1.00	mg/L	98	98	<1%
		Lithium	EPA 200.7	1201101-001	3.31	4.34	4.27	1.00	mg/L	103	96	2 %
QC12010303	MS 1	Magnesium	EPA 200.7	1201101-001	<0.500	10.1	10.1	10.0	mg/L	100	100	<1%
		Manganese	EPA 200.7	1201101-001	<0.005	0.962	0.962	1.00	mg/L	96	96	<1%
		Molybdenum	EPA 200.7	1201101-001	0.031	0.996	0.990	1.00	mg/L	97	96	1 %
		Nickel	EPA 200.7	1201101-001	<0.010	4.81	4.80	5.00	mg/L	96	96	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Phosphorus	EPA 200.7	1201101-001	<0.500	5.07	5.03	5.00	mg/L	99	98	1 %
		Potassium	EPA 200.7	1201101-001	21.8	33.0	32.2	10.0	mg/L	112	104	2 %
		Scandium	EPA 200.7	1201101-001	<0.100	0.953	0.942	1.00	mg/L	95	94	1 %
		Silver	EPA 200.7	1201101-001	<0.005	0.086	0.085	0.090	mg/L	96	94	1 %
		Sodium	EPA 200.7	1201101-001	135	SC 149	145	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1201101-001	0.229	1.19	1.20	1.00	mg/L	96	97	1 %
		Tin	EPA 200.7	1201101-001	<0.100	0.961	0.954	1.00	mg/L	96	96	1 %
		Titanium	EPA 200.7	1201101-001	<0.100	0.978	0.980	1.00	mg/L	98	98	<1%
		Vanadium	EPA 200.7	1201101-001	<0.010	0.969	0.968	1.00	mg/L	97	97	<1%
		Zinc	EPA 200.7	1201101-001	<0.010	1.05	1.05	1.00	mg/L	105	105	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1201095

Report

Due Date: 1/20/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438-01

Email mli@mettest.com

Billing Address (if different than Client Address):

Company SAME

Address

City, State & Zip

Contact

Phone

Fax

Email

Fax Results Y N To: Client Billing
 Email Results Y N To: Client Billing
 Compliance Monitoring Y N
 Fax Results to State EPA Y N

DW = Drinking Water SD = Solid
 WW = Wastewater SO = Soil
 SW = Surface Water HW = Hazardous Waste
 MW = Monitoring Well OTHER:

Location	WK:	Date	Time	Type	Depth	Profile II W/ WAD	Uranium	Spl. No.
Copper Flat	WK:16	01/06/12	9:00AM	WW	2	X	X	1

Instructions/Comments/Special Requirements:

Temperature 19°C 1/6 15:35

Custody Seals Intact? Y N None

Number of Containers 2

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



12/23/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1112182

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/9/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Diggs
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1112182

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 12/23/2011

OrderID: 1112182

Customer Sample ID: Copper Flat WK:12

Collect Date/Time: 12/9/2011 09:00

WETLAB Sample ID: 1112182-001

Receive Date: 12/9/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		12/9/2011
Bicarbonate (HCO ₃)	SM 2320B	86	mg/L	1.0	12/9/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/9/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/9/2011
Total Alkalinity	SM 2320B	70	mg/L as CaCO ₃	1.0	12/9/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/10/2011
Fluoride	EPA 300.0	1.7	mg/L	0.10	12/10/2011
Sulfate	EPA 300.0	53	mg/L	1.0	12/10/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/10/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/10/2011
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	12/13/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/20/2011
Barium	EPA 200.7	0.068	mg/L	0.010	12/20/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/20/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/20/2011
Calcium	EPA 200.7	39	mg/L	0.50	12/20/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/20/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/20/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	12/20/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	12/20/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Magnesium	EPA 200.7	6.7	mg/L	0.50	12/20/2011
Manganese	EPA 200.7	0.048	mg/L	0.0050	12/20/2011
Molybdenum	EPA 200.7	0.016	mg/L	0.010	12/20/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/20/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/20/2011
Potassium	EPA 200.7	5.0	mg/L	0.50	12/20/2011

Customer Sample ID: Copper Flat WK:12

Collect Date/Time: 12/9/2011 09:00

WETLAB Sample ID: 1112182-001

Receive Date: 12/9/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	12/20/2011
Sodium	EPA 200.7	0.89	mg/L	0.50	12/20/2011
Strontium	EPA 200.7	0.45	mg/L	0.10	12/20/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/20/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/20/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/20/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/21/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/21/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/21/2011
Uranium	EPA 200.8	0.025	mg/L	0.010	12/21/2011
Anions	Calculation	2.60	meq/L	0.10	
Cations	Calculation	2.67	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11120358	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11120358	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11120361	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11120361	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11120363	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120363	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120363	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11120365	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120365	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120365	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11120367	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11120367	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11120367	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11120462	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11120462	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11120554	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L
QC11120629	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11120327	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11120327	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120327	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11120329	LCS 1	Alkalinity	SM 2320B	92.7	100	93	mg/L
QC11120329	LCS 2	Alkalinity	SM 2320B	93.0	100	93	mg/L
QC11120358	LCS 1	Fluoride	EPA 300.0	1.99	2.00	100	mg/L
QC11120361	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC11120363	LCS 1	Nitrite Nitrogen	EPA 300.0	0.458	0.500	92	mg/L
QC11120365	LCS 1	Nitrate Nitrogen	EPA 300.0	2.05	2.00	102	mg/L
QC11120367	LCS 1	Sulfate	EPA 300.0	22.9	25.0	92	mg/L
QC11120462	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC11120462	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	140	150	93	mg/L
QC11120554	LCS 1	Aluminum	EPA 200.7	0.940	1.00	94	mg/L
		Barium	EPA 200.7	0.933	1.00	93	mg/L
		Beryllium	EPA 200.7	0.940	1.00	94	mg/L
		Bismuth	EPA 200.7	0.953	1.00	95	mg/L
		Boron	EPA 200.7	0.909	1.00	91	mg/L
		Cadmium	EPA 200.7	0.942	1.00	94	mg/L
		Calcium	EPA 200.7	9.61	10.0	96	mg/L
		Chromium	EPA 200.7	0.918	1.00	92	mg/L
		Cobalt	EPA 200.7	0.931	1.00	93	mg/L
		Copper	EPA 200.7	4.50	5.00	90	mg/L
		Gallium	EPA 200.7	0.939	1.00	94	mg/L
		Iron	EPA 200.7	0.934	1.00	93	mg/L
		Lithium	EPA 200.7	0.924	1.00	92	mg/L
		Magnesium	EPA 200.7	9.22	10.0	92	mg/L
		Manganese	EPA 200.7	0.948	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.926	1.00	93	mg/L
		Nickel	EPA 200.7	4.68	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.69	5.00	94	mg/L
		Potassium	EPA 200.7	9.41	10.0	94	mg/L
		Scandium	EPA 200.7	0.923	1.00	92	mg/L
		Silver	EPA 200.7	0.082	0.090	91	mg/L
		Sodium	EPA 200.7	9.31	10.0	93	mg/L
		Strontium	EPA 200.7	0.928	1.00	93	mg/L
		Tin	EPA 200.7	0.917	1.00	92	mg/L
		Titanium	EPA 200.7	0.908	1.00	91	mg/L
		Vanadium	EPA 200.7	0.927	1.00	93	mg/L
		Zinc	EPA 200.7	0.952	1.00	95	mg/L
QC11120629	LCS 1	Mercury	EPA 200.8	0.000897	0.001	90	mg/L
		Antimony	EPA 200.8	0.0106	0.010	106	mg/L
		Arsenic	EPA 200.8	0.0554	0.050	111	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0551	0.050	110	mg/L
		Thallium	EPA 200.8	0.0092	0.010	92	mg/L
		Uranium	EPA 200.8	0.0093	0.010	93	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11120327	Duplicate	pH	SM 4500-H+ B	1112168-001	6.98	7.01	pH Units	<1%
QC11120327	Duplicate	pH	SM 4500-H+ B	1112173-001	7.86	7.82	pH Units	1 %
QC11120327	Duplicate	pH	SM 4500-H+ B	1112177-001	7.12	7.10	pH Units	<1%
QC11120327	Duplicate	pH	SM 4500-H+ B	1112180-006	7.14	7.06	pH Units	1 %
QC11120327	Duplicate	pH	SM 4500-H+ B	1112183-002	7.42	7.47	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11120329	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112168-001	55.7	55.9	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112168-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112168-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112168-001	45.6	45.8	mg/L as CaCO3	<1%
QC11120329	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112173-001	164	162	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1112173-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112173-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112173-001	134	133	mg/L as CaCO3	1 %
QC11120329	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112177-001	3.71	3.71	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1112177-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112177-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112177-001	3.04	3.06	mg/L as CaCO3	1 %
QC11120329	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112180-006	14.3	18.1	Q mg/L	23 %
		Carbonate (CO3)	SM 2320B	1112180-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112180-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112180-006	11.7	14.8	Q mg/L as CaCO3	23 %
QC11120329	Duplicate	Bicarbonate (HCO3)	SM 2320B	1112183-002	57.7	61.4	mg/L	6 %
		Carbonate (CO3)	SM 2320B	1112183-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1112183-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1112183-002	47.3	50.3	mg/L as CaCO3	6 %
QC11120462	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112180-001	647	649	mg/L	<1%
QC11120462	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112181-001	1043	1026	mg/L	2 %
QC11120462	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112190-001	764	748	mg/L	2 %
QC11120462	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1112200-002	361	386	Q mg/L	7 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11120358	MS 1	Fluoride	EPA 300.0	1112180-011	0.325	2.34	2.30	2.00	mg/L	101	99	2 %
QC11120361	MS 1	Chloride	EPA 300.0	1112180-011	<1.000	5.40	5.46	5.00	mg/L	106	107	1 %
QC11120363	MS 1	Nitrite Nitrogen	EPA 300.0	1112180-001	<0.050	0.971	0.975	0.500	mg/L	97	98	<1%
QC11120363	MS 2	Nitrite Nitrogen	EPA 300.0	1112180-011	<0.025	0.497	0.502	0.500	mg/L	99	100	1 %
QC11120365	MS 1	Nitrate Nitrogen	EPA 300.0	1112180-001	<1.000	4.37	4.39	2.00	mg/L	107	108	<1%
QC11120365	MS 2	Nitrate Nitrogen	EPA 300.0	1112180-011	<1.000	2.12	2.14	2.00	mg/L	104	105	1 %
QC11120367	MS 1	Sulfate	EPA 300.0	1112180-001	473	18.2	17.9	10.0	mg/L	94	91	2 %
QC11120367	MS 2	Sulfate	EPA 300.0	1112180-011	5.62	15.9	15.8	10.0	mg/L	102	102	1 %
QC11120554	MS 1	Aluminum, Dissolved	EPA 200.7	1112284-001	<0.045	0.972	0.974	1.00	mg/L	95	96	<1%
		Barium, Dissolved	EPA 200.7	1112284-001	0.013	0.971	0.982	1.00	mg/L	96	97	1 %
		Beryllium, Dissolved	EPA 200.7	1112284-001	<0.001	0.946	0.960	1.00	mg/L	95	96	1 %
		Bismuth, Dissolved	EPA 200.7	1112284-001	<0.100	0.965	0.976	1.00	mg/L	96	97	1 %
		Boron, Dissolved	EPA 200.7	1112284-001	<0.100	0.961	0.978	1.00	mg/L	93	95	2 %
		Cadmium, Dissolved	EPA 200.7	1112284-001	<0.001	0.948	0.960	1.00	mg/L	95	96	1 %
		Calcium, Dissolved	EPA 200.7	1112284-001	11.0	20.3	20.4	10.0	mg/L	93	94	<1%
		Chromium, Dissolved	EPA 200.7	1112284-001	<0.005	0.953	0.961	1.00	mg/L	95	96	1 %
		Cobalt, Dissolved	EPA 200.7	1112284-001	<0.010	0.962	0.975	1.00	mg/L	96	97	1 %
		Copper, Dissolved	EPA 200.7	1112284-001	<0.050	4.83	4.87	5.00	mg/L	97	97	1 %
		Gallium, Dissolved	EPA 200.7	1112284-001	<0.100	0.953	0.964	1.00	mg/L	95	96	1 %
		Iron, Dissolved	EPA 200.7	1112284-001	0.022	0.989	1.00	1.00	mg/L	97	98	1 %
		Lithium, Dissolved	EPA 200.7	1112284-001	<0.100	0.962	0.967	1.00	mg/L	96	96	1 %
		Magnesium, Dissolved	EPA 200.7	1112284-001	1.82	11.0	11.2	10.0	mg/L	92	94	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11120629	MS 1	Manganese, Dissolved	EPA 200.7	1112284-001	<0.005	0.939	0.950	1.00	mg/L	94	95	1 %
		Molybdenum, Dissolved	EPA 200.7	1112284-001	<0.010	0.943	0.948	1.00	mg/L	94	95	1 %
		Nickel, Dissolved	EPA 200.7	1112284-001	<0.010	4.78	4.84	5.00	mg/L	96	97	1 %
		Phosphorus, Dissolved	EPA 200.7	1112284-001	<0.500	4.87	4.91	5.00	mg/L	95	96	1 %
		Potassium, Dissolved	EPA 200.7	1112284-001	<2.500	10.5	10.5	10.0	mg/L	103	103	<1%
		Scandium, Dissolved	EPA 200.7	1112284-001	<0.100	0.957	0.966	1.00	mg/L	96	97	1 %
		Silver, Dissolved	EPA 200.7	1112284-001	<0.005	0.085	0.086	0.090	mg/L	96	97	1 %
		Sodium, Dissolved	EPA 200.7	1112284-001	8.25	17.8	17.8	10.0	mg/L	96	96	<1%
		Strontium, Dissolved	EPA 200.7	1112284-001	<0.100	1.05	1.06	1.00	mg/L	97	98	1 %
		Tin, Dissolved	EPA 200.7	1112284-001	<0.100	0.885	0.890	1.00	mg/L	91	91	1 %
		Titanium, Dissolved	EPA 200.7	1112284-001	<0.100	0.967	0.972	1.00	mg/L	97	97	1 %
		Vanadium, Dissolved	EPA 200.7	1112284-001	<0.010	0.958	0.969	1.00	mg/L	96	97	1 %
		Zinc, Dissolved	EPA 200.7	1112284-001	<0.010	0.967	0.980	1.00	mg/L	96	98	1 %
		Uranium, Dissolved	EPA 200.8	1112284-001	<0.0100	0.0108	0.0110	0.010	mg/L	108	110	2 %
		Mercury, Dissolved	EPA 200.8	1112284-001	<0.00010	0.001057	0.001100	0.001	mg/L	106	110	4 %
		Antimony, Dissolved	EPA 200.8	1112284-001	<0.0025	0.0103	0.0104	0.010	mg/L	103	104	1 %
		Arsenic, Dissolved	EPA 200.8	1112284-001	<0.0050	0.0519	0.0508	0.050	mg/L	104	102	2 %
		Lead, Dissolved	EPA 200.8	1112284-001	<0.0025	0.0110	0.0112	0.010	mg/L	110	112	2 %
		Selenium, Dissolved	EPA 200.8	1112284-001	<0.0050	0.0494	0.0490	0.050	mg/L	99	98	1 %
		Thallium, Dissolved	EPA 200.8	1112284-001	<0.0010	0.0107	0.0109	0.010	mg/L	107	109	2 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #118 | Sparks, Nevada 89431
tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number

1112182

Report

Due Date:

12/23/11

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438-01.

Email mli@mettest.com

Turnaround Time

Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company SAME

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

S
A
M
P
L
E
T
Y
P
E

N
O
O
F
C
O
N
T
A
I
N
E
R
S

Analyses Requested

Profile II WTD WAD
Uranium

Spl. No.

SAMPLE ID/LOCATION

DATE

TIME

WW

2

X

X

Copper Flat

WK:12

12/09/11

9:00AM

WW

2

X

X

1

1112
182

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT

DATE

TIME

Samples Relinquished By

Samples Received By

Temperature

21 °C

12-9-11

15:15

Custody Seals Intact? Y N None

Number of Containers 2

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



COPY

07154 Exhibit 19

EBID



12/6/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1111214

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/11/2011. Additional comments are located on page 2 of this report.

This is an amended report. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Diggs
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1111214

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438-01

Date Printed: 12/6/2011
OrderID: 1111214

Customer Sample ID: Copper Flat WK:8

Collect Date/Time: 11/11/2011 09:00

WETLAB Sample ID: 1111214-001

Receive Date: 11/11/2011 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.92	pH Units		11/11/2011
Bicarbonate (HCO ₃)	SM 2320B	77	mg/L	1.0	11/11/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/11/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/11/2011
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	11/11/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/12/2011
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/12/2011
Sulfate	EPA 300.0	76	mg/L	1.0	11/12/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/12/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/12/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	11/14/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/22/2011
Barium	EPA 200.7	0.050	mg/L	0.010	11/22/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/22/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/22/2011
Calcium	EPA 200.7	42	mg/L	0.50	11/22/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/22/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/22/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	11/22/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	11/22/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Magnesium	EPA 200.7	6.8	mg/L	0.50	11/22/2011
Manganese	EPA 200.7	0.047	mg/L	0.0050	11/22/2011
Molybdenum	EPA 200.7	0.019	mg/L	0.010	11/22/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/22/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/22/2011
Potassium	EPA 200.7	6.8	mg/L	0.50	11/22/2011

Customer Sample ID: Copper Flat WK:8

Collect Date/Time: 11/11/2011 09:00

WETLAB Sample ID: 1111214-001

Receive Date: 11/11/2011 14:50

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/22/2011
Sodium	EPA 200.7	1.3	mg/L	0.50	11/22/2011
Strontium	EPA 200.7	0.60	mg/L	0.10	11/22/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/22/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/22/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/22/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/28/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/28/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/28/2011
Uranium	EPA 200.8	0.032	mg/L	0.010	11/28/2011
Anions	Calculation	2.93	meq/L	0.10	
Cations	Calculation	2.89	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11110407	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11110407	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11110407	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11110413	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11110413	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11110413	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11110415	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110415	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110415	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11110420	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110420	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110420	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11110424	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11110424	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11110532	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110532	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110532	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110532	Blank 4	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11110725	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.0050	mg/L
QC11110776	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units		
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L		
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L		
QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11110399	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11110399	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11110399	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11110399	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11110399	LCS 5	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11110402	LCS 1	Alkalinity	SM 2320B	93.0	100	93	mg/L
QC11110402	LCS 2	Alkalinity	SM 2320B	93.6	100	94	mg/L
QC11110402	LCS 3	Alkalinity	SM 2320B	93.4	100	93	mg/L
QC11110402	LCS 4	Alkalinity	SM 2320B	93.8	100	94	mg/L
QC11110402	LCS 5	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC11110407	LCS 1	Fluoride	EPA 300.0	2.19	2.00	110	mg/L
QC11110413	LCS 1	Chloride	EPA 300.0	9.77	10.0	98	mg/L
QC11110415	LCS 1	Nitrite Nitrogen	EPA 300.0	0.509	0.500	102	mg/L
QC11110420	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC11110424	LCS 1	Sulfate	EPA 300.0	26.0	25.0	104	mg/L
QC11110532	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	139	150	92	mg/L
QC11110532	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC11110532	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	155	150	103	mg/L
QC11110532	LCS 4	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC11110725	LCS 1	Aluminum	EPA 200.7	1.02	1.00	102	mg/L
		Barium	EPA 200.7	0.959	1.00	96	mg/L
		Beryllium	EPA 200.7	0.949	1.00	95	mg/L
		Bismuth	EPA 200.7	0.972	1.00	97	mg/L
		Boron	EPA 200.7	0.916	1.00	92	mg/L
		Cadmium	EPA 200.7	0.933	1.00	93	mg/L
		Calcium	EPA 200.7	9.21	10.0	92	mg/L
		Chromium	EPA 200.7	0.943	1.00	94	mg/L
		Cobalt	EPA 200.7	0.937	1.00	94	mg/L
		Copper	EPA 200.7	4.76	5.00	95	mg/L
		Gallium	EPA 200.7	0.975	1.00	98	mg/L
		Iron	EPA 200.7	0.937	1.00	94	mg/L
		Lithium	EPA 200.7	0.923	1.00	92	mg/L
		Magnesium	EPA 200.7	9.03	10.0	90	mg/L
		Manganese	EPA 200.7	0.943	1.00	94	mg/L
		Molybdenum	EPA 200.7	0.911	1.00	91	mg/L
		Nickel	EPA 200.7	4.70	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.57	5.00	91	mg/L
		Potassium	EPA 200.7	9.38	10.0	94	mg/L
		Scandium	EPA 200.7	0.973	1.00	97	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.868	1.00	87	mg/L
		Titanium	EPA 200.7	0.930	1.00	93	mg/L
		Vanadium	EPA 200.7	0.954	1.00	95	mg/L
		Zinc	EPA 200.7	0.921	1.00	92	mg/L
QC11110776	LCS 1	Mercury	EPA 200.8	0.001116	0.001	112	mg/L
		Antimony	EPA 200.8	0.0112	0.010	112	mg/L
		Arsenic	EPA 200.8	0.0531	0.050	106	mg/L
		Lead	EPA 200.8	0.0112	0.010	112	mg/L
		Selenium	EPA 200.8	0.0538	0.050	108	mg/L
		Thallium	EPA 200.8	0.0110	0.010	110	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units	
		Uranium	EPA 200.8	0.0112	0.010	112	mg/L	
QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11110399	Duplicate	pH	SM 4500-H+ B	1111200-001	6.90	6.93	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111201-002	8.04	8.05	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111202-002	8.48	8.51	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111206-003	7.39	7.37	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111206-013	7.35	7.37	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111215-003	7.74	7.79	pH Units	1 %
QC11110399	Duplicate	pH	SM 4500-H+ B	1111220-003	7.63	7.56	pH Units	1 %
QC11110399	Duplicate	pH	SM 4500-H+ B	1111211-004	8.05	7.96	pH Units	1 %
QC11110399	Duplicate	pH	SM 4500-H+ B	1111211-014	8.34	8.33	pH Units	<1%
QC11110399	Duplicate	pH	SM 4500-H+ B	1111211-024	7.86	7.81	pH Units	1 %
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111200-001	143	144	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111200-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111200-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111200-001	117	118	mg/L as CaCO3	<1%
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111201-002	116	114	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1111201-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111201-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111201-002	95.0	93.6	mg/L as CaCO3	1 %
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111202-002	251	250	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111202-002	9.05	10.0	mg/L	10 %
		Hydroxide (OH)	SM 2320B	1111202-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111202-002	221	222	mg/L as CaCO3	<1%
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111206-003	95.5	93.8	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1111206-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111206-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111206-003	78.3	77.0	mg/L as CaCO3	2 %
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111206-013	147	148	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111206-013	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111206-013	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111206-013	121	121	mg/L as CaCO3	<1%
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111215-003	37.1	35.5	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1111215-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111215-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111215-003	30.4	29.1	mg/L as CaCO3	4 %
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111220-003	354	353	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111220-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111220-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1111220-003	290	289	mg/L as CaCO3	<1%
QC11110402	Duplicate	Bicarbonate (HCO3)	SM 2320B	1111211-004	311	312	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1111211-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111211-004	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11110402	Duplicate	Total Alkalinity	SM 2320B	1111211-004	255	256	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1111211-014	291	293	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1111211-014	2.95	2.49	mg/L	17 %
		Hydroxide (OH)	SM 2320B	1111211-014	<1.000	<1.000	mg/L	<1%
QC11110402	Duplicate	Total Alkalinity	SM 2320B	1111211-014	243	244	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1111211-024	196	202	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1111211-024	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1111211-024	<1.000	<1.000	mg/L	<1%
QC11110532	Duplicate	Total Alkalinity	SM 2320B	1111211-024	161	165	mg/L as CaCO3	3 %
		Total Dissolved Solids (TDS)	SM 2540C	1111200-001	150	160	mg/L	6 %
		Total Dissolved Solids (TDS)	SM 2540C	1111201-002	247	253	mg/L	2 %
		Total Dissolved Solids (TDS)	SM 2540C	1111202-001	1616	1584	mg/L	2 %
QC11110532	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111206-008	238	249	mg/L	5 %
QC11110532	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111208-001	187	179	mg/L	4 %
QC11110532	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111215-004	121	100	Q mg/L	19 %
QC11110532	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111219-003	1428	1412	mg/L	1 %
QC11110532	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1111167-006			Q,HT mg/L	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11110407	MS 1	Fluoride	EPA 300.0	1111215-001	0.102	2.33	2.34	2.00	mg/L	111	112	<1%
QC11110407	MS 2	Fluoride	EPA 300.0	1111215-011	0.134	2.39	2.38	2.00	mg/L	113	112	<1%
QC11110413	MS 1	Chloride	EPA 300.0	1111215-001	<1.000	5.25	5.28	5.00	mg/L	100	100	1 %
QC11110413	MS 2	Chloride	EPA 300.0	1111215-011	<1.000	5.20	5.18	5.00	mg/L	100	100	<1%
QC11110415	MS 1	Nitrite Nitrogen	EPA 300.0	1111195-003	<0.025	0.531	0.540	0.500	mg/L	106	108	2 %
QC11110415	MS 2	Nitrite Nitrogen	EPA 300.0	1111208-001	<0.025	0.591	0.591	0.500	mg/L	118	118	<1%
QC11110420	MS 1	Nitrate Nitrogen	EPA 300.0	1111195-003	<1.000	2.05	2.10	2.00	mg/L	102	104	2 %
QC11110420	MS 2	Nitrate Nitrogen	EPA 300.0	1111208-001	1.54	3.60	3.63	2.00	mg/L	103	104	1 %
QC11110424	MS 1	Sulfate	EPA 300.0	1111215-011	2.15	12.0	12.0	10.0	mg/L	99	98	<1%
QC11110725	MS 1	Aluminum, Dissolved	EPA 200.7	1111219-001	70.8	SC 71.4	67.6	1.00	mg/L	NC	NC	NC
		Barium, Dissolved	EPA 200.7	1111219-001	0.024	0.754	0.752	1.00	mg/L	73	73	<1%
		Beryllium, Dissolved	EPA 200.7	1111219-001	0.017	0.752	0.749	1.00	mg/L	74	73	<1%
		Bismuth, Dissolved	EPA 200.7	1111219-001	<0.100	0.798	0.795	1.00	mg/L	74	74	<1%
		Boron, Dissolved	EPA 200.7	1111219-001	0.148	M 0.842	0.828	1.00	mg/L	NC	NC	NC
		Cadmium, Dissolved	EPA 200.7	1111219-001	0.226	0.934	0.918	1.00	mg/L	71	69	2 %
		Calcium, Dissolved	EPA 200.7	1111219-001	193	SC 194	187	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1111219-001	0.114	0.833	0.824	1.00	mg/L	72	71	1 %
		Cobalt, Dissolved	EPA 200.7	1111219-001	0.072	0.775	0.763	1.00	mg/L	70	69	2 %
		Copper, Dissolved	EPA 200.7	1111219-001	0.478	4.57	4.53	5.00	mg/L	82	81	1 %
		Gallium, Dissolved	EPA 200.7	1111219-001	<0.100	M 0.764	0.759	1.00	mg/L	NC	NC	NC
		Iron, Dissolved	EPA 200.7	1111219-001	532	SC 513	524	1.00	mg/L	NC	NC	NC
		Lithium, Dissolved	EPA 200.7	1111219-001	<0.100	0.919	0.915	1.00	mg/L	84	83	<1%
		Magnesium, Dissolved	EPA 200.7	1111219-001	66.8	SC 71.1	67.8	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1111219-001	1.03	1.75	1.69	1.00	mg/L	72	66	3 %
		Molybdenum, Dissolved	EPA 200.7	1111219-001	0.269	1.03	1.00	1.00	mg/L	76	73	3 %
		Nickel, Dissolved	EPA 200.7	1111219-001	0.686	4.25	4.20	5.00	mg/L	71	70	1 %
		Phosphorus, Dissolved	EPA 200.7	1111219-001	1.10	4.75	4.64	5.00	mg/L	73	71	2 %
		Potassium, Dissolved	EPA 200.7	1111219-001	14.9	22.9	22.0	10.0	mg/L	80	71	4 %
		Scandium, Dissolved	EPA 200.7	1111219-001	<0.100	0.761	0.760	1.00	mg/L	76	76	<1%
Silver, Dissolved	EPA 200.7	1111219-001	<0.005	0.065	0.063	0.090	mg/L	77	76	3 %		
Sodium, Dissolved	EPA 200.7	1111219-001	44.9	52.4	50.5	10.0	mg/L	75	56	4 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11110778	MS 1	Strontium, Dissolved	EPA 200.7	1111219-001	0.607	1.42	1.41	1.00	mg/L	81	80	1 %
		Tin, Dissolved	EPA 200.7	1111219-001	<0.100	0.630	0.600	1.00	mg/L	73	70	5 %
		Titanium, Dissolved	EPA 200.7	1111219-001	<0.100	0.812	0.802	1.00	mg/L	81	80	1 %
		Vanadium, Dissolved	EPA 200.7	1111219-001	6.86	7.61	7.21	1.00	mg/L	75	35	5 %
		Zinc, Dissolved	EPA 200.7	1111219-001	12.3	SC 12.8	12.1	1.00	mg/L	NC	NC	NC
		Uranium, Dissolved	EPA 200.8	1111219-001	0.8626	SC 0.8180	0.8398	0.010	mg/L	NC	NC	NC
		Mercury, Dissolved	EPA 200.8	1111219-001	<0.00010	0.001118	0.001138	0.001	mg/L	112	113	2 %
		Antimony, Dissolved	EPA 200.8	1111219-001	0.0161	0.0261	0.0266	0.010	mg/L	100	104	2 %
		Arsenic, Dissolved	EPA 200.8	1111219-001	0.2851	0.3215	0.3241	0.050	mg/L	73	78	1 %
		Lead, Dissolved	EPA 200.8	1111219-001	0.0308	0.0412	0.0421	0.010	mg/L	104	113	2 %
		Selenium, Dissolved	EPA 200.8	1111219-001	0.0348	0.0903	0.0902	0.050	mg/L	111	111	<1%
		Thallium, Dissolved	EPA 200.8	1111219-001	0.0915	0.1015	0.1016	0.010	mg/L	100	102	<1%



12/9/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1110250

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/14/2011. Additional comments are located on page 2 of this report.

This is an amended report that includes the result for Uranium. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1110250

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 12/9/2011

OrderID: 1110250

Customer Sample ID: Copper Flat WK:4

Collect Date/Time: 10/14/2011 09:00

WETLAB Sample ID: 1110250-001

Receive Date: 10/14/2011 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.55	pH Units		10/14/2011
Bicarbonate (HCO ₃)	SM 2320B	69	mg/L	1.0	10/14/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/14/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/14/2011
Total Alkalinity	SM 2320B	57	mg/L as CaCO ₃	1.0	10/14/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/15/2011
Fluoride	EPA 300.0	1.5	mg/L	0.10	10/15/2011
Sulfate	EPA 300.0	110	mg/L	1.0	10/15/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/15/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/15/2011
Total Dissolved Solids (TDS)	SM 2540C	230	mg/L	10	10/17/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/21/2011
Barium	EPA 200.7	0.072	mg/L	0.010	10/21/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/21/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/21/2011
Calcium	EPA 200.7	53	mg/L	0.50	10/21/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/21/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/21/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/21/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/21/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Magnesium	EPA 200.7	7.3	mg/L	0.50	10/21/2011
Manganese	EPA 200.7	0.043	mg/L	0.0050	10/21/2011
Molybdenum	EPA 200.7	0.018	mg/L	0.010	10/21/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/21/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/21/2011
Potassium	EPA 200.7	13	mg/L	0.50	10/21/2011

Customer Sample ID: Copper Flat WK:4

Collect Date/Time: 10/14/2011 09:00

WETLAB Sample ID: 1110250-001

Receive Date: 10/14/2011 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/21/2011
Sodium	EPA 200.7	1.8	mg/L	0.50	10/21/2011
Strontium	EPA 200.7	0.67	mg/L	0.10	10/21/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/21/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/21/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/21/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/21/2011
Antimony	EPA 200.8	<0.0010	mg/L	0.0010	10/21/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/21/2011
Lead	EPA 200.8	<0.0010	mg/L	0.0010	10/21/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/21/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/21/2011
Uranium	EPA 200.8	0.028	mg/L	0.010	10/21/2011
Anions	Calculation	3.50	meq/L	0.10	
Cations	Calculation	3.66	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11100500	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11100500	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11100500	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11100503	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11100503	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11100505	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100505	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100505	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100508	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100508	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100512	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11100512	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11100628	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100628	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100628	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100744	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC11100761	Blank 1	Uranium, Dissolved	EPA 200.8	<0.010	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11100491	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100491	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11100491	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11100491	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11100496	LCS 1	Alkalinity	SM 2320B	94.3	100	94	mg/L
QC11100496	LCS 2	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC11100496	LCS 3	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC11100496	LCS 4	Alkalinity	SM 2320B	94.8	100	95	mg/L
QC11100500	LCS 1	Fluoride	EPA 300.0	2.06	2.00	103	mg/L
QC11100503	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC11100505	LCS 1	Nitrite Nitrogen	EPA 300.0	0.488	0.500	98	mg/L
QC11100508	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11100512	LCS 1	Sulfate	EPA 300.0	22.7	25.0	91	mg/L
QC11100628	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC11100628	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC11100628	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	151	150	100	mg/L
QC11100744	LCS 1	Aluminum	EPA 200.7	0.959	1.00	96	mg/L
		Barium	EPA 200.7	0.974	1.00	97	mg/L
		Beryllium	EPA 200.7	0.974	1.00	97	mg/L
		Bismuth	EPA 200.7	0.990	1.00	99	mg/L
		Boron	EPA 200.7	0.953	1.00	95	mg/L
		Cadmium	EPA 200.7	0.983	1.00	98	mg/L
		Calcium	EPA 200.7	9.78	10.0	98	mg/L
		Chromium	EPA 200.7	0.961	1.00	96	mg/L
		Cobalt	EPA 200.7	0.976	1.00	98	mg/L
		Copper	EPA 200.7	4.70	5.00	94	mg/L
		Gallium	EPA 200.7	0.967	1.00	97	mg/L
		Iron	EPA 200.7	0.953	1.00	95	mg/L
		Lithium	EPA 200.7	0.941	1.00	94	mg/L
		Magnesium	EPA 200.7	9.66	10.0	97	mg/L
		Manganese	EPA 200.7	0.966	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.974	1.00	97	mg/L
		Nickel	EPA 200.7	4.89	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.92	5.00	98	mg/L
		Potassium	EPA 200.7	9.80	10.0	98	mg/L
		Scandium	EPA 200.7	0.958	1.00	96	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	9.89	10.0	99	mg/L
		Strontium	EPA 200.7	0.982	1.00	98	mg/L
		Tin	EPA 200.7	0.957	1.00	96	mg/L
		Titanium	EPA 200.7	0.948	1.00	95	mg/L
		Vanadium	EPA 200.7	0.965	1.00	96	mg/L
		Zinc	EPA 200.7	0.998	1.00	100	mg/L
QC11100761	LCS 1	Mercury	EPA 200.8	0.000912	0.001	91	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0487	0.050	97	mg/L
		Lead	EPA 200.8	0.0100	0.010	100	mg/L
		Selenium	EPA 200.8	0.0475	0.050	95	mg/L
		Thallium	EPA 200.8	0.0098	0.010	98	mg/L
		Uranium	EPA 200.8	0.0098	0.010	98	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100491	Duplicate	pH	SM 4500-H+ B	1110229-001	7.60	7.57	pH Units	<1%
QC11100491	Duplicate	pH	SM 4500-H+ B	1110233-002	8.14	8.14	pH Units	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100491	Duplicate	pH	SM 4500-H+ B	1110238-006	2.92	2.93	pH Units	<1%
QC11100491	Duplicate	pH	SM 4500-H+ B	1110235-009	8.60	8.63	pH Units	<1%
QC11100491	Duplicate	pH	SM 4500-H+ B	1110247-005	7.51	7.47	pH Units	1 %
QC11100491	Duplicate	pH	SM 4500-H+ B	1110244-001	7.26	6.88	Q pH Units	5 %
QC11100491	Duplicate	pH	SM 4500-H+ B	1110244-011	7.40	7.44	pH Units	1 %
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110229-001	256	256	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110229-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110229-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110229-001	210	210	mg/L as CaCO3	<1%
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110233-002	113	111	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1110233-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110233-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110233-002	92.4	91.0	mg/L as CaCO3	2 %
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110235-001	114	113	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1110235-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110235-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110235-001	93.1	92.3	mg/L as CaCO3	1 %
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110235-009	82.2	85.0	mg/L	3 %
		Carbonate (CO3)	SM 2320B	1110235-009	4.28	4.82	mg/L	12 %
		Hydroxide (OH)	SM 2320B	1110235-009	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110235-009	74.5	77.7	mg/L as CaCO3	4 %
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110247-005	503	504	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110247-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110247-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110247-005	412	413	mg/L as CaCO3	<1%
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110244-001	20.5	135	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110244-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110244-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110244-001	16.8	15.0	mg/L as CaCO3	12 %
QC11100496	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110244-011	134	135	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110244-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110244-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110244-011	110	110	mg/L as CaCO3	<1%
QC11100628	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110235-001	237	220	Q mg/L	7 %
QC11100628	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110235-011	1984	2072	mg/L	4 %
QC11100628	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110244-002	486	499	mg/L	3 %
QC11100628	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110250-001	234	230	mg/L	2 %
QC11100628	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110184-001	38.0	40.0	mg/L	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100500	MS 1	Fluoride	EPA 300.0	1110229-003	<0.200	4.54	4.50	2.00	mg/L	110	108	1 %
QC11100500	MS 2	Fluoride	EPA 300.0	1110247-001	3.44	7.43	7.46	2.00	mg/L	100	101	<1%
QC11100503	MS 1	Chloride	EPA 300.0	1110247-001	28.1	38.0	38.0	5.00	mg/L	99	99	<1%
QC11100505	MS 1	Nitrite Nitrogen	EPA 300.0	1110246-001	<0.050	0.986	0.980	0.500	mg/L	99	98	1 %
QC11100505	MS 2	Nitrite Nitrogen	EPA 300.0	1110246-011	<0.050	1.05	1.00	0.500	mg/L	105	100	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100508	MS 1	Nitrate Nitrogen	EPA 300.0	1110247-001	<1.000	4.41	4.46	2.00	mg/L	107	108	1 %
QC11100512	MS 1	Sulfate	EPA 300.0	1110247-001	63.9	84.2	84.5	10.0	mg/L	102	103	<1%
QC11100744	MS 1	Aluminum, Dissolved	EPA 200.7	1110210-002	<0.045	0.951	0.961	1.00	mg/L	94	95	1 %
		Barium, Dissolved	EPA 200.7	1110210-002	0.072	1.02	1.02	1.00	mg/L	95	95	<1%
		Beryllium, Dissolved	EPA 200.7	1110210-002	<0.001	0.947	0.948	1.00	mg/L	95	95	<1%
		Bismuth, Dissolved	EPA 200.7	1110210-002	<0.100	0.951	0.951	1.00	mg/L	95	95	<1%
		Boron, Dissolved	EPA 200.7	1110210-002	<0.100	1.04	1.05	1.00	mg/L	95	96	1 %
		Cadmium, Dissolved	EPA 200.7	1110210-002	<0.001	0.953	0.941	1.00	mg/L	95	94	1 %
		Calcium, Dissolved	EPA 200.7	1110210-002	19.1	28.9	28.1	10.0	mg/L	98	90	3 %
		Chromium, Dissolved	EPA 200.7	1110210-002	<0.005	0.937	0.938	1.00	mg/L	94	94	<1%
		Cobalt, Dissolved	EPA 200.7	1110210-002	<0.010	0.960	0.949	1.00	mg/L	96	95	1 %
		Copper, Dissolved	EPA 200.7	1110210-002	<0.050	4.73	4.79	5.00	mg/L	95	96	1 %
		Gallium, Dissolved	EPA 200.7	1110210-002	<0.100	0.948	0.955	1.00	mg/L	95	95	1 %
		Iron, Dissolved	EPA 200.7	1110210-002	2.29	3.29	3.24	1.00	mg/L	100	95	2 %
		Lithium, Dissolved	EPA 200.7	1110210-002	<0.100	0.927	0.904	1.00	mg/L	93	90	3 %
		Magnesium, Dissolved	EPA 200.7	1110210-002	4.61	13.8	13.6	10.0	mg/L	92	90	1 %
		Manganese, Dissolved	EPA 200.7	1110210-002	0.838	1.79	1.76	1.00	mg/L	95	92	2 %
		Molybdenum, Dissolved	EPA 200.7	1110210-002	<0.010	0.949	0.942	1.00	mg/L	95	94	1 %
		Nickel, Dissolved	EPA 200.7	1110210-002	<0.010	4.76	4.71	5.00	mg/L	95	94	1 %
		Phosphorus, Dissolved	EPA 200.7	1110210-002	<0.500	4.86	4.84	5.00	mg/L	95	95	<1%
		Potassium, Dissolved	EPA 200.7	1110210-002	6.11	15.8	15.8	10.0	mg/L	97	97	<1%
		Scandium, Dissolved	EPA 200.7	1110210-002	<0.100	0.933	0.950	1.00	mg/L	93	95	2 %
		Silver, Dissolved	EPA 200.7	1110210-002	<0.005	0.085	0.085	0.090	mg/L	96	96	<1%
		Sodium, Dissolved	EPA 200.7	1110210-002	32.9	43.1	42.0	10.0	mg/L	102	91	3 %
		Strontium, Dissolved	EPA 200.7	1110210-002	0.184	1.13	1.12	1.00	mg/L	95	94	1 %
		Tin, Dissolved	EPA 200.7	1110210-002	<0.100	0.926	0.923	1.00	mg/L	94	94	<1%
		Titanium, Dissolved	EPA 200.7	1110210-002	<0.100	0.943	0.946	1.00	mg/L	94	95	<1%
		Vanadium, Dissolved	EPA 200.7	1110210-002	<0.010	0.954	0.952	1.00	mg/L	95	95	<1%
		Zinc, Dissolved	EPA 200.7	1110210-002	0.019	0.995	0.974	1.00	mg/L	98	96	2 %
QC11100761	MS 1	Uranium, Dissolved	EPA 200.8	1110210-002	<0.0010	0.0093	0.0094	0.010	mg/L	93	94	1 %
		Mercury, Dissolved	EPA 200.8	1110210-002	<0.00010	0.000916	0.000939	0.001	mg/L	94	97	2 %
		Antimony, Dissolved	EPA 200.8	1110210-002	<0.0025	0.0097	0.0097	0.010	mg/L	96	96	<1%
		Arsenic, Dissolved	EPA 200.8	1110210-002	0.0092	0.0584	0.0597	0.050	mg/L	98	101	2 %
		Lead, Dissolved	EPA 200.8	1110210-002	<0.0025	0.0094	0.0096	0.010	mg/L	93	95	2 %
		Selenium, Dissolved	EPA 200.8	1110210-002	<0.0050	0.0467	0.0488	0.050	mg/L	93	97	4 %
		Thallium, Dissolved	EPA 200.8	1110210-002	<0.0010	0.0093	0.0094	0.010	mg/L	92	93	1 %



10/25/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1110122

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/7/2011. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1110122

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 10/25/2011

OrderID: 1110122

Customer Sample ID: Copper Flat WK:3

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110122-001

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		10/7/2011
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	10/7/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/7/2011
Total Alkalinity	SM 2320B	98	mg/L as CaCO ₃	1.0	10/7/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/7/2011
Fluoride	EPA 300.0	2.1	mg/L	0.10	10/7/2011
Sulfate	EPA 300.0	39	mg/L	1.0	10/7/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/7/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/7/2011
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	10/10/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/17/2011
Barium	EPA 200.7	0.050	mg/L	0.010	10/17/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/17/2011
Calcium	EPA 200.7	36	mg/L	0.50	10/17/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/17/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Magnesium	EPA 200.7	5.2	mg/L	0.50	10/17/2011
Manganese	EPA 200.7	0.044	mg/L	0.0050	10/17/2011
Molybdenum	EPA 200.7	0.013	mg/L	0.010	10/17/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/17/2011
Potassium	EPA 200.7	16	mg/L	0.50	10/17/2011

Customer Sample ID: Copper Flat WK:3

Collect Date/Time: 10/7/2011 09:00

WETLAB Sample ID: 1110122-001

Receive Date: 10/7/2011 16:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/17/2011
Sodium	EPA 200.7	3.1	mg/L	0.50	10/17/2011
Strontium	EPA 200.7	0.51	mg/L	0.10	10/17/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/17/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/17/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/18/2011
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/17/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/17/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/17/2011
Anions	Calculation	2.89	meq/L	0.10	
Cations	Calculation	2.77	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11100258	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11100258	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11100258	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11100261	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11100261	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11100261	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC11100262	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100262	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100262	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100264	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100264	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100264	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100266	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11100266	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11100266	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11100363	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100363	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100531	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Pbosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC11100545	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11100255	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11100255	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100255	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100257	LCS 1	Alkalinity	SM 2320B	94.0	100	94	mg/L
QC11100257	LCS 2	Alkalinity	SM 2320B	94.5	100	94	mg/L
QC11100257	LCS 3	Alkalinity	SM 2320B	94.3	100	94	mg/L
QC11100258	LCS 1	Fluoride	EPA 300.0	2.08	2.00	104	mg/L
QC11100261	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11100262	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC11100264	LCS 1	Nitrate Nitrogen	EPA 300.0	2.02	2.00	101	mg/L
QC11100266	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC11100363	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC11100363	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	161	150	108	mg/L
QC11100531	LCS 1	Aluminum	EPA 200.7	0.984	1.00	98	ng/L
		Barium	EPA 200.7	0.972	1.00	97	mg/L
		Beryllium	EPA 200.7	0.973	1.00	97	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.933	1.00	93	mg/L
		Cadmium	EPA 200.7	0.986	1.00	99	mg/L
		Calcium	EPA 200.7	9.81	10.0	98	mg/L
		Chromium	EPA 200.7	0.962	1.00	96	mg/L
		Cobalt	EPA 200.7	0.974	1.00	97	mg/L
		Copper	EPA 200.7	4.75	5.00	95	mg/L
		Gallium	EPA 200.7	0.978	1.00	98	mg/L
		Iron	EPA 200.7	0.969	1.00	97	mg/L
		Lithium	EPA 200.7	0.955	1.00	96	ng/L
		Magnesium	EPA 200.7	9.71	10.0	97	mg/L
		Manganese	EPA 200.7	0.965	1.00	96	ng/L
		Molybdenum	EPA 200.7	0.969	1.00	97	mg/L
		Nickel	EPA 200.7	4.90	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.90	5.00	98	mg/L
		Potassium	EPA 200.7	9.94	10.0	99	mg/L
		Scandium	EPA 200.7	0.967	1.00	97	mg/L
		Silver	EPA 200.7	0.087	0.090	96	mg/L
		Sodium	EPA 200.7	9.57	10.0	96	mg/L
		Strontium	EPA 200.7	0.965	1.00	96	mg/L
		Tin	EPA 200.7	0.943	1.00	94	mg/L
		Titanium	EPA 200.7	0.971	1.00	97	mg/L
		Vanadium	EPA 200.7	0.969	1.00	97	mg/L
		Zinc	EPA 200.7	1.00	1.00	100	mg/L
QC11100545	LCS 1	Mercury	EPA 200.8	0.000952	0.001	95	mg/L
		Antimony	EPA 200.8	0.0099	0.010	99	mg/L
		Arsenic	EPA 200.8	0.0474	0.050	95	mg/L
		Lead	EPA 200.8	0.0099	0.010	99	mg/L
		Selenium	EPA 200.8	0.0448	0.050	90	mg/L
		Thallium	EPA 200.8	0.0093	0.010	93	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100255	Duplicate	pH	SM 4500-H+ B	1110104-001	8.20	8.17	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110108-001	8.76	8.82	pH Units	1 %
QC11100255	Duplicate	pH	SM 4500-H+ B	1110111-006	7.03	7.01	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110118-005	7.79	7.80	pH Units	<1%
QC11100255	Duplicate	pH	SM 4500-H+ B	1110122-001	7.89	7.95	pH Units	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100255	Duplicate	pH	SM 4500-H+ B	1110123-018	7.73	7.73	pH Units	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110104-001	247	248	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110104-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110104-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110104-001	203	203	mg/L as CaCO3	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110108-001	31.0	27.8	mg/L	11 %
		Carbonate (CO3)	SM 2320B	1110108-001	9.04	10.2	mg/L	12 %
		Hydroxide (OH)	SM 2320B	1110108-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110108-001	40.5	39.7	mg/L as CaCO3	2 %
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110111-006	396	396	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110111-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110111-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110111-006	325	325	mg/L as CaCO3	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110118-005	168	166	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1110118-005	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110118-005	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110118-005	137	136	mg/L as CaCO3	1 %
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110122-001	120	120	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110122-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110122-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110122-001	98.4	98.8	mg/L as CaCO3	<1%
QC11100257	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110123-018	35.1	35.7	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1110123-018	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110123-018	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110123-018	28.8	29.3	mg/L as CaCO3	2 %
QC11100363	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110101-001	126	118	mg/L	7 %
QC11100363	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110104-006	360	360	mg/L	<1%
QC11100363	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110108-001	864	826	mg/L	4 %
QC11100363	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110111-006	876	864	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100258	MS 1	Fluoride	EPA 300.0	1110095-007	<0.100	2.18	2.20	2.00	mg/L	107	108	1 %
QC11100258	MS 2	Fluoride	EPA 300.0	1110095-009	<0.100	2.31	2.45	2.00	mg/L	112	119	6 %
QC11100261	MS 1	Chloride	EPA 300.0	1110123-005	<1.000	5.19	5.15	5.00	mg/L	103	102	1 %
QC11100261	MS 2	Chloride	EPA 300.0	1110123-015	<1.000	5.18	5.16	5.00	mg/L	103	103	<1%
QC11100262	MS 1	Nitrite Nitrogen	EPA 300.0	1110095-007	<0.025	0.496	0.509	0.500	mg/L	98	100	3 %
QC11100262	MS 2	Nitrite Nitrogen	EPA 300.0	1110095-009	<0.025	0.491	0.502	0.500	mg/L	97	99	2 %
QC11100264	MS 1	Nitrate Nitrogen	EPA 300.0	1110095-007	<1.000	2.06	2.12	2.00	mg/L	102	105	3 %
QC11100264	MS 2	Nitrate Nitrogen	EPA 300.0	1110095-009	<1.000	2.19	2.24	2.00	mg/L	103	106	2 %
QC11100266	MS 1	Sulfate	EPA 300.0	1110095-007	4.48	13.9	14.1	10.0	mg/L	95	96	1 %
QC11100266	MS 2	Sulfate	EPA 300.0	1110095-009	35.7	M 43.3	43.9	10.0	mg/L	NC	NC	NC
QC11100531	MS 1	Aluminum	EPA 200.7	1110211-001	0.785	M 2.37	2.40	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1110211-001	0.039	1.02	0.975	1.00	mg/L	98	94	5 %
		Beryllium	EPA 200.7	1110211-001	<0.001	0.978	0.942	1.00	mg/L	98	94	4 %
		Bismuth	EPA 200.7	1110211-001	<0.100	0.978	0.941	1.00	mg/L	100	96	4 %
		Boron	EPA 200.7	1110211-001	<0.100	1.03	0.991	1.00	mg/L	98	94	4 %
		Cadmium	EPA 200.7	1110211-001	<0.001	0.969	0.923	1.00	mg/L	97	92	5 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Calcium	EPA 200.7	1110211-001	34.2	44.1	42.8	10.0	mg/L	99	86	3 %
		Chromium	EPA 200.7	1110211-001	<0.005	0.951	0.914	1.00	mg/L	95	91	4 %
		Cobalt	EPA 200.7	1110211-001	<0.010	0.946	0.906	1.00	mg/L	94	90	4 %
		Copper	EPA 200.7	1110211-001	<0.050	4.86	4.73	5.00	mg/L	97	94	3 %
		Gallium	EPA 200.7	1110211-001	<0.100	0.976	0.947	1.00	mg/L	97	94	3 %
		Iron	EPA 200.7	1110211-001	5.18	SC 5.72	5.61	1.00	mg/L	NC	NC	NC
		Lithium	EPA 200.7	1110211-001	<0.100	0.966	0.945	1.00	mg/L	96	94	2 %
		Magnesium	EPA 200.7	1110211-001	16.9	25.6	24.3	10.0	mg/L	87	74	5 %
		Manganese	EPA 200.7	1110211-001	0.153	1.10	1.06	1.00	mg/L	95	91	4 %
		Molybdenum	EPA 200.7	1110211-001	<0.010	0.990	0.950	1.00	mg/L	99	95	4 %
		Nickel	EPA 200.7	1110211-001	<0.010	4.78	4.57	5.00	mg/L	96	91	4 %
		Pbosphorus	EPA 200.7	1110211-001	<0.500	5.31	5.03	5.00	mg/L	100	94	5 %
		Potassium	EPA 200.7	1110211-001	6.34	16.8	16.4	10.0	mg/L	105	101	2 %
		Scandium	EPA 200.7	1110211-001	<0.100	0.983	0.955	1.00	mg/L	98	96	3 %
		Silver	EPA 200.7	1110211-001	<0.005	0.086	0.084	0.090	mg/L	97	94	2 %
		Sodium	EPA 200.7	1110211-001	31.3	41.2	40.9	10.0	mg/L	99	96	1 %
		Strontium	EPA 200.7	1110211-001	0.259	1.23	1.21	1.00	mg/L	97	95	2 %
		Tin	EPA 200.7	1110211-001	<0.100	0.938	0.881	1.00	mg/L	96	91	6 %
		Titanium	EPA 200.7	1110211-001	<0.100	1.03	1.01	1.00	mg/L	99	97	2 %
		Vanadium	EPA 200.7	1110211-001	0.034	1.02	0.983	1.00	mg/L	99	95	4 %
		Zinc	EPA 200.7	1110211-001	0.023	1.01	0.957	1.00	mg/L	99	93	5 %
QC11100545	MS 1	Mercury	EPA 200.8	1110211-001	<0.00010	0.001029	0.001016	0.001	mg/L	99	98	1 %
		Antimony	EPA 200.8	1110211-001	<0.0025	0.0094	0.0092	0.010	mg/L	92	91	2 %
		Arsenic	EPA 200.8	1110211-001	<0.0050	0.0539	0.0541	0.050	mg/L	100	101	<1%
		Lead	EPA 200.8	1110211-001	<0.0025	0.0109	0.0109	0.010	mg/L	101	101	<1%
		Selenium	EPA 200.8	1110211-001	<0.0050	0.0471	0.0477	0.050	mg/L	93	94	1 %
		Thallium	EPA 200.8	1110211-001	<0.0010	0.0099	0.0099	0.010	mg/L	98	98	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 110172

Report

Due Date: 10-21-11

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438-01

Email mli@mettest.com

Billing Address (if different than Client Address):

Company SAME

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

Profile II W/O WAD

Location	Wk	Date	Time	Sample Type	Depth	Other	Sp. No.
Copper Flat	WK:3	10/07/11	9:00AM	WW	2	X	/

Instructions/Comments/Special Requirements:

Temperature	<u>22 °C</u>	<u>10-7-11</u>	<u>11005</u>	<u>YD</u>	<u>Si:WA</u>
Custody Seals Intact?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> <u>None</u>				
Number of Containers	<u>2</u>				

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

COPY



12/6/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1109542

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/30/2011. Additional comments are located on page 2 of this report.

This is an amended report. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Diggs
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1109542

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1109542-001 Vanadium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 12/6/2011

OrderID: 1109542

Customer Sample ID: Copper Flat WK:2

Collect Date/Time: 9/30/2011 09:00

WETLAB Sample ID: 1109542-001

Receive Date: 9/30/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.04	pH Units		9/30/2011
Bicarbonate (HCO ₃)	SM 2320B	160	mg/L	1.0	10/3/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/3/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/3/2011
Total Alkalinity	SM 2320B	130	mg/L as CaCO ₃	1.0	10/3/2011
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/1/2011
Fluoride	EPA 300.0	2.6	mg/L	0.10	10/1/2011
Sulfate	EPA 300.0	65	mg/L	1.0	10/1/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/1/2011
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/1/2011
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	10/3/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/12/2011
Barium	EPA 200.7	0.070	mg/L	0.010	10/12/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/12/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/12/2011
Calcium	EPA 200.7	55	mg/L	0.50	10/12/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/12/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/12/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	10/12/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	10/12/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Magnesium	EPA 200.7	7.7	mg/L	0.50	10/12/2011
Manganese	EPA 200.7	0.059	mg/L	0.0050	10/12/2011
Molybdenum	EPA 200.7	0.040	mg/L	0.010	10/12/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/12/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/12/2011
Potassium	EPA 200.7	26	mg/L	0.50	10/12/2011

Customer Sample ID: Copper Flat WK:2

Collect Date/Time: 9/30/2011 09:00

WETLAB Sample ID: 1109542-001

Receive Date: 9/30/2011 15:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/12/2011
Sodium	EPA 200.7	9.0	mg/L	0.50	10/12/2011
Strontium	EPA 200.7	0.74	mg/L	0.10	10/12/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/12/2011
Vanadium	EPA 200.7	<0.050	mg/L	0.050	10/13/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/12/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/11/2011
Antimony	EPA 200.8	0.0012	mg/L	0.0010	10/11/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/11/2011
Lead	EPA 200.8	<0.0010	mg/L	0.0010	10/11/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/11/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/11/2011
Uranium	EPA 200.8	0.049	mg/L	0.010	10/11/2011
Anions	Calculation	4.11	meq/L	0.10	
Cations	Calculation	4.44	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11100020	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11100020	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11100022	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11100022	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11100024	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100024	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11100026	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100026	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11100028	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11100028	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11100147	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100147	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11100347	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11100393	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11100011	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC11100020	LCS 1	Fluoride	EPA 300.0	2.18	2.00	109	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11100022	LCS 1	Chloride	EPA 300.0	10.1	10.0	101	mg/L
QC11100024	LCS 1	Nitrite Nitrogen	EPA 300.0	0.488	0.500	98	mg/L
QC11100026	LCS 1	Nitrate Nitrogen	EPA 300.0	2.00	2.00	100	mg/L
QC11100028	LCS 1	Sulfate	EPA 300.0	23.6	25.0	94	mg/L
QC11100065	LCS 1	Alkalinity	SM 2320B	95.4	100	95	mg/L
QC11100065	LCS 2	Alkalinity	SM 2320B	93.7	100	94	mg/L
QC11100147	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC11100147	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC11100347	LCS 1	Mercury	EPA 200.8	0.000991	0.001	99	mg/L
		Antimony	EPA 200.8	0.0101	0.010	101	mg/L
		Arsenic	EPA 200.8	0.0464	0.050	93	mg/L
		Lead	EPA 200.8	0.0105	0.010	105	mg/L
		Selenium	EPA 200.8	0.0498	0.050	100	mg/L
		Thallium	EPA 200.8	0.0102	0.010	102	mg/L
		Uranium	EPA 200.8	0.0102	0.010	102	mg/L
QC11100393	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	1.07	1.00	107	mg/L
		Beryllium	EPA 200.7	1.09	1.00	109	mg/L
		Bismuth	EPA 200.7	1.10	1.00	110	mg/L
		Boron	EPA 200.7	1.04	1.00	104	mg/L
		Cadmium	EPA 200.7	1.09	1.00	109	mg/L
		Calcium	EPA 200.7	10.8	10.0	108	mg/L
		Chromium	EPA 200.7	1.04	1.00	104	mg/L
		Cobalt	EPA 200.7	1.08	1.00	108	mg/L
		Copper	EPA 200.7	5.25	5.00	105	mg/L
		Gallium	EPA 200.7	1.06	1.00	106	mg/L
		Iron	EPA 200.7	1.05	1.00	105	mg/L
		Lithium	EPA 200.7	1.04	1.00	104	mg/L
		Magnesium	EPA 200.7	10.6	10.0	106	mg/L
		Manganese	EPA 200.7	1.06	1.00	106	mg/L
		Molybdenum	EPA 200.7	1.07	1.00	107	mg/L
		Nickel	EPA 200.7	5.41	5.00	108	mg/L
		Phosphorus	EPA 200.7	5.45	5.00	109	mg/L
		Potassium	EPA 200.7	10.7	10.0	107	mg/L
		Scandium	EPA 200.7	1.07	1.00	107	mg/L
		Silver	EPA 200.7	0.095	0.090	106	mg/L
		Sodium	EPA 200.7	10.6	10.0	106	mg/L
		Strontium	EPA 200.7	1.07	1.00	107	mg/L
		Tin	EPA 200.7	1.04	1.00	104	mg/L
		Titanium	EPA 200.7	1.04	1.00	104	mg/L
		Vanadium	EPA 200.7	1.07	1.00	107	mg/L
		Zinc	EPA 200.7	1.09	1.00	109	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100011	Duplicate	pH	SM 4500-H+ B	1109530-002	7.75	7.76	pH Units	<1%
QC11100011	Duplicate	pH	SM 4500-H+ B	1109537-001	7.61	7.54	pH Units	1 %
QC11100011	Duplicate	pH	SM 4500-H+ B	1109537-002	7.80	7.77	pH Units	1 %
QC11100065	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110001-001	228	228	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1110001-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110001-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110001-001	187	187	mg/L as CaCO3	<1%
QC11100065	Duplicate	Bicarbonate (HCO3)	SM 2320B	1110011-001	125	123	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1110011-001	12.9	12.8	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11100065	Duplicate	Hydroxide (OH)	SM 2320B	1110011-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110011-001	124	122	mg/L as CaCO3	1 %
		Bicarbonate (HCO3)	SM 2320B	1110012-004	54.8	56.1	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1110012-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1110012-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1110012-004	45.0	46.0	mg/L as CaCO3	2 %
QC11100147	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109522-002	560	556	mg/L	1 %
QC11100147	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109538-002	28.0	28.0	mg/L	<1%
QC11100147	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1110001-001	420	424	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11100020	MS 1	Fluoride	EPA 300.0	1109541-005	0.176	2.26	2.27	2.00	mg/L	104	105	<1%
QC11100022	MS 1	Chloride	EPA 300.0	1109541-005	<1.000	5.13	5.14	5.00	mg/L	101	102	<1%
QC11100024	MS 1	Nitrite Nitrogen	EPA 300.0	1109541-005	<0.025	0.508	0.510	0.500	mg/L	101	101	<1%
QC11100026	MS 1	Nitrate Nitrogen	EPA 300.0	1109541-005	<1.000	2.12	2.12	2.00	mg/L	104	104	<1%
QC11100028	MS 1	Sulfate	EPA 300.0	1109541-005	<1.000	9.60	9.64	10.0	mg/L	96	97	<1%
QC11100347	MS 1	Mercury	EPA 200.8	1110054-002	<0.00010	0.001016	0.001000	0.001	mg/L	102	100	2 %
QC11100393	MS 1	Antimony	EPA 200.8	1110054-002	<0.0025	0.0098	0.0098	0.010	mg/L	98	98	<1%
		Arsenic	EPA 200.8	1110054-002	<0.0050	0.0490	0.0480	0.050	mg/L	98	96	2 %
		Lead	EPA 200.8	1110054-002	<0.0025	0.0107	0.0108	0.010	mg/L	107	108	1 %
		Selenium	EPA 200.8	1110054-002	<0.0050	0.0502	0.0500	0.050	mg/L	99	99	<1%
		Thallium	EPA 200.8	1110054-002	<0.0010	0.0107	0.0107	0.010	mg/L	107	107	<1%
		Uranium	EPA 200.8	1110054-002	<0.0100	0.0118	0.0122	0.010	mg/L	101	104	3 %
		Aluminum	EPA 200.7	1110054-002	<0.045	1.06	1.06	1.00	mg/L	104	104	<1%
		Barium	EPA 200.7	1110054-002	0.017	1.08	1.08	1.00	mg/L	106	106	<1%
		Beryllium	EPA 200.7	1110054-002	<0.001	1.08	1.08	1.00	mg/L	108	108	<1%
		Bismuth	EPA 200.7	1110054-002	<0.100	1.07	1.07	1.00	mg/L	107	107	<1%
		Boron	EPA 200.7	1110054-002	<0.100	1.06	1.07	1.00	mg/L	105	106	1 %
		Cadmium	EPA 200.7	1110054-002	<0.001	1.07	1.09	1.00	mg/L	107	109	2 %
		Calcium	EPA 200.7	1110054-002	28.6	38.4	38.6	10.0	mg/L	98	100	1 %
		Chromium	EPA 200.7	1110054-002	<0.005	1.04	1.05	1.00	mg/L	104	105	1 %
		Cobalt	EPA 200.7	1110054-002	<0.010	1.04	1.05	1.00	mg/L	104	105	1 %
		Copper	EPA 200.7	1110054-002	<0.050	5.31	5.31	5.00	mg/L	106	106	<1%
		Gallium	EPA 200.7	1110054-002	<0.100	1.05	1.05	1.00	mg/L	105	105	<1%
		Iron	EPA 200.7	1110054-002	0.092	1.13	1.14	1.00	mg/L	104	105	1 %
		Lithium	EPA 200.7	1110054-002	<0.100	1.04	1.02	1.00	mg/L	104	102	2 %
		Magnesium	EPA 200.7	1110054-002	2.67	12.7	12.9	10.0	mg/L	100	102	2 %
Manganese	EPA 200.7	1110054-002	<0.005	1.06	1.06	1.00	mg/L	106	106	<1%		
Molybdenum	EPA 200.7	1110054-002	<0.010	1.07	1.06	1.00	mg/L	107	106	1 %		
Nickel	EPA 200.7	1110054-002	<0.010	5.26	5.34	5.00	mg/L	105	107	2 %		
Phosphorus	EPA 200.7	1110054-002	<0.500	5.40	5.50	5.00	mg/L	107	109	2 %		
Potassium	EPA 200.7	1110054-002	1.86	12.5	12.5	10.0	mg/L	106	106	<1%		
Scandium	EPA 200.7	1110054-002	<0.100	1.05	1.05	1.00	mg/L	105	105	<1%		
Silver	EPA 200.7	1110054-002	<0.005	0.095	0.094	0.090	mg/L	105	105	1 %		
Sodium	EPA 200.7	1110054-002	3.95	14.2	14.1	10.0	mg/L	102	101	1 %		
Strontium	EPA 200.7	1110054-002	0.109	1.15	1.13	1.00	mg/L	104	102	2 %		
Tin	EPA 200.7	1110054-002	<0.100	1.01	1.01	1.00	mg/L	103	103	<1%		
Titanium	EPA 200.7	1110054-002	<0.100	1.03	1.03	1.00	mg/L	103	103	<1%		
Vanadium	EPA 200.7	1110054-002	<0.010	1.07	1.07	1.00	mg/L	107	107	<1%		
Zinc	EPA 200.7	1110054-002	<0.010	1.06	1.08	1.00	mg/L	106	108	2 %		



12/6/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1109409

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/23/2011. Additional comments are located on page 2 of this report.

This is an amended report. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Diggs
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1109409

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1109409-001 Nitrite Nitrogen

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438-01

Date Printed: 12/6/2011

OrderID: 1109409

Customer Sample ID: Copper Flat

Collect Date/Time: 9/23/2011 09:00

WETLAB Sample ID: 1109409-001

Receive Date: 9/23/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.99	pH Units		9/23/2011
Bicarbonate (HCO ₃)	SM 2320B	180	mg/L	1.0	9/23/2011
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/23/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/23/2011
Total Alkalinity	SM 2320B	150	mg/L as CaCO ₃	1.0	9/23/2011
Chloride	EPA 300.0	1.1	mg/L	1.00	9/24/2011
Fluoride	EPA 300.0	3.0	mg/L	0.20	9/24/2011
Sulfate	EPA 300.0	100	mg/L	2.0	9/24/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/24/2011
Nitrite Nitrogen	EPA 300.0	<0.050	mg/L	0.050	9/24/2011
Total Dissolved Solids (TDS)	SM 2540C	340	mg/L	10	9/26/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/27/2011
Barium	EPA 200.7	0.057	mg/L	0.010	9/27/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/27/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/27/2011
Calcium	EPA 200.7	53	mg/L	0.50	9/27/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/27/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/27/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/27/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/27/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Magnesium	EPA 200.7	7.0	mg/L	0.50	9/27/2011
Manganese	EPA 200.7	0.060	mg/L	0.0050	9/27/2011
Molybdenum	EPA 200.7	0.077	mg/L	0.010	9/27/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/27/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/27/2011
Potassium	EPA 200.7	28	mg/L	0.50	9/27/2011

Customer Sample ID: Copper Flat
WETLAB Sample ID: 1109409-001

Collect Date/Time: 9/23/2011 09:00

Receive Date: 9/23/2011 16:15

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/27/2011
Sodium	EPA 200.7	28	mg/L	0.50	9/27/2011
Strontium	EPA 200.7	0.72	mg/L	0.10	9/27/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/27/2011
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/27/2011
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/27/2011
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/28/2011
Antimony	EPA 200.8	0.0015	mg/L	0.0010	9/28/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/28/2011
Lead	EPA 200.8	<0.0010	mg/L	0.0010	9/28/2011
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/28/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/28/2011
Uranium	EPA 200.8	0.054	mg/L	0.010	9/28/2011
Anions	Calculation	5.22	meq/L	0.10	
Cations	Calculation	5.16	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11090729	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11090729	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11090729	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11090733	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC11090733	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC11090735	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090735	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090735	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090737	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090737	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090737	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090740	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11090740	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11090740	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11090823	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC11090848	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11090850	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11090850	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11090716	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11090716	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11090725	LCS 1	Alkalinity	SM 2320B	94.7	100	95	mg/L
QC11090729	LCS 1	Fluoride	EPA 300.0	2.16	2.00	108	mg/L
QC11090733	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC11090735	LCS 1	Nitrite Nitrogen	EPA 300.0	0.503	0.500	101	mg/L
QC11090737	LCS 1	Nitrate Nitrogen	EPA 300.0	2.07	2.00	103	mg/L
QC11090740	LCS 1	Sulfate	EPA 300.0	25.9	25.0	104	mg/L
QC11090823	LCS 1	Aluminum	EPA 200.7	1.03	1.00	103	mg/L
		Barium	EPA 200.7	1.04	1.00	104	mg/L
		Beryllium	EPA 200.7	1.03	1.00	103	mg/L
		Bismuth	EPA 200.7	1.05	1.00	105	mg/L
		Boron	EPA 200.7	1.02	1.00	102	mg/L
		Cadmium	EPA 200.7	1.04	1.00	104	mg/L
		Calcium	EPA 200.7	10.4	10.0	104	mg/L
		Chromium	EPA 200.7	1.03	1.00	103	mg/L
		Cobalt	EPA 200.7	1.05	1.00	105	mg/L
		Copper	EPA 200.7	5.20	5.00	104	mg/L
		Gallium	EPA 200.7	1.04	1.00	104	mg/L
		Iron	EPA 200.7	1.04	1.00	104	mg/L
		Lithium	EPA 200.7	0.992	1.00	99	mg/L
		Magnesium	EPA 200.7	10.4	10.0	104	mg/L
		Manganese	EPA 200.7	1.05	1.00	105	mg/L
		Molybdenum	EPA 200.7	1.01	1.00	101	mg/L
		Nickel	EPA 200.7	5.22	5.00	104	mg/L
		Phosphorus	EPA 200.7	5.30	5.00	106	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	1.04	1.00	104	mg/L
		Silver	EPA 200.7	0.092	0.090	102	mg/L
		Sodium	EPA 200.7	10.2	10.0	102	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	1.03	1.00	103	mg/L
		Titanium	EPA 200.7	1.03	1.00	103	mg/L
		Vanadium	EPA 200.7	1.03	1.00	103	mg/L
		Zinc	EPA 200.7	1.06	1.00	106	mg/L
QC11090848	LCS 1	Mercury	EPA 200.8	0.001031	0.001	103	mg/L
		Antimony	EPA 200.8	0.0108	0.010	108	mg/L
		Arsenic	EPA 200.8	0.0492	0.050	98	mg/L
		Lead	EPA 200.8	0.0105	0.010	104	mg/L
		Selenium	EPA 200.8	0.0464	0.050	93	mg/L
		Thallium	EPA 200.8	0.0101	0.010	101	mg/L
		Uranium	EPA 200.8	<0.0100	0.010	88	mg/L
QC11090850	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC11090850	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090716	Duplicate	pH	SM 4500-H+ B	1109401-001	7.44	7.48	pH Units	1 %
QC11090716	Duplicate	pH	SM 4500-H+ B	1109405-001	7.87	7.77	pH Units	1 %
QC11090716	Duplicate	pH	SM 4500-H+ B	1109414-006	7.33	7.39	pH Units	1 %
QC11090725	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109401-001	163	163	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109401-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109401-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109401-001	133	134	mg/L as CaCO3	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090725	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109405-001	451	449	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109405-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109405-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109405-001	370	368	mg/L as CaCO3	<1%
QC11090725	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109414-006	115	116	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109414-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109414-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109414-006	94.6	94.9	mg/L as CaCO3	<1%
QC11090850	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109397-001	734	712	mg/L	3 %
QC11090850	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109404-001	4450	4350	mg/L	2 %
QC11090850	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109414-004	325	323	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090729	MS 1	Fluoride	EPA 300.0	1109404-001	2.35	45.8	45.7	2.00	mg/L	109	108	<1%
QC11090729	MS 2	Fluoride	EPA 300.0	1109409-001	2.97	6.87	6.89	2.00	mg/L	98	98	<1%
QC11090733	MS 1	Chloride	EPA 300.0	1109409-001	1.13	11.9	12.0	5.00	mg/L	108	109	1 %
QC11090735	MS 1	Nitrite Nitrogen	EPA 300.0	1109404-001	75.8	SC 83.3	83.4	0.500	mg/L	NC	NC	NC
QC11090735	MS 2	Nitrite Nitrogen	EPA 300.0	1109409-001	<0.050	0.942	0.959	0.500	mg/L	93	95	2 %
QC11090737	MS 1	Nitrate Nitrogen	EPA 300.0	1109404-001	68.9	111	112	2.00	mg/L	106	107	1 %
QC11090737	MS 2	Nitrate Nitrogen	EPA 300.0	1109409-001	<1.000	4.36	4.39	2.00	mg/L	108	109	1 %
QC11090740	MS 1	Sulfate	EPA 300.0	1109409-001	102	122	122	10.0	mg/L	100	101	<1%
QC11090740	MS 2	Sulfate	EPA 300.0	1109360-007	<1.000	11.6	11.7	10.0	mg/L	111	112	1 %
QC11090823	MS 1	Aluminum	EPA 200.7	1109366-001	0.320	1.46	1.47	1.00	mg/L	114	115	1 %
		Barium	EPA 200.7	1109366-001	<0.010	0.999	0.994	1.00	mg/L	99	99	1 %
		Beryllium	EPA 200.7	1109366-001	<0.001	0.991	0.984	1.00	mg/L	99	98	1 %
		Bismuth	EPA 200.7	1109366-001	<0.100	0.997	0.999	1.00	mg/L	100	100	<1%
		Boron	EPA 200.7	1109366-001	<0.100	0.949	0.959	1.00	mg/L	95	96	1 %
		Cadmium	EPA 200.7	1109366-001	<0.001	1.01	0.999	1.00	mg/L	101	100	1 %
		Calcium	EPA 200.7	1109366-001	3.80	13.5	13.6	10.0	mg/L	97	98	1 %
		Chromium	EPA 200.7	1109366-001	<0.005	0.963	0.957	1.00	mg/L	96	96	1 %
		Cobalt	EPA 200.7	1109366-001	<0.010	0.977	0.965	1.00	mg/L	98	97	1 %
		Copper	EPA 200.7	1109366-001	<0.050	4.79	4.82	5.00	mg/L	96	96	1 %
		Gallium	EPA 200.7	1109366-001	<0.100	0.983	0.989	1.00	mg/L	98	99	1 %
		Iron	EPA 200.7	1109366-001	0.197	1.21	1.22	1.00	mg/L	101	102	1 %
		Lithium	EPA 200.7	1109366-001	<0.100	0.965	0.962	1.00	mg/L	97	96	<1%
		Magnesium	EPA 200.7	1109366-001	1.21	11.0	10.9	10.0	mg/L	98	97	1 %
		Manganese	EPA 200.7	1109366-001	<0.005	0.966	0.957	1.00	mg/L	96	95	1 %
		Molybdenum	EPA 200.7	1109366-001	<0.010	0.996	1.01	1.00	mg/L	100	101	1 %
		Nickel	EPA 200.7	1109366-001	<0.010	4.95	4.88	5.00	mg/L	99	98	1 %
		Phosphorus	EPA 200.7	1109366-001	<0.500	4.92	4.92	5.00	mg/L	97	97	<1%
		Potassium	EPA 200.7	1109366-001	1.15	11.1	11.1	10.0	mg/L	100	100	<1%
		Scandium	EPA 200.7	1109366-001	<0.100	0.945	0.948	1.00	mg/L	95	95	<1%
Silver	EPA 200.7	1109366-001	<0.005	0.087	0.088	0.090	mg/L	97	98	1 %		
Sodium	EPA 200.7	1109366-001	1.69	11.5	11.5	10.0	mg/L	98	98	<1%		
Strontium	EPA 200.7	1109366-001	<0.100	1.05	1.05	1.00	mg/L	99	99	<1%		
Tin	EPA 200.7	1109366-001	<0.100	0.951	0.950	1.00	mg/L	96	96	<1%		
Titanium	EPA 200.7	1109366-001	<0.100	0.964	0.984	1.00	mg/L	95	97	2 %		
Vanadium	EPA 200.7	1109366-001	<0.010	0.985	0.981	1.00	mg/L	99	98	<1%		
Zinc	EPA 200.7	1109366-001	<0.010	0.995	0.988	1.00	mg/L	99	99	1 %		
QC11090848	MS 1	Mercury	EPA 200.8	1109366-001	<0.00010	0.001022	0.001089	0.001	mg/L	102	109	6 %
		Antimony	EPA 200.8	1109366-001	<0.0010	0.0102	0.0099	0.010	mg/L	102	99	3 %
		Arsenic	EPA 200.8	1109366-001	<0.0050	0.0509	0.0505	0.050	mg/L	102	101	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Lead	EPA 200.8	1109366-001	<0.0010	0.0115	0.0115	0.010	mg/L	113	113	<1%
		Selenium	EPA 200.8	1109366-001	<0.0050	0.0491	0.0488	0.050	mg/L	98	98	1 %
		Thallium	EPA 200.8	1109366-001	<0.0010	0.0110	0.0110	0.010	mg/L	110	110	<1%
		Uranium	EPA 200.8	1109366-001	<0.0010	0.0093	0.0094	0.010	mg/L	92	93	1 %



12/6/2011

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1109289

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/16/2011. Additional comments are located on page 2 of this report.

This is an amended report. If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Diggs
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1109289

General Comments

None

Specific Comments

Due to a laboratory oversight the analysis for Nitrite Nitrogen on sample 1109289-001 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO/Project: 3438-01

Date Printed: 12/6/2011

OrderID: 1109289

Customer Sample ID: Copper Flat Wk:0

Collect Date/Time: 9/16/2011 09:00

WETLAB Sample ID: 1109289-001

Receive Date: 9/16/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.38	pH Units		9/16/2011
Bicarbonate (HCO ₃)	SM 2320B	150	mg/L	1.0	9/16/2011
Carbonate (CO ₃)	SM 2320B	1.9	mg/L	1.0	9/16/2011
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/16/2011
Total Alkalinity	SM 2320B	130	mg/L as CaCO ₃	1.0	9/16/2011
Chloride	EPA 300.0	38	mg/L	2.0	9/16/2011
Fluoride	EPA 300.0	1.1	mg/L	0.20	9/16/2011
Sulfate	EPA 300.0	270	mg/L	2.0	9/16/2011
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/16/2011
Nitrite Nitrogen	EPA 300.0	0.56	HT mg/L	0.050	9/19/2011
Total Dissolved Solids (TDS)	SM 2540C	640	mg/L	10	9/20/2011
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/26/2011
Barium	EPA 200.7	0.013	mg/L	0.010	9/26/2011
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/26/2011
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Boron	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/26/2011
Calcium	EPA 200.7	90	mg/L	0.50	9/26/2011
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/26/2011
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/26/2011
Copper	EPA 200.7	<0.050	mg/L	0.050	9/26/2011
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Iron	EPA 200.7	<0.010	mg/L	0.010	9/26/2011
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Magnesium	EPA 200.7	9.9	mg/L	0.50	9/26/2011
Manganese	EPA 200.7	0.020	mg/L	0.0050	9/26/2011
Molybdenum	EPA 200.7	0.19	mg/L	0.010	9/26/2011
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/26/2011
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/26/2011
Potassium	EPA 200.7	40	mg/L	0.50	9/26/2011

Customer Sample ID: Copper Flat Wk:0

Collect Date/Time: 9/16/2011 09:00

WETLAB Sample ID: 1109289-001

Receive Date: 9/16/2011 15:30

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/26/2011
Sodium	EPA 200.7	89	mg/L	0.50	9/26/2011
Strontium	EPA 200.7	1.2	mg/L	0.10	9/26/2011
Tin	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/26/2011
Vanadium	EPA 200.7	0.013	mg/L	0.010	9/26/2011
Zinc	EPA 200.7	0.014	mg/L	0.010	9/26/2011
Mercury	EPA 200.8	0.0036	mg/L	0.00010	9/26/2011
Antimony	EPA 200.8	0.0031	mg/L	0.0025	9/23/2011
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/26/2011
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/23/2011
Selenium	EPA 200.8	0.014	mg/L	0.0050	9/26/2011
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/23/2011
Uranium	EPA 200.8	0.040	mg/L	0.010	9/23/2011
Anions	Calculation	9.27	meq/L	0.10	
Cations	Calculation	10.2	meq/L	0.10	
Error	Calculation	4.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC11090538	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC11090538	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC11090538	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC11090539	Blank 1	Chloride	EPA 300.0	<1.00	mg/L
QC11090539	Blank 2	Chloride	EPA 300.0	<1.00	mg/L
QC11090539	Blank 3	Chloride	EPA 300.0	<1.00	mg/L
QC11090541	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090541	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090541	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC11090542	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC11090542	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC11090542	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC11090586	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090586	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090586	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC11090644	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11090644	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC11090723	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.010	mg/L
QC11090767	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Zinc	EPA 200.7	<0.010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC11090516	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC11090516	LCS 2	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC11090518	LCS 1	Alkalinity	SM 2320B	94.9	100	95	mg/L
QC11090538	LCS 1	Fluoride	EPA 300.0	2.18	2.00	109	mg/L
QC11090539	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC11090541	LCS 1	Nitrate Nitrogen	EPA 300.0	2.03	2.00	101	mg/L
QC11090542	LCS 1	Sulfate	EPA 300.0	25.9	25.0	104	mg/L
QC11090586	LCS 1	Nitrite Nitrogen	EPA 300.0	0.470	0.500	94	mg/L
QC11090644	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC11090644	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC11090723	LCS 1	Mercury	EPA 200.8	0.001007	0.001	101	mg/L
		Antimony	EPA 200.8	0.0098	0.010	98	mg/L
		Arsenic	EPA 200.8	0.0482	0.050	96	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0429	0.050	86	mg/L
		Thallium	EPA 200.8	0.0096	0.010	96	mg/L
		Uranium	EPA 200.8	0.0104	0.010	104	mg/L
QC11090767	LCS 1	Aluminum	EPA 200.7	1.00	1.00	100	mg/L
		Barium	EPA 200.7	0.974	1.00	97	mg/L
		Beryllium	EPA 200.7	0.949	1.00	95	mg/L
		Bismuth	EPA 200.7	0.991	1.00	99	mg/L
		Boron	EPA 200.7	0.935	1.00	94	mg/L
		Cadmium	EPA 200.7	0.948	1.00	95	mg/L
		Calcium	EPA 200.7	9.81	10.0	98	mg/L
		Chromium	EPA 200.7	0.950	1.00	95	mg/L
		Cobalt	EPA 200.7	0.962	1.00	96	mg/L
		Copper	EPA 200.7	4.95	5.00	99	mg/L
		Gallium	EPA 200.7	0.985	1.00	98	mg/L
		Iron	EPA 200.7	0.970	1.00	97	mg/L
		Lithium	EPA 200.7	0.972	1.00	97	mg/L
		Magnesium	EPA 200.7	9.34	10.0	93	mg/L
		Manganese	EPA 200.7	0.973	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.946	1.00	95	mg/L
		Nickel	EPA 200.7	4.80	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.68	5.00	94	mg/L
		Potassium	EPA 200.7	10.1	10.0	101	mg/L
		Scandium	EPA 200.7	0.977	1.00	98	mg/L
		Silver	EPA 200.7	0.088	0.090	98	mg/L
		Sodium	EPA 200.7	10.3	10.0	103	mg/L
		Strontium	EPA 200.7	1.05	1.00	105	mg/L
		Tin	EPA 200.7	0.915	1.00	92	mg/L
		Titanium	EPA 200.7	0.982	1.00	98	mg/L
		Vanadium	EPA 200.7	0.964	1.00	96	mg/L
		Zinc	EPA 200.7	0.946	1.00	95	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090516	Duplicate	pH	SM 4500-H+ B	1109278-001	7.13	7.16	pH Units	<1%
QC11090516	Duplicate	pH	SM 4500-H+ B	1109279-004	7.41	7.35	pH Units	1 %
QC11090516	Duplicate	pH	SM 4500-H+ B	1109283-001	11.5	11.6	pH Units	<1%
QC11090518	Duplicate	Bicarbonate (HCO3)	SM 2320B	1109278-001	91.1	91.2	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109278-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC11090518	Duplicate	Hydroxide (OH)	SM 2320B	1109278-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1109278-001	74.7	74.8	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1109279-004	368	366	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109279-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1109279-004	<1.000	<1.000	mg/L	<1%
QC11090518	Duplicate	Total Alkalinity	SM 2320B	1109279-004	301	300	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1109283-001	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1109283-001	25.6	23.1	mg/L	10 %
		Hydroxide (OH)	SM 2320B	1109283-001	85.0	89.7	mg/L	5 %
QC11090644	Duplicate	Total Alkalinity	SM 2320B	1109283-001	292	302	mg/L as CaCO3	3 %
		Total Dissolved Solids (TDS)	SM 2540C	1109142-010	3792	3872	mg/L	2 %
QC11090644	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109302-001	17.0	26.0	mg/L	42 %
QC11090644	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1109310-004	1530	1544	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC11090538	MS 1	Fluoride	EPA 300.0	1109269-003	<0.100	2.15	2.18	2.00	mg/L	104	106	1 %
QC11090538	MS 2	Fluoride	EPA 300.0	1109269-012	<0.100	2.01	2.06	2.00	mg/L	98	100	2 %
QC11090539	MS 1	Chloride	EPA 300.0	1109269-003	<1.000	5.62	5.84	5.00	mg/L	99	103	4 %
QC11090539	MS 2	Chloride	EPA 300.0	1109269-012	<1.000	5.12	5.27	5.00	mg/L	99	102	3 %
QC11090541	MS 1	Nitrate Nitrogen	EPA 300.0	1109269-003	<1.000	1.98	2.07	2.00	mg/L	98	102	4 %
QC11090541	MS 2	Nitrate Nitrogen	EPA 300.0	1109269-012	<1.000	2.03	2.12	2.00	mg/L	100	105	4 %
QC11090542	MS 1	Sulfate	EPA 300.0	1109269-003	93.5	SC 100	101	10.0	mg/L	NC	NC	NC
QC11090542	MS 2	Sulfate	EPA 300.0	1109269-012	<1.000	11.0	11.3	10.0	mg/L	101	104	3 %
QC11090586	MS 1	Nitrite Nitrogen	EPA 300.0	1109310-001	0.589	1.56	1.61	0.500	mg/L	97	103	3 %
QC11090586	MS 2	Nitrite Nitrogen	EPA 300.0	1109310-004	0.413	2.85	2.80	0.500	mg/L	97	95	2 %
QC11090723	MS 1	Mercury	EPA 200.8	1109278-001	<0.00010	0.001105	0.001152	0.001	mg/L	111	115	4 %
QC11090767	MS 1	Antimony	EPA 200.8	1109278-001	<0.0025	0.0101	0.0100	0.010	mg/L	98	97	1 %
		Arsenic	EPA 200.8	1109278-001	<0.0050	0.0617	0.0611	0.050	mg/L	118	116	1 %
		Lead	EPA 200.8	1109278-001	0.0039	0.0134	0.0131	0.010	mg/L	95	92	2 %
		Selenium	EPA 200.8	1109278-001	0.0082	0.0603	0.0583	0.050	mg/L	104	100	3 %
		Thallium	EPA 200.8	1109278-001	<0.0010	0.0093	0.0091	0.010	mg/L	93	91	2 %
		Uranium	EPA 200.8	1109278-001	<0.0100	0.0111	0.0108	0.010	mg/L	98	96	3 %
		Aluminum	EPA 200.7	1109278-001	0.098	1.08	1.12	1.00	mg/L	98	102	4 %
		Barium	EPA 200.7	1109278-001	<0.010	0.952	0.996	1.00	mg/L	94	99	5 %
		Beryllium	EPA 200.7	1109278-001	<0.001	0.937	0.987	1.00	mg/L	94	99	5 %
		Bismuth	EPA 200.7	1109278-001	<0.100	0.936	0.987	1.00	mg/L	96	101	5 %
		Boron	EPA 200.7	1109278-001	0.145	1.09	1.14	1.00	mg/L	94	99	4 %
		Cadmium	EPA 200.7	1109278-001	<0.001	0.913	0.965	1.00	mg/L	91	97	6 %
		Calcium	EPA 200.7	1109278-001	224	SC 241	244	10.0	mg/L	NC	NC	NC
		Chromium	EPA 200.7	1109278-001	<0.005	0.938	0.985	1.00	mg/L	94	99	5 %
		Cobalt	EPA 200.7	1109278-001	<0.010	0.939	0.987	1.00	mg/L	94	98	5 %
		Copper	EPA 200.7	1109278-001	<0.050	4.95	5.20	5.00	mg/L	99	104	5 %
		Gallium	EPA 200.7	1109278-001	<0.100	0.930	0.975	1.00	mg/L	93	97	5 %
		Iron	EPA 200.7	1109278-001	0.145	1.11	1.16	1.00	mg/L	97	101	4 %
		Lithium	EPA 200.7	1109278-001	<0.100	1.11	1.15	1.00	mg/L	103	107	4 %
Magnesium	EPA 200.7	1109278-001	50.0	59.3	60.3	10.0	mg/L	93	103	2 %		
Manganese	EPA 200.7	1109278-001	<0.005	0.875	0.922	1.00	mg/L	95	100	5 %		
Molybdenum	EPA 200.7	1109278-001	<0.010	0.934	0.978	1.00	mg/L	94	98	5 %		
Nickel	EPA 200.7	1109278-001	<0.010	4.66	4.90	5.00	mg/L	93	98	5 %		
Phosphorus	EPA 200.7	1109278-001	<0.500	4.85	5.17	5.00	mg/L	96	102	6 %		
Potassium	EPA 200.7	1109278-001	4.38	15.2	15.6	10.0	mg/L	108	112	3 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Scandium	EPA 200.7	1109278-001	<0.100	0.963	1.01	1.00	mg/L	96	101	5 %
		Silver	EPA 200.7	1109278-001	<0.005	0.087	0.090	0.090	mg/L	96	99	3 %
		Sodium	EPA 200.7	1109278-001	57.8	70.2	70.7	10.0	mg/L	124	129	1 %
		Strontium	EPA 200.7	1109278-001	0.395	1.43	1.47	1.00	mg/L	103	108	3 %
		Tin	EPA 200.7	1109278-001	<0.100	0.855	0.896	1.00	mg/L	92	96	5 %
		Titanium	EPA 200.7	1109278-001	<0.100	0.971	0.999	1.00	mg/L	97	100	3 %
		Vanadium	EPA 200.7	1109278-001	0.043	0.991	1.04	1.00	mg/L	95	100	5 %
		Zinc	EPA 200.7	1109278-001	0.025	0.950	1.01	1.00	mg/L	93	99	6 %



Specializing in Soil, Hazardous Waste and Water Analysis.

1/18/2013

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1301048

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 1/3/2013. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1301048

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Fluoride on sample 1301048-001 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to a laboratory reanalysis requirement the analysis for Total Dissolved Solids (TDS) on sample 1301048-001 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO/Project: 3438 WK:28

Date Printed: 1/18/2013

OrderID: 1301048

Customer Sample ID: CF-11-02 (227-367) Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-001

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	71	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	58	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.1	M mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	6.9	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	77	HT mg/L	10	1/16/2013
Aluminum	EPA 200.7	0.062	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.047	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	18	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	3.1	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.027	mg/L	0.0050	1/8/2013

Page 3 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-001

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	3.3	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	1.2	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.17	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Anions	Calculation	1.37	meq/L	0.10	
Cations	Calculation	1.30	meq/L	0.10	
Error	Calculation	2.5	%	1.0	

Customer Sample ID: CF-11-02 (52-117) Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-002

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.77	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	61	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	50	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	0.92	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	10	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013

Page 4 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamaille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (52-117) Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-002

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	86	mg/L	10	1/8/2013
Aluminum	EPA 200.7	0.048	mg/L	0.045	1/8/2013
Barium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	18	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	2.0	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.028	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	3.0	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	0.98	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.13	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.013	mg/L	0.0050	1/8/2013
Anions	Calculation	1.26	meq/L	0.10	
Cations	Calculation	1.19	meq/L	0.10	
Error	Calculation	2.8	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-003

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.86	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	73	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	60	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.1	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	37	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	1/8/2013
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.090	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	31	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	3.2	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.052	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	0.043	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	2.7	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	1.1	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.66	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013

Page 6 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-003

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.023	mg/L	0.0050	1/8/2013
Anions	Calculation	2.02	meq/L	0.10	
Cations	Calculation	1.93	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-004

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.93	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	84	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	69	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.5	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	13	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	1/8/2013
Aluminum	EPA 200.7	0.048	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.068	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	23	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013

Page 7 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Biotite Breccia 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-004

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	0.016	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	4.5	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.046	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	2.9	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	0.85	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.31	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.0065	mg/L	0.0050	1/8/2013
Anions	Calculation	1.73	meq/L	0.10	
Cations	Calculation	1.64	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-005

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO3)	SM 2320B	75	mg/L	1.0	1/3/2013
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	62	mg/L as CaCO3	1.0	1/3/2013

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-005

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.1	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	15	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	94	mg/L	10	1/8/2013
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.11	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	21	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	4.4	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.025	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	0.055	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	2.8	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	1.2	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.57	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013

Page 9 of 21

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-005

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.015	mg/L	0.0050	1/8/2013
Anions	Calculation	1.60	meq/L	0.10	
Cations	Calculation	1.53	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-006

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	65	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	54	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.4	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	13	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	88	mg/L	10	1/8/2013
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.076	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	19	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	4.0	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.023	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	0.015	mg/L	0.010	1/8/2013

Page 10 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-006

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	1.8	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	0.72	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.27	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Seelenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.034	mg/L	0.0050	1/8/2013
Anions	Calculation	1.41	meq/L	0.10	
Cations	Calculation	1.36	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-007

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.90	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	75	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	61	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	1.3	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	13	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	0.092	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	98	mg/L	10	1/8/2013

Page 11 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-007

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.10	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	20	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	4.2	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	0.018	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	0.017	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	2.3	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	0.80	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	0.44	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	0.040	mg/L	0.0050	1/8/2013
Anions	Calculation	1.57	meq/L	0.10	
Cations	Calculation	1.44	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-008

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.48	pH Units		1/3/2013
Trace Metals Digestion	EPA 200.2	Complete			1/4/2013
Bicarbonate (HCO ₃)	SM 2320B	22	mg/L	1.0	1/3/2013
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	1/3/2013
Total Alkalinity	SM 2320B	18	mg/L as CaCO ₃	1.0	1/3/2013
Chloride	EPA 300.0	<1.00	mg/L	1.00	1/4/2013
Fluoride	EPA 300.0	0.22	mg/L	0.10	1/4/2013
Sulfate	EPA 300.0	4.2	mg/L	1.0	1/4/2013
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	1/4/2013
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	1/4/2013
Total Dissolved Solids (TDS)	SM 2540C	45	mg/L	10	1/8/2013
Aluminum	EPA 200.7	0.11	mg/L	0.045	1/8/2013
Barium	EPA 200.7	0.056	mg/L	0.010	1/8/2013
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Bismuth	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Boron	EPA 200.7	<0.100	mg/L	0.100	1/8/2013
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	1/8/2013
Calcium	EPA 200.7	6.5	mg/L	0.50	1/8/2013
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Cobalt	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Copper	EPA 200.7	<0.050	mg/L	0.050	1/8/2013
Gallium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Iron	EPA 200.7	0.018	mg/L	0.010	1/8/2013
Lithium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Magnesium	EPA 200.7	0.86	mg/L	0.50	1/8/2013
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Nickel	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Potassium	EPA 200.7	<0.50	mg/L	0.50	1/8/2013
Scandium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Silver	EPA 200.7	<0.0050	mg/L	0.0050	1/8/2013
Sodium	EPA 200.7	1.7	mg/L	0.50	1/8/2013
Strontium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Tin	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Titanium	EPA 200.7	<0.10	mg/L	0.10	1/8/2013
Vanadium	EPA 200.7	<0.010	mg/L	0.010	1/8/2013

Page 13 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:28

Collect Date/Time: 1/3/2013 09:00

WETLAB Sample ID: 1301048-008

Receive Date: 1/3/2013 16:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	1/8/2013
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	1/8/2013
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Arsenic	EPA 200.8	0.0060	mg/L	0.0050	1/8/2013
Lead	EPA 200.8	<0.0025	mg/L	0.0025	1/8/2013
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	1/8/2013
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	1/8/2013
Anions	Calculation	0.46	meq/L	0.10	
Cations	Calculation	0.48	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC13010154	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC13010154	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC13010154	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC13010158	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC13010158	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC13010158	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC13010162	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC13010162	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC13010162	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC13010167	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC13010167	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC13010167	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC13010171	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC13010171	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC13010171	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC13010195	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC13010196	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC13010216	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.100	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC13010218	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC13010309	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC13010309	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC13010309	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC13010390	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC13010390	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC13010108	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC13010108	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC13010108	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC13010108	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC13010110	LCS 1	Total Alkalinity	SM 2320B	99.4	100	99	mg/L
QC13010110	LCS 2	Total Alkalinity	SM 2320B	99.6	100	100	mg/L
QC13010110	LCS 3	Total Alkalinity	SM 2320B	99.6	100	100	mg/L
QC13010110	LCS 4	Total Alkalinity	SM 2320B	99.8	100	100	mg/L
QC13010110	LCS 5	Total Alkalinity	SM 2320B	101	100	101	mg/L
QC13010154	LCS 1	Fluoride	EPA 300.0	1.95	2.00	98	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC13010158	LCS 1	Chloride	EPA 300.0	9.81	10.0	98	mg/L
QC13010162	LCS 1	Nitrite Nitrogen	EPA 300.0	0.545	0.500	109	mg/L
QC13010167	LCS 1	Nitrate Nitrogen	EPA 300.0	1.89	2.00	95	mg/L
QC13010171	LCS 1	Sulfate	EPA 300.0	23.6	25.0	94	mg/L
QC13010195	LCS 1	Mercury	EPA 200.8	0.000978	0.001	98	mg/L
		Antimony	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic	EPA 200.8	0.0487	0.050	97	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0444	0.050	89	mg/L
		Thallium	EPA 200.8	0.0093	0.010	93	mg/L
		Uranium	EPA 200.8	0.0091	0.010	91	mg/L
QC13010196	LCS 1	Mercury	EPA 200.8	0.000972	0.001	97	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0495	0.050	99	mg/L
		Lead	EPA 200.8	0.0098	0.010	98	mg/L
		Selenium	EPA 200.8	0.0451	0.050	90	mg/L
		Thallium	EPA 200.8	0.0097	0.010	96	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
QC13010216	LCS 1	Aluminum	EPA 200.7	0.954	1.00	95	mg/L
		Barium	EPA 200.7	0.973	1.00	97	mg/L
		Beryllium	EPA 200.7	0.975	1.00	98	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.940	1.00	94	mg/L
		Cadmium	EPA 200.7	0.985	1.00	98	mg/L
		Calcium	EPA 200.7	9.78	10.0	98	mg/L
		Chromium	EPA 200.7	0.964	1.00	96	mg/L
		Cobalt	EPA 200.7	0.979	1.00	98	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.970	1.00	97	mg/L
		Iron	EPA 200.7	0.955	1.00	96	mg/L
		Lithium	EPA 200.7	0.945	1.00	94	mg/L
		Magnesium	EPA 200.7	9.33	10.0	93	mg/L
		Manganese	EPA 200.7	0.976	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.955	1.00	96	mg/L
		Nickel	EPA 200.7	4.87	5.00	97	mg/L
		Phosphorus	EPA 200.7	4.89	5.00	98	mg/L
		Potassium	EPA 200.7	9.54	10.0	95	mg/L
		Scandium	EPA 200.7	0.957	1.00	96	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.96	10.0	100	mg/L
		Strontium	EPA 200.7	1.00	1.00	100	mg/L
		Tin	EPA 200.7	0.929	1.00	93	mg/L
		Titanium	EPA 200.7	0.954	1.00	95	mg/L
		Vanadium	EPA 200.7	0.970	1.00	97	mg/L
		Zinc	EPA 200.7	0.980	1.00	98	mg/L
QC13010218	LCS 1	Aluminum	EPA 200.7	0.953	1.00	95	mg/L
		Barium	EPA 200.7	0.978	1.00	98	mg/L
		Beryllium	EPA 200.7	0.988	1.00	99	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.943	1.00	94	mg/L
		Cadmium	EPA 200.7	1.00	1.00	100	mg/L
		Calcium	EPA 200.7	9.90	10.0	99	mg/L
		Chromium	EPA 200.7	0.971	1.00	97	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Cobalt	EPA 200.7	0.984	1.00	98	mg/L
		Copper	EPA 200.7	4.66	5.00	93	mg/L
		Gallium	EPA 200.7	0.967	1.00	97	mg/L
		Iron	EPA 200.7	0.962	1.00	96	mg/L
		Lithium	EPA 200.7	0.949	1.00	95	mg/L
		Magnesium	EPA 200.7	9.55	10.0	96	mg/L
		Manganese	EPA 200.7	0.990	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.956	1.00	96	mg/L
		Nickel	EPA 200.7	4.91	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.99	5.00	100	mg/L
		Potassium	EPA 200.7	9.56	10.0	96	mg/L
		Scandium	EPA 200.7	0.958	1.00	96	mg/L
		Silver	EPA 200.7	0.087	0.090	97	mg/L
		Sodium	EPA 200.7	9.35	10.0	94	mg/L
		Strontium	EPA 200.7	0.933	1.00	93	mg/L
		Tin	EPA 200.7	0.965	1.00	96	mg/L
		Titanium	EPA 200.7	0.972	1.00	97	mg/L
		Vanadium	EPA 200.7	0.970	1.00	97	mg/L
		Zinc	EPA 200.7	1.00	1.00	100	mg/L
QC13010309	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC13010309	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L
QC13010309	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC13010390	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	159	150	106	mg/L
QC13010390	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	157	150	105	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC13010108	Duplicate	pH	SM 4500-H+ B	1301018-001	8.10	8.13	pH Units	<1%
QC13010108	Duplicate	pH	SM 4500-H+ B	1301018-002	7.83	7.86	pH Units	<1%
QC13010108	Duplicate	pH	SM 4500-H+ B	1301018-003	8.00	8.01	pH Units	<1%
QC13010108	Duplicate	pH	SM 4500-H+ B	1301044-001	6.44	6.40	pH Units	1 %
QC13010108	Duplicate	pH	SM 4500-H+ B	1301044-008	6.16	6.15	pH Units	<1%
QC13010108	Duplicate	pH	SM 4500-H+ B	1301047-001	7.62	7.64	pH Units	<1%
QC13010108	Duplicate	pH	SM 4500-H+ B	1301052-001	7.85	7.86	pH Units	<1%
QC13010110	Duplicate	Bicarbonate (HCO3)	SM 2320B	1301018-001	234	235	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1301018-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301018-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301018-001	192	192	mg/L as CaCO3	<1%
QC13010110	Duplicate	Bicarbonate (HCO3)	SM 2320B	1301018-002	153	152	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1301018-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301018-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301018-002	125	125	mg/L as CaCO3	<1%
QC13010110	Duplicate	Bicarbonate (HCO3)	SM 2320B	1301018-003	185	186	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1301018-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301018-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301018-003	152	152	mg/L as CaCO3	<1%
QC13010110	Duplicate	Bicarbonate (HCO3)	SM 2320B	1301044-001	21.4	20.3	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1301044-001	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC13010110	Duplicate	Hydroxide (OH)	SM 2320B	1301044-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301044-001	17.5	16.6	mg/L as CaCO3	5 %
		Bicarbonate (HCO3)	SM 2320B	1301044-008	23.7	23.6	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1301044-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301044-008	<1.000	<1.000	mg/L	<1%
QC13010110	Duplicate	Total Alkalinity	SM 2320B	1301044-008	19.4	19.4	mg/L as CaCO3	<1%
		Bicarbonate (HCO3)	SM 2320B	1301047-001	40.6	38.9	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1301047-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301047-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301047-001	33.2	31.9	mg/L as CaCO3	4 %
QC13010110	Duplicate	Bicarbonate (HCO3)	SM 2320B	1301052-001	118	118	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1301052-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1301052-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1301052-001	96.9	96.9	mg/L as CaCO3	<1%
QC13010309	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301047-001	54.0	58.0	mg/L	7 %
QC13010309	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301078-003	802	808	mg/L	1 %
QC13010309	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301090-001	33.0	32.0	mg/L	3 %
QC13010309	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301090-011	47.0	37.0	mg/L	24 %
QC13010309	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212510-001		2220	mg/L	<1%
QC13010390	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301093-001	630	628	mg/L	<1%
QC13010390	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301121-003	267	552	mg/L	%
QC13010390	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1301048-001	77.0	56.0	HT mg/L	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC13010154	MS 1	Fluoride	EPA 300.0	1301048-001	1.09	M 2.52	2.55	2.00	mg/L	NC	NC	NC
QC13010154	MS 2	Fluoride	EPA 300.0	1301047-001	<0.100	1.68	1.70	2.00	mg/L	82	83	1 %
QC13010158	MS 1	Chloride	EPA 300.0	1301044-001	1.22	6.61	6.84	5.00	mg/L	108	112	3 %
QC13010158	MS 2	Chloride	EPA 300.0	1301048-001	<1.000	5.18	5.30	5.00	mg/L	103	106	2 %
QC13010162	MS 1	Nitrite Nitrogen	EPA 300.0	1301044-001	<0.025	0.594	0.618	0.500	mg/L	119	124	4 %
QC13010162	MS 2	Nitrite Nitrogen	EPA 300.0	1301048-001	<0.025	0.569	0.580	0.500	mg/L	110	112	2 %
QC13010167	MS 1	Nitrate Nitrogen	EPA 300.0	1301044-001	<1.000	2.29	2.38	2.00	mg/L	107	112	4 %
QC13010167	MS 2	Nitrate Nitrogen	EPA 300.0	1301048-001	<1.000	2.01	2.07	2.00	mg/L	99	102	3 %
QC13010171	MS 1	Sulfate	EPA 300.0	1301044-001	1.23	11.8	12.2	10.0	mg/L	106	110	3 %
QC13010171	MS 2	Sulfate	EPA 300.0	1301048-001	6.88	16.8	17.1	10.0	mg/L	100	102	2 %
QC13010195	MS 1	Mercury	EPA 200.8	1301046-003	<0.00100	0.001920	0.001880	0.001	mg/L	97	93	2 %
		Antimony	EPA 200.8	1301046-003	1.3582	SC 1.3182	1.3619	0.010	mg/L	NC	NC	NC
		Arsenic	EPA 200.8	1301046-003	3.7847	SC 3.7367	3.8235	0.050	mg/L	NC	NC	NC
		Lead	EPA 200.8	1301046-003	<0.0100	0.0125	0.0127	0.010	mg/L	99	101	2 %
		Selenium	EPA 200.8	1301046-003	0.3284	SC 0.3997	0.3995	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1301046-003	<0.0100	0.0101	0.0102	0.010	mg/L	103	104	1 %
		Uranium	EPA 200.8	1301046-003	<0.0100	<0.0100	<0.0100	0.010	mg/L	104	105	#Error
QC13010196	MS 1	Mercury	EPA 200.8	1301044-011	<0.00010	0.000959	0.000990	0.001	mg/L	95	98	3 %
		Antimony	EPA 200.8	1301044-011	<0.0025	0.0091	0.0092	0.010	mg/L	91	91	1 %
		Arsenic	EPA 200.8	1301044-011	<0.0050	0.0500	0.0504	0.050	mg/L	100	101	1 %
		Lead	EPA 200.8	1301044-011	<0.0025	0.0099	0.0101	0.010	mg/L	98	101	2 %
		Selenium	EPA 200.8	1301044-011	<0.0050	0.0452	0.0453	0.050	mg/L	90	91	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC13010216	MS 1	Thallium	EPA 200.8	1301044-011	<0.0010	0.0096	0.0098	0.010	mg/L	96	98	2 %
		Uranium	EPA 200.8	1301044-011	<0.0050	0.0098	0.0100	0.010	mg/L	98	100	2 %
		Aluminum	EPA 200.7	1301046-003	1.04	2.27	2.24	1.00	mg/L	123	120	1 %
		Barium	EPA 200.7	1301046-003	0.018	0.982	0.977	1.00	mg/L	96	96	1 %
		Beryllium	EPA 200.7	1301046-003	<0.001	0.975	0.974	1.00	mg/L	97	97	<1%
		Bismuth	EPA 200.7	1301046-003	<0.100	0.996	1.01	1.00	mg/L	99	101	1 %
		Boron	EPA 200.7	1301046-003	<0.100	1.05	1.06	1.00	mg/L	98	99	1 %
		Cadmium	EPA 200.7	1301046-003	<0.001	0.940	0.935	1.00	mg/L	94	93	1 %
		Calcium	EPA 200.7	1301046-003	9.17	18.7	18.9	10.0	mg/L	95	97	1 %
		Chromium	EPA 200.7	1301046-003	<0.005	0.953	0.948	1.00	mg/L	95	95	1 %
		Cobalt	EPA 200.7	1301046-003	0.014	0.965	0.961	1.00	mg/L	95	95	<1%
		Copper	EPA 200.7	1301046-003	0.079	5.26	5.27	5.00	mg/L	104	104	<1%
		Gallium	EPA 200.7	1301046-003	<0.100	1.02	1.02	1.00	mg/L	102	102	<1%
		Iron	EPA 200.7	1301046-003	0.326	1.32	1.31	1.00	mg/L	99	98	1 %
		Lithium	EPA 200.7	1301046-003	<0.100	0.968	0.969	1.00	mg/L	97	97	<1%
		Magnesium	EPA 200.7	1301046-003	<0.500	9.53	9.51	10.0	mg/L	94	94	<1%
		Manganese	EPA 200.7	1301046-003	0.018	0.986	0.983	1.00	mg/L	97	97	<1%
		Molybdenum	EPA 200.7	1301046-003	0.155	1.09	1.10	1.00	mg/L	94	94	1 %
		Nickel	EPA 200.7	1301046-003	0.015	4.76	4.73	5.00	mg/L	95	94	1 %
		QC13010218	MS 1	Phosphorus	EPA 200.7	1301046-003	<0.500	5.04	5.08	5.00	mg/L	98
Potassium	EPA 200.7			1301046-003	2.67	12.5	12.3	10.0	mg/L	98	96	2 %
Scandium	EPA 200.7			1301046-003	<0.100	0.957	0.955	1.00	mg/L	96	96	<1%
Silver	EPA 200.7			1301046-003	<0.005	0.090	0.092	0.090	mg/L	100	101	2 %
Sodium	EPA 200.7			1301046-003	134	145	145	10.0	mg/L	110	110	<1%
Strontium	EPA 200.7			1301046-003	<0.100	1.00	1.01	1.00	mg/L	98	99	1 %
Tin	EPA 200.7			1301046-003	<0.100	0.934	0.941	1.00	mg/L	95	95	1 %
Titanium	EPA 200.7			1301046-003	<0.100	0.979	0.982	1.00	mg/L	98	98	<1%
Vanadium	EPA 200.7			1301046-003	0.048	1.02	1.02	1.00	mg/L	97	97	<1%
Zinc	EPA 200.7			1301046-003	0.040	1.02	1.03	1.00	mg/L	98	99	1 %
Aluminum	EPA 200.7			1301044-012	<0.045	0.985	0.988	1.00	mg/L	98	98	<1%
Barium	EPA 200.7			1301044-012	0.026	0.988	0.993	1.00	mg/L	96	97	1 %
Beryllium	EPA 200.7			1301044-012	<0.001	0.968	0.975	1.00	mg/L	97	97	1 %
Bismuth	EPA 200.7			1301044-012	<0.100	0.975	0.982	1.00	mg/L	98	98	1 %
Boron	EPA 200.7			1301044-012	<0.100	0.983	1.00	1.00	mg/L	96	98	2 %
Cadmium	EPA 200.7			1301044-012	<0.001	0.952	0.960	1.00	mg/L	95	96	1 %
Calcium	EPA 200.7			1301044-012	13.3	22.9	23.3	10.0	mg/L	96	100	2 %
Chromium	EPA 200.7			1301044-012	<0.005	0.952	0.957	1.00	mg/L	95	96	1 %
Cobalt	EPA 200.7			1301044-012	<0.010	0.941	0.951	1.00	mg/L	94	95	1 %
Copper	EPA 200.7			1301044-012	<0.050	4.79	4.80	5.00	mg/L	96	96	<1%
Gallium	EPA 200.7	1301044-012	<0.100	0.988	0.991	1.00	mg/L	99	99	<1%		
Iron	EPA 200.7	1301044-012	0.011	0.970	0.969	1.00	mg/L	96	96	<1%		
Lithium	EPA 200.7	1301044-012	<0.100	0.953	0.963	1.00	mg/L	95	96	1 %		
Magnesium	EPA 200.7	1301044-012	7.25	16.5	16.5	10.0	mg/L	92	92	<1%		
Manganese	EPA 200.7	1301044-012	0.005	0.966	0.973	1.00	mg/L	96	97	1 %		
Molybdenum	EPA 200.7	1301044-012	<0.010	0.938	0.943	1.00	mg/L	94	94	1 %		
Nickel	EPA 200.7	1301044-012	<0.010	4.71	4.73	5.00	mg/L	94	95	<1%		
Phosphorus	EPA 200.7	1301044-012	<0.500	4.83	4.88	5.00	mg/L	95	96	1 %		
Potassium	EPA 200.7	1301044-012	6.15	15.7	15.8	10.0	mg/L	95	96	1 %		
Scandium	EPA 200.7	1301044-012	<0.100	0.965	0.967	1.00	mg/L	96	97	<1%		
Silver	EPA 200.7	1301044-012	<0.005	0.088	0.088	0.090	mg/L	98	98	<1%		
Sodium	EPA 200.7	1301044-012	17.2	26.9	27.4	10.0	mg/L	97	102	2 %		
Strontium	EPA 200.7	1301044-012	0.113	1.11	1.13	1.00	mg/L	100	102	2 %		

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Tin	EPA 200.7	1301044-012	<0.100	0.903	0.906	1.00	mg/L	92	92	<1%
		Titanium	EPA 200.7	1301044-012	<0.100	0.974	0.972	1.00	mg/L	97	97	<1%
		Vanadium	EPA 200.7	1301044-012	<0.010	0.974	0.978	1.00	mg/L	97	97	<1%
		Zinc	EPA 200.7	1301044-012	<0.010	0.949	0.951	1.00	mg/L	95	95	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY *Specializing in Soil, Hazardous Waste and Water Analysis.*
 475 E. Greg Street #119 | Sparks, Nevada 89431
 tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1301048
 Report
 Due Date: 1/17/13
 Page 1 of 1

Client McClelland Laboratories, Inc.
 Address 1016 Greg Street
 City, State & Zip Sparks, NV 89431
 Contact Mike Medina
 Phone 775-356-1300 Collector's Name Robert
 Fax 775-356-8917 Project Name
 P.O. Number Project Number 3438

Turnaround Time
 Standard _____ 5-Day _____ Other _____
Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	NO OF	S	Analyses Requested		Spl. No.
					Profile II w/o Wad	Uranium	
CF-11-02 (227-367) Wk:28	01/03/13	9:00	ww	2	X	X	1
CF-11-02 (52-117)							2
K-Spar Breccia 5+ Comp							3
Biotite Breccia 5+ Comp							4
Quartz Monzonite 5+ Comp							5
Biotite Breccia 0-5 Comp							6
K-Spar Breccia 0-5 Comp							7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	8

Instructions/Comments/Special Requirements: 1301 1
048 1

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>10.3°C</u>	<u>1/13</u>	<u>16:10</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1301043

Report

Due Date: 1/17/13

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Turnaround Time
Standard _____ 5-Day _____ Other _____

Address **1016 Greg Street**

Billing Address (if different than Client Address):

City, State & Zip **Sparks, NV 89431**

Contact **Mike Medina**

Company _____

Phone **775-356-1300**

Address _____

Fax **775-356-8917**

City, State & Zip _____

Collector's Name **Robert**

Contact _____

Project Name _____

Phone _____

P.O. Number _____

Project Number **3438**

Fax _____

Email **mli@mettest.com**

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring		Y	N	
Fax Results to State EPA		Y	N	

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION		DATE	TIME	NO	OF	Analyses Requested										Spl. No.			
CF-11-02 (227-367)	Wk:28	01/03/13	9:00	WW	2	X	X												1
CF-11-02 (52-117)																			2
K-Spar Breccia 5+ Comp																			3
Biotite Breccia 5+ Comp																			4
Quartz Monzonite 5+ Comp																			5
Biotite Breccia 0-5 Comp																			6
K-Spar Breccia 0-5 Comp																			7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	8

Instructions/Comments/Special Requirements: _____ 1301 1
 _____ 048 1

SAMPLE RECEIPT		DATE	TIME	Samples Relinquished By	Samples Received By
Temperature	<u>18.3 °C</u>	<u>1/3/13</u>	<u>16:10</u>		
Custody Seals Intact?	Y N <u>None</u>				
Number of Containers	<u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

12/28/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1212123


Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 12/6/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1212123

General Comments

None

Specific Comments

Due to a laboratory oversight the analysis for Total Dissolved Solids (TDS) on samples 1212123-006 and 007 was performed past the EPA recommended holding time. We apologize for any inconvenience this may have caused.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

07228 **EBID**
Exhibit 19

Western Environmental Testing Laboratory

Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438 Wk: 24

Date Printed: 12/28/2012

OrderID: 1212123

Customer Sample ID: CF-11-02 (227-367) WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-001

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.85	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO ₃)	SM 2320B	71	mg/L	1.0	12/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	58	mg/L as CaCO ₃	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.1	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	8.4	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	86	mg/L	10	12/11/2012
Aluminum	EPA 200.7	0.070	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.049	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	18	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.054	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	3.4	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.038	mg/L	0.0050	12/11/2012

Page 3 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-001

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.8	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	0.94	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.19	mg/L	0.10	12/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	0.019	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Anions	Calculation	1.40	meq/L	0.10	
Cations	Calculation	1.33	meq/L	0.10	
Error	Calculation	2.5	%	1.0	

Customer Sample ID: CF-11-02 (52-117) WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-002

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.74	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO3)	SM 2320B	67	mg/L	1.0	12/6/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	55	mg/L as CaCO3	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.0	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	12	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012

Customer Sample ID: CF-11-02 (52-117) WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-002

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	12/11/2012
Aluminum	EPA 200.7	0.054	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.011	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	20	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.012	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	2.4	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.032	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.8	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.16	mg/L	0.10	12/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.013	mg/L	0.0050	12/12/2012
Anions	Calculation	1.40	meq/L	0.10	
Cations	Calculation	1.34	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-003

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO ₃)	SM 2320B	79	mg/L	1.0	12/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	65	mg/L as CaCO ₃	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	55	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	12/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.091	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	36	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.065	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	0.051	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.4	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.90	mg/L	0.10	12/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012

Page 6 of 20

Customer Sample ID: K-Spar Breccia 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-003

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.030	mg/L	0.0050	12/12/2012
Anions	Calculation	2.50	meq/L	0.10	
Cations	Calculation	2.28	meq/L	0.10	
Error	Calculation	4.6	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-004

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.92	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO3)	SM 2320B	86	mg/L	1.0	12/6/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	70	mg/L as CaCO3	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	18	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	12/11/2012
Aluminum	EPA 200.7	0.049	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.080	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	24	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012

Customer Sample ID: Biotite Breccia 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-004

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.012	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	5.1	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.046	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	0.012	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.7	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	0.84	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.41	mg/L	0.10	12/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.0075	mg/L	0.0050	12/12/2012
Anions	Calculation	1.86	meq/L	0.10	
Cations	Calculation	1.76	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-005

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO3)	SM 2320B	73	mg/L	1.0	12/6/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	60	mg/L as CaCO3	1.0	12/6/2012

Page 8 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-005

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	20	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	12/11/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.11	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	21	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	4.7	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.023	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	0.069	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.4	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	1.1	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.70	mg/L	0.10	12/11/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012

Page 9 of 20

Customer Sample ID: Quartz Monzonite 5+ Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-005

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.017	mg/L	0.0050	12/12/2012
Anions	Calculation	1.68	meq/L	0.10	
Cations	Calculation	1.57	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-006

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO ₃)	SM 2320B	65	mg/L	1.0	12/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	53	mg/L as CaCO ₃	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	15	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	84	HT mg/L	10	12/26/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.071	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	19	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.011	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	4.0	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	0.021	mg/L	0.010	12/11/2012

Page 10 of 20

Customer Sample ID: Biotite Breccia 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-006

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	2.3	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	0.67	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.29	mg/L	0.10	12/12/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.034	mg/L	0.0050	12/12/2012
Anions	Calculation	1.46	meq/L	0.10	
Cations	Calculation	1.37	meq/L	0.10	
Error	Calculation	3.2	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-007

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO ₃)	SM 2320B	68	mg/L	1.0	12/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	56	mg/L as CaCO ₃	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.4	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	17	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	0.13	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	94	HT mg/L	10	12/26/2012

Page 11 of 20

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-007

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.083	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	20	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.012	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.017	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	0.026	mg/L	0.010	12/11/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	3.0	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	0.95	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.41	mg/L	0.10	12/12/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.038	mg/L	0.0050	12/12/2012
Anions	Calculation	1.54	meq/L	0.10	
Cations	Calculation	1.47	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-008

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		12/6/2012
Trace Metals Digestion	EPA 200.2	Complete			12/11/2012
Bicarbonate (HCO ₃)	SM 2320B	83	mg/L	1.0	12/6/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	12/6/2012
Total Alkalinity	SM 2320B	68	mg/L as CaCO ₃	1.0	12/6/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	12/7/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	12/7/2012
Sulfate	EPA 300.0	21	mg/L	1.0	12/7/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	12/7/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	12/7/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	12/20/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	12/11/2012
Barium	EPA 200.7	0.16	mg/L	0.010	12/11/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	12/11/2012
Calcium	EPA 200.7	26	mg/L	0.50	12/11/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	12/11/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	12/11/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Iron	EPA 200.7	0.010	mg/L	0.010	12/11/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Magnesium	EPA 200.7	4.7	mg/L	0.50	12/11/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	12/11/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	12/12/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	12/11/2012
Potassium	EPA 200.7	2.5	mg/L	0.50	12/11/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Silver	EPA 200.7	<0.005	mg/L	0.005	12/11/2012
Sodium	EPA 200.7	0.87	mg/L	0.50	12/11/2012
Strontium	EPA 200.7	0.38	mg/L	0.10	12/12/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	12/11/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	12/11/2012

Page 13 of 20

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:24

Collect Date/Time: 12/6/2012 09:00

WETLAB Sample ID: 1212123-008

Receive Date: 12/6/2012 15:05

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	12/11/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	12/12/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	12/12/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	12/12/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	12/12/2012
Uranium	EPA 200.8	0.034	mg/L	0.0050	12/12/2012
Anions	Calculation	1.87	meq/L	0.10	
Cations	Calculation	1.79	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12120272	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12120272	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12120272	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12120279	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12120279	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12120279	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12120284	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120284	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120284	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12120289	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120289	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120289	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12120294	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12120294	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12120294	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12120379	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12120381	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12120428	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12120429	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12120479	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12120479	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12120749	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12120231	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12120231	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12120231	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12120231	LCS 4	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12120237	LCS 1	Total Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12120237	LCS 2	Total Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12120237	LCS 3	Total Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12120237	LCS 4	Total Alkalinity	SM 2320B	99.7	100	100	mg/L
QC12120237	LCS 5	Total Alkalinity	SM 2320B	100	100	100	mg/L
QC12120272	LCS 1	Fluoride	EPA 300.0	1.85	2.00	93	mg/L
QC12120279	LCS 1	Chloride	EPA 300.0	10.2	10.0	102	mg/L
QC12120284	LCS 1	Nitrite Nitrogen	EPA 300.0	0.542	0.500	108	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC12120289	LCS 1	Nitrate Nitrogen	EPA 300.0	1.97	2.00	98	mg/L
QC12120289	LCS 2	Nitrate Nitrogen	EPA 300.0		2.00		mg/L
QC12120294	LCS 1	Sulfate	EPA 300.0	24.0	25.0	96	mg/L
QC12120379	LCS 1	Aluminum	EPA 200.7	0.977	1.00	98	mg/L
		Barium	EPA 200.7	0.965	1.00	96	mg/L
		Beryllium	EPA 200.7	0.967	1.00	97	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.936	1.00	94	mg/L
		Cadmium	EPA 200.7	0.967	1.00	97	mg/L
		Calcium	EPA 200.7	9.64	10.0	96	mg/L
		Chromium	EPA 200.7	0.957	1.00	96	mg/L
		Cobalt	EPA 200.7	0.964	1.00	96	mg/L
		Copper	EPA 200.7	4.76	5.00	95	mg/L
		Gallium	EPA 200.7	0.969	1.00	97	mg/L
		Iron	EPA 200.7	0.971	1.00	97	mg/L
		Lithium	EPA 200.7	0.977	1.00	98	mg/L
		Magnesium	EPA 200.7	9.54	10.0	95	mg/L
		Manganese	EPA 200.7	0.961	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.966	1.00	97	mg/L
		Nickel	EPA 200.7	4.82	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.79	5.00	96	mg/L
		Potassium	EPA 200.7	9.69	10.0	97	mg/L
		Scandium	EPA 200.7	0.969	1.00	97	mg/L
		Silver	EPA 200.7	0.088	0.090	98	mg/L
		Sodium	EPA 200.7	9.47	10.0	95	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.945	1.00	94	mg/L
		Titanium	EPA 200.7	0.986	1.00	99	mg/L
		Vanadium	EPA 200.7	0.964	1.00	96	mg/L
		Zinc	EPA 200.7	0.957	1.00	96	mg/L
QC12120381	LCS 1	Aluminum, Dissolved	EPA 200.7	0.992	1.00	99	mg/L
		Barium, Dissolved	EPA 200.7	0.971	1.00	97	mg/L
		Beryllium, Dissolved	EPA 200.7	0.961	1.00	96	mg/L
		Bismuth, Dissolved	EPA 200.7	0.992	1.00	99	mg/L
		Boron, Dissolved	EPA 200.7	0.937	1.00	94	mg/L
		Cadmium, Dissolved	EPA 200.7	0.962	1.00	96	mg/L
		Calcium, Dissolved	EPA 200.7	9.54	10.0	95	mg/L
		Chromium, Dissolved	EPA 200.7	0.962	1.00	96	mg/L
		Cobalt, Dissolved	EPA 200.7	0.959	1.00	96	mg/L
		Copper, Dissolved	EPA 200.7	4.75	5.00	95	mg/L
		Gallium, Dissolved	EPA 200.7	0.974	1.00	97	mg/L
		Iron, Dissolved	EPA 200.7	0.973	1.00	97	mg/L
		Lithium, Dissolved	EPA 200.7	0.980	1.00	98	mg/L
		Magnesium, Dissolved	EPA 200.7	9.64	10.0	96	mg/L
		Manganese, Dissolved	EPA 200.7	0.954	1.00	95	mg/L
		Molybdenum, Dissolved	EPA 200.7	0.981	1.00	98	mg/L
		Nickel, Dissolved	EPA 200.7	4.83	5.00	97	mg/L
		Phosphorus, Dissolved	EPA 200.7	4.73	5.00	95	mg/L
		Potassium, Dissolved	EPA 200.7	9.83	10.0	98	mg/L
		Scandium, Dissolved	EPA 200.7	0.978	1.00	98	mg/L
		Silver, Dissolved	EPA 200.7	0.088	0.090	98	mg/L
		Sodium, Dissolved	EPA 200.7	9.09	10.0	91	mg/L
		Strontium, Dissolved	EPA 200.7	1.06	1.00	106	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12120428	LCS 1	Tin, Dissolved	EPA 200.7	0.951	1.00	95	mg/L
		Titanium, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Vanadium, Dissolved	EPA 200.7	0.974	1.00	97	mg/L
		Zinc, Dissolved	EPA 200.7	0.945	1.00	94	mg/L
		Mercury	EPA 200.8	0.000900	0.001	90	mg/L
		Antimony	EPA 200.8	0.0093	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0492	0.050	98	mg/L
		Lead	EPA 200.8	0.0091	0.010	91	mg/L
		Selenium	EPA 200.8	0.0460	0.050	92	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
		Uranium	EPA 200.8	0.0088	0.010	88	mg/L
QC12120429	LCS 1	Uranium, Dissolved	EPA 200.8	0.0094	0.010	94	mg/L
		Mercury, Dissolved	EPA 200.8	0.000957	0.001	96	mg/L
		Antimony, Dissolved	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic, Dissolved	EPA 200.8	0.0474	0.050	95	mg/L
		Lead, Dissolved	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium, Dissolved	EPA 200.8	0.0442	0.050	88	mg/L
		Thallium, Dissolved	EPA 200.8	0.0093	0.010	93	mg/L
QC12120479	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC12120479	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC12120749	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12120231	Duplicate	pH	SM 4500-H+ B	1212098-001	5.77	5.75	pH Units	<1%
QC12120231	Duplicate	pH	SM 4500-H+ B	1212101-001	7.68	7.66	pH Units	<1%
QC12120231	Duplicate	pH	SM 4500-H+ B	1212110-003	11.3	11.3	pH Units	1 %
QC12120231	Duplicate	pH	SM 4500-H+ B	1212122-001	7.66	7.64	pH Units	<1%
QC12120231	Duplicate	pH	SM 4500-H+ B	1212123-007	7.78	7.83	pH Units	1 %
QC12120231	Duplicate	pH	SM 4500-H+ B	1212130-001	7.65	7.66	pH Units	<1%
QC12120231	Duplicate	pH	SM 4500-H+ B	1212130-007	8.12	8.14	pH Units	<1%
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212098-001	5.49	5.28	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1212098-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212098-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212098-001	4.50	4.33	mg/L as CaCO3	4 %
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212101-001	208	207	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1212101-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212101-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212101-001	171	169	mg/L as CaCO3	1 %
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212110-003	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1212110-003	60.1	62.1	mg/L	3 %
		Hydroxide (OH)	SM 2320B	1212110-003	57.3	60.4	mg/L	5 %
		Total Alkalinity	SM 2320B	1212110-003	268	281	mg/L as CaCO3	5 %
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212122-001	50.3	48.2	mg/L	4 %
		Carbonate (CO3)	SM 2320B	1212122-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212122-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212122-001	41.3	39.6	mg/L as CaCO3	4 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212123-007	68.2	68.3	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1212123-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212123-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212123-007	55.9	56.0	mg/L as CaCO3	<1%
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212130-001	126	125	mg/L	1%
		Carbonate (CO3)	SM 2320B	1212130-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212130-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212130-001	103	103	mg/L as CaCO3	1%
QC12120237	Duplicate	Bicarbonate (HCO3)	SM 2320B	1212130-007	133	133	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1212130-007	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1212130-007	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1212130-007	109	109	mg/L as CaCO3	<1%
QC12120479	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212022-001	1940	1990	mg/L	3%
QC12120479	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212109-003	402	407	mg/L	1%
QC12120479	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212145-003	781	845	mg/L	8%
QC12120479	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212152-005	300	286	mg/L	5%
QC12120749	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1212319-001	1408	1442	mg/L	2%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12120272	MS 1	Fluoride	EPA 300.0	1212122-001	<0.100	1.78	1.81	2.00	mg/L	88	89	2%
QC12120272	MS 2	Fluoride	EPA 300.0	1212137-001	0.916	M 2.44	2.49	2.00	mg/L	NC	NC	NC
QC12120279	MS 1	Chloride	EPA 300.0	1212122-001	<1.000	5.14	5.29	5.00	mg/L	102	105	3%
QC12120279	MS 2	Chloride	EPA 300.0	1212137-001	2.57	7.29	7.42	5.00	mg/L	94	97	2%
QC12120284	MS 1	Nitrite Nitrogen	EPA 300.0	1212122-001	<0.025	0.540	0.557	0.500	mg/L	108	111	3%
QC12120284	MS 2	Nitrite Nitrogen	EPA 300.0	1212137-001	0.064	0.526	0.540	0.500	mg/L	92	95	3%
QC12120289	MS 1	Nitrate Nitrogen	EPA 300.0	1212122-001	<1.000	1.88	1.94	2.00	mg/L	93	96	3%
QC12120289	MS 2	Nitrate Nitrogen	EPA 300.0	1212137-001	<1.000	1.82	1.88	2.00	mg/L	89	91	3%
QC12120294	MS 1	Sulfate	EPA 300.0	1212122-001	4.62	14.4	14.6	10.0	mg/L	97	100	1%
QC12120294	MS 2	Sulfate	EPA 300.0	1212137-001	1.09	10.6	10.8	10.0	mg/L	95	98	2%
QC12120379	MS 1	Aluminum	EPA 200.7	1212110-003	1.47	M 3.24	3.25	1.00	mg/L	NC	NC	NC
		Barium	EPA 200.7	1212110-003	0.190	1.14	0.981	1.00	mg/L	95	79	15%
		Beryllium	EPA 200.7	1212110-003	<0.001	0.970	0.975	1.00	mg/L	97	97	1%
		Bismuth	EPA 200.7	1212110-003	<0.100	0.963	0.975	1.00	mg/L	97	98	1%
		Boron	EPA 200.7	1212110-003	0.123	1.12	1.13	1.00	mg/L	100	101	1%
		Cadmium	EPA 200.7	1212110-003	<0.001	0.939	0.949	1.00	mg/L	94	95	1%
		Calcium	EPA 200.7	1212110-003	66.1	74.8	76.5	10.0	mg/L	87	104	2%
		Chromium	EPA 200.7	1212110-003	<0.005	0.934	0.943	1.00	mg/L	93	94	1%
		Cobalt	EPA 200.7	1212110-003	<0.010	0.942	0.954	1.00	mg/L	94	95	1%
		Copper	EPA 200.7	1212110-003	<0.050	5.04	5.11	5.00	mg/L	100	102	1%
		Gallium	EPA 200.7	1212110-003	<0.100	0.957	0.967	1.00	mg/L	95	96	1%
		Iron	EPA 200.7	1212110-003	1.44	2.65	2.66	1.00	mg/L	121	122	<1%
		Lithium	EPA 200.7	1212110-003	<0.100	1.00	1.01	1.00	mg/L	93	94	1%
		Magnesium	EPA 200.7	1212110-003	0.628	10.2	10.2	10.0	mg/L	96	96	<1%
		Manganese	EPA 200.7	1212110-003	0.024	0.951	0.963	1.00	mg/L	93	94	1%
		Molybdenum	EPA 200.7	1212110-003	0.074	1.05	1.07	1.00	mg/L	98	100	2%
		Nickel	EPA 200.7	1212110-003	<0.010	4.70	4.74	5.00	mg/L	94	95	1%
		Phosphorus	EPA 200.7	1212110-003	<0.500	5.13	5.15	5.00	mg/L	99	99	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12120381	MS 1	Potassium	EPA 200.7	1212110-003	12.9	22.6	23.0	10.0	mg/L	97	101	2 %
		Scandium	EPA 200.7	1212110-003	<0.100	0.983	0.993	1.00	mg/L	98	99	1 %
		Silver	EPA 200.7	1212110-003	<0.005	0.089	0.088	0.090	mg/L	99	98	1 %
		Sodium	EPA 200.7	1212110-003	125	133	135	10.0	mg/L	80	100	1 %
		Strontium	EPA 200.7	1212110-003	2.76	3.76	3.87	1.00	mg/L	100	111	3 %
		Tin	EPA 200.7	1212110-003	<0.100	0.916	0.935	1.00	mg/L	95	97	2 %
		Titanium	EPA 200.7	1212110-003	<0.100	1.02	1.04	1.00	mg/L	101	103	2 %
		Vanadium	EPA 200.7	1212110-003	0.029	1.02	0.976	1.00	mg/L	99	95	4 %
		Zinc	EPA 200.7	1212110-003	<0.010	0.970	0.976	1.00	mg/L	97	97	1 %
		Aluminum, Dissolved	EPA 200.7	1212133-001	<0.045	1.02	1.02	1.00	mg/L	102	102	<1%
		Barium, Dissolved	EPA 200.7	1212133-001	0.089	1.05	1.04	1.00	mg/L	96	95	1 %
		Beryllium, Dissolved	EPA 200.7	1212133-001	<0.001	0.963	0.960	1.00	mg/L	96	96	<1%
		Bismuth, Dissolved	EPA 200.7	1212133-001	<0.100	0.975	0.975	1.00	mg/L	98	98	<1%
		Boron, Dissolved	EPA 200.7	1212133-001	0.231	1.21	1.20	1.00	mg/L	98	97	1 %
		Cadmium, Dissolved	EPA 200.7	1212133-001	<0.001	0.945	0.942	1.00	mg/L	95	94	<1%
		Calcium, Dissolved	EPA 200.7	1212133-001	35.9	46.0	45.0	10.0	mg/L	101	91	2 %
		Chromium, Dissolved	EPA 200.7	1212133-001	<0.005	0.936	0.935	1.00	mg/L	94	93	<1%
		Cobalt, Dissolved	EPA 200.7	1212133-001	<0.010	0.945	0.940	1.00	mg/L	94	94	1 %
		Copper, Dissolved	EPA 200.7	1212133-001	<0.050	5.00	4.99	5.00	mg/L	100	100	<1%
		Gallium, Dissolved	EPA 200.7	1212133-001	<0.100	0.970	0.968	1.00	mg/L	97	96	<1%
		Iron, Dissolved	EPA 200.7	1212133-001	<0.010	0.972	0.961	1.00	mg/L	97	96	1 %
Lithium, Dissolved	EPA 200.7	1212133-001	<0.100	0.953	0.956	1.00	mg/L	94	94	<1%		
Magnesium, Dissolved	EPA 200.7	1212133-001	9.63	19.1	18.8	10.0	mg/L	95	92	2 %		
Manganese, Dissolved	EPA 200.7	1212133-001	<0.005	0.930	0.926	1.00	mg/L	94	93	<1%		
Molybdenum, Dissolved	EPA 200.7	1212133-001	<0.010	0.971	0.974	1.00	mg/L	97	97	<1%		
Nickel, Dissolved	EPA 200.7	1212133-001	<0.010	4.69	4.68	5.00	mg/L	94	94	<1%		
Phosphorus, Dissolved	EPA 200.7	1212133-001	<0.500	4.97	4.96	5.00	mg/L	98	98	<1%		
Potassium, Dissolved	EPA 200.7	1212133-001	4.23	13.9	13.8	10.0	mg/L	97	96	1 %		
Scandium, Dissolved	EPA 200.7	1212133-001	<0.100	0.981	0.980	1.00	mg/L	NC	NC	NC		
Silver, Dissolved	EPA 200.7	1212133-001	<0.005	0.089	0.089	0.090	mg/L	98	98	<1%		
Sodium, Dissolved	EPA 200.7	1212133-001	80.7	89.8	87.7	10.0	mg/L	91	70	2 %		
Strontium, Dissolved	EPA 200.7	1212133-001	0.323	1.40	1.40	1.00	mg/L	108	108	<1%		
Tin, Dissolved	EPA 200.7	1212133-001	<0.100	0.910	0.915	1.00	mg/L	94	94	1 %		
Titanium, Dissolved	EPA 200.7	1212133-001	<0.100	0.989	0.990	1.00	mg/L	99	99	<1%		
Vanadium, Dissolved	EPA 200.7	1212133-001	<0.010	0.998	0.997	1.00	mg/L	99	99	<1%		
Zinc, Dissolved	EPA 200.7	1212133-001	<0.010	0.951	0.948	1.00	mg/L	95	95	<1%		
QC12120428	MS 1	Mercury	EPA 200.8	1212110-003	<0.00010	0.000909	0.000862	0.001	mg/L	84	80	5 %
		Antimony	EPA 200.8	1212110-003	<0.0025	0.0102	0.0103	0.010	mg/L	89	90	1 %
		Arsenic	EPA 200.8	1212110-003	0.0143	0.0633	0.0642	0.050	mg/L	98	100	1 %
		Lead	EPA 200.8	1212110-003	0.0037	0.0122	0.0123	0.010	mg/L	85	85	1 %
		Selenium	EPA 200.8	1212110-003	<0.0050	0.0425	0.0430	0.050	mg/L	82	83	1 %
		Thallium	EPA 200.8	1212110-003	<0.0010	0.0083	0.0083	0.010	mg/L	82	83	<1%
		Uranium	EPA 200.8	1212110-003	<0.0050	0.0091	0.0091	0.010	mg/L	91	91	<1%
		QC12120429	MS 1	Uranium, Dissolved	EPA 200.8	1212133-001	<0.0050	0.0099	0.0098	0.010	mg/L	97
Mercury, Dissolved	EPA 200.8			1212133-001	<0.00010	0.000882	0.000893	0.001	mg/L	87	88	1 %
Antimony, Dissolved	EPA 200.8			1212133-001	<0.0025	0.0098	0.0098	0.010	mg/L	95	95	<1%
Arsenic, Dissolved	EPA 200.8			1212133-001	<0.0050	0.0493	0.0494	0.050	mg/L	98	98	<1%
Lead, Dissolved	EPA 200.8			1212133-001	<0.0025	0.0092	0.0091	0.010	mg/L	92	91	1 %
Selenium, Dissolved	EPA 200.8			1212133-001	<0.0050	0.0441	0.0450	0.050	mg/L	85	87	2 %
Thallium, Dissolved	EPA 200.8			1212133-001	<0.0010	0.0088	0.0087	0.010	mg/L	87	87	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1212123

Report

Due Date: 12/20/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO OF SAMPLES

Analyses Requested

Profile II w/o Wat
Uranium

SAMPLE ID/LOCATION	DATE	TIME	W	S	SO	HW	OTHER	Spl. No.
CF-11-02 (227-367) Wk:24	12/06/12	9:00	ww	2	X	X		1
CF-11-02 (52-117)								2
K-Spar Breccia 5+ Comp								3
Biotite Breccia 5+ Comp								4
Quartz Monzonite 5+ Comp								5
Biotite Breccia 0-5 Comp								6
K-Spar Breccia 0-5 Comp								7
Quartz Monzonite 0-5 Comp								8

1212 58
123 8

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 19.8°C	12/10/12	3:05 PM	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers 16				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1212123
Report
Due Date: 12/20/12
Page 1 of 1

Client McClelland Laboratories, Inc.
Address 1016 Greg Street
City, State & Zip Sparks, NV 89431
Contact Mike Medina
Phone 775-356-1300
Fax 775-356-8917
P.O. Number
Collector's Name Robert
Project Name
Project Number 3438

Turnaround Time
Standard _____ Day _____ Other _____
Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Email mli@mettest.com
Additional Information
Fax Results Y N To: Client Billing
Email Results Y N To: Client Billing
Compliance Monitoring Y N
Fax Results to State EPA Y N

Sample Type Codes
DW = Drinking Water SD = Solid
WW = Wastewater SO = Soil
SW = Surface Water HW = Hazardous Waste
MW = Monitoring Well OTHER: _____

SAMPLE ID / LOCATION	DATE	TIME	SAMPLE TYPE	CONTAINER	ANALYSES REQUESTED		Spl. No.
					Profile II w/o Wat	Uranium	
CF-11-02 (227-367) Wk:24	12/06/12	9:00	WW	2	X	X	1
CF-11-02 (52-117)							2
K-Spar Breccia 5+ Comp							3
Biotite Breccia 5+ Comp							4
Quartz Monzonite 5+ Comp							5
Biotite Breccia 0-5 Comp							6
K-Spar Breccia 0-5 Comp							7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	8
							58
							8

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 19.8°C	12/6/12	3:05 p	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

11/16/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1211156


Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 11/8/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Jennifer Delaney
QA Specialist

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

MCClelland Laboratory - 1211156

General Comments

None

Specific Comments

None

Data Qualifier Legend

- B – Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT – Sample held beyond the accepted holding time
- J – The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M – Reported value is estimated; The sample matrix interfered with the analysis
- N – There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC – Not calculated due to matrix interference
- Q – Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S – Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC – Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 11/16/2012
OrderID: 1211156

Customer Sample ID: CF-11-02 (227-367) WK:20
WETLAB Sample ID: 1211156-001

Collect Date/Time: 11/8/2012 09:00
Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	69	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	57	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/8/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	11/8/2012
Sulfate	EPA 300.0	12	mg/L	1.0	11/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/8/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/8/2012
Total Dissolved Solids (TDS)	SM 2540C	92	mg/L	10	11/13/2012
Aluminum	EPA 200.7	0.070	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.044	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	19	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.017	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	3.7	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.023	mg/L	0.0050	11/13/2012

Page 3 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-001

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	4.3	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.18	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.0068	mg/L	0.0050	11/13/2012
Anions	Calculation	1.46	meq/L	0.10	
Cations	Calculation	1.42	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: CF-11-02 (52-117) WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-002

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.69	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	58	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	48	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/8/2012
Fluoride	EPA 300.0	1.2	mg/L	0.10	11/8/2012
Sulfate	EPA 300.0	16	mg/L	1.0	11/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/8/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/8/2012

Page 4 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (52-117) WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-002

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	89	mg/L	10	11/13/2012
Aluminum	EPA 200.7	0.054	mg/L	0.045	11/13/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	19	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.014	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	2.5	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.026	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	4.2	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	0.94	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.14	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.014	mg/L	0.0050	11/13/2012
Anions	Calculation	1.35	meq/L	0.10	
Cations	Calculation	1.31	meq/L	0.10	
Error	Calculation	1.4	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-003

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.80	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	76	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/8/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	11/8/2012
Sulfate	EPA 300.0	45	mg/L	1.0	11/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/8/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/8/2012
Total Dissolved Solids (TDS)	SM 2540C	140	mg/L	10	11/13/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.078	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	33	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.011	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.051	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	0.042	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	3.6	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	0.98	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.74	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012

Page 6 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-003

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.035	mg/L	0.0050	11/13/2012
Anions	Calculation	2.25	meq/L	0.10	
Cations	Calculation	2.14	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-004

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	82	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	67	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/8/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	11/8/2012
Sulfate	EPA 300.0	27	mg/L	1.0	11/8/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/8/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/8/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	11/13/2012
Aluminum	EPA 200.7	0.047	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.082	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	26	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012

Page 7 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Biotite Breccia 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-004

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	5.8	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.041	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	0.011	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	4.2	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	0.87	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.38	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.0097	mg/L	0.0050	11/13/2012
Anions	Calculation	2.01	meq/L	0.10	
Cations	Calculation	1.93	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-005

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.82	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	73	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	60	mg/L as CaCO ₃	1.0	11/8/2012

Page 8 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-005

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/9/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/9/2012
Sulfate	EPA 300.0	26	mg/L	1.0	11/9/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/9/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/9/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	11/13/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.099	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	23	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.011	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	5.3	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	0.079	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	4.1	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.64	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012

Page 9 of 18

Customer Sample ID: Quartz Monzonite 5+ Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-005

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.022	mg/L	0.0050	11/13/2012
Anions	Calculation	1.82	meq/L	0.10	
Cations	Calculation	1.74	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-006

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	67	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	55	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/9/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	11/9/2012
Sulfate	EPA 300.0	18	mg/L	1.0	11/9/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/9/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/9/2012
Total Dissolved Solids (TDS)	SM 2540C	98	mg/L	10	11/13/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.079	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	21	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.019	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.018	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	0.022	mg/L	0.010	11/13/2012

Page 10 of 18

Customer Sample ID: Biotite Breccia 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-006

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	2.6	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	0.71	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.31	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.041	mg/L	0.0050	11/13/2012
Anions	Calculation	1.57	meq/L	0.10	
Cations	Calculation	1.50	meq/L	0.10	
Error	Calculation	2.2	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-007

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	65	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	53	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/9/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/9/2012
Sulfate	EPA 300.0	30	mg/L	1.0	11/9/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/9/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/9/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	11/13/2012

Page 11 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-007

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.073	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	24	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.017	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	0.033	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	3.2	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.43	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.050	mg/L	0.0050	11/13/2012
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	1.71	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Page 12 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-008

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		11/8/2012
Trace Metals Digestion	EPA 200.2	Complete			11/9/2012
Bicarbonate (HCO ₃)	SM 2320B	65	mg/L	1.0	11/8/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	11/8/2012
Total Alkalinity	SM 2320B	53	mg/L as CaCO ₃	1.0	11/8/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	11/9/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	11/9/2012
Sulfate	EPA 300.0	13	mg/L	1.0	11/9/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	11/9/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	11/9/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	11/13/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	11/13/2012
Barium	EPA 200.7	0.11	mg/L	0.010	11/13/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	11/13/2012
Calcium	EPA 200.7	20	mg/L	0.50	11/13/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	11/13/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Iron	EPA 200.7	0.016	mg/L	0.010	11/13/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Magnesium	EPA 200.7	3.6	mg/L	0.50	11/13/2012
Manganese	EPA 200.7	0.0089	mg/L	0.0050	11/13/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	11/13/2012
Potassium	EPA 200.7	2.8	mg/L	0.50	11/13/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	11/13/2012
Sodium	EPA 200.7	0.91	mg/L	0.50	11/13/2012
Strontium	EPA 200.7	0.30	mg/L	0.10	11/13/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	11/13/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	11/13/2012

Page 13 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Eiko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:20

Collect Date/Time: 11/8/2012 09:00

WETLAB Sample ID: 1211156-008

Receive Date: 11/8/2012 13:25

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	11/13/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	11/13/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	11/13/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	11/13/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	11/13/2012
Uranium	EPA 200.8	0.025	mg/L	0.0050	11/13/2012
Anions	Calculation	1.42	meq/L	0.10	
Cations	Calculation	1.41	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12110292	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12110292	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12110294	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12110294	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12110296	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110296	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110296	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12110298	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110298	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110298	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12110300	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12110300	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12110409	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12110423	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12110520	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC12110520	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12110289	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12110289	LCS 2	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12110289	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12110290	LCS 1	Total Alkalinity	SM 2320B	101	100	101	mg/L
QC12110290	LCS 2	Total Alkalinity	SM 2320B	99.5	100	100	mg/L
QC12110290	LCS 3	Total Alkalinity	SM 2320B	99.8	100	100	mg/L
QC12110290	LCS 4	Total Alkalinity	SM 2320B	100	100	100	mg/L
QC12110292	LCS 1	Fluoride	EPA 300.0	2.07	2.00	103	mg/L
QC12110294	LCS 1	Chloride	EPA 300.0	10.7	10.0	107	mg/L
QC12110296	LCS 1	Nitrite Nitrogen	EPA 300.0	0.506	0.500	101	mg/L
QC12110298	LCS 1	Nitrate Nitrogen	EPA 300.0	2.07	2.00	104	mg/L
QC12110300	LCS 1	Sulfate	EPA 300.0	25.4	25.0	102	mg/L
QC12110409	LCS 1	Aluminum, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Barium, Dissolved	EPA 200.7	1.00	1.00	100	mg/L
		Beryllium, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Bismuth, Dissolved	EPA 200.7	1.04	1.00	104	mg/L
		Boron, Dissolved	EPA 200.7	0.960	1.00	96	mg/L
		Cadmium, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Calcium, Dissolved	EPA 200.7	10.0	10.0	100	mg/L
		Chromium, Dissolved	EPA 200.7	0.996	1.00	100	mg/L
		Cobalt, Dissolved	EPA 200.7	1.00	1.00	100	mg/L
		Copper, Dissolved	EPA 200.7	4.92	5.00	98	mg/L
		Gallium, Dissolved	EPA 200.7	0.998	1.00	100	mg/L
		Iron, Dissolved	EPA 200.7	0.999	1.00	100	mg/L
		Lithium, Dissolved	EPA 200.7	0.999	1.00	100	mg/L
		Magnesium, Dissolved	EPA 200.7	9.86	10.0	99	mg/L
		Manganese, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Molybdenum, Dissolved	EPA 200.7	0.991	1.00	99	mg/L
		Nickel, Dissolved	EPA 200.7	4.98	5.00	100	mg/L
		Phosphorus, Dissolved	EPA 200.7	4.97	5.00	99	mg/L
		Potassium, Dissolved	EPA 200.7	10.1	10.0	101	mg/L
		Scandium, Dissolved	EPA 200.7	0.997	1.00	100	mg/L
		Silver, Dissolved	EPA 200.7	0.090	0.090	100	mg/L
		Sodium, Dissolved	EPA 200.7	9.71	10.0	97	mg/L
		Strontium, Dissolved	EPA 200.7	0.948	1.00	95	mg/L
		Tin, Dissolved	EPA 200.7	0.985	1.00	98	mg/L
		Titanium, Dissolved	EPA 200.7	1.01	1.00	101	mg/L
		Vanadium, Dissolved	EPA 200.7	0.996	1.00	100	mg/L
		Zinc, Dissolved	EPA 200.7	0.990	1.00	99	mg/L
QC12110423	LCS 1	Uranium, Dissolved	EPA 200.8	0.0104	0.010	104	mg/L
		Mercury, Dissolved	EPA 200.8	0.001020	0.001	102	mg/L
		Antimony, Dissolved	EPA 200.8	0.0095	0.010	95	mg/L
		Arsenic, Dissolved	EPA 200.8	0.0506	0.050	101	mg/L
		Lead, Dissolved	EPA 200.8	0.0106	0.010	106	mg/L
		Selenium, Dissolved	EPA 200.8	0.0477	0.050	95	mg/L
		Thallium, Dissolved	EPA 200.8	0.0104	0.010	104	mg/L
QC12110520	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	161	150	108	mg/L
QC12110520	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	159	150	106	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
-----------	--------	-----------	--------	------------------	---------------	------------------	-------	-----

QC12110289	Duplicate	pH	SM 4500-H+ B	1211149-001	7.28	7.28	pH Units	<1%
QC12110289	Duplicate	pH	SM 4500-H+ B	1211141-003	6.76	6.76	pH Units	<1%
QC12110289	Duplicate	pH	SM 4500-H+ B	1211156-008	7.71	7.78	pH Units	1 %
QC12110289	Duplicate	pH	SM 4500-H+ B	1211162-002	7.64	7.64	pH Units	<1%
QC12110289	Duplicate	pH	SM 4500-H+ B	1211169-002	4.77	4.73	pH Units	1 %
QC12110290	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211149-001	121	121	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211149-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211149-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211149-001	98.8	98.8	mg/L as CaCO3	<1%
QC12110290	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211141-003	151	150	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211141-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211141-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211141-003	124	123	mg/L as CaCO3	1 %
QC12110290	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211156-008	64.7	64.7	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211156-008	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211156-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211156-008	53.0	53.1	mg/L as CaCO3	<1%
QC12110290	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211162-002	143	141	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1211162-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211162-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211162-002	117	116	mg/L as CaCO3	1 %
QC12110290	Duplicate	Bicarbonate (HCO3)	SM 2320B	1211169-002	<1.000	<1.000	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1211169-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1211169-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1211169-002	<1.000	<1.000	mg/L as CaCO3	<1%
QC12110520	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211129-001	585	586	mg/L	<1%
QC12110520	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211155-001	72.0	68.0	mg/L	6 %
QC12110520	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211184-001	244	247	mg/L	1 %
QC12110520	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1211184-011	30.0	22.0	mg/L	31 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12110292	MS 1	Fluoride	EPA 300.0	1211156-001	1.47	3.38	3.38	2.00	mg/L	95	96	<1%
QC12110294	MS 1	Chloride	EPA 300.0	1211156-001	<1.000	5.45	5.49	5.00	mg/L	107	108	1 %
QC12110296	MS 1	Nitrite Nitrogen	EPA 300.0	1211129-006	0.579	5.99	6.10	0.500	mg/L	108	110	2 %
QC12110296	MS 2	Nitrite Nitrogen	EPA 300.0	1211156-001	<0.025	0.523	0.532	0.500	mg/L	105	106	2 %
QC12110298	MS 1	Nitrate Nitrogen	EPA 300.0	1211129-006	<10.000	21.4	21.8	2.00	mg/L	105	107	2 %
QC12110298	MS 2	Nitrate Nitrogen	EPA 300.0	1211156-001	<1.000	2.15	2.17	2.00	mg/L	106	107	1 %
QC12110300	MS 1	Sulfate	EPA 300.0	1211156-001	12.2	22.1	22.2	10.0	mg/L	99	99	<1%
QC12110409	MS 1	Aluminum, Dissolved	EPA 200.7	1211157-001	<0.045	1.02	1.00	1.00	mg/L	101	99	2 %
		Barium, Dissolved	EPA 200.7	1211157-001	0.114	1.11	1.09	1.00	mg/L	100	98	2 %
		Beryllium, Dissolved	EPA 200.7	1211157-001	<0.001	1.02	1.01	1.00	mg/L	102	101	1 %
		Bismuth, Dissolved	EPA 200.7	1211157-001	<0.100	1.02	1.01	1.00	mg/L	103	102	1 %
		Boron, Dissolved	EPA 200.7	1211157-001	0.110	1.14	1.11	1.00	mg/L	103	100	3 %
		Cadmium, Dissolved	EPA 200.7	1211157-001	<0.001	1.01	0.986	1.00	mg/L	101	99	2 %
		Calcium, Dissolved	EPA 200.7	1211157-001	60.2	71.5	69.3	10.0	mg/L	113	91	3 %
		Chromium, Dissolved	EPA 200.7	1211157-001	<0.005	0.995	0.972	1.00	mg/L	100	97	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Cobalt, Dissolved	EPA 200.7	1211157-001	<0.010	0.993	0.968	1.00	mg/L	99	97	3 %
		Copper, Dissolved	EPA 200.7	1211157-001	<0.050	5.07	4.97	5.00	mg/L	101	99	2 %
		Gallium, Dissolved	EPA 200.7	1211157-001	<0.100	1.02	0.996	1.00	mg/L	102	99	2 %
		Iron, Dissolved	EPA 200.7	1211157-001	0.018	1.01	1.01	1.00	mg/L	99	99	<1%
		Lithium, Dissolved	EPA 200.7	1211157-001	<0.100	0.988	0.972	1.00	mg/L	98	96	2 %
		Magnesium, Dissolved	EPA 200.7	1211157-001	10.3	19.6	19.3	10.0	mg/L	93	90	2 %
		Manganese, Dissolved	EPA 200.7	1211157-001	<0.005	0.990	0.965	1.00	mg/L	101	98	3 %
		Molybdenum, Dissolved	EPA 200.7	1211157-001	<0.010	1.02	1.00	1.00	mg/L	102	100	2 %
		Nickel, Dissolved	EPA 200.7	1211157-001	<0.010	4.90	4.78	5.00	mg/L	98	96	2 %
		Phosphorus, Dissolved	EPA 200.7	1211157-001	<0.500	5.28	5.21	5.00	mg/L	103	102	1 %
		Potassium, Dissolved	EPA 200.7	1211157-001	2.95	13.0	12.9	10.0	mg/L	100	100	1 %
		Scandium, Dissolved	EPA 200.7	1211157-001	<0.100	1.00	0.997	1.00	mg/L	100	100	<1%
		Silver, Dissolved	EPA 200.7	1211157-001	<0.005	0.091	0.089	0.090	mg/L	101	99	2 %
		Sodium, Dissolved	EPA 200.7	1211157-001	38.6	48.5	46.9	10.0	mg/L	99	83	3 %
		Strontium, Dissolved	EPA 200.7	1211157-001	0.408	1.36	1.33	1.00	mg/L	95	92	2 %
		Tin, Dissolved	EPA 200.7	1211157-001	<0.100	0.979	0.964	1.00	mg/L	101	100	2 %
		Titanium, Dissolved	EPA 200.7	1211157-001	<0.100	1.02	1.01	1.00	mg/L	102	101	1 %
		Vanadium, Dissolved	EPA 200.7	1211157-001	0.023	1.05	1.03	1.00	mg/L	103	101	2 %
		Zinc, Dissolved	EPA 200.7	1211157-001	<0.010	1.01	0.992	1.00	mg/L	101	99	2 %
QC12110423	MS 1	Uranium, Dissolved	EPA 200.8	1211157-001	<0.0050	0.0133	0.0133	0.010	mg/L	106	107	<1%
		Mercury, Dissolved	EPA 200.8	1211157-001	<0.00010	0.001044	0.001043	0.001	mg/L	96	96	<1%
		Antimony, Dissolved	EPA 200.8	1211157-001	<0.0025	0.0097	0.0098	0.010	mg/L	96	97	1 %
		Arsenic, Dissolved	EPA 200.8	1211157-001	0.0137	0.0664	0.0666	0.050	mg/L	106	106	<1%
		Lead, Dissolved	EPA 200.8	1211157-001	<0.0025	0.0104	0.0104	0.010	mg/L	102	102	<1%
		Selenium, Dissolved	EPA 200.8	1211157-001	<0.0050	0.0479	0.0475	0.050	mg/L	94	93	1 %
		Thallium, Dissolved	EPA 200.8	1211157-001	<0.0010	0.0101	0.0102	0.010	mg/L	101	102	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0617 | www.WETLaboratory.com

Lab Number 121156

Report

Due Date: 11/21/12 11/22/12

Page 1 of 1

Client McClelland Laboratories, Inc.		Turnaround Time	
Address 1016 Greg Street		Standard _____ 5-Day _____ Other _____	
City, State & Zip Sparks, NV 89431		Billing Address (if different than Client Address):	
Contact Mike Medina		Company _____	
Phone 775-356-1300	Collector's Name Robert	Address _____	
Fax 775-356-8917	Project Name _____	City, State & Zip _____	
P.O. Number _____	Project Number 3438	Contact _____	
Email mli@mettest.com		Phone _____	
		Fax _____	
		Email _____	

Additional Information				SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested										Spl. No.			
Sample Type Codes						Profile II w/o Wat	Uranium												
Fax Results	Y	N	To: Client Billing																
Email Results	Y	N	To: Client Billing																
Compliance Monitoring	Y	N																	
Fax Results to State EPA	Y	N																	
DW = Drinking Water		SD = Solid																	
WW = Wastewater		SO = Soil																	
SW = Surface Water		HW = Hazardous Waste																	
MW = Monitoring Well		OTHER:																	
SAMPLE ID/LOCATION	DATE	TIME																	
CF-11-02 (227-367)	Wk:20	11/08/12	9:00	WW	2	X	X												1
CF-11-02 (52-117)																			2
K-Spar Breccia 5+ Comp																			3
Biotite Breccia 5+ Comp																			4
Quartz Monzonite 5+ Comp																			5
Biotite Breccia 0-5 Comp																			6
K-Spar Breccia 0-5 Comp																			7
Quartz Monzonite 0-5 Comp																			8

Instructions/Comments/Special Requirements:

1211 - 01
156 - 1

1211 - 5
156 - 8

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>20.1 °C</u>	11/8/12	13:25	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number **121156**

Report

Due Date: **11/21/12 11/22/12**

Page **1** of **1**

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Mike Medina**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name

P.O. Number Project Number **3438**

Turnaround Time

Standard 5-Day Other

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Email **mli@mettest.com**

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER:

SAMPLE ID / LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	Analyses Requested		Spl. No.
					Profile 11 w/o Wad	Uranium	
CF-11-02 (227-367) Wk:20	11/08/12	9:00	ww	2	X	X	1
CF-11-02 (52-117)							2
K-Spar Breccia 5+ Comp							3
Biotite Breccia 5+ Comp							4
Quartz Monzonite 5+ Comp							5
Biotite Breccia 0-5 Comp							6
K-Spar Breccia 0-5 Comp							7
Quartz Monzonite 0-5 Comp							8

Instructions/Comments/Special Requirements:

1211-01

156-1

1211-5

156-8

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 20.1°C	11/21	13:25	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N None				
Number of Containers 16				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

10/31/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1210284

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 10/11/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1210284

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

- 1210284-001 Antimony
- 1210284-001 Arsenic
- 1210284-001 Selenium
- 1210284-003 Mercury

The reporting limits have been adjusted accordingly.

The following is a synopsis of the reanalysis of Total Dissolved Solids:

- Sample 1210284-001 reanalysis results for Total Dissolved Solids have been reported.

This reanalysis was performed past the EPA recommended holding time due to an unacceptable cation/anion balance using data obtained within the holding time. We apologize for any inconvenience this may cause.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO/Project: 3438

Date Printed: 10/31/2012

OrderID: 1210284

Customer Sample ID: CF-11-02 (227-367) Wk:16

WETLAB Sample ID: 1210284-001

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.81	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	72	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	59	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	17	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	100	HT mg/L	10	10/29/2012
Aluminum	EPA 200.7	0.076	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.044	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	20	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	0.021	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	3.9	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.027	mg/L	0.0050	10/22/2012

Page 3 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamolite Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) Wk:16

WETLAB Sample ID: 1210284-001

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	4.8	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.20	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	0.0012	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0050	mg/L	0.0050	10/23/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	10/23/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	10/23/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.0082	mg/L	0.0050	10/22/2012
Anions	Calculation	1.61	meq/L	0.10	
Cations	Calculation	1.50	meq/L	0.10	
Error	Calculation	3.5	%	1.0	

Customer Sample ID: CF-11-02 (52-117) Wk:16

WETLAB Sample ID: 1210284-002

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	49	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	22	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012

Page 4 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (52-117) Wk:16

Collect Date/Time: 10/11/2012 09:00

WETLAB Sample ID: 1210284-002

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	92	mg/L	10	10/16/2012
Aluminum	EPA 200.7	0.055	mg/L	0.045	10/22/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	20	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	0.018	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	2.8	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.027	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	4.9	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.16	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	0.00026	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.017	mg/L	0.0050	10/22/2012
Anions	Calculation	1.49	meq/L	0.10	
Cations	Calculation	1.41	meq/L	0.10	
Error	Calculation	2.7	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:16

WETLAB Sample ID: 1210284-003

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.95	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	83	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	68	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	58	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	10/16/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.080	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	38	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	5.5	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.055	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	0.044	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	4.2	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	2.2	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	1.0	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012

Page 6 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:16

WETLAB Sample ID: 1210284-003

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	<0.0005	mg/L	0.0005	10/23/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.049	mg/L	0.0050	10/22/2012
Anions	Calculation	2.64	meq/L	0.10	
Cations	Calculation	2.55	meq/L	0.10	
Error	Calculation	1.6	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp Wk:16

WETLAB Sample ID: 1210284-004

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.96	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO3)	SM 2320B	81	mg/L	1.0	10/11/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	66	mg/L as CaCO3	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	35	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	10/16/2012
Aluminum	EPA 200.7	0.050	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.078	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	27	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012

Customer Sample ID: Biotite Breccia 5+ Comp Wk:16

WETLAB Sample ID: 1210284-004

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	0.014	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	6.3	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.039	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	0.010	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	4.8	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	1.7	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.46	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	0.00012	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.011	mg/L	0.0050	10/22/2012
Anions	Calculation	2.15	meq/L	0.10	
Cations	Calculation	2.07	meq/L	0.10	
Error	Calculation	1.9	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:16

WETLAB Sample ID: 1210284-005

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	85	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	70	mg/L as CaCO ₃	1.0	10/11/2012

Page 8 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:16

Collect Date/Time: 10/11/2012 09:00

WETLAB Sample ID: 1210284-005

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	27	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	10/16/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.11	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	26	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	6.1	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.021	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	0.066	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	5.3	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	2.0	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.83	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	0.00015	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012

Page 9 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Eiko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:16

WETLAB Sample ID: 1210284-005

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.030	mg/L	0.0050	10/22/2012
Anions	Calculation	2.04	meq/L	0.10	
Cations	Calculation	2.02	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:16

WETLAB Sample ID: 1210284-006

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.87	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	67	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	55	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	18	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	83	mg/L	10	10/16/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.063	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	20	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	4.1	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.014	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	0.020	mg/L	0.010	10/22/2012

Page 10 of 21

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:16
 WETLAB Sample ID: 1210284-006

Collect Date/Time: 10/11/2012 09:00
 Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	3.1	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.34	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.040	mg/L	0.0050	10/22/2012
Anions	Calculation	1.56	meq/L	0.10	
Cations	Calculation	1.47	meq/L	0.10	
Error	Calculation	3.1	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:16
 WETLAB Sample ID: 1210284-007

Collect Date/Time: 10/11/2012 09:00
 Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	51	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	42	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	44	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	130	mg/L	10	10/16/2012

Page 11 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:16

WETLAB Sample ID: 1210284-007

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.096	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	25	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	0.075	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	0.010	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.015	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	0.054	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	3.2	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	2.7	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.51	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.034	mg/L	0.0050	10/22/2012
Anions	Calculation	1.84	meq/L	0.10	
Cations	Calculation	1.83	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:16

WETLAB Sample ID: 1210284-008

Collect Date/Time: 10/11/2012 09:00

Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		10/11/2012
Trace Metals Digestion	EPA 200.2	Complete			10/19/2012
Bicarbonate (HCO ₃)	SM 2320B	77	mg/L	1.0	10/11/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	10/11/2012
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	10/11/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	10/12/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	10/12/2012
Sulfate	EPA 300.0	16	mg/L	1.0	10/12/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	10/12/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	10/12/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	10/16/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	10/22/2012
Barium	EPA 200.7	0.12	mg/L	0.010	10/22/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	10/22/2012
Calcium	EPA 200.7	23	mg/L	0.50	10/22/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	10/22/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Magnesium	EPA 200.7	4.0	mg/L	0.50	10/22/2012
Manganese	EPA 200.7	0.013	mg/L	0.0050	10/22/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	10/22/2012
Potassium	EPA 200.7	3.4	mg/L	0.50	10/22/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	10/22/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	10/22/2012
Strontium	EPA 200.7	0.40	mg/L	0.10	10/22/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	10/22/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	10/22/2012

Page 13 of 21

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:16
 WETLAB Sample ID: 1210284-008

Collect Date/Time: 10/11/2012 09:00
 Receive Date: 10/11/2012 14:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	10/22/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	10/22/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	10/22/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	10/22/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	10/22/2012
Uranium	EPA 200.8	0.032	mg/L	0.0050	10/22/2012
Anions	Calculation	1.68	meq/L	0.10	
Cations	Calculation	1.63	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12100544	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12100544	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12100544	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12100547	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12100547	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12100547	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12100550	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100550	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100550	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12100553	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100553	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100553	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12100556	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12100556	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12100556	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12100724	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100724	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100724	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12100837	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12100838	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L
QC12100859	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L

Page 15 of 21

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Result	Units
QC12100860	Blank 1	Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
Silver	EPA 200.7	<0.0050	mg/L		
Sodium	EPA 200.7	<0.50	mg/L		
Strontium	EPA 200.7	<0.10	mg/L		
Tin	EPA 200.7	<0.10	mg/L		
Titanium	EPA 200.7	<0.10	mg/L		
Vanadium	EPA 200.7	<0.010	mg/L		
Zinc	EPA 200.7	<0.010	mg/L		

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12100493	LCS 1	pH	SM 4500-H+ B	7.02	7.00	100	pH Units
QC12100493	LCS 2	pH	SM 4500-H+ B	7.03	7.00	100	pH Units
QC12100493	LCS 3	pH	SM 4500-H+ B	7.04	7.00	101	pH Units
QC12100493	LCS 4	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12100493	LCS 5	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12100497	LCS 1	Alkalinity	SM 2320B	99.4	100	99	mg/L
QC12100497	LCS 2	Alkalinity	SM 2320B	98.5	100	98	mg/L
QC12100497	LCS 3	Alkalinity	SM 2320B	99.7	100	100	mg/L
QC12100497	LCS 4	Alkalinity	SM 2320B	98.6	100	99	mg/L
QC12100544	LCS 1	Fluoride	EPA 300.0	2.00	2.00	100	mg/L
QC12100547	LCS 1	Chloride	EPA 300.0	11.0	10.0	110	mg/L
QC12100550	LCS 1	Nitrite Nitrogen	EPA 300.0	0.531	0.500	106	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12100553	LCS 1	Nitrate Nitrogen	EPA 300.0	2.10	2.00	105	mg/L
QC12100556	LCS 1	Sulfate	EPA 300.0	25.2	25.0	101	mg/L
QC12100724	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12100724	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12100724	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	141	150	94	mg/L
QC12100837	LCS 1	Mercury	EPA 200.8	0.000925	0.001	92	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0095	0.010	96	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L
QC12100838	LCS 1	Mercury	EPA 200.8	0.000925	0.001	92	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic	EPA 200.8	0.0509	0.050	102	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0095	0.010	96	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L
QC12100859	LCS 1	Aluminum	EPA 200.7	0.949	1.00	95	mg/L
		Barium	EPA 200.7	0.945	1.00	94	mg/L
		Beryllium	EPA 200.7	0.971	1.00	97	mg/L
		Bismuth	EPA 200.7	0.960	1.00	96	mg/L
		Boron	EPA 200.7	0.907	1.00	91	mg/L
		Cadmium	EPA 200.7	0.953	1.00	95	mg/L
		Calcium	EPA 200.7	9.61	10.0	96	mg/L
		Chromium	EPA 200.7	0.940	1.00	94	mg/L
		Cobalt	EPA 200.7	0.952	1.00	95	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.963	1.00	96	mg/L
		Iron	EPA 200.7	0.934	1.00	93	mg/L
		Lithium	EPA 200.7	0.970	1.00	97	mg/L
		Magnesium	EPA 200.7	9.18	10.0	92	mg/L
		Manganese	EPA 200.7	0.962	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.947	1.00	95	mg/L
		Nickel	EPA 200.7	4.70	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.76	5.00	95	mg/L
		Potassium	EPA 200.7	9.75	10.0	98	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.948	1.00	95	mg/L
		Titanium	EPA 200.7	0.952	1.00	95	mg/L
		Vanadium	EPA 200.7	0.940	1.00	94	mg/L
		Zinc	EPA 200.7	0.965	1.00	96	mg/L
QC12100860	LCS 1	Aluminum	EPA 200.7	0.949	1.00	95	mg/L
		Barium	EPA 200.7	0.945	1.00	94	mg/L
		Beryllium	EPA 200.7	0.971	1.00	97	mg/L
		Bismuth	EPA 200.7	0.960	1.00	96	mg/L
		Boron	EPA 200.7	0.907	1.00	91	mg/L
		Cadmium	EPA 200.7	0.953	1.00	95	mg/L
		Calcium	EPA 200.7	9.61	10.0	96	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Chromium	EPA 200.7	0.940	1.00	94	mg/L
		Cobalt	EPA 200.7	0.952	1.00	95	mg/L
		Copper	EPA 200.7	4.67	5.00	93	mg/L
		Gallium	EPA 200.7	0.963	1.00	96	mg/L
		Iron	EPA 200.7	0.934	1.00	93	mg/L
		Lithium	EPA 200.7	0.970	1.00	97	mg/L
		Magnesium	EPA 200.7	9.18	10.0	92	mg/L
		Manganese	EPA 200.7	0.962	1.00	96	mg/L
		Molybdenum	EPA 200.7	0.947	1.00	95	mg/L
		Nickel	EPA 200.7	4.70	5.00	94	mg/L
		Phosphorus	EPA 200.7	4.76	5.00	95	mg/L
		Potassium	EPA 200.7	9.75	10.0	98	mg/L
		Scandium	EPA 200.7	0.943	1.00	94	mg/L
		Silver	EPA 200.7	0.086	0.090	96	mg/L
		Sodium	EPA 200.7	10.1	10.0	101	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.948	1.00	95	mg/L
		Titanium	EPA 200.7	0.952	1.00	95	mg/L
		Vanadium	EPA 200.7	0.940	1.00	94	mg/L
		Zinc	EPA 200.7	0.965	1.00	96	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12100493	Duplicate	pH	SM 4500-H+ B	1210260-001	7.50	7.54	pH Units	1 %
QC12100493	Duplicate	pH	SM 4500-H+ B	1210265-001	7.60	7.62	pH Units	<1%
QC12100493	Duplicate	pH	SM 4500-H+ B	1210265-002	6.99	7.07	pH Units	1 %
QC12100493	Duplicate	pH	SM 4500-H+ B	1210266-004	7.97	8.01	pH Units	1 %
QC12100493	Duplicate	pH	SM 4500-H+ B	1210282-001	8.21	8.28	pH Units	1 %
QC12100493	Duplicate	pH	SM 4500-H+ B	1210284-001	7.81	7.88	pH Units	1 %
QC12100493	Duplicate	pH	SM 4500-H+ B	1210286-003	8.95	8.98	pH Units	<1%
QC12100493	Duplicate	pH	SM 4500-H+ B	1210296-001	7.87	7.97	pH Units	<1%
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210260-001	214	212	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210260-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210260-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210260-001	175	174	mg/L as CaCO3	1 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210265-001	123	121	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210265-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210265-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210265-001	101	99.6	mg/L as CaCO3	1 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210265-002	348	350	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210265-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210265-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210265-002	286	287	mg/L as CaCO3	1 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210266-004	20.7	19.6	mg/L	5 %
		Carbonate (CO3)	SM 2320B	1210266-004	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210266-004	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210266-004	16.9	16.0	mg/L as CaCO3	5 %

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210282-001	142	143	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210282-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210282-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210282-001	116	117	mg/L as CaCO3	1 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210284-001	71.5	70.2	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1210284-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210284-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210284-001	58.6	57.6	mg/L as CaCO3	2 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210286-003	85.8	84.8	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1210286-003	14.2	15.1	mg/L	6 %
		Hydroxide (OH)	SM 2320B	1210286-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210286-003	94.0	94.6	mg/L as CaCO3	1 %
QC12100497	Duplicate	Bicarbonate (HCO3)	SM 2320B	1210296-001	117	118	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1210296-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1210296-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1210296-001	96.0	96.4	mg/L as CaCO3	2 %
QC12100724	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210266-001	21300	19200	Q mg/L	10 %
QC12100724	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210284-001	100	92.0	HT mg/L	7 %
QC12100724	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210286-002	126	117	mg/L	7 %
QC12100724	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210292-008	32.0	38.0	mg/L	17 %
QC12100724	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1210324-001	3064	3100	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12100544	MS 1	Fluoride	EPA 300.0	1210284-001	1.48	3.20	3.22	2.00	mg/L	86	87	1 %
QC12100544	MS 2	Fluoride	EPA 300.0	1210286-002	0.233	2.20	2.26	2.00	mg/L	99	101	3 %
QC12100547	MS 1	Chloride	EPA 300.0	1210284-001	<1.000	5.25	5.42	5.00	mg/L	104	107	3 %
QC12100547	MS 2	Chloride	EPA 300.0	1210286-002	<1.000	5.51	5.62	5.00	mg/L	109	111	2 %
QC12100550	MS 1	Nitrite Nitrogen	EPA 300.0	1210284-001	<0.025	0.518	0.535	0.500	mg/L	102	106	3 %
QC12100550	MS 2	Nitrite Nitrogen	EPA 300.0	1210286-002	<0.025	0.502	0.513	0.500	mg/L	98	100	2 %
QC12100553	MS 1	Nitrate Nitrogen	EPA 300.0	1210284-001	<1.000	2.06	2.12	2.00	mg/L	101	104	3 %
QC12100553	MS 2	Nitrate Nitrogen	EPA 300.0	1210286-002	<1.000	2.18	2.22	2.00	mg/L	107	109	2 %
QC12100556	MS 1	Sulfate	EPA 300.0	1210284-001	17.3	26.6	26.8	10.0	mg/L	92	95	1 %
QC12100556	MS 2	Sulfate	EPA 300.0	1210286-002	13.6	23.4	23.6	10.0	mg/L	99	101	1 %
QC12100837	MS 1	Uranium, Dissolved	EPA 200.8	1210411-001	0.0085	0.0176	0.0180	0.010	mg/L	91	95	2 %
		Mercury, Dissolved	EPA 200.8	1210411-001	0.000166	0.001028	0.001027	0.001	mg/L	86	86	<1%
		Antimony, Dissolved	EPA 200.8	1210411-001	<0.0025	0.0092	0.0092	0.010	mg/L	91	91	<1%
		Arsenic, Dissolved	EPA 200.8	1210411-001	0.0201	0.0704	0.0703	0.050	mg/L	100	100	<1%
		Lead, Dissolved	EPA 200.8	1210411-001	<0.0025	0.0088	0.0090	0.010	mg/L	87	89	2 %
		Selenium, Dissolved	EPA 200.8	1210411-001	<0.0050	0.0495	0.0503	0.050	mg/L	94	96	2 %
		Thallium, Dissolved	EPA 200.8	1210411-001	<0.0010	0.0089	0.0090	0.010	mg/L	88	89	1 %
QC12100838	MS 1	Mercury	EPA 200.8	1210335-001	0.025400	0.026100	0.025700	0.001	mg/L	70	30	2 %
		Antimony	EPA 200.8	1210335-001	<0.0025	0.0114	0.0114	0.010	mg/L	92	91	<1%
		Arsenic	EPA 200.8	1210335-001	0.2830	0.3263	0.3257	0.050	mg/L	87	86	<1%
		Lead	EPA 200.8	1210335-001	<0.0025	0.0087	0.0087	0.010	mg/L	84	85	<1%
		Selenium	EPA 200.8	1210335-001	0.0059	0.0442	0.0439	0.050	mg/L	77	76	1 %
		Thallium	EPA 200.8	1210335-001	<0.0010	0.0085	0.0085	0.010	mg/L	84	84	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD		
QC12100859	MS 1	Uranium	EPA 200.8	1210335-001	<0.0050	0.0093	0.0093	0.010	mg/L	93	93	<1%		
		Aluminum, Dissolved	EPA 200.7	1210411-001	<0.045	1.02	1.02	1.00	mg/L	100	100	<1%		
		Barium, Dissolved	EPA 200.7	1210411-001	0.035	0.923	0.928	1.00	mg/L	89	89	1%		
		Beryllium, Dissolved	EPA 200.7	1210411-001	<0.001	0.923	0.931	1.00	mg/L	92	93	1%		
		Bismuth, Dissolved	EPA 200.7	1210411-001	<0.100	0.938	0.948	1.00	mg/L	96	97	1%		
		Boron, Dissolved	EPA 200.7	1210411-001	0.118	1.07	1.07	1.00	mg/L	95	95	<1%		
		Cadmium, Dissolved	EPA 200.7	1210411-001	<0.001	0.863	0.877	1.00	mg/L	87	88	2%		
		Calcium, Dissolved	EPA 200.7	1210411-001	143	SC 148	149	10.0	mg/L	NC	NC	NC		
		Chromium, Dissolved	EPA 200.7	1210411-001	<0.005	0.894	0.896	1.00	mg/L	89	90	<1%		
		Cobalt, Dissolved	EPA 200.7	1210411-001	0.344	M 0.986	0.986	1.00	mg/L	NC	NC	NC		
		Copper, Dissolved	EPA 200.7	1210411-001	<0.050	4.45	4.42	5.00	mg/L	89	88	1%		
		Gallium, Dissolved	EPA 200.7	1210411-001	<0.100	1.00	0.989	1.00	mg/L	100	99	1%		
		Iron, Dissolved	EPA 200.7	1210411-001	0.014	0.915	0.922	1.00	mg/L	90	91	1%		
		Lithium, Dissolved	EPA 200.7	1210411-001	<0.100	0.984	0.967	1.00	mg/L	96	94	2%		
		Magnesium, Dissolved	EPA 200.7	1210411-001	65.9	SC 69.8	69.7	10.0	mg/L	NC	NC	NC		
		Manganese, Dissolved	EPA 200.7	1210411-001	<0.005	0.864	0.868	1.00	mg/L	91	92	<1%		
		Molybdenum, Dissolved	EPA 200.7	1210411-001	<0.010	0.926	0.941	1.00	mg/L	92	93	2%		
		Nickel, Dissolved	EPA 200.7	1210411-001	<0.010	4.03	4.06	5.00	mg/L	80	81	1%		
		QC12100860	MS 1	Phosphorus, Dissolved	EPA 200.7	1210411-001	<0.500	4.76	4.84	5.00	mg/L	94	96	2%
				Potassium, Dissolved	EPA 200.7	1210411-001	9.80	19.4	19.0	10.0	mg/L	96	92	2%
Scandium, Dissolved	EPA 200.7			1210411-001	<0.100	0.929	0.926	1.00	mg/L	93	93	<1%		
Silver, Dissolved	EPA 200.7			1210411-001	<0.005	0.085	0.085	0.090	mg/L	95	95	<1%		
Sodium, Dissolved	EPA 200.7			1210411-001	45.0	53.5	51.3	10.0	mg/L	85	63	4%		
Strontium, Dissolved	EPA 200.7			1210411-001	0.701	1.66	1.60	1.00	mg/L	96	90	4%		
Tin, Dissolved	EPA 200.7			1210411-001	<0.100	0.859	0.885	1.00	mg/L	91	93	3%		
Titanium, Dissolved	EPA 200.7			1210411-001	<0.100	0.944	0.948	1.00	mg/L	94	95	<1%		
Vanadium, Dissolved	EPA 200.7			1210411-001	0.046	0.972	0.973	1.00	mg/L	93	93	<1%		
Zinc, Dissolved	EPA 200.7			1210411-001	<0.010	0.819	0.844	1.00	mg/L	82	84	3%		
Aluminum	EPA 200.7			1210335-001	0.094	1.12	1.11	1.00	mg/L	103	102	1%		
Barium	EPA 200.7			1210335-001	<0.010	0.922	0.916	1.00	mg/L	92	91	1%		
Beryllium	EPA 200.7			1210335-001	<0.001	0.982	0.976	1.00	mg/L	98	98	1%		
Bismuth	EPA 200.7			1210335-001	<0.100	0.965	0.956	1.00	mg/L	97	96	1%		
Boron	EPA 200.7			1210335-001	0.506	1.44	1.46	1.00	mg/L	93	95	1%		
Cadmium	EPA 200.7			1210335-001	0.003	0.922	0.915	1.00	mg/L	92	91	1%		
Calcium	EPA 200.7			1210335-001	59.7	67.0	68.5	10.0	mg/L	73	88	2%		
Chromium	EPA 200.7			1210335-001	0.010	0.929	0.922	1.00	mg/L	92	91	1%		
Cobalt	EPA 200.7			1210335-001	0.012	0.922	0.914	1.00	mg/L	91	90	1%		
Copper	EPA 200.7			1210335-001	1.64	6.54	6.58	5.00	mg/L	98	99	1%		
Gallium	EPA 200.7	1210335-001	<0.100	0.973	0.964	1.00	mg/L	97	96	1%				
Iron	EPA 200.7	1210335-001	0.588	1.44	1.44	1.00	mg/L	85	85	<1%				
Lithium	EPA 200.7	1210335-001	<0.100	0.882	0.874	1.00	mg/L	88	87	1%				
Magnesium	EPA 200.7	1210335-001	<0.500	9.20	9.10	10.0	mg/L	92	91	1%				
Manganese	EPA 200.7	1210335-001	<0.005	0.917	0.911	1.00	mg/L	93	93	1%				
Molybdenum	EPA 200.7	1210335-001	0.053	0.998	0.990	1.00	mg/L	95	94	1%				
Nickel	EPA 200.7	1210335-001	0.013	4.48	4.46	5.00	mg/L	89	89	<1%				
Phosphorus	EPA 200.7	1210335-001	<0.500	5.27	5.22	5.00	mg/L	104	103	1%				
Potassium	EPA 200.7	1210335-001	9.48	18.7	18.8	10.0	mg/L	92	93	1%				
Scandium	EPA 200.7	1210335-001	<0.100	0.944	0.937	1.00	mg/L	94	94	1%				
Silver	EPA 200.7	1210335-001	<0.005	0.089	0.089	0.090	mg/L	98	97	<1%				
Sodium	EPA 200.7	1210335-001	745	SC 681	697	10.0	mg/L	NC	NC	NC				
Strontium	EPA 200.7	1210335-001	0.588	1.55	1.55	1.00	mg/L	96	96	<1%				
Tin	EPA 200.7	1210335-001	<0.100	0.949	0.940	1.00	mg/L	98	97	1%				

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Titanium	EPA 200.7	1210335-001	<0.100	0.981	0.975	1.00	mg/L	98	97	1 %
		Vanadium	EPA 200.7	1210335-001	0.292	1.23	1.23	1.00	mg/L	94	94	<1%
		Zinc	EPA 200.7	1210335-001	3.14	4.03	4.11	1.00	mg/L	89	97	2 %



WETLAB

WESTERN ENVIRONMENTAL
TESTING LABORATORY

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Specializing in Soil, Hazardous Waste and Water Analysis.

Lab Number 1210284

Report Due Date: 10/25/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time
Standard 5-Day Other

Billing Address (if different than Client Address):
Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION		DATE	TIME		ANALYSES REQUESTED				
CF-11-02 (227-367)	Wk:16	10/11/12	9:00	WW	2	X	X		Spl. No. 1
CF-11-02 (52-117)									2
K-Spar Breccia 5+ Comp									3
Biotite Breccia 5+ Comp									4
Quartz Monzonite 5+ Comp									5
Biotite Breccia 0-5 Comp									6
K-Spar Breccia 0-5 Comp									7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	↓		8

Instructions/Comments/Special Requirements: _____
1210 5
284 8

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 19.6°C	10/11/12	2:00	[Signature]	[Signature]
Custody Seals Intact? Y N None				
Number of Containers 16				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1210284

Report

Due Date: 10/25/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Mike Medina

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard 5-Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO GE
S
A
M
P
L
E
S

Analyses Requested

Profile II w/o Wab

Uranium

SAMPLE ID/LOCATION	DATE	TIME	Wk:16	WW	2	X	X											Spl. No.
CF-11-02 (227-367)	10/11/12	9:00						X	X									1
CF-11-02 (52-117)																		2
K-Spar Breccia 5+ Comp																		3
Biotite Breccia 5+ Comp																		4
Quartz Monzonite 5+ Comp																		5
Biotite Breccia 0-5 Comp																		6
K-Spar Breccia 0-5 Comp																		7
Quartz Monzonite 0-5 Comp																		8
																		9
																		10
																		11
																		12
																		13
																		14
																		15
																		16

Instructions/Comments/Special Requirements:

1210 5
284 8

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 19.0°C	10/11/12	2:00	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers 16				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

9/27/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Mike Medina

OrderID: 1209232

Dear: Mike Medina

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 9/13/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1209232

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1209232-001 Iron

1209232-003 Antimony, Arsenic, Selenium

1209232-007 Molybdenum

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Eiko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Mike Medina

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 9/27/2012

OrderID: 1209232

Customer Sample ID: CF-11-02 (227-367) Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-001

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	76	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	62	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	24	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/18/2012
Aluminum	EPA 200.7	0.055	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.055	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	23	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	9/19/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	4.9	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	9/18/2012

Page 3 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-001

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	6.0	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.5	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.21	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.012	mg/L	0.0050	9/18/2012
Anions	Calculation	1.83	meq/L	0.10	
Cations	Calculation	1.78	meq/L	0.10	
Error	Calculation	1.5	%	1.0	

Customer Sample ID: CF-11-02 (52-117) Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-002

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	64	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	53	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	25	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012

Page 4 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (52-117) Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-002

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	89	mg/L	10	9/18/2012
Aluminum	EPA 200.7	0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.019	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	23	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	3.4	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.022	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	6.0	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.17	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.021	mg/L	0.0050	9/18/2012
Anions	Calculation	1.64	meq/L	0.10	
Cations	Calculation	1.65	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Page 5 of 20

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-003

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	85	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	70	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	56	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	9/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.076	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	38	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	6.5	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.047	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	0.042	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	4.8	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.2	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	1.0	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012

Page 6 of 20

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-003

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0050	mg/L	0.0050	9/19/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	9/19/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	9/19/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.059	mg/L	0.0050	9/18/2012
Anions	Calculation	2.63	meq/L	0.10	
Cations	Calculation	2.61	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-004

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	78	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	64	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	47	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.069	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	29	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012

Page 7 of 20

Customer Sample ID: Biotite Breccia 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-004

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	7.8	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.034	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	0.011	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	6.0	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.1	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.51	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.013	mg/L	0.0050	9/18/2012
Anions	Calculation	2.35	meq/L	0.10	
Cations	Calculation	2.29	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: Quartz Monozonite 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-005

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	86	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	71	mg/L as CaCO ₃	1.0	9/13/2012

Page 8 of 20

Customer Sample ID: Quartz Monozonite 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-005

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	36	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.12	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	28	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	7.1	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	0.069	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	7.0	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.7	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.91	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012

Page 9 of 20

Customer Sample ID: Quartz Monozonite 5+ Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-005

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.041	mg/L	0.0050	9/18/2012
Anions	Calculation	2.24	meq/L	0.10	
Cations	Calculation	2.24	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-006

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.70	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	59	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	49	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	20	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	75	mg/L	10	9/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.047	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	20	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	4.2	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.015	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	0.023	mg/L	0.010	9/18/2012

Page 10 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-006

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	3.6	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.0	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.34	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.036	mg/L	0.0050	9/18/2012
Anions	Calculation	1.47	meq/L	0.10	
Cations	Calculation	1.48	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-007

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.95	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	73	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	60	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	15	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	100	mg/L	10	9/18/2012

Page 11 of 20

Customer Sample ID: K-Spar Breccia 0-5 Comp

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-007

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	0.10	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.21	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	21	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	0.020	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	3.8	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.017	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	<0.050	mg/L	0.050	9/19/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	3.4	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	2.2	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.45	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.026	mg/L	0.0050	9/18/2012
Anions	Calculation	1.59	meq/L	0.10	
Cations	Calculation	1.56	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Page 12 of 20

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-008

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.83	pH Units		9/13/2012
Trace Metals Digestion	EPA 200.2	Complete			9/17/2012
Bicarbonate (HCO ₃)	SM 2320B	80	mg/L	1.0	9/13/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	9/13/2012
Total Alkalinity	SM 2320B	66	mg/L as CaCO ₃	1.0	9/13/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	9/14/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	9/14/2012
Sulfate	EPA 300.0	18	mg/L	1.0	9/14/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	9/14/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	9/14/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	9/18/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	9/18/2012
Barium	EPA 200.7	0.12	mg/L	0.010	9/18/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	9/18/2012
Calcium	EPA 200.7	24	mg/L	0.50	9/18/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	9/18/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Magnesium	EPA 200.7	4.1	mg/L	0.50	9/18/2012
Manganese	EPA 200.7	0.020	mg/L	0.0050	9/18/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	9/18/2012
Potassium	EPA 200.7	4.3	mg/L	0.50	9/18/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	9/18/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	9/18/2012
Strontium	EPA 200.7	0.42	mg/L	0.10	9/18/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	9/18/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	9/18/2012

Page 13 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:12

Collect Date/Time: 9/13/2012 09:00

WETLAB Sample ID: 1209232-008

Receive Date: 9/13/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	9/18/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	9/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	9/18/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	9/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	9/18/2012
Uranium	EPA 200.8	0.033	mg/L	0.0050	9/18/2012
Anions	Calculation	1.78	meq/L	0.10	
Cations	Calculation	1.71	meq/L	0.10	
Error	Calculation	2.1	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12090403	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12090403	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12090403	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12090406	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12090406	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12090406	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12090408	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090408	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090408	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12090410	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090410	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090410	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12090412	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12090412	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12090412	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12090457	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12090458	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12090489	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12090490	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12090576	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12090576	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12090362	LCS 1	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090362	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12090363	LCS 1	Alkalinity	SM 2320B	99.2	100	99	mg/L
QC12090363	LCS 2	Alkalinity	SM 2320B	99.2	100	99	mg/L
QC12090363	LCS 3	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12090403	LCS 1	Fluoride	EPA 300.0	2.08	2.00	104	mg/L
QC12090406	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12090408	LCS 1	Nitrite Nitrogen	EPA 300.0	0.493	0.500	99	mg/L
QC12090410	LCS 1	Nitrate Nitrogen	EPA 300.0	1.96	2.00	98	mg/L
QC12090412	LCS 1	Sulfate	EPA 300.0	25.1	25.0	100	mg/L
QC12090457	LCS 1	Aluminum	EPA 200.7	0.998	1.00	100	mg/L
		Barium	EPA 200.7	0.989	1.00	99	mg/L
		Beryllium	EPA 200.7	0.993	1.00	99	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
		Bismuth	EPA 200.7	1.02	1.00	102	mg/L
		Boron	EPA 200.7	0.950	1.00	95	mg/L
		Cadmium	EPA 200.7	0.995	1.00	100	mg/L
		Calcium	EPA 200.7	9.87	10.0	99	mg/L
		Chromium	EPA 200.7	0.983	1.00	98	mg/L
		Cobalt	EPA 200.7	0.994	1.00	99	mg/L
		Copper	EPA 200.7	4.89	5.00	98	mg/L
		Gallium	EPA 200.7	0.995	1.00	100	mg/L
		Iron	EPA 200.7	0.998	1.00	100	mg/L
		Lithium	EPA 200.7	0.998	1.00	100	mg/L
		Magnesium	EPA 200.7	9.85	10.0	98	mg/L
		Manganese	EPA 200.7	0.986	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.980	1.00	98	mg/L
		Nickel	EPA 200.7	4.94	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.95	5.00	99	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	0.986	1.00	99	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	10.2	10.0	102	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.982	1.00	98	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L
QC12090458	LCS 1	Aluminum	EPA 200.7	0.998	1.00	100	mg/L
		Barium	EPA 200.7	0.989	1.00	99	mg/L
		Beryllium	EPA 200.7	0.993	1.00	99	mg/L
		Bismuth	EPA 200.7	1.02	1.00	102	mg/L
		Boron	EPA 200.7	0.950	1.00	95	mg/L
		Cadmium	EPA 200.7	0.995	1.00	100	mg/L
		Calcium	EPA 200.7	9.87	10.0	99	mg/L
		Chromium	EPA 200.7	0.983	1.00	98	mg/L
		Cobalt	EPA 200.7	0.994	1.00	99	mg/L
		Copper	EPA 200.7	4.89	5.00	98	mg/L
		Gallium	EPA 200.7	0.995	1.00	100	mg/L
		Iron	EPA 200.7	0.998	1.00	100	mg/L
		Lithium	EPA 200.7	0.998	1.00	100	mg/L
		Magnesium	EPA 200.7	9.85	10.0	98	mg/L
		Manganese	EPA 200.7	0.986	1.00	99	mg/L
		Molybdenum	EPA 200.7	0.980	1.00	98	mg/L
		Nickel	EPA 200.7	4.94	5.00	99	mg/L
		Phosphorus	EPA 200.7	4.95	5.00	99	mg/L
		Potassium	EPA 200.7	10.2	10.0	102	mg/L
		Scandium	EPA 200.7	0.986	1.00	99	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	10.2	10.0	102	mg/L
		Strontium	EPA 200.7	1.02	1.00	102	mg/L
		Tin	EPA 200.7	0.969	1.00	97	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.982	1.00	98	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L
QC12090489	LCS 1	Mercury	EPA 200.8	0.000950	0.001	95	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12090490	LCS 1	Arsenic	EPA 200.8	0.0515	0.050	103	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
		Mercury	EPA 200.8	0.000950	0.001	95	mg/L
		Antimony	EPA 200.8	0.0093	0.010	93	mg/L
		Arsenic	EPA 200.8	0.0515	0.050	103	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0465	0.050	93	mg/L
		Thallium	EPA 200.8	0.0099	0.010	99	mg/L
		Uranium	EPA 200.8	0.0097	0.010	97	mg/L
QC12090576	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC12090576	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12090362	Duplicate	pH	SM 4500-H+ B	1209218-001	7.66	7.66	pH Units	<1%
QC12090362	Duplicate	pH	SM 4500-H+ B	1209221-003	7.45	7.44	pH Units	<1%
QC12090362	Duplicate	pH	SM 4500-H+ B	1209232-001	7.75	7.78	pH Units	<1%
QC12090362	Duplicate	pH	SM 4500-H+ B	1209234-002	6.03	5.92	pH Units	2 %
QC12090363	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209218-001	194	194	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1209218-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209218-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209218-001	159	159	mg/L as CaCO3	<1%
QC12090363	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209221-003	397	396	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1209221-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209221-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209221-003	325	325	mg/L as CaCO3	<1%
QC12090363	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209232-001	75.6	75.3	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1209232-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209232-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209232-001	62.0	61.8	mg/L as CaCO3	<1%
QC12090363	Duplicate	Bicarbonate (HCO3)	SM 2320B	1209234-002	1.51	1.62	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1209234-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1209234-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1209234-002	1.24	1.33	mg/L as CaCO3	7 %
QC12090576	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209232-001	116	106	mg/L	9 %
QC12090576	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209269-001	1262	1268	mg/L	<1%
QC12090576	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209278-001	38.0	29.0	mg/L	27 %
QC12090576	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1209291-001	283	285	mg/L	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12090403	MS 1	Fluoride	EPA 300.0	1209232-003	1.30	3.21	3.24	2.00	mg/L	96	97	1 %
QC12090403	MS 2	Fluoride	EPA 300.0	1209234-001	<0.100	M 2.57	2.68	2.00	mg/L	NC	NC	NC
QC12090406	MS 1	Chloride	EPA 300.0	1209232-003	<1.000	5.27	5.36	5.00	mg/L	104	106	2 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12090408	MS 2	Chloride	EPA 300.0	1209234-001	<1.000	5.48	5.59	5.00	mg/L	104	107	2 %
QC12090408	MS 1	Nitrite Nitrogen	EPA 300.0	1209232-003	<0.025	0.517	0.526	0.500	mg/L	103	105	2 %
QC12090408	MS 2	Nitrite Nitrogen	EPA 300.0	1209234-001	<0.025	0.509	0.517	0.500	mg/L	100	101	2 %
QC12090410	MS 1	Nitrate Nitrogen	EPA 300.0	1209232-003	<1.000	2.02	2.05	2.00	mg/L	99	101	1 %
QC12090410	MS 2	Nitrate Nitrogen	EPA 300.0	1209234-001	<1.000	2.14	2.18	2.00	mg/L	103	106	2 %
QC12090412	MS 1	Sulfate	EPA 300.0	1209232-003	56.1	64.3	64.5	10.0	mg/L	83	84	<1%
QC12090412	MS 2	Sulfate	EPA 300.0	1209234-001	9.16	20.5	21.0	10.0	mg/L	113	119	2 %
QC12090457	MS 1	Aluminum, Dissolved	EPA 200.7	1209259-003	<0.045	0.989	1.03	1.00	mg/L	98	102	4 %
		Barium, Dissolved	EPA 200.7	1209259-003	<0.010	0.958	0.992	1.00	mg/L	95	98	3 %
		Beryllium, Dissolved	EPA 200.7	1209259-003	<0.001	0.979	1.02	1.00	mg/L	98	102	4 %
		Bismuth, Dissolved	EPA 200.7	1209259-003	<0.100	0.960	0.989	1.00	mg/L	99	102	3 %
		Boron, Dissolved	EPA 200.7	1209259-003	0.161	1.15	1.20	1.00	mg/L	99	104	4 %
		Cadmium, Dissolved	EPA 200.7	1209259-003	<0.001	0.962	1.00	1.00	mg/L	96	100	4 %
		Calcium, Dissolved	EPA 200.7	1209259-003	141	150	153	10.0	mg/L	90	120	2 %
		Chromium, Dissolved	EPA 200.7	1209259-003	<0.005	0.955	0.993	1.00	mg/L	95	99	4 %
		Cobalt, Dissolved	EPA 200.7	1209259-003	<0.010	0.934	0.967	1.00	mg/L	93	96	3 %
		Copper, Dissolved	EPA 200.7	1209259-003	<0.050	4.57	4.75	5.00	mg/L	91	95	4 %
		Gallium, Dissolved	EPA 200.7	1209259-003	<0.100	0.969	1.00	1.00	mg/L	96	99	3 %
		Iron, Dissolved	EPA 200.7	1209259-003	0.187	1.19	1.20	1.00	mg/L	100	101	1 %
		Lithium, Dissolved	EPA 200.7	1209259-003	<0.100	0.938	0.933	1.00	mg/L	92	92	1 %
		Magnesium, Dissolved	EPA 200.7	1209259-003	27.3	35.9	37.0	10.0	mg/L	86	97	3 %
		Manganese, Dissolved	EPA 200.7	1209259-003	<0.005	0.953	0.992	1.00	mg/L	95	99	4 %
		Molybdenum, Dissolved	EPA 200.7	1209259-003	<0.010	0.998	1.03	1.00	mg/L	99	102	3 %
		Nickel, Dissolved	EPA 200.7	1209259-003	<0.010	4.57	4.73	5.00	mg/L	91	95	3 %
		Phosphorus, Dissolved	EPA 200.7	1209259-003	<0.500	5.21	5.41	5.00	mg/L	103	107	4 %
		Potassium, Dissolved	EPA 200.7	1209259-003	6.69	16.4	16.6	10.0	mg/L	97	99	1 %
		Scandium, Dissolved	EPA 200.7	1209259-003	<0.100	0.955	0.988	1.00	mg/L	96	99	3 %
		Silver, Dissolved	EPA 200.7	1209259-003	<0.005	0.085	0.088	0.090	mg/L	94	97	3 %
		Sodium, Dissolved	EPA 200.7	1209259-003	67.2	76.1	77.1	10.0	mg/L	89	99	1 %
		Strontium, Dissolved	EPA 200.7	1209259-003	0.938	1.93	1.94	1.00	mg/L	99	100	1 %
		Tin, Dissolved	EPA 200.7	1209259-003	<0.100	0.957	0.989	1.00	mg/L	102	105	3 %
		Titanium, Dissolved	EPA 200.7	1209259-003	<0.100	1.02	1.01	1.00	mg/L	102	101	1 %
		Vanadium, Dissolved	EPA 200.7	1209259-003	0.017	1.00	1.04	1.00	mg/L	98	102	4 %
		Zinc, Dissolved	EPA 200.7	1209259-003	<0.010	0.978	1.02	1.00	mg/L	98	102	4 %
QC12090458	MS 1	Aluminum, Dissolved	EPA 200.7	1209259-004	<0.045	1.01	0.998	1.00	mg/L	100	99	1 %
		Barium, Dissolved	EPA 200.7	1209259-004	0.041	1.03	1.03	1.00	mg/L	99	99	<1%
		Beryllium, Dissolved	EPA 200.7	1209259-004	<0.001	1.01	1.02	1.00	mg/L	101	102	1 %
		Bismuth, Dissolved	EPA 200.7	1209259-004	<0.100	1.01	1.02	1.00	mg/L	101	102	1 %
		Boron, Dissolved	EPA 200.7	1209259-004	0.113	1.10	1.10	1.00	mg/L	99	99	<1%
		Cadmium, Dissolved	EPA 200.7	1209259-004	<0.001	0.998	1.00	1.00	mg/L	100	100	<1%
		Calcium, Dissolved	EPA 200.7	1209259-004	24.1	33.8	33.9	10.0	mg/L	97	98	<1%
		Chromium, Dissolved	EPA 200.7	1209259-004	<0.005	0.984	0.985	1.00	mg/L	98	98	<1%
		Cobalt, Dissolved	EPA 200.7	1209259-004	<0.010	0.988	0.990	1.00	mg/L	99	99	<1%
		Copper, Dissolved	EPA 200.7	1209259-004	<0.050	4.83	4.78	5.00	mg/L	97	96	1 %
		Gallium, Dissolved	EPA 200.7	1209259-004	<0.100	0.995	0.985	1.00	mg/L	99	98	1 %
		Iron, Dissolved	EPA 200.7	1209259-004	<0.050	0.997	1.00	1.00	mg/L	96	97	<1%
		Lithium, Dissolved	EPA 200.7	1209259-004	<0.100	0.941	0.934	1.00	mg/L	93	92	1 %
		Magnesium, Dissolved	EPA 200.7	1209259-004	8.96	18.3	18.6	10.0	mg/L	93	96	2 %
		Manganese, Dissolved	EPA 200.7	1209259-004	<0.005	0.993	0.992	1.00	mg/L	100	100	<1%
		Molybdenum, Dissolved	EPA 200.7	1209259-004	<0.010	0.980	0.988	1.00	mg/L	98	99	1 %
		Nickel, Dissolved	EPA 200.7	1209259-004	<0.010	4.84	4.86	5.00	mg/L	97	97	<1%
		Phosphorus, Dissolved	EPA 200.7	1209259-004	<0.500	5.09	5.16	5.00	mg/L	101	102	1 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12090489	MS 1	Potassium, Dissolved	EPA 200.7	1209259-004	2.82	12.7	12.6	10.0	mg/L	99	98	1%
		Scandium, Dissolved	EPA 200.7	1209259-004	<0.100	0.972	0.973	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1209259-004	<0.005	0.088	0.088	0.090	mg/L	98	97	<1%
		Sodium, Dissolved	EPA 200.7	1209259-004	32.3	42.3	41.2	10.0	mg/L	100	89	3%
		Strontium, Dissolved	EPA 200.7	1209259-004	0.404	1.41	1.38	1.00	mg/L	101	98	2%
		Tin, Dissolved	EPA 200.7	1209259-004	<0.100	0.980	0.998	1.00	mg/L	100	102	2%
		Titanium, Dissolved	EPA 200.7	1209259-004	<0.100	1.01	1.02	1.00	mg/L	101	102	1%
		Vanadium, Dissolved	EPA 200.7	1209259-004	0.013	1.01	1.01	1.00	mg/L	100	100	<1%
		Zinc, Dissolved	EPA 200.7	1209259-004	<0.010	1.01	1.03	1.00	mg/L	101	103	2%
		Uranium, Dissolved	EPA 200.8	1209259-003	0.0052	0.0144	0.0144	0.010	mg/L	92	91	<1%
		Mercury, Dissolved	EPA 200.8	1209259-003	<0.00010	0.000899	0.000870	0.001	mg/L	88	85	3%
		Antimony, Dissolved	EPA 200.8	1209259-003	<0.0025	0.0095	0.0095	0.010	mg/L	93	93	<1%
		Arsenic, Dissolved	EPA 200.8	1209259-003	<0.0050	0.0580	0.0576	0.050	mg/L	107	106	1%
		Lead, Dissolved	EPA 200.8	1209259-003	<0.0025	0.0088	0.0088	0.010	mg/L	88	88	<1%
		Selenium, Dissolved	EPA 200.8	1209259-003	<0.0050	0.0501	0.0505	0.050	mg/L	94	95	1%
		Thallium, Dissolved	EPA 200.8	1209259-003	<0.0010	0.0090	0.0089	0.010	mg/L	90	89	1%
QC12090490	MS 1	Uranium, Dissolved	EPA 200.8	1209259-004	<0.0050	0.0106	0.0106	0.010	mg/L	96	96	<1%
		Mercury, Dissolved	EPA 200.8	1209259-004	<0.00010	0.000967	0.000972	0.001	mg/L	94	94	1%
		Antimony, Dissolved	EPA 200.8	1209259-004	<0.0025	0.0098	0.0097	0.010	mg/L	96	96	1%
		Arsenic, Dissolved	EPA 200.8	1209259-004	0.0215	0.0735	0.0725	0.050	mg/L	104	102	1%
		Lead, Dissolved	EPA 200.8	1209259-004	<0.0025	0.0093	0.0093	0.010	mg/L	92	92	<1%
		Selenium, Dissolved	EPA 200.8	1209259-004	<0.0050	0.0452	0.0451	0.050	mg/L	90	89	<1%
		Thallium, Dissolved	EPA 200.8	1209259-004	<0.0010	0.0094	0.0094	0.010	mg/L	94	94	<1%

**WETLAB**

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 855-0202 | fax (775) 855-0817 | www.WETLaboratory.com

Lab Number **1209232**

Report

Due Date: **9/27/12**Page **1** of **1**Client **McClelland Laboratories, Inc.**Address **1016 Greg Street**City, State & Zip **Sparks, NV 89431**Contact **Gene McClelland**Phone **775-356-1300**Collector's Name **Robert**Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**Email **mli@mettest.com**Turnaround time
Standard Day Other

Billing Address (if different than Client Address):

Company

Address

City, State & Zip

Contact

Phone

Fax

Email

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO ANALYSES REQUESTED

Analyses Requested

Profile II w/o rad

Uranium

Spt. No.

SAMPLE ID/LOCATION		DATE	TIME										Spt. No.
CF-11-02 (227-367)	Wk:12	09/13/12	9:00	WW	2	X	X						1
CF-11-02 (52-117)													2
K-Spar Breccia 5+ Comp													3
Biotite Breccia 5+ Comp													4
Quartz Monzonite 5+ Comp													5
Biotite Breccia 0-5 Comp													6
K-Spar Breccia 0-5 Comp													7
Quartz Monzonite 0-5 Comp	✓	✓	✓	✓	✓	✓	✓						8

1209 5

232 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT		DATE	TIME	Samples Relinquished By	Samples Received By
Temperature	22.3°C	9/13/12	2:45	<i>Gene McClelland</i>	<i>[Signature]</i>
Custody Seals Intact?	Y N None				
Number of Containers	16				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

301.2E



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1209232

Report
Due Date: 9/27/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Billing Address (if different than Client Address):

Company _____
Address _____
City, State & Zip _____
Contact _____
Phone _____
Fax _____
Email _____

Additional Information

Fax Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Email Results	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	To: Client	Billing
Compliance Monitoring	<input type="checkbox"/> Y	<input type="checkbox"/> N		
Fax Results to State EPA	<input type="checkbox"/> Y	<input type="checkbox"/> N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO. OF CONTAINERS	Analyses Requested		Sp. No.
					Profile II w/o Wad	Uranium	
CF-11-02 (227-367) Wk:12	09/13/12	9:00	WW	2	X	X	1
CF-11-02 (52-117)							2
K-Spar Breccia 5+ Comp							3
Biotite Breccia 5+ Comp							4
Quartz Monzonite 5+ Comp							5
Biotite Breccia 0-5 Comp							6
K-Spar Breccia 0-5 Comp							7
Quartz Monzonite 0-5 Comp							8

1209 5
232 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>22.3°C</u>	<u>9/13/12</u>	<u>2:45</u>	<i>See [Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N <input type="checkbox"/> None				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment Terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

9/4/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1208332


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 8/16/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel (775) 355-0202
fax (775) 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel (775) 777-9933
fax (775) 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel (702) 475-8899
fax (702) 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1208332

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1208332-001 Iron, Antimony, Arsenic, Selenium

1208332-002 Aluminum, Iron

1208332-004 Iron

1208332-006 Iron

1208332-008 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438 WK:8

Date Printed: 9/4/2012

OrderID: 1208332

Customer Sample ID: CF-11-02 (227-367) Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-001

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.66	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO ₃)	SM 2320B	66	mg/L	1.0	8/16/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	54	mg/L as CaCO ₃	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	35	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	8/20/2012
Aluminum	EPA 200.7	0.073	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.049	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	22	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	5.0	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.024	mg/L	0.0050	8/24/2012

Page 3 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-001

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	7.5	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	2.0	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.22	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/28/2012
Antimony	EPA 200.8	<0.0050	mg/L	0.0050	8/30/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	8/30/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	8/30/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.016	mg/L	0.0050	8/28/2012
Anions	Calculation	1.89	meq/L	0.10	
Cations	Calculation	1.80	meq/L	0.10	
Error	Calculation	2.6	%	1.0	

Customer Sample ID: CF-11-02 (52-117) Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-002

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.67	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO3)	SM 2320B	58	mg/L	1.0	8/16/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	48	mg/L as CaCO3	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.3	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	36	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012

Page 4 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (52-117) Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-002

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	8/20/2012
Aluminum	EPA 200.7	<0.20	mg/L	0.20	8/28/2012
Barium	EPA 200.7	0.010	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	22	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	3.5	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.022	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	8.1	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	1.8	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.18	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.021	mg/L	0.0050	8/28/2012
Anions	Calculation	1.77	meq/L	0.10	
Cations	Calculation	1.67	meq/L	0.10	
Error	Calculation	2.8	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-003

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO ₃)	SM 2320B	96	mg/L	1.0	8/16/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	79	mg/L as CaCO ₃	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.4	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	70	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	8/20/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.061	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	39	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	8.0	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.044	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.050	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	7.4	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	1.4	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	1.2	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012

Page 6 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-003

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.087	mg/L	0.0050	8/28/2012
Anions	Calculation	3.10	meq/L	0.10	
Cations	Calculation	2.86	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-004

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.87	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO ₃)	SM 2320B	77	mg/L	1.0	8/16/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	63	mg/L as CaCO ₃	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	53	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	150 Q	mg/L	10	8/20/2012
Aluminum	EPA 200.7	0.057	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.066	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	27	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012

Page 7 of 20

Customer Sample ID: Biotite Breccia 5+ Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-004

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	7.8	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.027	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.016	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	8.4	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	1.5	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.52	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.019	mg/L	0.0050	8/28/2012
Anions	Calculation	2.47	meq/L	0.10	
Cations	Calculation	2.28	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: Quartz Monzonite Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-005

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.96	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	8/16/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	82	mg/L as CaCO3	1.0	8/16/2012

Page 8 of 20

Customer Sample ID: Quartz Monzonite Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-005

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	39	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	8/20/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.11	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	27	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	6.7	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.014	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.064	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	11	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	2.3	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.91	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/28/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012

Page 9 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-005

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.052	mg/L	0.0050	8/28/2012
Anions	Calculation	2.54	meq/L	0.10	
Cations	Calculation	2.28	meq/L	0.10	
Error	Calculation	5.4	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-006

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.61	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO ₃)	SM 2320B	54	mg/L	1.0	8/16/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	45	mg/L as CaCO ₃	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	36	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	8/20/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.030	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	22	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	4.0	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.015	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.034	mg/L	0.010	8/24/2012

Page 10 of 20

Customer Sample ID: Biotite Breccia 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-006

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	5.0	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	1.6	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.36	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.032	mg/L	0.0050	8/28/2012
Anions	Calculation	1.72	meq/L	0.10	
Cations	Calculation	1.62	meq/L	0.10	
Error	Calculation	3.0	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-007

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO3)	SM 2320B	89	mg/L	1.0	8/16/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	73	mg/L as CaCO3	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	2.0	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	21	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	110	mg/L	10	8/20/2012

Page 11 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-007

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.089	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	24	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	0.011	mg/L	0.010	8/24/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	4.2	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.024	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.027	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	5.6	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	2.0	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.51	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.036	mg/L	0.0050	8/28/2012
Anions	Calculation	2.00	meq/L	0.10	
Cations	Calculation	1.77	meq/L	0.10	
Error	Calculation	6.0	%	1.0	

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-008

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.88	pH Units		8/16/2012
Trace Metals Digestion	EPA 200.2	Complete			8/24/2012
Bicarbonate (HCO ₃)	SM 2320B	84	mg/L	1.0	8/16/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	8/16/2012
Total Alkalinity	SM 2320B	69	mg/L as CaCO ₃	1.0	8/16/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	8/17/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	8/17/2012
Sulfate	EPA 300.0	23	mg/L	1.0	8/17/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	8/17/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	8/17/2012
Total Dissolved Solids (TDS)	SM 2540C	120	mg/L	10	8/20/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	8/24/2012
Barium	EPA 200.7	0.091	mg/L	0.010	8/24/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	8/24/2012
Calcium	EPA 200.7	25	mg/L	0.50	8/24/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	8/24/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	8/28/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Magnesium	EPA 200.7	4.0	mg/L	0.50	8/24/2012
Manganese	EPA 200.7	0.023	mg/L	0.0050	8/24/2012
Molybdenum	EPA 200.7	0.018	mg/L	0.010	8/24/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	8/24/2012
Potassium	EPA 200.7	6.3	mg/L	0.50	8/24/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	8/24/2012
Sodium	EPA 200.7	2.0	mg/L	0.50	8/24/2012
Strontium	EPA 200.7	0.42	mg/L	0.10	8/24/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	8/24/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	8/24/2012

Page 13 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamaille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp Wk:8

Collect Date/Time: 8/16/2012 09:00

WETLAB Sample ID: 1208332-008

Receive Date: 8/16/2012 14:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Zinc	EPA 200.7	<0.010	mg/L	0.010	8/24/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	8/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	8/28/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	8/28/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	8/28/2012
Uranium	EPA 200.8	0.038	mg/L	0.0050	8/28/2012
Anions	Calculation	1.95	meq/L	0.10	
Cations	Calculation	1.83	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12080620	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12080620	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12080620	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12080622	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12080622	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12080622	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12080628	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080628	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080628	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12080630	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080630	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080630	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12080632	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12080632	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12080632	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12080736	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12080736	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12080855	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12080856	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12080952	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12080953	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12080589	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12080589	LCS 2	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12080589	LCS 3	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12080591	LCS 1	Alkalinity	SM 2320B	99.6	100	100	mg/L
QC12080591	LCS 2	Alkalinity	SM 2320B	99.5	100	100	mg/L
QC12080591	LCS 3	Alkalinity	SM 2320B	99.7	100	100	mg/L
QC12080620	LCS 1	Fluoride	EPA 300.0	2.17	2.00	109	mg/L
QC12080622	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12080628	LCS 1	Nitrite Nitrogen	EPA 300.0	0.473	0.500	95	mg/L
QC12080630	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12080632	LCS 1	Sulfate	EPA 300.0	25.5	25.0	102	mg/L
QC12080736	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	149	150	100	mg/L
QC12080736	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12080855	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	0.992	1.00	99	mg/L
		Beryllium	EPA 200.7	0.965	1.00	96	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.923	1.00	92	mg/L
		Cadmium	EPA 200.7	0.943	1.00	94	mg/L
		Calcium	EPA 200.7	9.59	10.0	96	mg/L
		Chromium	EPA 200.7	0.970	1.00	97	mg/L
		Cobalt	EPA 200.7	0.956	1.00	96	mg/L
		Copper	EPA 200.7	5.00	5.00	100	mg/L
		Gallium	EPA 200.7	0.998	1.00	100	mg/L
		Iron	EPA 200.7	0.971	1.00	97	mg/L
		Lithium	EPA 200.7	0.992	1.00	99	mg/L
		Magnesium	EPA 200.7	9.23	10.0	92	mg/L
		Manganese	EPA 200.7	0.979	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.967	1.00	97	mg/L
		Nickel	EPA 200.7	4.82	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.60	5.00	92	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	1.01	1.00	101	mg/L
		Silver	EPA 200.7	0.090	0.090	100	mg/L
		Sodium	EPA 200.7	9.92	10.0	99	mg/L
		Strontium	EPA 200.7	0.959	1.00	96	mg/L
		Tin	EPA 200.7	0.903	1.00	90	mg/L
		Titanium	EPA 200.7	0.981	1.00	98	mg/L
		Vanadium	EPA 200.7	0.987	1.00	99	mg/L
QC12080856	LCS 1	Aluminum	EPA 200.7	1.05	1.00	105	mg/L
		Barium	EPA 200.7	0.992	1.00	99	mg/L
		Beryllium	EPA 200.7	0.965	1.00	96	mg/L
		Bismuth	EPA 200.7	0.995	1.00	100	mg/L
		Boron	EPA 200.7	0.923	1.00	92	mg/L
		Cadmium	EPA 200.7	0.943	1.00	94	mg/L
		Calcium	EPA 200.7	9.59	10.0	96	mg/L
		Chromium	EPA 200.7	0.970	1.00	97	mg/L
		Cobalt	EPA 200.7	0.956	1.00	96	mg/L
		Copper	EPA 200.7	5.00	5.00	100	mg/L
		Gallium	EPA 200.7	0.998	1.00	100	mg/L
		Iron	EPA 200.7	0.971	1.00	97	mg/L
		Lithium	EPA 200.7	0.992	1.00	99	mg/L
		Magnesium	EPA 200.7	9.23	10.0	92	mg/L
		Manganese	EPA 200.7	0.979	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.967	1.00	97	mg/L
		Nickel	EPA 200.7	4.82	5.00	96	mg/L
		Phosphorus	EPA 200.7	4.60	5.00	92	mg/L
		Potassium	EPA 200.7	10.0	10.0	100	mg/L
		Scandium	EPA 200.7	1.01	1.00	101	mg/L
		Silver	EPA 200.7	0.090	0.090	100	mg/L
		Sodium	EPA 200.7	9.92	10.0	99	mg/L
		Strontium	EPA 200.7	0.959	1.00	96	mg/L
		Tin	EPA 200.7	0.903	1.00	90	mg/L
		Titanium	EPA 200.7	0.981	1.00	98	mg/L
		Vanadium	EPA 200.7	0.987	1.00	99	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12080952	LCS 1	Zinc	EPA 200.7	0.928	1.00	93	mg/L
		Mercury	EPA 200.8	0.001020	0.001	102	mg/L
		Antimony	EPA 200.8	0.0091	0.010	91	mg/L
		Arsenic	EPA 200.8	0.0483	0.050	96	mg/L
		Lead	EPA 200.8	0.0092	0.010	92	mg/L
		Selenium	EPA 200.8	0.0439	0.050	88	mg/L
		Thallium	EPA 200.8	0.0089	0.010	89	mg/L
		Uranium	EPA 200.8	0.0089	0.010	89	mg/L
QC12080953	LCS 1	Mercury	EPA 200.8	0.001020	0.001	102	mg/L
		Antimony	EPA 200.8	0.0091	0.010	91	mg/L
		Arsenic	EPA 200.8	0.0483	0.050	96	mg/L
		Lead	EPA 200.8	0.0092	0.010	92	mg/L
		Selenium	EPA 200.8	0.0439	0.050	88	mg/L
		Thallium	EPA 200.8	0.0089	0.010	89	mg/L
		Uranium	EPA 200.8	0.0089	0.010	89	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12080589	Duplicate	pH	SM 4500-H+ B	1208304-001	6.64	6.74	pH Units	1 %
QC12080589	Duplicate	pH	SM 4500-H+ B	1208308-006	7.06	7.06	pH Units	<1%
QC12080589	Duplicate	pH	SM 4500-H+ B	1208329-001	6.26	6.26	pH Units	<1%
QC12080589	Duplicate	pH	SM 4500-H+ B	1208332-006	7.61	7.67	pH Units	1 %
QC12080589	Duplicate	pH	SM 4500-H+ B	1208342-006	7.76	7.75	pH Units	<1%
QC12080589	Duplicate	pH	SM 4500-H+ B	1208343-008	7.58	7.59	pH Units	<1%
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208304-001	8.23	8.28	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1208304-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208304-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208304-001	6.75	6.79	mg/L as CaCO3	1 %
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208308-006	247	245	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1208308-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208308-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208308-006	202	201	mg/L as CaCO3	1 %
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208329-001	2.15	2.00	mg/L	7 %
		Carbonate (CO3)	SM 2320B	1208329-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208329-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208329-001	1.76	1.64	mg/L as CaCO3	7 %
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208332-006	54.4	54.5	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208332-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208332-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208332-006	44.6	44.7	mg/L as CaCO3	<1%
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208342-006	134	132	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1208342-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1208342-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208342-006	110	109	mg/L as CaCO3	1 %
QC12080591	Duplicate	Bicarbonate (HCO3)	SM 2320B	1208343-008	121	122	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1208343-008	<1.000	<1.000	mg/L	<1%

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
		Hydroxide (OH)	SM 2320B	1208343-008	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1208343-008	99.5	99.7	mg/L as CaCO3	<1%
QC12080736	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208062-001	517	519	mg/L	<1%
QC12080736	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208295-008	80.0	78.0	mg/L	3 %
QC12080736	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1208332-004	147	159	Q mg/L	8 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12080620	MS 1	Fluoride	EPA 300.0	1208329-002	<0.100	2.25	2.48	2.00	mg/L	110	122	10 %
QC12080620	MS 2	Fluoride	EPA 300.0	1208332-008	1.81	3.53	3.60	2.00	mg/L	86	90	2 %
QC12080622	MS 1	Chloride	EPA 300.0	1208329-002	<1.000	5.31	5.46	5.00	mg/L	104	107	3 %
QC12080622	MS 2	Chloride	EPA 300.0	1208332-008	<1.000	5.30	5.42	5.00	mg/L	105	107	2 %
QC12080628	MS 1	Nitrite Nitrogen	EPA 300.0	1208329-002	<0.025	0.455	0.448	0.500	mg/L	90	88	2 %
QC12080628	MS 2	Nitrite Nitrogen	EPA 300.0	1208332-008	<0.025	0.495	0.496	0.500	mg/L	98	98	<1%
QC12080630	MS 1	Nitrate Nitrogen	EPA 300.0	1208329-002	<1.000	2.11	2.18	2.00	mg/L	103	106	3 %
QC12080630	MS 2	Nitrate Nitrogen	EPA 300.0	1208332-008	<1.000	2.02	2.07	2.00	mg/L	101	103	2 %
QC12080632	MS 1	Sulfate	EPA 300.0	1208329-002	29.1	39.2	40.3	10.0	mg/L	101	112	3 %
QC12080632	MS 2	Sulfate	EPA 300.0	1208332-008	23.3	32.5	32.7	10.0	mg/L	92	95	1 %
QC12080855	MS 1	Aluminum, Dissolved	EPA 200.7	1208320-002	<0.045	0.940	0.928	1.00	mg/L	92	90	1 %
		Barium, Dissolved	EPA 200.7	1208320-002	0.023	0.977	0.974	1.00	mg/L	95	95	<1%
		Beryllium, Dissolved	EPA 200.7	1208320-002	0.001	0.957	0.935	1.00	mg/L	96	93	2 %
		Bismuth, Dissolved	EPA 200.7	1208320-002	<0.100	0.955	0.931	1.00	mg/L	98	95	3 %
		Boron, Dissolved	EPA 200.7	1208320-002	0.194	1.14	1.16	1.00	mg/L	95	97	2 %
		Cadmium, Dissolved	EPA 200.7	1208320-002	<0.001	0.938	0.939	1.00	mg/L	94	94	<1%
		Calcium, Dissolved	EPA 200.7	1208320-002	76.2	SC 80.9	85.5	10.0	mg/L	NC	NC	NC
		Chromium, Dissolved	EPA 200.7	1208320-002	<0.005	0.937	0.932	1.00	mg/L	94	93	1 %
		Cobalt, Dissolved	EPA 200.7	1208320-002	<0.010	0.930	0.934	1.00	mg/L	93	93	<1%
		Copper, Dissolved	EPA 200.7	1208320-002	<0.050	4.82	4.77	5.00	mg/L	96	95	1 %
		Gallium, Dissolved	EPA 200.7	1208320-002	<0.100	0.912	0.910	1.00	mg/L	91	91	<1%
		Iron, Dissolved	EPA 200.7	1208320-002	6.64	7.56	7.79	1.00	mg/L	92	115	3 %
		Lithium, Dissolved	EPA 200.7	1208320-002	<0.100	1.02	0.996	1.00	mg/L	99	97	2 %
		Magnesium, Dissolved	EPA 200.7	1208320-002	41.4	SC 48.1	49.9	10.0	mg/L	NC	NC	NC
		Manganese, Dissolved	EPA 200.7	1208320-002	0.421	1.33	1.36	1.00	mg/L	91	94	2 %
		Molybdenum, Dissolved	EPA 200.7	1208320-002	<0.010	0.969	0.959	1.00	mg/L	96	95	1 %
		Nickel, Dissolved	EPA 200.7	1208320-002	<0.010	4.66	4.66	5.00	mg/L	93	93	<1%
		Phosphorus, Dissolved	EPA 200.7	1208320-002	<0.500	4.87	4.88	5.00	mg/L	98	98	<1%
		Potassium, Dissolved	EPA 200.7	1208320-002	2.41	12.5	12.3	10.0	mg/L	101	99	2 %
		Scandium, Dissolved	EPA 200.7	1208320-002	<0.100	0.974	0.951	1.00	mg/L	97	95	2 %
		Silver, Dissolved	EPA 200.7	1208320-002	<0.005	0.087	0.087	0.090	mg/L	98	98	<1%
		Sodium, Dissolved	EPA 200.7	1208320-002	65.4	SC 71.0	76.3	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1208320-002	0.429	1.33	1.38	1.00	mg/L	90	95	4 %
		Tin, Dissolved	EPA 200.7	1208320-002	<0.100	0.904	0.904	1.00	mg/L	93	93	<1%
		Titanium, Dissolved	EPA 200.7	1208320-002	<0.100	0.982	0.960	1.00	mg/L	98	96	2 %
		Vanadium, Dissolved	EPA 200.7	1208320-002	0.034	0.997	0.998	1.00	mg/L	96	96	<1%
		Zinc, Dissolved	EPA 200.7	1208320-002	<0.010	0.942	0.949	1.00	mg/L	94	95	1 %
QC12080856	MS 1	Aluminum, Dissolved	EPA 200.7	1208320-003	<0.045	0.987	0.995	1.00	mg/L	97	97	1 %
		Barium, Dissolved	EPA 200.7	1208320-003	0.032	0.983	0.984	1.00	mg/L	95	95	<1%
		Beryllium, Dissolved	EPA 200.7	1208320-003	<0.001	0.942	0.951	1.00	mg/L	94	95	1 %
		Bismuth, Dissolved	EPA 200.7	1208320-003	<0.100	0.936	0.952	1.00	mg/L	95	97	2 %
		Boron, Dissolved	EPA 200.7	1208320-003	0.216	1.17	1.15	1.00	mg/L	95	93	2 %
		Cadmium, Dissolved	EPA 200.7	1208320-003	<0.001	0.900	0.900	1.00	mg/L	90	90	<1%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Calcium, Dissolved	EPA 200.7	1208320-003	51.1	58.2	58.5	10.0	mg/L	71	74	1 %
		Chromium, Dissolved	EPA 200.7	1208320-003	<0.005	0.933	0.935	1.00	mg/L	93	94	<1%
		Cobalt, Dissolved	EPA 200.7	1208320-003	0.023	0.933	0.931	1.00	mg/L	91	91	<1%
		Copper, Dissolved	EPA 200.7	1208320-003	<0.050	4.91	4.94	5.00	mg/L	98	99	1 %
		Gallium, Dissolved	EPA 200.7	1208320-003	<0.100	0.930	0.928	1.00	mg/L	93	93	<1%
		Iron, Dissolved	EPA 200.7	1208320-003	0.014	0.943	0.941	1.00	mg/L	93	93	<1%
		Lithium, Dissolved	EPA 200.7	1208320-003	<0.100	0.963	0.968	1.00	mg/L	94	95	1 %
		Magnesium, Dissolved	EPA 200.7	1208320-003	21.2	28.2	27.6	10.0	mg/L	70	64	2 %
		Manganese, Dissolved	EPA 200.7	1208320-003	<0.005	0.940	0.941	1.00	mg/L	95	95	<1%
		Molybdenum, Dissolved	EPA 200.7	1208320-003	<0.010	0.956	0.965	1.00	mg/L	95	96	1 %
		Nickel, Dissolved	EPA 200.7	1208320-003	<0.010	4.54	4.53	5.00	mg/L	91	91	<1%
		Phosphorus, Dissolved	EPA 200.7	1208320-003	<0.500	4.64	4.66	5.00	mg/L	91	92	<1%
		Potassium, Dissolved	EPA 200.7	1208320-003	2.35	11.9	12.0	10.0	mg/L	96	96	1 %
		Scandium, Dissolved	EPA 200.7	1208320-003	<0.100	0.978	0.980	1.00	mg/L	98	98	<1%
		Silver, Dissolved	EPA 200.7	1208320-003	<0.005	0.088	0.088	0.090	mg/L	98	98	<1%
		Sodium, Dissolved	EPA 200.7	1208320-003	61.8	SC 68.5	67.7	10.0	mg/L	NC	NC	NC
		Strontium, Dissolved	EPA 200.7	1208320-003	0.372	1.24	1.26	1.00	mg/L	87	89	2 %
		Tin, Dissolved	EPA 200.7	1208320-003	<0.100	0.867	0.879	1.00	mg/L	89	90	1 %
		Titanium, Dissolved	EPA 200.7	1208320-003	<0.100	0.962	0.970	1.00	mg/L	96	97	1 %
		Vanadium, Dissolved	EPA 200.7	1208320-003	0.023	0.982	0.983	1.00	mg/L	96	96	<1%
		Zinc, Dissolved	EPA 200.7	1208320-003	<0.010	0.890	0.886	1.00	mg/L	89	88	<1%
QC12080952	MS 1	Uranium, Dissolved	EPA 200.8	1208336-001	<0.0050	0.0119	0.0119	0.010	mg/L	91	91	<1%
		Mercury, Dissolved	EPA 200.8	1208336-001	<0.00010	0.000989	0.000979	0.001	mg/L	99	98	1 %
		Antimony, Dissolved	EPA 200.8	1208336-001	<0.0025	0.0089	0.0089	0.010	mg/L	89	89	<1%
		Arsenic, Dissolved	EPA 200.8	1208336-001	<0.0050	0.0501	0.0508	0.050	mg/L	99	100	1 %
		Lead, Dissolved	EPA 200.8	1208336-001	<0.0025	0.0091	0.0091	0.010	mg/L	90	91	<1%
		Selenium, Dissolved	EPA 200.8	1208336-001	<0.0050	0.0449	0.0461	0.050	mg/L	90	92	3 %
		Thallium, Dissolved	EPA 200.8	1208336-001	<0.0010	0.0086	0.0086	0.010	mg/L	86	86	<1%
QC12080953	MS 1	Uranium, Dissolved	EPA 200.8	1208320-003	0.0065	0.0152	0.0155	0.010	mg/L	88	90	2 %
		Mercury, Dissolved	EPA 200.8	1208320-003	<0.00010	0.000999	0.001051	0.001	mg/L	100	105	5 %
		Antimony, Dissolved	EPA 200.8	1208320-003	<0.0025	0.0101	0.0103	0.010	mg/L	89	90	2 %
		Arsenic, Dissolved	EPA 200.8	1208320-003	0.0100	0.0589	0.0595	0.050	mg/L	98	99	1 %
		Lead, Dissolved	EPA 200.8	1208320-003	<0.0025	0.0091	0.0091	0.010	mg/L	90	91	<1%
		Selenium, Dissolved	EPA 200.8	1208320-003	<0.0050	0.0445	0.0458	0.050	mg/L	88	90	3 %
		Thallium, Dissolved	EPA 200.8	1208320-003	<0.0010	0.0084	0.0085	0.010	mg/L	84	85	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel [775] 355-0202 | fax [775] 355-0817 | www.WETLaboratory.com

Lab Number 1208332

Report Due Date: 8/30/12

Page 1 of 1

Client McClelland Laboratories, Inc.
Address 1016 Greg Street
City, State & Zip Sparks, NV 89431
Contact Gene McClelland
Phone 775-356-1300 **Collector's Name** Robert
Fax 775-356-8917 **Project Name**
P.O. Number **Project Number** 3438

Turnaround Time
 Standard _____ 5-Day _____ Other _____
Billing Address (if different than Client Address):
 Company _____
 Address _____
 City, State & Zip _____
 Contact _____
 Phone _____
 Fax _____
 Email _____

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	Wk	DATE	TIME	S	O	ANALYSIS REQUESTED		SOL. NO.
						Profile II w/o Wad	Uranium	
CF-11-02 (227-367)	Wk:8	08/16/12	9:00	WW	2	X	X	1
CF-11-02 (52-117)								2
K-Spar Breccia 5+ Comp								3
Biotite Breccia 5+ Comp								4
Quartz Monzonite 5+ Comp								5
Biotite Breccia 0-5 Comp								6
K-Spar Breccia 0-5 Comp								7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	↓	8

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>23.0 °C</u>	<u>8/16/12</u>	<u>2:40</u>	<u>[Signature]</u>	<u>[Signature]</u>
Custody Seals Intact? Y <input type="checkbox"/> N <input checked="" type="checkbox"/> None				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Specializing in Soil, Hazardous Waste and Water Analysis.

8/2/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1207417


Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 7/19/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,



Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1207417

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1207417-002 Mercury

1207417-006 Vanadium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- S -- Surrogate recovery was outside of laboratory acceptance limits due to matrix interference. The associated blank and LCS surrogate recovery was within acceptance limits.
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 8/2/2012

OrderID: 1207417

Customer Sample ID: CF-11-02 (227-367) WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-001

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.61	pH Units		7/19/2012
Bicarbonate (HCO ₃)	SM 2320B	87	mg/L	1.0	7/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	71	mg/L as CaCO ₃	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	49	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	7/24/2012
Aluminum	EPA 200.7	0.064	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.083	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	30	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	7.2	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.015	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/25/2012

Page 3 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: CF-11-02 (227-367) WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-001

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	12	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	3.9	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.29	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	0.00016	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.030	mg/L	0.0050	7/27/2012
Anions	Calculation	2.53	meq/L	0.10	
Cations	Calculation	2.57	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: CF-11-02 (52-117) WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-002

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.43	pH Units		7/19/2012
Bicarbonate (HCO3)	SM 2320B	79	mg/L	1.0	7/19/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	65	mg/L as CaCO3	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	59	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	7/24/2012
Aluminum	EPA 200.7	0.067	mg/L	0.045	7/25/2012

Page 4 of 18

Customer Sample ID: CF-11-02 (52-117) WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-002

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.015	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	31	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	0.013	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	5.6	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.019	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	15	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	4.3	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.27	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	<0.0002	mg/L	0.0002	7/30/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.032	mg/L	0.0050	7/27/2012
Anions	Calculation	2.61	meq/L	0.10	
Cations	Calculation	2.59	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-003

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		7/19/2012
Bicarbonate (HCO3)	SM 2320B	120	mg/L	1.0	7/19/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	96	mg/L as CaCO3	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	72	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	7/24/2012
Aluminum	EPA 200.7	0.050	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.083	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	41	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	11	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.034	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.059	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	16	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	2.5	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	1.5	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	0.014	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012

Customer Sample ID: K-Spar Breccia 5+ Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-003

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.13	mg/L	0.0050	7/27/2012
Anions	Calculation	3.54	meq/L	0.10	
Cations	Calculation	3.48	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-004

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		7/19/2012
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	7/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	86	mg/L as CaCO ₃	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	2.3	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	72	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	7/24/2012
Aluminum	EPA 200.7	0.065	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.067	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	35	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012

Page 7 of 18

Customer Sample ID: Biotite Breccia 5+ Comp WK:4
 WETLAB Sample ID: 1207417-004

Collect Date/Time: 7/19/2012 09:00
 Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	11	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.022	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.015	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	20	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	3.1	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.73	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	0.016	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.039	mg/L	0.0050	7/27/2012
Anions	Calculation	3.26	meq/L	0.10	
Cations	Calculation	3.31	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp WK:4
 WETLAB Sample ID: 1207417-005

Collect Date/Time: 7/19/2012 09:00
 Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.74	pH Units		7/19/2012
Bicarbonate (HCO3)	SM 2320B	92	mg/L	1.0	7/19/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	76	mg/L as CaCO3	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	2.0	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	40	mg/L	1.0	7/20/2012

Customer Sample ID: Quartz Monzonite 5+ Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-005

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	150	mg/L	10	7/24/2012
Aluminum	EPA 200.7	0.073	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.10	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	23	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	6.2	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.0071	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.056	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	20	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	4.8	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.82	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	0.00045	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.049	mg/L	0.0050	7/27/2012
Anions	Calculation	2.45	meq/L	0.10	

Page 9 of 18

Customer Sample ID: Quartz Monzonite 5+ Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-005

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cations	Calculation	2.39	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: Biotite Breccia 0-5 Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-006

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.27	pH Units		7/19/2012
Bicarbonate (HCO ₃)	SM 2320B	56	mg/L	1.0	7/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	46	mg/L as CaCO ₃	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	1.4	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	86	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	160	mg/L	10	7/24/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.032	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	37	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	6.3	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.017	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.042	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	9.6	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012

Page 10 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Biotite Breccia 0-5 Comp WK:4
WETLAB Sample ID: 1207417-006

Collect Date/Time: 7/19/2012 09:00
Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	3.5	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.61	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	<0.050	mg/L	0.050	7/26/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.037	mg/L	0.0050	7/27/2012
Anions	Calculation	2.78	meq/L	0.10	
Cations	Calculation	2.76	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:4
WETLAB Sample ID: 1207417-007

Collect Date/Time: 7/19/2012 09:00
Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		7/19/2012
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	7/19/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	94	mg/L as CaCO3	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	2.0	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	61	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	170	mg/L	10	7/24/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.045	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012

Customer Sample ID: K-Spar Breccia 0-5 Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-007

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	40	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	7.2	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.040	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.049	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	12	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	6.8	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.88	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	0.010	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	0.00012	mg/L	0.00010	7/27/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.074	mg/L	0.0050	7/27/2012
Anions	Calculation	3.18	meq/L	0.10	
Cations	Calculation	3.19	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-008

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.73	pH Units		7/19/2012

Page 12 of 18

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-008

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	7/19/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/19/2012
Total Alkalinity	SM 2320B	96	mg/L as CaCO ₃	1.0	7/19/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/20/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	7/20/2012
Sulfate	EPA 300.0	68	mg/L	1.0	7/20/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/20/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/20/2012
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	7/24/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/25/2012
Barium	EPA 200.7	0.040	mg/L	0.010	7/25/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/25/2012
Calcium	EPA 200.7	43	mg/L	0.50	7/25/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/25/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Magnesium	EPA 200.7	6.9	mg/L	0.50	7/25/2012
Manganese	EPA 200.7	0.048	mg/L	0.0050	7/25/2012
Molybdenum	EPA 200.7	0.032	mg/L	0.010	7/25/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/25/2012
Potassium	EPA 200.7	13	mg/L	0.50	7/25/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/25/2012
Sodium	EPA 200.7	8.1	mg/L	0.50	7/25/2012
Strontium	EPA 200.7	0.74	mg/L	0.10	7/25/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/25/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/25/2012
Mercury	EPA 200.8	0.00021	mg/L	0.00010	7/27/2012

Page 13 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 0-5 Comp WK:4

Collect Date/Time: 7/19/2012 09:00

WETLAB Sample ID: 1207417-008

Receive Date: 7/19/2012 15:40

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/27/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/27/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/27/2012
Uranium	EPA 200.8	0.078	mg/L	0.0050	7/27/2012
Anions	Calculation	3.48	meq/L	0.10	
Cations	Calculation	3.40	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12070729	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12070729	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12070729	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12070731	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12070731	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12070731	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12070733	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070733	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070733	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070736	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070736	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070736	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070739	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12070739	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12070739	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12070826	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
QC12070862	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070862	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070862	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070901	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070640	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12070640	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12070640	LCS 3	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12070645	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070645	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070729	LCS 1	Fluoride	EPA 300.0	1.91	2.00	95	mg/L
QC12070731	LCS 1	Chloride	EPA 300.0	10.3	10.0	103	mg/L
QC12070733	LCS 1	Nitrite Nitrogen	EPA 300.0	0.505	0.500	101	mg/L
QC12070736	LCS 1	Nitrate Nitrogen	EPA 300.0	1.99	2.00	99	mg/L
QC12070739	LCS 1	Sulfate	EPA 300.0	24.2	25.0	97	mg/L
QC12070826	LCS 1	Aluminum	EPA 200.7	0.994	1.00	99	mg/L
		Barium	EPA 200.7	0.975	1.00	98	mg/L
		Beryllium	EPA 200.7	0.961	1.00	96	mg/L
		Bismuth	EPA 200.7	0.985	1.00	98	mg/L
		Boron	EPA 200.7	0.919	1.00	92	mg/L
		Cadmium	EPA 200.7	0.981	1.00	98	mg/L
		Calcium	EPA 200.7	9.87	10.0	99	mg/L
		Chromium	EPA 200.7	0.961	1.00	96	mg/L
		Cobalt	EPA 200.7	0.980	1.00	98	mg/L
		Copper	EPA 200.7	4.74	5.00	95	mg/L
		Gallium	EPA 200.7	0.960	1.00	96	mg/L
		Iron	EPA 200.7	0.990	1.00	99	mg/L
		Lithium	EPA 200.7	0.967	1.00	97	mg/L
		Magnesium	EPA 200.7	9.90	10.0	99	mg/L
		Manganese	EPA 200.7	0.967	1.00	97	mg/L
		Molybdenum	EPA 200.7	0.967	1.00	97	mg/L
		Nickel	EPA 200.7	4.88	5.00	98	mg/L
		Phosphorus	EPA 200.7	4.86	5.00	97	mg/L
		Potassium	EPA 200.7	9.68	10.0	97	mg/L
		Scandium	EPA 200.7	0.950	1.00	95	mg/L
		Silver	EPA 200.7	0.083	0.090	92	mg/L
		Sodium	EPA 200.7	9.52	10.0	95	mg/L
		Strontium	EPA 200.7	0.966	1.00	97	mg/L
		Tin	EPA 200.7	0.958	1.00	96	mg/L
		Titanium	EPA 200.7	0.985	1.00	98	mg/L
		Vanadium	EPA 200.7	0.965	1.00	96	mg/L
		Zinc	EPA 200.7	0.999	1.00	100	mg/L
QC12070862	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L
QC12070862	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	147	150	98	mg/L
QC12070862	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12070901	LCS 1	Mercury	EPA 200.8	0.001128	0.001	113	mg/L
		Antimony	EPA 200.8	0.0091	0.010	91	mg/L
		Arsenic	EPA 200.8	0.0481	0.050	96	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0436	0.050	87	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units					
		Uranium	EPA 200.8	0.0090	0.010	90	mg/L					
QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207397-001	6.57	6.60	pH Units	<1%				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207410-001	9.11	9.11	pH Units	<1%				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207410-005	9.51	9.56	pH Units	1 %				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207417-001	7.61	7.54	pH Units	1 %				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207426-001	7.76	7.81	pH Units	1 %				
QC12070640	Duplicate	pH	SM 4500-H+ B	1207426-010	7.87	7.84	pH Units	<1%				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207397-001	68.2	68.5	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1207397-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207397-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207397-001	56.0	56.2	mg/L as CaCO3	<1%				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207408-002	46.3	47.6	mg/L	3 %				
		Carbonate (CO3)	SM 2320B	1207408-002	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207408-002	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207408-002	38.0	39.0	mg/L as CaCO3	3 %				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207410-005	746	151	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1207410-005	284	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207410-005	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207410-005	1084	124	mg/L as CaCO3	<1%				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207417-001	87.0	86.3	mg/L	1 %				
		Carbonate (CO3)	SM 2320B	1207417-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207417-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207417-001	71.3	70.8	mg/L as CaCO3	1 %				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207426-001	117	117	mg/L	<1%				
		Carbonate (CO3)	SM 2320B	1207426-001	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207426-001	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207426-001	96.2	96.3	mg/L as CaCO3	<1%				
QC12070645	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207426-010	120	118	mg/L	2 %				
		Carbonate (CO3)	SM 2320B	1207426-010	<1.000	<1.000	mg/L	<1%				
		Hydroxide (OH)	SM 2320B	1207426-010	<1.000	<1.000	mg/L	<1%				
		Total Alkalinity	SM 2320B	1207426-010	98.6	96.4	mg/L as CaCO3	2 %				
QC12070862	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207416-001	63.0	61.0	mg/L	3 %				
QC12070862	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207419-001	27.0	30.0	mg/L	11 %				
QC12070862	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207426-010	232	246	mg/L	6 %	Q			
QC12070862	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207440-004	405	395	mg/L	2 %				
QC12070862	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207444-001	158	166	mg/L	5 %				
QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070729	MS 1	Fluoride	EPA 300.0	1207417-001	1.60	3.36	3.40	2.00	mg/L	88	90	1 %
QC12070729	MS 2	Fluoride	EPA 300.0	1207419-002	<0.100	2.06	2.13	2.00	mg/L	101	105	3 %
QC12070731	MS 1	Chloride	EPA 300.0	1207417-001	<1.000	5.37	5.50	5.00	mg/L	106	108	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070731	MS 2	Chloride	EPA 300.0	1207419-002	<1.000	5.34	5.47	5.00	mg/L	104	107	2 %
QC12070733	MS 1	Nitrite Nitrogen	EPA 300.0	1207417-001	<0.025	0.526	0.538	0.500	mg/L	104	106	2 %
QC12070733	MS 2	Nitrite Nitrogen	EPA 300.0	1207419-002	<0.025	0.526	0.539	0.500	mg/L	104	106	2 %
QC12070736	MS 1	Nitrate Nitrogen	EPA 300.0	1207417-001	<1.000	2.09	2.14	2.00	mg/L	103	106	2 %
QC12070736	MS 2	Nitrate Nitrogen	EPA 300.0	1207419-002	<1.000	2.14	2.18	2.00	mg/L	104	106	2 %
QC12070739	MS 1	Sulfate	EPA 300.0	1207417-001	49.0	57.6	57.8	10.0	mg/L	86	88	<1%
QC12070739	MS 2	Sulfate	EPA 300.0	1207419-002	33.6	42.9	43.2	10.0	mg/L	93	96	1 %
QC12070826	MS 1	Aluminum, Dissolved	EPA 200.7	1207439-002	<0.045	0.960	0.934	1.00	mg/L	93	90	3 %
		Barium, Dissolved	EPA 200.7	1207439-002	0.037	1.01	0.999	1.00	mg/L	97	96	1 %
		Beryllium, Dissolved	EPA 200.7	1207439-002	<0.001	0.938	0.937	1.00	mg/L	94	94	<1%
		Bismuth, Dissolved	EPA 200.7	1207439-002	<0.100	0.935	0.936	1.00	mg/L	94	94	<1%
		Boron, Dissolved	EPA 200.7	1207439-002	<0.100	1.03	1.04	1.00	mg/L	96	97	1 %
		Cadmium, Dissolved	EPA 200.7	1207439-002	<0.001	0.945	0.949	1.00	mg/L	95	95	<1%
		Calcium, Dissolved	EPA 200.7	1207439-002	118	127	132	10.0	mg/L	90	140	4 %
		Chromium, Dissolved	EPA 200.7	1207439-002	<0.005	0.961	0.951	1.00	mg/L	96	95	1 %
		Cobalt, Dissolved	EPA 200.7	1207439-002	<0.010	0.955	0.951	1.00	mg/L	95	95	<1%
		Copper, Dissolved	EPA 200.7	1207439-002	<0.050	4.85	4.80	5.00	mg/L	97	96	1 %
		Gallium, Dissolved	EPA 200.7	1207439-002	<0.100	0.959	0.943	1.00	mg/L	96	94	2 %
		Iron, Dissolved	EPA 200.7	1207439-002	0.050	1.04	1.03	1.00	mg/L	99	98	1 %
		Lithium, Dissolved	EPA 200.7	1207439-002	<0.100	0.999	0.997	1.00	mg/L	98	98	<1%
		Magnesium, Dissolved	EPA 200.7	1207439-002	30.4	39.7	40.4	10.0	mg/L	93	100	2 %
		Manganese, Dissolved	EPA 200.7	1207439-002	<0.005	0.910	0.901	1.00	mg/L	94	93	1 %
		Molybdenum, Dissolved	EPA 200.7	1207439-002	<0.010	0.974	0.982	1.00	mg/L	97	98	1 %
		Nickel, Dissolved	EPA 200.7	1207439-002	<0.010	4.71	4.71	5.00	mg/L	94	94	<1%
		Phosphorus, Dissolved	EPA 200.7	1207439-002	<0.500	4.89	4.98	5.00	mg/L	98	100	2 %
		Potassium, Dissolved	EPA 200.7	1207439-002	2.87	13.2	13.2	10.0	mg/L	103	103	<1%
		Scandium, Dissolved	EPA 200.7	1207439-002	<0.100	0.958	0.947	1.00	mg/L	96	95	1 %
		Silver, Dissolved	EPA 200.7	1207439-002	<0.005	0.087	0.086	0.090	mg/L	98	96	1 %
		Sodium, Dissolved	EPA 200.7	1207439-002	35.7	44.6	45.4	10.0	mg/L	89	97	2 %
		Strontium, Dissolved	EPA 200.7	1207439-002	0.436	1.37	1.37	1.00	mg/L	93	93	<1%
		Tin, Dissolved	EPA 200.7	1207439-002	<0.100	0.914	0.926	1.00	mg/L	95	96	1 %
		Titanium, Dissolved	EPA 200.7	1207439-002	<0.100	0.985	0.986	1.00	mg/L	98	99	<1%
		Vanadium, Dissolved	EPA 200.7	1207439-002	0.034	1.00	0.994	1.00	mg/L	97	96	1 %
		Zinc, Dissolved	EPA 200.7	1207439-002	<0.010	0.948	0.963	1.00	mg/L	95	96	2 %
QC12070901	MS 1	Uranium, Dissolved	EPA 200.8	1207439-002	<0.0050	0.0110	0.0109	0.010	mg/L	95	94	1 %
		Mercury, Dissolved	EPA 200.8	1207439-002	0.000263	0.000994	0.001006	0.001	mg/L	98	99	1 %
		Antimony, Dissolved	EPA 200.8	1207439-002	0.0404	0.0089	0.0087	0.010	mg/L	89	87	2 %
		Arsenic, Dissolved	EPA 200.8	1207439-002	0.0413	0.0535	0.0526	0.050	mg/L	105	103	2 %
		Lead, Dissolved	EPA 200.8	1207439-002	<0.0025	0.0088	0.0088	0.010	mg/L	87	87	<1%
		Selenium, Dissolved	EPA 200.8	1207439-002	0.3155	0.0519	0.0516	0.050	mg/L	88	88	1 %
		Thallium, Dissolved	EPA 200.8	1207439-002	<0.0010	0.0089	0.0088	0.010	mg/L	89	88	1 %



WETLAB
WESTERN ENVIRONMENTAL
TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431
tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1207417

Report
Due Date: 8/2

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300**

Collector's Name **Robert**

Fax **775-356-8917**

Project Name

P.O. Number

Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Standard 5-Day Other

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

NO. OF CONTAINERS

Analyses Requested

SAMPLE ID/LOCATION	DATE	TIME	TYPE	NO. OF CONTAINERS	Profile II w/o Wad	Uranium	Spl. No.
CF-11-02 (227-367) Wk:4	07/19/12	9:00	WW	2	X	X	1
CF-11-02 (52-117)							2
K-Spar Breccia 5+ Comp							3
Biotite Breccia 5+ Comp							4
Quartz Monzonite 5+ Comp							5
Biotite Breccia 0-5 Comp							6
K-Spar Breccia 0-5 Comp							7
Quartz Monzonite 0-5 Comp	↓	↓	↓	↓	↓	↓	8

1207
417

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>19.8°C</u>	<u>7/19</u>	<u>3:40</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

7/19/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1207080

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 7/5/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Andy Smith
QA Manager

SPARKS

475 E. Greg Street, Suite 119
Sparks, Nevada 89431
tel [775] 355-0202
fax [775] 355-0817

ELKO

1084 Lamoille Hwy.
Elko, Nevada 89801
tel [775] 777-9933
fax [775] 777-9933

LAS VEGAS

3230 Polaris Ave., Suite 4
Las Vegas, Nevada 89102
tel [702] 475-8899
fax [702] 776-6152

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1207080

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1207080-001 Arsenic, Manganese, Selenium

1207080-002 Arsenic, Selenium

1207080-003 Arsenic, Selenium

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory

1016 Greg Street

Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

POAProject: 3438

Date Printed: 7/19/2012

OrderID: 1207080

Customer Sample ID: F1 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-001

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.60	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	94	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	51	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.068	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.14	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	30	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	6.8	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	<0.025	mg/L	0.025	7/18/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/17/2012

Page 3 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F1 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-001

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	16	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	7.9	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.30	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.025	mg/L	0.0050	7/17/2012
Anions	Calculation	2.94	meq/L	0.10	
Cations	Calculation	2.81	meq/L	0.10	
Error	Calculation	2.3	%	1.0	

Customer Sample ID: F2 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-002

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.54	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	83	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	72	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012

Page 4 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F2 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-002

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.017	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.13	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	32	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	5.8	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.013	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	21	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	9.6	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.29	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	0.00017	mg/L	0.00010	7/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.027	mg/L	0.0050	7/17/2012
Anions	Calculation	3.22	meq/L	0.10	
Cations	Calculation	3.03	meq/L	0.10	
Error	Calculation	3.1	%	1.0	

Page 5 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: F3 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-003

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.89	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	1.6	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	52	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.10	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.11	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	31	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	8.6	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.032	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	0.054	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	22	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	8.4	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	1.2	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	0.011	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012

Page 6 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F3 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-003

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/17/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Arsenic	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.010	mg/L	0.010	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.12	mg/L	0.0050	7/17/2012
Anions	Calculation	3.46	meq/L	0.10	
Cations	Calculation	3.18	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Customer Sample ID: F4 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-004

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.97	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	180	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	150	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	2.2	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	65	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.076	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.11	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	36	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012

Page 7 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F4 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-004

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	12	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.024	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	36	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	9.9	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.89	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	0.013	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.038	mg/L	0.0050	7/18/2012
Anions	Calculation	4.42	meq/L	0.10	
Cations	Calculation	4.14	meq/L	0.10	
Error	Calculation	3.3	%	1.0	

Customer Sample ID: F5 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-005

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		7/5/2012
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	7/5/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	100	mg/L as CaCO3	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	2.1	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	41	mg/L	1.0	7/6/2012

Customer Sample ID: F5 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-005

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.087	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	21	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	5.5	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.013	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	0.057	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	25	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	16	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.78	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	0.00033	mg/L	0.00010	7/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.040	mg/L	0.0050	7/18/2012
Anions	Calculation	3.09	meq/L	0.10	

Page 9 of 20

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: F5 Tailings Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-005

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cations	Calculation	2.84	meq/L	0.10	
Error	Calculation	4.4	%	1.0	

Customer Sample ID: Biotite Breccia 5+Comp Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-006

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.64	pH Units		7/5/2012
Bicarbonate (HCO3)	SM 2320B	100	mg/L	1.0	7/5/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	85	mg/L as CaCO3	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	1.4	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	110	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.038	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.13	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	47	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	7.5	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	0.072	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	18	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012

Customer Sample ID: Biotite Breccia 5+Comp Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-006

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	12	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.83	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	0.00011	mg/L	0.00010	7/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.032	mg/L	0.0050	7/18/2012
Anions	Calculation	4.00	meq/L	0.10	
Cations	Calculation	3.95	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: K-Spar Breccia 5+Comp Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-007

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.82	pH Units		7/5/2012
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	1.2	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	1.1	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	60	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	280	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.097	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.20	mg/L	0.10	7/17/2012

Page 11 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+Comp Wk:2
 WETLAB Sample ID: 1207080-007

Collect Date/Time: 7/5/2012 09:00
 Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	37	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	0.012	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	6.0	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.060	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	0.049	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	14	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	15	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.80	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/18/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.021	mg/L	0.0050	7/18/2012
Anions	Calculation	3.64	meq/L	0.10	
Cations	Calculation	3.35	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Customer Sample ID: Quartz Monzonite 5+Comp Wk:2
 WETLAB Sample ID: 1207080-008

Collect Date/Time: 7/5/2012 09:00
 Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.69	pH Units		7/5/2012

Customer Sample ID: Quartz Monzonite 5+Comp Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-008

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Bicarbonate (HCO ₃)	SM 2320B	87	mg/L	1.0	7/5/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	7/5/2012
Total Alkalinity	SM 2320B	71	mg/L as CaCO ₃	1.0	7/5/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	7/6/2012
Fluoride	EPA 300.0	0.45	mg/L	0.10	7/6/2012
Sulfate	EPA 300.0	29	mg/L	1.0	7/6/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	7/6/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	7/6/2012
Total Dissolved Solids (TDS)	SM 2540C	190	mg/L	10	7/9/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/17/2012
Barium	EPA 200.7	0.031	mg/L	0.010	7/17/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Boron	EPA 200.7	0.21	mg/L	0.10	7/17/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/17/2012
Calcium	EPA 200.7	27	mg/L	0.50	7/17/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/17/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Iron	EPA 200.7	0.020	mg/L	0.010	7/17/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Magnesium	EPA 200.7	2.6	mg/L	0.50	7/17/2012
Manganese	EPA 200.7	0.029	mg/L	0.0050	7/17/2012
Molybdenum	EPA 200.7	0.020	mg/L	0.010	7/17/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/17/2012
Potassium	EPA 200.7	4.3	mg/L	0.50	7/17/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/17/2012
Sodium	EPA 200.7	4.9	mg/L	0.50	7/17/2012
Strontium	EPA 200.7	0.35	mg/L	0.10	7/17/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/17/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/17/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/18/2012

Page 13 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+Comp Wk:2

Collect Date/Time: 7/5/2012 09:00

WETLAB Sample ID: 1207080-008

Receive Date: 7/5/2012 14:45

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/18/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/17/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/18/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/17/2012
Uranium	EPA 200.8	0.013	mg/L	0.0050	7/18/2012
Anions	Calculation	2.05	meq/L	0.10	
Cations	Calculation	1.89	meq/L	0.10	
Error	Calculation	4.2	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12070244	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12070244	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12070244	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12070247	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12070247	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12070247	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12070252	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070252	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070252	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070255	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070255	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070255	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070260	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12070260	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12070260	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12070360	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070360	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070360	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070504	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L
QC12070538	Blank 1	Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
QC12070539	Blank 1	Strontium, Dissolved	EPA 200.7	<0.10	mg/L
		Tin, Dissolved	EPA 200.7	<0.10	mg/L
		Titanium, Dissolved	EPA 200.7	<0.10	mg/L
		Vanadium, Dissolved	EPA 200.7	<0.010	mg/L
		Zinc, Dissolved	EPA 200.7	<0.010	mg/L
		Aluminum, Dissolved	EPA 200.7	<0.045	mg/L
		Barium, Dissolved	EPA 200.7	<0.010	mg/L
		Beryllium, Dissolved	EPA 200.7	<0.0010	mg/L
		Bismuth, Dissolved	EPA 200.7	<0.10	mg/L
		Boron, Dissolved	EPA 200.7	<0.10	mg/L
		Cadmium, Dissolved	EPA 200.7	<0.0010	mg/L
		Calcium, Dissolved	EPA 200.7	<0.50	mg/L
		Chromium, Dissolved	EPA 200.7	<0.0050	mg/L
		Cobalt, Dissolved	EPA 200.7	<0.010	mg/L
		Copper, Dissolved	EPA 200.7	<0.050	mg/L
		Gallium, Dissolved	EPA 200.7	<0.10	mg/L
		Iron, Dissolved	EPA 200.7	<0.010	mg/L
		Lithium, Dissolved	EPA 200.7	<0.10	mg/L
		Magnesium, Dissolved	EPA 200.7	<0.50	mg/L
		Manganese, Dissolved	EPA 200.7	<0.0050	mg/L
		Molybdenum, Dissolved	EPA 200.7	<0.010	mg/L
		Nickel, Dissolved	EPA 200.7	<0.010	mg/L
		Phosphorus, Dissolved	EPA 200.7	<0.50	mg/L
		Potassium, Dissolved	EPA 200.7	<0.50	mg/L
		Scandium, Dissolved	EPA 200.7	<0.10	mg/L
		Silver, Dissolved	EPA 200.7	<0.0050	mg/L
		Sodium, Dissolved	EPA 200.7	<0.50	mg/L
		Strontium, Dissolved	EPA 200.7	<0.10	mg/L
Tin, Dissolved	EPA 200.7	<0.10	mg/L		
Titanium, Dissolved	EPA 200.7	<0.10	mg/L		
Vanadium, Dissolved	EPA 200.7	<0.010	mg/L		
Zinc, Dissolved	EPA 200.7	<0.010	mg/L		
QC12070547	Blank 1	Uranium, Dissolved	EPA 200.8	<0.0050	mg/L
		Mercury, Dissolved	EPA 200.8	<0.00010	mg/L
		Antimony, Dissolved	EPA 200.8	<0.0025	mg/L
		Arsenic, Dissolved	EPA 200.8	<0.0050	mg/L
		Lead, Dissolved	EPA 200.8	<0.0025	mg/L
		Selenium, Dissolved	EPA 200.8	<0.0050	mg/L
		Thallium, Dissolved	EPA 200.8	<0.0010	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070220	LCS 1	pH	SM 4500-H+ B	6.99	7.00	100	pH Units
QC12070220	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12070222	LCS 1	Alkalinity	SM 2320B	100.0	100	100	mg/L
QC12070222	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070222	LCS 3	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070222	LCS 4	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070244	LCS 1	Fluoride	EPA 300.0	2.05	2.00	102	mg/L
QC12070247	LCS 1	Chloride	EPA 300.0	10.5	10.0	105	mg/L
QC12070252	LCS 1	Nitrite Nitrogen	EPA 300.0	0.499	0.500	100	mg/L
QC12070255	LCS 1	Nitrate Nitrogen	EPA 300.0	1.97	2.00	99	mg/L
QC12070260	LCS 1	Sulfate	EPA 300.0	24.6	25.0	98	mg/L
QC12070360	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	153	150	102	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070360	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	152	150	101	mg/L
QC12070360	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC12070504	LCS 1	Mercury	EPA 200.8	0.001109	0.001	111	mg/L
		Antimony	EPA 200.8	0.0094	0.010	94	mg/L
		Arsenic	EPA 200.8	0.0493	0.050	99	mg/L
		Lead	EPA 200.8	0.0096	0.010	96	mg/L
		Selenium	EPA 200.8	0.0446	0.050	89	mg/L
		Thallium	EPA 200.8	0.0093	0.010	93	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L
QC12070538	LCS 1	Aluminum	EPA 200.7	0.956	1.00	96	mg/L
		Barium	EPA 200.7	0.915	1.00	92	mg/L
		Beryllium	EPA 200.7	0.920	1.00	92	mg/L
		Bismuth	EPA 200.7	0.950	1.00	95	mg/L
		Boron	EPA 200.7	0.871	1.00	87	mg/L
		Cadmium	EPA 200.7	0.904	1.00	90	mg/L
		Calcium	EPA 200.7	9.39	10.0	94	mg/L
		Chromium	EPA 200.7	0.911	1.00	91	mg/L
		Cobalt	EPA 200.7	0.906	1.00	91	mg/L
		Copper	EPA 200.7	4.58	5.00	92	mg/L
		Gallium	EPA 200.7	0.902	1.00	90	mg/L
		Iron	EPA 200.7	0.944	1.00	94	mg/L
		Lithium	EPA 200.7	0.944	1.00	94	mg/L
		Magnesium	EPA 200.7	9.39	10.0	94	mg/L
		Manganese	EPA 200.7	0.912	1.00	91	mg/L
		Molybdenum	EPA 200.7	0.919	1.00	92	mg/L
		Nickel	EPA 200.7	4.53	5.00	91	mg/L
		Phosphorus	EPA 200.7	4.42	5.00	88	mg/L
		Potassium	EPA 200.7	9.41	10.0	94	mg/L
		Scandium	EPA 200.7	0.928	1.00	93	mg/L
		Silver	EPA 200.7	0.084	0.090	93	mg/L
		Sodium	EPA 200.7	9.35	10.0	94	mg/L
		Strontium	EPA 200.7	0.919	1.00	92	mg/L
		Tin	EPA 200.7	0.893	1.00	89	mg/L
		Titanium	EPA 200.7	0.973	1.00	97	mg/L
		Vanadium	EPA 200.7	0.914	1.00	91	mg/L
		Zinc	EPA 200.7	0.909	1.00	91	mg/L
QC12070539	LCS 1	Aluminum	EPA 200.7	0.978	1.00	98	mg/L
		Barium	EPA 200.7	0.958	1.00	96	mg/L
		Beryllium	EPA 200.7	0.936	1.00	94	mg/L
		Bismuth	EPA 200.7	0.975	1.00	98	mg/L
		Boron	EPA 200.7	0.889	1.00	89	mg/L
		Cadmium	EPA 200.7	0.928	1.00	93	mg/L
		Calcium	EPA 200.7	9.53	10.0	95	mg/L
		Chromium	EPA 200.7	0.927	1.00	93	mg/L
		Cobalt	EPA 200.7	0.920	1.00	92	mg/L
		Copper	EPA 200.7	4.64	5.00	93	mg/L
		Gallium	EPA 200.7	0.953	1.00	95	mg/L
		Iron	EPA 200.7	0.970	1.00	97	mg/L
		Lithium	EPA 200.7	0.980	1.00	98	mg/L
		Magnesium	EPA 200.7	9.42	10.0	94	mg/L
		Manganese	EPA 200.7	0.920	1.00	92	mg/L
		Molybdenum	EPA 200.7	0.960	1.00	96	mg/L
		Nickel	EPA 200.7	4.73	5.00	95	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070547	LCS 1	Phosphorus	EPA 200.7	4.57	5.00	91	mg/L
		Potassium	EPA 200.7	9.90	10.0	99	mg/L
		Scandium	EPA 200.7	0.967	1.00	97	mg/L
		Silver	EPA 200.7	0.085	0.090	94	mg/L
		Sodium	EPA 200.7	9.67	10.0	97	mg/L
		Strontium	EPA 200.7	0.956	1.00	96	mg/L
		Tin	EPA 200.7	0.903	1.00	90	mg/L
		Titanium	EPA 200.7	0.973	1.00	97	mg/L
		Vanadium	EPA 200.7	0.950	1.00	95	mg/L
		Zinc	EPA 200.7	0.943	1.00	94	mg/L
		Mercury	EPA 200.8	0.001106	0.001	111	mg/L
		Antimony	EPA 200.8	0.0091	0.010	91	mg/L
		Arsenic	EPA 200.8	0.0472	0.050	94	mg/L
		Lead	EPA 200.8	0.0094	0.010	94	mg/L
		Selenium	EPA 200.8	0.0438	0.050	88	mg/L
		Thallium	EPA 200.8	0.0091	0.010	91	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12070220	Duplicate	pH	SM 4500-H+ B	1207061-001	6.76	6.79	pH Units	<1%
QC12070220	Duplicate	pH	SM 4500-H+ B	1207066-001	7.35	7.41	pH Units	1 %
QC12070220	Duplicate	pH	SM 4500-H+ B	1207079-002	7.24	7.27	pH Units	<1%
QC12070220	Duplicate	pH	SM 4500-H+ B	1207094-001	7.49	7.44	pH Units	1 %
QC12070220	Duplicate	pH	SM 4500-H+ B	1207093-001	7.24	7.19	pH Units	1 %
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207061-001	505	504	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207061-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207061-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207061-001	414	413	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207066-001	95.5	95.8	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207066-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207066-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207066-001	78.4	78.6	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207079-002	73.5	74.1	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1207079-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207079-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207079-002	60.3	60.8	mg/L as CaCO3	1 %
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207094-001	186	187	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207094-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207094-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207094-001	153	153	mg/L as CaCO3	<1%
QC12070222	Duplicate	Bicarbonate (HCO3)	SM 2320B	1207093-001	291	290	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1207093-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1207093-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1207093-001	238	238	mg/L as CaCO3	<1%
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207047-001	103	101	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207048-002	248	245	mg/L	1 %
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207048-012	69.0	72.0	mg/L	4 %
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207069-004	223	223	mg/L	<1%
QC12070360	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1207080-005	185	179	mg/L	3 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070244	MS 1	Fluoride	EPA 300.0	1207079-002	<0.100	2.06	2.09	2.00	mg/L	101	103	1 %
QC12070244	MS 2	Fluoride	EPA 300.0	1207072-001	0.204	2.28	2.32	2.00	mg/L	104	106	2 %
QC12070247	MS 1	Chloride	EPA 300.0	1207079-002	<1.000	5.45	5.64	5.00	mg/L	106	110	3 %
QC12070247	MS 2	Chloride	EPA 300.0	1207072-001	26.7	31.3	31.4	5.00	mg/L	92	95	<1%
QC12070252	MS 1	Nitrite Nitrogen	EPA 300.0	1207079-002	<0.025	0.527	0.543	0.500	mg/L	104	107	3 %
QC12070252	MS 2	Nitrite Nitrogen	EPA 300.0	1207069-002	<0.025	0.582	0.583	0.500	mg/L	115	115	<1%
QC12070255	MS 1	Nitrate Nitrogen	EPA 300.0	1207079-002	<1.000	2.11	2.16	2.00	mg/L	104	107	2 %
QC12070255	MS 2	Nitrate Nitrogen	EPA 300.0	1207072-001	<1.000	2.23	2.25	2.00	mg/L	109	110	1 %
QC12070260	MS 1	Sulfate	EPA 300.0	1207079-002	<1.000	10.9	11.2	10.0	mg/L	101	104	3 %
QC12070260	MS 2	Sulfate	EPA 300.0	1207036-003	53.6	62.4	62.7	10.0	mg/L	88	91	<1%
QC12070504	MS 1	Uranium, Dissolved	EPA 200.8	1207280-001	<0.0050	0.0093	0.0092	0.010	mg/L	92	91	1 %
		Mercury, Dissolved	EPA 200.8	1207280-001	<0.00010	0.001154	0.001149	0.001	mg/L	108	107	<1%
		Antimony, Dissolved	EPA 200.8	1207280-001	0.0051	0.0142	0.0142	0.010	mg/L	90	91	<1%
		Arsenic, Dissolved	EPA 200.8	1207280-001	0.0217	0.0726	0.0745	0.050	mg/L	102	106	3 %
		Lead, Dissolved	EPA 200.8	1207280-001	<0.0025	0.0091	0.0090	0.010	mg/L	91	90	1 %
		Selenium, Dissolved	EPA 200.8	1207280-001	<0.0100	0.0439	0.0454	0.050	mg/L	88	91	3 %
		Thallium, Dissolved	EPA 200.8	1207280-001	<0.0010	0.0090	0.0090	0.010	mg/L	89	89	<1%
QC12070538	MS 1	Aluminum, Dissolved	EPA 200.7	1207280-001	<0.045	0.937	0.931	1.00	mg/L	92	91	1 %
		Barium, Dissolved	EPA 200.7	1207280-001	0.096	1.04	1.04	1.00	mg/L	94	94	<1%
		Beryllium, Dissolved	EPA 200.7	1207280-001	<0.001	0.961	0.955	1.00	mg/L	96	95	1 %
		Bismuth, Dissolved	EPA 200.7	1207280-001	<0.100	0.959	0.959	1.00	mg/L	97	97	<1%
		Boron, Dissolved	EPA 200.7	1207280-001	0.219	1.18	1.19	1.00	mg/L	96	97	1 %
		Cadmium, Dissolved	EPA 200.7	1207280-001	<0.001	0.939	0.947	1.00	mg/L	94	95	1 %
		Calcium, Dissolved	EPA 200.7	1207280-001	59.5	70.3	69.6	10.0	mg/L	108	101	1 %
		Chromium, Dissolved	EPA 200.7	1207280-001	<0.005	0.934	0.936	1.00	mg/L	93	94	<1%
		Cobalt, Dissolved	EPA 200.7	1207280-001	<0.010	0.916	0.918	1.00	mg/L	91	92	<1%
		Copper, Dissolved	EPA 200.7	1207280-001	<0.050	4.63	4.62	5.00	mg/L	93	92	<1%
		Gallium, Dissolved	EPA 200.7	1207280-001	<0.100	0.920	0.929	1.00	mg/L	92	93	1 %
		Iron, Dissolved	EPA 200.7	1207280-001	0.061	1.02	1.01	1.00	mg/L	96	95	1 %
		Lithium, Dissolved	EPA 200.7	1207280-001	<0.100	1.04	1.03	1.00	mg/L	94	93	1 %
		Magnesium, Dissolved	EPA 200.7	1207280-001	20.9	29.4	29.4	10.0	mg/L	85	85	<1%
		Manganese, Dissolved	EPA 200.7	1207280-001	0.014	0.948	0.950	1.00	mg/L	93	94	<1%
		Molybdenum, Dissolved	EPA 200.7	1207280-001	<0.010	0.990	0.988	1.00	mg/L	98	98	<1%
		Nickel, Dissolved	EPA 200.7	1207280-001	<0.010	4.56	4.58	5.00	mg/L	91	92	<1%
		Phosphorus, Dissolved	EPA 200.7	1207280-001	<0.500	4.90	4.92	5.00	mg/L	98	98	<1%
		Potassium, Dissolved	EPA 200.7	1207280-001	8.49	18.4	18.3	10.0	mg/L	99	98	1 %
		Scandium, Dissolved	EPA 200.7	1207280-001	<0.100	0.936	0.950	1.00	mg/L	96	95	1 %
		Silver, Dissolved	EPA 200.7	1207280-001	<0.005	0.086	0.086	0.090	mg/L	97	97	<1%
		Sodium, Dissolved	EPA 200.7	1207280-001	26.8	36.9	36.8	10.0	mg/L	101	100	<1%
		Strontium, Dissolved	EPA 200.7	1207280-001	0.313	1.26	1.26	1.00	mg/L	95	95	<1%
		Tin, Dissolved	EPA 200.7	1207280-001	<0.100	0.942	0.955	1.00	mg/L	96	97	1 %
		Titanium, Dissolved	EPA 200.7	1207280-001	<0.100	0.985	0.982	1.00	mg/L	98	98	<1%
		Vanadium, Dissolved	EPA 200.7	1207280-001	0.022	0.980	0.980	1.00	mg/L	96	96	<1%
		Zinc, Dissolved	EPA 200.7	1207280-001	0.011	0.954	0.965	1.00	mg/L	94	95	1 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070539	MS 1	Aluminum, Dissolved	EPA 200.7	1207280-002	<0.045	0.949	0.939	1.00	mg/L	93	92	1%
		Barium, Dissolved	EPA 200.7	1207280-002	0.096	1.04	1.04	1.00	mg/L	94	94	<1%
		Beryllium, Dissolved	EPA 200.7	1207280-002	<0.001	0.931	0.937	1.00	mg/L	93	94	1%
		Bismuth, Dissolved	EPA 200.7	1207280-002	<0.100	0.938	0.939	1.00	mg/L	95	95	<1%
		Boron, Dissolved	EPA 200.7	1207280-002	0.294	1.25	1.24	1.00	mg/L	96	95	1%
		Cadmium, Dissolved	EPA 200.7	1207280-002	<0.001	0.914	0.926	1.00	mg/L	91	93	1%
		Calcium, Dissolved	EPA 200.7	1207280-002	59.4	68.9	69.9	10.0	mg/L	95	105	1%
		Chromium, Dissolved	EPA 200.7	1207280-002	<0.005	0.917	0.922	1.00	mg/L	92	92	1%
		Cobalt, Dissolved	EPA 200.7	1207280-002	<0.010	0.889	0.895	1.00	mg/L	89	89	1%
		Copper, Dissolved	EPA 200.7	1207280-002	<0.050	4.65	4.62	5.00	mg/L	93	92	1%
		Gallium, Dissolved	EPA 200.7	1207280-002	<0.100	0.910	0.904	1.00	mg/L	91	90	1%
		Iron, Dissolved	EPA 200.7	1207280-002	<0.050	0.990	0.986	1.00	mg/L	96	96	<1%
		Lithium, Dissolved	EPA 200.7	1207280-002	0.132	1.07	1.06	1.00	mg/L	94	93	1%
		Magnesium, Dissolved	EPA 200.7	1207280-002	21.0	29.1	29.2	10.0	mg/L	81	82	<1%
		Manganese, Dissolved	EPA 200.7	1207280-002	<0.005	0.908	0.901	1.00	mg/L	91	91	1%
		Molybdenum, Dissolved	EPA 200.7	1207280-002	<0.010	0.980	0.990	1.00	mg/L	97	98	1%
		Nickel, Dissolved	EPA 200.7	1207280-002	<0.010	4.55	4.59	5.00	mg/L	91	92	1%
		Phosphorus, Dissolved	EPA 200.7	1207280-002	<0.500	4.71	4.76	5.00	mg/L	94	95	1%
		Potassium, Dissolved	EPA 200.7	1207280-002	10.5	20.2	20.0	10.0	mg/L	97	95	1%
		Scandium, Dissolved	EPA 200.7	1207280-002	<0.100	0.966	0.970	1.00	mg/L	97	97	<1%
		Silver, Dissolved	EPA 200.7	1207280-002	<0.005	0.087	0.086	0.090	mg/L	97	96	1%
		Sodium, Dissolved	EPA 200.7	1207280-002	33.6	41.8	42.2	10.0	mg/L	82	86	1%
		Strontium, Dissolved	EPA 200.7	1207280-002	0.344	1.21	1.22	1.00	mg/L	87	88	1%
		Tin, Dissolved	EPA 200.7	1207280-002	<0.100	0.888	0.908	1.00	mg/L	91	93	2%
		Titanium, Dissolved	EPA 200.7	1207280-002	<0.100	0.960	0.973	1.00	mg/L	96	97	1%
		Vanadium, Dissolved	EPA 200.7	1207280-002	0.022	0.995	0.997	1.00	mg/L	97	98	<1%
		Zinc, Dissolved	EPA 200.7	1207280-002	0.012	0.934	0.946	1.00	mg/L	92	93	1%
QC12070547	MS 1	Uranium, Dissolved	EPA 200.8	1207280-002	<0.0050	0.0093	0.0093	0.010	mg/L	92	92	<1%
		Mercury, Dissolved	EPA 200.8	1207280-002	<0.00010	0.000982	0.000994	0.001	mg/L	92	93	1%
		Antimony, Dissolved	EPA 200.8	1207280-002	0.0043	0.0129	0.0131	0.010	mg/L	87	88	2%
		Arsenic, Dissolved	EPA 200.8	1207280-002	0.0073	0.0530	0.0538	0.050	mg/L	92	93	1%
		Lead, Dissolved	EPA 200.8	1207280-002	<0.0025	0.0091	0.0091	0.010	mg/L	90	91	<1%
		Selenium, Dissolved	EPA 200.8	1207280-002	<0.0050	0.0405	0.0410	0.050	mg/L	81	82	1%
		Thallium, Dissolved	EPA 200.8	1207280-002	<0.0010	0.0090	0.0090	0.010	mg/L	89	90	<1%



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1207080

Report Due Date: 7/19/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address **1016 Greg Street**

City, State & Zip **Sparks, NV 89431**

Contact **Gene McClelland**

Phone **775-356-1300** Collector's Name **Robert**

Fax **775-356-8917** Project Name _____

P.O. Number _____ Project Number **3438**

Email **mli@mettest.com**

Turnaround Time

Standard _____ Day _____ Other _____

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	NO OF CONTAINERS	ANALYSES REQUESTED										Spi. No.			
					Profile II w/o Wad	Uranium												
F1 Tailings	Wk:2	07/05/12	9:00	WW	2	X	X											1
F2 Tailings																		2
F3 Tailings																		3
F4 Tailings																		4
F5 Tailings																		5
Biotite Breccia 5+Comp																		6
K-Spar Breccia 5 + Comp																		7
Quartz Monzonite 5+ Comp	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	8
																		1207 1

Instructions/Comments/Special Requirements: _____ 080 1

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>21.2 °C</u>	<u>7/5</u>	<u>1445</u>	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>(None)</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



Specializing in Soil, Hazardous Waste and Water Analysis.

7/13/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1206646

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 6/28/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

Western Environmental Testing Laboratory

Report Comments

McClelland Laboratory - 1206646

General Comments

None

Specific Comments

Due to the sample matrix it was necessary to analyze the following at a dilution:

1206646-003 Vanadium

1206646-005 Iron

1206646-008 Iron

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount; therefore, the spike could not be adequately recovered.

Page 2 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland
Phone: (775) 356-1300 Fax: (775) 356-8917
PO\Project: 3438

Date Printed: 7/13/2012
OrderID: 1206646

Customer Sample ID: F1 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-001

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		6/28/2012
Bicarbonate (HCO ₃)	SM 2320B	130	mg/L	1.0	6/28/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	110	mg/L as CaCO ₃	1.0	6/28/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	1.8	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	33	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	180	mg/L	10	7/2/2012
Aluminum	EPA 200.7	0.069	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.049	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	23	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	0.027	mg/L	0.010	7/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	5.3	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.030	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/5/2012

Page 3 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F1 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-001

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	17	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	15	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.24	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.017	mg/L	0.0050	7/5/2012
Anions	Calculation	2.91	meq/L	0.10	
Cations	Calculation	2.68	meq/L	0.10	
Error	Calculation	4.1	%	1.0	

Customer Sample ID: F2 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-002

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.79	pH Units		6/28/2012
Bicarbonate (HCO3)	SM 2320B	120	mg/L	1.0	6/28/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	98	mg/L as CaCO3	1.0	6/28/2012
Chloride	EPA 300.0	1.4	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	58	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	7/2/2012
Aluminum	EPA 200.7	0.083	mg/L	0.045	7/5/2012

Customer Sample ID: F2 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-002

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	0.013	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	26	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	0.042	mg/L	0.010	7/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	4.8	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.0093	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	24	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	21	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.24	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	0.00021	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.025	mg/L	0.0050	7/5/2012
Anions	Calculation	3.31	meq/L	0.10	
Cations	Calculation	3.23	meq/L	0.10	
Error	Calculation	1.3	%	1.0	

Customer Sample ID: F3 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-003

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.03	pH Units		6/28/2012
Bicarbonate (HCO ₃)	SM 2320B	140	mg/L	1.0	6/28/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	6/28/2012
Chloride	EPA 300.0	1.0	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	2.2	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	52	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	210	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.082	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	27	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	7.7	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.011	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.13	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	23	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	20	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	1.0	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.050	mg/L	0.050	7/6/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012

Page 6 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F3 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-003

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.11	mg/L	0.0050	7/5/2012
Anions	Calculation	3.52	meq/L	0.10	
Cations	Calculation	3.44	meq/L	0.10	
Error	Calculation	1.2	%	1.0	

Customer Sample ID: F4 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-004

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.05	pH Units		6/28/2012
Bicarbonate (HCO ₃)	SM 2320B	180	mg/L	1.0	6/28/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	150	mg/L as CaCO ₃	1.0	6/28/2012
Chloride	EPA 300.0	2.4	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	3.2	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	55	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.032	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	25	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/5/2012

Page 7 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: F4 Tailings Wk:1
 WETLAB Sample ID: 1206646-004

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	8.2	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.028	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.019	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	42	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	24	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.61	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	0.012	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.028	mg/L	0.0050	7/5/2012
Anions	Calculation	4.33	meq/L	0.10	
Cations	Calculation	4.04	meq/L	0.10	
Error	Calculation	3.5	%	1.0	

Customer Sample ID: F5 Tailings Wk:1
 WETLAB Sample ID: 1206646-005

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.11	pH Units		6/28/2012
Bicarbonate (HCO3)	SM 2320B	160	mg/L	1.0	6/28/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	130	mg/L as CaCO3	1.0	6/28/2012
Chloride	EPA 300.0	<1.00	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	2.5	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	40	mg/L	1.0	6/29/2012

Customer Sample ID: F5 Tailings Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-005

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	200	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.062	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	20	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/6/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	5.2	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.099	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	27	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	30	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.71	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	0.00016	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.041	mg/L	0.0050	7/5/2012
Anions	Calculation	3.59	meq/L	0.10	

Page 9 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: F5 Tailings Wk:1
 WETLAB Sample ID: 1206646-005

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cations	Calculation	3.42	meq/L	0.10	
Error	Calculation	2.4	%	1.0	

Customer Sample ID: Biotite Breccia 5+ Comp Wk:1
 WETLAB Sample ID: 1206646-006

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.76	pH Units		6/28/2012
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	6/28/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	90	mg/L as CaCO3	1.0	6/28/2012
Chloride	EPA 300.0	6.4	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	1.9	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	72	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	220	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.016	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	31	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	0.014	mg/L	0.010	7/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	4.7	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.031	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.14	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	17	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012

Customer Sample ID: Biotite Breccia 5+ Comp Wk:1
 WETLAB Sample ID: 1206646-006

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	29	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.51	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.039	mg/L	0.0050	7/5/2012
Anions	Calculation	3.58	meq/L	0.10	
Cations	Calculation	3.63	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:1
 WETLAB Sample ID: 1206646-007

Collect Date/Time: 6/28/2012 09:00
 Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		6/28/2012
Bicarbonate (HCO ₃)	SM 2320B	110	mg/L	1.0	6/28/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	88	mg/L as CaCO ₃	1.0	6/28/2012
Chloride	EPA 300.0	8.5	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	1.7	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	110	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	310	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.091	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012

Page 11 of 18

475 East Greg Street Suite #119
 Sparks, NV 89431 (775) 355-0202
 EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
 Elko, NV 89801 (775) 777-9933
 EPA Lab ID: NV00926

3230 Polaris Ave #4
 Las Vegas, NV 89102 (702) 475-8899
 EPA Lab ID: NV00932

Customer Sample ID: K-Spar Breccia 5+ Comp Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-007

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	44	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	6.6	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.040	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.098	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	16	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	33	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.92	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.046	mg/L	0.0050	7/5/2012
Anions	Calculation	4.42	meq/L	0.10	
Cations	Calculation	4.58	meq/L	0.10	
Error	Calculation	1.8	%	1.0	

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-008

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.76	pH Units		6/28/2012

Page 12 of 18

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-008

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Bicarbonate (HCO ₃)	SM 2320B	100	mg/L	1.0	6/28/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/28/2012
Total Alkalinity	SM 2320B	84	mg/L as CaCO ₃	1.0	6/28/2012
Chloride	EPA 300.0	7.2	mg/L	1.00	6/29/2012
Fluoride	EPA 300.0	1.5	mg/L	0.10	6/29/2012
Sulfate	EPA 300.0	83	mg/L	1.0	6/29/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/29/2012
Nitrite Nitrogen	EPA 300.0	<0.025	mg/L	0.025	6/29/2012
Total Dissolved Solids (TDS)	SM 2540C	260	mg/L	10	7/2/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/5/2012
Barium	EPA 200.7	0.022	mg/L	0.010	7/5/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/5/2012
Calcium	EPA 200.7	32	mg/L	0.50	7/5/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/5/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Iron	EPA 200.7	<0.050	mg/L	0.050	7/6/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Magnesium	EPA 200.7	4.3	mg/L	0.50	7/5/2012
Manganese	EPA 200.7	0.025	mg/L	0.0050	7/5/2012
Molybdenum	EPA 200.7	0.11	mg/L	0.010	7/5/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/5/2012
Potassium	EPA 200.7	15	mg/L	0.50	7/5/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/5/2012
Sodium	EPA 200.7	30	mg/L	0.50	7/5/2012
Strontium	EPA 200.7	0.55	mg/L	0.10	7/5/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/5/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/5/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	7/6/2012

Page 13 of 18

Customer Sample ID: Quartz Monzonite 5+ Comp Wk:1

Collect Date/Time: 6/28/2012 09:00

WETLAB Sample ID: 1206646-008

Receive Date: 6/28/2012 15:00

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.039	mg/L	0.0050	7/5/2012
Anions	Calculation	3.65	meq/L	0.10	
Cations	Calculation	3.64	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QCBatchID	QCType	Parameter	Method	Result	Units
QC12070030	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12070030	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12070030	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12070034	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12070034	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12070034	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12070038	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070038	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070038	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12070040	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070040	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070040	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12070043	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12070043	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12070043	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12070170	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070170	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070170	Blank 3	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12070189	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L
		Titanium	EPA 200.7	<0.10	mg/L
		Vanadium	EPA 200.7	<0.010	mg/L
		Zinc	EPA 200.7	<0.010	mg/L
QC12070197	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
		Antimony	EPA 200.8	<0.0025	mg/L

QCBatchID	QCType	Parameter	Method	Result	Units
		Arsenic	EPA 200.8	<0.0050	mg/L
		Lead	EPA 200.8	<0.0025	mg/L
		Selenium	EPA 200.8	<0.0050	mg/L
		Thallium	EPA 200.8	<0.0010	mg/L
		Uranium	EPA 200.8	<0.0050	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070028	LCS 1	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12070028	LCS 2	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12070028	LCS 3	pH	SM 4500-H+ B	7.01	7.00	100	pH Units
QC12070029	LCS 1	Alkalinity	SM 2320B	100	100	100	mg/L
QC12070029	LCS 2	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070029	LCS 3	Alkalinity	SM 2320B	101	100	101	mg/L
QC12070030	LCS 1	Fluoride	EPA 300.0	1.91	2.00	96	mg/L
QC12070034	LCS 1	Chloride	EPA 300.0	10.6	10.0	106	mg/L
QC12070038	LCS 1	Nitrite Nitrogen	EPA 300.0	0.495	0.500	99	mg/L
QC12070040	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12070043	LCS 1	Sulfate	EPA 300.0	24.6	25.0	99	mg/L
QC12070170	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12070170	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	145	150	97	mg/L
QC12070170	LCS 3	Total Dissolved Solids (TDS)	SM 2540C	143	150	95	mg/L
QC12070189	LCS 1	Aluminum	EPA 200.7	0.975	1.00	98	mg/L
		Barium	EPA 200.7	0.981	1.00	98	mg/L
		Beryllium	EPA 200.7	0.985	1.00	98	mg/L
		Bismuth	EPA 200.7	0.992	1.00	99	mg/L
		Boron	EPA 200.7	0.923	1.00	92	mg/L
		Cadmium	EPA 200.7	1.01	1.00	101	mg/L
		Calcium	EPA 200.7	9.94	10.0	99	mg/L
		Chromium	EPA 200.7	0.967	1.00	97	mg/L
		Cobalt	EPA 200.7	0.995	1.00	100	mg/L
		Copper	EPA 200.7	4.79	5.00	96	mg/L
		Gallium	EPA 200.7	0.955	1.00	96	mg/L
		Iron	EPA 200.7	0.976	1.00	98	mg/L
		Lithium	EPA 200.7	0.956	1.00	96	mg/L
		Magnesium	EPA 200.7	10.1	10.0	101	mg/L
		Manganese	EPA 200.7	0.979	1.00	98	mg/L
		Molybdenum	EPA 200.7	0.973	1.00	97	mg/L
		Nickel	EPA 200.7	4.99	5.00	100	mg/L
		Phosphorus	EPA 200.7	5.03	5.00	101	mg/L
		Potassium	EPA 200.7	9.74	10.0	97	mg/L
		Scandium	EPA 200.7	0.958	1.00	96	mg/L
		Silver	EPA 200.7	0.085	0.090	95	mg/L
		Sodium	EPA 200.7	9.17	10.0	92	mg/L
		Strontium	EPA 200.7	0.900	1.00	90	mg/L
		Tin	EPA 200.7	0.975	1.00	98	mg/L
		Titanium	EPA 200.7	0.962	1.00	96	mg/L
		Vanadium	EPA 200.7	0.970	1.00	97	mg/L
		Zinc	EPA 200.7	1.03	1.00	103	mg/L
QC12070197	LCS 1	Mercury	EPA 200.8	0.001002	0.001	100	mg/L
		Antimony	EPA 200.8	0.0092	0.010	92	mg/L
		Arsenic	EPA 200.8	0.0472	0.050	94	mg/L
		Lead	EPA 200.8	0.0091	0.010	90	mg/L
		Selenium	EPA 200.8	0.0452	0.050	90	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	0.0089	0.010	89	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12070028	Duplicate	pH	SM 4500-H+ B	1206627-001	6.92	6.95	pH Units	<1%
QC12070028	Duplicate	pH	SM 4500-H+ B	1206632-001	8.17	8.18	pH Units	<1%
QC12070028	Duplicate	pH	SM 4500-H+ B	1206652-001	6.64	6.68	pH Units	1 %
QC12070028	Duplicate	pH	SM 4500-H+ B	1206652-011	7.03	7.01	pH Units	<1%
QC12070028	Duplicate	pH	SM 4500-H+ B	1206646-001	7.78	7.85	pH Units	1 %
QC12070028	Duplicate	pH	SM 4500-H+ B	1206651-003	7.50	7.50	pH Units	<1%
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206627-001	140	140	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206627-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206627-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206627-001	115	115	mg/L as CaCO3	<1%
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206632-001	350	349	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206632-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206632-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206632-001	287	286	mg/L as CaCO3	<1%
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206652-001	120	123	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1206652-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206652-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206652-001	98.2	101	mg/L as CaCO3	2 %
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206652-011	94.3	94.0	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206652-011	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206652-011	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206652-011	77.4	77.1	mg/L as CaCO3	<1%
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206646-001	129	130	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206646-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206646-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206646-001	106	106	mg/L as CaCO3	1 %
QC12070029	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206651-003	122	123	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206651-003	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206651-003	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206651-003	100	101	mg/L as CaCO3	1 %
QC12070170	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206646-004	249	247	mg/L	1 %
QC12070170	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206652-001	162	173	mg/L	7 %
QC12070170	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206652-011	146	142	mg/L	3 %
QC12070170	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206662-004	171	175	mg/L	2 %

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070030	MS 1	Fluoride	EPA 300.0	1206646-001	1.83	3.57	3.60	2.00	mg/L	87	88	1 %
QC12070030	MS 2	Fluoride	EPA 300.0	1206648-001	<0.100	2.11	2.12	2.00	mg/L	103	103	<1%
QC12070034	MS 1	Chloride	EPA 300.0	1206646-001	<1.000	6.14	6.25	5.00	mg/L	106	108	2 %

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12070034	MS 2	Chloride	EPA 300.0	1206648-001	<1.000	5.40	5.48	5.00	mg/L	106	108	1 %
QC12070038	MS 1	Nitrite Nitrogen	EPA 300.0	1206646-001	<0.025	0.533	0.542	0.500	mg/L	104	106	2 %
QC12070038	MS 2	Nitrite Nitrogen	EPA 300.0	1206648-001	<0.025	0.525	0.526	0.500	mg/L	103	104	<1%
QC12070040	MS 1	Nitrate Nitrogen	EPA 300.0	1206646-001	<1.000	2.10	2.11	2.00	mg/L	103	104	<1%
QC12070040	MS 2	Nitrate Nitrogen	EPA 300.0	1206648-001	<1.000	2.11	2.14	2.00	mg/L	103	105	1 %
QC12070043	MS 1	Sulfate	EPA 300.0	1206646-001	32.8	41.9	42.0	10.0	mg/L	90	91	<1%
QC12070043	MS 2	Sulfate	EPA 300.0	1206648-001	<1.000	10.4	10.5	10.0	mg/L	102	103	1 %
QC12070189	MS 1	Aluminum	EPA 200.7	1206678-001	0.048	0.954	0.940	1.00	mg/L	91	89	1 %
		Barium	EPA 200.7	1206678-001	0.014	0.954	0.942	1.00	mg/L	94	93	1 %
		Beryllium	EPA 200.7	1206678-001	<0.001	0.967	0.961	1.00	mg/L	97	96	1 %
		Bismuth	EPA 200.7	1206678-001	<0.100	0.906	0.902	1.00	mg/L	91	90	<1%
		Boron	EPA 200.7	1206678-001	0.801	1.73	1.71	1.00	mg/L	93	91	1 %
		Cadmium	EPA 200.7	1206678-001	<0.001	0.953	0.940	1.00	mg/L	95	94	1 %
		Calcium	EPA 200.7	1206678-001	63.5	71.8	71.7	10.0	mg/L	83	82	<1%
		Chromium	EPA 200.7	1206678-001	<0.005	0.945	0.933	1.00	mg/L	94	93	1 %
		Cobalt	EPA 200.7	1206678-001	<0.010	0.950	0.936	1.00	mg/L	95	94	1 %
		Copper	EPA 200.7	1206678-001	<0.050	4.90	4.88	5.00	mg/L	98	97	<1%
		Gallium	EPA 200.7	1206678-001	<0.100	0.873	0.875	1.00	mg/L	87	88	<1%
		Iron	EPA 200.7	1206678-001	<0.010	0.977	0.970	1.00	mg/L	97	97	1 %
		Lithium	EPA 200.7	1206678-001	<0.100	1.04	1.04	1.00	mg/L	103	103	<1%
		Magnesium	EPA 200.7	1206678-001	5.24	15.0	14.7	10.0	mg/L	98	95	2 %
		Manganese	EPA 200.7	1206678-001	<0.005	0.925	0.915	1.00	mg/L	94	93	1 %
		Molybdenum	EPA 200.7	1206678-001	<0.010	0.950	0.948	1.00	mg/L	94	94	<1%
		Nickel	EPA 200.7	1206678-001	0.476	5.22	5.15	5.00	mg/L	95	93	1 %
		Phosphorus	EPA 200.7	1206678-001	<0.500	5.26	5.23	5.00	mg/L	102	102	1 %
		Potassium	EPA 200.7	1206678-001	17.8	29.4	29.1	10.0	mg/L	116	113	1 %
		Scandium	EPA 200.7	1206678-001	<0.100	0.942	0.939	1.00	mg/L	94	94	<1%
		Silver	EPA 200.7	1206678-001	<0.005	0.087	0.088	0.090	mg/L	95	96	1 %
		Sodium	EPA 200.7	1206678-001	840	SC 870	825	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1206678-001	0.692	1.61	1.63	1.00	mg/L	92	94	1 %
		Tin	EPA 200.7	1206678-001	<0.100	0.965	0.956	1.00	mg/L	96	95	1 %
		Titanium	EPA 200.7	1206678-001	<0.100	0.971	0.965	1.00	mg/L	97	96	1 %
		Vanadium	EPA 200.7	1206678-001	0.012	0.967	0.956	1.00	mg/L	96	94	1 %
		Zinc	EPA 200.7	1206678-001	0.018	1.01	0.995	1.00	mg/L	99	98	1 %
QC12070197	MS 1	Mercury	EPA 200.8	1206678-001	<0.00011	0.000900	0.000870	0.001	mg/L	88	85	3 %
		Antimony	EPA 200.8	1206678-001	<0.0025	0.0098	0.0098	0.010	mg/L	95	96	<1%
		Arsenic	EPA 200.8	1206678-001	<0.0050	0.0495	0.0496	0.050	mg/L	97	97	<1%
		Lead	EPA 200.8	1206678-001	<0.0025	0.0083	0.0082	0.010	mg/L	81	80	1 %
		Selenium	EPA 200.8	1206678-001	<0.0050	M 0.0241	0.0238	0.050	mg/L	NC	NC	NC
		Thallium	EPA 200.8	1206678-001	<0.0010	0.0079	0.0080	0.010	mg/L	79	80	1 %
		Uranium	EPA 200.8	1206678-001	<0.0050	0.0092	0.0091	0.010	mg/L	88	87	1 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0817 | www.WETLaboratory.com

Lab Number 1206646

Report Due Date: 7/12/12

Page 1 of 1

Client McClelland Laboratories, Inc.

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type/Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID/LOCATION	DATE	TIME	SAMPLE TYPE	QUANTITY	ANALYSES REQUESTED		Spl. No.
					Profile II w/o Wad	Uranium	
F1 Tailings Wk:1	06/28/12	9:00	WW	2	X	X	1
F2 Tailings							2
F3 Tailings							3
F4 Tailings							4
F5 Tailings							5
Biotite Breccia 5+Comp							6
K-Spar Breccia 5 + Comp							7
Quartz Monzonite 5+ Comp	↓	↓	↓	↓	↓	↓	8

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature 23 °C	6/28	1500	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N (None)				
Number of Containers 8				

WETLAB'S Standard Terms and Conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.



7/9/2012

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431
Attn: Gene McClelland

OrderID: 1206505

Dear: Gene McClelland

This is to transmit the attached analytical report. The analytical data and information contained therein was generated using specified or selected methods contained in references, such as Standard Methods for the Examination of Water and Wastewater, 18th & 19th editions, Methods for Determination of Organic Compounds in Drinking Water, EPA-600/4-79-020, and Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW846) Third Edition.

The samples were received by WETLAB-Western Environmental Testing Laboratory in good condition on 6/21/2012. Additional comments are located on page 2 of this report.

If you should have any questions or comments regarding this report, please do not hesitate to call.

Sincerely,

Jennifer Delaney
QA Specialist

Western Environmental Testing Laboratory Report Comments

McClelland Laboratory - 1206505

General Comments

None

Specific Comments

The matrix spike/matrix spike duplicate (MS/MSD) values for the analysis of Sulfate on sample 1206505-004 were outside laboratory acceptance criteria; however, the relative percent difference (RPD) value was acceptable, indicating probable matrix interference. The reported result should be considered an estimate.

Due to the sample matrix it was necessary to analyze the following at a dilution:

1206505-001 Aluminum
1206505-003 Nitrite Nitrogen
1206505-007 Nitrite Nitrogen
1206505-008 Nitrite Nitrogen

The reporting limits have been adjusted accordingly.

Data Qualifier Legend

- B -- Blank contamination; Analyte detected above the method reporting limit in an associated blank
- HT -- Sample held beyond the accepted holding time
- J -- The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit
- M -- Reported value is estimated; The sample matrix interfered with the analysis
- N -- There was insufficient sample available to perform a spike and/or duplicate on this analytical batch.
- NC -- Not calculated due to matrix interference
- Q -- Reported value is estimated; The value failed to meet QC criteria for either precision or accuracy
- SC -- Spike recovery not calculated. Sample concentration >4X the spike amount, therefore, the spike could not be adequately recovered.

Page 2 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Western Environmental Testing Laboratory Analytical Report

McClelland Laboratory
1016 Greg Street
Sparks, NV 89431

Attn: Gene McClelland

Phone: (775) 356-1300 Fax: (775) 356-8917

PO\Project: 3438

Date Printed: 7/9/2012

OrderID: 1206505

Customer Sample ID: F1 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-001

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.78	pH Units		6/21/2012
Bicarbonate (HCO ₃)	SM 2320B	120	mg/L	1.0	6/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	100	mg/L as CaCO ₃	1.0	6/21/2012
Chloride	EPA 300.0	5.3	mg/L	1.00	6/22/2012
Fluoride	EPA 300.0	3.5	mg/L	1.0	6/25/2012
Sulfate	EPA 300.0	46	mg/L	1.0	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	0.069	mg/L	0.025	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	250	mg/L	10	6/23/2012
Aluminum	EPA 200.7	<0.22	mg/L	0.22	6/29/2012
Barium	EPA 200.7	0.022	mg/L	0.010	6/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Calcium	EPA 200.7	22	mg/L	0.50	6/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Copper	EPA 200.7	0.053	mg/L	0.050	6/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Magnesium	EPA 200.7	4.4	mg/L	0.50	6/29/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Molybdenum	EPA 200.7	<0.010	mg/L	0.010	6/29/2012

Page 3 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F1 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-001

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/29/2012
Potassium	EPA 200.7	22	mg/L	0.50	6/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Sodium	EPA 200.7	28	mg/L	0.50	6/29/2012
Strontium	EPA 200.7	0.22	mg/L	0.10	6/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Mercury	EPA 200.8	0.0003	mg/L	0.00010	7/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.0091	mg/L	0.0050	7/5/2012
Anions	Calculation	3.26	meq/L	0.10	
Cations	Calculation	3.24	meq/L	0.10	
Error	Calculation	<1.0	%	1.0	

Customer Sample ID: F2 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-002

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.84	pH Units		6/21/2012
Bicarbonate (HCO3)	SM 2320B	130	mg/L	1.0	6/21/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	110	mg/L as CaCO3	1.0	6/21/2012
Chloride	EPA 300.0	9.5	mg/L	1.00	6/22/2012
Fluoride	EPA 300.0	3.9	mg/L	1.0	6/25/2012
Sulfate	EPA 300.0	67	mg/L	1.0	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	0.064	mg/L	0.025	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	300	mg/L	10	6/23/2012
Aluminum	EPA 200.7	0.055	mg/L	0.045	6/29/2012

Page 4 of 20

Customer Sample ID: F2 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-002

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Barium	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Calcium	EPA 200.7	24	mg/L	0.50	6/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Copper	EPA 200.7	0.051	mg/L	0.050	6/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Magnesium	EPA 200.7	4.0	mg/L	0.50	6/29/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Molybdenum	EPA 200.7	0.013	mg/L	0.010	6/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/29/2012
Potassium	EPA 200.7	29	mg/L	0.50	6/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Sodium	EPA 200.7	36	mg/L	0.50	6/29/2012
Strontium	EPA 200.7	0.24	mg/L	0.10	6/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Mercury	EPA 200.8	0.00027	mg/L	0.00010	7/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	0.0056	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.015	mg/L	0.0050	7/5/2012
Anions	Calculation	4.00	meq/L	0.10	
Cations	Calculation	3.84	meq/L	0.10	
Error	Calculation	2.0	%	1.0	

Customer Sample ID: F3 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-003

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.94	pH Units		6/21/2012
Bicarbonate (HCO ₃)	SM 2320B	150	mg/L	1.0	6/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	120	mg/L as CaCO ₃	1.0	6/21/2012
Chloride	EPA 300.0	11	mg/L	10	6/22/2012
Fluoride	EPA 300.0	3.3	mg/L	1.0	6/22/2012
Sulfate	EPA 300.0	210	mg/L	10	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	<0.25	mg/L	0.25	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	520	mg/L	10	6/23/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	6/29/2012
Barium	EPA 200.7	0.013	mg/L	0.010	6/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Calcium	EPA 200.7	56	mg/L	0.50	6/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Magnesium	EPA 200.7	15	mg/L	0.50	6/29/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Molybdenum	EPA 200.7	0.24	mg/L	0.010	6/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/29/2012
Potassium	EPA 200.7	36	mg/L	0.50	6/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Sodium	EPA 200.7	42	mg/L	0.50	6/29/2012
Strontium	EPA 200.7	2.2	mg/L	0.10	6/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Vanadium	EPA 200.7	0.026	mg/L	0.010	6/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/29/2012

Page 6 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F3 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-003

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Mercury	EPA 200.8	<0.00011	mg/L	0.00011	7/5/2012
Antimony	EPA 200.8	0.0033	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	0.0091	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.13	mg/L	0.0050	7/5/2012
Anions	Calculation	7.31	meq/L	0.10	
Cations	Calculation	6.78	meq/L	0.10	
Error	Calculation	3.8	%	1.0	

Customer Sample ID: F4 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-004

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.74	pH Units		6/21/2012
Bicarbonate (HCO ₃)	SM 2320B	87	mg/L	1.0	6/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	72	mg/L as CaCO ₃	1.0	6/21/2012
Chloride	EPA 300.0	12	mg/L	1.00	6/22/2012
Fluoride	EPA 300.0	2.6	mg/L	0.10	6/22/2012
Sulfate	EPA 300.0	62	M mg/L	1.0	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	0.071	mg/L	0.025	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	240	mg/L	10	6/23/2012
Aluminum	EPA 200.7	0.098	mg/L	0.045	6/29/2012
Barium	EPA 200.7	0.038	mg/L	0.010	6/29/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	6/29/2012
Calcium	EPA 200.7	21	mg/L	0.50	6/29/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	6/29/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Iron	EPA 200.7	0.036	mg/L	0.010	6/29/2012

Page 7 of 20

Customer Sample ID: F4 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-004

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Lithium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Magnesium	EPA 200.7	4.6	mg/L	0.50	6/29/2012
Manganese	EPA 200.7	0.012	mg/L	0.0050	6/29/2012
Molybdenum	EPA 200.7	0.020	mg/L	0.010	6/29/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	6/29/2012
Potassium	EPA 200.7	32	mg/L	0.50	6/29/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	6/29/2012
Sodium	EPA 200.7	24	mg/L	0.50	6/29/2012
Strontium	EPA 200.7	0.42	mg/L	0.10	6/29/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	6/29/2012
Vanadium	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	6/29/2012
Mercury	EPA 200.8	<0.00011	mg/L	0.00011	7/5/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	7/5/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	7/5/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	7/5/2012
Uranium	EPA 200.8	0.013	mg/L	0.0050	7/5/2012
Anions	Calculation	3.19	meq/L	0.10	
Cations	Calculation	3.30	meq/L	0.10	
Error	Calculation	1.7	%	1.0	

Customer Sample ID: F5 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-005

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	8.00	pH Units		6/21/2012
Bicarbonate (HCO3)	SM 2320B	160	mg/L	1.0	6/21/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	130	mg/L as CaCO3	1.0	6/21/2012
Chloride	EPA 300.0	11	mg/L	1.00	6/22/2012
Fluoride	EPA 300.0	5.0	mg/L	1.0	6/25/2012
Sulfate	EPA 300.0	92	mg/L	1.0	6/22/2012

Page 8 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: F5 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-005

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	0.066	mg/L	0.025	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	370	mg/L	10	6/23/2012
Aluminum	EPA 200.7	0.057	mg/L	0.045	7/2/2012
Barium	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Calcium	EPA 200.7	32	mg/L	0.50	7/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Magnesium	EPA 200.7	7.8	mg/L	0.50	7/2/2012
Manganese	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Molybdenum	EPA 200.7	0.21	mg/L	0.010	7/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Phosphorus	EPA 200.7	0.54	mg/L	0.50	7/2/2012
Potassium	EPA 200.7	39	mg/L	0.50	7/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Sodium	EPA 200.7	55	mg/L	0.50	7/2/2012
Strontium	EPA 200.7	1.1	mg/L	0.10	7/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Vanadium	EPA 200.7	0.012	mg/L	0.010	7/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Mercury	EPA 200.8	0.00014	mg/L	0.00010	6/29/2012
Antimony	EPA 200.8	0.0037	mg/L	0.0025	6/29/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/29/2012
Uranium	EPA 200.8	0.031	mg/L	0.0050	6/29/2012
Anions	Calculation	5.11	meq/L	0.10	

Page 9 of 20

Customer Sample ID: F5 Tailings WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-005

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cations	Calculation	5.64	meq/L	0.10	
Error	Calculation	4.9	%	1.0	

Customer Sample ID: Biotite Breccia 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-006

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.75	pH Units		6/21/2012
Bicarbonate (HCO3)	SM 2320B	110	mg/L	1.0	6/21/2012
Carbonate (CO3)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	91	mg/L as CaCO3	1.0	6/21/2012
Chloride	EPA 300.0	45	mg/L	10	6/22/2012
Fluoride	EPA 300.0	2.5	mg/L	1.0	6/22/2012
Sulfate	EPA 300.0	200	mg/L	10	6/22/2012
Nitrate Nitrogen	EPA 300.0	1.1	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	0.30	mg/L	0.25	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	610	mg/L	10	6/23/2012
Aluminum	EPA 200.7	0.048	mg/L	0.045	7/2/2012
Barium	EPA 200.7	0.018	mg/L	0.010	7/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Calcium	EPA 200.7	72	mg/L	0.50	7/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Iron	EPA 200.7	0.013	mg/L	0.010	7/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Magnesium	EPA 200.7	7.9	mg/L	0.50	7/2/2012
Manganese	EPA 200.7	0.0085	mg/L	0.0050	7/2/2012
Molybdenum	EPA 200.7	0.18	mg/L	0.010	7/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/2/2012
Potassium	EPA 200.7	29	mg/L	0.50	7/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012

Customer Sample ID: Biotite Breccia 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-006

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Sodium	EPA 200.7	72	mg/L	0.50	7/2/2012
Strontium	EPA 200.7	1.3	mg/L	0.10	7/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Vanadium	EPA 200.7	0.013	mg/L	0.010	7/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Mercury	EPA 200.8	0.00011	mg/L	0.00010	6/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/29/2012
Uranium	EPA 200.8	0.030	mg/L	0.0050	6/29/2012
Anions	Calculation	7.45	meq/L	0.10	
Cations	Calculation	8.12	meq/L	0.10	
Error	Calculation	4.3	%	1.0	

Customer Sample ID: K-Spar Breccia 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-007

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.58	pH Units		6/21/2012
Bicarbonate (HCO ₃)	SM 2320B	80	mg/L	1.0	6/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	66	mg/L as CaCO ₃	1.0	6/21/2012
Chloride	EPA 300.0	34	mg/L	10	6/22/2012
Fluoride	EPA 300.0	1.8	mg/L	1.0	6/22/2012
Sulfate	EPA 300.0	220	mg/L	100	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	<0.25	mg/L	0.25	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	580	mg/L	10	6/23/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/2/2012
Barium	EPA 200.7	0.012	mg/L	0.010	7/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/2/2012

Page 11 of 20

Customer Sample ID: K-Spar Breccia 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-007

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Calcium	EPA 200.7	68	mg/L	0.50	7/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Magnesium	EPA 200.7	8.7	mg/L	0.50	7/2/2012
Manganese	EPA 200.7	0.024	mg/L	0.0050	7/2/2012
Molybdenum	EPA 200.7	0.17	mg/L	0.010	7/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/2/2012
Potassium	EPA 200.7	24	mg/L	0.50	7/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Sodium	EPA 200.7	68	mg/L	0.50	7/2/2012
Strontium	EPA 200.7	1.5	mg/L	0.10	7/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Vanadium	EPA 200.7	0.015	mg/L	0.010	7/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Mercury	EPA 200.8	<0.00010	mg/L	0.00010	6/29/2012
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Selenium	EPA 200.8	0.0054	mg/L	0.0050	6/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/29/2012
Uranium	EPA 200.8	0.020	mg/L	0.0050	6/29/2012
Anions	Calculation	6.95	meq/L	0.10	
Cations	Calculation	7.68	meq/L	0.10	
Error	Calculation	5.0	%	1.0	

Customer Sample ID: Quartz Monzonite 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-008

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
pH	SM 4500-H+ B	7.71	pH Units		6/21/2012

Page 12 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-008

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Bicarbonate (HCO ₃)	SM 2320B	94	mg/L	1.0	6/21/2012
Carbonate (CO ₃)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Hydroxide (OH)	SM 2320B	<1.0	mg/L	1.0	6/21/2012
Total Alkalinity	SM 2320B	77	mg/L as CaCO ₃	1.0	6/21/2012
Chloride	EPA 300.0	39	mg/L	10	6/22/2012
Fluoride	EPA 300.0	1.9	mg/L	1.0	6/22/2012
Sulfate	EPA 300.0	220	mg/L	10	6/22/2012
Nitrate Nitrogen	EPA 300.0	<1.0	mg/L	1.0	6/22/2012
Nitrite Nitrogen	EPA 300.0	<0.25	mg/L	0.25	6/22/2012
Total Dissolved Solids (TDS)	SM 2540C	600	mg/L	10	6/23/2012
Aluminum	EPA 200.7	<0.045	mg/L	0.045	7/2/2012
Barium	EPA 200.7	0.012	mg/L	0.010	7/2/2012
Beryllium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Bismuth	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Boron	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Cadmium	EPA 200.7	<0.0010	mg/L	0.0010	7/2/2012
Calcium	EPA 200.7	70	mg/L	0.50	7/2/2012
Chromium	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Cobalt	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Copper	EPA 200.7	<0.050	mg/L	0.050	7/2/2012
Gallium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Iron	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Lithium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Magnesium	EPA 200.7	7.2	mg/L	0.50	7/2/2012
Manganese	EPA 200.7	0.018	mg/L	0.0050	7/2/2012
Molybdenum	EPA 200.7	0.17	mg/L	0.010	7/2/2012
Nickel	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Phosphorus	EPA 200.7	<0.50	mg/L	0.50	7/2/2012
Potassium	EPA 200.7	26	mg/L	0.50	7/2/2012
Scandium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Silver	EPA 200.7	<0.0050	mg/L	0.0050	7/2/2012
Sodium	EPA 200.7	73	mg/L	0.50	7/2/2012
Strontium	EPA 200.7	1.1	mg/L	0.10	7/2/2012
Tin	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Titanium	EPA 200.7	<0.10	mg/L	0.10	7/2/2012
Vanadium	EPA 200.7	0.011	mg/L	0.010	7/2/2012
Zinc	EPA 200.7	<0.010	mg/L	0.010	7/2/2012
Mercury	EPA 200.8	0.00012	mg/L	0.00010	6/29/2012

Page 13 of 20

475 East Greg Street Suite #119
Sparks, NV 89431 (775) 355-0202
EPA Lab ID: NV00925 - ELAP No: 2523

1084 Lamoille Hwy
Elko, NV 89801 (775) 777-9933
EPA Lab ID: NV00926

3230 Polaris Ave #4
Las Vegas, NV 89102 (702) 475-8899
EPA Lab ID: NV00932

Customer Sample ID: Quartz Monzonite 5+Comp WK:0

Collect Date/Time: 6/21/2012 09:00

WETLAB Sample ID: 1206505-008

Receive Date: 6/21/2012 15:10

PROFILE II

Parameter	Method	Results	Units	Reporting Limit	Date Analyzed
Antimony	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Arsenic	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Lead	EPA 200.8	<0.0025	mg/L	0.0025	6/29/2012
Selenium	EPA 200.8	<0.0050	mg/L	0.0050	6/29/2012
Thallium	EPA 200.8	<0.0010	mg/L	0.0010	6/29/2012
Uranium	EPA 200.8	0.027	mg/L	0.0050	6/29/2012
Anions	Calculation	7.32	meq/L	0.10	
Cations	Calculation	7.93	meq/L	0.10	
Error	Calculation	4.0	%	1.0	

Western Environmental Testing Laboratory QC Report

QC Batch ID	QC Type	Parameter	Method	Result	Units
QC12060849	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12060849	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12060849	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12060851	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12060851	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12060851	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12060852	Blank 1	Chloride	EPA 300.0	<1.0	mg/L
QC12060852	Blank 2	Chloride	EPA 300.0	<1.0	mg/L
QC12060852	Blank 3	Chloride	EPA 300.0	<1.0	mg/L
QC12060854	Blank 1	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060854	Blank 2	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060854	Blank 3	Nitrite Nitrogen	EPA 300.0	<0.025	mg/L
QC12060856	Blank 1	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060856	Blank 2	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060856	Blank 3	Nitrate Nitrogen	EPA 300.0	<1.0	mg/L
QC12060860	Blank 1	Sulfate	EPA 300.0	<1.0	mg/L
QC12060860	Blank 2	Sulfate	EPA 300.0	<1.0	mg/L
QC12060860	Blank 3	Sulfate	EPA 300.0	<1.0	mg/L
QC12060901	Blank 1	Fluoride	EPA 300.0	<0.10	mg/L
QC12060901	Blank 2	Fluoride	EPA 300.0	<0.10	mg/L
QC12060901	Blank 3	Fluoride	EPA 300.0	<0.10	mg/L
QC12060916	Blank 1	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12060916	Blank 2	Total Dissolved Solids (TDS)	SM 2540C	<10	mg/L
QC12061057	Blank 1	Aluminum	EPA 200.7	<0.045	mg/L
		Barium	EPA 200.7	<0.010	mg/L
		Beryllium	EPA 200.7	<0.0010	mg/L
		Bismuth	EPA 200.7	<0.10	mg/L
		Boron	EPA 200.7	<0.10	mg/L
		Cadmium	EPA 200.7	<0.0010	mg/L
		Calcium	EPA 200.7	<0.50	mg/L
		Chromium	EPA 200.7	<0.0050	mg/L
		Cobalt	EPA 200.7	<0.010	mg/L
		Copper	EPA 200.7	<0.050	mg/L
		Gallium	EPA 200.7	<0.10	mg/L
		Iron	EPA 200.7	<0.010	mg/L
		Lithium	EPA 200.7	<0.10	mg/L
		Magnesium	EPA 200.7	<0.50	mg/L
		Manganese	EPA 200.7	<0.0050	mg/L
		Molybdenum	EPA 200.7	<0.010	mg/L
		Nickel	EPA 200.7	<0.010	mg/L
		Phosphorus	EPA 200.7	<0.50	mg/L
		Potassium	EPA 200.7	<0.50	mg/L
		Scandium	EPA 200.7	<0.10	mg/L
		Silver	EPA 200.7	<0.0050	mg/L
		Sodium	EPA 200.7	<0.50	mg/L
		Strontium	EPA 200.7	<0.10	mg/L
		Tin	EPA 200.7	<0.10	mg/L

Page 15 of 20

QCBatchID	QCType	Parameter	Method	Result	Units		
QC12070013	Blank 1	Titanium	EPA 200.7	<0.10	mg/L		
		Vanadium	EPA 200.7	<0.010	mg/L		
		Zinc	EPA 200.7	<0.010	mg/L		
		Aluminum	EPA 200.7	<0.045	mg/L		
		Barium	EPA 200.7	<0.010	mg/L		
		Beryllium	EPA 200.7	<0.0010	mg/L		
		Bismuth	EPA 200.7	<0.10	mg/L		
		Boron	EPA 200.7	<0.10	mg/L		
		Cadmium	EPA 200.7	<0.0010	mg/L		
		Calcium	EPA 200.7	<0.50	mg/L		
		Chromium	EPA 200.7	<0.0050	mg/L		
		Cobalt	EPA 200.7	<0.010	mg/L		
		Copper	EPA 200.7	<0.050	mg/L		
		Gallium	EPA 200.7	<0.10	mg/L		
		Iron	EPA 200.7	<0.010	mg/L		
		Lithium	EPA 200.7	<0.10	mg/L		
		Magnesium	EPA 200.7	<0.50	mg/L		
		Manganese	EPA 200.7	<0.0050	mg/L		
		Molybdenum	EPA 200.7	<0.010	mg/L		
		Nickel	EPA 200.7	<0.010	mg/L		
		Phosphorus	EPA 200.7	<0.50	mg/L		
		Potassium	EPA 200.7	<0.50	mg/L		
		Scandium	EPA 200.7	<0.10	mg/L		
Silver	EPA 200.7	<0.0050	mg/L				
Sodium	EPA 200.7	<0.50	mg/L				
Strontium	EPA 200.7	<0.10	mg/L				
Tin	EPA 200.7	<0.10	mg/L				
Titanium	EPA 200.7	<0.10	mg/L				
Vanadium	EPA 200.7	<0.010	mg/L				
Zinc	EPA 200.7	<0.010	mg/L				
QC12070067	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L		
		Antimony	EPA 200.8	<0.0025	mg/L		
		Arsenic	EPA 200.8	<0.0050	mg/L		
		Lead	EPA 200.8	<0.0025	mg/L		
		Selenium	EPA 200.8	<0.0050	mg/L		
		Thallium	EPA 200.8	<0.0010	mg/L		
		Uranium	EPA 200.8	<0.0050	mg/L		
		QC12070196	Blank 1	Mercury	EPA 200.8	<0.00010	mg/L
				Antimony	EPA 200.8	<0.0025	mg/L
				Arsenic	EPA 200.8	<0.0050	mg/L
Lead	EPA 200.8			<0.0025	mg/L		
Selenium	EPA 200.8			<0.0050	mg/L		
Thallium	EPA 200.8			<0.0010	mg/L		
Uranium	EPA 200.8	<0.0050	mg/L				

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12060771	LCS 1	pH	SM 4500-H+ B	6.98	7.00	100	pH Units
QC12060771	LCS 2	pH	SM 4500-H+ B	7.00	7.00	100	pH Units
QC12060775	LCS 1	Alkalinity	SM 2320B	101	100	101	mg/L
QC12060775	LCS 2	Alkalinity	SM 2320B	100	100	100	mg/L
QC12060849	LCS 1	Fluoride	EPA 300.0	1.91	2.00	96	mg/L
QC12060851	LCS 1	Chloride	EPA 300.0	10.6	10.0	106	mg/L
QC12060852	LCS 1	Chloride	EPA 300.0	10.6	10.0	106	mg/L

QC Batch ID	QC Type	Parameter	Method	Result	Actual	% Recovery	Units
QC12060854	LCS 1	Nitrite Nitrogen	EPA 300.0	0.491	0.500	98	mg/L
QC12060856	LCS 1	Nitrate Nitrogen	EPA 300.0	1.98	2.00	99	mg/L
QC12060860	LCS 1	Sulfate	EPA 300.0	24.5	25.0	98	mg/L
QC12060901	LCS 1	Fluoride	EPA 300.0	1.91	2.00	96	mg/L
QC12060916	LCS 1	Total Dissolved Solids (TDS)	SM 2540C	148	150	99	mg/L
QC12060916	LCS 2	Total Dissolved Solids (TDS)	SM 2540C	156	150	104	mg/L
QC12061057	LCS 1	Aluminum	EPA 200.7	1.01	1.00	101	mg/L
		Barium	EPA 200.7	1.01	1.00	101	mg/L
		Beryllium	EPA 200.7	1.00	1.00	100	mg/L
		Bismuth	EPA 200.7	1.00	1.00	100	mg/L
		Boron	EPA 200.7	0.976	1.00	98	mg/L
		Cadmium	EPA 200.7	1.00	1.00	100	mg/L
		Calcium	EPA 200.7	10.2	10.0	102	mg/L
		Chromium	EPA 200.7	1.00	1.00	100	mg/L
		Cobalt	EPA 200.7	1.01	1.00	101	mg/L
		Copper	EPA 200.7	5.02	5.00	100	mg/L
		Gallium	EPA 200.7	1.02	1.00	102	mg/L
		Iron	EPA 200.7	0.987	1.00	99	mg/L
		Lithium	EPA 200.7	0.978	1.00	98	mg/L
		Magnesium	EPA 200.7	9.72	10.0	97	mg/L
		Manganese	EPA 200.7	1.01	1.00	101	mg/L
		Molybdenum	EPA 200.7	0.984	1.00	98	mg/L
		Nickel	EPA 200.7	5.04	5.00	101	mg/L
		Phosphorus	EPA 200.7	4.97	5.00	99	mg/L
		Potassium	EPA 200.7	9.99	10.0	100	mg/L
		Scandium	EPA 200.7	1.02	1.00	102	mg/L
		Silver	EPA 200.7	0.089	0.090	99	mg/L
		Sodium	EPA 200.7	10.2	10.0	102	mg/L
		Strontium	EPA 200.7	1.03	1.00	103	mg/L
		Tin	EPA 200.7	0.973	1.00	97	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	1.01	1.00	101	mg/L
		Zinc	EPA 200.7	1.01	1.00	101	mg/L
QC12070013	LCS 1	Aluminum	EPA 200.7	0.961	1.00	96	mg/L
		Barium	EPA 200.7	0.950	1.00	95	mg/L
		Beryllium	EPA 200.7	0.936	1.00	94	mg/L
		Bismuth	EPA 200.7	0.965	1.00	96	mg/L
		Boron	EPA 200.7	0.890	1.00	89	mg/L
		Cadmium	EPA 200.7	0.946	1.00	95	mg/L
		Calcium	EPA 200.7	10.1	10.0	101	mg/L
		Chromium	EPA 200.7	0.935	1.00	94	mg/L
		Cobalt	EPA 200.7	0.944	1.00	94	mg/L
		Copper	EPA 200.7	4.69	5.00	94	mg/L
		Gallium	EPA 200.7	0.941	1.00	94	mg/L
		Iron	EPA 200.7	1.00	1.00	100	mg/L
		Lithium	EPA 200.7	0.986	1.00	99	mg/L
		Magnesium	EPA 200.7	10.0	10.0	100	mg/L
		Manganese	EPA 200.7	0.950	1.00	95	mg/L
		Molybdenum	EPA 200.7	0.943	1.00	94	mg/L
		Nickel	EPA 200.7	4.75	5.00	95	mg/L
		Phosphorus	EPA 200.7	4.75	5.00	95	mg/L
		Potassium	EPA 200.7	9.94	10.0	99	mg/L
		Scandium	EPA 200.7	0.947	1.00	95	mg/L

QCBatchID	QCType	Parameter	Method	Result	Actual	% Recovery	Units
QC12070067	LCS 1	Silver	EPA 200.7	0.083	0.090	93	mg/L
		Sodium	EPA 200.7	10.0	10.0	100	mg/L
		Strontium	EPA 200.7	0.990	1.00	99	mg/L
		Tin	EPA 200.7	0.939	1.00	94	mg/L
		Titanium	EPA 200.7	1.00	1.00	100	mg/L
		Vanadium	EPA 200.7	0.936	1.00	94	mg/L
		Zinc	EPA 200.7	0.960	1.00	96	mg/L
		Mercury	EPA 200.8	0.000959	0.001	96	mg/L
		Antimony	EPA 200.8	0.0086	0.010	86	mg/L
		Arsenic	EPA 200.8	0.0444	0.050	89	mg/L
		Lead	EPA 200.8	0.0093	0.010	93	mg/L
		Selenium	EPA 200.8	0.0442	0.050	88	mg/L
		Thallium	EPA 200.8	0.0090	0.010	90	mg/L
		Uranium	EPA 200.8	0.0090	0.010	90	mg/L
QC12070196	LCS 1	Mercury	EPA 200.8	0.000959	0.001	96	mg/L
		Antimony	EPA 200.8	0.0090	0.010	90	mg/L
		Arsenic	EPA 200.8	0.0462	0.050	92	mg/L
		Lead	EPA 200.8	0.0087	0.010	87	mg/L
		Selenium	EPA 200.8	0.0435	0.050	87	mg/L
		Thallium	EPA 200.8	0.0094	0.010	94	mg/L
		Uranium	EPA 200.8	0.0092	0.010	92	mg/L

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12060771	Duplicate	pH	SM 4500-H+ B	1206481-001	7.52	7.54	pH Units	<1%
QC12060771	Duplicate	pH	SM 4500-H+ B	1206481-006	7.29	7.30	pH Units	<1%
QC12060771	Duplicate	pH	SM 4500-H+ B	1206506-001	6.22	6.22	pH Units	<1%
QC12060771	Duplicate	pH	SM 4500-H+ B	1206511-002	7.70	7.79	pH Units	1 %
QC12060771	Duplicate	pH	SM 4500-H+ B				pH Units	%
QC12060775	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206481-001	252	253	mg/L	<1%
		Carbonate (CO3)	SM 2320B	1206481-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206481-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206481-001	207	207	mg/L as CaCO3	<1%
QC12060775	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206481-006	209	207	mg/L	1 %
		Carbonate (CO3)	SM 2320B	1206481-006	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206481-006	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206481-006	171	170	mg/L as CaCO3	1 %
QC12060775	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206506-001	3.54	3.21	mg/L	10 %
		Carbonate (CO3)	SM 2320B	1206506-001	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206506-001	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206506-001	2.90	2.63	mg/L as CaCO3	10 %
QC12060775	Duplicate	Bicarbonate (HCO3)	SM 2320B	1206511-002	161	164	mg/L	2 %
		Carbonate (CO3)	SM 2320B	1206511-002	<1.000	<1.000	mg/L	<1%
		Hydroxide (OH)	SM 2320B	1206511-002	<1.000	<1.000	mg/L	<1%
		Total Alkalinity	SM 2320B	1206511-002	132	135	mg/L as CaCO3	2 %
QC12060916	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206406-002	216	214	mg/L	1 %
QC12060916	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206502-001	1956	1884	mg/L	4 %

QCBatchID	QCType	Parameter	Method	Duplicate Sample	Sample Result	Duplicate Result	Units	RPD
QC12060916	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206517-001	472	470	mg/L	<1%
QC12060916	Duplicate	Total Dissolved Solids (TDS)	SM 2540C	1206517-003	770	818	Q mg/L	6%

QCBatchID	QCType	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
QC12060849	MS 1	Fluoride	EPA 300.0	1206505-004	2.60	4.72	4.79	2.00	mg/L	106	109	1%
QC12060849	MS 2	Fluoride	EPA 300.0	1206517-002	5.45	24.4	24.4	2.00	mg/L	95	95	<1%
QC12060851	MS 1	Chloride	EPA 300.0	1206505-004	12.0	17.0	17.0	5.00	mg/L	98	99	<1%
QC12060851	MS 2	Chloride	EPA 300.0	1206506-002	<1.000	5.36	5.50	5.00	mg/L	105	108	3%
QC12060852	MS 1	Chloride	EPA 300.0	1206517-002	87.2	139	140	5.00	mg/L	104	105	1%
QC12060852	MS 2	Chloride	EPA 300.0	1206537-004	<1.000	5.31	5.34	5.00	mg/L	104	105	1%
QC12060854	MS 1	Nitrite Nitrogen	EPA 300.0	1206505-004	0.071	0.596	0.606	0.500	mg/L	105	107	2%
QC12060854	MS 2	Nitrite Nitrogen	EPA 300.0	1206506-002	<0.025	0.524	0.539	0.500	mg/L	103	106	3%
QC12060856	MS 1	Nitrate Nitrogen	EPA 300.0	1206505-004	<1.000	2.13	2.18	2.00	mg/L	101	103	2%
QC12060856	MS 2	Nitrate Nitrogen	EPA 300.0	1206506-002	<1.000	2.11	2.17	2.00	mg/L	103	106	3%
QC12060860	MS 1	Sulfate	EPA 300.0	1206505-004	62.3	M 70.2	70.0	10.0	mg/L	NC	NC	NC
QC12060860	MS 2	Sulfate	EPA 300.0	1206506-002	34.9	44.4	45.0	10.0	mg/L	95	101	1%
QC12060901	MS 1	Fluoride	EPA 300.0	1206456-006	<0.100	2.07	2.09	2.00	mg/L	100	101	1%
QC12060901	MS 2	Fluoride	EPA 300.0	1206548-001	0.196	2.07	2.07	2.00	mg/L	94	94	<1%
QC12061057	MS 1	Aluminum	EPA 200.7	1206533-007	<0.045	0.998	0.971	1.00	mg/L	96	94	3%
		Barium	EPA 200.7	1206533-007	0.206	1.19	1.17	1.00	mg/L	98	96	2%
		Beryllium	EPA 200.7	1206533-007	0.002	0.993	0.974	1.00	mg/L	99	97	2%
		Bismuth	EPA 200.7	1206533-007	<0.100	0.947	0.943	1.00	mg/L	96	95	<1%
		Boron	EPA 200.7	1206533-007	1.21	2.24	2.20	1.00	mg/L	103	99	2%
		Cadmium	EPA 200.7	1206533-007	0.001	0.982	0.963	1.00	mg/L	98	96	2%
		Calcium	EPA 200.7	1206533-007	17.0	26.4	26.5	10.0	mg/L	94	95	<1%
		Chromium	EPA 200.7	1206533-007	<0.005	0.971	0.952	1.00	mg/L	97	95	2%
		Cobalt	EPA 200.7	1206533-007	<0.010	0.986	0.966	1.00	mg/L	99	97	2%
		Copper	EPA 200.7	1206533-007	<0.050	5.09	4.95	5.00	mg/L	102	99	3%
		Gallium	EPA 200.7	1206533-007	<0.100	0.971	0.944	1.00	mg/L	97	94	3%
		Iron	EPA 200.7	1206533-007	9.92	11.1	11.1	1.00	mg/L	118	118	<1%
		Lithium	EPA 200.7	1206533-007	1.35	2.31	2.30	1.00	mg/L	96	95	<1%
		Magnesium	EPA 200.7	1206533-007	1.70	10.9	11.0	10.0	mg/L	92	93	1%
		Manganese	EPA 200.7	1206533-007	0.198	1.19	1.16	1.00	mg/L	99	96	3%
		Molybdenum	EPA 200.7	1206533-007	<0.010	0.970	0.957	1.00	mg/L	97	96	1%
		Nickel	EPA 200.7	1206533-007	<0.010	4.93	4.84	5.00	mg/L	99	97	2%
		Phosphorus	EPA 200.7	1206533-007	<0.500	5.08	5.07	5.00	mg/L	100	100	<1%
		Potassium	EPA 200.7	1206533-007	18.2	28.2	28.2	10.0	mg/L	100	100	<1%
		Scandium	EPA 200.7	1206533-007	<0.100	1.00	0.979	1.00	mg/L	100	98	2%
		Silver	EPA 200.7	1206533-007	<0.005	0.088	0.086	0.090	mg/L	98	96	2%
		Sodium	EPA 200.7	1206533-007	190	SC 195	191	10.0	mg/L	NC	NC	NC
		Strontium	EPA 200.7	1206533-007	0.880	1.82	1.77	1.00	mg/L	94	89	3%
		Tin	EPA 200.7	1206533-007	<0.100	0.960	0.958	1.00	mg/L	97	97	<1%
		Titanium	EPA 200.7	1206533-007	<0.100	0.978	0.975	1.00	mg/L	98	97	<1%
		Vanadium	EPA 200.7	1206533-007	<0.010	0.995	0.971	1.00	mg/L	99	97	2%
		Zinc	EPA 200.7	1206533-007	6.53	7.66	7.53	1.00	mg/L	113	100	2%
QC12070013	MS 1	Aluminum	EPA 200.7	1206533-005	<0.225	0.993	0.982	1.00	mg/L	95	94	1%
		Barium	EPA 200.7	1206533-005	<0.010	0.974	0.953	1.00	mg/L	97	95	2%
		Beryllium	EPA 200.7	1206533-005	<0.001	0.962	0.943	1.00	mg/L	96	94	2%
		Bismuth	EPA 200.7	1206533-005	<0.100	0.960	0.947	1.00	mg/L	96	94	1%
		Boron	EPA 200.7	1206533-005	<0.100	1.02	1.00	1.00	mg/L	94	92	2%
		Cadmium	EPA 200.7	1206533-005	<0.001	0.958	0.942	1.00	mg/L	96	94	2%

QC Batch ID	QC Type	Parameter	Method	Spike Sample	Sample Result	MS Result	MSD Result	Spike Value	Units	MS % Rec.	MSD % Rec.	RPD
		Calcium	EPA 200.7	1206533-005	23.1	33.8	33.3	10.0	mg/L	107	102	1 %
		Chromium	EPA 200.7	1206533-005	<0.005	0.957	0.937	1.00	mg/L	96	94	2 %
		Cobalt	EPA 200.7	1206533-005	<0.010	0.958	0.939	1.00	mg/L	96	94	2 %
		Copper	EPA 200.7	1206533-005	<0.050	4.83	4.71	5.00	mg/L	97	94	3 %
		Gallium	EPA 200.7	1206533-005	<0.100	0.957	0.939	1.00	mg/L	96	94	2 %
		Iron	EPA 200.7	1206533-005	0.059	1.07	1.06	1.00	mg/L	101	100	1 %
		Lithium	EPA 200.7	1206533-005	<0.100	1.00	0.991	1.00	mg/L	98	97	1 %
		Magnesium	EPA 200.7	1206533-005	18.4	28.9	28.8	10.0	mg/L	105	104	<1%
		Manganese	EPA 200.7	1206533-005	<0.005	0.962	0.939	1.00	mg/L	97	94	2 %
		Molybdenum	EPA 200.7	1206533-005	<0.010	0.964	0.947	1.00	mg/L	97	95	2 %
		Nickel	EPA 200.7	1206533-005	<0.010	4.80	4.70	5.00	mg/L	96	94	2 %
		Phosphorus	EPA 200.7	1206533-005	<0.500	4.98	4.91	5.00	mg/L	99	97	1 %
		Potassium	EPA 200.7	1206533-005	2.64	13.0	12.9	10.0	mg/L	104	103	1 %
		Scandium	EPA 200.7	1206533-005	<0.100	0.969	0.947	1.00	mg/L	97	95	2 %
		Silver	EPA 200.7	1206533-005	<0.005	0.085	0.084	0.090	mg/L	96	95	1 %
		Sodium	EPA 200.7	1206533-005	36.2	47.0	46.5	10.0	mg/L	108	103	1 %
		Strontium	EPA 200.7	1206533-005	0.101	1.07	1.06	1.00	mg/L	97	96	1 %
		Tin	EPA 200.7	1206533-005	<0.100	0.954	0.939	1.00	mg/L	97	96	2 %
		Titanium	EPA 200.7	1206533-005	<0.100	1.01	1.00	1.00	mg/L	101	100	1 %
		Vanadium	EPA 200.7	1206533-005	0.027	0.982	0.961	1.00	mg/L	96	93	2 %
		Zinc	EPA 200.7	1206533-005	1.19	2.24	2.20	1.00	mg/L	105	101	2 %
QC12070067	MS 1	Mercury	EPA 200.8	1206533-005	<0.00010	0.001001	0.000964	0.001	mg/L	98	94	4 %
		Antimony	EPA 200.8	1206533-005	<0.0025	0.0086	0.0087	0.010	mg/L	86	87	1 %
		Arsenic	EPA 200.8	1206533-005	<0.0050	0.0477	0.0476	0.050	mg/L	95	95	<1%
		Lead	EPA 200.8	1206533-005	<0.0025	0.0102	0.0103	0.010	mg/L	87	87	1 %
		Selenium	EPA 200.8	1206533-005	<0.0050	0.0436	0.0432	0.050	mg/L	85	84	1 %
		Thallium	EPA 200.8	1206533-005	<0.0010	0.0086	0.0087	0.010	mg/L	86	87	1 %
		Uranium	EPA 200.8	1206533-005	<0.0050	0.0089	0.0089	0.010	mg/L	89	89	<1%
QC12070196	MS 1	Mercury	EPA 200.8	1206533-007	0.000543 Q	0.001530	0.001424	0.001	mg/L	99	88	7 %
		Antimony	EPA 200.8	1206533-007	<0.0025 M	0.0162	0.0106	0.010	mg/L	NC	NC	NC
		Arsenic	EPA 200.8	1206533-007	<0.0050		NA	0.050	mg/L	NC	NA	NA
		Lead	EPA 200.8	1206533-007	0.0029 Q	0.0155	0.0105	0.010	mg/L	125	76	38 %
		Selenium	EPA 200.8	1206533-007	<0.0050		NA	0.050	mg/L	NC	NA	NA
		Thallium	EPA 200.8	1206533-007	<0.0010 Q	0.0120	0.0074	0.010	mg/L	120	74	47 %
		Uranium	EPA 200.8	1206533-007	<0.0050 Q	0.0129	0.0079	0.010	mg/L	129	79	48 %



WETLAB

WESTERN ENVIRONMENTAL TESTING LABORATORY

Specializing in Soil, Hazardous Waste and Water Analysis.

475 E. Greg Street #119 | Sparks, Nevada 89431

tel (775) 355-0202 | fax (775) 355-0847 | www.WETLaboratory.com

Lab Number

1206505

Report

Due Date:

7/5/12

Page 1 of 1

Client **McClelland Laboratories, Inc.**

Address 1016 Greg Street

City, State & Zip Sparks, NV 89431

Contact Gene McClelland

Phone 775-356-1300

Collector's Name Robert

Fax 775-356-8917

Project Name

P.O. Number

Project Number 3438

Email mli@mettest.com

Turnaround Time

Standard Expedite Other

Billing Address (if different than Client Address):

Company _____

Address _____

City, State & Zip _____

Contact _____

Phone _____

Fax _____

Email _____

Additional Information

Fax Results	Y	N	To: Client	Billing
Email Results	Y	N	To: Client	Billing
Compliance Monitoring	Y	N		
Fax Results to State EPA	Y	N		

Sample Type Codes

DW = Drinking Water	SD = Solid
WW = Wastewater	SO = Soil
SW = Surface Water	HW = Hazardous Waste
MW = Monitoring Well	OTHER: _____

SAMPLE ID / LOCATION	DATE	TIME	SAMPLE TYPE	NO OF SAMPLES	Analyses Requested		Spt. No.
					Profile II w/o Wad	Uranium	
F1 Tailings Wk:0	06/21/12	9:00	WW	2	X	X	
F2 Tailings							
F3 Tailings							
F4 Tailings							
F5 Tailings							
Biotite Breccia 5+Comp							
K-Spar Breccia 5 + Comp							
Quartz Monzonite 5+ Comp	↓	↓	↓	↓	↓	↓	
							1206 1
							505 1

Instructions/Comments/Special Requirements:

SAMPLE RECEIPT	DATE	TIME	Samples Relinquished By	Samples Received By
Temperature <u>22°C</u>	6/21	3:10	<i>[Signature]</i>	<i>[Signature]</i>
Custody Seals Intact? Y N <u>None</u>				
Number of Containers <u>16</u>				

WETLAB'S Standard terms and conditions apply unless written agreements specify otherwise. Payment terms are Net 30.

To the maximum extent permitted by law, the Client agrees to limit the liability of WETLAB for the Client's damages to the total compensation received, unless other agreements are made in writing. This limitation shall apply regardless of the cause of action or legal theory pled or asserted.

Appendix G
Example of WRDF PHREEQC Input File

Appendix G

Example of WRDF PHREEQC Input File

(5% Seepage to Groundwater)

Title Copper_Flat_WRDF_model_5%_seepage_14March2013

KNOBS

```
-iterations          10000
-convergence_tolerance 1e-008
-tolerance           1e-015
-step_size           100
-pe_step_size        5
```

SELECTED_OUTPUT

```
-file                Copper_Flat_WRDF_model_5%_seepage_14March2013.out
-selected_out        true
-high_precision      true
-simulation          true
-state              true
-solution            true
-distance            false
-time               false
-step               false
-ph                 true
-pe                 true
-alkalinity         true
-ionic_strength     true
-water              true
-charge_balance     true
-totals             C(4) Ag Al As B Ba Ca Cd Co Cr Cu F Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Tl
```

U V Zn S(6) Cl N(5) N(3)

END

TITLE Average rainwater chemistry (1985-2011) - Station MN01 (Gila Cliff Dwellings National Monument), SW New Mexico. Data from National Atmospheric Deposition Program.

SOLUTION 1 Average precipitation chemistry

```
temp      25
pH 4.93
pe 4
redox     pe
units     mg/l
density
Ca 0.209
Mg 0.021
Na 0.075
K      0.030
Cl 0.117
S(6)     0.862 as SO4
N(-3)   0.167
N(5)     0.826 as NO3
C(4)     0.1
CO2(g)  -3.5
```

-water 1 # kg

END

TITLE Average HCT data

SOLUTION 2 Average HCT data for andesite (cells SRK 0864 and SRK 0866)

```
temp      25
pH 7.38
pe 4
```


redox pe
units mg/l
density 1
Alkalinity 11.08 as HCO3
Ag 0.0024
Al 0.0227
As 0.0024
B 0.0472
Ba 0.0053
Ca 9.2255
Cd 0.0005
Cl 0.7500
Co 0.0047
Cr 0.0024
Cu 0.0236
F 0.4614
Fe 0.0057
Hg 0.00005
K 1.0403
Mg 1.4150
Mn 0.0106
Mo 0.0101
N(3) 0.1001 as NO2
N(5) 3.1512 as NO3
Na 1.9555 charge
Ni 0.0047
P 0.2359
Pb 0.0012
S(6) 23.3627
Sb 0.0012 as SO4
Se 0.0024
Tl 0.0005
U 0.0046
V 0.0052
Zn 0.0050

-water 1 # kg

END

SOLUTION 3 Average HCT data for biotite breccia - oxide/transitional (cell SRK 0872)

temp 25
pH 6.48
pe 4
redox pe
units mg/l
density 1
Alkalinity 6.56 as HCO3
Ag 0.0026
Al 0.1045
As 0.0028
B 0.0472
Ba 0.0086
Ca 29.4588
Cd 0.0008
Cl 0.6108
Co 0.0063
Cr 0.0024
Cu 0.1294
F 0.3408
Fe 0.1125
Hg 0.00005
K 0.5009
Mg 1.2137
Mn 0.1943
Mo 0.0629
N(3) 0.0531 as NO2
N(5) 2.0969 as NO3
Na 0.4664 charge
Ni 0.0050
P 0.2360

Pb 0.0012
S(6) 79.2650 as SO4
Sb 0.0014
Se 0.0030
Tl 0.0005
U 0.0048
V 0.0050
Zn 0.0222

-water 1 # kg
END

SOLUTION 4 Average HCT data for biotite breccia - sulfide (cells 604673 and 605153)

temp 25
pH 6.14
pe 4
redox pe
units mg/l
density 1
Alkalinity 13.79 as HCO3
Ag 0.0025
Al 0.0375
As 0.0033
B 0.0521
Ba 0.0344
Ca 6.7553
Cd 0.0006
Cl 0.7551
Co 0.0050
Cr 0.0025
Cu 0.1431
F 0.4814
Fe 0.0063
Hg 0.00006
K 2.1061
Mg 1.0780
Mn 0.0169
Mo 0.0118
N(3) 0.0555 as NO2
N(5) 2.2198 as NO3
Na 1.9823 charge
Ni 0.0050
P 0.2507
Pb 0.0014
S(6) 15.7652 as SO4
Sb 0.0014
Se 0.0030
Tl 0.0006
U 0.0080
V 0.0056
Zn 0.0104

-water 1 # kg
END

SOLUTION 5 Average HCT data for quartz feldspar breccia - oxide/transitional (cell SRK 0872)

temp 25
pH 6.48
pe 4
redox pe
units mg/l
density 1
Alkalinity 6.56 as HCO3
Ag 0.0025
Al 0.1045
As 0.0028
B 0.0472
Ba 0.0086
Ca 29.4588
Cd 0.0008

Cl 0.6108
Co 0.0063
Cr 0.0024
Cu 0.1294
F 0.3408
Fe 0.1125
Hg 0.00005
K 0.5009
Mg 1.2137
Mn 0.1943
Mo 0.0629
N(3) 0.0531 as NO2
N(5) 2.0969 as NO3
Na 0.4664 charge
Ni 0.0050
P 0.2360
Pb 0.0012
S(6) 79.2650 as SO4
Sb 0.0014
Se 0.0030
Tl 0.0005
U 0.0048
V 0.0050
Zn 0.0222

-water 1 # kg

END

SOLUTION 6 Average HCT data for quartz feldspar breccia - sulfide (cells 604673 and 605153)

temp 25
pH 6.14
pe 4
redox pe
units mg/l
density 1
Alkalinity 13.79 as HCO3
Ag 0.0025
Al 0.0375
As 0.0033
B 0.0521
Ba 0.0344
Ca 6.7553
Cd 0.0006
Cl 0.7551
Co 0.0050
Cr 0.0025
Cu 0.1431
F 0.4814
Fe 0.0063
Hg 0.00006
K 2.1061
Mg 1.0780
Mn 0.0169
Mo 0.0118
N(3) 0.0555 as NO2
N(5) 2.2198 as NO3
Na 1.9823 charge
Ni 0.0050
P 0.2507
Pb 0.0014
S(6) 15.7652 as SO4
Sb 0.0014
Se 0.0030
Tl 0.0006
U 0.0080
V 0.0056
Zn 0.0104

-water 1 # kg

END

SOLUTION 7 Average HCT data for quartz monzonite- oxide/transitional (cells 604569 and SRK 0858)

temp 25
pH 2.97
pe 4
redox pe
units mg/l
density 1
Ag 0.0027
Al 3.1603
As 0.0025
B 0.0594
Ba 0.0063
Ca 9.8749
Cd 0.0017
Cl 1.3119
Co 0.0148
Cr 0.0063
Cu 3.2506
F 2.0867
Fe 7.2060
Hg 0.00005
K 1.7173
Mg 1.6698
Mn 0.1322
Mo 0.0072
N(3) 0.0742 as NO2
N(5) 2.0787 as NO3
Na 2.0936
Ni 0.0062
P 0.2950
Pb 0.0019
S(6) 94.7248 as SO4
Sb 0.0012
Se 0.0026
Tl 0.0005
U 0.0114
V 0.0062
Zn 0.0280

-water 1 # kg

END

SOLUTION 8 Average HCT data for quartz monzonite - sulfide (cells 604673 and 605153)

temp 25
pH 6.14
pe 4
redox pe
units mg/l
density 1
Alkalinity 13.79 as HCO3
Ag 0.0025
Al 0.0375
As 0.0033
B 0.0521
Ba 0.0344
Ca 6.7553
Cd 0.0006
Cl 0.7551
Co 0.0050
Cr 0.0025
Cu 0.1431
F 0.4814
Fe 0.0063
Hg 0.00006
K 2.1061
Mg 1.0780
Mn 0.0169
Mo 0.0118
N(3) 0.0555 as NO2
N(5) 2.2198 as NO3

Na 1.9823
Ni 0.0050
P 0.2507
Pb 0.0014
S(6) 15.7652 as SO4
Sb 0.0014
Se 0.0030
Tl 0.0006
U 0.0080
V 0.0056
Zn 0.0104

-water 1 # kg

END

SOLUTION 9 Average HCT data for coarse crystalline porphyry - oxide/transitional (cell CF-11-02, 0-27)

temp 25
pH 7.95
pe 4
redox pe
units mg/l
density 1
Alkalinity 39.82 as HCO3
Ag 0.0024
Al 0.0220
As 0.0030
B 0.0533
Ba 0.0049
Ca 12.3976
Cd 0.0007
Cl 1.6409
Co 0.0048
Cr 0.0024
Cu 0.0239
F 1.2917
Fe 0.0119
Hg 0.00010
K 4.0722
Mg 2.3455
Mn 0.0247
Mo 0.0113
N(3) 0.0488 as NO2
N(5) 2.1179 as NO3
Na 4.7813 charge
Ni 0.0048
P 0.2392
Pb 0.0013
S(6) 18.2279 as SO4
Sb 0.0012
Se 0.0037
Tl 0.0005
U 0.0060
V 0.0048
Zn 0.0048

-water 1 # kg

END

SOLUTION 10 Average HCT data for coarse crystalline porphyry - sulfide (cell CF-11-02, 367-408)

temp 25
pH 7.85
pe 4
redox pe
units mg/l
density 1
Alkalinity 26.61 as HCO3
Ag 0.0023
Al 0.0425
As 0.0023

B 0.0535
Ba 0.0058
Ca 8.4491
Cd 0.0005
Cl 2.7690
Co 0.0046
Cr 0.0023
Cu 0.0245
F 0.7159
Fe 0.0073
Hg 0.00007
K 3.3378
Mg 0.8460
Mn 0.0056
Mo 0.0057
N(3) 0.0604 as NO2
N(5) 2.0302 as NO3
Na 4.7938 charge
Ni 0.0046
P 0.2293
Pb 0.0012
S(6) 11.4165 as SO4
Sb 0.0011
Se 0.0023
Tl 0.0005
U 0.0027
V 0.0046
Zn 0.0046

-water 1 # kg

END

SOLUTION 11 Andesite groundwater chemistry (average of well GWQ-6 (June 1981 - April 1993) and GWQ96-22A (July 1996 - October 2010))

temp 25
pH 6.4
pe 4
redox pe
units mg/l
density 1
Alkalinity 272 as HCO3
Ag 0.019
Al 0.032
As 0.005
B 0.192
Ba 0.152
Ca 59.1
Cd 0.003
Cl 64.5
Co 0.031
Cr 0.014
Cu 0.024
F 1.93
Fe 1.60
Hg 0.0007
K 3.23
Mg 7.34
Mn 0.645
Mo 0.031
N(5) 5.47 as NO3
Na 127 charge
Ni 0.027
Pb 0.009
S(6) 115 as SO4
Sb 0.002
Se 0.004
Tl 0.0005
U 0.001
V 0.05
Zn 0.026

-water 1 # kg
END

TITLE Mixing
TITLE Blend WRD input solutions, charge balance, create new input soln.

MIX 1 ### STEP 3
1 1.00000
2 2.67
3 0.11
4 2.79
5 0.24
6 11.32
7 7.01
8 190.39
9 2.34
10 35.40

SAVE SOLUTION 12 ### Mixed WRD seepage solution
END

REACTION 2 ### STEP 4
H2O -1
12038.53 moles ### Addition step. Removes HCT water but solute mass remains

USE solution 12 ## Returns solution volume back to 1L
SAVE Solution 13
End

Title Allow precipitation of oversaturated phases in waste rock dump seepage solution
PHASES

Fix_pe
e--e-
log_k 0

EQUILIBRIUM_PHASES 1
Anhydrite 0 0
Azurite 0 0
Alunite 0 0
Barite 0 0
Boehmite 0 0
Brochantite 0 0
Calcite 0 0
Chalcedony 0 0
CO2(g) -3.5 10
Co3O4 0 0
Cr2O3 0 0
Diaspore 0 0
Ferrihydrite 0 0
Fluorite 0 0
Gibbsite 0 0
Gummite 0 0
Gypsum 0 0
Malachite 0 0
O2(g) -32 10
Pyromorphite 0 0
Quartz 0 0
Rhodochrosite 0 0
Rutherfordine 0 0
Schoepite 0 0
Tenorite 0 0
U3O8 0 0
UO3 0 0
UO2(OH)2(beta) 0 0

USE solution 13
SAVE EQUILIBRIUM_PHASES 1
SAVE Solution 14 ## WRD seepage solution after Mineral Precipitation
END

```

Title Determine loss of metals due to HFO sorption and sedimentation
SURFACE 1
  Hfo_sOH Ferrihydrite      equilibrium_phase 0.005 64200
  Hfo_wOH Ferrihydrite      equilibrium_phase 0.2
  -donna 1e-008
USE EQUILIBRIUM_PHASES 1 ## uses ferrihydrite precipitated as reactive surface
USE Surface 1
USE Solution 14
SAVE Solution 15 # WRD seepage solution after Mineral Precipitation and Sorption Loss
END

TITLE Blend seepage solution and groundwater
MIX 1
15      0.000032
11      0.999968

SAVE SOLUTION 16
END

Title Allow precipitation of oversaturated phases groundwater under WRD
PHASES
Fix_pe
  e--e-
  log_k      0

EQUILIBRIUM_PHASES 2
  Anhydrite 0 0
  Azurite 0 0
  Alunite 0 0
  Barite 0 0
  Boehmite 0 0
  Brochantite 0 0
  Calcite 0 0
  Chalcedony 0 0
  CO2(g) -3.5 10
  Co3O4 0 0
  Cr2O3 0 0
  Diaspore 0 0
  Ferrihydrite 0 0
  Fluorite 0 0
  Gibbsite 0 0
  Gummite 0 0
  Gypsum 0 0
  Malachite 0 0
  O2(g) -32 10
  Pyromorphite 0 0
  Quartz 0 0
  Rhodochrosite 0 0
  Rutherfordine 0 0
  Schoepite 0 0
  Tenorite 0 0
  U3O8 0 0
  UO3 0 0
  UO2(OH)2(beta) 0 0

USE solution 16
SAVE EQUILIBRIUM_PHASES 2
SAVE Solution 17 ## Seepage collection pond leachate after Mineral Precipitation
END
Title Determine loss of metals due to HFO sorption and sedimentation
SURFACE 2
  Hfo_sOH Ferrihydrite      equilibrium_phase 0.005 64200
  Hfo_wOH Ferrihydrite      equilibrium_phase 0.2
  -donna 1e-008
USE EQUILIBRIUM_PHASES 1 ## uses ferrihydrite precipitated as reactive surface
USE Surface 2
USE Solution 17
SAVE Solution 18 # Seepage collection pond leachate after Mineral Precipitation and Sorption
Loss
END

```


Title Use solution 18 to allow output

REACTION 1

H2O -1

0 moles

USE solution 18

End

Appendix H
Example of TSF PHREEQC Input File

Appendix H

Example of TSF PHREEQC Input File

(95% draindown scenario with groundwater mixing)

Title Copper_Flat_TSF_model_95%_draindown_GW_mix_14March2013

KNOBS

```
-iterations          20000
-convergence_tolerance 1e-008
-tolerance           1e-015
-step_size           100
-pe_step_size        5
```

SELECTED_OUTPUT

```
-file                Copper_Flat_TSF_model_95%_draindown_GW_mix_14March2013.out
-selected_out        true
-high_precision      true
-simulation          true
-state              true
-solution            true
-distance            false
-time               false
-step               false
-ph                 true
-pe                 true
-alkalinity          true
-ionic_strength      true
-water              true
-charge_balance      true
-totals             C(4) Ag Al As B Ba Ca Cd Co Cr Cu F Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Tl
```

U V Zn S(6) Cl N(5) N(3)

END

TITLE Average rainwater chemistry (1985-2011) - Station MN01 (Gila Cliff Dwellings National Monument), SW New Mexico. Data from National Atmospheric Deposition Program.

SOLUTION 1 Average precipitation chemistry

```
temp      25
pH 4.93
pe 4
redox     pe
units     mg/l
density
Ca 0.209
Mg 0.021
Na 0.075
K      0.030
Cl 0.117
S(6)     0.862 as SO4
N(-3)   0.167
N(5)    0.826 as NO3
C(4)     0.1
CO2(g)  -3.5
```

-water 1 # kg

END

TITLE Average HCT data

SOLUTION 2 Average HCT data for tailings in proposed TSF

```
temp      25
pH 8.0709
pe 4
redox     pe
units     mg/l
```

density 1
Alkalinity 109.0784 as HCO3
Ag 0.002
Al 0.0568
As 0.0054
B 0.1065
Ba 0.0533
Ca 36.2549
Cd 0.0010
Cl 5.2549
Co 0.0100
Cr 0.0050
Cu 0.0501
F 2.0049
Fe 0.0174
Hg 0.0002
K 17.6118
Mg 6.7255
Mn 0.0273
Mo 0.0559
N(5) 4.4290 as NO3
N(3) 0.1900 as NO2
Na 17.0880 charge
Ni 0.0100
Pb 0.0024
S(6) 74.6863 as SO4
Sb 0.0025
Se 0.0057
Tl 0.001
U 0.0400
V 0.0133
Zn 0.0101

-water 1 # kg

END

SOLUTION 3 Average data for process/supernatent water chemistry

temp 25
pH 7.59
pe 4
redox pe
units mg/l
density 1
Alkalinity 219 as HCO3
Ag 0.02
Al 0.01
As 0.01
B 0.1
Ca 92.6
Cd 0.005
Cl 27.4
Co 0.02
Cr 0.01
Cu 0.05
F 1.96
Fe 0.04
Hg 0.001
K 1.69
Mg 18.8
Mn 0.05
Mo 1.1
N(5) 6.04 as NO3
Na 52.2 charge
Ni 0.05
Pb 0.02
S(6) 176 as SO4
Se 0.005
Zn 0.05

-water 1 # kg

END

SOLUTION 4 Average MWMP data for historic tailings (sample SRK 0876)

temp 25
pH 7.82
pe 4
redox pe
units mg/l
density 1
Alkalinity 130 as HCO3
Ag 0.005
Al 0.045
As 0.005
B 0.1
Ba 0.056
Ca 560
Cd 0.001
Cl 28
Co 0.01
Cr 0.005
Cu 0.58
F 4.2
Fe 0.01
Hg 0.0001
K 280
Mg 180
Mn 0.18
Mo 3.5
N(5) 186 as NO3
N(3) 1.94 as NO2
Na 59 charge
Ni 0.01
Pb 0.0025
S(6) 2400 as SO4
Sb 0.0025
Se 0.011
U 0.19
V 0.083
Zn 0.01

-water 1 # kg

END

SOLUTION 5 Groundwater chemistry in existing sulfate plume (average of wells IW-2 and NP-3 between June 2010 and May 2011)

temp 25
pH 7.60
pe 4
redox pe
units mg/l
density 1
Alkalinity 174 as HCO3
Ag 0.005
Al 0.033
As 0.003
B 0.053
Ca 334
Cd 0.002
Cl 389
Co 0.007
Cr 0.006
Cu 0.006
F 0.47
Fe 0.32
Hg 0.0002
K 2.78
Mg 81.2
Mn 0.97
Mo 0.013
N(5) 3.76
Na 177 charge
Ni 0.01

```

Pb 0.005
S(6) 914 as SO4
Sb 0.001
Se 0.028
Tl 0.00115
U 0.003
V 0.05
Zn 0.11

-water 1 # kg
END

SOLUTION 6 Groundwater chemistry away from existing sulfate plume (average of wells GWQ94-16, NP-
2 and NP-5 between June 2010 and May 2011)
temp 25
pH 7.76
pe 4
redox pe
units mg/l
density 1
Alkalinity 178 as HCO3
Ag 0.005
Al 0.02
As 0.002
B 0.044
Ca 137
Cd 0.002
Cl 120
Co 0.006
Cr 0.006
Cu 0.006
F 0.57
Fe 0.03
Hg 0.0002
K 2.70
Mg 35.2
Mn 0.02
Mo 0.008
N(5) 4.37
Na 65.6 charge
Ni 0.01
Pb 0.005
S(6) 269 as SO4
Sb 0.001
Se 0.01
Tl 0.0013
U 0.002
V 0.05
Zn 0.43

-water 1 # kg
END

TITLE Mixing
TITLE Blend precipitation and tailings HCT data, charge balance, create new input soln.
MIX 1 ### STEP 3
1 1.00000
2 490.11

SAVE SOLUTION 7 ### Source term for unsaturated portion of TSF
END

REACTION 2 ### STEP 4
H2O -1
27205.27 moles ### Addition step. Removes HCT water but solute mass remains

USE solution 7 ## Returns solution volume back to 1L
SAVE Solution 8
End

```

Title Allow precipitation of oversaturated phases in source term for unsaturated TSF zone

PHASES

Fix_pe

e--e-
log_k 0

EQUILIBRIUM_PHASES 1

Anhydrite 0 0
Azurite 0 0
Alunite 0 0
Barite 0 0
Boehmite 0 0
Brochantite 0 0
Calcite 0 0
Chalcedony 0 0
CO2(g) -3.5 10
Co3O4 0 0
Cr2O3 0 0
Diaspore 0 0
Ferrihydrite 0 0
Fluorite 0 0
Gibbsite 0 0
Gypsum 0 0
Malachite 0 0
O2(g) -32 10
Pyromorphite 0 0
Quartz 0 0
Rhodochrosite 0 0
Tenorite 0 0

USE solution 8

SAVE EQUILIBRIUM_PHASES 1

SAVE Solution 9 ## Source term for unsaturated TSF zone after Mineral Precipitation

END

Title Determine loss of metals due to HFO sorption and sedimentation

SURFACE 1

Hfo_sOH Ferrihydrite equilibrium_phase 0.005 64200
Hfo_wOH Ferrihydrite equilibrium_phase 0.2
-donna 1e-008

USE EQUILIBRIUM_PHASES 1 ## uses ferrihydrite precipitated as reactive surface

USE Surface 1

USE Solution 9

SAVE Solution 10 # Source term for unsaturated TSF zone after Mineral Precipitation and Sorption

Loss

END

TITLE Blend source terms for unsaturated TSF zone and process water from saturated zone.

MIX 1

10 1
3 0

SAVE SOLUTION 11

END

Title Allow precipitation of oversaturated phases in TSF source term at toe of facility

PHASES

Fix_pe

e--e-
log_k 0

EQUILIBRIUM_PHASES 2

Anhydrite 0 0
Azurite 0 0
Alunite 0 0
Barite 0 0
Boehmite 0 0
Brochantite 0 0
Calcite 0 0
Chalcedony 0 0
CO2(g) -3.5 10
Co3O4 0 0

```

Cr2O3      0 0
Diaspore   0 0
Ferrihydrite 0 0
Fluorite   0 0
Gibbsite   0 0
Gypsum     0 0
Malachite  0 0
O2(g)     -32 10
Pyromorphite 0 0
Quartz     0 0
Rhodochrosite 0 0
Tenorite   0 0

USE solution 11
SAVE EQUILIBRIUM_PHASES 2
SAVE Solution 12 ## Source term at toe of facility after mineral precipitation
END
Title Determine loss of metals due to HFO sorption and sedimentation
SURFACE 2
    Hfo_sOH Ferrihydrite      equilibrium_phase 0.005 64200
    Hfo_wOH Ferrihydrite      equilibrium_phase 0.2
    -donna 1e-008
USE EQUILIBRIUM_PHASES 1 ## uses ferrihydrite precipitated as reactive surface
USE Surface 2
USE Solution 12
SAVE Solution 13 # Source term at toe of facility after Mineral Precipitation and Sorption Loss
END

TITLE Blend source term at toe of proposed TSF with historic tailings source term
MIX 1
13      1.00
4       43.88

SAVE SOLUTION 14 ### Source term at base of historic tailings
END

REACTION 3
H2O      -1
2435.76 moles ### Addition step. Removes HCT water but solute mass remains

USE solution 14          ## Returns solution volume back to 1L
SAVE Solution 15
End

Title Allow precipitation of oversaturated phases in mixed source terms (new/historic tailings)
PHASES
Fix_pe
    e--e-
    log_k      0

EQUILIBRIUM_PHASES 3
Anhydrite 0 0
Azurite 0 0
Alunite 0 0
Barite 0 0
Boehmite 0 0
Brochantite 0 0
Calcite 0 0
Chalcedony 0 0
CO2(g) -3.5 10
Co3O4 0 0
Cr2O3 0 0
Diaspore 0 0
Ferrihydrite 0 0
Fluorite 0 0
Gibbsite 0 0
Gypsum 0 0
Malachite 0 0
O2(g) -32 10
Pyromorphite 0 0

```



```

Quartz 0 0
Rhodochrosite 0 0
Tenorite 0 0

USE solution 15
SAVE EQUILIBRIUM_PHASES 3
SAVE Solution 16 ## Mixed source term (new/historic tailings) after mineral precipitation
END
Title Determine loss of metals due to HFO sorption and sedimentation
SURFACE 3
    Hfo_sOH Ferrihydrite          equilibrium_phase 0.005 64200
    Hfo_wOH Ferrihydrite          equilibrium_phase 0.2
    -donnan 1e-008
USE EQUILIBRIUM_PHASES 3 ## uses ferrihydrite precipitated as reactive surface
USE Surface 3
USE Solution 16
SAVE Solution 17 # Mixed source term (new/historic tailings) after Mineral Precipitation and
Sorption Loss
END

TITLE Blend source term under historic tailings with groundwater
MIX 1
17      0.00000014
6       0.99999986

SAVE SOLUTION 18
END

Title Allow precipitation of oversaturated phases in groundwater
PHASES
Fix_pe
    e--e-
    log_k      0

EQUILIBRIUM_PHASES 4
Anhydrite 0 0
Azurite 0 0
Alunite 0 0
Barite 0 0
Boehmite 0 0
Brochantite 0 0
Calcite 0 0
Chalcedony 0 0
CO2(g) -3.5 10
Co3O4 0 0
Cr2O3 0 0
Diaspore 0 0
Ferrihydrite 0 0
Fluorite 0 0
Gibbsite 0 0
Gypsum 0 0
Malachite 0 0
O2(g) -32 10
Pyromorphite 0 0
Quartz 0 0
Rhodochrosite 0 0
Tenorite 0 0

USE solution 18
SAVE EQUILIBRIUM_PHASES 4
SAVE Solution 19 ## Groundwater after mineral precipitation
END
Title Determine loss of metals due to HFO sorption and sedimentation
SURFACE 4
    Hfo_sOH Ferrihydrite          equilibrium_phase 0.005 64200
    Hfo_wOH Ferrihydrite          equilibrium_phase 0.2
    -donnan 1e-008
USE EQUILIBRIUM_PHASES 4 ## uses ferrihydrite precipitated as reactive surface
USE Surface 4
USE Solution 19
SAVE Solution 20 # Groundwater after Mineral Precipitation and Sorption Loss

```

END

Title Use solution 20 to allow output
REACTION 1

H2O -1
0 moles

USE solution 20
End

Appendix I
Scaling of Laboratory Data to Field Conditions

Appendix I

Scaling of Laboratory Data to Field Conditions

Background

Predictions of chemical leaching from mine waste are typically undertaken in column leach testwork in a laboratory (Kul'tin, 1997; Bowell, 2001; Antonijevic and Bogdanvic, 2004; Lizama et al., 2005; Sapsford et al., 2009). Such environments have a narrow range of environmental parameters such as temperature and liquid-solid ratio and material grain size, unlike the natural or field environment and as such results are not directly applicable and require some form of modification or “scaling” to represent the “real world” scenario. It is widely recognised that laboratory data must be scaled for prediction of solute release at field scale (Li et al, 2005; Maest and Kuipers, 2005). For example, the inability of heap leach operations to reproduce high rates of laboratory metal leaching from column tests in full scale leach piles has been well documented (Kul'tin, 1997; Bowell, 2001; Antonijevic and Bogdanvic, 2004; Lizama et al., 2005).

Although many different approaches have been taken to address scaling factors when applying laboratory leachate data to field scale models, the fundamental factors and processes that lead to these differences are universal. The rate of oxidation, and subsequent solute release via dissolution or desorption, from weathering rock is directly related to several factors, which include the:

- Duration of rock-water interaction (residence time of water);
- Ratio of rock to water;
- Surface area of the minerals (grain size);
- Ambient temperature of rock / water system;
- Chemistry of the lixiviant leaching solution; and
- Reactivity of the minerals present in the rock (minerals which will oxidize or dissolve).

Static and kinetic laboratory tests are not designed to predict field chemistry, but rather to optimise or accelerate the natural rates of oxidation reactions in a controlled environment and to compare the relative kinetics of acid generating and neutralising processes. By design, laboratory tests consistently show higher release rates for various solutes than field conditions, because a test simulating actual release rates at actual time scales could not be completed expediently in order to facilitate predictive studies. The reactivity of minerals present in the rock is the principal unknown in laboratory tests. The duration of rock-water interaction, the ratio of rock to water, the surface area of the minerals, and the chemistry of the leach solution are all fixed by the method (or can be determined), and can be used to correct solute release for scale when these parameters are also known for the field conditions. Less is quantitatively known about these parameters at the field scale, however, although approximations can be made by mapping fracture densities, doing sieve analyses to determine in situ particle gradation, and measuring in situ water flow. Precipitation falling onto an outcrop contacts rock surfaces for variable amounts of time, for example, and the ratio of rock to water is determined by the intensity and duration of the event. In contrast, contact time and the ratio are relatively more constant in groundwater, but for both groundwater and surface water, the relative

surface area exposed to reaction per unit time will vary significantly on site depending upon the site-specific characteristics of fracture density, fracture permeability and geometry that control water flux.

In spite of these challenges, kinetic test data are often the best source of information available for prediction of future solute release as a result of weathering in mined rock (Sapsford et al., 2009). In the absence of kinetic data, scaled static data may be utilised. The difficulty for most modelling efforts is to determine a practical way to scale down laboratory test results so that they approximate future field conditions, because the non-classical behaviour of scaling effects cannot be readily predicted using existing theory or models. Where no current mine pit exists, current methods of relating field weathering factors (such as correcting for exposed surface areas) to laboratory results are problematic. The method for relating laboratory to field rates in such a case must rely on observations of field scale surface area and water flux performed at analogous sites.

Simple calculations which scale HCT leachate data based on surface area and rock-water ratio can be used to address at least a portion of the scale related differences, as has been done for waste rock and tailings studies. For example, the evaluation of backfilled waste rock at Turquoise Ridge operations in Nevada (Warrender et al., 2012). In a model currently being developed for Round Mountain, Nevada, USA, the characteristics of the weathered pit rind has been conservatively estimated using particle size analysis of run-of-mine rock from the existing mine site. Unfortunately, the way rock breaks defines the site specific surface area and the extent to which fracture flow controls the rock-water leaching ratio is highly variable and strongly dependent upon the characteristics of the individual ore deposit. The extent to which any of the data collected at sites with existing mine pits will be similar to the Copper Flat deposit is however, unclear. There are particle size and porosity data for a range of materials available in reference literature, and on Infomine, but again, their applicability to site-specific conditions at Copper Flat must be considered limited.

Although there are existing facilities on site, only limited in situ data is available. In the absence of such data, the best alternative may be to evaluate bounding scenarios based on published estimates of the relative order of magnitude of error associated with the application of lab data to field scale. Several published studies describing the differences between lab and field solute release rates, as discussed in the following section, were reviewed for the current modelling effort. Many of these studies used laboratory methods that were designed to mimic field conditions as closely as possible, unlike the more standardised methods typically used for mine site evaluation (e.g. HCT using ASTM protocols), and therefore may actually under predict the differences between laboratory and field scale leaching.

Literature Review of Scaling Factors

Sverdrup and Warfvinge (1995) have suggested that a 2 to 5 order of magnitude difference between field and laboratory release rates is caused by:

- Generation of inhibiting weathering products in the field (such as Al hydroxides) which cause field rates to be 2 to 5 orders of magnitude slower than lab rates.
- Lower ambient field temperatures (compared to typical laboratory temperatures that are approximately 25°C) can cause field rates to be 2 to 10 orders of magnitude slower than lab rates.

- Partial or incomplete wetting of field materials, which can reduce field rates to values that are 4 to 10 orders of magnitude slower than laboratory rates.

Drever and Clow (1995) have described additional factors relating to the scaling discrepancies between field and laboratory release rate determinations. They report field rates that are 2 to 8 orders of magnitude slower than laboratory or theoretical rates, which they attribute to:

- Formation of secondary layers on mineral surfaces in field conditions, such as aluminium or ferric hydroxide coatings.
- Presence of inhibiting solutes (such as Al ions) under field conditions, which are not present in laboratory lixiviants.
- The influence of saturated geochemical conditions on critical mineral phase kinetics during laboratory kinetics which are not present under variably saturated conditions in the field.

Schnoor (1990), described field rates that are typically one to two orders of magnitude slower than laboratory rates, even when using laboratory methods designed to eliminate the factors discussed above. Ritchie (1994), suggested that sulfide oxidation rates under “optimised conditions” (e.g. laboratory columns) are three orders of magnitude (or greater) faster than field values. Smith and Beckie (2003) report field weathering rates that are several times to several orders of magnitude slower for field rates.

Bennett et. al. (2000) suggested that the discrepancy between field and laboratory rates can be eliminated if laboratory testing is well designed to closely mimic field conditions, including grain sizes. This suggestion was also put forth by Sverdrup and Warfvinge (1995) and both authors demonstrate that accurate weathering rates can be simulated in the laboratory if site conditions can be duplicated. However, accurate field conditions cannot be measured for pit wall conditions at on site, because the proposed pit has not yet been constructed. Further, work by others (for example, Li et al, 2005; 2008) demonstrate that the scaling affect is based on changes in kinetic processes (reaction rates, diffusion, advection) between the pore and field scale, which could not be adequately simulated through most testing laboratories and are very difficult to simulate mathematically.

Li et. al. (2005 and 2008) describe “chemical, physical, and microbiological heterogeneity that results in the formation of concentration gradients [which]...can lead to a scale dependence of the rates and thus potentially to discrepancies between laboratory and field rates.” In complex systems with multiple species that flow in single pores and fractures under the influence of both diffusion and advection, significant flow and concentration gradients result in rate discrepancies between the lab and field scale. Of particular importance is the need to scale rate of mass release per unit reactive surface area and volume of leachate, because of the influence these factors have on the scale dependent gradients. Efforts by Li et al. (2005) to upscale geochemical reaction rates using pore scale network modelling to study anorthite and kaolinite reactions associated with changing carbon dioxide concentrations indicate that pore-scale concentrations of reactive species and reaction rates vary spatially by up to four orders of magnitude when reactant concentrations are high.

A non-peer reviewed article by Morin and Hutt (2005) proposes various approaches to the issue of scaling laboratory leachate data and uses a generic conceptual model at the microscale, mesoscale, and full scale to demonstrate that physical factors like water flowpaths, sequences of minerals, and sampling location affect drainage chemistry. In this study, increases in scaling factors (e.g., volume, kinetic rate, residence time, and solid: liquid ratio) cause aqueous concentrations to increase until a

maximum equilibrium level is attained. Morin and Hutt point out that equilibrium can be attained if the leaching rate of a particular element is sufficiently high which is more common under acidic pH conditions. In this case, the concentrations are direct predictors of full-scale chemistry and scale correction is unnecessary. The “scale transition” represents the general break between kinetically-determined and equilibrium-determined concentrations in mg/L. Morin and Hutt provide equations for calculating scale transition. These Empirical Drainage Chemistry Models (EDCMs) show that full-scale equilibrium concentration is not constant throughout the year and these seasonal variations are unique for each element at each mine site. Unfortunately, due to the lack of detail needed to develop an EDCM's, it is not possible to directly apply this approach. Furthermore, the element by element approach does not take into account the common-ion effect or aqueous interference of elements in solution that leads to saturation and precipitation, ion-exchange or adsorption-desorption reactions. Therefore, this approach has not been utilized.

Maest and Kuipers (2005) discuss the need to scale data as well, and suggest that laboratory oxidation and weathering rates are two to three orders of magnitude greater than in the field, requiring correction for differences in surface area and rock-water ratio for proper modelling application.

Implications for Copper Flat Geochemical Modeling

The above literature review of scaling factors for predictive modelling shows differences between laboratory and field release rates range between one and five orders of magnitude. In order to maintain a conservative approach, in this study a factor of 10 or one order of magnitude has been applied in scaling laboratory data to field conditions for predictions of geochemical reaction rates.