From:	Jennifer Bradfute
To:	Miano, Michelle, ENV; Yardman-Frank, Brian, ENV; Kelsea Sona
Cc:	Ogaz, Zachary, ENV
Subject:	[EXTERNAL] YGI Response to Questions for YGI Permit Application No. 10883
Date:	Wednesday, October 14, 2026 6:12:13 PM
Attachments:	image001.png Questions on Air Quality Permit Application No. 10883 Response.pdf

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Brian, Michelle, Kelsea,

Please see the attached responses to NMED's questions raised on Friday in Brian's email. We will be sending the referenced materials and modeling tomorrow under separate cover. YGI wants to continue to answer questions raised by NMED and in response to public comment as we work to continuously improve this project.

Thank you,
Jennifer

From: John Ke
Sent: Wednesday, October 14, 2026 6:59 PM
To: Kuhn, Julia, ENV <julia.kuhn@env.nm.gov>
Cc: Rob Liles <RLiles@trinityconsultants.com>
Subject: Response to Questions for YGI Permit Application No. 10883

Ms. Kuhn,

I've attached Yucca Growth Infrastructure LLC ("YGI"), Bloom Energy, and Trinity Consultants' response to questions sent by Brian Yardman-Frank on October 9, 2026 to Jennifer Bradfute. Updated dispersion modeling results and application components will be submitted under separate cover. Please let us know if you have any questions regarding this letter.

Thank you!

John Ke
Senior Consultant

O 651.275.9900 x2406
M 651.390.7165
2155 Woodlane Drive, Suite 101, Woodbury, MN 55125
Email: jke@trinityconsultants.com



Connect with us: LinkedIn / YouTube / trinityconsultants.com

View our capabilities in the Environmental Consulting, Built Environment, Life Sciences, and Water & Ecology markets.

Trinity Consultants
9400 Holly Ave NE, Bldg 3, Ste B, Albuquerque, NM 87122 / P 505.266.6611 / **trinityconsultants.com**

October 14, 2026

Julia Kuhn
Major Sources Manager
Permits Section
NMED Air Quality Bureau
525 Camino de los Marquez Suite 1
Santa Fe, NM 87505-1816

RE: Questions on Air Quality Permit Application No. 10883 Response (Agency Interest No. 41351 – PRN20260001) – YGI Microgrid

Ms. Kuhn:

Thank you for your e-mail dated October 1, 2026, requesting additional information. We understand that responsive information was provided at our in-person conference on October 5, 2026, and that AQB has issued superseding questions dated October 9, 2026, for which we are pleased to provide a response herein. Following discussions at our recent conference, updated dispersion modeling results and application components are submitted under a separate cover. These include updated UA-1, Section 1-C, UA-2 (including updates to Table 2-A, D, E, G, H, I, J, M, and P), and UA-3 Sections 6, 10, 12, 15, and 20. Please find the below summary of refinements being made to the microgrid and responses to each of NMED's specific questions below in ***bold, italic font***. Each of the AQBs questions is repeated verbatim, with the response following.

Microgrid Refinements in Response to NMED Feedback & Public Comment

After considering NMED's questions and public comments, and following NMED's guidance that YGI should focus on the most positive environmental impact possible, YGI seeks to make the following responsive refinements to its microgrid facility:

1. **Three-tier cluster design.** The same Bloom fuel cell modules will be consolidated using identical servers into 3-tier clusters, reducing the number of stacks from 2,275 to 1,263.[1] This design results in a consistent cluster configuration for all but one cluster in the microgrid and is responsive to NMED's request to keep the clusters uniform in configuration. Additional details regarding the specific parameters associated with these clusters are included in our responses below. This design yields dispersion modeling outputs that are consistent with the April modeling submission and, along with #4 below, will reduce the overall environmental impact of the microgrid by 35%.

[1] There will be one cluster that is not identical, due to the total number of modules included within the total nameplate power capacity.

Administrative Record NSR 10833_011979

2. **Taller stacks.** Stack height will increase from 30 to 45 feet, which will remain in compliance with the draft permit. The increased stack height provides an environmental benefit by allowing emissions to disperse more effectively before reaching ground level, reducing potential pollutant concentrations in the surrounding area.

3. **Revised stack parameters.** Exhaust temperature, velocity, and flow are updated in Table 2-H to reflect actual operation in a three-tier configuration. Multiple versions of Table 2-H have been provided to reflect the modeling scenarios described in item 5.

4. **Enforceable 1,600 MW operating cap.** To further address the NMED's guidance to ensure YGI prioritizes the environmental impact, YGI is requesting that a term and condition be added to the draft permit which limits the facility's operation of its 2,462 MW permitted capacity, through both an hourly limit and lower annual limits on output. The facility is being constructed with redundancy to ensure reliability for electricity delivery. As a result, YGI will not operate the facility at more than 1,600 MW, which represents 65% of the 2,462 MW. To more accurately reflect this operational limit and associated emissions, YGI requests a permit condition which would limit capacity for the microgrid in the form of an hourly and annual limit. This limit could either be in the form of an hourly and annual limit on the output capacity in annual MW-hour. This enforceable condition would significantly reduce maximum allowable emissions from the facility as shown in the table below. Emissions from the original application reflecting the entire nameplate capacity are shown, as are the reduced emissions based on the 65% operational limitation. YGI has included the emissions based on nameplate capacity in Table 2-D, and the requested allowable emissions in Table 2-E. Updated tables will be submitted under separate cover.

Pollutant*	**Annual Emissions based on Nameplate/Application (Shown in Table 2-D)**		**Annual Requested Emissions based on 1600MW Capacity (Shown in Table 2-E)*** **	
	lb/hr	**tpy**	**lb/hr**	**tpy**
NO_X	8.49	37.20	5.52	24.18
CO	36.81	161.21	23.92	104.77
VOC	28.31	124.01	18.40	80.59
SO_2	0.017	0.076	0.01	0.049
$PM_{10}/PM_{2.5}$	17.21	75.40	11.19	49.00
HAPs (Table 2-I)	0.3	1.4	0.21	0.92
CO_2e** (Table 2-P)	-	8,820,970	-	5,732,544

* Criteria and HAP pollutant limits include the 15% safety factor.

** GHG limits do not include the 15% safety factor, consistent with the draft permit.

*** Updated modeled emissions in Table 2-E and 2-H reflect the 1600MW operating cap.

These refinements respond directly to the concerns raised in public comments and result in a facility that is more protective of the environment and nearby communities. Commenters objected to the facility's greenhouse gas emissions and their effect on New Mexico's climate goals. The enforceable 1600MW operating cap answers that concern by cutting permitted greenhouse gas emissions by more than three million tons per year, from 8,820,970 to 5,732,544 tons. Commenters also expressed concern about the amounts of criteria pollutants; although the original draft permit would ensure compliance with ozone NAAQS, the cap nevertheless cuts both criteria pollutants and GHGs by 35%. Raising the stacks from 30 to 45 feet lets emissions disperse more before they reach the ground, which responds to residents' concerns about air quality in the neighborhoods closest to the facility. Finally, consolidating 2,275 stacks into 1,263 uniform clusters responds to commenters who asked for fewer emission points, and an hourly and annual cap on power output gives the public a clear, enforceable limit on the facility's emissions.

5. Alternate Modeling Scenario. YGI has also completed modeling of a scenario representing 100% of the stacks (1,263) operating at 100% of their capacity (2,462 MW) and associated exhaust parameters, resulting in the most conservative model results (i.e., lowest exhaust temperature). This scenario assumes that all units will be running at 100% load capacity, at an ambient temperature of 0 °C. This was done to ensure that regardless of how YGI meets the 1,600 MW operating cap that its operations will comply with the NAAQS. The facility will not operate above the requested 1,600 MW, this scenario models all 2,462 MW from all 1,263 stacks to provide assurance that the worst-case assumptions will be protective of the NAAQS. The results of this alternate modeling scenario will be submitted with the refined modeling under separate cover.

Response to NMED's Questions/Requests

Please find the responses below in ***bold, italic font***. Each of the AQBs questions is repeated verbatim, with the response following.

As part of this forthcoming air dispersion modeling submission, the Air Quality Bureau asks that YGI provide the following to ensure that the Air Quality Bureau can adequately review and confirm the information YGI provides:

1. Incorporation of TCEQ emissions data.

The cumulative impacts analysis for applicable pollutants includes all data received from TCEQ's Air Permits Allowables Database (APAD), with corrections as noted in form UA-4.

2. Specific emissions per stack and how the emissions relate to the number of clusters, servers, and power modules for each respective stack.

Per-stack emissions are reflected in the updated Table 2-G and in the enclosed calculation workbook. The physical layout has been altered to reflect a representative operating scenario where the model is limited to 65% capacity output. The revised system consists of (1,262) identical clusters each consisting of (6) 325-kW Energy Servers (ES); and a single cluster consisting of (3) 260-kW Energy Servers and (1) 325-kW Energy Server. The system nameplate capacity is identical to that shown in the application. However, the project will take a voluntary limit on capacity output to 1,600 MW. All emission factors and safety factors are unaltered. However, both hourly and annual emissions will be reduced by 35%.

Cluster Type	Count	325-kW ES per Cluster	260-kW ES per Cluster	Power Modules per Cluster	Nameplate Subtotal (MW)
A	1262	6	0	30	1262 @ 1.95 MW ea. = 2,460.9 MW
R	1	1	3	17	1 @ 1.105 MW ea. = 1.105 MW
All					2,462.005 MW

3. The flow rate, temperature, and other stack parameters with respect to flow composition (i.e. how much flow is from the hotbox, ventilation, and DC inverter modules), as well as any additional blowers or fans YGI intends to use.

In this configuration, all but one of the clusters will contain 30 operating power modules. As noted in our response to Question #2, there will be one cluster containing 17 power modules. Since all but one cluster consists of 30 power modules, the example information below is specific to those clusters. Following is a description of each parameter as well as the requested information.

<u>Release Height:</u>

As mentioned above, the modeling now reflects a three-tier configuration instead of the previously submitted two-tier structure. As a result of increasing the number of tiers, the release height for the stacks is now <u>45 ft</u> above grade instead of 30 ft. This value remains constant regardless of modeling scenario.

<u>Diameter:</u>

The release diameter is rectangular in nature and engineered to provide a discharge area of 52.25 ft^2 as originally represented. The same rectangular exhaust point is maintained from the previously submitted modeling demonstration. Since AERMOD cannot represent a rectangular stack, the

exhaust point is represented by a circular stack, which will have the same cross-sectional area, 52.25 ft^2. The following calculation shows how an equivalent diameter is calculated in order to model this stack in AERMOD.

$A = \pi r^2$ or $A = \pi(d/2)^2$ (where r is the radius of a circle and d is the diameter)

Solving for d, we get: $d = (4A/\pi)^{(1/2)}$

Solving for $d = ((4*(52.25\ ft^2))/ \pi)^{(1/2)} = 8.16$ ft

This value also remains constant regardless of the modeling scenario.

<u>Flow Rate and Temperature:</u>

Flow rate and exhaust temperature are interrelated modeling parameters based on the fuel cell design. For ease of review, we have provided a table below which provides the associated flow and temperature for the hotbox, cabinet ventilation, and DC module ventilation. The combined stream represented by the "Total" was used in the modeling for each cluster as shown in the "Modeled Parameters" table. The following table represents the flow for the entire 30-power module cluster in the 1,600 MW modeling and the associated emissions from Table 2-E.

Exhaust Makeup	*Temperature (°C)*	*Flow (acfs)*	*Flow Percentage*
Hotbox	364	78.78	13%
Cabinet Ventilation	61	293.91	48.5%
DC Module	64	233.31	38.5%
Total	103 (217.4 °F)	606	100%

Modeled Parameters for 30-Power Module Cluster (1,600 MW Modeling)

Modeled Values	*Exit Velocity (ft/s)*	*Temperature (°F)*
	11.6	217.4

Modeled Parameters for 17-Power Module Cluster (1,600 MW Modeling)

Modeled Values	*Exit Velocity (ft/s)*	*Temperature (°F)*
	6.24	217.4

The tables below outline the parameters for the alternate modeling scenario that assumes 100% of the clusters operating at 100% capacity (2,462 MW). This means that the modeled emissions correspond to those in Table 2-D. To be clear, the facility will never operate at these conditions, but the modeling in this scenario provides assurance that even at these assumptions, modeled concentrations from the facility will not cause or contribute to an exceedance of the NAAQS. The exit velocity increases because all 30 power modules are operating at 100% of their capacity. Temperature decreases based on worst-case meteorological conditions assumptions for the area.

Modeled Parameters for 30-Power Module Clusters (2,462 MW Modeling)

Modeled Values	*Exit Velocity (ft/s)*	*Temperature (°F)*
	12.7	163.4

Modeled Parameters for 17-Power Module Cluster (2,462 MW Modeling)

Modeled Values	*Exit Velocity (ft/s)*	*Temperature (°F)*
	6.81	163.4

The requested condition limits total facility output to 1,600 MW (65% of the 2,462MW nameplate capacity). Within that limit, an individual cluster may operate anywhere from idle up to 100% of its 1.95 MW rating (as cited in Question #2). To cover the range of load distributions the condition allows, YGI modeled two operating cases using exhaust parameters at (1) all 1,263 clusters at an equal 65% load; and (2) 1,263 clusters at 100% load. Because case 2 is not achievable in practice, it represents a reasonable impact ceiling and the two scenarios together are indicative that compliance with the NAAQS is achieved at multiple variable load scenarios.

4. All supporting calculations used to justify the parameters and associated emissions.

Supporting information for the modeling parameters was provided in the response to question #3. Table 2-G emission rates are determined in the same manner as described in Section 6 of the application. Below is a sample calculation showing how the carbon monoxide (CO) emission rate per cluster (which includes a safety factor) is determined:

Cluster Size (MW) = Power Modules (PM) per Cluster × 0.065 MW per Power Module

1.95 MW/Cluster = 30 PMs/Cluster × 0.065 MW/PM (Type A)

1.105 MW/Cluster = 17 PMs/Cluster × 0.065 MW/PM (Type R)

Emission Rate per Cluster (lb/hr) = Emission Factor (lb/MW-hr) × Cluster Size (MW) × 115%

0.00673 lb NO_x /hr = 0.003 lb/MW-hr × 1.95 MW × 115%

0.00381 lb NO_x /hr = 0.003 lb/MW-hr × 1.105 MW × 115%

Facility Total Emission Rate (lb/hr) = Emission Factor (lb/MW-hr) × System Nameplate (MW) × 115%

8.49 lb NO_X /hr = 0.003 lb/MW-hr × 2462 MW × 115%

Using the 1,600 MW cap:

5.52 lb NO_X/hr = 0.003 lb/MW-hr x 1600MW x 115%

5. A detailed description as to the specific changes that YGI is making compared to its 10/18/20 configuration.

As noted above, the system has been configured to eliminate differences in power modules across the various clusters. The clusters have a larger number of power modules (30 instead of 10, 18, or 20) to improve energy density. Accordingly, there will be a total of 1,263 clusters (rather than 2,275). For the same reason, the (1,262) 30-power module clusters (+1 smaller 17-module cluster) will be arranged in three vertical tiers, increasing the release height from 30-feet to 45-feet. Section 5 (plot plan) is updated to show the revised layout due to the elimination of (1,012) clusters.

While there is a change in layout, there are no additional structures like an administrative office or a maintenance shed that has been added to the area of influence. The downwash analysis has been updated to reflect the three-tier structure; the three-tier structure has raised building height from 25 ft. to 32 ft. The site still maintains more than a 100 m buffer from the fenceline, and so buildings at the nearby data center (estimated to be between 30-50 ft. tall) would not be near enough, using the 5L rule, to have an impact on stack downwash. The only buildings included in the BPIP inputs runs are those in the site layout.

If you have any questions or comments about the information presented in this letter, please do not hesitate to call Trinity's Albuquerque Office at 505-266-6611.

Sincerely,

TRINITY CONSULTANTS

John Ke
Senior Consultant

From: John Ke
To: james.oren.browning@gmail.com; Lopez, Luis, ENV; Jones, Pamela, ENV; Ogaz, Zachary, ENV; Yardman-Frank, Brian, ENV; Jennifer Bradfute; david@bradfutelaw.com; Mariel Nanasi; Kelsea Sona; amanda@roblesrael.com; Kimberly Rael; mlocke@nmelc.org; ejantz@nmelc.org; sbaer@biologicaldiversity.org; GEvans@biologicaldiversity.org; ccox@biologicaldiversity.org; Jennifer Biever; Carlos Romo; Corey Lim; chris@fayerbergdodd.com; esperanza@yuccanm.org; editor@thecandlepublishing.com; joe@progressnownm.org; Chen, Yiwei, EDD; Chakeres, Nathaniel, OSE; robert.aubert@dc36.org; izemke; courtenaye@ualocal412.org; andre@ualocal412.org; markgtrujillo@ibew611.org; darrell.deaguero@liuna16.org; mlor@liuna.org; inspector@sunshineaudit.com; rockybacchus@gmail.com; dobbin.cc@gmail.com; smaeznm@gmail.com
Subject: [EXTERNAL] YGI Response to NMED
Date: Friday, October 16, 2026 2:33:24 PM
Attachments: image001.png

Some people who received this message don't often get email from jke@trinityconsultants.com. Learn why this is important

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hi all,

Please follow the instructions below this email to download the files that YGI has shared with the NMED. We are providing PDFs of our letter response to NMED, the application forms and tables that were updated as part of this response, and AERMOD modeling files. Please let us know if you have any difficulty with accessing the site.

Thanks!

John Ke
Senior Consultant

O 651.275.9900 x2406
M 651.390.7165
2155 Woodlane Drive, Suite 101, Woodbury, MN 55125
Email: jke@trinityconsultants.com



Connect with us: LinkedIn / YouTube / trinityconsultants.com

Files attached to this message

Filename	Size	Checksum (SHA256)
A-XXXX-YGI Microgrid-Form Compilation 2026-1016 Response.pdf	10.2 MB	c3d5bf671423924588d0c6cfbac4cc98e54f594edc3edb8a8a7c7d095893569e
YGI Modeling Files Submittal - 2026-1015.zip	99.1 MB	9808bc54ae0c9f4253b41804f17ebaaba68cab95718506e62520aa09eef956fd
Questions on Air Quality Permit Application No. 10883 Response.pdf	250 KB	6ae17d69517d1a895944591acf19f0cbd2cf7bc56b2a2c1d176702e0cbe6b880

This email or download link can not be forwarded to anyone else. Upon clicking on this link, you may be prompted to enter your email address once for verification. During the email verification process, a second email is sent to your email inbox containing the verification key to access the files.
Please click on the following link to download the attachments:

https://files.trinityconsultants.com/message/q844HC0YTOr3C8LtI8Clc2
The attachments are available until: **Sunday, 15 November.**
Message ID: q844HC0YTOr3C8LtI8Clc2

View our capabilities in the Environmental Consulting, Built Environment, Life Sciences, and Water & Ecology markets.

b	Plant Operator's New Mexico Corporate ID or Tax ID: 77-0565408	
3	Plant Owner(s) name(s): Yucca Growth Infrastructure, LLC	Phone/Fax: (336) 339-2363
a	Plant Owner(s) Mailing Address(s): 600 Congress Ave, Suite 15041, Austin, TX 78701	
4	Bill To (Company): Yucca Growth Infrastructure, LLC	Phone/Fax: (336) 339-2363
a	Mailing Address: 600 Congress Ave, Suite 15041, Austin, TX 78701	E-mail: notices@borderplexdigital.com
5	☑ Preparer: Trinity Consultants	Phone/Fax: 505-266-6611
a	Mailing Address: 9400 Holly Avenue NE, Building 3, Suite B, Albuquerque, NM 87122	E-mail: Trinitynm@trinityconsultants.com
6	Plant Operator Contact: Amanda Marruffo	Phone/Fax: (214) 435-4587
a	Address: 4353 North First Ave, San Jose, CA 95134	E-mail: Amanda.marruffo@bloomenergy.com
7	Air Permit Contact 1: Amanda Marruffo	Title: Director, EH&S
a	E-mail: amanda.marruffo@bloomenergy.com	Phone/Fax: (214) 435-4587
b	Mailing Address: 4353 North First Ave, San Jose, CA 95134	
	Air Permit Contact 2: Jacques Greyling	Title: Director
a	E-mail: jgreyling@borderplexdigital.com	Phone/Fax: (210) 400-0591
b	Mailing Address: 600 Congress Ave, Suite 15041, Austin, TX 78701	
c	The designated Air permit Contact will receive all official correspondence (i.e. letters, permits) from the Air Quality Bureau.	

Section 1-B: Current Facility Status

1.a	Has this facility already been constructed? ☐ Yes ☑ No	1.b If yes to question 1.a, is it currently operating in New Mexico? ☐ Yes ☐ No
2	If yes to question 1.a, was the existing facility subject to a Notice of Intent (NOI) (20.2.73 NMAC) before submittal of this application? ☐ Yes ☐ No	If yes to question 1.a, was the existing facility subject to a construction permit (20.2.72 NMAC) before submittal of this application? ☐ Yes ☐ No
3	Is the facility currently shut down? ☐ Yes ☑ No	If yes, give month and year of shut down (MM/YY): N/A
4	Was this facility constructed before 8/31/1972 and continuously operated since 1972? ☐ Yes ☑ No	
5	If Yes to question 3, has this facility been modified (see 20.2.72.7.P NMAC) or the capacity increased since 8/31/1972? ☐Yes ☐No ☑N/A	
6	Does this facility have a Title V operating permit (20.2.70 NMAC)? ☐ Yes ☑ No	If yes, the permit No. is: N/A
7	Has this facility been issued a No Permit Required (NPR)? ☐ Yes ☑ No	If yes, the NPR No. is: N/A
8	Has this facility been issued a Notice of Intent (NOI)? ☐ Yes ☑ No	If yes, the NOI No. is: N/A
9	Does this facility have a construction permit (20.2.72/20.2.74 NMAC)? ☐ Yes ☑ No	If yes, the permit No. is: N/A
10	Is this facility registered under a General permit (GCP-1, GCP-2, etc.)? ☐ Yes ☑ No	If yes, the register No. is: N/A

Section 1-C: Facility Input Capacity & Production Rate

1	What is the facility's maximum input capacity, specify units (reference here and list capacities in Section 20, if more room is required)			
a	Current	Hourly: N/A	Daily: N/A	Annually: N/A
b	Proposed	Hourly: 12.46 MMscf/h	Daily: 299.11 MMscf/d	Annually: 109,175.88 MMscf/y

Administrative Record NSR 10833_011988

2	What is the facility's maximum production rate, specify units (reference here and list capacities in Section 20, if more room is required)			
a	Current	Hourly: N/A	Daily: N/A	Annually: N/A
b	Proposed	Hourly: 1,600 MW	Daily: 38,400 MWh/d	Annually: 14,016,000 MWh/y

Section 1-D: Facility Location Information

1	Section: 35	Range: 2E	Township: 28S	County: Doña Ana	Elevation (ft): 4124
2	UTM Zone: ☐ 12 or ☑ 13			Datum: ☐ NAD 27 ☐ NAD 83 ☑ WGS 84	
a	UTM E (in meters, to nearest 10 meters): 341,072 m			UTM N (in meters, to nearest 10 meters): 3,521,528 m	
b	**AND** Latitude (deg., min., sec.): 31° 49′ 06″			Longitude (deg., min., sec.): –106° 40′ 45″	
3	Name and zip code of nearest New Mexico town: Santa Teresa, 88008				
4	Detailed Driving Instructions from nearest NM town (attach a road map if necessary): From the intersection of Airport Rd and NM-136W in Santa Teresa NM, go south on NM-136 for 2.6 miles and turn left. Continue for 0.3 mi to site on right.				
5	The facility is **3.6** (distance) miles **south** (direction) of **Santa Teresa** (nearest town).				
6	Status of land at facility (check one): ☑ Private ☐ Indian/Pueblo ☐ Federal BLM ☐ Federal Forest Service ☐ Other (specify)				
7	List all municipalities, Indian tribes, and counties within a ten (10) mile radius (20.2.72.203.B.2 NMAC) of the property on which the facility is proposed to be constructed or operated: Municipalities: El Paso (4.6 mi), Sunland Park (6.0 mi), Vinton (9.85 mi) Indian tribes: N/A Counties: Doña Ana				
8	**20.2.72** NMAC applications **only**: Will the property on which the facility is proposed to be constructed or operated be closer than 50 km (31 miles) to other states, Bernalillo County, or a Class I area (see www.env.nm.gov/air-quality/modeling-publications/ http://www.nmenv.state.nm.us/aqb/modeling/class1areas.html)? ☑ Yes ☐ No (20.2.72.206.A.7 NMAC) If yes, list all with corresponding distances in kilometers: State of Texas border is 7 km to the East				
9	Name nearest Class I area: Guadalupe Mountains National Park				
10	Shortest distance (in km) from facility boundary to the boundary of the nearest Class I area (to the nearest 10 meters): 156.5 km				
11	Distance (meters) from the perimeter of the Area of Operations (AO is defined as the plant site inclusive of all disturbed lands, including mining overburden removal areas) to nearest residence, school or occupied structure: 1500 m				
12	Method(s) used to delineate the Restricted Area: Continuous fencing. "**Restricted Area**" is an area to which public entry is effectively precluded. Effective barriers include continuous fencing, continuous walls, or other continuous barriers approved by the Department, such as rugged physical terrain with steep grade that would require special equipment to traverse. If a large property is completely enclosed by fencing, a restricted area within the property may be identified with signage only. Public roads cannot be part of a Restricted Area.				
13	Does the owner/operator intend to operate this source as a portable stationary source as defined in 20.2.72.7.X NMAC? ☐ Yes ☑ No A portable stationary source is not a mobile source, such as an automobile, but a source that can be installed permanently at one location or that can be re-installed at various locations, such as a hot mix asphalt plant that is moved to different job sites.				
14	Will this facility operate in conjunction with other air regulated parties on the same property? ☑ No ☐ Yes If yes, what is the name and permit number (if known) of the other facility?				

Section 1-E: Proposed Operating Schedule (The 1-E.1 & 1-E.2 operating schedules may become conditions in the permit.)

1	Facility **maximum** operating ($\frac{\text{hours}}{\text{day}}$): 24	($\frac{\text{days}}{\text{week}}$): 7	($\frac{\text{weeks}}{\text{year}}$): 52	($\frac{\text{hours}}{\text{year}}$): 8760		
2	Facility's maximum daily operating schedule (if less than 24 $\frac{\text{hours}}{\text{day}}$)? Start:		☐AM ☐PM	End:	☐AM ☐PM	
3	Month and year of anticipated start of construction: Upon Permit Issuance					

Administrative Record NSR 10833_011989

Table 2-A: Regulated Emission Sources

Unit and stack numbering must correspond throughout the application package. If applying for a NOI under 20.2.73 NMAC, equipment exemptions under 2.72.202 NMAC do not apply.

Unit Number[1]	Source Description	Make	Model #	Serial #	Manufact-urer's Rated Capacity[3] (Specify Units)	Requested Permitted Capacity[3] (Specify Units)	Date of Manufacture[2] / Date of Construction/ Reconstruction[2]	Controlled by Unit # / Emissions vented to Stack #	Source Classi-fication Code (SCC)	For Each Piece of Equipment, Check One	RICE Ignition Type (CI, SI, 4SLB, 4SRB, 2SLB)[4]	Replacing Unit No.
SOFC	Energy Server System	Bloom	Energy Server 6.5	TBD	2,462 MW	1,600 MW	TBD TBD	N/A SOFC	20100201	☐ Existing (unchanged) ☐ To be Removed ☑ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	N/A	N/A
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		

[1] Unit numbers must correspond to unit numbers in the previous permit unless a complete cross reference table of all units in both permits is provided.

[2] Specify dates required to determine regulatory applicability.

[3] YGI plans to construct the full permitted capacity of 2,462 MW, but plans to limit operations such that total operating capacity never goes above 1,600 MW.

[4] "4SLB" means four stroke lean burn engine, "4SRB" means four stroke rich burn engine, "2SLB" means two stroke lean burn engine, "CI" means compression ignition, and "SI" means spark ignition

Administrative Record NSR 10833_011990

Table 2-D: Maximum Emissions (under normal operating conditions)

☐ **This Table was intentionally left blank because it would be identical to Table 2-E.**

Maximum Emissions are the emissions at maximum capacity and prior to (in the absence of) pollution control, emission-reducing process equipment, or any other emission reduction. Calculate the hourly emissions using the worst case hourly emissions for each pollutant. For each pollutant, calculate the annual emissions as if the facility were operating at maximum plant capacity without pollution controls for 8760 hours per year, unless otherwise approved by the Department. List Hazardous Air Pollutants (HAP) & Toxic Air Pollutants (TAPs) in Table 2-I. Unit & stack numbering must be consistent throughout the application package. Fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E-4).

Unit No.	NOx		CO		VOC		SOx		PM[1]		PM10[1]		PM2.5[1]		H_2S		Lead	
	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC	8.49	37.20	36.81	161.21	28.31	124.01	0.02	0.08	17.21	75.40	17.21	75.40	17.21	75.40	-	-	-	-
Totals	8.49	37.20	36.81	161.21	28.31	124.01	0.017	0.076	17.21	75.40	17.21	75.40	17.21	75.40	-	-	-	-

[1]**Condensable Particulate Matter:** Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source. Do not include condensable particulate matter for PM unless PM is set equal to PM10 and PM2.5. Particulate matter (PM) is not subject to an ambient air quality standard, but PM is a regulated air pollutant under PSD (20.2.74 NMAC) and Title V (20.2.70 NMAC).

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Administrative Record NSR 10833_011991

Table 2-E: Requested Allowable Emissions

Unit & stack numbering must be consistent throughout the application package. Fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E^{-4}).

Unit No.	NOx		CO		VOC		SOx		PM[1]		PM10[1]		PM2.5[1]		H_2S		Lead	
	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC[2]	5.52	24.18	23.92	104.77	18.40	80.59	0.01	0.05	11.19	49.00	11.19	49.00	11.19	49.00	-	-	-	-
Total:	5.52	24.18	23.92	104.77	18.40	80.59	0.011	0.049	11.19	49.00	11.19	49.00	11.19	49.00	-	-	-	-

[1] **Condensable Particulate Matter:** Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source. Do not include condensable particulate matter for PM unless PM is set equal to PM10 and PM2.5. Particulate matter (PM) is not subject to an ambient air quality standard, but it is a regulated air pollutant under PSD (20.2.74 NMAC) and Title V (20.2.70 NMAC).

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certain "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To be conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

[2]Emissions represent operation at the 1600 MW capacity permit limit.

Administrative Record NSR 10833_011992

Table 2-G: Stack Exit and Fugitive Emission Rates for Special Stacks

☐ I have elected to leave this table blank because this facility does not have any stacks/vents that split emissions from a single source or combine emissions from more than one source listed in table 2-A. Additionally, the emission rates of all stacks match the Requested allowable emission rates stated in Table 2-E.

Use this table to list stack emissions (requested allowable) from split and combined stacks. List Toxic Air Pollutants (TAPs) and Hazardous Air Pollutants (HAPs) in Table 2-I. List all fugitives that are associated with the normal, routine, and non-emergency operation of the facility. Unit and stack numbering must correspond throughout the application package. Refer to Table 2-E for instructions on use of the "-" symbol and on significant figures.

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-2	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-3	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-4	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-5	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-6	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-7	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-8	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-9	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-10	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-11	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-12	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-13	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-14	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-15	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-16	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-17	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-18	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-19	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-20	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-21	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-22	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-23	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-24	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-25	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-26	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-27	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-28	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-29	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-30	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-31	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011993

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-32	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-33	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-34	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-35	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-36	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-37	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-38	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-39	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-40	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-41	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-42	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-43	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-44	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-45	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-46	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-47	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-48	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-49	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-50	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-51	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-52	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-53	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-54	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-55	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-56	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-57	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-58	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-59	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-60	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-61	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-62	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-63	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-64	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-65	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-66	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-67	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-68	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011994

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-69	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-70	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-71	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-72	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-73	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-74	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-75	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-76	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-77	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-78	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-79	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-80	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-81	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-82	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-83	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-84	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-85	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-86	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-87	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-88	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-89	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-90	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-91	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-92	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-93	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-94	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-95	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-96	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-97	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-98	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-99	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-100	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-101	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-102	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-103	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-104	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-105	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-106	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-107	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-108	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-109	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-110	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-111	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-112	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-113	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-114	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-115	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-116	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-117	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-118	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-119	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-120	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-121	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-122	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-123	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-124	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-125	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-126	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-127	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-128	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-129	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-130	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-131	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-132	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-133	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-134	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-135	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-136	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-137	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-138	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-139	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-140	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-141	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-142	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011996

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-143	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-144	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-145	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-146	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-147	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-148	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-149	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-150	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-151	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-152	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-153	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-154	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-155	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-156	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-157	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-158	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-159	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-160	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-161	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-162	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-163	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-164	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-165	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-166	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-167	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-168	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-169	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-170	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-171	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-172	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-173	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-174	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-175	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-176	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-177	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-178	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-179	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011997

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-180	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-181	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-182	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-183	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-184	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-185	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-186	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-187	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-188	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-189	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-190	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-191	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-192	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-193	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-194	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-195	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-196	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-197	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-198	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-199	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-200	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-201	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-202	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-203	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-204	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-205	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-206	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-207	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-208	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-209	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-210	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-211	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-212	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-213	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-214	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-215	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-216	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011998

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-217	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-218	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-219	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-220	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-221	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-222	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-223	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-224	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-225	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-226	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-227	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-228	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-229	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-230	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-231	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-232	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-233	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-234	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-235	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-236	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-237	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-238	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-239	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-240	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-241	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-242	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-243	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-244	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-245	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-246	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-247	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-248	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-249	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-250	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-251	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-252	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-253	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_011999

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-254	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-255	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-256	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-257	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-258	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-259	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-260	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-261	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-262	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-263	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-264	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-265	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-266	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-267	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-268	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-269	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-270	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-271	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-272	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-273	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-274	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-275	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-276	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-277	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-278	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-279	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-280	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-281	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-282	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-283	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-284	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-285	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-286	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-287	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-288	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-289	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-290	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-291	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-292	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-293	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-294	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-295	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-296	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-297	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-298	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-299	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-300	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-301	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-302	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-303	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-304	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-305	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-306	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-307	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-308	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-309	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-310	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-311	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-312	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-313	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-314	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-315	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-316	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-317	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-318	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-319	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-320	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-321	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-322	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-323	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-324	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-325	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-326	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-327	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-328	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-329	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-330	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-331	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-332	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-333	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-334	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-335	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-336	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-337	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-338	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-339	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-340	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-341	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-342	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-343	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-344	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-345	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-346	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-347	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-348	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-349	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-350	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-351	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-352	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-353	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-354	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-355	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-356	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-357	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-358	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-359	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-360	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-361	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-362	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-363	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-364	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012002

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-365	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-366	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-367	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-368	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-369	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-370	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-371	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-372	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-373	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-374	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-375	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-376	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-377	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-378	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-379	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-380	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-381	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-382	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-383	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-384	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-385	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-386	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-387	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-388	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-389	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-390	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-391	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-392	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-393	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-394	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-395	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-396	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-397	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-398	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-399	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-400	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-401	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-402	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-403	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-404	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-405	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-406	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-407	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-408	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-409	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-410	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-411	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-412	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-413	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-414	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-415	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-416	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-417	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-418	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-419	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-420	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-421	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-422	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-423	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-424	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-425	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-426	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-427	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-428	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-429	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-430	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-431	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-432	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-433	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-434	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-435	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-436	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-437	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-438	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012004

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-439	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-440	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-441	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-442	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-443	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-444	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-445	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-446	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-447	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-448	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-449	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-450	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-451	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-452	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-453	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-454	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-455	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-456	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-457	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-458	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-459	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-460	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-461	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-462	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-463	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-464	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-465	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-466	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-467	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-468	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-469	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-470	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-471	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-472	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-473	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-474	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-475	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-476	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-477	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-478	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-479	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-480	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-481	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-482	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-483	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-484	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-485	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-486	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-487	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-488	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-489	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-490	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-491	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-492	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-493	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-494	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-495	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-496	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-497	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-498	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-499	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-500	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-501	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-502	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-503	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-504	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-505	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-506	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-507	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-508	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-509	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-510	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-511	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-512	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012006

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-513	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-514	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-515	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-516	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-517	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-518	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-519	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-520	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-521	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-522	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-523	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-524	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-525	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-526	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-527	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-528	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-529	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-530	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-531	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-532	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-533	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-534	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-535	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-536	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-537	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-538	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-539	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-540	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-541	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-542	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-543	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-544	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-545	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-546	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-547	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-548	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-549	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-550	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-551	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-552	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-553	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-554	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-555	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-556	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-557	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-558	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-559	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-560	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-561	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-562	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-563	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-564	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-565	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-566	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-567	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-568	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-569	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-570	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-571	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-572	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-573	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-574	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-575	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-576	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-577	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-578	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-579	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-580	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-581	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-582	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-583	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-584	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-585	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-586	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012008

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-587	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-588	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-589	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-590	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-591	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-592	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-593	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-594	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-595	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-596	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-597	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-598	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-599	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-600	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-601	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-602	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-603	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-604	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-605	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-606	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-607	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-608	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-609	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-610	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-611	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-612	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-613	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-614	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-615	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-616	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-617	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-618	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-619	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-620	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-621	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-622	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-623	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012009

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-624	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-625	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-626	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-627	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-628	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-629	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-630	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-631	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-632	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-633	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-634	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-635	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-636	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-637	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-638	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-639	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-640	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-641	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-642	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-643	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-644	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-645	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-646	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-647	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-648	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-649	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-650	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-651	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-652	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-653	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-654	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-655	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-656	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-657	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-658	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-659	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-660	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012010

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-661	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-662	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-663	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-664	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-665	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-666	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-667	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-668	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-669	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-670	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-671	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-672	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-673	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-674	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-675	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-676	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-677	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-678	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-679	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-680	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-681	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-682	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-683	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-684	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-685	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-686	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-687	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-688	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-689	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-690	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-691	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-692	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-693	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-694	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-695	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-696	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-697	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012011

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-698	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-699	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-700	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-701	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-702	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-703	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-704	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-705	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-706	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-707	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-708	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-709	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-710	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-711	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-712	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-713	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-714	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-715	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-716	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-717	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-718	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-719	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-720	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-721	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-722	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-723	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-724	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-725	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-726	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-727	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-728	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-729	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-730	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-731	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-732	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-733	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-734	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012012

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-735	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-736	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-737	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-738	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-739	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-740	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-741	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-742	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-743	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-744	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-745	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-746	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-747	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-748	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-749	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-750	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-751	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-752	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-753	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-754	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-755	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-756	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-757	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-758	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-759	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-760	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-761	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-762	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-763	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-764	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-765	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-766	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-767	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-768	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-769	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-770	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-771	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-772	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-773	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-774	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-775	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-776	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-777	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-778	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-779	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-780	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-781	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-782	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-783	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-784	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-785	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-786	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-787	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-788	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-789	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-790	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-791	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-792	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-793	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-794	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-795	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-796	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-797	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-798	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-799	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-800	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-801	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-802	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-803	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-804	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-805	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-806	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-807	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-808	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012014

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-809	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-810	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-811	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-812	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-813	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-814	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-815	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-816	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-817	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-818	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-819	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-820	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-821	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-822	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-823	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-824	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-825	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-826	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-827	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-828	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-829	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-830	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-831	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-832	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-833	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-834	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-835	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-836	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-837	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-838	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-839	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-840	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-841	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-842	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-843	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-844	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-845	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-846	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-847	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-848	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-849	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-850	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-851	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-852	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-853	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-854	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-855	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-856	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-857	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-858	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-859	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-860	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-861	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-862	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-863	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-864	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-865	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-866	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-867	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-868	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-869	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-870	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-871	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-872	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-873	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-874	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-875	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-876	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-877	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-878	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-879	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-880	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-881	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-882	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012016

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-883	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-884	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-885	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-886	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-887	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-888	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-889	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-890	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-891	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-892	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-893	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-894	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-895	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-896	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-897	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-898	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-899	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-900	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-901	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-902	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-903	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-904	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-905	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-906	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-907	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-908	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-909	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-910	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-911	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-912	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-913	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-914	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-915	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-916	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-917	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-918	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-919	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-920	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-921	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-922	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-923	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-924	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-925	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-926	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-927	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-928	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-929	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-930	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-931	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-932	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-933	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-934	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-935	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-936	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-937	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-938	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-939	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-940	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-941	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-942	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-943	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-944	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-945	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-946	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-947	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-948	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-949	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-950	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-951	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-952	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-953	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-954	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-955	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-956	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012018

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-957	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-958	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-959	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-960	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-961	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-962	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-963	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-964	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-965	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-966	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-967	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-968	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-969	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-970	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-971	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-972	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-973	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-974	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-975	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-976	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-977	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-978	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-979	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-980	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-981	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-982	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-983	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-984	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-985	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-986	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-987	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-988	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-989	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-990	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-991	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-992	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-993	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-994	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-995	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-996	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-997	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-998	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-999	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1000	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1001	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1002	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1003	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1004	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1005	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1006	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1007	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1008	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1009	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1010	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1011	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1012	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1013	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1014	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1015	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1016	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1017	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1018	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1019	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1020	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1021	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1022	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1023	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1024	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1025	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1026	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1027	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1028	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1029	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1030	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012020

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1031	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1032	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1033	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1034	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1035	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1036	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1037	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1038	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1039	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1040	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1041	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1042	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1043	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1044	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1045	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1046	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1047	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1048	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1049	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1050	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1051	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1052	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1053	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1054	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1055	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1056	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1057	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1058	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1059	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1060	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1061	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1062	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1063	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1064	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1065	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1066	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1067	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1068	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1069	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1070	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1071	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1072	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1073	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1074	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1075	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1076	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1077	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1078	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1079	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1080	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1081	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1082	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1083	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1084	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1085	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1086	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1087	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1088	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1089	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1090	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1091	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1092	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1093	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1094	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1095	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1096	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1097	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1098	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1099	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1100	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1101	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1102	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1103	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1104	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1105	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1106	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1107	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1108	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1109	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1110	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1111	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1112	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1113	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1114	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1115	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1116	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1117	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1118	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1119	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1120	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1121	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1122	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1123	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1124	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1125	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1126	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1127	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1128	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1129	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1130	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1131	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1132	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1133	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1134	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1135	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1136	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1137	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1138	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1139	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1140	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1141	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1142	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1143	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1144	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1145	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1146	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1147	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1148	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1149	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1150	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1151	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1152	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1153	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1154	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1155	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1156	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1157	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1158	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1159	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1160	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1161	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1162	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1163	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1164	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1165	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1166	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1167	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1168	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1169	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1170	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1171	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1172	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1173	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1174	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1175	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1176	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1177	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1178	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1179	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1180	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1181	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1182	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1183	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1184	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1185	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1186	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1187	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1188	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1189	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1190	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1191	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1192	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1193	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1194	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1195	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1196	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1197	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1198	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1199	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1200	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1201	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1202	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1203	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1204	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1205	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1206	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1207	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1208	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1209	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1210	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1211	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1212	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1213	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1214	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1215	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1216	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1217	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1218	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1219	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1220	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1221	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1222	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1223	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1224	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1225	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1226	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1227	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1228	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1229	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1230	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1231	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1232	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1233	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1234	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1235	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1236	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1237	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1238	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1239	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1240	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1241	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1242	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1243	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1244	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1245	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1246	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1247	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1248	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1249	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1250	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1251	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1252	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1253	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1254	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1255	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1256	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1257	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1258	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1259	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1260	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1261	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1262	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1263	SOFC	2.48E-03	1.09E-02	1.07E-02	4.70E-02	8.26E-03	3.62E-02	5.06E-06	2.22E-05	5.02E-03	2.20E-02	5.02E-03	2.20E-02	5.02E-03	2.20E-02	-	-
Totals:		5.52	24.18	23.92	104.77	18.40	80.59	1.13E-02	4.94E-02	11.19	49.00	11.19	49.00	11.19	49.00	-	-

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Both hourly and annual emission rates reflected in this table represent emissions associated with the requested operating cap (i.e., 1600 MW). Emissions in this table sum to the requested allowable emissions in Table 2-E.

Table 2-G: Stack Exit and Fugitive Emission Rates for Special Stacks

☐ I have elected to leave this table blank because this facility does not have any stacks/vents that split emissions from a single source or combine emissions from more than one source listed in table 2-A. Additionally, the emission rates of all stacks match the Requested allowable emission rates stated in Table 2-E.

Use this table to list stack emissions (requested allowable) from split and combined stacks. List Toxic Air Pollutants (TAPs) and Hazardous Air Pollutants (HAPs) in Table 2-I. List all fugitives that are associated with the normal, routine, and non-emergency operation of the facility. Unit and stack numbering must correspond throughout the application package. Refer to Table 2-E for instructions on use of the "-" symbol and on significant figures.

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-2	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-3	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-4	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-5	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-6	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-7	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-8	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-9	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-10	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-11	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-12	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-13	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-14	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-15	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-16	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-17	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-18	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-19	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-20	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-21	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-22	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-23	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-24	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-25	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-26	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-27	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-28	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-29	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-30	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-31	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012028

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-32	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-33	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-34	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-35	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-36	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-37	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-38	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-39	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-40	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-41	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-42	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-43	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-44	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-45	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-46	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-47	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-48	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-49	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-50	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-51	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-52	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-53	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-54	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-55	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-56	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-57	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-58	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-59	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-60	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-61	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-62	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-63	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-64	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-65	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-66	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-67	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-68	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-69	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012029

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-70	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-71	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-72	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-73	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-74	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-75	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-76	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-77	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-78	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-79	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-80	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-81	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-82	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-83	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-84	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-85	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-86	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-87	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-88	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-89	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-90	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-91	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-92	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-93	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-94	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-95	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-96	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-97	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-98	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-99	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-100	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-101	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-102	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-103	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-104	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-105	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-106	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-107	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012030

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-108	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-109	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-110	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-111	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-112	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-113	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-114	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-115	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-116	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-117	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-118	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-119	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-120	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-121	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-122	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-123	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-124	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-125	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-126	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-127	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-128	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-129	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-130	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-131	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-132	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-133	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-134	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-135	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-136	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-137	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-138	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-139	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-140	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-141	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-142	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-143	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-144	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-145	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-146	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-147	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-148	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-149	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-150	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-151	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-152	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-153	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-154	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-155	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-156	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-157	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-158	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-159	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-160	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-161	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-162	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-163	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-164	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-165	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-166	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-167	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-168	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-169	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-170	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-171	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-172	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-173	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-174	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-175	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-176	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-177	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-178	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-179	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-180	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-181	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-182	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-183	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-184	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-185	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-186	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-187	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-188	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-189	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-190	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-191	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-192	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-193	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-194	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-195	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-196	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-197	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-198	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-199	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-200	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-201	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-202	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-203	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-204	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-205	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-206	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-207	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-208	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-209	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-210	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-211	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-212	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-213	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-214	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-215	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-216	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-217	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-218	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-219	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-220	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-221	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-222	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-223	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-224	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-225	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-226	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-227	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-228	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-229	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-230	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-231	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-232	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-233	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-234	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-235	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-236	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-237	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-238	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-239	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-240	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-241	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-242	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-243	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-244	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-245	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-246	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-247	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-248	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-249	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-250	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-251	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-252	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-253	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-254	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-255	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-256	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-257	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-258	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-259	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-260	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-261	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-262	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-263	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-264	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-265	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-266	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-267	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-268	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-269	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-270	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-271	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-272	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-273	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-274	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-275	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-276	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-277	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-278	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-279	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-280	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-281	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-282	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-283	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-284	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-285	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-286	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-287	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-288	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-289	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-290	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-291	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-292	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-293	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-294	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-295	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-296	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-297	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-298	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-299	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-300	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-301	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-302	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-303	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-304	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-305	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-306	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-307	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-308	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-309	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-310	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-311	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-312	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-313	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-314	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-315	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-316	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-317	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-318	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-319	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-320	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-321	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-322	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-323	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-324	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-325	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-326	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-327	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-328	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-329	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-330	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-331	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-332	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-333	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-334	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-335	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-336	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-337	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-338	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-339	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-340	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-341	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-342	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-343	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-344	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-345	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-346	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-347	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-348	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-349	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-350	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-351	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-352	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-353	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-354	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-355	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-356	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-357	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-358	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-359	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-360	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-361	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-362	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-363	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-364	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-365	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-366	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-367	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-368	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-369	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-370	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-371	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-372	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-373	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-374	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-375	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-376	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-377	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-378	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-379	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-380	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-381	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-382	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-383	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-384	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-385	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-386	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-387	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-388	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-389	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-390	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-391	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-392	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-393	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-394	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-395	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-396	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-397	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-398	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-399	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-400	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-401	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-402	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-403	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-404	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-405	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-406	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-407	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-408	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-409	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-410	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-411	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-412	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-413	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-414	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-415	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-416	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-417	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-418	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-419	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-420	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-421	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-422	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-423	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-424	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-425	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-426	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-427	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-428	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-429	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-430	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-431	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-432	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-433	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-434	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-435	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-436	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-437	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-438	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-439	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-440	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-441	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-442	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-443	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-444	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-445	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-446	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-447	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-448	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-449	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-450	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-451	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-452	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-453	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-454	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-455	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-456	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-457	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-458	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-459	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-460	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-461	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-462	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-463	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-464	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-465	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-466	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-467	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-468	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-469	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-470	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-471	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-472	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-473	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-474	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-475	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-476	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-477	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-478	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-479	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-480	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-481	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-482	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-483	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-484	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-485	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-486	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-487	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-488	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-489	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-490	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-491	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-492	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-493	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-494	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-495	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-496	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-497	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-498	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-499	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-500	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-501	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-502	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-503	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-504	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-505	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-506	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-507	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-508	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-509	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-510	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-511	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-512	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-513	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-514	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-515	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-516	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-517	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-518	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-519	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-520	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-521	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-522	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-523	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-524	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-525	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-526	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-527	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-528	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-529	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-530	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-531	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-532	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-533	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-534	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-535	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-536	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-537	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-538	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-539	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-540	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-541	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-542	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-543	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-544	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-545	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-546	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-547	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-548	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-549	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-550	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-551	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-552	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-553	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-554	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-555	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-556	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-557	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-558	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-559	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-560	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-561	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-562	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-563	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-564	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-565	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-566	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-567	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-568	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-569	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-570	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-571	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-572	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-573	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-574	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-575	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-576	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-577	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-578	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-579	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-580	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-581	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-582	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-583	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-584	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-585	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-586	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-587	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-588	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-589	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-590	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-591	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-592	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-593	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-594	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-595	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-596	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-597	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-598	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-599	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-600	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-601	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-602	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-603	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-604	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-605	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-606	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-607	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-608	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-609	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-610	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-611	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-612	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-613	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-614	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-615	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-616	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-617	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-618	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-619	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-620	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-621	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-622	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-623	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-624	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-625	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-626	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-627	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-628	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-629	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-630	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-631	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-632	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-633	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-634	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-635	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-636	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-637	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-638	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-639	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-640	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-641	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-642	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-643	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-644	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-645	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-646	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-647	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-648	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-649	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-650	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-651	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-652	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-653	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-654	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-655	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-656	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-657	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-658	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-659	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-660	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-661	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-662	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-663	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-664	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-665	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-666	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-667	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-668	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-669	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-670	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-671	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-672	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-673	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-674	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-675	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-676	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-677	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-678	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-679	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-680	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-681	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-682	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-683	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-684	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-685	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-686	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-687	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-688	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-689	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-690	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-691	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-692	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-693	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-694	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-695	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-696	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-697	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-698	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-699	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-700	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-701	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-702	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-703	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-704	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-705	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-706	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-707	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-708	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-709	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-710	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-711	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-712	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-713	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-714	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-715	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-716	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-717	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-718	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-719	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-720	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-721	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-722	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-723	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-724	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-725	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-726	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-727	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-728	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-729	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-730	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-731	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-732	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-733	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-734	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-735	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-736	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-737	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-738	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-739	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-740	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-741	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-742	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-743	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-744	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-745	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-746	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-747	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-748	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-749	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-750	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-751	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-752	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-753	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-754	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-755	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-756	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-757	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-758	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-759	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-760	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-761	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-762	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-763	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-764	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-765	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-766	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-767	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-768	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-769	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-770	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-771	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-772	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-773	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-774	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-775	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-776	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-777	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-778	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-779	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-780	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-781	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-782	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-783	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-784	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-785	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-786	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-787	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-788	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-789	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-790	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-791	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-792	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-793	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-794	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-795	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-796	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-797	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-798	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-799	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-800	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-801	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-802	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-803	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-804	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-805	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-806	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-807	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-808	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-809	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-810	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-811	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-812	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-813	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-814	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-815	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-816	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-817	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-818	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-819	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-820	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-821	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-822	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-823	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-824	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-825	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-826	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-827	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-828	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-829	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-830	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-831	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-832	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-833	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-834	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-835	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-836	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-837	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-838	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-839	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-840	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-841	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-842	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-843	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-844	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-845	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-846	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-847	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-848	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-849	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-850	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-851	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-852	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-853	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-854	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-855	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-856	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-857	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-858	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-859	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-860	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-861	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-862	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-863	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-864	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-865	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-866	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-867	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-868	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-869	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-870	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-871	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-872	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-873	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-874	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-875	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-876	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-877	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-878	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-879	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-880	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-881	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-882	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-883	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-884	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-885	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-886	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-887	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-888	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-889	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-890	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-891	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-892	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-893	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-894	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-895	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-896	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-897	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-898	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-899	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-900	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-901	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-902	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-903	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-904	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-905	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-906	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-907	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-908	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-909	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-910	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-911	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-912	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-913	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-914	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-915	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-916	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-917	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-918	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-919	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-920	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-921	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-922	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-923	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-924	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-925	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-926	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-927	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-928	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-929	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-930	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-931	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-932	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-933	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-934	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-935	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-936	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-937	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-938	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-939	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-940	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-941	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-942	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-943	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-944	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-945	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-946	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-947	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-948	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-949	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-950	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-951	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-952	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-953	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-954	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-955	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-956	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-957	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-958	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-959	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-960	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-961	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-962	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-963	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-964	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-965	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-966	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-967	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-968	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-969	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-970	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-971	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-972	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-973	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-974	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-975	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-976	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-977	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-978	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-979	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-980	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-981	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-982	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-983	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-984	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-985	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-986	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-987	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-988	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-989	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-990	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-991	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-992	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-993	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-994	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-995	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-996	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-997	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-998	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-999	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1000	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1001	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1002	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1003	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1004	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1005	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1006	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1007	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1008	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1009	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1010	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1011	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1012	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1013	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1014	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1015	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1016	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1017	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1018	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1019	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1020	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1021	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1022	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1023	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1024	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1025	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1026	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1027	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1028	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1029	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1030	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1031	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1032	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1033	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1034	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1035	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1036	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1037	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1038	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1039	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1040	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1041	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1042	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1043	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1044	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1045	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1046	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1047	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1048	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1049	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1050	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1051	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1052	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1053	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1054	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1055	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1056	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1057	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1058	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1059	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1060	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1061	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1062	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1063	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1064	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1065	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1066	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1067	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1068	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1069	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1070	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1071	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1072	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1073	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1074	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1075	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1076	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1077	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1078	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1079	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1080	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1081	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1082	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1083	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1084	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1085	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1086	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1087	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1088	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1089	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1090	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1091	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1092	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1093	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1094	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1095	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1096	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1097	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1098	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1099	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1100	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1101	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1102	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1103	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1104	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1105	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1106	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1107	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1108	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1109	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1110	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1111	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1112	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1113	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1114	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1115	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1116	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1117	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1118	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1119	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1120	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1121	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1122	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1123	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1124	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1125	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1126	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1127	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1128	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1129	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1130	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1131	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1132	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1133	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1134	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1135	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1136	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1137	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1138	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1139	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1140	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1141	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1142	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1143	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1144	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1145	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1146	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1147	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1148	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1149	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1150	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1151	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1152	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1153	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1154	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1155	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1156	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1157	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1158	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1159	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1160	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1161	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1162	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1163	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1164	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1165	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1166	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1167	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1168	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1169	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1170	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1171	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1172	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1173	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1174	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1175	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1176	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1177	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1178	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1179	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1180	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1181	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1182	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1183	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1184	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1185	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1186	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1187	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1188	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1189	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1190	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1191	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1192	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1193	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1194	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1195	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1196	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1197	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1198	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1199	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1200	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1201	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1202	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1203	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1204	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1205	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1206	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1207	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1208	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1209	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1210	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1211	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1212	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1213	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1214	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1215	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1216	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1217	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1218	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1219	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1220	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1221	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1222	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1223	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1224	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1225	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1226	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1227	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1228	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1229	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1230	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1231	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1232	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1233	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1234	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1235	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1236	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1237	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1238	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1239	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1240	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1241	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1242	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1243	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1244	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1245	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1246	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1247	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		□ H_2S or □ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1248	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1249	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1250	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1251	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1252	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1253	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1254	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1255	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1256	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1257	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1258	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1259	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1260	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1261	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1262	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1263	SOFC	3.81E-03	1.67E-02	1.65E-02	7.24E-02	1.27E-02	5.57E-02	7.79E-06	3.41E-05	7.73E-03	3.38E-02	7.73E-03	3.38E-02	7.73E-03	3.38E-02	-	-
Totals:		8.49	37.20	36.81	161.21	28.31	124.01	1.74E-02	7.60E-02	17.21	75.40	17.21	75.40	17.21	75.40	-	-

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Both hourly and annual emission rates reflected in this table represent the entire capacity (2,462 MW) running at 100% load. As noted in the application, the facility will be operationally limited to the 1600 MW cap. Emissions in this table sum to the maximum emissions represented in Table 2-D but are not the requested allowable emissions.

Table 2-H: Stack Exit Conditions

Unit and stack numbering must correspond throughout the application package. Include the stack exit conditions for each unit that emits from a stack, including blowdown venting parameters and tank emissions. If the facility has multiple operating scenarios, complete a separate Table 2-H for each scenario and, for each, type scenario name here: 1,600 MW Operating Cap

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-2	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-3	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-4	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-5	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-6	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-7	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-8	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-9	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-10	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-11	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-12	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-13	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-14	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-15	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-16	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-17	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-18	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-19	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-20	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-21	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-22	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-23	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-24	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-25	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-26	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-27	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-28	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-29	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-30	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-31	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-32	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-33	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-34	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-35	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-36	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-37	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012062

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-38	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-39	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-40	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-41	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-42	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-43	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-44	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-45	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-46	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-47	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-48	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-49	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-50	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-51	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-52	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-53	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-54	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-55	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-56	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-57	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-58	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-59	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-60	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-61	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-62	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-63	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-64	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-65	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-66	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-67	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-68	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-69	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-70	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-71	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-72	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-73	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-74	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-75	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-76	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-77	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012063

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-78	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-79	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-80	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-81	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-82	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-83	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-84	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-85	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-86	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-87	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-88	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-89	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-90	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-91	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-92	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-93	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-94	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-95	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-96	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-97	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-98	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-99	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-100	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-101	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-102	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-103	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-104	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-105	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-106	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-107	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-108	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-109	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-110	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-111	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-112	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-113	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-114	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-115	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-116	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-117	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012064

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-118	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-119	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-120	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-121	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-122	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-123	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-124	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-125	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-126	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-127	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-128	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-129	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-130	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-131	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-132	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-133	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-134	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-135	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-136	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-137	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-138	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-139	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-140	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-141	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-142	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-143	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-144	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-145	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-146	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-147	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-148	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-149	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-150	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-151	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-152	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-153	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-154	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-155	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-156	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-157	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012065

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-158	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-159	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-160	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-161	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-162	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-163	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-164	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-165	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-166	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-167	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-168	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-169	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-170	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-171	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-172	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-173	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-174	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-175	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-176	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-177	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-178	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-179	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-180	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-181	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-182	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-183	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-184	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-185	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-186	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-187	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-188	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-189	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-190	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-191	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-192	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-193	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-194	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-195	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-196	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-197	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012066

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-198	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-199	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-200	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-201	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-202	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-203	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-204	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-205	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-206	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-207	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-208	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-209	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-210	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-211	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-212	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-213	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-214	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-215	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-216	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-217	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-218	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-219	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-220	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-221	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-222	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-223	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-224	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-225	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-226	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-227	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-228	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-229	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-230	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-231	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-232	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-233	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-234	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-235	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-236	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-237	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012067

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-238	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-239	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-240	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-241	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-242	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-243	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-244	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-245	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-246	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-247	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-248	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-249	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-250	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-251	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-252	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-253	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-254	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-255	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-256	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-257	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-258	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-259	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-260	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-261	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-262	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-263	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-264	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-265	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-266	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-267	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-268	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-269	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-270	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-271	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-272	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-273	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-274	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-275	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-276	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-277	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012068

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-278	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-279	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-280	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-281	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-282	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-283	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-284	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-285	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-286	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-287	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-288	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-289	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-290	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-291	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-292	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-293	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-294	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-295	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-296	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-297	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-298	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-299	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-300	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-301	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-302	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-303	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-304	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-305	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-306	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-307	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-308	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-309	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-310	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-311	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-312	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-313	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-314	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-315	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-316	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-317	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012069

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-318	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-319	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-320	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-321	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-322	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-323	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-324	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-325	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-326	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-327	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-328	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-329	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-330	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-331	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-332	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-333	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-334	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-335	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-336	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-337	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-338	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-339	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-340	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-341	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-342	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-343	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-344	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-345	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-346	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-347	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-348	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-349	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-350	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-351	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-352	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-353	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-354	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-355	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-356	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-357	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012070

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-358	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-359	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-360	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-361	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-362	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-363	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-364	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-365	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-366	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-367	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-368	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-369	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-370	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-371	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-372	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-373	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-374	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-375	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-376	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-377	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-378	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-379	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-380	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-381	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-382	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-383	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-384	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-385	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-386	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-387	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-388	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-389	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-390	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-391	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-392	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-393	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-394	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-395	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-396	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-397	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-398	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-399	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-400	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-401	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-402	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-403	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-404	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-405	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-406	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-407	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-408	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-409	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-410	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-411	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-412	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-413	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-414	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-415	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-416	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-417	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-418	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-419	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-420	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-421	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-422	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-423	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-424	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-425	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-426	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-427	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-428	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-429	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-430	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-431	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-432	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-433	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-434	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-435	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-436	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-437	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012072

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-438	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-439	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-440	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-441	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-442	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-443	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-444	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-445	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-446	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-447	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-448	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-449	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-450	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-451	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-452	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-453	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-454	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-455	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-456	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-457	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-458	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-459	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-460	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-461	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-462	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-463	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-464	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-465	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-466	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-467	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-468	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-469	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-470	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-471	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-472	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-473	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-474	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-475	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-476	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-477	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-478	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-479	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-480	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-481	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-482	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-483	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-484	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-485	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-486	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-487	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-488	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-489	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-490	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-491	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-492	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-493	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-494	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-495	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-496	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-497	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-498	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-499	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-500	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-501	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-502	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-503	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-504	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-505	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-506	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-507	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-508	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-509	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-510	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-511	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-512	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-513	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-514	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-515	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-516	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-517	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012074

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-518	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-519	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-520	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-521	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-522	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-523	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-524	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-525	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-526	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-527	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-528	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-529	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-530	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-531	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-532	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-533	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-534	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-535	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-536	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-537	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-538	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-539	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-540	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-541	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-542	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-543	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-544	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-545	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-546	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-547	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-548	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-549	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-550	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-551	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-552	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-553	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-554	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-555	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-556	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-557	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012075

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-558	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-559	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-560	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-561	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-562	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-563	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-564	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-565	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-566	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-567	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-568	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-569	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-570	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-571	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-572	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-573	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-574	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-575	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-576	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-577	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-578	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-579	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-580	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-581	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-582	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-583	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-584	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-585	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-586	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-587	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-588	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-589	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-590	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-591	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-592	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-593	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-594	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-595	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-596	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-597	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012076

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-598	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-599	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-600	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-601	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-602	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-603	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-604	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-605	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-606	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-607	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-608	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-609	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-610	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-611	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-612	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-613	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-614	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-615	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-616	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-617	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-618	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-619	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-620	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-621	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-622	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-623	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-624	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-625	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-626	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-627	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-628	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-629	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-630	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-631	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-632	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-633	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-634	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-635	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-636	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-637	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012077

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-638	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-639	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-640	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-641	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-642	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-643	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-644	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-645	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-646	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-647	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-648	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-649	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-650	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-651	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-652	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-653	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-654	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-655	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-656	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-657	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-658	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-659	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-660	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-661	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-662	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-663	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-664	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-665	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-666	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-667	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-668	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-669	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-670	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-671	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-672	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-673	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-674	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-675	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-676	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-677	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012078

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-678	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-679	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-680	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-681	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-682	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-683	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-684	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-685	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-686	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-687	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-688	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-689	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-690	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-691	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-692	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-693	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-694	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-695	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-696	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-697	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-698	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-699	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-700	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-701	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-702	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-703	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-704	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-705	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-706	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-707	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-708	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-709	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-710	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-711	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-712	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-713	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-714	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-715	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-716	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-717	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012079

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-718	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-719	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-720	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-721	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-722	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-723	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-724	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-725	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-726	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-727	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-728	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-729	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-730	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-731	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-732	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-733	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-734	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-735	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-736	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-737	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-738	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-739	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-740	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-741	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-742	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-743	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-744	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-745	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-746	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-747	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-748	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-749	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-750	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-751	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-752	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-753	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-754	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-755	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-756	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-757	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-758	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-759	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-760	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-761	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-762	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-763	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-764	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-765	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-766	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-767	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-768	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-769	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-770	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-771	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-772	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-773	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-774	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-775	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-776	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-777	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-778	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-779	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-780	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-781	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-782	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-783	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-784	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-785	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-786	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-787	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-788	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-789	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-790	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-791	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-792	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-793	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-794	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-795	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-796	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-797	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-798	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-799	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-800	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-801	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-802	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-803	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-804	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-805	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-806	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-807	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-808	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-809	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-810	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-811	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-812	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-813	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-814	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-815	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-816	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-817	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-818	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-819	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-820	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-821	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-822	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-823	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-824	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-825	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-826	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-827	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-828	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-829	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-830	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-831	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-832	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-833	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-834	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-835	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-836	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-837	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012082

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-838	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-839	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-840	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-841	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-842	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-843	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-844	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-845	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-846	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-847	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-848	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-849	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-850	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-851	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-852	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-853	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-854	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-855	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-856	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-857	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-858	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-859	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-860	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-861	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-862	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-863	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-864	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-865	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-866	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-867	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-868	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-869	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-870	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-871	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-872	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-873	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-874	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-875	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-876	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-877	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-878	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-879	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-880	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-881	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-882	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-883	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-884	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-885	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-886	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-887	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-888	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-889	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-890	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-891	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-892	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-893	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-894	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-895	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-896	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-897	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-898	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-899	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-900	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-901	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-902	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-903	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-904	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-905	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-906	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-907	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-908	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-909	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-910	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-911	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-912	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-913	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-914	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-915	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-916	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-917	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-918	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-919	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-920	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-921	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-922	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-923	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-924	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-925	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-926	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-927	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-928	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-929	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-930	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-931	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-932	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-933	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-934	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-935	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-936	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-937	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-938	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-939	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-940	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-941	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-942	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-943	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-944	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-945	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-946	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-947	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-948	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-949	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-950	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-951	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-952	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-953	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-954	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-955	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-956	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-957	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012085

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-958	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-959	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-960	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-961	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-962	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-963	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-964	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-965	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-966	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-967	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-968	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-969	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-970	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-971	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-972	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-973	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-974	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-975	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-976	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-977	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-978	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-979	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-980	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-981	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-982	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-983	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-984	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-985	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-986	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-987	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-988	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-989	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-990	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-991	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-992	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-993	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-994	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-995	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-996	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-997	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012086

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-998	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-999	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1000	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1001	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1002	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1003	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1004	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1005	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1006	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1007	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1008	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1009	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1010	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1011	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1012	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1013	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1014	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1015	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1016	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1017	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1018	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1019	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1020	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1021	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1022	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1023	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1024	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1025	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1026	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1027	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1028	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1029	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1030	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1031	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1032	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1033	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1034	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1035	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1036	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1037	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1038	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1039	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1040	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1041	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1042	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1043	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1044	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1045	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1046	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1047	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1048	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1049	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1050	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1051	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1052	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1053	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1054	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1055	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1056	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1057	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1058	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1059	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1060	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1061	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1062	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1063	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1064	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1065	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1066	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1067	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1068	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1069	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1070	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1071	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1072	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1073	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1074	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1075	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1076	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1077	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012088

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1078	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1079	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1080	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1081	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1082	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1083	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1084	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1085	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1086	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1087	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1088	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1089	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1090	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1091	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1092	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1093	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1094	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1095	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1096	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1097	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1098	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1099	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1100	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1101	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1102	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1103	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1104	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1105	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1106	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1107	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1108	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1109	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1110	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1111	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1112	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1113	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1114	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1115	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1116	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1117	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1118	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1119	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1120	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1121	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1122	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1123	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1124	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1125	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1126	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1127	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1128	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1129	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1130	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1131	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1132	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1133	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1134	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1135	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1136	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1137	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1138	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1139	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1140	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1141	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1142	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1143	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1144	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1145	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1146	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1147	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1148	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1149	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1150	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1151	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1152	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1153	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1154	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1155	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1156	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1157	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1158	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1159	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1160	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1161	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1162	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1163	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1164	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1165	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1166	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1167	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1168	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1169	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1170	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1171	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1172	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1173	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1174	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1175	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1176	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1177	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1178	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1179	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1180	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1181	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1182	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1183	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1184	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1185	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1186	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1187	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1188	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1189	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1190	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1191	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1192	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1193	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1194	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1195	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1196	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1197	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1198	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1199	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1200	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1201	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1202	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1203	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1204	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1205	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1206	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1207	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1208	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1209	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1210	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1211	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1212	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1213	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1214	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1215	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1216	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1217	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1218	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1219	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1220	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1221	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1222	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1223	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1224	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1225	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1226	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1227	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1228	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1229	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1230	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1231	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1232	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1233	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1234	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1235	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1236	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1237	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1238	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1239	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1240	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1241	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1242	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1243	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1244	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1245	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1246	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1247	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1248	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1249	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1250	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1251	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1252	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1253	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1254	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1255	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1256	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1257	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1258	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1259	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1260	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1261	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1262	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1263	SOFC	V	N	30	217.4	326.04	234.06	7.9%	6.24	8.16

The stack parameters shown in this table are associated with the modeling scenario representing the requested operating cap (i.e., 1600 MW). This modeling scenario used the requested allowable emissions in Table 2-E.

Table 2-H: Stack Exit Conditions

Unit and stack numbering must correspond throughout the application package. Include the stack exit conditions for each unit that emits from a stack, including blowdown venting parameters and tank emissions. If the facility has multiple operating scenarios, complete a separate Table 2-H for each scenario and, for each, type scenario name here: 100% Load

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-2	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-3	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-4	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-5	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-6	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-7	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-8	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-9	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-10	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-11	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-12	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-13	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-14	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-15	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-16	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-17	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-18	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-19	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-20	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-21	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-22	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-23	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-24	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-25	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-26	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-27	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-28	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-29	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-30	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-31	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-32	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-33	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-34	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-35	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-36	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-37	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-38	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-39	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-40	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-41	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-42	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-43	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-44	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-45	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-46	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-47	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-48	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-49	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-50	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-51	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-52	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-53	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-54	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-55	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-56	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-57	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-58	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-59	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-60	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-61	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-62	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-63	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-64	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-65	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-66	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-67	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-68	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-69	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-70	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-71	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-72	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-73	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-74	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-75	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-76	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-77	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012095

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-78	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-79	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-80	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-81	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-82	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-83	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-84	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-85	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-86	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-87	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-88	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-89	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-90	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-91	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-92	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-93	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-94	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-95	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-96	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-97	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-98	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-99	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-100	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-101	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-102	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-103	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-104	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-105	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-106	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-107	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-108	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-109	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-110	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-111	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-112	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-113	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-114	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-115	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-116	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-117	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-118	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-119	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-120	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-121	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-122	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-123	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-124	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-125	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-126	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-127	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-128	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-129	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-130	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-131	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-132	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-133	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-134	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-135	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-136	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-137	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-138	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-139	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-140	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-141	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-142	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-143	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-144	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-145	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-146	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-147	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-148	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-149	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-150	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-151	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-152	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-153	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-154	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-155	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-156	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-157	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012097

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-158	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-159	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-160	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-161	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-162	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-163	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-164	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-165	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-166	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-167	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-168	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-169	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-170	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-171	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-172	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-173	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-174	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-175	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-176	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-177	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-178	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-179	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-180	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-181	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-182	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-183	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-184	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-185	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-186	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-187	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-188	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-189	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-190	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-191	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-192	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-193	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-194	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-195	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-196	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-197	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012098

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-198	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-199	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-200	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-201	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-202	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-203	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-204	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-205	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-206	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-207	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-208	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-209	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-210	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-211	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-212	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-213	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-214	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-215	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-216	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-217	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-218	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-219	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-220	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-221	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-222	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-223	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-224	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-225	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-226	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-227	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-228	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-229	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-230	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-231	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-232	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-233	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-234	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-235	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-236	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-237	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012099

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-238	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-239	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-240	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-241	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-242	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-243	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-244	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-245	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-246	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-247	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-248	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-249	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-250	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-251	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-252	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-253	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-254	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-255	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-256	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-257	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-258	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-259	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-260	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-261	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-262	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-263	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-264	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-265	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-266	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-267	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-268	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-269	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-270	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-271	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-272	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-273	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-274	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-275	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-276	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-277	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-278	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-279	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-280	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-281	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-282	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-283	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-284	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-285	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-286	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-287	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-288	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-289	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-290	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-291	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-292	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-293	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-294	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-295	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-296	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-297	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-298	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-299	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-300	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-301	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-302	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-303	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-304	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-305	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-306	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-307	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-308	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-309	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-310	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-311	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-312	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-313	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-314	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-315	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-316	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-317	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-318	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-319	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-320	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-321	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-322	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-323	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-324	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-325	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-326	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-327	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-328	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-329	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-330	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-331	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-332	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-333	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-334	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-335	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-336	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-337	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-338	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-339	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-340	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-341	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-342	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-343	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-344	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-345	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-346	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-347	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-348	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-349	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-350	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-351	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-352	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-353	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-354	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-355	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-356	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-357	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-358	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-359	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-360	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-361	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-362	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-363	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-364	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-365	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-366	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-367	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-368	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-369	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-370	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-371	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-372	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-373	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-374	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-375	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-376	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-377	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-378	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-379	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-380	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-381	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-382	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-383	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-384	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-385	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-386	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-387	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-388	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-389	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-390	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-391	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-392	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-393	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-394	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-395	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-396	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-397	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-398	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-399	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-400	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-401	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-402	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-403	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-404	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-405	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-406	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-407	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-408	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-409	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-410	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-411	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-412	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-413	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-414	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-415	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-416	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-417	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-418	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-419	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-420	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-421	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-422	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-423	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-424	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-425	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-426	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-427	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-428	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-429	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-430	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-431	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-432	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-433	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-434	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-435	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-436	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-437	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012104

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-438	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-439	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-440	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-441	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-442	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-443	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-444	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-445	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-446	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-447	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-448	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-449	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-450	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-451	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-452	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-453	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-454	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-455	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-456	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-457	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-458	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-459	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-460	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-461	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-462	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-463	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-464	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-465	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-466	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-467	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-468	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-469	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-470	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-471	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-472	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-473	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-474	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-475	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-476	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-477	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012105

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-478	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-479	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-480	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-481	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-482	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-483	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-484	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-485	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-486	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-487	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-488	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-489	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-490	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-491	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-492	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-493	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-494	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-495	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-496	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-497	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-498	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-499	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-500	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-501	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-502	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-503	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-504	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-505	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-506	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-507	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-508	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-509	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-510	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-511	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-512	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-513	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-514	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-515	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-516	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-517	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012106

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-518	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-519	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-520	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-521	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-522	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-523	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-524	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-525	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-526	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-527	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-528	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-529	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-530	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-531	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-532	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-533	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-534	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-535	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-536	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-537	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-538	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-539	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-540	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-541	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-542	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-543	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-544	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-545	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-546	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-547	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-548	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-549	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-550	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-551	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-552	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-553	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-554	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-555	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-556	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-557	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012107

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-558	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-559	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-560	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-561	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-562	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-563	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-564	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-565	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-566	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-567	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-568	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-569	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-570	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-571	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-572	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-573	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-574	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-575	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-576	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-577	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-578	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-579	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-580	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-581	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-582	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-583	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-584	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-585	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-586	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-587	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-588	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-589	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-590	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-591	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-592	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-593	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-594	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-595	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-596	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-597	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012108

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-598	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-599	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-600	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-601	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-602	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-603	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-604	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-605	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-606	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-607	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-608	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-609	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-610	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-611	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-612	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-613	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-614	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-615	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-616	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-617	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-618	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-619	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-620	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-621	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-622	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-623	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-624	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-625	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-626	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-627	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-628	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-629	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-630	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-631	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-632	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-633	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-634	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-635	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-636	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-637	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012109

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-638	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-639	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-640	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-641	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-642	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-643	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-644	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-645	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-646	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-647	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-648	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-649	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-650	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-651	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-652	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-653	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-654	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-655	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-656	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-657	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-658	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-659	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-660	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-661	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-662	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-663	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-664	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-665	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-666	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-667	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-668	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-669	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-670	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-671	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-672	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-673	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-674	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-675	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-676	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-677	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012110

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-678	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-679	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-680	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-681	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-682	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-683	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-684	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-685	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-686	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-687	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-688	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-689	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-690	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-691	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-692	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-693	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-694	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-695	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-696	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-697	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-698	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-699	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-700	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-701	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-702	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-703	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-704	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-705	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-706	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-707	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-708	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-709	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-710	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-711	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-712	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-713	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-714	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-715	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-716	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-717	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012111

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-718	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-719	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-720	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-721	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-722	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-723	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-724	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-725	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-726	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-727	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-728	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-729	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-730	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-731	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-732	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-733	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-734	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-735	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-736	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-737	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-738	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-739	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-740	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-741	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-742	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-743	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-744	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-745	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-746	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-747	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-748	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-749	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-750	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-751	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-752	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-753	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-754	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-755	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-756	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-757	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012112

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-758	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-759	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-760	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-761	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-762	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-763	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-764	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-765	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-766	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-767	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-768	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-769	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-770	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-771	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-772	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-773	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-774	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-775	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-776	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-777	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-778	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-779	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-780	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-781	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-782	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-783	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-784	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-785	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-786	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-787	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-788	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-789	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-790	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-791	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-792	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-793	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-794	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-795	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-796	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-797	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012113

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-798	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-799	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-800	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-801	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-802	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-803	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-804	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-805	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-806	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-807	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-808	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-809	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-810	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-811	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-812	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-813	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-814	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-815	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-816	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-817	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-818	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-819	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-820	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-821	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-822	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-823	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-824	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-825	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-826	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-827	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-828	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-829	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-830	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-831	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-832	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-833	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-834	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-835	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-836	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-837	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012114

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-838	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-839	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-840	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-841	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-842	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-843	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-844	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-845	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-846	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-847	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-848	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-849	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-850	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-851	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-852	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-853	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-854	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-855	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-856	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-857	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-858	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-859	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-860	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-861	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-862	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-863	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-864	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-865	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-866	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-867	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-868	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-869	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-870	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-871	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-872	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-873	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-874	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-875	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-876	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-877	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012115

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-878	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-879	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-880	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-881	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-882	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-883	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-884	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-885	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-886	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-887	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-888	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-889	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-890	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-891	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-892	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-893	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-894	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-895	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-896	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-897	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-898	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-899	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-900	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-901	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-902	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-903	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-904	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-905	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-906	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-907	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-908	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-909	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-910	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-911	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-912	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-913	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-914	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-915	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-916	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-917	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012116

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-918	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-919	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-920	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-921	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-922	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-923	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-924	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-925	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-926	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-927	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-928	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-929	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-930	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-931	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-932	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-933	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-934	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-935	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-936	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-937	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-938	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-939	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-940	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-941	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-942	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-943	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-944	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-945	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-946	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-947	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-948	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-949	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-950	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-951	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-952	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-953	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-954	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-955	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-956	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-957	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012117

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-958	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-959	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-960	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-961	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-962	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-963	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-964	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-965	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-966	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-967	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-968	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-969	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-970	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-971	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-972	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-973	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-974	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-975	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-976	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-977	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-978	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-979	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-980	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-981	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-982	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-983	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-984	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-985	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-986	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-987	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-988	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-989	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-990	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-991	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-992	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-993	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-994	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-995	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-996	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-997	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012118

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-998	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-999	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1000	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1001	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1002	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1003	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1004	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1005	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1006	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1007	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1008	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1009	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1010	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1011	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1012	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1013	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1014	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1015	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1016	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1017	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1018	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1019	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1020	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1021	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1022	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1023	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1024	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1025	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1026	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1027	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1028	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1029	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1030	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1031	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1032	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1033	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1034	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1035	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1036	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1037	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012119

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1038	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1039	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1040	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1041	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1042	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1043	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1044	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1045	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1046	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1047	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1048	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1049	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1050	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1051	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1052	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1053	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1054	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1055	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1056	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1057	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1058	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1059	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1060	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1061	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1062	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1063	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1064	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1065	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1066	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1067	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1068	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1069	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1070	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1071	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1072	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1073	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1074	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1075	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1076	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1077	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012120

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1078	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1079	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1080	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1081	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1082	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1083	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1084	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1085	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1086	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1087	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1088	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1089	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1090	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1091	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1092	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1093	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1094	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1095	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1096	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1097	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1098	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1099	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1100	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1101	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1102	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1103	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1104	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1105	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1106	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1107	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1108	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1109	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1110	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1111	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1112	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1113	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1114	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1115	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1116	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1117	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012121

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1118	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1119	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1120	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1121	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1122	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1123	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1124	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1125	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1126	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1127	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1128	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1129	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1130	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1131	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1132	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1133	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1134	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1135	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1136	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1137	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1138	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1139	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1140	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1141	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1142	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1143	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1144	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1145	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1146	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1147	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1148	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1149	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1150	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1151	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1152	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1153	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1154	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1155	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1156	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1157	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1158	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1159	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1160	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1161	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1162	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1163	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1164	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1165	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1166	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1167	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1168	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1169	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1170	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1171	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1172	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1173	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1174	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1175	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1176	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1177	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1178	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1179	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1180	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1181	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1182	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1183	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1184	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1185	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1186	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1187	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1188	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1189	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1190	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1191	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1192	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1193	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1194	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1195	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1196	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1197	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1198	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1199	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1200	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1201	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1202	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1203	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1204	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1205	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1206	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1207	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1208	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1209	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1210	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1211	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1212	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1213	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1214	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1215	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1216	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1217	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1218	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1219	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1220	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1221	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1222	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1223	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1224	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1225	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1226	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1227	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1228	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1229	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1230	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1231	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1232	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1233	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1234	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1235	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1236	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1237	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1238	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1239	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1240	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1241	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1242	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1243	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1244	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1245	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1246	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1247	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1248	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1249	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1250	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1251	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1252	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1253	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1254	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1255	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1256	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1257	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1258	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1259	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1260	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1261	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1262	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1263	SOFC	V	N	30	163.4	355.99	277.69	7.9%	6.81	8.16

The stack parameters shown in this table are associated with the modeling scenario representing 100% nameplate capacity (2,462 MW). This modeling scenario used the maximum emissions from Table 2-D

Table 2-I: Stack Exit and Fugitive Emission Rates for HAPs and TAPs

In the table below, report the Potential to Emit for each HAP from each regulated emission unit listed in Table 2-A, only if the entire facility emits the HAP at a rate greater than or equal to one (1) ton per year For each such emission unit, HAPs shall be reported to the nearest 0.1 tpy. Each facility-wide Individual HAP total and the facility-wide Total HAPs shall be the sum of all HAP sources calculated to the nearest 0.1 ton per year. Per 20.2.72.403.A.1 NMAC, facilities not exempt [see 20.2.72.402.C NMAC] from TAP permitting shall report each TAP that has an uncontrolled emission rate in excess of its pounds per hour screening level specified in 20.2.72.502 NMAC. TAPs shall be reported using one more significant figure than the number of significant figures shown in the pound per hour threshold corresponding to the substance. Use the HAP nomenclature as it appears in Section 112 (b) of the 1990 CAAA and the TAP nomenclature as it listed in 20.2.72.502 NMAC. Include tank-flashing emissions estimates of HAPs in this table. For each HAP or TAP listed, fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected or the pollutant is emitted in a quantity less than the threshold amounts described above.

Stack No.	Unit No.(s)	Total HAPs		Benzene ☑ HAP or ☐ TAP		Xylenes ☑ HAP or ☐ TAP		Methanol ☑ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1 through SOFC-1263	SOFC[1]	0.21	0.92	0.030	0.13	0.010	0.043	0.17	0.75										
Total:		0.21	0.92	0.030	0.13	9.81E-03	0.043	0.17	0.75	-	-	-	-	-	-	-	-	-	-

[1]Emissions represent operation at the 1600 MW capacity permit limit.

Administrative Record NSR 10833_012126

Table 2-J: Fuel

Specify fuel characteristics and usage. Unit and stack numbering must correspond throughout the application package.

Unit No.	Fuel Type (low sulfur Diesel, ultra low sulfur diesel, Natural Gas, Coal, …)	Fuel Source: purchased commercial, pipeline quality natural gas, residue gas, raw/field natural gas, process gas (e.g. SRU tail gas) or other	Specify Units				
			Lower Heating Value	Hourly Usage	Annual Usage	% Sulfur	% Ash
SOFC	Natural Gas	Pipeline Quality Natural Gas / Purchased Commercial	970 Btu/scf	12.46 MMscf/h	109,175.88 MMSCF/yr	0.75 gr S /100 scf	0.0%

Administrative Record NSR 10833_012127

Table 2-L2: Liquid Storage Tank Data Codes Reference Table

Roof Type	Seal Type, Welded Tank Seal Type		Seal Type, Riveted Tank Seal Type		Roof, Shell Color	Paint Condition
FX: Fixed Roof	**Mechanical Shoe Seal**	**Liquid-mounted resilient seal**	**Vapor-mounted resilient seal**	**Seal Type**	**WH**: White	Good
IF: Internal Floating Roof	**A**: Primary only	**A**: Primary only	**A**: Primary only	**A**: Mechanical shoe, primary only	**AS**: Aluminum (specular)	Poor
EF: External Floating Roof	**B**: Shoe-mounted secondary	**B**: Weather shield	**B**: Weather shield	**B**: Shoe-mounted secondary	**AD**: Aluminum (diffuse)	
P: Pressure	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**LG**: Light Gray	
					MG: Medium Gray	
					BL: Black	
					OT: Other (specify)	

Note: 1.00 bbl = 0.159 M^3 = 42.0 gal

Table 2-M: Materials Processed and Produced (Use additional sheets as necessary.)

Material Processed				Material Produced			
Description	**Chemical Composition**	**Phase (Gas, Liquid, or Solid)**	**Quantity (specify units)**	**Description**	**Chemical Composition**	**Phase**	**Quantity (specify units)**
Natural Gas	Mixed hydrocarbons	Gas	299.11 MMscf/day	Electricity	N/A	N/A	38,400 MWh/day

Administrative Record NSR 10833_012128

Table 2-P: Greenhouse Gas Emissions

Applications submitted under 20.2.70, 20.2.72, & 20.2.74 NMAC are required to complete this Table. Power plants, Title V major sources, and PSD major sources must report and calculate all GHG emissions for each unit. Applicants must report potential emission rates in short tons per year (see Section 6.a for assistance). Include GHG emissions during Startup, Shutdown, and Scheduled Maintenance in this table. For minor source facilities that are not power plants, are not Title V, or are not PSD, there are three options for reporting GHGs 1) report GHGs for each individual piece of equipment; 2) report all GHGs from a group of unit types, for example report all combustion source GHGs as a single unit and all venting GHG as a second separate unit; OR 3) check the following box ☐ By checking this box, the applicant acknowledges the total CO2e emissions are less than 75,000 tons per year.

		CO_2 ton/yr	N_2O ton/yr	CH_4 ton/yr	SF_6 ton/yr	PFC/HFC ton/yr[2]									Total GHG Mass Basis ton/yr[4]	Total CO_2e ton/yr[5]
Unit No.	**GWPs [1]**	**1**	**265**	**28**	**22,800**	**footnote 3**										
SOFC[6]	**mass GHG**	5,732,544	-	-											5,732,544	
	CO_2e	5,732,544	-	-												5,732,544
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
Total	**mass GHG**	5,732,544	-	-											5,732,544	
	CO_2e	5,732,544	-	-												5,732,544

[1] **GWP** (Global Warming Potential): Applicants must use the most current GWPs codified in Table A-1 of 40 CFR part 98. GWPs are subject to change, therefore, applicants need to check 40 CFR 98 to confirm GWP values.

[2] For **HFCs** or **PFCs** describe the specific HFC or PFC compound and use a separate column for each individual compound.

[3] For each new compound, enter the appropriate GWP for each HFC or PFC compound from Table A-1 in 40 CFR 98.

[4] Green house gas emissions on a **mass basis** is the ton per year green house gas emission before adjustment with its GWP.

[5] **CO_2e** means Carbon Dioxide Equivalent and is calculated by multiplying the TPY mass emissions of the green house gas by its GWP.

[6] Emissions represent operation at the 1600 MW capacity permit limit and do not include the 15% safety factor.

Emission Summary

Maximum Emissions															
Unit	Description	NO_x		CO		VOC		SO_2		PM_{10}		$PM_{2.5}$		Total HAPs	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	8.49	37.20	36.81	161.21	28.31	124.01	0.02	0.08	17.21	75.40	17.21	75.40	0.32	1.42
Sum of Emissions		**8.49**	**37.20**	**36.81**	**161.21**	**28.31**	**124.01**	**0.02**	**0.08**	**17.21**	**75.40**	**17.21**	**75.40**	**0.32**	**1.42**

Requested Allowable Emissions															
Unit	Description	NO_x		CO		VOC		SO_2		PM_{10}		$PM_{2.5}$		Total HAPs	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	5.52	24.18	23.92	104.77	18.40	80.59	0.01	0.05	11.19	49.00	11.19	49.00	0.21	0.92
Sum of Emissions		**5.52**	**24.18**	**23.92**	**104.77**	**18.40**	**80.59**	**0.01**	**0.05**	**11.19**	**49.00**	**11.19**	**49.00**	**0.21**	**0.92**

[1] Bloom Energy Server System (SOFC) uses no add-on controls for regulated pollutants. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity permit limit.

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certain "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To be conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

Emission Summary - HAPs

Maximum HAP Emissions									
Unit	Description	Total HAPs		Benzene		Xylenes		Methanol	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	0.3	1.4	0.046	0.20	0.02	0.07	0.26	1.15
Sum of Emissions		**0.3**	**1.4**	**0.05**	**0.20**	**0.02**	**0.07**	**0.26**	**1.15**

Requested Allowable HAP Emissions									
Unit	Description	Total HAPs		Benzene		Xylenes		Methanol	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	0.21	0.92	0.030	0.13	0.01	0.04	0.17	0.75
Sum of Emissions		**0.21**	**0.92**	**0.03**	**0.13**	**0.01**	**0.04**	**0.17**	**0.75**

[1] Bloom Energy Server System (SOFC) uses no add-on controls for HAPs. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity permit limit.

Emission Summary - GHG

Maximum GHG Emissions						
Unit	**Description**	**CO_2**	**CH_4**	**N_2O**	**GHG**	**CO_2e[1]**
		tpy	**tpy**	**tpy**	**tpy**	**tpy**
SOFC	Bloom Energy Server System[2]	8,820,970	-	-	8,820,970	8,820,970
Total		**8,820,970**	**-**	**-**	**8,820,970**	**8,820,970**

Requested Allowable GHG Emissions						
Unit	**Description**	**CO_2**	**CH_4**	**N_2O**	**GHG**	**CO_2e[1]**
		tpy	**tpy**	**tpy**	**tpy**	**tpy**
SOFC	Bloom Energy Server System[2]	5,732,544	-	-	5,732,544	5,732,544
Total		**5,732,544**	**-**	**-**	**5,732,544**	**5,732,544**

[1] CO_2e emission calculation (tpy): CO_2 (tpy) + (CH_4*28) (tpy) + (N_2O*265) (tpy)

[2] Bloom Energy Server System (SOFC) uses no add-on controls for GHGs. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity permit limit.

Yucca Growth Infrastructure, LLC - YGI Microgrid

Fuel Cells

Emission Unit: SOFC

Source Description: Solid Oxide Fuel System

Make/Model	**Bloom Energy Server 6.5**
Fuel Type:	**Natural Gas**

Nameplate Capacity	**2,462.005 MW**
Requested Allowable Capacity	**1,600.000 MW**
Safety Factor:	**0.150 MW**

Criteria Pollutant Emissions

Pollutant	Emission Factor	Maximum Emission Rate (lb/hr)	Maximum Emission Rate (tpy)	Requested Allowables Emission Rate (lb/hr)	Requestable Allowables Emission Rate (tpy)
NOX	3.00E-03 lb/MW-hr	8.494 lb/hr	37.20 tpy	5.520 lb/hr	24.18 tpy
CO	1.30E-02 lb/MW-hr	36.807 lb/hr	161.21 tpy	23.920 lb/hr	104.77 tpy
VOC	1.00E-02 lb/MW-hr	28.313 lb/hr	124.01 tpy	18.400 lb/hr	80.59 tpy
SO2	6.13E-06 lb/MW-hr	0.02 lb/hr	0.08 lb/hr	0.01 lb/hr	0.05 lb/hr
PM_{10}	6.08E-03 lb/MW-hr	17.214 lb/hr	75.40 tpy	11.187 lb/hr	49.00 tpy
$PM_{2.5}$	6.08E-03 lb/MW-hr	17.214 lb/hr	75.40 tpy	11.187 lb/hr	49.00 tpy

Notes:

1. Emission Factors from manufacturer's specifications and testing performed in Apr. 2026

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certain "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To be conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

Speciated HAP Emissions

Pollutant	Emission Factor	Maximum Emission Rate (lb/hr)	Maximum Emission Rate (tpy)	Requested Allowables Emission Rate (lb/hr)	Requestable Allowables Emission Rate (tpy)
Methanol	9.31E-05 lb/MW-hr	0.26 lb/hr	1.15 tpy	0.17 lb/hr	0.75 tpy
Benzene	1.62E-05 lb/MW-hr	0.05 lb/hr	0.20 tpy	0.03 lb/hr	0.13 tpy
Xylenes	5.33E-06 lb/MW-hr	0.02 lb/hr	0.07 tpy	0.01 lb/hr	0.04 tpy
Total HAPs		0.3 lb/hr	1.42 tpy	0.21 lb/hr	0.92 tpy

Notes:

1. Emission Factors from manufacturer's specifications and testing performed in Apr. 2026

GHG Emissions

Pollutant	Emission Factor	Maximum Emission Rate (tpy)	Requestable Allowables Emission Rate (tpy)
CO_2	8.18E+02 lb/MW-hr	8,820,970 tpy	5,732,544 tpy
CH_4	0.00E+00 lb/MW-hr	0 tpy	0 tpy
Total GHG (CO_2eq)		8,820,970 tpy	5,732,544 tpy

Notes

1. Emission factor for CO_2 derived from 40 CFR Part 98 Table C-1 for natural gas.

Section 3

Application Summary

The **Application Summary** shall include a brief description of the facility and its process, the type of permit application, the applicable regulation (i.e. 20.2.72.200.A.X, or 20.2.73 NMAC) under which the application is being submitted, and any air quality permit numbers associated with this site. If this facility is to be collocated with another facility, provide details of the other facility including permit number(s). In case of a revision or modification to a facility, provide the lowest level regulatory citation (i.e. 20.2.72.219.B.1.d NMAC) under which the revision or modification is being requested. Also describe the proposed changes from the original permit, how the proposed modification will affect the facility's operations and emissions, de-bottlenecking impacts, and changes to the facility's major/minor status (both PSD & Title V).

The **Process Summary** shall include a brief description of the facility and its processes.

Startup, Shutdown, and Maintenance (SSM) routine or predictable emissions: Provide an overview of how SSM emissions are accounted for in this application. Refer to "Guidance for Submittal of Startup, Shutdown, Maintenance Emissions in Permit Applications (http://www.env.nm.gov/aqb/permit/app_form.html) for more detailed instructions on SSM emissions.

Application Summary

Yucca Growth Infrastructure, LLC (Yucca) is proposing to construct a microgrid power generation facility (YGI Microgrid) in Dona Ana County, NM. Bloom Energy Corp (Bloom) will be the operator of the YGI Microgrid. The YGI Microgrid site will consist of a Bloom Energy Server System. This application is an initial NSR application being submitted under 20.2.72.200.A(1) NMAC. The site will be a major source for Title V (20.2.70 NMAC).

The proposed facility will consist of the following emission sources:

- A Bloom Energy Server System

Process Summary

The facility utilizes a Bloom Energy Server System, which is a type of solid oxide fuel cell system (EUID: SOFC). The SOFC converts natural gas into electricity through an electrochemical reaction without combustion. Each individual fuel cell is composed of three layers: a solid ceramic electrolyte sandwiched between a cathode and an anode, where the anode and cathode are made from inks that coat the electrolyte. No precious metals, corrosive acids, or molten materials are required. Natural gas enters the anode side, where it mixes with steam to produce reformed fuel. As the reformed fuel crosses the anode, it attracts oxygen ions from the air on the cathode side. The oxygen ions combine with the reformed fuel to produce electricity, water, heat, and carbon dioxide. The water and heat are recycled to produce the steam needed to reform the fuel, enabling a highly efficient electrochemical reaction that requires no water other than during system startup. The electrochemical reaction occurs at 700–900 degrees Celsius. Individual cells are combined into stacks, then into power modules containing hundreds of individual fuel cells that produce direct current power. The modules are packaged into Energy Servers, which combine the power modules with a fuel processing module and an AC module containing DC-to-AC converters and transformers to produce 325 kW of net AC power. A minority of units are smaller and produce 260 kW of net AC power.

The proposed Bloom Energy Server System deploys co-functioning Energy Servers to create an integrated system capable of sustaining the target output represented for each applicable scenario. Depleted anode exhaust, which is approximately 95 percent carbon dioxide once dried, is discharged to the atmosphere. The air emissions from the Energy Servers consist of depleted anode exhaust, which contains lower criteria air pollutants due to the absence of combustion, and use no water during steady-state operation.

The facility is being constructed with redundancy to ensure reliability for electricity delivery. Whereas the maximum rated load for the Bloom Energy Server System is 2,462 MW (nameplate capacity), a maximum operational capacity of 1,600 MW is proposed. Facility operation would still be 24 hours a day for 365 days a year (i.e., 8,760 hours).

Startup, Shutdown, and Maintenance (SSM) routine or predictable emissions:

Natural gas desulfurization will be achieved via sealed canisters or a Central Desulfurization System (CDS).

Minimal startup, shutdown, and maintenance emissions are expected through use of the CDS, if selected for desulfurization. Maintenance activities with potential emissions include replacement of desulfurization bed media at a nominal frequency of once per two years.

If CDS is used, air emissions (natural gas venting) will occur during CDS media replacements and during desulfurization unit initial start-ups. Approximately ninety-five CDS skids/blocks will be installed, consisting of two vessels in a lead/lag configuration for desulfurization. Each vessel has a volume of 1,370 standard cubic feet. This activity is exempt pursuant to 20.2.72.202.B(5) NMAC.

If desulfurization canisters are used, there will be no associated SSM emissions.

Administrative Record NSR 10833_012135

Section 5

Plot Plan Drawn To Scale

A **plot plan drawn to scale** showing emissions points, roads, structures, tanks, and fences of property owned, leased, or under direct control of the applicant. This plot plan must clearly designate the restricted area as defined in UA1, Section 1-D.12. The unit numbering system should be consistent throughout this application.

A plot plan is attached to this application.

Administrative Record NSR 10833_012136


Platforms (254)
Stacks (1,263)
Fence line
N
200 m (656 ft)
UTM 13N NAD83/WGS84 | Imagery: Esri World Imagery (Esri, Maxar, Earthstar Geographics)

Section 6

All Calculations

Show all calculations used to determine both the hourly and annual controlled and uncontrolled emission rates. All calculations shall be performed keeping a minimum of three significant figures. Document the source of each emission factor used (if an emission rate is carried forward and not revised, then a statement to that effect is required). If identical units are being permitted and will be subject to the same operating conditions, submit calculations for only one unit and a note specifying what other units to which the calculations apply. All formulas and calculations used to calculate emissions must be submitted. The "Calculations" tab in the UA2 has been provided to allow calculations to be linked to the emissions tables. Add additional "Calc" tabs as needed. If the UA2 or other spread sheets are used, all calculation spread sheet(s) shall be submitted electronically in Microsoft Excel compatible format so that formulas and input values can be checked. Format all spread sheets and calculations such that the reviewer can follow the logic and verify the input values. Define all variables. If calculation spread sheets are not used, provide the original formulas with defined variables. Additionally, provide subsequent formulas showing the input values for each variable in the formula. All calculations, including those calculations are imbedded in the Calc tab of the UA2 portion of the application, the printed Calc tab(s), should be submitted under this section.

Tank Flashing Calculations: The information provided to the AQB shall include a discussion of the method used to estimate tank-flashing emissions, relative thresholds (i.e., NOI, permit, or major source (NSPS, PSD or Title V)), accuracy of the model, the input and output from simulation models and software, all calculations, documentation of any assumptions used, descriptions of sampling methods and conditions, copies of any lab sample analysis. If Hysis is used, all relevant input parameters shall be reported, including separator pressure, gas throughput, and all other relevant parameters necessary for flashing calculation.

SSM Calculations: It is the applicant's responsibility to provide an estimate of SSM emissions or to provide justification for not doing so. In this Section, provide emissions calculations for Startup, Shutdown, and Routine Maintenance (SSM) emissions listed in the Section 2 SSM and/or Section 22 GHG Tables and the rational for why the others are reported as zero (or left blank in the SSM/GHG Tables). Refer to "Guidance for Submittal of Startup, Shutdown, Maintenance Emissions in Permit Applications (http://www.env.nm.gov/aqb/permit/app_form.html) for more detailed instructions on calculating SSM emissions. If SSM emissions are greater than those reported in the Section 2, Requested Allowables Table, modeling may be required to ensure compliance with the standards whether the application is NSR or Title V. Refer to the Modeling Section of this application for more guidance on modeling requirements.

Glycol Dehydrator Calculations: The information provided to the AQB shall include the manufacturer's maximum design recirculation rate for the glycol pump. If GRI-Glycalc is used, the full input summary report shall be included as well as a copy of the gas analysis that was used.

Road Calculations: Calculate fugitive particulate emissions and enter haul road fugitives in Tables 2-A, 2-D and 2-E for:

1. If you transport raw material, process material and/or product into or out of or within the facility and have PER emissions greater than 0.5 tpy.
2. If you transport raw material, process material and/or product into or out of the facility more frequently than one round trip per day.

Significant Figures:
A. All emissions standards are deemed to have at least two significant figures, but not more than three significant figures.
B. At least 5 significant figures shall be retained in all intermediate calculations.
C. In calculating emissions to determine compliance with an emission standard, the following rounding off procedures shall be used:

(1) If the first digit to be discarded is less than the number 5, the last digit retained shall not be changed;
(2) If the first digit discarded is greater than the number 5, or if it is the number 5 followed by at least one digit other than the number zero, the last figure retained shall be increased by one unit; **and**
(3) If the first digit discarded is exactly the number 5, followed only by zeros, the last digit retained shall be rounded upward if it is an odd number, but no adjustment shall be made if it is an even number.
(4) The final result of the calculation shall be expressed in the units of the standard.

Control Devices: In accordance with 20.2.72.203.A(3) and (8) NMAC, 20.2.70.300.D(5)(b) and (e) NMAC, and 20.2.73.200.B(7) NMAC, the permittee shall report all control devices and list each pollutant controlled by the control device regardless if the applicant takes credit for the reduction in emissions. The applicant can indicate in this section of the

application if they chose to not take credit for the reduction in emission rates. For notices of intent submitted under 20.2.73 NMAC, only uncontrolled emission rates can be considered to determine applicability unless the state or federal Acts require the control. This information is necessary to determine if federally enforceable conditions are necessary for the control device, and/or if the control device produces its own regulated pollutants or increases emission rates of other pollutants.

Emissions from the Bloom Energy Server System are provided by the manufacturer based on output-based emission factors (lb/MW-hr) determined through CARB certification or other stack testing for the particular unit. Each such emission factor is multiplied by the installed capacity of the Bloom Energy Server System to obtain an hourly emission rate. Annual emission rates are obtained by multiplying by the operating schedule (hr/yr) and converting to units of tons/yr. While Bloom Energy does not customarily recommend the use of safety factors for similar projects in other jurisdictions, a 15% safety factor was added to all hourly and annual emissions, except for GHGs, to account for potential variability in operating conditions and to ensure a conservative assessment of source impacts, consistent with local practice. For example, VOC emissions for the nameplate capacity of 2,462.005 MW can be calculated as follows:

ER = MW× EF×(1+15%)

0.01 lb VOC/MW-hr × 2,462.005 MW×(1+15%) = 28.31 lb/hr

Note that this value represents the VOC emissions based on the nameplate capacity (as shown in Table 2-D). To calculate the requested allowable emissions (as shown in Table 2-E), the MW value is based on 1,600 MW capacity as shown below.

0.01 lb VOC/MW-hr × 1,600 MW×(1+15%) = 18.40 lb/hr

For GHG emissions, the CO_2 emission factor indicated in the vendor data has been used. The vendor represents that the fuel cells do not emit detectable amounts of other GHGs and the CO_2 emission factor is based on Bloom's entire fleet.

Administrative Record NSR 10833_012139

Section 6.a

Green House Gas Emissions

(Submitting under 20.2.70, 20.2.72 20.2.74 NMAC)

Title V (20.2.70 NMAC), Minor NSR (20.2.72 NMAC), and PSD (20.2.74 NMAC) applicants must estimate and report greenhouse gas (GHG) emissions to verify the emission rates reported in the public notice, determine applicability to 40 CFR 60 Subparts, and to evaluate Prevention of Significant Deterioration (PSD) applicability. GHG emissions that are subject to air permit regulations consist of the sum of an aggregate group of these six greenhouse gases: carbon dioxide (CO_2), nitrous oxide (N_2O), methane (CH_4), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF_6).

Calculating GHG Emissions:

1. Calculate the ton per year (tpy) GHG mass emissions and GHG CO_2e emissions from your facility.
2. GHG mass emissions are the sum of the total annual tons of greenhouse gases without adjusting with the global warming potentials (GWPs). GHG CO_2e emissions are the sum of the mass emissions of each individual GHG multiplied by its GWP found in Table A-1 in 40 CFR 98 Mandatory Greenhouse Gas Reporting.
3. Emissions from routine or predictable start up, shut down, and maintenance must be included.
4. Report GHG mass and GHG CO_2e emissions in Table 2-P of this application. Emissions are reported in **short** tons per year and represent each emission unit's Potential to Emit (PTE).
5. All Title V major sources, PSD major sources, and all power plants, whether major or not, must calculate and report GHG mass and CO2e emissions for each unit in Table 2-P.
6. For minor source facilities that are not power plants, are not Title V, and are not PSD there are three options for reporting GHGs in Table 2-P: 1) report GHGs for each individual piece of equipment; 2) report all GHGs from a group of unit types, for example report all combustion source GHGs as a single unit and all venting GHGs as a second separate unit; 3) or check the following ☐ By checking this box, the applicant acknowledges the total CO2e emissions are less than 75,000 tons per year.

Sources for Calculating GHG Emissions:

- Manufacturer's Data
- AP-42 Compilation of Air Pollutant Emission Factors at http://www.epa.gov/ttn/chief/ap42/index.html
- EPA's Internet emission factor database WebFIRE at http://cfpub.epa.gov/webfire/
- 40 CFR 98 Mandatory Green House Gas Reporting except that tons should be reported in short tons rather than in metric tons for the purpose of PSD applicability.
- API Compendium of Greenhouse Gas Emissions Methodologies for the Oil and Natural Gas Industry. August 2009 or most recent version.
- Sources listed on EPA's NSR Resources for Estimating GHG Emissions at http://www.epa.gov/nsr/clean-air-act-permitting-greenhouse-gases:

Global Warming Potentials (GWP):
Applicants must use the Global Warming Potentials codified in Table A-1 of the most recent version of 40 CFR 98 Mandatory Greenhouse Gas Reporting. The GWP for a particular GHG is the ratio of heat trapped by one unit mass of the GHG to that of one unit mass of CO_2 over a specified time period.

"Greenhouse gas" for the purpose of air permit regulations is defined as the aggregate group of the following six gases: carbon dioxide, nitrous oxide, methane, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. **(20.2.70.7 NMAC, 20.2.74.7 NMAC).** You may also find GHGs defined in 40 CFR 86.1818-12(a).

Metric to Short Ton Conversion:
Short tons for GHGs and other regulated pollutants are the standard unit of measure for PSD and title V permitting programs. 40 CFR 98 Mandatory Greenhouse Reporting requires metric tons.
1 metric ton = 1.10231 short tons (per Table A-2 to Subpart A of Part 98 – Units of Measure Conversions)

Greenhouse gases are calculated as described in Section 6.

Section 10

Written Description of the Routine Operations of the Facility

---

A written description of the routine operations of the facility. Include a description of how each piece of equipment will be operated, how controls will be used, and the fate of both the products and waste generated. For modifications and/or revisions, explain how the changes will affect the existing process. In a separate paragraph describe the major process bottlenecks that limit production. The purpose of this description is to provide sufficient information about plant operations for the permit writer to determine appropriate emission sources.

The facility utilizes a Bloom Energy Server System, which is a type of solid oxide fuel cell system (EUID: SOFC). The SOFC converts natural gas into electricity through an electrochemical reaction without combustion. Each individual fuel cell is composed of three layers: a solid ceramic electrolyte sandwiched between a cathode and an anode, where the anode and cathode are made from inks that coat the electrolyte. No precious metals, corrosive acids, or molten materials are required. Natural gas enters the anode side, where it mixes with steam to produce reformed fuel. As the reformed fuel crosses the anode, it attracts oxygen ions from the air on the cathode side. The oxygen ions combine with the reformed fuel to produce electricity, water, heat, and carbon dioxide. The water and heat are recycled to produce the steam needed to reform the fuel, enabling a highly efficient electrochemical reaction that requires no water other than during system startup. The electrochemical reaction occurs at 700–900 degrees Celsius.

Individual cells are combined into stacks, then into power modules containing hundreds of individual fuel cells that produce direct current power. The modules are packaged into Energy Servers, which combine the power modules with a fuel processing module and an AC module containing DC-to-AC converters and transformers to produce 325 kW of net AC power. One of the units is also comprised of energy servers that produce 260 kW of net AC power. The proposed Bloom Energy Server System deploys co-functioning Energy Servers to create an integrated system capable of sustaining the target output represented for each applicable scenario. Depleted anode exhaust, which is approximately 95 percent carbon dioxide once dried is discharged to the atmosphere. The air emissions from the Energy Servers consist of depleted anode exhaust, which contains lower criteria air pollutants due to the absence of combustion, and use no water during steady-state operation. The Bloom Energy Server System is proposed to operate at 1,600 MW capacity for 8,760 hours per year. The facility is being constructed with redundancy to ensure reliability for electricity delivery. Whereas the maximum rated load for the Bloom Energy Server System is 2,462 MW, the proposed maximum operational capacity of 1,600 MW. Please refer to Section 20 for additional information.

Administrative Record NSR 10833_012141

Section 12

Section 12.A
PSD Applicability Determination for All Sources

(Submitting under 20.2.72, 20.2.74 NMAC)

A PSD applicability determination for all sources. For sources applying for a significant permit revision, apply the applicable requirements of 20.2.74.AG and 20.2.74.200 NMAC and to determine whether this facility is a major or minor PSD source, and whether this modification is a major or a minor PSD modification. It may be helpful to refer to the procedures for Determining the Net Emissions Change at a Source as specified by Table A-5 (Page A.45) of the EPA New Source Review Workshop Manual to determine if the revision is subject to PSD review.

A. This facility is:

- ☑ **a minor PSD source before and after this modification (if so, delete C and D below).**
- ☐ **a major PSD source before this modification. This modification will make this a PSD minor source.**
- ☐ **an existing PSD Major Source that has never had a major modification requiring a BACT analysis.**
- ☐ **an existing PSD Major Source that has had a major modification requiring a BACT analysis**
- ☐ **a new PSD Major Source after this modification.**

B. **This facility is not one of the listed 20.2.74.501 Table I – PSD Source Categories. The "project" emissions for this modification are not significant. The "project" emissions listed below do only result from changes described in this permit application, thus no emissions from other [revisions or modifications, past or future] to this facility. Also, specifically discuss whether this project results in "de-bottlenecking", or other associated emissions resulting in higher emissions. The project emissions (before netting) for this project are as follows [see Table 2 in 20.2.74.502 NMAC for a complete list of significance levels]:**

a.	**NOx:**	**24.18**	**TPY**
b.	**CO:**	**104.77**	**TPY**
c.	**VOC:**	**80.59**	**TPY**
d.	**SOx:**	**0.049**	**TPY**
e.	**PM:**	**49.00**	**TPY**
f.	**PM_{10}:**	**49.00**	**TPY**
g.	**$PM_{2.5}$:**	**49.00**	**TPY**
h.	**Flourides:**	**N/A**	**TPY**
i.	**Lead:**	**N/A**	**TPY**
j.	**Sulfur Compounds (listed in Table 2):**	**0.049**	**TPY**
k.	**GHG:**	**5,732,544**	**TPY**

** The Bloom Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the Bloom Energy Server System equipment vendor does not specify particulate emission factors.*

Section 20

Other Relevant Information

Other relevant information. Use this attachment to clarify any part in the application that you think needs explaining. Reference the section, table, column, and/or field. Include any additional text, tables, calculations or clarifying information.

Additionally, the applicant may propose specific permit language for AQB consideration. In the case of a revision to an existing permit, the applicant should provide the old language and the new language in track changes format to highlight the proposed changes. If proposing language for a new facility or language for a new unit, submit the proposed operating condition(s), along with the associated monitoring, recordkeeping, and reporting conditions. In either case, please limit the proposed language to the affected portion of the permit.

Enforceable 1,600 MW operating cap:

To further address the NMED's guidance to ensure YGI prioritizes the environmental impact, YGI is requesting that a term and condition be added to the draft permit which limits the facility's operation of its 2,462 MW permitted capacity, through both an hourly limit and lower annual limits on output. The facility is being constructed with redundancy to ensure reliability for electricity delivery. As a result, YGI will not operate the facility at more than 1,600 MW, which represents 65% of the 2,462 MW. To more accurately reflect this operational limit and associated emissions, YGI requests a permit condition which would limit capacity for the microgrid in the form of an hourly and annual limit. This limit could either be in the form of an hourly and annual limit on the output capacity in annual MW-hour. This enforceable condition would significantly reduce maximum allowable emissions from the facility as shown in the table below. Emissions from the original application reflecting the entire nameplate capacity are shown, as are the reduced emissions based on the 65% operational limitation. YGI has included the emissions based on nameplate capacity in Table 2-D, and the requested allowable emissions in Table 2-E.

YGI has also completed modeling of a scenario representing 100% of the stacks (1,263) operating at 100% of their capacity (2,462 MW) and associated exhaust parameters, resulting in the most conservative model results (i.e., lowest exhaust temperature). This scenario assumes that all units will be running at 100% load capacity, at an ambient temperature of 0 °C. This was done to ensure that, regardless of how YGI meets the 1,600 MW operating cap, its operations will comply with the NAAQS. The facility will not operate above the requested 1,600 MW, this scenario models all 2,462 MW from all 1,263 stacks to provide assurance that the worst-case assumptions will be protective of the NAAQS. YGI has provided two versions of both Table 2-G and 2-H which reflect the associated emissions and stack parameters with each of these modeling scenarios. One set of Tables 2-G and 2-H (subtitled "1600 MW") represents the modeling scenario assuming the 1,600 MW operational cap, and requested allowable emissions from Table 2-E. The other set of Tables 2-G and 2-H (subtitled "Full Load") represents the modeling scenario assuming 100% of nameplate capacity (i.e., 2,462 MW) and maximum emissions prior to the voluntary limit as shown in Table 2-D.

Universal Application 4

Air Dispersion Modeling Report

Refer to and complete Section 16 of the Universal Application form (UA3) to assist your determination as to whether modeling is required. If, after filling out Section 16, you are still unsure if modeling is required, e-mail the completed Section 16 to the AQB Modeling Manager for assistance in making this determination. If modeling is required, a modeling protocol would be submitted and approved prior to an application submittal. The protocol should be emailed to the modeling manager. A protocol is recommended but optional for minor sources and is required for new PSD sources or PSD major modifications. Fill out and submit this portion of the Universal Application form (UA4), the "Air Dispersion Modeling Report", only if air dispersion modeling is required for this application submittal. This serves as your modeling report submittal and should contain all the information needed to describe the modeling. No other modeling report or modeling protocol should be submitted with this permit application.

16-A: Identification

1	Name of facility:	YGI Microgrid
2	Name of company:	Yucca Growth Infrastructure, LLC (YGI)
3	Current Permit number:	TBD
4	Name of applicant's modeler:	Trinity Consultants
5	Phone number of modeler:	505-266-6611
6	E-mail of modeler:	trinitynm@trinityconsultants.com

16-B: Brief

1	Was a modeling protocol submitted and approved? A modeling protocol has not been submitted for this permit application.	Yes☐	No☒
2	Why is the modeling being done?	New Facility	
3	Describe the permit changes relevant to the modeling.		
	This application is being submitted for a new facility, under a 20.2.72 NMAC application.		
4	What geodetic datum was used in the modeling?	WGS84	
5	How long will the facility be at this location?	More than 1 year	
6	Is the facility a major source with respect to Prevention of Significant Deterioration (PSD)?	Yes☐	No☒

Administrative Record NSR 10833_012144

7	Identify the Air Quality Control Region (AQCR) in which the facility is located	153	
8	List the PSD baseline dates for this region (minor or major, as appropriate).		
	NO2	8/2/1995	
	SO2	N/A	
	PM10	6/16/2000	
	PM2.5	N/A	
9	Provide the name and distance to Class I areas within 50 km of the facility (300 km for PSD permits).		
	N/A – There are no Class I areas within 50 km of the facility.		
10	Is the facility located in a non-attainment area? If so describe below	Yes☐	No☒
	N/A		
11	Describe any special modeling requirements, such as streamline permit requirements.		
	N/A		

16-C: Modeling History of Facility

1. Describe the modeling history of the facility, including the air permit numbers, the pollutants modeled, the National Ambient Air Quality Standards (NAAQS), New Mexico AAQS (NMAAQS), and PSD increments modeled. (Do not include modeling waivers).

Pollutant	Latest permit and modification number that modeled the pollutant facility-wide.	Date of Permit	Comments
CO	N/A	N/A	This application is an initial permit application.
NO_2	N/A	N/A	This application is an initial permit application.
SO_2	N/A	N/A	This application is an initial permit application.
H_2S	N/A	N/A	This application is an initial permit application.
PM2.5	N/A	N/A	This application is an initial permit application.
PM10	N/A	N/A	This application is an initial permit application.
Lead	N/A	N/A	This application is an initial permit application.
Ozone (PSD only)	N/A	N/A	This application is an initial permit application.
NM Toxic Air Pollutants (20.2.72.402 NMAC)	N/A	N/A	This application is an initial permit application.

16-D: Modeling performed for this application

1. For each pollutant, indicate the modeling performed and submitted with this application.
Choose the most complicated modeling applicable for that pollutant, i.e., culpability analysis assumes ROI and cumulative analysis were also performed.

Pollutant	ROI	Cumulative analysis	Culpability analysis	Waiver approved	Pollutant not emitted or not changed.
CO	☒	☐	☐	☐	☐

	NO_2	☐	☒	☐	☐	☐
	SO_2	☒	☐	☐	☐	☐
	H_2S	☐	☐	☐	☐	☒
	PM2.5	☐	☒	☐	☐	☐
	PM10	☐	☒	☐	☐	☐
	Lead	☐	☐	☐	☐	☒
	Ozone	☐	☐	☐	☐	☒
	State air toxic(s) (20.2.72.402 NMAC)	☐	☐	☐	☐	☒

16-E: New Mexico toxic air pollutants modeling

1 List any New Mexico toxic air pollutants (NMTAPs) from Tables A and B in 20.2.72.502 NMAC that are modeled for this application.
N/A – there are no NMTAPs at this facility.

2 List any NMTAPs that are emitted but not modeled because stack height correction factor. Add additional rows to the table below, if required. N/A – there are no NMTAPs at this facility.

Pollutant	Emission Rate (pounds/hour)	Emission Rate Screening Level (pounds/hour)	Stack Height (meters)	Correction Factor	Emission Rate/ Correction Factor

16-F: Modeling options

1	Was the latest version of AERMOD used with regulatory default options? If not explain below.	Yes☒	No☐

16-G: Surrounding source modeling

1	Date of surrounding source retrieval	9/17/25

2 If the surrounding source inventory provided by the Air Quality Bureau was believed to be inaccurate, describe how the sources modeled differ from the inventory provided. If changes to the surrounding source inventory were made, use the table below to describe them. Add rows as needed.

AQB Source ID	Description of Corrections
TCEQ Sources	Per request from NMED, YGI is including nearby sources in Texas, which were provided by TCEQ. These are included as part of the submittal package.
TCEQ Sources: 730090 730095 730099 730100 730103	These sources (RN100220276) are located in Houston, TX and should have not been provided with the TCEQ files.
26582@1	$PM_{2.5}$, PM_{10}: For the Rinker Santa Teresa Pipe (AI# 26582) facility, PM_{10} and $PM_{2.5}$ emission rates were based off 95 tpy total suspended particulate from the GCP-5 #3602 permit for concrete batch plants.

		The emissions rates for PM_{10} and $PM_{2.5}$ were ratioed based on particle size multiplier constants taken from AP-42 Chapter 13.2.4 for Aggregate Handling and Storage Piles. The new values are 10.28 lb/hr PM_{10} and 1.55 lb/hr $PM_{2.5}$.
	38354@1	$PM_{2.5}$, PM_{10}: For the MiniConcrete Materials Concrete Batch Plant – No 7 (AI# 38354) facility, PM_{10} and $PM_{2.5}$ emission rates were based off 95 tpy total suspended particulate from the GCP-5 #7756 permit for concrete batch plants. The emissions rates for PM_{10} and $PM_{2.5}$ were ratioed based on particle size multiplier constants taken from AP-42 Chapter 13.2.4 for Aggregate Handling and Storage Piles. The new values are 20.56 lb/hr PM_{10} and 3.11 lb/hr $PM_{2.5}$.
	28823E1 28823E2 28823E3 28823E9 28823R1	All pollutants: For the NM SunTower facility (AI# 28823), the permitted source (NSR permit 4171, solar thermal) was never constructed. The project defaulted in 2010 and no equipment is present in satellite imagery at the permitted location. Sources removed from the inventory.
	133A9	$PM_{2.5}$, PM_{10}, CO: For the FXI Holdings – Santa Teresa Plant (AI# 133), the emission rate and discharge parameters were updated from permit 0624M5R7 (issued June 13, 2014) and the 2013 permit application (Table 2-H). The new emission rate for PM_{10} and $PM_{2.5}$ is 1.7 lb/hr and CO is 2.2 lb/hr, modeled as a 100-ft capped point source in place of the 10-m volume source.
	28218E1 28218E2 28218E3 28218E4 28218E8 28218R1 28218R2	All pollutants: For the Johnson Plate and Tower – Santa Teresa Facility (AI# 28218), the facility permanently closed following a 2014 bankruptcy and the paint booth and oven line were auctioned. No active source is listed in RSMT or EPA ECHO. Sources removed from the inventory.
	131A1	All pollutants: For the Hydro Conduit facility (AI# 131), the facility no longer exists and the site has been redeveloped as a residential subdivision. The successor operation is separately inventoried as AI# 26582. Source removed from the inventory.
	154A1	$PM_{2.5}$, PM_{10}: For the Georgia-Pacific Vista Corrugated Paper Plant (AI# 154), the source (waste paperboard particulate control device) was updated with Table 39 discharge parameters, and PM_{10} and $PM_{2.5}$ were ratioed from published emission factors for the same source type (NCASI trim and scrap handling cyclone testing, as adopted in ORCAA permit 21SMO1535). The new values are 0.51 lb/hr PM_{10} and 0.0086 lb/hr $PM_{2.5}$.

16-H: Building and structure downwash

1	How many buildings are present at the facility?	254		
2	How many above ground storage tanks are present at the facility?	0		
3	Was building downwash modeled for all buildings and tanks? If not explain why below.		Yes☒	No☐
	N/A – downwash was modeled for all buildings.			
4	Building comments	Downwash structures represent the modules that house the Bloom Energy Server System.		

16-I: Receptors and modeled property boundary

1	"Restricted Area" is an area to which public entry is effectively precluded. Effective barriers include continuous fencing, continuous walls, or other continuous barriers approved by the Department, such as rugged physical terrain with a steep grade that would require special equipment to traverse. If a large property is completely enclosed by fencing, a restricted area within the property may be identified with signage only. Public roads cannot be part of a Restricted Area. A Restricted Area is required in order to exclude receptors from the facility property. If the facility does not have a Restricted Area, then receptors shall be placed within the property boundaries of the facility. Describe the fence or other physical barrier at the facility that defines the restricted area.		
	The facility is enclosed by continuous fencing.		
2	Receptors must be placed along publicly accessible roads in the restricted area. Are there public roads passing through the restricted area?	Yes☐	No☒
3	Are restricted area boundary coordinates included in the modeling files?	Yes☒	No☐

4 Describe the receptor grids and their spacing. The table below may be used, adding rows as needed.

Grid Type	Shape	Spacing	Start distance from restricted area or center of facility	End distance from restricted area or center of facility	Comments
Variable Density	Square	100 m	0 m	500 m from ambient air boundary	Receptors located outside of the United States are not included in this analysis.
Variable Density	Square	500 m	500 m from ambient air boundary	5,500 m from ambient air boundary	Receptors located outside of the United States are not included in this analysis.
Variable Density	Square	1,000 m	5,500 m from ambient air boundary	20,500 m from ambient air boundary	Receptors located outside of the United States are not included in this analysis.
Variable Density	Square	1,250 m	20,500 m from ambient air boundary	50,000 m from center of facility	Receptors located outside of the United States are not included in this analysis.

5	Describe receptor spacing along the fence line. 25-m resolution along the ambient air boundary.
6	Describe the PSD Class I area receptors. N/A – There are no Class I areas within 50 km of the facility.

16-J: Modeling Scenarios

1	Identify, define, and describe all modeling scenarios. Examples of modeling scenarios include using different production rates, times of day, times of year, simultaneous or alternate operation of old and new equipment during transition periods, etc. Alternative operating scenarios should correspond to all parts of the Universal Application and should be fully described in Section 15 of the Universal Application (UA3).
	The UA-4 form contains two modeling scenarios. The first model scenario reflects the 1,600 MW operating cap that was proposed in the letter to the NMED sent on October 14, 2026, as total emission rates that are modeled reflect the facility's limited operation. Additionally, in order to ensure that regardless of how YGI meets the 1,600 MW operating cap, the facility will comply with the NAAQS, YGI is also including a model that represents 100% of the stacks operating at 100% of their capacity with exhaust parameters that would result in the most conservative model results. The facility will never

	operate above the requested 1,600 MW cap, but this scenario shows that regardless of the operating load of each individual stack in the model, the worst-case assumptions will be protective of the NAAQS.		
2	Which scenario produces the highest concentrations? Why?		
	The 100% load scenario produces higher concentrations as it has higher emission rates.		
3	Were emission factor sets used to limit emission rates or hours of operation? (This question pertains to the "SEASON", "MONTH", "HROFDY" and related factor sets, not to the factors used for calculating the maximum emission rate.)	Yes☐	No☒
4	If so, describe factors for each group of sources. List the sources in each group before the factor table for that group. (Modify or duplicate table as necessary. It's ok to put the table below section 16-K if it makes formatting easier.) Sources:		

5

Hour of Day	Factor	Hour of Day	Factor
1		13	
2		14	
3		15	
4		16	
5		17	
6		18	
7		19	
8		20	
9		21	
10		22	
11		23	
12		24	

If hourly, variable emission rates were used that were not described above, describe them below.

N/A – no variable emission rates were used.

6	Were different emission rates used for short-term and annual modeling? If so describe below.	Yes☐	No☒
	N/A – emission rates match those presented in Table 2-G.		

16-K: NO_2 Modeling

1 Which types of NO_2 modeling were used?
Check all that apply.

☒	ARM2
☐	100% NO_X to NO_2 conversion
☐	PVMRM
☐	OLM
☐	Other:

2 Describe the NO_2 modeling.

The ARM2 methodology was used with the default maximum and minimum ambient ratios.

3	Were default NO_2/NO_X ratios (0.5 minimum, 0.9 maximum or equilibrium) used? If not describe and justify the ratios used below.	Yes☒	No☐
4	Describe the design value used for each averaging period modeled.		
	1-hour: 98th percentile as calculated by AERMOD Annual Other (Describe): : Highest Annual Average of Five Years		

16-L: Ozone Analysis

1	NMED has performed a generic analysis that demonstrates sources that are minor with respect to PSD do not cause or contribute to any violations of ozone NAAQS. The analysis follows. The basis of the ozone SIL is documented in *Guidance on Significant Impact Levels for Ozone and Fine Particles in the Prevention of Significant Deterioration Permitting Program*, EPA, April 17, 2018 and associated documents. NMED accepts this SIL basis and incorporates it into this permit record by reference. Complete documentation of the ozone concentration analysis using MERPS is included in the New Mexico Air Quality Bureau Air Dispersion Modeling Guidelines (Revised June 2026).		
2	The MERP values presented in Table 10 and Table 11 of the NM AQB Modeling Guidelines that produce the highest concentrations indicate that facilities emitting no more than 250 tons/year of NO_X and no more than 250 tons/year of VOCs will cause less formation of O_3 than the O_3 significance level. $$[O_3]_{8-hour} = \left(\frac{250 \frac{ton}{yr}}{340_{MERP_{NOX}}} + \frac{250 \frac{ton}{yr}}{4679_{MERP_{VOC}}} \right) \times 1.96\ \mu g/m^3$$ =1.546 µg/m³, which is below the significance level of 1.96 µg/m³. Sources that produce ozone concentrations below the ozone SIL do not cause or contribute to air contaminant levels exceeding the ozone NAAQS. Notwithstanding, permit applicants routinely perform hypothetical modeling calculations using the MERPs tool and the Dispersion Guidelines in order to demonstrate that the project will not cause or contribute to an ozone NAAQS. Such a project-specific calculation is presented in items 3–5, below, even though the facility will not emit more than 250 tons/year of NOx and 250 tons/year of VOC.		
3	Does the facility emit at least 250 tons per year of NO_X or at least 250 tons per year of VOCs? Sources that emit at least 250 tons per year of NO_X or at least 250 tons per year of VOCs are covered by the analysis above and require an individual analysis.	Yes☐	No☒

5 For new PSD Major Sources or PSD major modifications, if MERPs were used to account for ozone fill out the information below. If another method was used describe below. The facility is not a PSD Major source. It is a minor source and is providing MERPS information voluntarily in accordance with EPA's most recent MERP guidance.

NO_X (ton/yr)	$MERP_{NOX}$	VOCs (ton/yr)	$MERP_{VOC}$	$[O_3]_{8\text{-hour}}$
24.18	413.5	80.59	82121	0.0595 ppb

Secondary formation of ozone from the YGI Microgrid is estimated using Equation 2 from "Guidance on the Development of Modeled Emission Rates for Precursors (MERPs) as a Tier 1 Demonstration Tool for Ozone and $PM_{2.5}$ under the PSD Permitting Program" from EPA (MERPs guidance). Equation 2 is equivalent to the equation preceding Table 10 in the NM AQB Modeling Guidelines, understanding that the MERP (see below) is the inverse of the quotient in equation 2, and the ozone impact is the linear combination of the expressions for the NO_X and VOC-specific impacts, which result may be expressed in units of either ppb or µg/m³. Equation 2 was computed for NO_X and VOC-specific impacts; the results were added; and a final result was compared to the EPA-recommended de minimis level of 1.0 ppb. The hypothetical source in

	Otero County, NM was selected based on the criteria provided in the MERPs guidance, which include proximity, terrain and land use, climate, regional sources of pollutants, and background pollutant concentrations. Otero County's proximity to the East Microgrid along with similarities in terrain were the primary reasons for selecting it as a hypothetical source. Under EPA's guidance, the modeled air quality impact from a hypothetical source of 500 tons/yr (the closest value to the project's annual emissions) is 1.209116 ppb for a 500 tpy NOX source and 0.0006089 ppb for a 500 tpy VOC source. Comparing these results with the project emission rates, the project impact for ozone would be 0.0595 ppb, which is below the significance threshold of 1.0 ppb. Eq. 2: $Project\ Impact = Project\ emission\ rate \times \frac{Modeled\ Air\ Quality\ Impact\ from\ Hypothetical\ Source}{Modeled\ emission\ rate\ from\ Hypothetical\ Source}$ The Modeled Air Quality Impact for NOx and VOC were provided by EPA's MERPs View Qlik tool. YGI is using MERP values from the hypothetical source in Otero County, NM. Based on the range of stack heights, the modeled impacts associated with a 10 m stack were used from this analysis. To calculate the MERP value listed above, YGI used the following equation: $$MERP = \frac{500\ tpy}{Modeled\ Air\ Quality\ Impact}$$

16-M: Particulate Matter Modeling

1	Select the pollutants for which plume depletion modeling was used.	
	☐	PM2.5
	☐	PM10
	☒	None
2	Describe the particle size distributions used. Include the source of information.	
	N/A	
3	Does the facility emit at least 40 tons per year of NO_X or at least 40 tons per year of SO_2? Sources that emit at least 40 tons per year of NO_X or at least 40 tons per year of SO_2 are considered to emit significant amounts of precursors and must account for secondary formation of PM2.5.	Yes☐ No☒
4	Was secondary PM modeled for PM2.5?	Yes☐ No☒

5 If MERPs were used to account for secondary PM2.5 fill out the information below. If another method was used describe below. N/A – the source emits less than 40 tons per year of NOx and SO2.

Pollutant	NO_X	SO_2		$[PM2.5]_{24\text{-hour}}$
$MERP_{annual}$	N/A	N/A		N/A
$MERP_{24\text{-hour}}$	N/A	N/A		$[PM2.5]_{annual}$
Emission rate (ton/yr)	N/A	N/A		N/A

N/A

16-N: Setback Distances

1	Portable sources or sources that need flexibility in their site configuration requires that setback distances be determined between the emission sources and the restricted area boundary (e.g. fence line) for both the initial location and future locations. Describe the setback distances for the initial location.

	N/A
2	Describe the requested, modeled, setback distances for future locations, if this permit is for a portable stationary source. Include a haul road in the relocation modeling.
	N/A

16-O: PSD Increment and Source IDs

1	The unit numbers in the Tables 2-A, 2-B, 2-C, 2-E, 2-F, and 2-I should match the ones in the modeling files. Do these match? If not, provide a cross-reference table between unit numbers if they do not match below.			Yes☐	No☒
	Unit Number in UA-2	Unit Number in Modeling Files			
	SOFC	See attachment for Unit Number in Modeling Files			
2	The emission rates in the Tables 2-E and 2-F should match the ones in the modeling files. Do these match? If not, explain why below.			Yes☐	No☒
	SOFC emissions are split across 1,263 stacks. Refer to Table 2-G of the application for details regarding the stack configuration and associated emissions.				
3	Have the minor NSR exempt sources or Title V Insignificant Activities" (Table 2-B) sources been modeled?			Yes☐	No☒
4	Which units consume increment for which pollutants?				
	Unit ID	NO_2	SO_2	PM10	PM2.5
	SOFC (All stacks)	X		X	
5	PSD increment description for sources. (for unusual cases, i.e., baseline unit expanded emissions after baseline date).	YGI is planning to install an energy server system.			
6	Are all the actual installation dates included in Table 2A of the application form, as required? This is necessary to verify the accuracy of PSD increment modeling. If not please explain how increment consumption status is determined for the missing installation dates below.			Yes☐	No☒
	All units at this facility have not yet been constructed; therefore, no installation dates have occurred. All units are assumed to be increment consumers for pollutants that have a minor source baseline date established.				

16-P: Flare Modeling

1	For each flare or flaring scenario, complete the following			
	Flare ID (and scenario)	Average Molecular Weight	Gross Heat Release (cal/s)	Effective Flare Diameter (m)
	N/A			

16-Q: Volume and Related Sources

1	Were the dimensions of volume sources different from standard dimensions in the Air Quality Bureau (AQB) Modeling Guidelines? If not please explain how increment consumption status is determined for the missing installation dates below.	Yes☐	No☐
	N/A – no volume sources were modeled as part of this facility.		
	Describe the determination of sigma-Y and sigma-Z for fugitive sources.		

2	N/A – no fugitive sources were modeled as part of this facility.
3	Describe how the volume sources are related to unit numbers. Or say they are the same.
	N/A – no volume sources were modeled as part of this facility.
4	Describe any open pits.
	N/A – there are no open pits as part of this facility.
5	Describe emission units included in each open pit.
	N/A – there are no open pits as part of this facility.

16-R: Background Concentrations

1	Were NMED provided background concentrations used? Identify the background station used below. If non-NMED provided background concentrations were used describe the data that was used.	Yes☒	No☐
	CO: Choose an item.		
	NO_2: US-Mexico Border Crossing (350130021)		
	PM2.5: Sunland Park (350130021) – See Comment below		
	PM10: N/A – See Comment below		
	SO_2: Choose an item.		
	Other:		
	Comments:	YGI is utilizing the PM_{10} 24-hour second high background concentration for the Sunland Park (6ZM Desert View) monitor and the $PM_{2.5}$ 24-hour 98th percentile background concentration and the $PM_{2.5}$ Annual background concentration for the 6ZN, Santa Teresa (350130022) monitor. The NO_2 1-hr 98th percentile background concentration for the US-Mexico Border Crossing was used in only the 100% load modeling scenario.	
2	Were background concentrations refined to monthly or hourly values? If so describe below.	Yes☐	No☒

16-S: Meteorological Data

1	Was NMED provided meteorological data used? If so select the station used. Sunland Park (Desert View)	Yes☒	No☐
2	If NMED provided meteorological data was not used describe the data set(s) used below. Discuss how missing data were handled, how stability class was determined, and how the data were processed.		
	N/A – NMED provided meteorological data was used.		

16-T: Terrain

1	Was complex terrain used in the modeling? If not, describe why below.	Yes☒	No☐

	N/A
2	What was the source of the terrain data?
	Terrain was incorporated into the modeling analysis through the use of AERMAP with the most recent 1/3 degree NED Data currently available from https://apps.nationalmap.gov/downloader

16-U: Modeling Files

1

Describe the modeling files:

Significant Impact Models
- Input file name format "YGIMG_Poll AvgPer_SIL Input.inp"
- Output file name format "YGIMG_Poll AvgPer_SIL Output.out"
- "Poll" = NO2 (nitrogen oxides), CO (carbon monoxide), PM10 (particulate matter, PM_{10}), PM2.5 (particulate matter, $PM_{2.5}$), SO2 (sulfur dioxide)
- "AvgPer" = averaging period. 1hr = 1 hour, etc. Ann = annual
- "SIL" – SIL designator
- "SX" – Scenario. S1 = 1,600 MW, S2 = 100% Load (2,462 MW)
- Files may contain multiple SIL for short-term, annual, and increment averaging periods and multiple scenarios.

NM/NAAQS and Increment Models
- Input file name format "YGIMG_Poll AvgPer_Standard Input.inp"
- Output file name format "YGIMG_Poll AvgPer_Standard Output.out"
- "Poll" = NO2 (nitrogen oxides), CO (carbon monoxide), PM10 (particulate matter, PM_{10}), PM2.5 (particulate matter, $PM_{2.5}$), SO2 (sulfur dioxide)
- "AvgPer" = averaging period. 1hr = 1 hour, etc. Ann = annual
- "Standard" = air quality standard. PSD = PSD Increment Class II, NAAQS = NAAQS
- "SX" – Scenario. S1 = S1 = 1,600 MW, S2 = 100% Load (2,462 MW)

BPIP and AERMAP files have also been included with this submittal.

File name (or folder and file name)	Pollutant(s)	Purpose (ROI/SIA, cumulative, culpability analysis, other)
YGIMG_CO 1-hr 8-hr_SIL S1 Input.inp	CO	ROI/SIA
YGIMG_NO2 1-hr_SIL S1 Input.inp	NO_2	ROI/SIA
YGIMG_NO2 24-hr_SIL S1 Input.inp	NO_2	ROI/SIA
YGIMG_NO2 Ann_SIL S1 Input.inp	NO_2	ROI/SIA
YGIMG_PM2.5 24-hr_SIL S1 Input.inp	$PM_{2.5}$	ROI/SIA
YGIMG_PM2.5 Ann_SIL S1 Input.inp	$PM_{2.5}$	ROI/SIA
YGIMG_PM10 24-hr_SIL S1 Input.inp	PM_{10}	ROI/SIA
YGIMG_PM10 Ann_SIL S1 Input.inp	PM_{10}	ROI/SIA
YGIMG_SO2 1-hr_SIL S1 Input.inp	SO_2	ROI/SIA
YGIMG_SO2 3-hr 24-hr Ann_SIL S1 Input.inp	SO_2	ROI/SIA
YGIMG_PM2.5 24-hr_NAAQS S1 Input.inp	$PM_{2.5}$	Cumulative – 24-hr NAAQS
YGIMG_PM2.5 Ann_NAAQS S1 Input.inp	$PM_{2.5}$	Cumulative – Annual NAAQS
YGIMG_CO 1-hr 8-hr_SIL S2 Input.inp	CO	ROI/SIA
YGIMG_NO2 1-hr_SIL S2 Input.inp	NO_2	ROI/SIA
YGIMG_NO2 24-hr_SIL S2 Input.inp	NO_2	ROI/SIA
YGIMG_NO2 Ann_SIL S2 Input.inp	NO_2	ROI/SIA

	YGIMG_PM2.5 24-hr_SIL S2 Input.inp	$PM_{2.5}$	ROI/SIA
	YGIMG_PM2.5 Ann_SIL S2 Input.inp	$PM_{2.5}$	ROI/SIA
	YGIMG_PM10 24-hr_SIL S2 Input.inp	PM_{10}	ROI/SIA
	YGIMG_PM10 Ann_SIL S2 Input.inp	PM_{10}	ROI/SIA
	YGIMG_SO2 1-hr_SIL S2 Input.inp	SO_2	ROI/SIA
	YGIMG_SO2 3-hr 24-hr Ann_SIL S2 Input.inp	SO_2	ROI/SIA
	YGIMG_PM2.5 24-hr_NAAQS S2 Input.inp	$PM_{2.5}$	Cumulative – 24-hr NAAQS
	YGIMG_PM2.5 Ann_NAAQS S2 Input.inp	$PM_{2.5}$	Cumulative – Annual NAAQS
	YGIMG_PM10 24-hr_NAAQS S2 Input.inp	PM_{10}	Cumulative – 24-hr NAAQS
	YGIMG_PM10 24-hr_PSD S2 Input.inp	PM_{10}	Cumulative – 24-hr Class II PSD Increment
	YGIMG_PM10 Ann_PSD S2 Input.inp	PM_{10}	Cumulative – Annual Class II PSD Increment
	YGI_NO2 1-hr_NAAQS S2 Input.inp	NO_2	Cumulative – 1-hr NAAQS
	YGIMG_CO 1-hr 8-hr_SIL S1 Output.out	CO	ROI/SIA
	YGIMG_NO2 1-hr_SIL S1 Output.out	NO_2	ROI/SIA
	YGIMG_NO2 24-hr_SIL S1 Output.out	NO_2	ROI/SIA
	YGIMG_NO2 Ann_SIL S1 Output.out	NO_2	ROI/SIA
	YGIMG_PM2.5 24-hr_SIL S1Output.out	$PM_{2.5}$	ROI/SIA
	YGIMG_PM2.5 Ann_SIL S1 Output.out	$PM_{2.5}$	ROI/SIA
	YGIMG_PM10 24-hr_SIL S1 Output.out	PM_{10}	ROI/SIA
	YGIMG_PM10 Ann_SIL S1 Output.out	PM_{10}	ROI/SIA
	YGIMG_SO2 1-hr_SIL S1 Output.out	SO_2	ROI/SIA
	YGIMG_SO2 3-hr 24-hr Ann_SIL S1 Output.out	SO_2	ROI/SIA
	YGIMG_PM2.5 24-hr_NAAQS S1 Output.out	$PM_{2.5}$	Cumulative – 24-hr NAAQS
	YGIMG_PM2.5 Ann_NAAQS S1 Output.out	$PM_{2.5}$	Cumulative – Annual NAAQS
	YGIMG_CO 1-hr 8-hr_SIL S2 Output.out	CO	ROI/SIA
	YGIMG_NO2 1-hr_SIL S2 Output.out	NO_2	ROI/SIA
	YGIMG_NO2 24-hr_SIL S2 Output.out	NO_2	ROI/SIA
	YGIMG_NO2 Ann_SIL S2 Output.out	NO_2	ROI/SIA
	YGIMG_PM2.5 24-hr_SIL S2 Output.out	$PM_{2.5}$	ROI/SIA
	YGIMG_PM2.5 Ann_SIL S2 Output.out	$PM_{2.5}$	ROI/SIA
	YGIMG_PM10 24-hr_SIL S2 Output.out	PM_{10}	ROI/SIA
	YGIMG_PM10 Ann_SIL S2 Output.out	PM_{10}	ROI/SIA
	YGIMG_SO2 1-hr_SIL S2 Output.out	SO_2	ROI/SIA
	YGIMG_SO2 3-hr 24-hr Ann_SIL S2 Output.out	SO_2	ROI/SIA
	YGIMG_PM2.5 24-hr_NAAQS S2 Output.out	$PM_{2.5}$	Cumulative – 24-hr NAAQS
	YGIMG_PM2.5 Ann_NAAQS S2 Output.out	$PM_{2.5}$	Cumulative – Annual NAAQS
	YGIMG_PM10 24-hr_NAAQS S2 Output.out	PM_{10}	Cumulative – 24-hr NAAQS

	YGIMG_PM10 24-hr_PSD Output.out	PM_{10}	Cumulative – 24-hr Class II PSD Increment
	YGIMG_PM10 Ann_PSD Output.out	PM_{10}	Cumulative – Annual Class II PSD Increment
	YGI_NO2 1-hr_NAAQS S2 Output.out	NO_2	Cumulative – 1-hr NAAQS

16-V: PSD New or Major Modification Applications – N/A

1	A new PSD major source or a major modification to an existing PSD major source requires additional analysis. Was preconstruction monitoring done (see 20.2.74.306 NMAC and PSD Preapplication Guidance on the AQB website)?	Yes☐	No☐
2	If not, did AQB approve an exemption from preconstruction monitoring?	Yes☐	No☐
3	Describe how preconstruction monitoring has been addressed or attach the approved preconstruction monitoring or monitoring exemption.		
4	Describe the additional impacts analysis required at 20.2.74.304 NMAC.		
5	If required, have ozone and secondary PM2.5 ambient impacts analyses been completed? If so describe below.	Yes☐	No☐

16-W: Modeling Results – 1,600 MW

1	If ambient standards are exceeded because of surrounding sources, a culpability analysis is required for the source to show that the contribution from this source is less than the significance levels for the specific pollutant. Was culpability analysis performed? If so describe below.	Yes☐	No☒
	N/A – no culpability analyses were performed for this application.		
2	Identify the maximum concentrations from the modeling analysis. Rows may be modified, added and removed from the table below as necessary.		

Pollutant, Time Period and Standard	Modeled Facility Concentration (µg/m³)	Modeled Concentration with Surrounding Sources (µg/m³)	Secondary PM (µg/m³)	Background Concentration (µg/m³)	Cumulative Concentration (µg/m³)	Modeled Facility Concentration (µg/m³)	Percent of Standard	Location		
								UTM E (m)	UTM N (m)	Elevation (ft)
CO 8-hr SIL	12.84	-	-	-	12.84	500	2.6%	341493	3522209	4092.75
CO 1-hr SIL	29.55	-	-	-	29.55	2000	1.5%	340900	3522500	4109.81
NO_2 Annual SIL	0.39	-	-	-	0.39	1	38.5%	340558	3521806	4116.14
NO_2 24-hr SIL	2.13	-	-	-	2.13	5	42.5%	340561	3521031	4113.98
NO_2 1-hr SIL	4.60	-	-	-	4.60	7.52	61.2%	340800	3522325	4109.09
$PM_{2.5}$ Annual SIL	0.84	-	-	-	0.84	0.13	645.3%	340558	3521831	4116.40
$PM_{2.5}$ 24-hr SIL	4.25	-	-	-	4.25	1.2	353.9%	340558	3521806	4116.14
PM_{10} Annual SIL	0.87	-	-	-	0.87	1	86.8%	340558	3521806	4116.14
PM_{10} 24-hr SIL	4.79	-	-	-	4.79	5	95.8%	340561	3521031	4113.98
SO_2 Annual SIL	0.001	-	-	-	0.001	1	0.1%	340558	3521856	4116.63

Pollutant, Time Period and Standard	Modeled Facility Concentration (µg/m³)	Modeled Concentration with Surrounding Sources (µg/m³)	Secondary PM (µg/m³)	Background Concentration (µg/m³)	Cumulative Concentration (µg/m³)	Modeled Facility Concentration (µg/m³)	Percent of Standard	Location		
								UTM E (m)	UTM N (m)	Elevation (ft)
SO_2 24-hr SIL	0.005	-	-	-	0.005	5	0.1%	340561	3521031	4113.98
SO_2 3-hr SIL	0.008	-	-	-	0.008	25	0.0%	341520	3522113	4093.44
SO_2 1-hr SIL	0.010	-	-	-	0.010	7.8	0.1%	340800	3522325	4109.09
PM2.5 24-hr NAAQS	-	3.47	-	16	19.47	35	55.6%	340558	3521831	4116.40
PM2.5 Annual NAAQS	-	0.98	-	5.60	6.58	9	73.2%	340558	3521831	4116.40

16-W: Modeling Results – 100% Load

1	If ambient standards are exceeded because of surrounding sources, a culpability analysis is required for the source to show that the contribution from this source is less than the significance levels for the specific pollutant. Was culpability analysis performed? If so describe below.	Yes☐	No☒
	N/A – no culpability analyses were performed for this application.		
2	Identify the maximum concentrations from the modeling analysis. Rows may be modified, added and removed from the table below as necessary.		

Pollutant, Time Period and Standard	Modeled Facility Concentration (µg/m³)	Modeled Concentration with Surrounding Sources (µg/m³)	Secondary PM (µg/m³)	Background Concentration (µg/m³)	Cumulative Concentration (µg/m³)	Value of Standard (µg/m³)	Percent of Standard	Location		
								UTM E (m)	UTM N (m)	Elevation (ft)
CO 8-hr SIL	22.14	-	-	-	22.14	500	4.4%	341493	3522209	4092.75
CO 1-hr SIL	50.83	-	-	-	50.83	2000	2.5%	340900	3522400	4108.04
NO_2 Annual SIL	0.71	-	-	-	0.71	1	71.0%	341526	3521738	4102.07

Pollutant, Time Period and Standard	Modeled Facility Concentration (µg/m³)	Modeled Concentration with Surrounding Sources (µg/m³)	Secondary PM (µg/m³)	Background Concentration (µg/m³)	Cumulative Concentration (µg/m³)	Value of Standard (µg/m³)	Percent of Standard	Location		
								UTM E (m)	UTM N (m)	Elevation (ft)
NO_2 24-hr SIL	3.57	-	-	-	3.57	5	71.3%	340561	3521031	4113.98
NO_2 1-hr SIL	7.82	-	-	-	7.82	7.52	104.0%	340550	3522225	4117.42
$PM_{2.5}$ Annual SIL	1.54	-	-	-	1.54	0.13	1187.3%	341524	3521838	4098.62
$PM_{2.5}$ 24-hr SIL	7.19	-	-	-	7.19	1.2	599.2%	340558	3521806	4116.14
PM_{10} Annual SIL	1.60	-	-	-	1.60	1	159.9%	341526	3521738	4102.07
PM_{10} 24-hr SIL	8.03	-	-	-	8.03	5	160.6%	340561	3521031	4113.98
SO_2 Annual SIL	0.002	-	-	-	0.002	1	0.2%	341525	3521800	4098.85
SO_2 24-hr SIL	0.008	-	-	-	0.008	5	0.2%	340561	3521031	4113.98
SO_2 3-hr SIL	0.014	-	-	-	0.014	25	0.1%	341300	3522200	4091.83
SO_2 1-hr SIL	0.018	-	-	-	0.018	7.8	0.2%	340550	3522225	4117.42
NO2 1-hr NAAQS	-	70.42	-	87.3	157.72	188	83.9%	340625	3522350	4110.33
PM2.5 24-hr NAAQS	-	6.03	-	16	22.03	35	62.9%	340558	3521831	4116.40
PM2.5 Annual NAAQS	-	2.18	-	5.60	7.78	9	86.5%	345250	3526000	3768.21
PM10 Annual Increment	-	1.76	-	-	1.76	9	19.5%	341525	3521788	4099.41
PM10 24-hr NAAQS	-	7.66	-	119.30	126.96	150	84.6%	340558	3521856	4116.63
PM10 24-hr Increment	-	7.76	-	-	7.76	30	25.9%	340558	3521856	4116.63

16-X: Summary/conclusions	
1	A statement that modeling requirements have been satisfied and that the permit can be issued.
	YGI has demonstrated that the YGI Microgrid will neither cause nor contribute to an exceedance of any applicable standards for CO, NO_2, $PM_{2.5}$, PM_{10}, or SO_2 in both modeling scenarios: (1) the proposed 1,600 MW operating cap; and (2) the modeling scenario based on maximum emissions at 100% capacity (2,462 MW).

16-O: PSD Increment and Source IDs	
Unit Number in UA-2	Unit Number in Modeling Files
SOFC	T01_01_1
SOFC	T01_01_2
SOFC	T01_01_3
SOFC	T01_01_4
SOFC	T01_01_5
SOFC	T01_02_1
SOFC	T01_02_2
SOFC	T01_02_3
SOFC	T01_02_4
SOFC	T01_02_5
SOFC	T01_03_1
SOFC	T01_03_2
SOFC	T01_03_3
SOFC	T01_03_4
SOFC	T01_03_5
SOFC	T01_04_1
SOFC	T01_04_2
SOFC	T01_04_3
SOFC	T01_04_4
SOFC	T01_04_5
SOFC	T01_05_1
SOFC	T01_05_2
SOFC	T01_05_3
SOFC	T01_05_4
SOFC	T01_05_5
SOFC	T01_06_1
SOFC	T01_06_2
SOFC	T01_06_3
SOFC	T01_06_4
SOFC	T01_06_5
SOFC	T01_07_1
SOFC	T01_07_2
SOFC	T01_07_3
SOFC	T01_07_4
SOFC	T01_07_5
SOFC	T01_08_1
SOFC	T01_08_2
SOFC	T01_08_3
SOFC	T01_08_4
SOFC	T01_08_5
SOFC	T01_09_1
SOFC	T01_09_2
SOFC	T01_09_3
SOFC	T01_09_4
SOFC	T01_09_5
SOFC	T01_10_1
SOFC	T01_10_2
SOFC	T01_10_3
SOFC	T01_10_4
SOFC	T01_10_5
SOFC	T02_01_1
SOFC	T02_01_2

SOFC	T02_01_3
SOFC	T02_01_4
SOFC	T02_01_5
SOFC	T02_02_1
SOFC	T02_02_2
SOFC	T02_02_3
SOFC	T02_02_4
SOFC	T02_02_5
SOFC	T02_03_1
SOFC	T02_03_2
SOFC	T02_03_3
SOFC	T02_03_4
SOFC	T02_03_5
SOFC	T02_04_1
SOFC	T02_04_2
SOFC	T02_04_3
SOFC	T02_04_4
SOFC	T02_04_5
SOFC	T02_05_1
SOFC	T02_05_2
SOFC	T02_05_3
SOFC	T02_05_4
SOFC	T02_05_5
SOFC	T02_06_1
SOFC	T02_06_2
SOFC	T02_06_3
SOFC	T02_06_4
SOFC	T02_06_5
SOFC	T02_07_1
SOFC	T02_07_2
SOFC	T02_07_3
SOFC	T02_07_4
SOFC	T02_07_5
SOFC	T02_08_1
SOFC	T02_08_2
SOFC	T02_08_3
SOFC	T02_08_4
SOFC	T02_08_5
SOFC	T02_09_1
SOFC	T02_09_2
SOFC	T02_09_3
SOFC	T02_09_4
SOFC	T02_09_5
SOFC	T02_10_1
SOFC	T02_10_2
SOFC	T02_10_3
SOFC	T02_10_4
SOFC	T02_10_5
SOFC	T03_01_1
SOFC	T03_01_2
SOFC	T03_01_3
SOFC	T03_01_4
SOFC	T03_01_5
SOFC	T03_02_1

SOFC	T03_02_2
SOFC	T03_02_3
SOFC	T03_02_4
SOFC	T03_02_5
SOFC	T03_03_1
SOFC	T03_03_2
SOFC	T03_03_3
SOFC	T03_03_4
SOFC	T03_03_5
SOFC	T03_04_1
SOFC	T03_04_2
SOFC	T03_04_3
SOFC	T03_04_4
SOFC	T03_04_5
SOFC	T03_05_1
SOFC	T03_05_2
SOFC	T03_05_3
SOFC	T03_05_4
SOFC	T03_05_5
SOFC	T03_06_1
SOFC	T03_06_2
SOFC	T03_06_3
SOFC	T03_06_4
SOFC	T03_06_5
SOFC	T03_07_1
SOFC	T03_07_2
SOFC	T03_07_3
SOFC	T03_07_4
SOFC	T03_07_5
SOFC	T03_08_1
SOFC	T03_08_2
SOFC	T03_08_3
SOFC	T03_08_4
SOFC	T03_08_5
SOFC	T03_09_1
SOFC	T03_09_2
SOFC	T03_09_3
SOFC	T03_09_4
SOFC	T03_09_5
SOFC	T03_10_1
SOFC	T03_10_2
SOFC	T03_10_3
SOFC	T03_10_4
SOFC	T03_10_5
SOFC	T04_01_1
SOFC	T04_01_2
SOFC	T04_01_3
SOFC	T04_01_4
SOFC	T04_01_5
SOFC	T04_02_1
SOFC	T04_02_2
SOFC	T04_02_3
SOFC	T04_02_4
SOFC	T04_02_5

SOFC	T04_03_1
SOFC	T04_03_2
SOFC	T04_03_3
SOFC	T04_03_4
SOFC	T04_03_5
SOFC	T04_04_1
SOFC	T04_04_2
SOFC	T04_04_3
SOFC	T04_04_4
SOFC	T04_04_5
SOFC	T04_05_1
SOFC	T04_05_2
SOFC	T04_05_3
SOFC	T04_05_4
SOFC	T04_05_5
SOFC	T04_06_1
SOFC	T04_06_2
SOFC	T04_06_3
SOFC	T04_06_4
SOFC	T04_06_5
SOFC	T04_07_1
SOFC	T04_07_2
SOFC	T04_07_3
SOFC	T04_07_4
SOFC	T04_07_5
SOFC	T04_08_1
SOFC	T04_08_2
SOFC	T04_08_3
SOFC	T04_08_4
SOFC	T04_08_5
SOFC	T04_09_1
SOFC	T04_09_2
SOFC	T04_09_3
SOFC	T04_09_4
SOFC	T04_09_5
SOFC	T04_10_1
SOFC	T04_10_2
SOFC	T04_10_3
SOFC	T04_10_4
SOFC	T04_10_5
SOFC	T05_01_1
SOFC	T05_01_2
SOFC	T05_01_3
SOFC	T05_01_4
SOFC	T05_01_5
SOFC	T05_02_1
SOFC	T05_02_2
SOFC	T05_02_3
SOFC	T05_02_4
SOFC	T05_02_5
SOFC	T05_03_1
SOFC	T05_03_2
SOFC	T05_03_3
SOFC	T05_03_4

SOFC	T05_03_5
SOFC	T05_04_1
SOFC	T05_04_2
SOFC	T05_04_3
SOFC	T05_04_4
SOFC	T05_04_5
SOFC	T05_05_1
SOFC	T05_05_2
SOFC	T05_05_3
SOFC	T05_05_4
SOFC	T05_05_5
SOFC	T05_06_1
SOFC	T05_06_2
SOFC	T05_06_3
SOFC	T05_06_4
SOFC	T05_06_5
SOFC	T05_07_1
SOFC	T05_07_2
SOFC	T05_07_3
SOFC	T05_07_4
SOFC	T05_07_5
SOFC	T05_08_1
SOFC	T05_08_2
SOFC	T05_08_3
SOFC	T05_08_4
SOFC	T05_08_5
SOFC	T05_09_1
SOFC	T05_09_2
SOFC	T05_09_3
SOFC	T05_09_4
SOFC	T05_09_5
SOFC	T05_10_1
SOFC	T05_10_2
SOFC	T05_10_3
SOFC	T05_10_4
SOFC	T05_10_5
SOFC	T06_01_1
SOFC	T06_01_2
SOFC	T06_01_3
SOFC	T06_01_4
SOFC	T06_01_5
SOFC	T06_02_1
SOFC	T06_02_2
SOFC	T06_02_3
SOFC	T06_02_4
SOFC	T06_02_5
SOFC	T06_03_1
SOFC	T06_03_2
SOFC	T06_03_3
SOFC	T06_03_4
SOFC	T06_03_5
SOFC	T06_04_1
SOFC	T06_04_2
SOFC	T06_04_3

SOFC	T06_04_4
SOFC	T06_04_5
SOFC	T06_05_1
SOFC	T06_05_2
SOFC	T06_05_3
SOFC	T06_05_4
SOFC	T06_05_5
SOFC	T06_06_1
SOFC	T06_06_2
SOFC	T06_06_3
SOFC	T06_06_4
SOFC	T06_06_5
SOFC	T06_07_1
SOFC	T06_07_2
SOFC	T06_07_3
SOFC	T06_07_4
SOFC	T06_07_5
SOFC	T06_08_1
SOFC	T06_08_2
SOFC	T06_08_3
SOFC	T06_08_4
SOFC	T06_08_5
SOFC	T06_09_1
SOFC	T06_09_2
SOFC	T06_09_3
SOFC	T06_09_4
SOFC	T06_09_5
SOFC	T07_01_1
SOFC	T07_01_2
SOFC	T07_01_3
SOFC	T07_01_4
SOFC	T07_01_5
SOFC	T07_02_1
SOFC	T07_02_2
SOFC	T07_02_3
SOFC	T07_02_4
SOFC	T07_02_5
SOFC	T07_03_1
SOFC	T07_03_2
SOFC	T07_03_3
SOFC	T07_03_4
SOFC	T07_03_5
SOFC	T07_04_1
SOFC	T07_04_2
SOFC	T07_04_3
SOFC	T07_04_4
SOFC	T07_04_5
SOFC	T07_05_1
SOFC	T07_05_2
SOFC	T07_05_3
SOFC	T07_05_4
SOFC	T07_05_5
SOFC	T07_06_1
SOFC	T07_06_2

SOFC	T07_06_3
SOFC	T07_06_4
SOFC	T07_06_5
SOFC	T07_07_1
SOFC	T07_07_2
SOFC	T07_07_3
SOFC	T07_07_4
SOFC	T07_07_5
SOFC	T07_08_1
SOFC	T07_08_2
SOFC	T07_08_3
SOFC	T07_08_4
SOFC	T07_08_5
SOFC	T07_09_1
SOFC	T07_09_2
SOFC	T07_09_3
SOFC	T07_09_4
SOFC	T07_09_5
SOFC	T07_10_1
SOFC	T07_10_2
SOFC	T07_10_3
SOFC	T07_10_4
SOFC	T07_10_5
SOFC	T08_01_1
SOFC	T08_01_2
SOFC	T08_01_3
SOFC	T08_01_4
SOFC	T08_01_5
SOFC	T08_02_1
SOFC	T08_02_2
SOFC	T08_02_3
SOFC	T08_02_4
SOFC	T08_02_5
SOFC	T08_03_1
SOFC	T08_03_2
SOFC	T08_03_3
SOFC	T08_03_4
SOFC	T08_03_5
SOFC	T08_04_1
SOFC	T08_04_2
SOFC	T08_04_3
SOFC	T08_04_4
SOFC	T08_04_5
SOFC	T08_05_1
SOFC	T08_05_2
SOFC	T08_05_3
SOFC	T08_05_4
SOFC	T08_05_5
SOFC	T08_06_1
SOFC	T08_06_2
SOFC	T08_06_3
SOFC	T08_06_4
SOFC	T08_06_5
SOFC	T08_07_1

SOFC	T08_07_2
SOFC	T08_07_3
SOFC	T08_07_4
SOFC	T08_07_5
SOFC	T08_08_1
SOFC	T08_08_2
SOFC	T08_08_3
SOFC	T08_08_4
SOFC	T08_08_5
SOFC	T08_09_1
SOFC	T08_09_2
SOFC	T08_09_3
SOFC	T08_09_4
SOFC	T08_09_5
SOFC	T09_01_1
SOFC	T09_01_2
SOFC	T09_01_3
SOFC	T09_01_4
SOFC	T09_01_5
SOFC	T09_02_1
SOFC	T09_02_2
SOFC	T09_02_3
SOFC	T09_02_4
SOFC	T09_02_5
SOFC	T09_03_1
SOFC	T09_03_2
SOFC	T09_03_3
SOFC	T09_03_4
SOFC	T09_03_5
SOFC	T09_04_1
SOFC	T09_04_2
SOFC	T09_04_3
SOFC	T09_04_4
SOFC	T09_04_5
SOFC	T09_05_1
SOFC	T09_05_2
SOFC	T09_05_3
SOFC	T09_05_4
SOFC	T09_05_5
SOFC	T09_06_1
SOFC	T09_06_2
SOFC	T09_06_3
SOFC	T09_06_4
SOFC	T09_06_5
SOFC	T09_07_1
SOFC	T09_07_2
SOFC	T09_07_3
SOFC	T09_07_4
SOFC	T09_07_5
SOFC	T09_08_1
SOFC	T09_08_2
SOFC	T09_08_3
SOFC	T09_08_4
SOFC	T09_08_5

SOFC	T09_09_1
SOFC	T09_09_2
SOFC	T09_09_3
SOFC	T09_09_4
SOFC	T09_09_5
SOFC	T09_10_1
SOFC	T09_10_2
SOFC	T09_10_3
SOFC	T09_10_4
SOFC	T09_10_5
SOFC	T10_01_1
SOFC	T10_01_2
SOFC	T10_01_3
SOFC	T10_01_4
SOFC	T10_01_5
SOFC	T10_02_1
SOFC	T10_02_2
SOFC	T10_02_3
SOFC	T10_02_4
SOFC	T10_02_5
SOFC	T10_03_1
SOFC	T10_03_2
SOFC	T10_03_3
SOFC	T10_03_4
SOFC	T10_03_5
SOFC	T10_04_1
SOFC	T10_04_2
SOFC	T10_04_3
SOFC	T10_04_4
SOFC	T10_04_5
SOFC	T10_05_1
SOFC	T10_05_2
SOFC	T10_05_3
SOFC	T10_05_4
SOFC	T10_05_5
SOFC	T10_06_1
SOFC	T10_06_2
SOFC	T10_06_3
SOFC	T10_06_4
SOFC	T10_06_5
SOFC	T10_07_1
SOFC	T10_07_2
SOFC	T10_07_3
SOFC	T10_07_4
SOFC	T10_07_5
SOFC	T10_08_1
SOFC	T10_08_2
SOFC	T10_08_3
SOFC	T10_08_4
SOFC	T10_08_5
SOFC	T10_09_1
SOFC	T10_09_2
SOFC	T10_09_3
SOFC	T10_09_4

SOFC	T10_09_5
SOFC	T10_10_1
SOFC	T10_10_2
SOFC	T10_10_3
SOFC	T10_10_4
SOFC	T10_10_5
SOFC	T11_01_1
SOFC	T11_01_2
SOFC	T11_01_3
SOFC	T11_01_4
SOFC	T11_01_5
SOFC	T11_02_1
SOFC	T11_02_2
SOFC	T11_02_3
SOFC	T11_02_4
SOFC	T11_02_5
SOFC	T11_03_1
SOFC	T11_03_2
SOFC	T11_03_3
SOFC	T11_03_4
SOFC	T11_03_5
SOFC	T11_04_1
SOFC	T11_04_2
SOFC	T11_04_3
SOFC	T11_04_4
SOFC	T11_04_5
SOFC	T11_05_1
SOFC	T11_05_2
SOFC	T11_05_3
SOFC	T11_05_4
SOFC	T11_05_5
SOFC	T11_06_1
SOFC	T11_06_2
SOFC	T11_06_3
SOFC	T11_06_4
SOFC	T11_06_5
SOFC	T11_07_1
SOFC	T11_07_2
SOFC	T11_07_3
SOFC	T11_07_4
SOFC	T11_07_5
SOFC	T11_08_1
SOFC	T11_08_2
SOFC	T11_08_3
SOFC	T11_08_4
SOFC	T11_08_5
SOFC	T11_09_1
SOFC	T11_09_2
SOFC	T11_09_3
SOFC	T11_09_4
SOFC	T11_09_5
SOFC	T11_10_1
SOFC	T11_10_2
SOFC	T11_10_3

SOFC	T11_10_4
SOFC	T11_10_5
SOFC	T12_01_1
SOFC	T12_01_2
SOFC	T12_01_3
SOFC	T12_01_4
SOFC	T12_01_5
SOFC	T12_02_1
SOFC	T12_02_2
SOFC	T12_02_3
SOFC	T12_02_4
SOFC	T12_02_5
SOFC	T12_03_1
SOFC	T12_03_2
SOFC	T12_03_3
SOFC	T12_03_4
SOFC	T12_03_5
SOFC	T12_04_1
SOFC	T12_04_2
SOFC	T12_04_3
SOFC	T12_04_4
SOFC	T12_04_5
SOFC	T12_05_1
SOFC	T12_05_2
SOFC	T12_05_3
SOFC	T12_05_4
SOFC	T12_05_5
SOFC	T12_06_1
SOFC	T12_06_2
SOFC	T12_06_3
SOFC	T12_06_4
SOFC	T12_06_5
SOFC	T12_07_1
SOFC	T12_07_2
SOFC	T12_07_3
SOFC	T12_07_4
SOFC	T12_07_5
SOFC	T12_08_1
SOFC	T12_08_2
SOFC	T12_08_3
SOFC	T12_08_4
SOFC	T12_08_5
SOFC	T12_09_1
SOFC	T12_09_2
SOFC	T12_09_3
SOFC	T12_09_4
SOFC	T12_09_5
SOFC	T12_10_1
SOFC	T12_10_2
SOFC	T12_10_3
SOFC	T12_10_4
SOFC	T12_10_5
SOFC	T13_01_1
SOFC	T13_01_2

SOFC	T13_01_3
SOFC	T13_01_4
SOFC	T13_01_5
SOFC	T13_02_1
SOFC	T13_02_2
SOFC	T13_02_3
SOFC	T13_02_4
SOFC	T13_02_5
SOFC	T13_03_1
SOFC	T13_03_2
SOFC	T13_03_3
SOFC	T13_03_4
SOFC	T13_03_5
SOFC	T13_04_1
SOFC	T13_04_2
SOFC	T13_04_3
SOFC	T13_04_4
SOFC	T13_04_5
SOFC	T13_05_1
SOFC	T13_05_2
SOFC	T13_05_3
SOFC	T13_05_4
SOFC	T13_05_5
SOFC	T13_06_1
SOFC	T13_06_2
SOFC	T13_06_3
SOFC	T13_06_4
SOFC	T13_06_5
SOFC	T13_07_1
SOFC	T13_07_2
SOFC	T13_07_3
SOFC	T13_07_4
SOFC	T13_07_5
SOFC	T13_08_1
SOFC	T13_08_2
SOFC	T13_08_3
SOFC	T13_08_4
SOFC	T13_08_5
SOFC	T13_09_1
SOFC	T13_09_2
SOFC	T13_09_3
SOFC	T13_09_4
SOFC	T13_09_5
SOFC	T14_01_1
SOFC	T14_01_2
SOFC	T14_01_3
SOFC	T14_01_4
SOFC	T14_01_5
SOFC	T14_02_1
SOFC	T14_02_2
SOFC	T14_02_3
SOFC	T14_02_4
SOFC	T14_02_5
SOFC	T14_03_1

SOFC	T14_03_2
SOFC	T14_03_3
SOFC	T14_03_4
SOFC	T14_03_5
SOFC	T14_04_1
SOFC	T14_04_2
SOFC	T14_04_3
SOFC	T14_04_4
SOFC	T14_04_5
SOFC	T14_05_1
SOFC	T14_05_2
SOFC	T14_05_3
SOFC	T14_05_4
SOFC	T14_05_5
SOFC	T14_06_1
SOFC	T14_06_2
SOFC	T14_06_3
SOFC	T14_06_4
SOFC	T14_06_5
SOFC	T14_07_1
SOFC	T14_07_2
SOFC	T14_07_3
SOFC	T14_07_4
SOFC	T14_07_5
SOFC	T14_08_1
SOFC	T14_08_2
SOFC	T14_08_3
SOFC	T14_08_4
SOFC	T14_08_5
SOFC	T14_09_1
SOFC	T14_09_2
SOFC	T14_09_3
SOFC	T14_09_4
SOFC	T14_09_5
SOFC	T14_10_1
SOFC	T14_10_2
SOFC	T15_01_1
SOFC	T15_01_2
SOFC	T15_01_3
SOFC	T15_01_4
SOFC	T15_01_5
SOFC	T15_02_1
SOFC	T15_02_2
SOFC	T15_02_3
SOFC	T15_02_4
SOFC	T15_02_5
SOFC	T15_03_1
SOFC	T15_03_2
SOFC	T15_03_3
SOFC	T15_03_4
SOFC	T15_03_5
SOFC	T15_04_1
SOFC	T15_04_2
SOFC	T15_04_3

SOFC	T15_04_4
SOFC	T15_04_5
SOFC	T15_05_1
SOFC	T15_05_2
SOFC	T15_05_3
SOFC	T15_05_4
SOFC	T15_05_5
SOFC	T15_06_1
SOFC	T15_06_2
SOFC	T15_06_3
SOFC	T15_06_4
SOFC	T15_06_5
SOFC	T15_07_1
SOFC	T15_07_2
SOFC	T15_07_3
SOFC	T15_07_4
SOFC	T15_07_5
SOFC	T15_08_1
SOFC	T15_08_2
SOFC	T15_08_3
SOFC	T15_08_4
SOFC	T15_08_5
SOFC	T15_09_1
SOFC	T15_09_2
SOFC	T15_09_3
SOFC	T15_09_4
SOFC	T15_09_5
SOFC	T16_01_1
SOFC	T16_01_2
SOFC	T16_01_3
SOFC	T16_01_4
SOFC	T16_01_5
SOFC	T16_02_1
SOFC	T16_02_2
SOFC	T16_02_3
SOFC	T16_02_4
SOFC	T16_02_5
SOFC	T16_03_1
SOFC	T16_03_2
SOFC	T16_03_3
SOFC	T16_03_4
SOFC	T16_03_5
SOFC	T16_04_1
SOFC	T16_04_2
SOFC	T16_04_3
SOFC	T16_04_4
SOFC	T16_04_5
SOFC	T16_05_1
SOFC	T16_05_2
SOFC	T16_05_3
SOFC	T16_05_4
SOFC	T16_05_5
SOFC	T16_06_1
SOFC	T16_06_2

SOFC	T16_06_3
SOFC	T16_06_4
SOFC	T16_06_5
SOFC	T16_07_1
SOFC	T16_07_2
SOFC	T16_07_3
SOFC	T16_07_4
SOFC	T16_07_5
SOFC	T16_08_1
SOFC	T16_08_2
SOFC	T16_08_3
SOFC	T16_08_4
SOFC	T16_08_5
SOFC	T16_09_1
SOFC	T16_09_2
SOFC	T16_09_3
SOFC	T16_09_4
SOFC	T16_09_5
SOFC	T17_01_1
SOFC	T17_01_2
SOFC	T17_01_3
SOFC	T17_01_4
SOFC	T17_01_5
SOFC	T17_02_1
SOFC	T17_02_2
SOFC	T17_02_3
SOFC	T17_02_4
SOFC	T17_02_5
SOFC	T17_03_1
SOFC	T17_03_2
SOFC	T17_03_3
SOFC	T17_03_4
SOFC	T17_03_5
SOFC	T17_04_1
SOFC	T17_04_2
SOFC	T17_04_3
SOFC	T17_04_4
SOFC	T17_04_5
SOFC	T17_05_1
SOFC	T17_05_2
SOFC	T17_05_3
SOFC	T17_05_4
SOFC	T17_05_5
SOFC	T17_06_1
SOFC	T17_06_2
SOFC	T17_06_3
SOFC	T17_06_4
SOFC	T17_06_5
SOFC	T17_07_1
SOFC	T17_07_2
SOFC	T17_07_3
SOFC	T17_07_4
SOFC	T17_07_5
SOFC	T17_08_1

SOFC	T17_08_2
SOFC	T17_08_3
SOFC	T17_08_4
SOFC	T17_08_5
SOFC	T17_09_1
SOFC	T17_09_2
SOFC	T17_09_3
SOFC	T17_09_4
SOFC	T17_09_5
SOFC	T17_10_1
SOFC	T17_10_2
SOFC	T17_10_3
SOFC	T17_10_4
SOFC	T17_10_5
SOFC	T18_01_1
SOFC	T18_01_2
SOFC	T18_01_3
SOFC	T18_01_4
SOFC	T18_01_5
SOFC	T18_02_1
SOFC	T18_02_2
SOFC	T18_02_3
SOFC	T18_02_4
SOFC	T18_02_5
SOFC	T18_03_1
SOFC	T18_03_2
SOFC	T18_03_3
SOFC	T18_03_4
SOFC	T18_03_5
SOFC	T18_04_1
SOFC	T18_04_2
SOFC	T18_04_3
SOFC	T18_04_4
SOFC	T18_04_5
SOFC	T18_05_1
SOFC	T18_05_2
SOFC	T18_05_3
SOFC	T18_05_4
SOFC	T18_05_5
SOFC	T18_06_1
SOFC	T18_06_2
SOFC	T18_06_3
SOFC	T18_06_4
SOFC	T18_06_5
SOFC	T18_07_1
SOFC	T18_07_2
SOFC	T18_07_3
SOFC	T18_07_4
SOFC	T18_07_5
SOFC	T18_08_1
SOFC	T18_08_2
SOFC	T18_08_3
SOFC	T18_08_4
SOFC	T18_08_5

SOFC	T18_09_1
SOFC	T18_09_2
SOFC	T18_09_3
SOFC	T18_09_4
SOFC	T18_09_5
SOFC	T19_01_1
SOFC	T19_01_2
SOFC	T19_01_3
SOFC	T19_01_4
SOFC	T19_01_5
SOFC	T19_02_1
SOFC	T19_02_2
SOFC	T19_02_3
SOFC	T19_02_4
SOFC	T19_02_5
SOFC	T19_03_1
SOFC	T19_03_2
SOFC	T19_03_3
SOFC	T19_03_4
SOFC	T19_03_5
SOFC	T19_04_1
SOFC	T19_04_2
SOFC	T19_04_3
SOFC	T19_04_4
SOFC	T19_04_5
SOFC	T19_05_1
SOFC	T19_05_2
SOFC	T19_05_3
SOFC	T19_05_4
SOFC	T19_05_5
SOFC	T19_06_1
SOFC	T19_06_2
SOFC	T19_06_3
SOFC	T19_06_4
SOFC	T19_06_5
SOFC	T19_07_1
SOFC	T19_07_2
SOFC	T19_07_3
SOFC	T19_07_4
SOFC	T19_07_5
SOFC	T19_08_1
SOFC	T19_08_2
SOFC	T19_08_3
SOFC	T19_08_4
SOFC	T19_08_5
SOFC	T19_09_1
SOFC	T19_09_2
SOFC	T19_09_3
SOFC	T19_09_4
SOFC	T19_09_5
SOFC	T19_10_1
SOFC	T19_10_2
SOFC	T19_10_3
SOFC	T19_10_4

SOFC	T19_10_5
SOFC	T20_01_1
SOFC	T20_01_2
SOFC	T20_01_3
SOFC	T20_01_4
SOFC	T20_01_5
SOFC	T20_02_1
SOFC	T20_02_2
SOFC	T20_02_3
SOFC	T20_02_4
SOFC	T20_02_5
SOFC	T20_03_1
SOFC	T20_03_2
SOFC	T20_03_3
SOFC	T20_03_4
SOFC	T20_03_5
SOFC	T20_04_1
SOFC	T20_04_2
SOFC	T20_04_3
SOFC	T20_04_4
SOFC	T20_04_5
SOFC	T20_05_1
SOFC	T20_05_2
SOFC	T20_05_3
SOFC	T20_05_4
SOFC	T20_05_5
SOFC	T20_06_1
SOFC	T20_06_2
SOFC	T20_06_3
SOFC	T20_06_4
SOFC	T20_06_5
SOFC	T20_07_1
SOFC	T20_07_2
SOFC	T20_07_3
SOFC	T20_07_4
SOFC	T20_07_5
SOFC	T20_08_1
SOFC	T20_08_2
SOFC	T20_08_3
SOFC	T20_08_4
SOFC	T20_08_5
SOFC	T20_09_1
SOFC	T20_09_2
SOFC	T20_09_3
SOFC	T20_09_4
SOFC	T20_09_5
SOFC	T21_01_1
SOFC	T21_01_2
SOFC	T21_01_3
SOFC	T21_01_4
SOFC	T21_01_5
SOFC	T21_02_1
SOFC	T21_02_2
SOFC	T21_02_3

SOFC	T21_02_4
SOFC	T21_02_5
SOFC	T21_03_1
SOFC	T21_03_2
SOFC	T21_03_3
SOFC	T21_03_4
SOFC	T21_03_5
SOFC	T21_04_1
SOFC	T21_04_2
SOFC	T21_04_3
SOFC	T21_04_4
SOFC	T21_04_5
SOFC	T21_05_1
SOFC	T21_05_2
SOFC	T21_05_3
SOFC	T21_05_4
SOFC	T21_05_5
SOFC	T21_06_1
SOFC	T21_06_2
SOFC	T21_06_3
SOFC	T21_06_4
SOFC	T21_06_5
SOFC	T21_07_1
SOFC	T21_07_2
SOFC	T21_07_3
SOFC	T21_07_4
SOFC	T21_07_5
SOFC	T21_08_1
SOFC	T21_08_2
SOFC	T21_08_3
SOFC	T21_08_4
SOFC	T21_08_5
SOFC	T21_09_1
SOFC	T21_09_2
SOFC	T21_09_3
SOFC	T21_09_4
SOFC	T21_09_5
SOFC	T21_10_1
SOFC	T21_10_2
SOFC	T21_10_3
SOFC	T21_10_4
SOFC	T21_10_5
SOFC	T22_01_1
SOFC	T22_01_2
SOFC	T22_01_3
SOFC	T22_01_4
SOFC	T22_01_5
SOFC	T22_02_1
SOFC	T22_02_2
SOFC	T22_02_3
SOFC	T22_02_4
SOFC	T22_02_5
SOFC	T22_03_1
SOFC	T22_03_2

SOFC	T22_03_3
SOFC	T22_03_4
SOFC	T22_03_5
SOFC	T22_04_1
SOFC	T22_04_2
SOFC	T22_04_3
SOFC	T22_04_4
SOFC	T22_04_5
SOFC	T22_05_1
SOFC	T22_05_2
SOFC	T22_05_3
SOFC	T22_05_4
SOFC	T22_05_5
SOFC	T22_06_1
SOFC	T22_06_2
SOFC	T22_06_3
SOFC	T22_06_4
SOFC	T22_06_5
SOFC	T22_07_1
SOFC	T22_07_2
SOFC	T22_07_3
SOFC	T22_07_4
SOFC	T22_07_5
SOFC	T22_08_1
SOFC	T22_08_2
SOFC	T22_08_3
SOFC	T22_08_4
SOFC	T22_08_5
SOFC	T22_09_1
SOFC	T22_09_2
SOFC	T22_09_3
SOFC	T22_09_4
SOFC	T22_09_5
SOFC	T22_10_1
SOFC	T22_10_2
SOFC	T22_10_3
SOFC	T22_10_4
SOFC	T22_10_5
SOFC	T23_01_1
SOFC	T23_01_2
SOFC	T23_01_3
SOFC	T23_01_4
SOFC	T23_01_5
SOFC	T23_02_1
SOFC	T23_02_2
SOFC	T23_02_3
SOFC	T23_02_4
SOFC	T23_02_5
SOFC	T23_03_1
SOFC	T23_03_2
SOFC	T23_03_3
SOFC	T23_03_4
SOFC	T23_03_5
SOFC	T23_04_1

SOFC	T23_04_2
SOFC	T23_04_3
SOFC	T23_04_4
SOFC	T23_04_5
SOFC	T23_05_1
SOFC	T23_05_2
SOFC	T23_05_3
SOFC	T23_05_4
SOFC	T23_05_5
SOFC	T23_06_1
SOFC	T23_06_2
SOFC	T23_06_3
SOFC	T23_06_4
SOFC	T23_06_5
SOFC	T23_07_1
SOFC	T23_07_2
SOFC	T23_07_3
SOFC	T23_07_4
SOFC	T23_07_5
SOFC	T23_08_1
SOFC	T23_08_2
SOFC	T23_08_3
SOFC	T23_08_4
SOFC	T23_08_5
SOFC	T23_09_1
SOFC	T23_09_2
SOFC	T23_09_3
SOFC	T23_09_4
SOFC	T23_09_5
SOFC	T23_10_1
SOFC	T23_10_2
SOFC	T23_10_3
SOFC	T23_10_4
SOFC	T23_10_5
SOFC	T24_01_1
SOFC	T24_01_2
SOFC	T24_01_3
SOFC	T24_01_4
SOFC	T24_01_5
SOFC	T24_02_1
SOFC	T24_02_2
SOFC	T24_02_3
SOFC	T24_02_4
SOFC	T24_02_5
SOFC	T24_03_1
SOFC	T24_03_2
SOFC	T24_03_3
SOFC	T24_03_4
SOFC	T24_03_5
SOFC	T24_04_1
SOFC	T24_04_2
SOFC	T24_04_3
SOFC	T24_04_4
SOFC	T24_04_5

SOFC	T24_05_1
SOFC	T24_05_2
SOFC	T24_05_3
SOFC	T24_05_4
SOFC	T24_05_5
SOFC	T24_06_1
SOFC	T24_06_2
SOFC	T24_06_3
SOFC	T24_06_4
SOFC	T24_06_5
SOFC	T24_07_1
SOFC	T24_07_2
SOFC	T24_07_3
SOFC	T24_07_4
SOFC	T24_07_5
SOFC	T24_08_1
SOFC	T24_08_2
SOFC	T24_08_3
SOFC	T24_08_4
SOFC	T24_08_5
SOFC	T24_09_1
SOFC	T24_09_2
SOFC	T24_09_3
SOFC	T24_09_4
SOFC	T24_09_5
SOFC	T24_10_1
SOFC	T24_10_2
SOFC	T24_10_3
SOFC	T24_10_4
SOFC	T24_10_5
SOFC	T25_01_1
SOFC	T25_01_2
SOFC	T25_01_3
SOFC	T25_01_4
SOFC	T25_01_5
SOFC	T25_02_1
SOFC	T25_02_2
SOFC	T25_02_3
SOFC	T25_02_4
SOFC	T25_02_5
SOFC	T25_03_1
SOFC	T25_03_2
SOFC	T25_03_3
SOFC	T25_03_4
SOFC	T25_03_5
SOFC	T25_04_1
SOFC	T25_04_2
SOFC	T25_04_3
SOFC	T25_04_4
SOFC	T25_04_5
SOFC	T25_05_1
SOFC	T25_05_2
SOFC	T25_05_3
SOFC	T25_05_4

SOFC	T25_05_5
SOFC	T25_06_1
SOFC	T25_06_2
SOFC	T25_06_3
SOFC	T25_06_4
SOFC	T25_06_5
SOFC	T25_07_1
SOFC	T25_07_2
SOFC	T25_07_3
SOFC	T25_07_4
SOFC	T25_07_5
SOFC	T25_08_1
SOFC	T25_08_2
SOFC	T25_08_3
SOFC	T25_08_4
SOFC	T25_08_5
SOFC	T25_09_1
SOFC	T25_09_2
SOFC	T25_09_3
SOFC	T25_09_4
SOFC	T25_09_5
SOFC	T25_10_1
SOFC	T25_10_2
SOFC	T25_10_3
SOFC	T25_10_4
SOFC	T25_10_5
SOFC	T26_01_1
SOFC	T26_01_2
SOFC	T26_01_3
SOFC	T26_01_4
SOFC	T26_01_5
SOFC	T26_02_1
SOFC	T26_02_2
SOFC	T26_02_3
SOFC	T26_02_4
SOFC	T26_02_5
SOFC	T26_03_1
SOFC	T26_03_2
SOFC	T26_03_3
SOFC	T26_03_4
SOFC	T26_03_5
SOFC	T26_04_1
SOFC	T26_04_2
SOFC	T26_04_3
SOFC	T26_04_4
SOFC	T26_04_5
SOFC	T26_05_1
SOFC	T26_05_2
SOFC	T26_05_3
SOFC	T26_05_4
SOFC	T26_05_5
SOFC	T26_06_1
SOFC	T26_06_2
SOFC	T26_06_3

SOFC	T26_06_4
SOFC	T26_06_5
SOFC	T26_07_1
SOFC	T26_07_2
SOFC	T26_07_3
SOFC	T26_07_4
SOFC	T26_07_5
SOFC	T26_08_1
SOFC	T26_08_2
SOFC	T26_08_3
SOFC	T26_08_4
SOFC	T26_08_5
SOFC	T26_09_1
SOFC	T26_09_2
SOFC	T26_09_3
SOFC	T26_09_4
SOFC	T26_09_5
SOFC	T26_10_1
SOFC	T26_10_2
SOFC	T26_10_3
SOFC	T26_10_4
SOFC	T26_10_5
SOFC	T16_10_1

DRAFT AS OF 7/13/26

AIR QUALITY BUREAU
NEW SOURCE REVIEW PERMIT
Issued under 20.2.72 NMAC

Certified Mail No:
Return Receipt Requested

NSR Permit No:	10883
Facility Name:	Yucca Growth Microgrid
Facility Owner:	Yucca Growth Infrastructure, LLC.
Facility Operator:	Bloom Energy Corp
Mailing Address:	600 Congress Ave, Suite 15041 Austin, TX 78701
TEMPO/IDEA ID No:	41351 - PRN20260001
AIRS No:	350134104
Permitting Action:	Regular – New Construction Permit
Source Classification:	TV Major
Facility Location:	341,070 m E by 3,521,500 m N, Zone 13; Datum WGS84
County:	Doña Ana
Air Quality Bureau Contact	Julia Kuhn
Main AQB Phone No.	(505) 476-4300

Cindy Hollenberg
Bureau Chief
Air Quality Bureau

Date

Template version: 12/10/2025

[Delete all below at time final permit submitted for signature.]
File Name: NSR_Permit_Parta_Master
Save Date: 6/18/2019
Print Date: 10/22/2026 11:23:00 AM

TABLE OF CONTENTS

Part A FACILITY SPECIFIC REQUIREMENTS A3
A100 Introduction A3
A101 Permit Duration (expiration) A3
A102 Facility: Description A3
A103 Facility: Applicable Regulations A4
A104 Facility: Regulated Sources A5
A105 Facility: Control Equipment A5
A106 Facility: Allowable Emissions A5
A107 Facility: Startup, Shutdown, & Maintenance (SSM) Requirements A6
A108 Facility: Allowable Operations A9
A109 Facility: Reporting Schedules A11
A110 Facility: Fuel and Fuel Sulfur Requirements A11
A111 Facility: 20.2.61 NMAC Opacity A11
A112 Facility: Haul Roads – Not Required A12
A113 Facility: Location Requirements A12
A114 Facility: Relocation A12
A115 Alternative Operating Scenario **– Not Required** A12
A116 Compliance Plan **– Not Required** A12
A117 Pursuant to this Permit: A12
A200 Oil and Gas Industry – Not Required A13
A300 Construction Industry – Aggregate – Not Required A13
A400 Construction Industry – Asphalt – Not Required A13
A500 Construction Industry – Concrete – Not Required A13
Power Generation Industry A13
A600 Power Generation Industry A13
A601 SOFC Clusters - 260 kW and 325 kW Units A13

PART B GENERAL CONDITIONS (Attached)

PART C MISCELLANEOUS: Supporting On-Line Documents; Definitions; Acronyms (Attached)

PART A FACILITY SPECIFIC REQUIREMENTS

A100 Introduction

A. This is a new permit.

A101 Permit Duration (expiration)

A. The term of this permit is permanent unless withdrawn or cancelled by the Department pursuant to Section B113 and/or NMSA 1978, Section 74-2-12.B.

B. Except for the equipment identified in Table 104.A, the construction, installation and/or operation of any stationary sources or portable stationary sources of regulated air pollutants is not authorized by this by permit and explicitly prohibited. This prohibition includes temporary, portable, and/or exempt sources pursuant to 20.2.72.202 NMAC.

A102 Facility: Description

A. The function of the facility is to generate power to operate a data center using Bloom Energy Server System fuel cells. This system is a type of solid oxide fuel cell system (SOFC) which converts natural gas into electricity using an electrochemical reaction.

B. This facility is located approximately 3.6 miles South of Santa Teresa in New Mexico, Doña Ana County.

C. This permit application is for a New Source Review (NSR) construction permit issued pursuant to 20.2.72.200.A(1) NMAC. The facility will be a microgrid power generation facility that will consist of 2,275 solid oxide fuel cell (SOFC) modules with a total electric generating capacity of 2,462 MW. The electric generating capacity of each module is either 260 kW or 325 kW. Fuel cells are arranged in cell stack -> power module -> energy server -> cluster -> inverter group/platform. The description of this modification is for informational purposes only and is not enforceable.

D. Tables 102.A and Table 102.B show the total potential emission rates (PER) from this facility for information only. This is not an enforceable condition and excludes emissions from Minor NSR exempt activities per 20.2.72.202 NMAC.

Table 102.A: Total Potential Emission Rate (PER) from Entire Facility

Pollutant	Emissions (tons per year)
Nitrogen Oxides (NOx)	37.2

Table 102.A: Total Potential Emission Rate (PER) from Entire Facility

Pollutant	Emissions (tons per year)
Carbon Monoxide (CO)	161.21
Volatile Organic Compounds (VOC) [1]	124.0
Sulfur Dioxide (SO_2)	0.08
Particulate Matter (PM)	75.4
Particulate Matter 10 microns or less (PM_{10})	75.4
Particulate Matter 2.5 microns or less ($PM_{2.5}$)	75.4
Greenhouse Gas (GHG) as CO_2e	8,820,970

1. VOC includes emissions from Fugitives and SSM.
2. PM is a regulated new source review pollutant per 20.2.74 NMAC Prevention of Significant Deterioration. No ambient air quality standards apply to PM.

Table 102.B: Total Potential Emissions Rate (PER) for *Hazardous Air Pollutants (HAPs)

Pollutant	Emissions (tons per year)
Benzene	0.2
Methanol	1.2
Xylenes	0.7
Total HAPs**	1.4

* HAP emissions are already included in the VOC emission total.

** The total HAP emissions may not agree with the sum of individual HAPs because only individual HAPs greater than 1.0 tons per year are listed here.

A103 Facility: Applicable Regulations

A. The permittee shall comply with terms, conditions and requirements specified in this permit. A list of all applicable sections of the requirements presented in Table 103.A.

Table 103.A: Applicable Requirements

Applicable Requirements	Federally Enforceable	Unit No.
20.2.1 NMAC General Provisions	X	Entire Facility
20.2.7 NMAC Excess Emissions	X (Except for Sections 6(b); 110(b)(15); 111; 112; 113; 115; and 116 that are State Enforceable Only)	Entire Facility

Table 103.A: Applicable Requirements

Applicable Requirements	Federally Enforceable	Unit No.
20.2.23 NMAC Fugitive Dust Control	X	All Construction Activities at or for the Facility
20.2.61 NMAC Smoke and Visible Emissions	X	Entire Facility
20.2.70 NMAC Operating Permits	X	Entire Facility
20.2.71 NMAC Operating Permit Emission Fees	X	Entire Facility
20.2.72 NMAC Construction Permit	X	Entire Facility
20.2.73 NMAC Notice of Intent and Emissions Inventory Requirements	X	Entire Facility
20.2.75 NMAC Construction Permit Fees	X	Entire Facility
20.2.80 NMAC Stack Heights	State Only	All Stacks

A104 Facility: Regulated Sources

A. Table 104.A lists the emission units authorized for this facility.

Table 104.A: Regulated Sources List

Unit No.	Source Description	Make	Model	Serial No.	Construction Date	Manufacture Date	Manufacturer Rated Capacity /Permitted Capacity
SOFC-1 through SOFC-2275	[1]SOFC Clusters – 260 kW and 325 kW Units	Bloom	Energy Server 6.5	TBD	TBD	TBD	2,462 MW[2]
SSM	Startup, Shutdown, and Maintenance – Venting natural gas during Centralized Desulfurization System (CDS) Filter Replacement	N/A	N/A	N/A	TBD	N/A	N/A

1. A group of 260 kW and/or 325 kW Bloom Energy Server "units" that share a stack are referred to as an "cluster" for the purpose of this permit.
2. "MW" refers to megawatts of electricity.

A105 Facility: Control Equipment

A. There is no air pollution control equipment for this facility.

A106 Facility: Allowable Emissions

A. The following Section lists the emission units and their allowable emission limits. (20.2.72.210.A and B.1 NMAC).

Table 106.A: Allowable Emissions

Unit No.	NO_x[1] pph	NO_x[1] tpy	CO pph	CO tpy	VOC pph	VOC tpy	SO_2 pph	SO_2 tpy	PM / PM_{10} pph	PM / PM_{10} tpy	$PM_{2.5}$ pph	$PM_{2.5}$ tpy
SOFC-1 through SOFC-2275	8.5	37.2	36.8	161.2	28.3	124.0	0.02	0.1	17.2	75.4	17.2	75.4

1 Nitrogen dioxide emissions include all oxides of nitrogen expressed as NO_2
2 Excess emissions shall be reported in accordance with 20.2.7 NMAC and Conditions B107 and B109.C.

A107 Facility: Startup, Shutdown, & Maintenance (SSM) Requirements

A. The allowable startup, shutdown, or maintenance (SSM) activities and maximum allowable emission limits for those activities facility are listed in Section A107 and were relied upon by the Department to determine compliance with applicable regulations.

Table 107.A: Authorized SSM Units and Activities

Unit No.	Description	Make	Model	Serial No.	Construction/ Modification Date
SSM	Natural gas venting during desulfurization bed media replacement and desulfurization filter/unit initial start-ups	N/A	N/A	N/A	TBD

B. The permittee shall limit VOC emissions from all activities related to routine or predictable startup, shutdown, and scheduled maintenance (SSM) to no more than 0.34 tons per year.

C. The authorization of emission limits for routine or predictable startup, shutdown, or scheduled maintenance does not supersede the requirements to minimize emissions according to General Conditions B101.F and B107.A.

SSM condition option 1:

D. Method for Determining Compliance with the Startup, Shutdown and Maintenance Venting Emission Limit in Section 107.B – (Unit SSM)

Requirement: The permittee shall comply with the monitoring, recordkeeping, and reporting of this condition to demonstrate compliance with the limits from SSM emissions.

(1) The permittee shall calculate the emissions from each event using Equations 1 and 2, the maximum volume of gas (V_{max}) in cubic feet vented per activity, and the VOC emission

factors for each activity. The permittee shall use the maximum volume of gas (V_{max}) in this condition when determining emissions from SSM events, even if the actual volume of gas vented was less.

Note: The maximum volume of gas V_{max} is the maximum amount of gas that can be vented from the specific activity, for example venting during one desulfurization startup event is based its physical limitations. Furthermore, the V_{max} of gas applies per unit of that activity and is not the sum of all gas vented during the event.

Equation 1: [Maximum scf/event] x [No. events/unit] x [No. of units vented] x [VOC emission factor lb/scf] / [2,000 lb/ton] = VOC tons of emissions per month

Where:

Maximum scf/event per unit = 780,900.00 V_{max} vented from one startup event according to the specifications and volume reported in the permit application.

Maximum scf/event per unit = 520,600 V_{max} vented from one maintenance event according to the specification and volume reported in the permit application.

Max Volume = Centralized Desulfurization Systems (CDS) x Volume per Vessel x Vessels Purged per Event x Number of Purges per Event

VOC Emission Factor (lb/scf) = The sum of the emission factors for each VOC constituent in the current inlet analysis of the natural gas calculated using Equation 2.

Equation 2: [Mole Fraction of VOC Constituent] x [Molecular Weight of VOC Constituent (lb/lb-mol)] / [379.4 scf/lb-mol]

(2) Each month, the permittee shall calculate the monthly rolling 12-month tpy VOC emissions.

(3) **Emissions Due to Preventable Events:** Emission limits are 0.0 for emissions due to preventable events. Emissions that are due entirely or in part to poor maintenance, careless operation, or any other preventable equipment breakdown shall be reported as excess emissions in accordance with 20.2.7 NMAC.

(4) **Emission Limits for Unpermitted Activities:** Emission limits are 0.0 for emissions for venting from equipment in Table 107.A that have no limits. Emissions due to SSM other than those represented in Section 107.B shall be reported as excess emissions in accordance with 20.2.7 NMAC.

Monitoring:

(1) The permittee shall perform an extended gas analysis at the facility inlet at least once per year.

(2) The permittee shall monitor each venting event, the equipment that was vented, and the cause of the event.

(3) Each month, the permittee shall monitor:
(a) the number of venting events during the month,
(b) the total calculated volume of vented gas during the month using V_{max} for the equipment that was vented as defined in the requirements of this condition,
(c) the total tons of VOC emissions vented during the month, and
(d) the monthly rolling 12-month total volume of gas and tons per year VOC emissions.

(4) The permittee shall monitor in accordance with Condition B108 of this permit.

Recordkeeping:

(1) For each venting event, the permittee shall keep records of:
(a) the gas tariff sheet documenting the %VOC,
(b) the total calculated volume of gas vented in scf or MMscf using the maximum volume capacity of the equipment that was vented, as defined in the requirements of this condition
(c) the calculations used to determine emissions
(d) the identification of all equipment that was vented during an event, and
(e) the cause or causes of the event.

(2) Each month, the permittee shall record the tons per month VOC emissions, and the monthly rolling 12-month tons per year (tpy) VOC emissions from SSM events.

The permittee shall keep records in accordance with Condition B109 of this permit.

Reporting: The permittee shall report in accordance with Section B110

SSM condition option 2:

E. Method for Determining Compliance with the Startup, Shutdown and Maintenance Venting Emission Limit in Section 107.B – (Unit SSM)

Requirement: The permittee shall limit emissions from routine or predictable startup, shutdown, or maintenance to the limits in Condition A107.B.

(1) The permittee shall process only natural gas fuel required by Condition A110.A in the central Desulfurization System (CDS).

(2) The permittee shall limit startup activities of all CDS units combined to no more than three (3) purge cycles per event and no more than 95 startups per year.

(3) The permittee shall limit shutdown and maintenance activities of the CDS combined to no more than four (4) purge cycles per event and no more than 95 events per year.

(4) **Emissions Due to Preventable Events:** Emission limits are 0.0 for emissions due to preventable events. Emissions that are due entirely or in part to poor maintenance, careless operation, or any other preventable equipment breakdown shall be reported as excess emissions in accordance with 20.2.7 NMAC.

(5) **Emission Limits for Unpermitted Activities:** Emission limits are 0.0 for emissions for venting from equipment in Table 107.A that have no limits. Emissions due to SSM other than those represented in Section107.B shall be reported as excess emissions in accordance with 20.2.7 NMAC.

Monitoring:

(1) The permittee shall monitor each SSM event, the equipment that was the source of emissions, and the cause of the event.

(2) Each month, the permittee shall monitor:
   (a) the number of CDS startups and the number of CDS shutdowns and maintenance events
   (b) the number of purge cycles per startup or shutdown and maintenance venting event,
   (c) the number of startup or shutdown and maintenance venting events,

Recordkeeping:

(1) For each SSM event, the permittee shall keep records of:
   (a) the natural gas fuel records required by condition A110.A,
   (b) the Unit ID number
   (c) the cause of the SSM event
   (d) the number of CDS startups and the number of CDS shutdowns and maintenance events,
   (e) the number of purge cycles per startup or shutdown and maintenance event,
   (f) and the monthly rolling 12-month total number of CDS startups and the number of CDS shutdowns and maintenance.

Reporting: The permittee shall report in accordance with Section B110

F. The permittee shall report excess emissions above the authorized emission limits in Table 106.A. For equipment without emission limits, report excess emissions pursuant to Condition B110.E.

A108 Facility: Allowable Operations

A. This facility is authorized for continuous operation. Monitoring, recordkeeping, and reporting are not required to demonstrate compliance with continuous hours of operation.

B. Facility Throughput - Fuel Limitations

Requirement: The permittee shall limit the inlet fuel flowrate to the facility to 136,782 MMscf per year.

Pursuant to 20.2.74.300.D NMAC, any increase of the 136,782 MMscf/y limit resulting in an emissions increase that would cause the facility to operate as or have a potential to emit of a Prevention of Significant Deterioration (PSD) major source, will result in the units approved in construction permit 10883 to be subject to a permit pursuant to 20.2.74.300 NMAC as if construction has not yet commenced.
Monitoring: The permittee shall continuously monitor the inlet fuel flowrate to the facility using a monitoring instrument that directly measures the inlet fuel flowrate with an accuracy of ± 2% or better. The permittee shall meet the General Monitoring Requirements in Section B108.
Recordkeeping: The permittee shall keep records of the monthly rolling 12-month total inlet gas flowrate and according to Section B109.
Reporting: The permittee shall report according to Section B110.

C. Facility Output - MW limitations

Requirement: The permittee shall limit the annual power output from the facility to 21,567,164 MW per year. (1) The permittee shall generate electric power only by fuel cells arranged in modules of 260 kW and 325 kW. This permit does not authorize any other equipment at the facility to provide power, thus only fuel cells/modules can generate and provide power. (2) Fuel Cells Modules shall provide all base load and all backup power. Pursuant to 20.2.74.300.D NMAC, any increase of the 21,567,164 MW per year limit resulting in an emissions increase that would cause the facility to operate as or have a potential to emit of a Prevention of Significant Deterioration (PSD) major source, will result in the units approved in construction permit 10883 to be subject to a permit pursuant to 20.2.74.300 NMAC as if construction has not yet commenced.
Monitoring: The Permittee shall continuously monitor the amount of electricity generated by the facility in units of kilowatt-hours (kWh) for the SOFC system. The permittee shall meet the General Monitoring Requirements in Section B108
Recordkeeping: The Permittee shall keep the following records of the amount of electricity generated by the SOFC systems a monthly rolling 12-month total. Records shall be kept according to Condition B109.
Reporting: The permittee shall report according to Section B110.

A109 Facility: Reporting Schedules

A. The permittee shall report according to the Specific Conditions and General Conditions of this permit.

A110 Facility: Fuel and Fuel Sulfur Requirements

A. Fuel and Fuel Sulfur Requirements

Requirement: The permittee shall ensure that all fuel used by the SOFC 260 kW and 325 kW Units shall: (1) use only natural gas containing no more than 0.00000613 lb/MW-hr of total sulfur with a minimum heating value of 970 British thermal units per cubic foot (BTU/ft^3) and a maximum heating value of 1110 BTU/ft^3, (2) process all gas used by the SOFC units and clusters with the CDS, and (3) design the piping such that the CDS cannot be bypassed.
Monitoring: The permittee shall monitor: (1) the flowrate of the natural gas entering and existing the CDS, and (2) the sulfur concentration in the gas exiting the central desulfurization system (CDS).
Recordkeeping: The permittee shall keep the following records: (1) a current purchase contract or tariff sheet listing the type of fuel and the minimum and maximum BTU content of the fuel, (2) the flowrate of the natural gas entering and exiting the CDS and any difference between the two flowrates, and (3) total measured sulfur content in the natural gas fuel exiting the CDS.
Reporting: The permittee shall report in accordance with Section B110.

A111 Facility: 20.2.61 NMAC Opacity

A. 20.2.61 NMAC Opacity Limit (SOFC 260 kW and 325 kW Units)

Requirement: Visible emissions from all Units SOFC-1 thought SOFC-2275 shall not equal or exceed an opacity of 20 percent over a 10-minute period.
Monitoring: Use of natural gas fuel or natural gas liquids constitutes compliance with 20.2.61 NMAC unless opacity equals or exceeds 20% averaged over a 10-minute period. At such time as fuel other than natural gas or natural gas liquids is used, or when any visible emissions are observed during steady state operation, opacity shall be measured over a 10-minute period in

accordance with the procedures at 40 CFR 60, Appendix A, Method 9 as required by 20.2.61.114 NMAC. Opacity measurements shall continue on a quarterly basis per calendar year for each affected unit until such time as natural gas or natural gas liquids are used.
Recordkeeping: The opacity measures and readings shall be recorded in accordance with Method 9 in 40 CFR 60, Appendix A.
Reporting: The permittee shall report in accordance with Section B110.

A112 Facility: Haul Roads – Not Required

A113 Facility: Location Requirements

A. The permittee shall construct the facility according to the representations in the permit application and air dispersion modeling pursuant to Section B101. The Universal Transverse Mercator (UTM) coordinates per Datum WGS84, listed in Table 113.A identify the boundaries in which the facility shall be constructed. Units SOFC-1 through SOFC-2275 must be within this area and as specified in Appendix B – Fuel Cell Stack Housing of the modeling report.

Table 113.A Facility Boundary Coordinates

Corner	Easting (m)	Northing (m)
Northwest (NW)	340,560.3	3,522,076
Northeast (NE)	341,510.2	3,522,199
Southeast (SE)	341,537.7	3,520,739
Southwest (SW)	340,570.8	3,520,974

A114 Facility: Relocation

A. This facility or any emissions sources at this facility shall not be relocated or repositioned without permit approval pursuant to Conditions B101.A, B, C, and D and 20.2.72.202.B(4) NMAC.

A115 Alternative Operating Scenario – Not Required

A116 Compliance Plan – Not Required

A117 Pursuant to this Permit:

A. Pursuant to Condition B100.A "Any term or condition imposed by the department on a permit or permit revision is enforceable to the same extent as a regulation of the

board." 20.2.72.210.D NMAC The permittee shall comply with the terms and conditions of this permit, including all requirements monitoring, recordkeeping, and reporting.

B. If credible evidence or information obtained by the department or provided to the department by a third party indicates that a source is not in compliance with the provisions of this Part/permit that evidence or information may be used by the department for purposes of establishing whether a person has violated or is in violation of this Part/permit.

A200 Oil and Gas Industry – Not Required

A300 Construction Industry – Aggregate – Not Required

A400 Construction Industry – Asphalt – Not Required

A500 Construction Industry – Concrete – Not Required

POWER GENERATION INDUSTRY

A600 Power Generation Industry

A. This section has common equipment related to most Electric Service Operations (SIC-4911).

A601 SOFC Clusters - 260 kW and 325 kW Units

A. SOFC Clusters – Remote Monitoring

Requirement: The permittee shall continuously monitor pressure and temperature within each SOFC Unit using a Remote Monitoring Control Center (RMCC).

Each SOFC Unit shall be equipped with automated controls that initiate immediate shutdown and isolation of the affected unit following detection of out-of-range parameters by the RMCC. The Energy Server shall be shut down immediately and all excess emissions or emissions due to malfunction shall be calculated and reported in accordance with 20.2.7 NMAC.

Within 90 days of the issue date of permit 10883, the permittee shall submit to the Department Permit Program Manager for approval a comprehensive monitoring plan which will establish pressure and temperature ranges which indicate that atmospheric venting may be occurring.

The RMCC shall be maintained in accordance with manufacturer specifications.

Monitoring: The permittee shall continuously monitor pressure and temperature within each SOFC Unit using a Remote Monitoring Control Center (RMCC) according to the approved monitoring plan. Any abnormal operational condition identified by the monitoring system shall be investigated and corrected. The permittee is subject to General Monitoring Requirements in Condition B108.
Recordkeeping: The permittee shall maintain output readings of the temperature and pressure from the RMCC recorded at least once per hour. For each out-of-range parameter, the permittee shall record: (1) Dates and times of onset and resolution, (2) Duration, (3) Affected unit numbers, (4) Cause of the temperature and/or pressure excursion, (5) Corrective actions taken, (6) Excess emissions estimated in accordance with the requirements in 20.2.7 NMAC. The permittee shall also record the unit numbers that were shut down and shall make the RMCC monitoring plan available to Department personnel upon request. The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with the applicable Sections B109, B110, and B111. All excess emissions or emissions due to malfunctions shall be reported in accordance with 20.2.7 NMAC.

B. 20.2.80 NMAC – Stack Heights (SOFC Cluster)

Requirement: The permittee shall ensure that each stack height of each SOFC cluster shall be at least 30 feet above ground.
Monitoring: The permittee shall demonstrate compliance by measuring and verifying the height of each stack following installation. The permittee shall meet the General Monitoring Requirements in Section B108
Recordkeeping: The permittee shall maintain records of the stack heigh measurements and in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with Section B110.

C. Maintenance and repair monitoring –SOFC Units and SOFC Clusters

Requirement: The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by operating and maintaining each SOFC Unit and SOFC cluster in a manner

consistent with manufacturer guidelines and procedures to minimize emissions to the extent practicable.

Monitoring:

(1) The Permittee shall install, calibrate, operate and maintain a monitoring system that produces sufficient data to ensure that manufacturer guidelines and procedures are properly followed.

(2) At a minimum, the monitoring system shall determine when a SOFC Energy Server or SOFC cluster must be shut down for maintenance or repairs; and notify facility personnel that maintenance or repairs are needed.

The permittee shall meet the General Monitoring Requirements in Section B108

Recordkeeping:
The permittee shall maintain records in accordance with Section B109, including records of maintenance and repair activities and a copy of the manufacturer's or permittee's recommended maintenance schedule and in accordance with the applicable Sections in B109, B110, and B111.

Reporting:
The permittee shall report in accordance with Section B110.

D. Initial Compliance Testing SOFC Clusters

Requirement: The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by performing initial compliance tests for at least 1% of the SOFC clusters that are constructed at the specified location (Condition A113.A), every 3 months. If fewer than 600 clusters were constructed during a 3-month period, then at least 6 clusters shall be tested.

Monitoring: The permittee shall perform an initial compliance test in accordance with the General Testing Requirements of Section B111. Emission testing is required for NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$.

The permittee shall meet the General Monitoring Requirements in Section B108, except the monitoring exemptions in Condition B108.D do not apply to this condition.

Recordkeeping: The permittee shall include in each test notification and report submittal the date construction is completed per cluster, the number of clusters constructed during the preceding 3-month period, and the total number of clusters to be tested constructed during the 3-month period, unit ID numbers, and the sizes (260 or 325 kW) of each cluster tested.

The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.

Reporting: The permittee shall report in accordance with the applicable Sections B109, B110, and B111.

E. Periodic Testing SOFC Clusters

Requirement:

(1) The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by completing periodic emissions tests for at least 1% of all SOFC clusters constructed

at the facility. If fewer than 600 clusters were constructed, then at 6 clusters shall be tested.

(2) After completing the initial compliance test, the permittee shall complete subsequent periodic tests of at least 1% of the SOFC clusters at least once per calendar year. If fewer than 600 clusters were constructed, then at 6 clusters shall be tested.

(3) If all results of initial compliance tests and the first year of periodic testing are less than 75% of the values in Table A601.F(3). the permittee may reduce testing to a total of 2 SOFC clusters per calendar year:

Table A601.F(3)

Pollutant	Limit (lb/MW-hr)
NOx	3.00E-03
CO	1.30E-02
OC	1.00E-02
SO2	6.13E-06
PM10	6.08E-03
PM2.5	6.08E-03

(4) The permittee shall resume period annual testing of 1% of all SOFC clusters per year if a test result exceeds the values in Table A601.F(4) in following amounts:

Table A601.F(4)

Pollutant	Limit (lb/MW-hr)
NOx	3.00E-02
CO	1.30E-01
OC	1.00E-01
SO2	6.13E-05
PM10	6.08E-02
PM2.5	6.08E-02

Monitoring: The permittee shall test using EPA Reference Methods subject to the requirements and limitations of Section B108, General Monitoring Requirements. Emission testing is required for NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ and shall be carried out as described below:

(1) The testing shall be conducted as follows:
(a) Testing frequency shall be once per year.
(b) The monitoring period is defined as a calendar year.

(2) The first test shall occur within the first monitoring period after completion of the initial compliance test.

(3) All subsequent monitoring shall occur in each succeeding monitoring period. No two monitoring events shall occur closer together in time than 25% of a monitoring period.

(4) The permittee shall follow the General Testing Procedures of Section B111.

The permittee is subject to General Monitoring Requirements in Condition B108.
Recordkeeping: The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with the applicable Sections in B109, B110, and B111.

F. Operation and Emission Calculation

Requirement: The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by performing the following monitoring, recordkeeping, and reporting for each fuel cell module. Each fuel cell module shall be equipped with a load meter, which shall continuously record the electrical output of each fuel cell module.
Monitoring: The Permittee shall monitor the total hourly electrical output of each fuel cell module. The Permittee shall meet the General Monitoring Requirements in Condition B108.
Recordkeeping: The Permittee shall keep records of the total hourly electrical output of each module and the total for the entire facility. The Permittee shall use the records of the maximum electrical output per month and monthly hours of operation of each fuel cell module and the emission rates from stack tests required by Conditions A601.E and F to calculate the monthly total ton per year NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ emissions from the entire facility using the following equation: $E = \Sigma (EF \times H) / 2{,}000$ Where: E = Monthly NO_x (or CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$) emissions (tons/month) EF = NOx (or CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$) emission factor (lb/MW-hr), based on the maximum results from the most recent stack tests. H = total monthly electrical output (MW/mo) Hours of operation per month (hrs/mo) The Permittee shall use the monthly records to calculate the monthly rolling 12-month total ton per year NO_x, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ emissions from the entire facility. The Permittee shall maintain records of all required calculations. The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with the applicable Sections in B109, B110, and B111.

PART B GENERAL CONDITIONS (Attached)

PART C MISCELLANEOUS: Supporting On-Line Documents; Definitions; Acronyms (Attached)

AIR QUALITY BUREAU
NEW SOURCE REVIEW PERMIT
Issued under 20.2.72 NMAC

GENERAL CONDITIONS AND MISCELLANEOUS

TABLE OF CONTENTS

Part B GENERAL CONDITIONS B2
B100 Introduction B2
B101 Legal B2
B102 Authority B3
B103 Annual Fee B3
B104 Appeal Procedures B4
B105 Submittal of Reports and Certifications B4
B106 NSPS and/or MACT Startup, Shutdown, and Malfunction Operations B5
B107 Startup, Shutdown, and Maintenance Operations B5
B108 General Monitoring Requirements B5
B109 General Recordkeeping Requirements B7
B110 General Reporting Requirements B9
B111 General Testing Requirements B11
B112 Compliance B14
B113 Permit Cancellation and Revocation B15
B114 Notification to Subsequent Owners B16
B115 Asbestos Demolition B16
B116 Short Term Engine Replacement B17
Part C MISCELLANEOUS C1
C100 Supporting On-Line Documents C1
C101 Definitions C1
C102 Acronyms C3

PART B GENERAL CONDITIONS

B100 Introduction

A. The Department has reviewed the permit application for the proposed construction/modification/revision and determined that the proposed action will comply with the provisions of the Act and ambient air quality standards will be met. Conditions have been imposed in this permit to assure continued compliance. 20.2.72.210.D NMAC, states that any term or condition imposed by the Department on a permit is enforceable to the same extent as a regulation of the Environmental Improvement Board.

B101 Legal

A. The Department may incorporate portions of the permit application into the permit as enforceable terms and conditions. Unless modified by conditions of this permit, the permittee shall construct or modify and operate the Facility in accordance with all representations of the application and supplemental submittals that the Department relied upon to determine compliance with applicable regulations and ambient air quality standards. If the Department relied on air quality modeling to issue this permit, any change in the parameters used for this modeling shall be submitted to the Department for review. Upon the Department's request, the permittee shall submit additional modeling for review by the Department. Results of that review may require a permit modification. (20.2.72.210.A NMAC)

B. Any future physical changes, changes in the method of operation or changes in restricted area may constitute a modification as defined by 20.2.72 NMAC, Construction Permits. Unless the source or activity is exempt under 20.2.72.202 NMAC, no modification shall begin prior to issuance of a permit. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

C. Changes in plans, specifications, and other representations stated in the application documents shall not be made if they cause a change in the method of control of emissions or in the character of emissions, will increase the discharge of emissions or affect modeling results. Any such proposed changes shall be submitted as a revision or modification. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

D. The permittee shall establish and maintain the property's Restricted Area as identified in plot plan submitted with the application. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

E. Applications for permit revisions and modifications shall be submitted to:

Program Manager, Permits Section

New Mexico Environment Department
Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505

F. The owner or operator of a source having an excess emission shall, to the extent practicable, operate the source, including associated air pollution control equipment, in a manner consistent with good air pollutant control practices for minimizing emissions. (20.2.7.109 NMAC). The establishment of allowable malfunction emission limits does not supersede this requirement.

G. The issuance of a permit does not relieve any person from civil or criminal liability for failure to comply with the provisions of the Air Quality Control Act, the Federal Act, federal regulations thereunder, any applicable regulations of the board, and any other applicable law or regulation. (20.2.72.209 NMAC and the New Mexico Air Quality Control Act NMSA 1978, Chapter 74, Article 2)

B102 Authority

A. This permit is issued pursuant to the Air Quality Control Act (Act) and regulations adopted pursuant to the Act including Title 20, Chapter 2, Part 72 of the New Mexico Administrative Code (NMAC), (20.2.72 NMAC), Construction Permits and is enforceable pursuant to the Act and the air quality control regulations applicable to this source.

B. The Department is the Administrator for 40 CFR Parts 60, 61, and 63 pursuant to the delegation and exceptions of Section 10 of 20.2.77 NMAC (NSPS), 20.2.78 NMAC (NESHAP), and 20.2.82 NMAC (MACT).

B103 Annual Fee

A. The Department will assess an annual fee for this Facility. Sources that have been issued a construction permit under 20.2.72 NMAC shall be assessed an annual fee of $2,800. Sources that have filed a Notice of Intent under 20.2.73 NMAC and received a written determination that a permit is not required shall be assessed an annual fee of $700. Effective January 1, 2028, the fee shall be adjusted annually by the percentage increase, if any, in the Consumer Price Index (CPI). The current fee amount is available by contacting the Department or can be found on the Department's website. The Department will invoice the permittee for the applicable annual fee amount. Annual fee invoices are generally issued at the beginning of each calendar year. This fee does not apply to sources which are assessed an annual emissions fee in accordance with 20.2.71 NMAC. For sources that satisfy the definition of "small business" in 20.2.75.7.F NMAC, this annual fee will be divided by two. (20.2.75.11 NMAC)

B. All fees shall be remitted in the form of a corporate check, certified check, or money order made payable to the "NM Environment Department, AQB" mailed to the address shown on the invoice and shall be accompanied by the remittance slip attached to the invoice.

B104 Appeal Procedures

A. Any person who participated in a permitting action before the Department and who is adversely affected by such permitting action, may file a petition for hearing before the Environmental Improvement Board. The petitioner shall submit the petition in writing to the Environmental Improvement Board within thirty (30) days from the date notice is given of the Department's action and shall specify the portions of the permitting action to which the petitioner objects, certify that a copy of the petition has been mailed or hand-delivered and attach a copy of the permitting action for which review is sought. Unless a timely request for hearing is made, the decision of the Department shall be final. The petition shall be copied simultaneously to the Department upon receipt of the appeal notice. If the petitioner is not the applicant or permittee, the petitioner shall mail or hand-deliver a copy of the petition to the applicant or permittee. The Department shall certify the administrative record to the board. Petitions for a hearing shall be sent to: (20.2.72.207.F NMAC)

For Mailing:
Administrator, New Mexico Environmental Improvement Board
P.O. Box 5469
Santa Fe, NM 87502-5469

For Hand Delivery:
Administrator, New Mexico Environmental Improvement Board
1190 St. Francis Drive, Harold Runnels Bldg.
Santa Fe, New Mexico 87505

B105 Submittal of Reports and Certifications

A. The permittee shall submit Stack Test Protocols and Stack Test Reports electronically to the Air Quality Bureau Compliance Reporting (AQBCR) system or as directed by the Department. (20.2.72.210 (E); 20.2.72.210 (C)(4)-(5); 20.2.72.213)

B. The permittee shall submit Excess Emission Reports as directed by the Department. (20.2.7.110 NMAC)

C. The permittee shall submit Routine reports to the mailing address below, or as directed by the Department:

Manager, Compliance and Enforcement Section
New Mexico Environment Department
Air Quality Bureau

525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505

B106 NSPS and/or MACT Startup, Shutdown, and Malfunction Operations

A. If a facility is subject to a NSPS standard in 40 CFR 60, each owner or operator that installs and operates a continuous monitoring device required by a NSPS regulation shall comply with the excess emissions reporting requirements in accordance with 40 CFR 60.7(c), unless specifically exempted in the applicable subpart.

B. If a facility is subject to a NSPS standard in 40 CFR 60, then in accordance with 40 CFR 60.8(c), emissions in excess of the level of the applicable emission limit during periods of startup, shutdown, and malfunction shall not be considered a violation of the applicable emission limit unless otherwise specified in the applicable standard.

C. If a facility is subject to a MACT standard in 40 CFR 63, then the facility is subject to the requirement for a Startup, Shutdown and Malfunction Plan (SSM) under 40 CFR 63.6(e)(3), unless specifically exempted in the applicable subpart.

B107 Startup, Shutdown, and Maintenance Operations

A. The establishment of permitted startup, shutdown, and maintenance (SSM) emission limits does not supersede the requirements of 20.2.7.14.A NMAC. Except for operations or equipment subject to Condition B106, the permittee shall establish and implement a plan to minimize emissions during routine or predictable start up, shut down, and scheduled maintenance (SSM work practice plan) and shall operate in accordance with the procedures set forth in the plan. (SSM work practice plan) (20.2.7.14.A NMAC)

B108 General Monitoring Requirements

A. These requirements do not supersede or relax requirements of federal regulations.

B. The following monitoring requirements shall be used to determine compliance with applicable requirements and emission limits. Any sampling, whether by portable analyzer or EPA reference method, that measures an emission rate over the applicable averaging period greater than an emission limit in this permit constitutes noncompliance with this permit. The Department may require, at its discretion, additional tests pursuant to EPA Reference Methods at any time, including when sampling by portable analyzer measures an emission rate greater than an emission limit in this permit; but such requirement shall not be construed as a determination that the sampling by portable analyzer does not establish noncompliance with this permit and shall not stay enforcement of such noncompliance based on the sampling by portable analyzer.

C. If the emission unit is shutdown at the time when periodic monitoring is due to be completed, the permittee is not required to restart the unit for the sole purpose of conducting the monitoring. Using electronic or written mail, the permittee shall notify the Department's Compliance and Enforcement Section of a delay in emission tests prior to the deadline for completing the tests. Upon recommencing operation, the permittee shall submit pre-test notification(s) to the Department's Compliance and Enforcement Section and shall complete the monitoring.

D. The requirement for monitoring during any monitoring period is based on the percentage of time that the unit has operated. However, to invoke the monitoring period exemption at B108.D(2), hours of operation shall be monitored and recorded.

(1) If the emission unit has operated for more than 25% of a monitoring period, then the permittee shall conduct monitoring during that period.

(2) If the emission unit has operated for 25% or less of a monitoring period then the monitoring is not required. After two successive periods without monitoring, the permittee shall conduct monitoring during the next period regardless of the time operated during that period, except that for any monitoring period in which a unit has operated for less than 10% of the monitoring period, the period will not be considered as one of the two successive periods.

(3) If invoking the monitoring **period** exemption in B108.D(2), the actual operating time of a unit shall not exceed the monitoring period required by this permit before the required monitoring is performed. For example, if the monitoring period is annual, the operating hours of the unit shall not exceed 8760 hours before monitoring is conducted. Regardless of the time that a unit actually operates, a minimum of one of each type of monitoring activity shall be conducted during any five-year period.

E. For all periodic monitoring events, except when a federal or state regulation is more stringent, three test runs shall be conducted at 90% or greater of the unit's capacity as stated in this permit, or in the permit application if not in the permit, and at additional loads when requested by the Department. If the 90% capacity cannot be achieved, the monitoring will be conducted at the maximum achievable load under prevailing operating conditions except when a federal or state regulation requires more restrictive test conditions. The load and the parameters used to calculate it shall be recorded to document operating conditions and shall be included with the monitoring report.

F. When requested by the Department, the permittee shall provide schedules of testing and monitoring activities. Compliance tests from previous NSR and Title V permits may be re-imposed if it is deemed necessary by the Department to determine whether the source is in compliance with applicable regulations or permit conditions.

G. If monitoring is new or is in addition to monitoring imposed by an existing applicable requirement, it shall become effective 120 days after the date of permit issuance. For emission units that have not commenced operation, the associated new or additional

monitoring shall not apply until 120 days after the units commence operation. All pre-existing monitoring requirements incorporated in this permit shall continue to apply from the date of permit issuance.

H. Unless otherwise indicated by Specific Conditions or regulatory requirements, all instrumentation used for monitoring in accordance with applicable requirements including emission limits, to measure parameters including but not limited to flow, temperature, pressure and chemical composition, or used to continuously monitor emission rates and/or other process operating parameters, shall be subject to the following requirements:

(1) The owner or operator shall install, calibrate, operate and maintain monitoring instrumentation (monitor) according to the manufacturer's procedures and specifications and the following requirements.

(a) The monitor shall be located in a position that provides a representative measurement of the parameter that is being monitored.

(b) At a minimum, the monitor shall complete one cycle of operation (sampling, analyzing, and data recording) for each successive 15-minute period.

(c) At a minimum, the monitor shall be spanned to measure the normal range +/- 5% of the parameter that is being monitored.

(d) At least semi-annually, perform a visual inspection of all components of the monitor for physical and operational integrity and all electrical connections for oxidation and galvanic corrosion.

(e) Recalibrate the monitor in accordance with the manufacturer's procedures and specifications at the frequency specified by the manufacturer, or every two years, whichever is less.

(2) Except for malfunctions, associated repairs, and required quality assurance or control activities (including calibration checks and required zero and span adjustments), the permittee shall operate and maintain all monitoring equipment at all times that the emissions unit or the associated process is operating.

(3) The monitor shall measure data for a minimum of 90 percent of the time that the emissions unit or the associated process is in operation, based on a calendar monthly average.

(4) The owner or operator shall maintain records in accordance with Section B109 to demonstrate compliance with the requirements in B108H (1)-(3) above, as applicable.

B109 General Recordkeeping Requirements

A. The permittee shall maintain records to assure and verify compliance with the terms and conditions of this permit and any other applicable requirements that become effective after permit issuance. (20.2.72.210(E)) The minimum information to be included in these records is as follows:

(1) Records required for testing and sampling:

(a) equipment identification (include make, model and serial number for all tested equipment and emission controls)

(b) date(s) and time(s) of sampling or measurements

(c) date(s) analyses were performed

(d) the qualified entity that performed the analyses

(e) analytical or test methods used

(f) results of analyses or tests

(g) operating conditions existing at the time of sampling or measurement

(2) Records required for equipment inspections and/or maintenance required by this permit:

(a) equipment identification number (including make, model and serial number)

(b) date(s) and time(s) of inspection, maintenance, and/or repair

(c) date(s) any subsequent analyses were performed (if applicable)

(d) name of the person or qualified entity conducting the inspection, maintenance, and/or repair

(e) copy of the equipment manufacturer's or the owner or operator's maintenance or repair recommendations (if required to demonstrate compliance with a permit condition)

(f) description of maintenance or repair activities conducted

(g) all results of any required parameter readings

(h) a description of the physical condition of the equipment as found during any required inspection

(i) results of required equipment inspections including a description of any condition which required adjustment to bring the equipment back into compliance and a description of the required adjustments

B. Except as provided in the Specific Conditions, records shall be maintained on-site or at the permittee's local business office for a minimum of two (2) years from the time of recording and shall be made available to Department personnel upon request. Sources subject to 20.2.70 NMAC "Operating Permits" shall maintain records on-site for a minimum of five (5) years from the time of recording. (20.2.70.302(D))

C. Unless otherwise indicated by Specific Conditions, the permittee shall keep the following records for malfunction emissions and routine or predictable emissions during startup, shutdown, and scheduled maintenance (SSM):

(1) The owner or operator of a source subject to a permit shall establish and implement a plan to minimize emissions during routine or predictable startup, shutdown, and scheduled maintenance through work practice standards and good air pollution control practices. This requirement shall not apply to any affected facility defined in and subject to an emissions standard and an equivalent plan under 40 CFR Part 60 (NSPS), 40 CFR Part 63 (MACT), or an equivalent plan under 20.2.72 NMAC - Construction Permits, 20.2.70 NMAC - Operating Permits, 20.2.74 NMAC - Permits - Prevention of Significant Deterioration (PSD), or 20.2.79 NMAC - Permits - Nonattainment Areas. The permittee shall keep records of all sources subject to the plan to minimize emissions during routine or predictable SSM and shall record if the source is subject to an alternative plan and therefore, not subject to the plan requirements under 20.2.7.14.A NMAC.

(2) If the facility has allowable SSM emission limits in this permit, the permittee shall record all SSM events, including the date, the start time, the end time, a description of the event, and a description of the cause of the event. This record also shall include a copy of the manufacturer's, or equivalent, documentation showing that any maintenance qualified as scheduled. Scheduled maintenance is an activity that occurs at an established frequency pursuant to a written protocol published by the manufacturer or other reliable source. The authorization of allowable SSM emissions does not supersede any applicable federal or state standard. The most stringent requirement applies.

(3) If the facility has allowable malfunction emission limits in this permit, the permittee shall record all malfunction events to be applied against these limits. The permittee shall also include the date, the start time, the end time, and a description of the event. **Malfunction means** any sudden and unavoidable failure of air pollution control equipment or process equipment beyond the control of the owner or operator, including malfunction during startup or shutdown. A failure that is caused entirely or in part by poor maintenance, careless operation, or any other preventable equipment breakdown shall not be considered a malfunction. (20.2.7.7.E NMAC) The authorization of allowable malfunction emissions does not supersede any applicable federal or state standard. The most stringent requirement applies. This authorization only allows the permittee to avoid submitting reports under 20.2.7 NMAC for total annual emissions that are below the authorized malfunction emission limit.

(4) The owner or operator of a source shall meet the operational plan defining the measures to be taken to mitigate source emissions during malfunction, startup or shutdown. (20.2.72.203.A(5) NMAC)

B110 General Reporting Requirements
(20.2.72 NMAC Sections 210 and 212)

A. Records and reports shall be maintained on-site or at the permittee's local business office unless specifically required to be submitted to the Department or EPA by another

condition of this permit or by a state or federal regulation. Records for unmanned sites may be kept at the nearest business office.

B. The permittee shall notify the Department's Compliance Reporting Section using the current Submittal Form posted to NMED's Air Quality web site under Compliance and Enforcement/Submittal Forms in writing of or provide the Department with (20.2.72.212.A and B):

(1) the anticipated date of initial startup of each new or modified source not less than thirty (30) days prior to the date. Notification may occur prior to issuance of the permit, but actual startup shall not occur earlier than the permit issuance date;

(2) after receiving authority to construct, the equipment serial number as provided by the manufacturer or permanently affixed if shop-built and the actual date of initial startup of each new or modified source within fifteen (15) days after the startup date; and

(3) the date when each new or modified emission source reaches the maximum production rate at which it will operate within fifteen (15) days after that date.

C. The permittee shall notify the Department's Permitting Program Manager, in writing of, or provide the Department with (20.2.72.212.C and D):

(1) any change of operators or any equipment substitutions within fifteen (15) days of such change;

(2) any necessary update or correction no more than sixty (60) days after the operator knows or should have known of the condition necessitating the update or correction of the permit.

D. Results of emission tests and monitoring for each pollutant (except opacity) shall be reported in pounds per hour (unless otherwise specified) and tons per year. Opacity shall be reported in percent. The number of significant figures corresponding to the full accuracy inherent in the testing instrument or Method test used to obtain the data shall be used to calculate and report test results in accordance with 20.2.1.116.B and C NMAC. Upon request by the Department, CEMS and other tabular data shall be submitted in editable, MS Excel format.

E. The permittee shall submit reports of excess emissions in accordance with 20.2.7.110.A NMAC.

F. Allowable Emission Limits for Excess Emissions Reporting for Flares and Other Regulated Sources with No Pound per Hour (pph) and/or Ton per Year (tpy) Emission Limits.

(1) When a flare has no allowable pph and/or tpy emission limits in Sections A106 and/or A107, the authorized allowable emissions include only the combustion of pilot and/or purge gas. Compliance is demonstrated by limiting the gas stream to the flare to only pilot and/or purge gas.

(2) For excess emissions reporting as required by 20.2.7 NMAC, the allowable emission limits are 1.0 pph and 1.0 tpy for each regulated air pollutant (except for H2S) emitted by that source as follows:

(a) For flares, when there are no allowable emission limits in Sections A106 and/or A107.

(b) For regulated sources with emission limits in Sections A106 or A107 represented by the less than sign ("<").

(c) For regulated sources that normally would not emit any regulated air pollutants, including but not limited to vents, pressure relief devices, connectors, etc.

(3) For excess emissions reporting as required by 20.2.7 NMAC for H2S, the allowable limits are 0.1 pph and 0.44 tpy for each applicable scenario addressed in paragraph (2) above.

B111 General Testing Requirements

Unless otherwise indicated by Specific Conditions or regulatory requirements, the permittee shall conduct testing in accordance with the requirements in Sections B111A, B, C, D and E, as applicable.

A. Initial Compliance Tests

The permittee shall conduct initial compliance tests in accordance with the following requirements:

(1) Initial compliance test requirements from previous permits (if any) are still in effect, unless the tests have been satisfactorily completed. Compliance tests may be re-imposed if it is deemed necessary by the Department to determine whether the source is in compliance with applicable regulations or permit conditions. (20.2.72 NMAC Sections 210.C and 213)

(2) Initial compliance tests shall be conducted within sixty (60) days after the unit(s) achieve the maximum normal production rate. If the maximum normal production rate does not occur within one hundred twenty (120) days of source startup, then the tests must be conducted no later than one hundred eighty (180) days after initial startup of the source.

(3) The default time period for each test run shall be **at least** 60 minutes and each performance test shall consist of three separate runs using the applicable test method. For the purpose of determining compliance with an applicable emission limit, the arithmetic mean of results of the three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the three runs must be discontinued because of forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances, beyond the owner or operator's control, compliance may, upon the Department

approval, be determined using the arithmetic mean of the results of the two other runs.

(4) Testing of emissions shall be conducted with the emissions unit operating at 90 to 100 percent of the maximum operating rate allowed by the permit. If it is not possible to test at that rate, the source may test at a lower operating rate

(5) Testing performed at less than 90 percent of permitted capacity will limit emission unit operation to 110 percent of the tested capacity until a new test is conducted.

(6) If conditions change such that unit operation above 110 percent of tested capacity is possible, the source must submit a protocol to the Department within 30 days of such change to conduct a new emissions test.

B. EPA Reference Method Tests

The test methods in Section B111.B(1) shall be used for all initial compliance tests and all Relative Accuracy Test Audits (RATAs), and shall be used if a permittee chooses to use EPA test methods for periodic monitoring. Test methods that are not listed in Section B111.B(1) may be used in accordance with the requirements at Section B111.B(2).

(1) All compliance tests required by this permit shall be conducted in accordance with the requirements of CFR Title 40, Part 60, Subpart A, General Provisions, and the following EPA Reference Methods as specified by CFR Title 40, Part 60, Appendix A:

(a) Methods 1 through 4 for stack gas flowrate

(b) Method 5 for particulate matter (PM)

(c) Method 6C SO_2

(d) Method 7E for NO_X (test results shall be expressed as nitrogen dioxide (NO_2) using a molecular weight of 46 lb/lb-mol in all calculations (each ppm of NO/NO_2 is equivalent to 1.194 x 10-7 lb/SCF)

(e) Method 9 for visual determination of opacity

(f) Method 10 for CO

(g) Method 19 for particulate, sulfur dioxide and nitrogen oxides emission rates. In addition, Method 19 may be used in lieu of Methods 1-4 for stack gas flowrate. The permittee shall provide a contemporaneous fuel gas analysis (preferably on the day of the test, but no earlier than three months prior to the test date) and a recent fuel flow meter calibration certificate (within the most recent quarter) with the final test report.

(h) Method 7E or 20 for Turbines per §60.335 or §60.4400

(i) Method 22 for visual determination of fugitive emissions from material sources and smoke emissions from flares

(j) Method 25A for VOC reduction efficiency

(k) Method 29 for Metals

(l) Method 30B for Mercury from Coal-Fired Combustion Sources Using Carbon Sorbent Traps

(m) Method 201A for filterable PM_{10} and $PM_{2.5}$

(n) Method 202 for condensable PM

(o) Method 320 for organic Hazardous Air Pollutants (HAPs)

(2) Permittees may propose test method(s) that are not listed in Section B111.B(1). These methods may be used if prior approval is received from the Department.

C. Periodic Monitoring and Portable Analyzer Requirements for the Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters

Periodic emissions tests (periodic monitoring) shall be conducted in accordance with the following requirements:

(1) Periodic emissions tests may be conducted in accordance with EPA Reference Methods or by utilizing a portable analyzer. Periodic monitoring utilizing a portable analyzer shall be conducted in accordance with the requirements of the current version of ASTM D 6522. However, if a facility has met a previously approved Department criterion for portable analyzers, the analyzer may be operated in accordance with that criterion until it is replaced.

(2) The default time period for each test run shall be **at least** 20 minutes.

Each performance test shall consist of three separate runs. The arithmetic mean of results of the three runs shall be used to determine compliance with the applicable emission limit.

(3) Testing of emissions shall be conducted in accordance with the requirements at Section B108.E.

(4) During emissions tests, pollutant and diluent concentration shall be monitored and recorded. Fuel flow rate shall be monitored and recorded if stack gas flow rate is determined utilizing Reference Method 19. This information shall be included with the test report furnished to the Department.

(5) Stack gas flow rate shall be calculated in accordance with Reference Method 19 utilizing fuel flow rate (scf) determined by a dedicated fuel flow meter and fuel heating value (Btu/scf). The permittee shall provide a contemporaneous fuel gas analysis (preferably on the day of the test, but no earlier than three months prior to the test date) and a recent fuel flow meter calibration certificate (within the most recent quarter) with the final test report. Alternatively, stack gas flow rate may be determined by using EPA Reference Methods 1-4.

(6) The permittee shall submit a notification and protocol for periodic emissions tests upon the request of the Department.

D. Initial Compliance Test and RATA Procedures

Permittees required to conduct initial compliance tests and/or RATAs shall comply with the following requirements:

(1) The permittee shall submit a notification and test protocol to the Department's Program Manager, Compliance and Enforcement Section, at least thirty (30) days before the test date and allow a representative of the Department to be present at the test. Proposals to use test method(s) that are not listed in Section B111.B(1) (if applicable) shall be included in this notification.

(2) Contents of test notifications, protocols and test reports shall conform to the format specified by the Department's Universal Test Notification, Protocol and Report Form and Instructions. Current forms and instructions are posted to NMED's Air Quality web site under Compliance and Enforcement Testing.

(3) The permittee shall provide (a) sampling ports adequate for the test methods applicable to the facility, (b) safe sampling platforms, (c) safe access to sampling platforms and (d) utilities for sampling and testing equipment.

(4) Where necessary to prevent cyclonic flow in the stack, flow straighteners shall be installed

E. General Compliance Test Procedures

The following requirements shall apply to all initial compliance and periodic emissions tests and all RATAs:

(1) Equipment shall be tested in the "as found" condition. Equipment may not be adjusted or tuned prior to any test for the purpose of lowering emissions, and then returned to previous settings or operating conditions after the test is complete.

(2) The stack shall be of sufficient height and diameter and the sample ports shall be located so that a representative test of the emissions can be performed in accordance with the requirements of EPA Reference Method 1 or the current version of ASTM D 6522, as applicable.

(3) Test reports shall be submitted to the Department no later than 30 days after completion of the test.

B112 Compliance

A. The Department shall be given the right to enter the facility at all reasonable times to verify the terms and conditions of this permit. Required records shall be organized by date and subject matter and shall at all times be readily available for inspection. The permittee, upon verbal or written request from an authorized representative of the Department who appears at the facility, shall immediately produce for inspection or

copying any records required to be maintained at the facility. Upon written request at other times, the permittee shall deliver to the Department paper or electronic copies of any and all required records maintained on site or at an off-site location. Requested records shall be copied and delivered at the permittee's expense within three business days from receipt of request unless the Department allows additional time. Required records may include records required by permit and other information necessary to demonstrate compliance with terms and conditions of this permit. (NMSA 1978, Section 74-2-13)

B. A copy of the most recent permit(s) issued by the Department shall be kept at the permitted facility or (for unmanned sites) at the nearest company office and shall be made available to Department personnel for inspection upon request. (20.2.72.210.B.4 NMAC)

C. Emissions limits associated with the energy input of a Unit, i.e. lb/MMBtu, shall apply at all times unless stated otherwise in a Specific Condition of this permit. The averaging time for each emissions limit, including those based on energy input of a Unit (i.e. lb/MMBtu) is one (1) hour unless stated otherwise in a Specific Condition of this permit or in the applicable requirement that establishes the limit.

D. Permit Modifications and Enforcement of Prior Permit Conditions. Nothing in this permit, nor any administrative, technical, minor, or significant modification to this permit, shall be construed to limit, preclude or otherwise affect the authority of the Department to pursue enforcement for violations of permit conditions that occurred before the effective date of any permit modification, nor shall any such permit modification be interpreted as approval of past operations or emissions or as a determination of compliance for any prior period.

The Department retains full authority to investigate and enforce all violations based on the permit conditions in effect at the time the alleged violations occurred.

Any permit modification applies prospectively only and shall not constitute a defense to, or affect the determination of, liability for any past, current, or ongoing violations occurring prior to the effective date of the permit or modification.

B113 Permit Cancellation and Revocation

A. The Department may revoke this permit if, within ten years immediately preceding the date of submission of the permit application, the applicant or permitee has: (1) knowingly misrepresented a material fact in an application for a permit; (2) refused to disclose the information required by the provisions of the Air Quality Control Act; (3) been convicted in any court of any state or the United States of: (a) a felony related to an environmental crime, or (b) a crime defined by state or federal statute as involving or being in restraint of trade, price fixing, bribery or fraud; (4) constructed or operated a facility for which a permit is sought without a permit required by the Air Quality

Control Act, except when such an unpermitted facility is discovered after acquisition in the course of a timely environmental audit authorized by department or local board policy and except if: (a) the operator of the facility using good engineering practices and established approved calculation methodologies estimated that the facility's emissions would not require a permit pursuant to the Air Quality Control Act; and (b) upon discovery of the discrepancy between the calculated pre-construction maximum facility emissions and the calculated post-construction maximum facility emissions, the operator of the facility applies for the appropriate permit within thirty calendar days; or (5) had any permit revoked or permanently suspended for cause under the environmental laws of any state of the United States. (1978 74-2-7 (P) NMSA. Revocation will be made in writing, and an administrative appeal may be taken to the Secretary of the Department within thirty (30) days.

B. The Department shall automatically cancel any permit for any source which ceases operation for five (5) years or more, or permanently. Reactivation of any source after the five (5) year period shall require a new permit. (20.2.72 NMAC)

C. The Department may cancel a permit if the construction or modification is not commenced within two (2) years from the date of issuance or if, during the construction or modification, work is suspended for a total of one (1) year. (20.2.72 NMAC)

B114 Notification to Subsequent Owners

A. The permit and conditions apply in the event of any change in control or ownership of the Facility. No permit modification is required in such case. However, in the event of any such change in control or ownership, the permittee shall notify the succeeding owner of the permit and conditions and shall notify the Department's Program Manager, Permits Section of the change in ownership within fifteen (15) days of that change. (20.2.72.212.C NMAC)

B. Any new owner or operator shall notify the Department's Program Manager, Permits Section, within thirty (30) days of assuming ownership, of the new owner's or operator's name and address. (20.2.73.200.E.3 NMAC)

B115 Asbestos Demolition

A. Before any asbestos demolition or renovation work, the permittee shall determine whether 40 CFR 61 Subpart M, National Emissions Standards for Asbestos applies. If required, the permittee shall notify the Department's Program Manager, Compliance and Enforcement Section using forms furnished by the Department.

B116 Short Term Engine Replacement

A. The following Alternative Operating Scenario (AOS) addresses engine breakdown or periodic maintenance and repair, which requires the use of a short term replacement engine. The following requirements do not apply to engines that are exempt per 20.2.72.202.B(3) NMAC. Changes to exempt engines must be reported in accordance with 20.2.72.202.B NMAC. A short term replacement engine may be substituted for any engine allowed by this permit for no more than 120 days in any rolling twelve month period per permitted engine. The compliance demonstrations required as part of this AOS are in addition to any other compliance demonstrations required by this permit.

(1) The permittee may temporarily replace an existing engine that is subject to the emission limits set forth in this permit with another engine regardless of manufacturer, model, and horsepower without modifying this permit. The permittee shall submit written notification to the Department within 15 days of the date of engine substitution according to condition B110.C(1).

(a) The potential emission rates of the replacement engine shall be determined using the replacement engine's manufacturer specifications and shall comply with the existing engine's permitted emission limits.

(b) The direction of the exhaust stack for the replacement engine shall be either vertical or the same direction as for the existing engine. The replacement engine's stack height and flow parameters shall be at least as effective in the dispersion of air pollutants as the modeled stack height and flow parameters for the existing permitted engine. The following equation may be used to show that the replacement engine disperses pollutants as well as the existing engine. The value calculated for the replacement engine on the right side of the equation shall be equal to or greater than the value for the existing engine on the left side of the equation. The permitting page of the Air Quality Bureau website contains a spreadsheet that performs this calculation.

EXISTING ENGINE REPLACMENT ENGINE

$$\frac{[(g) \times (h1)] + [(v1)^2/2] + [(c) \times (T1)]}{q1} <= \frac{[(g) \times (h2)] + [(v2)^2/2] + [(c) \times (T2)]}{q2}$$

Where
g = gravitational constant = 32.2 ft/sec^2
h1 = existing stack height, feet
v1 = exhaust velocity, existing engine, feet per second
c = specific heat of exhaust, 0.28 BTU/lb-degree F
T1 = absolute temperature of exhaust, existing engine = degree F + 460
q1 = permitted allowable emission rate, existing engine, lbs/hour

h2 = replacement stack height, feet
v2 = exhaust velocity, replacement engine, feet per second
T2 = absolute temperature of exhaust, replacement engine = degree F + 460
q2 = manufacturer's potential emission rate, replacement engine, lbs/hour

The permittee shall keep records showing that the replacement engine is at least as effective in the dispersion of air pollutants as the existing engine.

(c) Test measurement of NOx and CO emissions from the temporary replacement engine shall be performed in accordance with Section B111 with the exception of Condition B111A(2) and B111B for EPA Reference Methods Tests or Section B111C for portable analyzer test measurements. Compliance test(s) shall be conducted within fifteen (15) days after the unit begins operation, and records of the results shall be kept according to section B109.B. This test shall be performed even if the engine is removed prior to 15 days on site.

i. These compliance tests are not required for an engine certified under 40CFR60, subparts IIII, or JJJJ, or 40CFR63, subpart ZZZZ if the permittee demonstrates that one of these requirements causes such engine to comply with all emission limits of this permit. The permittee shall submit this demonstration to the Department within 48 hours of placing the new unit into operation. This submittal shall include documentation that the engine is certified, that the engine is within its useful life, as defined and specified in the applicable requirement, and shall include calculations showing that the applicable emissions standards result in compliance with the permit limits.

ii. These compliance tests are not required if a test was conducted by portable analyzer or by EPA Method test (including any required by 40CFR60, subparts IIII and JJJJ and 40CFR63, subpart ZZZZ) within the last 12 months. These previous tests are valid only if conducted at the same or lower elevation as the existing engine location prior to commencing operation as a temporary replacement. A copy of the test results shall be kept according to section B109.B.

(d) Compliance tests for NOx and CO shall be conducted if requested by the Department in writing to determine whether the replacement engine is in compliance with applicable regulations or permit conditions.

(e) Upon determining that emissions data developed according to B116.A.1(c) fail to indicate compliance with either the NOx or CO emission limits, the permittee shall notify the Department within 48 hours. Also within that time, the permittee shall implement one of the following corrective actions:

i. The engine shall be adjusted to reduce NOx and CO emissions and tested per B116.A.1(c) to demonstrate compliance with permit limits.

ii. The engine shall discontinue operation or be replaced with a different unit.

(2) Short term replacement engines, whether of the same manufacturer, model, and horsepower, or of a different manufacturer, model, or horsepower, are subject to all federal and state applicable requirements, regardless of whether they are set forth in this permit (including monitoring and recordkeeping), and shall be subject to any shield afforded by this permit.

(3) The permittee shall maintain a contemporaneous record documenting the unit number, manufacturer, model number, horsepower, emission factors, emission test results, and serial number of any existing engine that is replaced, and the replacement engine. Additionally, the record shall document the replacement duration in days, and the beginning and end dates of the short term engine replacement.

(4) The permittee shall maintain records of a regulatory applicability determination for each replacement engine (including 40CFR60, subparts IIII and JJJJ and 40CFR63, subpart ZZZZ) and shall comply with all associated regulatory requirements.

B. Additional requirements for replacement of engines at sources that are major as defined in regulation 20.2.74 NMAC, Permits – Prevention of Significant Deterioration, section 7.AG. For sources that are major under PSD, the total cumulative operating hours of the replacement engine shall be limited using the following procedure:

(1) Daily, the actual emissions from the replacement engine(s) of each pollutant regulated by this permit for the existing engine shall be calculated and recorded.

(2) The sum of the total actual emissions since the commencement of operation of the replacement engine(s) shall not equal or exceed the significant emission rates in Table 2 of 20.2.74 NMAC, section 502 for the time that the replacement engine is located at the facility.

C. All records required by this section shall be kept according to section B109.

PART C MISCELLANEOUS

C100 Supporting On-Line Documents

A. Copies of the following documents can be downloaded from NMED's web site under Compliance and Enforcement or requested from the Bureau.

(1) Excess Emission Form (for reporting deviations and emergencies)

(2) Universal Stack Test Notification, Protocol and Report Form and Instructions

C101 Definitions

A. **"Daylight"** is defined as the time period between sunrise and sunset, as defined by the Astronomical Applications Department of the U.S. Naval Observatory. (Data for one day or a table of sunrise/sunset for an entire year can be obtained at http://aa.usno.navy.mil/. Alternatively, these times can be obtained from a Farmer's Almanac or from http://www.almanac.com/rise/).

B. **"Decommission"** and **"Decommissioning"** applies to units left on site (not removed) and is defined as the complete disconnecting of equipment, emission sources or activities from the process by disconnecting all connections necessary for operation (i.e. piping, electrical, controls, ductwork, etc.).

C. **"Exempt Sources"** and **"Exempt Activities"** is defined as those sources or activities that are exempted in accordance with 20.2.72.202 NMAC. Note; exemptions are only valid for most 20.2.72 NMAC permitting actions.

D. **"Fugitive Emission"** means those emissions which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

E. **"Insignificant Activities"** means those activities which have been listed by the department and approved by the administrator as insignificant on the basis of size, emissions or production rate. Note; insignificant activities are only valid for 20.2.70 NMAC permitting actions.

F. **"Malfunction"** for the requirements under 20.2.7 NMAC, means any sudden and unavoidable failure of air pollution control equipment or process equipment beyond the control of the owner or operator, including malfunction during startup or shutdown. A failure that is caused entirely or in part by poor maintenance, careless operation, or any other preventable equipment breakdown shall not be considered a malfunction. (20.2.7.7.E NMAC)

G. **"Natural Gas"** is defined as a naturally occurring fluid mixture of hydrocarbons that contains 20.0 grains or less of total sulfur per 100 standard cubic feet (SCF) and is either composed of at least 70% methane by volume or has a gross calorific value of between 950 and 1100 Btu per standard cubic foot. (40 CFR 60.631)

H. **"Natural Gas Liquids"** means the hydrocarbons, such as ethane, propane, butane, and pentane, that are extracted from field gas. (40 CFR 60.631)

I. **"National Ambient air Quality Standards"** means, unless otherwise modified, the primary (health-related) and secondary (welfare-based) federal ambient air quality standards promulgated by the US EPA pursuant to Section 109 of the Federal Act.

J. **"Night"** is the time period between sunset and sunrise, as defined by the Astronomical Applications Department of the U.S. Naval Observatory. (Data for one day or a table of sunrise/sunset for an entire year can be obtained at http://aa.usno.navy.mil/. Alternatively, these times can be obtained from a Farmer's Almanac or from http://www.almanac.com/rise/).

K. **"Night Operation** or **Operation at Night"** is operating a source of emissions at night.

L. **"NO2"** or "Nitrogen dioxide" means the chemical compound containing one atom of nitrogen and two atoms of oxygen, for the purposes of ambient determinations. The term **"nitrogen dioxide,"** for the purposes of stack emissions monitoring, shall include nitrogen dioxide (the chemical compound containing one atom of nitrogen and two atoms of oxygen), nitric oxide (the chemical compound containing one atom of nitrogen and one atom of oxygen), and other oxides of nitrogen which may test as nitrogen dioxide and is sometimes referred to as NOx or NO_2. (20.2.2 NMAC)

M. "**NOx**" see NO_2

N. "**Paved Road**" is a road with a permanent solid surface that can be swept essentially free of dust or other material to reduce air re-entrainment of particulate matter. To the extent these surfaces remain solid and contiguous they qualify as paved roads: concrete, asphalt, chip seal, recycled asphalt and other surfaces approved by the Department in writing.

O. **"Potential Emission Rate"** means the emission rate of a source at its maximum capacity to emit a regulated air contaminant under its physical and operational design, provided any physical or operational limitation on the capacity of the source to emit a regulated air contaminant, including air pollution control equipment and restrictions on hours of operation or on the type or amount of material combusted, stored or processed, shall be treated as part of its physical and operational design only if the limitation or the effect it would have on emissions is enforceable by the department pursuant to the Air Quality Control Act or the federal Act.

P. "**Restricted Area**" is an area to which public entry is effectively precluded. Effective barriers include continuous fencing, continuous walls, or other continuous barriers approved by the Department, such as rugged physical terrain with a steep grade that would require special equipment to traverse. If a large property is completely enclosed by fencing, a restricted area within the property may be identified with signage only. Public roads cannot be part of a Restricted Area.

Q. **"Shutdown"** for requirements under 20.2.72 NMAC, means the cessation of operation of any air pollution control equipment, process equipment or process for any purpose, except routine phasing out of batch process units.

R. **"SSM"** for requirements under 20.2.7 NMAC, means routine or predictable startup, shutdown, or scheduled maintenance.

(1) **"Shutdown"** for requirements under 20.2.7 NMAC, means the cessation of operation of any air pollution control equipment or process equipment.

(2) **"Startup"** for requirements under 20.2.7 NMAC, means the setting into operation of any air pollution control equipment or process equipment.

S. **"Startup"** for requirements under 20.2.72 NMAC, means the setting into operation of any air pollution control equipment, process equipment or process for any purpose, except routine phasing in of batch process units.

C102 Acronyms

2SLB ..... 2-stroke lean burn
4SLB ..... 4-stroke lean burn
4SRB ..... 4-stroke rich burn
acfm ..... actual cubic feet per minute
AFR ..... air-fuel ratio
AP-42 ..... EPA Air Pollutant Emission Factors
AQB ..... Air Quality Bureau
AQCR ..... Air Quality Control Region
ASTM ..... American Society for Testing and Materials
Btu ..... British thermal unit
CAA ..... Clean Air Act of 1970 and 1990 Amendments
CEM ..... continuous emissions monitoring
cfh ..... cubic feet per hour
cfm ..... cubic feet per minute
CFR ..... Code of Federal Regulations
CI ..... compression ignition
CO ..... carbon monoxides
COMS ..... continuous opacity monitoring system
EIB ..... Environmental Improvement Board
EPA ..... United States Environmental Protection Agency
gr/100 cf ..... grains per one hundred cubic feet
gr/dscf ..... grains per dry standard cubic foot
GRI ..... Gas Research Institute
HAP ..... hazardous air pollutant
hp ..... horsepower
H_2S ..... hydrogen sulfide
IC ..... internal combustion
KW/hr ..... kilowatts per hour

lb/hr.....pounds per hour
lb/MMBtu.....pounds per million British thermal unit
MACT.....Maximum Achievable Control Technology
MMcf/hr.....million cubic feet per hour
MMscf.....million standard cubic feet
N/A.....not applicable
NAAQS.....National Ambient Air Quality Standards
NESHAP.....National Emission Standards for Hazardous Air Pollutants
NG.....natural gas
NGL.....natural gas liquids
NMAAQS.....New Mexico Ambient Air Quality Standards
NMAC.....New Mexico Administrative Code
NMED.....New Mexico Environment Department
NMSA.....New Mexico Statutes Annotated
NOx.....nitrogen oxides
NSCR.....non-selective catalytic reduction
NSPS.....New Source Performance Standard
NSR.....New Source Review
PEM.....parametric emissions monitoring
PM.....particulate matter (equivalent to TSP, total suspended particulate)
PM_{10}.....particulate matter 10 microns and less in diameter
$PM_{2.5}$.....particulate matter 2.5 microns and less in diameter
pph.....pounds per hour
ppmv.....parts per million by volume
PSD.....Prevention of Significant Deterioration
RATA.....Relative Accuracy Test Assessment
RICE.....reciprocating internal combustion engine
rpm.....revolutions per minute
scfm.....standard cubic feet per minute
SI.....spark ignition
SO_2.....sulfur dioxide
SSM.....Startup Shutdown Maintenance (see SSM definition)
TAP.....Toxic Air Pollutant
TBD.....to be determined
THC.....total hydrocarbons
TSP.....total suspended particulate
tpy.....tons per year
ULSD.....ultra low sulfur diesel
USEPA.....United States Environmental Protection Agency
UTM.....Universal Transverse Mercator Coordinate system
UTMH.....Universal Transverse Mercator Horizontal
UTMV.....Universal Transverse Mercator Vertical
VHAP.....volatile hazardous air pollutant
VOC.....volatile organic compounds