

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Exhibit Summary

This exhibit contains ground water quality data associated with dairy facilities that are actively discharging wastewater and those that have discharged wastewater in the past but are currently inactive. Of the 168 dairy facilities considered in this exhibit, 144 are currently active and 24 are currently inactive.

The exhibit contains the single highest nitrate-nitrogen concentration in ground water ever documented at each dairy facility. The data does not include the highest concentration associated with each monitoring well; rather it contains only the single highest concentration of nitrate-nitrogen out of all monitored sources at the dairy facility. This is different than the recent quarterly ground water data utilized for NMED Exhibit SKM - 1, which is comprised of nitrate-nitrogen contamination in ground water sampled from multiple monitoring wells associated with multiple sources at each dairy facility.

The laboratory analyses associated with all monitoring well data submitted by dairy facilities is provided in NMED Exhibit SKM - 3.



Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Historical Nitrate-Nitrogen Contamination at Dairy Facilities

Figure 1 below (summarized from the data in Table 1) shows that of the 168 active and inactive dairy facilities;

- 72 % (121 facilities) have had nitrate-nitrogen contamination in ground water during the history of the facility.
- 24.4 % (41 facilities) have never had documented nitrate-nitrogen contamination in ground water during the history of the facility.
- 3.6 % (6 facilities) have never had a monitoring well(s) to assess the potential impacts on ground water quality from contamination sources at the dairy facility.




Figure 1: Historical Nitrate-Nitrogen Contamination at Dairy Facilities

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Sources of Historical Nitrate-Nitrogen Contamination at Dairy Facilities

Figure 2 below (summarized from the data in Table 2) shows that of the 121 dairy facilities that have historically had nitrate-nitrogen contamination in ground water, the single highest concentration ever reported at each dairy facility is associated with the following sources.

- 52.9 % (64 facilities) have had the single highest nitrate-nitrogen contamination ever reported associated with wastewater impoundments and combination wastewater/stormwater impoundments.
- 37.2 % (45 facilities) have had the single highest nitrate-nitrogen contamination ever reported associated with the land application area.
- 9.9 % (12 facilities) have had the single highest nitrate-nitrogen contamination ever reported associated with stormwater impoundments.




Figure 2: Sources of Historical Nitrate-Nitrogen Contamination at Dairy Facilities

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|--------------------------|----------------------|----------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|-------------------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 683 | Top Line Dairy | 1990 | Active | Eddy | Artesia | 550,000 | 18 | storage impoundment & land apply | Yes | 330 | 2300 | 10000 | ND | MW-5 | 26-Jul-07 | land application field | 27 |
| 585 | McCatham Dairy | 1950's | Active | Bernalillo | Albuquerque | 4,000 | 65 | evaporation impoundment only | Yes | 262 | data not provided | data not provided | data not provided | MW-1 | 17-Mar-98 | wastewater impoundment | N/A |
| 692 | Del Oro Dairy | 1990 | Active | Doña Ana | Anthony | 60,000 | 55-80 | evaporation impoundment only | Yes | 245 | 560 | 3461 | 3 | DO-3 | 16-Dec-03 | land application field | 1.8 |
| 164 | Southern Skies Dairy | 1981 | Active | Chaves | Roswell | 42,000 | 22 | storage impoundment & land apply | Yes | 235 | 207 | 3450 | 0.3 | MW-3 | 5-May-97 | stormwater impoundment | 32.8 |
| 170 | Sun Valley Dairy LLC | ~1981 | Active | Doña Ana | Berino | 35,000 | 37-80 | evaporation impoundment only | Yes | 225 | 880 | 4640 | 1.5 | MW-1 | 16-Jun-00 | wastewater impoundment | data not provided |
| 227 | Queso Grande Dairy | 1982 | Active | Chaves | Roswell | 100,000 | 40 | storage impoundment & land apply | Yes | 220 | N/A | N/A | 1.52 | MW-10 | 28-Mar-01 | land application field | data not provided |
| 70 | Mountain View Dairy | 1980 | Active | Doña Ana | Mesquite | 60,000 | 32-58 | storage impoundment & land apply | Yes | 195 | N/A | N/A | N/A | BR-3 | 19-Sep-89 | land application field | data not provided |
| 74 | Buena Vista 2 | 1979 | Active | Doña Ana | Mesquite | 55,000 | 13-32 | storage impoundment & land apply | Yes | 194.5 | 1610 | 4705 | 0.28 | MW-2 | 11-Sep-04 | land application field | 0.1 |
| 42 | Dominguez Farms II & III | 1978 | Active | Doña Ana | Mesquite | 60,000 | 40 | evaporation impoundment only | Yes | 190 | 1200 | 4900 | N/A | BJZ-9 | 8-Mar-00 | wastewater impoundment | 52 |
| 624 | Dominguez Dairy | 1990 | Active | Doña Ana | Mesquite | 85,000 | 9 | storage impoundment & land apply | Yes | 186.5 | 1195 | data not provided | 0.6 | MW-2 (DM2) | 28-Dec-91 | land application field | not installed |
| 299 | Blackwater Draw Dairy | before 1983 | Inactive | Roosevelt | Portales | 25,000 | 115 | storage impoundment & land apply | Yes | 184 | 125 | 4455 | 0.6 | MW-2 | 8-Jul-01 | stormwater impoundment | N/A |
| 677 | Cheyenne Dairy I and III | 1991 | Active | Chaves | Dexter | 180,000 | 50-100 | storage impoundment & land apply | Yes | 182.5 | 310 | 3740 | 0.3 | MW-2 | 23-Oct-05 | land application field | 2.7 |
| 257 | Sunset Dairy | 1983 | Active | Doña Ana | Vado | 45,000 | 21-26 | storage impoundment & land apply | Yes | 181 | 1120 | 4952 | 0.8 | 257-1 | 5-Jul-04 | wastewater impoundment | 4.1 |
| 126 | Del Norte Dairy | 1980 | Active | Doña Ana | Mesquite | 24,000 | 15-29 | storage impoundment & land apply | Yes | 177 | 104.5 | 1253 | 2.5 | MW-3 | 31-May-91 | wastewater impoundment | 0.55 |
| 86 | Buena Vista Dairy | 1979 | Inactive | Doña Ana | Mesquite | 60,000 | 25-45 | storage impoundment & land apply | Yes | 164 | N/A | N/A | N/A | 70/86/340-1 | 19-Sep-89 | land application field | 6.2 |
| 765 | I&M Dairy | 1991 | Inactive | Eddy | Artesia | 90,000 | 37 | storage impoundment & land apply | Yes | 160 | 220 | 4300 | 2.2 | MW-3 | 5-Jul-06 | land application field | 14 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|---------------------------|-------------------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 340 | Bright Star Dairy | 1987 | Active | Dona Ana | Mesquite | 60,000 | 36-47 | storage impoundment & land apply | Yes | 159 | 864 | 3780 | 0.14 | MW-2 | 3-Sep-01 | wastewater impoundment | 61.5 |
| 487 | Baca Linda Dairy | 1987 | Inactive | Chaves | Roswell | 56,000 | 47 | storage impoundment & land apply | Yes | 150 | 910 | 5000 | ND | MW-3A | 20-Nov-06 | stormwater impoundment | 24 |
| 1203 | Beaty Dairy | mid 1940's | Active | Chaves | Artesia | 14,000 | 41 | storage impoundment & land apply | Yes | 148 | 660 | 7195 | 5 | MW-2 | 10-Aug-07 | wastewater impoundment | 5.6 |
| 343 | Tom Visser Dairy | 1984 | Active | Chaves | Roswell | 60,000 | 10 | storage impoundment & land apply | Yes | 146.7 | 1020 | 6290 | 0.6 | East MW | 19-Jul-07 | land application field | 27 |
| 259 | RockView Dairy | 1983 | Active | Lea | Hobbs | 27,500 | 90 | storage impoundment & land apply | Yes | 136.2 | 375 | 18.05 | 0.8 | MW-7R | 8-Jul-09 | wastewater impoundment | 3.1 |
| 764 | Arroyo Dairy | 1993 | Active | Chaves | Roswell | 80,000 | 17-35 | storage impoundment & land apply | Yes | 134.3 | 900 | 5140 | 0.7 | MW-1A | 4-Dec-05 | land application field | 60.4 |
| 791 | 3-V Dairy | 1992 | Active | Chaves | Roswell | 120,000 | 10 | storage impoundment & land apply | Yes | 130 | 240 | 3900 | ND | MW-4 | 21-Apr-09 | land application field | N/A |
| 833 | Big Sky/Desertland Dairy | 1992 | Active | Dona Ana | Mesquite | 80,000 | 32-60 | storage impoundment & land apply | Yes | 129.4 | 935 | 2800 | 50.8 | 833-08 | 21-Jun-08 | stormwater impoundment | 16.4 |
| 533 | Dandee Dairy | 1988 | Active | Chaves | Dexter | 27,000 | 24-90 | storage impoundment & land apply | Yes | 127 | 28.3 | data not provided | 2.7 | MW-2 | 2-Aug-94 | stormwater impoundment | 1.89 |
| 898 | Bonestroo Dairy LLC | 1993 | Active | Roosevelt | Portales | 43,000 | 60 | evaporation impoundment only | Yes | 118.1 | 115 | 1460 | 0.7 | MW-4 | 2-Aug-05 | combination ww/sw impoundment | 5.8 |
| 207 | Nature's Dairy Inc | 1982 | Active | Chaves | Roswell | 84,000 | 14-17 | storage impoundment & land apply | Yes | 110 | 2000 | 7500 | ND | MW-4 | 25-Mar-09 | land application field | data not provided |
| 228 | New Horizon Dairy | 1982 | Inactive | Chaves | Roswell | 120,000 | 29 | storage impoundment & land apply | Yes | 110 | 190 | 4775 | 0.7 | MW-3 | 2-Jun-01 | land application field | data not provided |
| 554 | Break-Away Dairy | 1988 | Active | Chaves | Roswell | 35,000 | 13 | storage impoundment & land apply | Yes | 110 | 880 | 3800 | ND | MW-3 | 20-Aug-08 | land application field | 7.1 |
| 893 | Los Lunas Correctional Center Dairy | pre 1992 | Inactive | Valencia | Los Lunas | 6,300 | 36 | storage impoundment & land apply | Yes | 110 | 165 | 1800 | 2.49 | MW-3 | 23-Jul-02 | wastewater impoundment | 74 |
| 1141 | Enchantment Dairy | 1997 | Active | Chaves | Lake Arthur | 128,000 | 10 | storage impoundment & land apply | Yes | 110 | 830 | 5800 | ND | MW-5 | 11-Dec-07 | land application field | 2.4 |
| 163 | Pirtle Farms Dairy | 1981 | Active | Chaves | Roswell | 35,000 | 16 | storage impoundment & land apply | Yes | 108 | 365 | 3285 | 0.6 | MW-4 | 26-Dec-02 | land application field | 22.8 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|----------------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|-------------------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 1181 | Rasband Dairy | pre-1996 | Active | Valencia | Belen | 1,064 | 35 | storage impoundment & land apply | Yes | 107.6 | 46 | 794 | data not provided | MW-2 | 7-Apr-03 | wastewater impoundment | 5.36 |
| 718 | De Groot Dairy | 1991 | Active | Chaves | Roswell | 120,000 | 15-26 | storage impoundment & land apply | Yes | 99.6 | 2500 | 8455 | 1 | MW-3 | 4-Dec-05 | land application field | 16.1 |
| 208 | Oasis Dairy | 1982 | Inactive | Chaves | Roswell | 64,000 | 28 | storage impoundment & land apply | Yes | 98.7 | 600 | 5190 | 10.7 | MW-3 | 28-Apr-09 | stormwater impoundment | 11.8 |
| 177 | Gonzalez Dairy | 1981 | Active | Doña Ana | Mesquite | 49,000 | 14 | storage impoundment & land apply | Yes | 96.9 | 1440 | 5100 | 3.36 | MW-2 | 1-Dec-06 | land application field | 30.6 |
| 762 | High Lonesome Dairy | 1991 | Active | Lea | Hobbs | 60,000 | 99 | storage impoundment & land apply | Yes | 96.4 | 290 | 1940 | 16.8 | MW-2,S | 19-Apr-00 | combination ww/sw impoundment | N/A |
| 1025 | Landmark Dairy (Doldersum Dairy) | 1995 | Active | Lea | Lovington | 40,000 | 60 | storage impoundment & land apply | Yes | 89.2 | 210 | 1435 | 1.8 | MW-1 | 8-Jul-09 | wastewater impoundment | 3.8 |
| 167 | River Valley Dairy | ~1981 | Active | Doña Ana | Mesquite | 35,000 | 11 | storage impoundment & land apply | Yes | 85.9 | 980 | 4245 | 1 | MW-5 | 8-Mar-03 | land application field | 38 |
| 738 | El Visto Dairy 2 | 1991 | Active | Chaves | Dexter | 55,000 | 97 | storage impoundment & land apply | Yes | 74 | 230 | 3400 | ND | MW-3 | 19-Nov-06 | wastewater impoundment | data not provided |
| 913 | Creekside Dairy | 1993 | Active | Eddy | Lake Arthur | 56,000 | 29-75 | storage impoundment & land apply | Yes | 73.2 | 160 | 3920 | 0.9 | MW-3 | 29-Oct-04 | land application field | 17.9 |
| 190 | Othart Dairy | 1982 | Active | Socorro | Veguita | 8,000 | 66 | evaporation impoundment only | Yes | 71 | 77 | 1300 | ND | MW | 12-May-04 | wastewater impoundment | N/A |
| 951 | Brand West Dairy | 1995 | Inactive | Lea | Lovington | 99,990 | 82 | storage impoundment & land apply | Yes | 67.5 | 150 | 1110 | ND | MW-3 | 6-Apr-06 | land application field | N/A |
| 1208 | Tallmon Dairy | 1954 | Active | Doña Ana | Santa Teresa | 16,945 | 9 | storage impoundment & land apply | Yes | 67.5 | 560 | 3691 | 1 | MW-6 | 9-Sep-07 | wastewater impoundment | 0.1 |
| 952 | Rockhill Dairy | 1998 | Active | Chaves | Dexter | 80,000 | 105 | storage impoundment & land apply | Yes | 67 | 500 | 3200 | ND | MW-2 | 12-May-08 | wastewater impoundment | 9.1 |
| 290 | Tres Hermanos Dairy LLC | 1983 | Active | Socorro | Veguita | 5,000 | 70 | evaporation impoundment only | Yes | 65 | 34 | 698 | ND | MW-1 | 29-Jan-93 | wastewater impoundment | data not provided |
| 606 | Dexter Dairy | 1989 | Active | Chaves | Dexter | 40,000 | 95-110 | storage impoundment & land apply | Yes | 64 | 200 | 2700 | ND | MW-1 | 25-Aug-08 | land application field | 8.6 |
| 595 | Back Nine Dairy | before 1988 | Active | Roosevelt | Portales | 10,000 | 67 | storage impoundment & land apply | Yes | 63.7 | 340 | 1980 | 0.8 | MW-6 | 16-Apr-09 | stormwater impoundment | data not provided |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|----------------------------|----------------------|----------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 904 | Wild West Farms | 1993 | Active | Chaves | Roswell | 125,000 | 52 | storage impoundment & land apply | Yes | 62 | 390 | 3600 | ND | MW-1A | 16-Sep-04 | wastewater impoundment | data not provided |
| 162 | Yorktown Dairy | ~1981 | Active | Chaves | Roswell | 21,000 | 8 | storage impoundment & land apply | Yes | 61.2 | 305 | 3735 | 0.5 | MW-2 | 6-Apr-03 | combination ww/sw impoundment | not installed |
| 699 | Ruch Dairy | est.1991 | Inactive | Lea | Hobbs | 40,000 | 60 | storage impoundment & land apply | Yes | 60.4 | 190 | 1435 | 1.7 | MW-1 | 12-Jul-07 | wastewater impoundment | 0.18 |
| 742 | Breedyk Dairy | 1991 | Active | Chaves | Dexter | 92,000 | 51 | storage impoundment & land apply | Yes | 58 | 860 | 4400 | ND | MW-2 | 29-Oct-07 | wastewater impoundment | 8.1 |
| 1195 | Elmira Dairy | 1998 | Active | Bernalillo | Albuquerque | 9,999 | 108-126 | evaporation impoundment only | Yes | 57.2 | 281 | 4470 | 0.5 | MW-4 | 4-Apr-07 | wastewater impoundment | data not provided |
| 646 | Rio Vista Dairy | 1989 | Inactive | Chaves | Roswell | 60,000 | 20-30 | storage impoundment & land apply | Yes | 54.4 | 2490 | 7220 | 2.7 | MW-East | 25-Jun-91 | wastewater impoundment | N/A |
| 1287 | Lajolla Dairy | 2000 | Active | Roosevelt | Portales | 9,750 | 65 | storage impoundment & land apply | Yes | 53.4 | 315 | 1875 | 1.6 | MW-2 | 5-Oct-07 | wastewater impoundment | 4.7 |
| 1032 | Bosque Dairy | 1993 | Active | Socorro | Bosque | 3,000 | 48 | evaporation impoundment only | Yes | 50 | 150 | 1800 | ND | MW-3 | 22-Jan-09 | wastewater impoundment | N/A |
| 734 | Cottonwood Springs Dairy I | ~1991 | Active | Eddy | Lake Arthur | 84,000 | 25 | storage impoundment & land apply | Yes | 49.9 | 490 | 4505 | 6.8 | MW-3 | 12-Jan-02 | stormwater impoundment | 37.8 |
| 635 | Woodcrest Dairy | 1989 | Active | Chaves | Roswell | 100,000 | 8-15 | storage impoundment & land apply | Yes | 49.3 | 1000 | 5815 | 1.4 | MW-3 | 23-Jul-05 | stormwater impoundment | 4.1 |
| 1313 | Desert Star Dairy | 2001 | Active | Roosevelt | Texico | 40,000 | 222 | storage impoundment & land apply | Yes | 49 | 180 | 1510 | ND | MW-4 | 23-Jul-09 | wastewater impoundment | N/A |
| 921 | Flecha Dairy | 1994 | Active | Eddy | Artesia | 115,000 | 35 | storage impoundment & land apply | Yes | 48 | 76 | 2900 | ND | MW-2A | 3-Dec-08 | combination ww/sw impoundment | 23 |
| 776 | Southwind Dairy | 1991 | Active | Chaves | Hagerman | 96,000 | 165-210 | storage impoundment & land apply | Yes | 47 | 180 | 1660 | ND | MW-1AA | 13-Jul-09 | wastewater impoundment | 2.5 |
| 963 | Red Roof Dairy | 1993 | Active | Roosevelt | Portales | 37,500 | 124-142 | storage impoundment & land apply | Yes | 46.1 | 60 | 610 | 0.3 | MW-6 | 6-Feb-09 | land application field | 1.9 |
| 1003 | Three Amigos Dairy | 1994 | Active | Chaves | Dexter | 120,000 | 45 | storage impoundment & land apply | Yes | 46 | N/A | N/A | 1.37 | MW-1 | 21-Mar-01 | wastewater impoundment | data not provided |
| 934 | South Slope Dairy | 1993 | Active | Curry | Clovis | 225,000 | 344 | storage impoundment & land apply | Yes | 45.6 | 345 | 1475 | 0.6 | MW-2 | 18-Jul-09 | combination ww/sw impoundment | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|------------------------|----------------------|--------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 707 | Vaz Dairy | 1991 | Active | Chaves | Roswell | 100,000 | 15-25 | storage impoundment & land apply | Yes | 45 | 5700 | 12000 | ND | MW-4 | 24-Jun-06 | land application field | 32 |
| 461 | Beestra Family Dairy | Prior 1984 | Active | Lea | Hobbs | 40,000 | 65 | storage impoundment & land apply | Yes | 44.3 | data not provided | 718 | 11.18 | Monitor Well | 9-Aug-91 | wastewater impoundment | N/A |
| 1286 | Greenfield Park Dairy | 2000 | Active | Roosevelt | Portales | 40,000 | 145 | storage impoundment & land apply | Yes | 42.1 | 39.6 | 366 | ND | MW-3 | 28-Feb-08 | land application field | 2.18 |
| 706 | Rajen Dairy | 1992 | Active | Curry | Clovis | 200,000 | 291 | storage impoundment & land apply | Yes | 42 | 100 | 930 | ND | JAR #1 | 23-Sep-92 | stormwater impoundment | 7 |
| 804 | Sunshine Dairy-Dexter | 1978 | Active | Chaves | Roswell | 24,000 | 30 | storage impoundment & land apply | Yes | 41 | 720 | 3590 | 0.4 | MW-2 | 30-Sep-03 | wastewater impoundment | N/A |
| 1233 | Mickey's Dairy | 1997 | Active | Bernalillo | Albuquerque | 3,000 | 12 | evaporation impoundment only | Yes | 40.2 | 110 | 1180 | 0.9 | MW-2 | 5-Jul-05 | wastewater impoundment | 5.1 |
| 1199 | Palla Dairy | 1998 | Active | Curry | Clovis | 160,000 | 410 | storage impoundment & land apply | Yes | 39.8 | 111 | 847 | ND | MW-1 | 21-Jun-07 | wastewater impoundment | 2.02 |
| 1136 | Heritage Dairy | 1997 | Active | Curry | Clovis | 100,000 | 230 | storage impoundment & land apply | Yes | 36.6 | 155 | 890 | 1.3 | MW-3 | 26-Jun-06 | combination ww/sw impoundment | not installed |
| 1245 | 4-Way Dairy | 2000 | Active | Roosevelt | Portales | 150,000 | 90 | storage impoundment & land apply | Yes | 34.8 | 30 | 415 | ND | MW-5 | 5-Mar-09 | land application field | 21.5 |
| 633 | Greenfield Dairy | ~1989 | Active | Chaves | Dexter | 80,000 | 106 | storage impoundment & land apply | Yes | 34.5 | 275 | 1945 | 0.7 | MW-2 | 30-Nov-05 | wastewater impoundment | not installed |
| 1331 | Butterfield Dairy Farm | 2001 | Active | Luna | Deming | 60,000 | 90 | storage impoundment & land apply | Yes | 34 | 48 | 920 | ND | MW-3 | 31-Jan-08 | land application field | 23 |
| 480 | Double Aught Dairy | 1987 | Active | Chaves | Dexter | 70,000 | 75 | storage impoundment & land apply | Yes | 33.4 | 420 | 3550 | 0.4 | MW-3 | 18-Mar-01 | wastewater impoundment | data not provided |
| 689 | P-2 Dairy | 1990 | Active | Chaves | Dexter | 90,000 | 35-75 | storage impoundment & land apply | Yes | 31.7 | 940 | 5020 | ND | MW-3 | 19-Aug-05 | land application field | 3.2 |
| 568 | Vanderploeg Dairy | 1988 | Active | Bernalillo | Albuquerque | 2,000 | 70 | evaporation impoundment only | Yes | 31 | 86 | 870 | ND | MW-West | 6-May-09 | wastewater impoundment | N/A |
| 1246 | Hide-A-Way Dairy | 2000 | Active | Roosevelt | Clovis | 61,250 | 250 | storage impoundment & land apply | Yes | 28 | 89.4 | 487 | ND | MW-3 | 21-Aug-07 | land application field | 3.04 |
| 737 | Parkland Dairy | 1992 | Active | Roosevelt | Portales | 15,000 | 80 | storage impoundment & land apply | Yes | 27.8 | 290 | 1865 | 0.4 | MW-2 | 14-Nov-05 | wastewater impoundment | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 932 | Midway Dairy | 1993 | Active | Curry | Portales | 42,074 | 195 | storage impoundment & land apply | Yes | 27 | 30 | 518 | ND | MW-1 | 14-May-09 | wastewater impoundment | 1.7 |
| 1135 | Bos Dairy | btw 1997 and 2000 | Active | Lea | Lovington | 120,000 | 87 | storage impoundment & land apply | Yes | 26.9 | 185 | 1120 | 1.6 | MW-2 | 2-Jan-08 | wastewater impoundment | 4.8 |
| 537 | Van Dam Dairy | 1987 | Active | Roosevelt | Portales | 35,463 | 90 | storage impoundment & land apply | Yes | 26.1 | 373 | 2380 | 0.5 | MW-2 | 21-Aug-07 | wastewater impoundment | 8.97 |
| 1200 | Milky Way Dairy | 1999 | Active | Chaves | Roswell | 8,400 | 25 | storage impoundment & land apply | Yes | 26 | 1500 | 5500 | ND | MW-1 | 23-Oct-06 | wastewater impoundment | 16 |
| 1312 | Milk Flow Dairy | 2000/2001 | Inactive | Roosevelt | Portales | 40,000 | 120 | storage impoundment & land apply | Yes | 25.4 | 95 | 580 | ND | MW-3 | 13-May-08 | land application field | data not provided |
| 796 | Cornerstone Dairy | 1991 | Active | Eddy | Artesia | 90,000 | 46 | storage impoundment & land apply | Yes | 24 | 98 | 3800 | ND | MW-7 | 23-Oct-07 | land application field | N/A |
| 384 | Philmar Dairy | 1985 | Active | Roosevelt | Portales | 40,000 | 80-103 | storage impoundment & land apply | Yes | 23.4 | 310 | 2045 | 0.4 | MW-2 | 4-Jan-06 | wastewater impoundment | 13.9 |
| 727 | Shawnee Dairy | 1991 | Active | Chaves | Dexter | 81,000 | 43 | storage impoundment & land apply | Yes | 23 | 140 | 2200 | ND | MW-3 | 15-Oct-09 | land application field | ND |
| 1250 | Sky County Farms | 2005 | Active | Roosevelt | Portales | 90,000 | 128 | storage impoundment & land apply | Yes | 23 | 77 | 704 | ND | MW-3 | 30-Jul-07 | land application field | 13 |
| 909 | Tee Vee Dairy | 1993 | Active | Lea | Hobbs | 48,000 | 76 | storage impoundment & land apply | Yes | 22.6 | 100 | 725 | 0.8 | MW-4 | 12-Jul-07 | wastewater impoundment | 3.1 |
| 797 | Cheyenne Dairy 2 | 1992 | Active | Chaves | Roswell | 80,000 | 110-117 | storage impoundment & land apply | Yes | 22.5 | 125 | 1720 | ND | MW-2 | 22-Jul-05 | stormwater impoundment | 0.37 |
| 703 | Desperado Dairy | 1990 | Active | Curry | Clovis | 48,000 | 350 | storage impoundment & land apply | Yes | 21.9 | 125 | 770 | ND | MW-1 | 6-Jun-00 | combination ww/sw impoundment | data not provided |
| 1131 | Par 5 Dairy and Select Milk | 1997 | Active | Chaves | Dexter | 410,000 | 40-52 | storage impoundment & land apply | Yes | 21.3 | 440 | 3960 | 0.4 | MW-3 | 22-Jul-05 | stormwater impoundment | 5.2 |
| 1391 | Nutt Dairy | 2002 | Active | Luna | Deming | 20,000 | 65-135 | storage impoundment & land apply | Yes | 21.1 | 138 | 1030 | 0.3 | MW-1 | 23-Apr-03 | wastewater impoundment | 2.24 |
| 717 | Epicerter Dairy | 1993 | Inactive | Chaves | Hagerman | 48,000 | 145 | storage impoundment & land apply | Yes | 21 | 400 | 3000 | ND | MW-3A | 29-Feb-08 | land application field | 4.7 |
| 1299 | Cooper-Legacy Dairy | 2000 | Active | Roosevelt | Portales | 65,000 | 271 | storage impoundment & land apply | Yes | 20 | 26 | 476 | ND | MW-2 | 20-Dec-07 | wastewater impoundment | 15 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|---------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 667 | H and R Westra Dairy | 1990 | Active | Roosevelt | Portales | 20,000 | 45 | storage impoundment & land apply | Yes | 19.9 | 15 | 300 | ND | MW-4 | 4-May-06 | land application field | 2 |
| 1157 | High Plains Dairy | 1997 | Inactive | Roosevelt | Portales | 60,000 | 108 | storage impoundment & land apply | Yes | 19.6 | 50 | 790 | 0.2 | MW-2A | 10-Mar-09 | combination ww/sw impoundment | 3.1 |
| 546 | Caballo Dairy Inc | 1931 | Active | Sierra | Arrey | 72,000 | 10 | storage impoundment & land apply | Yes | 18 | 190 | 1400 | 2.2 | MW-1 | 4-Aug-06 | wastewater impoundment | data not provided |
| 1034 | Edeal Dairy | 1995 | Active | Valencia | Los Lunas | 35,000 | 6 | storage impoundment & land apply | Yes | 18 | 84 | 726 | 0.62 | MW-4 | 12-Sep-97 | land application field | N/A |
| 753 | Brouwer Dairy | 1991 | Active | Roosevelt | Portales | 24,000 | 87 | storage impoundment & land apply | Yes | 17.4 | 140 | 945 | 0.3 | MW-2 | 4-Jan-06 | wastewater impoundment | 8.5 |
| 1001 | James Idsinga & Son Dairy | 1995 | Active | Curry | Portales | 32,000 | 225 | storage impoundment & land apply | Yes | 16.6 | 10 | 435 | ND | MW-A | 29-Nov-00 | land application field | 0.9 |
| 1176 | Jarratt Dairy | 1995 | Active | Valencia | Los Lunas | 2,500 | 5 | storage impoundment & land apply | Yes | 16.6 | 36.2 | 854 | 2 | MW-2 | 21-Feb-07 | wastewater impoundment | 12.1 |
| 772 | Oihart Dairy 2 | 1991 | Active | Socorro | Vegueta | 7,500 | 70 | evaporation impoundment only | Yes | 16.5 | data not provided | data not provided | 0.2 | MW-N | 15-Feb-06 | wastewater impoundment | N/A |
| 1350 | Loma Parda Dairy | 2003 | Active | Doña Ana | Garfield | 26,000 | 40 | storage impoundment & land apply | Yes | 16.44 | 248.4 | 1922 | 2.4 | MW-1 | 19-Apr-05 | wastewater impoundment | N/A |
| 1154 | Salridge Dairy | 1997 | Active | Roosevelt | Portales | 30,000 | 72 | storage impoundment & land apply | Yes | 16.4 | 940 | 3070 | 2.3 | MW-2 | 24-Jun-05 | wastewater impoundment | 5.8 |
| 1277 | El Dorado Dairy | 2000 | Active | Curry | Clovis | 95,000 | 317 | storage impoundment & land apply | Yes | 15.5 | 85 | 560 | 0.2 | MW-2 | 7-Apr-09 | wastewater impoundment | 2.5 |
| 1004 | Willard Dairy | 1998 | Active | Torrance | Willard | 80,000 | 100 | storage impoundment & land apply | Yes | 15.3 | 300 | 1435 | 1 | MW-1B | 17-Jul-09 | wastewater impoundment | 2.5 |
| 1067 | Stepping Stone Dairy | 1996 | Inactive | Roosevelt | Portales | 7,000 | 75 | evaporation impoundment only | Yes | 14.9 | 285 | 3625 | ND | MW-1 | 22-Mar-07 | land application field | N/A |
| 826 | Anderson Dairy 2 | 1992 | Active | Roosevelt | Portales | 4,500 | 86 | evaporation impoundment only | Yes | 13.8 | 140 | 1005 | ND | MW-4 | 2-Aug-05 | wastewater impoundment | 12 |
| 666 | Western Star Dairy | 1990 | Active | Roosevelt | Portales | 20,000 | 80-90 | storage impoundment & land apply | Yes | 13.1 | 230 | 1570 | ND | MW-5 | 5-Oct-07 | wastewater impoundment | Not installed |
| 1559 | Rocky Top Dairy | 2006 | Active | Lea | Lovington | 60,000 | 77 | storage impoundment & land apply | Yes | 13 | 20 | 315 | ND | MW-3 | 28-Nov-08 | land application field | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 1332 | Opportunity Dairy | 2004 | Active | Roosevelt | Clovis | 65,000 | 271 | storage impoundment & land apply | Yes | 12.9 | 45 | 695 | 0.2 | MW-3 | 19-Jun-07 | land application field | 1.6 |
| 514 | Amistad Dairy | 1988 | Active | Roosevelt | Portales | 6,000 | 90 | evaporation impoundment only | Yes | 12.8 | 190 | 1200 | 0.3 | MW-2 | 23-Jun-09 | land application field | 7.2 |
| 911 | Chalk Hill Dairy | before 1992 | Inactive | Roosevelt | Portales | 1,250 | 90 | direct land apply | Yes | 11.7 | 345 | 1815 | ND | MW-3 | 23-Sep-05 | land application field | 8.4 |
| 1288 | Sunwest Dairy | 2001 | Active | Curry | Clovis | 60,000 | 300 | storage impoundment & land apply | Yes | 11.7 | 136 | 595 | ND | MW-3 | 5-Dec-03 | land application field | 7 |
| 346 | Abarea Dairy | 1984 | Inactive | Roosevelt | Portales | 2,500 | 70 | storage impoundment & land apply | Yes | 11.5 | 100 | 855 | 0.4 | MW-1 | 21-Feb-03 | wastewater impoundment | 10.7 |
| 1377 | Grande Vida Dairy | 2006 | Active | Roosevelt | Portales | 49,500 | 191 | storage impoundment & land apply | Yes | 11.5 | 20 | 375 | 0.2 | MW-2 | 26-Feb-09 | combination ww/sw impoundment | 7.7 |
| 195 | Heraa Dairy | 1982 | Inactive | Socorro | Veguita | 3,000 | 32 | evaporation impoundment only | Yes | 11.4 | 344 | 1680 | 73.7 | MW-1 | 20-Dec-05 | wastewater impoundment | N/A |
| 926 | Carter's Milk Factory | 1992 | Inactive | Roosevelt | Portales | 64,000 | 110 | storage impoundment & land apply | Yes | 10.7 | 620 | 715 | 0.2 | MW-4 | 20-Jan-06 | land application field | 3.6 |
| 1423 | Sanderest Dairy | 2006 | Active | Curry | Portales | 65,000 | 108 | storage impoundment & land apply | Yes | 10.5 | 42 | 400 | 0.3 | MW-2 | 10-Mar-09 | combination ww/sw impoundment | N/A |
| 390 | Bright Horizon Dairy | 1985 | Active | Roosevelt | Causey | 6,000 | 150 | direct land apply | no MWs | | | | | | | | |
| 888 | Woods Dairy | 1992 | Inactive | Lea | Lovington | 5,000 | 65 | direct land apply | no MWs | | | | | | | | |
| 1091 | Native Pastures Dairy | 1996 | Active | Curry | Clovis | 2,000 | 230 | direct land apply | no MWs | | | | | | | | |
| 1323 | Brand West Dairy 2 | 2007 | Active | Lea | Lovington | 99,900 | 65-75 | storage impoundment & land apply | no MWs | | | | | | | | |
| 1379 | Cross Country Dairy | 2005 | Active | Curry | Clovis | 75,000 | 390 | storage impoundment & land apply | no MWs | | | | | | | | |
| 1578 | Hide A Way Dairy 2 | 2008 | Active | Curry | Clovis | 61,250 | 250 | storage impoundment & land apply | no MWs | | | | | | | | |
| 1251 | Crosswinds Dairy | 1999 | Active | Roosevelt | Portales | 50,000 | 160 | storage impoundment & land apply | No | 28.9 | 46 | 545 | ND | MW-2 | 29-May-03 | wastewater impoundment | 42.4 |
| 987 | Mitchell Dairy | 1995 | Active | Roosevelt | Portales | 15,000 | 98-133 | storage impoundment & land apply | No | 19.2 | 45 | 460 | 0.2 | MW-2 | 5-Mar-09 | wastewater impoundment | 28.1 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 880 | W-Diamond Dairy | 1992 | Active | Roosevelt | Portales | 49,999 | 75 | evaporation impoundment only | No | 10 | 260 | 1850 | ND | MW-6 | 13-Jul-09 | combination ww/sw impoundment | 5.8 |
| 923 | Faria Dairy | in or before 1984 | Inactive | Lea | Lovington | 49,900 | 77 | storage impoundment & land apply | No | 9.6 | 155 | 720 | 0.5 | MW-3 | 18-Feb-02 | wastewater impoundment | 0.9 |
| 851 | Highland Dairy | 1994 | Active | Curry | Clovis | 67,500 | 250 | storage impoundment & land apply | No | 8.5 | 85 | 640 | 0.5 | MW-2 | 6-Feb-09 | land application field | N/A |
| 865 | Pareo Dairy | prior to 1984 | Active | Socorro | Veguita | 11,000 | 30 | evaporation impoundment only | No | 8.2 | 56 | 970 | ND | MW-4 | 14-Mar-07 | wastewater impoundment | 0.76 |
| 1315 | J-Lu Dairy | 2002 | Active | Roosevelt | Portales | 85,000 | 118 | storage impoundment & land apply | No | 7.8 | 30 | 425 | ND | MW-2 | 23-Feb-09 | wastewater impoundment | 0.66 |
| 1346 | Ridgecrest Dairy | 2002 | Active | Curry | Texico | 87,500 | 375 | storage impoundment & land apply | No | 7.5 | 125 | 565 | ND | MW-1 | 11-Feb-06 | land application field | 7.3 |
| 1413 | Stark Dairy | 2003 | Active | Curry | Clovis | 109,250 | 400 | storage impoundment & land apply | No | 7.46 | 7 | 281 | ND | MW-3 | 8-Dec-06 | land application field | 1.51 |
| 1455 | Route 77 Dairy | 2007 | Active | Curry | Clovis | 90,000 | 314 | storage impoundment & land apply | No | 7.4 | 30 | 405 | 0.6 | MW-3 | 20-Aug-09 | land application field | 11.6 |
| 1257 | Mariposa Farms Dairy | 1999 | Inactive | Roosevelt | Causey | 30,000 | 110 | direct land apply | No | 6.7 | 230 | 1195 | ND | MW-2 | 9-Oct-03 | land application field | not installed |
| 1026 | Mid Frisian Dairy | 2000 | Active | Curry | Clovis | 40,000 | 335 | storage impoundment & land apply | No | 6.6 | 48 | 435 | ND | MW-2 | 19-May-04 | stormwater impoundment | 2.2 |
| 1531 | Arch Diamond | 2007 | Active | Roosevelt | Portales | 65,000 | 75 | storage impoundment & land apply | No | 6.6 | 40 | 480 | 0.5 | MW-3 | 24-Sep-09 | land application field | 5 |
| 956 | Day Star Dairy | 1994 | Active | Curry | Clovis | 74,000 | 280 | storage impoundment & land apply | No | 5.15 | 286 | 990 | 0.8 | MW-2 | 9-Apr-96 | land application field | 1.07 |
| 1061 | Vergeer Dairy | 1995 | Inactive | Valencia | Los Lunas | 2,600 | 5 | evaporation impoundment only | No | 5.02 | 80.5 | 841 | 1 | MW-South | 24-Oct-01 | land application field | 5.02 |
| 1553 | Arrowhead Dairy | 2007 | Active | Curry | Clovis | 70,000 | 205-220 | storage impoundment & land apply | No | 4.9 | 110 | 600 | 1 | MW-4 | 28-Jul-09 | land application field | 2.2 |
| 878 | Rajen Dairy II | 1993 | Active | Curry | Clovis | 72,000 | 310 | storage impoundment & land apply | No | 4.8 | 68 | 520 | ND | MW-2 | 31-Mar-09 | land application field | N/A |
| 1320 | Clover Knolls | 2003 | Active | Roosevelt | Texico | 124,000 | 160 | storage impoundment & land apply | No | 4.4 | 7.6 | 270 | ND | MW-1 | 13-Feb-08 | combination ww/sw impoundment | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|------------------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 115 | Jones Dairy, Inc. | 1979 | Active | Valencia | Veguita | 18,000 | 116 | evaporation impoundment only | No | 4.1 | 8.44 | N/A | ND | MW-C | 4-Dec-00 | combination ww/sw impoundment | 2.09 |
| 1517 | Sunridge Dairy | 2008 | Active | Roosevelt | Portales | 75,000 | 360 | storage impoundment & land apply | No | 4.1 | 20 | 385 | ND | MW-3 | 5-Mar-09 | land application field | 33 |
| 1477 | HAW Farms | 2005 | Active | Socorro | Becker | 7,000 | 360 | evaporation impoundment only | No | 4 | 15 | 680 | ND | MW-2 | 10-Apr-07 | combination ww/sw impoundment | 1.2 |
| 988 | Boyd Brothers Inc. Dairy | 1996 | Active | Lea | Lovington | 3,000 | 93 | direct land apply | No | 3.8 | 50 | 500 | 0.2 | Test | 12-Aug-08 | sump | 4.3 |
| 1197 | Rajen Dairy III | 2000 | Active | Curry | Clovis | 160,000 | 260 | storage impoundment & land apply | No | 3.6 | 12 | 358 | ND | MW-4 | 5-Jul-09 | land application field | 0.46 |
| 1268 | Dixieland | 2001 | Inactive | Lea | Lovington | 45,000 | 70 | storage impoundment & land apply | No | 3.6 | 70 | 735 | ND | MW-2 | 11-Jul-07 | wastewater impoundment | 2.3 |
| 1194 | Handley Dairy | early 1970's | Active | Socorro | Veguita | 6,150 | 12 | storage impoundment & land apply | No | 3.4 | 25 | 430 | ND | Lagoon Well | 21-Jul-08 | wastewater impoundment | 2.4 |
| 1475 | Dutch Valley Farms | 2006 | Active | Curry | Clovis | 99,000 | 428 | storage impoundment & land apply | No | 3.3 | 35 | 340 | ND | MW-2 | 30-Jul-09 | wastewater impoundment | 3.3 |
| 1265 | Turner Dairy | 1999 | Active | Doña Ana | Hatch | 15,000 | 250 | evaporation impoundment only | No | 3.2 | 17.3 | 607 | 4.1 | MW-1 | 19-Jan-00 | wastewater impoundment | N/A |
| 1168 | Goff Dairy | 1998 | Active | Lea | Lovington | 160,000 | 60 | storage impoundment & land apply | No | 3 | 40 | 390 | ND | MW-2A | 16-May-08 | wastewater impoundment | 3.9 |
| 674 | SAS Dairy | 1992 | Active | Curry | Clovis | 24,000 | 190 | storage impoundment & land apply | No | 2.9 | 72 | 630 | 0.3 | MW-A (MW-1) | 29-Mar-03 | wastewater impoundment | 3.5 |
| 342 | Las Uvas Valley Dairy #s 1-2-3-4-5 | 1980 | Active | Doña Ana | Hatch | 103,000 | 60 | storage impoundment & land apply | No | 2.8 | 57 | 450 | ND | MW-T1 | 27-Oct-07 | wastewater impoundment | N/A |
| 885 | Jersey Gold Dairy | 1986 | Inactive | Valencia | Belen | 2,000 | 40 | evaporation impoundment only | No | 2.7 | 31 | 300 | 0.63 | East Well | 2-Jan-03 | wastewater impoundment | 1.6 |
| 1321 | Providence Dairy | 2001 | Active | Curry | Texico | 105,00 | 300 | storage impoundment & land apply | No | 2.7 | 30 | 275 | ND | MW-2 | 27-Jun-05 | wastewater impoundment | 2.1 |
| 1163 | North Point Dairy | 1999 | Active | Curry | Clovis | 180,000 | 380 | storage impoundment & land apply | No | 2.6 | 17 | 260 | 0.4 | MW-3 | 26-Jan-09 | wastewater impoundment | 1.8 |
| 1439 | Secondwind Dairy | 2004 | Active | Chaves | Hagerman | 15,000 | 167 | storage impoundment & land apply | No | 2.4 | 13 | 630 | ND | MW-1 | 8-Oct-07 | wastewater impoundment | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 1: Single highest nitrate-nitrogen concentration in ground water ever reported at each dairy facility and associated source

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth to Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|--------------------------|----------------------|--------|----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 1111 | Do-Rene Dairy 2 | ~1997 | Active | Curry | Clovis | 120,000 | 315 | storage impoundment & land apply | No | 2.3 | 42 | 487 | ND | MW-2 | 5-Nov-09 | combination ww/sw impoundment | 6.6 |
| 1022 | Southern Draw Dairy | 1983 or earlier | Active | Curry | Clovis | 45,000 | 375 | storage impoundment & land apply | No | 1.84 | 13.9 | 262 | ND | South Well | 6-May-08 | land application field | 2.06 |
| 1302 | Bos Dairy - North | 2001 | Active | Lea | Lovington | 65,000 | 70 | storage impoundment & land apply | No | 1.8 | 50 | 410 | 0.3 | MW-2 | 2-Jan-08 | wastewater impoundment | 11.1 |
| 967 | Las Uvas Valley Dairy #6 | 1993 | Active | Dona Ana | Hatch | 44,000 | 170 | storage impoundment & land apply | No | 1.2 | 112.8 | 1027 | 0.6 | MW-3 | 15-Apr-09 | wastewater impoundment | N/A |
| 380 | Barera Dairy 1 | 1986 | Active | Sierra | Arrey | 25,650 | 60 | evaporation impoundment only | No | 1.06 | 13.3 | 358 | 0.1 | B1 MW-1 | 9-May-03 | wastewater impoundment | 1.24 |
| 563 | A&M Dairy | 1988 | Active | Socorro | Veguita | 4,200 | 65 | evaporation impoundment only | No | 0.65 | 11 | 240 | ND | MW-2 | 26-May-09 | wastewater impoundment | 0.84 |
| 1294 | R & R Ranch Dairy | 2001 | Active | Socorro | Veguita | 169,000 | 75 | evaporation impoundment only | No | 0.64 | 8.7 | 230 | 0.56 | MW-2 | 23-Jun-04 | wastewater impoundment | 0.25 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-------------------------------------|----------------------|----------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|-------------------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 585 | McCatharn Dairy | 1950's | Active | Bernalillo | Albuquerque | 4,000 | 65 | evaporation impoundment only | Yes | 262 | data not provided | data not provided | data not provided | MW-1 | 17-Mar-98 | wastewater impoundment | N/A |
| 170 | Sun Valley Dairy LLC | ~1981 | Active | Doña Ana | Berino | 35,000 | 37-80 | evaporation impoundment only | Yes | 225 | 880 | 4640 | 1.5 | MW-1 | 16-Jun-00 | wastewater impoundment | data not provided |
| 42 | Dominguez Farms II & III | 1978 | Active | Doña Ana | Mesquite | 60,000 | 40 | evaporation impoundment only | Yes | 190 | 1200 | 4900 | N/A | BJZ-9 | 8-Mar-00 | wastewater impoundment | 52 |
| 257 | Sunset Dairy | 1983 | Active | Doña Ana | Vado | 45,000 | 21-26 | storage impoundment & land apply | Yes | 181 | 1120 | 4952 | 0.8 | 257-1 | 5-Jul-04 | wastewater impoundment | 4.1 |
| 126 | Del Norte Dairy | 1980 | Active | Doña Ana | Mesquite | 24,000 | 15-29 | storage impoundment & land apply | Yes | 177 | 104.5 | 1253 | 2.5 | MW-3 | 31-May-91 | wastewater impoundment | 0.55 |
| 340 | Bright Star Dairy | 1987 | Active | Doña Ana | Mesquite | 60,000 | 36-47 | storage impoundment & land apply | Yes | 159 | 864 | 3780 | 0.14 | MW-2 | 3-Sep-01 | wastewater impoundment | 61.5 |
| 1203 | Beary Dairy | mid 1940's | Active | Chaves | Artesia | 14,000 | 41 | storage impoundment & land apply | Yes | 148 | 660 | 7195 | 5 | MW-2 | 10-Aug-07 | wastewater impoundment | 5.6 |
| 259 | RockView Dairy | 1983 | Active | Lea | Hobbs | 27,500 | 90 | storage impoundment & land apply | Yes | 136.2 | 375 | 18.05 | 0.8 | MW-7R | 8-Jul-09 | wastewater impoundment | 3.1 |
| 893 | Los Lunas Correctional Center Dairy | pre 1992 | Inactive | Valencia | Los Lunas | 6,300 | 36 | storage impoundment & land apply | Yes | 110 | 165 | 1800 | 2.49 | MW-3 | 23-Jul-02 | wastewater impoundment | 74 |
| 1181 | Rasband Dairy | pre-1996 | Active | Valencia | Belen | 1,064 | 35 | storage impoundment & land apply | Yes | 107.6 | 46 | 794 | data not provided | MW-2 | 7-Apr-03 | wastewater impoundment | 5.36 |
| 1025 | Landmark Dairy (Doldersum Dairy) | 1995 | Active | Lea | Lovington | 40,000 | 60 | storage impoundment & land apply | Yes | 89.2 | 210 | 1435 | 1.8 | MW-1 | 8-Jul-09 | wastewater impoundment | 3.8 |
| 738 | El Visto Dairy 2 | 1991 | Active | Chaves | Dexter | 55,000 | 97 | storage impoundment & land apply | Yes | 74 | 230 | 3400 | ND | MW-3 | 19-Nov-06 | wastewater impoundment | data not provided |
| 190 | Othart Dairy | 1982 | Active | Socorro | Veguita | 8,000 | 66 | evaporation impoundment only | Yes | 71 | 77 | 1300 | ND | MW | 12-May-04 | wastewater impoundment | N/A |
| 1208 | Tallmon Dairy | 1954 | Active | Doña Ana | Santa Teresa | 16,945 | 9 | storage impoundment & land apply | Yes | 67.5 | 560 | 3691 | 1 | MW-6 | 9-Sep-07 | wastewater impoundment | 0.1 |
| 952 | Rockhill Dairy | 1998 | Active | Chaves | Dexter | 80,000 | 105 | storage impoundment & land apply | Yes | 67 | 500 | 3200 | ND | MW-2 | 12-May-08 | wastewater impoundment | 9.1 |
| 290 | Tres Hermanos Dairy LLC | 1983 | Active | Socorro | Veguita | 5,000 | 70 | evaporation impoundment only | Yes | 65 | 34 | 698 | ND | MW-1 | 29-Jan-93 | wastewater impoundment | data not provided |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------|----------------------|----------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 904 | Wild West Farms | 1993 | Active | Chaves | Roswell | 125,000 | 52 | storage impoundment & land apply | Yes | 62 | 390 | 3600 | ND | MW-1A | 16-Sep-04 | wastewater impoundment | data not provided |
| 699 | Ruch Dairy | est.1991 | Inactive | Lea | Hobbs | 40,000 | 60 | storage impoundment & land apply | Yes | 60.4 | 190 | 1435 | 1.7 | MW-1 | 12-Jul-07 | wastewater impoundment | 0.18 |
| 742 | Breedyk Dairy | 1991 | Active | Chaves | Dexter | 92,000 | 51 | storage impoundment & land apply | Yes | 58 | 860 | 4400 | ND | MW-2 | 29-Oct-07 | wastewater impoundment | 8.1 |
| 1195 | Elmira Dairy | 1998 | Active | Bernalillo | Albuquerque | 9,999 | 108-126 | evaporation impoundment only | Yes | 57.2 | 281 | 4470 | 0.5 | MW-4 | 4-Apr-07 | wastewater impoundment | data not provided |
| 646 | Rio Vista Dairy | 1989 | Inactive | Chaves | Roswell | 60,000 | 20-30 | storage impoundment & land apply | Yes | 54.4 | 2490 | 7220 | 2.7 | MW-East | 25-Jun-91 | wastewater impoundment | N/A |
| 1287 | Lajolla Dairy | 2000 | Active | Roosevelt | Portales | 9,750 | 65 | storage impoundment & land apply | Yes | 53.4 | 315 | 1875 | 1.6 | MW-2 | 5-Oct-07 | wastewater impoundment | 4.7 |
| 1032 | Bosque Dairy | 1993 | Active | Socorro | Bosque | 3,000 | 48 | evaporation impoundment only | Yes | 50 | 150 | 1800 | ND | MW-3 | 22-Jan-09 | wastewater impoundment | N/A |
| 1313 | Desert Star Dairy | 2001 | Active | Roosevelt | Texico | 40,000 | 222 | storage impoundment & land apply | Yes | 49 | 180 | 1510 | ND | MW-4 | 23-Jul-09 | wastewater impoundment | N/A |
| 776 | Southwind Dairy | 1991 | Active | Chaves | Hagerman | 96,000 | 165-210 | storage impoundment & land apply | Yes | 47 | 180 | 1660 | ND | MW-1AA | 13-Jul-09 | wastewater impoundment | 2.5 |
| 1003 | Three Amigos Dairy | 1994 | Active | Chaves | Dexter | 120,000 | 45 | storage impoundment & land apply | Yes | 46 | N/A | N/A | 1.37 | MW-1 | 21-Mar-01 | wastewater impoundment | data not provided |
| 461 | Beestra Family Dairy | Prior 1984 | Active | Lea | Hobbs | 40,000 | 65 | storage impoundment & land apply | Yes | 44.3 | data not provided | 718 | 11.18 | Monitor Well | 9-Aug-91 | wastewater impoundment | N/A |
| 804 | Sunshine Dairy-Dexter | 1978 | Active | Chaves | Roswell | 24,000 | 30 | storage impoundment & land apply | Yes | 41 | 720 | 3590 | 0.4 | MW-2 | 30-Sep-03 | wastewater impoundment | N/A |
| 1233 | Mickey's Dairy | 1997 | Active | Bernalillo | Albuquerque | 3,000 | 12 | evaporation impoundment only | Yes | 40.2 | 110 | 1180 | 0.9 | MW-2 | 5-Jul-05 | wastewater impoundment | 5.1 |
| 1199 | Palla Dairy | 1998 | Active | Curry | Clovis | 160,000 | 410 | storage impoundment & land apply | Yes | 39.8 | 111 | 847 | ND | MW-1 | 21-Jun-07 | wastewater impoundment | 2.02 |
| 633 | Greenfield Dairy | ~1989 | Active | Chaves | Dexter | 80,000 | 106 | storage impoundment & land apply | Yes | 34.5 | 275 | 1945 | 0.7 | MW-2 | 30-Nov-05 | wastewater impoundment | not installed |
| 480 | Double Aught Dairy | 1987 | Active | Chaves | Dexter | 70,000 | 75 | storage impoundment & land apply | Yes | 33.4 | 420 | 3550 | 0.4 | MW-3 | 18-Mar-01 | wastewater impoundment | data not provided |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------|----------------------|--------|------------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 568 | Vanderploeg Dairy | 1988 | Active | Bernalillo | Albuquerque | 2,000 | 70 | evaporation impoundment only | Yes | 31 | 86 | 870 | ND | MW-West | 6-May-09 | wastewater impoundment | N/A |
| 737 | Parkland Dairy | 1992 | Active | Roosevelt | Portales | 15,000 | 80 | storage impoundment & land apply | Yes | 27.8 | 290 | 1865 | 0.4 | MW-2 | 14-Nov-05 | wastewater impoundment | N/A |
| 932 | Midway Dairy | 1993 | Active | Curry | Portales | 42,074 | 195 | storage impoundment & land apply | Yes | 27 | 30 | 518 | ND | MW-1 | 14-May-09 | wastewater impoundment | 1.7 |
| 1135 | Bos Dairy | btw 1997 and 2000 | Active | Lea | Lovington | 120,000 | 87 | storage impoundment & land apply | Yes | 26.9 | 185 | 1120 | 1.6 | MW-2 | 2-Jan-08 | wastewater impoundment | 4.8 |
| 537 | Van Dam Dairy | 1987 | Active | Roosevelt | Portales | 35,463 | 90 | storage impoundment & land apply | Yes | 26.1 | 373 | 2380 | 0.5 | MW-2 | 21-Aug-07 | wastewater impoundment | 8.97 |
| 1200 | Milky Way Dairy | 1999 | Active | Chaves | Roswell | 8,400 | 25 | storage impoundment & land apply | Yes | 26 | 1500 | 5500 | ND | MW-1 | 23-Oct-06 | wastewater impoundment | 16 |
| 384 | Philmar Dairy | 1985 | Active | Roosevelt | Portales | 40,000 | 80-103 | storage impoundment & land apply | Yes | 23.4 | 310 | 2045 | 0.4 | MW-2 | 4-Jan-06 | wastewater impoundment | 13.9 |
| 909 | Tee Vee Dairy | 1993 | Active | Lea | Hobbs | 48,000 | 76 | storage impoundment & land apply | Yes | 22.6 | 100 | 725 | 0.8 | MW-4 | 12-Jul-07 | wastewater impoundment | 3.1 |
| 1391 | Nutt Dairy | 2002 | Active | Luna | Deming | 20,000 | 65-135 | storage impoundment & land apply | Yes | 21.1 | 138 | 1030 | 0.3 | MW-1 | 23-Apr-03 | wastewater impoundment | 2.24 |
| 1299 | Cooper-Legacy Dairy | 2000 | Active | Roosevelt | Portales | 65,000 | 271 | storage impoundment & land apply | Yes | 20 | 26 | 476 | ND | MW-2 | 20-Dec-07 | wastewater impoundment | 15 |
| 546 | Caballo Dairy Inc | 1931 | Active | Sierra | Arrey | 72,000 | 10 | storage impoundment & land apply | Yes | 18 | 190 | 1400 | 2.2 | MW-1 | 4-Aug-06 | wastewater impoundment | data not provided |
| 753 | Brouwer Dairy | 1991 | Active | Roosevelt | Portales | 24,000 | 87 | storage impoundment & land apply | Yes | 17.4 | 140 | 945 | 0.3 | MW-2 | 4-Jan-06 | wastewater impoundment | 8.5 |
| 1176 | Jarratt Dairy | 1995 | Active | Valencia | Los Lunas | 2,500 | 5 | storage impoundment & land apply | Yes | 16.6 | 36.2 | 854 | 2 | MW-2 | 21-Feb-07 | wastewater impoundment | 12.1 |
| 772 | Othart Dairy 2 | 1991 | Active | Socorro | Veguita | 7,500 | 70 | evaporation impoundment only | Yes | 16.5 | data not provided | data not provided | 0.2 | MW-N | 15-Feb-06 | wastewater impoundment | N/A |
| 1350 | Loma Parda Dairy | 2003 | Active | Doña Ana | Garfield | 26,000 | 40 | storage impoundment & land apply | Yes | 16.44 | 248.4 | 1922 | 2.4 | MW-1 | 19-Apr-05 | wastewater impoundment | N/A |
| 1154 | Saltridge Dairy | 1997 | Active | Roosevelt | Portales | 30,000 | 72 | storage impoundment & land apply | Yes | 16.4 | 940 | 3070 | 2.3 | MW-2 | 24-Jun-05 | wastewater impoundment | 5.8 |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|-------------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 1277 | El Dorado Dairy | 2000 | Active | Curry | Clovis | 95,000 | 317 | storage impoundment & land apply | Yes | 15.5 | 85 | 560 | 0.2 | MW-2 | 7-Apr-09 | wastewater impoundment | 2.5 |
| 1004 | Willard Dairy | 1998 | Active | Torrance | Willard | 80,000 | 100 | storage impoundment & land apply | Yes | 15.3 | 300 | 1435 | 1 | MW-1B | 17-Jul-09 | wastewater impoundment | 2.5 |
| 826 | Anderson Dairy 2 | 1992 | Active | Roosevelt | Portales | 4,500 | 86 | evaporation impoundment only | Yes | 13.8 | 140 | 1005 | ND | MW-4 | 2-Aug-05 | wastewater impoundment | 12 |
| 666 | Western Star Dairy | 1990 | Active | Roosevelt | Portales | 20,000 | 80-90 | storage impoundment & land apply | Yes | 13.1 | 230 | 1570 | ND | MW-5 | 5-Oct-07 | wastewater impoundment | Not installed |
| 346 | Abarca Dairy | 1984 | Inactive | Roosevelt | Portales | 2,500 | 70 | storage impoundment & land apply | Yes | 11.5 | 100 | 855 | 0.4 | MW-1 | 21-Feb-03 | wastewater impoundment | 10.7 |
| 195 | Heraa Dairy | 1982 | Inactive | Socorro | Veguita | 3,000 | 32 | evaporation impoundment only | Yes | 11.4 | 344 | 1680 | 73.7 | MW-1 | 20-Dec-05 | wastewater impoundment | N/A |
| 898 | Bonestroo Dairy LLC | 1993 | Active | Roosevelt | Portales | 43,000 | 60 | evaporation impoundment only | Yes | 118.1 | 115 | 1460 | 0.7 | MW-4 | 2-Aug-05 | combination ww/sw impoundment | 5.8 |
| 762 | High Lonesome Dairy | 1991 | Active | Lea | Hobbs | 60,000 | 99 | storage impoundment & land apply | Yes | 96.4 | 290 | 1940 | 16.8 | MW-2,S | 19-Apr-00 | combination ww/sw impoundment | N/A |
| 162 | Yorktown Dairy | ~1981 | Active | Chaves | Roswell | 21,000 | 8 | storage impoundment & land apply | Yes | 61.2 | 305 | 3735 | 0.5 | MW-2 | 6-Apr-03 | combination ww/sw impoundment | not installed |
| 921 | Flecha Dairy | 1994 | Active | Eddy | Artesia | 115,000 | 35 | storage impoundment & land apply | Yes | 48 | 76 | 2900 | ND | MW-2A | 3-Dec-08 | combination ww/sw impoundment | 23 |
| 934 | South Slope Dairy | 1993 | Active | Curry | Clovis | 225,000 | 344 | storage impoundment & land apply | Yes | 45.6 | 345 | 1475 | 0.6 | MW-2 | 18-Jul-09 | combination ww/sw impoundment | N/A |
| 1136 | Heritage Dairy | 1997 | Active | Curry | Clovis | 100,000 | 230 | storage impoundment & land apply | Yes | 36.6 | 155 | 890 | 1.3 | MW-3 | 26-Jun-06 | combination ww/sw impoundment | not installed |
| 703 | Desperado Dairy | 1990 | Active | Curry | Clovis | 48,000 | 350 | storage impoundment & land apply | Yes | 21.9 | 125 | 770 | ND | MW-1 | 6-Jun-00 | combination ww/sw impoundment | data not provided |
| 1157 | High Plains Dairy | 1997 | Inactive | Roosevelt | Portales | 60,000 | 108 | storage impoundment & land apply | Yes | 19.6 | 50 | 790 | 0.2 | MW-2A | 10-Mar-09 | combination ww/sw impoundment | 3.1 |
| 1377 | Grande Vida Dairy | 2006 | Active | Roosevelt | Portales | 49,500 | 191 | storage impoundment & land apply | Yes | 11.5 | 20 | 375 | 0.2 | MW-2 | 26-Feb-09 | combination ww/sw impoundment | 7.7 |
| 1423 | Sandcrest Dairy | 2006 | Active | Curry | Portales | 65,000 | 108 | storage impoundment & land apply | Yes | 10.5 | 42 | 400 | 0.3 | MW-2 | 10-Mar-09 | combination ww/sw impoundment | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|--------------------------|----------------------|----------|----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 683 | Top Line Dairy | 1990 | Active | Eddy | Artesia | 550,000 | 18 | storage impoundment & land apply | Yes | 330 | 2300 | 10000 | ND | MW-5 | 26-Jul-07 | land application field | 27 |
| 692 | Del Oro Dairy | 1990 | Active | Doña Ana | Anthony | 60,000 | 55-80 | evaporation impoundment only | Yes | 245 | 560 | 3461 | 3 | DO-3 | 16-Dec-03 | land application field | 1.8 |
| 227 | Queso Grande Dairy | 1982 | Active | Chaves | Roswell | 100,000 | 40 | storage impoundment & land apply | Yes | 220 | N/A | N/A | 1.52 | MW-10 | 28-Mar-01 | land application field | data not provided |
| 70 | Mountain View Dairy | 1980 | Active | Doña Ana | Mesquite | 60,000 | 32-58 | storage impoundment & land apply | Yes | 195 | N/A | N/A | N/A | BR-3 | 19-Sep-89 | land application field | data not provided |
| 74 | Buena Vista 2 | 1979 | Active | Doña Ana | Mesquite | 55,000 | 13-32 | storage impoundment & land apply | Yes | 194.5 | 1610 | 4705 | 0.28 | MW-2 | 11-Sep-04 | land application field | 0.1 |
| 624 | Dominguez Dairy | 1990 | Active | Doña Ana | Mesquite | 85,000 | 9 | storage impoundment & land apply | Yes | 186.5 | 1195 | data not provided | 0.6 | MW-2 (DM2) | 28-Dec-91 | land application field | not installed |
| 677 | Cheyenne Dairy I and III | 1991 | Active | Chaves | Dexter | 180,000 | 50-100 | storage impoundment & land apply | Yes | 182.5 | 310 | 3740 | 0.3 | MW-2 | 23-Oct-05 | land application field | 2.7 |
| 86 | Buena Vista Dairy | 1979 | Inactive | Doña Ana | Mesquite | 60,000 | 25-45 | storage impoundment & land apply | Yes | 164 | N/A | N/A | N/A | 70/86/340-1 | 19-Sep-89 | land application field | 6.2 |
| 765 | J&M Dairy | 1991 | Inactive | Eddy | Artesia | 90,000 | 37 | storage impoundment & land apply | Yes | 160 | 220 | 4300 | 2.2 | MW-3 | 5-Jul-06 | land application field | 14 |
| 343 | Tom Visser Dairy | 1984 | Active | Chaves | Roswell | 60,000 | 10 | storage impoundment & land apply | Yes | 146.7 | 1020 | 6290 | 0.6 | East MW | 19-Jul-07 | land application field | 27 |
| 764 | Arroyo Dairy | 1993 | Active | Chaves | Roswell | 80,000 | 17-35 | storage impoundment & land apply | Yes | 134.3 | 900 | 5140 | 0.7 | MW-1A | 4-Dec-05 | land application field | 60.4 |
| 791 | 3-V Dairy | 1992 | Active | Chaves | Roswell | 120,000 | 10 | storage impoundment & land apply | Yes | 130 | 240 | 3900 | ND | MW-4 | 21-Apr-09 | land application field | N/A |
| 207 | Nature's Dairy Inc | 1982 | Active | Chaves | Roswell | 84,000 | 14-17 | storage impoundment & land apply | Yes | 110 | 2000 | 7500 | ND | MW-4 | 25-Mar-09 | land application field | data not provided |
| 228 | New Horizon Dairy | 1982 | Inactive | Chaves | Roswell | 120,000 | 29 | storage impoundment & land apply | Yes | 110 | 190 | 4775 | 0.7 | MW-3 | 2-Jun-01 | land application field | data not provided |
| 554 | Break-Away Dairy | 1988 | Active | Chaves | Roswell | 35,000 | 13 | storage impoundment & land apply | Yes | 110 | 880 | 3800 | ND | MW-3 | 20-Aug-08 | land application field | 7.1 |
| 1141 | Enchantment Dairy | 1997 | Active | Chaves | Lake Arthur | 128,000 | 10 | storage impoundment & land apply | Yes | 110 | 830 | 5800 | ND | MW-5 | 11-Dec-07 | land application field | 2.4 |

Table 2

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 163 | Pirtle Farms Dairy | 1981 | Active | Chaves | Roswell | 35,000 | 16 | storage impoundment & land apply | Yes | 108 | 365 | 3285 | 0.6 | MW-4 | 26-Dec-02 | land application field | 22.8 |
| 718 | De Groot Dairy | 1991 | Active | Chaves | Roswell | 120,000 | 15-26 | storage impoundment & land apply | Yes | 99.6 | 2500 | 8455 | 1 | MW-3 | 4-Dec-05 | land application field | 16.1 |
| 177 | Gonzalez Dairy | 1981 | Active | Doña Ana | Mesquite | 49,000 | 14 | storage impoundment & land apply | Yes | 96.9 | 1440 | 5100 | 3.36 | MW-2 | 1-Dec-06 | land application field | 30.6 |
| 167 | River Valley Dairy | ~1981 | Active | Doña Ana | Mesquite | 35,000 | 11 | storage impoundment & land apply | Yes | 85.9 | 980 | 4245 | 1 | MW-5 | 8-Mar-03 | land application field | 38 |
| 913 | Creekside Dairy | 1993 | Active | Eddy | Lake Arthur | 56,000 | 29-75 | storage impoundment & land apply | Yes | 73.2 | 160 | 3920 | 0.9 | MW-3 | 29-Oct-04 | land application field | 17.9 |
| 951 | Brand West Dairy | 1995 | Inactive | Lea | Lovington | 99,990 | 82 | storage impoundment & land apply | Yes | 67.5 | 150 | 1110 | ND | MW-3 | 6-Apr-06 | land application field | N/A |
| 606 | Dexter Dairy | 1989 | Active | Chaves | Dexter | 40,000 | 95-110 | storage impoundment & land apply | Yes | 64 | 200 | 2700 | ND | MW-1 | 25-Aug-08 | land application field | 8.6 |
| 963 | Red Roof Dairy | 1993 | Active | Roosevelt | Portales | 37,500 | 124-142 | storage impoundment & land apply | Yes | 46.1 | 60 | 610 | 0.3 | MW-6 | 6-Feb-09 | land application field | 1.9 |
| 707 | Vaz Dairy | 1991 | Active | Chaves | Roswell | 100,000 | 15-25 | storage impoundment & land apply | Yes | 45 | 5700 | 12000 | ND | MW-4 | 24-Jun-06 | land application field | 32 |
| 1286 | Greenfield Park Dairy | 2000 | Active | Roosevelt | Portales | 40,000 | 145 | storage impoundment & land apply | Yes | 42.1 | 39.6 | 366 | ND | MW-3 | 28-Feb-08 | land application field | 2.18 |
| 1245 | 4-Way Dairy | 2000 | Active | Roosevelt | Portales | 150,000 | 90 | storage impoundment & land apply | Yes | 34.8 | 30 | 415 | ND | MW-5 | 5-Mar-09 | land application field | 21.5 |
| 1331 | Butterfield Dairy Farm | 2001 | Active | Luna | Deming | 60,000 | 90 | storage impoundment & land apply | Yes | 34 | 48 | 920 | ND | MW-3 | 31-Jan-08 | land application field | 23 |
| 689 | P-2 Dairy | 1990 | Active | Chaves | Dexter | 90,000 | 35-75 | storage impoundment & land apply | Yes | 31.7 | 940 | 5020 | ND | MW-3 | 19-Aug-05 | land application field | 3.2 |
| 1246 | Hide-A-Way Dairy | 2000 | Active | Roosevelt | Clovis | 61,250 | 250 | storage impoundment & land apply | Yes | 28 | 89.4 | 487 | ND | MW-3 | 21-Aug-07 | land application field | 3.04 |
| 1312 | Milk Flow Dairy | 2000/2001 | Inactive | Roosevelt | Portales | 40,000 | 120 | storage impoundment & land apply | Yes | 25.4 | 95 | 580 | ND | MW-3 | 13-May-08 | land application field | data not provided |
| 796 | Cornerstone Dairy | 1991 | Active | Eddy | Artesia | 90,000 | 46 | storage impoundment & land apply | Yes | 24 | 98 | 3800 | ND | MW-7 | 23-Oct-07 | land application field | N/A |

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities.

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume - Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|---------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 727 | Shawnee Dairy | 1991 | Active | Chaves | Dexter | 81,000 | 43 | storage impoundment & land apply | Yes | 23 | 140 | 2200 | ND | MW-3 | 15-Oct-09 | land application field | ND |
| 1250 | Sky County Farms | 2005 | Active | Roosevelt | Portales | 90,000 | 128 | storage impoundment & land apply | Yes | 23 | 77 | 704 | ND | MW-3 | 30-Jul-07 | land application field | 13 |
| 717 | Epicenter Dairy | 1993 | Inactive | Chaves | Hagerman | 48,000 | 145 | storage impoundment & land apply | Yes | 21 | 400 | 3000 | ND | MW-3A | 29-Feb-08 | land application field | 4.7 |
| 667 | H and R Westra Dairy | 1990 | Active | Roosevelt | Portales | 20,000 | 45 | storage impoundment & land apply | Yes | 19.9 | 15 | 300 | ND | MW-4 | 4-May-06 | land application field | 2 |
| 1034 | Edcal Dairy | 1995 | Active | Valencia | Los Lunas | 35,000 | 6 | storage impoundment & land apply | Yes | 18 | 84 | 726 | 0.62 | MW-4 | 12-Sep-97 | land application field | N/A |
| 1001 | James Idsinga & Son Dairy | 1995 | Active | Curry | Portales | 32,000 | 225 | storage impoundment & land apply | Yes | 16.6 | 10 | 435 | ND | MW-A | 29-Nov-00 | land application field | 0.9 |
| 1067 | Stepping Stone Dairy | 1996 | Inactive | Roosevelt | Portales | 7,000 | 75 | evaporation impoundment only | Yes | 14.9 | 285 | 3625 | ND | MW-1 | 22-Mar-07 | land application field | N/A |
| 1559 | Rocky Top Dairy | 2006 | Active | Lea | Lovington | 60,000 | 77 | storage impoundment & land apply | Yes | 13 | 20 | 315 | ND | MW-3 | 28-Nov-08 | land application field | N/A |
| 1332 | Opportunity Dairy | 2004 | Active | Roosevelt | Clovis | 65,000 | 271 | storage impoundment & land apply | Yes | 12.9 | 45 | 695 | 0.2 | MW-3 | 19-Jun-07 | land application field | 1.6 |
| 514 | Amistad Dairy | 1988 | Active | Roosevelt | Portales | 6,000 | 90 | evaporation impoundment only | Yes | 12.8 | 190 | 1200 | 0.3 | MW-2 | 23-Jun-09 | land application field | 7.2 |
| 911 | Chalk Hill Dairy | before 1992 | Inactive | Roosevelt | Portales | 1,250 | 90 | direct land apply | Yes | 11.7 | 345 | 1815 | ND | MW-3 | 23-Sep-05 | land application field | 8.4 |
| 1288 | Sunwest Dairy | 2001 | Active | Curry | Clovis | 60,000 | 300 | storage impoundment & land apply | Yes | 11.7 | 136 | 595 | ND | MW-3 | 5-Dec-03 | land application field | 7 |
| 926 | Carter's Milk Factory | 1992 | Inactive | Roosevelt | Portales | 64,000 | 110 | storage impoundment & land apply | Yes | 10.7 | 620 | 715 | 0.2 | MW-4 | 20-Jan-06 | land application field | 3.6 |
| 164 | Southern Skies Dairy | 1981 | Active | Chaves | Roswell | 42,000 | 22 | storage impoundment & land apply | Yes | 235 | 207 | 3450 | 0.3 | MW-3 | 5-May-97 | stormwater impoundment | 32.8 |
| 299 | Blackwater Draw Dairy | before 1983 | Inactive | Roosevelt | Portales | 25,000 | 115 | storage impoundment & land apply | Yes | 184 | 125 | 4455 | 0.6 | MW-2 | 8-Jul-01 | stormwater impoundment | N/A |
| 487 | Baca Linda Dairy | 1987 | Inactive | Chaves | Roswell | 56,000 | 47 | storage impoundment & land apply | Yes | 150 | 910 | 5000 | ND | MW-3A | 20-Nov-06 | stormwater impoundment | 24 |

Table 2

Historical Nitrate-Nitrogen Contamination in Ground Water at Dairy Facilities

Table 2: Sources of highest historical nitrate-nitrogen contamination at dairy facilities

| Discharge Permit No. (DP#) | Current Facility Name | Year Discharge Began | Status | County | Closest City | Permitted Discharge Volume Gallons per Day (GPD) | Most shallow Depth-to-Water (ft) as of March 2009 | Permitted wastewater management practices | Ever had NO ₃ -N contamination in ground water? | Highest NO ₃ -N Reported in Ground Water | | | | | | | |
|----------------------------|-----------------------------|----------------------|----------|-----------|--------------|--|---|---|--|---|----------------------------|------------------------------|----------|-------------------------------|------------------------|------------------------|---------------------------------------|
| | | | | | | | | | | NO ₃ -N mg/L (std = 10.0 mg/L) | Cl mg/L (std = 250.0 mg/L) | TDS mg/L (std = 1000.0 mg/L) | TKN mg/L | Monitoring Well (MW) Identity | Sample Collection Date | Source Monitored | Upgradient MW NO ₃ -N mg/L |
| 833 | Big Sky/Desertland Dairy | 1992 | Active | Doña Ana | Mesquite | 80,000 | 32-60 | storage impoundment & land apply | Yes | 129.4 | 935 | 2800 | 50.8 | 833-08 | 21-Jun-08 | stormwater impoundment | 16.4 |
| 533 | Dandee Dairy | 1988 | Active | Chaves | Dexter | 27,000 | 24-90 | storage impoundment & land apply | Yes | 127 | 28.3 | data not provided | 2.7 | MW-2 | 2-Aug-94 | stormwater impoundment | 1.89 |
| 208 | Oasis Dairy | 1982 | Inactive | Chaves | Roswell | 64,000 | 28 | storage impoundment & land apply | Yes | 98.7 | 600 | 5190 | 10.7 | MW-3 | 28-Apr-09 | stormwater impoundment | 11.8 |
| 595 | Back Nine Dairy | before 1988 | Active | Roosevelt | Portales | 10,000 | 67 | storage impoundment & land apply | Yes | 63.7 | 340 | 1980 | 0.8 | MW-6 | 16-Apr-09 | stormwater impoundment | data not provided |
| 734 | Cottonwood Springs Dairy I | ~1991 | Active | Eddy | Lake Arthur | 84,000 | 25 | storage impoundment & land apply | Yes | 49.9 | 490 | 4505 | 6.8 | MW-3 | 12-Jan-02 | stormwater impoundment | 37.8 |
| 635 | Woodcrest Dairy | 1989 | Active | Chaves | Roswell | 100,000 | 8-15 | storage impoundment & land apply | Yes | 49.3 | 1000 | 5815 | 1.4 | MW-3 | 23-Jul-05 | stormwater impoundment | 4.1 |
| 706 | Rajen Dairy | 1992 | Active | Curry | Clovis | 200,000 | 291 | storage impoundment & land apply | Yes | 42 | 100 | 930 | ND | JAR #1 | 23-Sep-92 | stormwater impoundment | 7 |
| 797 | Cheyenne Dairy 2 | 1992 | Active | Chaves | Roswell | 80,000 | 110-117 | storage impoundment & land apply | Yes | 22.5 | 125 | 1720 | ND | MW-2 | 22-Jul-05 | stormwater impoundment | 0.37 |
| 1131 | Par 5 Dairy and Select Milk | 1997 | Active | Chaves | Dexter | 410,000 | 40-52 | storage impoundment & land apply | Yes | 21.3 | 440 | 3960 | 0.4 | MW-3 | 22-Jul-05 | stormwater impoundment | 5.2 |