

Table 2-A: Regulated Emission Sources

Unit and stack numbering must correspond throughout the application package. If applying for a NOI under 20.2.73 NMAC, equipment exemptions under 2.72.202 NMAC do not apply.

Unit Number ¹	Source Description	Make	Model #	Serial #	Manufacturer's Rated Capacity ³ (Specify Units)	Requested Permitted Capacity ³ (Specify Units)	Date of Manufacture ²	Controlled by Unit #	Source Classification Code (SCC)	For Each Piece of Equipment, Check One	RICE Ignition Type (CI, SI, 4SLB, 2SLB) ⁴	Replacing Unit No.
							Date of Construction/Reconstruction ²	Emissions vented to Stack #				
2310	Compressor Engine	Caterpillar	G3516	N6E00549	1380 hp	1380 hp	1/15/2018	CAT-1	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							2/18/2024	2310				
2320	Compressor Engine	Caterpillar	G3516	N6E00550	1380 hp	1380 hp	1/17/2015	CAT-2	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							2/18/2024	2320				
2330	Compressor Engine	Caterpillar	G3516	JEF01640	1380 hp	1380 hp	11/26/2014	CAT-3	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							5/2/2022	2330				
2340	Compressor Engine	Caterpillar	G3516	JEF02224	1380 hp	1380 hp	4/5/2013	CAT-4	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							8/16/2023	2340				
2350	Compressor Engine	Caterpillar	G3516	N6W01626	1380 hp	1380 hp	6/9/2023	CAT-5	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							4/5/2025	2350				
2360	Compressor Engine	Caterpillar	G3516	JEF01419	1380 hp	1380 hp	11/28/2011	CAT-6	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							10/16/2024	2360				
2370	Compressor Engine	Waukesha	7044GSIS5	5283705931	1900 hp	1900 hp	3/13/2019	CAT-7	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							4/24/2025	2370				
2380	Compressor Engine	Caterpillar	G3606A3	JFE016559	1875 hp	1875 hp	10/1/2019	CAT-8	20200254	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SLB	N/A
							4/9/2025	2380				
2390	Compressor Engine	Caterpillar	G3606A3	JFE01504	1875 hp	1875 hp	6/1/2019	CAT-9	20200253	☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☒ To Be Modified ☐ To be Replaced	4SRB	N/A
							4/9/2025	2390				
2400	Compressor Engine	Caterpillar	G3606A4	TBD	1875 hp	1875 hp	1/1/2024	CAT-10	20200254	☐ Existing (unchanged) ☐ To be Removed ☒ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	4SLB	N/A
							1/1/2024	2400				
2410	Compressor Engine	Caterpillar	G3606A4	TBD	1875 hp	1875 hp	1/1/2024	CAT-11	20200253	☐ Existing (unchanged) ☐ To be Removed ☒ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	4SLB	N/A
							1/1/2024	2410				
2420	Compressor Engine	Caterpillar	G3606A4	TBD	1875 hp	1875 hp	1/1/2024	CAT-12	20200254	☐ Existing (unchanged) ☐ To be Removed ☒ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	4SLB	N/A
							1/1/2024	2420				
2430	Compressor Engine	Caterpillar	G3606A4	TBD	1875 hp	1875 hp	1/1/2024	CAT-13	20200253	☐ Existing (unchanged) ☐ To be Removed ☒ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	4SLB	N/A
							1/1/2024	2430				

2440	Compressor Engine	Caterpillar	G3608A4	TBD	2750 hp	2750 hp	1/1/2024	CAT-14	20200254	☐ Existing (unchanged)	☐ To be Removed	4SLB	N/A
							1/1/2024	2440		☒ New/Additional	☐ Replacement Unit		
2450	Compressor Engine	Caterpillar	G3608A4	TBD	2750 hp	2750 hp	1/1/2024	CAT-15	20200253	☐ Existing (unchanged)	☐ To be Removed	4SLB	N/A
							1/1/2024	2450		☒ New/Additional	☐ Replacement Unit		
2460	Compressor Engine	Caterpillar	G3608A4	TBD	2750 hp	2750 hp	1/1/2024	CAT-16	20200254	☐ Existing (unchanged)	☐ To be Removed	4SLB	N/A
							1/1/2024	2460		☒ New/Additional	☐ Replacement Unit		
2470	Compressor Engine	Caterpillar	G3608A4	TBD	2750 hp	2750 hp	1/1/2024	CAT-17	20200253	☐ Existing (unchanged)	☐ To be Removed	4SLB	N/A
							1/1/2024	2470		☒ New/Additional	☐ Replacement Unit		
2480	Compressor Engine	Caterpillar	G3608A4	TBD	2750 hp	2750 hp	1/1/2024	CAT-18	20200254	☐ Existing (unchanged)	☐ To be Removed	4SLB	N/A
							1/1/2024	2480		☒ New/Additional	☐ Replacement Unit		
TK-1	Gunbarrel Tank	Permian Tank	N/A	4-15784	500 bbl	500 bbl	1/1/2018	FL-2	40400312	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							5/1/2018	FL-2		☒ To Be Modified	☐ To be Replaced		
TK-2	Condensate Tank	TOK	N/A	D-812 TK-9321	500 bbl	500 bbl	1/1/2018	FL-2	31000212	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							4/1/2018	FL-2		☒ To Be Modified	☐ To be Replaced		
TK-3	Condensate Tank	TBD ⁵	TBD ⁵	TBD ⁵	500 bbl	500 bbl	TBD ⁵	FL-2	31000212	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							After 9/18/2015	FL-2		☒ To Be Modified	☐ To be Replaced		
TK-4	Condensate Tank	TBD ⁵	TBD ⁵	TBD ⁵	500 bbl	500 bbl	TBD ⁵	FL-2	31000212	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							After 9/18/2015	FL-2		☒ To Be Modified	☐ To be Replaced		
TK-5	Condensate Tank	TBD	TBD	TBD	500 bbl	500 bbl	TBD	FL-2	31000212	☒ Existing (unchanged)	☐ To be Removed	N/A	N/A
							TBD	FL-2		☒ New/Additional	☐ Replacement Unit		
PWTk-1	Produced Water Tank	TOK	N/A	D-812 TK-9321	400 bbl	400 bbl	1/1/2018	FL-2	31000213	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							4/1/2018	FL-2		☒ To Be Modified	☐ To be Replaced		
PWTk-2	Produced Water Tank	TOK	N/A	D-812 TK-9321	400 bbl	400 bbl	1/1/2018	FL-2	31000213	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							4/1/2018	FL-2		☒ To Be Modified	☐ To be Replaced		
PWTk-3	Produced Water Tank	TBD	TBD	TBD	500 bbl	500 bbl	TBD	FL-2	31000213	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							TBD	FL-2		☒ New/Additional	☐ Replacement Unit		
PWTk-4	Produced Water Tank	TBD	TBD	TBD	500 bbl	500 bbl	TBD	FL-2	31000213	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							TBD	FL-2		☒ New/Additional	☐ Replacement Unit		
HTR-1	Dehy Reboiler	Flameco	TBD	1802-856	0.5 MMBtu/hr	0.5 MMBtu/hr	TBD	N/A	31000228	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							1/19/2018	HTR-1		☐ New/Additional	☐ Replacement Unit		
HTR-1	Dehy Reboiler	TBD	TBD	TBD	1.5 MMBtu/hr	1.5 MMBtu/hr	TBD	N/A	31000228	☐ Existing (unchanged)	☐ To be Removed	N/A	HTR-1
							TBD	HTR-1		☒ Replacement Unit	☐ To be Replaced		
HTR-2	Dehy Reboiler	TBD ⁵	TBD ⁵	TBD ⁵	1.5 MMBtu/hr	1.5 MMBtu/hr	TBD ⁵	N/A	31000228	☒ Existing (unchanged)	☐ To be Removed	N/A	N/A
							TBD ⁵	HTR-2		☐ New/Additional	☐ Replacement Unit		
PW LOAD	Produced Water Loadout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40400250	☐ Existing (unchanged)	☐ To be Removed	N/A	N/A
							N/A	N/A		☒ To Be Modified	☐ To be Replaced		

CONDLOAD	Condensate Loadout	N/A	N/A	N/A	N/A	N/A	N/A	N/A	40400250	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							N/A	N/A					
FUG-1	Fugitives	N/A	N/A	N/A	N/A	N/A	N/A	DEHY-2	31088811	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							N/A	FUG-1					
DEHY-1	TEG Dehydrator	Valerus	TBD	TBD	25 MMSCFD	25 MMSCFD	TBD	ECD-1	31000304	☐ Existing (unchanged) ☐ New/Additional ☐ To Be Modified	☐ To be Removed ☐ Replacement Unit ☒ To be Replaced	N/A	N/A
							9/13/2018	ECD-1					
DEHY-2	TEG Dehydrator	TBD	TBD	TBD	50 MMSCFD	50 MMSCFD	TBD	N/A	31000304	☐ Existing (unchanged) ☐ New/Additional ☐ To Be Modified	☐ To be Removed ☐ Replacement Unit ☒ To be Replaced	N/A	N/A
							TBD	ECD-2					
DEHY-1	TEG Dehydrator	TBD	TBD	TBD	70 MMSCFD	70 MMSCFD	TBD	ECD-1	31000304	☐ Existing (unchanged) ☐ New/Additional ☐ To Be Modified	☐ To be Removed ☒ Replacement Unit ☐ To be Replaced	N/A	DEHY-1
							TBD	ECD-1					
DEHY-2	TEG Dehydrator	TBD	TBD	TBD	70 MMSCFD	70 MMSCFD	TBD	ECD-2	31000304	☐ Existing (unchanged) ☐ New/Additional ☐ To Be Modified	☐ To be Removed ☒ Replacement Unit ☐ To be Replaced	N/A	DEHY-2
							TBD	ECD-2					
ECD-1	Combustor	SpiralX	TBD	TBD	15.0 MSCFD	12.2 MSCFD	TBD	N/A	31000160	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							11/16/2018	ECD-1					
ECD-2	Combustor	SpiralX	TBD	TBD	15.0 MSCFD	12.2 MSCFD	TBD	N/A	31000160	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							TBD	ECD-2					
FL-1	Process Flare	TBD	TBD	TBD	TBD	31000 MSCFD	TBD	N/A	31000160	☐ Existing (unchanged) ☒ New/Additional ☐ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							TBD	N/A					
FL-2	Tank Flare	Tulsa Combustion	TBD	18-01-2172	140 MSCFD	81.9 MSCFD	TBD	N/A	31000160	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							11/16/2018	N/A					
SSM	SSM Activities	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31088811	☐ Existing (unchanged) ☐ New/Additional ☒ To Be Modified	☐ To be Removed ☐ Replacement Unit ☐ To be Replaced	N/A	N/A
							N/A	N/A					

¹ Unit numbers must correspond to unit numbers in the previous permit unless a complete cross reference table of all units in both permits is provided.

² Specify dates required to determine regulatory applicability.

³ To properly account for power conversion efficiencies, generator set rated capacity shall be reported as the rated capacity of the engine in horsepower, not the kilowatt capacity of the generator set.

"4SLB" means four stroke lean burn engine, "4SRB" means four stroke rich burn engine, "2SLB" means two stroke lean burn engine, "CI" means compression ignition, and "SI" means spark ignition

⁵ Units exist within permit, however, have not been constructed at the site.