PUBLIC NOTICE
Groundwater Discharge Permit Applications Submitted to the Department for Review
July 31, 2026

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.6.2.3108 NMAC that the following Groundwater Discharge Permit applications have been submitted to NMED for review. Provided the applicant has met applicable requirements, NMED will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect groundwater quality for present and potential future use.

NMED will accept comments and statements of interest regarding the application and will create a facility specific mailing list for persons who wish to receive future notices. NMED is developing a Public Involvement Plan (PIP) to provide public participation opportunities and information that may be needed for the community to participate in the permitting process. The PIP will be posted online at https://www.env.nm.gov/public-notices/ and placed at the NMED field office nearest to the proposed permitted activity. To learn more about a Discharge Permit and the permitting process or to be placed on a facility-specific mailing list, please contact the NMED Permit Contact at the telephone number or email address provided or address correspondence to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469.

In the future, NMED will publish a second public notice providing a draft permit and will seek public comment on the draft. You will be able to add the comment period to your calendar simply through our Events Calendar located at https://www.env.nm.gov/events-calendar/.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is

responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non- discrimination programs, policies or procedures, you may contact: Kate Cardenas, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@env.nm.gov. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at https://www.env.nm.gov/general/environmental-justice-in-new-mexico/ to learn how and where to file a complaint of discrimination.

Enclosure: Groundwater Discharge Permit Applications Submitted for Review

Discharge Permit: DP-68, Reeves Generating Station

- County: Bernalillo | Closest City: Albuquerque
- Applicant: Seth Frederick, Environmental Project Manager, Public Service Company of New Mexico, 2401 Aztec Road NE, Albuquerque, NM 87107
- NMED Permit Contact: Marchell Schuman, Senior Water Resource Professional, Marchell.Schuman@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-3275 or 505-827-2900.

Notice: DP-68, Reeves Generating Station: Public Service Company of New Mexico proposes to renew the Discharge Permit for the discharge of up to 9,500 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include metals, organic and inorganic compounds, and total dissolved solids. The facility is located at 4400 Paseo del Norte, NW, in Albuquerque, in Section 23, Township 11 North, Range 03 East, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 130 feet and had a pre-discharge total dissolved solids concentration of 585 milligrams per liter.

Discharge Permit: DP-1921, Pilot Travel Center

- County: Bernalillo | Closest City: Albuquerque
- Applicant: Pilot Travel Centers, LLC., Joey Cupp, 5508 Lonas Drive, Knoxville, TN 37909
- NMED Permit Contact: Shivanna Moriarty, Water Resource Professional, Shivanna.Moriarty@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-3473 or 505-827-2900.

Notice: DP-1921, Pilot Travel Center: Pilot Travel Center, LLC. proposes to renew the Discharge Permit for the discharge of up to 10,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 9220 Broadway Blvd SE, Albuquerque, NM, 87105, in Section 31, Township 09 North, Range 03 East, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 104 feet and had a pre-discharge total dissolved solids concentration of 344 milligrams per liter.

Discharge Permit: DP-2011, Fina Truck Stop

- County: Bernalillo |Closest City: Albuquerque
- Applicant: Sheryl Paloni, Owner and General Manager, The Truck Stop Plaza, LLC, 10600 Del Rey NE, Albuquerque, NM 87122.
- NMED Permit Contact: Madison Buechter, Senior Water Resource Professional, Madison.Buechter@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-699-4293 or 505-827-2900.

Notice: DP-2011, Fina Truck Stop: The Truck Stop Plaza, LLC is applying for a groundwater cleanup Discharge Permit for the discharge of 1,500 gallons per day of potable water mixed with CBN nutrient mix, ammonium sulfate, PetroBac Bacterium Consortium, and PetroBac Enzyme Accelerator into on-site remediation injection wells. These injections will be the final stage of a cleanup process for groundwater contamination at this site. Potential contaminants from this type of discharge include inorganic compounds. The facility is located at 1915 Menaul Boulevard, Albuquerque, in Section 09, Township 10 North, Range 3 East, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 77 feet and had a pre-discharge total dissolved solids concentration of 1,000 to 1,500 milligrams per liter.

Discharge Permit: DP-1379, Cross Country Dairy

- County: Curry|Closest City: Clovis
- Applicant: Peter DeGroot, 5520 West Delaware Ave, Visalia, CA 93291
- NMED Permit Contact: Amanda Otieno, Water Resource Professional, Amanda.Otieno@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-819-1219 or 505-827-2900.

Notice: DP-1379, Cross Country Dairy: Peter DeGroot proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2157 State Road 108, approximately 13 miles north of Texico, in Section 15, Township 4, Range 37, Curry County. Groundwater most likely to be affected is at a depth of approximately 405-450 feet and had a pre-discharge total dissolved solids concentration of 320 milligrams per liter.

Discharge Permit: DP-423, Biad Chili LTD

- County: Doña Ana |Closest City: Las Cruces
- Applicant: Spencer Golden, 2240 A Pepper Rd, Las Cruces, NM 88007
- NMED Permit Contact: Aracely Tellez, Senior Water Resource Professional, Aracely.Tellez@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice: DP-423, Biad Chili: Spencer Golden proposes to renew the Discharge Permit for the discharge of up to 130,000 gallons per day of wastewater from the production area of a chile processing facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 8927 N. Highway 185, approximately 12 miles North of Las Cruces in Section 31, Township 21 South, Range 1 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 9 feet and had a pre-discharge total dissolved solids concentration of 400-900 milligrams per liter.

Discharge Permit: DP-2012, Snappy Mart #19

- County: Grant |Closest City: Silver City
- Applicant: Jim Nennich, President, Snappy Mart Stores, Inc. 1810 North Swan Street, Silver City, NM 88061
- NMED Permit Contact: Madison Buechter, Senior Water Resource Professional, Madison.Buechter@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-699-4293 or 505-827-2900.

Notice: DP-2012, Snappy Mart #19: Snappy Mart #19 is applying for a groudwater cleanup Discharge Permit for the discharge of up to 5,000 gallons per day of potable water mixed with Evonik Klozur One SP into on-site remediation injection wells. These injections will be the final stage of a cleanup process for groundwater contamination at this site. Potential contaminants from this type of discharge include inorganic compounds. The facility is located at 1810 North Swan Street, Silver City, in Section 35, Township 17 South, Range 14 West, Grant County. Groundwater most likely to be affected is at a depth of approximately 10 feet and had a pre-discharge total dissolved solids concentration of 790 milligrams per liter.

Discharge Permit: DP-59, City of Jal Wastewater Treatment Facility

- County: Lea | Closest City: Jal
- Applicant: City of Jal, Wesley Hooper, City Manager, P.O. Drawer 340, Jal, New Mexico 88252
- NMED Permit Contact: Haylea Nisbet, Acting Large System Domestic Waste Team Lead, Haylea.Nisbet@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-2831 or 505-827-2900.

Notice: DP-59, City of Jal Wastewater Treatment Facility: City of Jal proposes to renew the Discharge Permit for the discharge of up to 420,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the terminus of South Water Treatment Road, Jal, in Sections 17, 18, and 29, Township 25 South, Range 37 East, Lea County. Groundwater most likely to be affected is at a depth of approximately 37 feet and had a pre-discharge total dissolved solids concentration of 1,700 milligrams per liter.

Discharge Permit: DP-313, Rancho Ruidoso Valley Estates Wastewater Treatment Plant

- County: Lincoln | Closest City: Alto
- Applicant: CDS Rainmakers Utilities, Weston Laymon, P.O. Box 1128, Alto, New Mexico 88312
- NMED Permit Contact: Haylea Nisbet, Acting Large System Domestic Waste Team Lead, Haylea.Nisbet@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-2831 or 505-827-2900.

Notice: DP-313, Rancho Ruidoso Valley Estates Wastewater Treatment Plant: CDS Rainmakers Utilities proposes to renew and modify the Discharge Permit for the discharge of up to 40,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 135 Custers Last Stand Road, approximately 4 miles northeast of Alto, in Sections 21, Township 10 South, Range 14 East, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 125 feet and had a pre-discharge total dissolved solids concentration of 700 milligrams per liter.

Discharge Permit: DP-1924, Bell Gas #1186 (TR's Market) Site

- County: Lincoln |Closest City: Alto
- Applicant: Bell Gas, Inc., Roger Shull, P.O. Box 490, Roswell, NM 88202
- NMED Permit Contact: Andrew Romero, Senior Water Resource Professional, AndrewC.Romero@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-8624 or 505-827-2900.

Notice: DP-1924, Bell Gas #1186 (TR's Market) Site: Bell Gas Incorporated proposes to renew the Discharge Permit for the discharge of up to 1,500 gallons per day of petroleum contaminated groundwater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic and inorganic compounds and metals. The facility is located at 101 Sun Valley Road, Alto, in Section 34, Township 10 South, Range 13 East, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 45 to 90 feet and had a pre-discharge total dissolved solids concentration of 1,772 milligrams per liter.

Discharge Permit: DP-569, Santa Fe Ski Basin

- County: Santa Fe|Closest City: Santa Fe
- Applicant: Santa Fe Ski Company, Frank Sedlacek, 10 Tramway Loop NE, Albuquerque, NM 87122
- NMED Permit Contact: Haylea Nisbet, Acting Large System Domestic Waste Team Lead, Haylea.Nisbet@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-2831 or 505-827-2900.

Notice: DP-569, Santa Fe Ski Basin: Santa Fe Ski Company proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1477 NM-475, approximately 10 miles northeast of Santa Fe, in Section 8, Township 18 North, Range 11 East, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 2-55 feet and had a pre-discharge total dissolved solids concentration of 150 milligrams per liter.

Discharge Permit: DP-546, Caballo Dairy

- County: Sierra |Closest City: Arrey
- Applicant: Gerben Hettinga, 6939 Schaefer Ave. Suite D Box 301, Chino, CA 91710
- NMED Permit Contact: Aracely Tellez, Senior Water Resource Professional, Aracely.Tellez@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice: DP-546, Caballo Dairy: Gerben Hettinga proposes to renew the Discharge for the closure of a former dairy. No discharge will occur under this Discharge Permit, as dairy related operations have ceased. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1 Caballo Alto Rd, approximately 2 miles North of Arrey, in Sections 13 and 24, Township 17 South, Range 5 West, Sierra County. Groundwater most likely to be affected is at a depth of approximately 14.5 feet and had a pre-discharge total dissolved solids concentration of 750 milligrams per liter.

Discharge Permit: DP-1841, Southwest Organics and Compost

- County: Valencia | Closest City: Los Lunas
- Applicant: Southwest Organics and Compost, LLC., Adam Trubow, Owner, 12711 Candelaria Rd NE, Albuquerque, NM 87112
- NMED Permit Contact: Mingcheng Ren, Small System Domestic Waste Team Lead, Mingcheng.Ren@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-490-5287 or 505-827-2900.

Notice: DP-1841, Southwest Organics and Compost: Southwest Organics and Compost, LLC. proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of septage, grease trap waste, and domestic wastewater treatment plant sludge to a disposal system. Potential contaminants from this type of discharge include nitrogen and organic compounds. The facility is located at Latitude 34.794197N and Longitude -106.905271W, approximately 8 miles west of Los Lunas in Section 35, Township 07 North, Range 01 West, Valencia County. Groundwater most likely to be affected is at a depth of approximately 450 feet and had a pre-discharge total dissolved solids concentration of 437milligrams per liter.

END OF PUBLIC NOTICE