

# **Part A and Part B Permit Renewal Application for the**

## **TRIASSIC PARK WASTE DISPOSAL FACILITY**

RCRA Permit No. NM0001002484

Chaves County, New Mexico

Volume 5  
Permit Attachments

October 17, 2011  
Revision 2 - July 5, 2013

*Prepared for:*

**Gandy Marley, Inc.**  
Post Office Box 1658  
Roswell, New Mexico 88202

*Prepared by:*

**Domenici Law Firm P.C.**  
320 Gold Ave. SW, Suite # 1000  
Albuquerque, New Mexico 87102  
(505) 883-6250

**Daniel B. Stephens & Associates, Inc.**  
6020 Academy NE, Suite 100  
Albuquerque, New Mexico 87109  
(505) 822-9400

## Table of Contents

### **VOLUME 1**

Application Organization Summary  
Introduction  
List of Acronyms  
RCRA Regulatory Crosswalk

### **Part A Permit Application**

Certification of Permit Application  
EPA Hazardous Waste Permit Application  
Facility Property Plat

### **Part B Permit Application**

1. General Facility Standards
2. Treatment, Storage, and Disposal
3. Groundwater Protection
4. Waste Analysis Plan
5. Procedures to Prevent Hazards
6. Contingency Plan
7. Personnel Training
8. Closure and Post-Closure of Permitted Units
9. Waste Management
10. Corrective Action
11. 40 CFR 264 Subpart AA, BB & CC Regulations
12. References

### **Permit**

- Part 1 General Permit Conditions
- Part 2 General Facility Conditions
- Part 3 Hazardous Waste Storage In Containers
- Part 4 Hazardous Waste Storage and Treatment in Tanks
- Part 5 Treatment in the Surface Impoundment
- Part 6 Hazardous Waste Disposal in the Landfill
- Part 7 Vadose Zone Monitoring
- Part 8 Closure and Post-Closure Care
- Part 9 Corrective Action for Regulated Units
- Part 10 Corrective Action for Solid Waste Management Units

## Table of Contents (Continued)

### **VOLUME 2**

#### **Attachment**

- A General Facility Description and Information
- B Procedures to Prevent Hazards
- C Contingency Plan
  - C1 Emergency Equipment
  - C2 Emergency Coordinators
  - C3 Coordinating Agreements
  - C4 Evacuation Plans
- D Inspection Procedures
  - D1 Inspection Schedules and Checklists
- E Personnel Training
- F Waste Analysis Plan
  - F1 Rationale for Analytical Parameter Selection
  - F2 Example Waste Profile Form
  - F3 Example Chain-of-Custody Form
  - F4 Waste Characterization Using Acceptable Knowledge
- G Air Quality
- H Ground Water Monitoring Waiver Request
- I Vadose Zone Monitoring System Work Plan
- J Action Leakage Rate and Response Action Plan
- K Part A Permit Application
- L Engineering Report
  - L1 Engineering Drawings (**Volume 3**)
  - L2 Specifications for Landfill, Surface Impoundment and Associated Facilities Liner and Cover System Construction
  - L3 Tank Integrity Assessment Certification
  - L4 New Landfill Engineering Calculations
  - L5 Landfill Stormwater and Leachate Recirculation Modeling
- M Construction Quality Assurance Plan
- N Operations and Maintenance Plan
- O Closure Plan
  - O1 Compliance Schedules for Closure
  - O2 Financial Assurance for Closure
- P Post-Closure Care Plan
  - P1 Financial Assurance for Post-Closure Care
- Q Statistics for Release Determination
- R Action Levels for Corrective Action
  - R1 Background Concentrations for Soil
  - R2 Vadose Zone Baseline Concentrations for Non-Leachates
  - R3 Background Concentrations for Ground Water
- S Vadose Zone Monitoring Indicator Parameters

## Table of Contents (Continued)

### **VOLUME 3**

#### **Attachment**

L1 Engineering Drawings

### **VOLUME 4**

#### **Attachment**

- T Oil Well Log
- U Lithology Logs and Plugging Logs
- V Geophysical Logs
- W Geotechnical Laboratory Results
- X Grain Size Analyses
- Y Cross-Sections
- Z Construction Specifications

### **VOLUME 5**

#### **Attachment**

- AA Laboratory Test Results
- BB Engineering Calculations
- CC Surface Water Control Plan
- DD Manufacturer Information

**Attachment AA**

**Laboratory Test Results**

## GEOTECHNICAL TEST PITS

The proposed landfill site is located in a remote portion of eastern Chaves County, New Mexico. The land surface gently slopes to the west. This sloping plain is characterized by low-relief hummocky wind-blown deposits, sand ridges, and dunes.

A geotechnical field investigation involving the excavation of test pits was conducted by a TerraMatrix/Montgomery Watson field engineer on August 18, 1997. Five test pits were excavated to characterize the geotechnical conditions of the surficial sands and Upper Dockum claystone. Soil samples were also collected from the test pits to conduct soil characterization tests, recompacted permeability tests, and interface shear strength tests.

Four of the five test pits were excavated within the proposed footprint of the cell and one test pit was excavated in the area of the proposed evaporation ponds. Figure 1 displays the general location of the geotechnical field investigation. All test pits were located in the field by onsite personnel. The upper 6 to 10 feet of each pit was excavated by a D8 CAT dozer. A John Deere 310D backhoe with an extended boom was then used to excavate the test pits to their total depth. Total depth of the test pits ranged from 17 to 24 feet. Material types were noted, as was the presence or absence of moisture or water. Bag and bucket samples were collected from the backhoe cuttings at various depths as chosen by the field engineer. None of the test pits encountered a water table. The geotechnical field investigation test pit logs are attached.

Soil samples collected from each of the five test pits were submitted to the laboratory for material property analysis. The laboratory tests performed included:

- Moisture Content (ASTM D2216)
- Atterberg (ASTM D4318)
- Moisture/Density Relationship (ASTM D1557, D698)
- Sieve Analysis (ASTM D422)
- Recompacted Permeability (ASTM 5084)
- Interface Shear - Direct Shear

Table 1 summarizes the geotechnical field investigation and includes the test pit identification number, approximate location, sample type, and depth.

TABLE 1  
GANDY GEOTECHNICAL TEST PITS

Test Pit ID	Pit Location (approx.) Northing/Easting	Elevation (feet)	Sample Type	Sample Depth
TP-1	N859650/E645460		Bag	2 to 3
TP-1			Bag	15
TP-1			Bucket	17
TP-2	N861150/E646860		Bag	3 to 4
TP-2			Bag	16 to 18
TP-2			Bucket	17
TP-3	N859150/E646360		Bag	2
TP-3			Bag	3 to 4
TP-3			Bag	6.5
TP-3			Bucket	7.5
TP-4	N858850/E645060		Bag	5 to 7
TP-4			Bag	6 to 9
TP-4			Bucket	14
TP-5	N861750/E645660		Bag	6
TP-5			Bag	17
TP-5			Bucket	18


#### SUMMARY OF LABORATORY TEST RESULTS

A total of eight samples, one from each test pit and three from test pit number 4, and a composite sample from test pit 1-4 for the surficial silty sands were tested. All laboratory testing was conducted by TerraMatrix/Montgomery Watson Laboratories in Steamboat Springs, Colorado.

Natural moisture content ranged from 7.0% to 12.3%. Atterberg limits indicated a range of liquid limits of 37% to 46% and plasticity limits of 19% to 40% for the upper Dockum. The surficial silty sand was found to be non-plastic. The grain size analysis indicated the upper Dockum is predominantly fine grained with fines ranging from 65% to 99% and sands from 1% to 35%. The surficial sands had 17% fine material and no gravel sized material. The Caliche was found to have 5% gravel, 35% sand, and 60% fines which have a liquid limit of 34% and a plasticity index of 17%. These test results are summarized on the following page, Summary of Laboratory Test Results.

#### BEARING CAPACITY

The surficial silty sands were estimated to have a bearing capacity of 4000 psf using the table presented on page 4.



TRIASSIC PARK  
WASTE DISPOSAL FACILITY

TEST PIT LOCATION

REV NO	REVISIONS	REV DATE	DESIGN BY	DRAWN BY	REVIEWED AND SIGNED BY
					PROJECT No. 802-0206
					AUTOCAD FILE: 140000.dwg
					SCALE: 1:1000 FIGURE NO: 1

## **SUMMARY OF LABORATORY TEST RESULTS**

Project Name:	Triassic Park		
Project Location:			
Project No.:	790-12101	Technician:	DCP
		Date:	9/10/97



**TerraMatrix**  
Engineering & Materials Testing Services  
80000 Moffat Avenue  
Steamboat Springs, Colorado 80487

## **SUMMARY OF LABORATORY TEST RESULTS**

TABLE I (continued)  
 Presumptive Values of Allowable Bearing Pressures for Spread Foundations


Type of Bearing Material	Consistency In Place	Allowable Bearing Pressure Tons Per sq ft.	
		Range	Recommended Value for Use
Homogeneous inorganic clay, sandy or silty clay (CL, CH)	Very stiff to hard	3 to 6	4.0
	Medium to stiff	1 to 3	2.0
	Soft	.5 to 1	0.5
Inorganic silt, sandy or clayey silt, varved silt-clay-fine Sand	Very stiff to hard	2 to 4	3.0
	medium to stiff	1 to 3	1.5
	Soft	.5 to 1	0.5

Notes:

1. Variations of allowable bearing pressure for size, depth and arrangement of footings are given in Table 2.
2. Compacted fill, placed with control of moisture, density, and lift thickness, has allowable bearing pressure of equivalent natural soil.
3. Allowable bearing pressure on compressible fine grained soils is generally limited by considerations of overall settlement of structure.
4. Allowable bearing pressure on organic soils or uncompacted fills is determined by investigation of individual case.
5. If tabulated recommended value for rock exceeds unconfined compressive strength of intact specimen, allowable pressures equals unconfined compressive strength.

GENERAL LOCATION: TP-1  
PIT TREND: \_\_\_\_\_

DATE: 8/18/97  
ENGINEER: D. Gleason



#### LEGEND

SOIL HORIZON  
SAMPLE LOCATION  
HORIZON CONTACT

SAMPLE No.	DEPTH
Bagge	2 to 3
Bagge	15'
Bucket	17'

SOIL UNIT	SOIL DESCRIPTION AND EXCAVATION NOTES
1	0-2' loose tan, fine sand, some silt, with roots, moist
2	2-6' compact, reddish brown, sand, some clay and silt, slightly calcareous, slightly moist, some gravelly lenses
3	6-8' Hard, brownish red, weathered mudstone, slightly moist
4	8-17' Hard to very hard, brownish red, mudstone/claystone, traces of olive claystone, slightly moist


#### SPECIAL NOTES:

No water encountered  
Pocket penetrometer maxed out at 7'-8'

Project No.: <i>602</i>	Design By:	Scale:	Triassic Park Landfill
File:	Drawn By:	Date:	
TerraMatrix Engineering & Environmental Services 1475 Pine Grove Road, P.O. Box 774018 Steamboat Springs, Colorado 80477	Test Pit No.: <i>1</i>	Figure No.	TEST PIT #1

GENERAL LOCATION: TP-Z  
PIT TREND: \_\_\_\_\_

DATE: 8/18/97  
ENGINEER: Gleason



LEGEND

SOIL HORIZON  
SAMPLE LOCATION  
HORIZON CONTACT

SAMPLE No.	DEPTH
Baggie	3' to 4'
Baggie	16' to 18'
Bucket	17'

SOIL UNIT	SOIL DESCRIPTION AND EXCAVATION NOTES
1	0-3' Loose, tan, fine, SAND, some silt, with roots, moist
2	3-10' Stiff, tan, calcareous, CLAY, with silt and sand, slightly moist
3	10'-16' Dense, brown, medium fine, GRAY, some silt, trace coarse sand, some, slightly moist
4	16'-20' Slightly stiff to stiff, brown, silty CLAY, moist
5	20'-24' Hard, brown, clayey, sandy, SILT, moist


SPECIAL NOTES:

No water encountered

Project No: WZ	Design By:	Scale:	Triassic Park Landfill
File:	Drawn By:	Date:	
TerraMatrix Engineering & Environmental Services 1475 Pine Grove Road, P.O. Box 274018 Steamboat Springs, Colorado 80487	Test Pit No: 2 Figure No.	TEST PIT # 2	

GENERAL LOCATION: TP-3  
PIT TREND:

DATE: 8/18/97  
ENGINEER: D Gleason



### LEGEND

SOIL HORIZON  
SAMPLE LOCATION  
HORIZON CONTACT

SAMPLE No.	DEPTH
Baggie	2
Baggie	3 & 4
Baggie	6.5
Bucket	7.5
Baggie	5

SOIL UNIT	SOIL DESCRIPTION AND EXCAVATION NOTES
1	0-2' loose, tan, fine SAND, some silt, w/ roots, moist
2	2'-5' stiff, whitish tan, very calcareous CLAY, with silt and sand, some gravel and cobbles, slightly moist
3	5'-6.5' stiff, reddish brown, sandy CLAY, some silt
4	6.5'-15' slightly hard, reddish brown, slightly weathered, CLAYSTONE/ SILTSTONE, slightly moist, blocky, greenish-grey siltstone lenses
5	15'-19' very hard, brownish red, SILTSTONE, slightly moist


### SPECIAL NOTES:

No water encountered  
Pocket penetrometer maxed out at 10'-15'

Project No: 602	Design By: 	Scale: 	Triassic Park Landfill
File: 	Drawn By: 	Date: 	
TerraMatrix Engineering & Environmental Services 1675 Pine Grove Road, P.O. Box 774018 Steamboat Springs, Colorado 80477	Test Pit No: 3	Figure No. 	TEST PIT # 3

GENERAL LOCATION: TP-4  
PIT TREND: \_\_\_\_\_

DATE: 8/18/97  
ENGINEER: D Gleason



#### LEGEND

SOIL HORIZON  
SAMPLE LOCATION  
HORIZON CONTACT

SAMPLE No.	DEPTH
Eggs	5' to 7'
Baggie	5' to 9'
Bucket	14'
Baggie	20'

SOIL UNIT	SOIL DESCRIPTION AND EXCAVATION NOTES
1	0'-6' Loose to loose, tan, fine, SAND, some silt, rods to 3', moist
2	6'-11' slightly stiff to stiff, whitish tan, calcareous, CLAY, with sand and gravel, some cobbles, slightly moist
3	11'-16' slightly hard, reddish brown, CLAYSTONE/MUDSTONE, slightly moist
4	16'-22' Hard to very hard, reddish brown, SILTSTONE, trace clay, greenish-grey SILTSTONE lenses

#### SPECIAL NOTES:

No water encountered

Pocket penetrometer maxed out at 5'-6.5'

Project No. 602	Design By: _____	Scale: _____
File:	Drawn By: _____	Date: _____


Triassic Park Landfill

TerraMatrix Engineering & Environmental Services 1675 Pine Grove Road, P.O. Box 174018 Steamboat Springs, Colorado 80487	Test Pit No.: 4 Figure No.: _____
---	--------------------------------------

TEST PIT #4

GENERAL LOCATION: TP-5  
PIT TREND: \_\_\_\_\_

DATE: 8/18/97  
ENGINEER: D. Gleason



SAMPLE No.	DEPTH
Bucket	6'
Baggie	17'
Bucket	18'

SOIL UNIT	SOIL DESCRIPTION AND EXCAVATION NOTES
1	0-2' Loose, tan, fine SAND, some silt, moist, w/ roots
2	2'-7' Dense, brownish red, fine, Silty SAND, slightly moist
3	7'-12' Stiff, brown, calcareous CLAY, with SAND, slightly moist.
4	12'-13' Gravelly, clay lens
5	13'-18' Hard, dark brown, mudstone/CLAY/stone, slightly moist
6	18'-23' slightly hard, reddish brown, sandy SILTSTONE

SPECIAL NOTES:

No water encountered

Pocket penetrometer maxed out at 13'-17'

Project No.: 602	Design By:	Scale:	Triassic Park Landfill
File:	Drawn By:	Date:	
TerraMatrix Engineering & Environmental Services 1475 Poco Creek Road, P.O. Box 774018 Steamboat Springs, Colorado 80477	Test Pit No.: 5 Figure No.	TEST PIT # 5	

## INTERFACE TESTING

An interface shear testing program was conducted as outlined below:

The testing program consisted of the following:

- Three direct shear tests of the entire liner section run at three different normal loads of 2000 psf, 8,000 psf, and 14,000 psf.
- The liner section consists of the following (from top to bottom, see attached figure):
  - Protective soil
  - Geocomposite
  - Textured HDPE Geomembrane
  - GCL (non woven side up, in contact with textured HDPE)
  - Recompacted clay subgrade
- The GCL was be saturated for a minimum of 72 hours under a normal load of 200 psf prior to testing.
- The protective soil was be compacted at a moisture content of approximately 7% and to a dry density of approximately 95 pcf.
- The recompacted clay subgrade was compacted at a moisture content of 12.2% and to a dry density of 114.3 pcf.
- The liner section was assembled and allowed to sit for 1 to 2 hours under the normal loads specified prior to shearing.
- The shear rate was 0.04 cm/sec.

The results of the testing program are presented on pages 2 and 3.



Soil-Geosynthetic Interaction  
Testing Laboratory  
5775 Peachtree Dunwoody Road, Suite 11D  
Atlanta, Georgia 30342 • USA  
Tel. (404) 705-9500 • Fax (404) 705-9300

11 December 1997

Mr. Paul Pellicer  
TerraMatrix Montgomery Watson  
1475 Pine Grove Road, Suite 109  
P.O. Box 774018  
Steamboat Springs, Colorado 80477

Subject: Final Report  
Interface Direct Shear Testing  
TerraMatrix Project No. 602

Dear Mr. Pellicer:

GeoSyntec Consultants (GeoSyntec) is pleased to present the enclosed final report on the interface direct shear testing performed for TerraMatrix Montgomery Watson (TerraMatrix) for the TerraMatrix Project No. 602. The testing program was conducted in accordance with the test procedures defined in the 3 October 1997 letter prepared by Mr. Paul Pellicer of TerraMatrix and transmitted to Mr. Robert H. Swan, Jr. of GeoSyntec. All of the interface direct shear testing was conducted at GeoSyntec's Soil-Geosynthetic Interaction Testing Laboratory located in Atlanta, Georgia.

GeoSyntec appreciates the opportunity to provide laboratory testing services to TerraMatrix for the TerraMatrix Project No. 602. Should you have any questions regarding the enclosed report, please do not hesitate to contact any of the undersigned.

Sincerely,

Zehong Yuan, Ph.D., P.E. (Georgia)  
Assistant Program Manager

Robert H. Swan, Jr.  
Laboratory Manager

Gary R. Schmertmann, P.E. (Georgia)  
Senior Project Engineer


Enclosure

GLI0406/SGI97133

Corporate Office:  
621 N.W. 53rd Street • Suite 650  
Boca Raton, Florida 33487 • USA  
Tel. (407) 995-0900 • Fax (407) 995-0925

Regional Offices:  
Atlanta, GA • Austin, TX • Boca Raton, FL • Chicago, IL • Columbia, MD  
Huntington Beach, CA • San Antonio, TX • Walnut Creek, CA  
Brussels, Belgium • Nancy, France

Laboratories:  
Atlanta, G.  
Boca Raton, F.  
Huntington Beach, C.



*Prepared for*

**TerraMatrix Montgomery Watson**

1475 Pine Grove Road, Suite 109

P.O. Box 774018

Steamboat Springs, Colorado 80477

**FINAL REPORT  
INTERFACE DIRECT SHEAR TESTING  
TERRAMATRIX PROJECT NO. 602**

*Prepared by*



**GEOSYNTEC CONSULTANTS**

**Soil-Geosynthetic Interaction Testing Laboratory**

**5775 Peachtree Dunwoody Road, Suite 11D**

**Atlanta, Georgia 30342**

**Project Number GLI0406**

**11 December 1997**

## 1. INTRODUCTION

This report was prepared by Mr. Robert H. Swan, Jr. and Dr. Zehong Yuan, P.E. (Georgia), both of GeoSyntec Consultants (GeoSyntec), Atlanta, Georgia. The report was reviewed by Dr. Gary R. Schmertmann, P.E. (Georgia), also of GeoSyntec, in accordance with the internal peer review policy of the firm. The laboratory testing program described in this report was performed at the request and authorization of Mr. Paul Pellicer of TerraMatrix Montgomery Watson (TerraMatrix), Steamboat Springs, Colorado.

TerraMatrix authorized GeoSyntec to undertake a laboratory testing program to evaluate the interface shearing resistance between two site soils (i.e., protective soil and clay subgrade soil) and three geosynthetic materials (i.e., geomembrane, geocomposite, and geosynthetic clay liner (GCL)) for the TerraMatrix Project No. 602. GeoSyntec understands that the sample preparation procedures and testing conditions used in the testing program were selected by Mr. Pellicer of TerraMatrix to model anticipated field conditions. All of the interface direct shear testing was conducted at GeoSyntec's Soil-Geosynthetic Interaction Testing Laboratory located in Atlanta, Georgia.

## 2. TESTING PROGRAM

### 2.1 Scope

The testing program consisted of two interface direct shear test series. Each interface direct shear test series consisted of three tests.

### 2.2 Testing Methods

The interface direct shear tests were performed in accordance with the American Society for Testing and Materials (ASTM) Standard Test Method D 5321, "*Determining the Coefficient of Soil and Geosynthetic or Geosynthetic and Geosynthetic Friction by the Direct Shear Method*". The tests were conducted in a large direct shear device containing an upper and lower shear box. The upper shear box measured 12 in. by 12 in. (300 mm by 300 mm) in plan and 3 in. (75 mm) in depth. The lower shear box measured 12 in. by 14 in. (300 mm by 350 mm) in plan and 3 in. (75 mm) in depth.

### **2.3      Geosynthetic and Soil Materials**

The geosynthetic and soil materials used in the testing program are presented in Appendix A. The soil materials were provided to GeoSyntec by TerraMatrix. TerraMatrix arranged to have each geosynthetic manufacturer ship their geosynthetic materials directly to GeoSyntec for testing.

### **2.4      Test Configuration and Procedures**

The configuration of the test specimens and the specific test procedures used to conduct the interface direct shear tests are presented in Appendix B. GeoSyntec understands that the test procedures and test conditions were selected by TerraMatrix to model anticipated field conditions.

## **3.        TEST RESULTS**

### **3.1      Failure Modes**

For Test Series 1, sliding (i.e., shear failure) was observed to occur at the interface between the nonwoven geotextile of the GCL and the geomembrane for the test conducted at the normal stress of 14 psi (98 kPa), and within the GCL for the tests conducted at normal stresses of 56 and 100 psi (392 and 700 kPa). For Test Series 2, shear failure was observed to occur at the interface between the protective soil and the geocomposite for the test conducted at the normal stress of 100 psf (5 kPa), and at the interface between the woven geotextile of the GCL and the clay subgrade soil for the tests conducted at normal stresses of 300 and 500 psf (15 and 24 kPa).

### **3.2      Data Presentation**

For each of the interface direct shear tests, the total-stress shearing resistance was evaluated for each applied normal stress. The test data were plotted on a graph of shear force versus horizontal displacement. The resulting plots are presented in Appendix C. The peak value of shear force was used to calculate the peak shear strength. For this report, the large displacement shear strength ( $r_{LD}$ ) was calculated using the shear force measured at the end of each test. No area correction was used when computing normal and shear stresses because each test was performed using a constant effective sample area (i.e., the area of the geosynthetic specimen and/or lower shear box was larger than that of the upper shear box).

The calculated shear strengths were plotted on a graph of shear stress versus normal stress and the results were used to evaluate total-stress peak and large displacement shear strength envelopes. A best-fit straight line was drawn through the data points from each test series to obtain the corresponding total-stress peak and large displacement shear strength friction angles and adhesions. The coefficient of correlation ( $R^2$ ), a standard statistical indicator of how well the best-fit line matches the test data, was obtained for each best-fit line. The summary plots of shear stress versus normal stress for each test series are also presented in Appendix C. The friction angles, adhesions, and  $R^2$  values derived from the plotted test results are presented in Table 1.

For each test series, it is noted that the reported total-stress shear strength parameters of friction angle and adhesion were determined based on the best-fit straight line drawn through the test data on a plot of shear stress versus normal stress. Caution should be exercised in using these shear strength parameters for applications involving normal stresses outside the range of stresses covered by each test series.

#### 4. CLOSURE

The reported results apply only to the materials and test conditions used in the laboratory testing program. The results do not necessarily apply to other materials or test conditions. The test results should not be used in engineering analyses unless the test conditions model the anticipated field conditions. The testing was performed in accordance with general engineering testing standards and requirements. This testing report is submitted for the exclusive use of TerraMatrix.

**TABLE 1**  
**INTERFACE DIRECT SHEAR TEST RESULTS**  
**MEASURED TOTAL STRESS SHEAR STRENGTH PARAMETERS**  
**TERRAMATRIX MONTGOMERY WATSON**  
**TERRAMATRIX PROJECT NO. 602**

Test Series Number	Interfaces Tested <sup>(1)</sup>	Normal Stress	Peak Strength <sup>(2)</sup>			Large Displacement Strength <sup>(2,3)</sup>			Reference Appendix Figure Numbers
			Friction Angle	Adhesion (psf)	R <sup>2</sup>	Friction Angle	Adhesion (psf)	R <sup>2</sup>	
1	Protective Soil/NSC TN3002-1125 Geocomposite/60-mil NSC Textured HDPE Geomembrane/Hydrated Bentofix NS GCL with Nonwoven Geotextile Against Geomembrane/Clay Subgrade Soil Under Consolidated Conditions	14 to 100 psf	9°	650	0.951	2°	440	0.977	C-1 and C-2
2	Protective Soil/NSC TN3002-1125 Geocomposite/60-mil NSC Textured HDPE Geomembrane/Hydrated Bentofix NS GCL with Nonwoven Geotextile Against Geomembrane/Clay Subgrade Soil Under Consolidated Conditions	100 to 500 psf	33°	18	0.999	31°	15	1.000	C-3 and C-4

Notes: (1) See Appendix B for detailed test conditions and procedures. For each test, sliding (i.e., shear failure) was observed to occur at a specific interface or within the GCL as described in Section 3 of the report.

(2) The reported total-stress shear strength parameters for each test series were determined from a best-fit line drawn through the test data. Caution should be exercised in using these shear strength parameters for applications involving normal stresses outside the range of stresses covered by each test series. The value of R<sup>2</sup>, the coefficient of correlation, provides an indication of how well the best-fit shear strength parameters match the test data.

(3) The large displacement shear strength ( $\tau_{LD}$ ) was calculated using the shear force measured at the end of each test.

**APPENDIX A**

**GEOSYNTHETIC AND SOIL MATERIALS**

## Geosynthetic Materials

Three geosynthetic materials were used in the testing program. These materials are referenced by name in this report, and include:

- 60-mil (1.5-mm) thick National Seal Company (NSC) textured high density polyethylene (HDPE) geomembrane, referred to as 60-mil NSC textured HDPE geomembrane;
- NSC TN3002-1125 geocomposite consisting of a Trevira 1125 nonwoven geotextile heat-bonded to each side of a NSC PN3000 geonet component, referred to as NSC TN3002-1125 geocomposite; and
- NSC Bentofix NS GCL consisting of a woven geotextile on one side of the bentonite component and a nonwoven geotextile on the other side of the bentonite component, needle-punched and thermally-locked together forming the finished product, referred to as Bentofix NS GCL.

TerraMatrix arranged to have NSC ship the bulk samples of the three geosynthetic materials directly to GeoSyntec for testing.

## Soil Materials

Two site soil materials (i.e., protective soil and clay subgrade soil) were used in the testing program. Bulk samples of the two soil materials were obtained from the project by TerraMatrix and provided to GeoSyntec for testing.

**APPENDIX B**

**TEST PROCEDURES AND  
TEST CONDITIONS**

**TEST PROCEDURES AND CONDITIONS**  
**TEST SERIES NUMBER: 1**

**Test Specimen Configuration (from top to bottom) and Placement Conditions:**

- upper shear box: protective soil initially placed at a dry unit weight of 94.9 to 95.0pcf and a moisture content of 6.7 to 6.8%. Final moisture content ranged from 6.2 to 6.5% for the test series;
- NSC TN3002-1125 geocomposite;
- 60-mil NSC textured HDPE geomembrane;
- Bentofix NS GCL with nonwoven geotextile against geomembrane. GCL's initial moisture content was 13.0%. GCL's final moisture content ranged from 73% to 90% for the test series; and
- lower shear box: clay subgrade soil initially placed at a dry unit weight of 114.1 to 114.8pcf and a moisture content of 12.3 to 12.6%. Final moisture content ranged from 12.6 to 13.8% for the test series.

**Test Interface:** upper soil against geocomposite against geomembrane against GCL against lower soil.

**Test Procedures for Each Normal Stress Condition:**

- GCL Hydration: a fresh specimen of GCL was trimmed from the bulk sample and hydrated in tap water for 72 hours under a normal stress of 200 psf.
- A fresh specimen of the lower soil was compacted into the lower shear box. The initial target dry unit weight and moisture content were 114.3 pcf and 12.2%, respectively, as specified by TerraMatrix.
- The hydrated GCL specimen, and fresh specimens of geomembrane and geocomposite trimmed from each bulk sample were placed on top of the lower soil, but not attached to either of the lower or upper shear boxes. The GCL was oriented so that the nonwoven geotextile component of the GCL was in contact with the geomembrane. With this method of specimen preparation, shear failure would likely occur at the weakest interface within the test cross section.
- A fresh specimen of the upper soil was compacted directly on top of the geocomposite. The initial target dry unit weight and moisture content were 95.0 pcf and 7.0%, respectively, as specified by TerraMatrix.
- Consolidation conditions: the entire test specimen was consolidated for 1 hour under each test normal stress prior to being sheared.
- Test normal stresses: 14, 56, and 100 psi.
- Constant shear displacement rate: 0.04 in/min.
- The direction of shear for each interface direct shear test was in the direction of manufacture (machine direction) of the geosynthetic samples.
- Each test was sheared until a minimum total shear displacement of 2 in. was achieved.

**TEST PROCEDURES AND CONDITIONS**  
**TEST SERIES NUMBER: 2**

**Test Specimen Configuration (from top to bottom) and Placement Conditions:**

- upper shear box: protective soil initially placed at a dry unit weight of 95.1 to 95.5pcf and a moisture content of 6.5 to 6.9%. Final moisture content ranged from 6.2 to 6.3% for the test series;
- NSC TN3002-1125 geocomposite;
- 60-mil NSC textured HDPE geomembrane;
- Bentofix NS GCL with nonwoven geotextile against geomembrane. GCL's initial moisture content was 12.8%. GCL's final moisture content ranged from 86% to 98% for the test series; and
- lower shear box: clay subgrade soil initially placed at a dry unit weight of 113.9 to 114.3 pcf and a moisture content of 12.0 to 12.5%. Final moisture content ranged from 12.8 to 13.5% for the test series.

**Test Interface:** upper soil against geocomposite against geomembrane against GCL against lower soil.


**Test Procedures for Each Normal Stress Condition:**

- GCL Hydration: a fresh specimen of GCL was trimmed from the bulk sample and hydrated in tap water for 45 hours under a normal stress of 200 psf.
- A fresh specimen of the lower soil was compacted into the lower shear box. The initial target dry unit weight and moisture content were 114.3 pcf and 12.2%, respectively, as specified by TerraMatrix.
- The hydrated GCL specimen, and fresh specimens of geomembrane and geocomposite trimmed from each bulk sample were placed on top of the lower soil, but not attached to either of the lower or upper shear boxes. The GCL was oriented so that the nonwoven geotextile component of the GCL was in contact with the geomembrane. With this method of specimen preparation, shear failure would likely occur at the weakest interface within the test cross section.
- A fresh specimen of the upper soil was compacted directly on top of the geocomposite. The initial target dry unit weight and moisture content were 95.0 pcf and 7.0%, respectively, as specified by TerraMatrix.
- Consolidation conditions: the entire test specimen was consolidated for 1 hour under each test normal stress prior to being sheared.
- Test normal stresses: 100, 300, and 500 psf.
- Constant shear displacement rate: 0.04 in/min.
- The direction of shear for each interface direct shear test was in the direction of manufacture (machine direction) of the geosynthetic samples.
- Each test was sheared until a minimum total shear displacement of 2 in. was achieved.

## **APPENDIX C**

## **TEST RESULTS**

TERRAMATRIX MONTGOMERY WATSON  
INTERFACE DIRECT SHEAR TESTING



- NOTES:
- (1) The shear box size was 12 in. by 12 in. (300 mm by 300 mm), and the contact area remained constant throughout the entire test.
  - (2) Shear failure was observed to occur within the GCL.
  - (3) Shear failure was observed to occur at the interface between the GCL and the geomembrane.


DATE TESTED: 4 TO 7 OCTOBER 1997



GEO SYNTAC CONSULTANTS  
SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

FIGURE NO.	C-1
PROJECT NO.	GLI0406
DOCUMENT NO.	SGI97133
FILE NO.	

TERRAMATRIX MONTGOMERY WATSON  
INTERFACE DIRECT SHEAR TESTING



NOTES: (1) The reported total-stress shear strength parameters of friction angle and adhesion were determined from a best-fit line drawn through the test data. Caution should be exercised in using the strength parameters for applications involving normal stresses outside the range of stresses covered by the test series.  
(2) The large displacement shear strength ( $\tau_{LD}$ ) was calculated using the shear force at the end of each test.  
(3) Shear failure was observed to occur within the GCL.  
(4) Shear failure was observed to occur at the interface between the GCL and the geomembrane.


DATE TESTED: 4 TO 7 OCTOBER 1997



GEOSYNTEC CONSULTANTS  
SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

FIGURE NO.	C-2
PROJECT NO.	GLI0406
DOCUMENT NO.	SGI97133
FILE NO.	

TERRAMATRIX MONTGOMERY WATSON  
INTERFACE DIRECT SHEAR TESTING



- NOTES: (1) The shear box size was 12 in. by 12 in. (300 mm by 300 mm), and the contact area remained constant throughout the entire test.  
 (2) Shear failure was observed to occur at the interface between the protective soil and the geocomposite.  
 (3) Shear failure was observed to occur at the interface between the GCL and the clay subgrade soil.


DATE TESTED: 7 TO 9 OCTOBER 1997



GeoSyntec Consultants  
SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

FIGURE NO.	C-3
PROJECT NO.	GLI0406
DOCUMENT NO.	SGI97133
FILE NO.	

TERRAMATRIX MONTGOMERY WATSON  
INTERFACE DIRECT SHEAR TESTING



NOTES: (1) The reported total-stress shear strength parameters of friction angle and adhesion were determined from a best-fit line drawn through the test data. Caution should be exercised in using the strength parameters for applications involving normal stresses outside the range of stresses covered by the test series.  
(2) The large displacement shear strength ( $\tau_{ld}$ ) was calculated using the shear force at the end of each test.  
(3) Shear failure occurred at the protective soil-geocomposite interface.  
(4) Shear failure occurred at the GCL-clay subgrade soil interface.

DATE TESTED: 7 TO 9 OCTOBER 1997



GEOSYNTEC CONSULTANTS  
SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

FIGURE NO.	C-4
PROJECT NO.	GLI0406
DOCUMENT NO.	SGI97133
FILE NO.	

**Attachment BB**

**Engineering Calculations**



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-1

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Cut Slope Stability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Heiliger Date: 11/3/97

**Checked By:** John Pellicer **Date:** 11/12/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



## Cut Slope Stability

**Objective** Evaluate Cut slope stability for 3H:1V side slopes.

**Method** Use XSTABL (ver 5.200) to analyze cut slope stability.

- Assumptions:**
- Cut slopes are unsaturated
  - Cut slopes are in the Upper Dockum
  - Strength properties for the Upper Dockum will be used for the Lower Dockum which is a tighter formation (therefore conservative)
  - The upper silty sands will be assumed to be Upper Dockum since this is primarily driving force only.

**Calculation:** Use Cross-Section cut through the North end of the Cell (see pg. 3+4).

C/I RATIO IS FOR NORMAL CONSOLIDATION SOIL THICKNESS, TEST SHEAR STRENGTH NOT CONSULTED. AREA, RIDE TURBULENCE OF PECK PENETRATION INDICATED C=2,000-2,000 PSF

Using an average plasticity index for the Upper Dockum = 27 (see pg 5) use Figure 18.4 from Terzaghi + Peck (pg 6) to correlate to a C/I Value for the upper Dockum material = 0.2.

Next the slope was layered using an arbitrary layer thickness of 20 ft to below the base of the excavation. (see pg 4)

The average Normal stress for each slice was then determined assuming an in-situ unit weight of the upper dockum of 110 psf and an average C was calculated for each layer.

Average Layer Depth	Normal Stress (F)	C
10'	1100 psf	220 p
30'	3300 psf	660 p
50'	5500 psf	1100 p
70'	7700 psf	1540 p
90'	9900 psf	1980 p
110'	12,100 psf	2420 p
130'	14,300 psf	2960 ps



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: Rabbit Park  
Project Number: 602 Sheet: 2 of 34  
Prepared By: P. Petricer Date: Nov 3, 1997  
Checked By: J. Miller Date: 12-Nov-97

These strength parameters were entered into the XSTABL program and a Janbu Circular Failure Search was initiated.

The minimum static factor of safety found = 1.4 (see pg 9-21)

#### Dynamic analysis.

Using the United States Department of the Interior Geological Survey "Probabilistic Estimates of Maximum Acceleration and Velocity in rock in the contiguous United States" Algermissen S.T., et. al, 1982 (see pg 749)


The maximum ground acceleration for the site associated w/ 90% probability of not being exceeded in 250 yrs earthquake = 0.04 g.

Using a ground acceleration = 0.09 g,  
Results in a pseudo-static factor of safety = 1.2. (see pg 22-34)


Conclusion: The parameters in this calculation are very conservative. The static F.S. = 1.4 and the pseudo static F.S. = 1.2. Therefore the cut slopes should be considered stable.

Due to the temporary nature of the cut slope, a safety less than 1.5 was accepted.

3-NOV-97



L = L 3 -  
602-0202  
FMP  
3-Nov-7-



## **SUMMARY OF LABORATORY TEST RESULTS**

Project Name: Gandy

**Project Location:**

Project No.: 790-12101 Technician: DCP

Date: 9-10-97



**TerraMatrix**  
Engineering & Materials Testing Bureau  
50000 Mainst. Atlanta  
Georgia Bureau, Colorado Model

## SUMMARY OF LABORATORY TEST RESULTS

Pmp  
3-Nor-α<sub>2</sub>

6 of 34  
602-0200  
3-Nov-97  
117 pmp




Fig. 18.4. (a) Mohr rupture diagram for calculating relation between  $c$  and  $\bar{p}$ , for consolidated-drained test. (b) Statistical relation between  $c/\bar{p}$  ratio and plasticity index (after Skempton 1957).

tivity. Some natural clay deposits, moreover, consist of a mixture of particles of fairly uniform fine sand and clay. While sedimentation proceeds, the simultaneous deposition of the flaky constituents of the finest fraction and of the equidimensional sand grains interferes with the rolling of the sand grains into stable arrangements. Therefore, if the sand grains touch each other, their configuration may be as metastable as that of true quicksands. However, the interstices between the sand grains are occupied by the clay-size materials which acquire, as a result of such physico-chemical processes as thixotropy and syneresis, appreciable strength as sedimentation proceeds. As a consequence, although the clay is sensitive, it does not exhibit the properties of true quicksands. In many respects, the states of transition from loose sand

3 1819 00069223


602-02+N  
Pmf  
3-Nov-97

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algerssen, D. M. Perkins, P. C. Thenhaus,  
S. L. Hanson and B. L. Bender





Open-File Report 82-1033

1982

This report is preliminary and has not been reviewed for conformity with U.S.  
Geological Survey editorial standards.

JUL 27  
10 '90





XSTABL File: GANSUB2 11-04-97 10:13

10-234  
502-0214  
YMP  
3-NJY-9

\*\*\*\*\*  
\* X S T A B L \*  
\*  
\* Slope Stability Analysis \*  
\* using the \*  
\* Method of Slices \*  
\*  
\* Copyright (C) 1992 - 96 \*  
\* Interactive Software Designs, Inc. \*  
\* Moscow, ID 83843, U.S.A. \*  
\*  
\* All Rights Reserved \*  
\*  
\* Ver. 5.200 96 - 1216 \*  
\*\*\*\*\*

Problem Description : Gandy Excavated Slopes Stability

-----  
SEGMENT BOUNDARY COORDINATES  
-----

7 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	200.0	589.1	185.0	5
2	589.1	185.0	632.0	199.3	5
3	632.0	199.3	692.0	219.3	4
4	692.0	219.3	752.0	239.3	3
5	752.0	239.3	812.0	259.3	2
6	812.0	259.3	872.0	279.3	1
7	872.0	279.3	1029.2	279.3	1

6 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	812.0	259.3	1029.2	259.3	2
2	752.0	239.3	1029.2	239.3	3
3	692.0	219.3	1029.2	219.3	4
4	632.0	199.3	1029.2	199.3	5
5	.0	179.3	1029.2	179.3	6
6	.0	159.3	1029.2	159.3	7

-----  
ISOTROPIC Soil Parameters  
-----

11 o + 3

6.2-020

PMP

3-N14-

7 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surfac		
Unit No.	Moist (pcf)	Sat. (pcf)	Intercept (psf)	Angle (deg)	Parameter Ru	Constant (psf)	No.
1	110.0	110.0	220.0	.00	.000	.0	0
2	110.0	110.0	660.0	.00	.000	.0	0
3	110.0	110.0	1100.0	.00	.000	.0	0
4	110.0	110.0	1540.0	.00	.000	.0	0
5	110.0	110.0	1980.0	.00	.000	.0	0
6	110.0	110.0	2420.0	.00	.000	.0	0
7	110.0	110.0	2860.0	.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating CIRCULAR surfaces has been specified.

900 trial surfaces will be generated and analyzed.

30 Surfaces initiate from each of 30 points equally spaced along the ground surface between  $x = 450.0$  ft  
and  $x = 650.0$  ft

Each surface terminates between  $x = 800.0$  ft  
and  $x = 950.0$  ft

Unless further limitations were imposed, the minimum elevation at which a surface extends is  $y = .0$  ft

\* \* \* \* \* DEFAULT SEGMENT LENGTH SELECTED BY XSTABL \* \* \* \* \*

10.0 ft line segments define each trial failure surface.

-----  
**ANGULAR RESTRICTIONS**  
-----

The first segment of each failure surface will be inclined within the angular range defined by :

Lower angular limit := -45.0 degrees  
Upper angular limit := (slope angle - 5.0) degrees

\*\*\*\*\*  
-- WARNING -- WARNING -- WARNING -- WARNING -- (# 48)  
\*\*\*\*\*  
Negative effective stresses were calculated at the base of a slice.

This warning is usually reported for cases where slices have low self weight and a relatively high "c" shear strength parameter. In such cases, this effect can only be eliminated by reducing the "c" value.

---

-----  
USER SELECTED option to maintain strength greater than zero  
-----

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 40 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	608.62	191.51
2	617.47	186.84
3	626.49	182.53
4	635.68	178.58
5	645.01	175.01
6	654.49	171.80
7	664.08	168.98
8	673.78	166.54
9	683.56	164.48
10	693.43	162.82
11	703.35	161.55
12	713.31	160.68
13	723.30	160.21
14	733.30	160.13
15	743.29	160.45
16	753.26	161.17
17	763.20	162.28
18	773.09	163.79
19	782.90	165.70
20	792.64	167.99
21	802.27	170.66
22	811.80	173.72
23	821.19	177.16
24	830.43	180.96
25	839.52	185.13
26	848.44	189.66
27	857.17	194.54
28	865.69	199.76
29	874.01	205.32
30	882.09	211.21
31	889.94	217.41
32	897.53	223.92
33	904.85	230.73
34	911.90	237.82
35	918.66	245.19

139-2-3  
602-1250  
PMP  
3-Nov-9

36	925.13	252.82
37	931.28	260.70
38	937.12	268.82
39	942.62	277.17
40	943.91	279.30

\*\* Corrected JANBU FOS = 1.437 \*\* (Fo factor = 1.099)

Failure surface No. 2 specified by 39 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	615.52	193.81
2	624.16	188.78
3	633.01	184.13
4	642.06	179.87
5	651.29	176.01
6	660.67	172.56
7	670.20	169.52
8	679.85	166.90
9	689.61	164.71
10	699.45	162.94
11	709.36	161.60
12	719.32	160.70
13	729.31	160.23
14	739.31	160.20
15	749.30	160.61
16	759.27	161.45
17	769.18	162.72
18	779.04	164.43
19	788.81	166.57
20	798.47	169.13
21	808.02	172.11
22	817.43	175.50
23	826.67	179.30
24	835.75	183.50
25	844.63	188.09
26	853.31	193.07
27	861.75	198.42
28	869.96	204.14
29	877.91	210.20
30	885.59	216.61
31	892.98	223.35
32	900.07	230.40
33	906.84	237.76
34	913.29	245.40
35	919.40	253.32
36	925.15	261.50
37	930.54	269.92
38	935.56	278.57
39	935.95	279.30

\*\* Corrected JANBU FOS = 1.438 \*\* (Fo factor = 1.103)

Failure surface No. 3 specified by 38 coordinate points

Point	x-surf	y-surf
-------	--------	--------

14-2-3  
GJZ-9204  
PMP  
3-N-4-27

No.	(ft)	(ft)
1	615.52	193.81
2	624.11	188.69
3	632.93	183.97
4	641.95	179.67
5	651.17	175.78
6	660.55	172.32
7	670.08	169.29
8	679.74	166.71
9	689.51	164.57
10	699.36	162.88
11	709.29	161.65
12	719.26	160.88
13	729.25	160.56
14	739.25	160.71
15	749.23	161.31
16	759.18	162.37
17	769.06	163.89
18	778.87	165.86
19	788.57	168.28
20	798.15	171.14
21	807.59	174.44
22	816.87	178.16
23	825.97	182.32
24	834.87	186.88
25	843.54	191.85
26	851.98	197.21
27	860.17	202.96
28	868.08	209.07
29	875.71	215.54
30	883.02	222.36
31	890.02	229.50
32	896.68	236.96
33	903.00	244.72
34	908.94	252.75
35	914.52	261.06
36	919.70	269.61
37	924.49	278.39
38	924.94	279.30

\*\* Corrected JANBU FOS = 1.439 \*\* (Fo factor = 1.105)

Failure surface No. 4 specified by 49 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	567.24	185.56
2	574.40	178.57
3	581.86	171.91
4	589.60	165.58
5	597.61	159.60
6	605.87	153.96
7	614.37	148.70
8	623.10	143.81
9	632.03	139.31
10	641.14	135.20
11	650.43	131.49

12	659.87	128.19
13	669.45	125.31
14	679.14	122.85
15	688.93	120.81
16	698.80	119.20
17	708.73	118.03
18	718.70	117.29
19	728.70	116.98
20	738.70	117.12
21	748.68	117.68
22	758.63	118.69
23	768.53	120.13
24	778.35	122.00
25	788.08	124.29
26	797.71	127.01
27	807.20	130.14
28	816.55	133.69
29	825.74	137.64
30	834.74	141.99
31	843.55	146.73
32	852.14	151.85
33	860.50	157.34
34	868.61	163.19
35	876.46	169.38
36	884.03	175.92
37	891.31	182.77
38	898.28	189.94
39	904.93	197.41
40	911.25	205.16
41	917.23	213.18
42	922.85	221.45
43	928.10	229.96
44	932.98	238.69
45	937.47	247.62
46	941.57	256.75
47	945.26	266.04
48	948.54	275.48
49	949.69	279.30

5-2-3  
052-02#3  
3-NIV-97  
PMP -

\*\* Corrected JANBU FOS = 1.442 \*\* (Fo factor = 1.118)

Failure surface No. 5 specified by 48 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	574.14	185.38
2	581.32	178.43
3	588.81	171.80
4	596.59	165.51
5	604.64	159.58
6	612.94	154.00
7	621.48	148.80
8	630.25	143.99
9	639.22	139.57
10	648.38	135.55
11	657.70	131.95
12	667.18	128.76
13	676.79	126.00

602-0200  
PMP  
3-N-4-97

14	686.52	123.67
15	696.33	121.77
16	706.23	120.31
17	716.18	119.29
18	726.16	118.71
19	736.16	118.58
20	746.15	118.89
21	756.12	119.65
22	766.05	120.85
23	775.92	122.49
24	785.70	124.57
25	795.38	127.07
26	804.94	130.01
27	814.36	133.37
28	823.62	137.14
29	832.70	141.32
30	841.59	145.90
31	850.27	150.88
32	858.71	156.23
33	866.92	161.95
34	874.85	168.03
35	882.51	174.46
36	889.88	181.22
37	896.94	188.31
38	903.68	195.69
39	910.08	203.38
40	916.14	211.34
41	921.83	219.55
42	927.15	228.02
43	932.10	236.71
44	936.65	245.62
45	940.80	254.71
46	944.54	263.99
47	947.87	273.42
48	949.65	279.30

\*\* Corrected JANBU FOS = 1.443 \*\* (Fo factor = 1.118)

Failure surface No. 6 specified by 40 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	608.62	191.51
2	617.53	186.97
3	626.61	182.78
4	635.84	178.94
5	645.22	175.45
6	654.72	172.33
7	664.33	169.58
8	674.04	167.19
9	683.84	165.18
10	693.70	163.54
11	703.62	162.29
12	713.59	161.41
13	723.57	160.92
14	733.57	160.81
15	743.57	161.09
16	753.55	161.74

17	763.49	162.78
18	773.39	164.20
19	783.23	166.00
20	792.99	168.17
21	802.66	170.71
22	812.23	173.63
23	821.67	176.91
24	830.99	180.55
25	840.16	184.54
26	849.17	188.88
27	858.00	193.56
28	866.65	198.58
29	875.10	203.92
30	883.34	209.59
31	891.36	215.57
32	899.14	221.85
33	906.68	228.42
34	913.96	235.28
35	920.97	242.41
36	927.70	249.80
37	934.15	257.45
38	940.29	265.34
39	946.13	273.46
40	950.00	279.30

12 of 3  
6/2 02M  
PMP  
3-NW-97

\*\* Corrected JANBU FOS = 1.444 \*\* (Fo factor = 1.098)

Failure surface No. 7 specified by 47 coordinate points

Poir No.	x-surf (ft)	y-surf (ft)
1	574.14	185.38
2	581.22	178.32
3	588.61	171.59
4	596.31	165.20
5	604.29	159.18
6	612.55	153.54
7	621.05	148.27
8	629.79	143.41
9	638.74	138.95
10	647.89	134.91
11	657.21	131.30
12	666.69	128.11
13	676.31	125.37
14	686.04	123.07
15	695.87	121.23
16	705.77	119.84
17	715.73	118.90
18	725.72	118.42
19	735.72	118.41
20	745.71	118.85
21	755.66	119.76
22	765.57	121.12
23	775.41	122.94
24	785.14	125.20
25	794.77	127.92
26	804.26	131.07
27	813.59	134.66

28	822.75	138.67
29	831.72	143.10
30	840.47	147.94
31	848.99	153.17
32	857.26	158.80
33	865.26	164.79
34	872.98	171.15
35	880.40	177.86
36	887.50	184.90
37	894.27	192.26
38	900.69	199.93
39	906.75	207.88
40	912.44	216.10
41	917.75	224.58
42	922.66	233.29
43	927.16	242.22
44	931.25	251.35
45	934.91	260.65
46	938.14	270.12
47	940.81	279.30

14 a-  
692-02  
PMP  
3-N 12-

\*\* Corrected JANBU FOS = 1.444 \*\* (Fo factor = 1.119)

Failure surface No. 8 specified by 50 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	553.45	185.91
2	560.52	178.84
3	567.89	172.08
4	575.53	165.63
5	583.45	159.52
6	591.61	153.74
7	600.01	148.32
8	608.64	143.26
9	617.47	138.57
10	626.49	134.26
11	635.69	130.33
12	645.04	126.80
13	654.54	123.67
14	664.16	120.94
15	673.89	118.62
16	683.71	116.72
17	693.60	115.24
18	703.54	114.17
19	713.52	113.53
20	723.52	113.31
21	733.52	113.52
22	743.50	114.15
23	753.44	115.20
24	763.33	116.68
25	773.15	118.57
26	782.88	120.88
27	792.50	123.59
28	802.00	126.71
29	811.36	130.24
30	820.56	134.15
31	829.59	138.46

32	838.43	143.14
33	847.06	148.19
34	855.47	153.60
35	863.64	159.37
36	871.56	165.47
37	879.21	171.91
38	886.58	178.67
39	893.66	185.73
40	900.44	193.08
41	906.89	200.72
42	913.02	208.62
43	918.81	216.78
44	924.24	225.17
45	929.32	233.79
46	934.02	242.61
47	938.35	251.63
48	942.29	260.82
49	945.83	270.17
50	948.86	279.30

1952  
302-028  
3-NIV-  
PMP

\*\* Corrected JANBU FOS = 1.445 \*\* (Fo factor = 1.118)

Failure surface No. 9 specified by 48 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	567.24	185.56
2	574.44	178.62
3	581.94	172.00
4	589.73	165.73
5	597.79	159.82
6	606.11	154.27
7	614.67	149.09
8	623.45	144.31
9	632.44	139.92
10	641.61	135.94
11	650.95	132.37
12	660.44	129.22
13	670.06	126.49
14	679.80	124.20
15	689.62	122.35
16	699.52	120.94
17	709.48	119.97
18	719.46	119.45
19	729.46	119.37
20	739.46	119.74
21	749.42	120.56
22	759.34	121.82
23	769.20	123.52
24	778.97	125.66
25	788.63	128.24
26	798.17	131.24
27	807.56	134.67
28	816.79	138.51
29	825.85	142.76
30	834.70	147.41
31	843.33	152.45
32	851.74	157.88

33	859.89	163.67
34	867.77	169.82
35	875.38	176.31
36	882.68	183.14
37	889.67	190.29
38	896.34	197.75
39	902.67	205.49
40	908.64	213.51
41	914.25	221.79
42	919.48	230.31
43	924.33	239.05
44	928.79	248.01
45	932.84	257.15
46	936.48	266.47
47	939.69	275.93
48	940.67	279.30

20 oC  
PMP  
3-NIV-7  
602-02

\*\* Corrected JANBU FOS = 1.445 \*\* (Fo factor = 1.118)

Failure surface No.10 specified by 47 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	581.03	185.21
2	588.21	178.24
3	595.70	171.61
4	603.48	165.33
5	611.54	159.42
6	619.87	153.88
7	628.44	148.72
8	637.23	143.97
9	646.24	139.62
10	655.43	135.68
11	664.80	132.17
12	674.31	129.10
13	683.96	126.46
14	693.71	124.27
15	703.56	122.52
16	713.48	121.23
17	723.44	120.39
18	733.43	120.01
19	743.43	120.08
20	753.42	120.62
21	763.37	121.61
22	773.26	123.05
23	783.08	124.95
24	792.81	127.29
25	802.41	130.07
26	811.88	133.29
27	821.19	136.94
28	830.32	141.02
29	839.26	145.50
30	847.98	150.39
31	856.47	155.68
32	864.71	161.35
33	872.68	167.38
34	880.37	173.78
35	887.75	180.52

36	894.82	187.60
37	901.56	194.98
38	907.95	202.67
39	913.99	210.65
40	919.65	218.89
41	924.93	227.38
42	929.82	236.10
43	934.30	245.04
44	938.37	254.18
45	942.02	263.49
46	945.24	272.96
47	947.08	279.30

210 C 3  
092-0244  
PMP  
3-N+V-7


\*\* Corrected JANBU FOS = 1.445 \*\* (Fo factor = 1.119)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Excavated Slopes Stability

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.437	1.099	608.62	943.91
2.	1.438	1.103	615.52	935.95
3.	1.439	1.105	615.52	924.94
4.	1.442	1.118	567.24	949.69
5.	1.443	1.118	574.14	949.65
6.	1.444	1.098	608.62	950.00
7.	1.444	1.119	574.14	940.81
8.	1.445	1.118	553.45	948.86
9.	1.445	1.118	567.24	940.67
10.	1.445	1.119	581.03	947.08

\* \* \* END OF FILE \* \* \*



2207  
602-02  
Pmg  
3-Nov

XSTABL File: GANSUB2Q 11-04-97 10:14

23-2  
002-0280  
PMP  
3-N+V-97

\*\*\*\*\*  
\* X S T A B L \*  
\*  
\* Slope Stability Analysis \*  
\* using the \*  
\* Method of Slices \*  
\*  
\* Copyright (C) 1992 à 96 \*  
\* Interactive Software Designs, Inc. \*  
\* Moscow, ID 83843, U.S.A. \*  
\*  
\* All Rights Reserved \*  
\*  
\* Ver. 5.200 96 à 1216 \*  
\*\*\*\*\*

Problem Description : Gandy Excavated Slopes Stability Q

-----  
SEGMENT BOUNDARY COORDINATES  
-----

7 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	200.0	589.1	185.0	5
2	589.1	185.0	632.0	199.3	5
3	632.0	199.3	692.0	219.3	4
4	692.0	219.3	752.0	239.3	3
5	752.0	239.3	812.0	259.3	2
6	812.0	259.3	872.0	279.3	1
7	872.0	279.3	1029.2	279.3	1

6 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	812.0	259.3	1029.2	259.3	2
2	752.0	239.3	1029.2	239.3	3
3	692.0	219.3	1029.2	219.3	4
4	632.0	199.3	1029.2	199.3	5
5	.0	179.3	1029.2	179.3	6
6	.0	159.3	1029.2	159.3	7

-----  
ISOTROPIC Soil Parameters  
-----

24 of  
602-9200  
PMP  
3-Nov-8  
Water  
Surfac  
No.

7 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water	Surface
Unit	Moist	Sat.	Intercept	Angle	Parameter	Constant
No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)
1	110.0	110.0	220.0	.00	.000	.0
2	110.0	110.0	660.0	.00	.000	.0
3	110.0	110.0	1100.0	.00	.000	.0
4	110.0	110.0	1540.0	.00	.000	.0
5	110.0	110.0	1980.0	.00	.000	.0
6	110.0	110.0	2420.0	.00	.000	.0
7	110.0	110.0	2860.0	.00	.000	.0

A horizontal earthquake loading coefficient  
of .040 has been assigned

A vertical earthquake loading coefficient  
of .000 has been assigned

A critical failure surface searching method, using a random  
technique for generating CIRCULAR surfaces has been specified.

900 trial surfaces will be generated and analyzed.

30 Surfaces initiate from each of 30 points equally spaced  
along the ground surface between x = 450.0 ft  
and x = 650.0 ft

Each surface terminates between x = 800.0 ft  
and x = 950.0 ft

Unless further limitations were imposed, the minimum elevation  
at which a surface extends is y = .0 ft

\* \* \* \* \* DEFAULT SEGMENT LENGTH SELECTED BY XSTABL \* \* \* \* \*

10.0 ft line segments define each trial failure surface.

-----  
ANGULAR RESTRICTIONS  
-----

The first segment of each failure surface will be inclined  
within the angular range defined by :

Lower angular limit := -45.0 degrees  
Upper angular limit := (slope angle - 5.0) degrees

250-  
602-0200  
3-Nov-9  
PMP

\*\*\*\*\*  
-- WARNING -- WARNING -- WARNING -- WARNING --- (# 48)  
\*\*\*\*\*

Negative effective stresses were calculated at the base of a slice.  
This warning is usually reported for cases where slices have low self  
weight and a relatively high "c" shear strength parameter. In such  
cases, this effect can only be eliminated by reducing the "c" value.  
\*\*\*\*\*

-----  
USER SELECTED option to maintain strength greater than zero  
-----

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined  
are displayed below - the most critical first

Failure surface No. 1 specified by 40 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	608.62	191.51
2	617.47	186.84
3	626.49	182.53
4	635.68	178.58
5	645.01	175.01
6	654.49	171.80
7	664.08	168.98
8	673.78	166.54
9	683.56	164.48
10	693.43	162.82
11	703.35	161.55
12	713.31	160.68
13	723.30	160.21
14	733.30	160.13
15	743.29	160.45
16	753.26	161.17
17	763.20	162.28
18	773.09	163.79
19	782.90	165.70
20	792.64	167.99
21	802.27	170.66
22	811.80	173.72
23	821.19	177.16
24	830.43	180.96
25	839.52	185.13
26	848.44	189.66
27	857.17	194.54

28	865.69	199.76
29	874.01	205.32
30	882.09	211.21
31	889.94	217.41
32	897.53	223.92
33	904.85	230.73
34	911.90	237.82
35	918.66	245.19
36	925.13	252.82
37	931.28	260.70
38	937.12	268.82
39	942.62	277.17
40	943.91	279.30

26-2  
602-020  
3-NVV-  
PMP

\*\* Corrected JANBU FOS = 1.258 \*\* (Fo factor = 1.099)

Failure surface No. 2 specified by 49 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	567.24	185.56
2	574.40	178.57
3	581.86	171.91
4	589.60	165.58
5	597.61	159.60
6	605.87	153.96
7	614.37	148.70
8	623.10	143.81
9	632.03	139.31
10	641.14	135.20
11	650.43	131.49
12	659.87	128.19
13	669.45	125.31
14	679.14	122.85
15	688.93	120.81
16	698.80	119.20
17	708.73	118.03
18	718.70	117.29
19	728.70	116.98
20	738.70	117.12
21	748.68	117.68
22	758.63	118.69
23	768.53	120.13
24	778.35	122.00
25	788.08	124.29
26	797.71	127.01
27	807.20	130.14
28	816.55	133.69
29	825.74	137.64
30	834.74	141.99
31	843.55	146.73
32	852.14	151.85
33	860.50	157.34
34	868.61	163.19
35	876.46	169.38
36	884.03	175.92
37	891.31	182.77
38	898.28	189.94

39	904.93	197.41
40	911.25	205.16
41	917.23	213.18
42	922.85	221.45
43	928.10	229.96
44	932.98	238.69
45	937.47	247.62
46	941.57	256.75
47	945.26	266.04
48	948.54	275.48
49	949.69	279.30

22.0  
642 - 02  
PMP  
; - NIV -

\*\* Corrected JANBU FOS = 1.261 \*\* (Fo factor = 1.118)

Failure surface No. 3 specified by 40 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	608.62	191.51
2	617.53	186.97
3	626.61	182.78
4	635.84	178.94
5	645.22	175.45
6	654.72	172.33
7	664.33	169.58
8	674.04	167.19
9	683.84	165.18
10	693.70	163.54
11	703.62	162.29
12	713.59	161.41
13	723.57	160.92
14	733.57	160.81
15	743.57	161.09
16	753.55	161.74
17	763.49	162.78
18	773.39	164.20
19	783.23	166.00
20	792.99	168.17
21	802.66	170.71
22	812.23	173.63
23	821.67	176.91
24	830.99	180.55
25	840.16	184.54
26	849.17	188.88
27	858.00	193.56
28	866.65	198.58
29	875.10	203.92
30	883.34	209.59
31	891.36	215.57
32	899.14	221.85
33	906.68	228.42
34	913.96	235.28
35	920.97	242.41
36	927.70	249.80
37	934.15	257.45
38	940.29	265.34
39	946.13	273.46
40	950.00	279.30

28.C

512-4

PMP

3-NIV-

\*\* Corrected JANBU FOS = 1.261 \*\* (Fo factor = 1.098)

Failure surface No. 4 specified by 48 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	574.14	185.38
2	581.32	178.43
3	588.81	171.80
4	596.59	165.51
5	604.64	159.58
6	612.94	154.00
7	621.48	148.80
8	630.25	143.99
9	639.22	139.57
10	648.38	135.55
11	657.70	131.95
12	667.18	128.76
13	676.79	126.00
14	686.52	123.67
15	696.33	121.77
16	706.23	120.31
17	716.18	119.29
18	726.16	118.71
19	736.16	118.58
20	746.15	118.89
21	756.12	119.65
22	766.05	120.85
23	775.92	122.49
24	785.70	124.57
25	795.38	127.07
26	804.94	130.01
27	814.36	133.37
28	823.62	137.14
29	832.70	141.32
30	841.59	145.90
31	850.27	150.88
32	858.71	156.23
33	866.92	161.95
34	874.85	168.03
35	882.51	174.46
36	889.88	181.22
37	896.94	188.31
38	903.68	195.69
39	910.08	203.38
40	916.14	211.34
41	921.83	219.55
42	927.15	228.02
43	932.10	236.71
44	936.65	245.62
45	940.80	254.71
46	944.54	263.99
47	947.87	273.42
48	949.65	279.30

\*\* Corrected JANBU FOS = 1.261 \*\* (Fo factor = 1.118)

29.2

612-925v

PMP

3-NW-9-

## Failure surface No. 5 specified by 39 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	615.52	193.81
2	624.16	188.78
3	633.01	184.13
4	642.06	179.87
5	651.29	176.01
6	660.67	172.56
7	670.20	169.52
8	679.85	166.90
9	689.61	164.71
10	699.45	162.94
11	709.36	161.60
12	719.32	160.70
13	729.31	160.23
14	739.31	160.20
15	749.30	160.61
16	759.27	161.45
17	769.18	162.72
18	779.04	164.43
19	788.81	166.57
20	798.47	169.13
21	808.02	172.11
22	817.43	175.50
23	826.67	179.30
24	835.75	183.50
25	844.63	188.09
26	853.31	193.07
27	861.75	198.42
28	869.96	204.14
29	877.91	210.20
30	885.59	216.61
31	892.98	223.35
32	900.07	230.40
33	906.84	237.76
34	913.29	245.40
35	919.40	253.32
36	925.15	261.50
37	930.54	269.92
38	935.56	278.57
39	935.95	279.30

\*\* Corrected JANBU FOS = 1.262 \*\* (Fo factor = 1.103)

## Failure surface No. 6 specified by 50 coordinate points ..

Point No.	x-surf (ft)	y-surf (ft)
1	553.45	185.91
2	560.52	178.84
3	567.89	172.08
4	575.53	165.63
5	583.45	159.52
6	591.61	153.74

7	600.01	148.32
8	608.64	143.26
9	617.47	138.57
10	626.49	134.26
11	635.69	130.33
12	645.04	126.80
13	654.54	123.67
14	664.16	120.94
15	673.89	118.62
16	683.71	116.72
17	693.60	115.24
18	703.54	114.17
19	713.52	113.53
20	723.52	113.31
21	733.52	113.52
22	743.50	114.15
23	753.44	115.20
24	763.33	116.68
25	773.15	118.57
26	782.88	120.88
27	792.50	123.59
28	802.00	126.71
29	811.36	130.24
30	820.56	134.15
31	829.59	138.46
32	838.43	143.14
33	847.06	148.19
34	855.47	153.60
35	863.64	159.37
36	871.56	165.47
37	879.21	171.91
38	886.58	178.67
39	893.66	185.73
40	900.44	193.08
41	906.89	200.72
42	913.02	208.62
43	918.81	216.78
44	924.24	225.17
45	929.32	233.79
46	934.02	242.61
47	938.35	251.63
48	942.29	260.82
49	945.83	270.17
50	948.86	279.30

Page 3 of 3  
602-0200  
3-Nov-97  
PMP

\*\* Corrected JANBU FOS = 1.263 \*\* (Fo factor = 1.118)

Failure surface No. 7 specified by 48 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	581.03	185.21
2	588.11	178.14
3	595.51	171.41
4	603.20	165.02
5	611.18	158.99
6	619.42	153.33
7	627.92	148.06

8	636.65	143.18	31 Oct 93
9	645.59	138.70	PMF
10	654.73	134.64	692 - 02+4
11	664.04	130.99	3-Nov-93
12	673.51	127.78	
13	683.12	125.01	
14	692.84	122.67	
15	702.66	120.79	
16	712.56	119.35	
17	722.51	118.37	
18	732.49	117.84	
19	742.49	117.77	
20	752.49	118.16	
21	762.45	119.01	
22	772.37	120.30	
23	782.21	122.06	
24	791.97	124.26	
25	801.61	126.90	
26	811.12	129.98	
27	820.49	133.49	
28	829.68	137.43	
29	838.68	141.78	
30	847.48	146.54	
31	856.04	151.70	
32	864.37	157.25	
33	872.43	163.17	
34	880.21	169.45	
35	887.69	176.08	
36	894.87	183.04	
37	901.72	190.33	
38	908.23	197.92	
39	914.38	205.80	
40	920.17	213.96	
41	925.58	222.37	
42	930.60	231.02	
43	935.22	239.88	
44	939.43	248.96	
45	943.21	258.21	
46	946.58	267.63	
47	949.50	277.19	
48	950.05	279.30	

\*\* Corrected JANBU FOS = 1.263 \*\* (Fo factor = 1.119)

Failure surface No. 8 specified by 47 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	581.03	185.21
2	588.45	178.50
3	596.16	172.13
4	604.14	166.10
5	612.38	160.44
6	620.87	155.15
7	629.58	150.24
8	638.51	145.73
9	647.62	141.61
10	656.91	137.91

11	666.35	134.62
12	675.93	131.75
13	685.63	129.31
14	695.43	127.30
15	705.30	125.74
16	715.24	124.61
17	725.21	123.92
18	735.21	123.68
19	745.21	123.88
20	755.19	124.53
21	765.13	125.62
22	775.01	127.15
23	784.82	129.11
24	794.52	131.51
25	804.11	134.34
26	813.57	137.60
27	822.87	141.26
28	832.00	145.34
29	840.94	149.82
30	849.68	154.70
31	858.18	159.95
32	866.45	165.58
33	874.45	171.57
34	882.19	177.91
35	889.63	184.59
36	896.77	191.59
37	903.59	198.91
38	910.08	206.51
39	916.23	214.40
40	922.02	222.56
41	927.44	230.96
42	932.48	239.60
43	937.13	248.45
44	941.39	257.50
45	945.24	266.73
46	948.68	276.12
47	949.68	279.30

32 •  
612-0204  
PMP  
3-Nov-97

\*\* Corrected JANBU FOS = 1.264 \*\* (Fo factor = 1.117)

Failure surface No. 9 specified by 50 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	553.45	185.91
2	560.57	178.89
3	567.98	172.17
4	575.67	165.78
5	583.62	159.71
6	591.82	153.99
7	600.25	148.62
8	608.91	143.61
9	617.77	138.97
10	626.81	134.70
11	636.03	130.83
12	645.40	127.35
13	654.92	124.26
14	664.55	121.58

15	674.29	119.31
16	684.12	117.46
17	694.01	116.02
18	703.96	115.00
19	713.94	114.40
20	723.94	114.22
21	733.94	114.47
22	743.92	115.14
23	753.86	116.23
24	763.74	117.74
25	773.55	119.66
26	783.28	122.00
27	792.89	124.74
28	802.38	127.89
29	811.73	131.44
30	820.92	135.38
31	829.94	139.71
32	838.77	144.41
33	847.39	149.48
34	855.78	154.91
35	863.94	160.69
36	871.85	166.81
37	879.49	173.26
38	886.86	180.03
39	893.93	187.10
40	900.69	194.46
41	907.14	202.10
42	913.26	210.01
43	919.04	218.17
44	924.48	226.57
45	929.55	235.19
46	934.25	244.01
47	938.57	253.03
48	942.52	262.22
49	946.06	271.57
50	948.63	279.30

330-  
G02-0200  
PMP  
3-Nov-97

\*\* Corrected JANBU FOS = 1.264 \*\* (Fo factor = 1.118)

Failure surface No.10 specified by 47 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	581.03	185.21
2	588.21	178.24
3	595.70	171.61
4	603.48	165.33
5	611.54	159.42
6	619.87	153.88
7	628.44	148.72
8	637.23	143.97
9	646.24	139.62
10	655.43	135.68
11	664.80	132.17
12	674.31	129.10
13	683.96	126.46
14	693.71	124.27
15	703.56	122.52

16	713.48	121.23
17	723.44	120.39
18	733.43	120.01
19	743.43	120.08
20	753.42	120.62
21	763.37	121.61
22	773.26	123.05
23	783.08	124.95
24	792.81	127.29
25	802.41	130.07
26	811.88	133.29
27	821.19	136.94
28	830.32	141.02
29	839.26	145.50
30	847.98	150.39
31	856.47	155.68
32	864.71	161.35
33	872.68	167.38
34	880.37	173.78
35	887.75	180.52
36	894.82	187.60
37	901.56	194.98
38	907.95	202.67
39	913.99	210.65
40	919.65	218.89
41	924.93	227.38
42	929.82	236.10
43	934.30	245.04
44	938.37	254.18
45	942.02	263.49
46	945.24	272.96
47	947.08	279.30

34-53  
692-9210  
PMP  
3-Nov-97

\*\* Corrected JANBU FOS = 1.264 \*\* (Fo factor = 1.119)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Excavated Slopes Stability Q

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.258	1.099	608.62	943.91
2.	1.261	1.118	567.24	949.69
3.	1.261	1.098	608.62	950.00
4.	1.261	1.118	574.14	949.65
5.	1.262	1.103	615.52	935.95
6.	1.263	1.118	553.45	948.86
7.	1.263	1.119	581.03	950.05
8.	1.264	1.117	581.03	949.68
9.	1.264	1.118	553.45	948.63
10.	1.264	1.119	581.03	947.08

\* \* \* END OF FILE \* \* \*



# MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-2

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Protective Soil Layer Stability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/3/97

**Checked By:** John Pellicer **Date:** 11/13/97

**Reviewed By:** Pat Corser      **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



Terra Matrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: 1-02-C APX  
Project Number: 602 Sheet: 1 of 16  
Prepared By: P. Deller Date: Nov 3, 1997  
Checked By: J. Pilliar Date: 13-Nov-97

### Protective Soil Layer Stability

Objective: Determine the stability of the protective soil layer over the geocomposite slopes.

Assumptions:

- DG Dozer will be used to place and operate on the slopes.
- A Dozer will not be on the slope for pseudo-static conditions.

#### Calculation:

Use infinite slope analysis to evaluate the stability of the protective soil cover.

Controlling strength of the slope liner system as determined by direct shear test is:  
 $a = 15 \text{ psf}$ ,  $\delta = 31^\circ$  (residual strengths) (see pg 3)  
(Saturated condition)

Dozer load was simulated by increasing the thickness of the protective soil

• DG Dozer

(See handbook sec pg 4)

$$\text{Track pressure} = 918 \text{ psf} = 1411 \text{ psf}$$

$$\text{equivalent soil thickness} = \frac{1411 \text{ psf}}{112 \text{ psf}} = 12.8 \text{ ft} + \dots$$

$$\text{Maximum ground acceleration} = 0.04g \text{ (see pg 5+6)}$$

$$\text{Static F.S.} = 2.0 \text{ (see pg. 7)}$$


$$\text{Pseudo-Static F.S.} = 1.8 \text{ (see pg 8)}$$

$$\text{Static F.S. w/ simulated Dozer on slope} = 1.8 \text{ (see pg. 9)} \\ \text{XSTABL w/ surcharge equal to Dozer} \Rightarrow \text{Static F.S.} = 1.8.$$


Conclusions: Protective Soil layer on 3H:1V side slopes should be stable. Assuming saturated strength for the side slopes is very conservative.

Dozer will NOT operate on slopes during rain storm. THERMO, SEISMIC conditions were NOT considered.


3-NOV-97




 SLOPE DETAIL  
Not To Scale




**LINER ANCHOR TRENCH DETAIL**  
Not To Scale




**FLOOR DETAIL**  
Not To Scale



**4**  
7 12      TOE OF SLOPE DETAIL  
Not To Scale



 **FLOOR PIPE DETAIL**  
Not To Scale



A circular logo containing two smaller circles, each divided into four quadrants with numbers 8, 9, 10, and 12. To the right of the logo, the text "SLOPE ANCHOR TRENCH" is written in a bold, sans-serif font. Below it, the words "Not To Scale" are written in a smaller, italicized, sans-serif font.



Not For Construction

	NAME & ADDRESS	DATE REC'D BY	RECEIVED BY	APPROVED BY	APPROVAL DATE
100-1000	RECEIVED	100-1000	RECEIVED BY	APPROVED BY	APPROVAL DATE

**TRIASSIC PARK  
WASTE DISPOSAL FACILITY**


NOTE:  
FOR GENERAL NOTES AND LEGEND INFORMATION SEE GRAMMAR IN  
"MAP, LEGEND AND GENERAL NOTES".

~~K-802/FINAL DW03/LANDFILL  
INDOTIS AVE~~

## SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

SOC 16  
G02-020V  
PMP  
3-Nov-97

## TERRAMATRIX MONTGOMERY WATSON - ASTM D 3321 TESTS



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH

$$(1.800E+01) + (6.600E-01)x \quad a = 18 \text{ PSF} \quad S = 33^\circ$$

THE VARIANCE - 8.000E+00

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH

$$(1.483E+01) + (5.930E-01)x \quad a = 15 \text{ PSF} \quad S = 31^\circ$$

THE VARIANCE - 3.556E+00

Reviewed By: Robert H. Swan Jr. Date: 10-10-97

## Ground Pressures

## Track-Type Tractors

110

1. Trans.  
D7H

MPH	
2.7	1.7
3.5	2.2
4.6	2.8
5.8	3.6
7.6	4.7
10.0	6.2

MPH	
3.3	2.1
4.3	2.7
5.6	3.6
7.1	4.4
9.2	5.7
12.2	7.8

Rated for transmission mechanical efficiency  
ments, and weight and

## 2. Rated RPM

kg	lb
16,380	37,110
12,857	28,350
9,700	21,380
7,433	16,380
5,519	12,170
3,940	8,680

## Max. at Lug

22,158	48,880
16,993	37,470
12,884	28,410
9,941	21,820
7,451	16,430
5,392	11,880

Pressures computed from operating weights given earlier in this section in the specifications tables.

MODEL	SHOE WIDTH		CONTACT AREA		GROUND PRESSURE	
	mm	in.	m <sup>2</sup>	Sq. in.	kPa	psi
D3B**	305	12 $\frac{1}{4}$	1.11	1723	59	8.6
	356	14	1.30	2010	51	7.4
	406	16*	1.48	2298	44	6.4
D3B LGP	635	25 $\frac{1}{4}$	2.81	4060	29	4.2
D4E**	406	16 $\frac{1}{4}$	1.49	2304	59	8.6
	457	18	1.67	2582	52	7.6
	508	20	1.86	2860	47	6.9
D4E***	406	16 $\frac{1}{4}$	1.49	2304	60	8.7
	457	18	1.67	2582	53	7.7
	508	20	1.86	2860	47	6.9
D4E LGP**	762	30 $\frac{1}{4}$	3.37	5220	29.5	4.28
D4E LGP***	762	30 $\frac{1}{4}$	3.37	5220	29.7	4.31
D5B***	406	16 $\frac{1}{4}$	1.79	2784	67	9.8
	457	18	2.02	3132	60	8.7
	508	20	2.24	3480	54	7.8
	559	22	2.47	3828	49	7.1
D5B LGP	864	34 $\frac{1}{4}$	4.87	7548	30	4.3

\* D3B Custom 75 standard shoe.

\*\* Direct drive.

&lt;Standard shoe.

\*\*\* Power shift.

NOTE: Ground contact area = width of track shoe  
x length of track on ground x 2.

$$\text{Ground pressure} = \frac{\text{operating weight}}{\text{ground contact area}}$$

MODEL	SHOE WIDTH		CONTACT AREA		GROUND PRESSURE	
	mm	in.	m <sup>2</sup>	Sq. in.	kPa	psi
D6D***	457	18 $\frac{1}{4}$	2.16	3348	67	9.8
	508	20	2.40	3720	60	8.8
	559	22	2.64	4092	55	8.0
	610	24	2.88	4464	51	7.4
D6D LGP	914	36 $\frac{1}{4}$	5.25	8136	32	4.8
D7G***	508	20 $\frac{1}{4}$	2.76	4280	73	10.8
	559	22	3.04	4708	66	9.6
	610	24	3.31	5136	60	8.8
	660	26	3.63	5535	61	8.9
D7G LGP	864	34 $\frac{1}{4}$	5.26	8160	44	6.4
D7H***	508	20 $\frac{1}{4}$	2.94	4565	75	10.9
	559	22	3.24	5022	68	9.9
	610	24	3.53	5478	62	9.0
	660	26	3.83	5835	61	8.9
D7H LGP	914	36 $\frac{1}{4}$	5.82	9030	42	6.1
D8L	560	22 $\frac{1}{4}$	3.59	6548	101	14.7
	610	24	3.92	6972	93	13.5
	660	26	4.24	7578	86	12.5
	710	28	4.57	7984	80	11.8
D9L	610	24 $\frac{1}{4}$	4.32	8686	118	17.1
	666	27	4.88	7533	105	15.2
	762	30	5.40	8370	94	13.7
D10	711	28 $\frac{1}{4}$	5.56	9624	139	20.2
	810	32	6.36	9856	122	17.7

&lt;Standard shoe.

\*\* Direct drive.

\*\*\* Power shift.

110


5-110 345  
3 1819 00069223  
602-0224  
PMSL<sup>2</sup>  
4-Nov-97

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algermissen, D. M. Perkins, P. C. Thenhaus,  
S. L. Hanson and E. L. Bender




Open-File Report 82-1033

1982

This report is preliminary and has not been reviewed for conformity with U.S.  
Geological Survey editorial standards.

JUL 21

10 4



Infinite slope analysis spreadsheet  
Date: 03-Nov-97  
By: Paul Pellicer  
Filename: Protective cover stability.wq1

ZoF :0  
JvZ - JvZ  
3-Nov-97  
Pmp

## Soil Parameters

Cohesion:	15 psf		0.07185535
Friction Angle:	31 degrees		0.600860619
Gamma Moist:	110 pcf	tangent	

## Slope Geometry:

Slope Angle:	18.4 degrees		0.948876012
Failure Plane Depth:	2 ft	cosine	sine

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters

Ground Acceleration:	0 g's
----------------------	-------

**Safety Factor:** 2.0339

B.C.1  
662-020  
PMP  
3-Nov-9

Infinite slope analysis spreadsheet  
Date: 04-Nov-97  
By: Paul Pellicer  
Filename: Protective cover stability.wq1

## Soil Parameters

Cohesion:	15 psf		0.07185535
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	110 pcf		

## Slope Geometry:

Slope Angle:	18.4 degrees		
Failure Plane Depth:	2 ft	cosine	0.948876012 sine

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters

Ground Acceleration: 0.04 g's

**Safety Factor:** 1.79413

9.0 f 16  
602-0200  
PMF  
3-Nov-9

Infinite slope analysis spreadsheet  
Date: 13-Nov-97  
By: Paul Pellicer  
Filename: Protective cover stability.wq1

## Soil Parameters

Cohesion:	15 psf		0.009710182
Friction Angle:	31 degrees		0.600860619
Gamma Moist:	110pcf	tangent	

## Slope Geometry:

Slope Angle:	18.4 degrees	cosine	0.948876012
	14.8 ft	sine	

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters


Ground Acceleration:	0 g's
----------------------	-------

**Safety Factor:** 1.83702

GPSWD 11-13-97 12:27

Protective soil with Dozer

10 most critical surfaces, MINIMUM JANBU FOS = 1.858



XSTABL File: GPSWD 11-13-97 12:27

1102 10  
Guz-0200  
PMP  
3-Nov-97

\*\*\*\*\*  
\* X S T A B L \*  
\*  
\* Slope Stability Analysis \*  
\* using the \*  
\* Method of Slices \*  
\*  
\* Copyright (C) 1992 - 96 \*  
\* Interactive Software Designs, Inc. \*  
\* Moscow, ID 83843, U.S.A. \*  
\*  
\* All Rights Reserved \*  
\*  
\* Ver. 5.200 96 - 1216 \*  
\*\*\*\*\*

Problem Description : Protective soil with Dozer

-----  
SEGMENT BOUNDARY COORDINATES  
-----

2 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	20.0	20.0	20.0	1
2	20.0	20.0	304.6	114.7	1

2 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	18.0	20.3	18.0	2
2	20.3	18.0	305.3	112.8	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit No.	Unit Weight Moist (pcf)	Unit Weight Sat. (pcf)	Cohesion Intercept (psf)	Friction Angle (deg)	Pore Pressure Parameter Ru	Pore Pressure Constant (psf)	Water Surface No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	15.0	31.00	.000	.0	0

120+ -  
602-4240  
PMP  
3-NH-92

-----  
BOUNDARY LOADS  
-----

1 load(s) specified

Load No.	x-left (ft)	x-right (ft)	Intensity (psf)	Direction (deg)
1	267.6	275.2	1411.0	.0

NOTE - Intensity is specified as a uniformly distributed force acting on a HORIZONTALLY projected surface.

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

1000 trial surfaces will be generated and analyzed.

2 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 2.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	20.3	17.5	265.1	98.9	1.0
2	277.1	102.9	297.1	109.6	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 7 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
-----------	-------------	-------------

1	132.91	57.57
2	133.48	57.24
3	135.20	56.22
4	135.24	56.20
5	294.26	109.15
6	295.28	110.87
7	295.81	111.77

S-4 19  
602-0247  
PMP  
3-NW-92

\*\* Corrected JANBU FOS = 1.858 \*\* (Fo factor = 1.006)

Failure surface No. 2 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	244.20	94.60
2	244.78	94.26
3	246.50	93.24
4	247.64	92.60
5	280.30	104.44
6	280.33	104.49
7	281.34	106.22
8	281.89	107.14

\*\* Corrected JANBU FOS = 1.933 \*\* (Fo factor = 1.034)

Failure surface No. 3 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	260.57	100.05
2	261.15	99.70
3	262.88	98.69
4	263.43	98.38
5	283.48	105.46
6	283.53	105.56
7	284.54	107.28
8	285.09	108.21

\*\* Corrected JANBU FOS = 1.936 \*\* (Fo factor = 1.042)

Failure surface No. 4 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	258.41	99.33
2	259.00	98.99
3	260.72	97.97
4	261.84	97.34
5	287.86	106.77
6	288.03	107.05
7	289.04	108.78
8	289.59	109.70

\*\* Corrected JANBU FOS = 1.938 \*\* (Fo factor = 1.039)

140 F 6  
5/2-22W9  
Pmp  
3-Mn-9

Failure surface No. 5 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	246.20	95.27
2	246.78	94.92
3	248.50	93.91
4	249.53	93.33
5	286.38	106.43
6	286.43	106.52
7	287.44	108.25
8	287.99	109.17

\*\* Corrected JANBU FOS = 1.948 \*\* (Fo factor = 1.030)

Failure surface No. 6 specified by 7 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	258.05	99.21
2	258.63	98.86
3	260.35	97.85
4	260.83	97.58
5	294.34	109.17
6	295.35	110.90
7	295.89	111.80

\*\* Corrected JANBU FOS = 1.948 \*\* (Fo factor = 1.028)

Failure surface No. 7 specified by 7 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	252.35	97.31
2	252.94	96.97
3	254.66	95.96
4	254.90	95.82
5	294.15	109.11
6	295.17	110.83
7	295.70	111.74

\*\* Corrected JANBU FOS = 1.958 \*\* (Fo factor = 1.023)

Failure surface No. 8 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	250.97	96.86
2	251.56	96.51
3	253.28	95.50
4	253.87	95.17

50F '6

672-0200

PMP

3-Nov-66

5	289.81	107.58
6	289.85	107.66
7	290.87	109.39
8	291.41	110.31

\*\* Corrected JANBU FOS = 1.961 \*\* (Fo factor = 1.027)

Failure surface No. 9 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	256.02	98.53
2	256.60	98.19
3	258.33	97.18
4	259.07	96.75
5	288.08	106.86
6	288.23	107.12
7	289.25	108.85
8	289.79	109.77

\*\* Corrected JANBU FOS = 1.961 \*\* (Fo factor = 1.033)

Failure surface No.10 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	241.08	93.56
2	241.66	93.22
3	243.38	92.20
4	244.39	91.63
5	288.59	107.10
6	288.69	107.27
7	289.70	109.00
8	290.25	109.92

\*\* Corrected JANBU FOS = 1.962 \*\* (Fo factor = 1.026)

The following is a summary of the TEN most critical surfaces

Problem Description : Protective soil with Dozer

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 1.858	1.006	132.91	295.81	2.809E+04
2. 1.933	1.034	244.20	281.89	1.273E+04
3. 1.936	1.042	260.57	285.09	9.955E+03
4. 1.938	1.039	258.41	289.59	1.168E+04
5. 1.948	1.030	246.20	287.99	1.340E+04
6. 1.948	1.028	258.05	295.89	1.197E+04
7. 1.958	1.023	252.35	295.70	1.256E+04

16.0514  
GR2-N207

8.	1.961	1.027	250.97	291.41	1.265E+04 PR
9.	1.961	1.033	256.02	289.79	1.182E+04 3-N
10.	1.962	1.026	241.08	290.25	1.481E+04

\* \* \* END OF FILE \* \* \*



MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-3

**Project Title:** Triassic Park

**Project No.:** 602-0200

## **Calculation Title:** Phase 1A Filling Plan Stability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/7/97

**Checked By:** John Pellicer **Date:** 11/13/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By

## Phase Ia Filling Plan Stability

Objective: Evaluate the stability of the phase Ia filling plan.

Method: Use both SARMA and XSTABL Computer programs to evaluate block mode failures along the liner interface and through the waste.

Assumptions: The waste was assigned a typical friction angle for a relatively loose silty sand (see pg 3) ✓  
(Relative density = 25%  $\Rightarrow \phi = 29^\circ$ ) ✓

Analysis: Two Cross Sections were cut for analysis. (See pg 7) -  
Cross Section A-A' is Normal to the BHIV side slope and has the minimal Base grade (see pg 8)  
Cross Section B-B' is oriented to reduce a portion of the base grade even further (see pg 9) ✓

These Cross Sections were entered into both SARMA and XSTABL. Liner interface strengths of  $a = 440 \text{ psf}$  and  $\delta = 2^\circ$  were used (see pg 4) ✓

SARMA indicates a static F.S. = 1.51 for Section A-A'  
and F.S. = 1.94 for Section B-B'. (see pg 10-11)

XSTABL indicates a static F.S. = 1.52 for Section A-A'  
and F.S. = 1.91 for Section B-B' (see pg 12-13, 28-32)

Using a ground acceleration =  $0.04g$  (see pg 5-6)  
XSTABL indicates a pseudo-static F.S. = 1.01 for Section A-A' and a F.S. = 1.19 for Section B-B' (see pg 19-25, 35-37). SARMA indicates ground accelerations =  $0.0911$  and  $0.0615$  to a F.S. = 1.0 for both sections respectively (see pg 10-11)

In addition to failure along the entire liner interface XSTABL was used to search for Critical failure planes running along part of the liner interface and up through the waste. The most critical failure plane found from this search has a static

F.S. = 1.70 and a Pseudo-Static F.S. = 1.37. (see pg 40-56)

Sarma was used to check the critical failure surface found by XSTABLE for this failure mode. A static F.S. = 1.66, and a ground acceleration =  $0.09g$  is required to reach a pseudo-static F.S. = 1. These values correspond well w/ XSTABLE. (see Pg 57)

Conclusions: Statically the Phase Ia filling plan has an adequate Factor of Safety. The pseudo-static Factors of safety are a little low but for the short time phase Ia will be at its ultimate capacity it should be Ok.





Fig. 11.13 Correlations between the effective friction angle in triaxial compression and the dry density, relative density, and soil stratification

# SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

40 + 51  
 602-0200  
 PMP  
 7-Nov-9

## TERRA-MATRIX MONTGOMERY HATCON - ASTM D 5331 TEST



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH

$$(4.534E+00) + (1.551E-01)x$$

THE VARIANCE - 1.532E+00

$$a = 65 \text{ PSF } S = 9^\circ$$

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH

$$(3.045E+00) + (3.321E-02)x$$

THE VARIANCE - 3.240E-02

$$a = 44 \text{ PSF } S = 2^\circ$$

Reviewed By: Robert H. Lunn Jr. Date: 10-8-97

3 1819 00069223


50F 57  
602-0200  
pmr.  
7-Nov-91

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algermissen, D. M. Perkins, P. C. Thenhaus,  
S. L. Hanson and B. L. Bender




Open-File Report 82-1033



1982

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards.

JUL 27  
10 '90



7a of 57  
602-0280  
PMP  
7-NOV-97



NOTES:  
1. FOR GENERAL NOTES AND LEGEND INFORMATION SEE DRAWING NO. 2.  
2. TOPOGRAPHY FROM AERIAL SURVEYS PERFORMED AUGUST 1997  
BY KOOLE AND POULS ENGINEERING  
3. WASTE FILL VOLUME FOR PHASE 1A. 552,300 CY



PROFESSIONAL ENGINEER'S STATEMENT  
I, Parker & Casner, state that this map was prepared under my supervision and all the information presented herein is true and correct to the best of my knowledge and belief.

Date: October 6, 1997 By P.E. 07930

Scale: 1:1000  
CONTINUOUS 10 FT.


Not For Construction


TRIASSIC PARK		WASTE DISPOSAL FACILITY	
DRAWING TITLE:			
FILLING PLAN - PHASE 1A			SCALE 1:1000
TerraMatrix INTEROPERABILITY Solutions Group	DATE 10-09-97	REVISION 0	APPROVED By [Signature]

K:\602\FINAL DWGS\LANDFILL  
GANDY-P\WASTE.dwg

2, 1,081  
12/09/ 12:06p

602-0200  
pmf  
2-Nov





602-0200  
PMP  
7-Nov-9

SARMA NON-VERTICAL SLICE ANALYSIS

Analysis no. gpla3

Unit weight of water = 62.4

Side number	1	2	3	4	5	6
Coordinate xt	143.33	383.61	654.57	741.12	931.94	941.00
Coordinate yt	45.93	106.00	111.42	114.00	133.58	128.66
Coordinate xw	143.33	383.61	654.57	741.12	931.94	941.00
Coordinate yw	45.93	39.94	38.18	62.03	125.64	128.66
Coordinate xb	143.33	383.61	654.57	741.12	931.94	941.00
Coordinate yb	45.93	39.94	38.18	62.03	125.64	128.66
Friction angle	0.00	0.00	0.00	0.00	0.00	0.00
Cohesion	0.00	0.00	0.00	0.00	0.00	0.00

Slice number	1	2	3	4	5
Rock unit weight	110.00	110.00	110.00	110.00	110.00
Friction angle	2.00	2.00	2.00	2.00	2.00
Cohesion	440.00	440.00	440.00	440.00	440.00
Force T	0.00	0.00	0.00	0.00	0.00
Angle theta	0.00	0.00	0.00	0.00	0.00

Effective normal stresses

Fe	3642.68	7664.55	6763.00	3173.30	336.85
le	0.00	1698.72	3453.25	2509.96	-213.70

Acceleration Kc = 0.0411                          Factor of Safety = 1.51  
Negative effective normal stresses - solution unacceptable

602-0200  
PMP  
7-Nov-9

### SARMA NON-VERTICAL SLICE ANALYSIS

Analysis no. gp1b3

Unit weight of water = 62.4

Side number	1	2	3	4	5	6
Coordinate xt	106.80	393.05	420.55	683.00	781.70	1143.00
Coordinate yt	49.76	106.00	106.42	110.48	112.00	139.79
Coordinate xw	106.80	393.05	420.55	683.00	781.70	1143.00
Coordinate yw	49.76	40.32	39.41	38.04	58.95	135.83
Coordinate xb	106.80	393.05	420.55	683.00	781.70	1143.00
Coordinate yb	49.76	40.32	39.41	38.04	58.95	135.83
Friction angle	0.00	0.00	0.00	0.00	0.00	0.00
Cohesion	0.00	0.00	0.00	0.00	0.00	0.00
Slice number	1	2	3	4	5	6
Rock unit weight	110.00	110.00	110.00	110.00	110.00	110.00
Friction angle	2.00	2.00	2.00	2.00	2.00	2.00
Cohesion	440.00	440.00	440.00	440.00	440.00	440.00
Force T	0.00	0.00	0.00	0.00	0.00	0.00
Angle theta	0.00	0.00	0.00	0.00	0.00	0.00

Effective normal stresses

P <sub>e</sub>	3622.05	7309.84	7671.66	6827.70	3075.37	158.56
e	0.00	1796.93	2008.10	3329.17	2507.60	-295.57

Side number	7
Coordinate xt	1149.18
Coordinate yt	137.42
Coordinate xw	1149.18
Coordinate yw	137.42
Coordinate xb	1149.18
Coordinate yb	137.42
Friction angle	0.00
Cohesion	0.00

Slice number  
Rock unit weight  
Friction angle  
Cohesion  
Force T  
Angle theta

Effective normal stresses


Base  
e

Acceleration Kc = 0.0615

Factor of Safety = 1.94

d1XA 11-08-97 19:59

Gandy Interem Stability A-A  
10 most critical surfaces, MINIMUM JANBU FOS = 1.517



```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 à 96
*      Interactive Software Designs, Inc.
*          Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 à 1216 *
*****

```

## Problem Description : Gandy Interem Stability A-A

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 7 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	34.9	48.6	143.3	45.9	2
2	143.3	45.9	383.6	106.0	1
3	383.6	106.0	654.6	111.4	1
4	654.6	111.4	741.1	114.0	1
5	741.1	114.0	931.9	133.6	1
6	931.9	133.6	941.0	128.7	1
7	941.0	128.7	1000.0	128.7	2

## 5 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	143.3	45.9	383.6	39.9	2
2	383.6	39.9	654.6	33.2	2
3	654.6	33.2	741.1	62.3	2
4	741.1	62.3	931.9	125.6	2
5	931.9	125.6	941.0	128.7	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

692-0200  
Pmp  
Water Surface No.

Soil Unit No.	Unit Weight Moist (pcf)	Unit Weight Sat. (pcf)	Cohesion Intercept (psf)	Friction Angle (deg)	Pore Pressure Parameter Ru	Pore Pressure Constant (psf)	Water Surface No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

3 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 15.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	183.3	44.4	233.3	43.2	1.0
2	629.6	33.3	655.6	32.7	1.0
3	901.0	114.8	921.0	121.5	1.0

\*\*\*\*\*  
ERROR # 38

\*\*\*\*\*  
The program calculated a point for the PASSIVE wedge that is outside the defined slope geometry. The analysis will continue, but the user should adjust the search box or slope geometry to allow a passive wedge to be formed from all points within first box.  
\*\*\*\*\*

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	172.64	53.24
2	174.02	52.42
3	186.94	44.81
4	187.88	43.90
5	653.42	32.65
6	907.06	116.52
7	908.25	117.75
8	915.86	130.68
9	916.66	132.03

1707-  
602-9208  
PMS  
7-NW-9

\*\* Corrected JANBU FOS = 1.517 \*\* (Fo factor = 1.041)

Failure surface No. 2 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	170.78	52.77
2	171.25	52.49
3	184.18	44.88
4	184.80	44.28
5	653.27	32.68
6	914.72	119.17
7	915.76	120.25
8	923.09	132.70

\*\* Corrected JANBU FOS = 1.522 \*\* (Fo factor = 1.041)

Failure surface No. 3 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	171.03	52.83
2	171.62	52.48
3	184.55	44.87
4	184.73	44.69
5	653.09	32.42
6	907.80	116.58
7	909.25	118.09
8	916.87	131.01
9	917.52	132.12

\*\* Corrected JANBU FOS = 1.525 \*\* (Fo factor = 1.041)

Failure surface No. 4 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	173.73	53.51
2	175.64	52.38
3	188.56	44.77
4	189.16	44.19

5	654.16	32.79
6	901.02	115.16
7	901.30	115.45
8	908.91	128.37
9	910.71	131.42

16 Oct  
602-024  
pmr  
7-Nov-

\*\* Corrected JANBU FOS = 1.526 \*\* (Fo factor = 1.042)

Failure surface No. 5 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	178.23	54.64
2	182.34	52.22
3	195.26	44.60
4	196.29	43.61
5	655.27	32.26
6	919.87	120.86
7	920.93	121.96
8	927.52	133.15

\*\* Corrected JANBU FOS = 1.527 \*\* (Fo factor = 1.041)

Failure surface No. 6 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	175.08	53.85
2	177.66	52.33
3	190.58	44.72
4	190.99	44.32
5	653.67	32.25
6	912.86	118.52
7	913.94	119.64
8	921.54	132.54

\*\* Corrected JANBU FOS = 1.528 \*\* (Fo factor = 1.041)

Failure surface No. 7 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	178.53	54.71
2	182.79	52.20
3	195.71	44.59
4	196.60	43.73
5	655.22	32.88
6	919.66	120.91
7	920.56	121.84
8	927.21	133.12

\*\* Corrected JANBU FOS = 1.532 \*\* (Fo factor = 1.041)

Failure surface No. 8 specified by 9 coordinate points

1 FOS  
642-028  
PMF  
7-11.42

Point No.	x-surf (ft)	y-surf (ft)
1	175.03	53.83
2	177.57	52.33
3	190.50	44.72
4	190.62	44.60
5	652.68	32.35
6	904.82	116.37
7	905.17	116.73
8	912.79	129.66
9	914.03	131.76

\*\* Corrected JANBU FOS = 1.534 \*\* (Fo factor = 1.042)

Failure surface No. 9 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	177.45	54.44
2	181.18	52.24
3	194.11	44.63
4	194.55	44.21
5	652.41	32.30
6	916.17	120.03
7	916.67	120.55
8	923.88	132.78

\*\* Corrected JANBU FOS = 1.535 \*\* (Fo factor = 1.041)

Failure surface No.10 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	175.78	54.02
2	178.69	52.31
3	191.62	44.69
4	191.80	44.51
5	653.15	32.60
6	918.41	120.18
7	919.75	121.57
8	926.51	133.05

\*\* Corrected JANBU FOS = 1.536 \*\* (Fo factor = 1.041)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability A-A

Modified	Correction	Initial	Terminal	Available
----------	------------	---------	----------	-----------


JANBU FOS	Factor	x-coord (ft)	x-coord (ft)	Strength (lb)	<i>602</i> <i>fm</i> <i>z-n</i>
1.	1.517	1.041	172.64	916.66	4.860E+05
2.	1.522	1.041	170.78	923.09	4.888E+05
3.	1.525	1.041	171.03	917.52	4.864E+05
4.	1.526	1.042	173.73	910.71	4.824E+05
5.	1.527	1.041	178.23	927.52	4.910E+05
6.	1.528	1.041	175.08	921.54	4.878E+05
7.	1.532	1.041	178.53	927.21	4.896E+05
8.	1.534	1.042	175.03	914.03	4.836E+05
9.	1.535	1.041	177.45	923.88	4.880E+05
10.	1.536	1.041	175.78	926.51	4.892E+05

\* \* \* END OF FILE \* \* \*

J1 XAQ 11-08-97 20:00

Gandy Interem Stability A-A Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.012

19-05-97  
602-1200  
FMP  
7-Nov-97



```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 - 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 - 1216
*****

```

## Problem Description : Gandy Interem Stability A-A Q

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 7 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	34.9	48.6	143.3	45.9	2
2	143.3	45.9	383.6	106.0	1
3	383.6	106.0	654.6	111.4	1
4	654.6	111.4	741.1	114.0	1
5	741.1	114.0	931.9	133.6	1
6	931.9	133.6	941.0	128.7	1
7	941.0	128.7	1000.0	128.7	2

## 5 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	143.3	45.9	383.6	39.9	2
2	383.6	39.9	654.6	33.2	2
3	654.6	33.2	741.1	62.3	2
4	741.1	62.3	931.9	125.6	2
5	931.9	125.6	941.0	128.7	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit No.	Unit Weight Moist (pcf)	Unit Weight Sat. (pcf)	Cohesion Intercept (psf)	Friction Angle (deg)	Pore Pressure Parameter Ru	Pore Pressure Constant (psf)	Water Surface No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

3 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 15.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	183.3	44.4	233.3	43.2	1.0
2	629.6	33.3	655.6	32.7	1.0
3	901.0	114.8	921.0	121.5	1.0

\*\*\*\*\*  
ERROR # 38

\*\*\*\*\*  
The program calculated a point for the PASSIVE wedge that is outside the defined slope geometry. The analysis will continue, but the user should adjust the search box or slope geometry to allow a passive wedge to be formed from all points within first box.  
\*\*\*\*\*

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

602 -4  
PMP  
7-14n

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	172.64	53.24
2	174.02	52.42
3	186.94	44.81
4	187.88	43.90
5	653.42	32.65
6	907.06	116.52
7	908.25	117.75
8	915.86	130.68
9	916.66	132.03

\*\* Corrected JANBU FOS = 1.012 \*\* (Fo factor = 1.041)

Failure surface No. 2 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	170.78	52.77
2	171.25	52.49
3	184.18	44.88
4	184.80	44.28
5	653.27	32.68
6	914.72	119.17
7	915.76	120.25
8	923.09	132.70

\*\* Corrected JANBU FOS = 1.015 \*\* (Fo factor = 1.041)

Failure surface No. 3 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	171.03	52.83
2	171.62	52.48
3	184.55	44.87
4	184.73	44.69
5	653.09	32.42
6	907.80	116.58
7	909.25	118.09
8	916.87	131.01
9	917.52	132.12

\*\* Corrected JANBU FOS = 1.015 \*\* (Fo factor = 1.041)

Failure surface No. 4 specified by 9 coordinate points

LS04;  
692-9291  
PMP  
7-Nov-8

Point No.	x-surf (ft)	y-surf (ft)
1	173.73	53.51
2	175.64	52.38
3	188.56	44.77
4	189.16	44.19
5	654.16	32.79
6	901.02	115.16
7	901.30	115.45
8	908.91	128.37
9	910.71	131.42

\*\* Corrected JANBU FOS = 1.016 \*\* (Fo factor = 1.042)

Failure surface No. 5 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	175.08	53.85
2	177.66	52.33
3	190.58	44.72
4	190.99	44.32
5	653.67	32.25
6	912.86	118.52
7	913.94	119.64
8	921.54	132.54

\*\* Corrected JANBU FOS = 1.018 \*\* (Fo factor = 1.041)

Failure surface No. 6 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	178.23	54.64
2	182.34	52.22
3	195.26	44.60
4	196.29	43.61
5	655.27	32.26
6	919.87	120.86
7	920.93	121.96
8	927.52	133.15

\*\* Corrected JANBU FOS = 1.019 \*\* (Fo factor = 1.041)

Failure surface No. 7 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	175.03	53.83
2	177.57	52.33
3	190.50	44.72
4	190.62	44.60

5	652.68	32.35
6	904.82	116.37
7	905.17	116.73
8	912.79	129.66
9	914.03	131.76

612-200  
PMP  
7-Nov-6

\*\* Corrected JANBU FOS = 1.020 \*\* (Fo factor = 1.042)

Failure surface No. 8 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	178.53	54.71
2	182.79	52.20
3	195.71	44.59
4	196.60	43.73
5	655.22	32.88
6	919.66	120.91
7	920.56	121.84
8	927.21	133.12

\*\* Corrected JANBU FOS = 1.023 \*\* (Fo factor = 1.041)

Failure surface No. 9 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	177.45	54.44
2	181.18	52.24
3	194.11	44.63
4	194.55	44.21
5	652.41	32.30
6	916.17	120.03
7	916.67	120.55
8	923.88	132.78

\*\* Corrected JANBU FOS = 1.023 \*\* (Fo factor = 1.041)

Failure surface No. 10 specified by 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	175.78	54.02
2	178.69	52.31
3	191.62	44.69
4	191.80	44.51
5	653.15	32.60
6	918.41	120.18
7	919.75	121.57
8	926.51	133.05

\*\* Corrected JANBU FOS = 1.023 \*\* (Fo factor = 1.041)

692-928  
PMP  
7-Nov-

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability A-A Q


Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.012	172.64	916.66	4.861E+05
2.	1.015	170.78	923.09	4.889E+05
3.	1.015	171.03	917.52	4.863E+05
4.	1.016	173.73	910.71	4.824E+05
5.	1.018	175.08	921.54	4.883E+05
6.	1.019	178.23	927.52	4.919E+05
7.	1.020	175.03	914.03	4.839E+05
8.	1.023	178.53	927.21	4.905E+05
9.	1.023	177.45	923.88	4.888E+05
10.	1.023	175.78	926.51	4.898E+05

\* \* \* END OF FILE \* \* \*

31BB 11-08-97 20:15

### Gandy Interem Stability BB

10 most critical surfaces, MINIMUM JANBU FOS = 1.910



C-1  
602-924  
PMP  
7-1997

```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 - 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 - 1216
*****

```

## Problem Description : Gandy Interem Stability BB

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 6 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	14.0	52.8	106.8	49.8	2
2	106.8	49.8	393.0	106.0	1
3	393.0	106.0	781.7	112.0	1
4	781.7	112.0	1143.0	139.8	1
5	1143.0	139.8	1149.2	137.4	1
6	1149.2	137.4	1189.0	137.4	2

## 3 SUBSURFACE boundary segments.

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	106.8	49.8	420.5	39.4	2
2	420.5	39.4	683.0	38.0	2
3	683.0	38.0	1149.2	137.4	2

-----  
ISOTROPIC Soil Parameters  
-----

## 2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface
Unit Moist	Sat.	Intercept	Angle	Parameter	Constant

612-1  
No. 1

No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

4 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	156.8	47.6	176.8	46.8	1.0
2	410.5	39.2	430.5	38.8	1.0
3	658.0	37.6	684.0	37.5	1.0
4	1109.2	127.8	1129.2	132.0	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.07	57.31
2	152.25	53.08
3	160.87	48.01
4	161.99	46.92
5	430.24	38.35
6	682.53	37.25
7	1116.21	129.27
8	1117.54	130.65
9	1121.98	138.18

\*\* Corrected JANBU FOS = 1.910 \*\* (Fo factor = 1.030)

6-2-82  
PMP  
7-Nov-97

Failure surface No. 2 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	141.58	56.63
2	147.33	53.25
3	155.94	48.17
4	156.96	47.19
5	426.92	38.80
6	683.31	37.37
7	1116.29	129.28
8	1117.63	130.67
9	1122.06	138.19

\*\* Corrected JANBU FOS = 1.911 \*\* (Fo factor = 1.030)

Failure surface No. 3 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.53	57.01
2	150.08	53.15
3	158.70	48.08
4	159.65	47.16
5	427.60	38.77
6	681.59	37.26
7	1112.97	128.37
8	1114.56	130.01
9	1119.25	137.97

\*\* Corrected JANBU FOS = 1.911 \*\* (Fo factor = 1.030)

Failure surface No. 4 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.88	57.47
2	153.40	53.04
3	162.02	47.97
4	163.11	46.92
5	424.25	38.50
6	682.82	37.91
7	1115.99	129.21
8	1117.35	130.61
9	1121.80	138.17

\*\* Corrected JANBU FOS = 1.912 \*\* (Fo factor = 1.030)

Failure surface No. 5 specified by 10 coordinate points

Point	x-surf	y-surf

No.	(ft)	(ft)
1	149.47	58.18
2	149.85	57.95
3	158.47	52.88
4	167.08	47.80
5	168.02	46.89
6	412.94	38.75
7	681.70	37.14
8	1112.24	128.16
9	1113.90	129.87
10	1118.64	137.93

602-9209  
tmp  
7-Nov-77

\*\* Corrected JANBU FOS = 1.912 \*\* (Fo factor = 1.030)

Failure surface No. 6 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.73	57.44
2	153.18	53.05
3	161.80	47.98
4	162.66	47.14
5	428.62	38.75
6	680.32	37.17
7	1109.99	127.54
8	1111.81	129.43
9	1116.73	137.78

\*\* Corrected JANBU FOS = 1.912 \*\* (Fo factor = 1.030)

Failure surface No. 7 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.27	56.96
2	149.70	53.17
3	158.32	48.09
4	159.27	47.18
5	423.37	38.54
6	682.65	37.43
7	1121.04	130.15
8	1122.56	131.72
9	1126.58	138.54

\*\* Corrected JANBU FOS = 1.913 \*\* (Fo factor = 1.030)

Failure surface No. 8 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.05	56.72
2	147.99	53.22
3	156.60	48.15

4	157.59	47.19
5	423.03	38.57
6	683.93	37.51
7	1123.36	130.78
8	1124.71	132.18
9	1128.54	138.69

612-9200  
PMP  
7-Nov-97

\*\* Corrected JANBU FOS = 1.913 \*\* (Fo factor = 1.029)

Failure surface No. 9 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.78	56.87
2	149.02	53.19
3	157.64	48.11
4	158.60	47.19
5	423.37	38.56
6	683.51	37.47
7	1122.37	130.51
8	1123.79	131.98
9	1127.70	138.62

\*\* Corrected JANBU FOS = 1.914 \*\* (Fo factor = 1.029)

Failure surface No. 10 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	144.73	57.25
2	151.77	53.10
3	160.39	48.02
4	161.28	47.16
5	424.05	38.53
6	681.79	37.36
7	1119.05	129.60
8	1120.72	131.33
9	1124.89	138.41

\*\* Corrected JANBU FOS = 1.914 \*\* (Fo factor = 1.030)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability BB


Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 1.910	1.030	145.07	1121.98	6.139E+05
2. 1.911	1.030	141.58	1122.06	6.144E+05
3. 1.911	1.030	143.53	1119.25	6.126E+05

4. 1.912 1.030 145.88 1121.80 6.127E+05 p<sub>m</sub>  
5. 1.912 1.030 149.47 1118.64 6.114E+05  $\pi_{N\alpha}$   
6. 1.912 1.030 145.73 1116.73 6.108E+05  
7. 1.913 1.030 143.27 1126.58 6.163E+05  
8. 1.913 1.029 142.05 1128.54 6.176E+05  
9. 1.914 1.029 142.78 1127.70 6.170E+05  
10. 1.914 1.030 144.73 1124.89 6.151E+05

\* \* \* END OF FILE \* \* \*

B1BBQ 11-08-97 20:16

Gandy Interem Stability BB Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.188



```
*****
* X S T A B L
*
* Slope Stability Analysis
* using the
* Method of Slices
*
* Copyright (C) 1992 à 96
* Interactive Software Designs, Inc.
* Moscow, ID 83843, U.S.A.
*
* All Rights Reserved
*
* Ver. 5.200          96 à 1216 *
*****
```

Problem Description : Gandy Interem Stability BB Q

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**6 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	14.0	52.8	106.8	49.8	2
2	106.8	49.8	393.0	106.0	1
3	393.0	106.0	781.7	112.0	1
4	781.7	112.0	1143.0	139.8	1
5	1143.0	139.8	1149.2	137.4	1
6	1149.2	137.4	1189.0	137.4	2

**3 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	106.8	49.8	420.5	39.4	2
2	420.5	39.4	683.0	38.0	2
3	683.0	38.0	1149.2	137.4	2

-----  
**ISOTROPIC Soil Parameters**  
-----

**2 Soil unit(s) specified**

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface
Unit	Moist	Sat.	Intercept	Angle	Parameter

No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No. Pm 7-Nov- 0
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

4 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	156.8	47.6	176.8	46.8	1.0
2	410.5	39.2	430.5	38.8	1.0
3	658.0	37.6	684.0	37.5	1.0
4	1109.2	127.8	1129.2	132.0	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.07	57.31
2	152.25	53.08

3	160.87	48.01
4	161.99	46.92
5	430.24	38.35
6	682.53	37.25
7	1116.21	129.27
8	1117.54	130.65
9	1121.98	138.18

642-0200  
Pmp  
7-Nov-92

\*\* Corrected JANBU FOS = 1.188 \*\* (Fo factor = 1.030)

Failure surface No. 2 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.53	57.01
2	150.08	53.15
3	158.70	48.08
4	159.65	47.16
5	427.60	38.77
6	681.59	37.26
7	1112.97	128.37
8	1114.56	130.01
9	1119.25	137.97

\*\* Corrected JANBU FOS = 1.189 \*\* (Fo factor = 1.030)

Failure surface No. 3 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.73	57.44
2	153.18	53.05
3	161.80	47.98
4	162.66	47.14
5	428.62	38.75
6	680.32	37.17
7	1109.99	127.54
8	1111.81	129.43
9	1116.73	137.78

\*\* Corrected JANBU FOS = 1.189 \*\* (Fo factor = 1.030)

Failure surface No. 4 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	141.58	56.63
2	147.33	53.25
3	155.94	48.17
4	156.96	47.19
5	426.92	38.80
6	683.31	37.37
7	1116.29	129.28
8	1117.63	130.67

9 1122.06 138.19

602-7200  
PMP  
7-Dec-9

\*\* Corrected JANBU FOS = 1.189 \*\* (Fo factor = 1.030)

Failure surface No. 5 specified by 10 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	149.47	58.18
2	149.85	57.95
3	158.47	52.88
4	167.08	47.80
5	168.02	46.89
6	412.94	38.75
7	681.70	37.14
8	1112.24	128.16
9	1113.90	129.87
10	1118.64	137.93

\*\* Corrected JANBU FOS = 1.189 \*\* (Fo factor = 1.030)

Failure surface No. 6 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.25	57.35
2	152.51	53.07
3	161.13	48.00
4	161.98	47.17
5	429.27	38.80
6	682.90	37.29
7	1113.31	128.44
8	1114.90	130.09
9	1119.56	138.00

\*\* Corrected JANBU FOS = 1.190 \*\* (Fo factor = 1.030)

Failure surface No. 7 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.88	57.47
2	153.40	53.04
3	162.02	47.97
4	163.11	46.92
5	424.25	38.50
6	682.82	37.91
7	1115.99	129.21
8	1117.35	130.61
9	1121.80	138.17

\*\* Corrected JANBU FOS = 1.191 \*\* (Fo factor = 1.030)

Failure surface No. 8 specified by 9 coordinate points

602-0209  
PMP  
7-Nov-97

Point No.	x-surf (ft)	y-surf (ft)
1	143.27	56.96
2	149.70	53.17
3	158.32	48.09
4	159.27	47.18
5	423.37	38.54
6	682.65	37.43
7	1121.04	130.15
8	1122.56	131.72
9	1126.58	138.54

\*\* Corrected JANBU FOS = 1.191 \*\* (Fo factor = 1.030)

Failure surface No. 9 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	144.73	57.25
2	151.77	53.10
3	160.39	48.02
4	161.28	47.16
5	424.05	38.53
6	681.79	37.36
7	1119.05	129.60
8	1120.72	131.33
9	1124.89	138.41

\*\* Corrected JANBU FOS = 1.191 \*\* (Fo factor = 1.030)

Failure surface No.10 specified by 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.91	57.48
2	153.44	53.04
3	162.05	47.97
4	162.88	47.17
5	416.61	39.08
6	683.48	37.64
7	1113.54	128.49
8	1115.12	130.13
9	1119.76	138.01

\*\* Corrected JANBU FOS = 1.191 \*\* (Fo factor = 1.030)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability BB Q

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 1.188	1.030	145.07	1121.98	6.144E+05
2. 1.189	1.030	143.53	1119.25	6.129E+05
3. 1.189	1.030	145.73	1116.73	6.113E+05
4. 1.189	1.030	141.58	1122.06	6.147E+05
5. 1.189	1.030	149.47	1118.64	6.122E+05
6. 1.190	1.030	145.25	1119.56	6.128E+05
7. 1.191	1.030	145.88	1121.80	6.132E+05
8. 1.191	1.030	143.27	1126.58	6.167E+05
9. 1.191	1.030	144.73	1124.89	6.156E+05
10. 1.191	1.030	145.91	1119.76	6.123E+05

\* \* \* END OF FILE \* \* \*

B1BBA 11-08-97 20:25

AA  
BB

Gandy Interem Stability  
10 most critical faces, MINIMUM JANBU FOS = 1.741

1000

800


600

400

200

0

Y-AXIS (feet)



XSTABL File: GB1BBA 11-08-97 20:25

41-WT-5  
692-9200  
PMP  
7-Nov-97

\*\*\*\*\*  
\* X S T A B L \*  
\*  
\* Slope Stability Analysis \*  
\* using the \*  
\* Method of Slices \*  
\*  
\* Copyright (C) 1992 à 96 \*  
\* Interactive Software Designs, Inc. \*  
\* Moscow, ID 83843, U.S.A. \*  
\*  
\* All Rights Reserved \*  
\*  
\* Ver. 5.200 96 à 1216 \*  
\*\*\*\*\*

Problem Description : Gandy Interem Stability <sup>A4</sup>

-----  
SEGMENT BOUNDARY COORDINATES  
-----

6 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	14.0	52.8	106.8	49.8	2
2	106.8	49.8	393.0	106.0	1
3	393.0	106.0	781.7	112.0	1
4	781.7	112.0	1143.0	139.8	1
5	1143.0	139.8	1149.2	137.4	1
6	1149.2	137.4	1189.0	137.4	2

3 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	106.8	49.8	420.5	39.4	2
2	420.5	39.4	683.0	38.0	2
3	683.0	38.0	1149.2	137.4	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface
Unit	Moist Sat.	Intercept	Angle	Parameter	Constant

No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No. psf
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

2 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 6.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	156.8	47.6	166.8	47.3	1.0
2	179.0	46.7	420.5	38.9	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.03	56.91
2	147.64	54.19
3	152.81	51.15
4	157.98	48.10
5	158.90	47.22
6	369.64	40.32
7	370.36	41.06
8	373.40	46.23
9	376.45	51.40
10	379.49	56.57
11	382.54	61.74
12	385.58	66.91

13	388.63	72.08
14	391.67	77.25
15	394.72	82.42
16	397.76	87.59
17	400.81	92.76
18	403.85	97.93
19	406.90	103.10
20	408.75	106.24

45<sup>ad</sup>  
642-020  
PMP  
7-NR-9

\*\* Corrected JANBU FOS = 1.741 \*\* (Fo factor = 1.075)

Failure surface No. 2 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.71	57.05
2	148.61	54.16
3	153.78	51.12
4	158.95	48.07
5	160.02	47.04
6	369.31	40.52
7	369.85	41.08
8	372.89	46.25
9	375.94	51.42
10	378.98	56.59
11	382.03	61.76
12	385.07	66.93
13	388.12	72.10
14	391.16	77.27
15	394.21	82.44
16	397.25	87.61
17	400.30	92.78
18	403.34	97.95
19	406.39	103.12
20	408.23	106.24

\*\* Corrected JANBU FOS = 1.742 \*\* (Fo factor = 1.075)

Failure surface No. 3 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1.	141.64	56.64
2	145.68	54.26
3	150.85	51.21
4	156.02	48.17
5	156.99	47.24
6	356.95	40.50
7	357.90	41.48
8	360.94	46.65
9	363.99	51.82
10	367.03	56.98
11	370.08	62.15
12	373.12	67.32
13	376.17	72.49
14	379.21	77.66

44-53  
612-9248  
PMP  
7-Nov-97

15	382.26	82.83
16	385.30	88.00
17	388.35	93.17
18	391.39	98.34
19	394.44	103.51
20	395.93	106.05

\*\* Corrected JANBU FOS = 1.743 \*\* (Fo factor = 1.076)

Failure surface No. 4 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.77	57.06
2	148.69	54.16
3	153.86	51.11
4	159.03	48.07
5	159.98	47.16
6	370.19	40.50
7	370.72	41.05
8	373.76	46.22
9	376.81	51.39
10	379.85	56.56
11	382.90	61.73
12	385.94	66.90
13	388.99	72.07
14	392.03	77.24
15	395.08	82.41
16	398.12	87.58
17	401.17	92.75
18	404.22	97.92
19	407.26	103.09
20	409.12	106.25

\*\* Corrected JANBU FOS = 1.745 \*\* (Fo factor = 1.075)

Failure surface No. 5 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	141.81	56.67
2	145.92	54.25
3	151.09	51.21
4	156.26	48.16
5	156.87	47.57
6	359.59	40.43
7	360.51	41.39
8	363.56	46.56
9	366.60	51.73
10	369.65	56.90
11	372.69	62.07
12	375.74	67.24
13	378.78	72.41
14	381.83	77.58
15	384.87	82.75
16	387.92	87.92

17	390.96	93.09
18	394.01	98.26
19	397.05	103.43
20	398.62	106.09

612-9240  
PMP  
7-Nov-77

\*\* Corrected JANBU FOS = 1.745 \*\* (Fo factor = 1.076)

Failure surface No. 6 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.23	56.76
2	146.52	54.23
3	151.69	51.19
4	156.86	48.14
5	157.79	47.25
6	367.86	40.92
7	368.07	41.14
8	371.12	46.31
9	374.17	51.48
10	377.21	56.65
11	380.26	61.82
12	383.30	66.99
13	386.35	72.16
14	389.39	77.33
15	392.44	82.50
16	395.48	87.67
17	398.53	92.84
18	401.57	98.01
19	404.62	103.18
20	406.40	106.21

\*\* Corrected JANBU FOS = 1.748 \*\* (Fo factor = 1.075)

Failure surface No. 7 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	141.80	56.67
2	145.91	54.25
3	151.08	51.21
4	156.25	48.16
5	156.94	47.49
6	359.93	40.67
7	360.62	41.39
8	363.67	46.55
9	366.72	51.72
10	369.76	56.89
11	372.81	62.06
12	375.85	67.23
13	378.90	72.40
14	381.94	77.57
15	384.99	82.74
16	388.03	87.91
17	391.08	93.08
18	394.12	98.25

19            397.17            103.42  
20            398.74            106.09

46 07  
6-2-12  
PMS  
7-1-66

\*\* Corrected JANBU FOS = 1.748 \*\* (Fo factor = 1.076)

Failure surface No. 8 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.83	57.07
2	148.78	54.16
3	153.95	51.11
4	159.12	48.07
5	160.12	47.10
6	357.02	40.59
7	357.88	41.48
8	360.92	46.65
9	363.97	51.82
10	367.01	56.99
11	370.06	62.16
12	373.10	67.32
13	376.15	72.49
14	379.19	77.66
15	382.24	82.83
16	385.29	88.00
17	388.33	93.17
18	391.38	98.34
19	394.42	103.51
20	395.91	106.04

\*\* Corrected JANBU FOS = 1.749 \*\* (Fo factor = 1.076)

Failure surface No. 9 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	144.07	57.12
2	149.12	54.14
3	154.29	51.10
4	159.46	48.05
5	159.97	47.57
6	368.52	40.29
7	369.30	41.10
8	372.34	46.27
9	375.39	51.44
10	378.43	56.61
11	381.48	61.78
12	384.52	66.95
13	387.57	72.12
14	390.61	77.29
15	393.66	82.46
16	396.70	87.63
17	399.75	92.80
18	402.79	97.97
19	405.84	103.13
20	407.66	106.23

\*\* Corrected JANBU FOS = 1.749 \*\* (Fo factor = 1.075)

1/FOS  
G+2 TRU  
Pmp  
7-N-9

Failure surface No.10 specified by 21 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	145.38	57.38
2	145.80	57.13
3	150.97	54.08
4	156.14	51.04
5	161.31	47.99
6	162.30	47.03
7	367.32	40.96
8	367.52	41.16
9	370.56	46.33
10	373.61	51.50
11	376.65	56.67
12	379.70	61.84
13	382.74	67.01
14	385.79	72.18
15	388.83	77.35
16	391.88	82.51
17	394.92	87.68
18	397.97	92.85
19	401.01	98.02
20	404.06	103.19
21	405.83	106.20

\*\* Corrected JANBU FOS = 1.753 \*\* (Fo factor = 1.075)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability B8a


Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 1.741	1.075	143.03	408.75	2.226E+05
2. 1.742	1.075	143.71	408.23	2.218E+05
3. 1.743	1.076	141.64	395.93	2.081E+05
4. 1.745	1.075	143.77	409.12	2.228E+05
5. 1.745	1.076	141.81	398.62	2.112E+05
6. 1.748	1.075	142.23	406.40	2.199E+05
7. 1.748	1.076	141.80	398.74	2.113E+05
8. 1.749	1.076	143.83	395.91	2.075E+05
9. 1.749	1.075	144.07	407.66	2.211E+05
10. 1.753	1.075	145.38	405.83	2.186E+05

\* \* \* END OF FILE \* \* \*

B1BBAQ 11-08-97 20:26

AA  
Gandy Interem Stability BBa Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.369

642-024  
PMP  
7 Nov -9



XSTABL File: GB1BBAQ 11-08-97 20:26

7 Nov-97  
pmr  
602-0248

\*\*\*\*\*  
\* X S T A B L \*  
\*  
\* Slope Stability Analysis \*  
\* using the \*  
\* Method of Slices \*  
\*  
\* Copyright (C) 1992 - 96 \*  
\* Interactive Software Designs, Inc. \*  
\* Moscow, ID 83843, U.S.A. \*  
\*  
\* All Rights Reserved \*  
\*  
\* Ver. 5.200 96 - 1216 \*  
\*\*\*\*\*

Problem Description : Gandy Interem Stability AA  
BBa Q

-----  
SEGMENT BOUNDARY COORDINATES  
-----

6 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	14.0	52.8	106.8	49.8	2
2	106.8	49.8	393.0	106.0	1
3	393.0	106.0	781.7	112.0	1
4	781.7	112.0	1143.0	139.8	1
5	1143.0	139.8	1149.2	137.4	1
6	1149.2	137.4	1189.0	137.4	2

3 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	106.8	49.8	420.5	39.4	2
2	420.5	39.4	683.0	38.0	2
3	683.0	38.0	1149.2	137.4	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface
Unit	Moist	Sat.	Intercept	Angle	Parameter Constant

No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No. P
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

50 ft  
602 -  
No. P  
7-0

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

2 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 6.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	156.8	47.6	166.8	47.3	1.0
2	179.0	46.7	420.5	38.9	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.03	56.91
2	147.64	54.19
3	152.81	51.15
4	157.98	48.10

5	158.90	47.22
6	369.64	40.32
7	370.36	41.06
8	373.40	46.23
9	376.45	51.40
10	379.49	56.57
11	382.54	61.74
12	385.58	66.91
13	388.63	72.08
14	391.67	77.25
15	394.72	82.42
16	397.76	87.59
17	400.81	92.76
18	403.85	97.93
19	406.90	103.10
20	408.75	106.24

7-10-71  
692-1200  
PMP  
7-Nov-97

\*\* Corrected JANBU FOS = 1.369 \*\* (Fo factor = 1.075)

Failure surface No. 2 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.71	57.05
2	148.61	54.16
3	153.78	51.12
4	158.95	48.07
5	160.02	47.04
6	369.31	40.52
7	369.85	41.08
8	372.89	46.25
9	375.94	51.42
10	378.98	56.59
11	382.03	61.76
12	385.07	66.93
13	388.12	72.10
14	391.16	77.27
15	394.21	82.44
16	397.25	87.61
17	400.30	92.78
18	403.34	97.95
19	406.39	103.12
20	408.23	106.24

\*\* Corrected JANBU FOS = 1.371 \*\* (Fo factor = 1.075)

Failure surface No. 3 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.77	57.06
2	148.69	54.16
3	153.86	51.11
4	159.03	48.07
5	159.98	47.16
6	370.19	40.50

7	370.72	41.05
8	373.76	46.22
9	376.81	51.39
10	379.85	56.56
11	382.90	61.73
12	385.94	66.90
13	388.99	72.07
14	392.03	77.24
15	395.08	82.41
16	398.12	87.58
17	401.17	92.75
18	404.22	97.92
19	407.26	103.09
20	409.12	106.25

602-0200  
PMP  
7-NW-9-

\*\* Corrected JANBU FOS = 1.373 \*\* (Fo factor = 1.075)

Failure surface No. 4 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.72	56.85
2	147.21	54.21
3	152.38	51.16
4	157.54	48.12
5	158.04	47.64
6	379.78	39.85
7	380.62	40.72
8	383.67	45.89
9	386.71	51.06
10	389.76	56.23
11	392.81	61.40
12	395.85	66.57
13	398.90	71.74
14	401.94	76.91
15	404.99	82.08
16	408.03	87.25
17	411.08	92.42
18	414.12	97.59
19	417.17	102.76
20	419.32	106.41

\*\* Corrected JANBU FOS = 1.375 \*\* (Fo factor = 1.074)

Failure surface No. 5 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.30	56.77
2	146.62	54.23
3	151.79	51.18
4	156.96	48.14
5	157.82	47.31
6	385.06	39.72
7	385.86	40.55
8	388.90	45.72

9	391.95	50.89
10	394.99	56.06
11	398.04	61.23
12	401.08	66.40
13	404.13	71.57
14	407.17	76.74
15	410.22	81.91
16	413.26	87.08
17	416.31	92.25
18	419.35	97.42
19	422.40	102.59
20	424.70	106.49

5308  
602-1200  
7-Nov-77  
Pmp

\*\* Corrected JANBU FOS = 1.375 \*\* (Fo factor = 1.073)

Failure surface No. 6 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.23	56.76
2	146.52	54.23
3	151.69	51.19
4	156.86	48.14
5	157.79	47.25
6	367.86	40.92
7	368.07	41.14
8	371.12	46.31
9	374.17	51.48
10	377.21	56.65
11	380.26	61.82
12	383.30	66.99
13	386.35	72.16
14	389.39	77.33
15	392.44	82.50
16	395.48	87.67
17	398.53	92.84
18	401.57	98.01
19	404.62	103.18
20	406.40	106.21

\*\* Corrected JANBU FOS = 1.376 \*\* (Fo factor = 1.075)

Failure surface No. 7 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	144.07	57.12
2	149.12	54.14
3	154.29	51.10
4	159.46	48.05
5	159.97	47.57
6	368.52	40.29
7	369.30	41.10
8	372.34	46.27
9	375.39	51.44
10	378.43	56.61

11	381.48	61.78
12	384.52	66.95
13	387.57	72.12
14	390.61	77.29
15	393.66	82.46
16	396.70	87.63
17	399.75	92.80
18	402.79	97.97
19	405.84	103.13
20	407.66	106.23

5400  
PMP  
602-720  
7-PMW-T

\*\* Corrected JANBU FOS = 1.377 \*\* (Fo factor = 1.075)

Failure surface No. 8 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	142.67	56.84
2	147.15	54.21
3	152.32	51.16
4	157.49	48.12
5	158.26	47.38
6	372.84	40.77
7	373.04	40.97
8	376.08	46.14
9	379.13	51.31
10	382.17	56.48
11	385.22	61.65
12	388.26	66.82
13	391.31	71.99
14	394.35	77.16
15	397.40	82.33
16	400.44	87.50
17	403.49	92.67
18	406.53	97.84
19	409.58	103.01
20	411.51	106.29

\*\* Corrected JANBU FOS = 1.378 \*\* (Fo factor = 1.074)

Failure surface No. 9 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	143.14	56.94
2	147.81	54.19
3	152.98	51.14
4	158.14	48.10
5	158.89	47.38
6	379.73	40.31
7	380.14	40.74
8	383.19	45.91
9	386.23	51.08
10	389.28	56.25
11	392.33	61.42
12	395.37	66.59

13	398.42	71.76
14	401.46	76.93
15	404.51	82.10
16	407.55	87.27
17	410.60	92.44
18	413.64	97.61
19	416.69	102.78
20	418.82	106.40

55-5  
PMP  
602-020  
7-Nov-

\*\* Corrected JANBU FOS = 1.378 \*\* (Fo factor = 1.074)

Failure surface No.10 specified by 20 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	141.64	56.64
2	145.68	54.26
3	150.85	51.21
4	156.02	48.17
5	156.99	47.24
6	356.95	40.50
7	357.90	41.48
8	360.94	46.65
9	363.99	51.82
10	367.03	56.98
11	370.08	62.15
12	373.12	67.32
13	376.17	72.49
14	379.21	77.66
15	382.26	82.83
16	385.30	88.00
17	388.35	93.17
18	391.39	98.34
19	394.44	103.51
20	395.93	106.05

\*\* Corrected JANBU FOS = 1.378 \*\* (Fo factor = 1.076)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Interem Stability BBa Q

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 1.369	1.075	143.03	408.75	2.150E+05
2. 1.371	1.075	143.71	408.23	2.143E+05
3. 1.373	1.075	143.77	409.12	2.152E+05
4. 1.375	1.074	142.72	419.32	2.256E+05
5. 1.375	1.073	142.30	424.70	2.309E+05
6. 1.376	1.075	142.23	406.40	2.124E+05
7. 1.377	1.075	144.07	407.66	2.136E+05
8. 1.378	1.074	142.67	411.51	2.177E+05

5604

9.	1.378	1.074	143.14	418.82	2.250E+05	PM
10.	1.378	1.076	141.64	395.93	2.012E+05	602-9 7-NJ

\* \* \* END OF FILE \* \* \*

57-05 57  
PMP  
602-0200  
Nov 7, 1975

SARMA NON-VERTICAL SLICE ANALYSIS

Analysis no. gancomb

Unit weight of water = 62.4

Side number	1	2	3	4	5
Coordinate xt	143.02	164.44	369.62	393.00	408.75
Coordinate yt	56.91	61.12	101.41	106.00	106.24
Coordinate xw	143.02	164.44	369.62	393.00	408.91
Coordinate yw	56.91	45.40	40.29	79.50	106.51
Coordinate xb	143.02	164.44	369.62	393.00	408.75
Coordinate yb	56.91	45.40	40.29	79.50	106.24
Friction angle	0.00	0.00	0.00	0.00	0.00
Cohesion	0.00	0.00	0.00	0.00	0.00

Slice number	1	2	3	4
Rock unit weight	110.00	110.00	110.00	110.00
Friction angle	29.00	2.00	29.00	29.00
Cohesion	0.00	440.00	0.00	0.00
Force T	0.00	0.00	0.00	0.00
Angle theta	0.00	0.00	0.00	0.00

Effective normal stresses

e	1054.35	4235.05	3085.83	929.83
a	0.00	1256.37	1908.49	759.38

Acceleration Kc = 0.0899

Factor of Safety = 1.66



# MONTGOMERY WATSON

## **Calculation Cover Sheet**

**Appendix E-4**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Ultimate Filling Plan Waste Stability

Name \_\_\_\_\_ Date \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/7/97

**Checked By:** John Pellicer **Date:** 11/12/97

Reviewed By: Pat Corser Date: 11/14/97

Revisions	Date	By	Checked By	Reviewed By



## Ultimate Filling Plan Waste Stability

Objectives: Evaluate the overall stability of the waste body once the ultimate filling plan has been reached.

Method: Use the XSTAB (ver 5.000) computer program to evaluate basal failure envelopes.

Assumptions: The waste was assigned a strength associated with a relatively loose Silty Sand. (25% relative density  $\Rightarrow \phi = 29^\circ$ ) (see pg 5) ✓

Calculations: Two Cross Sections were evaluated (see pg 3), Section B-B' running North South and section A-A' running East West. (see fig. 4) ✓

Phase beams were taken out of the cross-sections or given the same properties as the liner interface. So they have no impact on stability (conservative). ✓

Two different failure geometries were checked on both cross sections. Geometry 1 checked failure planes running the entire length of the cross sections through the liner systems weakest interface. This mode of failure was checked both statically and pseudo-statically using a maximum ground acceleration = 0.04g.

Analysis of Section B-B' resulted in a static F.S. = 6.4 and a pseudo-static F.S. = 1.6. (see pg 9-24)

Analysis of Section A-A' resulted in a static F.S. = 8.5 and a pseudo-static F.S. = 1.5 (see pg 25-40)

Geometry 2 checked failure planes running through the liner system and up through the waste, daylighting somewhere in the middle of the cell. The entire length of the cross-section was searched to find where the most critical failure plane daylighted.



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: -25- Date: 12-12-97  
Project Number: 602 Sheet: 2 of 81  
Prepared By: P. Pellicer Date: Nov 7, 1992  
Checked By: J. Pellicer Date: 12-Nov-97

In Geometry 2 Section B-B's most critical failure plane has a static F.S. = 4.8 and a pseudo-static F.S. = 2.0, (see pg. 41-61) Section A-A's most critical failure plane has a static F.S. = 3.7 and a pseudo-static F.S. = 1.6 (see pg 62-81)

Conclusions: This stability analysis used undrained unconsolidated strength from the interface testing program. This is very conservative for this analysis, since the filling time to reach the ultimate geometry will allow most of the waste and liner system to drain and consolidate.

7-1040-91

NOTES  
1 FOR GENERAL HOTELS AND HOTEL AND INN UNITS  
DRAWING NO. 2 "MOLIA" LOCATED AREA OF HONOLULU  
2 LOPUHAPITI FROM ALAHAN SURVEY'S PELU CHART  
AUGUST 1981 BY KODAK AND PLUM'S ENGINEERS




卷之三

— 1 —

## TRIASSIC PARK WASTE DISPOSAL FACILITY


**FINAL DRAWDOWN PLAN -  
TOP OF WASTE CONTOURS**

**Terra Mairia**  
Maurizio  
Graziano




E-9

7-101-17



CROSS-SECTION A-A'

HORIZONTAL SCALE  
0 120' 240'  
VERTICAL SCALE  
0 120' 240'



CROSS-SECTION A-A'

HORIZONTAL SCALE  
90° 120° 240°

## *LEGEND*

DRAINAGE GRAVEL	ALLUVIAL DEPOSITS	UPPER DOCKUM	LOWER DOCKUM	WASTE
				

**TRIASSIC PARK  
WASTE DISPOSAL FACILITY**

---

## **LAWFELL CROSS-SECTIONS**

१४

Terminix

11

gandy-txsec2.dwg

50581

G12-0200

PMP

7-7414-97




Fig. 11.13 Correlations between the effective friction angle in triaxial tests, relative density, and dry density

**SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY**


608 81

GZ2-0210

PMT

7-Nov-97

TERRA-MATRIX MONTGOMERY MATTSON - ASTM D 5321 TESTS



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH

$$(4.534E+00) + (1.551E-01)x$$

THE VARIANCE -  $1.532E+00$

$$a = 650 \text{ PSF } S = 9^\circ$$

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH

$$(3.045E+00) + (3.321E-02)x$$

THE VARIANCE -  $3.240E-02$

$$a = 440 \text{ PSF } S = 2^\circ$$

Reviewed By: Robert H. Dunn Jr. Date: 10-8-97

R. L. M.  
S. L. R.

3 1819 00069223


70F 81  
602-0200  
PMI  
7-N4v-97

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algermissen, D. M. Perkins, P. C. Thebaus,  
S. L. Hanson and B. L. Bender



Open-File Report 82-1033

1982

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards.

JUL 27  
1982


PLATE 3

Preliminary Map of Horizontal Acceleration  
(Expressed as Percent of Gravity) in Rock  
with 90 Percent Probability of not being  
Exceeded in 250 Years

GULF OF MEXICO


100 200 300  
100 200 300 400 Kilometers

BOFSL  
G02  
PMP  
7-Nov-91



6181 11-05-97 19:00

Gandy Total Basal Failure  
10 most critical surfaces, MINIMUM JANBU FOS = 6.394



```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 à 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 à 1216
*****

```

## Problem Description : Gandy Total Basal Failure

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 9 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.9	213.0	127.5	2
2	213.0	127.5	243.3	135.0	1
3	243.3	135.0	590.6	155.8	1
4	590.6	155.8	1473.6	163.6	1
5	1473.6	163.6	2338.5	204.8	1
6	2338.5	204.8	2394.6	205.0	1
7	2394.6	205.0	2985.4	170.0	1
8	2985.4	170.0	3036.6	160.0	1
9	3036.6	160.0	3266.9	157.0	2

## 10 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	213.0	127.5	241.3	127.4	2
2	241.3	127.4	525.9	32.6	2
3	525.9	32.6	1459.4	57.9	2
4	1459.4	57.9	1483.7	70.0	2
5	1483.7	70.0	1498.7	70.0	2
6	1498.7	70.0	1531.4	53.7	2
7	1531.4	53.7	2159.5	53.7	2
8	2159.5	53.7	2725.7	65.0	2
9	2725.7	65.0	3009.3	159.7	2
10	3009.3	159.7	3036.6	160.0	2

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface		
Unit	Moist Sat.	Intercept	Angle	Parameter	No.		
No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

7 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 15.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	261.3	120.3	311.3	103.6	1.0
2	524.9	32.1	575.9	33.4	1.0
3	1359.4	54.7	1459.4	57.4	1.0
4	1531.4	53.2	1631.4	53.2	1.0
5	2134.5	53.2	2184.5	53.7	1.0
6	2675.7	63.5	2726.7	64.5	1.0
7	2939.3	135.8	2989.3	152.5	1.0

\*\*\*\*\*
\*\* Factor of safety calculation for surface # 217 \*\*
\*\* failed to converge within FIFTY iterations \*\*\*
\*\* The last calculated value of the FOS was 22.9377 \*\*
\*\* This will be ignored for final summary of results \*\*\*
\*\*\*\*\*

The trial failure surface in question is defined by the following 14 coordinate points

Point	x-surf	y-surf
-------	--------	--------

Point No.	x-surf (ft)	y-surf (ft)
1	246.32	135.18
2	257.41	128.65
3	270.34	121.04
4	283.26	113.42
5	284.13	112.58
6	552.99	33.11
7	1446.77	56.92
8	1596.15	53.68
9	2155.89	53.80
10	2680.97	63.74
11	2984.13	150.39
12	2985.42	151.73
13	2993.04	164.65
14	2995.07	168.11

602-020  
PMP  
7-NP-

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	250.19	135.41
2	254.30	132.99
3	267.22	125.38
4	280.15	117.77
5	293.07	110.15
6	294.09	109.17
7	526.03	32.28
8	1454.46	57.25
9	1597.73	53.42
10	2170.29	53.62
11	2726.55	64.58
12	2975.75	148.14
13	2976.26	148.67
14	2983.87	161.59
15	2988.47	169.40

\*\* Corrected JANBU FOS = 6.394 \*\* (Fo factor = 1.018)

Failure surface No. 2 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.11	134.95
2	249.11	131.41

3 262.04 123.80  
 4 274.96 116.19  
 5 274.97 116.18  
 6 525.46 32.32  
 7 1368.25 54.51  
 8 1570.87 53.32  
 9 2142.09 53.00  
 10 2722.39 64.03  
 11 2968.02 145.74  
 12 2968.26 146.00  
 13 2975.88 158.92  
 14 2982.50 170.17

62-022  
 PMP  
 7-Nov-91

\*\* Corrected JANBU FOS = 6.877 \*\* (Fo factor = 1.018)

Failure surface No. 3 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	253.72	135.62
2	263.25	130.01
3	276.17	122.40
4	289.10	114.79
5	302.02	107.17
6	302.82	106.41
7	526.62	31.73
8	1361.54	54.34
9	1566.29	53.41
10	2179.75	53.66
11	2722.22	64.27
12	2985.59	151.27
13	2986.33	152.03
14	2993.94	164.95
15	2995.73	167.98

\*\* Corrected JANBU FOS = 7.087 \*\* (Fo factor = 1.018)

Failure surface No. 4 specified by 16 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	251.81	135.51
2	258.39	131.63
3	271.31	124.02
4	284.24	116.41
5	297.16	108.79
6	297.38	108.58
7	525.09	32.07
8	1388.63	55.37
9	1579.03	52.84
10	2173.39	53.71
11	2714.08	63.81
12	2953.76	140.14
13	2955.22	141.64
14	2962.83	154.57
15	2970.44	167.49

16

2972.38

170.77

6-2-020

PMP

I-NX

\*\* Corrected JANBU FOS = 7.443 \*\* (Fo factor = 1.019)

Failure surface No. 5 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	245.85	135.15
2	256.22	129.05
3	269.14	121.43
4	282.07	113.82
5	282.57	113.33
6	528.40	32.65
7	1397.91	55.48
8	1557.75	52.72
9	2180.81	53.37
10	2723.06	63.93
11	2947.29	138.94
12	2947.37	139.02
13	2954.98	151.94
14	2962.60	164.87
15	2966.28	171.13

\*\* Corrected JANBU FOS = 7.549 \*\* (Fo factor = 1.019)

Failure surface No. 6 specified by 16 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	256.07	135.76
2	256.28	135.64
3	269.21	128.03
4	282.13	120.41
5	295.06	112.80
6	307.98	105.19
7	308.30	104.88
8	529.57	31.83
9	1451.03	57.07
10	1561.70	52.89
11	2158.20	53.32
12	2725.93	64.17
13	2975.52	147.56
14	2976.74	148.83
15	2984.35	161.75
16	2988.82	169.33

\*\* Corrected JANBU FOS = 7.603 \*\* (Fo factor = 1.019)

Failure surface No. 7 specified by 16 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	248.34	135.30

2	249.61	134.56
3	262.54	126.94
4	275.46	119.33
5	288.39	111.72
6	289.87	110.28
7	535.00	32.19
8	1409.17	56.14
9	1567.35	53.06
10	2134.78	53.23
11	2726.26	64.30
12	2949.59	139.00
13	2950.68	140.13
14	2958.30	153.05
15	2965.91	165.98
16	2968.86	170.98

602-9  
PMP  
2-NLV

\*\* Corrected JANBU FOS = 7.643 \*\* (Fo factor = 1.019)

Failure surface No. 8 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	246.97	135.22
2	259.05	128.10
3	271.98	120.49
4	284.90	112.88
5	286.39	111.44
6	526.73	31.77
7	1428.14	57.02
8	1532.61	53.45
9	2179.44	53.19
10	2704.76	64.30
11	2968.34	145.03
12	2969.75	146.49
13	2977.36	159.42
14	2983.65	170.10

\*\* Corrected JANBU FOS = 7.695 \*\* (Fo factor = 1.018)

Failure surface No. 9 specified by 17 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	256.92	135.82
2	258.44	134.92
3	271.36	127.31
4	284.29	119.70
5	297.21	112.08
6	310.14	104.47
7	311.08	103.55
8	525.99	32.11
9	1375.86	54.95
10	1629.49	52.79
11	2152.47	53.25
12	2702.32	63.57
13	2940.53	136.06

16-2-2  
6.2-92v  
PMS  
2-NW

14	2941.49	137.06
15	2949.11	149.98
16	2956.72	162.91
17	2961.72	171.40

\*\* Corrected JANBU FOS = 7.706 \*\* (Fo factor = 1.019)

Failure surface No.10 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.02	134.93
2	248.83	131.51
3	261.76	123.89
4	274.68	116.28
5	275.19	115.79
6	525.45	31.94
7	1389.99	55.55
8	1569.92	52.82
9	2174.72	53.44
10	2698.76	64.18
11	2966.85	144.67
12	2968.07	145.93
13	2975.68	158.86
14	2982.35	170.18

\*\* Corrected JANBU FOS = 7.721 \*\* (Fo factor = 1.018)

\*\*\*\*\*  
\*\*  
\*\* Out of the 500 surfaces generated and analyzed by XSTABL,  
\*\* 3 surfaces were found to have MISLEADING FOS values.  
\*\*  
\*\*\*\*\*


The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Total Basal Failure

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 6.394	1.018	250.19	2988.47	2.800E+06
2. 6.877	1.018	243.11	2982.50	3.013E+06
3. 7.087	1.018	253.72	2995.73	3.074E+06
4. 7.443	1.019	251.81	2972.38	3.257E+06
5. 7.549	1.019	245.85	2966.28	3.298E+06
6. 7.603	1.019	256.07	2988.82	3.286E+06
7. 7.643	1.019	248.34	2968.86	3.323E+06
8. 7.695	1.018	246.97	2983.65	3.399E+06
9. 7.706	1.019	256.92	2961.72	3.396E+06

G181Q 11-05-97 19:02

Gandy Total Basal Failure Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.598



602-2  
P.M.P.  
7-Nov.

```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 à 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 à 1216
*****
```

Problem Description : Gandy Total Basal Failure Q

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**9 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.9	213.0	127.5	2
2	213.0	127.5	243.3	135.0	1
3	243.3	135.0	590.6	155.8	1
4	590.6	155.8	1473.6	163.6	1
5	1473.6	163.6	2338.5	204.8	1
6	2338.5	204.8	2394.6	205.0	1
7	2394.6	205.0	2985.4	170.0	1
8	2985.4	170.0	3036.6	160.0	1
9	3036.6	160.0	3266.9	157.0	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	213.0	127.5	241.3	127.4	2
2	241.3	127.4	525.9	32.6	2
3	525.9	32.6	1459.4	57.9	2
4	1459.4	57.9	1483.7	70.0	2
5	1483.7	70.0	1498.7	70.0	2
6	1498.7	70.0	1531.4	53.7	2
7	1531.4	53.7	2159.5	53.7	2
8	2159.5	53.7	2725.7	65.0	2
9	2725.7	65.0	3009.3	159.7	2
10	3009.3	159.7	3036.6	160.0	2

-----  
 ISOTROPIC Soil Parameters  
 -----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water		
Unit	Moist Sat.	Intercept	Angle	Parameter	Constant	Surfac	
No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

7 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 15.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	261.3	120.3	311.3	103.6	1.0
2	524.9	32.1	575.9	33.4	1.0
3	1359.4	54.7	1459.4	57.4	1.0
4	1531.4	53.2	1631.4	53.2	1.0
5	2134.5	53.2	2184.5	53.7	1.0
6	2675.7	63.5	2726.7	64.5	1.0
7	2939.3	135.8	2989.3	152.5	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

602-0:  
7-NIV

The 10 most critical of all the failure surfaces examined  
are displayed below - the most critical first

Failure surface No. 1 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	250.19	135.41
2	254.30	132.99
3	267.22	125.38
4	280.15	117.77
5	293.07	110.15
6	294.09	109.17
7	526.03	32.28
8	1454.46	57.25
9	1597.73	53.42
10	2170.29	53.62
11	2726.55	64.58
12	2975.75	148.14
13	2976.26	148.67
14	2983.87	161.59
15	2988.47	169.40

\*\* Corrected JANBU FOS = 1.598 \*\* (Fo factor = 1.018)

Failure surface No. 2 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.11	134.95
2	249.11	131.41
3	262.04	123.80
4	274.96	116.19
5	274.97	116.18
6	525.46	32.32
7	1368.25	54.51
8	1570.87	53.32
9	2142.09	53.00
10	2722.39	64.03
11	2968.02	145.74
12	2968.26	146.00
13	2975.88	158.92
14	2982.50	170.17

\*\* Corrected JANBU FOS = 1.693 \*\* (Fo factor = 1.018)

Failure surface No. 3 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	253.72	135.62
2	263.25	130.01

3	276.17	122.40
4	289.10	114.79
5	302.02	107.17
6	302.82	106.41
7	526.62	31.73
8	1361.54	54.34
9	1566.29	53.41
10	2179.75	53.66
11	2722.22	64.27
12	2985.59	151.27
13	2986.33	152.03
14	2993.94	164.95
15	2995.73	167.98

21-88  
612-0202  
PMP  
2-Nov-9

\*\* Corrected JANBU FOS = 1.736 \*\* (Fo factor = 1.018)

Failure surface No. 4 specified by 16 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	251.81	135.51
2	258.39	131.63
3	271.31	124.02
4	284.24	116.41
5	297.16	108.79
6	297.38	108.58
7	525.09	32.07
8	1388.63	55.37
9	1579.03	52.84
10	2173.39	53.71
11	2714.08	63.81
12	2953.76	140.14
13	2955.22	141.64
14	2962.83	154.57
15	2970.44	167.49
16	2972.38	170.77

\*\* Corrected JANBU FOS = 1.836 \*\* (Fo factor = 1.019)

Failure surface No. 5 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	246.97	135.22
2	259.05	128.10
3	271.98	120.49
4	284.90	112.88
5	286.39	111.44
6	526.73	31.77
7	1428.14	57.02
8	1532.61	53.45
9	2179.44	53.19
10	2704.76	64.30
11	2968.34	145.03
12	2969.75	146.49
13	2977.36	159.42

14 2983.65 170.10

6.2-020

PMP

\*\* Corrected JANBU FOS = 1.907 \*\* (Fo factor = 1.018) 7-Nov-

## Failure surface No. 6 specified by 16 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	255.78	135.75
2	268.47	128.27
3	281.39	120.66
4	294.32	113.05
5	307.24	105.43
6	308.04	104.67
7	525.86	31.76
8	1381.43	55.31
9	1540.90	53.55
10	2161.09	53.66
11	2714.09	64.69
12	2954.98	141.33
13	2955.31	141.67
14	2962.93	154.60
15	2970.54	167.52
16	2972.45	170.77

\*\* Corrected JANBU FOS = 1.915 \*\* (Fo factor = 1.019)

## Failure surface No. 7 specified by 17 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	256.92	135.82
2	258.44	134.92
3	271.36	127.31
4	284.29	119.70
5	297.21	112.08
6	310.14	104.47
7	311.08	103.55
8	525.99	32.11
9	1375.86	54.95
10	1629.49	52.79
11	2152.47	53.25
12	2702.32	63.57
13	2940.53	136.06
14	2941.49	137.06
15	2949.11	149.98
16	2956.72	162.91
17	2961.72	171.40

\*\* Corrected JANBU FOS = 1.917 \*\* (Fo factor = 1.019)

## Failure surface No. 8 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	256.92	135.82
2	258.44	134.92
3	271.36	127.31
4	284.29	119.70
5	297.21	112.08
6	310.14	104.47
7	311.08	103.55
8	525.99	32.11
9	1375.86	54.95
10	1629.49	52.79
11	2152.47	53.25
12	2702.32	63.57
13	2940.53	136.06
14	2941.49	137.06
15	2949.11	149.98
16	2956.72	162.91
17	2961.72	171.40

612-9200  
PMP  
7-7Nv -

1	241.00	134.43
2	242.22	133.71
3	255.15	126.10
4	268.07	118.48
5	268.63	117.95
6	525.65	32.26
7	1415.01	56.35
8	1597.36	52.86
9	2161.86	53.04
10	2715.21	64.36
11	2950.85	139.44
12	2951.91	140.54
13	2959.52	153.46
14	2967.13	166.38
15	2969.81	170.92

\*\* Corrected JANBU FOS = 1.921 \*\* (Fo factor = 1.019)

Failure surface No. 9 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.02	134.93
2	248.83	131.51
3	261.76	123.89
4	274.68	116.28
5	275.19	115.79
6	525.45	31.94
7	1389.99	55.55
8	1569.92	52.82
9	2174.72	53.44
10	2698.76	64.18
11	2966.85	144.67
12	2968.07	145.93
13	2975.68	158.86
14	2982.35	170.18

\*\* Corrected JANBU FOS = 1.921 \*\* (Fo factor = 1.018)

Failure surface No.10 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	244.27	135.06
2	252.22	130.38
3	265.14	122.77
4	278.07	115.15
5	278.17	115.05
6	525.85	31.93
7	1374.48	55.40
8	1560.34	53.26
9	2150.67	53.02
10	2699.92	63.97
11	2954.28	141.09
12	2954.62	141.44

13            2962.24            154.37  
 14            2969.85            167.29  
 15            2971.92            170.80

240C  
 62-0200  
 YMP  
 7-Nov-

\*\* Corrected JANBU FOS = 1.925 \*\*      (Fo factor = 1.019)

The following is a summary of the TEN most critical surfaces


Problem Description : Gandy Total Basal Failure Q

	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.598	1.018	250.19	2988.47	2.807E+06
2.	1.693	1.018	243.11	2982.50	2.962E+06
3.	1.736	1.018	253.72	2995.73	3.029E+06
4.	1.836	1.019	251.81	2972.38	3.195E+06
5.	1.907	1.018	246.97	2983.65	3.329E+06
6.	1.915	1.019	255.78	2972.45	3.323E+06
7.	1.917	1.019	256.92	2961.72	3.330E+06
8.	1.921	1.019	241.00	2969.81	3.353E+06
9.	1.921	1.018	243.02	2982.35	3.362E+06
10.	1.925	1.019	244.27	2971.92	3.360E+06

\* \* \* END OF FILE \* \* \*

G18A1 11-06-97 8:45

Gandy Basal Failure aa  
10 most critical surfaces, MINIMUM JANBU FOS = 8.520



\*\*\*\*\*
\* X S T A B L
\* Slope Stability Analysis
\* using the
\* Method of Slices
\*
\* Copyright (C) 1992 - 96
\* Interactive Software Designs, Inc.
\* Moscow, ID 83843, U.S.A.
\*
\* All Rights Reserved
\*
\* Ver. 5.200 96 - 1216
\*\*\*\*\*

Problem Description : Gandy Basal Failure aa

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**10 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	5.0	122.0	315.6	123.8	2
2	315.6	123.8	375.2	143.6	2
3	375.2	143.6	436.8	143.6	2
4	436.8	143.6	474.5	153.0	1
5	474.5	153.0	1146.0	192.8	1
6	1146.0	192.8	1813.7	204.9	1
7	1813.7	204.9	1884.7	205.0	1
8	1884.7	205.0	2519.5	165.0	1
9	2519.5	165.0	2543.7	159.0	1
10	2543.7	159.0	2872.9	156.7	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	436.8	143.6	465.1	143.6	2
2	465.1	143.6	772.5	41.1	2
3	772.5	41.1	1399.3	52.9	2
4	1399.3	52.9	1433.2	69.8	2
5	1433.2	69.8	1448.8	69.9	2
6	1448.8	69.9	1472.6	58.0	2
7	1472.6	58.0	2008.1	58.3	2
8	2008.1	58.3	2233.9	65.1	2
9	2233.9	65.1	2515.4	159.0	2

10

2515.4

159.0

2543.7

159.0

2

C F E T  
692-9201  
1MP  
7-MAY-8

---

ISOTROPIC Soil Parameters

---

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surface
Unit	Moist Sat.	Intercept	Angle	Parameter	Constant
No.	(pcf)	(psf)	(deg)	Ru	(psf)
1	110.0	110.0	.0	29.00	.000
2	110.0	110.0	440.0	2.00	.000

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

7 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	485.1	136.5	535.1	119.8	1.0
2	771.5	40.6	772.5	40.6	1.0
3	1374.3	51.9	1399.3	52.4	1.0
4	1472.6	57.5	1497.6	57.5	1.0
5	1998.1	57.8	2018.1	58.1	1.0
6	2233.9	64.6	2234.9	64.6	1.0
7	2470.4	143.5	2495.4	151.8	1.0

---

\*\*\*\*\*
\*\* Factor of safety calculation for surface # 14 \*\*
\*\* failed to converge within FIFTY iterations \*\*\*\*
\*\* The last calculated value of the FOS was 24.1013 \*\*
\*\* This will be ignored for final summary of results \*\*\*\*
\*\*\*\*\*

The trial failure surface in question is defined by the following 17 coordinate points

24-8

6	518.34	128.05
7	526.96	122.97
8	527.27	122.67
9	772.45	40.43
10	1389.84	52.11
11	1474.50	57.87
12	2015.50	58.52
13	2234.79	64.33
14	2479.57	146.59
15	2480.21	147.26
16	2485.29	155.88
17	2490.36	164.49
18	2491.69	166.75

602-8223  
PMP  
7-Nov-97

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.15	150.17
2	469.09	146.67
3	477.71	141.60
4	486.32	136.52
5	487.29	135.59
6	772.40	40.13
7	1393.41	51.80
8	1485.69	57.85
9	2006.10	57.83
10	2234.85	65.02
11	2471.94	144.45
12	2472.01	144.53
13	2477.09	153.14
14	2482.17	161.76
15	2485.34	167.15

\*\* Corrected JANBU FOS = 8.520 \*\* (Fo factor = 1.026)

Failure surface No. 2 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.91	150.11
2	468.30	146.94
3	476.92	141.86
4	485.53	136.79
5	486.48	135.87
6	772.31	40.12

7	1383.52	51.68
8	1479.38	57.79
9	2006.15	58.09
10	2234.88	64.70
11	2484.73	148.57
12	2485.01	148.86
13	2490.08	157.48
14	2495.16	166.10
15	2495.41	166.52

602-024  
PMP  
I-N-9

\*\* Corrected JANBU FOS = 8.561 \*\* (Fo factor = 1.026)

Failure surface No. 3 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.95	150.37
2	471.72	145.80
3	480.33	140.72
4	488.95	135.65
5	489.83	134.79
6	771.82	40.61
7	1382.69	51.61
8	1489.81	57.19
9	2003.49	57.89
10	2234.20	64.99
11	2478.90	146.38
12	2479.54	147.04
13	2484.62	155.65
14	2489.69	164.27
15	2491.17	166.78

\*\* Corrected JANBU FOS = 8.587 \*\* (Fo factor = 1.026)

Failure surface No. 4 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.67	150.05
2	467.51	147.20
3	476.13	142.12
4	484.75	137.05
5	485.97	135.87
6	772.41	40.28
7	1391.97	51.80
8	1488.01	57.64
9	2002.09	57.55
10	2234.24	64.34
11	2477.25	145.96
12	2477.70	146.42
13	2482.77	155.04
14	2487.85	163.66
15	2489.74	166.87

\*\* Corrected JANBU FOS = 8.592 \*\* (Fo factor = 1.026)

Failure surface No. 5 specified by 15 coordinate points

500  
102-028  
PMP  
7Nry-9

Point No.	x-surf (ft)	y-surf (ft)
1	462.48	150.00
2	466.87	147.42
3	475.48	142.34
4	484.10	137.26
5	485.50	135.91
6	772.37	40.47
7	1381.45	51.74
8	1484.86	57.41
9	1998.79	57.56
10	2234.71	64.37
11	2471.18	143.60
12	2472.11	144.56
13	2477.18	153.18
14	2482.26	161.79
15	2485.41	167.15

\*\* Corrected JANBU FOS = 8.602 \*\* (Fo factor = 1.026)

Failure surface No. 6 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.16	150.42
2	472.40	145.57
3	481.01	140.50
4	489.63	135.42
5	489.76	135.29
6	771.80	40.46
7	1392.89	51.81
8	1488.45	57.78
9	2008.72	58.26
10	2234.22	64.77
11	2476.23	145.20
12	2477.28	146.28
13	2482.36	154.90
14	2487.43	163.52
15	2489.42	166.90

\*\* Corrected JANBU FOS = 8.603 \*\* (Fo factor = 1.026)

Failure surface No. 7 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.06	150.40
2	472.07	145.68
3	480.69	140.60
4	489.31	135.53
5	490.44	134.44
6	772.11	40.29

7	1391.42	52.41
8	1486.08	57.54
9	2012.77	57.55
10	2234.06	64.79
11	2471.15	143.66
12	2471.97	144.51
13	2477.05	153.13
14	2482.12	161.75
15	2485.31	167.15

602-0208  
PMP  
7-Nov-97

\*\* Corrected JANBU FOS = 8.615 \*\* (Fo factor = 1.026)

Failure surface No. 8 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.23	150.19
2	469.33	146.60
3	477.94	141.52
4	486.56	136.45
5	487.63	135.41
6	772.44	40.42
7	1386.64	51.99
8	1487.94	57.87
9	2008.46	58.25
10	2234.66	64.43
11	2476.27	144.99
12	2477.63	146.40
13	2482.71	155.02
14	2487.79	163.64
15	2489.70	166.88

\*\* Corrected JANBU FOS = 8.621 \*\* (Fo factor = 1.026)

Failure surface No. 9 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.66	150.05
2	467.49	147.21
3	476.10	142.13
4	484.72	137.06
5	485.90	135.92
6	772.11	40.95
7	1382.25	51.80
8	1490.13	57.59
9	2011.03	57.93
10	2234.28	64.79
11	2481.52	147.24
12	2482.17	147.92
13	2487.24	156.53
14	2492.32	165.15
15	2493.21	166.66

\*\* Corrected JANBU FOS = 8.629 \*\* (Fo factor = 1.025)

Failure surface No.10 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.26	150.20
2	469.44	146.56
3	478.06	141.48
4	486.67	136.41
5	486.99	136.10
6	771.60	40.80
7	1397.94	51.94
8	1475.88	57.05
9	2009.02	57.66
10	2234.31	64.52
11	2477.48	146.27
12	2477.60	146.39
13	2482.68	155.01
14	2487.75	163.62
15	2489.67	166.88

\*\* Corrected JANBU FOS = 8.637 \*\* (Fo factor = 1.025)

\*\*\*\*\*  
\*\*  
\*\* Out of the 500 surfaces generated and analyzed by XSTABL,  
\*\* 6 surfaces were found to have MISLEADING FOS values.  
\*\*  
\*\*\*\*\*

The following is a summary of the TEN most critical surfaces


Problem Description : Gandy Basal Failure aa

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1. 8.520	1.026	463.15	2485.34	1.862E+06
2. 8.561	1.026	462.91	2495.41	1.862E+06
3. 8.587	1.026	463.95	2491.17	1.863E+06
4. 8.592	1.026	462.67	2489.74	1.863E+06
5. 8.602	1.026	462.48	2485.41	1.862E+06
6. 8.603	1.026	464.16	2489.42	1.862E+06
7. 8.615	1.026	464.06	2485.31	1.863E+06
8. 8.621	1.026	463.23	2489.70	1.862E+06
9. 8.629	1.025	462.66	2493.21	1.861E+06
10. 8.637	1.025	463.26	2489.67	1.862E+06

\* \* \* END OF FILE \* \* \*

GIBA1Q 11-06-97 8:46

Gandy Basal Failure aa Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.494



```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 - 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 - 1216
*****

```

Problem Description : Gandy Basal Failure aa Q

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**10 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	5.0	122.0	315.6	123.8	2
2	315.6	123.8	375.2	143.6	2
3	375.2	143.6	436.8	143.6	2
4	436.8	143.6	474.5	153.0	1
5	474.5	153.0	1146.0	192.8	1
6	1146.0	192.8	1813.7	204.9	1
7	1813.7	204.9	1884.7	205.0	1
8	1884.7	205.0	2519.5	165.0	1
9	2519.5	165.0	2543.7	159.0	1
10	2543.7	159.0	2872.9	156.7	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	436.8	143.6	465.1	143.6	2
2	465.1	143.6	772.5	41.1	2
3	772.5	41.1	1399.3	52.9	2
4	1399.3	52.9	1433.2	69.8	2
5	1433.2	69.8	1448.8	69.9	2
6	1448.8	69.9	1472.6	58.0	2
7	1472.6	58.0	2008.1	58.3	2
8	2008.1	58.3	2233.9	65.1	2
9	2233.9	65.1	2515.4	159.0	2

10 2515.4 159.0 2543.7 159.0

2

550  
602-924  
PMP  
7-N++-

-----  
**ISOTROPIC Soil Parameters**  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water
Unit	Moist Sat.	Intercept	Angle	Parameter	Surfac
No.	(pcf)	(pcf)	(psf)	(deg)	No.
1	110.0	110.0	.0	29.00	.000
2	110.0	110.0	440.0	2.00	.000

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

7 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	485.1	136.5	535.1	119.8	1.0
2	771.5	40.6	772.5	40.6	1.0
3	1374.3	51.9	1399.3	52.4	1.0
4	1472.6	57.5	1497.6	57.5	1.0
5	1998.1	57.8	2018.1	58.1	1.0
6	2233.9	64.6	2234.9	64.6	1.0
7	2470.4	143.5	2495.4	151.8	1.0

\*\*\*\*\*  
 ERROR # 38  
 \*\*\*\*\*

SC -  
60

The program calculated a point for the PASSIVE wedge that is outside the defined slope geometry. The analysis will continue, but the user should adjust the search box or slope geometry to allow a passive wedge to be formed from all points within first box.

\*\*\*\*\*

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.91	150.11
2	468.30	146.94
3	476.92	141.86
4	485.53	136.79
5	486.48	135.87
6	772.31	40.12
7	1383.52	51.68
8	1479.38	57.79
9	2006.15	58.09
10	2234.88	64.70
11	2484.73	148.57
12	2485.01	148.86
13	2490.08	157.48
14	2495.16	166.10
15	2495.41	166.52

\*\* Corrected JANBU FOS = 1.494 \*\* (Fo factor = 1.026)

Failure surface No. 2 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.15	150.17
2	469.09	146.67
3	477.71	141.60
4	486.32	136.52
5	487.29	135.59
6	772.40	40.13
7	1393.41	51.80
8	1485.69	57.85
9	2006.10	57.83
10	2234.85	65.02
11	2471.94	144.45
12	2472.01	144.53
13	2477.09	153.14

14 2482.17 161.76  
15 2485.34 167.15

27-67  
602-724  
Imp  
Z-Alve

\*\* Corrected JANBU FOS = 1.495 \*\* (Fo factor = 1.026)

Failure surface No. 3 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.67	150.05
2	467.51	147.20
3	476.13	142.12
4	484.75	137.05
5	485.97	135.87
6	772.41	40.28
7	1391.97	51.80
8	1488.01	57.64
9	2002.09	57.55
10	2234.24	64.34
11	2477.25	145.96
12	2477.70	146.42
13	2482.77	155.04
14	2487.85	163.66
15	2489.74	166.87

\*\* Corrected JANBU FOS = 1.495 \*\* (Fo factor = 1.026)

Failure surface No. 4 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.48	150.00
2	466.87	147.42
3	475.48	142.34
4	484.10	137.26
5	485.50	135.91
6	772.37	40.47
7	1381.45	51.74
8	1484.86	57.41
9	1998.79	57.56
10	2234.71	64.37
11	2471.18	143.60
12	2472.11	144.56
13	2477.18	153.18
14	2482.26	161.79
15	2485.41	167.15

\*\* Corrected JANBU FOS = 1.496 \*\* (Fo factor = 1.026)

Failure surface No. 5 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.63	150.04

2	467.37	147.25
3	475.99	142.17
4	484.61	137.10
5	485.32	136.41
6	771.68	40.44
7	1375.07	51.57
8	1483.66	57.47
9	2010.87	57.67
10	2234.07	64.61
11	2493.87	150.81
12	2495.31	152.30
13	2500.38	160.91
14	2503.39	166.02

692-924  
PMP  
Z-N1V-6

\*\* Corrected JANBU FOS = 1.496 \*\* (Fo factor = 1.025)

Failure surface No. 6 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.66	150.05
2	467.49	147.21
3	476.10	142.13
4	484.72	137.06
5	485.90	135.92
6	772.11	40.95
7	1382.25	51.80
8	1490.13	57.59
9	2011.03	57.93
10	2234.28	64.79
11	2481.52	147.24
12	2482.17	147.92
13	2487.24	156.53
14	2492.32	165.15
15	2493.21	166.66

\*\* Corrected JANBU FOS = 1.496 \*\* (Fo factor = 1.025)

Failure surface No. 7 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.34	150.22
2	469.71	146.47
3	478.33	141.39
4	486.94	136.32
5	487.69	135.59
6	772.14	40.61
7	1394.22	51.87
8	1490.96	57.03
9	1998.34	57.90
10	2234.42	64.44
11	2482.28	147.09
12	2483.50	148.36
13	2488.58	156.98
14	2493.65	165.59

15 2494.24 166.59

042-9201  
PMS

\*\* Corrected JANBU FOS = 1.497 \*\* (Fo factor = 1.025) 7-N4v

Failure surface No. 8 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.95	150.37
2	471.72	145.80
3	480.33	140.72
4	488.95	135.65
5	489.83	134.79
6	771.82	40.61
7	1382.69	51.61
8	1489.81	57.19
9	2003.49	57.89
10	2234.20	64.99
11	2478.90	146.38
12	2479.54	147.04
13	2484.62	155.65
14	2489.69	164.27
15	2491.17	166.78

\*\* Corrected JANBU FOS = 1.497 \*\* (Fo factor = 1.026)

Failure surface No. 9 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.17	150.17
2	469.13	146.66
3	477.75	141.58
4	486.37	136.51
5	486.53	136.35
6	772.40	40.26
7	1382.80	51.58
8	1486.63	57.24
9	2000.54	57.44
10	2234.81	64.23
11	2474.20	144.48
12	2475.30	145.63
13	2480.38	154.24
14	2485.46	162.86
15	2487.89	166.99

\*\* Corrected JANBU FOS = 1.497 \*\* (Fo factor = 1.026)

Failure surface No.10 specified by 14 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.88	150.10
2	468.19	146.98

3	476.80	141.90
4	485.42	136.82
5	486.10	136.16
6	771.84	40.55
7	1388.28	51.92
8	1494.96	57.76
9	2016.15	57.80
10	2234.37	64.30
11	2491.07	150.44
12	2491.70	151.10
13	2496.78	159.71
14	2500.59	166.19

692-91  
2m/s  
7-Nov-9

\*\* Corrected JANBU FOS = 1.497 \*\* (F0 factor = 1.025)

The following is a summary of the TEN most critical surfaces


Problem Description : Gandy Basal Failure aa Q

	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.494	1.026	462.91	2495.41	1.862E+06
2.	1.495	1.026	463.15	2485.34	1.860E+06
3.	1.495	1.026	462.67	2489.74	1.862E+06
4.	1.496	1.026	462.48	2485.41	1.860E+06
5.	1.496	1.025	462.63	2503.39	1.865E+06
6.	1.496	1.025	462.66	2493.21	1.860E+06
7.	1.497	1.025	463.34	2494.24	1.863E+06
8.	1.497	1.026	463.95	2491.17	1.863E+06
9.	1.497	1.026	463.17	2487.89	1.863E+06
10.	1.497	1.025	462.88	2500.59	1.864E+06

\* \* \* END OF FILE \* \* \*

6,82 11-06-97 6:34

Gandy Total Basal Failure Q  
10 most critical surfaces, MINIMUM JANBU FOS = 4.778



\*\*\*\*\*
 \* X S T A B L
 \*  
 \* Slope Stability Analysis
 \* using the
 \* Method of Slices
 \*  
 \* Copyright (C) 1992 à 96
 \* Interactive Software Designs, Inc.
 \* Moscow, ID 83843, U.S.A.
 \*  
 \* All Rights Reserved
 \*  
 \* Ver. 5.200 96 à 1216
 \*  
 \*\*\*\*

## Problem Description : Gandy Total Basal Failure Q

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 9 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.9	213.0	127.5	2
2	213.0	127.5	243.3	135.0	1
3	243.3	135.0	590.6	155.8	1
4	590.6	155.8	1473.6	163.6	1
5	1473.6	163.6	2338.5	204.8	1
6	2338.5	204.8	2394.6	205.0	1
7	2394.6	205.0	2985.4	170.0	1
8	2985.4	170.0	3036.6	160.0	1
9	3036.6	160.0	3266.9	157.0	2

## 10 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	213.0	127.5	241.3	127.4	2
2	241.3	127.4	525.9	32.6	2
3	525.9	32.6	1459.4	57.9	2
4	1459.4	57.9	1483.7	70.0	2
5	1483.7	70.0	1498.7	70.0	2
6	1498.7	70.0	1531.4	53.7	2
7	1531.4	53.7	2159.5	53.7	2
8	2159.5	53.7	2725.7	65.0	2
9	2725.7	65.0	3009.3	159.7	2
10	3009.3	159.7	3036.6	160.0	2

602-9202  
FMS  
7-Nov

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water		
Unit	Moist Sat.	Intercept	Angle	Parameter	Constant	Surface	
No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

5 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	261.3	120.3	311.3	103.6	1.0
2	524.9	32.1	575.9	33.4	1.0
3	1359.4	54.7	1459.4	57.4	1.0
4	1531.4	53.2	2159.5	52.7	1.0
5	2184.5	53.7	2726.7	64.5	1.0

\*\*\*\*\*  
\*\* Factor of safety calculation for surface # 64 \*\*  
\*\* failed to converge within FIFTY iterations \*\*  
\*\*  
\*\* The last calculated value of the FOS was 21.2076 \*\*  
\*\* This will be ignored for final summary of results \*\*  
\*\*\*\*\*

The trial failure surface in question is defined by the following 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
-----------	-------------	-------------

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.98	135.04
2	251.47	130.63
3	260.09	125.55
4	268.70	120.48
5	277.32	115.40
6	278.63	114.14
7	527.07	31.99
8	1367.24	54.58
9	1746.80	52.70
10	2216.16	54.07
11	2216.91	54.85
12	2221.99	63.46
13	2227.07	72.08
14	2232.14	80.69
15	2237.22	89.31
16	2242.29	97.93
17	2247.37	106.54
18	2252.44	115.16
19	2257.52	123.78
20	2262.59	132.39
21	2267.67	141.01
22	2272.74	149.63
23	2277.82	158.24
24	2282.90	166.86
25	2287.97	175.47
26	2293.05	184.09
27	2298.12	192.71
28	2303.20	201.32
29	2304.28	203.17

\*\* Corrected JANBU FOS = 4.778 \*\* (Fo factor = 1.032)

Failure surface No. 2 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	255.62	135.74
2	263.75	130.95
3	272.37	125.87
4	280.99	120.80
5	289.60	115.72
6	298.22	110.65
7	306.84	105.57
8	306.89	105.52
9	560.85	32.94
10	1376.54	55.51
11	1656.88	53.39

47 ok

12	2191.25	53.45
13	2192.12	54.35
14	2197.20	62.97
15	2202.27	71.58
16	2207.35	80.20
17	2212.42	88.82
18	2217.50	97.43
19	2222.57	106.05
20	2227.65	114.67
21	2232.72	123.28
22	2237.80	131.90
23	2242.87	140.51
24	2247.95	149.13
25	2253.03	157.75
26	2258.10	166.36
27	2263.18	174.98
28	2268.25	183.60
29	2273.33	192.21
30	2278.40	200.83
31	2279.07	201.97

682-9240  
PMP  
7-Nuv-9

\*\* Corrected JANBU FOS = 6.261 \*\* (Fo factor = 1.032)

Failure surface No. 3 specified by 30 coordinate points

Point No.	X-surf (ft)	Y-surf (ft)
1	246.97	135.22
2	250.43	133.18
3	259.04	128.11
4	267.66	123.03
5	276.28	117.96
6	284.89	112.88
7	285.29	112.49
8	548.51	32.85
9	1360.20	54.32
10	1743.27	53.48
11	2188.01	53.68
12	2188.59	54.28
13	2193.66	62.90
14	2198.74	71.51
15	2203.81	80.13
16	2208.89	88.75
17	2213.96	97.36
18	2219.04	105.98
19	2224.11	114.59
20	2229.19	123.21
21	2234.26	131.83
22	2239.34	140.44
23	2244.42	149.06
24	2249.49	157.68
25	2254.57	166.29
26	2259.64	174.91
27	2264.72	183.52
28	2269.79	192.14
29	2274.87	200.76
30	2275.48	201.80

\*\* Corrected JANBU FOS = 6.418 \*\* (Fo factor = 1.032) 692-01  
pmp  
7 Nov.

Failure surface No. 4 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	245.82	135.15
2	247.53	134.15
3	256.14	129.07
4	264.76	124.00
5	273.38	118.92
6	281.99	113.85
7	282.25	113.59
8	573.03	33.60
9	1362.45	54.55
10	2097.66	52.41
11	2245.43	55.08
12	2245.76	55.42
13	2250.84	64.04
14	2255.91	72.65
15	2260.99	81.27
16	2266.06	89.89
17	2271.14	98.50
18	2276.21	107.12
19	2281.29	115.74
20	2286.36	124.35
21	2291.44	132.97
22	2296.51	141.58
23	2301.59	150.20
24	2306.67	158.82
25	2311.74	167.43
26	2316.82	176.05
27	2321.89	184.67
28	2326.97	193.28
29	2332.04	201.90
30	2333.61	204.57

\*\* Corrected JANBU FOS = 6.430 \*\* (Fo factor = 1.032)

Failure surface No. 5 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	240.14	134.22
2	248.04	129.57
3	256.66	124.49
4	265.27	119.41
5	266.38	118.34
6	568.42	32.89
7	1387.20	55.01
8	1697.66	53.02
9	2203.86	53.83
10	2204.61	54.60
11	2209.68	63.22
12	2214.76	71.83
13	2219.84	80.45

14	2224.91	89.07
15	2229.99	97.68
16	2235.06	106.30
17	2240.14	114.91
18	2245.21	123.53
19	2250.29	132.15
20	2255.36	140.76
21	2260.44	149.38
22	2265.51	158.00
23	2270.59	166.61
24	2275.67	175.23
25	2280.74	183.84
26	2285.82	192.46
27	2290.89	201.08
28	2291.77	202.57

612-9204  
PMP  
7-11-74 -1

\*\* Corrected JANBU FOS = 6.443 \*\* (Fo factor = 1.032)

Failure surface No. 6 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	240.36	134.27
2	248.76	129.33
3	257.38	124.25
4	265.99	119.17
5	267.17	118.03
6	526.25	31.81
7	1364.70	55.23
8	2004.20	52.87
9	2192.36	54.07
10	2192.64	54.36
11	2197.71	62.98
12	2202.79	71.59
13	2207.86	80.21
14	2212.94	88.83
15	2218.01	97.44
16	2223.09	106.06
17	2228.16	114.68
18	2233.24	123.29
19	2238.32	131.91
20	2243.39	140.52
21	2248.47	149.14
22	2253.54	157.76
23	2258.62	166.37
24	2263.69	174.99
25	2268.77	183.61
26	2273.84	192.22
27	2278.92	200.84
28	2279.60	201.99

\*\* Corrected JANBU FOS = 6.454 \*\* (Fo factor = 1.032)

Failure surface No. 7 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
-----------	-------------	-------------

602-020  
PMP  
I-NVV-

1	239.21	133.99
2	245.00	130.58
3	253.61	125.50
4	262.23	120.43
5	262.91	119.78
6	527.33	32.54
7	1366.35	54.92
8	2151.22	52.22
9	2196.27	53.67
10	2197.02	54.45
11	2202.10	63.07
12	2207.17	71.68
13	2212.25	80.30
14	2217.32	88.91
15	2222.40	97.53
16	2227.48	106.15
17	2232.55	114.76
18	2237.63	123.38
19	2242.70	132.00
20	2247.78	140.61
21	2252.85	149.23
22	2257.93	157.84
23	2263.00	166.46
24	2268.08	175.08
25	2273.15	183.69
26	2278.23	192.31
27	2283.30	200.93
28	2284.06	202.21

\*\* Corrected JANBU FOS = 6.503 \*\* (Fo factor = 1.032)

Failure surface No. 8 specified by 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	244.55	135.07
2	252.91	130.15
3	261.52	125.07
4	270.14	120.00
5	278.76	114.92
6	280.21	113.52
7	544.74	32.45
8	1422.26	56.72
9	1731.78	52.90
10	2193.15	53.56
11	2193.95	54.39
12	2199.03	63.00
13	2204.11	71.62
14	2209.18	80.24
15	2214.26	88.85
16	2219.33	97.47
17	2224.41	106.09
18	2229.48	114.70
19	2234.56	123.32
20	2239.63	131.93
21	2244.71	140.55
22	2249.78	149.17

23	2254.86	157.78
24	2259.94	166.40
25	2265.01	175.02
26	2270.09	183.63
27	2275.16	192.25
28	2280.24	200.86
29	2280.94	202.06

12-92  
PMP  
7-Nov

\*\* Corrected JANBU FOS = 6.529 \*\* (Fo factor = 1.032)

Failure surface No. 9 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	249.58	135.38
2	257.06	130.97
3	265.67	125.90
4	274.29	120.82
5	282.91	115.75
6	291.52	110.67
7	291.62	110.57
8	553.55	32.82
9	1400.64	56.22
10	1770.45	52.57
11	2196.42	53.60
12	2197.24	54.45
13	2202.31	63.07
14	2207.39	71.69
15	2212.47	80.30
16	2217.54	88.92
17	2222.62	97.53
18	2227.69	106.15
19	2232.77	114.77
20	2237.84	123.38
21	2242.92	132.00
22	2247.99	140.62
23	2253.07	149.23
24	2258.14	157.85
25	2263.22	166.46
26	2268.30	175.08
27	2273.37	183.70
28	2278.45	192.31
29	2283.52	200.93
30	2284.28	202.22

\*\* Corrected JANBU FOS = 6.540 \*\* (Fo factor = 1.032)

Failure surface No.10 specified by 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	240.47	134.30
2	240.50	134.28
3	249.11	129.21
4	257.73	124.13
5	266.35	119.06

50 of 4  
602-4200  
PMP  
7-Nov-

6	267.68	117.77
7	528.89	32.33
8	1374.04	55.47
9	2089.03	52.34
10	2288.19	56.06
11	2288.40	56.27
12	2293.47	64.89
13	2298.55	73.51
14	2303.62	82.12
15	2308.70	90.74
16	2313.77	99.35
17	2318.85	107.97
18	2323.92	116.59
19	2329.00	125.20
20	2334.07	133.82
21	2339.15	142.44
22	2344.23	151.05
23	2349.30	159.67
24	2354.38	168.28
25	2359.45	176.90
26	2364.53	185.52
27	2369.60	194.13
28	2374.68	202.75
29	2375.96	204.93

\*\* Corrected JANBU FOS = 6.582 \*\* (Fo factor = 1.031)

---

\*\*\*\*\*  
 \*\*  
 \*\* Out of the 500 surfaces generated and analyzed by XSTABL,  
 \*\* 10 surfaces were found to have MISLEADING FOS values.  
 \*\*  
 \*\*\*\*\*

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Total Basal Failure Q


	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	4.778	1.032	243.98	2304.28	3.077E+06
2.	6.261	1.032	255.62	2279.07	3.964E+06
3.	6.418	1.032	246.97	2275.48	4.090E+06
4.	6.430	1.032	245.82	2333.61	4.330E+06
5.	6.443	1.032	240.14	2291.77	4.165E+06
6.	6.454	1.032	240.36	2279.60	4.233E+06
7.	6.503	1.032	239.21	2284.06	4.254E+06
8.	6.529	1.032	244.55	2280.94	4.210E+06
9.	6.540	1.032	249.58	2284.28	4.211E+06
10.	6.582	1.031	240.47	2375.96	4.707E+06

\* \* \* END OF FILE \* \* \*

092-0248  
PMP  
7-Nev-1

6.02Q 11-06-97 6:31

Gandy Total Basal Failure Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.984



400  
602-920  
PMP  
7-NIV-

\*\*\*\*\*
\* X S T A B L
\* Slope Stability Analysis
\* using the
\* Method of Slices
\*
\* Copyright (C) 1992 á 96
\* Interactive Software Designs, Inc.
\* Moscow, ID 83843, U.S.A.
\*
\* All Rights Reserved
\*
\* Ver. 5.200 96 á 1216
\*\*\*\*\*

Problem Description : Gandy Total Basal Failure Q

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**9 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.9	213.0	127.5	2
2	213.0	127.5	243.3	135.0	1
3	243.3	135.0	590.6	155.8	1
4	590.6	155.8	1473.6	163.6	1
5	1473.6	163.6	2338.5	204.8	1
6	2338.5	204.8	2394.6	205.0	1
7	2394.6	205.0	2985.4	170.0	1
8	2985.4	170.0	3036.6	160.0	1
9	3036.6	160.0	3266.9	157.0	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	213.0	127.5	241.3	127.4	2
2	241.3	127.4	525.9	32.6	2
3	525.9	32.6	1459.4	57.9	2
4	1459.4	57.9	1483.7	70.0	2
5	1483.7	70.0	1498.7	70.0	2
6	1498.7	70.0	1531.4	53.7	2
7	1531.4	53.7	2159.5	53.7	2
8	2159.5	53.7	2725.7	65.0	2
9	2725.7	65.0	3009.3	159.7	2
10	3009.3	159.7	3036.6	160.0	2

-----  
 ISOTROPIC Soil Parameters  
 -----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water Surfac-
Unit	Moist Sat.	Intercept	Angle	Parameter	No.
No.	(pcf)	(pcf)	(psf)	(deg)	Ru
1	110.0	110.0	.0	29.00	.000
2	110.0	110.0	440.0	2.00	.000

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

5 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	261.3	120.3	311.3	103.6	1.0
2	524.9	32.1	575.9	33.4	1.0
3	1359.4	54.7	1459.4	57.4	1.0
4	1531.4	53.2	2159.5	52.7	1.0
5	2184.5	53.7	2726.7	64.5	1.0

\*\*\*\*\*  
 ERROR # 38  
 \*\*\*\*\*

The program calculated a point for the PASSIVE wedge that is outside the defined slope geometry. The analysis will continue, but the user should adjust the search box or slope geometry to allow a passive

wedge to be formed from all points within first box.  
\*\*\*\*\*  
Z-NLW

002-1  
PMP

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.98	135.04
2	251.47	130.63
3	260.09	125.55
4	268.70	120.48
5	277.32	115.40
6	278.63	114.14
7	527.07	31.99
8	1367.24	54.58
9	1746.80	52.70
10	2216.16	54.07
11	2216.91	54.85
12	2221.99	63.46
13	2227.07	72.08
14	2232.14	80.69
15	2237.22	89.31
16	2242.29	97.93
17	2247.37	106.54
18	2252.44	115.16
19	2257.52	123.78
20	2262.59	132.39
21	2267.67	141.01
22	2272.74	149.63
23	2277.82	158.24
24	2282.90	166.86
25	2287.97	175.47
26	2293.05	184.09
27	2298.12	192.71
28	2303.20	201.32
29	2304.28	203.17

\*\* Corrected JANBU FOS = 1.984 \*\* (Fo factor = 1.032)

Failure surface No. 2 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	255.62	135.74
2	263.75	130.95

3	272.37	125.87
4	280.99	120.80
5	289.60	115.72
6	298.22	110.65
7	306.84	105.57
8	306.89	105.52
9	560.85	32.94
10	1376.54	55.51
11	1656.88	53.39
12	2191.25	53.45
13	2192.12	54.35
14	2197.20	62.97
15	2202.27	71.58
16	2207.35	80.20
17	2212.42	88.82
18	2217.50	97.43
19	2222.57	106.05
20	2227.65	114.67
21	2232.72	123.28
22	2237.80	131.90
23	2242.87	140.51
24	2247.95	149.13
25	2253.03	157.75
26	2258.10	166.36
27	2263.18	174.98
28	2268.25	183.60
29	2273.33	192.21
30	2278.40	200.83
31	2279.07	201.97

602-0201  
PMP  
7-Nov-9

\*\* Corrected JANBU FOS = 2.671 \*\* (Fo factor = 1.032)

Failure surface No. 3 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	245.44	135.13
2	246.55	134.47
3	255.16	129.40
4	263.78	124.32
5	272.39	119.25
6	281.01	114.17
7	281.87	113.35
8	539.35	32.88
9	1364.46	54.59
10	2118.96	52.56
11	2452.08	58.87
12	2452.73	59.55
13	2457.81	68.17
14	2462.89	76.78
15	2467.96	85.40
16	2473.04	94.02
17	2478.11	102.63
18	2483.19	111.25
19	2488.26	119.87
20	2493.34	128.48
21	2498.41	137.10
22	2503.49	145.72

23	2508.56	154.33
24	2513.64	162.95
25	2518.71	171.56
26	2523.79	180.18
27	2528.87	188.80
28	2533.56	196.77

3+ 2+ 2  
602-02#0  
PMP  
I-NP-1

\*\* Corrected JANBU FOS = 2.738 \*\* (Fo factor = 1.027)

Failure surface No. 4 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	240.36	134.27
2	248.76	129.33
3	257.38	124.25
4	265.99	119.17
5	267.17	118.03
6	526.25	31.81
7	1364.70	55.23
8	2004.20	52.87
9	2192.36	54.07
10	2192.64	54.36
11	2197.71	62.98
12	2202.79	71.59
13	2207.86	80.21
14	2212.94	88.83
15	2218.01	97.44
16	2223.09	106.06
17	2228.16	114.68
18	2233.24	123.29
19	2238.32	131.91
20	2243.39	140.52
21	2248.47	149.14
22	2253.54	157.76
23	2258.62	166.37
24	2263.69	174.99
25	2268.77	183.61
26	2273.84	192.22
27	2278.92	200.84
28	2279.60	201.99

\*\* Corrected JANBU FOS = 2.739 \*\* (Fo factor = 1.032)

Failure surface No. 5 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	246.97	135.22
2	250.43	133.18
3	259.04	128.11
4	267.66	123.03
5	276.28	117.96
6	284.89	112.88
7	285.29	112.49
8	548.51	32.85

9	1360.20	54.32
10	1743.27	53.48
11	2188.01	53.68
12	2188.59	54.28
13	2193.66	62.90
14	2198.74	71.51
15	2203.81	80.13
16	2208.89	88.75
17	2213.96	97.36
18	2219.04	105.98
19	2224.11	114.59
20	2229.19	123.21
21	2234.26	131.83
22	2239.34	140.44
23	2244.42	149.06
24	2249.49	157.68
25	2254.57	166.29
26	2259.64	174.91
27	2264.72	183.52
28	2269.79	192.14
29	2274.87	200.76
30	2275.48	201.80

SB = 7  
802-9200  
PMP  
7-1 Nov -

\*\* Corrected JANBU FOS = 2.741 \*\* (Fo factor = 1.032)

Failure surface No. 6 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	240.14	134.22
2	248.04	129.57
3	256.66	124.49
4	265.27	119.41
5	266.38	118.34
6	568.42	32.89
7	1387.20	55.01
8	1697.66	53.02
9	2203.86	53.83
10	2204.61	54.60
11	2209.68	63.22
12	2214.76	71.83
13	2219.84	80.45
14	2224.91	89.07
15	2229.99	97.68
16	2235.06	106.30
17	2240.14	114.91
18	2245.21	123.53
19	2250.29	132.15
20	2255.36	140.76
21	2260.44	149.38
22	2265.51	158.00
23	2270.59	166.61
24	2275.67	175.23
25	2280.74	183.84
26	2285.82	192.46
27	2290.89	201.08
28	2291.77	202.57

\*\* Corrected JANBU FOS = 2.756 \*\* (Fo factor = 1.032)

7-6-1  
202-02  
PMP  
7-N-IV

Failure surface No. 7 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	245.82	135.15
2	247.53	134.15
3	256.14	129.07
4	264.76	124.00
5	273.38	118.92
6	281.99	113.85
7	282.25	113.59
8	573.03	33.60
9	1362.45	54.55
10	2097.66	52.41
11	2245.43	55.08
12	2245.76	55.42
13	2250.84	64.04
14	2255.91	72.65
15	2260.99	81.27
16	2266.06	89.89
17	2271.14	98.50
18	2276.21	107.12
19	2281.29	115.74
20	2286.36	124.35
21	2291.44	132.97
22	2296.51	141.58
23	2301.59	150.20
24	2306.67	158.82
25	2311.74	167.43
26	2316.82	176.05
27	2321.89	184.67
28	2326.97	193.28
29	2332.04	201.90
30	2333.61	204.57

\*\* Corrected JANBU FOS = 2.772 \*\* (Fo factor = 1.032)

Failure surface No. 8 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	251.53	135.49
2	253.39	134.40
3	262.01	129.32
4	270.63	124.25
5	279.24	119.17
6	287.86	114.10
7	296.48	109.02
8	297.97	107.58
9	532.87	32.49
10	1362.40	54.69
11	2103.14	52.67
12	2556.40	60.88
13	2557.13	61.64

14	2562.21	70.25
15	2567.28	78.87
16	2572.36	87.48
17	2577.43	96.10
18	2582.51	104.72
19	2587.58	113.33
20	2592.66	121.95
21	2597.73	130.57
22	2602.81	139.18
23	2607.88	147.80
24	2612.96	156.41
25	2618.04	165.03
26	2623.11	173.65
27	2628.19	182.26
28	2633.25	190.86

202-0204  
PMP  
7-N.V.-0

\*\* Corrected JANBU FOS = 2.785 \*\* (Fo factor = 1.025)

Failure surface No. 9 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	239.21	133.99
2	245.00	130.58
3	253.61	125.50
4	262.23	120.43
5	262.91	119.78
6	527.33	32.54
7	1366.35	54.92
8	2151.22	52.22
9	2196.27	53.67
10	2197.02	54.45
11	2202.10	63.07
12	2207.17	71.68
13	2212.25	80.30
14	2217.32	88.91
15	2222.40	97.53
16	2227.48	106.15
17	2232.55	114.76
18	2237.63	123.38
19	2242.70	132.00
20	2247.78	140.61
21	2252.85	149.23
22	2257.93	157.84
23	2263.00	166.46
24	2268.08	175.08
25	2273.15	183.69
26	2278.23	192.31
27	2283.30	200.93
28	2284.06	202.21

\*\* Corrected JANBU FOS = 2.786 \*\* (Fo factor = 1.032)

Failure surface No.10 specified by 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
-----------	-------------	-------------

7-2-82  
PMP  
7-Nov-97

1	244.55	135.07
2	252.91	130.15
3	261.52	125.07
4	270.14	120.00
5	278.76	114.92
6	280.21	113.52
7	544.74	32.45
8	1422.26	56.72
9	1731.78	52.90
10	2193.15	53.56
11	2193.95	54.39
12	2199.03	63.00
13	2204.11	71.62
14	2209.18	80.24
15	2214.26	88.85
16	2219.33	97.47
17	2224.41	106.09
18	2229.48	114.70
19	2234.56	123.32
20	2239.63	131.93
21	2244.71	140.55
22	2249.78	149.17
23	2254.86	157.78
24	2259.94	166.40
25	2265.01	175.02
26	2270.09	183.63
27	2275.16	192.25
28	2280.24	200.86
29	2280.94	202.06

\*\* Corrected JANBU FOS = 2.797 \*\* (Fo factor = 1.032)

The following is a summary of the TEN most critical surfaces


Problem Description : Gandy Total Basal Failure Q

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.984	243.98	2304.28	2.959E+06
2.	2.671	255.62	2279.07	3.918E+06
3.	2.738	245.44	2533.56	4.544E+06
4.	2.739	240.36	2279.60	4.137E+06
5.	2.741	246.97	2275.48	4.043E+06
6.	2.756	240.14	2291.77	4.116E+06
7.	2.772	245.82	2333.61	4.281E+06
8.	2.785	251.53	2633.25	4.625E+06
9.	2.786	239.21	2284.06	4.193E+06
10.	2.797	244.55	2280.94	4.162E+06

\* \* \* END OF FILE \* \* \*

GIBA3 11-06-97 8:51

Gandy Basal Failure aa 2  
10 most critical surfaces, MINIMUM JANBU FOS = 3.691



\*\*\*\*\*
\* X S T A B L
\* Slope Stability Analysis
\* using the
\* Method of Slices
\*
\* Copyright (C) 1992 à 96
\* Interactive Software Designs, Inc.
\* Moscow, ID 83843, U.S.A.
\*
\* All Rights Reserved
\*
\* Ver. 5.200 96 à 1216
\*\*\*\*\*

Problem Description : Gandy Basal Failure aa 2

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**10 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	5.0	122.0	315.6	123.8	2
2	315.6	123.8	375.2	143.6	2
3	375.2	143.6	436.8	143.6	2
4	436.8	143.6	474.5	153.0	1
5	474.5	153.0	1146.0	192.8	1
6	1146.0	192.8	1813.7	204.9	1
7	1813.7	204.9	1884.7	205.0	1
8	1884.7	205.0	2519.5	165.0	1
9	2519.5	165.0	2543.7	159.0	1
10	2543.7	159.0	2872.9	156.7	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	436.8	143.6	465.1	143.6	2
2	465.1	143.6	772.5	41.1	2
3	772.5	41.1	1399.3	52.9	2
4	1399.3	52.9	1433.2	69.8	2
5	1433.2	69.8	1448.8	69.9	2
6	1448.8	69.9	1472.6	58.0	2
7	1472.6	58.0	2008.1	58.3	2
8	2008.1	58.3	2233.9	65.1	2
9	2233.9	65.1	2515.4	159.0	2

10 2515.4 159.0 2543.7 159.0 2 602-920  
PMP  
Z-N, v-c

-----  
ISOTROPIC Soil Parameters  
-----

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water		
Unit	Moist Sat.	Intercept	Angle	Parameter	Surfac		
No.	(pcf)	(pcf)	(psf)	(deg)	Ru	(psf)	No.
1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

4 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	485.1	136.5	535.1	119.8	1.0
2	771.5	40.6	772.5	40.6	1.0
3	1374.3	51.9	1399.3	52.4	1.0
4	1472.6	57.5	2008.1	57.5	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
-----------	-------------	-------------

1	463.87	150.35
2	471.45	145.89
3	480.06	140.81
4	488.68	135.74
5	489.64	134.81
6	771.93	40.40
7	1390.88	51.83
8	1480.58	57.64
9	1480.94	58.00
10	1486.01	66.62
11	1491.09	75.24
12	1496.16	83.85
13	1501.24	92.47
14	1506.31	101.09
15	1511.39	109.70
16	1516.46	118.32
17	1521.54	126.94
18	1526.61	135.55
19	1531.69	144.17
20	1536.77	152.78
21	1541.84	161.40
22	1546.92	170.02
23	1551.99	178.63
24	1557.07	187.25
25	1562.14	195.87
26	1564.81	200.39

55-2-3  
502-0200  
PMP  
7-Nov-5

\*\* Corrected JANBU FOS = 3.691 \*\* (Fo factor = 1.052)

Failure surface No. 2 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.04	150.14
2	468.71	146.80
3	477.33	141.72
4	485.95	136.65
5	486.71	135.91
6	771.56	40.87
7	1382.20	51.82
8	1484.94	57.82
9	1485.12	58.01
10	1490.20	66.62
11	1495.27	75.24
12	1500.35	83.86
13	1505.42	92.47
14	1510.50	101.09
15	1515.57	109.70
16	1520.65	118.32
17	1525.72	126.94
18	1530.80	135.55
19	1535.88	144.17
20	1540.95	152.79
21	1546.03	161.40
22	1551.10	170.02
23	1556.18	178.64
24	1561.25	187.25

50 2+ 2  
25 1566.33 195.87  
26 1569.04 200.47

602-024

PMF

1-Arr

\*\* Corrected JANBU FOS = 3.695 \*\* (Fo factor = 1.052)

Failure surface No. 3 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.90	150.11
2	468.25	146.95
3	476.87	141.88
4	485.49	136.80
5	485.82	136.48
6	771.56	40.38
7	1385.46	52.08
8	1505.19	57.81
9	1505.39	58.02
10	1510.46	66.63
11	1515.54	75.25
12	1520.61	83.87
13	1525.69	92.48
14	1530.76	101.10
15	1535.84	109.72
16	1540.92	118.33
17	1545.99	126.95
18	1551.07	135.57
19	1556.14	144.18
20	1561.22	152.80
21	1566.29	161.41
22	1571.37	170.03
23	1576.44	178.65
24	1581.52	187.26
25	1586.59	195.88
26	1589.51	200.84

\*\* Corrected JANBU FOS = 3.697 \*\* (Fo factor = 1.051)

Failure surface No. 4 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1.	463.64	150.29
2	470.70	146.14
3	479.31	141.06
4	487.93	135.99
5	488.48	135.46
6	772.25	40.88
7	1393.45	52.38
8	1480.05	57.58
9	1480.46	58.00
10	1485.53	66.62
11	1490.61	75.24
12	1495.68	83.85
13	1500.76	92.47
14	1505.83	101.09

15 1510.91 109.70  
 16 1515.99 118.32  
 17 1521.06 126.93  
 18 1526.14 135.55  
 19 1531.21 144.17  
 20 1536.29 152.78  
 21 1541.36 161.40  
 22 1546.44 170.02  
 23 1551.51 178.63  
 24 1556.59 187.25  
 25 1561.66 195.87  
 26 1564.32 200.38

5700  
 5/2-92  
 pmp  
 7-N-4-

\*\* Corrected JANBU FOS = 3.701 \*\* (Fo factor = 1.052)

Failure surface No. 5 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.22	150.19
2	469.32	146.60
3	477.94	141.52
4	486.55	136.45
5	487.63	135.40
6	771.92	40.90
7	1385.81	51.93
8	1506.73	57.31
9	1507.41	58.02
10	1512.49	66.64
11	1517.56	75.25
12	1522.64	83.87
13	1527.71	92.48
14	1532.79	101.10
15	1537.86	109.72
16	1542.94	118.33
17	1548.01	126.95
18	1553.09	135.57
19	1558.17	144.18
20	1563.24	152.80
21	1568.32	161.42
22	1573.39	170.03
23	1578.47	178.65
24	1583.54	187.26
25	1588.62	195.88
26	1591.56	200.87

\*\* Corrected JANBU FOS = 3.705 \*\* (Fo factor = 1.051)

Failure surface No. 6 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.74	150.07
2	467.73	147.13
3	476.35	142.05
4	484.97	136.98

5	485.82	136.16
6	772.25	40.41
7	1378.23	51.66
8	1540.79	57.56
9	1541.25	58.04
10	1546.33	66.65
11	1551.41	75.27
12	1556.48	83.89
13	1561.56	92.50
14	1566.63	101.12
15	1571.71	109.74
16	1576.78	118.35
17	1581.86	126.97
18	1586.93	135.59
19	1592.01	144.20
20	1597.08	152.82
21	1602.16	161.43
22	1607.23	170.05
23	1612.31	178.67
24	1617.39	187.28
25	1622.46	195.90
26	1625.76	201.49

5000  
1.2-02A  
PMP  
2.14m

\*\* Corrected JANBU FOS = 3.708 \*\* (Fo factor = 1.050)

Failure surface No. 7 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	465.80	150.83
2	469.15	148.86
3	477.76	143.78
4	486.38	138.71
5	495.00	133.63
6	496.13	132.53
7	771.69	40.47
8	1395.06	52.29
9	1490.66	57.08
10	1491.56	58.01
11	1496.63	66.63
12	1501.71	75.24
13	1506.79	83.86
14	1511.86	92.48
15	1516.94	101.09
16	1522.01	109.71
17	1527.09	118.32
18	1532.16	126.94
19	1537.24	135.56
20	1542.31	144.17
21	1547.39	152.79
22	1552.46	161.41
23	1557.54	170.02
24	1562.62	178.64
25	1567.69	187.25
26	1572.77	195.87
27	1575.54	200.58

\*\* Corrected JANBU FOS = 3.710 \*\* (Fo factor = 1.052)

6-10  
JUL-128  
PMP  
2-11

Failure surface No. 8 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.73	150.56
2	465.64	150.03
3	474.25	144.95
4	482.87	139.88
5	491.49	134.80
6	491.67	134.62
7	771.64	40.45
8	1386.72	52.14
9	1514.26	57.82
10	1514.47	58.02
11	1519.54	66.64
12	1524.62	75.26
13	1529.69	83.87
14	1534.77	92.49
15	1539.84	101.10
16	1544.92	109.72
17	1549.99	118.34
18	1555.07	126.95
19	1560.14	135.57
20	1565.22	144.19
21	1570.30	152.80
22	1575.37	161.42
23	1580.45	170.04
24	1585.52	178.65
25	1590.60	187.27
26	1595.67	195.88
27	1598.69	201.00

\*\* Corrected JANBU FOS = 3.712 \*\* (Fo factor = 1.051)

Failure surface No. 9 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.31	150.46
2	472.88	145.41
3	481.49	140.34
4	490.11	135.26
5	490.83	134.56
6	772.32	40.46
7	1379.07	51.70
8	1540.94	57.54
9	1541.42	58.04
10	1546.49	66.65
11	1551.57	75.27
12	1556.65	83.89
13	1561.72	92.50
14	1566.80	101.12
15	1571.87	109.74
16	1576.95	118.35
17	1582.02	126.97

18	1587.10	135.59
19	1592.17	144.20
20	1597.25	152.82
21	1602.32	161.43
22	1607.40	170.05
23	1612.48	178.67
24	1617.55	187.28
25	1622.63	195.90
26	1625.92	201.50

W 27  
102-0248  
PMP  
I-Nr

\*\* Corrected JANBU FOS = 3.718 \*\* (Fo factor = 1.050)

Failure surface No.10 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	466.93	151.11
2	472.86	147.62
3	481.48	142.54
4	490.09	137.47
5	498.71	132.39
6	499.76	131.38
7	772.41	40.51
8	1395.76	51.99
9	1493.74	57.08
10	1494.64	58.01
11	1499.72	66.63
12	1504.79	75.24
13	1509.87	83.86
14	1514.94	92.48
15	1520.02	101.09
16	1525.09	109.71
17	1530.17	118.33
18	1535.24	126.94
19	1540.32	135.56
20	1545.39	144.18
21	1550.47	152.79
22	1555.55	161.41
23	1560.62	170.02
24	1565.70	178.64
25	1570.77	187.26
26	1575.85	195.87
27	1578.66	200.64

\*\* Corrected JANBU FOS = 3.719 \*\* (Fo factor = 1.052)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Basal Failure aa 2

Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
--------------------	-------------------	----------------------	-----------------------	-------------------------


682-1

1.	3.691	1.052	463.87	1564.81	1.493E+06 fm
2.	3.695	1.052	463.04	1569.04	1.495E+06 1~
3.	3.697	1.051	462.90	1589.51	1.519E+06
4.	3.701	1.052	463.64	1564.32	1.490E+06
5.	3.705	1.051	463.22	1591.56	1.521E+06
6.	3.708	1.050	462.74	1625.76	1.560E+06
7.	3.710	1.052	465.80	1575.54	1.508E+06
8.	3.712	1.051	464.73	1598.69	1.532E+06
9.	3.718	1.050	464.31	1625.92	1.563E+06
10.	3.719	1.052	466.93	1578.66	1.514E+06

\* \* \* END OF FILE \* \* \*

U.S.A.3Q 11-06-97 8:52

Gandy Basal Failure aa 2 Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.595



\*\*\*\*\*
\* X S T A B L
\* Slope Stability Analysis
\* using the
\* Method of Slices
\*
\* Copyright (C) 1992 à 96
\* Interactive Software Designs, Inc.
\* Moscow, ID 83843, U.S.A.
\*
\* All Rights Reserved
\*
\* Ver. 5.200 96 à 1216
\*\*\*\*\*

Problem Description : Gandy Basal Failure aa 2 Q

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**10 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	5.0	122.0	315.6	123.8	2
2	315.6	123.8	375.2	143.6	2
3	375.2	143.6	436.8	143.6	2
4	436.8	143.6	474.5	153.0	1
5	474.5	153.0	1146.0	192.8	1
6	1146.0	192.8	1813.7	204.9	1
7	1813.7	204.9	1884.7	205.0	1
8	1884.7	205.0	2519.5	165.0	1
9	2519.5	165.0	2543.7	159.0	1
10	2543.7	159.0	2872.9	156.7	2

**10 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	436.8	143.6	465.1	143.6	2
2	465.1	143.6	772.5	41.1	2
3	772.5	41.1	1399.3	52.9	2
4	1399.3	52.9	1433.2	69.8	2
5	1433.2	69.8	1448.8	69.9	2
6	1448.8	69.9	1472.6	58.0	2
7	1472.6	58.0	2008.1	58.3	2
8	2008.1	58.3	2233.9	65.1	2
9	2233.9	65.1	2515.4	159.0	2

10 2515.4 159.0 2543.7 159.0

2

14-  
92-1  
pm  
2-N.**ISOTROPIC Soil Parameters**

2 Soil unit(s) specified

Soil Unit	Unit Weight	Cohesion	Friction	Pore Pressure	Water
Unit	Moist Sat.	Intercept	Angle	Parameter	Surfac
No.	(pcf)	(pcf)	(psf)	(deg)	No.
1	110.0	110.0	.0	29.00	.000
2	110.0	110.0	440.0	2.00	.000

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

The active and passive portions of the sliding surfaces are generated according to the Rankine theory.

500 trial surfaces will be generated and analyzed.

4 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	485.1	136.5	535.1	119.8	1.0
2	771.5	40.6	772.5	40.6	1.0
3	1374.3	51.9	1399.3	52.4	1.0
4	1472.6	57.5	2008.1	57.5	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined  
are displayed below - the most critical first

102-01  
FMS  
I-N-1

Failure surface No. 1 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.63	150.04
2	467.37	147.25
3	475.99	142.17
4	484.60	137.10
5	485.42	136.30
6	772.40	40.15
7	1380.63	52.28
8	1798.39	57.73
9	1798.83	58.18
10	1803.90	66.80
11	1808.98	75.42
12	1814.05	84.03
13	1819.13	92.65
14	1824.21	101.26
15	1829.28	109.88
16	1834.36	118.50
17	1839.43	127.11
18	1844.51	135.73
19	1849.58	144.35
20	1854.66	152.96
21	1859.73	161.58
22	1864.81	170.19
23	1869.88	178.81
24	1874.96	187.43
25	1880.03	196.04
26	1885.11	204.66
27	1885.29	204.96

\*\* Corrected JANBU FOS = 1.595 \*\* (Fo factor = 1.043)

Failure surface No. 2 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.22	150.19
2	469.32	146.60
3	477.93	141.52
4	486.55	136.45
5	486.62	136.38
6	772.10	40.19
7	1376.04	51.56
8	1823.15	57.89
9	1823.44	58.20
10	1828.52	66.81
11	1833.60	75.43
12	1838.67	84.05
13	1843.75	92.66
14	1848.82	101.28
15	1853.90	109.89

16	1858.97	118.51
17	1864.05	127.13
18	1869.12	135.74
19	1874.20	144.36
20	1879.27	152.98
21	1884.35	161.59
22	1889.43	170.21
23	1894.50	178.82
24	1899.58	187.44
25	1904.65	196.06
26	1909.02	203.47

T-0-12  
612-01  
PMP  
I-NLV

\*\* Corrected JANBU FOS = 1.595 \*\* (Fo factor = 1.042)

Failure surface No. 3 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.78	150.33
2	471.13	145.99
3	479.75	140.92
4	488.37	135.84
5	489.59	134.66
6	772.14	40.22
7	1398.82	52.36
8	1825.22	57.44
9	1825.95	58.20
10	1831.02	66.81
11	1836.10	75.43
12	1841.17	84.05
13	1846.25	92.66
14	1851.32	101.28
15	1856.40	109.90
16	1861.47	118.51
17	1866.55	127.13
18	1871.63	135.74
19	1876.70	144.36
20	1881.78	152.98
21	1886.85	161.59
22	1891.93	170.21
23	1897.00	178.83
24	1902.08	187.44
25	1907.15	196.06
26	1911.43	203.32

\*\* Corrected JANBU FOS = 1.597 \*\* (Fo factor = 1.042)

Failure surface No. 4 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.88	150.10
2	468.18	146.98
3	476.80	141.90
4	485.41	136.83
5	485.71	136.54

6	772.40	40.14
7	1388.55	52.41
8	1783.57	57.03
9	1784.67	58.17
10	1789.75	66.79
11	1794.82	75.41
12	1799.90	84.02
13	1804.97	92.64
14	1810.05	101.26
15	1815.12	109.87
16	1820.20	118.49
17	1825.27	127.11
18	1830.35	135.72
19	1835.43	144.34
20	1840.50	152.95
21	1845.58	161.57
22	1850.65	170.19
23	1855.73	178.80
24	1860.80	187.42
25	1865.88	196.04
26	1870.95	204.65
27	1871.15	204.98

\*\* Corrected JANBU FOS = 1.598 \*\* (Fo factor = 1.044)

Failure surface No. 5 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.60	150.03
2	467.28	147.28
3	475.89	142.20
4	484.51	137.13
5	485.94	135.75
6	772.07	40.64
7	1391.26	52.30
8	1780.11	57.97
9	1780.31	58.17
10	1785.39	66.79
11	1790.46	75.40
12	1795.54	84.02
13	1800.61	92.64
14	1805.69	101.25
15	1810.76	109.87
16	1815.84	118.49
17	1820.91	127.10
18	1825.99	135.72
19	1831.06	144.34
20	1836.14	152.95
21	1841.22	161.57
22	1846.29	170.18
23	1851.37	178.80
24	1856.44	187.42
25	1861.52	196.03
26	1866.59	204.65
27	1866.78	204.97

\*\* Corrected JANBU FOS = 1.598 \*\* (Fo factor = 1.044)

## Failure surface No. 6 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.77	150.32
2	471.10	146.00
3	479.71	140.93
4	488.33	135.85
5	489.23	134.98
6	772.12	40.18
7	1394.94	52.56
8	1791.58	57.93
9	1791.83	58.18
10	1796.90	66.80
11	1801.98	75.41
12	1807.05	84.03
13	1812.13	92.64
14	1817.20	101.26
15	1822.28	109.88
16	1827.35	118.49
17	1832.43	127.11
18	1837.51	135.73
19	1842.58	144.34
20	1847.66	152.96
21	1852.73	161.57
22	1857.81	170.19
23	1862.88	178.81
24	1867.96	187.42
25	1873.03	196.04
26	1878.11	204.66
27	1878.31	204.99

\*\* Corrected JANBU FOS = 1.598 \*\* (Fo factor = 1.044)

## Failure surface No. 7 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.04	150.39
2	472.01	145.70
3	480.62	140.63
4	489.24	135.55
5	490.62	134.22
6	772.16	40.23
7	1387.85	52.48
8	1824.26	57.66
9	1824.78	58.20
10	1829.85	66.81
11	1834.93	75.43
12	1840.00	84.05
13	1845.08	92.66
14	1850.15	101.28
15	1855.23	109.90
16	1860.31	118.51
17	1865.38	127.13

18	1870.46	135.74
19	1875.53	144.36
20	1880.61	152.98
21	1885.68	161.59
22	1890.76	170.21
23	1895.83	178.83
24	1900.91	187.44
25	1905.98	196.06
26	1910.30	203.39

\*\* Corrected JANBU FOS = 1.599 \*\* (Fo factor = 1.042)

Failure surface No. 8 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	464.30	150.46
2	472.84	145.42
3	481.46	140.35
4	490.07	135.27
5	491.28	134.11
6	772.14	40.20
7	1398.00	52.30
8	1789.67	57.36
9	1790.46	58.18
10	1795.53	66.79
11	1800.61	75.41
12	1805.68	84.03
13	1810.76	92.64
14	1815.83	101.26
15	1820.91	109.88
16	1825.98	118.49
17	1831.06	127.11
18	1836.13	135.72
19	1841.21	144.34
20	1846.29	152.96
21	1851.36	161.57
22	1856.44	170.19
23	1861.51	178.81
24	1866.59	187.42
25	1871.66	196.04
26	1876.74	204.66
27	1876.93	204.99

\*\* Corrected JANBU FOS = 1.599 \*\* (Fo factor = 1.044)

Failure surface No. 9 specified by 27 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	462.96	150.12
2	468.45	146.89
3	477.06	141.81
4	485.68	136.74
5	485.80	136.62
6	772.05	40.12

7	1398.97	51.92
8	1760.83	57.76
9	1761.21	58.16
10	1766.29	66.78
11	1771.36	75.39
12	1776.44	84.01
13	1781.51	92.63
14	1786.59	101.24
15	1791.67	109.86
16	1796.74	118.48
17	1801.82	127.09
18	1806.89	135.71
19	1811.97	144.32
20	1817.04	152.94
21	1822.12	161.56
22	1827.19	170.17
23	1832.27	178.79
24	1837.34	187.41
25	1842.42	196.02
26	1847.50	204.64
27	1847.68	204.95

692-91  
PMT  
I-Niv-1

\*\* Corrected JANBU FOS = 1.599 \*\* (Fo factor = 1.044)

Failure surface No.10 specified by 26 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	463.99	150.38
2	471.82	145.76
3	480.44	140.69
4	489.06	135.61
5	490.02	134.69
6	771.81	40.71
7	1390.15	52.34
8	1811.88	57.58
9	1812.47	58.19
10	1817.54	66.81
11	1822.62	75.42
12	1827.70	84.04
13	1832.77	92.66
14	1837.85	101.27
15	1842.92	109.89
16	1848.00	118.50
17	1853.07	127.12
18	1858.15	135.74
19	1863.22	144.35
20	1868.30	152.97
21	1873.37	161.59
22	1878.45	170.20
23	1883.53	178.82
24	1888.60	187.43
25	1893.68	196.05
26	1898.44	204.13

\*\* Corrected JANBU FOS = 1.599 \*\* (Fo factor = 1.043)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Basal Failure aa 2 Q

	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.595	1.043	462.63	1885.29	1.725E+06
2.	1.595	1.042	463.22	1909.02	1.750E+06
3.	1.597	1.042	463.78	1911.43	1.754E+06
4.	1.598	1.044	462.88	1871.15	1.711E+06
5.	1.598	1.044	462.60	1866.78	1.705E+06
6.	1.598	1.044	463.77	1878.31	1.719E+06
7.	1.599	1.042	464.04	1910.30	1.753E+06
8.	1.599	1.044	464.30	1876.93	1.720E+06
9.	1.599	1.044	462.96	1847.68	1.687E+06
10.	1.599	1.043	463.99	1898.44	1.740E+06

\* \* \* END OF FILE \* \* \*



MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-5

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Cover Stability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/4/97

**Checked By:** John Pellicer **Date:** 11/12/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By

### Cover Stab. L.

Objective: Analyze the stability of the cover system

Method: The stability of the cover slopes + Cover System were analyzed three ways. First the Cover system was analyzed using infinite slope failure methods. Next the cover slope stability was analyzed using XSTABL (ver 5.200) to check both Circular and Block Modes of Failure.

Assumptions: • Waste strength was assumed to be associated with a loose (25% relative density) Silty Sand (sm). The onsite Silty Sand will be used as daily cover. This should also be a conservative estimate of most soil, solidified waste, and debris placed in the cell.  $\phi = 29^\circ$  (see pg 6)

• Underlying foundation soil were assigned a medial undrained strength,  $C = 1100 \text{ psf}$ , (conservative)

Calculations: Cross-section C (see pg 344) was cut through the longest cover slope. The cover slope is 6%.

Infinite slope stability methods were used to assess a failure of the cover system with the failure plane running through the liner system. Using an inter-fac shear strength =  $a = 15 \text{ psf} + \delta \cdot 31$  (see pg 8) the cover system has a static F.S. = 10.9 and a pseudo-static F.S. = 6.5 using a ground acceleration =  $0.04g$  (See pg 10-12)

XSTABL (ver 5.200) was used to assess Circular Failure modes associated w/ the cover slope. The static F.S. for circular failures = 3.0. However the critical failure surfaces were failing through the foundation soil. This is very unlikely and is probably due to the very conservative foundation soil strength (See pg 13) assumed. (See pg 12-22)

Therefore a more likely failure mode was analyzed.

A Block type failure running through the waste and along the liner system was analyzed.

A waste strength of  $29^{\circ}$ , and liner interface strength of  $\approx 440 \text{ psf}$ ,  $\delta = 2^{\circ}$  (see pg 7) were used.

The basal grade was adjusted to remove a parasitic term and create a worst case scenario (conservative) (see pg 4). The Block Failure analysis resulted in a static F.S. = 2.8 (see pg 22-38) and a pseudo-static F.S. = 1.5 (see pg 39-48) using a ground acceleration =  $0.04g$  (see pg 10).

Conclusions: Both the cover system and the liner waste slopes have adequate factors of safety both statically + pseudo-statically.

Addendum: Infiniti slope analysis was completed for static and pseudostatic conditions assuming a fully saturated cover. This is to model periods after intense rainstorms.


static SF = 5.25

Pseudostatic SF = 3.13

Cover system is stable under saturated conditions

3 of 48  
602-02100  
P&MP  
4-MB-11

E-S




NOTICE OF HAZARDOUS WASTE AND LIQUID INFORMATION  
1. FOR LIAISON, HOUSEHOLD, INDUSTRIAL, AND GENERAL, AND  
DRAWDOWN, NO. 2, WASTE ISLAND AND GENERAL, AND  
2. INQUIRIES, 1. HAZARDOUS WASTE, 2. FLUIDS, 3. LIQUID CHEMICAL  
AND SOLVENTS, 4. BY FLUIDS, AND POWDER AND POWDERED



PROFESSIONAL ENGINEERS STATEMENT  
I, PROFESSIONAL ENGINEER, STATE THAT THE  
WORKS OF CONSTRUCTION, ENGINEERING, DESIGN,  
AND PLANNING, PRESENTED HEREIN, ARE  
TO THE BEST OF MY KNOWLEDGE  
AND ABILITY.

Date: 11/11/95  
Place & City: MCFARLAW



Not For Construction


ITEM	DESCRIPTION	SIZE	TYPE	QTY	UNIT
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					
101					
102					
103					
104					
105					
106					
107					
108					
109					
110					
111					
112					
113					
114					
115					
116					
117					
118					
119					
120					
121					
122					
123					
124					
125					
126					
127					
128					
129					
130					
131					
132					
133					
134					
135					
136					
137					
138					
139					
140					
141					
142					
143					
144					
145					
146					
147					
148					
149					
150					
151					
152					
153					
154					
155					
156					
157					
158					
159					
160					
161					
162					
163					
164					
165					
166					
167					
168					
169					
170					
171					
172					
173					
174					
175					
176					
177					
178					
179					
180					
181					
182					
183					
184					
185					
186					
187					
188					
189					
190					
191					
192					
193					
194					
195					
196					
197					
198					
199					
200					
201					
202					
203					
204					
205					
206					
207					
208					
209					
210					
211					
212					
213					
214					
215					
216					
217					
218					
219					
220					
221					
222					
223					
224					
225					
226					
227					
228					
229					
230					
231					
232					
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					
246					
247					
248					
249					
250					
251					
252					
253					
254					
255					
256					
257					
258					
259					
260					
261					
262					
263					
264					
265					
266					
267					
268					
269					
270					
271					
272					
273					
274					
275					
276					
277					
278					
279					
280					
281					
282					
283					
284					
285					
286					
287					
288					
289					
290					
291					
292					
293					
294					
295					
296					
297					
298					
299					
300					
301					
302					
303					
304					
305					
306					
307					
308					
309					
310					
311					
312					
313					
314					
315					
316					
317					
318					
319					
320					
321					
322					
323					

5 of 78  
602-0260  
1-100V-97



**COVER ANCHOR TRENCH DETAIL**

卷之三



Not For Construction

## WASTE DISPOSAL FACILITY

FEDERAL COMMERCIAL BANKS

ללאן טראנס או גראן טראנס

~~10024 FINITE ELEMENT ANALYSIS~~  
GANDY-COVER DETAIL.dwg  
10.1" .076  
12/10/04 12:01p

6 of 48  
 PMP  
 9-Nov-97  
 602-0202





Fig. 11.13 Correlations between the effective friction angle in triaxial compression and the dry density, relative density, and soil classification (after U.S. Navy, 1971)

## SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

7-6-98  
602-0200  
PMP  
1-Nov-97

TERMINATRIX MONOCOMPONENT TEST - ASTM D 5321 TESTS



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH

$$(4.534E+00) + (1.551E-01)*x \quad a = 650 \text{ PSF} \quad S = 9^\circ$$

THE VARIANCE = 1.532E+00

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH

$$(3.045E+00) + (3.321E-02)*x \quad a = 440 \text{ PSF} \quad S = 2^\circ$$

THE VARIANCE = 3.240E-02

Reviewed By:


*Robert H. Lunn Jr.*

Date: 10-8-97

## Soil-Geosynthetic Interaction Testing Laboratory

8.0 f 46  
612-0200  
PMP  
4-Nov-97

## TENSIMATRIX MONOCOMPOST MASTON - ASTM D 3321 TESTS



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH  
 $(1.800E+01) + (6.600E-01)*x$        $a = 18$  PSF    $S = 33^\circ$   
 THE VARIANCE -  $8.000E+00$

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH  
 $(1.483E+01) + (5.950E-01)*x$        $a = 15$  PSF    $S = 31^\circ$   
 THE VARIANCE -  $3.556E+00$

Reviewed By: Robert H. Swan Jr. Date: 10-10-97

602-9200  
PMP  
4-Nov-97

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algermissen, D. M. Perkins, P. C. Thenhaus,  
S. L. Hansca and B. L. Bender




Open-File Report 82-1033

1982

This report is preliminary and has not been reviewed for conformity with U.S.  
Geological Survey editorial standards.

JUL 27 1990  
12 NOV 1990



~~Nov~~ 4-8

C02-0200  
PMP  
4-Nov-97

Infinite slope analysis spreadsheet  
Date: 04-Nov-97  
By: Paul Pellicer  
Filename: Cover system stability.wq1

## Soil Parameters

Cohesion:	15 psf		0.054643341
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	110pcf		

## Slope Geometry:

Slope Angle:	3.43 degrees		0.998208638
Failure Plane Depth:	2.5 ft	cosine	sine

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters

Ground Acceleration: 0 g's

**Safety Factor: 10.9383 ✓**

12-4 48

612-1200

PMP

4-Nov-97

Infinite slope analysis spreadsheet  
Date: 04-Nov-97  
By: Paul Pellicer  
Filename: Cover system stability Q.wq1

## Soil Parameters

Cohesion:	15 psf		0.054643341
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	110 pcf		

## Slope Geometry:

Slope Angle:	3.43 degrees		0.998208638
Failure Plane Depth:	2.5 ft	sine	

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters

Ground Acceleration:	0.04 g's
----------------------	----------

Safety Factor: 6.54578 ✓

ANC 1 11-04-97 20:38

### Candy Cover Circular Failure

10 most critical surfaces, MINIMUM JANBU FOS = 3.040

1000

800


600

400

200

0

Y-AXIS (feet)



1304 98  
602 7001  
SPM  
4-11-97

```
*****
*          X S T A B L
*
*      Slope Stability Analysis
*          using the
*          Method of Slices
*
*      Copyright (C) 1992 à 96
*      Interactive Software Designs, Inc.
*      Moscow, ID 83843, U.S.A.
*
*      All Rights Reserved
*
*      Ver. 5.200           96 à 1216
*****

```

## Problem Description : Gandy Cover Circular Failure

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 5 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.7	190.1	130.5	2
2	190.1	130.5	200.1	135.9	1
3	200.1	135.9	1270.7	200.0	1
4	1270.7	200.0	1355.5	200.0	1
5	1355.5	200.0	1393.4	198.4	1

## 2 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	190.1	130.5	411.8	57.5	2
2	411.8	57.5	1393.4	59.4	2

-----  
ISOTROPIC Soil Parameters  
-----

## 2 Soil unit(s) specified

Soil Unit No.	Unit Weight (pcf)	Cohesion Sat. (psf)	Friction Intercept (psf)	Pore Pressure Angle (deg)	Parameter Ru	Water Surface Constant (psf)	Wate Surface No.

150 f 48	
602 - 0200	.0
PMF 0	.0
1-Nov-92	.0

A critical failure surface searching method, using a random technique for generating CIRCULAR surfaces has been specified.

900 trial surfaces will be generated and analyzed.

30 Surfaces initiate from each of 30 points equally spaced along the ground surface between  $x = 190.0$  ft  
and  $x = 500.0$  ft

Each surface terminates between  $x = 600.0$  ft  
and  $x = 1370.0$  ft

Unless further limitations were imposed, the minimum elevation at which a surface extends is  $y = .0$  ft

20.0 ft line segments define each trial failure surface.

-----  
ANGULAR RESTRICTIONS  
-----

The first segment of each failure surface will be inclined within the angular range defined by :

Lower angular limit := -45.0 degrees  
Upper angular limit := (slope angle - 5.0) degrees

```
*****
** Factor of safety calculation for surface # 858 **
** failed to converge within FIFTY iterations   **
**                                                 **
** The last calculated value of the FOS was 11.7258 **
** This will be ignored for final summary of results **
*****
```

The trial failure surface in question is  
defined by the following 9 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	489.31	153.22
2	503.74	139.36
3	521.26	129.72
4	540.68	124.95

16 of 48  
602-0200  
PMP  
4-Nov-97

5	560.68	125.38
6	579.88	130.98
7	596.97	141.37
8	610.79	155.83
9	613.42	160.65

\*\*\*\*\*  
\*\* Factor of safety calculation for surface # 874 \*\*  
\*\* failed to converge within FIFTY iterations \*\*  
\*\*  
\*\* The last calculated value of the FOS was 11.7428 \*\*  
\*\* This will be ignored for final summary of results \*\*  
\*\*\*\*\*

The trial failure surface in question is  
defined by the following 8 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	500.00	153.86
2	514.82	140.43
3	532.99	132.06
4	552.83	129.52
5	572.51	133.04
6	590.24	142.31
7	604.38	156.46
8	606.34	160.22

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined  
are displayed below - the most critical first

Failure surface No. 1 specified by 50 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	200.69	135.94
2	217.07	124.45
3	233.76	113.44
4	250.76	102.90
5	268.04	92.84
6	285.61	83.28
7	303.44	74.21
8	321.51	65.65
9	339.82	57.61
10	358.35	50.09
11	377.09	43.09
12	396.02	36.62
13	415.12	30.69
14	434.38	25.30

17-4 48  
602-0200  
PMP  
4-Nov-97

15	453.78	20.46
16	473.32	16.17
17	492.96	12.43
18	512.71	9.25
19	532.54	6.62
20	552.43	4.56
21	572.37	3.05
22	592.35	2.11
23	612.35	1.74
24	632.35	1.93
25	652.33	2.69
26	672.29	4.00
27	692.20	5.89
28	712.05	8.33
29	731.82	11.33
30	751.50	14.89
31	771.08	19.00
32	790.52	23.67
33	809.83	28.88
34	828.99	34.63
35	847.97	40.92
36	866.77	47.75
37	885.37	55.10
38	903.76	62.98
39	921.91	71.37
40	939.82	80.27
41	957.47	89.67
42	974.85	99.57
43	991.95	109.95
44	1008.74	120.81
45	1025.22	132.14
46	1041.37	143.93
47	1057.19	156.18
48	1072.65	168.86
49	1087.75	181.98
50	1095.97	189.54

\*\* Corrected JANBU FOS = 3.040 \*\* (Fo factor = 1.067)

Failure surface No. 2 specified by 63 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	211.38	136.58
2	228.99	127.09
3	246.76	117.93
4	264.71	109.09
5	282.81	100.58
6	301.06	92.41
7	319.46	84.57
8	338.00	77.07
9	356.67	69.90
10	375.47	63.08
11	394.39	56.60
12	413.43	50.47
13	432.58	44.69
14	451.83	39.26
15	471.17	34.18

18-6 48

PMP

4-760-97

602-0200

16	490.61	29.46
17	510.12	25.09
18	529.72	21.08
19	549.38	17.42
20	569.11	14.13
21	588.89	11.20
22	608.72	8.62
23	628.60	6.41
24	648.52	4.57
25	668.46	3.09
26	688.43	1.97
27	708.42	1.22
28	728.41	.83
29	748.41	.81
30	768.41	1.15
31	788.40	1.86
32	808.37	2.93
33	828.32	4.37
34	848.23	6.17
35	868.12	8.33
36	887.96	10.86
37	907.75	13.75
38	927.48	17.00
39	947.15	20.61
40	966.75	24.58
41	986.28	28.90
42	1005.73	33.58
43	1025.08	38.62
44	1044.34	44.01
45	1063.50	49.75
46	1082.55	55.84
47	1101.49	62.27
48	1120.30	69.05
49	1138.99	76.17
50	1157.55	83.63
51	1175.97	91.43
52	1194.24	99.57
53	1212.36	108.03
54	1230.32	116.83
55	1248.12	125.95
56	1265.75	135.40
57	1283.20	145.16
58	1300.47	155.25
59	1317.56	165.64
60	1334.45	176.35
61	1351.14	187.36
62	1367.63	198.68
63	1368.70	199.44

\*\* Corrected JANBU FOS = 3.076 \*\* (Fo factor = 1.057)

Failure surface No. 3 specified by 62 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	200.69	135.94
2	218.43	126.71
3	236.34	117.81

1908 48

602-12091

9mp

4-Nov-97

4	254.41	109.23
5	272.63	100.98
6	291.00	93.06
7	309.50	85.48
8	328.14	78.23
9	346.91	71.33
10	365.81	64.76
11	384.81	58.54
12	403.93	52.66
13	423.15	47.13
14	442.47	41.95
15	461.87	37.11
16	481.37	32.64
17	500.94	28.51
18	520.58	24.74
19	540.28	21.33
20	560.05	18.27
21	579.87	15.58
22	599.73	13.24
23	619.63	11.26
24	639.57	9.64
25	659.53	8.39
26	679.51	7.49
27	699.50	6.96
28	719.50	6.79
29	739.50	6.99
30	759.49	7.54
31	779.47	8.46
32	799.43	9.74
33	819.36	11.38
34	839.26	13.38
35	859.12	15.74
36	878.93	18.46
37	898.70	21.54
38	918.40	24.98
39	938.04	28.77
40	957.60	32.92
41	977.09	37.42
42	996.49	42.28
43	1015.80	47.48
44	1035.01	53.03
45	1054.12	58.93
46	1073.12	65.18
47	1092.01	71.77
48	1110.77	78.70
49	1129.40	85.97
50	1147.90	93.57
51	1166.25	101.51
52	1184.46	109.78
53	1202.52	118.38
54	1220.42	127.31
55	1238.15	136.55
56	1255.72	146.12
57	1273.10	156.00
58	1290.31	166.20
59	1307.33	176.71
60	1324.15	187.52
61	1340.78	198.64
62	1342.74	200.00

\*\* Corrected JANBU FOS = 3.158 \*\* (Fo factor = 1.056) 612-9244  
PMP  
4-Nov-97

Failure surface No. 4 specified by 62 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	222.07	137.22
2	239.61	127.60
3	257.32	118.31
4	275.20	109.36
5	293.25	100.74
6	311.46	92.47
7	329.82	84.54
8	348.32	76.95
9	366.97	69.71
10	385.74	62.82
11	404.64	56.28
12	423.66	50.10
13	442.80	44.27
14	462.04	38.81
15	481.38	33.71
16	500.81	28.97
17	520.32	24.59
18	539.91	20.58
19	559.58	16.94
20	579.31	13.67
21	599.10	10.77
22	618.94	8.24
23	638.82	6.08
24	658.74	4.29
25	678.69	2.88
26	698.67	1.84
27	718.65	1.18
28	738.65	.89
29	758.65	.98
30	778.65	1.44
31	798.63	2.27
32	818.59	3.48
33	838.53	5.06
34	858.43	7.02
35	878.30	9.35
36	898.11	12.05
37	917.88	15.12
38	937.58	18.56
39	957.21	22.37
40	976.77	26.55
41	996.25	31.09
42	1015.64	35.99
43	1034.93	41.26
44	1054.12	46.89
45	1073.21	52.88
46	1092.17	59.22
47	1111.02	65.92
48	1129.73	72.97
49	1148.32	80.37
50	1166.75	88.12
51	1185.05	96.21
52	1203.18	104.64

21-4 48

612-7200

PMF

4-Nov-97

53	1221.16	113.41
54	1238.96	122.52
55	1256.60	131.95
56	1274.05	141.72
57	1291.32	151.81
58	1308.39	162.22
59	1325.27	172.95
60	1341.94	184.00
61	1358.41	195.36
62	1364.36	199.63

\*\* Corrected JANBU FOS = . 3.194 \*\* (Fo factor = 1.058)

Failure surface No. 5 specified by 47 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	232.76	137.86
2	248.62	125.67
3	264.86	114.00
4	281.47	102.87
5	298.43	92.27
6	315.73	82.22
7	333.33	72.73
8	351.23	63.81
9	369.41	55.47
10	387.85	47.72
11	406.52	40.56
12	425.42	34.01
13	444.52	28.07
14	463.80	22.75
15	483.24	18.05
16	502.82	13.97
17	522.52	10.53
18	542.32	7.72
19	562.20	5.55
20	582.14	4.01
21	602.12	3.12
22	622.12	2.87
23	642.12	3.27
24	662.09	4.31
25	682.02	5.98
26	701.89	8.30
27	721.67	11.25
28	741.34	14.84
29	760.89	19.06
30	780.30	23.90
31	799.54	29.37
32	818.59	35.45
33	837.44	42.14
34	856.06	49.43
35	874.44	57.31
36	892.56	65.78
37	910.39	74.83
38	927.93	84.45
39	945.15	94.63
40	962.03	105.35
41	978.56	116.61

22-6 48

602-0200

fmr

4-Nov-97

42	994.72	128.40
43	1010.49	140.70
44	1025.86	153.49
45	1040.81	166.78
46	1055.32	180.54
47	1062.22	187.52

\*\* Corrected JANBU FOS = 3.210 \*\* (Fo factor = 1.070)

Failure surface No. 6 specified by 50 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	232.76	137.86
2	249.08	126.30
3	265.73	115.22
4	282.70	104.62
5	299.95	94.52
6	317.50	84.91
7	335.31	75.82
8	353.37	67.23
9	371.68	59.17
10	390.21	51.64
11	408.94	44.65
12	427.87	38.20
13	446.98	32.29
14	466.25	26.93
15	485.67	22.13
16	505.21	17.89
17	524.87	14.22
18	544.63	11.11
19	564.47	8.57
20	584.37	6.60
21	604.32	5.20
22	624.30	4.38
23	644.30	4.13
24	664.30	4.45
25	684.28	5.35
26	704.22	6.83
27	724.12	8.87
28	743.95	11.49
29	763.69	14.68
30	783.34	18.43
31	802.87	22.74
32	822.26	27.62
33	841.51	33.05
34	860.60	39.03
35	879.50	45.55
36	898.21	52.62
37	916.71	60.22
38	934.98	68.35
39	953.02	77.00
40	970.79	86.17
41	988.30	95.84
42	1005.52	106.01
43	1022.44	116.68
44	1039.05	127.82
45	1055.33	139.44

23.44

612-9201

PMP

4-Nov-97

46	1071.27	151.52
47	1086.85	164.05
48	1102.07	177.03
49	1116.91	190.43
50	1117.31	190.82

\*\* Corrected JANBU FOS = 3.234 \*\* (Fo factor = 1.067)

Failure surface No. 7 specified by 42 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	190.00	130.50
2	205.52	117.88
3	221.50	105.86
4	237.92	94.45
5	254.77	83.67
6	272.01	73.54
7	289.63	64.06
8	307.59	55.27
9	325.87	47.16
10	344.45	39.74
11	363.29	33.04
12	382.38	27.06
13	401.67	21.80
14	421.15	17.28
15	440.79	13.50
16	460.56	10.47
17	480.43	8.18
18	500.37	6.66
19	520.36	5.89
20	540.36	5.87
21	560.34	6.62
22	580.29	8.12
23	600.16	10.38
24	619.93	13.38
25	639.58	17.14
26	659.07	21.64
27	678.37	26.87
28	697.46	32.83
29	716.31	39.51
30	734.90	46.89
31	753.19	54.98
32	771.16	63.75
33	788.79	73.20
34	806.05	83.31
35	822.91	94.07
36	839.35	105.46
37	855.35	117.46
38	870.88	130.06
39	885.92	143.24
40	900.45	156.98
41	914.45	171.26
42	921.57	179.10

\*\* Corrected JANBU FOS = 3.235 \*\* (Fo factor = 1.072)

Z40F 48  
602-9210  
JMP  
1-Nov-97

Failure surface No. 8 specified by 40 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	232.76	137.86
2	246.92	123.73
3	261.70	110.26
4	277.08	97.47
5	293.01	85.38
6	309.47	74.03
7	326.43	63.42
8	343.85	53.60
9	361.70	44.56
10	379.93	36.34
11	398.51	28.95
12	417.41	22.41
13	436.59	16.72
14	456.00	11.90
15	475.61	7.97
16	495.37	4.91
17	515.25	2.76
18	535.22	1.50
19	555.21	1.14
20	575.20	1.68
21	595.15	3.12
22	615.02	5.47
23	634.75	8.70
24	654.32	12.82
25	673.69	17.81
26	692.81	23.68
27	711.65	30.39
28	730.16	37.96
29	748.32	46.34
30	766.08	55.54
31	783.41	65.53
32	800.27	76.29
33	816.63	87.79
34	832.45	100.03
35	847.71	112.96
36	862.36	126.56
37	876.39	140.82
38	889.77	155.69
39	902.46	171.15
40	907.79	178.27

\*\* Corrected JANBU FOS = 3.302 \*\* (Fo factor = 1.078)

Failure surface No. 9 specified by 42 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	243.45	138.50
2	258.14	124.93
3	273.38	111.97
4	289.13	99.65
5	305.37	87.98
6	322.08	76.99

25-6 98

602-9249

PMP

4-Nov-97

7	339.22	66.68
8	356.77	57.09
9	374.70	48.22
10	392.97	40.09
11	411.56	32.72
12	430.44	26.11
13	449.57	20.28
14	468.92	15.23
15	488.47	10.98
16	508.17	7.53
17	527.99	4.89
18	547.91	3.06
19	567.88	2.05
20	587.88	1.86
21	607.87	2.48
22	627.82	3.92
23	647.69	6.17
24	667.46	9.23
25	687.08	13.10
26	706.53	17.77
27	725.77	23.23
28	744.77	29.47
29	763.50	36.48
30	781.93	44.25
31	800.02	52.77
32	817.76	62.02
33	835.10	71.98
34	852.01	82.65
35	868.48	94.00
36	884.47	106.01
37	899.96	118.67
38	914.91	131.95
39	929.31	145.83
40	943.14	160.28
41	956.35	175.29
42	961.37	181.48

\*\* Corrected JANBU FOS = 3.327 \*\* (Fo factor = 1.076)

#### Failure surface No.10 specified by 46 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	190.00	130.50
2	206.53	119.39
3	223.58	108.78
4	240.85	98.69
5	258.41	89.11
6	276.25	80.07
7	294.35	71.57
8	312.70	63.61
9	331.28	56.21
10	350.08	49.37
11	369.07	43.10
12	388.24	37.39
13	407.57	32.27
14	427.04	27.73
15	446.65	23.77

16	466.36	20.40
17	486.17	17.63
18	506.05	15.45
19	525.99	13.87
20	545.96	12.88
21	565.96	12.50
22	585.96	12.71
23	605.94	13.53
24	625.89	14.94
25	645.79	16.95
26	665.62	19.56
27	685.36	22.76
28	705.00	26.55
29	724.52	30.93
30	743.89	35.89
31	763.11	41.44
32	782.15	47.55
33	801.00	54.23
34	819.64	61.48
35	838.06	69.28
36	856.23	77.63
37	874.15	86.52
38	891.79	95.94
39	909.14	105.89
40	926.18	116.36
41	942.90	127.33
42	959.29	138.79
43	975.32	150.75
44	990.99	163.18
45	1006.28	176.07
46	1015.97	184.75

4-Nov-97  
Pmp  
692-1240

\*\* Corrected JANBU FOS = 3.344 \*\* (Fo factor = 1.066)

\*\*\*\*\*  
\*\*  
\*\* Out of the 900 surfaces generated and analyzed by XSTABL,  
\*\* 2 surfaces were found to have MISLEADING FOS values.  
\*\*  
\*\*\*\*\*

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Cover Circular Failure

	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	3.040	1.067	200.69	1095.97	1.660E+06
2.	3.076	1.057	211.38	1368.70	2.329E+06
3.	3.158	1.056	200.69	1342.74	2.291E+06
4.	3.194	1.058	222.07	1364.36	2.385E+06
5.	3.210	1.070	232.76	1062.22	1.589E+06

6.	3.234	1.067	232.76	1117.31	1.731E+06	Pmt
7.	3.235	1.072	190.00	921.57	1.343E+06	612-1
8.	3.302	1.078	232.76	907.79	1.252E+06	
9.	3.327	1.076	243.45	961.37	1.369E+06	
10.	3.344	1.066	190.00	1015.97	1.571E+06	


\* \* \* END OF FILE \* \* \*

ANC4

11-04-97 20:26

Gandy Cover Block Failure  
10 most critical surfaces, MINIMUM JANBU FOS = 2.810

602-0200  
PMP  
4-Nov-97



```
*****
* X S T A B L
*
* Slope Stability Analysis
* using the
* Method of Slices
*
* Copyright (C) 1992 - 96
* Interactive Software Designs, Inc.
* Moscow, ID 83843, U.S.A.
*
* All Rights Reserved
*
* Ver. 5.200          96 - 1216 *
*****

```

Problem Description : Gandy Cover Block Failure

-----  
**SEGMENT BOUNDARY COORDINATES**  
-----

**5 SURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.7	190.1	130.5	2
2	190.1	130.5	200.1	135.9	1
3	200.1	135.9	1270.7	200.0	1
4	1270.7	200.0	1355.5	200.0	1
5	1355.5	200.0	1393.4	198.4	1

**2 SUBSURFACE boundary segments**

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	190.1	130.5	453.1	43.8	2
2	453.1	43.8	1393.4	59.4	2

-----  
**ISOTROPIC Soil Parameters**  
-----

**2 Soil unit(s) specified**

Soil Unit No.	Unit Weight (pcf)	Cohesion Sat. (pcf)	Friction Intercept (psf)	Pore Pressure Angle (deg)	Water Parameter Ru	Surface Constant (psf)	Water Surface No.

1	110.0	110.0	.0	29.00	.000	.0	0
2	110.0	110.0	440.0	2.00	.000	.0	0

1-Nv-A

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

500 trial surfaces will be generated and analyzed.

3 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	269.1	103.6	344.9	78.6	1.0
2	450.0	42.8	470.0	43.1	1.0
3	1100.0	53.6	1250.0	56.1	1.0

```
*****
** Factor of safety calculation for surface # 387 **
** failed to converge within FIFTY iterations   **
**                                                 **
** The last calculated value of the FOS was 9.6297 **
** This will be ignored for final summary of results **
*****
```

The trial failure surface in question is defined by the following 29 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	216.72	136.90
2	219.36	134.26
3	227.03	127.84
4	234.10	120.77
5	244.09	120.30
6	254.08	120.15
7	263.14	115.92
8	271.15	109.92
9	279.62	104.60
10	286.73	97.58
11	467.65	43.47
12	1114.11	53.36
13	1114.33	63.35
14	1115.17	73.32
15	1120.88	81.53
16	1121.19	91.52
17	1125.15	100.71
18	1129.17	109.87

19	1131.14	119.67
20	1131.79	129.65
21	1137.07	138.14
22	1144.14	145.21
23	1148.86	154.03
24	1154.95	161.95
25	1161.51	169.51
26	1168.57	176.59
27	1175.49	183.80
28	1182.51	190.93
29	1186.48	194.96

602-0209  
Pmp  
1-Nov-97

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	210.78	136.54
2	219.25	134.15
3	228.70	130.88
4	236.86	125.10
5	244.12	118.22
6	251.19	111.15
7	261.06	109.57
8	269.72	104.56
9	278.77	100.32
10	453.41	43.18
11	1191.28	55.21
12	1198.18	62.45
13	1204.84	69.90
14	1211.33	77.51
15	1217.47	85.41
16	1223.53	93.36
17	1230.55	100.48
18	1237.62	107.55
19	1242.65	116.19
20	1249.72	123.26
21	1255.89	131.14
22	1260.50	140.01
23	1266.42	148.07
24	1272.49	156.02
25	1273.41	165.98
26	1280.09	173.41
27	1285.99	181.49
28	1292.14	189.37
29	1294.37	199.12
30	1295.08	200.00

\*\* Corrected JANBU FOS = 2.810 \*\* (Fo factor = 1.052)

4-Nov-9

## Failure surface No. 2 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	218.35	136.99
2	222.80	133.29
3	230.53	126.94
4	238.53	120.94
5	245.73	113.99
6	255.71	113.38
7	262.86	106.39
8	272.17	102.74
9	281.40	98.90
10	291.10	96.46
11	453.34	42.53
12	1207.47	55.58
13	1212.13	64.43
14	1218.81	71.87
15	1225.71	79.10
16	1232.75	86.21
17	1237.89	94.79
18	1244.96	101.86
19	1249.07	110.98
20	1253.70	119.84
21	1257.09	129.25
22	1259.97	138.83
23	1266.43	146.46
24	1269.84	155.86
25	1276.41	163.40
26	1283.47	170.48
27	1285.16	180.33
28	1290.27	188.93
29	1294.68	197.91
30	1295.99	200.00

\*\* Corrected JANBU FOS = 2.848 \*\* (Fo factor = 1.053)

## Failure surface No. 3 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	218.48	137.00
2	224.02	134.07
3	232.86	129.40
4	240.00	122.39
5	248.38	116.93
6	255.51	109.92
7	265.50	109.51
8	272.58	102.45
9	454.90	42.73
10	1209.31	55.03
11	1214.83	63.37
12	1220.24	71.77
13	1223.80	81.12
14	1230.86	88.20

15	1237.73	95.47
16	1241.21	104.84
17	1248.23	111.96
18	1253.81	120.27
19	1260.88	127.34
20	1266.17	135.82
21	1268.73	145.49
22	1274.75	153.47
23	1278.17	162.87
24	1285.24	169.95
25	1291.62	177.65
26	1296.50	186.37
27	1302.01	194.72
28	1304.52	200.00

602-0291  
PMP  
4-Nov-97

\*\* Corrected JANBU FOS = 2.859 \*\* (Fo factor = 1.053)

Failure surface No. 4 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	192.53	131.81
2	199.08	125.82
3	208.87	123.76
4	218.65	121.68
5	228.65	121.60
6	238.47	119.73
7	248.39	118.48
8	256.27	112.32
9	264.17	106.19
10	273.98	104.25
11	282.55	99.10
12	450.02	42.41
13	1224.73	55.25
14	1231.78	62.34
15	1238.54	69.71
16	1244.15	77.98
17	1250.26	85.90
18	1256.51	93.70
19	1261.02	102.63
20	1267.70	110.07
21	1274.64	117.28
22	1281.69	124.36
23	1287.18	132.72
24	1287.98	142.69
25	1292.84	151.43
26	1298.24	159.84
27	1302.79	168.75
28	1307.08	177.78
29	1313.98	185.02
30	1318.96	193.69
31	1325.14	200.00

\*\* Corrected JANBU FOS = 2.871 \*\* (Fo factor = 1.051)

Failure surface No. 5 specified by 33 coordinate points

612-5203  
PMP  
4-Nov-77

Point No.	x-surf (ft)	y-surf (ft)
1	206.98	136.31
2	211.40	134.77
3	219.80	129.36
4	229.80	129.05
5	236.90	122.00
6	245.40	116.74
7	252.47	109.67
8	262.33	108.03
9	270.45	102.19
10	280.05	99.37
11	289.81	97.23
12	297.64	91.00
13	307.63	90.67
14	453.91	43.03
15	1241.72	55.54
16	1246.59	64.27
17	1249.81	73.74
18	1252.11	83.47
19	1258.91	90.81
20	1265.86	98.00
21	1269.91	107.14
22	1273.41	116.51
23	1280.47	123.59
24	1287.38	130.82
25	1292.80	139.22
26	1299.24	146.87
27	1303.44	155.95
28	1309.35	164.02
29	1315.57	171.85
30	1322.62	178.94
31	1324.41	188.78
32	1331.45	195.88
33	1333.13	200.00

\*\* Corrected JANBU FOS = 2.926 \*\* (Fo factor = 1.051)

Failure surface No. 6 specified by 15 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	182.53	130.55
2	186.08	127.21
3	196.06	126.60
4	204.83	121.78
5	214.67	120.03
6	222.57	113.90
7	231.27	108.97
8	240.50	105.11
9	250.27	102.99
10	260.25	102.39
11	269.83	99.51
12	279.79	98.68
13	289.56	96.53
14	299.05	93.39
15	451.02	43.08

16	1231.97	56.10
17	1238.20	63.93
18	1244.27	71.87
19	1251.34	78.95
20	1254.15	88.54
21	1261.13	95.70
22	1267.86	103.10
23	1274.63	110.46
24	1274.92	120.46
25	1281.69	127.82
26	1286.87	136.38
27	1293.23	144.10
28	1295.31	153.88
29	1302.27	161.06
30	1309.27	168.20
31	1314.86	176.49
32	1316.78	186.30
33	1321.31	195.21
34	1326.09	200.00

602-0204  
PMP  
A-Nov-97

\*\* Corrected JANBU FOS = 2.934 \*\* (Fo factor = 1.050)

Failure surface No. 7 specified by 32 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	205.47	136.22
2	206.47	135.25
3	213.68	128.33
4	223.65	127.54
5	233.07	124.20
6	242.14	119.99
7	251.03	115.40
8	258.91	109.25
9	267.52	104.16
10	276.15	99.11
11	285.26	94.98
12	295.25	94.63
13	455.06	42.90
14	1208.48	55.31
15	1214.56	63.25
16	1220.60	71.22
17	1226.80	79.07
18	1233.01	86.91
19	1239.51	94.50
20	1240.82	104.42
21	1244.21	113.83
22	1250.99	121.17
23	1255.99	129.84
24	1257.78	139.67
25	1264.85	146.75
26	1268.12	156.20
27	1272.54	165.17
28	1279.57	172.29
29	1286.01	179.93
30	1291.99	187.95
31	1298.56	195.49
32	1300.68	200.00

\*\* Corrected JANBU FOS = 2.958 \*\* (Fo factor = 1.052) 4-Nov-97

Failure surface No. 8 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	229.86	137.68
2	233.15	135.14
3	240.91	128.83
4	248.09	121.87
5	255.32	114.96
6	264.59	111.21
7	274.41	109.34
8	283.06	104.31
9	291.74	99.35
10	300.03	93.76
11	456.02	42.52
12	1188.34	55.31
13	1192.52	64.40
14	1198.66	72.29
15	1203.00	81.30
16	1209.39	89.00
17	1216.23	96.29
18	1219.09	105.87
19	1224.45	114.31
20	1228.92	123.26
21	1235.77	130.54
22	1242.78	137.67
23	1249.80	144.80
24	1253.26	154.18
25	1259.15	162.26
26	1265.06	170.32
27	1267.85	179.93
28	1273.85	187.92
29	1280.91	195.01
30	1285.44	200.00

\*\* Corrected JANBU FOS = 2.964 \*\* (Fo factor = 1.054)

Failure surface No. 9 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	228.11	137.58
2	233.60	132.73
3	240.92	125.92
4	248.05	118.90
5	257.82	116.77
6	265.22	110.05
7	275.08	108.35
8	282.34	101.48
9	290.33	95.47
10	299.49	91.45
11	309.41	90.15
12	453.79	42.51



13	1119.67	54.29
14	1126.53	61.57
15	1130.47	70.76
16	1136.83	78.48
17	1141.95	87.07
18	1147.04	95.68
19	1153.00	103.71
20	1160.04	110.80
21	1166.89	118.09
22	1172.99	126.02
23	1180.02	133.13
24	1185.73	141.34
25	1190.17	150.30
26	1195.77	158.59
27	1198.98	168.06
28	1206.05	175.13
29	1210.26	184.20
30	1211.15	194.16
31	1211.45	196.45

b02-0209  
PMP  
4-Nov-97

\*\* Corrected JANBU FOS = 2.979 \*\* (Fo factor = 1.056)

Failure surface No.10 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	228.82	137.62
2	232.86	133.59
3	239.96	126.54
4	248.22	120.90
5	257.60	117.45
6	264.72	110.43
7	273.71	106.04
8	281.34	99.58
9	451.60	43.25
10	1242.47	56.37
11	1244.78	66.10
12	1248.94	75.19
13	1253.60	84.04
14	1258.56	92.72
15	1265.13	100.26
16	1271.58	107.91
17	1278.60	115.02
18	1281.31	124.65
19	1286.49	133.21
20	1293.24	140.58
21	1298.20	149.26
22	1305.11	156.49
23	1311.26	164.38
24	1316.82	172.69
25	1322.04	181.21
26	1327.92	189.30
27	1328.99	199.24
28	1329.44	200.00

\*\* Corrected JANBU FOS = 2.980 \*\* (Fo factor = 1.052)

PWP  
4-Nov-9

```
*****
** Out of the 500 surfaces generated and analyzed by XSTABL,
** 1 surfaces were found to have MISLEADING FOS values.
*****
```

The following is a summary of the TEN most critical surfaces


Problem Description : Gandy Cover Block		Failure			
	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	2.810	1.052	210.78	1295.08	1.526E+06
2.	2.848	1.053	218.35	1295.99	1.472E+06
3.	2.859	1.053	218.48	1304.52	1.489E+06
4.	2.871	1.051	192.53	1325.14	1.566E+06
5.	2.926	1.051	206.98	1333.13	1.488E+06
6.	2.934	1.050	182.53	1326.09	1.471E+06
7.	2.958	1.052	205.47	1300.68	1.459E+06
8.	2.964	1.054	229.86	1285.44	1.497E+06
9.	2.979	1.056	228.11	1211.45	1.416E+06
10.	2.980	1.052	228.82	1329.44	1.492E+06

\* \* \* END OF FILE \* \* \*

ANC4Q 11-04-97 20.28

Gandy Cover Block Failure Q  
10 most critical surfaces, MINIMUM JANBU FOS = 1.512

602-0200  
PMP  
1-Nov-97



```
*****
* X S T A B L
*
* Slope Stability Analysis
* using the
* Method of Slices
*
* Copyright (C) 1992 - 96
* Interactive Software Designs, Inc.
* Moscow, ID 83843, U.S.A.
*
* All Rights Reserved
*
* Ver. 5.200      96 - 1216
*****
```

Problem Description : Gandy Cover Block Failure Q

-----  
SEGMENT BOUNDARY COORDINATES  
-----

## 5 SURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	.0	131.7	190.1	130.5	2
2	190.1	130.5	200.1	135.9	1
3	200.1	135.9	1270.7	200.0	1
4	1270.7	200.0	1355.5	200.0	1
5	1355.5	200.0	1393.4	198.4	1

## 2 SUBSURFACE boundary segments

Segment No.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Soil Unit Below Segment
1	190.1	130.5	453.1	43.8	2
2	453.1	43.8	1393.4	59.4	2

-----  
ISOTROPIC Soil Parameters  
-----

## 2 Soil unit(s) specified

Soil Unit No.	Unit Weight (pcf)	Cohesion Sat. (psf)	Friction Intercept (psf)	Pore Pressure Angle (deg)	Parameter Ru	Water Surface Constant (psf)	Water Surface No.

1 110.0 110.0 .0 29.00 .000 .0  
2 110.0 110.0 440.0 2.00 .000 .0

G-2-0200  
PMP 0  
.0 0  
4-Nov-97

A horizontal earthquake loading coefficient of .040 has been assigned

A vertical earthquake loading coefficient of .000 has been assigned

A critical failure surface searching method, using a random technique for generating sliding BLOCK surfaces, has been specified.

500 trial surfaces will be generated and analyzed.

3 boxes specified for generation of central block base

Length of line segments for active and passive portions of sliding block is 10.0 ft

Box no.	x-left (ft)	y-left (ft)	x-right (ft)	y-right (ft)	Width (ft)
1	269.1	103.6	344.9	78.6	1.0
2	450.0	42.8	470.0	43.1	1.0
3	1100.0	53.6	1250.0	56.1	1.0

Factors of safety have been calculated by the :

\* \* \* \* \* SIMPLIFIED JANBU METHOD \* \* \* \* \*

The 10 most critical of all the failure surfaces examined are displayed below - the most critical first

Failure surface No. 1 specified by 34 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	182.53	130.55
2	186.08	127.21
3	196.06	126.60
4	204.83	121.78
5	214.67	120.03
6	222.57	113.90
7	231.27	108.97
8	240.50	105.11
9	250.27	102.99

10	260.25	102.39
11	259.83	99.51
12	279.79	98.68
13	289.56	96.53
14	299.05	93.39
15	451.02	43.08
16	1231.97	56.10
17	1238.20	63.93
18	1244.27	71.87
19	1251.34	78.95
20	1254.15	88.54
21	1261.13	95.70
22	1267.86	103.10
23	1274.63	110.46
24	1274.92	120.46
25	1281.69	127.82
26	1286.87	136.38
27	1293.23	144.10
28	1295.31	153.88
29	1302.27	161.06
30	1309.27	168.20
31	1314.86	176.49
32	1316.78	186.30
33	1321.31	195.21
34	1326.09	200.00

4C-4  
602-9200  
PMP  
1-Nov-91

\*\* Corrected JANBU FOS = 1.512 \*\* (Fo factor = 1.050)

Failure surface No. 2 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	218.35	136.99
2	222.80	133.29
3	230.53	126.94
4	238.53	120.94
5	245.73	113.99
6	255.71	113.38
7	262.86	106.39
8	272.17	102.74
9	281.40	98.90
10	291.10	96.46
11	453.34	42.53
12	1207.47	55.58
13	1212.13	64.43
14	1213.81	71.87
15	1225.71	79.10
16	1232.75	86.21
17	1237.89	94.79
18	1244.96	101.86
19	1249.07	110.98
20	1253.70	119.84
21	1257.09	129.25
22	1259.97	138.83
23	1266.43	146.46
24	1269.84	155.86
25	1276.41	163.40
26	1283.47	170.48

27	1285.16	180.33
28	1290.27	188.93
29	1294.68	197.91
30	1295.99	200.00

602-0200  
PMP  
4-Nov-72

\*\* Corrected JANBU FOS = 1.552 \*\* (Fo factor = 1.053)

Failure surface No. 3 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	210.78	136.54
2	219.25	134.15
3	228.70	130.88
4	236.86	125.10
5	244.12	118.22
6	251.19	111.15
7	261.06	109.57
8	269.72	104.56
9	278.77	100.32
10	453.41	43.18
11	1191.28	55.21
12	1198.18	62.45
13	1204.84	69.90
14	1211.33	77.51
15	1217.47	85.41
16	1223.53	93.36
17	1230.55	100.48
18	1237.62	107.55
19	1242.65	116.19
20	1249.72	123.26
21	1255.89	131.14
22	1260.50	140.01
23	1266.42	148.07
24	1272.49	156.02
25	1273.41	165.98
26	1280.09	173.41
27	1285.99	181.49
28	1292.14	189.37
29	1294.37	199.12
30	1295.08	200.00

\*\* Corrected JANBU FOS = 1.553 \*\* (Fc factor = 1.052)

Failure surface No. 4 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	192.53	131.81
2	199.08	125.82
3	208.87	123.76
4	218.65	121.68
5	228.65	121.60
6	238.47	119.73
7	248.39	118.48
8	256.27	112.32

9	264.17	106.19
10	273.98	104.25
11	282.55	99.10
12	450.02	42.41
13	1224.73	55.25
14	1231.78	62.34
15	1238.54	69.71
16	1244.15	77.98
17	1250.26	85.90
18	1256.51	93.70
19	1261.02	102.63
20	1267.70	110.07
21	1274.64	117.28
22	1281.69	124.36
23	1287.18	132.72
24	1287.98	142.69
25	1292.84	151.43
26	1298.24	159.84
27	1302.79	168.75
28	1307.08	177.78
29	1313.98	185.02
30	1318.96	193.69
31	1325.14	200.00

692-9200  
PMP  
4-Nov-72

\*\* Corrected JANBU FOS = 1.558 \*\* (Fo factor = 1.051)

Failure surface No. 5 specified by 33 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	206.98	136.31
2	211.40	134.77
3	219.80	129.36
4	229.80	129.05
5	236.90	122.00
6	245.40	116.74
7	252.47	109.67
8	262.33	108.03
9	270.45	102.19
10	280.05	99.37
11	289.81	97.23
12	297.64	91.00
13	307.63	90.67
14	453.91	43.03
15	1241.72	55.54
16	1246.59	64.27
17	1249.81	73.74
18	1252.11	83.47
19	1258.91	90.81
20	1265.86	98.00
21	1269.91	107.14
22	1273.41	116.51
23	1280.47	123.59
24	1287.38	130.82
25	1292.80	139.22
26	1299.24	146.87
27	1303.44	155.95
28	1309.35	164.02

29	1315.57	171.85
30	1322.62	178.94
31	1324.41	188.78
32	1331.45	195.88
33	1333.13	200.00

692-7201  
Pmf  
1-Nov-9

\*\* Corrected JANBU FOS = 1.560 \*\* (Fo factor = 1.051)

Failure surface No. 6 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	218.48	137.00
2	224.02	134.07
3	232.86	129.40
4	240.00	122.39
5	248.38	116.93
6	255.51	109.92
7	265.50	109.51
8	272.58	102.45
9	454.90	42.73
10	1209.31	55.03
11	1214.83	63.37
12	1220.24	71.77
13	1223.80	81.12
14	1230.86	88.20
15	1237.73	95.47
16	1241.21	104.84
17	1248.23	111.96
18	1253.81	120.27
19	1260.88	127.34
20	1266.17	135.82
21	1268.73	145.49
22	1274.75	153.47
23	1278.17	162.87
24	1285.24	169.95
25	1291.62	177.65
26	1296.50	186.37
27	1302.01	194.72
28	1304.52	200.00

\*\* Corrected JANBU FOS = 1.566 \*\* (Fo factor = 1.053)

Failure surface No. 7 specified by 32 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	205.47	136.22
2	206.47	135.25
3	213.68	128.33
4	223.65	127.54
5	233.07	124.20
6	242.14	119.99
7	251.03	115.40
8	258.91	109.25
9	267.52	104.16

10	276.15	99.11
11	285.26	94.98
12	295.25	94.63
13	455.06	42.90
14	1208.48	55.31
15	1214.56	63.25
16	1220.60	71.22
17	1226.80	79.07
18	1233.01	86.91
19	1239.51	94.50
20	1240.82	104.42
21	1244.21	113.83
22	1250.99	121.17
23	1255.99	129.84
24	1257.78	139.67
25	1264.85	146.75
26	1268.12	156.20
27	1272.54	165.17
28	1279.57	172.29
29	1286.01	179.93
30	1291.99	187.95
31	1298.56	195.49
32	1300.68	200.00

602-0202  
PMP  
1-Nov-97

\*\* Corrected JANBU FOS = 1.574 \*\* (Fo factor = 1.052)

Failure surface No. 8 specified by 28 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	228.82	137.62
2	232.86	133.59
3	239.96	126.54
4	248.22	120.90
5	257.60	117.45
6	264.72	110.43
7	273.71	106.04
8	281.34	99.58
9	451.60	43.25
10	1242.47	56.37
11	1244.78	66.10
12	1248.94	75.19
13	1253.60	84.04
14	1258.56	92.72
15	1265.13	100.26
16	1271.58	107.91
17	1278.60	115.02
18	1281.31	124.65
19	1286.49	133.21
20	1293.24	140.58
21	1298.20	149.26
22	1305.11	156.49
23	1311.26	164.38
24	1316.82	172.69
25	1322.04	181.21
26	1327.92	189.30
27	1328.99	199.24
28	1329.44	200.00

4-10-7

612-0200

PMS

4-NW-1

\*\* Corrected JANBU FOS = 1.590 \*\* (Fo factor = 1.052)

Failure surface No. 9 specified by 30 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	186.85	130.52
2	192.21	127.57
3	201.72	124.49
4	210.38	119.50
5	219.88	116.36
6	229.86	115.63
7	238.40	110.43
8	248.11	108.04
9	257.98	106.45
10	267.03	102.20
11	276.93	100.82
12	451.38	42.94
13	1106.11	53.43
14	1113.10	60.58
15	1119.85	67.96
16	1123.83	77.13
17	1130.88	84.22
18	1134.62	93.49
19	1135.75	103.43
20	1139.15	112.83
21	1146.19	119.94
22	1150.36	129.03
23	1157.39	136.14
24	1161.14	145.41
25	1163.82	155.04
26	1169.78	163.07
27	1175.42	171.33
28	1179.22	180.58
29	1183.40	189.66
30	1185.10	194.88

\*\* Corrected JANBU FOS = 1.608 \*\* (Fo factor = 1.055)

Failure surface No.10 specified by 31 coordinate points

Point No.	x-surf (ft)	y-surf (ft)
1	214.74	136.78
2	215.63	136.39
3	225.43	134.41
4	235.02	131.57
5	243.74	126.68
6	250.99	119.79
7	258.63	113.33
8	267.51	108.74
9	275.87	103.26
10	283.27	96.53
11	293.21	95.40
12	454.35	42.48

602-0204  
PMP  
4-Nov-9

13	1201.92	55.28
14	1208.99	62.36
15	1214.93	70.40
16	1221.43	78.00
17	1222.85	87.90
18	1229.49	95.38
19	1235.95	103.01
20	1238.82	112.59
21	1245.54	120.00
22	1252.55	127.12
23	1257.59	135.76
24	1261.05	145.14
25	1266.53	153.51
26	1271.22	162.34
27	1275.85	171.20
28	1276.78	181.16
29	1279.60	190.76
30	1286.25	198.22
31	1287.86	200.00

\*\* Corrected JANBU FOS = 1.610 \*\* (Fo factor = 1.053)

The following is a summary of the TEN most critical surfaces

Problem Description : Gandy Cover Block Failure Q

	Modified JANBU FOS	Correction Factor	Initial x-coord (ft)	Terminal x-coord (ft)	Available Strength (lb)
1.	1.512	1.050	182.53	1326.09	1.376E+06
2.	1.552	1.053	218.35	1295.99	1.392E+06
3.	1.553	1.052	210.78	1295.08	1.451E+06
4.	1.558	1.051	192.53	1325.14	1.486E+06
5.	1.560	1.051	206.98	1333.13	1.403E+06
6.	1.566	1.053	218.48	1304.52	1.412E+06
7.	1.574	1.052	205.47	1300.68	1.375E+06
8.	1.590	1.052	228.82	1329.44	1.412E+06
9.	1.608	1.055	186.85	1185.10	1.194E+06
10.	1.610	1.053	214.74	1287.86	1.388E+06

\* \* \* END OF FILE \* \* \*

1012 - 02-19

PMW

12-Nov-97

Infinite slope analysis spreadsheet  
Date: 12-Nov-97  
By: Paul Pellicer  
Filename: Cover system stability.wq1

## Soil Parameters

Cohesion:	15 psf		0.054643341
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	110 pct		

## Slope Geometry:

Slope Angle:	3.43 degrees		0.998208638
Failure Plane Depth:	2.5 ft	cosine	sine

## Groundwater Parameters

Height of water in failure mass:	2.5 ft
Pore Pressure Ratio:	0.567272727 no units

## Seismic Parameters

Ground Acceleration: 0 g's

**Safety Factor:** 5.2514

Infinite slope analysis spreadsheet  
Date: 12-Nov-97  
By: Paul Pellicer  
Filename: Cover system stability.wq1

612-0204  
pmf  
12-Nov-97

## Soil Parameters

Cohesion:	15 psf		0.054643341
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	110pcf		

## Slope Geometry:

Slope Angle:	3.43 degrees		0.998208638
Failure Plane Depth:	2.5 ft	cosine	sine

## Groundwater Parameters

Height of water in failure mass:	2.5 ft
Pore Pressure Ratio:	0.567272727 no units

## Seismic Parameters

Ground Acceleration: 0.04 g's

**Safety Factor:** 3.13509



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-6**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Ramp Stability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/15/97

Revisions	Date	By	Checked By	Reviewed By



### Ramp Stability

**Objective:** Evaluate Stability of Ramp Select Subbase and Road Base on the Ramp, Static, Pseudo-Static, and w/ a loaded Scraper.

**Assumptions:** -use a fully loaded 631 scraper applying brakes for scraper load.

**Calculations:**


Evaluate static + pseudo-static using Infinite Slope Spread Sheet.

$\gamma$  for Select Subbase and Road Base = 125 pcf  
assume failure plane runs through liner system  
Liner system strength:  $a = 18 \text{ psf}$  (see pg 3) ✓  
 $\delta = 31^\circ$

Road grade = 10% ✓ (Residual Strength from Site Testing)

Infinite slope analysis indicate a static F.S. = 6.4  
and a pseudo-static F.S. = 4.6 using a ground acceleration  
of  $0.04g$  (see pg 4-7)

Evaluate static stability of ramp with a loaded 631 Scraper breaking on the Ramp.



Length of Scraper  $\approx 50'$  (see pg 10) ✓

width of access Ramp  $\approx 47 \text{ ft}$  (subgrade) (see pg 9) ✓

Weakest interface  $\Rightarrow \delta = 31^\circ$ ,  $a = 15 \text{ psf}$  (see pg 3) ✓

Evaluate stability of ramp w/ scraper just for one length of the scraper (conservative)

Define Resisting Forces:

$F_R$  = Frictional Force @ Base of Roadway.



**Terra Matrix**  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: U.S.S.C. Park  
Project Number: 602-0200 Sheet 2 Of 10  
Prepared By: P. Pellicer Date 14-Nov-97  
Checked By: J. Pellicer Date: 14-Nov-97

$$F_R = (W_v + W_s) * \cos \beta + T \tan \delta_m$$

$$\begin{aligned} W_v &= \text{wt of Scraper} \\ &= \text{GVW} + \text{Rated load} \\ &= 93410 \text{ lb} + 75000 \text{ lb} \quad (\text{From Cat Handbook see pg 10}) \\ &= 168410 \text{ lb s} \end{aligned}$$

$$\begin{aligned} W_s &= \text{wt of Soil} \\ &= (W \times L \times T) \delta_s \quad W = 47 \text{ ft}, L = 50 \text{ ft}, T = 3 \text{ ft} \text{ (see pg 9)} \\ &= (47 \text{ ft} \times 50 \text{ ft} \times 3 \text{ ft}) 125 \text{ pcf}, \delta_s = 125 \text{ pcf (assumed)} \\ &= 881250 \text{ lb s} \end{aligned}$$

$$\beta = 10\% \Rightarrow 5.71^\circ \quad (\text{see pg 8}) \quad \checkmark$$

$$\begin{aligned} F_R &= (168410 \text{ lb s} + 881250 \text{ lb s}) * \cos 5.71^\circ * \tan 31^\circ \\ &= 627570 \text{ lb s} \end{aligned}$$

$$\begin{aligned} F_A &= \text{Adhesion Force} \\ &= WL * a_{min} \\ &= (47 \text{ ft} \times 50 \text{ ft}) * 15 \text{ pcf} \\ &= 35250 \text{ lb s} \end{aligned}$$

$$\begin{aligned} F_R^{\text{Total}} &= F_R + F_A \\ &= \underline{\underline{662820 \text{ lb s}}} \end{aligned}$$

Define Driving Forces:

$$\begin{aligned} F_{SD} &= \text{Soil and Vehicle driving Force} \\ &= (W_s + W_v) \sin \beta \\ &= (168410 + 881250) \sin 5.71^\circ \\ &= \underline{\underline{104434 \text{ lb s}}} \end{aligned}$$

$$\begin{aligned} F_b &= \text{Braking Force from Scraper} \\ &= 0.3 W_v \\ &= 0.3 (168410 \text{ lb s}) = \\ &= \underline{\underline{50523 \text{ lb s}}} \end{aligned}$$

$$F_{D+FD} = F_{SD} + F_b = 154957 \quad \checkmark$$


$$F.S. = \frac{F_{D+FD}}{F_{\text{Total}}} = \frac{662820}{154957} = \underline{\underline{4.3 \text{ o.k.}}} \quad \checkmark$$

Conclusion: The Ramp is stable for the conditions analyzed.

## SOIL-GEOSYNTHETIC INTERACTION TESTING LABORATORY

30-510  
602-0200  
14-Nov-97  
PMP

## TERRAMATRIX MONTGOMERY WATSON - ASTM D 5321 TESTS



THE REGRESSION POLYNOMIAL OF LINE 9 - PEAK STRENGTH

$$(1.800E+01) + (6.600E-01)*x \quad a = 18 \text{ PSF} \quad S = 33^\circ$$

THE VARIANCE - 8.000E+00

THE REGRESSION POLYNOMIAL OF LINE 10 - LARGE DISPLACEMENT STRENGTH

$$(1.483E+01) + (5.950E-01)*x \quad a = 15 \text{ PSF} \quad S = 31^\circ$$

THE VARIANCE - 3.556E+00

Reviewed By: Robert H. Swanson Date: 10-10-97

R. J. D.  
S. L. H.


3 1819 0006922  
40-10  
602-720V  
14-Nov-97  
PMP

United States Department of the Interior  
Geological Survey

PROBABILISTIC ESTIMATES OF MAXIMUM ACCELERATION AND VELOCITY  
IN ROCK IN THE CONTIGUOUS UNITED STATES

by

S. T. Algermissen, D. M. Perkins, P. C. Thenhaus,  
S. L. Hanson and B. L. Bender



Open-File Report 82-1033

1982

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards.


JUL 2  
10 "

T-  
+  
50 & 10  
602-0202  
14-Nov-97  
Pmp

GULF OF MEXICO

Preliminary Map of Horizontal Accelerations  
(Expressed as Percent of Gravity) in Rock  
with 90 Percent Probability of not being  
Exceeded in 250 Years

PLATE 3



Infinite slope analysis spreadsheet  
 Date: 13-Nov-97  
 By: Paul Pellicer  
 Filename: Protective cover stability.wq1  
 Ramp Stability

## Soil Parameters

Cohesion:	15 psf		0.040199461
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	125pcf		

## Slope Geometry:

Slope Angle:	5.71 degrees		0.99503822 sine
Failure Plane Depth:	3 ft		

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units

## Seismic Parameters

Ground Acceleration:	0 g's
----------------------	-------

**Safety Factor: 6.41328**

To f 10

14-Nov-97

642-0200

Pme

Infinite slope analysis spreadsheet  
Date: 13-Nov-97  
By: Paul Pellicer  
Filename: Protective cover stability.wq1

## Soil Parameters

Cohesion:	15 psf		0.040199461
Friction Angle:	31 degrees	tangent	0.600860619
Gamma Moist:	125 pcf		

## Slope Geometry:

Slope Angle:	5.71 degrees	cosine	0.99503822
Failure Plane Depth:	3 ft	sine	

## Groundwater Parameters

Height of water in failure mass:	0 ft
Pore Pressure Ratio:	0 no units


## Seismic Parameters

Ground Acceleration: 0.04 g's

**Safety Factor: 4.56361**

14-Nov-97  
602-0200  
8 of 10

۵۳



PROSES  
1 FOR OGHAM NOTES AND LEGENDARY INFORMATION SEE DRAWINGS NO. 1  
THREE LEGEND AND GENEALOGIES


2 ILLUSTRATION FROM AFRIAN SHAWE'S PAPER CRIME OF AUGUST 1897  
BY KODAK AND POLA ENGINEERING




PROFESSIONAL ATTACHMENT'S STATEMENT  
I, Paul G. Carter, state that this may  
not appear where my signature and an  
affidavit or protestation before a Notary  
Public or other authorized officer, are not  
and certify to the best of my knowledge  
and information.

**TRIASSIC PARK  
WASTE DISPOSAL FACILITY**

NAME/ TITLE  
**DETAILED EXCAVATION PLAN -**  
**PHASE 1A**



9 of 10  
602 - 0200  
IA - NDU-97  
Pmp



# Wheel Tractor-Scrapers

## Specifications

- Standard Scrapers

9-100-10  
602-0200  
Pmp  
14-Nov-97



621B

631D

651I

	621B	631D	651I
Flywheel power	246 kW	330 HP	410 kW
Operating weight (empty) <sup>a</sup>	30 205 kg	66,580 lb	59 420 kg
Scraper capacity —			
Struck	10.7 m <sup>3</sup>	14 yd <sup>3</sup>	16 m <sup>3</sup>
Heaped	15.3 m <sup>3</sup>	20 yd <sup>3</sup>	23.7 m <sup>3</sup>
Rated load	21 770 kg	48,000 lb	34 000 kg
Weight distribution — Empty			
Drive	70%	69%	69%
Rear	30%	31%	31%
Weight distribution — Loaded			
Drive	55%	54%	54%
Rear	45%	46%	46%
Engine model	3408	3408	3412
Rated engine RPM	1900	2000	1900
Displacement	14.6 L	893 in <sup>3</sup>	18.0 L
Top speed (loaded)	48 km/h	30 mph	50 km/h
Non-stop turning circle	11.1 m	36' 6"	12.2 m
With ROPS restriction	—	—	—
Tires — Tractor drive	29.5-29, 28 PR (E-3)	33.25-35, 38 PR (E-3)	37.5R38 Radial
Scraper	29.5-29, 28 PR (E-3)	33.25-35, 38 PR (E-3)	37.5R38 Radial
Width of cut	3.02 m	9' 11"	3.50 m
Maximum depth of cut	340 mm	13.4"	483 mm
Maximum depth of spread	460 mm	18"	425 mm
Fuel tank refill capacity	511 L	135 gal	760 L
GENERAL DIMENSIONS:			
Height to top of scraper	3.63 m	11' 11"	4.17 m
Wheelbase	7.72 m	25' 4"	8.74 m
Overall length	12.7 m	41' 7"	14.25 m
Overall width	3.45 m	11' 4"	3.90 m
Shipping width (draft arm on inside of bowl)	—	3.86 m	12' 0"
Scraper tread	2.18 m	7' 2"	2.46 m
Tractor tread	2.21 m	7' 3"	2.46 m

<sup>a</sup>Operating weight includes coolant, lubricants, full fuel tank, ROPS canopy and operator.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-8

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Prepared Subgrade Settlement

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/12/97

**Checked By:** John Pellicer **Date:** 11/13/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



### Prepared Subgrade Settlement.

Objective: Determine the amount of settlement of the given prepared subgrade.

Assumptions:

- $\gamma_{waste} = 110 \text{pcf}$
- Waste Thickness<sub>max</sub> = 140 ft.
- $C = 1100 \text{ psf}$  for recompacted prepared Subgrade (conservative)
- $\sigma'_p$  for prepared Subgrade is due to compactive effort during placement and is greater than the actual overburden load from the protective soil.
- $\gamma_{protective\ soil} = 90 \text{ pcf}$

### Calculations:

#### Primary Consolidation:

$$S_c = C_{cr} H_0 \log \frac{\sigma'_p}{\sigma_{v0}} + C_{cc} H_0 \log \frac{\sigma_{v0} + \Delta\sigma_v}{\sigma'_p}$$

$$C_{cr} = \frac{C_r}{1+e_0}$$

$$C_{cc} = \frac{C_c}{1+e_0}$$

$H_0$  = Thickness of Prepared subgrade = 6"

$$\sigma_{v0} = \text{initial overburden pressure} = \underbrace{(z \text{ ft})(90 \text{ pcf})}_{\text{protective soil}} = 180 \text{ psf}$$

$$\Delta\sigma_v = \text{change in overburden pressure} = \underbrace{(140 \text{ ft})(110 \text{ pcf})}_{\text{waste}} = 15,400 \text{ psf}$$

$\sigma'_p$  = Maximum past pressure.

estimate  $\sigma'_p$  using  $\%P$  ratios (from Figure 18.4 pg 117 Terzaghi and Peck 1967) (see pg. 4)

using the Avg PI = 28 (see pg 3) enter the  $\%P$  vs PI plot (pg 4)  $\Rightarrow \%P = 0.22$  using  $C = 1100 \text{ psf}$  (conservative)  $\Rightarrow P = 5000 \text{ psf} < \sigma'_p$

$$e_0 = \text{initial void ratio} = \frac{G_s \gamma_w}{\gamma_d} - 1$$

assume  $G_s = 2.7$

$\gamma_w = 62.4 \text{ pcf}$

Soil is to be placed at 90% of Modified proctor.



Terra Matrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Number: 602-0220

Sheet: 2 of 6

Prepared By: P. Pellicer

Date: Nov 12, 1997

Checked By: J. Pellicer

Date: 13-Nov-97

Modified proctor Max. Dry density = 127 pcf (see pg 6)

$$\gamma_d = (0.9)(127 \text{ pcf}) = 114.3 \text{ pcf say } 114$$

$$e_0 = \frac{(2.7)(62.4)}{114} - 1 = 0.478 \checkmark$$

$$C_c = 0.007 (LL - 7) \quad (\text{Empirical eq. p 341 Holz + Kovacs}) \\ (\text{see pg 5})$$

$$LL_{\text{Avg}} = 42 \quad (\text{see pg 3})$$

$$C_c = 0.007 (42 - 7) = 0.245 \checkmark$$

$$\text{Assume } C_r = 0.05 C_c = 0.0123 \quad (\text{see pg 5})$$

$$C_{rc} = \frac{0.0123}{1 + 0.478} = 0.0083 \checkmark$$

$$C_{cc} = \frac{0.245}{1 + 0.478} = 0.1658 \checkmark$$


$$S_c = (0.0083)(6 \text{ m}) \log \frac{5000 \text{ psf}}{180 \text{ psf}} + (0.1658)(6 \text{ m}) \log \frac{180 \text{ psf} + 15,400 \text{ psf}}{5000 \text{ psf}}$$

$$S_c = 0.072 \text{ in} + 4.91 \text{ m} = \underline{\underline{0.56 \text{ m}}} \checkmark$$

Since primary Consolidation is so small secondary consolidation should be considered negligible.

## SUMMARY OF LABORATORY TEST RESULTS

12-NY-97 G-2-0200  
PMS



Project Name: Gandy - Telastic Prex White Diamond Firework  
 Project Location: New Mexico  
 Project No.: 790-12101 Technician: DCP Date: 9-10-97

40 & 6  
602-0200  
PMP  
117 12-Nov-97




Fig. 18.4. (a) Mohr's stress circle diagram for calculating relation between  $c$  and  $\bar{p}$ , for consolidated-drained test. (b) Statistical relation between  $c/\bar{p}$  ratio and plasticity index (after Skempton 1957).

tivity. Some natural clay deposits, moreover, consist of a mixture of particles of fairly uniform fine sand and clay. While sedimentation proceeds, the simultaneous deposition of the flaky constituents of the finest fraction and of the equidimensional sand grains interferes with the rolling of the sand grains into stable arrangements. Therefore, if the sand grains touch each other, their configuration may be as metastable as that of true quicksands. However, the interstices between the sand grains are occupied by the clay-size materials which acquire, as a result of such physico-chemical processes as thixotropy and syneresis, appreciable strength as sedimentation proceeds. As a consequence, although the clay is sensitive, it does not exhibit the properties of true quicksands. In many respects, the states of transition from loose sand

5096  
602-0203  
Pmf  
12-Nov-77

### 8.11 APPROXIMATE METHODS AND TYPICAL VALUES OF COMPRESSION INDICES

Because of the time and expense involved in consolidation testing, it is sometimes desirable to be able to relate the compression indices to the simple classification properties of soils. These relationships are also commonly used for preliminary designs and estimates and for checking the validity of test results.

Table 8-2 is a list of some published equations for the prediction of compression indices (Azzouz, Krizek, and Corotis, 1976).

TABLE 8-2 Some Empirical Equations for  $C_c$  and  $C_{cv}$ \*

Equation	Regions of Applicability
$\rightarrow C_c = 0.007 (LL - 7)$	Remolded clays
$C_{cv} = 0.208 e_o + 0.0083$	Chicago clays
$C_c = 17.66 \times 10^{-3} w_n^2 + 5.93 \times 10^{-3} w_n - 1.35 \times 10^{-1}$	Chicago clays
$C_c = 1.15(e_o - 0.35)$	All clays
$C_c = 0.30(e_o - 0.27)$	Inorganic, cohesive soil; silt, some clay; silty clay; clay
$C_c = 1.15 \times 10^{-2} w_n$	Organic soils—meadow mats, peats, and organic silt and clay
$C_c = 0.75(e_o - 0.50)$	Soils of very low plasticity
$C_{cv} = 0.156 e_o + 0.0107$	All clays
$C_c = 0.01 w_n$	Chicago clays

\*As summarized by Azzouz, Krizek, and Corotis (1976).


Note:  $w_n$  = natural water content.

Terzaghi and Peck (1967) proposed the following equation, based on research on undisturbed clays of low to medium sensitivity:

$$C_c = 0.009 (LL - 10) \quad (8-21)$$

which has a reliability range of about  $\pm 30\%$ . This equation is widely used, despite its wide reliability range, to make initial consolidation settlement estimates. The equation should not be used where the sensitivity of the clay is greater than 4, if the LL is greater than 100, or if the clay contains a high percentage of organic matter. Some typical values of the compression index, based on our experience and the geotechnical literature, are listed in Table 8-3.

Often,  $C_c$  is assumed to be 5% to 10% of  $C_v$ . Typical values of  $C_c$  range from 0.015 to 0.035 (Leonards, 1976). The lower values are for clays of lower plasticity and low OCR. Values of  $C_c$  outside the range of 0.005 to 0.05 should be considered questionable.



Project Name: Gandy	Sample No.: Comp 178	TerraMatri Montgomery Watson	
Sample Location:	Technician: DCP		
Sample Source:	Procedure: D1557	MOISTURE-DENSITY RELATIONSHIP OF SOIL	
Sample Description: Red Clay	Max. Dry Density (pcf): 127 Opt. Moisture (%): 12.2		
Liquid Limit (%):	Plasticity Index (%): <del>12</del>	Natural Moisture (%):	Project No.:
% + 3/4 in.:	% - No. 4:	% - No. 200:	Date: 9-16-97



# MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-9

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Subgrade Settlement

	Name	Date
<b>Prepared By:</b>	<u>Paul Pellicer</u>	<u>11/12/97</u>
<b>Checked By:</b>	<u>John Pellicer</u>	<u>11/12/97</u>
<b>Reviewed By:</b>	<u>Pat Corser</u>	<u>11/14/97</u>

Revisions	Date	By	Checked By	Reviewed By

### Subgrade Settlement

**Objective:** Determine the maximum amount of potential settlement for the subgrade. To be used for determining induced stresses in the liner membrane.

- Assumptions:**
- Simplified Geometry, No side slopes, uniform waste thickness (assumed at deepest part of land fill 140 ft)
  - Unit weight of waste = 110pcf
  - Waste behaves as a flexible mat.
  - Foundation Soil is at triple depth (conservative).

**Calculations:** Divide cell footprint into rectangles with a common corner "O" at the deepest section of the land fill. (see pg 3)

Use Elastic Settlement Theory. (pp. 169 - 172 - Fang 1991)  
 (see pg 4-7)  $S_e = C_s q B \left( \frac{1-y^2}{E_u} \right)$

Estimate physical parameters of foundation soil:  
 Lower Dockem  $\Rightarrow Y = 0.3$ ,  $E_u = 72,000$  ksf (see pg 7-9  
 (conservative estimates))

$$q = (110 \text{ pcf})(140 \text{ ft}) = 15400 \text{ psf}$$

$$\frac{1-y^2}{E_u} = \frac{1-(.3)^2}{72,000,000 \text{ psf}} = 1.264 \times 10^{-8} \text{ ft}^2/\text{psf}$$

$$q \times \frac{1-y^2}{E_u} = 1.946 \times 10^{-4}$$

Area	L(ft)	B(ft)	$\frac{L}{B}$	$C_s^*$	$S_e$ (ft)
A	2143	610	3.5	.9	.107
B	2143	422	5.1	1.05	.086
C	906	906	1.1	.56	.099
D	1421	626	2.3	.79	.096
E	626	610	1.0	.56	.066
-F	906	422	2.1	.76	-.062

\* interpolated from table 5.3 (see pg 6)




$$\sum S_i = 0.39 \text{ ft} \Rightarrow \text{Say } 5''$$

Conclusions: The assumptions used in this calculation are extremely conservative and were used to achieve a worst case settlement for induced stress in the geomembrane. Actual subgrade settlement will not be this large for two reasons

- The waste thickness is less than what was assumed especially on the side slopes.
- The base of the cell has already been loaded by overburden that will be excavated out and therefore will not behave in a fully elastic manner, and the net change of effective stress in the foundation soils is minimal.

NOTE: A specific calculation was not completed for the evaporation pond. The estimated settlement for the landfill is not considered harmful. The evaporation is smaller than the landfill; therefore, the subgrade will settle less. Therefore subgrade settlement in the evaporation pond will not be a problem.

OMP  
642-2244  
12 Nov 97



# **FOUNDATION ENGINEERING HANDBOOK**

~~11c~~  
112-9200  
PMP  
12-Nov-92

**Second Edition**

Edited by

**HSAI-YANG FANG Ph.D.** 1991

Professor of Civil Engineering and Director, Geotechnical  
Engineering Division, Fritz Engineering Laboratory, Lehigh University



**VAN NOSTRAND REINHOLD**  
New York

and less than at the edges (Fig. 5.2b). Contact stress distributions are important for the design of foundations and footings (Bowles, 1975a). For the structural design of footings, a linear contact stress distribution is often assumed although this is obviously incorrect from a soil mechanics point of view.

#### 5.4.2 Immediate Settlement of Cohesive Foundations

For soils that are predominately cohesive, linear theory of elasticity is used to estimate the magnitude of initial settlements. Soil profiles are typically simplified, although some solutions involving multiple layer theory are available. Homogeneity and isotropy are implicitly assumed so that only two elastic parameters, the modulus of elasticity  $E$  and Poisson's ratio  $\nu$  are needed. This approach works reasonably well on clay soils if the applied stress level is low; that is, if the factor of safety is large and we do not have plastic yielding in the foundation. If foundation yielding is likely to occur, another approach is recommended, which will be described below.

In many foundations on cohesive soils, the immediate or distortion settlement is a relatively small part of the total vertical movement and, thus, rough estimates are acceptable. A discussion of relative importance of immediate and consolidation settlement will be given later in this section.

**A Distributed Load at or Near the Surface of a Deep Layer**  
When the foundation problem can be approximated as one or more uniformly distributed loads acting on circular or rectangular areas near the surface of a relatively deep stratum, the vertical settlement can be estimated by

$$s_i = C_i q B \left( \frac{1 - \nu^2}{E_u} \right) \quad (5.2)$$

where

$s_i$  = settlement of a point on the surface

$C_i$  = shape and rigidity factor

$q$  = magnitude of the uniformly distributed load

$B$  = characteristic dimension of the loaded area as shown in Figure 5.3

$E_u$  = Young's modulus (undrained)

$\nu$  = Poisson's ratio

The coefficient  $C_i$  accounts for the shape and rigidity of the loaded area and for the position of the point for which the settlement is being calculated. Values of  $C_i$  are given in Table 5.3.

#### EXAMPLE 5.1

A structure is to be supported on a stiff reinforced concrete mat foundation whose dimensions are 20 m by 50 m. The load on the mat is to be uniformly distributed; its magnitude is 65 kPa. The mat rests on a deep saturated deposit of




Fig. 5.3 Notation for loaded areas, shown in plan view. (U.S. Navy, 1962.)

saturated clay for which the average undrained Young's modulus is approximately 40 MPa. Estimate the immediate settlement at the center and corner of the mat.

#### Solution

Since the mat is stiff, use the rigid factors from Table 5.3a. With  $L/B = 50/20 = 2.5$ , the shape factors for both the center and corner are determined by interpolation to be  $C_i = 1.20$ . Thus from Equation 5.2 the immediate surface settlement at both the center and corner of the mat is  $s_i = 1.20(65)(20) [(1 - 0.5^2)]$  divided by  $[(40 \times 10^3)] = 0.029$  m = 29 mm.

For comparison, the shape factors for a flexible mat would be determined by interpolation to be

At the center  $C_i = 1.63$

At the corner  $C_i = 0.81$

Thus, the immediate surface settlements are

At the center  $s_i = 40$  mm

At the corner  $s_i = 20$  mm

A mat foundation is usually neither completely flexible nor completely rigid, depending on its size and thickness and how heavily reinforced it is. If it is large, the distribution of contact pressure may be nearly uniform over its center portion. At the corners and edges, however, the rigidity of the mat may be significant (owing to its thickness and the amount of reinforcing), and settlements are likely to be less than predicted. In a saturated clay, because of settlement in the middle portion of the foundation, some heave may occur in the outer portions because of undrained (constant volume) loading and shear.

**Effect of Layered Systems** In actuality, most soil profiles are not homogeneous and deep. If the thickness of the top layer is large relative to the dimensions of the loaded area, immediate surface settlement may be calculated as if the soil were a homogeneous layer of infinite depth. However, if the upper stratum is relatively thin, the effect of layering must be taken into consideration. This is likely to be especially important when a soft compressible stratum is underlain by rock or very hard or dense soils. This special case may be approximated by a layer of elastic material of finite thickness underlain by a rigid base. Settlements for this case may be determined by Equation 5.2, but using a shape factor  $C_i$  that accounts for the presence of the rigid base. Values for these shape factors  $C_i$  are tabulated in Table 5.3b for the settlement under the center of a rigid circular area and under the corner of flexible rectangular areas. These shape factors depend upon both the shape of the loaded area and the thickness of the compressible stratum relative to the width of the loaded area, as illustrated in Figure 5.3.

Examination of Table 5.3 indicates the importance of the presence of a rigid boundary. When  $H/B = 0.5$ , the reduction in surface displacements of the center of the loaded area relative to that for the halfspace is greater than 50 percent.

#### EXAMPLE 5.2

Compute the immediate settlement at the center of the uniformly loaded (flexible) area measuring 6 m  $\times$  6 m. The applied surface stress is 200 kPa and the depth to firm bottom is 3 m. Assume the undrained elastic modulus is 10 000 kPa and  $\nu = 0.5$ .

#### Solution

Use the  $C_i$  values for the corners of four equally sized rectangles 3 m  $\times$  3 m. In this case,  $H/B = 1$ ,  $L/B = 1$ , and

**TABLE 5.3 SHAPE AND RIGIDITY FACTORS, C., FOR CALCULATING SETTLEMENTS OF POINTS ON LOADED AREAS AT THE SURFACE OF AN ELASTIC HALFSPACE\***

Shape and Rigidity	a. Infinite Depth			Average
	Center	Corner	Edge / Middle of Long Side	
Circle (flexible)	1.00		0.64	0.85
Circle (rigid)	0.79		0.79	0.79
Square (flexible)	1.12	0.56	0.76	0.95
Square (rigid)	0.82	0.82	0.82	0.82
→ Rectangle: (flexible) length/width				
2	1.53	0.78	1.12	1.30
5	2.10	1.05	1.68	1.82
10	2.56	1.28	2.10	2.24
Rectangle: (rigid) length/width				
2	1.12	1.12	1.12	1.12
5	1.8	1.8	1.8	1.8
10	2.0	2.0	2.0	2.0

**b. Limited Depth Over a Rigid Base**

H/B	Center of Rigid Circular Area Diameter = B	Corner of Flexible Rectangular Area				
		L/B = 1	L/B = 2	L/B = 5	L/B = 10	L/B = ∞ (strip)
<i>v</i> = 0.50						
0	0.00	0.00	0.00	0.00	0.00	0.00
0.5	0.14	0.06	0.04	0.04	0.04	0.04
1.0	0.35	0.15	0.12	0.10	0.10	0.10
1.5	0.48	0.23	0.22	0.18	0.18	0.18
2.0	0.54	0.29	0.29	0.27	0.26	0.26
3.0	0.62	0.36	0.40	0.39	0.38	0.37
5.0	0.89	0.44	0.52	0.56	0.54	0.52
10.0	0.74	0.48	0.64	0.76	0.77	0.73
<i>v</i> = 0.33						
0	0.00	0.00	0.00	0.00	0.00	0.00
0.5	0.20	0.09	0.08	0.08	0.08	0.08
1.0	0.40	0.19	0.18	0.16	0.16	0.16
1.5	0.51	0.27	0.28	0.25	0.25	0.25
2.0	0.57	0.32	0.34	0.34	0.34	0.34
3.0	0.64	0.38	0.44	0.46	0.45	0.45
5.0	0.70	0.46	0.58	0.60	0.61	0.61
10.0	0.74	0.49	0.66	0.69	0.62	0.61

\* After U.S. Navy (1962).

from Table 5.3,  $C_v = 0.15$ :

$$S_i = 0.15(200)(3) \left( \frac{1 - 0.5^2}{10000} \right) \times 4 = 27 \text{ mm}$$

If the soil profile consists of a relatively thin stiffer layer underlain by a less stiff layer of greater depth, then the stresses from the surface load must be distributed to the top of the less compressible layer. Use the stress distribution techniques discussed in Section 5.6.

Analytical and/or numerical methods for the determination of displacements in multilayered systems are available for cases other than those in Table 5.3 (see Poulos and Davis, 1974). A number of multilayer solutions are now available in computer codes. Except for pavements and special foundations, however, the use of multilayered computer analyses is generally not justified, because the material parameters are not accurately determined, the boundary conditions and interface conditions between the strata are not that well known, and, finally, approximations may be required to fit the geometry of the real problem to that for which the solution is available. In many situations an approximate analysis of the intermediate

settlement is sufficient, as illustrated in the following two examples.

**EXAMPLE 5.3**

The mat foundation of Example 5.1, 20 m × 50 m supporting a uniform normal load of 65 kPa, is founded on a soil profile shown in Figure 5.4. The profile indicates a layer of stiff clay over a more compressible layer that is in turn underlain by shale. Assume these conditions are representative of the entire site. Estimate the immediate surface settlement at the center of the mat.

**Solution**

Assume the shale acts as a rigid base and above it a single stratum of thickness  $H = 15$  m. Then,

$$\frac{H}{B} = \frac{15}{10} = 1.5 \quad \frac{L}{B} = \frac{25}{10} = 2.5$$

The shape factor  $C_v$  obtained from Table 5.3b by linear

**Other books published within the  
Series on Rock and Soil Mechanics**

Series on Rock and Soil Mechanics  
Vol. 7 (1983)

**R. W. & R. Electron Roth, M.S.  
and Brothers  
Engineering Books Publishers**

**Kendall, L.L. & Novakofski, E.A.:  
Soil Mechanics  
for Off-Road Vehicle Engineering  
1977**

**W. J.  
State of Rock Mechanics  
Strength Properties of Rocks**

**Bagnoli, F., Madgwick, J.F.  
& Sturz, D.M.:  
The Practitioner  
and Foundation Engineering  
1978**

**J. C.E.  
U.S.  
the American Engineers  
Society**

**Lam, R.D. & Vaidyanathan, V.R.:  
Handbook on Mechanical Properties  
of Rocks  
Volumes II, III & IV  
1978**

**R. M. & A.  
in  
Walls Volume I  
Sign and Stress Filing**

**Gregory, C.E.:  
Explosives  
for North American Engineers  
Second Edition  
1979**

**R. M. Jr. & LaGrone, F.W.:  
Handbook on Mechanical Properties  
of Rocks  
Volume II  
1983**

**Amer, C. & Richter, R.:  
The Continuum Theory  
of Rock Mechanics  
1979**

**H. B. Jr. & LaGrone, F.W.:  
Second Conference on Acoustic  
Emissions/Microseismic Activity  
in Geologic Structures and Materials  
1979**

**Jenniskens, A.E.:  
Rock Mechanics  
1979**

**R. M. & A.:  
in  
Walls Volume II  
Tensile Resistance  
Soil Structures**

**H. B. Jr. & LaGrone, F.W.:  
Conference on Acoustic  
Microseismic Activity  
in Geologic Structures and Materials**

**Munn, T. H.:  
Foundations in Tension  
Ground Anchors**

# ROCK MECHANICS

## Second Edition

by

**Alfreds R. Jumikis  
Professor Emeritus of Rutgers University  
The State University of New Jersey  
USA**

~~1983~~  
**Second Edition  
1983**

**TRANS TECH PUBLICATIONS**

~~1983~~  
Gv2 v2  
PMF  
12-NW

#### 4-24. Models of Elasticity of Rocks

Knowledge about the modulus of elasticity of rocks is an important factor in evaluating rock deformation under various loading conditions. It is also necessary in studies of seismics in rocks. The modulus of elasticity of rock varies from one geologic region to another because of the existence of various types of rock formation. For this reason alone, different values of the modulus of elasticity of different rocks can be anticipated. Hence, there exists a need for the determination of the numerical values of the modulus of elasticity of rocks.

Generally, the modulus of elasticity of rock is affected by rock type, porosity, particle size, and water content. The variation in the values of the modulus of elasticity is more pronounced in clayey shales than in sandstone, for example.

The modulus of elasticity is greater perpendicular to stratification and fissure than that determined parallel to the bedding planes and fissures.

The various modes of genesis or formation of rocks also affect the magnitude of the modulus of elasticity.

The reason for high modulus of elasticity values of some rocks probably lies in their structures themselves, as well as in their mineral chemical compounds. The known values of the modulus of elasticity of various rocks may suggest that eruptive igneous rocks of basic nature—like basalts, for example—have a larger modulus value than acidic rocks—such as granite, for example.

Technically, the modulus of elasticity values of some rocks can be increased considerably by means of rock grouting.

Elasticity constants  $E$  and  $\mu$  of rocks are determined by:

1. static tests
2. longitudinal resonance tests
3. electrical resistance (strain gauge) tests
4. ultrasonic velocity measurements on laboratory rock test specimens, and
5. dynamic tests, in which velocities of propagated energy waves in situ are measured. Measurements of the primary wave ( $P$ -wave) and shear wave ( $S$ -wave) are made.

TABLE 4-13  
Elasticity Constants  $E$  and  $\mu$  of Some Rocks

Rock	Young's modulus of elasticity $E$		Poisson's ratio $\mu$	References
	$\text{kg/cm}^2$	$\text{N/m}^2$		
	Multiply by $10^10$	Multiply by $10^10$	Average values	
1	2	3	4	5
<b>Igneous rocks</b>				
Basalt	2.0 - 10.0	1.96 - 9.81	0.14 - 0.25	37, 63, 68, 107
Diorite	3.0 - 9.0	4.85 - 11.15	0.22 - 0.25	18
Gabbro		2.94 - 8.83	0.125 - 0.25	42, 63
Granite	6.0 - 11.0	2.20 - 11.40	0.103 - 0.184	68
Syenite		8.00 - 10.75	-	18
Syenite	6.0 - 8.0	5.88 - 10.78	0.125 - 0.25	37, 63, 68
Syenite		5.84 - 8.71	0.154 - 0.48	18
Syenite	2.6 - 7.0	2.55 - 6.86	0.125 - 0.25	37, 63
Sedimentary rocks				
Dolomite	2.0 - 8.4	1.96 - 8.24	0.08 - 0.20	37, 63
Limestone	1.0 - 8.0	0.98 - 7.85	0.10 - 0.20	63, 107
Sandstone	0.5 - 8.6	0.80 - 2.10	0.14 - 0.30	18
Shale (clay)	0.8 - 3.0	0.49 - 8.43	0.066 - 0.125	112
Shale (clay)	1.20 - 4.40	1.63 - 9.70	0.230 - 0.300	56
Shale (clay)		-	0.17	63, 68
Shale (clay)		-	0.07	112
Shale (clay)		-	0.62	56
Shale (clay)		-	0.11 - 0.54	37, 68
Shale (clay)		-	0.10	56
Shale (clay)		-	0.30	107
Shale (clay)		-	0.04 - 0.12	18, 32, 107

12-Nov-97 9059  
 PMP COZ-02

TABLE 12.3  
 Properties of Various Rocks as Foundation Materials

Type	Rock	Typical dry unit weight, p.c.f.	Range of modulus of elasticity, k.p.s.	Range of compressive strength, k.p.s.	Structural characteristics
Limestone (white granite).	Pelagic dolomites, light colored Carrara (dolomite marble). Dolite (limestone). Limestone, angularly fractured, dark colored Calcite.	160 .... 175 .... 180 ....	4,000 to 7,000 5,000 to 8,000 7,000 to 12,000	10 to 25 15 to 30	Generally present as lenses of great size. May contain fracture system, closed except where weathering has proceeded downward from the surface. Deep localized weathering may occur at intersections of major fracture systems. Formed in sheet-like masses characterized by extensive joint system, more open in basalt than rhyolite or andesite. May contain holes, voids, layers of volcanic ash or pumice resulting from volcanic concretion with cavities.
Limestone (blue granite).	Pelagic dolomites, light colored Analcite (limestone granite). Limestone, angularly fractured, dark colored Basalt.	162 .... 165 .... 170 ....	5,000 to 8,000 6,000 to 9,000 7,000 to 13,000	10 to 25 25 to 40	Exhibits fiber structure, may be slightly vesicular. Light and relatively porous structure formed in volcanic discharge.
Sedimentary	Cherty Chalcocite .... Fragrant Tuff ....	140 .... 160 ....	1,500 to 4,000 200 to 1,000	2 to 8 0.2 to 1	Often lastically folded and distorted. Fracturing, solution, weathering or deep erosion occurs in zones of limestone movement. Weathering produces clayey, silaceous residue.
Foliated (slate) ...	Mudstone, dolomite slates Schist Flint grits, dark colored Slates ....	167 .... 160 ....	2,000 to 5,000 3,000 to 8,000	3 to 15 10 to 20	Lens diameter due to highly foliated rocks. Weathered residue is gritty with scaly mica particles.
Bedded (gneiss) ...	Concentric gneiss, dolomite gneiss Gneiss.	160 ....	4,000 to 8,000	10 to 20	Quartzite and marble may be extremely hard with only fine fracture system. Some gneissites are soft in great depths.
Metamorphic	Slates and bedded Quartzite (metaboly granite). Mudite (metaboly schists). Biotite-schist and Sognesdal ....	165 .... 160 .... 150 ....	6,000 to 8,000 7,000 to 10,000 1,000 to 5,000	15 to 35 12 to 30 1 to 10	Wide variation in engineering properties between materials formed by compactive slates or with cores. I.e., compactive slates may soften, shale and swell on exposure. Compaction types (argillite) are not sensitive to exposure.
Metamorphic (foliated schist) ....	Flint grits, bedded Shale (slate slates). Slate (slate slates)	160 to 140 110 to 130	2,000 2,000	0.1 to 5 0.1 to 5	Strength and permeability depends on type and degree
Metamorphic (foliated schist) ....	Mudstone gneiss	167 ....	1,000 to 3,000	4 to 12	



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-10

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Effect of Differential Settlement on Base Grades

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/13/97

**Checked By:** John Pellicer **Date:** 11/13/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Number 602-0200

Sheet 1 Of 2

Prepared By: P. Pellicer

Date: 13-Nov-1997

Checked By: J. Pellicer

Date: 13-Nov-97

### Effect of Differential settlement on Base Grades.

Objective: Evaluate the effect of differential settlement on the cell base grades for phase 1

Calculations:

Maximum amount of settlement = 5.56" (from Subgrade Settlement + prepared Subgrade settlement calculations).

Maximum amount of settlement occurs at pt A. (See pg 2)  
No settlement occurs at Pt B (conservative) (see pg 2)

Distance between Pt A + B = 581'

$$\text{Change in grade} = \left( \frac{-5.56''}{12.7 \text{ ft}} \right) (581') = -0.0008 \Rightarrow -0.08\%$$


Current Minimum grade in phase 1 = 2.5%

Minimum grade in phase 1 after differential settlement  
 $= 2.5\% - 0.08\% = 2.42\% > 2\%$  (Minimum recommended by EP 1)

Conclusion: Even w/ extremely conservative assumptions differential settlement has a negligible effect on the base grades.

ZDF2  
PMP  
602-0200  
13-NOV-97

E-10



NOTES  
1 FOR GENERAL NOTES AND LEGEND INFORMATION SEE UNHARVEST FIG.  
2 PROFILE LEGEND AND GENERAL NOTES  
3 TOPOGRAPHY FROM AERIAL SURVEY'S PERIODIC D AUGUST 1989  
4 BY GOOGLE AND POLARIS ENGINEERING




PROFESSIONAL ENGINEER S. STALLARD  
4 PINECREST C COURT, IRVINE CALIFORNIA 92618  
HAS PREPARED UNDER MY SUPERVISION AND  
FOR THE EXCLUSIVE PROTECTION AND USE OF  
THE CONTRACTOR TO WHOM IT WAS  
CONTRACTED TO ME AS AN ASSISTANT  
AND SUBORDINATE.

Date:

Project #:

TRIASSIC PARK		WASTE DISPOSAL FACILITY	
DRAWING TITLE		DETAILED EXCAVATION PLAN -	
1	2	3	4
5	6	7	8
9	10	11	12

Not For Construction



1. 602-0200 TRIASSIC PARK WASTE DISPOSAL FACILITY



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-11

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Waste Settlement

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/11/97

**Checked By:** John Pellicer **Date:** 11/12/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By

### Basic Settlement

Objective: Calculate amount of waste settlement that will affect surface grades.

- Assumptions:
- Waste Settlement is uniform
  - Primary Settlement has occurred prior to placement of the cover system. Monitoring of the settlement should be conducted.

Calculations:  
- take all cross sections perpendicular to cover grades to show true grades. (see pg 2)  
- divide cross sections into segments determined by changes in slope of either the cell base or cover. (see pg 3-5)

Results: Total waste settlement up to 7% is acceptable to maintain a minimum cover grade of 5%. (see pg 6-8)

Conclusions: The EPA recommends using 11.5% settlement for design purposes. However, this is considered the maximum amount of settlement possible. Two methods were used to estimate a range of settlements. These two methods were the Power Creep Law and Sowers Method for Secondary Compression. These two methods resulted in an estimated range of settlement of 2% to 7.8% (see pg 9-11). If the 7% settlement is used in this calculation it is not unreasonable. In this circumstance if the cover, which contains soil to be removed at 10% compared to the estimated 7% compression is 50% for calculation. If settlement is larger than 7% cover grades will be adjusted to accommodate settlement and maintain minimum 5% grade.

Project Name: Gandy Marley Inc.  
 Project Number: 602-0200  
 Prepared By: Paul Pellicer      Checked By:  
 Filename: Gandy waste Settlement xseca.xls

Station	Waste Depth (ft)	Settlement Factor (ft)	Maximum Settlement (ft)	Original Elevation (ft)	Post Settlement Elevation (ft)	Slope (ft)	Horizontal Distance (ft)	Original Grade (%)	Post Grade (%)	Minimum Settlement Required (%)	Slope (%)
A	0	0.07	0	125.81	125.81						
B	7.8	0.07	0.546	131.25	130.70	A-B	10.1	54%	48.5%	3.0%	
C	93	0.07	6.51	144.19	137.68	B-C	216.3	6%	3.2%	3.0%	
D	112.4	0.07	7.868	159.07	151.20	C-D	248.1	6%	5.5%	3.0%	
E	120.1	0.07	8.407	171.66	163.25	D-E	209.9	6%	5.7%	3.0%	
F	115.5	0.07	8.085	168.07	159.99	E-F	60	6%	5.4%	3.0%	
G	6.3	0.07	0.441	150.00	149.56	F-G	278.2	6%	3.7%	3.0%	
H	0	0.07	0	146.10	146.10	G-H	7.2	54%	48.0%	3.0%	

602-0200  
 PMP  
 11-Nov-97

Project Name: Gandy Marley Inc.  
 Project Number: 602-0200  
 Prepared By: Paul Pellicer  
 Checked By:  
 Filename: Gandy waste Settlement xsec.xls

Station	Waste Depth (ft)	Settlement Factor (ft)	Maximum Settlement (ft)	Original Elevation (ft)	Post Settlement Elevation (ft)	Slope Segment	Horizontal Distance (ft)	Original Grade (%)	Post Grade (%)	Minimum Settlement Required (%)
A	0	0.07	0	158.82	158.82					
B	8.67	0.07	0.6069	164.27	163.66	A-B	10.08	54%	48.0%	3.0%
C	115.76	0.07	8.1032	180.74	172.64	B-C	274.49	6%	3.3%	3.0%
D	144.06	0.07	10.0842	202.07	191.99	C-D	355.65	6%	5.4%	3.0%
E	121.68	0.07	8.5176	165.00	156.48	D-E	NA	NA	NA	
F	116.18	0.07	8.1326	151.36	143.23	E-F	227.31	6%	5.8%	3.0%
G	2.47	0.07	0.1729	130.00	129.83	F-G	297.81	7%	4.5%	3.0%
H	0	0.07	0	128.45	128.45	G-H	2.97	52%	46.4%	3.0%

602-0200  
 PMP  
 11-Nov-93

Project Name: Gandy Marley Inc.  
 Project Number: 602-0200  
 Prepared By: Paul Pellicer      Checked By:  
 Filename: Gandy waste Settlement xsec.xls

Station	Waste Depth (ft)	Settlement Factor (ft)	Maximum Settlement (ft)	Original Elevation (ft)	Post Settlement (ft)	Slope Segment	Horizontal Distance (ft)	Original Grade (%)	Post Grade (%)	Minimum Settlement Required (%)
A	0	0.07	0	143.15	143.15	A-B	10.08	54%	48.0%	3.0%
B	8.76	0.07	0.6132	148.60	147.99	B-C	299.26	6%	3.3%	3.0%
C	125.2	0.07	8.764	166.55	157.79	C-D	390.9	6%	5.7%	3.0%
D	140.58	0.07	9.8406	190.00	180.16	D-E	248.3	0%	0.2%	NA
E	135.16	0.07	9.4612	190.00	182.61	E-F	30.7	4%	6.8%	NA
F	121.09	0.07	8.4763	191.09	183.03	F-G	15.42	3%	2.7%	NA
G	121.54	0.07	8.5078	191.54	182.85	G-H	21.21	3%	0.8%	NA
H	132.4	0.07	9.268	192.12	192.02	H-I	406.6	2%	2.3%	NA
I	144.1	0.07	10.087	202.11	194.58	I-J	125.49	6%	5.6%	3.0%
J	137.05	0.07	9.5935	194.58	184.99	J-K	251.67	6%	5.4%	3.0%
K	114.34	0.07	8.0038	179.48	171.48	K-L	278.74	7%	4.2%	3.0%
L	3.56	0.07	0.2492	160	159.75	L-M	3.79	61%	54.6%	3.0%
M	0	0.07	0	157.68	157.68					

602-0200  
 PMP  
 11-Nov-97

602-120  
P&P  
11-Nov-92

Power Creep Law Settlement

Waste Depth (ft)	Slice Thickness (m)	Over Burden Pressure (kPa)	Slice Settlement (m)	Cumulative Settlement (ft)	Percent Settlement
0-5	1.524	13.15	0.002	0.007	0.14%
5-10	1.524	39.45	0.007	0.0289	0.29%
10-15	1.524	65.75	0.011	0.0650	0.43%
15-20	1.524	92.05	0.015	0.1156	0.58%
20-25	1.524	118.35	0.020	0.1807	0.72%
25-30	1.524	144.65	0.024	0.2602	0.87%
30-35	1.524	170.95	0.029	0.3541	1.01%
35-40	1.524	197.25	0.033	0.4625	1.16%
40-45	1.524	223.55	0.037	0.5853	1.30%
45-50	1.524	249.85	0.042	0.7226	1.45%
50-55	1.524	276.15	0.046	0.8744	1.59%
55-60	1.524	302.45	0.051	1.0406	1.73%
60-65	1.524	328.75	0.055	1.2213	1.88%
65-70	1.524	355.05	0.059	1.4164	2.02%
70-75	1.524	381.35	0.064	1.6260	2.17%
75-80	1.524	407.65	0.068	1.8500	2.31%
80-85	1.524	433.95	0.073	2.0884	2.46%
85-90	1.524	460.25	0.077	2.3414	2.60%
90-95	1.524	486.55	0.081	2.6088	2.75%
95-100	1.524	512.85	0.086	2.8906	2.89%
100-105	1.524	539.15	0.090	3.1869	3.04% = Cumulative total settlement

## Sowers Method Secondary Compression

612920

PMS

11-Nov-97

Waste Depth (ft)	Slice Thickness (ft)	Slice Settlement (ft)	Cumulative Settlement (ft)	Percent Settlement
0-5	5	0.111	0.111	2.22%
5-10	5	0.111	0.2222	2.22%
10-15	5	0.111	0.3333	2.22%
15-20	5	0.111	0.4444	2.22%
20-25	5	0.111	0.5556	2.22%
25-30	5	0.111	0.6667	2.22%
30-35	5	0.111	0.7778	2.22%
35-40	5	0.111	0.8889	2.22%
40-45	5	0.111	1.0000	2.22%
45-50	5	0.111	1.1111	2.22%
50-55	5	0.111	1.2222	2.22%
55-60	5	0.111	1.3333	2.22%
60-65	5	0.111	1.4444	2.22%
65-70	5	0.111	1.5556	2.22%
70-75	5	0.111	1.6667	2.22%
75-80	5	0.111	1.7778	2.22%
80-85	5	0.111	1.8889	2.22%
85-90	5	0.111	2.0000	2.22%
90-95	5	0.111	2.1111	2.22%
95-100	5	0.111	2.2222	2.22%
100-105	5	0.111	2.3333	2.22%

= Cumulative Total Settlement.

692-020

PMF

11-Nov-97

## Sowers Method Secondary Compression

Waste Depth (ft)	Slice Thickness (ft)	Slice Settlement (ft)	Cumulative Settlement (ft)	Percent Settlement
0-5	5	0.389	0.389	7.78%
5-10	5	0.389	0.7778	7.78%
10-15	5	0.389	1.1667	7.78%
15-20	5	0.389	1.5556	7.78%
20-25	5	0.389	1.9444	7.78%
25-30	5	0.389	2.3333	7.78%
30-35	5	0.389	2.7222	7.78%
35-40	5	0.389	3.1111	7.78%
40-45	5	0.389	3.5000	7.78%
45-50	5	0.389	3.8889	7.78%
50-55	5	0.389	4.2778	7.78%
55-60	5	0.389	4.6667	7.78%
60-65	5	0.389	5.0556	7.78%
65-70	5	0.389	5.4444	7.78%
70-75	5	0.389	5.8333	7.78%
75-80	5	0.389	6.2222	7.78%
80-85	5	0.389	6.6111	7.78%
85-90	5	0.389	7.0000	7.78%
90-95	5	0.389	7.3889	7.78%
95-100	5	0.389	7.7778	7.78%
100-105	5	0.389	8.1667	7.78% = Cumulative total Settlement

SCH

SECTION 7  
CONCLUSIONS AND RECOMMENDATIONS

12-513  
692-0211  
PMP  
11-Nov-97

#### CONCLUSIONS

Conclusions reached as a result of the study are:

- a. The dominant mechanisms of settlement of the fill and subsidence of the covers of horizontally layered hazardous waste landfills are expected to be closing of the inherent drum-placement void spaces and compression of cell contents including intermediate cover soils, wastes, and waste containers. Cavity related piping and sinkhole phenomena are not expected to play a major role in predicted subsidence. This conclusion is based on review of representative active waste disposal practices in industry and government and analysis of documented and theoretical subsidence mechanisms reported in other, related activities.
- b. The maximum postclosure subsidence of the cover (cap) of a simulated hazardous waste landfill operating under interim RCRA guidelines, from compressibility alone, is predicted to be about 11-1/2 percent of the total height of the fill and cover at the center of the landfill. For a 62.5-ft-thick fill and cover the maximum expected subsidence, after deterioration of the waste containers, was 87 in. The final cover slope with that subsidence would be about 2 percent, which is undesirable under current RCRA guidelines. An additional 8 to 9 percent subsidence must be considered if waste drums are assumed to contain the maximum allowable 10 percent void space when placed in the fill.
- c. Actual landfill settlement and cover subsidence may be less than the worst-case maximum predicted 11-1/2 percent because more of the voids between containers will probably be filled as a result of less than optimum (tight) stacking of containers during placement. This 11-1/2 percent figure is considered an effective value for design purposes.

#### RECOMMENDATIONS

Cover subsidence from settlement of compressible fill is expected to occur. Therefore, to minimize the severity of subsidence, managers of hazardous waste landfills should continue at least those operational methods that are being practiced at representative RCRA-guided secure landfills as determined from field observations of this study. Recommended operational methods include:

- a. Landfill operators should make an effort to reduce voids when placing wastes and fill within the cell by insuring that intermediate cover soils are allowed to sift between waste containers and debris.

drums or other containers of wastes should be filled to minimize the volume of void within the containers. Much of the potential settlement from compressibility can be eliminated by preventing the inclusion of cavities in the waste placement process in the typical hazardous waste landfill.

642-1  
PMS  
11-27-77

- b. Layering of waste and intermediate cover in thin lifts so that some compactive effort is achieved during filling.
- c. Control of liquids by installation of efficient leachate collection systems and stabilization of liquid wastes to prevent saturation of the fill and to allow consolidation to occur as rapidly as possible.
- d. Installation and monitoring of cover settlement plates so that the subsiding surface can be maintained at the proper slope. Hazardous waste landfills should be documented, instrumented, and monitored after closure. Subsidence of the cover as well as the settlement of internal waste layers should be monitored with time in an effort to gain understanding of postclosure internal changes, how they occur, and how they affect the overall behavior of the landfill. Many of the mechanisms at work within these landfill cells can be understood only by study and experience with representative landfill cells. The data obtained by field monitoring will permit evaluation and improvement of settlement/subsidence prediction models developed in this study. Landfill operators should remember that, while the cover surface can be maintained at a proper runoff slope by the addition of soil or other material, the internal cover liner, whether a clay layer or a flexible membrane liner or both, may have been deformed and stressed by subsidence. Internal cover liner damage or deformation cannot be remedied by simple cover surface cosmetic actions.
- e. Placement of a buffer thickness of intermediate cover soils above the uppermost waste layer and beneath the final cover to lessen the potential for collapse of the cover directly above locally compressible zones such as deteriorating drums.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-12

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Settlement Induced Stresses in Geomembrane

	Name	Date
<b>Prepared By:</b>	<u>Paul Pellicer</u>	<u>11/12/97</u>
<b>Checked By:</b>	<u>John Pellicer</u>	<u>11/13/97</u>
<b>Reviewed By:</b>	<u>Pat Corser</u>	<u>11/14/97</u>

Revisions	Date	By	Checked By	Reviewed By



### Settlement Induced Stress in Geomembrane

Objective: Estimate the stress induced in the Geomembrane liner due to settlement of the subgrade and prepared Subgrade.

Assumptions: Use NSC 60 mil textured liner

Calculations:



Settlement at point "A" is the sum of Subgrade settlement and prepared subgrade settlement.

$$= 5\text{m} + .56\text{m} = 5.56\text{m} \quad (\text{Very Conservative})$$


↑                              ↑  
 From Subgrade      From prepared subgrade  
 Settlement calc. package.  
 Settlement calc. package

Assume settlement at Point "B" = 0

The shortest slope length will experience the greatest strain and therefore the maximum induced stress.

The shortest slope length is at C-C' (see pg 3) = 188.7 ft

w/ 3H:1V slope this results in the following geometry.



$$\begin{aligned}
 z' &= ((x+x')^2 + (y)^2)^{1/2} \\
 &= ((59.67' + 0.463')^2 + (179')^2)^{1/2} \\
 &= 188.83'
 \end{aligned}$$

$$\epsilon = \frac{\Delta h}{h} = \frac{188.83 - 188.7}{188.7'} = 6.9 \times 10^{-4}$$



$$\sigma = E \epsilon$$

$$E = 94,000 \text{ psi} \quad (\text{see pg 4})$$

$$\sigma = (94,000 \text{ psi})(6.9 \times 10^{-9}) = 64.9 \text{ psi}$$

Yield for 60 mil HDPE = 2200 psi (see pg 5)

$$2200 \text{ psi} > 64.9 \text{ psi} \quad F.S. = 34$$

Conclusions: Based on the calculations, the settlement of the subgrade + prepared subgrade will have no detrimental effect on the liner.

NOTE: No specific calculation was done to estimate stresses induced in the evaporation pond lining system. Since the evaporation pond is substantially smaller than the landfill, it is expected the induced stresses in the liner system will be less. Since the calculated stresses for the landfill are less than the yield strength of the geomembrane, the stresses for the evaporation pond will be less than the geomembrane yield strength also.

602-0200  
Pump  
12-1405-97

NOTES:  
 1 FOR CANONIC NOTES AND LEGAL INFORMATION SEE  
 DRAWING NO. 2 "MATERIALS AND GENERAL NOTES"  
 2 LITHOGRAPHY PHOTOCOPIA, SUPERVISORY PERIODIC  
 3 NAME WHICH IS IN PRINTS" (10 M. INCHES)  
 PHOTOCOPIATION TO CONSTRUCTION TO A SIMILARLY LOCATED



CIVIL ENGINEER'S STATEMENT  
 I, Robert G. Cooper, State that the information contained in this drawing was derived from the information given to me by [REDACTED] and correct to the best of my knowledge and belief.

Date \_\_\_\_\_  
 Project # \_\_\_\_\_ Job # E-42236



4. f 5  
G 12 - 0200  
PMD  
12-Nr-97

TABLE 6.3 TENSILE BEHAVIOR PROPERTIES OF 30-MIL PVC, 36-MIL CSPE, AND 30-MIL HDPE

Property	Dumbbell shape (Fig. 5.2)				Narrow-width (1.0-in. (25 mm) shape (Fig. 5.3)				Wide-width (8.0-in. (100-mm) shape (Fig. 5.3)				Three-dimensional shape (Fig. 5.5)			
	PVC	CSPE-R	HDPE	PVC	CSPE-R	HDPE	PVC	CSPE-R	HDPE	PVC	CSPE-R	HDPE	PVC	CSPE-R	HDPE	PVC
maximum stress*	(lb./in. <sup>2</sup> ) (megapascals)	3400 23	5700 39	3200 22	2900 20	5100 35	3000 21	2800 19	4300 30	2800 19	1200 19	3300 8.3	3300 23	2300 16	2300 47	
maximum strain*	(%)	300 62	17 227	11 648	300 62	35 103	13 275	300 62	30 96	300 227	15 28	120+ 100	100 34	100 172	100 172	
modulus	(lb./in. <sup>2</sup> ) (megapascals)	9000 62	33,000 227	94,000 648	9000 62	15,000 103	40,000 275	9000 62	14,000 96	33,000 227	4000 28	5000 28	5000 34	25,000 172	25,000 172	
ultimate stress	(lb./in. <sup>2</sup> ) (megapascals)	3400 23	1300 9.0	2700 28	1200 19	≥3500 8.3	2800 24	1100 19	≥3000 7.6	≥3000 21	d.n.f.	3300 21	3300 23	2300 16	2300 16	
ultimate strain	(%)	300 100	100 ≥700	300 300	58 58	≥600 ≥600	300 300	51 51	≥500 ≥500	d.n.f.	100	47	d.n.f.	d.n.f.	d.n.f.	

\*Notes:

PVC values are at ultimate

CSPE-R values are at scrim break

HDPE values are at yield

d.n.f. = did not fail

107  
 692-12  
 PMP  
 12-Nov-97

# FRICTION SEAL™ HD GEOMEMBRANE

## QUALITY CONTROL SPECIFICATIONS

60 mil

FRICTION SEAL HD, National Seal Company's advanced textured high density polyethylene (HDPE) geomembrane, is manufactured by attaching a friction surface to NSC's high quality HDPE geomembrane. The friction surface is made from high molecular weight polyethylene resin compounded specifically for use in NSC geomembranes. The resin has been formulated to provide stress crack, chemical and ultraviolet resistance for fluid containment. NSC produces FRICTION SEAL HD with a textured surface on one or both sides of the parent sheet.

The following properties are tested as a part of NSC's quality control program. Certified test results for properties on this page are available upon request. Refer to NSC's Quality Control Manual for exact test methods and frequencies.

RESIN PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Melt Flow Index <sup>2</sup>	ASTM D 1238	g/10 min	0.50	0.25
Oxidative Induction Time	ASTM D 3895, Al pan, 200°C, 1 atm O <sub>2</sub>	minutes	100	120
SHEET PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Mass per Unit Area <sup>3</sup>	ASTM D 3776	lb/ft <sup>2</sup>	0.31	0.32
Thickness <sup>4</sup>	ASTM D 751, NSF mod.	mil	60.0	61.5
Average		mil	57.0	59.7
Individual		mil		
Density <sup>4</sup>	ASTM D 1505	g/cm <sup>3</sup>	0.940	0.948
Carbon Black Content <sup>4</sup>	ASTM D 1603	percent	2.0-3.0	2.35
Carbon Black Dispersion <sup>4</sup>	ASTM D 3015, NSF mod.	rating	A1, A2, B1	A1
Tensile Properties <sup>3</sup>	ASTM D 638			
Stress at Yield		psi	2200	2750
Stress at Break		ppi	132	169
Strain at Yield	1.3" gage length (NSF)	percent	13.0	17.5
Strain at Break	2.0" gage or extensometer	percent	200	540
	2.5" gage length (NSF)	percent	160	432
Dimensional Stability <sup>4</sup>	ASTM D 1204, NSF mod.	percent	1.5	0.4
Tear Resistance	ASTM D 1004	ppi	750	1000
		lbs	45	62
Puncture Resistance	ASTM D 4833	ppi	1800	2278
		lbs	108	140
Constant Load ESCR, Single Point <sup>4</sup>	GRI, GM-5a	hours	200	>400
Friction Angle, Index	GRI, GS-7	degrees	40	56

<sup>1</sup> This value represents the minimum acceptable test value for a roll as tested according to NSC's Manufacturing Quality Control Manual. Individual test specimen values are not addressed in this specification except thickness.

<sup>2</sup> Indicates Maximum Value

<sup>3</sup> Friction Coating on both sides of base sheet

<sup>4</sup> Testing performed on base sheet

<sup>5</sup> Stress and strength values are normalized to the nominal base sheet thickness. NSC certifies properties based on values calculated using nominal thickness only. Stress values calculated using actual product thickness is not guaranteed due to the lack of industry accepted thickness test procedures for friction sheet.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-13

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Geomembrane Stress Induced by Waste Settlement

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/15/97

Revisions	Date	By	Checked By	Reviewed By

### Geomembrane Stress Induced by waste Settlement.

Objective: Assess stresses developed in the slope Geomembrane due to waste settlement.

Method: Try stress induced in the liner system will be transferred to the subgrade until the internal strength of the liner system is overcome. Once the internal strength is exceeded the stress will be transferred to the anchor trench system through one or both of the geomembranes. The anchor trench system is designed to let the liner system pull out before the yield stress of the geomembrane is reached.

i) Stresses induced in the liner system due to waste settlement is not critical and will not damage the liner system.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-16

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Geomembrane Survivability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/15/97

**Reviewed By:** Pat Corser **Date:** 11/15/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name Residential Lagoon

Project Number 602-0200

Sheet 1 of 8

Prepared By: P. Pellicer

Date: 14-Nov-97

Checked By: J. Pellicer

Date: 15-Nov-97

### Geomembrane Survivability

Objective: Assess the survivability of 60 mil THDPE liner.

Method: Utilize guidelines for assessing survivability in  
"Designing with Geosynthetics" R.M. Koerner  
1994. (see pg 2-4 )

Minimum Properties	High Survivability	Very High Survivability	NSC 60 THDPE	NSC 60 mil Smooth HDPE
Thickness (mils)	35	40	60	60
Tensile (lb/in)	60	70	132	132
Tear (lb)	15	20	45	45
Puncture (lb)	35	40	108	108
Impact (ft-lb)	20	25	NV	NV

Conclusions: 60 mil THDPE exceeds all criteria for Very High Survivability except for the impact value which is not specified by the manufacturer.

Note: This calculation is applicable to all the site facilities that use geomembrane.

20-8  
3,2 72 12  
4 N 12 12  
2mp

If the 196°C reaction took 1000 hours to complete, the comparable 90°C reaction would take

$$\begin{aligned}R_{90C} &= 6587(1000) \\&= 6,587,000 \text{ hours} \\&= 752 \text{ years}\end{aligned}$$

Thus the predicted values for this particular polymer to reach 50% of its original impact strength at 90°C is approximately 700 years (i.e., its predicted lifetime).

### 5.1.6 Summary

This relatively long section on properties and test methods has illustrated the wealth of test methods available for use and characterization purposes of geomembranes. Most of the established tests and standardized test methods have come by way of the plastics and rubber industries for non-geotechnical-related uses. This is fortunate, for it gives a base or reference plane to work from. However, many have some variation required for use in below-ground construction. Still other demands require completely new tests and test methods. With ASTM in the United States (as well as standard institutes over the entire world), there is an awareness and vibrant activity to develop such test methods and standards. Until they are available, however, we must act on intuition and develop procedures that model the required design information as closely as possible. Many of the tests and information presented in this section were done in that light. It should be obvious that the complexity of the tests progressed from the simple thickness test to the complex degradation tests. Indeed, a wide range of test methods are available.

Finally, a rather lengthy treatise on durability and aging gave insight into the potential service lifetime of geomembranes. In my experience with geosynthetics over the past 15 years, my original thoughts were that geosynthetics were easy to place but wouldn't last very long. My current thoughts have shifted dramatically, and I argue for extremely long service lifetimes, but I have very real concerns about the proper placement of geosynthetics. Clearly, the geosynthetic must survive its placement if these long predicted lifetimes are to be achieved.

## 5.2 SURVIVABILITY REQUIREMENTS

For any of the design methods presented in this chapter to function properly, it is necessary that the geomembrane survive the packaging, transportation, handling, and installation demands that are placed on it. This aspect of design cannot be taken lightly or assumed to take care of itself. Yet there is a decided problem in formulating a generalized survivability design for every application, since each

situation is unique. Some of the major variables affecting a given situation are the following:

- Storage at the manufacturing facility
- Handling at the manufacturing facility
- Transportation from the factory to the site
- Offloading at the site
- Storage conditions at the site
- Temperature extremes at the site
- Subgrade conditions at the site
- Deployment at the approximate location
- Movement into final seaming location
- Treatment at the site during seaming
- Treatment at the site after seaming
- Placement of the cover material or soil backfill on the completed geomembrane

Note that each of these topics is largely out of the hands of the designer. Only by rigid specifications and a complementary construction quality assurance (CQA) document, competent full-time inspection by CQA personnel, and the cooperation of a knowledgeable manufacturer's manufacturing quality control (MQC) and contractor's construction quality control (CQC) can the geomembrane survive to the point of beginning to function as designed. Although each situation is different, some empirical guidelines are necessary, and the following properties and their minimum values are offered.

While being packaged, transported, handled, and installed, geomembranes are often vulnerable to tear, puncture, and impact. Such events often come about accidentally, by vandalism, or by poor quality of work. Typical situations are the dropping of tools on the liner, the driving of autos or pickup trucks on the unprotected liner, high winds getting beneath the liner during placement, the awkwardness of moving large sheets of the liner into position, and so on. The geomembrane property most involved with resistance or susceptibility to tear, puncture, and impact damage is thickness. At least a linear, and sometimes exponential, increase in resistance to the aforementioned actions is seen as thickness increases. For this reason many agencies require a minimum thickness under any circumstance. For example, the U.S. Bureau of Reclamation requires a minimum thickness of 20 mils (0.50 mm) for canal liners, while the U.S. Environmental Protection Agency requires a minimum thickness for geomembranes for solid waste liners of 30 mils (0.75 mm). For similar applications in Germany, it is necessary to use an 80-mil (2.0-mm)-thick geomembrane. Rather than use a single regulated value for all conditions, however, the minimum thickness and its subsequent properties should be related to site-specific conditions. Using a concept similar to the placement of geotextiles, Table 5.11 is offered at four different required survivability levels. Note

Table 5.11 Recommended minimum properties for general geomembrane installation survivability

Property and Test Method	Low <sup>a</sup>	Required Degree of Survivability	Medium <sup>b</sup>	High <sup>c</sup>	Very High <sup>d</sup>
Thickness (D5199) mils (mm)	25 (0.63)	30 (0.75)	35 (0.88)	40 (1.00)	
Tensile D882 (1.0 in. [25 mm] strip) lb./in. (kN/m)	40 (7.0)	50 (8.7)	60 (10.5)	70 (12.2)	
Tear (D1004 Die C) lb. (N)	7.5 (33)	10 (45)	15 (67)	20 (90)	
Puncture (D4833 modified) lb. (N)	25 (110)	30 (130)	35 (160)	40 (180)	
Impact (D1424 modified) ft.-lb. (J)	12 (9)	15 (11)	20 (15)	25 (19)	

<sup>a</sup>Low refers to careful hand placement on very uniform well-graded subgrade with light loads of a static nature—typical of vapor barriers beneath building floor slabs.

<sup>b</sup>Medium refers to hand or machine placement on machine-graded subgrade with medium loads—typical of canal liners.

<sup>c</sup>High refers to hand or machine placement on machine-graded subgrade of poor texture with high loads—typical of landfill liners and covers.

<sup>d</sup>Very high refers to hand or machine placement on machine-graded subgrade of very poor texture with high loads—typical of reservoir covers and liners for heap leach pads.

that these values are not to be used in place of design, but as a check on design to see that installation can be properly assured.

### 5.3 LIQUID CONTAINMENT (POND) LINERS

The U.S. EPA estimates that there are over 200,000 surface impoundments storing hazardous and nonhazardous liquids, the vast majority of which are unlined. This total does not include potable water and non-EPA-regulated reservoirs and impoundments. Certainly a major use of geomembranes is in the area of liquid containment via a surface impoundment. In fact, the name *geomembrane* is actually one that supersedes the name *pond liner*, reflecting the original use of the polymeric materials to which this section is devoted. Certainly, the agriculture industry has a desperate need to store water, and hence both the U.S. Department of Agriculture and the U.S. Bureau of Reclamation were involved in early research into synthetic pond liners. Staff [36] suggests that thermoset (rubber) liners may have been used prior to the 1930s, and cites the use of polyvinyl chloride sheeting for liners in the 1940s. When covered with a minimum of 12 in. (30 cm) of soil, these PVC liners have performed admirably. Uncovered, however, there was a tendency for progressive brittleness and cracking. This condition was found to be caused by the loss of the plasticizer (used to make it flexible to begin with) from the vinyl due

# FRICTION SEAL™ HD GEOMEMBRANE QUALITY CONTROL SPECIFICATIONS

**60 mil**

5040  
 L-2-0200  
 14-Nov-94  
 DMP

FRICTION SEAL HD, National Seal Company's advanced textured high density polyethylene (HDPE) geomembrane, is manufactured by attaching a friction surface to NSC's high quality HDPE geomembrane. The friction surface is made from high molecular weight polyethylene resin compounded specifically for use in NSC geomembranes. The resin has been formulated to provide stress crack, chemical and ultraviolet resistance for fluid containment. NSC produces FRICTION SEAL HD with a textured surface on one or both sides of the parent sheet.

The following properties are tested as a part of NSC's quality control program. Certified test results for properties on this page are available upon request. Refer to NSC's Quality Control Manual for exact test methods and frequencies.

RESIN PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Melt Flow Index <sup>2</sup>	ASTM D 1238	g/10 min	0.50	0.25
Oxidative Induction Time	ASTM D 3895, Al pan, 200°C, 1 atm O <sub>2</sub>	minutes	100	120
SHEET PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Mass per Unit Area <sup>3</sup>	ASTM D 3776	lb/ft <sup>2</sup>	0.31	0.32
Thickness <sup>4</sup>	ASTM D 751, NSF mod.	mils	60.0	61.5
Average		mils	57.0	59.7
Individual				
Density <sup>4</sup>	ASTM D 1505	g/cm <sup>3</sup>	0.940	0.948
Carbon Black Content <sup>4</sup>	ASTM D 1603	percent	2.0-3.0	2.35
Carbon Black Dispersion <sup>4</sup>	ASTM D 3015, NSF mod.	rating	A1, A2, B1	A1
Tensile Properties <sup>5</sup>	ASTM D 638			
Stress at Yield		psi	2200	2750
Stress at Break		ppi	132	169
Strain at Yield	1.3" gage length (NSF)	percent	13.0	17.5
Strain at Break	2.0" gage or extensometer	percent	200	540
2.5" gage length (NSF)		percent	160	432
Dimensional Stability <sup>2,4</sup>	ASTM D 1204, NSF mod.	percent	1.5	0.4
Tear Resistance	ASTM D 1004	ppi	750	1000
		lbs	45	62
Puncture Resistance	ASTM D 4833	ppi	1800	2278
		lbs	108	140
Constant Load ESCR, Single Point <sup>6</sup> GRI, GM-5a		hours	200	>400
Friction Angle, Index	GRI, GS-7	degrees	40	56

<sup>1</sup> This value represents the minimum acceptable test value for a roll as tested according to NSC's Manufacturing Quality Control Manual. Individual test specimen values are not addressed in this specification except thickness.

<sup>2</sup> Indicates Maximum Value

<sup>3</sup> Friction Coating on both sides of base sheet

<sup>4</sup> Testing performed on base sheet

<sup>5</sup> Stress and strength values are normalized to the nominal base sheet thickness. NSC certifies properties based on values calculated using nominal thickness only. Stress values calculated using actual product thickness is not guaranteed due to the lack of industry accepted thickness test procedures for friction sheet.

# FRICTION SEAL™ HD GEOMEMBRANE PHYSICAL PROPERTIES

3048  
 5/22-92V7  
 14-Nov-97  
 PMP

## 60 mil

The properties on this page are not part of NSC's Manufacturing Quality Control program and are not included on the material certifications. Seam testing is the responsibility of the installer and/or CQC personnel.

PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Multi-Axial Tensile Elongation	GRI, GM-4	percent	20.0	22.3
Critical Cone Height	GRI, GM-3, NSC mod.	cm	1.0	1.5
Wide Width Tensile	ASTM D 4885			
Stress at Yield		psi	2000	2110
Strain at Yield		%	15.0	20.0
Brittleness Temp. by Impact <sup>2</sup>	ASTM D 746	°C	-75	<-90
Coef. of Linear Thermal Exp. <sup>2</sup>	ASTM D 696	°C <sup>1</sup>	1.5 x 10 <sup>-4</sup>	1.2 x 10 <sup>-4</sup>
ESCR, Bent Strip	ASTM D 1693	hours	1500	>10,000
Hydrostatic Resistance	ASTM D 751	psi	450	550
Modulus of Elasticity	ASTM D 638	psi	80,000	116,000
Ozone Resistance <sup>4</sup>	ASTM D 1149, 168 hrs	P/F	P	P
Permeability <sup>2,4</sup>	ASTM E 96	cm/sec · Pa	2.3 x 10 <sup>-14</sup>	8.1 x 10 <sup>-15</sup>
Puncture Resistance	FTMS 101, method 2065	ppl	1300	1570
		lbs	78	97
Soil Burial Resistance <sup>2</sup>	ASTM D 3083, NSF mod.	% change	10	0
Tensile Impact	ASTM D 1822	ft lbs/in <sup>2</sup>	130	160
Volatile Loss <sup>2</sup>	ASTM D 1203, A	percent	0.10	0.08
Water Absorption <sup>2,4</sup>	ASTM D 570, 23°C	percent	0.10	0.04
Water Vapor Transmission <sup>2,4</sup>	ASTM E 96	g/day · m <sup>2</sup>	0.024	0.009

SEAM PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Shear Strength	ASTM D 4437, NSF mod.	psi	2000	2700
		ppl	120	168
Peel Strength (hot wedge fusion)	ASTM D 4437, NSF mod.	psi	1500	1870
		ppl	90	115
Peel Strength (fillet extrusion)	ASTM D 4437, NSF mod.	psi	1300	1590
		ppl	78	98

## STANDARD ROLL DIMENSIONS

Length	850 feet	Area	12,750 ft <sup>2</sup>
Width	15 feet	Weight	3,960 lbs

This information contained herein has been compiled by National Seal Company and is, to the best of our knowledge, true and accurate. All suggestions and recommendations are offered without guarantee. Final determination of suitability for use based on any information provided, is the sole responsibility of the user. There is no implied or expressed warranty of merchantability or fitness of the product for the contemplated use.

NSC reserves the right to update the information contained herein in accordance with technological advances in the material properties.



7.0 F 5  
112-0200  
PMR  
14-Nov-97

## HDPE GEOMEMBRANE QUALITY CONTROL SPECIFICATIONS

### 60 mil

National Seal Company's High Density Polyethylene (HDPE) Geomembranes are produced from virgin, first quality, high molecular weight resins and are manufactured specifically for containment in hydraulic structures. NSC HDPE geomembranes have been formulated to be chemically resistant, free of leachable additives and resistant to ultraviolet degradation.

The following properties are tested as a part of NSC's quality control program. Certified test results for properties on this page are available upon request. Refer to NSC's Quality Control Manual for exact test methods and frequencies.

All properties meet or exceed NSF Standard Number 54.

RESIN PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Melt Flow Index <sup>2</sup>	ASTM D 1238	g/10 min	0.50	0.25
Oxidative Induction Time	ASTM D 3895, AI pan, 200°C, 1 atm O <sub>2</sub>	minutes	100	120
SHEET PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Thickness	ASTM D 751, NSF mod.			
Average		mil	60.0	61.5
Individual		mil	57.0	59.7
Density	ASTM D 1505	g/cm <sup>3</sup>	0.940	0.948
Carbon Black Content	ASTM D 1603	percent	2.0-3.0	2.35
Carbon Black Dispersion	ASTM D 3015, NSF mod.	rating	A1, A2, B1	A1
Tensile Properties	ASTM D 638			
Stress at Yield		psi	2200	2550
		ppi	132	157
Stress at Break		psi	3800	4850
		ppi	228	298
Strain at Yield	1.3" gage length (NSF)	percent	13.0	16.9
Strain at Break	2.0" gage or extensometer	percent	700	890
	2.5" gage length (NSF)	percent	560	710
Dimensional Stability <sup>2</sup>	ASTM D 1204, NSF mod.	percent	1.5	0.4
Tear Resistance	ASTM D 1004	ppi	750	860
		lbs	45	53
Puncture Resistance	ASTM D 4833	ppi	1800	2130
		lbs	108	131
Constant Load ESCR, Single Point	GRI, GM-5a	hours	200	>400

<sup>1</sup> This value represents the minimum acceptable test value for a roll as tested according to NSC's Manufacturing Quality Control Manual. Individual test specimen values are not addressed in this specification except thickness.

<sup>2</sup> Indicates Maximum Value



# HDPE GEOMEMBRANE PHYSICAL PROPERTIES

**60 mil**

80°F  
602-0200  
14-Nov-91  
PMP

The properties on this page are not part of NSC's Manufacturing Quality Control program and are not included on the material certifications. Seam testing is the responsibility of the installer and/or CQA personnel.

PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Multi-Axial Tensile Elongation	GRI, GM-4	percent	20.0	28.0
Critical Cone Height	GRI, GM-3, NSC mod.	cm	1.0	1.5
Wide Width Tensile	ASTM D 4885			
Stress at Yield		psi	2000	2110
Strain at Yield		%	15.0	20.0
Brittleness Temp. by Impact <sup>2</sup>	ASTM D 746	°C	-75	<-90
Coef. of Linear Thermal Exp. <sup>2</sup>	ASTM D 696	°C <sup>1</sup>	1.5 x 10 <sup>-4</sup>	1.2 x 10 <sup>-4</sup>
ESCR, Bent Strip	ASTM D 1693	hours	1500	>10,000
Hydrostatic Resistance	ASTM D 751	psi	450	510
Modulus of Elasticity	ASTM D 638	psi	80,000	135,000
Ozone Resistance	ASTM D 1149, 168 hrs	P/F	P	P
Permeability <sup>2</sup>	ASTM E 96	cm/sec · Pa	2.3x10 <sup>-14</sup>	8.1 x 10 <sup>-15</sup>
Puncture Resistance	FTMS 101, method 2065	ppl	1300	1700
		lbs	78	105
Soil Burial Resistance <sup>2</sup>	ASTM D 3083, NSF mod.	% change	10	0
Tensile Impact	ASTM D 1822	ft lbs/in <sup>2</sup>	250	420
Volatile Loss <sup>2</sup>	ASTM D 1203, A	percent	0.10	0.06
Water Absorption <sup>2</sup>	ASTM D 570, 23°C	percent	0.10	0.04
Water Vapor Transmission <sup>2</sup>	ASTM E 96	g/day · m <sup>2</sup>	0.024	0.009

SEAM PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Shear Strength	ASTM D 4437, NSF mod.	psi	2000	2700
		ppl	120	166
Peel Strength (hot wedge fusion)	ASTM D 4437, NSF mod.	psi	1500	1870
		ppl	90	115
Peel Strength (fillet extrusion)	ASTM D 4437, NSF mod.	psi	1300	1590
		ppl	78	98


## STANDARD ROLL DIMENSIONS

Length	1110 feet	Area	16,650 ft <sup>2</sup>
Width	15 feet	Weight	5,000 lbs

This information contained herein has been compiled by National Seal Company and is, to the best of our knowledge, true and accurate. All suggestions and recommendations are offered without guarantee. Final determination of suitability for use based on any information provided, is the sole responsibility of the user. There is no implied or expressed warranty of merchantability or fitness of the product for the contemplated use.

NSC reserves the right to update the information contained herein in accordance with technological advances in the material properties.

6H-0893





**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-17**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Geomembrane Puncture Resistance In Landfill

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 FAX 970.879.9048

Project Number: 502-0200

Sheet: 1 Of 1

Prepared By: P. Pellicer

Date: 14-Nov-97

Checked By: J. Pellicer

Date: 14-Nov-97

### Geomembrane Puncture Resistance

Objective: Evaluate Puncture resistance of the Geomembrane liner and cover.

Method: All geomembranes in the landfill liner system and "cover system are protected by at least one layer of Geotextile (Geocomposite or GCL). Review of the puncture resistance of Geotextile/Geocomposite calculation indicate that for worst case scenario the geotextile has a minimum F.S. = 35 (11/200 geotextile); i.e. the threat of puncture of the geomembrane is negligible.



# MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-19

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Geotextile/Geocomposite Survivability

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Number 602-0200

Sheet 1 Of 5

Prepared By P. Pellicer

Date 14-Nov-97

Checked By J. Pellicer

Date 14-Nov-97

### Geotextile/Geocomposite Survivability

Objective: Determine Min. Geotextile properties to survive Installation and Operational stresses.

Analysis: Follow Recommendations By R.M. Koerner "Designing with Geosynthetics" 1994

See Attached Recommendations for Medium to High Survivability and compare w/ min Geotextile values.

	High - Survivability	Medium Survivability	011/200	011/250
Grab Strength	180 lb	115 lb	160	210
Puncture resistance	75 l5	40 l6	80	95
Trapezoid Tear	75 l6	40 l5	60	75
OK Medium				OK, High

Conclusions: Geotextile properties should meet or exceed those listed for 011/200 textile for medium survivability.

Geotextile properties should meet or exceed those listed for 011/250 textile for High survivability.

THE Geotextile Properties Spec. FOR USE AS FILTER OR CUSHION  
Spec Will Meet or Exceed HIGH SURVIVABILITY CRITERIA. (See  
ATTACHED Spec. Sheets)

Table 2.20 Required degrees of survivability as a function of subgrade conditions and construction equipment\*

		Construction equipment and 6 to 12 in. of cover material: initial lift thickness		
	Subgrade conditions	Low ground-pressure equipment (≤ 4 lb./in.)	Medium ground-pressure equipment (> 4 lb./in. <sup>2</sup> , ≤ 8 lb./in. <sup>2</sup> )	High ground-pressure equipment (> 8 lb./in. <sup>2</sup> )
Subgrade has been cleared of all obstacles except grass, weeds, leaves, and fine wood debris. Surface is smooth and level such that any shallow depressions and humps do not exceed 6 in. in depth or height. All larger depressions are filled. Alternatively a smooth working table may be placed.		Low	Moderate	High
Subgrade has been cleared of obstacles larger than small to moderate-sized tree limbs and rocks. Tree trunks and stumps should be removed or covered with a partial working table. Depressions and humps should not exceed 1 in. in depth or height. Larger depressions should be filled.		Moderate	High	Very high

\*Recommendations are for 6 to 12 in. initial lift thicknesses. For other initial lift thicknesses:

12 to 18 in.: reduce survivability requirement one level;

18 to 24 in.: reduce survivability requirement two levels;

>24 in.: reduce survivability requirement three levels.

Survivability levels are in increasing order: low, moderate, high, and very high.

For special construction techniques such as prenailing, increase fabric survivability requirement one level.

Placement of excessive initial cover material thickness may cause bearing failure of soft subgrade.

Source: After Christopher and Holtz [146].

2 of 5  
602-0200  
PMP  
14-Nov-97

Table 2.21 AASHTO-AGC-ARBTA Joint Committee minimum geotextile properties recommended for survivability (reference 4)

Survivability Level	Physical Property Requirements <sup>a</sup>		
	Geotextiles < 50% Elongation	Geotextiles > 50% Elongation <sup>b,c</sup>	
	Grab Strength ASTM D4632 (lb.)	Puncture Resistance ASTM D4833 (lb.)	Trapezoid Tensile Strength ASTM D4533 (lb.)
Medium	180/115	70/40	70/40
High	270/180	100/75	100/75

<sup>a</sup>Values shown are minimum average roll values. Strength values are in the weaker principal direction.

<sup>b</sup>Elongation (strain) at failure as determined by ASTM D4632, Grab Tensile.

<sup>c</sup>The values of geotextile elongation do not imply the allowable consolidation properties of the subgrade soil. These must be determined by a separate investigation.

price indexes, site and climate variations, type and quantity of geotextile, and so on, a few comments are in order.

The cost of the geotextile itself is reasonably related to its mass per unit area. Heavier geotextiles cost proportionately more than lighter ones. Note, however, that the installation cost may not be significantly higher for the heavier geotextiles. The type of manufacture is also a factor, with woven slit film generally being the least expensive, then nonwoven heat bonded and needle-punched nonwoven, and then woven monofilament, which is the most expensive on the basis of an equivalent mass per unit area. These comments, however, should in no way sway a design toward preference of one geotextile over another. They are offered only to give a feeling for the costs involved. As of this writing, these costs ranged from \$0.40 to \$1.50/yd.<sup>2</sup> for geotextiles in the range 4.0 to 16.0 oz./yd.<sup>2</sup>, with installation costs being an additional \$0.15 to \$0.60/yd.<sup>2</sup> depending on the site conditions, quantity involved, and particular application.

Geotextile availability is sometimes very important. In aggressively marketed areas, many geotextiles are available and the free-market system will sort things out. In more remote areas, however, where only one or two geotextiles are available, design must necessarily reflect this situation. It is unrealistic to think that manufacturers will "tailor-make" a geotextile to your design specification if it involves only a small quantity for a remote area.

In a similar vein, union situations have been known to affect costs, as has patent infringement in certain select areas.

#### 2.11.4 Summary

At the heart of any well-designed facility is its proper and careful construction. In my personal investigations of geotextile-related failures, only nine failures were design related (five were clogging problems, two retention problems, and two low-strength problems); all the others (approximately 25) were construction related. Of the latter group, two were loss of strength due to excessive UV exposure, two were from lack of proper overlap on soft soils (sewing would have undoubtedly

# Trevira® Spunbond nonwoven engineering products are highly needled fabrics with excellent tensile properties, high filtration potential and outstanding permeability.

Trevira® Spunbond Type 11 products are 100% continuous filament polyester nonwoven needlepunched engineering fabrics. They deliver a combination of advantages unmatched by any other spunbonded geotextiles. They're resistant to freeze-thaw, soil chemicals and ultraviolet light exposure.

Trevira® Spunbond nonwoven engineering fabrics offer excellent performance where the requirement is tensile reinforcement, planar flow, filtration, or separation. They are ideal for roadways, railbeds, drainage systems, lining systems, retaining walls. And much more.

**TYPICAL PHYSICAL PROPERTIES OF TREVIRA® TYPE 11 PRODUCTS**

Test Item	Unit	Test Method	Machine Direction	Cross Machine Direction	Machine Direction	Cross Machine Direction	Machine Direction	Cross Machine Direction
Fabric Weight	oz/yd <sup>2</sup>	ASTM D-5261	3.5	4.2	6.0	7.5	8.5	10.5
Fabric Thickness, I	mils	ASTM D-5190	60	70	90	110	120	140
Grab Strength (MD/CD) <sup>1)</sup>	lbs	ASTM D-4632	120/105	150/125	230/160	300/235	420/350	475/400
Grab Elongation (MD/CD) <sup>1)</sup>	%	ASTM D-4632	75/85	75/85	75/85	75/80	75/80	75/80
Trapezoid Tear Strength (MD/CD) <sup>1)</sup>	lbs	ASTM D-4533	50/40	55/50	80/75	105/95	110/100	140/125
Puncture Resistance	lbs	ASTM D-4633	55	65	95	115	125	155
Mullen Burst Strength	psi	ASTM D-3786	195	225	330	400	435	560
Water Flow Rate	g/min <sup>2</sup>	ASTM D-4491	195	190	170	150	130	120
Permeability, $\Psi$	sec <sup>-1</sup>	ASTM D-4491	2.61	2.54	2.27	2.01	1.76	1.6
Permeability, $k = \Psi t$	AOS	ASTM D-4491	.40	.45	.52	.56	.53	.57
Standard Roll Length <sup>2)</sup>	ft						12.5 and 15.0	
Standard Roll Length <sup>2)</sup>	in.							
			400	400	300	300	300	300
								300

<sup>1)MD = Machine Direction, CD = Cross Machine Direction.</sup>

<sup>2)Other width and length rolls are available upon request.</sup>

**MINIMUM PHYSICAL PROPERTIES OF TREVIRA® TYPE 11 PRODUCTS**

Test Item	Unit	Test Method	Machine Direction	Cross Machine Direction	Machine Direction	Cross Machine Direction	Machine Direction	Cross Machine Direction
Fabric Weight	oz/yd <sup>2</sup>	ASTM D-5261	3.3	4.0	5.7	7.1	8.0	10.0
Fabric Thickness, I	mils	ASTM D-5190	50	55	75	95	105	125
Grab Strength	lbs	ASTM D-4632	90	110	160	210	230	305
Grab Elongation	%	ASTM D-4632	60	60	60	60	60	60
Trapezoid Tear Strength	lbs	ASTM D-4533	30	40	60	75	80	100
Puncture Resistance	lbs	ASTM D-4633	45	50	80	95	100	130
Mullen Burst Strength	psi	ASTM D-3786	170	190	285	360	510	550
Water Flow Rate	g/min <sup>2</sup>	ASTM D-4491	155	150	130	110	90	65
Permeability, $\Psi$	sec <sup>-1</sup>	ASTM D-4491	2.07	2.01	1.74	1.47	1.20	1.07
Permeability, $k = \Psi t$	AOS	ASTM D-4491	.26	.28	.33	.35	.32	.31
Standard Roll Length <sup>2)</sup>	ft						120	130
Standard Roll Length <sup>2)</sup>	in.							130
			300	300	210	210	210	210
								210

The information contained herein is offered free of charge, and is to our best knowledge, true and accurate; however, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. There is no expressed warranty and no implied warranty of merchantability or of fitness for purpose of the products described herein. In submitting this information, no liability is assumed or incurred or other rights implied or arising in any manner from publishing or printing same, patent applications or trademarks. The observance of all legal requirements and general responsibility of the user.

<sup>1)These minimum values represent minimum test values as determined from Quality Control (Q.C.) testing.</sup>

### 3.05 PROTECTION OF WORK

- A. The Contractor shall use all means necessary to protect all prior work, materials and partially-completed and completed work of these General Specifications.
- B. The CQA Engineer will identify any areas requiring repair. The Contractor shall make repairs and replacements as necessary, to the approval of the Owner, and at no additional cost to Owner.
- C. The CQA Engineer will issue an approval of geotextile filter, cushion, separator, or sacrificial layer installation in accordance with the CQA Plan prior to placement of material over the geotextile.

**TABLE 02714-1  
REQUIRED FILTER GEOTEXTILE PROPERTIES**

Properties	Units	Specified Values <sup>(1)</sup>	Test Method
Polymer composition	%	95 [polypropylene, polyester, or polyethylene by weight]	
Mass per unit area	oz/yd <sup>2</sup>	8	ASTM D 3776
Apparent opening size	mm	$O_{50} < 0.212\text{mm}$	ASTM D 4751
Permitivity	sec <sup>-1</sup>	0.1	ASTM D 4491
Grab strength	lb	200	ASTM D 4632 <sup>(1)</sup>
Tear strength	lb	85	ASTM D 4533 <sup>(2)</sup>
Puncture strength	lb	100	ASTM D 4833 <sup>(3)</sup>

**Notes:**

1. Minimum values for both machine and cross machine direction with 1 inch clamp on constant rate of extension (CRE) machine.
2. Minimum value measured in machine and cross machine direction.
3. Tension testing machine with a 1.75-inch diameter ring clamp, the steel ball being replaced with a 0.31-inch diameter solid steel cylinder with flat tip centered within the ring clamp.
4. Values represent minimum average roll values (i.e., any roll in a lot should meet or exceed the values in this table). The specified apparent opening size is a maximum average roll value.

**TABLE 02714-2  
REQUIRED CUSHION GEOTEXTILE PROPERTIES**

Properties	Qualifier	Units	Specified Values <sup>(4)</sup>	Test Method
Polymer composition	minimum	%	95 [polypropylene, polyester, or polyethylene by weight]	
Mass per unit area	minimum	oz/yd <sup>2</sup>	12	ASTM D 3776
Grab strength	minimum	lb	300	ASTM D 4632 <sup>(1)</sup>
Tear strength	minimum	lb	110	ASTM D 4533 <sup>(2)</sup>
Puncture strength	minimum	lb	135	ASTM D 4833 <sup>(3)</sup>



## **MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-20**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Geotextile/Geocomposite Filtration

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



### Geotextile / Geocomposite Filtration

**Objective:** Determine the ability of Geotextile/Geocomposite to filter on site silty sands and Upper dockum.

**Analysis:** The two critical soils that Geotextiles/Geocomposites will need to Retain are the onsite Silty Sands (used as protective soil layer and vegetative cover) and the upper dockum (Clay liner, in sump area)

According to Task Force 25 the soil retention criteria is as follows.

1. IF Soil has  $\leq 50\%$  passing the #200 sieve  
Then the A.O.S. of Fabric  $\geq$  No 30 sieve  
 $(\leq 0.6 \text{ mm})$
2. IF Soil has  $> 50\%$  Passing the # 200 sieve  
Then the A.O.S. of Fabric  $\geq$  #50 sieve  
 $(\leq 0.3 \text{ mm})$

The onsite silty sand has  $< 50\%$  passing the # 200 sieve and the upper dockum has  $> 50\%$  passing the # 200 sieve

$\therefore$  Geotextile Fabric should have  
A.O.S.  $\geq$  #50 sieve or  $\leq 0.3 \text{ mm}$

Minimum A.O.S. of Trevira products. (see pg 2 )

011/120	#50 sieve	0.3 mm	borderline
011/140	#50 sieve	0.3 mm	borderline
011/200	#70 sieve	0.21 mm	O.K.
011/250	#70 sieve	0.21 mm	O.K.
011/280	#70 sieve	0.21 mm	O.K.

**Conclusion:** 1) use Trevira 011/200 (equivalent or better) for geotextile and on geocomposites.

2) Use Trevirite fabric nos of 021m (#70 sieve) or less.

# Trevira® Spunbond nonwoven engineering products are highly needled fabrics with excellent tensile properties, high filtration potential and outstanding permeability.

Trevira® Spunbond Type 11 products are 100% continuous filament polyester nonwoven needlepunched engineering fabrics. They deliver a combination of advantages unmatched by any other spunbonded geotextiles. They're resistant to freeze-thaw, soil chemicals and ultraviolet light exposure.

Trevira® Spunbond nonwoven engineering fabrics offer excellent performance where the requirement is tensile reinforcement, planar flow, filtration, or separation. They are ideal for roadways, railbeds, drainage systems, lining systems, retaining walls. And much more.

**TYPICAL PHYSICAL PROPERTIES OF TREVIRA® TYPE 11 PRODUCTS**

	Width inches	Width cm	Length inches	Length cm	Type 11 mm								
Fabric Weight	oz/yd <sup>2</sup>		ASTM D-5261	3.5	4.2	6.0	7.5	8.5	10.5	12.4	13.5	16.5	
Fabric Thickness, t	mil		ASTM D-5199	60	70	90	110	120	140	165	170	210	
Grab Strength (MD/CD) <sup>1)</sup>	lbs		ASTM D-4832	120/105	150/125	230/180	300/235	320/260	420/350	475/400	540/450	650/570	
Grab Elongation (MD/CD) <sup>1)</sup>	%		ASTM D-4832	75/65	75/65	75/65	75/60	75/60	75/60	75/60	80/80	80/80	85/85
Trapezoid Tear Strength (MD/CD) <sup>1)</sup>	lbs		ASTM D-4533	50/40	55/50	80/75	105/95	110/100	140/125	170/145	180/165	225/200	
Puncture Resistance	lbs		ASTM D-4833	55	65	95	115	125	155	170	185	225	
Mullen Burst Strength	psi		ASTM D-3786	195	225	330	400	435	560	600	700	855	
Water Flow Rate	g/min <sup>2</sup>		ASTM D-4491	195	190	170	150	130	120	105	100	80	
Permeability, $\Psi$	sec <sup>-1</sup>		ASTM D-4491	2.61	2.54	2.27	2.01	1.76	1.6	1.47	1.34	1.07	
Permeability, $k = \Psi t$	cm/sec		ASTM D-4491	.40	.45	.52	.56	.53	.57	.62	.58	.57	
AOS			Sieve Size mm	ASTM D-4751	70-100	70-100	70-100	70-120	100-120	100-140	120-140	140-170	
Standard Roll Length <sup>2)</sup>	ft								12.5 and 15.0				
Standard Roll Length <sup>2)</sup>	ft				400	400	300	300	300	300	300	300	

<sup>1</sup>MD = Machine Direction, CD = Cross Machine Direction.

<sup>2</sup>Other width and length rolls are available upon request.

**MINIMUM PHYSICAL PROPERTIES OF TREVIRA® TYPE 11 PRODUCTS**

	Width inches	Width cm	Length inches	Length cm	Type 11 mm								
Fabric Weight	oz/yd <sup>2</sup>		ASTM D-5261	3.3	4.0	5.7	7.1	8.0	10.0	12.0	13.0	16.0	
Fabric Thickness, t	mil		ASTM D-5199	50	55	75	95	105	125	145	150	185	
Grab Strength	lbs		ASTM D-4832	90	110	160	210	230	305	350	380	500	
Grab Elongation	%		ASTM D-4832	60	60	60	60	60	60	65	70		
Trapezoid Tear Strength	lbs		ASTM D-4533	30	40	60	75	80	100	120	130	150	
Puncture Resistance	lbs		ASTM D-4833	45	50	80	95	100	130	150	155	195	
Mullen Burst Strength	psi		ASTM D-3786	170	190	285	360	380	510	550	640	780	
Water Flow Rate	g/min <sup>2</sup>		ASTM D-4491	155	150	130	110	90	80	65	60	40	
Permeability, $\Psi$	sec <sup>-1</sup>		ASTM D-4491	2.07	2.01	1.74	1.47	1.20	1.07	0.87	0.80	0.53	
Permeability, $k = \Psi t$	cm/sec		ASTM D-4491	.26	.28	.33	.35	.32	.34	.32	.31	.25	
AOS			Sieve Size mm	ASTM D-4751	50	50	70	70	70	100	100	100	
					.300	.300	.210	.210	.210	.210	.210	.149	

The information contained herein is offered free of charge, and is, to our best knowledge, true and accurate; however, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. There is no expressed warranty and no implied warranty or merchantability or fitness for a particular purpose of the product or products described herein. In submitting this information, no liability is assumed or incurred by Trevira or other rights implied given with respect to any existing or future patent, patent application or trademark. The observance of all legal regulations and practices is the responsibility of the user.

<sup>1</sup>These minimum values represent maximum test values as determined from Quality Control (Q.C.) testing.



## **MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-21

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Puncture Resistance of Geotextile/Geocomposite

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



### Puncture Resistance of Geotextile / Geocomposite

Objective: Determine puncture resistance of geotextile

Calculation:

Use formula outlined in "Designing with Geosynthetics"  
 3<sup>rd</sup> Ed. Koerner, 1995, pg 165 (see pg 4)

$$F_{Rq} = p' d_a^2 S_1 S_2 S_3$$

$F_R$  = required vertical force to be resisted

$p'$  = pressure exerted on geotextile

$d_a$  = average diameter of puncturing aggregate

$S_1$  = protrusion factor,  $h_k/d_a$

$h_k$  = protrusion height  $\leq d_a$

$S_2$  = scale factor to adjust ASTM D4833 test value  
 using  $5/16$ " dia. puncture probe to actual puncturing  
 object =  $0.31 d_a$

$S_3$  = shape factor to adjust  $F_{Rq}$  puncture probe  
 of ASTM D4833 to actual shape of  
 puncturing object =  $1 - A_p/A_c$

$A_p$  = projected area of particle

$A_c$  = area of smallest circumscribed circle.

Worst Case Scenario occurs in sump area w/ sump  
 drainage gravel (see specification for grain size) and  
 $\approx 160$  ft of waste (conservative)

Sump Gravel is 1" minus to be conservative set  $d_a =$   
 1" (Largest grain size)

$$p' = ((60 \text{ ft})(110 \text{ psf}) = 17,600 \text{ psf} \left( \frac{1 \text{ ft}^2}{144 \text{ in}^2} \right) = 122 \text{ psi}$$

$S_1 = h_k/d_a$ , assume  $h_k = d_a$ ,  $\Rightarrow S_1 = 1$  (conservative)

$$S_2 = 0.31 d_a = (0.31)(1") = 0.31"$$

$$S_3 = 1 - \frac{A_p}{A_c}, \text{ assume } \frac{A_p}{A_c} = 0.4 \text{ (crushed rock see pg 5)} \\ = 1 - .4 = .6$$

$$F_R = (122 \text{ psi})(1")^2(1)(0.31)(.6) = 22.7 \text{ lbs.}$$



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name 11-455-C 1a.m  
Project Number 602-0200 Sheet: 2 of 5  
Prepared By: P. Pellicer Date: 19-Nov-97  
Checked By: J. Pellicer Date: 14-Nov-97

See attached spec. sheet for geotextile minimum puncture resistance (see pg 3).

Trevira Geotextile	Min. Puncture Resistance (lb)	F <sub>R</sub> (lb)	S.F.	
011/120	45	22.7	2.0	Low
011/140	50	22.7	2.2	Low
011/200	80	22.7	3.5	O.K.
011/250	95	22.7	4.2	O.K.
011/280	100	22.7	4.4	O.K.

NSC Geocomposite comes w/ Trevira 011/250 geotextile standard. From the table above this has a F<sub>S</sub> = 3.6 against puncture. O.K.

Conclusion: Trevira 011/200 or better (or equivalent) will be O.K. to use anywhere on the site where it comes in contact w/ soils w/ a d $\leq$  1" and has a contact pressure p's 122 psf.

**Trevira® Spunbond nonwoven engineering products are highly needled fabrics with excellent tensile properties, high filtration potential and outstanding permeability.**

Trevira® Spunbond Type 11 products are 100% continuous filament polyester nonwoven needlepunched engineering fabrics. They deliver a combination of advantages unmatched by any other spunbonded geotextiles. They're resistant to freeze-thaw, soil chemicals and ultraviolet light exposure.

**Trevira® Spunbond nonwoven** engineering fabrics offer excellent performance where the requirement is tensile reinforcement, planar flow, filtration, or separation. They are ideal for roadways, railbeds, drainage systems, mining systems, retaining walls. And much more.

## **TYPICAL PHYSICAL PROPERTIES OF TREVIBA® TYPE 11 PRODUCTS**

卷之三

**CD - Cross Discourse**

## **MINIMUM PHYSICAL PROPERTIES OF TREVIRA® TYPE 11 PRODUCTS**

Fabric Weight	oz/yd <sup>2</sup>	ASTM D-6231	3.3	4.0	5.7	7.1	8.0	10.0	12.0	13.0	16.0
Fabric Thickness, l	mil	ASTM D-6190	50	55	75	95	105	125	145	150	185
Grip Strength	lb	ASTM D-4532	90	110	160	210	230	305	350	380	500
Grip Elongation	%	ASTM D-4532	60	60	60	60	60	60	60	65	70
Impact Tear Strength	lb	ASTM D-4533	30	40	60	75	80	100	120	130	150
Puncture Resistance	psi	ASTM D-4533	45	50	80	95	100	130	150	155	185
Water Bond Strength	psi	ASTM D-3798	170	180	265	360	360	510	550	640	780
Water Flow Rate	g/min	ASTM D-4401	165	150	130	110	90	80	65	60	40
Friction, $\mu$	sec <sup>-1</sup>	ASTM D-4401	2.07	2.01	1.74	1.47	1.20	1.07	0.87	0.80	0.53
Friction, $\mu = 0.4$	cm/sec	ASTM D-4401	2.6	2.9	3.3	3.5	3.2	3.4	3.2	3.1	2.5
ACG	Steel Sizer mm	ASTM D-4751	50	50	70	70	70	70	70	100	100
			300	300	210	210	210	210	210	149	149

The first division occurs in all forms of life, and is the most fundamental. This and subsequent divisions, all successive, are called *embryonic*. Thus the formation of the body of an animal or plant without division, since the division of the body into two or more distinct parts, is called *embryonic* and no longer *protoplasmic*. There is an important difference between the two, however, in that the protoplasmic division is always accompanied by division of the body, while the embryonic division is not.

**Solution:** (a) Using a maximum strain of 33%, the value of  $f(\epsilon) = 0.52$ . Thus the required grab tensile strength is as follows:

$$\begin{aligned} T_{\text{reqd}} &= p'(d_s)^2(0.52) \\ &= p'(0.33 d_s)^2(0.52) \\ &= 0.057 p' d_s^2 \\ &= 0.057(100)(2.0)^2 \\ &= 22.6 \text{ lb.} \end{aligned}$$

(b) The global factor of safety on a 125-lb. ultimate grab tensile geotextile with partial factors of safety of 2.5 is as follows:

$$\begin{aligned} FS &= \frac{T_{\text{allow}}}{T_{\text{reqd}}} \\ &= \frac{125/2.5}{22.6} \\ &= 2.2, \text{ which is acceptable.} \end{aligned}$$


---

#### 2.5.4 Puncture Resistance

Although not only related to the separation function, the geotextile during its placement must survive the installation process. Indeed, fabric survivability is critical in all types of applications; without it, the best of designs are futile (recall Section 2.2.5.1). In this regard, sharp stones, tree stumps, roots, miscellaneous debris, and other things on the ground beneath the geotextile could puncture through the geotextile after stone base and traffic loads are imposed above it. The design method suggested for this situation is shown schematically in Figure 2.29. For these conditions, the vertical force exerted on the geotextile (which is gradually tightening around the protruding object) is as follows:

$$F_{\text{reqd}} = p' d_s^2 S_1 S_2 S_3 \quad (2.30)$$

where  $F_{\text{reqd}}$  = the required vertical force to be resisted,

$p'$  = the pressure exerted on the geotextile (approximately 100% of tire inflation pressure at the ground surface for small stone thicknesses),

$d_s$  = the average diameter of the puncturing aggregate or sharp object,

$S_1$  = protrusion factor =  $h_s/d_s$ ,

$h_s$  = protrusion height  $\leq d_s$ .

$S_2$  = scale factor to adjust ASTM D4833 test value using 5/16-in.-diameter puncture probe to actual puncturing object =  $0.31/d_s$ ,

$S_3$  = shape factor to adjust flat puncture probe of ASTM D4833 to actual shape of puncturing object =  $1 - A_p/A_c$  (values of  $A_p/A_c$  to be used

5-45  
402-0200  
Chap. 2: Designing with Geotextiles  
14-Nov-97  
PMP




Figure 2.29 Visualisation of a stone puncturing a geotextile as pressure is applied from above.

range from 0.8 for Ottawa sand, 0.7 for run-of-bank gravel (0.4 for crushed rock, and 0.3 for shot rock),

$A_p$  = projected area of particle, and

$A_c$  = area of smallest circumscribed circle.

**Example:**

What is the factor of safety against puncture of a geotextile from a 2.0-in. stone by a loaded truck with tire inflation pressure of 80 lb./in.<sup>2</sup> traveling on the surface of the stone base? The geotextile has an ultimate puncture strength of 45 lb. according to ASTM D4833.

**Solution:** Using the full stress on the geotextile of 80 lb./in.<sup>2</sup> and factors of 0.33, 0.155, and 0.6 for  $S_1$ ,  $S_2$ , and  $S_3$ , respectively,

$$\begin{aligned} F_{\text{reqd}} &= p'd_s^2S_1S_2S_3 \\ &= 80 \times (2.0)^2(0.33)(0.155)(0.6) \\ &= 9.82 \text{ lb.} \end{aligned}$$

Assuming that the cumulative partial factor of safety is 2.0, the global factor of safety is as follows:

$$\begin{aligned} FS &= \frac{F_{\text{allow}}}{F_{\text{reqd}}} \\ &= \frac{45/2.0}{9.82} \\ &= 2.3, \text{ which is acceptable.} \end{aligned}$$



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-22

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** GCL Material Properties

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By

## GCL Material Properties

The material properties for the GCL are presented in the construction specifications. A copy of the required GCL properties are attached (pg 2).

The GCL material strengths are given in the attached specification. Shear strength characteristics of the material are addressed in the slope stability calculations. For further information regarding shear strength, slope, reference slope stability calculations.

Foundation and cover material associated with placement of the GCL are presented in the construction specifications.

### 3.07 PROTECTION OF THE WORK

- A. The Contractor shall use all means necessary to protect all materials and partially completed and completed work.
- B. In the event of damage, the Contractor shall make repairs and replacements necessary to the approval of the Owner and at no additional cost to the Owner.
- C. The CQA Engineer will issue an approval of the GCL liner installation to the Owner in accordance with the CQA Plan prior to placement of any material over the GCL.

**TABLE 02780-1  
REQUIRED GCL PROPERTIES<sup>14)</sup>**

Geotextile Properties	Test Method	Manufacturer's QC Minimum Test Frequency	Value -English-	Value -SI-
Nonwoven Mass/Unit Area	ASTM D 5261	1/ 200,000 sq. ft (1/20,000 sq. m)	7.4 oz./yd <sup>2</sup> Typical 6.0 oz./yd <sup>2</sup> MARV	250 g/m <sup>2</sup> Typical 200 g/m <sup>2</sup> MARV
Woven	ASTM D 5261	1/ 200,000 sq. ft (1/20,000 sq. m)	3.4 oz./yd <sup>2</sup> Typical 3.1 oz./yd <sup>2</sup> MARV	115 g/m <sup>2</sup> Typical 105 g/m <sup>2</sup> MARV
<b>BENTONITE</b>				
Swell Index	ASTM D 5890	1/100,000 lbs. (50,000 kg)	24 ml/2g min.	24 ml/2g min.
Moisture Content	ASTM D 4843	1/100,000 lbs. (50,000 kg)	12% max.	12% max.
Fluid Loss	ASTM D 5891	1/100,000 lbs. (50,000 kg)	18 ml max.	18 ml max.
<b>FINISHED GCL<sup>14)</sup></b>				
Bentonite Mass Per Unit Area <sup>1</sup>	ASTM D 5261	1/ 40,000 sq. ft (1/4,000 sq. m)	0.90 lb./sq. Ft MARV	4.39 kg/m <sup>2</sup> MARV
Grab Strength <sup>2</sup>	ASTM D 4362	1/ 40,000 sq. ft (1/4,000 sq. m)	95 lbs MARV	422 N MARV
Grab Elongation <sup>3</sup>	ASTM D 4632	1/ 40,000 sq. ft (1/4,000 sq. m)	75% Typical	75% Typical
Peel Strength	ASTM D 4632	1/ 40,000 sq. ft (1/4,000 sq. m)	15 lbs. min.	68 N min.
Permeability <sup>4</sup>	ASTM D 5084	1/100,000 sq. ft (1/10,000 sq. m)	5 x 10 <sup>-6</sup> cm/sec sec max	5 x 10 <sup>-6</sup> cm/sec sec max
<b>Notes:</b>				
1. Oven-dried measurement reflecting a moisture content of zero.				
2. Measured at maximum peak, in the weakest principal direction.				
3. De-Aired Tap Water @ 5 psi maximum effective confining stress and 2 psi head.				
4. Internal shear strength testing (ASTM D 5321) of QA conformance samples or proposed equal material will be performed by the CQA Engineer as described in this specification.				

[ END OF SECTION ]



MONTGOMERY WATSON

## **Calculation Cover Sheet**

Appendix E-23

**Project Title:** Triassic Park

**Project No.:** 602-0200

Calculation Title: Clay Liner Properties

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/14/97

**Checked By:** John Pellicer **Date:** 11/14/97

Reviewed By: Pat Corser Date: 11/14/97

Revisions	Date	By	Checked By	Reviewed By

## Clay Liner Properties

**Clay Liner Borrow Area:** Clay liner material will be obtained from the landfill or evaporation pond excavation in Upper Dockum material.

**Placement Specification Window:** Refer to the Construction Specification for material placement window.

THE PLACEMENT SPECIFICATION WINDOW IS BASED ON SITE SPECIFIC TESTING OF CLAY LINER MATERIALS OBTAINED FROM THE SITE. THE RECOMPACTED PERMEABILITY TESTS ARE PRESENTED IN APPENDIX D TO THE ENGINEERING REPORT.

**Compatibility of Clay Liners:** SINCE SAMPLES OF THE ACTIVE SITE LINER ARE NOT AVAILABLE, ACTIVE COMPATIBILITY TESTS CANNOT BE CONDUCTED. However, PREVIOUS TESTING OF CLAY LINER MATERIALS WITH TYPICAL HAZARDOUS WASTE LANDFILL LINERS LATERITES DOES NOT INDICATE SUBSTANTIAL CHANGES IN PERMEABILITY.

**Typical Characteristics of Clay:**

• VSCE CLASSIFICATION	- CL to CH
• PLASTICITY INDEX	- 27%
• % LT #200 SIEVE	- 83%
• RE-COMPACTED PERMEABILITY - $5.1 \times 10^{-12}$ cm/sec	



## **Calculation Cover Sheet**

**Appendix E-24**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Wheel Loading on Access Ramp

Name \_\_\_\_\_ Date \_\_\_\_\_

Prepared By: Paul Pellicer Date: 11/13/97

**Checked By:** John Pellicer 11/13/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By

### Wheel Loading on Access Ramp.

Objective: Verify that wheel loading will not damage Geomembrane.

Assumptions: 631 Scraper will generate the largest pressure on the Geomembrane.

Calculations: Define contact stress on liner.

Assume 2:1 Distribution slope

$$\sigma_c' = \sigma_c \left[ \frac{R^2}{(R+D)^2} \right]$$

$\sigma_c'$  = Contact stress on liner

$\sigma_c$  = Tire contact pressure

R = Effective Radius of tire contact =  $[P/\pi\sigma_c]^{\frac{1}{2}}$

P = Axle load.

D = Roadway thickness = 3' (see pg 3)

631 Scraper wt = 93,410 lb

Rated load = 75,000 lb

Total = 168,410 lb

wt distribution loaded  $\Rightarrow$  drive axle = 54%

} Cut handbook  
see pg 4

$$P = \text{Axe load} = 168,410 \text{ lb} (.54) = 90,991 \text{ lb } \checkmark$$

Tire Pressure 80 psi (see pg 5)

$$R = [90,991 \text{ lb} / \pi 80]^{\frac{1}{2}} = 19 \text{ m } \checkmark$$

$$\sigma_c' = 80 \text{ psi} \left[ \frac{(19 \text{ m})^2}{(19 \text{ m} + 36 \text{ m})^2} \right] = 9.5 \text{ psi } \checkmark$$

Estimate Puncture pressure for 60 mil THOPPE liner.

Puncture Resistance load = 108 lb (see pg 6)

Puncture Resistance Specimen area =  $\frac{\pi d^2}{4}$

$$d = \text{diameter of specimen} = 45 \text{ mm} = 1.77 \text{ in} \text{ (see pg 7)} \\ \text{Area} = \frac{(1.77)^2 \pi}{4} = 2.46 \text{ in}^2$$

$$\text{Puncture resistance pressure} = \frac{108 \text{ lb}}{2.46 \text{ in}^2} = 44 \text{ psi}$$



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048


Project Number 602-0200  
Prepared By P. Peltier  
Checked By J. Peltier

Sheet E-01 7  
Date 13-Nov-97  
Date 13-Nov-97

$$F.S. = \frac{44 \text{ psi}}{9.5 \text{ psi}} = 4.6 \quad \text{O.K.}$$

Conclusions: wheel loading on the ramp should have no detrimental effects on the liner system. This calculation is conservative because the cushioning effect of the Geosynthetics over the Geomembrane was not utilized.

3 of 7  
Ramp  
LUR-0200  
13-4604-97



## Wheel Tractor-Scrapers

### Specifications

- Standard Scrapers



**621B**



**631D**



**651E**

	621B	631D	651E
Flywheel power	246 kW 330 HP	336 kW 450 HP	410 kW 550 HP
Operating weight (empty) □	30 205 kg 66,580 lb	42 370 kg 93,410 lb	59 420 kg 131,000 lb
Scraper capacity —			
Struck	10.7 m <sup>3</sup> 14 yd <sup>3</sup>	16 m <sup>3</sup> 21 yd <sup>3</sup>	24.5 m <sup>3</sup> 32 yd <sup>3</sup>
Heaped	15.3 m <sup>3</sup> 20 yd <sup>3</sup>	23.7 m <sup>3</sup> 31 yd <sup>3</sup>	33.8 m <sup>3</sup> 44 yd <sup>3</sup>
Rated load	21 770 kg 48,000 lb	34 000 kg 75,000 lb	47 170 kg 104,000 lb
Weight distribution — Empty			
Drive	70%	68%	68%
Rear	30%	31%	31%
Weight distribution — Loaded			
Drive	55%	54%	54%
Rear	45%	46%	46%
Engine model	3406	3408	3412
Rated engine RPM	1900	2000	1900
Displacement	14.6 L 883 in <sup>3</sup>	18.0 L 1088 in <sup>3</sup>	27.0 L 1648 in <sup>3</sup>
Top speed (loaded)	45 km/h 30 mph	50 km/h 31 mph	50 km/h 31 mph
Non-stop turning circle	11.1 m 36' 6"	12.2 m 40' 1"	13.8 m 44' 7"
With ROPS restriction	—	—	14.5 m 47' 7"
Tires — Tractor drive	29.5-28, 28 PR (E-3)	33.25-38, 38 PR (E-3)	37.5R38 Radial * * (E-3)
Scraper	29.5-28, 28 PR (E-3)	33.25-38, 38 PR (E-3)	37.5R38 Radial * * (E-3)
Width of cut	3.02 m 9' 11"	3.50 m 11' 6"	3.68 m 12' 1"
Maximum depth of cut	340 mm 13.4"	483 mm 19"	440 mm 17.3"
Maximum depth of spread	460 mm 18"	425 mm 16.7"	680 mm 26"
Fuel tank refill capacity	511 L 136 gal	780 L 200 gal	1083 L 280 gal
GENERAL DIMENSIONS:			
Height to top of scraper	3.63 m 11' 11"	4.17 m 13' 8"	4.70 m 15' 5"
Wheelbase	7.72 m 25' 4"	8.74 m 28' 6"	9.98 m 32' 8"
Overall length	12.7 m 41' 7"	14.25 m 46' 9"	16.13 m 52' 11"
Overall width	3.45 m 11' 4"	3.98 m 13'	4.34 m 14' 3"
Shipping width (draft arm on inside of bowl)	—	3.88 m 12' 0"	3.91 m 12' 10"
Scraper tread	2.18 m 7' 2"	2.46 m 8' 1"	2.82 m 9' 3"
Tractor tread	2.21 m 7' 3"	2.46 m 8' 1"	2.84 m 9' 8"

□Operating weight includes coolant, lubricants, full fuel tank, ROPS canopy and operator.

Tires

## Standard Cold Inflation Pressures

50 FT  
302-02  
PMP  
13-12W-

600 . . . WHEEL TRACTOR-SCRAPERS — Bias and Bias Belted Tires								
Model	Tire Size	Ply Rating	Pressure		Strength Index	Michelin		Pressure Goodyear
			Front	Rear		Front	Rear	
			kPa	psi		kPa	psi	
613C	18.00-25*	16	345	50	379	56	413	60
	23.5-25	16	241	36	278	40	310	46
615	26.5-25*	26	413	60	345	50	413	60
	29.5-25	22	278	40	241	36	345	50
621B	29.5-29*	28	413	60	278	40	448	66
	29.5-29	34	413	60	278	40	448	66
	29.5-35	28	345	50	241	36	379	56
	33.25-29	28	310	46	207	30	379	56
623B	29.5-29*	28	448	66	345	50	413	60
	29.5-29	34	448	66	345	50	482	70
	29.5-35	28	379	56	310	46	448	66
627B	29.5-29*	28	413	60	413	60	413	60
	29.5-29	34	413	60	413	60	482	70
	29.5-35	28	345	50	345	50	413	60
	33.25-29	28	310	46	310	46	379	56
631D	33.25-35*	36	482	70	379	56	551	60
	37.25-35	30	345	50	278	40	517	75
633D	33.25-35*	36	517	75	448	66	551	60
	37.25-35	30	379	56	310	46	517	75
637D	33.25-35*	36	517	75	482	70	551	60
	37.25-35	30	379	56	345	50	551	60
651E	37.5-30	36	482	70	413	60	551	60
	37.5-30	44	482	70	413	60	600	100
667E	37.5-30	44	517	75	551	60	551	60
	37.5-30	52	517	75	551	60	517	75

\* Standard tire and ply rating.

Model	Tire Size	Strength Index	Michelin		Pressure Goodyear		Front	
			Front	Rear	Front	Rear		
613C	18.00R25	*	413	60	448	66	—	
	23.5R25	*	310	46	345	50	310	46
615	26.5R25	**	413	60	379	56	—	
	29.5R25	**	345	50	310	46	—	
621B	29.5R29	**	448	66	379	56	482	70
	29.5R35	**	448	66	379	56	345	50
	33.25R29	**	413	60	345	50	—	
623B	29.5R29	**	482	70	413	60	517	75
	29.5R35	**	448	66	379	56	413	60
627B	29.5R29	**	413	60	413	60	448	66
	29.5R35	**	413	60	413	60	—	
	33.25R29	**	379	56	379	56	—	
631D	33.25R35	**	551	60	517	75	551	60
	37.25R35	**	517	75	413	60	—	
633D	33.25R35	**	551	60	517	75	551	60
	37.25R35	**	517	75	482	70	—	
637D	33.25R35	**	551	60	551	60	508	66
	37.25R35	**	517	75	517	75	551	60
651E	37.5R30*	**	600	100	551	60	551	60
	40.5R30						482	70
667E	37.5R35*	**	600	100	600	100	508	66
	40.5R35						620	90
	75R35	**	517	75	517	75	517	75

6-957  
6/2/92  
PMS  
17 N.M.

# **FRIC<sup>T</sup>ION SEAL™ HD GEOMEMBRANE**

## **QUALITY CONTROL SPECIFICATIONS**

**60 mil**

**FRIC<sup>T</sup>ION SEAL HD.** National Seal Company's advanced textured high density polyethylene (HDPE) geomembrane is manufactured by attaching a friction surface to NSC's high quality HDPE geomembrane. The friction surface made from high molecular weight polyethylene resin compounded specifically for use in NSC geomembranes. TI resin has been formulated to provide stress crack, chemical and ultraviolet resistance for fluid containment. NS produces **FRIC<sup>T</sup>ION SEAL HD** with a textured surface on one or both sides of the parent sheet.

The following properties are tested as a part of NSC's quality control program. Certified test results for properties on this page are available upon request. Refer to NSC's Quality Control Manual for exact test methods and frequencies.

RESIN PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Melt Flow Index <sup>2</sup>	ASTM D 1238	g/10 min	0.50	0.25
Oxidative Induction Time	ASTM D 3896, Al pan, 200°C, 1 atm O <sub>2</sub>	minutes	100	120
SHEET PROPERTIES	METHOD	UNITS	MINIMUM <sup>1</sup>	TYPICAL
Mass per Unit Area <sup>3</sup>	ASTM D 3776	lb/ft <sup>2</sup>	0.31	0.32
Thickness <sup>4</sup>	ASTM D 751, NSF mod.	mil	60.0	61.5
Average		mil	57.0	59.7
Individual		mil		
Density <sup>4</sup>	ASTM D 1505	g/cm <sup>3</sup>	0.940	0.948
Carbon Black Content <sup>4</sup>	ASTM D 1603	percent	2.0-3.0	2.35
Carbon Black Dispersion <sup>4</sup>	ASTM D 3015, NSF mod.	rating	A1, A2, B1	A1
Tensile Properties <sup>4</sup>	ASTM D 638			
Stress at Yield		psi	2200	2750
Stress at Break		ppi	132	169
Strain at Yield	1.3" gage length (NSF)	percent	13.0	17.5
Strain at Break	2.0" gage or extensometer	percent	200	540
Dimensional Stability <sup>4</sup>	2.5" gage length (NSF)	percent	160	432
Tear Resistance	ASTM D 1204, NSF mod.	percent	1.5	0.4
Puncture Resistance	ASTM D 1004	ppi	750	1000
		lbs	45	62
Constant Load ESCR, Single Point <sup>4</sup>	GRI, GM-5a	ppi	1800	2278
Friction Angle, Index	GRI, GS-7	lbs	108	140
		hours	200	>400
		degrees	40	56

<sup>1</sup> This value represents the minimum acceptable test value for a roll as tested according to NSC's Manufacturing Quality Control Manual. Individual test specimen values are not addressed in this specification except thickness.

<sup>2</sup> Indicates Maximum Value

<sup>3</sup> Friction Coating on both sides of base sheet

<sup>4</sup> Testing performed on base sheet

<sup>5</sup> Stress and strength values are normalized to the nominal base sheet thickness. NSC certifies properties based on values calculated on nominal thickness only. Stress values calculated using actual product thickness is not guaranteed due to the lack of industry accepted thickness test procedures for friction sheet.

stant-rate-of extension (CRE) type, with autographic recorder conforming to the requirements of Specification D 76. See Fig. 1.

**6.2 Ring Clamp Attachment.** consisting of concentric plates with an open internal diameter of  $45 \pm 0.025$  mm ( $1.772 \pm 0.001$  in.), capable of clamping the test specimen without slippage. A suggested clamping arrangement is shown in Figs. 1 and 2. The external diameter is suggested to be  $100 \pm 0.025$  mm ( $3.937 \pm 0.001$  in.). The diameter of the six holes used for securing the ring clamp assembly is suggested to be 8 mm (0.135 in.) and equally spaced at a radius of 37 mm (2.95 in.). The surfaces of these plates can consist of grooves with O-rings or coarse sandpaper bonded onto opposing surfaces.

**6.3 Solid Steel Rod,** with a diameter of  $8 \pm 0.01$  mm (0.35 ± 0.005 in.) having a flat end with a  $45^\circ = 0.8$  mm (0.315 in.)

chamfered edge contacting the test specimen's surface. See Figs. 1 and 3.

### 7. Sampling

**7.1 Lot Sample**—Divide the product into lots and take the lot sample as directed in Practice D 4354.

**7.2 Laboratory Sample**—For the laboratory sample take a swatch extending the full width of the geotextile, of sufficient length along the selvage from each sample roll so that the requirements of 7.3 and 8.1 can be met. Take a sample that will exclude material from the outer wrap and inner wrap around the core unless the sample is taken at the production site, then inner and outer wrap material may be used.

**7.3 Test Specimens**—Select from the laboratory sample the number of specimens directed in Section 8. Minimum specimen diameter is 100 mm (4 in.) to facilitate clamping. Space the specimens along a diagonal on the unit of



FIG. 1 Photographs of Test Setup and Fixture




FIG. 2 Test Fixture Detail (Not to Scale)




FIG. 3 Test Probe Detail (Not to Scale)



# MONTGOMERY WATSON

## **Calculation Cover Sheet**

**Appendix E-25**

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Frost Penetration

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer Date: 10/24/97

**Checked By:** John Pellicer **Date:** 10/29/97

**Reviewed By:** Pat Corser **Date:** 11/14/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Number: 622

Prepared By: I. Peilich

Checked By: RL

Sheet 1 of

Date: 1-OCT-97

Date: 24 Oct 99

OBJECTIVE: Determine depth of freeze for protective/cover soil which will be placed over the liner/cover system.

METHODOLOGY: Modified Berggren Equation

DATA: Use coldest high and low temperatures from historical data. Data obtained from the Utah Climate Center

REFERENCE: Departments of the Army and the Air Force, 1966  
"Calculation Methods for Determination of Depths of Freeze and Thaw in Soils" - TM 5-8526

See attached spreadsheet for calculation.

RESULT: Based on the most conservative temperature, frost is expected to penetrate 2.3 ft into the ground. Vegetative soil cover is 2.5 ft thick.

CONCLUSION: Anticipated frost penetration does not exceed the depth of the vegetative cover. Therefore frost should not affect the cover GCL. The protective soil on the liner slopes should be sufficient protection for the liner GCL's due to limited length of exposure.

TITLE: DEPTH OF FREEZE CALCULATIONS FOR MULTIPLE LAYERED SOIL  
 JOB NAME: GANDY/THIASSIC PARK LANDFILL

JOB NUMBER: 402

PREPARED BY: JOHN PELLICER

DATE PREPARED: 24 OCT 1997

FILENAME: HYVORN.PELLA.C\GANDY\SPREADFROST.DEPTH.CALCULATION.FOR THIASSIC PARK LANDFILL.2

REF: CALCULATION METHODS FOR DETERMINATION

OF DEPTHS OF FREEZE AND THAW IN SOILS

DEPARTMENT OF THE ARMY TECHNICAL MANUAL TM 5-4314

JANUARY 1964

MULTILAYERED SOLUTION OF MODIFIED B

Freezing Surface		Soil Type		Mean Annual Temperature:		Air Factor:		Surface Freezing Index, $RF_m$		Length of Freezing Season (d)		V <sub>o</sub> , [T <sub>max</sub> -T <sub>min</sub> ]		Alpha' (V <sub>o</sub> /V <sub>g</sub> ) =	
		1 Snow	0.9 Pavement (ice/snow/ice)			0.5				136	(days)	4.2		27	
		0.9 Sand & gravel	0.9 Pavement (I)												
		0.5 Turf													

L	Vol.	Lame	Latent	Heat	Thermal	Thermal	Thermal	Heat	Thermal	Latent	Heat	Latent	Heat	Latent	Heat	
UW	w	d	Sal	Volumetric	K	K	K	Heat	Conduct.	Cond.	Rn	Rn	Rn	Rn	Rn	
U <sub>m</sub>	Water	Water	Salt	Heat	Heat	Heat	Heat	Capacity	Conduct.	Conduct.	(J/K)	(J/K)	(J/K)	(J/K)	(J/K)	
U <sub>m</sub>	Weight	Conduc-	soil	Heat	BTU/Ft <sup>2</sup> F <sup>-1</sup>	BTU/Ft <sup>2</sup>	(J/K)	(J/K)	(J/K)	(J/K)	(J/K)					
Material	ptd	%	Thick.	Thick.	BTU/Ft <sup>2</sup> F <sup>-1</sup> F	BTU/Ft <sup>2</sup>	Cd	Cd	Cd	Cd	Cd					
Material	100.00	10.00	2.320	2.32	24.50	0.92	0.92	0.91	1440.00	3343.44	1440.00	56.89	24.50	0.07	4.46	0.56
Vegetative Cover												0.31	2.56	1.28	56.9	56.9

THE DEPTH OF FROST IS DETERMINED WHEN THE SUM OF THE FROST INDICES IS EQUAL TO THE FREEZE INDEX.  
 THE THICKNESS OF THE LAYERS CAN BE MANIPULATED TO DETERMINE THE EXACT DEPTH OF FROST.

## MEASURED DAILY TEMPERATURES BITTER LAKES WILDLIFE REFUGE, NEW MEXICO 1950 to 1997

34

	DAY	MONTH	AIR TEMPERATURE			MEAN	FREEZE INDEX	SUM FREEZE INDEX	SUM
			DAY	HIGH	LOW				
OCTOBER	1	10	1	62	35	49	16.5	17	0 0
	2	10	2	67	35	51	19	36	0 0
	3	10	3	59	30	45	12.5	48	0 0
	4	10	4	61	31	46	14	62	0 0
	5	10	5	59	30	45	12.5	75	0 0
	6	10	6	62	30	46	14	89	0 0
	7	10	7	62	30	46	14	103	0 0
	8	10	8	59	19	39	7	110	0 0
	9	10	9	62	24	43	11	121	0 0
	10	10	10	57	27	42	10	131	0 0
	11	10	11	57	29	43	11	142	0 0
	12	10	12	58	28	43	11	153	0 0
	13	10	13	56	30	43	11	164	0 0
	14	10	14	56	30	43	11	175	0 0
	15	10	15	53	30	42	9.5	184	0 0
	16	10	16	53	25	39	7	191	0 0
	17	10	17	56	27	42	9.5	201	0 0
	18	10	18	59	21	40	8	209	0 0
	19	10	19	58	19	39	6.5	215	0 0
	20	10	20	55	17	36	4	219	0 0
	21	10	21	56	21	39	6.5	226	0 0
	22	10	22	55	24	40	7.5	233	0 0
	23	10	23	52	23	38	5.5	239	0 0
	24	10	24	56	25	41	8.5	247	0 0
	25	10	25	50	23	37	4.5	252	0 0
	26	10	26	51	25	38	6	258	0 0
	27	10	27	51	25	38	6	264	0 0
	28	10	28	52	17	35	2.5	266	0 0
	29	10	29	49	17	33	1	267	0 0
	30	10	30	49	20	35	2.5	270	0 0
	31	10	31	51	10	31	-1.5	268	0 0
NOVEMBER	32	11	1	54	13	34	1.5	270	0 0
	33	11	2	54	14	34	2	272	0 0
	34	11	3	56	13	35	2.5	274	0 0
	35	11	4	53	12	33	0.5	275	0 0
	36	11	5	51	22	37	4.5	279	36 0
	37	11	6	46	10	28	-4	275	0 0
	38	11	7	45	11	28	-4	271	0 0
	39	11	8	48	13	31	-1.5	270	0 0
	40	11	9	48	16	32	0	270	0 0
	41	11	10	45	17	31	-1	269	0 0
	42	11	11	45	15	30	-2	267	0 0
	43	11	12	45	15	30	-2	265	0 0
	44	11	13	49	9	29	-3	262	0 0

45	11	14	49	11	30	-2	260	0	0	
46	11	15	50	-3	24	-8.5	251	0	0	
47	11	16	43	-1	21	-11	240	0	0	
48	11	17	49	4	27	-5.5	235	0	0	
49	11	18	43	9	26	-6	229	0	0	
50	11	19	42	9	26	-6.5	222	0	0	
51	11	20	50	13	32	-0.5	222	0	0	
52	11	21	44	9	27	-5.5	216	0	0	
53	11	22	45	7	26	-6	210	0	0	
54	11	23	45	5	25	-7	203	0	0	
55	11	24	48	10	29	-3	200	0	0	
56	11	25	45	13	29	-3	197	0	0	
57	11	26	47	1	24	-8	189	0	0	
58	11	27	42	3	23	-9.5	180	0	0	
59	11	28	42	8	25	-7	173	0	0	
60	11	29	44	2	23	-9	164	0	0	
61	11	30	43	8	26	-6.5	157	0	0	
DECEMBER	62	12	1	44	7	26	-6.5	151	0	0
	63	12	2	43	10	27	-5.5	145	0	0
	64	12	3	38	8	23	-9	136	0	0
	65	12	4	42	8	25	-7	129	0	0
	66	12	5	39	4	22	-10.5	119	0	0
	67	12	6	49	2	26	-6.5	112	0	0
	68	12	7	47	6	27	-5.5	107	0	0
	69	12	8	37	12	25	-7.5	99	0	0
	70	12	9	39	-11	14	-18	81	0	0
	71	12	10	49	-11	19	-13	68	0	0
	72	12	11	36	7	22	-10.5	58	0	0
	73	12	12	38	-3	18	-14.5	43	0	0
	74	12	13	40	2	21	-11	32	0	0
	75	12	14	38	3	21	-11.5	21	0	0
	76	12	15	37	-8	15	-17.5	3	0	0
	77	12	16	32	-7	13	-19.5	-17	0	0
	78	12	17	38	4	21	-11	-28	0	0
	79	12	18	41	0	21	-11.5	-39	0	0
	80	12	19	40	1	21	-11.5	-51	0	0
	81	12	20	38	-4	17	-15	-66	0	0
	82	12	21	36	0	18	-14	-80	0	0
	83	12	22	38	3	21	-11.5	-91	0	0
	84	12	23	44	-5	20	-12.5	-104	0	0
	85	12	24	48	-10	19	-13	-117	0	0
	86	12	25	46	3	25	-7.5	-124	0	0
	87	12	26	42	-3	20	-12.5	-137	0	0
	88	12	27	36	1	19	-13.5	-150	0	0
	89	12	28	39	-6	17	-15.5	-166	0	0
	90	12	29	42	2	22	-10	-176	0	0
	91	12	30	50	-7	22	-10.5	-186	0	0
	92	12	31	54	-2	26	-6	-192	0	0
JANUARY	93	1	1	41	5	23	-9	-201	0	0

94	1	2	34	-18	8	-24	-225	0	0		
95	1	3	34	-18	8	-24	-249	0	0		
96	1	4	42	-1	21	-11.5	-261	0	0		
97	1	5	38	-9	15	-17.5	-278	0	0		
98	1	6	32	-4	14	-18	-296	0	0		
99	1	7	49	-3	23	-9	-305	0	0		
100	1	8	49	2	26	-6.5	-312	0	0		
101	1	9	49	-2	24	-8.5	-320	0	0		
102	1	10	32	-4	14	-18	-338	0	0		
103	1	11	44	-22	11	-21	-359	0	0		
104	1	12	44	-11	17	-15.5	-375	0	0		
105	1	13	38	-22	8	-24	-399	0	0		
106	1	14	45	-14	16	-16.5	-415	0	0		
107	1	15	43	-4	20	-12.5	-428	0	0		
108	1	16	32	3	18	-14.5	-442	0	0		
109	1	17	53	0	27	-5.5	-448	0	0		
110	1	18	41	2	22	-10.5	-458	0	0		
111	1	19	49	0	25	-7.5	-466	0	0		
112	1	20	39	5	22	-10	-476	0	0		
113	1	21	42	7	25	-7.5	-483	0	0		
114	1	22	37	-12	13	-19.5	-503	0	0		
115	1	23	35	-6	15	-17.5	-520	0	0		
116	1	24	36	-5	16	-16.5	-537	0	0		
117	1	25	41	0	21	-11.5	-548	0	0		
118	1	26	38	5	22	-10.5	-559	0	0		
119	1	27	49	8	29	-3.5	-562	0	0		
120	1	28	44	3	24	-8.5	-571	0	0		
121	1	29	42	5	24	-8.5	-579	0	0		
122	1	30	41	8	25	-7.5	-587	0	0		
123	1	31	40	7	24	-8.5	-595	0	0		
FEBRUARY	124	2	1	44	-12	16	-16	-611	0	0	
	125	2	2	48	-12	18	-14	-625	0	0	
	126	2	3	43	-1	21	-11	-636	0	0	
	127	2	4	41	9	25	-7	-643	0	0	
	128	2	5	41	0	21	-11.5	-655	0	0	
	129	2	6	36	2	19	-13	-668	0	0	
	130	2	7	48	2	25	-7	-675	0	0	
	131	2	8	43	5	24	-8	-683	0	0	
	132	2	9	50	4	27	-5	-688	0	0	
	133	2	10	40	1	21	-11.5	-699	0	0	
	134	2	11	40	2	21	-11	-710	0	0	
	135	2	12	42	6	24	-8	-718	0	0	
	136	2	13	45	-2	22	-10.5	-729	0	0	
	137	2	14	49	6	28	-4.5	-733	0	0	
	138	2	15	50	8	29	-3	-736	0	0	
	139	2	16	45	8	27	-5.5	-742	0	0	
	140	2	17	41	9	25	-7	-749	0	0	
	141	2	18	44	16	30	-2	-751	0	0	
	142	2	19	41	13	27	-5	-756	0	0	

	143	2	20	44	6	25	.7	-763	0	0	004
	144	2	21	42	4	23	.9	-772	0	0	
	145	2	22	45	7	26	.6	-778	0	0	
	146	2	23	43	4	24	-8.5	-786	0	0	
	147	2	24	50	-5	23	-9.5	-796	0	0	
	148	2	25	46	-5	21	-11.5	-807	0	0	
	149	2	26	46	6	26	-6	-813	0	0	
MARCH	150	2	27	49	15	32	0	-813	0	0	
	151	2	28	46	9	28	-4.5	-818	0	0	
	152	3	1	48	17	33	0.5	-817	0	0	
	153	3	2	48	13	31	-1.5	-819	0	0	
	154	3	3	47	5	26	-6	-825	0	0	
	155	3	4	45	12	29	-3.5	-828	0	0	
	156	3	5	45	11	28	-4	-832	0	0	
	157	3	6	50	9	30	-2.5	-835	0	0	
	158	3	7	43	6	25	-7.5	-842	0	0	
	159	3	8	47	12	30	-2.5	-845	0	0	
	160	3	9	49	8	29	-3.5	-848	0	0	
	161	3	10	51	16	34	1.5	-847	0	0	
	162	3	11	49	15	32	0	-847	0	0	
	163	3	12	54	10	32	0	-847	0	0	
	164	3	13	49	17	33	1	-846	0	0	
	165	3	14	49	11	30	-2	-848	0	0	
	166	3	15	49	17	33	1	-847	0	0	
	167	3	16	43	14	29	-3.5	-850	0	0	
	168	3	17	44	16	30	-2	-852	0	0	
	169	3	18	46	16	31	-1	-853	0	0	
	170	3	19	47	11	29	-3	-856	0	0	
	171	3	20	55	11	33	1	-855	0	0	
	172	3	21	44	13	29	-3.5	-859	0	172	
	173	3	22	52	16	34	2	-857	0	0	
	174	3	23	52	12	32	0	-857	0	0	
	175	3	24	49	20	35	2.5	-854	0	0	
	176	3	25	51	20	36	3.5	-851	0	0	
	177	3	26	53	18	36	3.5	-847	0	0	
	178	3	27	50	21	36	3.5	-844	0	0	
	179	3	28	54	14	34	2	-842	0	0	
	180	3	29	55	20	38	5.5	-836	0	0	
	181	3	30	57	9	33	1	-835	0	0	
	182	3	31	52	17	35	2.5	-833	0	0	
APRIL	183	4	1	53	20	37	4.5	-828	0	0	
	184	4	2	51	18	35	2.5	-826	0	0	
	185	4	3	47	19	33	1	-825	0	0	
	186	4	4	54	16	35	3	-822	0	0	
	187	4	5	52	20	36	4	-818	0	0	
	188	4	6	52	22	37	5	-813	0	0	
	189	4	7	60	24	42	10	-803	0	0	
	190	4	8	52	21	37	4.5	-798	0	0	
	191	4	9	55	19	37	5	-793	0	0	

192	4	10	58	28	43	11	-782	0	0
193	4	11	60	23	42	9.5	-773	0	0
194	4	12	61	23	42	10	-763	0	0
195	4	13	57	20	39	6.5	-756	0	0
196	4	14	57	19	38	6	-750	0	0
197	4	15	52	26	39	7	-743	0	0
198	4	16	54	26	40	8	-735	0	0
199	4	17	55	30	43	10.5	-725	0	0
200	4	18	58	31	45	12.5	-712	0	0
201	4	19	52	26	39	7	-705	0	0
202	4	20	58	25	42	9.5	-696	0	0
203	4	21	56	28	42	10	-686	0	0
204	4	22	59	30	45	12.5	-673	0	0
205	4	23	62	30	46	14	-659	0	0
206	4	24	56	24	40	8	-651	0	0
207	4	25	57	31	44	12	-639	0	0
208	4	26	63	30	47	14.5	-625	0	0
209	4	27	60	28	44	12	-613	0	0
210	4	28	57	27	42	10	-603	0	0
211	4	29	63	27	45	13	-590	0	0
212	4	30	64	30	47	15	-575	0	0


MAXIMUM 279


MINIMUM -859

FREEZING INDEX: 1138

FREEZING SEASON: 136

BITTER LAKES WILDLIFE REFUGE, NEW MEXICO  
FREEZING INDEX





# BITTER LAKES WL REFUGE, NEW MEXICO (290992)

10A

## Period of Record Monthly Climate Summary

Period of Record : 12/1/1950 to 6/30/1997

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	56.7	62.6	69.9	79.1	86.9	95.1	95.7	93.8	87.1	78.2	65.7	57.9	77.4
Average Min. Temperature (F)	20.5	25.1	31.2	40.2	49.6	59.0	63.2	61.5	53.8	40.6	28.3	21.0	41.2
Average Total Precipitation (in.)	0.41	0.43	0.32	0.47	1.06	1.36	2.18	2.22	1.79	1.17	0.50	0.44	12.35
Average Total SnowFall (in.)	2.2	2.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.7	7.4
Average Snow Depth (in.)	0	0	0	0	0	0	0	0	0	0	0	0	0

Western Regional Climate Center, Greg McCurdy, [gmrcc@sage.dri.edu](mailto:gmrcc@sage.dri.edu)

# BITTER LAKES WL REFUGE, NEW MEXICO

11A

## NCDC 1961-1990 Monthly Normals

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Mean Max. Temperature (F)	55.7	61.1	69.3	78.4	86.4	94.1	95.2	92.9	85.6	77.5	65.4	56.9	76.5
Highest Mean Max. Temperature (F)	64.8	69.9	78.5	83.0	92.1	102.5	102.0	97.7	91.5	84.0	71.6	67.0	79.3
Year Highest Occurred	1967	1962	1967	1986	1962	1980	1980	1983	1983	1963	1981	1970	1963
Lowest Mean Max. Temperature (F)	46.4	53.0	57.9	71.0	82.3	89.9	88.6	87.1	76.3	71.2	55.5	48.5	74.5
Year Lowest Occurred	1979	1964	1969	1983	1976	1986	1975	1971	1974	1984	1961	1983	1978
Mean Temperature (F)	37.6	42.6	50.3	59.4	67.8	76.4	79.2	77.2	69.9	59.0	47.3	38.7	58.8
Highest Mean Temperature (F)	44.5	49.0	56.5	64.1	72.3	83.7	83.6	81.6	74.6	62.6	51.4	45.7	60.1
Year Highest Occurred	1969	1962	1967	1967	1989	1990	1980	1969	1983	1963	1965	1970	1967
Lowest Mean Temperature (F)	31.1	35.0	42.1	53.3	62.7	72.8	73.6	73.4	63.1	52.3	40.9	32.3	56.3
Year Lowest Occurred	1966	1964	1969	1983	1975	1979	1975	1974	1974	1976	1976	1989	1975
Mean Min. Temperature (F)	19.4	24.1	31.1	40.3	49.3	58.6	63.2	61.5	54.2	40.4	29.1	20.5	41.0
Highest Mean Min. Temperature (F)	24.8	28.4	35.7	45.9	53.4	65.5	67.2	65.6	59.0	46.7	37.4	27.6	42.9
Year Highest Occurred	1965	1987	1985	1967	1989	1990	1966	1969	1990	1983	1978	1984	1986
Lowest Mean Min. Temperature (F)	9.4	17.0	26.3	34.0	41.2	53.4	56.6	56.1	48.1	32.8	22.4	12.8	36.7
Year Lowest Occurred	1963	1964	1969	1975	1975	1975	1988	1975	1975	1976	1975	1989	1975
Mean Precipitation (in.)	0.43	0.48	0.33	0.46	0.97	1.75	1.89	2.52	1.96	1.10	0.62	0.49	13.00
Highest Precipitation (in.)	2.15	1.54	1.63	2.41	3.81	5.96	5.15	7.19	5.68	5.61	2.02	2.11	23.72
Year Highest Occurred	1968	1975	1968	1966	1981	1978	1968	1977	1974	1983	1961	1969	1986

# BITTER LAKES WL REFUGE, NEW MEXICO

## Period of Record Daily Climate Summary

Daily Records for station 290992 BITTER LAKES WL REFUGE state: nm

For temperature and precipitation, multi-day accumulations are not considered either for records or averages. The year given is the year of latest occurrence.

Period requested -- Begin : 1/ 1/1890 -- End : 12/31/2000  
 Period used -- Begin : 12/ 1/1950 -- End : 6/30/1997

Cooling degree threshold = 65.00 Heating degree threshold = 65.00

AVG Multi-year unsmoothed average of the indicated quantity  
 HI Highest value of indicated quantity for this day of year  
 LO Lowest value of indicated quantity for this day of year  
 YR Latest year of occurrence of the extreme value  
 NO Number of years with data for this day of year.  
 Units: English (inches and degrees F)

---Maximum Temperature---												---Minimum Temperature---												---Precipitation---											
MO	DY	AVG	NO	HI	YR	LO	YR	AVG	NO	HI	YR	LO	YR	AVG	NO	HIGH	YR	AVG																	
1	1	55	37	78	1966	24	1979	20	38	41	1952	5	1990	0.002	46	0.07	1979	0.10																	
1	2	52	39	81	1997	20	1979	19	39	34	1952	-18	1979	0.010	45	0.19	1973	0.10																	
1	3	54	44	86	1997	26	1979	17	44	34	1997	-18	1979	0.012	47	0.13	1973	0.02																	
1	4	53	46	70	1954	26	1971	19	45	42	1997	-1	1974	0.016	47	0.56	1958	0.09																	
1	5	53	44	70	1989	22	1971	19	45	38	1989	-9	1971	0.020	46	0.62	1958	0.04																	
1	6	55	46	82	1994	24	1971	20	46	32	1982	-4	1970	0.011	46	0.50	1997	0.11																	
1	7	57	41	80	1969	25	1971	21	41	49	1965	-3	1971	0.032	46	0.53	1986	0.17																	
1	8	54	42	85	1969	27	1971	22	42	49	1965	2	1971	0.010	46	0.36	1968	0.11																	
1	9	55	45	77	1969	31	1979	18	45	49	1957	-2	1964	0.008	47	0.14	1974	0.05																	
1	10	53	46	77	1953	13	1962	18	46	32	1991	-4	1977	0.017	47	0.66	1973	0.00																	
1	11	53	46	73	1953	11	1962	18	46	44	1960	-22	1962	0.011	47	0.31	1960	0.01																	
1	12	54	46	74	1953	13	1963	20	46	44	1960	-11	1962	0.005	46	0.17	1963	0.08																	
1	13	55	45	79	1976	20	1997	20	45	38	1980	-22	1963	0.022	46	0.70	1982	0.26																	
1	14	58	41	79	1957	38	1963	20	42	45	1952	-14	1963	0.010	46	0.25	1960	0.23																	
1	15	58	40	77	1980	32	1984	19	41	43	1969	-4	1982	0.000	47	0.00	1997	0.00																	
1	16	57	41	74	1967	30	1992	19	42	32	1969	3	1964	0.005	47	0.22	1960	0.05																	
1	17	57	45	80	1974	25	1982	21	46	53	1996	0	1957	0.000	47	0.01	1991	0.00																	
1	18	58	44	83	1974	29	1981	21	45	41	1952	2	1957	0.020	47	0.39	1979	0.06																	
1	19	57	45	83	1953	26	1984	21	45	49	1952	0	1984	0.030	47	0.66	1990	0.11																	
1	20	56	44	75	1985	32	1984	23	45	39	1983	5	1963	0.028	47	0.50	1968	0.08																	
1	21	55	43	80	1953	28	1978	22	43	42	1969	7	1976	0.042	45	0.95	1968	0.16																	
1	22	57	43	80	1974	23	1966	22	45	37	1974	-12	1966	0.030	45	0.88	1980	0.20																	
1	23	57	43	73	1971	30	1966	20	45	35	1977	-6	1980	0.004	46	0.17	1980	0.00																	
1	24	60	44	83	1972	36	1966	19	42	36	1967	-5	1980	0.008	45	0.32	1961	0.03																	
1	25	60	44	82	1952	31	1978	20	45	41	1962	0	1980	0.013	46	0.34	1962	0.00																	
1	26	62	46	79	1969	33	1961	23	47	38	1954	5	1966	0.006	47	0.08	1976	0.01																	
1	27	60	44	84	1975	32	1961	24	45	49	1953	8	1963	0.013	46	0.32	1989	0.04																	
1	28	61	43	80	1956	29	1961	22	43	44	1968	3	1963	0.000	46	0.00	1996	0.00																	
1	29	63	42	78	1986	42	1966	23	41	42	1969	5	1961	0.000	46	0.00	1996	0.00																	
1	30	61	43	80	1963	29	1951	23	43	41	1954	8	1951	0.010	46	0.48	1964	0.00																	
1	31	59	44	83	1963	29	1951	23	45	40	1954	7	1977	0.011	46	0.42	1978	0.10																	
2	1	57	44	84	1963	11	1985	24	44	44	1963	-12	1951	0.003	47	0.06	1990	0.00																	
2	2	59	45	79	1963	20	1985	22	45	48	1963	-12	1951	0.015	47	0.52	1975	0.03																	
2	3	57	44	78	1987	19	1956	22	44	43	1992	-1	1972	0.015	47	0.45	1964	0.17																	
2	4	60	42	80	1963	18	1956	24	41	41	1957	9	1956	0.039	47	1.30	1956	0.33																	
2	5	59	42	80	1963	27	1982	24	41	41	1958	0	1956	0.031	47	1.43	1988	0.36																	

							H1	YK	LQ					
2	6	59	45	30	1995	20	1982	22	44	36	1951	2	1956	0.007
2	7	53	45	34	1963	13	1989	22	45	43	1957	2	1956	0.010
2	8	61	47	35	1957	23	1989	22	46	43	1966	5	1956	0.015
2	9	62	46	36	1957	28	1980	24	46	50	1960	4	1967	0.010
2	10	61	43	36	1957	23	1973	23	44	40	1976	1	1956	0.007
2	11	64	43	33	1962	33	1986	24	44	40	1976	2	1981	0.016
2	12	62	43	85	1962	29	1986	24	44	42	1957	6	1981	0.030
2	13	63	42	84	1962	30	1986	26	43	45	1991	-2	1963	0.018
2	14	67	43	36	1967	37	1951	27	44	49	1962	6	1966	0.021
2	15	64	44	96	1979	31	1978	26	44	50	1967	8	1951	0.001
2	16	64	45	30	1986	45	1990	25	45	45	1986	8	1990	0.010
2	17	63	45	73	1982	29	1979	27	45	41	1986	9	1990	0.006
2	18	64	43	86	1970	33	1980	27	43	44	1955	16	1966	0.009
2	19	63	42	85	1986	42	1978	28	42	41	1994	13	1964	0.016
2	20	63	43	88	1986	39	1987	27	42	44	1980	6	1953	0.019
2	21	62	42	89	1986	34	1971	25	42	42	1958	4	1964	0.019
2	22	63	44	84	1996	42	1966	24	45	45	1958	7	1987	0.062
2	23	63	46	87	1996	27	1975	25	46	43	1958	4	1976	0.006
2	24	63	45	82	1982	37	1953	26	45	50	1951	-5	1965	0.009
2	25	65	44	82	1976	36	1997	26	43	46	1951	-5	1960	0.006
2	26	67	43	87	1986	37	1982	28	43	46	1996	6	1952	0.000
2	27	67	42	88	1986	43	1984	29	42	49	1981	15	1964	0.006
2	28	67	43	79	1976	48	1990	28	43	46	1981	9	1962	0.023
2	29	67	12	85	1972	42	1996	27	12	42	1952	14	1984	0.000
3	1	65	45	84	1972	31	1960	29	46	48	1973	17	1984	0.009
3	2	67	45	84	1967	34	1995	29	47	48	1976	13	1962	0.000
3	3	66	46	89	1974	35	1965	29	47	47	1986	5	1971	0.001
3	4	65	44	86	1974	29	1978	27	45	45	1974	12	1971	0.007
3	5	64	42	86	1956	34	1969	27	42	45	1983	11	1953	0.010
3	6	66	44	85	1991	34	1984	28	43	50	1991	9	1989	0.029
3	7	69	43	86	1972	52	1984	29	45	43	1968	6	1996	0.001
3	8	69	43	87	1972	48	1996	29	45	47	1962	12	1967	0.009
3	9	70	46	86	1986	36	1996	29	44	49	1986	8	1996	0.004
3	10	70	44	86	1954	44	1994	31	46	51	1990	16	1964	0.038
3	11	69	43	85	1982	40	1969	32	44	49	1980	15	1979	0.024
3	12	69	43	88	1972	41	1958	31	44	54	1982	10	1959	0.004
3	13	69	43	89	1972	37	1993	30	44	49	1990	17	1959	0.003
3	14	69	45	85	1971	40	1962	30	46	49	1967	11	1988	0.006
3	15	70	45	86	1972	49	1969	31	46	49	1972	17	1988	0.003
3	16	69	44	89	1974	36	1969	31	46	43	1987	14	1976	0.006
3	17	70	45	86	1984	48	1969	30	45	44	1953	16	1959	0.004
3	18	71	41	90	1974	45	1988	30	43	46	1994	16	1980	0.003
3	19	72	44	89	1982	39	1965	32	44	47	1994	11	1965	0.014
3	20	72	43	88	1995	46	1965	32	44	55	1994	11	1965	0.049
3	21	70	43	86	1988	37	1968	31	44	44	1979	13	1965	0.023
3	22	73	45	92	1995	46	1952	33	46	52	1954	16	1955	0.008
3	23	74	46	86	1978	51	1952	33	47	52	1972	12	1952	0.003
3	24	73	46	88	1971	53	1957	34	47	49	1994	20	1980	0.006
3	25	71	45	84	1993	40	1990	33	45	51	1995	20	1996	0.003
3	26	72	42	88	1976	49	1987	34	42	53	1953	18	1959	0.004
3	27	73	46	90	1967	50	1982	34	47	50	1972	21	1955	0.009
3	28	74	46	95	1971	38	1994	35	46	54	1985	14	1994	0.016
3	29	73	45	90	1967	35	1975	35	45	55	1985	20	1975	0.005
3	30	71	45	86	1989	30	1987	35	45	57	1968	9	1987	0.013
3	31	73	45	92	1974	50	1991	35	45	52	1956	17	1972	0.005
4	1	76	44	91	1986	59	1992	36	44	53	1964	20	1955	0.004
4	2	76	44	91	1959	44	1988	35	44	51	1965	18	1970	0.004
4	3	75	45	88	1959	51	1987	35	46	47	1997	19	1987	0.026
4	4	74	44	92	1961	53	1973	35	43	54	1985	16	1979	0.005
4	5	74	44	92	1959	36	1983	35	44	52	1953	20	1973	0.004
4	6	76	44	93	1954	41	1987	35	45	52	1967	22	1994	0.016
4	7	79	46	98	1972	42	1983	40	46	60	1967	24	1971	0.002
4	8	78	46	96	1963	35	1983	38	46	52	1967	21	1973	0.012
4	9	77	45	92	1963	42	1973	38	45	55	1967	19	1973	0.004
4	10	76	44	94	1963	55	1997	38	44	58	1972	28	1988	0.003





5 13	36	46	107	1980	31	1996	39	44	70	1952	43	1969	1.010	47	0.29
5 16	35	45	106	1980	59	1961	39	43	74	1960	45	1981	0.015	47	0.39
5 17	36	42	109	1977	76	1997	59	40	71	1965	44	1997	0.019	47	0.43
5 18	98	43	110	1960	82	1997	60	42	71	1990	45	1997	0.010	47	0.25
5 19	93	44	106	1974	78	1984	61	42	69	1993	53	1975	0.037	47	0.55
5 20	37	46	107	1996	79	1984	61	44	70	1993	48	1979	0.036	47	0.65
5 21	98	45	109	1981	80	1982	61	44	70	1990	46	1953	0.025	47	0.50
5 22	98	46	113	1981	77	1970	61	45	71	1996	50	1969	0.012	47	0.22
5 23	97	45	107	1958	65	1989	62	44	72	1976	49	1973	0.015	47	0.38
5 24	98	45	109	1980	69	1986	62	43	70	1972	51	1973	0.042	47	0.61
5 25	97	44	110	1990	73	1986	62	43	69	1987	50	1973	0.094	47	1.67
5 26	96	46	110	1990	79	1986	62	45	69	1990	52	1976	0.030	47	0.51
5 27	97	46	112	1994	82	1966	62	46	72	1990	46	1983	0.030	47	0.77
5 28	97	47	114	1994	78	1996	63	47	72	1991	48	1983	0.092	47	2.00
5 29	98	45	112	1980	82	1966	63	45	71	1991	48	1983	0.031	47	0.72
5 30	98	47	107	1957	84	1978	62	47	72	1993	41	1995	0.158	47	1.89
7 1	96	45	108	1957	77	1970	63	45	72	1968	52	1975	0.026	46	0.34
7 2	97	43	108	1994	84	1988	63	43	72	1955	53	1985	0.050	45	1.83
7 3	97	42	109	1994	78	1986	64	42	74	1990	55	1975	0.032	45	0.63
7 4	97	43	108	1980	75	1968	63	44	75	1990	40	1988	0.069	45	1.15
7 5	96	44	109	1994	71	1968	63	44	69	1994	54	1995	0.107	46	2.96
7 6	96	44	106	1971	75	1972	63	44	72	1966	56	1985	0.055	46	1.05
7 7	97	45	106	1992	71	1960	63	45	72	1993	53	1958	0.095	46	2.46
7 8	97	44	110	1951	72	1952	63	44	72	1993	54	1952	0.060	46	0.88
7 9	96	42	109	1951	82	1952	64	42	72	1996	56	1985	0.078	46	2.25
7 10	96	42	106	1951	78	1981	64	42	70	1991	57	1995	0.064	46	1.11
7 11	96	42	106	1963	79	1988	64	42	71	1990	57	1994	0.049	46	0.88
7 12	96	46	106	1970	83	1975	64	46	71	1951	56	1975	0.063	46	0.96
7 13	95	46	112	1958	74	1991	63	46	71	1996	53	1975	0.088	45	1.04
7 14	95	45	112	1958	73	1991	63	45	71	1958	54	1962	0.063	45	1.43
7 15	95	45	106	1958	78	1991	62	45	70	1970	52	1959	0.158	45	1.42
7 16	96	44	106	1980	85	1991	63	44	73	1970	53	1975	0.061	44	1.42
7 17	96	45	108	1980	83	1975	63	45	73	1983	50	1955	0.104	46	1.30
7 18	95	43	108	1978	84	1984	63	43	71	1996	52	1988	0.020	46	0.48
7 19	95	45	105	1978	84	1984	64	45	73	1965	49	1988	0.025	44	0.24
7 20	96	44	106	1963	80	1979	64	44	74	1970	48	1988	0.092	45	1.22
7 21	95	45	105	1951	75	1988	63	45	69	1966	43	1988	0.049	46	1.38
7 22	95	44	105	1996	78	1975	63	44	73	1996	55	1988	0.103	45	1.57
7 23	95	45	108	1963	82	1976	63	45	69	1979	57	1988	0.063	45	0.65
7 24	95	44	108	1963	81	1978	63	44	72	1963	51	1961	0.104	45	1.13
7 25	96	44	106	1963	77	1991	63	43	73	1969	54	1975	0.088	46	1.90
7 26	95	45	106	1995	77	1991	62	45	73	1969	46	1988	0.092	46	1.63
7 27	96	45	109	1995	83	1973	63	45	71	1966	47	1988	0.037	46	0.41
7 28	95	45	110	1995	85	1955	63	45	75	1954	51	1988	0.117	46	1.15
7 29	95	45	104	1983	84	1981	63	45	73	1966	48	1988	0.049	46	0.62
7 30	95	45	106	1995	81	1990	63	45	70	1966	56	1953	0.052	46	1.70
7 31	95	46	104	1972	70	1971	64	46	77	1969	47	1988	0.071	45	2.03
8 1	95	44	107	1966	83	1973	64	44	75	1972	55	1990	0.083	45	1.00
8 2	95	45	103	1987	85	1995	64	45	73	1972	56	1971	0.062	46	2.05
8 3	96	45	106	1980	83	1971	64	45	70	1970	56	1961	0.091	46	1.44
8 4	95	44	103	1980	76	1974	63	44	72	1969	51	1988	0.087	46	2.54
8 5	95	46	107	1977	78	1974	63	46	74	1989	51	1988	0.029	46	0.36
8 6	97	45	103	1980	86	1971	62	44	67	1993	50	1975	0.017	46	0.35
8 7	97	43	104	1985	73	1990	62	44	69	1996	48	1988	0.067	46	1.67
8 8	95	44	105	1994	75	1990	62	44	70	1987	49	1990	0.070	46	1.68
8 9	95	45	103	1977	71	1984	62	45	70	1995	53	1990	0.102	46	1.42
8 10	94	44	105	1977	71	1984	61	43	70	1951	50	1988	0.155	46	2.02
8 11	93	43	102	1992	74	1984	62	43	69	1983	48	1988	0.019	46	0.35
8 12	92	46	100	1969	77	1981	60	46	69	1993	52	1988	0.148	46	2.80
8 13	93	45	102	1969	72	1980	61	46	70	1989	48	1988	0.017	46	0.28
8 14	94	45	103	1969	83	1981	62	44	67	1991	55	1960	0.051	45	1.10
8 15	94	44	103	1962	81	1991	62	44	69	1986	54	1960	0.051	46	0.51
8 16	94	45	104	1982	82	1991	62	45	70	1982	48	1988	0.050	46	1.17
8 17	95	44	107	1978	80	1979	62	45	68	1991	50	1973	0.095	46	1.67
8 18	95	41	105	1969	79	1979	62	42	70	1969	53	1962	0.040	46	0.69
															0.00


3	19	34	44	107	1969	32	1961	62	45	67	1994	55	1962	0.029	46
3	20	33	44	104	1970	30	1961	62	44	71	1995	54	1970	0.111	46
3	21	93	44	103	1986	32	1979	61	44	71	1982	47	1998	0.073	46
3	22	93	43	104	1983	82	1958	61	43	69	1952	53	1967	0.156	46
3	23	92	44	104	1985	66	1966	61	44	68	1952	53	1976	0.090	46
3	24	92	44	102	1985	67	1974	60	44	68	1992	52	1960	0.079	45
3	25	93	45	103	1985	74	1974	61	45	68	1969	51	1973	0.110	46
3	26	92	46	103	1985	76	1974	60	46	67	1977	49	1975	0.053	46
3	27	93	45	102	1985	74	1972	60	43	68	1977	49	1970	0.062	46
3	28	93	42	104	1962	78	1980	61	42	69	1952	53	1980	0.103	46
3	29	93	40	102	1962	82	1974	59	43	67	1969	40	1988	0.010	46
3	30	92	45	103	1962	71	1963	60	44	68	1969	44	1988	0.038	46
3	31	92	44	101	1964	74	1963	59	43	65	1989	41	1988	0.071	46
3	1	91	42	103	1952	74	1993	60	42	69	1983	46	1988	0.050	44
3	2	91	43	101	1982	80	1969	58	43	68	1989	48	1988	0.075	45
3	3	92	41	101	1979	64	1972	59	41	68	1979	47	1955	0.038	46
3	4	91	42	104	1983	69	1974	58	42	67	1983	42	1961	0.025	46
3	5	91	43	102	1992	77	1967	57	43	67	1983	44	1961	0.117	46
3	6	91	41	106	1983	70	1981	57	41	65	1990	43	1984	0.047	45
3	7	90	42	105	1983	72	1973	57	42	66	1990	44	1952	0.088	45
3	8	90	40	100	1970	65	1973	57	41	65	1979	45	1952	0.108	46
3	9	89	44	101	1970	70	1981	57	44	66	1991	41	1953	0.058	46
3	10	88	45	102	1992	57	1976	57	45	67	1983	42	1956	0.086	45
3	11	89	43	99	1963	69	1980	56	42	64	1972	42	1960	0.030	46
3	12	88	42	99	1974	75	1989	56	42	65	1993	40	1959	0.070	46
3	13	87	45	98	1956	52	1975	55	45	63	1991	40	1959	0.075	46
3	14	87	44	98	1960	55	1975	55	44	64	1986	37	1959	0.060	45
3	15	86	43	104	1956	62	1979	54	43	63	1992	36	1959	0.065	45
3	16	86	44	101	1956	64	1979	53	44	63	1985	41	1951	0.017	46
3	17	88	43	99	1956	61	1979	53	43	63	1970	37	1951	0.030	46
3	18	88	43	98	1983	59	1971	53	43	64	1995	37	1951	0.018	46
3	19	87	43	99	1954	49	1971	54	43	66	1960	39	1968	0.075	46
3	20	87	44	99	1951	49	1991	53	44	63	1990	34	1971	0.041	46
3	21	85	44	98	1977	52	1991	52	44	63	1990	34	1983	0.057	46
3	22	82	43	97	1959	50	1995	51	43	64	1990	33	1975	0.063	46
3	23	82	44	97	1961	53	1974	51	44	67	1993	36	1975	0.058	45
3	24	83	39	98	1953	54	1974	51	40	65	1993	39	1975	0.059	44
3	25	84	42	97	1951	58	1974	49	41	59	1964	38	1975	0.081	46
3	26	85	42	101	1953	62	1978	50	42	61	1967	40	1975	0.162	46
3	27	84	42	99	1982	59	1980	48	41	59	1982	37	1989	0.071	46
3	28	84	43	98	1953	62	1980	48	43	62	1982	33	1973	0.035	45
3	29	84	43	98	1994	52	1984	48	43	60	1983	34	1976	0.025	46
3	30	84	43	97	1994	54	1985	48	42	62	1983	34	1996	0.010	45
10	1	84	38	99	1977	53	1985	48	38	62	1983	35	1963	0.034	46
10	2	84	41	94	1969	56	1985	47	41	67	1954	35	1975	0.051	46
10	3	83	42	95	1973	67	1959	47	42	59	1981	30	1961	0.044	46
10	4	82	44	93	1991	69	1959	46	42	61	1955	31	1961	0.035	46
10	5	82	42	94	1993	62	1966	46	43	59	1954	30	1959	0.014	46
10	6	81	44	95	1967	62	1986	46	44	62	1977	30	1995	0.044	46
10	7	80	45	94	1956	62	1986	44	46	62	1977	30	1952	0.117	46
10	8	82	45	98	1979	54	1976	44	44	59	1968	19	1976	0.018	45
10	9	83	42	98	1979	60	1970	44	42	62	1961	24	1970	0.032	46
10	10	82	42	93	1969	62	1990	43	42	57	1954	27	1992	0.032	46
10	11	83	43	93	1969	67	1982	42	44	57	1972	29	1976	0.017	46
10	12	82	44	93	1996	58	1986	42	44	58	1972	28	1977	0.073	46
10	13	81	45	95	1968	48	1986	42	44	56	1953	30	1977	0.016	46
10	14	81	42	94	1996	57	1969	41	43	56	1996	30	1969	0.010	46
10	15	79	42	94	1962	57	1974	40	41	53	1996	30	1952	0.033	46
10	16	77	40	90	1989	42	1970	39	41	53	1981	25	1975	0.018	46
10	17	78	41	95	1979	61	1969	40	41	56	1993	27	1976	0.093	46
10	18	77	44	95	1988	53	1989	40	44	59	1972	21	1966	0.020	46
10	19	77	44	88	1995	55	1989	39	45	58	1969	19	1989	0.033	46
10	20	75	45	89	1979	42	1972	38	45	55	1986	17	1976	0.078	46
10	21	76	44	92	1979	46	1972	38	44	56	1985	21	1989	0.071	46
10	22	75	42	90	1961	52	1996	38	41	55	1985	24	1990	0.040	46



								H1	YR	L9								
12	27	55	42	75	1980	23	1983	20	42	36	1979	1	1973	0.008	47	0.19	1968	0.00
12	28	57	43	73	1980	35	1985	21	45	39	1984	-6	1987	0.005	47	0.19	1990	0.03
12	29	58	46	76	1980	29	1982	22	46	42	1984	2	1966	0.026	47	0.37	1969	0.16
12	30	56	44	80	1965	23	1983	20	44	50	1951	-7	1983	0.016	46	0.37	1969	0.08
12	31	57	41	75	1965	19	1969	20	41	54	1951	-2	1983	0.007	46	0.12	1974	0.03

*Western Regional Climate Center, Greg McCurdy, [gmrcc@sage.dri.edu](mailto:gmrcc@sage.dri.edu)*





**G PIPE PERFORATION DETAIL**



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-26

**Project Title:** Triassic Park

**Project No.:** 602-0200

**Calculation Title:** Pipe Crushing

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Paul Pellicer 11/15/97

**Checked By:** John Pellicer **Date:** 11/15/97

**Reviewed By:** Pat Corser **Date:** 11/15/97

Revisions	Date	By	Checked By	Reviewed By



Terra Matrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name Truss-E Park  
Project Number 602-0200  
Prepared By P. Petruccer  
Sheet 1 of 8  
Checked By J. Petruccer  
Date: 15-Nov-97  
Date: 15-Nov-97

### Pipe crushing.

Objective: Evaluate adequacy of 12"+18" SDR 11 pipe against crushing.

Method: Compare Estimated Strains in the sump gravels placed around the sump pipes to allowable strains in the HDPE Pipe. Pipe should not strain more than than surrounding soils due to bridging.

$$\sigma = E \epsilon$$

$\sigma$  = stress (overburden pressure)

E = Modulus of Elasticity

$\epsilon$  = strain.

Worst case 18" pipe, 160 ft of waste.

Estimate strain in gravel:

Gravel thickness same as pipe diameter.

$$\sigma = (165 \text{ ft})(120 \text{ psf}) = 17600 \text{ psf} \Rightarrow 122 \text{ psi}$$

$$\epsilon = \frac{\sigma}{E}$$

$$E = 4000 \text{ ksf} \text{ for gravel (see pg 2)} \\ = 27,7000 \text{ psi}$$

$$\epsilon_{gravel} = \frac{122}{27700} = 0.004 \Rightarrow 0.4\%$$

Allowable Ring deflection ( $\epsilon_{pipe}$ ) = 2.7% for SDR 11 pipe (see pg 3.)

$$S.F. = \frac{2.7\%}{0.4\%} = 6.75$$

Conclusions: Pipes will not exceed recommended allowable deflections. Therefore pipe will be ok. This is consistent w/ the attached paper (see pg f-8) which suggests allowable burial depth are much greater than suggested burial depth. Our experience also suggests that HDPE pipes perform well at large burial depth.

Z. 98  
G02-0200

GEOTECHNICAL PROPERTIES. TESTING. INDEX SETTLEMENT. STRENGTH CORRELATIONS 99

15-Nov-97

PMP

TABLE 2-7 Typical range of values for the static stress-strain modulus  $E_s$  for selected soils

Field values depend on stress history, water content, density, etc.

Soil	$E_s$	
	ksf	Mpa
<b>Clay</b>		
Very soft	50-250	2-15
Soft	100-500	5-25
Medium	300-1000	15-50
Hard	1000-2000	50-100
Sandy	500-5000	25-250
<b>Glacial till</b>		
Loose	200-3200	10-150
Dense	3000-15000	150-720
Very dense	10000-30000	500-1440
Loess	300-1200	15-60
<b>Sand</b>		
Silty	150-450	5-20
Loose	200-500	10-25
Dense	1000-1700	50-81
<b>Sand and gravel</b>		
Loose	1000-3000	50-150
Dense	2000-4000	100-200
Shale	3000-300000	150-5000
Silt	40-400	2-20

The *modulus of subgrade reaction*  $k_s$  is defined as the ratio of stress to deformation as shown on Fig. 2-37c. The units of  $k_s$  are the same as unit weight.

The shear modulus  $G'$  (and may be subscripted) is defined as the ratio of shear stress to shear strain. It is related to  $E_s$  and  $\mu$  as

$$G' = \frac{s}{\epsilon_s} = \frac{E_s}{2(1 + \mu)} \quad (b)$$

The shearing strain  $\epsilon_s$  is the change in right angle at any corner of an element as in Fig. 2-37b such that

$$\epsilon_s = \text{angle } BCD - \text{angle } B'C'D' \quad (c)$$


Another concept occasionally used is the volumetric strain, defined as

$$\epsilon_v = \frac{\Delta V}{V} = \epsilon_1 + \epsilon_2 + \epsilon_3 \quad (d)$$

Design by Ring Deflection: Ring deflection is defined as the ratio of the vertical change in diameter to the original diameter. It is often expressed as a percentage. Ring deflection for buried Driscopipe is conservatively the same as (no more than) the vertical compression of the soil envelope around the pipe. Design by ring deflection matches the ability of Driscopipe to accommodate, without structural distress, the vertical compression of the soil enveloping the buried pipeline. Design by ring deflection comprises a calculation of vertical soil strain to insure it will be less than the allowable ring deflection of the pipe. See Chart 27. The tabulation shows that with lower values of SDR, the allowable deflection is less. For installations which require this thicker wall to resist the external soil pressure, actual ring deflection can easily be limited to the tabular values by proper compaction of the backfill around the pipe. The recommended allowable deflection for the various SDR's are:

CHART 27

SDR	ALLOWABLE RING DEFLECTION
32.5	8.1%
26.0	6.5%
21.0	5.2%
19.0	4.7%
17.0	4.2%
15.5	3.9%
13.5	3.4%
11.0	2.7%



$$\% \text{ RING DEFLECTION} = \left( 1 - \frac{D_{\min}}{D_o} \right) \times 100\%$$

NOTE: 5% deflection decreases flow-area by 1%. 10% deflection decreases flow-area by 1%.

The allowable ring deflection of polyethylene pipe is a function of the allowable tangential strain in the outer surface of the pipe wall. A conservative limit of 1 - 1½% tangential strain in the outer surface of the pipe wall due to vertical deflection of the pipe "ring" by soil compression can be understood by comparing two pipes of the same diameter but different wall thickness.

Assume each of the pipes is equally deflected under loads required to achieve that result. The tangential surface strain developed in the thickwall pipe is much greater than the surface strain in the thinwall pipe. The tangential strain varies directly as the wall thickness (i.e.: distance from the neutral axis) and is proportional to the amount of ring deflection. For a given ring deflection, the thicker the wall, the higher the strain.

Alternately, assume that each of the pipes are subjected to loads such that the tangential surface strain in the pipe's wall surface is equal for both pipes. For equal surface strain, the degree of vertical deflection of the pipe ring is different for the two pipes. Under these circumstances, the degree of deflection would be less for the thickwall pipe and greater for the thinwall pipe.

MASKELL-ROBBINS, INC.  
9541 S. Bagley Park Rd.  
West Jordan, UT 84088,  
1-800-648-HDPE or  
(801)-569-8600

4-5 C S  
592-9240  
15-Nov-  
PMP

Report on the

STRUCTURAL PERFORMANCE OF PERFORATED AND SLOTTED  
HIGH-DENSITY POLYETHYLENE PIPES UNDER HIGH SOIL COVER

KC. PUBLIC WORKS  
DEPARTMENT OF  
ENGINEERING SECTION

Submitted to: King County Solid Waste  
601 FX McRory Building  
419 Occidental Avenue South

Attention: Mr. Gerald D. Walken, P.E., Senior Engineer

Submitted by: Department of Civil and Environmental Engineering  
Utah State University  
Logan, UT 84322

Principal Investigator: Reynold K. Watkins, Professor

Date: 1987 Aug 31

Introduction:

High density polyethylene pipes are an attractive alternative for the collection and transmission of fluids under sanitary land fills. Polyethylene pipes are classified as flexible. They do not have pipe stiffness equal to clay tile pipes, concrete pipes, ductile pipes, etc. Nevertheless, despite the low pipe stiffness, if polyethylene pipe is buried in a select granular soil backfill, it can provide a successful conduit by the interaction of pipe and soil. The height of sanitary land fills is often so great that pipes underneath are subjected to enormous soil pressure. The question has been raised as to the competence of polyethylene pipes to resist the external soil pressure. Soil pressure is the pressure caused by the high embankment of soil and refuse. Tests conducted at Utah State University reveal that when buried in well-compacted, select, pipe zone backfill, high density polyethylene pipes perform well under very high soil cover -- even into the hundreds of ft. Moreover, the polyethylene is not corroded by chemicals that percolate out of the sanitary land fill.

In order to collect and drain off the liquids and methane gas that is generated in the sanitary land fill, the pipes can be perforated or slotted. However, it is not known what effect perforations or slots may have on the structural performance of the pipe under high soil cover. Clearly, stress concentrations will occur, but the polyethylene may relax enough that fracture does not occur. The best investigation is actual testing. Therefore tests similar to the tests on non-perforated pipes, were conducted on samples of perforated and slotted pipes in the USU small soil cell. The pipe zone backfill was washed, pit-run gravel passing a three-fourths sieve. This is typical of soil used in most installations of polyethylene pipe.

50c.8  
502-0207  
PMP  
2  
15-Nov-91

Subject:

The primary objective of the tests was to observe the structural performance under high soil pressures of high-density polyethylene pipes that are perforated and slotted. Pipe zone backfill was shovel-sliced under the haunches of the pipes.

A secondary objective was to observe the structural performance of a non-perforated pipe under high soil pressure if pipe zone backfill is merely dumped over the pipe in a windrow with no attempt to place the soil under the haunches of the pipe.

Procedure:

Four specimens of six inch diameter, SDR 9.33, high density polyethylene pipes, each 5.5 ft long, were provided by King County Solid Waste. One of these pipes was unperforated. It served as a control for comparison of the other pipes. It also provided information as to the performance of the pipe if no soil is placed under the haunches. One of the other specimens was perforated and two were slotted as described in Appendix A. Soil was placed under the haunches of these pipes by shovel-slicing.

Tests were conducted in the USU small soil cell. The bedding was well-compacted soil on which the pipe specimen was laid. Pipe zone backfill was washed pit-run gravel that passed a three-fourths inch sieve. The pipe zone backfill was not compacted. Two different methods of pipe installation were used as shown on Figures 2 and 3. Both perforated and slotted pipe specimens were tested in a trench as shown in Figure 2. With the first lift of backfill placed to approximately the top of the pipe, a hand shovel was used to shovel-slice the soil under the haunches. After shovel-slicing, pipe zone backfill was placed over the pipe to a depth of about 1.25 ft. In the sanitary land fill, the overburden would be refuse and/or soil. In these tests, uncompacted soil was used. The unperforated pipe specimen was tested in an embankment as shown in Figure 3. After the pipe was placed on a compacted bedding, pipe zone backfill was poured onto the top of the pipe until a windrow reached a height of 1.0 ft above the top of the pipe. No effort was made to place soil under the haunches. This simulates a very typical method of installation of pipes. An embankment of overburden was then brought up to the top of the soil cell and leveled off. The overburden was uncompacted soil used in the test to simulate the refuse overburden in the sanitary land fill. Figures 4 and 5 are photographs of the soil cell as a pipe specimen is placed and backfilled for testing. After the cell was filled to the top with overburden, the loading beams were placed and load was applied to the overburden in increments. After each increment, the pipe was carefully observed for any evidence of distress. Vertical and horizontal diameters were measured near the mid-length of the pipe specimen.

6 of 5  
372-7210  
PMP  
J.  
15-Nov-72

Pipe Dimensions:

Nominal six inch diameter, SDR = 9.3  
Measured: SDR = 8.5 standard dimension ratio  
OD = 6.555 in average outside diameter  
ID = 5.013 in average inside diameter  
 $t = 0.771$  in average wall thickness  
 $s = 0.039$  in standard deviation of wall  
thickness (plus or minus)  
Minimum wall thickness = 0.731 in  
Maximum wall thickness = 0.847 in

Perforations: Diameter = 0.475 in  
Orientation when buried is such that two rows of slots are on the spring lines.

Slots: Widths = 0.106 in  
Orientation when buried is such that the ends of the slots are at the spring line, i.e. at the horizontal diameter.

See Appendix A for location and orientation of perforations and slots. The reason for positioning two rows of perforations and one end of each row of slots on the spring lines is to assure the worst conditions for stress concentration. The maximum compressive stress occurs at the spring line, and the maximum stress concentration occurs at the side of a perforation and the corner of a sawed slot on the surface of the pipe wall.

Theoretical Stresses:

For plastics in general, and for polyethylene in particular, the stress theory of design is not appropriate. Even if stresses exceed the proportional limit, the material only yields, and creeps, and comes to equilibrium. Nevertheless, a theoretical stress analysis is possible as included in Appendix A. Assuming a height of cover of 200 ft at 50 lbs per cubic ft, the average compressive stress at the spring line is 2.6 ksi for perforations and for slots is 2.3 ksi for four slots per ft, and 2.5 ksi for fourteen slots per ft. This is the sum of both ring compression stress and flexural stress based on ring deflection. The ring deflection is assumed to be 3.58. These average stresses are close to yield point but are not excessive in light of the relaxation properties of polyethylene. Including stress concentrations, stress at the sides of the perforations would be 6.45 ksi if the material didn't yield. At the ends of the slots, the stress concentrations would not be significantly greater than the average stresses. If any stress were considered excessive, it would be the stress at the sides of the perforations. But no evidence of distress was observed from the physical tests.

8 of  
5:2 - 127  
PMP  
S. KTH

than a day. As the pipe deflection comes to equilibrium, the stresses in the pipe relax, and the gravel backfill is forced to take a greater share of the load. Even loose gravel is able to support high vertical pressure with little compression.

5. Performance limits for the test specimens were not reached. Load limits were not achieved. Consequently, a sample of the perforated pipe was tested by parallel plate test to observe performance at high ring deflection. The results are shown in the load-deflection diagram of Figure 11. Localized stress at the sides of the perforations was not visible even at a ring deflection of 30%. It would be impossible for gravel to compress enough to allow 30% ring deflection without crushing of the gravel particles. Crushing could not occur for typical gravels at less than some 400 ksf which is equivalent to 4000 ft of soil cover at 100pcf. This is far above any anticipated fill heights for sanitary land fills at present. Furthermore, yielding of polyethylene is not a performance limit. It does not forebode pipe failure. It allows pipe to conform with the soil.

#### Conclusions:

1. When buried in washed gravel, six inch SDR 9.33 polyethylene pipes perform satisfactorily under cover of 200 ft of fill at 50 lbs per cubic ft even though the gravel is not compacted. Shovel-slicing gravel under the haunches may be advisable. It assures a better bedding for the pipe, especially if the surface on which the pipe is laid is not a plane. Shovel-slicing could be specified. Nevertheless, pipe laid on a plane surface, without gravel being shovel-sliced under the haunches, still performs adequately. With the pipe on a firm plane surface, shovel-slicing only serves to increase the margin of safety by some small, unknown amount.

2. The upper limit of vertical soil pressure on six inch SDR 9.33 polyethylene pipe buried in gravel is unknown, but a parallel plate test on the perforated pipe indicates that the upper limit is many times greater than 200 ft at 50 pcf.

3. Ring deflection of six inch SDR 9.33 polyethylene pipe buried in loose, washed gravel is less than the vertical compression of the gravel. Under a fill height of 200 ft at 50 lbs per cubic ft, ring deflection is less than about 3.3%.

4. Distress, such as concentrated stress at the sides of perforations, is not a performance limit in these tests. There is no evidence of cracking or tearing, or even that cracking or tearing could occur if the pipe is confined by burial in gravel.

5. Six inch SDR 9.33 polyethylene pipes are an attractive alternative as drain pipes under sanitary land fills. Perforations and slots do not reduce load carrying capacity significantly except for the small reduction in cross sectional area of the pipe wall.



28

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 6  
1445 ROSS AVENUE, SUITE 1200  
DALLAS, TX 75202-2733

March 14, 1996

Mr. Benito Garcia, Chief  
Hazardous and Radioactive Bureau  
New Mexico Environment Department  
P.O. Box 26110  
Santa Fe, New Mexico 87502



RE: Gandy Marley Inc., Triassic Park Hazardous Waste Facility,  
Part B Application and the Corresponding Revisions

Dear Mr. Garcia:

The Environmental Protection Agency (EPA) has completed a technical review of the landfill design for Gandy Marley Inc. and has determined that it meets the requirements of 40 CFR 264.300 thru 264.317. If you have any further questions, please contact Mr. Rich Mayer at (214) 665-7442.

Sincerely yours,

*Rich Mayer*  
*for David Neleigh, Section Chief*  
*New Mexico - Federal Facilities*



State of New Mexico  
ENVIRONMENT DEPARTMENT  
Harold Runnels Building  
1190 St. Francis Drive, P.O. Box 26110  
Santa Fe, New Mexico 87502  
(505) 827-0169

MARK E. WEIDLER  
SECRETARY

GARY E. JOHNSON  
GOVERNOR

EDGAR T. THORNTON, III  
DEPUTY SECRETARY

DATE: March 11, 1996

MEMORANDUM

TO: Bob Sweeney, Hazardous Waste Bureau  
FROM: Rich Stafford, Solid Waste Bureau  
SUBJECT: Triassic Park liner and cover design  
HELP model review

The HELP model output files dated February 28, 1996 submitted by TerraMatrix in a report dated March, 1996 in fulfillment of the requirements for an alternate liner demonstration show a leakage rate of 0.008 cubic feet per year and 0.002 cubic feet per year for the bottom and the slope, respectively. The comparable values for the §264.301(c)(1)(i)(B) liner are 2.587 and 0.042. This satisfies the "alternative design" requirement of §264.301(b).

Attached are the final cover HELP model output files submitted by TerraMatrix on March 8 and 9. The copy received by the Solid Waste Bureau by FAX dated March 9 is modeled with (1) a minimum grade of 5%, (2) a maximum drainage distance of 1000 feet, and (3) poor grass. This cover shows an infiltration rate through the FML of 0.001 cubic feet per year. This is less than the percolation rate through the alternate liner, 0.008 cubic feet per year through the bottom and 0.002 on the slope, and thus meets the requirements of §264.310(5).

Please note these comments are restricted to the demonstrations required by §264 and do not specifically address the other design items we discussed last week. It is my understanding the Solid Waste Bureau has no further outstanding issues pertaining to the Triassic Park facility.

cc: Dale Gandy, Gandy Marley, Inc.  
John J. Kendall, TerraMatrix  
Mark Weidler, NMED Secretary  
Pete Maggiore  
Ed Kelley  
Gerald Silva  
J. David Duran

attachments

*Prepared for:*

**Gandy Marley, Inc.**  
P.O. Box 872  
1109 E. Broadway  
Tatum, NM 88267

**Triassic Park Hazardous Waste Facility Landfill  
Alternative Liner System HELP Analysis  
(Revision 1)**

March 1996

*Prepared By:*

**TerraMatrix Inc.**  
Engineering and Environmental Services  
165 South Union Boulevard, Suite 460  
Lakewood, Colorado 80228

## TABLE OF CONTENTS

	Page No.
<b>1.0 INTRODUCTION .....</b>	<b>1</b>
1.1    BACKGROUND .....	1
1.2    HELP PROGRAM DESCRIPTION .....	1
1.3    REPORT ORGANIZATION .....	1
<b>2.0 TRIASSIC PARK LANDFILL LINER ALTERNATIVES .....</b>	<b>2</b>
2.1    RCRA SUBTITLE C MINIMUM TECHNOLOGY LINER SYSTEM .....	2
2.2    PROPOSED ALTERNATIVE LINER SYSTEM .....	3
2.3    COVER .....	3
<b>3.0 HELP ANALYSIS METHODOLOGY .....</b>	<b>4</b>
3.1    ALTERNATE LINER EQUIVALENCY DEMONSTRATION METHOD .....	4
3.2    ALTERNATE COVER DEMONSTRATION METHOD .....	5
<b>4.0 HELP PROGRAM INPUTS .....</b>	<b>6</b>
4.1    CLIMATIC DATA .....	6
4.2    SOIL AND DESIGN DATA .....	6
4.2.1    Waste .....	6
4.2.2    Protective Soil .....	7
4.2.3    Lateral Drainage (Sand) .....	7
4.2.4    Lateral Drainage (Geocomposite) .....	7
4.2.5    Barrier (FML: HDPE) .....	8
4.2.6    Barrier (Clay) .....	8
4.2.7    Barrier (GCL) .....	8
4.2.8    Prepared Subgrade .....	8
4.3    LANDFILL COVER DATA .....	9
<b>5.0 HELP PROGRAM RESULTS .....</b>	<b>10</b>
5.1    ALTERNATE LINER EQUIVALENCY DEMONSTRATION .....	10
5.2    ALTERNATE COVER DEMONSTRATION .....	11
<b>6.0 CONCLUSIONS .....</b>	<b>12</b>
<b>7.0 REFERENCES .....</b>	<b>13</b>

## LIST OF TABLES

Table No.	Title
1	Summary of HELP Analysis Results Years 0 - 5 MTR, Proposed Alternate, and Cover
2	Proposed Alternative - Inputs and Results Years 0 - 5
3	MTR - Inputs and Results Years 0 - 5
4	Cover Alternative - Inputs and Results Years 0 - 5
5	Proposed Alternative - Inputs and Results Years 0 - 40
6	MTR - Inputs and Results Years 0 - 40

## LIST OF FIGURES

Figure No.	Title
1	RCRA Subtitle C Minimum Technology Liner System
2	Proposed Alternative: Double Liner with GCL and Geocomposite
3	Typical Cover System

## LIST OF APPENDICES

Appendix	Title
A	HELP Input Data Sheets
B	HELP Simulation Summary Printouts - Volume II - Went to Stat only - other
C	NMED Draft Guidance Document for Performance Demonstration reports had no appendices

## 1.0 INTRODUCTION

In conjunction with engineering design and permitting tasks associated with the Gandy Marley Incorporated Triassic Park Hazardous Waste Facility RCRA Part B Permit Application, TerraMatrix Inc. has conducted a hydrologic evaluation of a potential landfill liner design alternative. This analysis was performed using the Hydrologic Evaluation of Landfill Performance (HELP) model, a computer program developed by the United States Environmental Protection Agency (EPA). Contained herein are descriptions of the liner alternatives, a discussion of the HELP program input parameters and modeling methodologies employed, and a discussion of the modeling results.

### 1.1 BACKGROUND

The proposed Triassic Park Facility is a full service hazardous waste treatment, storage, and disposal facility. Its primary disposal unit will be a large multi-phase lined landfill with an expected life of 30 years. A conceptual design for the proposed landfill liner system and a request and justification for a waiver from minimum technology requirements (MTR) was submitted in the RCRA Part B Permit Application. Per the request of Gandy Marley Inc., an additional waiver justification report was prepared and submitted to the New Mexico Environmental Department (NMED) to clarify hydrologic concerns related to the liner. Following review of these documents, NMED rejected the original proposed landfill liner presented in the Part B Application. TerraMatrix then prepared an analysis of five potential liner alternatives using EPA's HELP model, three of which were shown to provide equivalent leakage protection as the MTR liner system. This report, revision 1 of the above mentioned HELP analysis, presents the alternative landfill liner design selected by Gandy Marley, Inc. and the Revision 0 results of the hydrologic modeling conducted to compare its effectiveness in preventing leakage of hazardous constituents to that of the MTR liner system defined in 40 CFR 264.301(c). This report presents an alternative cover performance demonstration requested by NMED.

### 1.2 HELP PROGRAM DESCRIPTION

The HELP model is a computer program which models the water movement into, through, and out of landfills. The model accepts climatic, soil, and design data, and utilizes a solution technique that accounts for the effects of surface storage, run-off, infiltration, percolation, evapotranspiration, soil moisture storage, and lateral drainage. Landfill systems including various combinations of vegetation, cover soils, waste cells, special drainage layers, and low permeability barrier soils, as well as, special synthetic membrane covers and liners, may be modeled.

HELP was developed by the U.S. Army Corps of Engineers Waterways Experiment Station (WES) for the EPA Municipal Research Laboratory, Cincinnati, OH. HELP Version 3.04a dated July, 1995 was used in this analysis. HELP version 3.03 dated December 1994 was used in the Revision 0 analysis. The latest version, HELP Version 3.04a, incorporates new weather data handling capabilities , drainage layer routines, peak daily head routines, and evapotranspiration routines.

### 1.3 REPORT ORGANIZATION

Including this section, this report is organized into seven Sections. Section 2.0 presents the landfill liner designs including detailed descriptions of the construction materials contemplated. Section 3.0 discusses the HELP modeling methodologies used to evaluate the liner alternative and MTR. Section 4.0 presents the HELP inputs and selection rationale. Section 5.0 discusses the HELP analysis results. Section 6.0 presents the conclusions of the analysis and Section 7.0 presents report references. Summary tables, figures, and appendices follow the report.

## 2.0 TRIASSIC PARK LANDFILL LINER ALTERNATIVES

The liner designs considered in this analysis include the RCRA Subtitle C minimum technology liner system described in 40 CFR 301 and proposed alternative. Figures 1 and 2, following the text, illustrate the slope and floor liner material components for each design approach.

The MTR consists of primary and secondary liners with leachate collection and removal systems (LCRS) above and between the liners. The LCRS system between the liners is also referred to as a leak detection system (LDS). The LCRS and LDS drainage systems consist of a sand drainage layer surrounded by geotextile filter fabric where required. The primary barrier layer consists of a single flexible membrane liner (FML). The secondary barrier layer is a composite liner consisting of 3 feet of compacted clay overlain by an FML.

The proposed alternative is a double high density polyethylene (HDPE) liner design with LCRS and LDS which incorporate geocomposite drainage layers instead of sand geotextile layers. Additionally, a geosynthetic clay liner (GCL) and a 6 inch layer of prepared subgrade is used instead of 3 feet of compacted clay in the bottom barrier layer.

The cover design shown in Figure 3 consists of, from the top down, a vegetative cover, a geocomposite drainage layer, a HDPE flexible membrane cover (FMC), a GCL, 6 inches of prepared subgrade, and 1.5 feet of cover soil. It should be noted that a GCL in combination with 6 inches of prepared subgrade is substituted for a processed clay layer in the cover section.

The sections below present additional design details and discuss the materials contemplated for use in each alternative.

### 2.1 RCRA SUBTITLE C MINIMUM TECHNOLOGY LINER SYSTEM

40 CFR 301(1)(T) defines what is nominally referred to as the minimum technology liner system , or MTR. The liner system must include the following:

- A top liner (e.g., a geomembrane).
- A composite bottom liner, consisting of at least two components (e.g., a geomembrane upper component with a 3 foot thick clay bottom layer with a maximum hydraulic conductivity of  $1 \times 10^{-7} \text{ cm/sec}$ ).
- A LCRS on top of the top liner and a leachate collection and detection system between the liners (also referred to as a LDS).

The MTR system presented in this analysis consists of the following components, from the top down:

- A 2 foot protective soil layer.
- LCRS: geotextile - 1 foot thickness of drainage sand - geotextile (optional) .
- FML top liner: HDPE.
- LDS: geotextile - 1 foot thickness of drainage sand - geotextile (optional).
- Composite bottom liner: HDPE - 3 foot clay layer ( $1 \times 10^{-7} \text{ cm/sec}$ ).

## 2.2 PROPOSED ALTERNATIVE LINER SYSTEM

The proposed alternative is a double liner system similar to MTR with material substitutions made for the bottom clay barrier layer and the LCRS and LDS drainage layers. A GCL replaces the 3 foot thick clay layer in the MTR and 6 inches of prepared subgrade is included below the GCL for structural support. The sand/geotextile LCRS and LDS drainage layers are replaced with geotextile/geonet/geotextile materials. The protective soil and FMLs are as described above in the MTR design.

The geocomposite drainage material contemplated for all alternatives consists of a non-woven geotextile bonded to a geonet webbing. The geotextile component of this material acts as a filter allowing moisture to pass to the geonet while keeping soil sediments out. Moisture flows along the ribs of the geonet transporting water to the sump collection areas. The geocomposite provides an effective drainage medium with transmissivities in the order of  $1 \times 10^{-3}$  m<sup>2</sup>/sec. Sand material can be processed to achieve hydraulic conductivities of  $1 \times 10^{-2}$  cm/sec while gravels can achieve 10.0cm/sec. Because the geonet and geotextile materials are essentially inert, they offer greater resistance to clogging due to biological activity or chemical reactions with leachate than do sand and gravel materials which typically contain small fractions of organic materials. Sand and gravel layers, however, offer a greater cushioning to the FML than do geocomposites which under very high loading conditions (which are not expected for the Triassic Park Landfill) can deform the FML.

## 2.3 COVER

40 CFR 264.310 outlines several performance criteria which landfill cover designs must meet once constructed. These criteria include the following:

- Provide long term minimization migration of liquids through the closed landfill;
- Function with minimum maintenance;
- Promote drainage and minimize erosion or abrasion of the cover;
- Accommodate settling and subsidence so that the cover's integrity is maintained; and,
- Have a permeability less than or equal to the permeability of any bottom liner system or natural subsoils present

The cover design proposed here for the Triassic Park Landfill was used in this HELP analysis. It consists of the following components, from top down:

- 2 foot thick vegetative cover layer
- Geocomposite drainage layer: geotextile/geonet
- Flexible membrane cover: HDPE
- Geosynthetic clay liner (geotextile/bentonite/geotextile)
- 6 inches of prepared subgrade
- 1.5 foot thick cover soil

This cover section differs from the cover section originally presented in the Part B Application. In this case, a GCL and 6 inches of prepared subgrade replaces a 3 foot layer of processed clay. Because this clay is near to the surface in a cover application, it may be subject to desiccation and frost cracking. This problem is avoided with the use of a GCL.

### 3.0 HELP ANALYSIS METHODOLOGY

The HELP modeling approach used to evaluate the hydrologic performance of the proposed liner alternative and MTR follows the NMED's Draft Guidance Document for Performance Demonstration for an Alternative Liner Design Using the HELP Modeling Program Under the New Mexico Solid Waste Management Regulations (20 NMAC 9.1). This approach was selected because it allows a direct comparison between MTR and an alternative liner system, the results can be used to demonstrate performance equivalency required under 40 CFR 264.301(d). This methodology is paraphrased below. A complete version of these protocols is presented in Appendix C.

#### 3.1 ALTERNATE LINER EQUIVALENCY DEMONSTRATION METHOD

1. In order to demonstrate that the alternative liner design provides equivalent protection as the MTR composite liner, a computer modeling analysis of the MTR and the proposed alternative liner must be performed. Equivalent protection in terms of leakage through the secondary liner must be demonstrated through a comparison of the alternative liner with the MTR.
2. Justification for all input parameters in the model must be provided. Characteristics of soils proposed for the construction and operation of the landfill and the parameter values used in the model must be consistent. Soil and waste moisture content parameters as well as geomembrane liner data and storm water run-off fraction must also be consistent with the expected conditions and materials contemplated for use.
3. Actual design conditions and operation development of the landfill must be simulated as closely as possible by doing a succession of model simulations. This succession must attempt to simulate moisture conditions in the landfill by using the previous simulation's moisture content output as the input for the following simulation. The duration of the simulation periods must be consistent with the landfill's expected filling rates as follows:
  - 3.1 Initial simulation of the open landfill at start-up when landfill has little to no waste. The time period should extend for the anticipated duration of this condition, a minimum of one year and a probable maximum of five years.
  - 3.2 A succeeding simulation to model conditions of the partially full landfill for some anticipated time period, most probably five years. This would incorporate daily cover and intermediate cover.
  - 3.3 Perform subsequent computer simulations to model the landfill in the closed condition for the duration of the entire post-closure care period.
    - 3.3.1 Model bare ground for the time period expected until vegetation becomes established.
    - 3.3.2 Model the vegetated condition for the remainder of the post-closure care period.
4. Compliance with the regulatory requirement of not exceeding a 12-inch hydraulic head on the bottom liner must be demonstrated given design drainage layer slopes and drainage distances.
5. If the infiltration through the alternative liner system for the simulation(s) is less than or equal to infiltration through the MTR liner system, then these HELP Model simulation(s) will serve to demonstrate equivalent performance of the alternative liner system compared to the MTR.

In addition to demonstrating performance equivalency with MTR, the performance of the proposed alternative liner must also be compared to the performance of the proposed final cover. 40 CFR 264.310 (a) (5) requires that the final cover must be designed and constructed to have a permeability less than or equal to the permeability of any bottom liner system or natural subsoils present.

### 3.2 ALTERNATE COVER DEMONSTRATION METHOD

As in the above case, a proposed alternate landfill cover must achieve the equivalent protection as the liner. If an alternative final cover is proposed for the landfill, it must be demonstrated that the proposed final cover design includes an infiltration layer that achieves an equivalent reduction in infiltration as the bottom liner. A HELP Model simulation comparison is acceptable for this demonstration for a 5 year period with vegetation. Precipitation, evapotranspiration, temperature, and solar radiation data must be site specific and identical for both liner and cover design simulations. Justification for all input parameters in the model must be provided. It is expected that the cover's design slopes and run-off distances will be modeled.

Further descriptions of the HELP program inputs for both of these modeling approaches is presented in Section 4.0.

## 4.0 HELP PROGRAM INPUTS

Inputs for the HELP program are made in a series of data files which the main program uses during its simulation runs. Default inputs are available for most data categories and these were used where appropriate. In certain cases default inputs were not used, for example, the initial soil moisture contents were manually set for each run as mentioned above. The following sections describe the inputs used and their selection rationale for both HELP modeling approaches. HELP input data sheets which summarize inputs for each run are presented in Appendix A, HELP Data Input Sheets.

### 4.1 CLIMATIC DATA

The HELP program provides a weather generator to simulate changing weather conditions over time for various locations in the United States based on historical weather data. The location selected for this analysis was Roswell, NM. Roswell is located 42 miles west of the Triassic Park site and is the closest default city available in the HELP program.

Once the default city has been selected, weather inputs for precipitation and temperature can be automatically assigned by the program or input by the user. For the original analysis in Revision 0 of this report, the default values for precipitation and temperature for Roswell, NM were used. For this analysis, weather inputs for precipitation and temperature for the Roswell, NM area were obtained from the National Oceanic and Atmospheric Association (NOAA). Thirty year averages (period 1964 to 1994) for precipitation and temperature were used instead of the HELP default values for Roswell. These weather records indicate a slightly wetter environment and inputting them would tend to make the results of HELP runs slightly higher, but would not change the relative performance of the various liner alternatives.

Evapotranspiration inputs to define the vegetation conditions and evaporative zone depth can also be input into the HELP model. For this analysis, these inputs were changed to represent likely vegetative conditions. During the operational period of the landfill when there is no cover present and for a short period immediately after the cover is installed there will be little vegetation present. The vegetation input used for this period was "bare ground". In selecting this option, the program provides Roswell area default values for an evaporative zone depth of 14 inches, growing season start and end on days 76 and 310, and maximum leaf area index of 0. After cover vegetation is established on the cover, typically after 1 year, the vegetative input was changed to "poor stand or grass". Vegetation at the Triassic Park site is sparse and this input was felt to best approximate the semi-arid site conditions. The evaporative zone depth was changed to 24 inches which corresponds to the design thickness of the vegetative cover layer and the maximum leaf area index was changed to 1 which was also felt to be appropriate for the site.

### 4.2 SOIL AND DESIGN DATA

Inputs for soil characteristics and design data include the percent run-off expected and the physical characteristics for each layer in the landfill model. In this analysis, 100 percent potential run-off was assumed when the landfill was covered and 0 percent run-off was assumed during the operational periods when the landfill cover was not in place. The layer characteristics are summarized below and in Appendix A.

#### 4.2.1 Waste

The waste layer type, soil "texture" number, initial moisture content, and thickness define how moisture will percolate through waste layer and how much will be stored there. Because the waste layer is typically the thickest layer present, the outcome of landfill water flow analysis can be influenced greatly by its hydrologic properties.

The hydrologic properties of hazardous waste have not been studied to the same extent that municipal waste has been studied and therefore literature information is limited. The HELP model does not provide specific default values for hazardous waste and it is left to the program user to define these characteristics.

The waste was assigned soil texture numbers, initial moisture contents, and hydraulic conductivities which reflect expected actual conditions. The soil texture number of 7 corresponds to a silty sand material (SM) with default porosity of 0.473, field capacity of 0.222, wilting point of 0.104, and hydraulic conductivity of  $5.4 \times 10^{-4}$  cm/sec. The initial moisture content was set at 0.2055.

The hydraulic properties of the waste fill will depend on the characteristics of the incoming waste and the nature of the daily cover soil used. The physical characteristics of landfilled hazardous waste can vary widely from sludges to solids and debris. Contaminated soils and bulk solid materials, however, will make up a major proportion of these materials. Typically, the waste material is placed and compacted and covered with daily cover soil material. Since the surface of the waste fill must be trafficable to waste hauler trucks and other heavy earthmoving equipment, it is not an uncommon practice to increase the amount of daily cover soil placed when softer or sludgy type wastes are received. At the Triassic Park site sand and siltstone will be predominantly used as daily cover materials and incoming contaminated soils are also likely to have a high sand content. Bulk solid wastes such as filter cake material, bag house wastes, and other process wastes are fine grained with particle sizes in the silt range. Based on this, the soil texture corresponding to a sandy silt was selected for the waste material.

Based on previous experience at hazardous waste sites, the initial moisture contents of the waste for Years 0 through 1 were set at 0.2055 which corresponds to a moisture content of 15 percent.

#### 4.2.2 Protective Soil

The protective soil layer placed on top of the liner prior to waste filling will be the same material used for daily soil cover with the exception that it will be screened to remove oversize rocks and cobbles. Based on evaluation of bulk samples taken at the site from the upper sand unit, a soil texture number of 4 corresponding to a silty sand was selected to model the protective soil layer. This soil texture has the following defaults: porosity of 0.473, field capacity of 0.0105, wilting point of 0.047, and hydraulic conductivity of  $1.7 \times 10^{-3}$  cm/sec. The initial moisture content for this layer was set at 0.0863 which is consistent with the average moisture contents of 5.9 percent for the site's silty sand samples.

#### 4.2.3 Lateral Drainage (Sand)

The lateral drainage sand material considered for use at the site will have to meet minimum hydraulic conductivities of  $1 \times 10^{-2}$  cm/sec. Although no hydraulic testing of candidate site materials has been conducted, it is believed that this performance standard can be met with available material sources either in their natural state or with a minimal amount of screening and washing. The soil texture number of 1 which corresponds to a poorly graded sand was selected for this layer. This soil texture has the following defaults: porosity of 0.417, field capacity of 0.045, wilting point of 0.018, and hydraulic conductivity of  $1 \times 10^{-2}$  cm/sec. Initial moisture content for this layer was set at 0.045 which equals the field capacity and therefore does not allow for water storage in the lateral drainage layer. It should be noted that the geotextile components of the sand drainage layer were not included in this evaluation. Transmissivities of this material exceeds those of the sand material and therefore this assumption is conservative.

#### 4.2.4 Lateral Drainage (Geocomposite)

The geocomposite drainage material used in this analysis was a geotextile bonded to a geonet. The HELP model does not have a specific default for geocomposites so the default for the geonet was selected for this layer. The added capacity of the geotextile in this case is ignored and, as above, this assumption is conservative. The soil

texture number of 20 which corresponds to a drainage net was selected for this layer. This soil texture has the following defaults: porosity of 0.850, field capacity of 0.010, wilting point of 0.005, and hydraulic conductivity of 10.0cm/sec. The initial moisture content for this layer was set at 0.010 which equals the field capacity and therefore does not allow for water storage in the lateral drainage.

#### 4.2.5 Barrier (FML: HDPE)

The FML barrier layer considered is a 60 mil HDPE geomembrane. HELP model defaults for this layer are thickness 0.06 inch and soil texture number 35. For geomembranes, the HELP model also provides input capabilities for pinhole density, installation defects, and installation quality assurance. Input values for these parameters are recommended in the HELP Manual. Values used in this analysis were pinhole density of 1.0, geomembrane defect number 3, and liner installation quality of 3. All of these inputs correspond to a good geomembrane installation under good construction quality control.

#### 4.2.6 Barrier (Clay)

The clay barrier layer material considered is a typical fine grained clay material which when moisture conditioned and compacted under controlled conditions is capable of achieving an in-place hydraulic conductivity of  $1 \times 10^{-7}$  cm/sec. HELP program defaults for soil texture number 26 with porosity of 0.445, field capacity of 0.393, wilting point of 0.445, and modified hydraulic conductivity of  $1 \times 10^{-7}$  cm/sec were used for the clay layer. The moisture content was set equal to the porosity to allow for immediate saturated flow through the clay layer.

For the MTR case, the thickness of the clay barrier layer was set at 3 feet.

Permeability testing of the clay material samples gathered at the site indicate that hydraulic conductivities of  $1 \times 10^{-7}$  cm/sec can be achieved.

#### 4.2.7 Barrier (GCL)

The GCL material considered is a composite geotextile/bentonite/geotextile layer. These liner products, although relatively new compared to geotextiles and geomembranes, have become popular substitutes for clay layers in cover systems and recently in liner systems. The soil texture number of 17 was selected for the GCL with a porosity of 0.750, field capacity of 0.747, wilting point of 0.400, and hydraulic conductivity of  $3 \times 10^{-9}$  cm/sec. The initial moisture content for this layer was set at 0.7500 which equals the porosity to allow for immediate saturated flow thought the clay layer.

#### 4.2.8 Prepared Subgrade

The prepared subgrade material considered is essentially the same material considered for the clay barrier material described above. The difference between these materials is the level processing and moisture conditions prior to placement and the resultant increased permeability of the prepared subgrade. The primary function of this layer is to provide a smooth stable surface upon which to install the overlying geosynthetics but it is not envisaged that extensive moisture conditioning or processing will be done. However, because this material is the same material proposed for the clay barrier layer, it will exhibit some barrier layer characteristics by inhibiting flow through holes in the FML.

For the prepared subgrade layer, the same soil texture number and defaults were input as the clay layer described above including the conductivity. Permeability tests done on samples from the Upper Dockum Unit indicated hydraulic conductivities in this range.

#### 4.3 LANDFILL COVER DATA

Landfill cover data inputs include the cover layer materials, the type of vegetative cover on the surface of the cover, the percentage of moisture that is subject to run-off, the slope of the cover and maximum drainage distance. Materials contemplated for the cover design are discussed above and their arrangement is illustrated in Figure 3. As discussed previously for covered conditions, 100 percent potential run-off was input, the vegetative condition for the newly installed cover assumed a "bare ground" and a 14 inch evaporative zone depth for the first year, and "poor stand of grass" with a 24 inch evaporative zone for the remaining years. A maximum drainage distance of 550 feet at 4H:1V slope (25 percent) was computed from conceptual drawings in the presented RCRA Permit Application for the Triassic Park Facility. The HELP soil texture classification number 6 was selected for the vegetative cover for the cover performance demonstration. This soil type is consistent with the Alma series soil found at the site. It should be noted that the vegetative soil type used in the Revision 0 HELP analysis has a soil texture number of 4 with a porosity of 0.4270, field capacity of 0.1050, wilting point of 0.0470, and hydraulic conductivity of  $1.7 \times 10^{-3}$  cm/sec. These lateral drainage values are consistent with the Roswell - Association also found at the Triassic Park site. The material is a silty sand with default porosity of 0.453, field capacity of 0.190, wilting point of 0.085, and saturated hydraulic conductivity of  $7.2 \times 10^{-4}$ . Initial moisture content for the vegetative soil was set at 0.0863.

## 5.0 HELP PROGRAM RESULTS

### 5.1 ALTERNATE LINER EQUIVALENCY DEMONSTRATION

Results for the individual HELP model runs are summarized in Tables 5 and 6. Actual printouts of the HELP model summary output files are presented in Appendix B. As previously mentioned, these results were originally presented in Revision 0 of this report. For completeness, they are also included in this revision.

Review of the results presented in the summary table below and Tables 5 and 6 indicates there is little difference in leakage rates between the various liner alternatives for the final closed landfill. Further inspection of the modeling results for the operational phase, Years 0 through 10, reveals insignificantly small leakage in the proposed alternate liner. For this period the proposed alternate and MTR liners are considered equivalent and leakages are rounded to three decimal points in the table below. For Years 11 though 40 with the landfill cover in place, very little precipitation enters the system and the waste mass begins to drain with this water being removed from the system in the LCRS layer. Bottom barrier layer leakage rates at this point become negligible for both the proposed liner alternative and MTR.

MODELING APPROACH LEAKAGE RATE SUMMARY Operational Period (Years 0 - 10)		
Alternatives	Floor Leakage (g/a/d)	Slope Leakage (g/a/d)
Proposed Alternate	0.000	0.000
MTR	0.000	0.000
NOTE: 1. Values shown are final leakage rates after period Years 0 through 10 2. Results shown are from Revision 0 of the Alternative Liner System HELP Analysis		

MODELING APPROACH LEAKAGE RATE SUMMARY Covered Period (Years 11 - 40)		
Alternatives	Floor Leakage (g/a/d)	Slope Leakage (g/a/d)
Proposed Alternate	0	0
MTR	0	0
NOTE: 1. Values shown are final leakage rates after period Years 31 through 40 2. Results shown are from Revision 0 of the Alternative Liner System HELP Analysis		

Review of Tables 5 and 6 show head values for both the proposed alternate and MTR indicate pressure development on the primary and secondary liners in the range of 0.000 to 0.001 inches which are well below the regulatory maximum of 12 inches.

## 5.2 ALTERNATE COVER DEMONSTRATION

Results of HELP model runs for the alternate cover demonstration of Years 0 through 5 are summarized in Tables 1 through 4. Actual printouts of the HELP model summary output are presented in Appendix B.

Review of these results indicated leakages through the proposed cover in the order of 0.00002 g/a/d while leakage through the proposed alternate liner are 0.000164 for the floor area and 0.000041 for the slope area. Once again, the difference between these two leakage rates is insignificantly small and the proposed cover can be considered at least as impermeable as the proposed alternate liner.

## 6.0 CONCLUSIONS

Based on the HELP model results, the following conclusions can be made:

- There is little difference between the proposed alternative and MTR in terms of percolation rates through the bottom liner over the life of the facility. The differences that exist in Years 0 through 10 are insignificantly small. The proposed alternate liner performance can therefore be considered equivalent to the MTR liner performance.
- Hydraulic pressure on the primary and secondary liners of both the MTR and proposed alternate liner system is well below the regulatory maximum of 12 inches.
- The cover system leakage is less than or equal to the leakage of the liner system. It effectively reduces precipitation infiltration which will allow the waste to drain once the cover is in place.

*allow*

## 7.0 REFERENCES

Gandy Marley Inc., RCRA Permit Application for the Triassic Park Waste Disposal Facility, November 1994.  
Prepared for Gandy Marley Inc. By S.M. Stoller Corporation and TerraMatrix Inc.

New Mexico Environment Department, Solid Waste Bureau, Permit Section. *Guidance Document for Performance Demonstration for an Alternative Cover Design Using the HELP Modeling Program Under the New Mexico Solid Waste Management Regulations (20 NMAC 9.1) and Performance Demonstration for an Alternative Liner Design Using the HELP Modeling Program Under the New Mexico Solid Waste Management Regulations (20 NMAC 9.1)*

Schroeder, P.R., Dozier, T.S., Zappi, P.A., McEnroe, B.M., Sjostrom, J.W., and Peyton, R.L. (1994). *The Hydrologic Evaluation of Landfill Performance (HELP) Model: Engineering Documentation For Version 3 EPA/600/9-94/xxx*, U.S. Environmental Protection Agency Risk Reduction Engineering Laboratory, Cincinnati, OH.

**SUMMARY TABLES**

**TABLE 1**

TABLE 1

YEARS	LINER SECTION	PRIMARY LATERAL DRAINAGE (gall/acre/day)(1)	PRIMARY LINER LEAKAGE (gall/acre/day)(1)	SECONDARY LATERAL DRAINAGE		SECONDARY LINER LEAKAGE (gall/acre/day)(1)	(gall/acre/day)(1)	COMMENTS
				LATERAL DRAINAGE (gall/acre/day)(1)	SECONDARY LINER LEAKAGE (gall/acre/day)(1)			
FLOOR								
	MTR	33.704579	64.212128		58.712736		0.053019	
0-5	2	48.011289	51.814221		51.801597		0.000164	
SLOPE								
	MTR	87.717213	11.815266		11.772023		0.000861	
0-5	2	544.995355	43.131039		43.131018		0.000041	
COVER								
0-5	COVER	18.240582	0.000020		NA		NA	

Notes:

(1) Values based on average annual totals.

(2) Liner section 2 is referred to as Proposed Alternate in the text.

TABLE 2

FLOOR/SLOPE LINER ALTERNATIVE 2 (PROPOSED ALTERNATE)

**TABLE 2**  
**GANDY LANDFILL FLOOR LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

YEARS	PRECIPITATION (gal/acre/day)(1)	LAYER	LAYER TYPE	THICKNESS (Inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
					(983.716418)	(0.0863)	(0.1240)	NA	NA	
0-5	1	Soil	24	0.0863	0.1240	NA	NA	NA	NA	
	2	Geocomposite	0.2	0.0100	0.0120	48.011289	NA	NA	NA	
	3	Geomembrane	0.06	0.0000	0.0000	NA	51.814221	0.0010		
	4	Geocomposite	0.2	0.0100	0.0142	51.801597	NA	NA		
	5	Geomembrane	0.06	0.0000	0.0000	NA	NA	0.0001		
	6	GCL	0.24	0.7500	0.7500	NA	0.000164	NA		

Notes:

- (1) Values based on average annual totals.
- (2) Peak daily values may be higher due to storm events.

**TABLE 2**  
**GANDY LANDFILL SLOPE LINER ALTERNATIVE # 2 ( PROPOSED ALTERNATE )**

YEARS	PRECIPITATION (gal/acre/day)(1)	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
				(1)	(1)	(1)	(1)	(1)	
0-5	983.716416	1	Soil	24	0.0863	0.1007	NA	NA	NA
		2	Geocomposite	0.2	0.0100	0.0112	544.995355	NA	NA
		3	Geomembrane	0.06	0.0000	0.0000	NA	43.131039	0.0000
		4	Geocomposite	0.2	0.0100	0.0100	43.131018	NA	NA
		5	Geomembrane	0.06	0.0000	0.0000	NA	NA	0.0000
		6	GCL	0.24	0.7500	0.7500	NA	0.000041	NA

Note:

- (1) Values based on average annual totals.
- (2) Peak daily values may be higher due to storm events.

TABLE 3

FLOOR/SLOPE MTR LINER SUMMARY TABLES

**TABLE 3**  
**GANDY LANDFILL FLOOR MTR LINER**

YEARS 983.716416	PRECIPITATION (gal/acre/day)(1)	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATENT DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (Inches)(1)	COMMENTS
0-5	1	Soil	24	0.0863	0.1240	NA	NA	NA	
	2	Sand	12	0.0450	0.0557	33.704579	NA	NA	
	3	Geomembrane	0.06	0.0000	0.0000	NA	64.212128	0.5230	
	4	Sand	12	0.0450	0.0755	58.712736	NA	NA	
	5	Geomembrane	0.06	0.0000	0.0000	NA	NA	0.9120	
	6	Clay	36	0.4450	0.4450	NA	0.053019	NA	

Notes:

- (1) Values based on average annual totals.
- (2) Peak daily values may be higher due to storm events.

**TABLE 3**  
**GANDY LANDFILL SLOPE MTR LINER**

YEARS	PRECIPITATION (gal/acre/day)(1)	LAYER TYPE	THICKNESS (inches)	INITIAL	FINAL	LATERAL	PERCOLATION	HEAD ON LAYER (inches)(1)	COMMENTS
				M.C.(3) (vol/vol)	M.C.(3) (vol/vol)	DRAINAGE (gal/acre/day)(1)	(gal/acre/day)(1)		
0-5	983.716418	1 Soil	24	0.0863	0.1240	NA	NA	NA	NA
		2 Sand	12	0.0450	0.0467	87.717213	NA	NA	NA
		3 Geomembrane	0.06	0.0000	0.0000	NA	11.815266	0.0600	
		4 Sand	12	0.0450	0.0452	11.772023	NA	NA	
		5 Geomembrane	0.06	0.0000	0.0000	NA	NA	0.0080	
		6 Clay	36	0.4450	0.4450	NA	0.000861	NA	

Notes:

- (1) Values based on average annual totals.
- (2) Peak daily values may be higher due to storm events.

TABLE 4

COVER ALTERNATIVE

**TABLE 4**  
**GANDY LANDFILL COVER ALTERNATIVE**

YEARS	PRECIPITATION (gall/acre/day)(1)	LAYER NUMBER	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/Acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
0-5	963.716416	1	Veg. Soil	24	0.0863	0.0868	NA	NA	NA	
		2	Geocomposite	0.2	0.0100	0.0150	18.240582	NA	0.0000	
		3	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	
		4	GCL	0.24	0.7500	0.7500	NA	0.000020	NA	
		5.000000	Soil	6	0.0863	0.0860	NA	NA	NA	
		6.000000	Soil	18	0.0863	0.0860	NA	NA	NA	

**Notes:**

- (1) Values based on average annual totals.
- (2) Peak daily values may be higher due to storm events.

TABLE 5

ALTERNATE 2 (PROPOSED ALTERNATE)  
FLOOR/SLOPE LINER SUMMARY TABLES  
(ALTERNATIVE LINER SYSTEM HELP ANALYSIS REVISION 0)

**TABLE 5**  
**GANDY LANDFILL SLOPE LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

YEARS	PRECIPITATION (gal/inch/day)(1)	LAYER NUMBER	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
0-1	647.239184	1	Waste	60	0.2055	0.2080	NA	NA	NA	
		2	Soil	24	0.0863	0.1406	NA	NA	NA	
		3	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	
		4	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	
		5	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	
		7	GCL	0.24	0.7500	0.7500	NA	0.000000	0.0000	
2-5	718.472179	1	Waste	840	0.2080	0.2192	NA	NA	NA	
		2	Soil	24	0.1406	0.1131	NA	NA	NA	
		3	Geocomposite	0.2	0.0100	0.0100	6.574209	NA	NA	
		4	Geomembrane	0.06	0.0000	0.0000	NA	5.722065	0.0000	
		5	Geocomposite	0.2	0.0100	0.0100	5.770240	NA	NA	
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	
		7	GCL	0.24	0.7500	0.7500	NA	0.000041	0.0000	
6-10	718.808290	1	Waste	1080	0.2192	0.2284	NA	NA	NA	
		2	Soil	24	0.1131	0.1488	NA	NA	NA	
		3	Geocomposite	0.2	0.0100	0.0102	25.495047	NA	NA	
		4	Geomembrane	0.06	0.0000	0.0000	NA	7.833662	0.0000	
		5	Geocomposite	0.2	0.0100	0.0100	7.833642	NA	NA	
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	
		7	GCL	0.24	0.7500	0.7500	NA	0.000041	0.0000	

**TABLE 5**  
**GANDY LANDFILL SLOPE LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

TABLE 5 GANDY LANDFILL SLOPE LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)						
647.239164	1	Veg. Soil	24	0.0863	0.0938	NA
	2	Geocomposite	0.2	0.0100	0.0110	539.163562
	3	Geomembrane	0.06	0.0000	0.0000	NA
	4	Clay	36	0.4450	0.4450	NA
	5	Soil	24	0.0863	0.0863	0.000205
	6	Waste	1440	0.2284	0.2269	NA
	7	Soil	24	0.1488	0.1712	NA
	8	Geocomposite	0.2	0.0102	0.0100	116.866483
	9	Geomembrane	0.06	0.0000	0.0000	NA
	10	Geocomposite	0.2	0.0100	0.0100	5.764161
	11	Geomembrane	0.06	0.0000	0.0000	NA
	12	GCL	0.24	0.7500	0.7500	NA
673.203761	1	Veg. Soil	24	0.0938	0.0709	NA
	2	Geocomposite	0.2	0.0110	0.0166	538.388928
	3	Geomembrane	0.06	0.0000	0.0000	NA
	4	Clay	36	0.4450	0.4450	NA
	5	Soil	24	0.0863	0.0863	0.000246
	6	Waste	1440	0.2269	0.2220	NA
	7	Soil	24	0.1712	0.1050	NA
	8	Geocomposite	0.2	0.0100	0.0100	30.262782
	9	Geomembrane	0.06	0.0000	0.0000	1.893904
	10	Geocomposite	0.2	0.0100	0.0100	0.0000
	11	Geomembrane	0.06	0.0000	0.0000	NA
	12	GCL	0.24	0.7500	0.7500	0.000000

**TABLE 5**  
**GANDY LANDFILL SLOPE LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

<b>699.481906</b>	<b>1</b>	Veg. Soil	24	0.0709	0.0652	NA	NA	NA	NA	NA	NA	NA
	<b>2</b>	Geocomposite	0.2	0.0166	0.0109	560.267933	NA	NA	NA	NA	NA	NA
	<b>3</b>	Geomembrane	0.08	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA
	<b>4</b>	Clay	36	0.4450	0.4450	NA	0.000266	0.0010	NA	NA	NA	NA
	<b>5</b>	Soil	24	0.0863	0.0863	NA	NA	NA	NA	NA	NA	NA
	<b>6</b>	Waste	1440	0.2220	0.2220	NA	NA	NA	NA	NA	NA	NA
<b>32.40</b>	<b>7</b>	Soil	24	0.1050	0.1050	NA	NA	NA	NA	NA	NA	NA
	<b>8</b>	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	NA	NA	NA	NA
	<b>9</b>	Geomembrane	0.08	0.0000	0.0000	NA	0.000000	0.0000	NA	NA	NA	NA
	<b>10</b>	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	NA	NA	NA	NA
	<b>11</b>	Geomembrane	0.08	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA
	<b>12</b>	GCL	0.24	0.7500	0.7500	NA	0.000000	0.0000	NA	NA	NA	NA

Notes:

(1) Values based on average annual totals.

(2) Peak daily values may be higher due to storm events.

(3) Final moisture contents from each run were used as initial moisture contents for subsequent runs.

(4) Results from Alternative Liner System HELP Analysis Revision 0

**TABLE 5**  
**GANDY LANDFILL FLOOR LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

YEARS	PRECIPITATION (gal/acre/day)(1)	LAYER NUMBER	LAYER TYPE	THICKNESS S (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
0-1	647.239184	1	Waste	60	0.2055	0.2080	NA	NA	NA	NA
		2	Sol	24	0.0863	0.1406	NA	NA	NA	NA
		3	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	0.0000
		5	Geocomposite	0.2	0.0100	0.0100	0.000000	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	GCL	0.24	0.7500	0.7500	NA	0.000000	0.0000	0.0000
2-5	718.472179	1	Waste	840	0.2080	0.2192	NA	NA	NA	NA
		2	Sol	24	0.1406	0.1131	NA	NA	NA	NA
		3	Geocomposite	0.2	0.0100	0.0100	1.239286	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	11.056946	0.0000	0.0000
		5	Geocomposite	0.2	0.0100	0.0103	11.055676	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	GCL	0.24	0.7500	0.7500	NA	0.000184	0.0000	0.0000
6-10	718.808290	1	Waste	1030	0.2192	0.2284	NA	NA	NA	NA
		2	Sol	24	0.1131	0.1488	NA	NA	NA	NA
		3	Geocomposite	0.2	0.0100	0.0122	10.902438	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	22.420307	0.0000	0.0000
		5	Geocomposite	0.2	0.0103	0.0144	22.408092	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	GCL	0.24	0.7500	0.7500	NA	0.000164	0.0000	0.0000

**TABLE 5**  
**GANDY LANDFILL FLOOR LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

	<b>647.239184</b>	1	Veg. Soil	24	0.0863	0.0938	NA	NA	NA	NA	NA	NA	NA
	2	Geocomposite	0.2	0.0100	0.0110	539.163562	NA	NA	NA	NA	NA	NA	NA
	<b>3</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>4</b>	<b>Clay</b>	<b>36</b>	<b>0.4450</b>	<b>0.4450</b>	<b>NA</b>	<b>0.000205</b>	<b>0.0010</b>					
	<b>5</b>	<b>Sed</b>	<b>24</b>	<b>0.0863</b>	<b>0.0863</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>6</b>	<b>Waste</b>	<b>1440</b>	<b>0.2284</b>	<b>0.2269</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>7</b>	<b>Sed</b>	<b>24</b>	<b>0.1488</b>	<b>0.1712</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>8</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0122</b>	<b>0.0149</b>	<b>50.885120</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>9</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>71.702075</b>	<b>0.0010</b>					
	<b>10</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0144</b>	<b>0.0165</b>	<b>71.670903</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>11</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>12</b>	<b>GCL</b>	<b>0.24</b>	<b>0.7500</b>	<b>0.7500</b>	<b>NA</b>	<b>0.000164</b>	<b>0.0010</b>					
	<b>673.203761</b>	1	Veg. Soil	24	0.0938	0.0709	NA	NA	NA	NA	NA	NA	NA
	2	Geocomposite	0.2	0.0110	0.0166	538.388928	NA	NA	NA	NA	NA	NA	NA
	<b>3</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>4</b>	<b>Clay</b>	<b>36</b>	<b>0.4450</b>	<b>0.4450</b>	<b>NA</b>	<b>0.000246</b>	<b>0.0010</b>					
	<b>5</b>	<b>Sed</b>	<b>24</b>	<b>0.0863</b>	<b>0.0863</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>6</b>	<b>Waste</b>	<b>1440</b>	<b>0.2269</b>	<b>0.2220</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>7</b>	<b>Sed</b>	<b>24</b>	<b>0.1712</b>	<b>0.1050</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>8</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0149</b>	<b>0.0100</b>	<b>12.279714</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>9</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>19.880619</b>	<b>0.0000</b>					
	<b>10</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0165</b>	<b>0.0100</b>	<b>19.885333</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>11</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>
	<b>12</b>	<b>GCL</b>	<b>0.24</b>	<b>0.7500</b>	<b>0.7500</b>	<b>NA</b>	<b>0.000123</b>	<b>0.0000</b>					

**TABLE 5**  
**GANDY LANDFILL FLOOR LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

**TABLE 5**  
**GANDY LANDFILL FLOOR LINER ALTERNATIVE #2 (PROPOSED ALTERNATE)**

	<b>699.481906</b>	<b>1</b>	<b>Veg. Soil</b>	<b>24</b>	<b>0.0709</b>	<b>0.0652</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>2</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0166</b>	<b>0.0109</b>	<b>560.267933</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>3</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
<b>32-40</b>	<b>4</b>	<b>Clay</b>	<b>36</b>	<b>0.4450</b>	<b>0.4450</b>	<b>NA</b>	<b>0.000266</b>	<b>0.0010</b>			
	<b>5</b>	<b>Soil</b>	<b>24</b>	<b>0.0863</b>	<b>0.0863</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>6</b>	<b>Waste</b>	<b>1440</b>	<b>0.2220</b>	<b>0.2220</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>7</b>	<b>Soil</b>	<b>24</b>	<b>0.1050</b>	<b>0.1050</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>8</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0100</b>	<b>0.0100</b>	<b>0.000000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	
	<b>9</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>0.000000</b>	<b>0.0000</b>			
	<b>10</b>	<b>Geocomposite</b>	<b>0.2</b>	<b>0.0100</b>	<b>0.0100</b>	<b>0.000000</b>	<b>NA</b>	<b>NA</b>			
	<b>11</b>	<b>Geomembrane</b>	<b>0.06</b>	<b>0.0000</b>	<b>0.0000</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>			
	<b>12</b>	<b>GCL</b>	<b>0.24</b>	<b>0.7500</b>	<b>0.7500</b>	<b>NA</b>	<b>0.000000</b>	<b>0.0000</b>			

Notes:

(1) Values based on average annual totals.

(2) Peak daily values may be higher due to storm events.

(3) Final moisture contents from each run were used as initial moisture contents for subsequent runs.

(4) Results from Alternative Liner System HELP Analysis Revision 0

**TABLE 6**

**MTR**

**FLOOR/SLOPE LINER SUMMARY TABLES**

**(ALTERNATIVE LINER SYSTEM HELP ANALYSIS REVISION 0)**

**TABLE 6**  
**GANDY LANDFILL FLOOR MTR LINER**

YEARS	PRECIPITATION (gall/acre/day)(1)	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gall/acre/day)(1)	PERCOLATION (gall/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
0-1	0.000000	1 Waste	60	0.2055	0.2092	NA	NA	NA	NA
		2 Soil	24	0.0863	0.1065	NA	NA	NA	NA
		3 Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		4 Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.00000	0.00000
		5 Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		6 Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7 Clay	36	0.4450	0.4450	NA	0.000000	0.00000	0.00000
2-5	0.000000	1 Waste	840	0.2092	0.2128	NA	NA	NA	NA
		2 Soil	24	0.1065	0.1050	NA	NA	NA	NA
		3 Sand	12	0.0450	0.0450	0.084028	NA	NA	NA
		4 Geomembrane	0.06	0.0000	0.0000	NA	0.585530	0.0010	
		5 Sand	12	0.0450	0.0450	0.582927	NA	NA	NA
		6 Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7 Clay	36	0.4450	0.4450	NA	0.000902	0.00090	
6-10	0.000000	1 Waste	1080	0.2128	0.2164	NA	NA	NA	NA
		2 Soil	24	0.1050	0.1050	NA	NA	NA	NA
		3 Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		4 Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.00000	0.00000
		5 Sand	12	0.0450	0.4500	0.000000	NA	NA	NA
		6 Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7 Clay	36	0.4450	0.4450	NA	0.000000	0.00000	0.00000

**TABLE 6**  
**GANDY LANDFILL FLOOR MTR LINER**

0.0000000	1	Veg. Soil	24	0.0863	0.0938	NA	NA	NA	NA	NA	NA	NA	NA
2	Geocomposite	0.2	0.0100	0.0110	539.163562	NA	NA	NA	NA	NA	NA	NA	NA
3	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA	NA
4	Clay	36	0.4450	0.4450	NA	0.000205	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
5	Soil	24	0.0863	0.0863	NA	NA	NA	NA	NA	NA	NA	NA	NA
6	Waste	1440	0.2164	0.2164	NA	NA	NA	NA	NA	NA	NA	NA	NA
7	Soil	24	0.1050	0.1050	NA	NA	NA	NA	NA	NA	NA	NA	NA
8	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA	NA
9	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
10	Sand	12	0.4500	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA	NA
11	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA	NA
12	Clay	36	0.4450	0.4450	NA	0.000000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0.0000000	1	Veg. Soil	24	0.0938	0.0709	NA	NA	NA	NA	NA	NA	NA	NA
2	Geocomposite	0.2	0.0110	0.0166	538.388928	NA	NA	NA	NA	NA	NA	NA	NA
3	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA	NA
4	Clay	36	0.4450	0.4450	NA	0.000246	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010	0.0010
5	Soil	24	0.0863	0.0863	NA	NA	NA	NA	NA	NA	NA	NA	NA
6	Waste	1440	0.2164	0.2164	NA	NA	NA	NA	NA	NA	NA	NA	NA
7	Soil	24	0.1050	0.1050	NA	NA	NA	NA	NA	NA	NA	NA	NA
8	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA	NA
9	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
10	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA	NA
11	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA	NA
12	Clay	36	0	0.4450	NA	0.000000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

**TABLE 6**  
**GANDY LANDFILL FLOOR MTR LINER**

	0.000000	1	Veg. Soil	24	0.0709	0.0652	NA	NA	NA	NA	NA	NA	NA
	2	Geocomposite	0.2	0.0166	0.0109	560.267933	NA	NA	NA	NA	NA	NA	NA
	3	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA
32-40	4	Clay	36	0.4450	0.4450	NA	0.000266	0.0010					
	5	Soil	24	0.0863	0.0863	NA	NA	NA	NA	NA	NA	NA	NA
	6	Waste	1440	0.2164	0.2164	NA	NA	NA	NA	NA	NA	NA	NA
	7	Soil	24	0.1050	0.1050	NA	NA	NA	NA	NA	NA	NA	NA
	8	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA
	9	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000					
	10	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA	NA	NA	NA	NA
	11	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA	NA	NA	NA	NA
	12	Clay	36	0.4450	0.4450	NA	0.000000	0.0000					

Note: (1) Values based on average annual totals.

(2) Peak daily values may be higher due to storm events.

(3) Final moisture contents from each run were used as initial moisture contents for subsequent runs.

(4) Results from Alternative Liner System HELP Analysis Revision 0

**TABLE 6**  
**GANDY LANDFILL SLOPE MTR LINER**

YEARS	PRECIPITATION (gal/Acre/day)(1)	LAYER NUMBER	LAYER TYPE	THICKNESS (inches)	INITIAL M.C.(3) (vol/vol)	FINAL M.C.(3) (vol/vol)	LATERAL DRAINAGE (gal/acre/day)(1)	PERCOLATION (gal/acre/day)(1)	HEAD ON LAYER (inches)(1)	COMMENTS
0-1	0.000000	1	Waste	60	0.2055	0.2092	NA	NA	NA	NA
		2	Soil	24	0.0863	0.1065	NA	NA	NA	NA
		3	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	0.0000
		5	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	Clay	36	0.4450	0.4450	NA	0.000000	0.0000	0.0000
2-5	0.000000	1	Waste	840	0.2092	0.2128	NA	NA	NA	NA
		2	Soil	24	0.1065	0.1050	NA	NA	NA	NA
		3	Sand	12	0.0450	0.0450	0.467215	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	0.202343	0.0000	0.0000
		5	Sand	12	0.0450	0.0450	0.202240	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	Clay	36	0.4450	0.4450	NA	0.000123	0.0000	0.0000
6-10	0.000000	1	Waste	1080	0.2128	0.2164	NA	NA	NA	NA
		2	Soil	24	0.1050	0.1050	NA	NA	NA	NA
		3	Sand	12	0.0450	0.0450	0.000000	NA	NA	NA
		4	Geomembrane	0.06	0.0000	0.0000	NA	0.000000	0.0000	0.0000
		5	Sand	12	0.0450	0.4500	0.000000	NA	NA	NA
		6	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
		7	Clay	36	0.4450	0.4450	NA	0.000000	0.0000	0.0000


**TABLE 6**  
**GANDY LANDFILL SLOPE MTR LINER**

**TABLE 6**  
**GANDY LANDFILL SLOPE MTR LINER**


0.00000	1	Veg. Soil	24	0.0709	0.0652	NA	NA	NA
2	Geocomposite	0.2	0.0166	0.0109	560.267933	NA	NA	NA
3	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
4	Clay	36	0.4450	0.4450	NA	0.000266	0.0010	
5	Sed	24	0.0863	0.0863	NA	NA	NA	NA
6	Waste	1440	0.2164	0.2164	NA	NA	NA	NA
7	Sed	24	0.1050	0.1050	NA	NA	NA	NA
8	Sand	12	0.0450	0.0450	0.0000000	NA	NA	NA
9	Geomembrane	0.06	0.0000	0.0000	NA	0.0000000	0.00000	
10	Sand	12	0.0450	0.0450	0.0000000	NA	NA	NA
11	Geomembrane	0.06	0.0000	0.0000	NA	NA	NA	NA
12	Clay	36	0.4450	0.4450	NA	0.0000000	0.00000	

三

- (1) Values based on average annual totals.
  - (2) Peak daily values may be higher due to storm events.
  - (3) Final moisture contents from each run were used as initial moisture contents for subsequent runs.
  - (4) Results from Alternative Litter System HELP Analysis Revision 0



CROSS-SECTION A-A'



CROSS-SECTION B-B'

DRAWING NO.		CONTRACT NO.		DATE	
1	2	3	4	5	6
REVISIONS	NUMBER	DESIGNER	DRAFTER	INSPECTOR	APPROVED
NO.	REVIEWED	NO.	NO.	NO.	NO.
SCALE	1/2" = 1'-0"	100'	200'		
DESIGN BY					
DRAWN BY					
APPROVED BY					
PROJECT					
TRADE/NAME					
MANAGER					
DATE DRAWN					
DATE REV'D					
DATE APPROVED					

CHAMBERLAIN, INC., WIRE HAR

DA TAN'S SITE PLAN

11/10/2014 11:11:11 AM


CONCEPTUAL LANDFILL

FILL PLAN CROSS-SECT


11/10/2014

11:11:11 AM


GM INC




(A) **PERIMETER BERM DETAIL**  
Not To Scale




(B) **SLOPE DETAIL**  
Not To Scale




(C) **PROTECTIVE SOIL**  
Not To Scale




(D) **FLOOR DETAIL**  
Not To Scale




(E) **TOE OF SLOPE DETAIL**  
Not To Scale  
NOTES:  
1) PROTECTIVE SOIL CONSISTS OF SELECT SOILS  
2) GLUCOMINERALS IS A MIN. 60 AM. FERT.  
3) GLUCOMINERALS CONSISTS OF GROWTHTON BONDED TO G.C. ONE I  
DRAWING NO. WHERE DE P.A. SECTION IS REFERENCED  
DE P.A. SECTION IS REFERENCED  
IS SHOWN







**A-3 SLOPE BENCH LGRS. AND LOS. RISER PIPE DETAIL**




LINER ANCHOR TRENCH DETAIL




**Cover Anchor Trench Detail**



COVER DETAIL



(D) COVER AND LINER CREST DETAIL  
Not To Scale



卷之三

**APPENDIX A**

**HELP INPUT DATA SHEETS**

TABLE 1 LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS		
INPUT PARAMETER	VALUE	JUSTIFICATION
<b>CLIMATOLOGICAL DATA</b>		
city	Roswell, NM	Nearby City
precipitation & source of data (default or synthetic)	Synthetic	Only option for Roswell, NM
temperature & source of data	Synthetic	Roswell, NM
latitude	33.24	HELP default for Roswell, NM
maximum leaf area index	0	Bare Ground
evaporate zone depth	14 in.	HELP default for Roswell, NM
growing season start and end day	76/310	HELP default for Roswell, NM
<b>LANDFILL COVER DATA</b>		
type of vegetative cover	NA	Bare Ground
SCS runoff curve number	NA	0% allowable runoff CN does not affect results
active (uncovered)	Yes	
% of surface runoff that drains from landfill	0%	
surface area	1 acre	Unit area, (outputs to be converted to gallons/acre/day)
<b>SOIL AND DESIGN DATA</b>		
source of soil characteristics		HELP defaults, using lab data for onsite soils
number of layers	6	
<b>NOTES:</b>		

PROJECT: Triassic Park Disposal Facility, Alternative #2 Floor Liner System

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 1</b>		
layer type	1	Protective soil, (Vertical percolation layer)
thickness	24 in	See liner section
soil texture	4	HELP Default for a SM, (lab date indicates onsite soil to be a SM)
porosity	0.473	HELP default for texture 4
field capacity	0.0105	HELP default for texture 4
wilting point	0.047	HELP default for texture 4
moisture content	0.0863	Based on a avg. M.C. = 5.9% for Natural moisture contents of Silty Sands tested from the site.
saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
Is layer compacted?	No	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance [if lateral drainage layer]	NA	
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
Kiner installation quality [if geomembrane]	NA	
geotextile transmissivity	NA	

NOTES: Include additional copies for each layer as required

PROJECT: Indus Park Disposal Facility, Alternative #2, liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 2</b>		
<b>layer type</b>	2	Geocomposite [lateral drainage layer]
<b>thickness</b>	0.2 in	HELP default thickness for texture 20 (consistent w/ materials on the market)
<b>soil texture</b>	20	HELP Default for drainage net. (conservative, ignores added capacity of geotextile)
<b>porosity</b>	0.850	HELP default for texture 20
<b>field capacity</b>	0.010	HELP default for texture 20
<b>wilting point</b>	0.005	HELP default for texture 20
<b>moisture content</b>	0.010	Moisture content equal to field capacity, does not allow for water storage in Lateral drainage layer
<b>saturated hydraulic conductivity</b>	1.0E1 cm/s	HELP default for texture 20
<b>Is layer compacted?</b>	NA	
<b>slope [if lateral drainage layer]</b>	2.3%	Floor grade from cell layout drawing
<b>maximum horizontal drainage distance [if lateral drainage layer]</b>	550 ft	Maximum drainage length for phase 1 floor (scaled from drawings)
<b>geomembrane pliable density</b>	NA	
<b>geomembrane installation defects</b>	NA	
<b>geotextile transmissivity</b>	NA	

**NOTES:** [make additional copies for each layer as required]

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 3</b>		
layer type	4	FML, (HDPE Geomembrane)
thickness	0.06 in	60 mm (typical geomembrane thickness)
soil texture	35	HELP Default texture for HDPE geomembrane.
porosity	NA	
field capacity	NA	
wilting point	NA	
moisture content	NA	
saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
Is layer compacted?	NA	
slope (if lateral drainage layer) [if lateral drainage layer]	NA	
maximum horizontal drainage distance	NA	
geomembrane pinhole density	1	Typical value recommended by HELP manual.
geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
liner installation quality [if geomembrane]	3	Good Installation
geotextile transversality	NA	

NOTES: (make additional copies for each layer as required)

**PROJECT: Inelastic Part Disposal Facility, Alternative #2 floor liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 4</b>		
layer type	2	Geocomposite [lateral drainage layer]
thickness	0.2 in	HELP default thickness for texture 20 [consistent w/ materials on the market]
soil texture	20	HELP Default for drainage net. (conservative, ignores added capacity of geotextile)
porosity	0.850	HELP default for texture 20
field capacity	0.010	HELP default for texture 20
wilting point	0.005	HELP default for texture 20
moisture content	0.010	Moisture content equal to field capacity, does not allow for water storage in Lateral drainage layer
saturated hydraulic conductivity	1.0E1 cm/s	HELP default for texture 20
Is layer compacted?	NA	
slope [if lateral drainage layer]	2.3%	Floor grade from cell layout drawing
maximum horizontal drainage distance [if lateral drainage layer]	650 ft	Maximum drainage length for phase 1 floor (scaled from drawings)
geomembrane puncture density	NA	
geomembrane installation defects	NA	
liner installation quality [if geomembrane]	NA	
geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 6	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	4	FML, (HDPE Geomembrane)
	thickness	0.06 in	60 mil (typical geomembrane thickness)
	soil texture	35	HELP Default texture for HDPE geomembrane.
	porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	Liner Installation quality (if Geomembrane)	3	Good Installation
	geotextile transmissibility	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Inland Park Disposal Facility, Alternative #2 floor liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 6	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	3	GCL
	thickness	0.24 in	HELP default thickness for bentonite mat
	soil texture	17	HELP Default texture for bentonite mat
	porosity	0.750	HELP default for texture 17
	field capacity	0.747	HELP default for texture 17
	wilting point	0.400	HELP default for texture 17
	moisture content	0.750	Moisture content equal to porosity, allows for immediate saturated flow (HELP default).
	saturated hydraulic conductivity	3.0E-9cm/s	HELP default for bentonite mat
	Is layer compacted?	No	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance [if lateral drainage layer]	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	
	NOTES: (make additional copies for each layer as required)		

**PROJECT: Indian Park Disposal Facility, Alternative #2, floor liner system**

**TABLE 1**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>CLIMATOLOGICAL DATA</b>		
city	Roswell, NM	Nearby City
precipitation & source of data (default or synthetic)	Synthetic	Only option for Roswell, NM
temperature & source of data	Synthetic	Roswell, NM
latitude	33.24	HELP default for Roswell, NM
maximum leaf area index	0	Bare Ground
evaporate zone depth	14 in.	HELP default for Roswell, NM
growing season start and end day	76/310	HELP default for Roswell, NM
<b>LANDFILL COVER DATA</b>		
type of vegetative cover	NA	Bare Ground
SCS runoff curve number	NA	0% allowable runoff CN does not effect results
active [uncovered]	Yes	
% of surface runoff that drains from landfill	0%	
surface area	1 acre	Unit area, (outputs to be converted to gallons/acre/day)
<b>SOIL AND DESIGN DATA</b>		
source of soil characteristics		HELP defaults, using lab data for onsite soils
number of layers	6	

NOTES:

PROJECT: Triassic Park Disposal Facility, Alternative #2, slope Liner System

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 1</b>		
layer type	1	Protective soil. (Vertical percolation layer)
thickness	24 in	See liner section
soil texture	4	HELP Default for a SM. (lab data indicates onsite soil to be a SM)
porosity	0.473	HELP default for texture 4
field capacity	0.0105	HELP default for texture 4
saturation point	0.047	HELP default for texture 4
moisture content	0.0863	Based on a avg. M.C. = 6.9% for Natural moisture contents of Silty Sands tested from the site.
saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
Is layer compacted?	No	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance [if lateral drainage layer]	NA	
geomembrane plasticate density	NA	
geomembrane installation defects	NA	
liner installation quality [if geomembrane]	NA	
geomembrane transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Triassic Park Diagonal Facility, Alternative #2 slope liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 2</b>		
layer type	2	Geocomposite (lateral drainage layer)
thickness	0.2 in	HELP default thickness for texture 20 (consistent w/ materials on the market)
soil texture	20	HELP Default for drainage net. (conservative, ignores added capacity of geotextile)
porosity	0.850	HELP default for texture 20
field capacity	0.010	HELP default for texture 20
wilting point	0.005	HELP default for texture 20
moisture content	0.010	Moisture content equal to field capacity, does not allow for water storage in Lateral drainage layer
saturated hydraulic conductivity	1.0E1 cm/s	HELP default for texture 20
Is layer compacted?	NA	
slope (if lateral drainage layer)	33%	slope grade from cell layout drawing
maximum horizontal drainage distance (if lateral drainage layer)	316 ft	Maximum drainage length for phase 1 slope (scaled from drawings)
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
Liner installation quality (if geomembrane)	NA	
geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

**PROJECT: Inland Park Disposal Facility, Alternative #2 slope Liner System**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 3	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	4	FML, (HDPE Geomembrane)
	thickness	0.06 in	60 mil (typical geomembrane thickness)
	soil texture	36	HELP Default texture for HDPE geomembrane.
	porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	liner installation quality (if geomembrane)	3	Good Installation
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Triassic Park Disposal Facility, Alternative #2, slope liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER:	INPUT PARAMETER	VALUE	JUSTIFICATION
4	layer type	2	Geocomposite (lateral drainage layer)
	thickness	0.2 in	HELP default thickness for texture 20 (consistent w/ materials on the market)
	soil texture	20	HELP Default for drainage net. (conservative, ignores added capacity of geotextile)
	porosity	0.850	HELP default for texture 20
	field capacity	0.010	HELP default for texture 20
	wilting point	0.005	HELP default for texture 20
	moisture content	0.010	Moisture content equal to field capacity, does not allow for water storage in Lateral drainage layer
	saturated hydraulic conductivity	1.0E1cm/s	HELP default for texture 20
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	33%	Slope grade from cell layout drawing
	maximum horizontal drainage distance (if lateral drainage layer)	316 ft	Maximum drainage length for phase 1 slope (scaled from drawings)
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	Liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Insite Park Disposal Facility, Alternative #2 alone Liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

<b>INPUT PARAMETER</b>	<b>VALUE</b>	<b>JUSTIFICATION</b>
<b>LAYER NUMBER: 5</b>		
layer type	4	FML, (HDPE Geomembrane)
thickness	0.06 in.	60 mil (typical geomembrane thickness)
soil texture	35	HELP Default texture for HDPE geomembrane.
porosity	NA	
field capacity	NA	
wilting point	NA	
moisture content	NA	
saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
Is layer connected?	NA	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance (if lateral drainage layer)	NA	
geomembrane pinhole density	1	Typical value recommended by HELP manual.
geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
liner installation quality (if geomembrane)	3	Good Installation
geotextile transmissivity	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Intrinsic Park Disposal Facility, Alternative #2 slope liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 6	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	3	GCL
	thickness	0.24 in	HELP default thickness for bentonite mat
	soil texture	17	HELP Default texture for bentonite mat
	porosity	0.750	HELP default for texture 17
	field capacity	0.747	HELP default for texture 17
	wilting point	0.400	HELP default for texture 17
	moisture content	0.750	Moisture content equal to porosity, allows for immediate saturated flow (HELP default).
	saturated hydraulic conductivity	3.0E-9cm/s	HELP default for bentonite mat
	Is layer compacted?	No	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Islamic Park Disposal Facility - Alternative #2 slope liner system

**TABLE 1**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>CLIMATOLOGICAL DATA</b>		
city	Roswell, NM	Nearby City
precipitation & source of data (default or synthetic)	Synthetic	Only option for Roswell, NM, using 30 yr mean monthly inputs
temperature & source of data	Synthetic	Roswell, NM using 30yr mean monthly inputs
latitude	33.24	HELP default for Roswell, NM
maximum leaf area index	1	Poor stand of grass
evaporative zone depth	24 in.	Maximum depth of vegetative soil
growing season start and end day	76/310	HELP default for Roswell, NM
<b>LANDFILL COVER DATA</b>		
type of vegetative cover	1	Poor stand of grass
SCS runoff curve number	74.9	HELP model generated, Soil texture 4, 25% slope, poor stand of grass
active (uncovered)	No	
% of surface runoff that drains from landfill	100%	
surface area	1 acre	Unit area, outputs to be converted to gallons/acre/day
<b>SOIL AND DESIGN DATA</b>		
source of soil characteristics		HELP defaults, using lab data for onsite soils
number of layers	6	
<b>NOTES:</b>		

PROJECT: Triassic Park Disposal Facility, Cover Liner System

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 1</b>		
layer type	1	Vegetative soil (Vertical percolation layer)
thickness	24 in	See liner section
soil texture	6	HELP Default for a SM. (geologic data indicates some onsite soil to be a SM w/ a lower permeability than other SM's on site)
porosity	0.453	HELP default for texture 6
field capacity	0.190	HELP default for texture 6
wilting point	0.085	HELP default for texture 6
moisture content	0.0863	Based on a avg. M.C. = 6.9% for Natural moisture contents of Silty Sands tested from the site.
saturated hydraulic conductivity	7.2E-4cm/s	HELP default for texture 4
Is layer compacted?	No	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance (if lateral drainage layer)	NA	
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
liner installation quality (if geomembrane)	NA	
geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 2	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	2	Geocomposite (lateral drainage layer)
	thickness	0.2 in	HELP default thickness for texture 20 (consistent w/ materials on the market)
	soil texture	20	HELP Default for drainage net. (conservative, ignores added capacity of geotextile)
	porosity	0.850	HELP default for texture 20
	field capacity	0.010	HELP default for texture 20
	wilting point	0.005	HELP default for texture 20
	moisture content	0.010	Moisture content equal to field capacity, does not allow for water storage in Lateral drainage layer
	saturated hydraulic conductivity	1.0E1cm/s	HELP default for texture 20
	Is layer compacted?	NA	See cover section
	slope (if lateral drainage layer)	25%	
	maximum horizontal drainage distance (if lateral drainage layer)	650 ft	Estimate
	geomembrane porohole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Irasick Park Disposal Facility, Cover Alternative

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER:	INPUT PARAMETER	VALUE	JUSTIFICATION
3	layer type	4	FMC, (HDPE Geomembrane)
	thickness	0.06 in	60 mil (typical geomembrane thickness)
	soil texture	35	HELP Default texture for HDPE geomembrane.
	porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer connected?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	liner installation quality (if geomembrane)	3	Good Installation
	geotextile transmissivity	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Intrinsic Park Disposal Facility...Cover Alternative**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 4	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	3	GCL
	thickness	0.24 in	See Cover section
	soil texture	17	HELP Default for bentonite mat
	porosity	0.750	HELP default for texture 17
	field capacity	0.747	HELP default for texture 17
	wilting point	0.400	HELP default for texture 17
	moisture content	0.750	Moisture content equal to porosity, allows for immediate saturated flow (HELP default).
	saturated hydraulic conductivity	3.0E-9 cm/s	HELP default for bentonite mat.
	Is layer compacted?	No	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geomembrane transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Ida Park Diagonal Facility, Cover Alternative

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

<b>INPUT PARAMETER</b>	<b>VALUE</b>	<b>JUSTIFICATION</b>
<b>LAYER NUMBER: 5</b>		
layer type	1	Protective soil. (Vertical percolation layer)
thickness	6 in	See cover section
soil texture	4	HELP Default for a SM. (lab data indicates onsite soil to be a SM)
porosity	0.473	HELP default for texture 4
field capacity	0.0105	HELP default for texture 4
wilting point	0.047	HELP default for texture 4
moisture content	0.0863	Based on a avg. M.C. = 5.9% for Natural moisture contents of Silty Sands tested from the site.
saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
Is layer compacted?	Yes	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance (if lateral drainage layer)	NA	
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
liner installation quality (if geomembrane)	NA	
geomembrane transmissivity	NA	

**PROJECT: Irland Park Disposal Facility, Cover Alternative**

**NOTES:** (make additional copies for each layer as required)

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

<b>INPUT PARAMETER</b>	<b>VALUE</b>	<b>JUSTIFICATION</b>
<b>LAYER NUMBER:</b> 6		
layer type	1	Protective soil, (Vertical percolation layer)
thickness	18 in	See cover section
soil texture	4	HELP Default for a SM, [lab data indicates onsite soil to be a SM]
porosity	0.473	HELP default for texture 4
field capacity	0.0105	HELP default for texture 4
wilting point	0.047	HELP default for texture 4
moisture content	0.0863	Based on a avg. M.C. = 5.9% for Natural moisture contents of Silty Sands tested from the site.
saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
Is layer compacted?	No	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance [if lateral drainage layer]	NA	
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
liner installation quality [if geomembrane]	NA	
geotextile transmissivity	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Triassic Park Diagnostic Facility, Cover Alternative**

**TABLE 1**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>CLIMATOLOGICAL DATA</b>		
city	Roswell, NM	Nearby City
precipitation & source of data (default or synthetic)	Synthetic	Only option for Roswell, NM Using 30yr avg mean monthly inputs
temperature & source of data	Synthetic	Roswell, NM using 30 yr avg. mean monthly inputs
latitude	33.24	HELP default for Roswell, NM
maximum leaf area index	0	Bare Ground
evaporate zone depth	14 in.	HELP default for Roswell, NM
growing season start and end day	76/310	HELP default for Roswell, NM
<b>LANDFILL COVER DATA</b>		
type of vegetative cover	NA	Bare Ground
SCS runoff curve number	NA	0% allowable runoff CN does not affect results
active (uncovered)	Yes	
% of surface runoff that drains from landfill	0%	
surface area	1 acre	Unit area, [outputs to be converted to gallons/acre/day]
<b>SOIL AND DESIGN DATA</b>		
source of soil characteristics		HELP defaults, using lab date for onsite soils
number of layers	6	
NOTES:		

PROJECT: Insite Park O'Donnell Facility MTR Floor Liner System

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 1	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	1	Protective soil, (Vertical percolation layer)
	thickness	24 in	See liner section
	soil texture	4	HELP Default for a SM, (lab data indicates onsite soil to be a SM)
	porosity	0.473	HELP default for texture 4
	field capacity	0.0105	HELP default for texture 4
	wilting point	0.047	HELP default for texture 4
	moisture content	0.0863	Based on avg moisture content of bulk samples taken from site
	saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
	Is layer compacted?	No	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Triassic Park Disposal Facility, MTR floor liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 2</b>		
layer type	2	Sand lateral drainage layer
thickness	12 in	See liner section, ignore geotextile cushion & separation layers
soil texture	1	HELP Default for a poorly graded sand, (typical drainage material).
porosity	0.417	HELP default for texture 1
field capacity	0.045	HELP default for texture 1
wilting point	0.018	HELP default for texture 1
moisture content	0.045	Moisture content equal to field capacity (does not allow storage)
saturated hydraulic conductivity	1.0E-2cm/s	HELP default for texture 1 (also EPA minimum required value)
Is layer compacted?	No	
slope (if lateral drainage layer)	2.3%	Floor grade from cell layout drawing
maximum horizontal drainage distance (if lateral drainage layer)	550 ft	Maximum drainage length for phase 1 floor (scaled from drawings)
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
liner installation quality (if geomembrane)	NA	
geotextile transmissibility	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Idaho Park Disposal Facility MTR floor liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 3	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	4	FML, (HDPE Geomembrane)
	thickness	0.06 in	60 mM (typical geomembrane thickness)
	soil texture	35	HELP Default texture for HDPE geomembrane.
	porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	liner installation quality (if geomembrane)	3	Good Installation
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Intrinsic Park Diagonal Facility MTR floor liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 4	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	2	Sand lateral drainage layer
	thickness	12 in	See liner section, ignore geotextile cushion & separation layers)
	soil texture	1	HELP Default for a poorly graded sand, (typical drainage material).
	porosity	0.417	HELP default for texture 1
	field capacity	0.045	HELP default for texture 1
	wilting point	0.018	HELP default for texture 1
	moisture content	0.045	Moisture content equal to field capacity (does not allow storage)
	saturated hydraulic conductivity	1.0E-2cm/s	HELP default for texture 1 (also EPA minimum required value)
	Is layer compacted?	No	
	slope [if lateral drainage layer]	2.3%	Floor grade from cell layout drawing
	maximum horizontal drainage distance [if lateral drainage layer]	550 ft	Maximum drainage length for phase 1 floor (scaled from drawings)
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality [if geomembrane]	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Intrinsic Park Diagonal Facility, MTR liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 6</b>		
layer type	4	FML, (HDPE Geomembrane)
thickness	0.06 in	60 mil (typical geomembrane thickness)
soil texture	35	HELP Default texture for HDPE geomembrane.
porosity	NA	
field capacity	NA	
wilting point	NA	
moisture content	NA	
saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
Is layer compacted?	NA	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance (if lateral drainage layer)	NA	
geomembrane pinhole density	1	Typical value recommended by HELP manual.
geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
liner installation quality (if geomembrane)	3	Good Installation
geotextile transmissivity	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Intrinsic Park Diagonal Facility, MTR liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 6	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	3	Compacted Clay Liner
	thickness	36 in	See liner section
	soil texture	0	HELP Default texture 26 (compacted CL) w/ a modified k value. (lab data indicates soil to be a CL)
	porosity	0.445	HELP default for texture 26
	field capacity	0.393	HELP default for texture 26
	wetting point	0.445	HELP default for texture 26
	moisture content	0.445	Moisture content equal to porosity (allows for immediate saturated flow)
	saturated hydraulic conductivity	1.0E-7 cm/s	Lab data indicates this permeability is possible w/ this soil
	is layer compacted?	YES	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Idaho Park Disposal Facility - MTR floor liner system

**TABLE 1**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

INPUT PARAMETER	VALUE	JUSTIFICATION
<b>CLIMATOLOGICAL DATA</b>		
city	Roswell, NM	Neaby City
precipitation & source of data (default or synthetic)	Synthetic	Only option for Roswell, NM using 30 yr avg. mean monthly inputs
temperature & source of data	Synthetic	Roswell, NM using 30 yr avg. mean monthly inputs
latitude	33.24	HELP default for Roswell, NM
maximum leaf area index	0	Bare Ground
evaporative zone depth	14 in.	HELP default for Roswell, NM
growing season start and end day	76/310	HELP default for Roswell, NM
<b>LANDFILL COVER DATA</b>		
type of vegetative cover	NA	Bare Ground
SCS runoff curve number	NA	0% allowable runoff CN does not affect results
active (uncovered)	Yes	
% of surface runoff that drains from landfill	0%	
surface area	1 acre	Unit area, (outputs to be converted to gallons/acre/day)
<b>SOIL AND DESIGN DATA</b>		
source of soil characteristics		HELP defaults, using lab data for onsite soils
number of layers	6	
<b>NOTES:</b>		

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 1	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	1	Protective soil, (Vertical percolation layer)
	thickness	24 in	See liner section
	soil texture	4	HELP Default for a SM. (lab data indicates onsite soil to be a SM)
	porosity	0.473	HELP default for texture 4
	field capacity	0.0105	HELP default for texture 4
	wetting point	0.047	HELP default for texture 4
	moisture content	0.0863	Based on a avg. M.C. = 5.9% for Natural moisture contents of Silty Sands tested from the site.
	saturated hydraulic conductivity	1.7E-3cm/s	HELP default for texture 4
	Is layer compacted?	No	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	liner installation quality (if geomembrane)	NA	
	geotextile transmissibility	NA	
	NOTES: (make additional copies for each layer as required)		

PROJECT: Intrinsic Park Diagnostic Facility - MTR slope liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

<b>INPUT PARAMETER</b>	<b>VALUE</b>	<b>JUSTIFICATION</b>
<b>LAYER NUMBER: 2</b>		
layer type	2	Sand lateral drainage layer
thickness	12 in	See liner section, ignore geotextile cushion & separation layers
soil texture	1	HELP Default for a poorly graded sand, (typical drainage material).
porosity	0.417	HELP default for texture 1
field capacity	0.045	HELP default for texture 1
wilting point	0.018	HELP default for texture 1
moisture content	0.045	Moisture content equal to field capacity, does not allow for water storage in lateral drainage layer.
saturated hydraulic conductivity	1.0E-2cm/s	HELP default for texture 1 (also EPA minimum required value)
is layer compacted?	No	
slope (if lateral drainage layer)	3.3%	slope grade from cell layout drawing
maximum horizontal drainage distance (if lateral drainage layer)	316 ft	Maximum drainage length for phase 1 slope (scaled from drawings)
geomembrane pinhole density	NA	
geomembrane installation defects	NA	
liner installation quality (if geomembrane)	NA	
geotextile transmissivity	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Irwindale Park Disposal Facility, MTR slope liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 3	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	4	FML, (HDPE Geomembrane)
	thickness	0.06 in	60 mil (typical geomembrane thickness)
	soil texture	35	HELP Default texture for HDPE geomembrane.
	Porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	liner installation quality (if geomembrane)	3	Good installation
	geotextile transmissibility	NA	

**NOTES:** (make additional copies for each layer as required)

**PROJECT: Interstate Park Diagnostic Facility, MTR slope liner system**

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 4	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	2	Sand lateral drainage layer
	thickness	12 in	See liner section. (ignore geotextile cushion & separation layers)
	soil texture	1	HELP Default for a poorly graded sand. (typical drainage material).
	porosity	0.417	HELP default for texture 1
	field capacity	0.045	HELP default for texture 1
	wilting point	0.018	HELP default for texture 1
	moisture content	0.045	Moisture content equal to field capacity, does not allow for water storage in lateral drainage layer.
	saturated hydraulic conductivity	1.0E-2cm/s	HELP default for texture 1 (also EPA minimum required value)
	Is layer compacted?	No	
	slope (if lateral drainage layer)	3.3%	Slope grade from cell layout drawing
	maximum horizontal drainage distance (if lateral drainage layer)	316 ft	Maximum drainage length for phase 1 slope (scaled from drawings)
	geomembrane pinhole density	NA	
	geomembrane installation defects	NA	
	Liner installation quality (if geomembrane)	NA	
	geotextile transmissibility	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Islamic Park Diamond Facility, MTR slope liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**

LAYER NUMBER: 5	INPUT PARAMETER	VALUE	JUSTIFICATION
	layer type	4	FML, (HDPE Geomembrane)
	thickness	0.06 in	60 mil (typical geomembrane thickness)
	soil texture	35	HELP Default texture for HDPE geomembrane.
	porosity	NA	
	field capacity	NA	
	wilting point	NA	
	moisture content	NA	
	saturated hydraulic conductivity	2.0E-13cm/s	HELP default for texture 35
	Is layer compacted?	NA	
	slope (if lateral drainage layer)	NA	
	maximum horizontal drainage distance (if lateral drainage layer)	NA	
	geomembrane pinhole density	1	Typical value recommended by HELP manual.
	geomembrane installation defects	3	Typical value recommended by HELP manual for good installation.
	liner installation quality (if geomembrane)	3	Good Installation
	geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Idaho Pot Disposal Facility, MTR stone liner system

**TABLE 2**  
**LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS**


INPUT PARAMETER	VALUE	JUSTIFICATION
<b>LAYER NUMBER: 6</b>		
layer type	3	Compacted Clay Liner
thickness	36 in	See liner section
soil texture	0	HELP Default texture 26 (compacted CL) w/ a modified k value. (lab data indicates soil to be a CL)
porosity	0.445	HELP default for texture 26
field capacity	0.393	HELP default for texture 26
wilting point	0.445	HELP default for texture 26
moisture content	0.445	Moisture content equal to porosity, allows for immediate saturated flow (HELP default).
saturated hydraulic conductivity	1.0E-7cm/s	Lab data indicates this permeability is possible w/ this soil.
Is layer compacted?	YES	
slope (if lateral drainage layer)	NA	
maximum horizontal drainage distance (if lateral drainage layer)	NA	
geomembrane pliable density	NA	
geomembrane installation defects	NA	
liner installation quality (if geomembrane)	NA	
geotextile transmissivity	NA	

NOTES: (make additional copies for each layer as required)

PROJECT: Islamic Park Disposal Facility, MTR slope liner system

**APPENDIX B**

**HELP SIMULATION SUMMARY PRINTOUTS**



\*\*\*\*\*  
\*\*  
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
HELP MODEL VERSION 3.04a (10 JULY 1995)  
DEVELOPED BY ENVIRONMENTAL LABORATORY  
USAE WATERWAYS EXPERIMENT STATION  
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
\*\*  
\*\*\*\*\*

PRECIPITATION DATA FILE: d:\602\in\fir.D4  
TEMPERATURE DATA FILE: d:\602\in\fir.07  
SOLAR RADIATION DATA FILE: d:\602\in\fir.013  
EVAPOTRANSPIRATION DATA: d:\602\in\fir.011  
SOIL AND DESIGN DATA FILE: d:\602\in\ALT2FLR.D10  
OUTPUT DATA FILE: d:\602\out\alt2fir.OUT

TIME: 15: 5 DATE: 2/28/1996

\*\*\*\*\*  
TITLE: gandy alternative 2, year 0-5, floor  
\*\*\*\*\*

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER  
WERE SPECIFIED BY THE USER.

LAYER 1  
-----

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 4  
THICKNESS = 24.00 INCHES  
POROSITY = 0.4370 VOL/VOL  
FIELD CAPACITY = 0.1050 VOL/VOL  
WILTING POINT = 0.0470 VOL/VOL  
INITIAL SOIL WATER CONTENT = 0.0863 VOL/VOL  
EFFECTIVE SAT. HYD. COND. = 0.170000002000E-02 CM/SEC

LAYER 2

-----  
TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 20  
THICKNESS = 0.20 INCHES  
POROSITY = 0.8500 VOL/VOL  
FIELD CAPACITY = 0.0100 VOL/VOL  
WILTING POINT = 0.0050 VOL/VOL  
INITIAL SOIL WATER CONTENT = 0.0100 VOL/VOL  
EFFECTIVE SAT. HYD. COND. = 10.0000000000 CM/SEC  
SLOPE = 2.30 PERCENT  
DRAINAGE LENGTH = 550.0 FEET

LAYER 3

-----  
TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35  
THICKNESS = 0.06 INCHES  
POROSITY = 0.0000 VOL/VOL  
FIELD CAPACITY = 0.0000 VOL/VOL  
WILTING POINT = 0.0000 VOL/VOL  
INITIAL SOIL WATER CONTENT = 0.0000 VOL/VOL  
EFFECTIVE SAT. HYD. COND. = 0.199999996000E-12 CM/SEC  
FML PINHOLE DENSITY = 1.00 HOLES/ACRE  
FML INSTALLATION DEFECTS = 3.00 HOLES/ACRE  
FML PLACEMENT QUALITY = 3 - GOOD

LAYER 4

-----  
TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 20  
THICKNESS = 0.20 INCHES  
POROSITY = 0.8500 VOL/VOL  
FIELD CAPACITY = 0.0100 VOL/VOL  
WILTING POINT = 0.0050 VOL/VOL  
INITIAL SOIL WATER CONTENT = 0.0100 VOL/VOL  
EFFECTIVE SAT. HYD. COND. = 10.0000000000 CM/SEC  
SLOPE = 2.30 PERCENT  
DRAINAGE LENGTH = 550.0 FEET

LAYER 5

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06 INCHES
POROSITY	=	0.0000 VOL/VOL
FIELD CAPACITY	=	0.0000 VOL/VOL
WILTING POINT	=	0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	=	1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	=	3.00 HOLES/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD

LAYER 6

TYPE 3 - BARRIER SOIL LINER  
MATERIAL TEXTURE NUMBER 17

THICKNESS	=	0.24 INCHES
POROSITY	=	0.7500 VOL/VOL
FIELD CAPACITY	=	0.7470 VOL/VOL
WILTING POINT	=	0.4000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.7500 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.30000003000E-08 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS COMPUTED FROM DEFAULT  
SOIL DATA BASE USING SOIL TEXTURE # 4 WITH BARE  
GROUND CONDITIONS, A SURFACE SLOPE OF 2% AND  
A SLOPE LENGTH OF 550. FEET.

SCS RUNOFF CURVE NUMBER	=	80.50
FRACTION OF AREA ALLOWING RUNOFF	=	0.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE	=	1.000 ACRES
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE	=	1.208 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE	=	6.118 INCHES

Path: C:\  
File: ALT2FLR .OUT 18,056 .a.. 2-28-96 3:05:40 pm Page 4

LOWER LIMIT OF EVAPORATIVE STORAGE	=	0.658 INCHES
INITIAL SNOW WATER	=	0.000 INCHES
INITIAL WATER IN LAYER MATERIALS	=	2.255 INCHES
TOTAL INITIAL WATER	=	2.255 INCHES
TOTAL SUBSURFACE INFLOW	=	0.00 INCHES/YEAR

#### EVAPOTRANSPIRATION AND WEATHER DATA

---

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
ROSWELL NEW MEXICO

STATION LATITUDE	=	33.24 DEGREES
MAXIMUM LEAF AREA INDEX	=	0.00
START OF GROWING SEASON (JULIAN DATE)	=	76
END OF GROWING SEASON (JULIAN DATE)	=	310
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
AVERAGE ANNUAL WIND SPEED	=	8.70 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY	=	49.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY	=	40.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY	=	53.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY	=	52.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
0.42	0.47	0.49	0.69	1.14	1.43
1.99	1.90	1.87	1.13	0.57	0.53

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
39.60	44.10	51.30	59.80	68.30	76.80
79.30	77.90	71.00	60.10	48.00	40.10

Path: C:\  
File: ALT2FLR.OUT 18,056 .a.. 2-28-96 3:05:40 pm Page 5

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO  
AND STATION LATITUDE = 33.24 DEGREES

\*\*\*\*\*  
AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
<b>PRECIPITATION</b>						
TOTALS	0.30 2.39	0.29 1.68	0.54 1.79	0.49 0.90	1.17 1.44	0.99 0.97
STD. DEVIATIONS	0.34 1.12	0.07 1.16	0.47 1.14	0.39 1.04	1.10 1.76	1.20 0.67
<b>RUNOFF</b>						
TOTALS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
STD. DEVIATIONS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
<b>APOTRANSPIRATION</b>						
TOTALS	0.438 1.825	0.303 1.797	0.412 1.517	0.280 1.018	1.097 1.082	0.882 0.779
STD. DEVIATIONS	0.190 0.881	0.068 1.256	0.364 0.771	0.162 0.663	0.930 0.810	1.074 0.425
<b>LATERAL DRAINAGE COLLECTED FROM LAYER 2</b>						
TOTALS	0.0416 0.0301	0.0342 0.0626	0.0209 0.0505	0.0120 0.0703	0.0095 0.2054	0.0120 0.0964
STD. DEVIATIONS	0.0397 0.0406	0.0333 0.0592	0.0164 0.0375	0.0092 0.0667	0.0072 0.2849	0.0110 0.1230
<b>PERCOLATION/LEAKAGE THROUGH LAYER 3</b>						
TOTALS	0.0569 0.0399	0.0502 0.0722	0.0434 0.0681	0.0307 0.0770	0.0252 0.1117	0.0237 0.0973

Path: C:\  
File: ALT2FLR.OUT 18,056 a... 2-28-96 3:05:40 pm Page 6

STD. DEVIATIONS 0.0402 0.0412 0.0311 0.0230 0.0179 0.0196  
0.0460 0.0552 0.0445 0.0424 0.0755 0.0673

LATERAL DRAINAGE COLLECTED FROM LAYER 4

TOTALS 0.0568 0.0505 0.0434 0.0308 0.0254 0.0237  
0.0396 0.0716 0.0685 0.0768 0.1109 0.0983

STD. DEVIATIONS 0.0400 0.0416 0.0312 0.0231 0.0180 0.0196  
0.0452 0.0549 0.0448 0.0424 0.0746 0.0684

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

STD. DEVIATIONS 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES 0.0006 0.0005 0.0003 0.0002 0.0001 0.0002  
0.0004 0.0009 0.0007 0.0010 0.0029 0.0013

STD. DEVIATIONS 0.0005 0.0005 0.0002 0.0001 0.0001 0.0002  
0.0006 0.0006 0.0005 0.0009 0.0040 0.0017

DAILY AVERAGE HEAD ON TOP OF LAYER 5

AVERAGES 0.0008 0.0008 0.0006 0.0004 0.0003 0.0003  
0.0005 0.0010 0.0010 0.0010 0.0016 0.0013

STD. DEVIATIONS 0.0005 0.0006 0.0004 0.0003 0.0002 0.0003  
0.0006 0.0007 0.0006 0.0006 0.0010 0.0009

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

INCHES CU. FEET PERCENT

Path: C:\  
File: ALT2FLR .OUT 18,056 .a.. 2-28-96 3:05:40 pm Page 7

PRECIPITATION	12.95 ( 2.076)	47023.0	100.00
OFF	0.000 ( 0.0000)	0.00	0.000
EVAPOTRANSPIRATION	11.431 ( 1.9467)	41494.45	88.243
LATERAL DRAINAGE COLLECTED FROM LAYER 2	0.64535 ( 0.56767)	2342.634	4.98189
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.69647 ( 0.36897)	2528.192	5.37650
AVERAGE HEAD ON TOP OF LAYER 3	0.001 ( 0.001)		
LATERAL DRAINAGE COLLECTED FROM LAYER 4	0.69630 ( 0.36874)	2527.576	5.37519
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.00000 ( 0.00000)	0.008	0.00002
AVERAGE HEAD ON TOP OF LAYER 5	0.001 ( 0.000)		
CHANGE IN WATER STORAGE	0.181 ( 0.4414)	658.36	1.400

\*\*\*\*\*

PEAK DAILY VALUES FOR YEARS		1 THROUGH	5
		(INCHES)	(CU. FT.)
PRECIPITATION		1.40	5082.000
RUNOFF		0.000	0.0000
DRAINAGE COLLECTED FROM LAYER 2		0.10664	387.11032
PERCOLATION/LEAKAGE THROUGH LAYER 3		0.022506	81.69557
AVERAGE HEAD ON TOP OF LAYER 3		0.045	
MAXIMUM HEAD ON TOP OF LAYER 3		0.088	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)		11.6 FEET	
DRAINAGE COLLECTED FROM LAYER 4		0.02105	76.40586
PERCOLATION/LEAKAGE THROUGH LAYER 6		0.000000	0.00003
AVERAGE HEAD ON TOP OF LAYER 5		0.009	
MAXIMUM HEAD ON TOP OF LAYER 5		0.025	
LOCATION OF MAXIMUM HEAD IN LAYER 4 (DISTANCE FROM DRAIN)		0.0 FEET	
SNOW WATER		1.36	4944.3652
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.2317	
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470	

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

\*\*\*\*\*  
FINAL WATER STORAGE AT END OF YEAR 5

LAYER	(INCHES)	(VOL/VOL)
1	2.9768	0.1240
2	0.0024	0.0120
3	0.0000	0.0000
4	0.0028	0.0142
5	0.0000	0.0000
6	0.1800	0.7500
SNOW WATER	0.000	

\*\*\*\*\*



\*\*\*\*\*  
\*\*  
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
HELP MODEL VERSION 3.04a (10 JULY 1995)  
DEVELOPED BY ENVIRONMENTAL LABORATORY  
USAE WATERWAYS EXPERIMENT STATION  
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
\*\*  
\*\*\*\*\*

PRECIPITATION DATA FILE: d:\602\in\flr.D4  
TEMPERATURE DATA FILE: d:\602\in\flr.D7  
SOLAR RADIATION DATA FILE: d:\602\in\flr.D13  
EVAPOTRANSPIRATION DATA: d:\602\in\flr.D11  
SOIL AND DESIGN DATA FILE: d:\602\in\ALT2slp.D10  
OUTPUT DATA FILE: d:\602\out\alt2slp.OUT

TIME: 15: 6 DATE: 2/28/1996

\*\*\*\*\*  
TITLE: gandy alternative 2, year 0-5, slope  
\*\*\*\*\*

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER  
WERE SPECIFIED BY THE USER.

LAYER 1  
-----

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 4

THICKNESS	= 24.00 INCHES
POROSITY	= 0.4370 VOL/VOL
FIELD CAPACITY	= 0.1050 VOL/VOL
WILTING POINT	= 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0863 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.17000002000E-02 CM/SEC

LAYER 2

-----

TYPE 2 - LATERAL DRAINAGE LAYER

MATERIAL TEXTURE NUMBER 20

THICKNESS	=	0.20	INCHES
POROSITY	=	0.8500	VOL/VOL
FIELD CAPACITY	=	0.0100	VOL/VOL
WILTING POINT	=	0.0050	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0100	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	10.0000000000	CM/SEC
SLOPE	=	33.00	PERCENT
DRAINAGE LENGTH	=	316.0	FEET

LAYER 3

-----

TYPE 4 - FLEXIBLE MEMBRANE LINER

MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06	INCHES
POROSITY	=	0.0000	VOL/VOL
FIELD CAPACITY	=	0.0000	VOL/VOL
WILTING POINT	=	0.0000	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12	CM/SEC
FML PINHOLE DENSITY	=	1.00	HOLES/ACRE
FML INSTALLATION DEFECTS	=	3.00	HOLES/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD	

LAYER 4

-----

TYPE 2 - LATERAL DRAINAGE LAYER

MATERIAL TEXTURE NUMBER 20

THICKNESS	=	0.20	INCHES
POROSITY	=	0.8500	VOL/VOL
FIELD CAPACITY	=	0.0100	VOL/VOL
WILTING POINT	=	0.0050	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0100	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	10.0000000000	CM/SEC
SLOPE	=	33.00	PERCENT
DRAINAGE LENGTH	=	316.0	FEET

LAYER 5

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06 INCHES
POROSITY	=	0.0000 VOL/VOL
FIELD CAPACITY	=	0.0000 VOL/VOL
WILTING POINT	=	0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	=	1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	=	3.00 HOLES/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD

LAYER 6

TYPE 3 - BARRIER SOIL LINER  
MATERIAL TEXTURE NUMBER 17

THICKNESS	=	0.24 INCHES
POROSITY	=	0.7500 VOL/VOL
FIELD CAPACITY	=	0.7470 VOL/VOL
WILTING POINT	=	0.4000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.7500 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.30000003000E-08 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS COMPUTED FROM DEFAULT  
SOIL DATA BASE USING SOIL TEXTURE # 4 WITH BARE  
GROUND CONDITIONS, A SURFACE SLOPE OF 33.% AND  
A SLOPE LENGTH OF 316. FEET.

SCS RUNOFF CURVE NUMBER	=	82.40
FRACTION OF AREA ALLOWING RUNOFF	=	0.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE	=	1.000 ACRES
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE	=	1.208 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE	=	6.118 INCHES

Path: C:\  
File: ALT2SLP .OUT 18,056 .a.. 2-28-96 3:07:00 pm Page 4

LOWER LIMIT OF EVAPORATIVE STORAGE	=	0.658 INCHES
INITIAL SNOW WATER	=	0.000 INCHES
INITIAL WATER IN LAYER MATERIALS	=	2.255 INCHES
TOTAL INITIAL WATER	=	2.255 INCHES
TOTAL SUBSURFACE INFLOW	=	0.00 INCHES/YEAR

#### EVAPOTRANSPIRATION AND WEATHER DATA

---

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
ROSWELL NEW MEXICO

STATION LATITUDE	=	33.24 DEGREES
MAXIMUM LEAF AREA INDEX	=	0.00
START OF GROWING SEASON (JULIAN DATE)	=	76
END OF GROWING SEASON (JULIAN DATE)	=	310
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
AVERAGE ANNUAL WIND SPEED	=	8.70 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY	=	49.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY	=	40.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY	=	53.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY	=	52.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
0.42	0.47	0.49	0.69	1.14	1.43
1.99	1.90	1.87	1.13	0.57	0.53

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
39.60	44.10	51.30	59.80	68.30	76.80
79.30	77.90	71.00	60.10	48.00	40.10

Path: C:\  
File: ALT2SLP.OUT 18,056 .a.. 2-28-96 3:07:00 pm Page 5

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO  
AND STATION LATITUDE = 33.24 DEGREES

\*\*\*\*\*

AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
<b>PRECIPITATION</b>						
-----						
TOTALS	0.30	0.29	0.54	0.49	1.17	0.99
	2.39	1.68	1.79	0.90	1.44	0.97
STD. DEVIATIONS	0.34	0.07	0.47	0.39	1.10	1.20
	1.12	1.16	1.14	1.04	1.76	0.67
<b>RUNOFF</b>						
-----						
TOTALS	0.000	0.000	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000	0.000	0.000
STD. DEVIATIONS	0.000	0.000	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000	0.000	0.000
<b>EVAPOTRANSPIRATION</b>						
-----						
TOTALS	0.223	0.121	0.144	0.096	0.318	0.413
	1.261	0.557	0.702	0.341	0.405	0.398
STD. DEVIATIONS	0.157	0.088	0.153	0.175	0.325	0.765
	0.644	0.326	0.848	0.432	0.413	0.439
<b>LATERAL DRAINAGE COLLECTED FROM LAYER 2</b>						
-----						
TOTALS	0.2838	0.1530	0.3144	0.1666	0.7463	0.5542
	0.7122	1.3258	0.9034	0.5961	1.1245	0.4454
STD. DEVIATIONS	0.2299	0.1388	0.3029	0.0962	0.6884	0.5561
	0.5288	0.9396	0.3697	0.3540	1.3388	0.2356
<b>PERCOLATION/LEAKAGE THROUGH LAYER 3</b>						
-----						
TOTALS	0.0338	0.0244	0.0337	0.0259	0.0528	0.0428
	0.0557	0.0793	0.0653	0.0540	0.0660	0.0459

Path: C:\  
File: ALT2SLP .OUT 18,056 .a.. 2-28-96 3:07:00 pm Page 6

STD. DEVIATIONS	0.0218	0.0167	0.0253	0.0152	0.0350	0.0287
	0.0235	0.0266	0.0129	0.0137	0.0312	0.0100

LATERAL DRAINAGE COLLECTED FROM LAYER 4

TOTALS	0.0338	0.0264	0.0337	0.0259	0.0528	0.0428
	0.0557	0.0793	0.0653	0.0540	0.0660	0.0459

STD. DEVIATIONS	0.0218	0.0167	0.0253	0.0152	0.0350	0.0287
	0.0235	0.0266	0.0129	0.0137	0.0312	0.0100

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

STD. DEVIATIONS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES	0.0002	0.0001	0.0002	0.0001	0.0005	0.0003
	0.0004	0.0008	0.0006	0.0004	0.0007	0.0003

STD. DEVIATIONS	0.0001	0.0001	0.0002	0.0001	0.0004	0.0003
	0.0003	0.0006	0.0002	0.0002	0.0008	0.0001

DAILY AVERAGE HEAD ON TOP OF LAYER 5

AVERAGES	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001
	0.0002	0.0003	0.0002	0.0002	0.0002	0.0001

STD. DEVIATIONS	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
	0.0001	0.0001	0.0000	0.0000	0.0001	0.0000

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

INCHES	CU. FEET	PERCENT
--------	----------	---------

Path: C:\  
File: ALT2SLP.OUT 18,056 .a.. 2-28-96 3:07:00 pm Page 7

PRECIPITATION	12.95 ( 2.076)	47023.0	100.00
KOFF	0.000 ( 0.0000)	0.00	0.000
EVAPOTRANSPIRATION	4.979 ( 0.8403)	18074.46	38.437
LATERAL DRAINAGE COLLECTED FROM LAYER 2	7.32567 ( 2.24924)	26592.176	56.55140
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.57975 ( 0.16004)	2104.510	4.47549
AVERAGE HEAD ON TOP OF LAYER 3	0.000 ( 0.000)		
LATERAL DRAINAGE COLLECTED FROM LAYER 4	0.57975 ( 0.16004)	2104.509	4.47549
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.00000 ( 0.00000)	0.002	0.00000
AVERAGE HEAD ON TOP OF LAYER 5	0.000 ( 0.000)		
CHANGE IN WATER STORAGE	0.069 ( 0.3656)	251.88	0.536

\*\*\*\*\*

PEAK DAILY VALUES FOR YEARS		1 THROUGH	5
	(INCHES)	(CU. FT.)	
PRECIPITATION	1.40	5082.000	
RUNOFF	0.000	0.0000	
DRAINAGE COLLECTED FROM LAYER 2	0.55831	2026.65674	
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.010151	36.84814	
AVERAGE HEAD ON TOP OF LAYER 3	0.010		
MAXIMUM HEAD ON TOP OF LAYER 3	0.094		
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET		
DRAINAGE COLLECTED FROM LAYER 4	0.01015	36.84814	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000000	0.00001	
AVERAGE HEAD ON TOP OF LAYER 5	0.001		
MAXIMUM HEAD ON TOP OF LAYER 5	0.000		
LOCATION OF MAXIMUM HEAD IN LAYER 4 (DISTANCE FROM DRAIN)	0.0 FEET		
SNOW WATER	1.36	4944.3652	
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.1804	
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470	

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

\*\*\*\*\*  
FINAL WATER STORAGE AT END OF YEAR 5

LAYER	(INCHES)	(VOL/VOL)
1	2.4179	0.1007
2	0.0022	0.0112
3	0.0000	0.0000
4	0.0020	0.0100
5	0.0000	0.0000
6	0.1800	0.7500
SNOW WATER	0.000	

\*\*\*\*\*



\*\*\*\*\*  
\*\*  
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
HELP MODEL VERSION 3.04a (10 JULY 1995)  
DEVELOPED BY ENVIRONMENTAL LABORATORY  
USAE WATERWAYS EXPERIMENT STATION  
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
\*\*  
\*\*\*\*\*

PRECIPITATION DATA FILE: d:\602\in\cov.D4  
TEMPERATURE DATA FILE: d:\602\in\cov.07  
SOLAR RADIATION DATA FILE: d:\602\in\cov.013  
EVAPOTRANSPIRATION DATA: d:\602\in\cov.011  
SOIL AND DESIGN DATA FILE: d:\602\in\coverU.D10  
OUTPUT DATA FILE: d:\602\out\coverU.OUT

TIME: 8:31 DATE: 2/29/1996

\*\*\*\*\*  
TITLE: gandy cover alternative, year 0-5  
\*\*\*\*\*

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER  
WERE SPECIFIED BY THE USER.

LAYER 1  
-----

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 6

THICKNESS	=	24.00 INCHES
POROSITY	=	0.4530 VOL/VOL
FIELD CAPACITY	=	0.1900 VOL/VOL
WILTING POINT	=	0.0850 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0863 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.720000011000E-03 CM/SEC

Path: C:\  
File: COVERU .OUT 16,575 .a.. 2-29-96 8:31:54 am Page 2

NOTE: SATURATED HYDRAULIC CONDUCTIVITY IS MULTIPLIED BY 1.80  
FOR ROOT CHANNELS IN TOP HALF OF EVAPORATIVE ZONE.

LAYER 2

TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 20

THICKNESS	=	0.20	INCHES
POROSITY	=	0.8500	VOL/VOL
FIELD CAPACITY	=	0.0100	VOL/VOL
WILTING POINT	=	0.0050	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0100	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	10.0000000000	CM/SEC
SLOPE	=	25.00	PERCENT
DRAINAGE LENGTH	=	550.0	FEET

LAYER 3

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06	INCHES
POROSITY	=	0.0000	VOL/VOL
FIELD CAPACITY	=	0.0000	VOL/VOL
WILTING POINT	=	0.0000	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12	CM/SEC
FML PINHOLE DENSITY	=	1.00	HOLE/ACRE
FML INSTALLATION DEFECTS	=	3.00	HOLE/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD	

LAYER 4

TYPE 3 - BARRIER SOIL LINER  
MATERIAL TEXTURE NUMBER 17

THICKNESS	=	0.24	INCHES
POROSITY	=	0.7500	VOL/VOL
FIELD CAPACITY	=	0.7470	VOL/VOL
WILTING POINT	=	0.4000	VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.7500	VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.30000003000E-08	CM/SEC

LAYER 5

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 4

THICKNESS	=	6.00 INCHES
POROSITY	=	0.4370 VOL/VOL
FIELD CAPACITY	=	0.1050 VOL/VOL
WILTING POINT	=	0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0863 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.17000002000E-02 CM/SEC

LAYER 6

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 4

THICKNESS	=	18.00 INCHES
POROSITY	=	0.4370 VOL/VOL
FIELD CAPACITY	=	0.1050 VOL/VOL
WILTING POINT	=	0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0863 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.17000002000E-02 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS COMPUTED FROM DEFAULT  
SOIL DATA BASE USING SOIL TEXTURE # 6 WITH A  
POOR STAND OF GRASS, A SURFACE SLOPE OF 25.%  
AND A SLOPE LENGTH OF 550. FEET.

SCS RUNOFF CURVE NUMBER	=	80.50
FRACTION OF AREA ALLOWING RUNOFF	=	100.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE	=	1.000 ACRES
EVAPORATIVE ZONE DEPTH	=	24.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE	=	2.071 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE	=	10.872 INCHES
LOWER LIMIT OF EVAPORATIVE STORAGE	=	2.040 INCHES
INITIAL SNOW WATER	=	0.000 INCHES
INITIAL WATER IN LAYER MATERIALS	=	4.324 INCHES

Path: C:\  
File: COVERU .OUT 16,575 .a.. 2-29-96 8:31:54 am Page 4

TOTAL INITIAL WATER = 4.324 INCHES  
TOTAL SUBSURFACE INFLOW = 0.00 INCHES/YEAR

#### EVAPOTRANSPIRATION AND WEATHER DATA

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
ROSWELL NEW MEXICO

STATION LATITUDE	= 33.24 DEGREES
MAXIMUM LEAF AREA INDEX	= 1.00
START OF GROWING SEASON (JULIAN DATE)	= 76
END OF GROWING SEASON (JULIAN DATE)	= 310
EVAPORATIVE ZONE DEPTH	= 24.0 INCHES
AVERAGE ANNUAL WIND SPEED	= 8.70 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY	= 49.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY	= 40.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY	= 53.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY	= 52.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
0.42	0.47	0.49	0.69	1.14	1.43
1.99	1.90	1.87	1.13	0.57	0.53

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
39.60	44.10	51.30	59.80	68.30	76.80
79.30	77.90	71.00	60.10	48.00	40.10

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO  
AND STATION LATITUDE = 33.24 DEGREES

Path: C:\  
File: COVERU .OUT 16,575 .a.. 2-29-96 8:31:54 am Page 5

AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
<b>PRECIPITATION</b>						
TOTALS	0.30	0.29	0.54	0.49	1.17	0.99
	2.39	1.68	1.79	0.90	1.44	0.97
STD. DEVIATIONS	0.34	0.07	0.47	0.39	1.10	1.20
	1.12	1.16	1.14	1.04	1.76	0.67
<b>RUNOFF</b>						
TOTALS	0.000	0.000	0.000	0.000	0.000	0.000
	0.001	0.000	0.000	0.000	0.000	0.000
STD. DEVIATIONS	0.000	0.000	0.000	0.000	0.000	0.001
	0.001	0.000	0.000	0.001	0.000	0.000
<b>EVAPOTRANSPIRATION</b>						
TOTALS	0.660	0.265	0.558	0.266	1.236	1.117
	2.254	1.850	1.519	0.938	1.055	0.987
STD. DEVIATIONS	0.399	0.087	0.467	0.422	1.021	1.293
	1.297	1.206	1.094	0.856	0.675	0.419
<b>LATERAL DRAINAGE COLLECTED FROM LAYER 2</b>						
TOTALS	0.0161	0.0040	0.0138	0.0068	0.0091	0.0063
	0.0347	0.0368	0.0203	0.0122	0.0433	0.0417
STD. DEVIATIONS	0.0293	0.0059	0.0168	0.0102	0.0110	0.0087
	0.0224	0.0189	0.0086	0.0077	0.0579	0.0250
<b>PERCOLATION/LEAKAGE THROUGH LAYER 4</b>						
TOTALS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
STD. DEVIATIONS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Path: C:\  
File: COVERU .OUT 16,575 .a.. 2-29-96 8:31:54 am Page 6

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001
STD. DEVIATIONS	0.0001	0.0001	0.0001	0.0001	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001
STD. DEVIATIONS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

	INCHES	CU. FEET	PERCENT
PRECIPITATION	12.95 ( 2.076)	47023.0	100.00
RUNOFF	0.001 ( 0.0023)	4.94	0.011
EVAPOTRANSPIRATION	12.706 ( 1.7289)	46122.80	98.086
LATERAL DRAINAGE COLLECTED FROM LAYER 2	0.24518 ( 0.12170)	890.020	1.89273
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.00000 ( 0.00000)	0.001	0.00000
AVERAGE HEAD ON TOP OF LAYER 3	0.000 ( 0.000)		
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.00153 ( 0.00028)	5.554	0.01181
CHANGE IN WATER STORAGE	0.000 ( 0.5820)	-0.29	-0.001

Path: C:\  
File: COVERU .OUT 16,575 .a.. 2-29-96 8:31:54 am Page 7

\*\*\*\*\*

PEAK DAILY VALUES FOR YEARS	1 THROUGH	5
	(INCHES)	(CU. FT.)
PRECIPITATION	1.40	5082.000
RUNOFF	0.003	12.1114
DRAINAGE COLLECTED FROM LAYER 2	0.04743	172.17372
PERCOLATION/LEAKAGE THROUGH LAYER 4	0.000000	0.00003
AVERAGE HEAD ON TOP OF LAYER 3	0.002	
MAXIMUM HEAD ON TOP OF LAYER 3	0.192	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000005	0.01711
SNOW WATER	1.36	4944.3652
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.2101
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0850

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

\*\*\*\*\*  
FINAL WATER STORAGE AT END OF YEAR 5  
\*\*\*\*\*

LAYER	(INCHES)	(VOL/VOL)
1	2.0774	0.0866
2	0.0030	0.0150
3	0.0000	0.0000
4	0.1800	0.7500
5	0.5159	0.0860
6	1.5477	0.0860
SNOW WATER	0.000	

\*\*\*\*\*  
\*\*\*\*\*



\*\*\*\*\*  
\*\*  
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
\*\*  
HELP MODEL VERSION 3.04a (10 JULY 1995)  
\*\*  
DEVELOPED BY ENVIRONMENTAL LABORATORY  
\*\*  
USAE WATERWAYS EXPERIMENT STATION  
\*\*  
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
\*\*  
\*\*  
\*\*\*\*\*

PRECIPITATION DATA FILE: d:\602\in\fir.D4  
TEMPERATURE DATA FILE: d:\602\in\fir.D7  
SOLAR RADIATION DATA FILE: d:\602\in\fir.D13  
EVAPOTRANSPIRATION DATA: d:\602\in\fir.D11  
SOIL AND DESIGN DATA FILE: d:\602\in\mtrfl.D10  
OUTPUT DATA FILE: d:\602\out\mtrfl.OUT

TIME: 14:59 DATE: 2/28/1996

\*\*\*\*\*  
TITLE: Gandy Landfill - MTR - Floor (0-5 yrs)  
\*\*\*\*\*

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER  
WERE SPECIFIED BY THE USER.

LAYER 1  
-----

TYPE 1 - VERTICAL PERCOLATION LAYER

MATERIAL TEXTURE NUMBER 4

THICKNESS	= 26.00 INCHES
POROSITY	= 0.4370 VOL/VOL
FIELD CAPACITY	= 0.1050 VOL/VOL
WILTING POINT	= 0.0470 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0863 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.17000002000E-02 CM/SEC

LAYER 2

TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 1

THICKNESS	= 12.00 INCHES
POROSITY	= 0.4170 VOL/VOL
FIELD CAPACITY	= 0.0450 VOL/VOL
WILTING POINT	= 0.0180 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.999999978000E-02 CM/SEC
SLOPE	= 2.30 PERCENT
DRAINAGE LENGTH	= 550.0 FEET

LAYER 3

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	= 0.06 INCHES
POROSITY	= 0.0000 VOL/VOL
FIELD CAPACITY	= 0.0000 VOL/VOL
WILTING POINT	= 0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	= 1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	= 3.00 HOLES/ACRE
FML PLACEMENT QUALITY	= 3 - GOOD

LAYER 4

TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 1

THICKNESS	= 12.00 INCHES
POROSITY	= 0.4170 VOL/VOL
FIELD CAPACITY	= 0.0450 VOL/VOL
WILTING POINT	= 0.0180 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.999999978000E-02 CM/SEC
SLOPE	= 2.30 PERCENT
DRAINAGE LENGTH	= 550.0 FEET

LAYER 5

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06 INCHES
POROSITY	=	0.0000 VOL/VOL
FIELD CAPACITY	=	0.0000 VOL/VOL
WILTING POINT	=	0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	=	1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	=	3.00 HOLES/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD

LAYER 6

TYPE 3 - BARRIER SOIL LINER  
MATERIAL TEXTURE NUMBER 0

THICKNESS	=	36.00 INCHES
POROSITY	=	0.4450 VOL/VOL
FIELD CAPACITY	=	0.3930 VOL/VOL
WILTING POINT	=	0.2770 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.4450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.10000001000E-06 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS COMPUTED FROM DEFAULT  
SOIL DATA BASE USING SOIL TEXTURE # 4 WITH BARE  
GROUND CONDITIONS, A SURFACE SLOPE OF 2% AND  
A SLOPE LENGTH OF 550. FEET.

SCS RUNOFF CURVE NUMBER	=	80.50
FRACTION OF AREA ALLOWING RUNOFF	=	0.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE	=	1.000 ACRES
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE	=	1.208 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE	=	6.118 INCHES

Path: C:\  
File: MTRFL .OUT 18,056 .a.. 2-28-96 2:59:34 pm Page 4

LOWER LIMIT OF EVAPORATIVE STORAGE	=	0.658 INCHES
INITIAL SNOW WATER	=	0.000 INCHES
INITIAL WATER IN LAYER MATERIALS	=	19.171 INCHES
TOTAL INITIAL WATER	=	19.171 INCHES
TOTAL SUBSURFACE INFLOW	=	0.00 INCHES/YEAR

#### EVAPOTRANSPIRATION AND WEATHER DATA

---

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
ROSWELL NEW MEXICO

STATION LATITUDE	=	33.24 DEGREES
MAXIMUM LEAF AREA INDEX	=	0.00
START OF GROWING SEASON (JULIAN DATE)	=	76
END OF GROWING SEASON (JULIAN DATE)	=	310
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
AVERAGE ANNUAL WIND SPEED	=	8.70 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY	=	49.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY	=	40.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY	=	53.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY	=	52.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
0.42	0.47	0.49	0.69	1.14	1.43
1.99	1.90	1.87	1.13	0.57	0.53

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
39.60	44.10	51.30	59.80	68.30	76.80
79.30	77.90	71.00	60.10	48.00	40.10

Path: C:\  
File: MTRFL .OUT 18,056 .a.. 2-28-96 2:59:34 pm Page 5

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO  
AND STATION LATITUDE = 33.24 DEGREES

AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
<b>PRECIPITATION</b>						
TOTALS	0.30 2.39	0.29 1.68	0.54 1.79	0.49 0.90	1.17 1.44	0.99 0.97
STD. DEVIATIONS	0.34 1.12	0.07 1.16	0.47 1.14	0.39 1.04	1.10 1.76	1.20 0.67
<b>RUNOFF</b>						
TOTALS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
STD. DEVIATIONS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
<b>VAPOTRANSPIRATION</b>						
TOTALS	0.438 1.825	0.303 1.797	0.412 1.517	0.280 1.018	1.097 1.082	0.882 0.779
STD. DEVIATIONS	0.190 0.881	0.068 1.256	0.364 0.771	0.162 0.663	0.930 0.810	1.074 0.425
<b>LATERAL DRAINAGE COLLECTED FROM LAYER 2</b>						
TOTALS	0.0621 0.0169	0.0457 0.0237	0.0407 0.0320	0.0298 0.0360	0.0227 0.0495	0.0161 0.0777
STD. DEVIATIONS	0.0705 0.0100	0.0472 0.0158	0.0388 0.0204	0.0260 0.0216	0.0188 0.0344	0.0130 0.0772
<b>PERCOLATION/LEAKAGE THROUGH LAYER 3</b>						
TOTALS	0.1049 0.0402	0.0816 0.0519	0.0768 0.0652	0.0603 0.0729	0.0495 0.0922	0.0378 0.1296

Path: C:\  
File: MTRFL .OUT 18,056 a.. 2-28-96 2:59:34 pm Page 6

STD. DEVIATIONS 0.1025 0.0723 0.0638 0.0470 0.0373 0.0279  
0.0233 0.0328 0.0394 0.0399 0.0523 0.1029

LATERAL DRAINAGE COLLECTED FROM LAYER 4

TOTALS 0.0693 0.0661 0.0750 0.0716 0.0707 0.0638  
0.0611 0.0582 0.0568 0.0606 0.0623 0.0737

STD. DEVIATIONS 0.0625 0.0590 0.0659 0.0617 0.0598 0.0530  
0.0492 0.0428 0.0379 0.0375 0.0358 0.0413

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS 0.0001 0.0001 0.0001 0.0001 0.0001 0.0001  
0.0001 0.0001 0.0001 0.0001 0.0001 0.0001

STD. DEVIATIONS 0.0001 0.0001 0.0001 0.0001 0.0001 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES 0.8312 0.6892 0.5543 0.4196 0.3096 0.2268  
0.2301 0.3233 0.4497 0.4901 0.6959 1.0576

STD. DEVIATIONS 0.9305 0.7113 0.5279 0.3656 0.2563 0.1824  
0.1359 0.2155 0.2866 0.2939 0.4840 1.0507

DAILY AVERAGE HEAD ON TOP OF LAYER 5

AVERAGES 0.9310 0.9967 1.0206 1.0072 0.9627 0.8973  
0.8323 0.7929 0.7990 0.8257 0.8757 1.0028

STD. DEVIATIONS 0.8338 0.8893 0.8971 0.8686 0.8136 0.7451  
0.6699 0.5832 0.5332 0.5109 0.5034 0.5618

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

INCHES CU. FEET PERCENT

Path: C:\  
File: MTRFL .OUT 18,056 .a.. 2-28-96 2:59:34 pm Page 7

PRECIPITATION	12.95 ( 2.076)	47023.0	100.00
OFF	0.000 ( 0.0000)	0.00	0.000
EVAPOTRANSPIRATION	11.431 ( 1.9467)	41494.45	88.243
LATERAL DRAINAGE COLLECTED FROM LAYER 2	0.45305 ( 0.31273)	1644.561	3.49735
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.86312 ( 0.52877)	3133.128	6.66297
AVERAGE HEAD ON TOP OF LAYER 3	0.523 ( 0.361)		
LATERAL DRAINAGE COLLECTED FROM LAYER 4	0.78920 ( 0.59140)	2864.794	6.09232
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.00071 ( 0.00051)	2.587	0.00550
AVERAGE HEAD ON TOP OF LAYER 5	0.912 ( 0.683)		
CHANGE IN WATER STORAGE	0.280 ( 0.8130)	1016.64	2.162

\*\*\*\*\*

PEAK DAILY VALUES FOR YEARS	1 THROUGH	5
	(INCHES)	(CU. FT.)
PRECIPITATION	1.40	5082.000
RUNOFF	0.000	0.0000
DRAINAGE COLLECTED FROM LAYER 2	0.00669	24.27183
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.009581	34.77909
AVERAGE HEAD ON TOP OF LAYER 3	2.822	
MAXIMUM HEAD ON TOP OF LAYER 3	5.131	
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	49.7 FEET	
DRAINAGE COLLECTED FROM LAYER 4	0.00517	18.76339
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000004	0.01610
AVERAGE HEAD ON TOP OF LAYER 5	2.181	
MAXIMUM HEAD ON TOP OF LAYER 5	4.028	
LOCATION OF MAXIMUM HEAD IN LAYER 4 (DISTANCE FROM DRAIN)	41.9 FEET	
SNOW WATER	1.36	4944.3652
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.2317
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

\*\*\*\*\*  
FINAL WATER STORAGE AT END OF YEAR 5

LAYER	(INCHES)	(VOL/VOL)
1	2.9768	0.1240
2	0.6687	0.0557
3	0.0000	0.0000
4	0.9060	0.0755
5	0.0000	0.0000
6	16.0200	0.4450
SNOW WATER	0.000	

\*\*\*\*\*  
\*\*\*\*\*



\*\*\*\*\*  
\*\*  
HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE  
HELP MODEL VERSION 3.04a (10 JULY 1995)  
DEVELOPED BY ENVIRONMENTAL LABORATORY  
USAE WATERWAYS EXPERIMENT STATION  
FOR USEPA RISK REDUCTION ENGINEERING LABORATORY  
\*\*  
\*\*\*\*\*

PRECIPITATION DATA FILE: d:\602\in\flr.D4  
TEMPERATURE DATA FILE: d:\602\in\flr.D7  
SOLAR RADIATION DATA FILE: d:\602\in\flr.D13  
EVAPOTRANSPIRATION DATA: d:\602\in\flr.D11  
SOIL AND DESIGN DATA FILE: d:\602\in\mtrslp.D10  
OUTPUT DATA FILE: d:\602\out\mtrslp.OUT

TIME: 15: 5 DATE: 2/28/1996

\*\*\*\*\*  
TITLE: Gandy Landfill - MTR - Side Slope (0-5yrs)  
\*\*\*\*\*

NOTE: INITIAL MOISTURE CONTENT OF THE LAYERS AND SNOW WATER  
WERE SPECIFIED BY THE USER.

LAYER 1  
-----

TYPE 1 - VERTICAL PERCOLATION LAYER  
MATERIAL TEXTURE NUMBER 4  
THICKNESS = 24.00 INCHES  
POROSITY = 0.4370 VOL/VOL  
FIELD CAPACITY = 0.1050 VOL/VOL  
WILTING POINT = 0.0470 VOL/VOL  
INITIAL SOIL WATER CONTENT = 0.0863 VOL/VOL  
EFFECTIVE SAT. HYD. COND. = 0.17000002000E-02 CM/SEC

LAYER 2

TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 1

THICKNESS	= 12.00 INCHES
POROSITY	= 0.4170 VOL/VOL
FIELD CAPACITY	= 0.0450 VOL/VOL
WILTING POINT	= 0.0180 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.99999978000E-02 CM/SEC
SLOPE	= 33.00 PERCENT
DRAINAGE LENGTH	= 316.0 FEET

LAYER 3

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	= 0.06 INCHES
POROSITY	= 0.0000 VOL/VOL
FIELD CAPACITY	= 0.0000 VOL/VOL
WILTING POINT	= 0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	= 1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	= 3.00 HOLES/ACRE
FML PLACEMENT QUALITY	= 3 - GOOD

LAYER 4

TYPE 2 - LATERAL DRAINAGE LAYER  
MATERIAL TEXTURE NUMBER 1

THICKNESS	= 12.00 INCHES
POROSITY	= 0.4170 VOL/VOL
FIELD CAPACITY	= 0.0450 VOL/VOL
WILTING POINT	= 0.0180 VOL/VOL
INITIAL SOIL WATER CONTENT	= 0.0450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	= 0.99999978000E-02 CM/SEC
SLOPE	= 33.00 PERCENT
DRAINAGE LENGTH	= 316.0 FEET

LAYER 5

TYPE 4 - FLEXIBLE MEMBRANE LINER  
MATERIAL TEXTURE NUMBER 35

THICKNESS	=	0.06 INCHES
POROSITY	=	0.0000 VOL/VOL
FIELD CAPACITY	=	0.0000 VOL/VOL
WILTING POINT	=	0.0000 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.0000 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.19999996000E-12 CM/SEC
FML PINHOLE DENSITY	=	1.00 HOLES/ACRE
FML INSTALLATION DEFECTS	=	3.00 HOLES/ACRE
FML PLACEMENT QUALITY	=	3 - GOOD

LAYER 6

TYPE 3 - BARRIER SOIL LINER  
MATERIAL TEXTURE NUMBER 0

THICKNESS	=	36.00 INCHES
POROSITY	=	0.4450 VOL/VOL
FIELD CAPACITY	=	0.3930 VOL/VOL
WILTING POINT	=	0.2770 VOL/VOL
INITIAL SOIL WATER CONTENT	=	0.4450 VOL/VOL
EFFECTIVE SAT. HYD. COND.	=	0.10000001000E-06 CM/SEC

GENERAL DESIGN AND EVAPORATIVE ZONE DATA

NOTE: SCS RUNOFF CURVE NUMBER WAS COMPUTED FROM DEFAULT  
SOIL DATA BASE USING SOIL TEXTURE # 4 WITH BARE  
GROUND CONDITIONS, A SURFACE SLOPE OF 2% AND  
A SLOPE LENGTH OF 316. FEET.

SCS RUNOFF CURVE NUMBER	=	81.00
FRACTION OF AREA ALLOWING RUNOFF	=	0.0 PERCENT
AREA PROJECTED ON HORIZONTAL PLANE	=	1.000 ACRES
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
INITIAL WATER IN EVAPORATIVE ZONE	=	1.208 INCHES
UPPER LIMIT OF EVAPORATIVE STORAGE	=	6.118 INCHES

Path: C:\  
File: MTRSLP .OUT 18,056 .a.. 2-28-96 3:05:14 pm Page 4

LOWER LIMIT OF EVAPORATIVE STORAGE	=	0.658 INCHES
INITIAL SNOW WATER	=	0.000 INCHES
INITIAL WATER IN LAYER MATERIALS	=	19.171 INCHES
TOTAL INITIAL WATER	=	19.171 INCHES
TOTAL SUBSURFACE INFLOW	=	0.00 INCHES/YEAR

#### EVAPOTRANSPIRATION AND WEATHER DATA

---

NOTE: EVAPOTRANSPIRATION DATA WAS OBTAINED FROM  
ROSWELL NEW MEXICO

STATION LATITUDE	=	33.24 DEGREES
MAXIMUM LEAF AREA INDEX	=	0.00
START OF GROWING SEASON (JULIAN DATE)	=	76
END OF GROWING SEASON (JULIAN DATE)	=	310
EVAPORATIVE ZONE DEPTH	=	14.0 INCHES
AVERAGE ANNUAL WIND SPEED	=	8.70 MPH
AVERAGE 1ST QUARTER RELATIVE HUMIDITY	=	49.00 %
AVERAGE 2ND QUARTER RELATIVE HUMIDITY	=	40.00 %
AVERAGE 3RD QUARTER RELATIVE HUMIDITY	=	53.00 %
AVERAGE 4TH QUARTER RELATIVE HUMIDITY	=	52.00 %

NOTE: PRECIPITATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY PRECIPITATION (INCHES)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
0.42	0.47	0.49	0.69	1.14	1.43
1.99	1.90	1.87	1.13	0.57	0.53

NOTE: TEMPERATURE DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO

#### NORMAL MEAN MONTHLY TEMPERATURE (DEGREES FAHRENHEIT)

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
-----	-----	-----	-----	-----	-----
39.60	44.10	51.30	59.80	68.30	76.80
79.30	77.90	71.00	60.10	48.00	40.10

Path: C:\  
File: MTRSLP.OUT 18,056 a.. 2-28-96 3:05:14 pm Page 5

NOTE: SOLAR RADIATION DATA WAS SYNTHETICALLY GENERATED USING  
COEFFICIENTS FOR ROSWELL NEW MEXICO  
AND STATION LATITUDE = 33.24 DEGREES

\*\*\*\*\*  
AVERAGE MONTHLY VALUES IN INCHES FOR YEARS 1 THROUGH 5  
\*\*\*\*\*

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
<b>PRECIPITATION</b>						
TOTALS	0.30 2.39	0.29 1.68	0.54 1.79	0.49 0.90	1.17 1.44	0.99 0.97
STD. DEVIATIONS	0.34 1.12	0.07 1.16	0.47 1.14	0.39 1.04	1.10 1.76	1.20 0.67
<b>RUNOFF</b>						
TOTALS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
STD. DEVIATIONS	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000
<b>EVAPOTRANSPIRATION</b>						
TOTALS	0.438 1.825	0.303 1.797	0.412 1.517	0.280 1.018	1.097 1.082	0.882 0.779
STD. DEVIATIONS	0.190 0.881	0.068 1.256	0.364 0.771	0.162 0.663	0.930 0.810	1.074 0.425
<b>LATERAL DRAINAGE COLLECTED FROM LAYER 2</b>						
TOTALS	0.0900 0.0550	0.0779 0.1046	0.0593 0.1121	0.0394 0.1128	0.0317 0.2302	0.0282 0.2378
STD. DEVIATIONS	0.0779 0.0613	0.0721 0.0858	0.0454 0.0789	0.0298 0.0732	0.0225 0.2175	0.0211 0.2939
<b>PERCOLATION/LEAKAGE THROUGH LAYER 3</b>						
TOTALS	0.0130 0.0086	0.0113 0.0144	0.0096 0.0156	0.0070 0.0159	0.0060 0.0253	0.0053 0.0268

Path: C:\  
File: MTRSLP .OUT 18,056 .8.. 2-28-96 3:05:14 pm Page 6

STD. DEVIATIONS 0.0099 0.0093 0.0068 0.0048 0.0040 0.0036  
0.0082 0.0109 0.0101 0.0087 0.0188 0.0253

LATERAL DRAINAGE COLLECTED FROM LAYER 4

TOTALS 0.0143 0.0113 0.0103 0.0075 0.0063 0.0050  
0.0081 0.0128 0.0159 0.0151 0.0214 0.0300

STD. DEVIATIONS 0.0124 0.0091 0.0074 0.0052 0.0042 0.0033  
0.0066 0.0097 0.0103 0.0085 0.0156 0.0300

PERCOLATION/LEAKAGE THROUGH LAYER 6

TOTALS 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

STD. DEVIATIONS 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000  
0.0000 0.0000 0.0000 0.0000 0.0000 0.0000

AVERAGES OF MONTHLY AVERAGED DAILY HEADS (INCHES)

DAILY AVERAGE HEAD ON TOP OF LAYER 3

AVERAGES 0.0536 0.0521 0.0359 0.0246 0.0191 0.0176  
0.0332 0.0632 0.0700 0.0682 0.1437 0.1437

STD. DEVIATIONS 0.0456 0.0482 0.0275 0.0186 0.0136 0.0132  
0.0370 0.0519 0.0493 0.0442 0.1358 0.1776

DAILY AVERAGE HEAD ON TOP OF LAYER 5

AVERAGES 0.0085 0.0076 0.0062 0.0047 0.0038 0.0031  
0.0049 0.0077 0.0099 0.0091 0.0134 0.0181

STD. DEVIATIONS 0.0073 0.0061 0.0045 0.0032 0.0025 0.0020  
0.0040 0.0059 0.0064 0.0051 0.0097 0.0181

AVERAGE ANNUAL TOTALS & (STD. DEVIATIONS) FOR YEARS 1 THROUGH 5

INCHES	CU. FEET	PERCENT
--------	----------	---------

Path: C:\  
File: MTRSLP .OUT 18,056 .a.. 2-28-96 3:05:14 pm Page 7

PRECIPITATION	12.95 ( 2.076)	47023.0	100.00
OFF	0.000 ( 0.0000)	0.00	0.000
EVAPOTRANSPIRATION	11.431 ( 1.9467)	41494.45	88.243
LATERAL DRAINAGE COLLECTED FROM LAYER 2	1.17907 ( 0.81329)	4280.021	9.10197
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.15882 ( 0.09008)	576.507	1.22601
AVERAGE HEAD ON TOP OF LAYER 3	0.060 ( 0.042)		
LATERAL DRAINAGE COLLECTED FROM LAYER 4	0.15824 ( 0.08907)	574.397	1.22152
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.00001 ( 0.00001)	0.042	0.00009
AVERAGE HEAD ON TOP OF LAYER 5	0.008 ( 0.005)		
CHANGE IN WATER STORAGE	0.186 ( 0.4322)	674.12	1.434

\*\*\*\*\*

PEAK DAILY VALUES FOR YEARS		1 THROUGH	5
	(INCHES)	(CU. FT.)	
PRECIPITATION	1.40	5082.000	
RUNOFF	0.000	0.0000	
DRAINAGE COLLECTED FROM LAYER 2	0.05930	215.27205	
PERCOLATION/LEAKAGE THROUGH LAYER 3	0.004617	16.76041	
AVERAGE HEAD ON TOP OF LAYER 3	1.111		
MAXIMUM HEAD ON TOP OF LAYER 3	2.196		
LOCATION OF MAXIMUM HEAD IN LAYER 2 (DISTANCE FROM DRAIN)	0.0 FEET		
DRAINAGE COLLECTED FROM LAYER 4	0.00353	12.80457	
PERCOLATION/LEAKAGE THROUGH LAYER 6	0.000000	0.00068	
AVERAGE HEAD ON TOP OF LAYER 5	0.066		
MAXIMUM HEAD ON TOP OF LAYER 5	0.189		
LOCATION OF MAXIMUM HEAD IN LAYER 4 (DISTANCE FROM DRAIN)	0.0 FEET		
SNOW WATER	1.36	4944.3652	
MAXIMUM VEG. SOIL WATER (VOL/VOL)		0.2317	
MINIMUM VEG. SOIL WATER (VOL/VOL)		0.0470	

\*\*\* Maximum heads are computed using McEnroe's equations. \*\*\*

Reference: Maximum Saturated Depth over Landfill Liner  
by Bruce M. McEnroe, University of Kansas  
ASCE Journal of Environmental Engineering  
Vol. 119, No. 2, March 1993, pp. 262-270.

\*\*\*\*\*  
FINAL WATER STORAGE AT END OF YEAR 5  
\*\*\*\*\*

LAYER	(INCHES)	(VOL/VOL)
1	2.9768	0.1240
2	0.5601	0.0467
3	0.0000	0.0000
4	0.5428	0.0452
5	0.0000	0.0000
6	16.0200	0.4450
SNOW WATER	0.000	

\*\*\*\*\*

## **APPENDIX C**

### **NEW MEXICO ENVIRONMENTAL DEPARTMENT DRAFT GUIDANCE DOCUMENT FOR PERFORMANCE DEMONSTRATION**

*DRAFT*

Guidance Document

for

Performance Demonstration for an Alternative Cover Design  
Using the HELP Modeling Program Under the New Mexico  
Solid Waste Management Regulations (20 NMAC 9.1)

and

Performance Demonstration for an Alternative Liner Design  
Using the HELP Modeling Program Under the New Mexico  
Solid Waste Management Regulations (20 NMAC 9.1)

Prepared by the  
New Mexico Environment Department  
Solid Waste Bureau  
Permit Section



28

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 6  
1445 ROSS AVENUE, SUITE 1200  
DALLAS, TX 75202-2733

March 14, 1996



Mr. Benito Garcia, Chief  
Hazardous and Radioactive Bureau  
New Mexico Environment Department  
P.O. Box 26110  
Santa Fe, New Mexico 87502

RE: Gandy Marley Inc., Triassic Park Hazardous Waste Facility,  
Part B Application and the Corresponding Revisions

Dear Mr. Garcia:

The Environmental Protection Agency (EPA) has completed a technical review of the landfill design for Gandy Marley Inc. and has determined that it meets the requirements of 40 CFR 264.300 thru 264.317. If you have any further questions, please contact Mr. Rich Mayer at (214) 665-7442.

Sincerely yours,

*Rich Mayer*

for David Neleigh, Section Chief  
New Mexico - Federal Facilities

JRA

intermediate and alternative cover layers. The two designs are to be simulated for years 1 through 5 with vegetation during the post-closure care period to demonstrate equivalency. Precipitation, evapotranspiration, temperature, and solar radiation data must be site specific and identical for both alternative and prescriptive cover designs simulations. Provide justification for all input parameters in the model utilizing the attached forms. Demonstrate the relationship of the characteristics of on-site or other sources of soil proposed for the construction of cover or liner and the parameter values in the model. It is anticipated that the entire area of the landfill or cell will be modelled.




Figure 2.

For example, comparing the prescriptive cover of:

- 1) 6 inches of topsoil
- 2) 13 inches of compacted soil ( $K = 5 \times 10^{-4}$ ; to meet natural subsoils  $K = 5 \times 10^{-6}$ )

with a proposed alternative cover system of:

- 1) 5 inches of topsoils
- 2) 30 inches of compacted ( $K = 1 \times 10^{-5}$ )
- 3) 12 inches of uncompacted intermediate cover

## 2. New Solid Waste Landfills:

As in the above case, the cover for the proposed landfill with a the prescriptive or alternative liner must achieve the equivalent protection as the liner. If an alternative final cover is proposed for the landfill, then a demonstration must be submitted to the Bureau for approval pursuant to Section 502.A.2.a. It must be determined by this demonstration that the proposed final cover design includes an infiltration layer that achieves an equivalent reduction in infiltration as the bottom liner (Figure 3). A HELP Model simulation comparison is acceptable for this demonstration for a 5 year period with vegetation. Precipitation, evapotranspiration, temperature, and solar radiation data must be site specific and identical for both liner and cover design simulations. Provide justification for all input parameters in the model utilizing the attached forms. Demonstrate the relationship of the characteristics of on-site or other sources of soil proposed for the construction of cover or liner and the parameter values in the model. It is anticipated that the entire area of the landfill or cell will be modelled.

DRA

For example, the comparison must include a HELP Model simulation for the liner and the proposed final cover systems as below.

The simulation for an alternative liner system\* could include:

- 1) the drainage/protective layer of the liner with leachate collection system,
- 2) the 60-mil HDPE FML,
- 3) the 0.2 inch ( $K = 2 \times 10^{-9}$ ) GCL (geosynthetic clay liner),  
~~18 inches~~ inches of compacted in situ soil used as the prepared subgrade, and
- 5) with the solid waste cell open and no runoff.

\* Any alternative liner system must meet the demonstration as described in the "Performance Demonstration For An Alternative Liner Design Using The HELP Modeling Program Under the New Mexico Solid Waste Management Regulations (20 NMAC 9.1)."

A liner system is compared with a HELP Model simulation for a proposed final cover:

- 1) 18 inches uncompacted material (6 inches of topsoil with poor grass and 12 inches of uncompacted soil),
- 2) the 0.2 inch GCL ( $K = 2 \times 10^{-9}$ ),
- 3) 12 inches of intermediate cover (6 inches of compacted soil and 6 inches of uncompacted soil), and
- 4) with the solid waste cell closed and final placement of the cover to include runoff.




Figure 3.




Figure 4.

*SRA*

## Performance Demonstration for an Alternative Liner Design Using the HELP Modeling Program Under the New Mexico Solid Waste Management Regulations (20 NMAC 9.1)

1. Section 306.A.2 of the regulations requires the design of the alternative liner must provide equivalent protection as the composite liner defined in Section 306.A.1. Two computer modeling analyses must be performed - an analysis of the composite liner specified in Section 306.A.1 and an analysis of the proposed alternative liner as specified in Section 306.A.2. Equivalent protection must be demonstrated through a comparison of the performance of the Section 306.A.2 alternative liner with the performance of Section 306.A.1 composite liner (Figure 5).




Figure 5.

2. Provide justification for all input parameters in the model utilizing the attached forms. Demonstrate the relationship of the characteristics of on-site or other sources of soil proposed for the construction and operation of the landfill and the parameter values used in the model. Show justification for the soil and waste moisture content parameters as well as geomembrane liner data and storm water runoff fraction.
3. Simulate actual design conditions and operational development of the landfill as closely as possible by doing a succession of model simulations. This succession must attempt to simulate moisture conditions in the landfill as closely as possible. To aid in accomplishing this, each successive computer simulation must use the previous simulation's moisture content output as the input for the following simulation. Describe the design approach modelled.

3.1 Initial simulation of the open landfill at start-up when landfill has little to no waste. The time period should extend for the anticipated duration of this condition, a minimum of one year and a probable maximum of five years.

3.2 A succeeding simulation to model conditions of the partially full landfill for some anticipated time period, most probably five years. This would incorporate daily cover and intermediate cover.

3.3. Perform subsequent computer simulations to model the landfill in the closed

BRA /

condition for the duration of the entire post-closure care period.

3.3.1 Model bare ground for the time period expected until vegetation becomes established.

3.3.2 Model the vegetated condition for the remainder of the post-closure care period.

4. Compliance with the regulatory requirement of not exceeding a 12 inch hydraulic head on the bottom liner must be demonstrated. Consequently, the area modeled must incorporate, at a minimum, one leachate collection "watershed" in order to simulate the leachate drainage distance. It is anticipated that the entire area of the landfill or cell will be modelled.

5. If there is no infiltration through the alternative liner system for the simulation(s), then these HELP Model simulation(s) will serve to demonstrate the concentration values listed in Section 1110 (Appendix K, EIB/SWMR-4) will not be exceeded in the uppermost aquifer or the relative point of compliance.

## ATTACHMENT 1

## LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS 11/23/94 sheet no. 1

INPUT PARAMETER	VALUE	JUSTIFICATION	rev. 1 1/22/96
<b>CLIMATOLOGICAL DATA</b>			
city			
precipitation & source of data (default or synthetic)			
temperature & source of data			
latitude			
maximum leaf area index			
evaporative zone depth			
growing season start and end day			
<b>LANDFILL COVER DATA</b>			
type of vegetative cover			
SCS runoff curve number			
active (uncovered)?			
% of surface runoff that drains from landfill surface area			
<b>SOIL AND DESIGN DATA</b>			
source of soil characteristics			
number of layers			

NOTES:

## ATTACHMENT 1

## LANDFILL ALTERNATIVE LINER OR COVER DESIGN MODELING INPUT PARAMETERS 11/23/94 sheet no. 2

rev. 1 1/22/96

INPUT PARAMETER	VALUE	JUSTIFICATION
LAYER NUMBER:		
layer type		
thickness		
soil texture		
porosity		
field capacity		
wetting point		
moisture content		
saturated hydraulic conductivity		
Is layer compacted?		
slope ( If lateral drainage layer )		
maximum horizontal drainage distance ( If lateral drainage layer )		
geomembrane pinhole density		
geomembrane installation defects		
liner installation quality ( If geomembrane )		
geotextile transmissivity		

(make additional copies for each layer as required)



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-29

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

## **Calculation Title:** Perimeter Road Design Evaluation

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** John Kendall **Date:** 12/9/97

**Checked By:** John Pellicer **Date:** 12/10/97

**Reviewed By:** Pat Corser **Date:** 12/10/97

Revisions	Date	By	Checked By	Reviewed By



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: TRASSIC Park & Waste Road  
Project Number 602-0200 Sheet 1 of 10  
Prepared By: JJK Date: 12/9/97  
Checked By: J. Pellicer Date: 10-Dec-97

OBJECTIVE: EVALUATE PROPOSED PERIMETER ROAD DESIGN FOR OFF HIGHWAY EQUIPMENT LOADING

METHODS: USE CBR CURVES FOR OFF HIGHWAY VEHICLES TO EVALUATE ROAD SUBBASE AND GRAVEL ROAD BASE THICKNESSES

REFERENCES: (1) CHIRONIS, NICHOLAS P., "HOW TO BUILD BETTER HAUL ROADS" COAL AGE, JANUARY 1978, PP 122-124.

(2) TERRAMATRIX/MONTGOMERY WATSON, "ENGINEERING REPORT - TRASSIC PARK HAZARDOUS WASTE FACILITY" DECEMBER 1997.

- a) DESIGN DRAWING NO. 27, PERIMETER ROAD DETAILS
- b) DESIGN DRAWING NO. 5, INITIAL SITE GRADING PLAN
- c) SPECIFICATION NO D2230, SUBBASE
- d) APPENDIX D LABORATORY TEST RESULTS

(3) CATERPILLAR HANDBOOK

(4) HOLZ, R.D., "GEOTECHNICAL ENGINEERING", 1981, PP 156

ASSUMPTIONS: (1) FILL AREAS WILL BE COMPACTION TO 95% ACCORDING TO SPECIFICATION NO. (2c). THIS WILL PROVIDE A SUBGRADE BEARING CAPACITY OF CONSERVATIVELY 3,000 TO 5,000 PSF. (2b)

(2) CUT AREAS WILL GENERALLY REMOVE SOFT UND BLOWN SURFACE SANDS AND WILL LIKELY BOTTOM OUT IN THE CALCIOS LAYER, THE UPPER DODGE CUT, OR HARDENED SANDS BEHIND THE SURFICIAL SANDS. (2b, 2d). BASED ON POCKET PENETROMETER DATA TAKEN DURING THE TEST PITTING INVESTIGATION (2d), THESE AREAS WILL PROVIDE A SUBGRADE BEARING CAPACITY OF CONSERVATIVELY 3,000 TO 5,000 PSF.

(3) ASSUME OFF HIGHWAY TRUCK IS A CAT 789 C WITH GROSS VEHICLE WEIGHT LOADED OF 130,000 LB AND 67% REAR WEIGHT DISTRIBUTION (3)

(4) SUBGRADE BEARING CAPACITIES BETWEEN 3,000 PSF AND 5,000 PSF GENERALLY CORRESPOND TO FIRM OR STIFF CLAY AND COMPACT SAND-CLAY MATERIALS, RESPECTIVELY IN TABLE 1 (REF 1). COMPARING THIS TO FIGURE 1 (REF 1) INDICATES A CBR VALUE OF BETWEEN 6 AND 10 FOR THE SUBGRADE. ASSUME AVG VALUE OF 8.

(5) ASSUME COMPACTION OF SUBBASE WILL ACHIEVE CBR = 20 TO 40.




**Terra Matrix**  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: TRIASSY PARK HW FACILITY 2nd DES  
Project Number: 602-0200 Sheet: 2 Of 10  
Prepared By: JJK Date: 12/9/97  
Checked By: J. Piller Date: 10-Dec-97

### CALCULATION

- (1) DETERMINE WHEEL LOAD  
AND SKETCH ROAD SECTION



- (2) DETERMINE TOTAL SUBBASE AND ROAD BASE THICKNESS REQ'D

FROM FIG 1, REQ'D SUBBASE THICKNESS IS 18 INCHES FOR SUBGRADE CBR=8

FROM DESIGN, TOTAL SUBBASE AND ROAD BASE THICKNESS IS 29 INCHES  
80 OK

- (3) DETERMINE TOTAL ROADBASE THICKNESS REQ'D

FROM FIG 1, REQ'D ROADBASE THICKNESS IS 10 INCHES FOR SUBGRADE CBR=20  
FROM DESIGN, TOTAL ROADBASE THICKNESS IS 12 INCHES, 80 OK

### CONCLUSION:

- (1) ROADBASE AND SUBBASE THICKNESSES WILL SUPPORT OFF HIGHWAY EQUIPMENT.  
ACTUAL ROADBASE THICKNESS REQUIRED WILL LIKELY BE LESS BASED ON ACTUAL  
SUBGRADE CONDITIONS DETERMINED DURING CONSTRUCTION. MAINTAIN ROADBASE THICKNESS  
LESS THAN 1 FT DURING CONSTRUCTION AND MODIFY DESIGN ACCORDINGLY.

# How to Build Better Haul Roads

Making sure the haul road is going to hold up under traffic planned for it means considering a variety of construction parameters, including subbase and surface materials, thicknesses, road-adhesion characteristics and hauling widths.

*Nicholas P. Chironis, senior editor*

Surface mine operators often avoid placing subbase materials under the haul-road surface in the interest of economy. They may believe it is less costly to permit some haul segments that hamper the flow of traffic rather than incur the cost of constructing a good road base. The eventual results, however, often lead to more costly operation.

If the sub-standard road is not constantly maintained, rutting, sinking and overall deterioration usually occurs, and vehicles must slow down considerably to negotiate these conditions. Over a period of time such slow-downs represent a considerable time loss to the production cycle, and can result in the need for additional vehicles and operators.

## Need for good subbase

At some mine sites, the road surface is underlain by natural strata capable of supporting the weight of any haulage vehicle. For example, in the case of bedded stone formations, it is only necessary to place the desired road surface material directly on the bedded stone to have a good road. But frequently such base materials are not naturally available and the engineer building the road must look to the possibility of using other materials. The bearing capacity of potential subbase materials has been analyzed as part of a research study for the U.S. Bureau of Mines. The result is a table giving the bearing capacities of rock and other subsurface materials in terms of vehicle tire loads (Table 1).

To use this table, keep in mind that tire loading for most haulage vehicles, when inflated to recommended pressure, will rarely exceed 16,000 psi. Although the tire loading may be somewhat less depending on the number of tires and their size, this figure can be used with some confidence to determine subbase requirements. By checking the loading of 16,000 psi in the table it can be seen that any subgrade less consolidated than soft rock calls for additional material to establish a stable base. The question then is how much additional material should be placed over the subgrade to adequately support the road surface?

## CBR curves

The study engineers found that one of the best methods of making this road-thickness determination is through use of


California bearing-ratio (CBR) curves, Fig. 1. In order to be completely accurate, the road designer should obtain CBR values from actual tests on both the subgrade and subbase materials the designer plans to use. These tests can be conducted by submitting the samples to a soils testing laboratory, a relatively minimal cost.

The CBR curves provide the subbase-thickness requirements for a wide range of wheel loads, soils and subbase materials. It must be emphasized, however, that the ranges in the CBR curves are not well defined. Actual test results, for example, may prove the bearing ratios for a specific soil group to be considerably better than the low value depicted on the chart. The CBR ranges reflected by the graph, therefore, should be used in lieu of actual test results when only general information is desired. In such cases, pick the lowest possible CBR value for a given soil type.

**Table 1. Bearing Capacity of Soils**

Material	Capacity in 1,000 lb per sq ft
Hard Sound Rock .....	120
Medium Hard Rock .....	80
Hard Pan Overlying Rock .....	24
Compact Gravel and Boulder-Gravel Formations; Very Compact Sandy Gravel ..	20
Soft Rock .....	16
Loose Gravel and Sandy Gravel; Compact Sand and Gravelly Sand; Very Compact Sand—Inorganic Silt Soils .....	12
Hard Dry Consolidated Clay .....	10
Loose Coarse to Medium Sand; Medium Compact Fine Sand .....	8
Compact Sand-Clay Soils .....	6
Loose Fine Sand; Medium Compact Sand— Inorganic Silt Soils .....	4
Firm or Stiff Clay .....	3
Loose Saturated Sand Clay Soils, Medium Soft Clay .....	2

Fig. 1. Curves for Determining Subbase Thicknesses and CBR Values




As shown by the curves, final subbase thicknesses are influenced by vehicle wheel loads as well as soil type. Maximum wheel loadings for any haulage vehicle are easily computed from manufacturers specifications by dividing the loaded vehicle weight over each axle by the number of tires on that axle. In every case, use the highest wheel loading calculated for the subbase thickness determinations. In fact, when a wheel is mounted on a tandem axle, increase the value by 20%.

To provide a readily available indication of wheel loading characteristics of currently manufactured vehicles, the chart is divided into three categories. Each category represents the range of wheel loadings under fully loaded conditions that may be anticipated for vehicles in the given weight class.

#### Sample design problem

Here is how to compute subbase requirements, once the

Fig. 2. Thicknesses of Subbase Materials



wheel loading and CBR values have been established. Let us assume the following conditions:

The haulroad is to be constructed over a silty clay of medium plasticity with a CBR of 5. The maximum wheel load for any vehicle using the road is 40,000 lb. Fairly clean sand is available with a CBR of 15 to serve as subbase material. Road surface is to be constructed of good gravel that has a CBR of 80. (If any of these actual CBR values are not known, pick off the CBR values from the chart, and then continue with these steps.)

Step A. The 40,000-lb, wheel-load curve intersects the vertical line for a CBR of 5 at 28 in. This means that the final road surface must be at least this distance above the subgrade (Fig. 2).

- Step B. The value for a clean sand with a CBR of 15 intersects the 40,000-lb curve at 14 in. below road surface.
- Step C. The intersection of the 80-cmu line for gravel with the curve for the 40,000-lb wheel load occurs at 6 in. Because this thickness constitutes the final surface material, it should be placed at the upper 6-in. portion of the road.

For best results, subbase materials should exceed the desired surface width by at least 2 ft and must be compacted while moist. Each 8-in. layer should be subjected to repeat passes.

Compaction is usually done best with heavy rollers. But few surface-mine operators have rollers in their vehicle fleet, an alternative such as heavy-tracked equipment can be employed.

#### Surface materials

Skelly and Loy engineers conducting the Bureau study visited over 300 mining operations throughout the country to obtain practical information on haul-road construction. They report that at many of these mine sites, especially small coal mining and quarry operations, the haulway is simply built by clearing a path over the existing terrain.

While this practice is undoubtedly inexpensive, the engineers find that the benefits were seldom long-lived. Because it is difficult to construct a bedded rock surface free of jagged edges, greater vehicle maintenance is required as a result of excessive tire scuffing and wear. Furthermore, unless thoroughly compacted and stabilized, such roads cause dust problems, especially during dry seasons. If it is not controlled, the dust contaminates air-filtration components, brakes, and moving parts, making frequent replacement of these items necessary.

Dust also represents a major safety hazard to the vehicle operator by reducing visibility. Eliminating the dust problem requires continual wetting of the surface, which represents yet another maintenance expenditure. Wh

Table 2. Road Adhesion Coefficients of Rubber Tired Vehicles

Road Surface	Road Adhesion Coefficients	Road Surface	Road Adhesion Coefficients
<b>Concrete</b>		<b>Rock</b>	
New .....	0.80 to 1.00	Crushed .....	0.55 to 0.75
Traveled .....	0.60 to 0.80	Wet .....	0.55 to 0.75
Polished .....	0.55 to 0.75		
Wet .....	0.45 to 0.60	<b>Cinders</b>	
		Packed .....	0.50 to 0.70
<b>Asphalt</b>		Wet .....	0.65 to 0.75
New .....	0.80 to 1.00		
Traveled .....	0.60 to 0.80	<b>Snow</b>	
Polished .....	0.55 to 0.75	Packed .....	0.30 to 0.55
Excess Tar .....	0.50 to 0.60	Loose .....	0.10 to 0.25
Wet .....	0.30 to 0.60	Wet .....	0.30 to 0.60
<b>Gravel</b>		<b>Ice</b>	
Packed & Oiled .....	0.55 to 0.85	Smooth .....	0.10 to 0.25
Loose .....	0.40 to 0.70	Wet .....	0.05 to 0.10
Wet .....	0.40 to 0.80		

2-04-32 6/17

TABLE 6-4 Continued

Major Divisions (1)	Symbol (2)	Letter (3)	Hatching (4)	Color (5)	Drainage Characteristics (12)	Compaction Equipment (13)	Unit Dry Densities			Typical Design Values	
							lb/ft <sup>3</sup> (14)	Metric kg/m <sup>3</sup> (15)	Subgrade Modulus k (lbf/in <sup>3</sup> ) (16)	CBR (17)	
GRAVEL AND GRAVELLY SOILS	GW	+	Red	Excellent	Gravel-type tractor; rubber-tired roller; steel-wheeled roller	125-140	2.00-2.24	40-80	300-500	1-1	
	GP	+	Red	Excellent	Gravel-type tractor; rubber-tired roller; steel-wheeled roller	110-140	1.76-2.24	30-60	300-500		
	I-4		Yellow	Fair to poor	Rubber-faced roller; sheepfoot	125-145	2.00-2.32	40-40	300-500		
	GM		Yellow	Poor to practically impermeable	Rubber-faced roller; sheepfoot	115-135	1.84-2.16	20-10	200-300		
	IS		Yellow	Poor to practically impermeable	Rubber-faced roller; sheepfoot	130-145	2.08-2.32	20-40	200-300		
	CC		Yellow	Poor to practically impermeable	Rubber-faced roller; sheepfoot	130-145	2.08-2.32	20-40	200-300		
	SW		Red	Excellent	Gravel-type tractor; rubber-faced rollers	110-130	1.76-2.08	20-40	200-400		
	SP		Red	Excellent	Gravel-type tractor; rubber-faced rollers	105-135	1.68-2.16	10-40	150-400		
	S-4		Yellow	Fair to poor	Rubber-faced roller; sheepfoot	120-135	1.92-2.16	15-40	150-400		
	SM		Yellow	Poor to practically impermeable	Rubber-faced roller; sheepfoot	100-130	1.60-2.08	10-20	100-300		
SUBGRADE CBR INDEXES 2.0 - 4.0	S-4		Yellow	Poor to practically impermeable	Rubber-faced roller; sheepfoot	100-135	1.60-2.16	5-20	100-300		
	ML		Green	Fair to poor	Rubber-faced roller; sheepfoot	90-130	1.44-2.08	15 or less	100-200		
	CL		Green	Practically impermeable	Rubber-faced roller; sheepfoot	90-130	1.44-2.08	15 or less	50-150		
	OL		Green	Poor	Rubber-faced roller; sheepfoot	90-135	1.44-1.68	5 or less	50-100		
	LL		Blue	Fair to poor	Sheepfoot roller; rubber-faced rollers	80-105	1.28-1.64	10 or less	50-100		
	LS		Blue	Practically impermeable	Sheepfoot roller; rubber-faced rollers	90-115	1.44-1.84	15 or less	50-150		
	SH		Blue	Poor	Sherpfoot roller; rubber-faced rollers	80-110	1.28-1.76	5 or less	25-100		
	CH		Blue	Fair to poor	Compaction not practical						
	LL		Blue	Practically impermeable	Compaction not practical						
	GREATER THAN 50		Blue	Poor	Compaction not practical						
HIGHLY ORGANIC SOILS	OH		Orange	Fair to poor	Compaction not practical						
	PI		Orange	Orange	Compaction not practical						

JK  
2-Dec-97

## SECTION 02230 SUBBASE

### PART 1: GENERAL

#### 1.01 SCOPE OF WORK

- A. The Contractor shall furnish all labor, materials, tools, equipment, supervision, transportation, testing, and installation services necessary for the installation of subbase where shown on the Construction Drawings. The work shall be carried out in accordance with these General Specifications, the CQA Plan, and the Construction Drawings.

#### 1.02 RELATED SECTIONS

- A. Section 02110 - Site Preparation and Earthwork
- B. Section 02225 - Road Base

#### 1.03 QUALIFICATIONS AND SUBMITTALS

- A. The Contractor shall abide by all qualification and submittal requirements of the CQA Plan.

#### 1.04 CONSTRUCTION QUALITY ASSURANCE

- A. Work will be monitored and tested in accordance with the requirements of the CQA Plan.
- B. The Contractor shall be aware of all activities outlined in the CQA Plan, and the Contractor shall account for these activities in the construction schedule. No additional costs to the Owner shall be allowed by the Contractor as a result of the performance of the CQA activities.
- C. On-site testing as specified in the CQA Plan for the subbase (which does not include quality control testing at the source) will be the responsibility of the CQA Engineer. The Contractor shall cooperate with the CQA Engineer during all sampling and testing activities. The Contractor shall provide equipment and labor to assist the CQA Engineer in sampling. The Contractor shall provide access to all areas requiring testing. The Contractor will repair any damage to finished work caused by the CQA Engineer's sampling and testing activities.
- D. Quality control testing of the subbase at the source shall be the responsibility of the Contractor.

- E. The CQA Engineer will coordinate independent surveying required by the CQA Plan. Surveying by the CQA Engineer does not relieve the Contractor of his responsibility to lay out, control, and document the work.
- F. If the CQA Engineer's tests indicate work does not meet the requirements of the specification, the CQA Engineer will establish the extent of the nonconforming area. The nonconforming area shall be reworked by the Contractor at no cost to the Owner until acceptable test results are obtained.

## PART 2: PRODUCTS

### 2.01 MATERIAL FOR SUBBASE

- A. Subbase for the work shall be obtained from the landfill or surface impoundment excavation or from on-site or off-site borrow sources. Subbase material shall be free of metals, roots, trees, stumps, concrete, construction debris, other organic matter, and deleterious materials and coatings.
- B. The subbase shall classify as SM, SW, GM, or GW according to the Unified Soil Classification System (ASTM D2487) and shall have a maximum particle size of 3 inches.

## PART 3: EXECUTION

### 3.01 SUBBASE COMPACTION CRITERIA

- A. The compaction moisture content of the subbase shall be between 3 percent and 3 percent above optimum moisture content determined in the modified Proctor compaction test (ASTM D 1557). The minimum dry unit weight of the subbase shall be at least 95 percent of the maximum dry unit weight obtained from the modified Proctor compaction test (ASTM D 1557).

### 3.02 PLACEMENT AND COMPACTION

- A. Subbase shall be placed at the locations and to the thicknesses shown on the Construction Drawings.
- B. Subbase shall not be placed directly on geosynthetics unless required by the General Specifications or Construction Drawings. Subbase may be placed using a backhoe, front-end loader, belt conveyor, spreader box, or other method approved by the Owner in maximum 12-inch loose lifts.
- C. Final spreading of the subbase may be performed using a low ground-pressure dozer (Caterpillar D6H-LGP or other similar equipment approved by the CQA Engineer), low-ground pressure front-end loader, or by hand. The tracked equipment shall operate only over previously-placed subbase or other soil. The Contractor shall not operate equipment directly on geosynthetics.

- D. Unless otherwise specified by the Owner, the equipment used to spread subbase shall not exert ground pressures exceeding the following:

<u>Allowable Equipment Ground Pressure (psi)</u>	<u>Thickness of Gravel Above Geosynthetic (inches)</u>
< 5	12
< 10	18
< 20	24
> 20	36

The maximum allowable equipment ground pressure shall be 65 psi. The acceptability of equipment operating at ground pressures greater than 65 psi will be evaluated by the Owner at the Contractor's expense.

- E. The Contractor shall operate equipment in a manner that is protective of polyethylene pipes and underlying geosynthetics. If it is suspected that damage to polyethylene pipes or underlying geosynthetics may have occurred, the Owner will instruct the Contractor to remove the overlying material to expose the potentially-damaged materials. The Contractor shall repair, at his own expense, any observed damage, in accordance with the requirements of these General Specifications.

### 3.03 FIELD QUALITY CONTROL

- A. All Quality Control testing required by these General Specifications and/or conducted at the discretion of the Contractor shall be the responsibility of the Contractor.
- B. If the CQA Engineer's tests indicate work does not meet the requirements of the specifications, the CQA Engineer will establish the extent of the nonconforming area. The nonconforming area shall be reworked by the Contractor at his own expense until acceptable test results are obtained.

### 3.04 PROTECTION OF WORK

- A. After the subbase has been incorporated into the work, the Contractor shall maintain it free of ruts, depressions, and damage resulting from the hauling and handling of any material, equipment, tools, etc.
- B. The Contractor shall use all means necessary to protect all prior work, materials and completed and partially completed work of other Sections of these General Specifications.
- C. In the event of damage, the CQA Engineer will identify areas requiring repair, and the Contractor shall make repairs and replacements necessary, to the approval of the Owner at no additional cost to the Owner.

JJK  
9-Dec-97

### 3.05 SURVEY CONTROL

- A. The Surveyor shall survey the final location and elevation of the top of the road base. Surveying shall be performed in accordance with of Section 01010 of these General Specifications.
- B. The Surveyor shall provide a Record Drawing to the Owner of the final location and elevation of the final surface of the road base, in accordance with the requirements of Section 01010 of these General Specifications.

[ END OF SECTION ]



# **MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-30**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Vertical River Bearing Capacity

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/13/97

**Checked By:** John Pellicer **Date:** 11/14/97

**Reviewed By:** \_\_\_\_\_



**TerraMatrix**  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9048

Project Name: Trussic Park  
Project Number: 502 Sheet: 1 of 6  
Prepared By: T. Pellecier Date: 13-Nov-97  
Checked By: TL Date: 14-Nov-97

### Vertical Riser Bearing Capacity

**OBJECTIVE:** Determine bearing capacity safety factor of vertical riser pipe.

**METHOD:** Treat the vertical riser pipe as a pile. Assume waste settlement will cause downdrag forces in the pipe. Use Vesi's Method outlined in Principles of Foundation Engineering.

**ASSUMPTIONS:** Waste  $\phi = 29^\circ$

Waste  $\gamma = 110 \text{ psf}$

Riser Pipe Diameter = 24 in

Wrap 2 layers of HDPE around the perimeter of the riser pipe.

HDPE/HDPE  $\delta = 10^\circ$

Maximum Depth of Waste = 140 ft.

Downdrag: Pipe Area =  $\pi d h = (\pi)(2\text{ft})(140\text{ft}) = 879 \text{ ft}^2$

$$\begin{aligned}\text{Avg. Pressure} &= \frac{(0 + 140\text{ft})}{2} (110 \text{ psf}) (1 - \sin 29) \\ &= 3,967 \text{ psf}\end{aligned}$$

$$\begin{aligned}\text{Downdrag Load} &= (879 \text{ ft}^2)(3,967 \text{ psf}) (\tan 10) \\ &= 614,850 \text{ lb}\end{aligned}$$

$$\text{Weight of Pipe} = (140\text{ft})(121 \text{ lb/ft}^2) = 23,990 \text{ lb}$$

$$\begin{aligned}\text{Weight of Soil on Pad} &= (140\text{ft})(110 \text{ psf})((6\text{ft})^2 - \frac{\pi(2)^2}{4}) \\ &= 506,049 \text{ lb}\end{aligned}$$

$$\text{Weight of Concrete} = ((6\text{ft})^2 - \frac{\pi(2)^2}{4})(1.5\text{ft})(150 \text{ psf}) = 7,393 \text{ lb} \quad (\text{pg})$$

$$\text{Total Weight} = 1,152,227 \text{ lb}$$



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80487  
Phone 970.879.6260 Fax 970.879.9048

Project Name Ridge Park  
Project Number 602  
Prepared By I. Pollen  
Checked By Re  
Sheet 2 of 6  
Date: 13-11-97  
Date: 4 Nov 97

$$\text{Bearing Capacity} = A_p (c N_c + \sigma' N_\sigma)$$

Strength of Bearing Soil =  $c = 0$  psf ;  $\phi = 30^\circ$

Ir = 100 from pg 5

Use table of pg. 6 to obtain  $N_\sigma$  factor

$$N_\sigma = 51.02$$


$$A_p = (6 ft)^2 - \pi \frac{(2 ft)^2}{4} = 32.9 \text{ ft}^2$$

$$\sigma' = (140 \text{ ft}) (110 \text{ psf}) = 15,400 \text{ psf}$$

$$Q_p = (32.9 \text{ ft}^2) (c \tan^{70} + (51.02)(15,400 \text{ psf})) \\ = 25,849,793 \text{ lb.}$$

$$SF = \frac{25,849,793 \text{ lb}}{1,152,227 \text{ lb}} = 22.4 \text{ ok}$$



CONCLUSION: Bearing capacity of soil under vertical wall pier  
is adequate.



**DETAIL PLAN**  
Vertical Fiber  
Floor Foundation

1000

SCAIE



## WASTE DISPOSAL FACILITY

三  
卷

VERTICAL MOUNT DETAILS



DETAIL

Process Vertical  
pipe sets! (Typical)

SCAFF

三



SECTION 38

۵۷۶

20






三

100

卷之三

卷之三

卷之三



-209 26 NW-81  
6 dd5




Figure 8.13 Variation of unit point resistance in layered soil

1. Obtain  $(L_s/D)_e$  for the given value of  $\phi$  from Figure 8.12.
2. Calculate  $L_s/D$ .
3. If  $L_s/D \geq (L_s/D)_e/2$ , take the maximum values of  $N_c^*$  and  $N_q^*$  from Figure 8.12.
4. If  $L_s/D < (L_s/D)_e/2$ , then

$$N_q^* = N_{c\text{max}}^* + [N_{c\text{max}}^* - N_{c\text{min}}^*] \frac{(L_s/D)_e}{2} \quad (8.17)$$

$$N_c^* = N_{q\text{max}}^* + [N_{q\text{max}}^* - N_{q\text{min}}^*] \frac{(L_s/D)_e}{2} \quad (8.18)$$

**Vesic's Method:** Vesic (1977) proposed a method for estimating the pile point bearing capacity based on the theory of *expansion of cavities*. According to this theory, based on effective stress parameters,

$$Q_p = A_p q_p = A_p (c N_c^* + \sigma'_p N_q^*) \quad (8.19)$$

where  $\sigma'_p$  = mean normal ground stress (effective) at the level of the pile point

$$= \left( \frac{1+2K_s}{3} \right) q' \quad (8.20)$$

$N_c^*, N_q^*$  = bearing capacity factors

Note that Eq. (8.19) is a modification of Eq. (8.11a) where

$$N_c^* = \frac{3N_q^*}{(1+2K_s)} \quad (8.22)$$

The relation for  $N_c^*$  given in Eq. (8.19) can be expressed as

$$N_c^* = (N_q^* - 1) \cot \phi \quad (8.23)$$

According to the theory of Vesic

$$N_q^* = f(l_{rr}) \quad (8.24)$$

where  $l_{rr}$  = reduced rigidity index for the soil

However

$$l_{rr} = \frac{l_r}{1 + l_r \Delta} \quad (8.25)$$

where  $l_r$  = rigidity index =  $\frac{E_r}{2(1+\mu_r)(c + q' \tan \phi)}$  =  $\frac{C_r}{c + q' \tan \phi}$  (8.26)

$E_r$  = Young's modulus of soil

$\mu_r$  = Poisson's ratio of soil

$C_r$  = shear modulus of soil

$\Delta$  = average volumetric strain in the plastic zone below the pile point

For conditions of no volume change (that is, dense sand or saturated clay),  $\Delta = 0$ . So

$$l_r = l_{rr} \quad (8.27)$$

Table 8.8 gives the values of  $N_c^*$  and  $N_q^*$  for various values of the soil friction angle ( $\phi$ ) and  $l_{rr}$ . For  $\phi = 0$  (that is, undrained condition)

$$N_c^* = \frac{4}{3} (ln l_{rr} + 1) + \frac{\pi}{2} + 1 \quad (8.28)$$

The values of  $l_r$  can be estimated from laboratory consolidation and triaxial tests corresponding to the proper stress levels. However, for preliminary use the following values are recommended:

Soil type	$l_r$	value
Sand	70-150	
Silts and clays (drained condition)	50-100	
Clays (undrained condition)	100-200	

Irrespective of the theoretical procedure adopted in calculating  $Q_p$ , it should be kept in mind that full value cannot be realized until the pile tip has

	$I_r$										$I_s$											
	10	20	40	60	80	100	200	300	400	500	4	10	20	40	60	80	100	200	300	400	500	
0	6.97	7.90	8.82	9.36	9.75	10.04	10.97	11.51	11.89	12.19	12.19	11.51	10.97	10.04	9.75	9.36	8.82	7.90	6.97	6.00	5.00	
1	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	12.39	12.39	12.37	12.32	12.30	12.25	12.19	12.14	12.09	12.04	11.99	11.94
2	7.34	8.37	9.42	10.04	10.49	10.63	11.92	12.57	13.63	13.93	13.93	13.63	12.57	11.92	10.63	10.04	8.37	7.34	6.39	5.44	4.50	
3	1.13	1.15	1.16	1.18	1.19	1.21	1.22	1.23	1.23	1.23	1.23	1.23	1.22	1.21	1.19	1.16	1.13	1.13	1.13	1.13	1.13	1.13
4	7.72	8.87	10.06	10.77	11.28	11.68	12.96	13.73	14.26	14.71	14.71	14.26	13.73	12.96	11.68	10.77	8.87	7.72	6.77	5.82	4.87	3.92
5	1.27	1.31	1.35	1.38	1.39	1.41	1.45	1.48	1.50	1.51	1.51	1.50	1.48	1.45	1.39	1.35	1.31	1.27	1.27	1.27	1.27	1.27
6	8.12	9.40	10.74	11.55	12.14	12.61	14.10	15.00	15.66	16.18	16.18	15.66	15.00	14.10	12.61	11.55	10.74	9.40	8.12	6.95	5.82	4.75
7	9.94	11.85	13.96	15.30	15.30	14.07	14.89	16.69	17.94	18.86	18.86	17.94	16.69	14.07	13.30	12.30	11.85	9.94	8.94	7.94	6.94	5.94
8	2.22	2.46	2.71	2.98	3.00	3.10	3.43	3.63	3.79	3.91	3.91	3.79	3.63	3.43	3.10	3.00	2.98	2.71	2.46	2.22	2.07	1.92
9	10.56	12.55	14.26	15.14	15.85	16.17	19.62	20.70	21.56	21.56	21.56	20.70	19.62	16.17	15.14	14.26	12.55	10.56	9.45	8.45	7.45	6.45
10	10.45	12.55	14.90	16.41	17.54	18.45	21.51	23.46	24.93	26.11	26.11	24.93	21.51	18.45	16.41	14.90	12.55	10.45	9.45	8.45	7.45	6.45
11	2.47	2.76	3.09	3.31	3.46	4.02	4.30	4.50	4.67	4.75	4.75	4.67	4.30	3.46	3.09	3.31	2.47	2.47	2.47	2.47	2.47	2.47
12	10.99	13.29	15.91	17.59	18.87	19.90	23.39	25.64	27.35	28.73	28.73	27.35	25.64	23.39	19.90	17.59	15.91	13.29	10.99	9.94	8.94	7.94
13	3.36	3.90	4.52	5.11	5.52	5.93	6.93	7.50	8.15	8.90	8.90	8.15	6.93	5.52	4.52	3.90	3.36	2.94	2.44	1.94	1.44	0.94
14	14.08	17.65	21.92	24.80	27.04	29.89	35.38	39.75	43.15	45.96	45.96	43.15	39.75	35.38	30.03	24.80	21.92	17.65	14.08	11.55	10.55	9.55
15	4.51	5.40	6.47	7.18	7.74	8.20	9.82	10.91	11.76	12.46	12.46	11.76	10.91	9.82	8.20	7.74	6.47	5.41	4.51	3.56	2.61	1.66
16	14.79	18.65	23.35	26.53	29.02	31.08	36.37	43.32	47.18	50.39	50.39	47.18	36.37	29.02	23.35	18.65	14.79	10.99	9.94	8.94	7.94	6.94
17	4.96	6.00	7.26	8.11	8.78	9.33	11.28	12.61	13.64	14.50	14.50	13.64	12.61	11.28	9.33	8.11	7.26	4.96	4.96	4.96	4.96	4.96
18	15.53	19.73	24.86	28.37	31.13	33.43	41.59	47.17	51.55	55.20	55.20	51.55	47.17	41.59	33.43	28.37	24.86	15.53	14.08	13.03	12.08	11.03
19	17.85	22.36	29.93	34.59	38.30	41.42	52.71	60.61	66.89	72.18	72.18	66.89	52.71	41.42	34.59	29.93	22.36	17.85	14.59	11.31	8.91	6.91
20	16.83	24.56	31.81	36.92	40.99	44.43	56.97	65.79	72.82	78.78	78.78	65.79	56.97	44.43	31.81	24.56	16.83	14.59	11.31	8.91	6.91	
21	9.37	12.05	15.50	17.96	19.44	19.52	21.73	24.94	27.51	29.67	29.67	24.94	21.73	17.96	15.50	12.05	9.37	12.05	15.50	17.96	19.44	19.44
22	20.71	27.35	35.89	41.86	46.93	51.04	66.37	77.30	86.09	93.57	93.57	86.09	77.30	66.37	51.04	41.86	35.89	20.71	17.96	14.59	11.31	8.91
23	21.71	22.84	38.09	44.73	50.06	54.66	61.51	71.34	79.22	85.90	85.90	79.22	71.34	61.51	50.06	44.73	38.09	21.71	17.96	14.59	11.31	8.91
24	22.75	30.41	40.41	53.48	58.49	62.49	77.09	90.51	101.39	110.70	110.70	90.51	77.09	62.49	53.48	40.41	30.41	22.75	17.96	14.59	11.31	8.91
25	23.84	32.05	42.85	50.69	57.07	62.54	82.98	97.81	108.88	120.23	120.23	97.81	82.98	57.07	42.85	32.05	23.84	15.95	12.12	9.16	6.16	

From "Design of Pile Foundations," by A. S. Vesic, in NCHRP Synthesis of Highway Practice 42, Transportation Research Board, 1977 Reprinted by permission.

Note: Upper number  $N_c^2$ ; lower number  $N_s^2$ .



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-31**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** LCRS Pumping Capacity

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Paul Pellicer **Date:** 11/15/97

**Checked By:** John Pellicer **Date:** 11/15/97

**Reviewed By:** Pat Corser **Date:** 11/15/97

Revisions	Date	By	Checked By	Reviewed By



**TerraMatrix**  
Engineering & Environmental Services  
P.O. Box 776018, 1475 Pine Grove Road  
Steamboat Springs, Colorado 80477  
Phone 970.879.6260 Fax 970.879.9028

Project Name: Triassic Park  
Project Number: 602-0200  
Prepared By: P. Petree  
Checked By: J. Bellum  
Sheet: 1 of 5  
Date: 11-15-97  
Date: 15-Nov-97

### LCRS Pumping Capacity


Objective: Check pumping capacity compared to the LCRS flow rate

Analysis: Check Capacity of sump for LCRS. See pg 344 for layout and dimensions.

Use Method described in "Groundwater Hydrology and Hydraulics", 1977

Use Darcy-Forchheimer Equation.

$$Q = \frac{k}{2L} (h_0^2 - h_L^2)$$



$Q$ : Flow (Per foot of pipe)

$$L = 18 \text{ ft}$$

$$h_0 = 6 \text{ ft}$$

$$h_L = 1 \text{ ft}$$

$$k = \text{Perm of Sump Gravel} = 1 \text{ cm/sec} = 1 \text{ cm/sec} \times \frac{1 \text{ ft}}{30.48 \text{ cm}} = 0.0328$$

$$Q = \frac{[0.0328 \text{ ft/sec}]}{2(18 \text{ ft})} [6^2 - 1^2] = 0.0319 \text{ ft}^3/\text{sec}/\text{ft}$$

$$Q = 0.0319 \frac{\text{ft}^3/\text{sec}/\text{ft}}{\text{ft}} \times \frac{3600 \text{ sec}}{\text{hr}} = 114.84 \text{ ft}^3/\text{hr}/\text{ft} \times \frac{24 \text{ hr}}{\text{day}} \times \frac{7.9 \text{ ft}}{\text{ft}}$$

$$Q = 20616.9 \text{ gal/day} \quad (\text{pipe length} = 30 \text{ ft see pg 4})$$

$$Q = 618,980 \text{ gal/day} \checkmark$$



TerraMatrix  
Engineering & Environmental Services  
P.O. Box 774048, 1675 Pine Grove Road  
Steamboat Springs, Colorado 80487  
Phone 970.879.6360 Fax 970.879.9448

Project Name: Triassic Park

Project Number: 602-0000

Sheet: 2 of 5

Prepared By: P. Pellicer

Date: 11-15-97

Checked By: J. Pellicer

Date: 11-15-97

Determine flow rate into LCFS Sump from the Geocomposite

$$Q = i \Theta w$$

$$i = \text{flow gradient} = \text{Maximum floor grade} = 3.3\% = 0.033$$

$$\Theta = \text{Transmissivity} = 5 \times 10^{-4} \text{ m}^2/\text{sec} \quad (\text{from ALR calc})$$

$$w = \text{Maximum width of floor} \sim 590 \text{ ft} \quad (\text{see pg 5})$$

$$Q_{in} = 0.033 \left( 5 \times 10^{-4} \frac{\text{m}^2}{\text{sec}} \right) \left( \frac{10.7634 \text{ ft}^2}{\text{m}^2} \right) (590 \text{ ft}) = 0.076 \text{ ft}^3/\text{sec}$$

$$Q_{in} = 0.076 \frac{\text{ft}^3}{\text{sec}} \left( \frac{7.48 \text{ gal}}{\text{ft}^3} \right) \left( \frac{3600 \text{ sec}}{\text{hr}} \right) \left( \frac{24 \text{ hr}}{\text{day}} \right) = 62,042 \text{ gal/day}$$


$$S.F. = \frac{Q_{out}}{Q_{in}} = \frac{6184 \text{ gpm}}{62,042 \text{ gal/day}} = 9.9$$

Conclusion: The LCFS sump has the capacity to pump out the flow rate coming into the sump.


385

Lb. 15. Non-  
2020.209

۲۷



**IMP DETAIL - CROSS-SECTION A-A'**




LINE DETAIL - C40098-SECTION 8-8.

Not For Construction

卷之三

**TRIASSIC PARK  
WASTE DISPOSAL FACILITY**

E-21  
15-Nov-97  
602-0200  
A of 5  
pmp





**PERFORATION DETAIL**  
Not To Scale




*Accessories* *Accessories* *Accessories*

## WASTE DISPOSAL FACILITY

THE HISTORY OF THE CHURCH OF CHRIST IN CHINA / AND' III




**WILSON'S** **RECEIPT**  
FOR  
**ONE DOLLAR**



**X** VADOSE ZONE PLACEMENT IN SWP  
WATERFALL SITES

S-5  
S-15-NOV-17  
600-2000  
S-5



**NOTES**

- 1 FROM CANNON, MOTTS AND LEGEND AND CHAMBERS FROM THE LUMINARIES AND  
THEIR LEGEND AND GENERAL NOTES.
- 2 TOPOGRAPHY FROM AERIAL SURVEYS PUBLISHED AND MAILED BY  
THE GEODESIC AND POLAR ENGINEERING



1. **President G. Conner.** State that his name  
and reporting under my instructions and on  
instructions presented above is true  
and correct to the best of my knowledge  
and information.

Date \_\_\_\_\_ Page \_\_\_\_\_ Page \_\_\_\_\_


10

Not Far Construction

**THIASSIC PARK  
WASTE DISPOSAL FACILITY**

**THE ORTHOCYSTE AND LAYER**

卷之三





**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-34

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Stability Analysis of Exterior Slope on South-West Corner of Landfill

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Jorge C. Troncoso **Date:** 9/12/99

**Checked By:** Donald J. Montgomery **Date:** 12/6/99

**Reviewed By:** \_\_\_\_\_



MONTGOMERY WATSON  
Mining Group

Project Name: TRAVERS DIKE HAZARDOUS WASTE UNDERR  
Project Number: 1342602.02190200 Sheet 1 of 1  
Prepared By: JCT Date 10/11/99  
Checked By: DSJ Date 12/06/99

PURPOSE: STABILITY ANALYSIS OF EXISTING SLOPE ON SOUTHERN WEST CORNER OF  
LANDFILL

METHOD: USE BISCHOFF'S ANALYSIS METHODS IMPLEMENTED IN STABILITY SLOPE IN

ASSUMPTIONS: - NATURAL SOILS CONSIST OF UPPER BULKHEAD USE STAB PROPERTIES  
INDICATED IN APPENDIX E-1.

- SLOPES ARE UNSTABILIZED.
- GROUND PENETRATION OF 0.04' (SEE APPENDIX E-1).
- WASTE PROPERTIES FROM APPENDIX E-3.
- COMPUTED SURF SLOPES PULLED AS ALL  $\rightarrow \phi = 32^\circ$ .

CONSTRUCTION: - STATIC FOS = 1.3'  
- DYNAMIC FOS = X.2  
1.1 D.M.

Description: Triassic Park  
Comments: Outside Slopes of Landfill (soil not aware).  
File Name: Triassic.slp

Last Saved Date: 11/12/99


Last Saved Time: 10:24:30 AM

Analysis Method: Bishop

Direction of Slip Movement: Left to Right

Slip Surface Option: Grid and Radius

Seismic Coefficient: (none)



2  
1

→ Undrained

Soil: 3  
Description: Foundation

Description: Triassic Park  
Comments: Outside Slopes of Landfill

File Name: Triassic.slp

Last Saved Date: 11/12/99


Last Saved Time: 10:22:46 AM

Analysis Method: Bishop


Direction of Slip Movement: Left to Right

Slip Surface Option: Grid and Radius

Seismic Coefficient: Horizontal



Soil: 2      Description: Fill  
Soil Model: Mohr-Coulomb  
Unit Weight: 110  
Cohesion: 0  
Phi: 32  
Piezometric Line #: 0  
Pore-Air Pressure: 0





# MONTGOMERY WATSON

## **Calculation Cover Sheet**

**Appendix E-35**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Stability of Landfill Cover System Under Saturated Conditions

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Jorge C. Troncoso Date: 9/26/99

**Checked By:** Donald J. Montgomery 11/24/99

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



MONTGOMERY WATSON  
Mining Group

Project Name TRIASIC PARK  
Project Number 602  
Prepared by J. Monwes  
Reviewed by D. Montgomery  
Date 10/26/99  
Date 11/24/99

OBSERVATION: INFINITE SHEAR STABILITY OF COVER SYSTEM UNDER STABILIZED CONDITIONS.

METHODS: USL INFINITE SHEAR MACHISM. ETHER MONO WERE IN PORES, GCL - GEOTEXTILE AND VEGETATIVE COVER

ASSUMPTIONS: USL PROPERTIES FROM APPENDIX E-5 AND FOR VEGETATIVE COVER  $\phi = 15^\circ$ .

CALCULATIONS:

$$FOS = \frac{c + h(\gamma_{tot} - \gamma_w) \cdot m^2 b \cdot \tan \phi}{\gamma_{tot} \cdot h \cdot m \cdot b \cdot \cos \phi}$$

WITH:  $m = 2.5 \text{ ft}$

$$\gamma_{tot} = 110 \text{ psf}$$

$$b = 3.4^\circ$$

$$\gamma_w = 62.4 \text{ psf}$$

$$\rightarrow FOS = \frac{2.5(110 - 62.4) \cdot m^2 \cdot 3.4 \cdot \tan 15^\circ}{110 \cdot 2.5 \cdot \tan 3.4 \cdot m \cdot 3.4}$$

$$= 1.95 \checkmark \underline{\text{OK}}$$

FOR:  $\gamma_{tot} = 150 \text{ psf} \rightarrow FOS = 2.63 \checkmark$



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-36**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Concrete Bearing Capacity Beneath Tanks

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Jorge C. Troncoso **Date:** 8/27/99

**Checked By:** Donald J. Montgomery **Date:** 11/24/99

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



MONTGOMERY WATSON  
Mining Group

Project Name TRASSIC PARK

Project Number 1312607 7219.02.07

Prepared By JCT

Checked By D.J.M. 2/11

Sheet 1 of 2

Date 8/13/93

Date 11/2/93

### CONCRETE BEAM'S CAPACITY beneath TANKS


OBJECTIVE : DETERMINE IF CONCRETE BEAM CAN TAKE PRESSURE OF TANK.

METHOD : CALCULATE PRESSURES THAT SOIL PRODUCES ON CONCRETE SLAB AND VERIFY THAT HUMANS AND SHEAR STRESSES ARE LESS THAN ALLOWABLE ACCORDING TO ACI.

ASSUMPTIONS : - TANKS HOLD 7000 gal OF LIQUID WITH A DEPTH OF 62 pcf.  $\rightarrow$  TOTAL WEIGHT OF LIQUID = 34t.  
EACH TANK WEIGHTS 17t  $\rightarrow$  TOTAL WEIGHT = 51t.  
DIMENSIONS OF SLAB =  $21 \times 21$  ft $^2$   $\rightarrow$   $p = 255$  pbf.

#### CALCULATION :

- MAXIMUM DISTANCE BETWEEN EDGE OF SLAB AND TANK = 5'



$$p = \frac{f_s}{b \cdot d} = \frac{0.2}{12 \cdot 6} = 0.0028$$

$$\rightarrow o = \frac{0.2 \cdot 60000}{0.85 \cdot 4000 \cdot 12}$$

$$= 0.3 \text{ in.}$$

#### HOLENT RESISTANCE

$$\rightarrow \phi \cdot f_u = 0.7 \cdot 0.2 \cdot 60000 \cdot (6 - 0.3/2) =$$

$$= 49140 \text{ lb.in}$$

$$M_u = 255 \cdot 1 \cdot 5 \cdot 5/2 = 3188 \text{ lb.ft} \rightarrow 38250 \text{ lb.in} < 49140 \text{ lb.in}$$



MONTGOMERY WATSON  
Mining Group

Project Name: MASSC PARK  
Project Number: 1342602.0290207 Sheet 2 of 2  
Prepared By: JCR Date 8/11/99  
Checked By: C.H.M. Date 11/21/99

STEEL RESISTANCE:

$$V_c = 1 \cdot 1/4 \cdot b w \cdot s$$

$$= 2 \cdot \sqrt{v_{000}} \cdot 12 \cdot 6$$

$$= 9107 \text{ kN}$$

$$V_u = 255 \cdot 5 \cdot 1 = 1275 \text{ kN}$$

$$V_u < \phi V_c = 0.85 \cdot 9107 = 7741 \text{ kN OK}$$

$\Rightarrow$  NO SPADERS NECESSARY.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-37**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Stability Analysis of South Cut Slope of Landfill

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Jorge C. Troncoso Date: 9/12/99

**Checked By:** Donald J. Montgomery **Date:** 12/6/99

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



MONTGOMERY WATSON  
Mining Group

Project Name: TRIASSIC PARK HAZARDOUS WASTE SITE  
Project Number: 1342602.02190200 Sheet: 1 of 1  
Prepared By: JET Date: 10/12/99  
Checked By: D.I.M. Date: 12/06/99

### Deep Failure Surface

PURPOSE: Stability analysis of south cut slope of landfill (for a deep failure surface)

METHOD: Use Bishop's Analysis Method implemented in Slope/W program.

ASSUMPTIONS: Same assumptions as Appendix Z-1.

CALCULATION: Static FOS = 1.1 + f 1.45 D.I.M.

The cuts of continuous piles at the top of the slope reduces the FOS to 1  
MATERIALS AT THE  
1.45 D.I.M.

### Shallow Failure Surface


PURPOSE: Stability analysis for shallow surface failure on south cut slope of Landfill.

METHOD: Use Bishop's Analysis Method implemented in Slope/W program.


ASSUMPTIONS: Same assumptions as above.  $\gamma_p = 0.2$  applied in 20' layers


CALCULATION:

Static FOS = 1.1




Description: Triassic Park  
Comments: Phase 1A, Inside Slope  
File Name: Triassic1.slp  
Last Saved Date: 11/24/99  
Last Saved Time: 1:08:53 PM  
Analysis Method: Bishop







Load: 21.6 lbf/in<sup>2</sup>

Description: Triassic Park  
Comments: Phase 1A, Inside Slope  
File Name: Triassic2.slp  
Last Saved Date: 11/24/99  
Last Saved Time: 1:06:07 PM  
Analysis Method: Bishop





Description: Triassic Park  
Comments: Phase 1A, Inside Slope(Shallow Failure)  
File Name: Triassic3.slp  
Last Saved Date: 12/7/99  
Last Saved Time: 1:25:06 PM  
Analysis Method: Bishop





**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix E-39**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Capacity and Volume Calculations

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** John Pellicer **Date:** 8/14/99

**Checked By:** Patrick Corser **Date:** 8/16/99

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



MONTGOMERY WATSON  
Mining Group

Project Name TRIASIC PARK /Waste Disposal Facility  
Project Number 1712612 Sheet 1 of 2  
Prepared By J. Ballou Date 14-Aug-99  
Checked By tel Date 16-Aug-99

OBJECTIVE: Determine volume of Drum Handling Unit  
(for July 1999 RSI)

- 7 drum storage cells (see pg 2)
- Each cell can contain 160 drums (see pg 2)
- Drum size = 55 gallons (see pg 2)

$$\text{Storage Volume: } (7 \text{ cells}) (160 \frac{\text{drums}}{\text{cell}}) (55 \frac{\text{gal}}{\text{drum}}) = 61,600 \text{ gal}$$

Unit Process Code: S01

## 7.0 DRUM HANDLING UNIT

JPP  
1342602

21  
14-Aug-99  
Triassic Park

### 7.1 DRUM HANDLING UNIT DESIGN

#### 7.1.1 General

The purpose of the drum handling unit is to provide storage capacity for drummed waste streams which will either be processed in the stabilization unit, placed in the landfill, or shipped to other waste processing centers such as incinerators or solvent recovery plants.

Drum handling unit design elements include drum handling unit layout, subgrade design; liner design; concrete floor design, and drainage sump design. This section describes each of these design elements.

#### 7.1.2 Drum Handling Layout


Drawing No. 37 (Volume III) shows the layout of the drum handling unit floor plan and surrounding area. Additional details for the floor and floor drains are illustrated on Drawing Nos. 38 and 39 (Volume III).

As previously discussed, the drum handling unit entrance faces the north access road. Incoming trucks will enter the gravel lined apron and will back up to the loading dock areas. Once the truck unloading (or loading) operation is complete, the trucks will exit the unit via the same north access road. Parking areas for site personnel vehicles will be designated near the drum handling unit office. The gravel apron in front of the unit will not be used to stage waste haul trucks.

The drum handling building will be an open walled building with a roof which extends over the entire floor and truck docking areas. The roof structure will eliminate rainwater from entering the drum handling area. The open walls will provide ample ventilation inside the building, however, personnel involved with drum sampling and decanting activities will still be required to use supplied air respiratory systems. As discussed in Section 1.5, during winter months the site will experience temperatures as low as 14°F, with average daily temperatures of 36°F. Under the most severe conditions, freezing of liquids in the drums may be possible. Therefore, during periods of extended low temperatures, drums will be monitored for any sign of leakage or damage due to freezing. Damaged drums will be immediately placed in over pack units to ensure containment.

\* The 49,265 sf total floor area is divided into 7 drum storage cells with each cell having a separate drain, collection sump, and leak detection sump. [Each 63-ft long by 52-ft wide cell is capable of storing 160 drums.] Two of the cells are designated as TSCA cells and as such are required to be isolated from other drum storage cells. The 0.5 ft high by 3.5 ft wide walkway which surrounds the TSCA cell provides the necessary isolation. The remaining five cells are also separated by walkways. As shown on Drawing No. 38, (Volume III) drums will be placed in four rows, two drums deep. Two 12-ft wide aisles will provide access for the forklift to place and remove drums. Any drum spills or leakage will flow to the deep drain located along the centerline of the cell. The drain bottom slopes at 2 percent to the sumps located on the south side (rear) of the building. Any fluids in the sump will be removed through the LCRS and

LEGEND



### TYPICAL SIDE ELEVATION

175 - Min.


W.M. J. M. 1892. 2. 20

Not For Construction


卷之三

**WASTE DISPOSAL FACILITY  
TRIASSIC PARK**

DRAWING 1116 DRAW HANDLING UNIT  
GENERAL ARRANGEMENT



MECHANICAL DRUM FLOOR LAYOUT





MONTGOMERY WATSON  
Mining Group

Project Name TRIASSIC PARK/ Waste Disposal Facility  
Project Number 1342602 Sheet 1 of 3  
Prepared By J. Pellicer Date 16-Aug-99  
Checked By XL Date 16-Aug-99


OBJECTIVE: Determine volume of Roll-Off Unit. (for July 1999)  
Roll-Off Container Size: 22 ft long  $\times$  8 ft wide  $\times$  8 ft tall (sup.)  
Number of Roll Containers = 132 containers

$$\text{Roll-Off Container Volume: } (22 \text{ ft}) (8 \text{ ft}) (8 \text{ ft}) = 1408 \text{ ft}^3 \Rightarrow 52 \text{ cu yd} \\ \text{27 cu m} \Rightarrow 40 \text{ cu m} \Rightarrow 102 \text{ cu m} / \text{cu yd}$$


$$\text{Roll-Off Unit Waste Volume: } (132 \text{ containers}) (40 \text{ cu yd}) = 5,280 \text{ cu yd} \\ \text{102 cu m} / \text{cu yd} \approx 1,066,560 \text{ gal} \\ \text{SAR } 1,000,000$$

Unit Process Code = 501

16 Aug '99  
134262  
Marie Park



30 Yard



---

### Other Roll-Off Container Sizes and Dimensions:

10 Yard: Length 14' Width 6' Height 3'

\* 40 Yard: Length 22' Width 8' Height 8'

---

## Compactor Containers

Self-Contained

**NOTE**  
FOR GENERAL NOTES AND LEGEND INFORMATION SEE DRAWING NO. 2  
"DETAIL, LEGEND AND GENERAL NOTES"

16-Aug-99  
1342602  
Trussic Park


## WASTE DISPOSAL FACILITY TRIASSIC PARK

**TRUCK ROLL-OFF AREA  
DRAINAGE SURFACE CONTOURS**



**PROFESSIONAL SERVICES STANDARDS**

Patricia A. Gossen, who has the right to represent under my designation and shall be entitled to receive a reasonable amount of time to do so.





MONTGOMERY WATSON  
Mining Group

Project Name TRIASSIC PARK / Waste Disposal Facility  
Project Number 1342602 Sheet 1  
Prepared By J. Pellicer Date 16-Aug-99  
Checked By LL Date 16-Aug-99


OBJECTIVE: Determine Volume of Liquid Waste Storage Unit.

Tank Volume : 9,000 gal (see pg 2)



Number of Tanks: 4 (see pg 2)

$$\text{Waste Volume: } (4 \text{ tanks}) \left( 9,000 \frac{\text{gal}}{\text{tank}} \right) = 36,000 \text{ gal}$$

Unit Process Code: S02



**SECTION A-A'**



## Liquid Waste Receiving & Storage Area

RECEIVED  
LIBRARY  
UNIVERSITY OF TORONTO LIBRARIES  
1965

Number of  
Tanks - 4

1. 1000 ml. graduated  
2. 100 ml.  
3. 10 ml.  
4. 1 ml.



MONTGOMERY WATSON  
Mining Group

Project Name TRIASSIC PARK Waste Disposal Fac  
Project Number 1342602  
Prepared By I. Pellicen  
Checked By \_\_\_\_\_  
Sheet 1 of 2  
Date 13-Aug-99  
Date \_\_\_\_\_

OBJECTIVE: Determine Volume of Evaporation Pond  
1A and 1B. (For July 1999 RSI)

Pond 1A

Dimensions @ Elevation 4121 ft: 285 ft by 138 ft

Dimensions @ Elevation 4111 ft: 225 ft by 85 ft

$$\text{Area @ 4121 ft} = (285 \text{ ft}) (138 \text{ ft}) = 39,330 \text{ ft}^2$$

$$\text{Area @ 4111 ft} = (225 \text{ ft}) (85 \text{ ft}) = 19,125 \text{ ft}^2$$

Pond Depth = 12 ft (conservative maximum)

$$\text{Pond 1A Volume} = \left( \frac{39,330 + 19,125}{2} \right) * 12 \text{ ft} = 350,730 \text{ ft}^3$$


$$\text{Pond 1A Volume} = 350,730 \text{ ft}^3 * 7.48 \frac{\text{gal}}{\text{ft}^3} = 2,623,460 \text{ gal}$$

Pond 1B Volume = 2,623,460 gal since it has identical

$$\text{Total Volume} = (2)(2,623,460 \text{ gal}) = 5,246,920 \text{ gal} = 5,250,000 \text{ gal}$$

Unit Process Code: T02

1342602 21  
3-Aug-19  
T. C. Paul



GENERAL NOTES AND LEGEND INFORMATION SEE DRAWING NO. 2.  
EX. LEGEND AND GENERAL NOTES.

CONTOUR INTERVAL 1 FT.  
CONTOUR INTERVAL 2 FT.



MONTGOMERY WATSON  
Mining Group

Project Name TRIASSIC PARK Waste Disposal Facility  
Project Number 342 WZ Sheet 1 of 2  
Prepared By J. Pellicer Date 14-Aug-99  
Checked By SL Date 14-Aug-99

OBJECTIVE: Determine volume of waste to be stored  
permitted part of land fill (as of July 1999 RSI)


METHOD: CivilSoft Software

Volume: 553,200 cu (see pg 2)


Unit Process Code: D80

11 Aug. 99 Spur 2/2

卷之三




卷之三



卷之三

# TRIASSIC PARK WASTE DISPOSAL FACILITY

FALLING PINE -





MONTGOMERY WATSON  
Mining Group

Project Name Triassic Park Mine Disposal Facility  
Project Number 1342602  
Prepared By J. Pellicer  
Checked By Rd  
Sheet 1 of 3  
Date 16-Aug-99  
Date 16-Aug-99

OBJECTIVE: Determine Volume of waste stabilization  
mixing bins.

Number of Mixing Bins: 4 (see pg. 2)


Bin Volume:  $(23 \text{ ft})(6 \text{ ft})(10 \text{ ft}) = 1380 \text{ ft}^3 \approx 51 \text{ cu}$   
(see pg 3)

Assume = 15 bins / day

Volume of Processed Waste:  $15 \frac{\text{bin}}{\text{day}} \cdot 51 \frac{\text{cu}}{\text{bin}} = 765 \text{ cu}$


Volume =  $765 \text{ cu} \cdot \frac{27 \text{ ft}^3}{\text{cu}} \cdot \frac{7.48 \text{ gal}}{\text{ft}^3} = 154,499 \text{ gal/day}$   
 $\approx 150,000 \text{ gal/day}$

Unit Process Code: T01



TYPICAL BIM & VAULT SECTION

Möller 332 Darmstadt für den Befreiungskrieg



**Typical End Elevation**


NOT TO SCALE



Not For Construction


2/3

JTP  
174260Z  
16-Aug-99  
Triton




STANDARD BUILDING FLOOR PLAN

LEGEND



**C. INTERNAL FRONT ELEVATION**

4 FRONT FLEI



## WASTE DISPOSAL FACILITY


**STABILIZATION UNIT**  
**GENERAL ARRANGEMENT**

JFR  
1342602  
16-Aug-99  
Triassic Park




5/3  
TRIASSIC PARK  
WASTE DISPOSAL FACILITY  
DRAWING TITLE: STABILIZATION UNIT  
BY DESIGN


PRO H. SCHOTT & ASSOCIATES



PLAN VIEW - SINGLE LEVEL



LONGITUDINAL SECTION - SINGLE LEVEL



CROSS SECTION - SINGLE LEVEL



MONTGOMERY WATSON

## **Calculation Cover Sheet**

**Appendix E-40**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Permeability Tests of Compacted Clay Liner

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** John Pellicer **Date:** 11/17/97

**Checked By:**


**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By

**TERRAMATRIX/LAB TEST/CO - #602-200**  
**853-2803**

**TABLE 2**  
**SUMMARY OF FLEXIBLE WALL PERMEABILITY TEST RESULTS**

SAMPLE NUMBER	SAMPLE LENGTH (cm)	SAMPLE DRY DEN. (g/cm <sup>3</sup> )	TARGET DRY DEN. (g/cm <sup>3</sup> )	COMPACTED (%)	INITIAL MOISTURE (%)	TARGET MOISTURE (%)	EFFECT STRESS (psi)	BACK PRESSURE (psi)	GRADIENT (cm/sec)	AVERAGE PERM. (cm/sec)	
602 #1	9.65	7.27	119.8	120.6	(99.3)	12.3	(12.5)	5	95	20	1.4 X 10 <sup>-4</sup>
602 #1	9.62	7.27	115.5	116.6	(99.1)	14.1	(14.0)	5	95	20	6.6 X 10 <sup>-4</sup>
602 #1	9.55	7.27	112.1	111.7	(100.4)	16.1	(16.0)	5	95	20	1.1 X 10 <sup>-4</sup>



<sup>(1)</sup> PLACEMENT WINDOW BOUNDARY MAY BE MODIFIED BASED ON RESULTS OF TEST FILL.

Perf & Project	REV/DATE	APPROVED	RE-CHECKED	APPROVED
Terramatrix				
Montgomery Watson				
Using Stress				
PROJECT NO. 000-0000				
ASMEB FILE PLACEMENT WINDOW				
SCALE -				
				POLICE ID: 02221-1

Triassic Park Waste Disposal Facility

Recompacted Permeability Data and Proposed  
**CLAY LINER PLACEMENT WINDOW**

TERRAMATRIX/LAB TEST/CO - #802-200

**953-2803**

**TABLE 2**  
**SUMMARY OF FLEXIBLE WALL PERMEABILITY TEST RESULTS**

SAMPLE NUMBER	SAMPLE LENGTH (cm)	STABILISER LENGTH (cm)	LARGE OPENING (mm)	INITIAL MOISTURE CONTENT (%)	TARGET MOISTURE CONTENT (%)	EFFECT STRESS (kN)	BACK PRESSURE (kg)	GRADIENT PERM. (cm/sec)			
802 #1	9.85	7.27	119.8	120.6	(99.3)	12.3	(12.5)	5	95	20	1.4 X 10 <sup>-1</sup>
802 #1	9.82	7.27	115.5	116.6	(99.1)	14.1	(14.0)	5	95	20	6.6 X 10 <sup>-4</sup>
802 #1	9.55	7.27	112.1	111.7	(100.4)	16.1	(16.0)	5	95	20	1.1 X 10 <sup>-1</sup>

**FLOWPUMP PERMEABILITY TEST**  
*Mercury manometer*

JOB NUMBER: 993-2903 BORING: \_\_\_\_\_  
 PROJECT: Terramatrix/Labtest SAMPLE: S01 FF /  
 DATE: 10/1/97 DEPTH: 116.6pcf @ 14.0' E.M.C.

**SAMPLE SPECIFICS**

Length (L) (cm):	<u>9.62</u>	<u>9.83</u>
Diameter (cm):	<u>7.27</u>	<u>7.41</u>
Wet Weight (g):	<u>846.5</u>	<u>890.3</u>

**READINGS**

Cell Pressure (psi):	/
Back Pressure (psi):	/
Effective Stress (psi):	/
Motor Speed (1-12):	/
% Max:	/
H (cm):	/
(high setting, ignore decimal point)	

**DENSITY CALCULATIONS**

Area (cm <sup>2</sup> ):	<u>41.51</u>
Volume (cm <sup>3</sup> ):	<u>399.3</u>
Wet Density (pcf):	<u>131.8</u>
Dry Density (pcf):	<u>115.5</u>

REMARKS Revoid @ 116.6 & 14.0' MC

$$397.8 \times 116.6 \times 1.14 \div 62.4 = 847.4$$

99.1 % of required density)

1700 @ 6.4

1285.7 @ 14

+ 85.7

GOLDER ASSOCIATES INC.

847.4

281.8

1129.2

**CONSTANT VOLUME PERMEABILITY / ASTM D 5084**  
 (For use with Manometer Board)

PROJECT TITLE:	TERRA MATRIX/LAB TEST/CO
PROJECT NO.:	953-2903
SAMPLE ID:	Spl I recomp at 116.6pcf 14.0%mc

Cell Pressure	100	psi
Sample Pressure	95	psi
Run #	1	

Sample Data, Initial

Height, cm	9.62
Diameter, cm	7.27
Area, cm <sup>2</sup>	41.51
Volume, cm <sup>3</sup>	399.33
Wet Mass, g	846.5
Moisture Content, %	14.1%
Dry Density, pcf	115.9
Spec. Gravity	2.66
Void Ratio	0.49
Saturation, %	100
Effective stress, psi	5

Initial Manometer Readings

Pipes =	24.85
Aneroid =	9.3

Gradient = 20

12.5%age

Manometer Constants

M1 =	0.06	cm <sup>-2</sup>
M2 =	1.48	

Sample Constants

S =	0.23	cm <sup>-1</sup>
-----	------	------------------

Specific Gravity Constant:

G =	12.61	
-----	-------	--

Test Constant:

C =	0.0011	
-----	--------	--


Trial Constant:

T =	0.09	
-----	------	--

Time	Stress	Vol. (mls)	Time	Delta Zs mm	Cts	10^-6 cm/sec/cm <sup>2</sup>	10^-6 cm/sec/cm <sup>2</sup> (approx.)
16	50	1010	24	0.85	1.1E-06	0.919	9.1E-08
25	25	1525	23.65	1.2	7.2E-07	0.886	8.7E-08
38	40	2320	23.15	1.7	4.7E-07	0.839	8.3E-08
67	20	4040	22.3	2.55	2.7E-07	0.758	7.5E-08
90	0	5400	21.7	3.15	2.0E-07	0.701	7.2E-08
105	30	6390	21.25	3.6	1.7E-07	0.658	7.2E-08
123	0	7380	20.85	4	1.5E-07	0.620	7.1E-08
170	0	10200	19.85	5	1.1E-07	0.525	6.9E-08
213	30	12810	19.1	5.75	8.3E-08	0.454	6.7E-08
250	0	15000	18.55	6.3	7.1E-08	0.403	6.7E-08
282	20	16940	18.11	6.74	6.5E-08	0.360	6.6E-08
311	0	18660	17.75	7.1	5.9E-08	0.326	6.6E-08
0	0	0	24.85	/DIV/01	-1.369	/DIV/01	
0	0	0	24.85	/DIV/01	-1.369	/DIV/01	
0	0	0	24.85	/DIV/01	-1.369	/DIV/01	
0	0	0	24.85	/DIV/01	-1.369	/DIV/01	

PERMEABILITY REPORTED AS  $\frac{cm}{sec}$   $\frac{cm}{sec}$

**Hydraulic Conductivity vs. Time**



**RIDGED WALL PERMEABILITY**  
**ASTM D 5084**

PROJECT TITLE: TEST-20-20-20 Dose Pressure = 100 psi  
 PROJECT NO.: A53-203 Sample Pressure = 99 psi  
 SAMPLE ID: 1 Run # = 1

### Sample Data, Initial

Height, cm	9.62
Diameter, cm	7.095 7.217
Area, cm <sup>2</sup>	39.54
Volume, cm <sup>3</sup>	0.00
Wet Mass, g	846.5
Moisture Content, %	14.1
Dry Density, pcf	#DIV/0!
Spec. Gravity	—
Void Ratio	#DIV/0!
Saturation, %	#DIV/0!

#### Calculation Constants:

#### **Manometer Constants:**

$$M_2 = 1.041$$

### Sample Constants:

$$S = 0.00 \text{ cm}^{-1}$$

### Specific Gravity Constant:

G = 12.56

### Test Constant:

C = 0.0000

### Trial Constant:

$$\nabla = -\nabla V / \theta$$

### Initial Manometer Readings

Pipeas = 24.3%

$$\text{Annulus} = 9.3$$

Gradient = 20

$$R_P = R_{eq} + \frac{1}{18.62}$$

$$= 14.35 + \frac{9.62 \times 2}{18.62}$$

$$= 24.7$$

**GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO**



~~FLOW PUMP PERMEABILITY TEST~~  
Mercury Manometer

JOB NUMBER: 953-2403 BORING:  
 PROJECT: Terramatrix/Lab test SAMPLE: 602.022 SP #1  
 DATE: 10/1/97 DEPTH: 111.7 @ 16.02 m

SAMPLE SPECIFICS

Length (L) (cm):	<u>9.55</u>	<u>9.65</u>
Diameter (cm):	<u>7.27</u>	<u>7.33</u>
Wet Weight (g):	<u>826.7</u>	<u>863.5</u>

READINGS

Cell Pressure (psi):	<u>100</u>
Back Pressure (psi):	<u>95</u>
Effective Stress (psi):	<u>5</u>
Motor Speed (1-12):	<u>/</u>
% Max:	<u>/</u>
H (cm):	<u>/</u>
(high setting, ignore decimal point)	

DENSITY CALCULATIONS

Area (cm <sup>2</sup> ):	<u>41.51</u>
Volume (cm <sup>3</sup> ):	<u>196.4</u>
Wet Density (pcf):	<u>130.1</u>
Dry Density (pcf):	<u>112.1</u>

MOISTURE CONTENTS

	INITIAL	FINAL	
Wet Weight + Tare (g)	<u>757.62</u>	<u>947.9</u>	
Dry Weight + Tare (g)	<u>226.59</u>	<u>800.28</u>	
Tare (g)	<u>X 12</u>	<u>33.29</u>	<u>84.91</u>
Moisture Content (%)	<u>16.1</u>	<u>20.6</u>	<u>/</u>

PERMEABILITY CALCULATIONS

Flow Rate Q (cm/sec)  
(from flow rate chart)

Area (cm<sup>2</sup>): /

Apparent Velocity (v) =  $\frac{Q}{A}$  = /

Gradient (i) =  $\frac{H}{L}$  = 70

Permeability (K) =  $v \cdot i$  =  $1.1 \times 10^{-7}$

NOTE: Can use column 4 of the chart only if the sample  
is 2.8" diameter.

REMARKS Revoid @ 111.7 & 16.02 MC

$$347.8 \times 111.7 \times 1.16 \div 62.4 = 826.0$$

100.4

1200@ 6.4

1308.3 16.0

+ 108.3

GOLDER ASSOCIATES INC.

826.0

281.97

1108.0

LAB - FLOWPUMP -

# CONSTANT VOLUME PERMEABILITY / ASTM D 5084

(For use with Manometer Board)

PROJECT TITLE:	TERRA MATRIX/LAB TEST/CO	
PROJECT NO.:	953-2903	
SAMPLE ID:	Sp1.1	reinold st. 111.7pcf 16.0%w/e

Cell Pressure	100	psi
Sample Pressure =	95	psi
Run # =	1	

Sample Data, Initial

Height, cm	9.55
Diameter, cm	7.27
Area, cm <sup>2</sup>	41.51
Volume, cm <sup>3</sup>	396.43
Wet Mass, g	826.7
Moisture Content, %	16.1%
Dry Density, pcf	112.1
Spec. Gravity	—
Void Ratio	0.671
Saturation, %	100
Effective stress, psi	5
Pipes =	24.7
Annulus =	9.4


Gradient = 20

Manometer Constants		
M1 =	0.06	cm <sup>-2</sup>
M2 =	1.48	
Sample Constants		
S =	0.23	cm <sup>-1</sup>
Specific Gravity Constant:		
G =	12.61	
Test Constants:		
C =	0.0011	
Trial Constants:		
T =	0.10	

Time	Depth	Head 1	Head 2	CD	Head 3	Head 4	Head 5
10	55	655	23.15	1.55	1.7E-06	0.150	2.7E-07
37	35	2255	21.65	3.05	4.3E-07	0.706	1.7E-07
60	30	3630	20.65	4.05	3.0E-07	0.609	1.3E-07
84	30	5070	19.8	4.9	2.1E-07	0.527	1.4E-07
107	15	6435	19.1	5.6	1.7E-07	0.459	1.3E-07
139	0	8340	18.25	6.45	1.3E-07	0.377	1.3E-07
166	10	9970	17.7	7	1.1E-07	0.324	1.2E-07
190	15	11415	17.25	7.45	9.3E-08	0.281	1.2E-07
226	45	16005	16.25	8.45	6.9E-08	0.184	1.1E-07
310	0	18000	15.85	8.85	5.0E-08	0.146	1.1E-07
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01
0	0	0	0	24.7	ADIV/01	-1.384	ADIV/01

PERMEABILITY REPORTED AS = ADIV/01  
cm/sec =

**Hydraulic Conductivity vs. Time**



TESTS:  EBM      CHECKED:   
DATE: 10/7/97      DATE:

**RIDGED WALL PERMEABILITY**  
**ASTM D 5084**

PROJECT TITLE: 154-100-100-100 Piston Pressure = 100 psi  
PROJECT NO.: 154-100-100-100 Sample Pressure = 100 psi  
SAMPLE ID: 376 Run # = 1

### Sample Data, Initial

Height, cm	9.55
Diameter, cm	7.095 7.17
Area, cm <sup>2</sup>	39.54
Volume, cm <sup>3</sup>	0.00
Wet Mass, g	2.777
Moisture Content, %	16.1
Dry Density,pcf	#DIV/0!
Spec. Gravity	
Void Ratio	#DIV/0!
Saturation %	#DIV/0!

### **Initial Manometer Readings**

$$\text{Pipette} = 24.85$$

$$\text{Annulus} = 7.35$$

### **Calculation Constants:**

### **Manometer Constants:**

$$M_1 = 0.03 \text{ cm}^{-2}$$

#### Sample Constants:

$$S = 0.00 \text{ cm}^{-1}$$

### **Specific Gravity Constant:**

$$G = 12.56$$

### **Test Constant:**

C = 0.0000

### Trial Constant:

$$T = \partial D V / \partial$$

TECH: \_\_\_\_\_  
DATE: \_\_\_\_\_

**CHECKED:**

**GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO**



Mercury manometer

~~FLOW PUMP~~ PERMEABILITY TEST

761

JOB NUMBER: 953-2903  
PROJECT: Terramatrix  
DATE: 10/11/97

BORING: \_\_\_\_\_  
SAMPLE: 602-0200 sol # 1  
DEPTH: 120.6pcf & 12.5% MC

SAMPLE SPECIFICS

Length (L) (cm):	<u>9.65</u>	<u>9.89</u>
Diameter (cm):	<u>7.27</u>	<u>7.42</u>
Wet Weight (g):	<u>864.0</u>	<u>917.9</u>

READINGS

Cell Pressure (psi):	<u>100</u>
Back Pressure (psi):	<u>95</u>
Effective Stress (psi):	<u>5</u>
Motor Speed (1-12):	X-12
% Max:	X
H (cm):	X

DENSITY CALCULATIONS

Area (cm <sup>2</sup> ):	<u>41.51</u>
Volume (cm <sup>3</sup> ):	<u>400.6</u>
Wet Density (pcf):	<u>134.6</u>
Dry Density (pcf):	<u>119.8</u>

MOISTURE CONTENTS		
	INITIAL	FINAL
Wet Weight + Tare (g)	<u>220.24</u>	<u>1073.0</u>
Dry Weight + Tare (g)	<u>199.67</u>	<u>925.4</u>
Tare (g)	<u>X-22</u>	<u>32.93</u>
Moisture Content (%)	<u>12.3</u>	<u>10.2</u>

PERMEABILITY CALCULATIONS

Flow Rate Q (cm/sec)	(from flow rate chart)	X
Area (cm <sup>2</sup> ):	X	X
Apparent Velocity (v) = $\frac{Q}{A}$ =	(cm/sec) (SEE NOTE)	X
Gradient (l) = $\frac{H}{L}$ =	20	X

$$\text{Permeability (K)} = \frac{v}{l} = 1.4 \times 10^{-7} \text{ (cm/sec)}$$

NOTE: Can use column 4 of the chart only if the sample is 2.8" diameter.

REMARKS Renold @ 120.6 & 12.5 % MC

$$397.8 \times 120.6 \times 1.125 / 62.4 = 864.9$$

99.3 % of requested capacity

1200 @ 6.4

1268.8 @ 12.5

+ 68.8

GOLDER ASSOCIATES INC.

864.9  
241.7

1146.8

**CONSTANT VOLUME PERMEABILITY / ASTM D 5084**  
 (For use with Manometer Board)

PROJECT TITLE:	TERRA MATRIX/LAB TEST/CO	
PROJECT NO.:	953-2903	602
SAMPLE ID:	Sp1	remold at 120 kipcf 12.5%mc

Cell Pressure =	100	psi
Sample Pressure =	95	psi
Run # =	1	

Sample Data, Initial

Height, cm 9.65  
 Diameter, cm 7.27  
 Area, cm<sup>2</sup> 41.51  
 Volume, cm<sup>3</sup> 400.58  
 Wet Mass, g 864  
 Moisture Content, % 12.3 %  
 Dry Density, pcf 119.8  
 Spec. Gravity 2.66  
 Void Ratio 0.99  
 Saturation, % 49.8  
 Effective stress, psi 5

Initial Manometer Readings

Pipes = 24.7

Anemius = 9.4


Gradient 20

12.5%mc		
<u>Manometer Constants</u>		
M1 =	0.06	cm <sup>-2</sup>
M2 =	1.48	
<u>Sample Constants</u>		
S =	0.23	cm <sup>-1</sup>
<u>Specific Gravity Constant:</u>		
G =	12.61	
<u>Test Constant:</u>		
C =	0.0011	
<u>Trial Constants</u>		
T =	0.10	

Time	Water Head inches	Water Head mm	Time	Water Head inches	Water Head mm	Water Head inches	Water Head mm
17	50	1070	22.95	1.75	4.0E-06	0.031	1.9E-07
36	45	2205	20.75	3.95	5.0E-07	0.019	2.4E-07
53	20	3200	20.85	3.85	3.4E-07	0.028	1.6E-07
65	0	3900	20.35	4.35	2.8E-07	0.080	1.5E-07
110	0	6800	18.6	6.1	1.7E-07	0.411	1.5E-07
136	30	2190	17.9	6.8	1.3E-07	0.344	1.4E-07
167	30	10050	17.2	7.5	1.1E-07	0.276	1.4E-07
198	0	11880	16.65	8.05	9.2E-08	0.223	1.4E-07
220	30	13230	16.35	8.35	8.3E-08	0.194	1.4E-07
243	0	14380	16.05	8.65	7.5E-08	0.165	1.4E-07
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01
0	0	0	0	24.7	/DIV/01	-1.384	/DIV/01

PERMEABILITY REPORTED AS = /DIV/01  
 cm/sec \*\*

**Hydraulic Conductivity vs. Time**



TECH:   
 DATE:

CHECKED:   
 DATE:

RIDGED WALL PERMEABILITY  
ASTM D 5084

PROJECT TITLE:	Terr 2/M3 Crux	Piston Pressure =	100	psi
PROJECT NO.:	993-2403	Sample Pressure =	75	psi
SAMPLE ID:	#1	Run # =	1	

Sample Data, Initial

Height, cm	9.65	
Diameter, cm	7.095	7.27
Area, $\text{cm}^2$	39.54	
Volume, $\text{cm}^3$	0.00	
Wet Mass, g	864.0	
Moisture Content, %	12.3	
Dry Density,pcf	#DIV/0!	
Spec. Gravity		
Void Ratio	#DIV/0!	
Saturation, %	#DIV/0!	

Initial Manometer Readings

Pipette =	14.7
Annulus =	9.5

Calculation Constants:

Manometer Constants:	M1 = 0.03 $\text{cm}^{-2}$
	M2 = 1.041
Sample Constants:	S = 0.00 $\text{cm}^{-1}$
	Specific Gravity Constant:
	G = 12.56
	Test Constant:
	C = 0.0000
	Trial Constant:
	T = #DIV/0!

Minutes	Seconds	Dist. annulus (mm)	Tail (mm)	Delta Z <sub>o</sub> (mm)	C/t	Delta Z <sub>o</sub> * (mm/sec)	PERMEABILITY
17	50	0	27.97	0	#DIV/0!	#DIV/0!	#DIV/0!
36	49	0	21.79	0	#DIV/0!	#DIV/0!	#DIV/0!
53	20	0	20.85	0	#DIV/0!	#DIV/0!	#DIV/0!
65	00	0	20.35	0	#DIV/0!	#DIV/0!	#DIV/0!
110	00	0	18.60	0	#DIV/0!	#DIV/0!	#DIV/0!
136	30	0	17.90	0	#DIV/0!	#DIV/0!	#DIV/0!
167	30	0	17.20	0	#DIV/0!	#DIV/0!	#DIV/0!
193	00	0	16.65	0	#DIV/0!	#DIV/0!	#DIV/0!
220	30	0	16.35	0	#DIV/0!	#DIV/0!	#DIV/0!
243	00	0	16.05	0	#DIV/0!	#DIV/0!	#DIV/0!
284	30	0	15.65	0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!
		0		0	#DIV/0!	#DIV/0!	#DIV/0!

PERMEABILITY REPORTED AS #DIV/0!  
cm/sec #DIV/0!

TECH:   
DATE:

CHECKED:   
DATE:

$$RP = \frac{R_p - R_g + \frac{1}{t_c}}{18.62}$$

$$= \frac{14.352 - 0 \times 9.65}{18.62}$$

$$= 24.7$$

GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO

## PERMEABILITY TESTING BACK PRESSURE SATURATION

PROJECT Terrastrix/Lanette Co. JOB NO. 953-2903 DATE 10/1/37  
SRING NO. 502-322-1 DEPTH  
SOIL DESCRIPTION 120.6±12.5' MC TESTED BY APPROVED BY

Comments  
De An



Golder Associates  
CONSULTING GEOTECHNICAL ENGINEERS

Territory/Lab No.

953-2907

WATER CONTENT DETERMINATION

PROJECT NO.

DATE:

LAB NUMBER						
BOREHOLE NUMBER	-					
SAMPLE NUMBER	1					
DEPTH OF SAMPLE						
CONTAINER NUMBER	X 3					
WT. WET SOIL + TARE	260.73					
WT. DRY SOIL + TARE	247.03					
WEIGHT OF WATER						
TARE WT.	32.82					
WT. OF DRY SOIL						
WATER CONTENT W-%	6.4					

LAB NUMBER						
BOREHOLE NUMBER						
SAMPLE NUMBER						
DEPTH OF SAMPLE						
CONTAINER NUMBER						
WT. WET SOIL AND TARE						
WT. DRY SOIL AND TARE						
WEIGHT OF WATER						
TARE WT.						
WT. OF DRY SOIL						
WATER CONTENT W-%						

LAB NUMBER						
BOREHOLE NUMBER						
SAMPLE NUMBER						
DEPTH OF SAMPLE						
CONTAINER NUMBER						
WT. WET SOIL + TARE						
WT. DRY SOIL + TARE						
WEIGHT OF WATER						
TARE WT.						
WT. OF DRY SOIL						
WATER CONTENT W-%						

PROJECT NO. \_\_\_\_\_

**Golder Associates Fax**

To: PAUL PELLICER

Fax Number: 970-879-9048

Company: TERRAMATRIX

Date: 4-21-99

From: DAVE DIX

Our Ref:

RE:

Total pages (including cover): 14

Hard copy to follow 

Golder Associates Inc  
Soils Laboratory  
12880 W. Cedar Dr., S  
206  
Lakewood, Colorado 80401  
Telephone (303) 969-9  
Fax (303) 969-0488

---

**MESSAGE**

---

Paul,

WILL DROP HARD COPY IN MAIL.

Dave

Comprehensive Consultation Services in Geotechnical Engineering, Environmental Remediation and Waste Management

---

Environmental Remediation  
Waste Management  
Landfill Siting & Design  
Civil Engineering & Construction  
Mining & Quarrying  
Oil and Gas Waste Management  
Soil and Rock Mechanics  
Nuclear Waste Management  
Risk Assessment  
Energy Projects  
Transportation  
Water Resources

Offices in Australia, Canada, Finland, Germany, Hong Kong, Hungary, Indonesia, Italy, Sweden, United Kingdom, USA

# FLOW PUMP PERMEABILITY TEST

*Mercury thermometer*

JOB NUMBER: 993-2903

BORING:

PROJECT: Tensaratinis / 36ft tall

SAMPLE:

DATE: 10/1/97

DEPTH:

116.6' PCF @ 14.0' E.M.C.

## SAMPLE SPECIFICS

Length (L) (cm):	<u>9.62</u>	<u>9.83</u>
Diameter (cm):	<u>7.27</u>	<u>7.41</u>
Wet Weight (g):	<u>846.5</u>	<u>890.3</u>

## READINGS

Cell Pressure (psi):	<u>/</u>
Back Pressure (psi):	<u>/</u>
Effective Stress (psi):	<u>/</u>
Motor Speed (1-12):	<u>/</u>
% Max:	<u>/</u>
H (cm):	<u>/</u> <small>(high setting, ignore decimal point)</small>

## DENSITY CALCULATIONS

Area (cm <sup>2</sup> ):	<u>41.51</u>
Volume (cm <sup>3</sup> ):	<u>399.3</u>
Wet Density (pcf):	<u>131.8</u>
Dry Density (pcf):	<u>115.5</u>

REMARKS Renard @ 116.6 & 14.0' E.M.C.

$$397.8 \times 116.6 \times 1.14 \div 62.4 = 847.4$$

99.1 % of required density1200@ 6.41285.7@14+85.7

GOLDER ASSOCIATES INC.

847.4281.81129.2

LAB - FLOWPUMP - 10

**CONSTANT VOLUME PERMEABILITY / ASTM D 5084**  
 (For use with Manometer Board)

PROJECT TITLE: TERRA MATRIX/LAB TEST/CO  
 PROJECT NO.: 951-2983  
 SAMPLE ID: SP1 I (sample # 116.0001 14.0% mo)

Cell Pressure = 100 psi  
 Sample Pressure = 95 psi  
 Run # = 1

Sample Data, Initial  
 Height, cm 9.63  
 Diameter, cm 7.27  
 Area, cm<sup>2</sup> 41.31  
 Volume, cm<sup>3</sup> 300.23  
 Wet Mass, g 844.3  
 Moisture Content, % 14.18  
 Dry Density, psi 115.9  
 Spec. Gravity 2.69  
 Void Ratio 1.46  
 Saturation, % 4.00  
 Effective stress, psi 5  
 Initial Manometer Reading  
 P1psi = 24.83  
 A1inches = 9.3

12.75cm
Manometer Constants
M1 = 0.04 cm <sup>-2</sup>
M2 = 1.48
Aerobic Constants
S = 0.23 cm <sup>-1</sup>
Specific Gravity Constants
G = 1.26
The C Constants
C = 0.0011
Total Constant
T = 0.09


Gradient 20

16	23	1010	24	0.13	1.15-04	0.919	9.1E-03
23	23	1223	23.65	1.3	7.29-07	0.938	8.7E-03
18	40	2220	23.15	1.7	4.71-07	0.939	8.3E-03
47	26	4026	23.1	2.5	2.78-07	0.754	7.5E-03
20	9	5108	21.7	3.15	2.09-07	0.791	7.1E-03
100	30	6200	21.25	3.6	1.78-07	0.698	7.0E-03
128	8	7198	20.85	4	1.35-07	0.628	7.1E-03
770	0	10200	19.95	5	1.1E-07	0.325	6.9E-03
213	20	12210	19.1	5.75	1.2E-07	0.424	6.5E-03
200	0	12200	17.45	6.5	7.1E-08	0.407	6.1E-03
202	20	12220	16.11	6.74	6.3E-08	0.369	6.1E-03
111	0	12200	17.73	7.1	5.9E-08	0.326	6.1E-03
0	0	0	0	24.05	100VAC	-1.349	100VAC
0	0	0	0	24.05	100VAC	-1.349	100VAC
0	0	0	0	24.05	100VAC	-1.349	100VAC
0	0	0	0	24.05	100VAC	-1.349	100VAC

PERMEABILITY REPORTED AS = 100VAC

mm/min

Hydraulic Conductivity vs. Time

TEST #: 100VAC  
DATE: 10/09/97EXPIRED: \_\_\_\_\_  
DATE: \_\_\_\_\_

**REDUCED WALL PERMEABILITY  
ASTM D 5084**

PROJECT TITLE: 20% Plastisol L-26 - 44      Failure Pressure = 100 psi  
 PROJECT NO.: 953-2405      Sample Pressure = 44 psi  
 SAMPLE ID: 1      Run # = 1

Sample Date, Initials

Height, cm	9.62
Diameter, cm	7.03 7.27
Area, cm <sup>2</sup>	39.54
Volume, cm <sup>3</sup>	0.00
Wet Mass, g	241.95
Moisture Content, %	14.1
Dry Density, pdf	107.10
Spec. Gravity	—
Void Ratio	0.17/0.01
Saturation, %	107.10

### **Initial Management Renditions**

$$\Delta_{\text{new}}/100 = 9.3$$

Calculation Contests

### Manometer Constants

$$M_1 = 0.03 \text{ cm}^{-2}$$

### Sample Constant:

$$S = 0.00 \text{ cm}^{-1}$$

### Specific Gravity Curves:

**G = 12.56**

### Text Comments:

C = 0.0000

### Trial Constants

$$T = \sqrt{D/V}$$

100-1000

$$\text{Gradient} = 20$$

$$R_P = R_{eq} + \frac{1}{18.62}$$

TECH:  
PATT

CHECKED:   
DATE:

**GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO**

$$= 14.39 + \frac{9.62 \times 20}{18.62}$$

$$= 24.7$$

## **PERMEABILITY TESTING BACK PRESSURE SATURATION**

PROJECT Tennant first 1126 test JOB NO. 993-2903 DATE Oct 1  
BORING NO. 1 SAMPLE NUMBER 602 022 1 DEPTH   
SOIL DESCRIPTION 116.6 @ 14.0 TESTED BY  APPROVED BY

**FLOWPUMP PERMEABILITY TEST**  
*Mercury Method*

JOB NUMBER: 953-2403  
 PROJECT: Tennantville Lab Test  
 DATE: 10/1/97

BORING:

SAMPLE:

DEPTH:

602.022 SP/TH  
111.7 @ 16.07m**SAMPLE SPECIFICS**

Length (L) (cm):	<u>9.55</u>	<u>9.65</u>
Diameter (cm):	<u>7.27</u>	<u>7.33</u>
Wet Weight (g):	<u>826.7</u>	<u>863.5</u>

**MOISTURE CONTENTS**

	INITIAL	FINAL	
Wet Weight + Tare (g)	<u>257.62</u>	<u>947.9</u>	
Dry Weight + Tare (g)	<u>226.59</u>	<u>800.28</u>	
Tare (g)	<u>X 12</u>	<u>33.29</u>	<u>84.91</u>
Moisture Content (%)	<u>16.1</u>	<u>20.6</u>	<u>✓1</u>

**READINGS**

Cell Pressure (psi):	<u>100</u>
Back Pressure (psi):	<u>95</u>
Effective Stress (psi):	<u>5</u>
Motor Speed (1-12):	<u>/</u>
% Mac:	<u>/</u>
H (cm):	<u>/</u>
(high setting, ignore decimal point)	

**PERMEABILITY CALCULATIONS**Flow Rate Q (cm³/sec)  
(from flow rate chart)

Area (cm²):

Apparent Velocity (v) =  $\frac{Q}{A}$  =  
(SEE NOTE)Gradient (l) =  $\frac{H}{L}$  = 20Permeability (K) =  $v \cdot l$  =  $1.1 \times 10^{-7}$ NOTE: Can use column 4 of the chart only if the sample  
is 2.8" diameter.**DENSITY CALCULATIONS**

Area (cm²):	<u>41.51</u>
Volume (cm³):	<u>1960.4</u>
Wet Density (pcf):	<u>130.1</u>
Dry Density (pcf):	<u>112.1</u>

REMARKS: Remilled @ 111.7 &amp; 16.07 MC.

$$347.8 \times 111.7 \times 1.16 \div 62.4 = 826.0$$

100.4

GOLDER ASSOCIATES INC.

826.0281.971104.01200@ 6.41308.7 16.0+ 108.3

**CONSTANT VOLUME PERMEABILITY / ASTM D 5084**  
 (For use with Manometer Board)

PROJECT TITLE: TERRA MATRIX/LAB TEST/CO  
 PROJECT NO.: 93-3003 002  
 SAMPLE ID: 5a | weight at 111.5g 16.03%

Cell Pressure = 100 psi  
 Sample Pressure = 99 psi  
 Run # = 1


Sample Data, Initial  
 Height, mm 9.55  
 Diameter, cm 7.27  
 Area,  $\text{cm}^2$  41.51  
 Volume,  $\text{cm}^3$  196.45  
 Wet Mass, g 104.7  
 Moisture Content, % 16.15  
 Dry Density,  $\text{pcf}$  112.1  
 Spec. Gravity --  
 Void Ratio 0.8946  
 Saturation, % 68.97  
 Effective stress,  $\text{psi}$  3  
 Initial Moisture Content %  
 Pores = 24.7  
 Air voids = 9.4  
 Graders = 20

Manometer Constants		
M1 =	0.06	$\text{cm}^{-2}$
M2 =	1.44	
Sample Constants		
S =	0.25	$\text{cm}^{-1}$
Specific Gravity Constant:		
G =	12.61	
Test Constants		
C =	0.0011	
Total C Constant:		
T =	0.19	

Time	Height	Cell Pressure	Sample Pressure	Run #
10	55	23.15	1.55	1.78-47
37	35	21.65	3.05	4.18-47
50	30	20.85	4.05	5.09-47
84	30	20.70	4.9	2.15-47
107	15	64.35	5.6	1.78-47
130	0	53.45	18.25	4.18-47
144	10	58.70	17.7	7
159	15	114.15	17.25	7.45
200	40	103.0	18.25	9.45
210	0	102.00	15.85	9.15
0	0	0	0	24.7
0	0	0	0	24.7
0	0	0	0	24.7
0	0	0	0	24.7
0	0	0	0	24.7
0	0	0	0	24.7
0	0	0	0	24.7

PERMEABILITY REPORTED AS  $\text{cm/sec}$  $\text{cm/sec}$ 

Hydraulic Conductivity vs. Time



TEST DATE: 10/21/99      PREPARATION DATE:

**RIDGED WALL PERMEABILITY**  
**ASTM D 5084**

### Sample Data, Initial

Height, cm	9.66
Diameter, cm	2.006
Area, cm <sup>2</sup>	39.54
Volume, cm <sup>3</sup>	0.00
Wet Mass, g	816.7
Moisture Content, %	16.1
Dry Density, pcf	101.7
Spec. Gravity	—
Void Ratio	—
Saturation, %	100

Calculated Constants:  
**Manometer Constants:**  
 M1 = 0.03 cm<sup>-1</sup>  
 M2 = 1.041  
**Sample Constants:**  
 S = 0.00 cm<sup>-1</sup>  
**Specific Gravity Constant:**  
 G = 12.56  
**Tent Constant:**  
 C = 0.0000  
**Trial Constant:**  
 T = 4DV/0!

**TECH.  
DATA:**

**CHECKED:**   
**DATE:**

**GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO**

$$R_P = R_{eq} + \frac{1}{18.62}$$

= 24.6

## PERMEABILITY TESTING BACK PRESSURE SATURATION

PROJECT Terrain Test 11-26-10 JOB NO.

**BORING NO.**

SAMPLE NUMBER 006 022 5011 DEPTH

## **SOIL DESCRIPTION**

111.7 pcf @ 16.0° F TESTED BY

DATE

## DEPTH

**APPROVED BY**

Mercury manometer

~~FLOW PUMP PERMEABILITY TEST~~

101

JOB NUMBER: 953-2903PROJECT: TerramatrixDATE: 10/1/97

BORING:

SAMPLE: 602 - 0200 SPL # 1DEPTH: 120.6pcf & 12.5' MC

## SAMPLE SPECIFICS

Length (L) (cm):	<u>9.65</u>	<u>9.89</u>
Diameter (cm):	<u>7.27</u>	<u>7.42</u>
Wet Weight (g):	<u>864.0</u>	<u>917.9</u>

## READINGS

Cell Pressure (psi):	<u>100</u>
Back Pressure (psi):	<u>95</u>
Effective Stress (psi):	<u>5</u>
Motor Speed (1-12):	<u>X-22</u>
% Max:	<u>X</u>
H (cm):	<u>(high setting, ignore decimal point)</u>

## DENSITY CALCULATIONS

Area (cm <sup>2</sup> ):	<u>41.51</u>
Volume (cm <sup>3</sup> ):	<u>400.6</u>
Wet Density (pcf):	<u>134.6</u>
Dry Density (pcf):	<u>119.8</u>

REMARKS Renold @ 120.6 & 12.5' MC

$$397.8 \times 120.6 \times 1.125 = 62.4 = 864.9$$

99.3% of requested capacity1200@6.41268.8@12.5+ 68.8864.9  
291.71146.8

GOLDER ASSOCIATES INC.

LAB - FLOWPUMP - 10

**CONSTANT VOLUME PERMEABILITY / ASTM D 5084**  
 (For use with Manometer Board)

PROJECT TITLE:

TERRA MATRIX/LAB TEST/00

PROJECT NO.:

023

SAMPLE ID#:

Spt 1 recorded at 120 sec 12.5 kpa

Cell Pressure =

100

Psi

Sample Pressure =

95

Psi

Rate # =

1

Sample Data, Initial

Height, cm 2.65  
 Diameter, cm 7.27  
 Area, cm<sup>2</sup> 41.51  
 Volume, cm<sup>3</sup> 409.98  
 Wet Mass, g 566  
 Moisture Content, % 12.31  
 Dry Density, pcf 119.8  
 Spec. Gravity 2.65  
 Void Ratio -0.00-  
 saturation, % -0.00-  
 Effective area, pcf 5  
Initial Manometer Readings  
 Pipe A = 24.7  
 Pipe B = 9.4  
 Gradient = 20


12.5 kpa		
<b>Manometer Constants</b>		
M1 =	0.04	cm <sup>-2</sup>
M2 =	1.48	
<b>Sample Constants</b>		
S =	0.23	cm <sup>-1</sup>
<b>Specific Gravity Constants</b>		
G =	12.61	
<b>Tes Constants</b>		
C =	0.0011	
<b>Trial Constants</b>		
T =	0.10	

TEST DATA						
17	30	1670	22.95	1.73	1.00-00	0.131
34	45	2000	20.77	1.25	1.00-00	0.110
51	30	2100	20.53	1.05	1.48-07	0.098
68	0	3000	20.35	0.33	2.00-07	0.100
115	0	5000	19.4	0.1	1.75-07	0.111
132	30	8100	17.9	0.8	1.75-07	0.144
149	30	10500	17.2	7.5	1.12-07	0.276
166	0	11000	16.95	0.45	2.00-00	0.152
223	30	12200	16.35	0.35	1.75-00	0.194
240	0	14500	14.95	0.05	7.00-00	0.165
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00
0	0	0	0	24.7	SDVAN	-1.00

PERMEABILITY REPORTED AS \*\* SDVAN

cm/sec \*\*

Hydraulic Conductivity vs. Time



TEST DATE

TIME

CHECKED: DATE

## RIDGED WALL PERMEABILITY ASTM D 5034

PROJECT TITLE: Torr = McEvily      Piston Pressure = 100 psi  
 PROJECT NO.: 953 2403      Sample Pressure = 95 psi  
 SAMPLE ID: #1      Run # = 1

### Sample Data, Initial

Height, cm	9.65
Diameter, cm	7.095
Area, cm <sup>2</sup>	39.54
Volume, cm <sup>3</sup>	0.00
Wet Mass, g	864.0
Moisture Content, %	2.3
Dry Density, pcf	101.1
Spec. Gravity	
Void Ratio	1.01
Saturation, %	101.1

**Calculation Constants:**  
 Manometer Constant:  
 $M_1 = 0.03 \text{ cm}^{-2}$   
 $M_2 = 1.041$   
**Semicle Constant:**  
 $S = 0.00 \text{ cm}^{-1}$   
**Specific Gravity Constant:**  
 $G = 12.56$   
**Test Constant:**  
 $C = 0.0000$   
**Trial Constant:**  
 $T = \text{#DIV/0!}$

$$R_P = R_{eq} + \frac{I^L}{18.6^2}$$

$$= \frac{14.352047.67}{18.62}$$

= 24.7

**TECH:** \_\_\_\_\_  
**DATE:** \_\_\_\_\_

CHECKED: \_\_\_\_\_  
DATE: \_\_\_\_\_

**GEOTECHNICAL TESTING LABORATORY  
GOLDER ASSOCIATES INC.  
DENVER, CO**

## PERMEABILITY TESTING **BACK PRESSURE SATURATION**

PROJECT Terra Mtns/La Jolla JOB NO. 953-2903 DATE 10/1/77  
BORING NO. SAMPLE NUMBER 602-022-1 DEPTH  
SOIL DESCRIPTION 120.6 ft (212.5% MIC) TESTED BY APPROVED BY



**Golder Associates**  
CONSULTING GEOTECHNICAL ENGINEERS

*Terraplotter/abstet/*

### WATER CONTENT DETERMINATION

REQUEST NO. 953-2903  
DATE: \_\_\_\_\_

LAB NUMBER						
BORING NUMBER	-					
SAMPLE NUMBER	1					
DEPTH OF SAMPLE						
CONTAINER NUMBER	X 3					
WT. WET SOIL + TARE	260.73					
WT. DRY SOIL + TARE	247.03					
WEIGHT OF WATER						
TARE WT.	32.82					
WT. OF DRY SOIL						
WATER CONTENT W-%	6.4					

LAB NUMBER						
BORING NUMBER						
SAMPLE NUMBER						
DEPTH OF SAMPLE						
CONTAINER NUMBER						
WT. WET SOIL AND TARE						
WT. DRY SOIL AND TARE						
WEIGHT OF WATER						
TARE WT.						
WT. OF DRY SOIL						
WATER CONTENT W-%						

LAB NUMBER						
BORING NUMBER						
SAMPLE NUMBER						
DEPTH OF SAMPLE						
CONTAINER NUMBER						
WT. WET SOIL + TARE						
WT. DRY SOIL + TARE						
WEIGHT OF WATER						
TARE WT.						
WT. OF DRY SOIL						
WATER CONTENT W-%						



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix E-41

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Clay Liner Compatibility References

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Jorge Troncoso Date: 8/25/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By

A. Gwen Eklund<sup>1</sup>

## A Laboratory Comparison of the Effects of Water and Waste Leachate on the Performance of Soil Liners

### Background

The purpose of lining a waste disposal facility is to retard waste contaminants from leaving the site and entering natural groundwater systems near the site. In their performance, liners function by two mechanisms: (1) impedance of flow of the pollutant carrier (usually water) into the subsoil, or (2) attenuation of suspended or dissolved pollutants so that the exiting leachate contains contaminants within acceptable ranges for groundwater [1], or both (1) and (2).

The first liner function is attained by constructing a material with low permeability. The sorptive or attenuative capability relies on the chemical composition and mass of the liner. Soil liners generally function by both mechanisms. Soils generally have a large capacity to sorb materials of different types, but some soils do not provide an impermeable boundary. These properties can sometimes be enhanced by the use of soil additives. A greater thickness of a soil layer beneath the disposal impoundment also can result in a lower flux of a contaminant through the liner. A good soil liner will contain a minimum of 25 to 28% clay-size particles by weight [1]. The clay-size fraction (< 0.002 mm) has a relatively large surface area, and the mechanical behavior of a clayey soil is dependent on the physiochemical interactions between soil particle surfaces.

Soils used as liners also must have acceptable engineering properties. The soil consistency differs with moisture content, and the degree of hydration of clayey soils has a direct effect upon the liner's compressive strength. The plastic limit and the liquid limit are also valuable in assessing the engineering characteristics of soils [2].

The mechanical soil properties can be altered by mechanical compaction, which affects the permeability. (The mechanical behavior is also controlled by the stresses that act on soil, for example, overburden pressure.) For a given method of compaction and compactive effort, each soil has a unique laboratory moisture/density relation, that is, Proctor compaction curve, which defines optimum moisture and maximum dry density for design considerations. Soil permeability is a numerical measure of the ability of the soil to transmit a fluid. The permeability is dependent on both the soil properties and leachate properties. A good liner will usually possess a hydraulic conductivity coefficient ( $K$ ) of  $1 \times 10^{-7}$  cm/s or less when it is tested with a simulated (or ac-

**REFERENCE:** Eklund, A. G., "A Laboratory Comparison of the Effects of Water and Waste Leachate on the Performance of Soil Liners," *Hydraulic Barriers in Soil and Rock*, ASTM STP 874, A. I. Johnson, R. K. Frobel, N. J. Cavalli, and C. B. Peterson, Eds., 1985, American Society for Testing and Materials, Philadelphia, 1985, pp. 188-202.

**ABSTRACT:** A study was conducted to determine the performance of two compacted native soils and the soils plus a commercial additive when exposed to specific paper mill waste leachates. Fluids produced from actual paper mill wastes were used in accelerated (high-pressure), anaerobic permeability tests with two disposal site soils and the soils with a beneficial additive. Comparison tests measuring hydraulic conductivity were performed to determine behavioral differences of the candidate soil liners with the waste leachate and water. Test results were used to evaluate waste impacts on soil and on the soil plus a commercial additive. Emphasis was placed on identifying fatal flaws in expected field liner performance.

Test results indicated that the two soils tested were effective in containing the paper mill waste leachates. One soil physically contained the waste leachates by providing an impermeable barrier ( $K = < 10^{-7}$  cm/s). The other soil, while not providing as strong a physical barrier ( $K = 10^{-7}$  cm/s), did contain the leachate through chemical attenuation of the trace contaminants in the leachate. While the commercial additive improved the impermeable barrier characteristics of this soil, it was determined to be optional. Both mechanisms of containment will be effective in providing protection of groundwater sources below a nonleachable waste landfill.

### KEY WORDS: permeability, soil liners, liner compatibility

The use of compacted soils is frequently used to retard leachate and waste liquid components from leakage and subsequent pollution of groundwater. In this study two soils and the soils plus a commercial additive were tested for permeability performance with water and leachate from paper mill wastes.

<sup>1</sup>Senior scientist, geochemistry and waste characterization, Physical Chemistry Div., Radian Associates, Inc., Austin, TX 78744.

Stanley R. Peterson<sup>1</sup> and Glendon W. Gee<sup>1</sup>

## Interactions Between Acidic Solutions and Clay Liners: Permeability and Neutralization

**REFERENCE:** Peterson, S. R. and Gee, G. W., "Interactions Between Acidic Solutions and Clay Liners Permeability and Neutralization," *Hydraulic Barriers in Soil and Rock, ASTM STP 874*, A. I. Johnson, R. K. Embel, N. J. Cavalli, and C. B. Patterson, Eds., American Society for Testing and Materials, Philadelphia, 1985, pp. 229-245.

**ABSTRACT:** Liner failure, defined as an increase in liner permeability, was not found to be a problem when acidic uranium mill tailings solutions percolated through clay liner materials for periods extending up to three years. Liner materials taken from mill sites in Wyoming decreased in permeability with time in the laboratory columns when permeated with tailings' solution. One clay liner decreased in permeability from one half to over two orders of magnitude, depending on the given clay sample and contacting solution. These decreases in permeability were attributed to pore plugging resulting from the precipitation of minerals and solids and to soil particle dispersion.

The clay liner material from Morton Ranch, Wyoming, exhibited a residual buffering capacity that was able to maintain column effluent pH values at higher levels than the influent pH values for extended time (in excess of 30 pore volumes). A likely cause for the elevated pH is the redissolution of iron and aluminum hydrous oxides. Redissolution of iron and aluminum hydrous oxides consumes hydrogen ions.

**KEY WORDS:** buffering capacity, hydraulic conductivity, particle-size analysis, permeameter, precipitation

Clay materials have been proposed as liners in uranium mill tailings impoundments. However, long-term response of clay to contact with acidic tailings solution is not well understood. Crim et al [1] found measurable increases in permeability in montmorillonite clays subjected to extended contact with an acidic ( $\text{pH} < 1$ ) tailings solution. These increases in permeability varied by more than two orders of magnitude, but tended to increase most dramatically after the pH of the effluent dropped below 4 (from an initial value near 8). Gee et al [2,3] studied the effects of extended contact of

<sup>1</sup>Senior research scientist and staff scientist, respectively, Battelle, Pacific Northwest Laboratory, Richland, WA 99352.

# DRAFT

## Chemical Effects on Clay Hydraulic Conductivity

James K. Mitchell, F.ASCE<sup>1</sup> and Fritz T. Madsen<sup>2</sup>

**ABSTRACT:** Hydraulic conductivity and its susceptibility to changes with time or exposure to chemicals are major factors in selection of clay for use in waste containment barriers. Available concepts of clay-chemical interactions and data permit development of conclusions useful for prediction of clay barrier performance in waste containment applications.

Among the most important conclusions are that (1) the influences of the many factors that can cause changes in hydraulic conductivity can be understood from the perspective of their effects on the soil fabric, (2) the influences of chemicals on high water content clays such as in slurry walls are likely to be much greater than on lower water content compacted clays, (3) the effects of inorganic chemicals are consistent with their effects on particle surface double layers, their effects on surface and edge charges, and on pH, and (4) the effects of organic chemicals are influenced primarily by their water solubility, their dielectric constant, their polarity, and whether the clay is exposed to the pure chemical or a dilute solution. The type of test used may have a very large effect on the values of hydraulic conductivity that are measured. In almost all cases pure organic liquids will interact adversely with clays by causing some shrinking and cracking, with concurrent large conductivity increases; however, dilute solutions of organics have essentially no effect.

### INTRODUCTION

The hydraulic conductivity and its susceptibility to changes with time or exposure to chemicals are the major factors in the selection of clay for use in waste containment barriers. Such barriers are usually in the form of landfill liners and covers, lagoon liners, and slurry walls. Much has been written about the influences of chemicals in permeants on the hydraulic conductivity of the permeated clay. There has also been much debate about the most suitable tests for measurement of the hydraulic conductivity for use in hazardous waste problems.

The purpose of this paper is to synthesize the available information so as to permit the development of conclusions about chemicals and clay hydraulic conductivity that may be useful for evaluation and prediction of clay barrier performance in waste containment applications. The following subjects are addressed:

<sup>1</sup>Professor of Civil Engineering, University of California, Berkeley, CA 94720.

<sup>2</sup>Swiss Federal Institute of Technology, Zurich.

# CLAY LINER COMPATIBILITY IN WASTE DISPOSAL PRACTICE

By Richard J. Finno,<sup>1</sup> M. ASCE, and William R. Schubert,<sup>2</sup>  
A. M. ASCE

**ABSTRACT:** Waste permeants can affect the value of fluid conductivity of clays used as liner material in disposal containment systems in a number of ways. Varying chemical constituents found in permeants encountered in disposal practice may have different effects on the value of fluid conductivity of clay. To provide information concerning field performance, undisturbed samples of natural clay liner material that were exposed to either landfill leachate or acidic wastes in the field were subjected to physical and chemical testing in the laboratory. Index properties and values of fluid conductivity of exposed clay samples, as well as unexposed control samples, were measured. Chemical analysis of both waste permeants and clays were performed to evaluate chemical interactions between the soils and permeants. The results of the testing program indicate that the laboratory values of fluid conductivity of the clay samples did not significantly increase due to field exposure to the various wastes.

## INTRODUCTION

Soils are often used in parts of containment systems in waste disposal practice to inhibit the flow of liquid contaminants into the environment. Because of their low fluid conductivity, in situ and recompacted clay soils are used as "impervious" liners for landfills and waste storage surface impoundments. The liners are incorporated into an overall philosophy of containment in which leachate is removed from a landfill for treatment to reduce static fluid pressure on a liner. In many cases the fluid conductivity of a saturated soil is the controlling factor in surface migration of waste leachates. Predictions of leachate flow through a liner can only be as accurate as the assigned values of fluid conductivity.

Research has been conducted to study effects of various chemical constituents on physical properties of clay. Much of it has been performed in the laboratory under varying simulations of liner exposure to chemical constituents. Laboratory testing techniques used in some of the studies have been questioned in regard to proper simulation of the expected conditions. For example, review of a number of case studies indicates that values of fluid conductivity have variations of two or three orders of magnitude when one soil type was tested using different methods. In addition, laboratory measured values of conductivity may be several orders of magnitude lower than those which exist in situ. Olson and Daniel (20) and, more recently, Dunn and Mitchell (7) have presented excellent summaries of different testing procedures and state of the practice for measuring fluid conductivity of soils. In addition to the

<sup>1</sup>Asst. Prof. of Civ. Engrg., Illinois Inst. of Tech., Chicago, IL 60616.

<sup>2</sup>District Engr., Waste Management, Inc., Oak Brook, IL 60521.

Note.—Discussion open until May 1, 1987. To extend the closing date one month, a written request must be filed with the ASCE Manager of Journals. The manuscript for this paper was submitted for review and possible publication on November 6, 1985. This paper is part of the *Journal of Environmental Engineering*, Vol. 112, No. 6, December, 1986. ©ASCE, ISSN 0733-9372/86/0006-1970/\$01.00. Paper 21093.

rate of contaminant transport by reducing the hydraulic transport of leachate and thus the advective flux of contaminants through the liner. However even when advection is minimal, contaminants can migrate through clays by Fickian diffusion at rates that can be significant (Shekelford, et al. 1989). Moreover, the hydraulic conductivity of natural clay barriers can increase upon reaction with organic contaminants (Mitchell and Madsen 1987, Fernandez and Quigley 1988).

A new liner system design (Figure 1) is proposed to minimize the retardation of pollutants, minimize diffusive fluxes, and minimize hydraulic conductivity. A bentonite clay layer (Claymax<sup>®</sup>), provides cation exchange for the sorption of heavy metal cations and an organically modified clay (clay coated with aluminum hydroxides to form a bridge to a layer of humic acid) for the sorption of the hydrophobic organics. Claymax<sup>®</sup> is a three layer geotextile clay liner manufactured by James Clem Corp. consisting of an open weave polypropylene geotextile, bentonite with swelling additives affixed with water soluble glue, and open weave polyester geotextile support fabric. The current design for liner systems consists of a permeable material for collection of leachate, a synthetic geomembrane, and 3 m of clay as the primary liner and a redundant set of these three layers as the secondary liner. In Figure 1, the Claymax<sup>®</sup> plus organically modified clay layers replace the 3 m of clay that is currently recommended to be used in combination with the a geomembrane in a double liner leachate collection system.

The introduction of a new type of clay material coated with humic acid is based on three factors. First, humic coatings are thermodynamically stable (Greenland, 1971; Stevenson, 1982). Second, the material cost is low. Third, dissolved humics generated in disposal sites facilitate the transport of metal ion and neutral hydrophobic organic pollutants. A clay material designed to sorb humics will control this facilitated transport mechanism and, therefore, mitigate the flux of pollutants (Lillesstrand et al., 1992).

In this study, column permeameter tests and batch adsorption experiments were used to evaluate the hydraulic conductivity and pollutant attenuation of montmorillonite (as the control case) and the humic acid-aluminum hydroxide-clay (HA-AlOH-Clay). The contaminants chosen were lead, a representative inorganic cation, and a homologous series of chlorobenzenes with a range of octanol-water partition coefficient ( $K_{ow}$ ). The hydraulic conductivities of the liner materials were determined using flexible wall permeameters permeated with three fluids: tap water, synthetic leachate, and pure methanol.

## MATERIALS AND EXPERIMENTAL METHODS

### Laboratory Preparation of HA-AlOH-Clay

**Synthesis of AlOH-Clay**  
Hydromica-aluminum interlayers in expanding layers of Wyoming Montmorillonite SMY-1 obtained from the Source Clay Repository of the Clay Minerals Society available through the University of Missouri were prepared by the cation exchange method (Rengasamy and Oades, 1978, Oades, 1984, Srinivasan, and Fogler, 1990). The cross-linking agents between the expanding layers were hydroxide ions and aluminum ions with OH/Al molar ratios of 1.5, 1.85 and 2.6. The aluminum hydroxide polymers attach to the clay units with a uniform spacing to a pillar

### HYDRAULIC CONDUCTIVITY AND ADSORPTION PARAMETERS FOR POLLUTANT TRANSPORT THROUGH MONTMORILLONITE AND MODIFIED MONTMORILLONITE CLAY LINER MATERIALS

**REFERENCE:** Lo, I. H.-C., Lillesstrand, H. M., and Daniel, D. E., "Hydraulic Conductivity and Adsorption Parameters for Pollutant Transport through Montmorillonite and Modified Montmorillonite Clay Liner Materials," *Hydraulic Conductivity and Mats Sustaining Transport in Soil-ASTM STP 1162*, David E. Daniel and Stephen J. Trautwein, Eds., American Society for Testing and Materials, Philadelphia, 1994.

**ABSTRACT:** Montmorillonite clay has been modified by the addition of humic acid (HA) and aluminum hydroxide (AlOH) coatings to enhance the sorption of organics, attenuate their transport, and minimize changes in hydraulic conductivity. Batch sorption experiments and hydraulic conductivity tests have been performed to compare this HA-AlOH-Clay with commercially available Claymax<sup>®</sup>. Claymax<sup>®</sup> has an approximately 6-8-19 times greater Langmuir adsorption maximum for Pb<sup>2+</sup> than that of HA-AlOH-Clay, but the partition coefficients of chlorobenzenes to the HA-AlOH-Clay are 14-25 times greater than that to Claymax<sup>®</sup>. Hydraulic conductivity tests for Claymax<sup>®</sup> with and without HA-AlOH-Clay have been performed using tap water, a synthetic leachate, and pure methanol. Synthetic leachate increased the hydraulic conductivity of the HA-AlOH-Clay together with Claymax<sup>®</sup> to  $1.2 \times 10^{-3}$  cm/s or about 3 times over that for tap water. The hydraulic conductivity of HA-AlOH-Clay alone is greater than the minimum required value ( $\approx 1 \times 10^{-7}$  cm/s) but can be used together with Claymax<sup>®</sup> to control chemical fluxes.

**KEYWORDS:** montmorillonite, humic acid, organically modified clay, sorption, lead, partition, chlorobenzene, hydraulic conductivity.

Irene M.-C. Lo,<sup>1</sup> Howard M. Lillesstrand,<sup>2</sup> and David E. Daniel<sup>2</sup>

<sup>1</sup>Lecturer, Civil and Structural Engineering, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong.

<sup>2</sup>Professor, Civil Engineering, The University of Texas at Austin, Austin, TX 78712.

## INTRODUCTION

Slurry cutoff walls are permanent subsurface structures used to direct and control groundwater flow. Since the inception of this technique in the 1940's, slurry cutoff wells have been used where relatively unpolluted groundwater was diverted for civil works such as dams, dikes and dewatering structural excavations (Reissel di Cervia 1992). With the beginnings of CERCLA legislation and the environmental movement in the 1970's, more and more slurry cutoff walls are built to contain contaminated groundwater at landfills, hazardous waste and industrial facilities (Ryan 1987). The hydraulic conductivity or permeability of slurry cutoff walls is usually the performance criterion relied upon in the design, construction and contracting of these structures. For projects with an environmental function, the lowest practical hydraulic conductivity is typically specified for the maximum protection of the public and groundwater resources.

Hydraulic conductivity (permeability) testing has significantly improved over the last decade but is of limited use in determining incompatibility. The time and expense required for hydraulic conductivity tests limit the user in formulating compatible mixtures and complicates feasibility estimates. Furthermore, the flexible wall permeability test, the industry standard, requires the imposition of a confining stress, which can mask certain incompatibilities (Evans 1993).

In this paper, compatibility is defined as when two materials, i.e., contaminated groundwater (or leachate) and soil-bentonite, can be mixed together or coexist without reacting chemically or interfering with the performance of the soil-bentonite. An incompatible result is an increase in permeability in the soil-bentonite or chemical reaction which produces a degradation in the physical properties of the soil-bentonite.

Predicting the compatibility of slurry wall

materials with contaminated groundwater is generally recognised as good engineering practice (Ryan 1987; D'Appolonia 1980; Grube 1992; Milliet and Perez 1981; Tellard 1984). Some methods, other than hydraulic conductivity testing, have been proposed to determine compatibility (McCandless and Bodocel 1980; Khera and Thilliar 1990; Wu and Khera 1990) but these have had limited experience and the results of some test are poorly understood. This paper presents a suite of relatively simple and quick indicator-type tests which can be used in concert with hydraulic conductivity tests to more quickly and better determine the most applicable materials for the containment of contaminated groundwater with slurry cutoff walls.

## PURPOSE OF COMPATIBILITY TESTING

Compatibility tests should simulate the long-term, worst-case performance of slurry walls in a contaminated groundwater environment. As yet, no standards exist which can guide the user to determine compatibility. The primary reason for performing compatibility tests is to ensure that the slurry cutoff wall performs as intended. Compatibility testing also makes the planning and construction effort more efficient and results in a higher

**Steven R. Day<sup>1</sup>**

---

**THE COMPATIBILITY OF SLURRY CUTOFF WALL MATERIALS WITH CONTAMINATED GROUNDWATER**

---

**REFERENCE:** Day, S. R., "The Compatibility of Slurry Cutoff Wall Materials with Contaminated Groundwater," *Hydraulic Conductivity and Waste Containment Transport in Soils, ASTM STP 1142*, David E. Daniel and Stephen J. Trautwein, Eds., American Society for Testing and Materials, Philadelphia, 1994.

**ABSTRACT:** Slurry cutoff walls are frequently relied upon to block groundwater flows from toxic waste sites and landfills. The long-term effectiveness of slurry cutoff wall materials is critical to the successful containment of these facilities and the protection of groundwater resources. A variety of laboratory indicator tests have been attempted by engineers and academics to make compatibility determinations but at present there has been little published experience to show which tests produce meaningful results and how these tests can be used to demonstrate compatibility.

Hydraulic conductivity is a useful measure of chemical/soil compatibility but permeability tests alone cannot assure the long-term stability of a slurry cutoff wall. A suite of indicator tests are used where the leachate and the proposed materials are combined and tested in immersion, desiccation, sedimentation, and other modes. Each indicator test attempts to model a different scenario of the slurry cutoff wall installation and operation.

This paper presents the experience of a specialty contractor from a number of projects, where an incompatibility was discovered and alternate materials were used to find a successful solution. Monitoring results from these sites have proven the effectiveness of the chosen solution. The laboratory test methods described are relatively simple and rely on worst-case scenarios. Performed in a step-by-step process, that culminates with flexible wall permeability tests. Based on the methods described and the results from successful projects where these methods were used, engineers, owners and the public may better rely on long-term slurry cutoff wall performance with an increased level of confidence.

**KEYWORDS:** attapulgite, bentonite, compatibility, hydraulic conductivity, containment, deep soil mixing, slurry cutoff wall

<sup>1</sup>District Manager, Pittsburgh Office, Geo-Con, Inc., 4075 Monroeville Boulevard, Pittsburgh, PA 15246

Charles D. Shackelford

## WASTE-SOIL INTERACTIONS THAT ALTER HYDRAULIC CONDUCTIVITY

**REFERENCE:** Shackelford, C. D., "Waste-Soil Interactions that Alter Hydraulic Conductivity," Hydraulic Conductivity and Waste Containment Transport in Soil, ASTM STP 1162, David E. Daniel and Stephen J. Trautsein, Eds., American Society for Testing and Materials, Philadelphia, 1994.

**ABSTRACT:** Liquid-soil compatibility of soil hydraulic conductivity is reviewed with respect to the materials and methods used in evaluating waste-soil interactions, factors influencing interpretation of test results, and the interactions that are thought to alter significantly the hydraulic conductivity of clay soils. Significant increases in hydraulic conductivity may result from flocculation of clay particles due to interactions with electrolyte solutions, shrinkage of the soil matrix in the presence of concentrated organic solvents, and acid-base dissolution of the soil. Observed effects typically are greater in rigid-wall permeameters than flexible-wall permeameters.

Considerable evidence supports the use of the Gouy-Chapman theory for describing the influence of aqueous solutions on the fabric and, therefore, the hydraulic conductivity of clay soils. However, swelling test results suggest that the Gouy-Chapman theory does not account properly for shrinkage effects which have been observed to result in large increases in hydraulic conductivity upon permeation with concentrated organic solvents.

Three mechanisms may contribute to an increase in the hydraulic conductivity of clay soils upon permeation with acid permeants: (1) flocculation of the clay, (2) dissolution of the clay minerals (aluminosilicates), and (3) dissolution of other minerals (e.g.,  $\text{CaCO}_3$ ) in the clay soil. Dissolution and piping of clay minerals leads to increases in hydraulic conductivity. Dissolution of carbonates initially leads to buffering, re-precipitation, pore clogging, and a decrease in hydraulic conductivity. Depletion of the buffering capacity leads to a decrease in pH, dissolution of constituents, and a possible increase in hydraulic conductivity.

The measured hydraulic conductivity of a compacted sand-bentonite mixture is shown to be significantly affected by the sequence of permeation by a saturated calcium solution. The effect, termed "first exposure", has important implications with respect to the application of laboratory test results for evaluation of the suitability of a material for a waste containment barrier.

**KEYWORDS:** permeability, hydraulic conductivity, compatibility, laboratory testing, waste disposal, clay liners, soil fabric, diffuse double layer, volume change, inorganic chemicals, organic chemicals

Associate Professor, Department of Civil Engineering, Colorado State University, Fort Collins, CO 80523.

**Attachment CC**

**Surface Water  
Control Plan**

## APPENDIX F

### SURFACE WATER CONTROL SYSTEM DESIGN

---

#### **1.0 INTRODUCTION**

This appendix contains the methodology, assumptions, and calculation for the proposed channels, culverts and ponds.

## METHODOLOGIES AND ASSUMPTIONS

---

### 2.0 HYDROLOGY

The hydrologic calculations used to evaluate the Triassic Park Landfill surface water control system were performed utilizing the SEDCAD+ computer model developed by Civil Software Design.

SEDCAD+ is a hydrologic, hydraulic, and sediment calculation model designed for use on computer systems. The SEDCAD+ hydrologic model calculates runoff volume, and peak flow via a numerical modeling technique based on user inputs of a design storm event, (i.e., precipitation frequency data, selection of rainfall distribution, and convolution increment). Hydrographs are developed on a subwatershed basis with the input of area, time of concentration, SCS curve number, and the selection of a hydrograph shape. Routing of hydrographs is accomplished by the Muskingum Method.

Inputs to the hydrology component of the SEDCAD+ computer model include:

- Precipitation Distribution
- Storm Duration
- Return Period/Precipitation
- Hydrograph Response Shape
- Drainage Basin Area
- Time of Concentration
- Muskingum Routing Parameters
- Curve Number

Input values used in this model, are shown on the SEDCAD+ printouts in Attachment 1, and are explained in the following text.

#### 2.1 Precipitation Distribution

A precipitation distribution is input to model the runoff hydrograph. SEDCAD+ allows the user to choose between the SCS Type I and Type II Storms. The SCS Type II distribution was input as a geographical estimation of the area storms.

#### 2.2 Storm Duration

A storm duration of 24 hours was used for the design and evaluation of the stormwater control system and represents the largest peak flow condition.

#### 2.3 Return Period/Precipitation

A precipitation amount is required for the appropriate return period. As required by current regulations for the Triassic Park Landfill, the following precipitation amount was used for the design and evaluation of the stormwater control system (National Oceanic and Atmospheric Administration, 1973)

2-year, 24-hour event	2.1 inches
25-year, 24-hour event	4.3 inches
100-year, 24-hour event	5.3 inches

## 2.4 Hydrograph Response Shape

A unit hydrograph is chosen for each drainage area or sub-area model to predict the runoff response. The hydrograph responses available in the SEDCAD+ model are slow, medium, and fast. A slow response corresponds to a forested area or an area with a number of obstructions. A fast response corresponds to an unvegetated or poorly protected area. Medium hydrograph responses were chosen for disturbed and undisturbed areas.

The internal convolution increment is 0.05 hours and values are saved at the user specified interval of 0.1 hours or greater. A convolution increment of 0.1 was specified for the Triassic Park Landfill Area.

## 2.5 Drainage Basin Area

The drainage areas were determined by direct measurement from the U.S. Geological Survey, Mescalero Point quadrangle map, and a 1"=100' scale ariel survey topography map of the site. All basin areas are shown on the SEDCAD+ computer printouts in Attachment 1.

## 2.6 Time of Concentration, $T_c$

The time of concentration was calculated using the SCS upland method (a utility of SEDCAD+). All hydraulic lengths, drainage heights and slopes were measured directly from the above mentioned map and drawing. The calculated values for each structure are shown on the SEDCAD+ printouts in Attachment 1.

## 2.7 Muskingum Routing Parameters, K, X

The Muskingum Routing Parameters were also calculated using the SCS upland method. All hydraulic lengths, drainage heights and slopes were measured directly from the appropriate maps and drawings. The values calculated between each junction and/or subwatershed are shown on the SEDCAD+ printouts in Attachment 1.

## 2.8 Curve Number, CN

The run-off curve number is a factor relating the amount of rainfall to the amount of run-off for a given area. Curve numbers (CN) were evaluated based on vegetation and soil type for the given watershed. Vegetation was assumed based on anticipated cover vegetation. Indigenous surface soils types were obtained from the county Soil Conservation Service. The following curve numbers, presented in Table A-1, were assigned to area watersheds (U.S. Department of Commerce, 1986):

**TABLE A-1**  
**CURVE NUMBERS**

Area Type	Hydrologic Soil Group	Vegetation	Curve Number
Final Cover	B	Herbaceous (Fair)	71
Facilities Disturbed	B	Newly Graded	86
Waste	C	Newly Graded	91
Landfill Disturbed	D	Newly Graded	94
Undisturbed	B	Herbaceous (Fair)	71

### 3.0 CHANNEL DESIGNS

The surface water diversion dimensions were determined using Mannings Equation for open channel flow. Channels with flow velocities less than 5 fps from a 25-year event will not require erosion protection. Channels with peak flow velocities greater than 5 fps from a 25-year event but less than 5 fps from an average storm (2-year event) will also not utilize erosion protection. During average storm events these channels should be stable, however, during major storm events the channels may show signs of erosion in some areas. These areas will be repaired as required following all major storm events. Channels with peak flow velocities greater than 5 fps from an average storm will be lined with gravel or riprap size particles if required. To minimize sediment transport to receiving streams the East Channel and Final Cover Roadside Ditch will be lined with gravel.

Riprap and gravel sizes were determined using the SEDCAD+ subroutine for designing riprap lined channels, utilizing the PADER Method

All inputs and results are shown on the SEDCAD channel design computer printouts in Attachment 2.

A riprap apron will be constructed at the end of the East channel to dissipate the flow before entering the natural channel to help reduce erosion. The apron size and riprap requirement was designed using design curves relating culvert size, peak flow and tailwater conditions. The design calculations are shown in Attachment 3.

All inputs and results are shown on the SEDCAD channel design computer printouts

### 4.0 CULVERT DESIGNS

The culverts were sized using the U.S. Bureau of Public Roads nomograph using a headwater/diameter ratio of 1.5. The culvert design inputs and results are shown in Attachment 4 along with the nomographs.

### 5.0 PONDS

All three surface water detention basins are designed to contain the storm water discharge from the entire active site area given flows from a 25-year, 24-hour storm event. The total run-off for each basin was determined using SEDCAD+. All inputs and results are shown on the SEDCAD+ computer printouts in Attachment 1. The pond volumes were determined by determining the areas of the stages for every two foot elevation and developing a stage storage table. The stage storage tables for each pond are shown in Attachment 5.

### 6.0 REFERENCES

Bartfield, B.J., Warner, R.C., Haan, C.T., 1981, *Applied Hydrology and Sedimentology for Disturbed Areas*.

Warner, R.C., Schwab, P.J., 1992, *SEDCAD + Version 3*.

Urban Hydrology For Small Watersheds, TR-55, 1986, Soil Conservation Service, USDA

## TRIASSIC PARK LANDFILL

### CHANNEL DESIGNS

Ditch	25-yr, 24-hr Flow					Velocity (fps)	Depth of Flow (ft)	Freeboard (ft)	Minimum Total Depth (ft)	Erosion Protection	2-yr, 24-hr Flow Q (cfs)	Velocity (fps)
	Q (cfs)	Slope (%)	Bottom Width (ft)	Side Slope (H:1V)	Velocity (fps)							
1	34.2	0.5-2.0	0	2	2.1	6.7	2.2-1	2.4-1.1	2.4-1.6	None	4.8	4.3-4.1
2	62.2	0.5-1.0	0	2	2.6	6.0	2.2-1	2.4-1.6	2.4-1.6	None	8.3	3.6
3	126.6	0.5-1	5	3	2.4	5.75	2.5-1	2.7-1.4	2.7-1.4	None	40	4.8
		1.1-2	5	3	2.1	6.6	2.5-1	2.3-1.1	Riprap D50=6"	Riprap D50=6"	(*)	(*)
4	6.8	0.5-1.0	0	2	1.1	3.5	0.3-1	1.4-2.1	1.4-2.1	None	(*)	Max. (4)
5	217.3	0.5-1.0	10	2.3	2.3	7.3	2.5-1	2.6-1.1	2.6-1.1	None	53.6	54-48
6	30.1	0.5-1	0	2	2.0	5.0	0.3-1	2.3-1	2.3-1	None	(*)	(*)
7 Lower	7.3	1	0	1.5	0.9	6.0	0.3-1	1.21.9	1.21.9	HDPE	(*)	(*)
7 Upper	7.3	10	0	1.5	0.6	14.2	0.3-1	0.91.6	0.91.6	HDPE	(*)	(*)
8 Lower	19.3	1	0	1.5	1.3	7.6	0.3-1	1.61.3	1.61.3	HDPE	(*)	(*)
8 Upper	19.3	10	0	1.5	0.8	18	0.3-1	1.11.8	1.11.8	HDPE	(*)	(*)
East	272.8	0.5-0.8	16	3	2.5-1.5	6.05.5	0.3-1	2.62.5	2.62.5	Gravel D50=3"	(*)	(*)
Final Cover	31.5	0.5-2.4	0	3	1.8	5.75	0.3-1	2.4-2.6	2.4-2.6	Gravel D50=3"	(*)	(*)
Road Side												
Spillway	358	0.5	20	3	2.47.4	5.4	1.0	3.4-3.6	3.4-3.6	Gravel D50=3"	(*)	(*)
Q	40.1	6.5	3	3	2.1	4.3	1	2.1	2.1	HDPE	(*)	(*)
Notes:	0.5	0.5	3	3	2.1	4.7	1	1.1	1.1	HDPE	(*)	(*)

- (1) Maximum allowable velocity for channels without erosion protection 5 fps.
- (2) Channels with velocities greater than 5 fps for the 25-year event and less than 5 fps for the 2 year storm will not be lined. These channels will be repaved after major storm events.
- (3) Maximum allowable velocity for gravel lined channels is 6 fps

\* The velocity limitations were not required for the 2-year storm because the 24-year storm runoff flow quantity was less than 5 fps, so the 2-year, 24-hour runoff would never be less than 5 fps, or exceed 5 fps, so no erosion protection was needed is unnecessary.

**ATTACHMENT 1  
SEDCAD+ COMPUTER PRINTOUTS**

---

*TerraMatrix/Montgomery Watson \* P.O. Box 774018 \* Steamboat Springs, Colorado 80477 \* (970) 879-6260*

**ATTACHMENT 1**  
**SEDCAD+ COMPUTER PRINTOUTS**

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND

by

Name: TEL

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\FACPOND

Date: 11-13-1997

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\FACPOND User: TEL  
Date: 11-13-1997 Time: 16:28:43  
TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND  
Storm: 4.30 inches, 25 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

**SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE**

## -Hydrology-

*411 1	8.30	85	M	0.166	0.000	0.000	0.0	1.95	19.
411 2	8.20	71	M	0.561	0.000	0.000	0.0	1.10	6.
411 3	9.80	98	F	0.001	0.000	0.000	0.0	3.32	32.
				Type: Null	Label: STORMWATER POND				
*'11 Structure	26.30							51.36	
-----									
.11 Total IN/OUT	265.50							51.36	254.
=====									
311 to 411 Routing				0.000	0.486				
=====									

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND

by

Name: TEL

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\FACPOND

Date: 11-13-1997

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\FACPOND User: TEL  
Date: 11-13-1997 Time: 16:28:50  
TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND  
Storm: 5.30 inches, 100 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

**SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE**

-Hydrology-

JBS	SWs	Area (ac)	CN	UHS	Tc (hrs)	K (hrs)	X	Base- Flow (cfs)	Runoff Volume (ac-ft)	Pe- Disc (c)
111	1	32.80	71	M	0.348	0.000	0.000	0.0	6.41	5
					Type: Null		Label: DITCH 1			
111	Structure	32.80							6.41	
111	Total IN/OUT	32.80							6.41	5
121	1	77.80	71	M	0.595	0.000	0.000	0.0	15.21	9.
					Type: Null		Label: DITCH 2			
121	Structure	77.80							15.21	
121	Total IN/OUT	77.80							15.21	9.
211	1	104.10	86	M	0.852	0.000	0.000	0.0	32.51	16
					Type: Null		Label: DITCH 3			
211	Structure	104.10							54.13	
211	Total IN/OUT	214.70							54.13	29
111	to 211 Routing					0.009	0.277			
221	1	4.40	86	M	0.563	0.000	0.000	0.0	1.37	:
					Type: Null		Label: DITCH 4			
221	Structure	4.40							1.37	
221	Total IN/OUT	4.40							1.37	
311	1	4.50	86	M	0.099	0.000	0.000	0.0	1.41	1
					Type: Null		Label: DITCH 5			
311	Structure	4.50							56.91	
311	Total IN/OUT	223.60							56.91	30
211	to 311 Routing					0.078	0.277			
321	1	15.60	86	M	0.330	0.000	0.000	0.0	4.87	3
					Type: Null		Label: DITCH 6			
21	Structure	15.60							4.87	
321	Total IN/OUT	15.60							4.87	3

411 1	8.30	86	M	0.166	0.000	0.000	0.0	2.59	25
411 2	8.20	71	M	0.561	0.000	0.000	0.0	1.60	10
411 3	9.80	98	F	0.001	0.000	0.000	0.0	4.13	39
	Type: Null			Label: STORMWATER POND					
'11 Structure	26.30						70.12		
-----									
+11 Total IN/OUT	265.50						70.12	357	
=====									
311 to 411 Routing				0.000	0.486				
=====									

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND

by

Name: TEL

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\FACPOND

Date: 11-14-1997

Civil Software Design -- SEDCAD+ Version 3.1  
Copyright (C) 1987-1992. Pamela J. Schwab. All rights reserved.

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\FACPOND User: TEL  
Date: 11-14-1997 Time: 09:55:46  
TRIASSIC PARK LANDFILL: FACILITIES DITCHES AND POND  
Storm: 2.10 inches, 2 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

**SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE**

-Hydrology-

411 1	8.30	86	M	0.166	0.000	0.000	0.0	0.64	E
411 2	8.20	71	M	0.561	0.000	0.000	0.0	0.21	C
411 3	9.80	98	F	0.001	0.000	0.000	0.0	1.53	L
				Type: Null	Label: STORMWATER POND				
411 Structure	26.30							15.12	
411 Total IN/OUT	265.50							15.12	64
311 to 411 Routing				0.000	0.486				

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

TRIASSIC PARK LANDFILL: RAMP DITCHES & CLAENWATER COLLECTION POND

by

Name: TEL

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\COLBASIN

Date: 11-14-1997

Civil Software Design -- SEDCAD+ Version 3.1  
Copyright (C) 1987-1992. Pamela J. Schwab. All rights reserved.

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\COLBASIN User: TEL  
Date: 11-14-1997 Time: 13:22:41  
TRIASSIC PARK LANDFILL: RAMP DITCHES & CLAENWATER COLLECTION POND  
Storm: 4.30 inches, 25 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

=====  
SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE  
=====

-Hydrology-

JBS SWS	Area (ac)	CN	UHS	Tc (hrs)	K (hrs)	X	Base- Flow (cfs)	Runoff Volume (ac-ft)	Pea Disch (cf
111 1	2.30	94	F	0.026	0.000	0.000	0.0	0.69	7
		Type: Null			Label: DITCH 7				
111 Structure	2.30							0.69	
111 Total IN/OUT	2.30							0.69	7
121 1	6.10	94	F	0.071	0.000	0.000	0.0	1.84	19
		Type: Null			Label: DITCH 8				
121 Structure	6.10							1.84	
1 Total IN/OUT	6.10							1.84	19
211 1	6.60	94	F	0.046	0.000	0.000	0.0	1.99	20
		Type: Null			Label: COLLECTION POND				
211 Structure	6.60							4.52	
211 Total IN/OUT	15.00							4.52	47
111 to 211 Routing					0.000	0.486			

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

GANDY TRIASSIC PARK LANDFILL : SITE PERIMETER DITCH

by

Name: DGG

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\OFFSITE

Date: 11-08-1997

Civil Software Design -- SEDCAD+ Version 3.1  
Copyright (C) 1987-1992. Pamela J. Schwab. All rights reserved.

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\OFFSITE User: DGG  
Date: 11-08-1997 Time: 13:07:58  
GANDY TRIASSIC PARK LANDFILL : SITE PERIMETER DITCH  
Storm: 4.30 inches, 25 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

**SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE**

## -Hydrology-

JBS	SWS	Area (ac)	CN	UHS	Tc (hrs)	K (hrs)	X	Base- Flow (cfs)	Runoff Volume (ac-ft)	Pea- Disch (cf
111	1	377.80	71	M	0.709	0.000	0.000	0.0	50.47	272
			Type: Null		Label: EAST DITCH					
111	Structure	377.80							50.47	
111	Total IN/OUT	377.80							50.47	27.2

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

GANDY TRIASSIC PARK LANDFILL : FINAL COVER ROADSIDE DITCH

by

Name: DGG

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\ROADSIDE

Date: 11-07-1997

Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\ROADSIDE User: DGG

Date: 11-07-1997 Time: 15:14:00  
GANDY TRIASSIC PARK LANDFILL : FINAL COVER ROADSIDE DITCH  
Storm: 4.30 inches, 25 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

**SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE**

-Hydrology-

JBS SWS		Area (ac)	CN	UHS	Tc (hrs)	K (hrs)	X	Base- Flow (cfs)	Runoff Volume (ac-ft)	Peak Discha- (cfs)
111	1	27.00	71	M	0.258	0.000	0.000	0.0	3.61	31
		Type: Null		Label: ROADSIDE DITCH						
111 Structure		27.00							3.61	
111 Total IN/OUT		27.00							3.61	31

CIVIL SOFTWARE DESIGN

SEDCAD+ Version 3

GANDY : LANDFILL PHASE 1 RUN-OFF

by

Name: TEL

Company Name: ACZ, INC.  
File Name: J:\602\SEDCAD\LANDFILL

Date: 11-08-1997


Civil Software Design -- SEDCAD+ Version 3.1  
Copyright (C) 1987-1992. Pamela J. Schwab. All rights reserved.


Company Name: ACZ, INC.  
Filename: J:\602\SEDCAD\LANDFILL User: TEL  
Date: 11-08-1997 Time: 16:23:38  
GANDY : LANDFILL PHASE 1 RUN-OFF  
Storm: 4.30 inches, 25 year-24 hour, SCS Type II  
Hydrograph Convolution Interval: 0.1 hr

=====  
SUBWATERSHED/STRUCTURE INPUT/OUTPUT TABLE  
=====

-Hydrology-

JBS SWS	Area (ac)	CN	UHS	Tc (hrs)	K (hrs)	X	Base- Flow (cfs)	Runoff Volume (ac-ft)	Pea Disch (cf
111 1	15.60	91	M	0.070	0.000	0.000	0.0	4.30	47
		Type:	Null		Label:	PHASE 1 LANDFILL			
111 Structure	15.60							4.30	
111 Total IN/OUT	15.60		-					4.30	47





**ATTACHMENT 2  
CHANNEL DESIGNS**

---

TerraMatrix/Montgomery Watson \* P.O. Box 774018 \* Steamboat Springs, Colorado 80477 \* (970) 879-6260

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 1

INPUT VALUES:

Shape	TRIANGULAR
Discharge	34.20 cfs
Slope	0.50 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	2.07 ft
with Freeboard	2.37 ft
Top Width	8.27 ft
with Freeboard	9.47 ft
Velocity	4.00 fps
Cross Sectional Area	8.55 sq ft
Hydraulic Radius	0.92 ft
Froude Number	0.69

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 1

INPUT VALUES:

Shape	TRIANGULAR
Discharge	34.20 cfs
Slope	2.00 %
Sideslopes	2.00:1 (L) 2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.59 ft
with Freeboard	1.89 ft
Top Width	6.38 ft
with Freeboard	7.58 ft
Velocity	6.73 fps
Cross Sectional Area	5.08 sq ft
Hydraulic Radius	0.71 ft
Froude Number	1.33

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 1

INPUT VALUES:

Shape	TRIANGULAR
Discharge	4.80 cfs
Slope	2.00 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	0.76 ft
with Freeboard	1.06 ft
Top Width	3.05 ft
with Freeboard	4.25 ft
Velocity	4.12 fps
Cross Sectional Area	1.17 sq ft
Hydraulic Radius	0.34 ft
Froude Number	1.17

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 2

INPUT VALUES:

Shape	TRIANGULAR
Discharge	62.20 cfs
Slope	0.50 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	2.59 ft
with Freeboard	2.89 ft
Top Width	10.35 ft
with Freeboard	11.55 ft
Velocity	4.65 fps
Cross Sectional Area	13.39 sq ft
Hydraulic Radius	1.16 ft
Froude Number	0.72

## SEDCAD+ NONERODIBLE CHANNEL DESIGN

## DITCH 2

## INPUT VALUES:

Shape	TRIANGULAR
Discharge	62.20 cfs
Slope	1.00 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

## RESULTS:

Depth	2.27 ft
with Freeboard	2.57 ft
Top Width	9.09 ft
with Freeboard	10.29 ft
Velocity	6.02 fps
Cross Sectional Area	10.33 sq ft
Hydraulic Radius	1.02 ft
Froude Number	1.00

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 2

INPUT VALUES:

Shape	TRIANGULAR
Discharge	8.30 cfs
Slope	1.00 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.07 ft
with Freeboard	1.37 ft
Top Width	4.27 ft
with Freeboard	5.47 ft
Velocity	3.64 fps
Cross Sectional Area	2.28 sq ft
Hydraulic Radius	0.48 ft
Froude Number	0.88

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 3

INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	126.60 cfs
Slope	0.50 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	5.00 ft
Manning's n	0.030
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	2.36 ft
with Freeboard	2.66 ft
Top Width	19.13 ft
with Freeboard	20.93 ft
Velocity	4.45 fps
Cross Sectional Area	28.42 sq ft
Hydraulic Radius	1.43 ft
Froude Number	0.64

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 3

INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	126.60 cfs
Slope	1.00 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	5.00 ft
Manning's n	0.030
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	2.00 ft
with Freeboard	2.30 ft
Top Width	17.00 ft
with Freeboard	18.80 ft
Velocity	5.75 fps
Cross Sectional Area	22.01 sq ft
Hydraulic Radius	1.25 ft
Froude Number	0.89

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 3

INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	40.00 cfs
Slope	1.00 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	5.00 ft
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.03 ft
with Freeboard	1.33 ft
Top Width	11.18 ft
with Freeboard	12.98 ft
Velocity	4.80 fps
Cross Sectional Area	8.33 sq ft
Hydraulic Radius	0.72 ft
Froude Number	0.98

## SEDCAD+ NONERODIBLE CHANNEL DESIGN

## DITCH 3

## INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	126.60 cfs
Slope	1.10 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	5.00 ft
Manning's n	0.035
Material	6" RIPRAP
Freeboard	.3 ft

## RESULTS:

Depth	2.10 ft
with Freeboard	2.40 ft
Top Width	17.62 ft
with Freeboard	19.42 ft
Velocity	5.32 fps
Cross Sectional Area	23.80 sq ft
Hydraulic Radius	1.30 ft
Froude Number	0.81

## SEDCAD+ RIPRAP CHANNEL DESIGN

---

DITCH 3  
INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	126.60 cfs
Slope	2.00 %
Sideslopes (L and R)	3.00:1      3.00:1
Bottom Width	5.00 feet
Freeboard	.3 ft

## RESULTS:

## Steep Slope Design - PADER Method

Depth	1.82 ft
with Freeboard	2.12 ft
Top Width	15.94 ft
with Freeboard	17.74 ft
Velocity	6.63 fps
Cross Sectional Area	19.10 sq ft
Hydraulic Radius	1.16 ft
Manning's n	0.035
Froude Number	1.07
Dmax	0.625 ft ( 7.50 in)
D50	0.500 ft ( 6.00 in)
D10	0.167 ft ( 2.00 in)

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 4

INPUT VALUES:

Shape	TRIANGULAR
Discharge	6.80 cfs
Slope	0.50 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.13 ft
with Freeboard	1.43 ft
Top Width	4.51 ft
with Freeboard	5.71 ft
Velocity	2.67 fps
Cross Sectional Area	2.55 sq ft
Hydraulic Radius	0.50 ft
Froude Number	0.63

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 4

INPUT VALUES:

Shape	TRIANGULAR
Discharge	6.80 cfs
Slope	1.00 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	.STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	0.99 ft
with Freeboard	1.29 ft
Top Width	3.96 ft
with Freeboard	5.16 ft
Velocity	3.46 fps
Cross Sectional Area	1.96 sq ft
Hydraulic Radius	0.44 ft
Froude Number	0.87

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 5

INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	217.30 cfs
Slope	0.50 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	10.00 ft
Manning's n	0.025
Material	.STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	2.27 ft
with Freeboard	2.57 ft
Top Width	23.63 ft
with Freeboard	25.43 ft
Velocity	5.69 fps
Cross Sectional Area	38.21 sq ft
Hydraulic Radius	1.57 ft
Froude Number	0.79

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 5

INPUT VALUES:

Shape	TRAPEZOIDAL
Discharge	217.30 cfs
Slope	1.00 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Bottom Width	10.00 ft
Manning's n	0.025
Material	.STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.90 ft
with Freeboard	2.20 ft
Top Width	21.39 ft
with Freeboard	23.19 ft
Velocity	7.29 fps
Cross Sectional Area	29.79 sq ft
Hydraulic Radius	1.35 ft
Froude Number	1.09

Material:*Trapezoidal Channel*

Bottom Width (ft)	Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Manning's n	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)
10.00	3.0:1	3.0:1	1.0	0.0250			

	w/o Freeboard	w/ Freeboard
Design Discharge:	53.60 cfs	
Depth:	0.89 ft	
Top Width:	15.31 ft	
Velocity:	4.78 fps	
X-Section Area:	11.21 sq ft	
Hydraulic Radius:	0.719	
Froude Number:	0.98	

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 6

INPUT VALUES:

Shape	TRIANGULAR
Discharge	30.10 cfs
Slope	0.50 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.97 ft
with Freeboard	2.27 ft
Top Width	7.88 ft
with Freeboard	9.08 ft
Velocity	3.87 fps
Cross Sectional Area	7.77 sq ft
Hydraulic Radius	0.88 ft
Froude Number	0.69

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 6

INPUT VALUES:

Shape	TRIANGULAR
Discharge	30.10 cfs
Slope	1.00 %
Sideslopes	2.00:1 (L)      2.00:1 (R)
Manning's n	0.025
Material	STIFF CLAY
Freeboard	.3 ft

RESULTS:

Depth	1.73 ft
with Freeboard	2.03 ft
Top Width	6.92 ft
with Freeboard	8.12 ft
Velocity	5.02 fps
Cross Sectional Area	5.99 sq ft
Hydraulic Radius	0.77 ft
Froude Number	0.95

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 7 LOWER

INPUT VALUES:

Shape	TRIANGULAR
Discharge	7.30 cfs
Slope	1.00 %
Sideslopes	1.50:1 (L)      1.50:1 (R)
Manning's n	0.013
Material	HDPE
Freeboard	.3 ft

RESULTS:

Depth	0.90 ft
with Freeboard	1.20 ft
Top Width	2.71 ft
with Freeboard	3.61 ft
Velocity	5.97 fps
Cross Sectional Area	1.22 sq ft
Hydraulic Radius	0.38 ft
Froude Number	1.57

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 7 UPPER

INPUT VALUES:

Shape	TRIANGULAR
Discharge	7.30 cfs
Slope	10.00 %
Sideslopes	1.50:1 (L)
Manning's n	0.013
Material	HDPE
Freeboard	.3 ft

RESULTS:

Depth	0.59 ft
with Freeboard	0.89 ft
Top Width	1.76 ft
with Freeboard	2.66 ft
Velocity	14.15 fps
Cross Sectional Area	0.52 sq ft
Hydraulic Radius	0.24 ft
Froude Number	4.61

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

DITCH 8 LOWER

INPUT VALUES:

Shape	TRIANGULAR
Discharge	19.30 cfs
Slope	1.00 %
Sideslopes	1.50:1 (L)      1.50:1 (R)
Manning's n	0.013
Material	HDPE
Freeboard	.3 ft

RESULTS:

Depth	1.30 ft
with Freeboard	1.60 ft
Top Width	3.90 ft
with Freeboard	4.80 ft
Velocity	7.61 fps
Cross Sectional Area	2.54 sq ft
Hydraulic Radius	0.54 ft
Froude Number	1.66

SEDCAD+ NONERODIBLE CHANNEL DESIGN

-----

DITCH 8 UPPER

INPUT VALUES:

Shape	TRIANGULAR
Discharge	19.30 cfs
Slope	10.00 %
Sideslopes	1.50:1 (L)      1.50:1 (R)
Manning's n	0.013
Material	HDPE
Freeboard	.3 ft

RESULTS:

Depth	0.84 ft
with Freeboard	1.14 ft
Top Width	2.53 ft
with Freeboard	3.43 ft
Velocity	18.04 fps
Cross Sectional Area	1.07 sq ft
Hydraulic Radius	0.35 ft
Froude Number	4.89

Material: Riprap*Trapezoidal Channel*

Bottom Width (ft)	Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)
16.00	3.0:1	3.0:1	0.8			

**PADER Method - Mild Slope Design**

	w/o Freeboard	w/ Freeboard
Design Discharge:	272.80 cfs	
Depth:	2.20 ft	
Top Width:	29.18 ft	
Velocity:	5.50 fps	
X-Section Area:	49.64 sq ft	
Hydraulic Radius:	1.660	
Froude Number:	0.74	
Manning's n:	0.0340	
Dmin:	2.00 in	
D50:	3.00 in	
Dmax:	4.50 in	

EAST CHANNEL

Material: Riprap*Trapezoidal Channel*

Bottom Width (ft)	Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)
16.00	3.0:1	3.0:1	0.5			

**PADER Method - Mild Slope Design**

	w/o Freeboard	w/ Freeboard
Design Discharge:	272.80 cfs	
Depth:	2.49 ft	
Top Width:	30.96 ft	
Velocity:	4.66 fps	
X-Section Area:	58.56 sq ft	
Hydraulic Radius:	1.843	
Froude Number:	0.60	
Manning's n:	0.0340	
Dmin:	2.00 in	
DS0:	3.00 in	
Dmax:	4.50 in	

SEDCAD+ NONERODIBLE CHANNEL DESIGN

---

FINAL COVER ROAD SIDE DITCH

INPUT VALUES:

Shape	TRIANGULAR
Discharge	31.50 cfs
Slope	0.50 %
Sideslopes	3.00:1 (L)      3.00:1 (R)
Manning's n	0.030
Material	GRAVEL
Freeboard	.3 ft

RESULTS:

Depth	1.82 ft
with Freeboard	2.12 ft
Top Width	10.90 ft
with Freeboard	12.70 ft
Velocity	3.18 fps
Cross Sectional Area	9.90 sq ft
Hydraulic Radius	0.86 ft
Froude Number	0.59

Material: Riprap*Triangular Channel*

Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)
3.0:1	3.0:1	2.4			

**PADER Method - Steep Slope Design**

	w/o Freeboard	w/ Freeboard
Design Discharge:	31.50 cfs	
Depth:	1.45 ft	
Top Width:	8.70 ft	
Velocity:	5.00 fps	
X-Section Area:	6.31 sq ft	
Hydraulic Radius:	0.688	
Froude Number:	1.03	
Manning's n:	0.0360	
Dmin:	2.00 in	
D50:	3.00 in	
Dmax:	4.50 in	

Material: RiprapTrapezoidal Channel

Bottom Width (ft)	Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)
20.00	3.0:1	3.0:1	0.5			

PADER Method - Mild Slope Design

	w/o Freeboard	w/ Freeboard
Design Discharge:	358.00 cfs	
Depth:	2.62 ft	
Top Width:	35.71 ft	
Velocity:	4.91 fps	
X-Section Area:	72.91 sq ft	
Hydraulic Radius:	1.995	
Froude Number:	0.61	
Manning's n:	0.0340	
Dmin:	2.00 in	
D50:	3.00 in	
Dmax:	4.50 in	

# **SEDCAD 4 for Windows**

Copyright 1998 Pamela J. Schwab  
Civil Software Design

1

## **Triassic Park**

***Evaporation Pond***

***Diversion Ditch Design***

Jorge C. Troncoso

Montgomery Watson Americas, Inc.  
165 S. Union Blvd.  
Suite 410  
Lakewood, CO 80228

Phone: (303) 763-5140  
Email: jorge.t.troncoso@mw.com

# **SEDCAD 4 for Windows**

Copyright 1998 Pamela J. Schwab  
Civil Software Design

2

## ***General Information***

### ***Storm Information:***

Storm Type:	NRCS Type II
Design Storm:	25 yr - 24 hr
Rainfall Depth:	4.300 inches

# SEDCAD 4 for Windows

Copyright 1998 Pamela J. Schwab  
Civil Software Design

3

## Structure Networking:

Type	Stru #	(flows into)	Stru #	Musk. K (hrs)	Musk. X	Description
Null	#1	==>	End	0.000	0.000	Diversion Ditch

#1  
Null

# SEDCAD 4 for Windows

Copyright 1998 Pamela J. Schwab  
Civil Software Design

4

## Structure Summary:

Immediate Contributing Area (ac)	Total Contributing Area (ac)	Peak Discharge (cfs)	Total Runoff Volume (ac-ft)
#1	35.700	35.700	90.44

# **SEDCAD 4 for Windows**

Copyright 1998 Pamela J. Schwab  
Civil Software Design

5

## ***Structure Detail:***

Structure #1 (Null)

*Diversion Ditch*

# SEDCAD 4 for Windows

Copyright 1998 Pamela J. Schwab  
Civil Software Design

6

## Subwatershed Hydrology Detail:

Stru #	SWS #	SWS Area (ac)	Time of Conc (hrs)	Musk K (hrs)	Musk X	Curve Number	UHS	Peak Discharge (cfs)	Runoff Volume (ac-ft)
#1	1	35.700	0.373	0.000	0.000	82.000	TR55	90.44	7.323
	$\Sigma$	<b>35.700</b>						<b>90.44</b>	<b>7.323</b>


## Subwatershed Time of Concentration Details:

Stru #	SWS #	Land Flow Condition	Slope (%)	Vert. Dist. (ft)	Horiz. Dist. (ft)	Velocity (fps)	Time (hrs)
#1	1	7. Paved area and small upland gullies	1.25	26.00	2,080.00	2.250	0.256
		7. Paved area and small upland gullies	0.50	3.00	600.00	1.420	0.117
#1	1	<b>Time of Concentration:</b>					<b>0.373</b>

Material: Stiff clay very colloidal*Trapezoidal Channel*

Bottom Width (ft)	Left Sideslope Ratio	Right Sideslope Ratio	Slope (%)	Manning's n	Freeboard Depth (ft)	Freeboard % of Depth	Freeboard Mult. x (VxD)	Limiting Velocity (fps)
3.00	3.0:1	3.0:1	0.5	0.0250				3.8

	w/o Freeboard	w/ Freeboard
Design Discharge:	90.44 cfs	
Depth:	2.07 ft	
Top Width:	15.45 ft	
Velocity:	4.73 fps	
X-Section Area:	19.14 sq ft	
Hydraulic Radius:	1.187	
Froude Number:	0.75	



**ATTACHMENT 3  
APRON DESIGN**




Figure 7.25. Design of outlet protection - minimum tailwater condition,  
 $T_w < 0.5D$ . (U.S. EPA, 1976)

Apron Calculation East Ditch


Flow 272 cfs (136 cfs per culvert)  
 Culverts 2 - 54 "φ

$$D_{50} = 1'$$

$$\text{Apron Length } L = 30'$$

$$\begin{aligned}\text{Apron Width} &= W = D + L \\ &= 13 + 30 \\ &= 43'\end{aligned}$$

FROM Barfield et al. (1981)



**ATTACHMENT 4  
CULVERT DESIGNS**

## CULVERT SUMMARY


Project: Triassic Park Landfill  
 Project Number: 602  
 Prepared by: D. Gleason

Channel	Flow Q (cfs)	Culvert Capacity (cfs)	No. of Culverts (1)	Culvert Dia. (in.)	Total Capacity (cfs)
East Ditch	272.8	155	2	54	310
Ditch 1 and 2	96.4	50	2	36	100
Ditch 3	126.6	50	3	36	150
Ditch 4	6.8	9	1	18	9
Ditch 5	217.3	135	2	54	270

Note:

(1) Represents the number of culverts needed at each road crossing.

Ditch 8	19.3	50	1	36	50
Ditch 9 and 10	90.4	50	2	36	100



BUREAU OF PUBLIC Roads JAN 1968

Exhibit 14-9. Headwater depth for C. M. pipe culverts with inlet control.

NEH Notice 4-102, August 1972

**ATTACHMENT 5  
POND STAGE STORAGE TABLES**

Facilities Retention Basin							
Elev.	Area	Area	Avg.Area	Depth	Volume	Cul. Vol.	
4106	254327	5.8385					
4108	267492	6.1408	5.9897	2	11.9793	11.9793	
4110	280944	6.4496	6.2952	2	12.5904	24.5697	
4112	294685	6.7650	6.6073	2	13.2146	37.7843	
4114	308713	7.0871	6.9261	2	13.8521	51.6364	
4116	323030	7.4157	7.2514	2	14.5028	66.1392	
Phase 1 Liner Basin							
Elev.	Area	Area	Avg.Area	Depth	Volume	Cul. Vol.	
4050	7000	0.1607					
4052	31400	0.7208	0.4408	2	0.8815	0.8815	
4054	59500	1.3659	1.0434	2	2.0868	2.9683	
4056	83300	1.9123	1.6391	2	3.2782	6.2466	
4058	96096	2.2061	2.0592	2	4.1184	10.3649	
4060	106300	2.4403	2.3232	2	4.6464	15.0113	
Collection Basin							
Elev.	Area	Area	Avg.Area	Depth	Volume	Cul. Vol.	
4050	125	0.0029					
4052	13787	0.3165	0.1597	2	0.3194	0.3194	
4054	27405	0.6291	0.4728	2	0.9456	1.2650	
4056	42342	0.9720	0.8008	2	1.6012	2.8662	
4058	58600	1.3453	1.1587	2	2.3173	5.1835	
4060	69100	1.5863	1.4658	2	2.9316	8.1151	



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix F1

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 602-0200

**Calculation Title:** Sediment Demonstration

Name	Date
Dan Gleason	11/15/97
Tom Leidich	11/15/97

Revisions	Date	By	Checked By	Reviewed By

# SOIL LOSS CALCULATIONS FOR TRIASSIC PARK LANDFILL COVER

## 1.0 EROSION CALCULATIONS

In order to evaluate the cover effectiveness for the Triassic Park Landfill an erosion analysis was performed. Calculated gross erosion effects on the existing surface slope were evaluated in comparison to State regulations. The equations and input parameters used to determine the gross annual sediment yield for the Triassic Park Landfill are presented in the following sections.

The Revised Universal Soil Loss Equation (RUSLE) was used to estimate the annual sediment yield (Barfield et al, 1981):

$$Y = R \cdot K \cdot L \cdot S \cdot C \cdot P$$

Where:

- Y = Sediment yield (tons per acre-year)  
R = Rainfall factor  
K = Soil erodibility factor  
L = Length factor  
S = Slope factor  
C = Control factor  
P = Practice factor

### 1.1 AVERAGE ANNUAL RAINFALL FACTOR, R<sub>annual</sub>

The average annual rainfall factor was obtained for the following equation:  $R = 27(P_{25})^{2.2}$  (Barfield et al, 1981). A value of 98 was used for the Triassic Park Landfill Cover Analysis.

### 1.2 SOIL ERODIBILITY FACTOR, K

The soil erodibility factor for the subject site was assumed based on site specific Soil Conservation data. The following soil erodibility factor was used for the Triassic Park Landfill analysis.

TABLE 1  
SOIL ERODIBILITY FACTOR

Dominant Soil Type	Soil Texture	Soil Erodibility Factor (K)
Roswell - Faskin- Jalmer Association	Sand to sandy loam	0.30

### 1.3 LENGTH FACTOR, L

The length factor for the sediment yield equation was determined based on the following equation (Renard et al, 1996):

$$L = \left( \frac{\lambda}{72.6} \right)^m$$

Where:

- $\lambda$  = Representative slope length (ft)  
 $m$  = Variable slope length exponent

The representative slope length was measured directly from topographic maps of the subject site. The slope length is defined as the distance from the point of origin of overland flow to the point where the slope decreases such that significant deposition occurs or the flow enters a defined channel.

The slope length exponent is related to the ratio  $\beta$  of rill erosion (caused by flow) to interill erosion (principally caused by raindrop impact) by the following equation (Renard et al., 1996):

$$m = \frac{\beta}{(1+\beta)}$$

$$\beta = \frac{\sin \theta}{0.0896} \cdot \frac{1}{(3.0 + (\sin \theta)^{0.8} + 0.50)}$$

Where:  $\theta$  = Slope angle

#### 1.4 SLOPE FACTOR, S

The slope factor is representative of the typical slope length found on the subject site and calculated as follows:

$$S = 10.8 \cdot \sin(\theta) + 0.03 \quad \text{for slopes } < 9\%$$

$$S = 16.8 \cdot \sin(\theta) - 0.50 \quad \text{for slopes } \geq 9\%$$

Slope angles were determined from topographic maps or from design slope information.

#### 1.5 CONTROL FACTOR, C

The control factor is used to account for vegetative or mulch cover. The following values were utilized:

**TABLE 2  
CONTROL FACTOR**

Surface	Vegetation	Control Factor (C)
Vegetated Conditions	No appreciable canopy, 60 % herbaceous cover	0.042

#### 1.6 PRACTICE FACTOR, P

The practice factor is used to account for soil surface conditions, such as contour furrow ditches. The following values were utilized:

**TABLE 3  
PRACTICE FACTOR**

Surface	Practice	Practice Factor (P)
Vegetated Conditions	None	0.80

#### 2.0 RESULTS

Based on the attached spreadsheet calculations a maximum slope length of 650 feet adequately meets the maximum allowable gross erosion rate of 2 tons per acre-year for 6 % slope and 30 feet.

### 3.0 REFERENCES

- Barfield, Warner, and Haan, 1981. *Applied Hydrology and Sedimentology for Disturbed Areas*. Oklahoma Technical Press, Stillwater, Oklahoma
- Renard, K.G., Foster, G.R. Weesies G.A., McCool D.K., Yoder D.C., coordinators, 1996. *Predicting Soil Erosion by Water: A Guide to Conservation Planning with the Revised Universal soil Loss Equation (RUSLE)*. Agriculture Handbook No. 703. U.S. Department of Agriculture

# CALCULATED SEDIMENTOLOGY DATA

## FINAL COVER

### SOIL ERODIBILITY FACTOR:

Soil Type	Soil Group	Erodibility Factor, K
Final Cover	B	0.3

### SLOPE FACTOR:

Length (ft)	Elevation Change (ft)	Slope (%)	m	Slope Angle (deg)	LS Factor
30	7.5	25.0%	0.6	14.0	2.10

The LS Factor was calculated by:

$$LS = (\text{Slope Length}/72.6)^m \cdot (10.8 \cdot \sin(\text{slope angle}) + 0.03) \text{ for Slopes } < 9\%$$

$$LS = (\text{Slope Length}/72.6)^m \cdot (16.8 \cdot \sin(\text{slope angle}) - 0.5) \text{ for Slopes } > \text{ or } = 9\%$$

Where:

Slope $<$ or $=$ 3%	$m = 0.3$
Slope $\approx$ 4%	$m = 0.4$
5% $>$ Slope $<$ 10%	$m = 0.5$
Slope $>$ 10%	$m = 0.6$

### COVER AND PRACTICE FACTORS:

Cover Type	Cover (%)	Canopy (%)	Control Factor, C	Practice Factor, P
Final Cover	60%	0%	0.042	0.80

### RAINFALL FACTOR:

$$R = 98$$

cover

11/9/97

**TRIASSIC PARK LANDFILL  
CALCULATED SEDIMENT YIELD**

The following spreadsheet calculates the predicted sediment yield for the project area. The gross sediment yield is determined according to the Revised Universal Soil Loss Equation.

PARAMETER DESCRIPTION	VALUE
Annual Rainfall Factor	98.00
Soil Erodibility Factor	0.30
Length Slope Factor	2.10
Control Factor	0.04
Practice Factor	0.80
Gross Annual Sediment Yield	2.08 tons/acre/year
Sediment Density	94.00 pct
Gross Annual Sediment Yield	0.0010 acre-feet/acre/year
Sediment Delivery Ratio	90%
Estimated Annual Sediment Yield	0.0009 acre-feet/acre/year
Watershed Area	0 acres
Watershed Annual Sediment Yield	0.0000 acre-feet/year
Number of years	1 years
Required Pond Sediment Storage	0.000 acre-feet

**TRIASSIC PARK LANDFILL**  
**CALCULATED SEDIMENTOLOGY DATA**

**FINAL COVER**

**SOIL ERODIBILITY FACTOR:**

Soil Type	Soil Group	Erodibility Factor, K
Final Cover	B	0.3

**SLOPE FACTOR:**

Length (ft)	Elevation Change (ft)	Slope (%)	m	Slope Angle (deg)	LS Factor
650	39	6.0%	0.5	3.4	2.03

The LS Factor was calculated by:

$$LS = (\text{Slope Length}/72.6)^m \cdot (10.8 \cdot \sin(\text{slope angle}) + 0.03) \text{ for Slopes } < 9\%$$

$$LS = (\text{Slope Length}/72.6)^m \cdot (16.8 \cdot \sin(\text{slope angle}) - 0.5) \text{ for Slopes } \geq 9\%$$

Where:

Slope < or = 3%	$m = 0.3$
Slope = 4%	$m = 0.4$
5% > Slope < 10%	$m = 0.5$
Slope > 10%	$m = 0.6$

**COVER AND PRACTICE FACTORS:**

Cover Type	Cover (%)	Canopy (%)	Control Factor, C	Practice Factor, P
Final Cover	60%	0%	0.042	0.80

**RAINFALL FACTOR:** R = 98


cover

11/9/97

# CALCULATED SEDIMENT YIELD

The following spreadsheet calculates the predicted sediment yield for the project area. The gross sediment yield is determined according to the Revised Universal Soil Loss Equation.

PARAMETER DESCRIPTION	VALUE
Annual Rainfall Factor	98.00
Soil Erodibility Factor	0.30
Length Slope Factor	2.03
Control Factor	0.04
Practice Factor	0.80
Gross Annual Sediment Yield	2.00 tons/acre/year
Sediment Density	94.00pcf
Gross Annual Sediment Yield	0.0010 acre-feet/acre/year
Sediment Delivery Ratio	90%
Estimated Annual Sediment Yield	0.0009 acre-feet/acre/year
Watershed Area	0 acres
Watershed Annual Sediment Yield	0.0000 acre-feet/year
Number of years	1 years
Required Pond Sediment Storage	0.000 acre-feet





**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix F-3

**Project Title:** Triassic Park Waste Disposal Facility

Project No.: 1342602

**Calculation Title:** Calculate Flood Plain

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Jorge Troncoso 9/11/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



MONTGOMERY WATSON  
Mining Group

Project Name: THASCIE PARK HAZARDOUS WASTE AREA  
Project Number: 1342602-0210-0200 Sheet 1 of \_\_\_\_\_  
Prepared By: JCT Date: 10/11/99  
Checked By: \_\_\_\_\_

PURPOSE: CALCULATE FLOOD AREA

METHODS: NATIONAL HILLSIDE TO AGRICULTURE PARK ROAD AND STREAM CATCHMENT TO DETERMINE INUNDATED AREA.

ASSUMPTIONS: USE CONSERVATIVE VALUES.

\* RETROGRADE EQUATION:  $g_p = C \cdot i \cdot A \cdot 1.008$

A: MEAN PROB ATTACHED AREA = 1937.6 acres.

C = 1 (HILLSIDE RUN-OFF)

i: RAINFALL INTENSITY = 6.3 in./24 HR  $\rightarrow i = 0.22$

$$\rightarrow g_p = 1.008 \cdot 1 \cdot 0.22 \cdot 1937.6$$

$$= 429.171 \text{ cfs.}$$

DIFFERENCE IN ELEVATION: 4500 TO 4150

LENGTH OF ATTACHED: 10500 ft.


MINIMUM SLOPE - 0.03  $\rightarrow$  WIDTH = 119 ft.

FDR: C = 0.3 (FLAT PASTURE, CITY AND SUR WITH)

$$g_p = 128.9 \text{ cfs.} \rightarrow \text{WIDTH} = 75.8 \text{ ft.} \rightarrow \text{NO FLOOD DURN.}$$

FLOOD MAY BE CONTROLLED BY 2KT DURN.

REFERENCE: HMAN ET AL, 1994. DESIGN HYDRAULICS AND SEDIMENTOLOGY FOR STREAM CATCHMENTS, ACADEMIC PRESS, CALIFORNIA



Flood Plain  
Worksheet for Triangular Channel

---

Project Description

---

Project File      c:\flood pl.fm2  
Worksheet      Gandy Flood Plain  
Flow Element      Triangular Channel  
Method      Manning's Formula  
Solve For      Channel Depth

---

---

Input Data

---

Mannings Coefficient      0.060  
Channel Slope      0.030000 ft/ft  
Left Side Slope      33.000000 H : V  
Right Side Slope      33.000000 H : V  
Discharge      429.70      cfs

---

---

Results

---

Depth      1.80      ft  
Flow Area      107.35      ft<sup>2</sup>  
Wetted Perimeter      119.09      ft  
Top Width      119.04      ft  
Critical Depth      1.60      ft  
Critical Slope      0.056526 ft/ft  
Velocity      4.00      ft/s  
Velocity Head      0.25      ft  
Specific Energy      2.05      ft  
Froude Number      0.74  
Flow is subcritical.

---

Flood Plain  
Worksheet for Triangular Channel

Project Description

Project File	c:\flood pl.fm2
Worksheet	Gandy Flood Plain
Flow Element	Triangular Channel
Method	Manning's Formula
Solve For	Channel Depth

Input Data

Mannings Coefficient	0.060
Channel Slope	0.030000 ft/ft
Left Side Slope	33.000000 H : V
Right Side Slope	33.000000 H : V
Discharge	128.90 cfs

Results

Depth	1.15	ft
Flow Area	43.51	ft <sup>2</sup>
Wetted Perimeter	75.82	ft
Top Width	75.79	ft
Critical Depth	0.99	ft
Critical Slope	0.066366 ft/ft	
Velocity	2.96	ft/s
Velocity Head	0.14	ft
Specific Energy	1.28	ft
Froude Number	0.69	

Flow is subcritical.

Flood Plain  
Worksheet for Trapezoidal Channel

---

Project Description

---

Project File c:\flood pl.fm2  
Worksheet Flood Plain  
Flow Element Trapezoidal Channel  
Method Manning's Formula  
Solve For Channel Depth

---

---

Input Data

---

Mannings Coefficient 0.060  
Channel Slope 0.005000 ft/ft  
Left Side Slope 3.000000 H : V  
Right Side Slope 3.000000 H : V  
Bottom Width 16.00 ft  
Discharge 128.90 cfs

---

---

Results

---

Depth 2.26 ft  
Flow Area 51.63 ft<sup>2</sup>  
Wetted Perimeter 30.32 ft  
Top Width 29.59 ft  
Critical Depth 1.17 ft  
Critical Slope 0.053768 ft/ft  
Velocity 2.50 ft/s  
Velocity Head 0.10 ft  
Specific Energy 2.36 ft  
Froude Number 0.33

---

Flow is subcritical.

**Attachment DD**

**Manufacturer  
Information**



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix H-1**

## **Project Title:** Triassic Park Waste Disposal Facility

Project No.: 1342602

## **Calculation Title:** Performance Curves of Grundfos Pumps

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Jorge Troncoso **Date:** 8/25/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



## FAX COVER SHEET

SUN-BELT PUMP & SUPPLY, INC.  
 3710 SANBORN  
 BOX 30577  
 AMARILLO, TEXAS 79107  
 USA  
 Phone number 806/381-1199  
 Fax number 806/381-1202

<b>SEND TO</b>	
<b>Montgomery Watson</b> <i>Attending</i> <b>Torre Troncosa</b> <i>Office location</i>	
<b>From</b> <b>Steve Gray</b> <b>Date</b> <b>10-26-99</b>	
<b>Units location</b> <b>AMARILLO</b> <a href="http://www.sunbeltpump.com">www.sunbeltpump.com</a> <b>Phone number</b> <i>email: sunbelt@charter.net</i>	
Fax Number	

- Urgent     Reply ASAP     Please comment     Please review     For your information

Total pages, including cover:

5

## COMMENTS

Any Question please  
call

3710 SANBORN  
 P.O. BOX 30577  
 AMARILLO, TEXAS 79107  
 806 - 381-1199

524 32ND STREET  
 LUBBOCK, TEXAS 79404  
 806 - 702-1196

# Performance Curves


25 GPM

Model 25S

FLOW RANGE: 18 -32 GPM

OUTLET SIZE: 1½ " NPT

NOMINAL DIA. 4"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

4" MOTOR STANDARD, .5-.8 HP/3450 RPM.

6" MOTOR STANDARD, 7.5-10HP/3450 RPM.

Alternate motor sizes available.

Performance conforms to ISO 2548 Annex P  
at 2 ft. min. submergence.

## DIMENSIONS AND WEIGHTS

MODEL NO.	FIG.	HP	MOTOR SIZE	DISCH. SIZE	DIMENSIONS IN INCHES					APPROX. SHIP WT.
					A	B	C	D	E	
25S05-3	A	1/2	4"	1 1/2" NPT	18.1	9.5	8.6	3.8	3.9	28
25S07-5	A	3/4	4"	1 1/2" NPT	20.9	10.7	10.2	3.8	3.9	28
25S10-7	A	1	4"	1 1/2" NPT	23.7	11.8	11.9	3.8	3.9	29
25S15-9	A	1 1/2	4"	1 1/2" NPT	27.1	13.6	13.5	3.8	3.9	34
25S20-11	A	2	4"	1 1/2" NPT	30.3	15.1	15.2	3.8	3.9	37
25S30-15	A	3	4"	1 1/2" NPT	39.1	20.6	18.5	3.8	3.9	59
25S50-28	A	5	4"	1 1/2" NPT	51.2	23.6	27.6	3.8	3.9	78
25S75-39DS	A	7 1/2	6"	1 1/2" NPT	66.8	24.2	42.6	5.4	4.6	168
25S100-52DS*	B	10	6"	1 1/2" NPT	90.9	25.4	65.5	5.4	5.4	228

NOTES: All models suitable for use in 4" wells, unless otherwise noted.

Weights include pump end with motor in lbs.

\* Built into sleeve 1 1/2" NPT discharge, 6" min. well dia.




Fig. A

Fig. B

## MATERIALS OF CONSTRUCTION

COMPONENT	SPLINED SHAFT (3-26 Stgs.)	CYLINDRICAL SHAFT (39 Stgs.)	DEEP SET (52 Stgs.)
Check Valve Housing	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Check Valve	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Diffuser Chamber	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Impeller	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Suction Interconnector	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Inlet Screen	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Pump Shaft	304 Stainless Steel	431 Stainless Steel	431 Stainless Steel
Straps	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Cable Guard	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Priming Inducer	304 Stainless Steel	304 Stainless Steel	304 Stainless Steel
Coupling	316/431 Stainless Steel	316/431 Stainless Steel	328/416 Stainless Steel
Check Valve Seat	NBR/304 Stainless Steel	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Top Bearing	NBR	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Impeller Seal Ring	NBR/PBT (Valox®)	NBR/PPS (Ryton®)	NBR/PPS (Ryton®)
Intermediate Bearings	NBR	304 Stainless Steel	NBR/316 Stainless Steel
Shaft Washers	Not Required	LCP (Vectra®)	LCP (Vectra®)
Split Cone	Not Required	304 Stainless Steel	304 Stainless Steel
Split Cone Nut	Not Required	316 Stainless Steel	304 Stainless Steel
Sleeve	Not Required	Not Required	316 Stainless Steel
Sleeve Flange	Not Required	Not Required	304 Stainless Steel
Coupling Key	Not Required	Not Required	312/304 Stainless Steel

NOTES: Specifications are subject to change without notice.


Valox® is a registered trademark of General Electric Co.

Vectra® is a registered trademark of Hoechst Celanese Corporation.

Ryton® is a registered trademark of Phillips 66.

\*\* If using 4" non-standard motors, refer to 328/420/431 Stainless Steel for coupling.

A coupling key is not required.

**Performance Curves****40 GPM****Model 40S****FLOW RANGE: 24 - 55 GPM****OUTLET SIZE: 2" NPT****NOMINAL DIA. 4"**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

4" MOTOR STANDARD, 1-10 HP/3450 RPM.

6" MOTOR STANDARD, 15-20 HP/3450 RPM.

\* Also available with 6" motor.

Performance conforms to ISO 2858 Annex R

@ 5 ft. min. submergence.

## Model 40S

40 GPM

## Technical Data

## DIMENSIONS AND WEIGHTS

MODEL NO.	FG.	HP	MOTOR SIZE	DISCH. SIZE	DIMENSIONS IN INCHES					APPROX. SHIP WT.
					A	B	C	D	E	
40S10-3	A	1	4"	2" NPT	24.0	11.8	12.8	3.8	3.9	32
40S15-5	A	1 1/2	4"	2" NPT	29.7	13.6	16.1	3.8	3.9	37
40S20-7	A	2	4"	2" NPT	34.5	15.1	19.4	3.8	3.9	41
40S30-9	A	3	4"	2" NPT	43.3	20.6	22.7	3.8	3.9	65
40S50-12	A	5	4"	2" NPT	51.3	23.6	27.7	3.8	3.9	78
40S60-15	A	5	4"	2" NPT	56.2	23.8	32.6	3.8	3.9	84
40S75-21"	A	7 1/2	4"	2" NPT	74.6	29.6	45.0	3.8	5.4	120
40S75-25"	A	7 1/2	4"	2" NPT	81.2	29.6	51.6	3.8	5.4	124
40S100-30"	A	10	4"	2" NPT	103.7	43.8	59.8	3.8	5.4	181
40S150-37DS	A	15	6"	2" NPT	99.5	28.0	71.5	5.4	5.4	244
40S150-44DS	A	15	6"	2" NPT	111.0	28.0	83.0	5.4	5.4	340
40S200-50DS**	B	20	6"	2" NPT	136.0	30.6	105.4	5.4	5.5	319
40S200-58DS**	B	20	6"	2" NPT	149.2	30.6	118.8	5.4	5.5	334
40S200-68DS**	B	20	6"	2" NPT	162.4	30.6	131.8	5.4	5.5	394

NOTES: All models suitable for use in 4" wells, unless otherwise noted.

Weights include pump end with motor in lbs.

\* Also available with 6" motor.

\*\* Built into sleeve 2" NPT discharge, 6" min. well dia.

## MATERIALS OF CONSTRUCTION

COMPONENT	CYLINDRICAL SHAFT (3-44 Stgs.)	DEEP SET (50-64 Stgs.)
Check Valve Housing	304 Stainless Steel	304 Stainless Steel
Check Valve	304 Stainless Steel	304 Stainless Steel
Diffuser Chamber	304 Stainless Steel	304 Stainless Steel
Impeller	304 Stainless Steel	304 Stainless Steel
Suction Interconnector	304 Stainless Steel	304 Stainless Steel
Inlet Screen	304 Stainless Steel	304 Stainless Steel
Pump Shaft	431 Stainless Steel	431 Stainless Steel
Straps	304 Stainless Steel	304 Stainless Steel
Cable Guard	304 Stainless Steel	304 Stainless Steel
Priming Inducer	304 Stainless Steel	304 Stainless Steel
Coupling	316/431 Stainless Steel **	329/416 Stainless Steel
Check Valve Seat	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Top Bearing	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Impeller Seal Ring	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Intermediate Bearings	NBR/316 Stainless Steel	NBR/316 Stainless Steel
Shaft Washer	LCP (Vectra®)	LCP (Vectra®)
Split Cone	304 Stainless Steel	304 Stainless Steel
Split Cone Nut	304 Stainless Steel	304 Stainless Steel
Sleeve	Not Required	316 Stainless Steel
Sleeve Flange	Not Required	304 Stainless Steel
Coupling Key	Not Required **	302/304 Stainless Steel

NOTES: Specifications are subject to change without notice.

Vectra® is a registered trademark of Hoechst Celanese Corporation.

\*\* If using 6" non-standard motors, refer to 416 Stainless Steel for coupling and 302/304 for the coupling key.




Fig. A




Fig. B



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix H-2**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 1342602

**Calculation Title:** Calculation of Tie-Ins for Polyethylene Tanks


**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

Prepared By: Jorge Troncoso Date: 8/25/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



① ELEVATION

TANK DATA						ANCHORAGE REQUIREMENTS		
PRIMARY MODEL NO.	CONTAINMENT MODEL NO.	CAPACITY (GALS.)	DIAMETER	HEIGHT	WEIGHT (LBS.)	ANCHOR LAYOUT	Hc	CABLE DIAMETER

GENERAL NOTES


④ ELEVAT

1. TANK RESTRAINT ANCHORAGES, CABLES DESIGNED FOR SEISMIC AND WIND FORCES PER THE UNIFORM BUILDING CODE.
2. TANK FOUNDATION PAD DESIGN REQUIRES AN ALLOWABLE BEARING PRESSURE OF 1500 POUNDS PER SQUARE FOOT (PSF). OWNER TO RETAIN GEOTECHNICAL ENGINEER TO VERIFY.
3. MATERIALS SHALL CONFORM TO THE REQUIREMENTS OF THE UBC AND THE FOLLOWING CRITERIA:  
STRUCTURAL STEEL: ASTM A36  
CONCRETE: COMPRESSIVE STRENGTH ( $f_c$ ) = 2500 PSI, MAX. SLUMP = 4 INCHES  
REINFORCEMENT: ASTM A615. YIELD STRENGTH ( $f_y$ ) = 40,000 PSI  
ANCHORS: HILTI "KLIK-BOLT" OR WEJ-IT "ANKR-TITE". INSTALL PER MANUFACTURER'S INSTRUCTIONS AND RECOMMENDATIONS.
4. CABLE: 7x19 STAINLESS STEEL CABLE. MINIMUM BREAKING STRENGTHS FOR THE CABLE LISTED SHALL BE CERTIFIED BY THE MANUFACTURER TO MEET THE CRITERIA BELOW.

3/16" DIAMETER	= 3,700 LBS.
1/4" DIAMETER	= 6,400 LBS.
5/16" DIAMETER	= 9,000 LBS.
3/8" DIAMETER	= 13,000 LBS.
7/16" DIAMETER	= 17,000 LBS.


INSTALLED CABLE SHALL BE PULLED 1/8" PAST SNUG PRIOR TO ANCHORING.

5. REMOVE ALL SHARP EDGES THAT MAY DAMAGE OR CAUSE WEAR TO CABLES.
6. ALL GALLONAGES AND DIMENSIONS ARE NOMINAL.
7. WHERE TANK IS INSTALLED SUCH THAT IT WILL NOT BE EXPOSED TO WIND FORCES (I.e., CONTAINED WITHIN A CLOSED STRUCTURE), THE CABLE BRACING AND ASSOCIATED HARDWARE MAY BE DELETED. IN SUCH CASES, SUBSTITUTE TYPE 'S1' ANCHORS FOR ALL TYPE 'T1' AND 'P1' ANCHORS SHOWN IN LAYOUT PLANS.



D ANCH

A	△	
B	△	
C	△	
D	△	
E	△	
F	△	
G	△	
H	△	
I	△	
J	△	



#### SEISMIC AND WIND

BEARING PRESSURE  
 TO RETAIN GEOTECHNICAL

THE UBC AND THE FOLLOWING CRITERIA

PSI, MAX. SLUMP = 4 INCHES

) = 40,000 PSI

E. INSTALL PER


BREAKING STRENGTHS FOR THE CABLE  
 CATERER TO

AST SNUG PRIOR TO ANCHORING.

NUTS, WASHERS, CABLE  
 THE CUSTOMER.

SE WEAR TO CABLES.

EXPOSED TO WIND FORCES (i.e., CONTAINED WITHIN  
 LOCATED HARDWARE MAY BE DELETED. IN SUCH  
 "T1" AND "P1" ANCHORS SHOWN IN LAYOUT PLANS.



This print is the property of Hall Murphree & Associates, Inc.  
 The information herein contained is proprietary to HMA  
 and may not be reproduced, copied, or otherwise used  
 in whole or in part for any purpose except  
 with written permission of Hall Murphree & Associates, Inc.


3/8 x 1'-0"

EDGE ANCHOR

E DETAIL 3

BEVELLED


WASHER



(T2) ANCHOR TYPE T2

L 4 x 4 x 3/8 x 1'-0"  
WEDGE ANCHOR  
SEE DETAIL 3


CABLE - SEE ELEVATION




(P2) ANCHOR TYPE P2

L 3 x 3 x 1 1/4" VERT.

TANK




(2) DETAIL




(3) DETAIL  
FOR ANCHOR TYPE T2

1" DIA. HOLE THRU L  
LEG FOR CABLE  
SEE DETAIL 4


SHIM AS REQUIRED



L VERT. - SEE  
PLAN ABOVE



(5) DETAIL



OUT 'D'

(5) DETAIL

This print is the property of Hall Murphy & Associates, Inc.  
The information herein contained is proprietary to Hall  
and may not be reproduced, copied, or otherwise used  
in whole or in part for any purpose except  
with written permission of Hall Murphy & Associates, Inc.

**TANK DATA**

Project Name:	Montgomery Watson - Denver, CO
Chemical Stored:	Haz Waste Landfill Leachate
Specific Gravity:	1.1
Primary Tank Model #:	10VCT39K
Containment Model #:	*2VOC15E
Containment Type:	VOC

**SEISMIC CRITERIA**

Seismic Zone:	3
Soil Profile Type	SC
Distance to Nearest Fault	N/A
Fault Type	N/A
Importance Factor, I	1.25

Wind Speed in mph      80

Overturning for Seismic	NO NET SEISMIC OVERTURNING - CHECK FOR WIND
Overturning for Wind	NO NET WIND OVERTURNING

**RESTRAINT DESIGN SUMMARY**

Layout	C
Cable Height	N/A
Cable Diameter	N/A
Governing Load Case	SEISMIC

Project Name: Montgomery Watson - Denver, CO

Tank Criteria: 1997 UBC - Section 1634.3

Contents: Haz Waste Landfill Leachate

Specific Gravity = 1.1 Density = 58.6pcf

SECONDARY CONTAIN. TANK	SEC. CONT. TANK HT OVERALL (FT)	SEC. CONT. TANK WEIGHT (LBS)	PRIMARY TANK	PRIMARY TANK CAP	PRIMARY TANK	PRI. TANK HT OVERALL (FT)	PRI. TANK HT SIDEWALL (FT)	PRI. TANK WT (LBS)	CONTENT WEIGHT (LBS)	
TANK MODEL	DIAM (FT)		MODEL	(GAL)	DIAM (FT)					
12VOC1SE	12	9.25	4500	10VCT09K	9000	10	16.08	14.92	3000	30328

SEISMIC DESIGN CRITERIA: 1997 UBC, Section 1634.4SEISMIC SHEAR:  $V_{eq} = .7CaI W_p$ 

Where:  $Ca = 0.33$  Seismic Coefficient  
 $Na = n/a$  Near-Source Factor (Zone 4 locations)  
 $I = 1.25$  [Hazardous Materials]  
 $W_p = 87328$  Weight of Tank + Contents  
 Lateral  $V_{eq} = 0.29 \times W_p$

## CODE REFERENCE

Section 1634.4

Table 16-Q

Table 16-S

Table 16-K

PRIMARY CAP	PRI. TANK	PRI. TANK	TANK HT SIDEWALL (FT)	TOTAL TANK WT (LBS)	Lateral Veg (LBS)
TANK MODEL	(GAL)	DIAM (FT)			
10VCT09K	9000	10	14.92	7000	25216

Mot (Ft- LBS)	Mr (Ft-LBS)	MrMot	# BOLT	BOLT
188111	296916	1.58	5.97	C

Mot (Ft- LBS)	Mr (Ft-LBS)	Mnet (Ft- LBS)
188111	296916	-108804

Project Name: Montgomery Watson - Denver, CO

## WIND DESIGN CRITERIA: 1997 UBC Section 1615 thru 1625

## CODE REFERENCE

WIND SHEAR:  $V_w = C_a C_d Q_s I^* A_{\text{tank}}$ 

Section 1620

Where:  $C_a = 1.13$  ( $<20^\circ$ , Exposure C)  
 $C_d = 0.80$  [Round Tank]  
 $Q_s = 16.4$  80 MPH  
 $I = 1.15$   
 $P = 17.05$  PSF

Table 16-G  
Table 16-H  
Table 16-F  
Table 16-K

 $A_{\text{tank}} = \text{Height of tank} \times \text{tank diameter}$ 

TANK MODEL	TANK CAP (GAL)	TANK DIAM (FT)	TANK HT OVERALL (FT)	TANK WT (LBS)	$V_w$ (LBS)	$M_a$ (FT-LBS)	$M_r$ (FT-LBS)	$M_{net}$ (FT-LBS)	$H_c$ (FT)	$P_h$ (LBS)
10VCT09K	9000	12	16.08	7000	3290	26450	28140	-1690	6.50	-260

Notes: Wind shear is calculated based on pressure noted above multiplied by the surface area of the tank (overall ht x diameter). The wind force is applied at midheight to calculate the overturning moment. The resisting moment is based on 67% of the empty weight of the tank acting at the centerline of the tank. In nearly all cases, there is net overturning for wind on an empty tank. The tank has been stabilized for this condition by the addition of cable bracing.

Project Name: Montgomery Watson - Denver, CO

**OVERTURNING ANCHORAGE DESIGN**

CABLE DESIGN	7 X 19 STEEL AIRCRAFT CABLE	CABLE	BREAK	DESIGN
ANCHOR DESIGN:		DIA. (IN)	LBS)	LBS)
ANCHOR TYPE	3/4" Hilti "Kwik-Bolt II"	3/16	4,200	1,050
ALLOWABLE TENSION	1940.00 LBS	1/4	7,000	1,750
ALLOWABLE SHEAR	4225.00 LBS	5/16	9,800	2,450
ICBO No. 4267, 3000 psi concrete		3/8	14,400	3,600
		7/16	17,000	4,250

TANK MODEL	STAB. FORCE	CABLE FORCE	CABLE SIZE REQ'D (IN)	GOVERNING LOAD CASE	ANCHOR FORCES		ANCHOR	STRESS	RATIO
	P <sub>h</sub> (LBS)	P <sub>c</sub> (LBS)			R <sub>v</sub> (LBS)	R <sub>h</sub> (LBS)	T	V	TOTAL
10VCT09K	no overturn	no overturn	N/A	SEISMIC	N/A	N/A	N/A	N/A	N/A

NOTES: Where overturning occurs, the tank has been stabilized by the addition of cable bracing. The cable and anchor forces are determined based on the force required at the top of the cable (P<sub>h</sub> in Table above) to stabilize the tank.

Where seismic forces govern overturning, the required resisting moment (M<sub>net</sub>) in table above corresponds to the net seismic overturning moment.

Project Name: Montgomery Watson - Denver, CO

**DESIGN LEGENDS AND METHODOLOGY**

The tank restraints are designed per 1997 UBC, Section 1634.2 which allows tanks with supported bottoms to be designed using the criteria of Section 1634.3, Formula 34-1. Design methodology and conclusions regarding the design are listed as footnotes in the calculations, pages 1-3. Expanding on that, below is a legend defining each of the terms used in the design tabulations.

**SEISMIC DESIGN LEGEND**

V <sub>eq</sub>	Seismic base shear = 0.29 * (tank weight + contents)
M <sub>ot</sub>	Tank overturning moment = V <sub>eq</sub> (lateral component) * 1/2 height of tank + V <sub>eq</sub> (vertical component) * 1/2 tank diameter
M <sub>r</sub>	Tank stabilizing moment = (85% of weight of tank + contents) * 80% of tank radius [assumes pivot point inboard edge of tank]
M <sub>net</sub>	Net overturning moment = M <sub>ot</sub> - M <sub>r</sub> . If less than 0, then no overturning.
T/C	Overturning resisting force = M <sub>net</sub> / 80% tank dia. [assumes pivot point inboard of edge of tank]. Where "T/C" < 0, there is no hold down required.
# bolts req'd	Total number of bolts required on each side of tank to restrain from sliding for 1994 UBC seismic forces.

**WIND DESIGN LEGEND**

Wind shear calculations are based on pressure noted on Page 3 multiplied by the surface area of the tank (height \* diameter). The wind force is applied at the midheight to calculate the overturning moment. The resisting moment is based on 67% of the empty weight of the tank acting at the centerline of the tank. In all cases, there is net overturning for wind on an empty tank. The tank has been stabilized for this condition by the addition of cable bracing. The cable and anchor forces are determined based on the force required at the top of the cable (P<sub>h</sub> on Page 3) to stabilize the tank for overturning in wind. In all cases, seismic forces govern for design of base shear anchorages.

Dimensions for tanks in wind conditions adjusted for tanks with secondary containment. Height of tank for wind calculations adjusted to account for tank dome.

V <sub>w</sub>	Wind base shear = design wind pressure (P) * tank height * tank diameter.
M <sub>ot</sub>	Tank overturning moment = V <sub>w</sub> * 1/2 height of tank
M <sub>r</sub>	Tank stabilizing moment = (67% of weight of tank) * tank radius
M <sub>net</sub>	Net overturning moment = M <sub>ot</sub> - M <sub>r</sub> . If less than 0, then no overturning.
H <sub>c</sub>	Distance from top of foundation to top of cable brace.
P <sub>h</sub>	Horizontal restraining force required at top of cable brace to resist net overturning moment = M <sub>net</sub> / H <sub>c</sub> .
P <sub>c</sub>	Cable force = (P <sub>h</sub> / [2 * cos(arctan(H <sub>c</sub> / tank radius))]) / cos(45°)
R <sub>v</sub>	Vertical reaction at cable brace anchor bolt = P <sub>c</sub> * [sin(arctan(H <sub>c</sub> / tank radius))]
R <sub>h</sub>	Horizontal reactions at cable brace anchor bolt = P <sub>c</sub> * [arctan(H <sub>c</sub> / tank radius)]

Project Name: TRW

Cable size required is noted to the left of the "Rh" column and is based on a 4:1 factor of safety for the cable breaking strengths indicated on the drawings and as repeated below.

CABLE DIAM. (IN)	BREAK STRENGTH (LBS)	DESIGN STRENGTH (LBS)
3/16	4,200	1,050
1/4	7,000	1,750
5/16	9,800	2,450
3/8	14,400	3,600
7/16	17,000	4,250

As stated in the footnote to the wind design calculation summary, seismic design criteria governs for the design of base shear anchorage.



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix H-3**

**Project Title:** Triassic Park Waste Disposal Facility

**Project No.:** 1342602

**Calculation Title:** Chemical Compatibility of Polyethylene Tanks

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Jorge Troncoso **Date:** 8/25/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By



# **HAL MURPHREE & ASSOCIATES, INC. 800-606-8265**

Manufacturers' Representatives & Distributors

FAX 650-348-4272

e-mail: [alburgos@halmurphree.com](mailto:alburgos@halmurphree.com)  
website: <http://www.halmurphree.com>

## **- Fax Transmittal -**

**Date:** August 25, 1999

www. cencel tanks. com

**Pages:** 10

**To:** Jorge Troncoso  
Montgomery-Watson

**Fax Phone:** 303-763-8008

**From:** Al Burgos

**Subject:** Crosslinked Polyethylene Tanks

Jorge-

Following are:

1. Chemical Compatibility Chart
2. Seismic/Wind Restraint Typical Details

Please call me if you have any questions.

**P.O. BOX 25144 • SAN MATEO, CA • 94402**

**HAL MURPHREE & ASSOCIATES, INC.  
ABOVE GROUND TANKS FOR LIQUID STORAGE**

## **CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density Crosslink Polyethylene
Acetic Acid			S
Acetone		100°	O
Alum			S
Aluminum Chloride			S
Aluminum Fluoride			S
Aluminum Sulfate			S
Ammonium Acetate			S
Ammonium Chloride			S
Ammonium Fluoride			S
Ammonium Hydroxide			S
Ammonium Nitrate			S
Amyl Alcohol			S
Aniline		70°	O
Antimony Trichloride			S
Aqua Regia			NR
Arsenic Acid	80%		S
Barium Chloride			S
Barium Hydroxide			S
Barium Sulfate			S
Barium Sulfide			S
Benzene		70°	O
Benzene Sulfonic Acid	10%		O
Bismuth Carbonate			S
Boric Acid			S
Brine			S
Bromine			NR
Butane			NR
Butanediol			S
Butyl Alcohol			S
Butyric Acid			O
Calcium Bisulphide			S
Calcium Carbonate			S

S - Satisfactory  
O - Some attack  
NR - Not recommended

Concentration 100% and temperature allowable to 140° unless otherwise indicated.

**HAL MURPHREE & ASSOCIATES, INC.**  
**ABOVE GROUND TANKS FOR LIQUID STORAGE**

**CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density, Crosslink Polyethylene
Calcium Chloride			S
Calcium Hydroxide			S
Calcium Hypochlorite			S
Calcium Nitrate	50%		S
Calcium Sulfate			S
Carbon Disulphide			NR
Carbon Tetrachloride		70°	O
Chlorobenzene		70°	O
Chloroform			NR
Chromic Acid	50%		S
Chromic/Sulfuric Acid			NR
Citric Acid			S
Copper Salts			S
Corn Oil			O
Cottanseed Oil			O
Cyclohexanone		70°	O
Detergents			S
Dextrin			S
Diazo Salts			S
Dibutyl Phthalate		70°	O
Diesel Oil		70°	O
Diethanolamine			S
Diethylene Glycol			S
Dimethyl Formamide			S
Dimethylamine		70°	O
Ethyl Alcohol			S
Ethyl Ether			NR
Ethylene Chlorhydrin		70°	O
Ethylene Dichloride			NR
Ethylene Glycol			S
Ferric Chloride			S
Ferric Nitrate			S

S - Satisfactory

O - Some attack

NR - Not recommended

Concentration 100% and temperature  
allowable to 140° unless otherwise  
indicated.

page two of six

**HAL MURPHREE & ASSOCIATES, INC.**  
**ABOVE GROUND TANKS FOR LIQUID STORAGE**

**CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density Crosslink Polyethylene
Ferric Sulfate			S
Ferrous Chloride			S
Ferrous Sulfate			S
Fish Oil			O
Fluoboric Acid			S
Fluosilicic Acid			S
Formic Acid			S
Fuel Oil		70°	O
Fuming Sulfuric Acid			NR
Furfural		70°	O
Gasoline		70°	O
Gluconic Acid			S
Glucose			S
Glycerol			S
Glycol			S
Glycolic Acid	30%		S
Hexane		70°	O
Hydraulic Oil			O
Hydrazine Hydrate			S
Hydrobromic Acid			S
Hydrochloric Acid			S
Hydrofluoric Acid			S
Hydrofluosilicic Acid	30%		S
Hydrogen Peroxide	30%		S
Hydrogen Phosphide			S
Hydrogen Sulfide			S
Hydroquinone			S
Hypochlorous Acid			S
Jet Fuel		70°	O
Lactic Acid			S
Lactose			S
Lard			O

S - Satisfactory

O - Some attack

NR - Not recommended

Concentration 100% and temperature  
allowable to 140° unless otherwise  
indicated.

page three of six

**HAL MURPHREE & ASSOCIATES, INC.**  
**ABOVE GROUND TANKS FOR LIQUID STORAGE**

**CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density Crosslink Polyethylene
Latex			S
Lauric Acid			O
Lead Acetate			S
Linseed Oil			O
Lubricating Oils			O
Magnesium Salts			S
Mercury			S
Mercury Salts			S
Methyl Alcohol			S
Methyl Ethyl Ketone			NR
Methyl Sulfuric Acid			S
Methylene Chloride			NR
Mineral Oils			O
Motor Oils			O
Naptha		70°	O
Nickle Salts			S
Nicotinic Acid			S
Nitric Acid	0 - 50%		S
Nitric Acid	over 50%		NR
Nitrobenzene		70°	O
n-Heptane		70°	O
Octyl Cresol		70°	O
Oleic Acid			O
Olive Oil			O
Organic Peroxides			NR
Oxalic Acid			S
Palmitic Acid			O
Peanut Oil			O
Pentane			NR
Perchloric Acid	10%		S
Phenol	10%		S
Phosphoric Acid			S

S - Satisfactory

O - Some attack

NR - Not recommended

Concentration 100% and temperature  
allowable to 140° unless otherwise  
indicated.

**HAL MURPHREE & ASSOCIATES, INC.**  
**ABOVE GROUND TANKS FOR LIQUID STORAGE**

**CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density Crosslink Polyethylene
Photographic Solutions			S
Plating Solutions			S
Polymer			S
Potassium Hydroxide			S
Potassium Salts			S
Propane			NR
Propyl Alcohol			S
Propylene Dichloride		70°	O
Propylene Glycol			S
Pyridine			S
Seawater			S
Selenic Acid			S
Silicic Acid			S
Silver Salts			S
Sodium Bisulfite			S
Sodium Carbonate			S
Sodium Chlorate			S
Sodium Cyanide			S
Sodium Ferricyanide			S
Sodium Ferrocyanide			S
Sodium Hydroxide			S
Sodium Hypochlorite	15%		S
Sodium Nitrate			S
Stannic Chloride			S
Stannous Chloride			S
Starch Solutions			S
Stearic Acid			O
Sugar Solutions			S
Sulfuric Acid	98%		S
Sulfurous Acid			S
Tannic Acid			S
Tartaric Acid			S
Thionyl Chloride			NR

S - Satisfactory

O - Some attack

NR - Not recommended

Concentration 100% and temperature  
allowable to 140° unless otherwise  
indicated.

page five of six

**HAL MURPHREE & ASSOCIATES, INC.**  
**ABOVE GROUND TANKS FOR LIQUID STORAGE**

**CHEMICAL RESISTANCE CHART**

Substances	% Conc.	Temp.	High Density Crosslink Polyethylene
Toluene		70°	O
Toluene Sulfonic Acid			S
Transformer Oil			O
Trichloroethylene		70°	O
Triethanolamine			S
Urea			S
Vegetable Oils			O
Vinegar			S
Xylene		70°	O
Zinc Orthophosphate			S
Zinc Salts			S

The chemical resistance data provided here and on the preceding pages has been assembled from a wide variety of sources in our industry and is representative of a broad range of chemicals which would be impossible to list fully here. This information is based on practical field experience and actual laboratory testing conducted by the manufacturers of polyethylene resins and finished products.

Keep in mind that this information should only be used as a guideline for recommendations and not a guarantee of chemical resistance. Actual service conditions including temperature, concentration and contaminants will affect variances in chemical resistance.

To the best of our knowledge the information contained in this chart is accurate. However, we do not assume any liability whatsoever for the accuracy or completeness of such information. If questions should arise when using this chart, further research or testing may be necessary.

File:CHEM98.BRO

page six of six



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

Appendix H-4

**Project Title:** Triassic Park Waste Disposal Facility

Project No.: 1342602

**Calculation Title:** Chemical Compatibility of HDPE Liners

**Name** \_\_\_\_\_ **Date** \_\_\_\_\_

**Prepared By:** Jorge Troncoso **Date:** 8/25/99

**Checked By:**

**Reviewed By:**

Revisions	Date	By	Checked By	Reviewed By

**POLY-FLEX Technical Information****CHEMICAL COMPATIBILITY OF POLY-FLEX LINERS**

Chemical compatibility or resistance as applied to geomembranes is a relative term. Actually compatibility would mean that one material will dissolve in the other such as alcohol in water or grease in gasoline. An example of incompatibility would be oil and water. In liners it is undesirable to have the chemicals dissolve in the liner hence the term compatibility is the reverse of what is normally meant in the chemical industry. In the strictest sense and from a laboratory prospective, chemical compatibility, as the term applies to this industry, would imply that the chemical has no effect on the liner. On the other hand, from an engineering prospective, chemical compatibility means that a liner will survive the exposure to a given chemical even though the chemical could have some effect on the performance of the liner, but not enough to cause failure. Therefore, one must understand and define chemical compatibility for a specific project.

Generally polyethylene will be effected by chemicals in one of three ways.

1. **No effect-** This means that the chemical in question and the polyethylene do not interact. The polyethylene does not gain (lose) weight, swell, and the physical properties are not significantly altered.
2. **Oxidizes (cross linking)-** Chemicals classed as oxidizing agents will cause the polyethylene molecules to cross link and cause irreversible changes to the physical properties of the liner. Basically it make the liner brittle.
3. **Plasticizes-** Chemicals in this classification are soluble in the polyethylene structure. They do not change the structure of the polyethylene itself but will act as a plasticizer. In doing so, the liner will experience weight gain of 3-15%, may swell by up to 10%, and will have measurable changes in physical properties (i.e. the tensile strength at yield may decrease by up to 20%). Even under these conditions the liner will maintain its integrity and will not be breached by liquids, provided the liner has not been subjected to any stress. These effects are reversible once the chemicals are removed and the liner has time to dry out.

Aside from the effect that chemicals have on a liner is the issue of vapor permeation through the liner. Vapor permeation is molecular diffusion of chemicals through the liner. Vapor transmission for a given chemical is dependent primarily on liner type, contact time, chemical solubility, temperature, thickness, and concentration gradient, but not on hydraulic head or pressure. Transmission through the liner can occur in as little as 1-2 days. Normally, a small amount of chemical is transmitted. Generally HDPE has the lowest permeation rate of the liners that are commercially available.

As stated above chemical compatibility is a relative term. For example, the use of HDPE as a primary containment of chlorinated hydrocarbons at a concentration of 100% may not be recommended, but it may be acceptable at 0.1% concentration for a limited time period or may be acceptable for secondary containment. Factors that go into assessment of chemical compatibility are type of chemical(s), concentration, temperature and the type of application. No hard and fast rules are available to make decisions on chemical compatibility. Even the EPA 9090 test is just a method to generate data so that an opinion on chemical compatibility can be more reliably reached.

A simplified table on chemical resistance is provided to act as a screening process for chemical containment applications.

CHEMICAL CLASS	CHEMICAL EFFECT	PRIMARY CONTAINMENT (LONG TERM CONTACT)		SECONDARY CONTAINMENT (SHORT TERM CONTACT)	
		HDPE	LLDPE	HDPE	LLDPE
<b>CARBOXYLIC ACID</b>	1				
- Unsubstituted (ie. Acetic acid)		B	C	A	C
- Substituted (ie. Lactic acid)		A	B	A	A
- Aromatic (ie. Benzoic Acid)		A	B	A	A
<b>ALDEHYDES</b>	3				
- Aliphatic (ie. Acetaldehyde)		B	C	B	C
- Heterocyclic (ie. Furfural)		B	C	B	C
<b>AMINE</b>	3				
- Primary (ie. Ethylamine)		B	C	B	C
- Secondary (ie. Diethylamine)		C	C	B	C
- Aromatic (ie. Aniline)		B	C	B	C
<b>CYANIDES</b> (ie. Sodium Cyanide)	1	A	A	A	A
<b>ESTER</b> (ie. Ethyl acetate)	3	B	C	B	C
<b>ETHER</b> (ie. Ethyl ether)		C	C	B	C
<b>HYDROCARBONS</b>	3				
- Aliphatic (ie. Hexane)		C	C	B	C
- Aromatic (ie. Benzene)		C	C	B	C
- Mixed (ie. Crude oil)		C	C	B	C
<b>HALOGENATED HYDROCARBONS</b>	3				
- Aliphatic (ie. Dichloroethane) +A4		C	C	B	C
- Aromatic (ie. Chlorobenzene)		C	C	B	C
<b>ALCOHOLS</b>	1				
- Aliphatic (ie. Ethyl alcohol)		A	A	A	A
- Aromatic (ie. Phenol)		A	C	A	B
<b>INORGANIC ACID</b>					
- Non-oxidizers (ie. Hydrochloric acid)	1	A	A	A	A
- Oxidizers (ie. Nitric Acid)	2	C	C	B	C
<b>INORGANIC BASES</b> (ie. Sodium hydroxide)	1	A	A	A	A
<b>SALTS</b> (ie. Calcium chloride)	1	A	A	A	A

(See Chemical Structure)					
METALS (ie. Cadmium)	1	A	A	A	A
KETONES (ie. Methyl ethyl ketone)	3	C	C	B	C
OXIDIZERS (ie. Hydrogen peroxide)	2	C	C	C	C

Chemical Effect ( see discussion on Chemical Resistance)

1. No Effect-Most chemicals of this class have no or minor effect.
2. Oxidizer-Chemicals of this class will cause irreversible degradation.
3. Plasticizer-Chemicals of this class wil cause a reversible change in physical properties.

Chart Rating

1. Most chemicals of this class have little or no effect on the liner.  
Recommended regardless of concentration or temperature (below 150° F)
2. Chemicals of this class will effect the liner to various degrees.  
Recommendation are based on the specific chemical, concentration and temperature.  
Consult with Poly-Flex, Inc.
3. Chemicals of this class at high concentrations will have significant effect on the physical properties of the liner.  
Generally not recommended but may be acceptable at low concentrations and with special design considerations.  
Consult with Poly-Flex, Inc.

The data in this table is provided for informational purposes only and is not intended as a warranty or guarantee. Poly-Flex, Inc. assumes no responsibility in connection with the use of this data. Consult with Poly-Flex, Inc. for specific chemical resistance information and liner selection.

**SERROT NATIONAL CORPORATION**

Serrot National Corporation  
525 Reactor Way  
Reno, Nevada 89502

(775) 856-3200  
(775) 856-8719 FAX

Date: 10/15/99

Total No. of Pages 5 (including cover)

To: JORGE BRONCOSO Fax No.: 1-303-763-8003  
From: CLARK WEST Phone No.: \_\_\_\_\_

RE: CHEMICAL RESISTANCE

MESSAGE: \_\_\_\_\_

HERE THEY ARE, HOPE THEY HELP.  
IF NOT PLEASE CALL!

Thanks

Clark

If any problems arise during transmission, please contact \_\_\_\_\_  
as soon as possible at (775) 856-3200.

# Fortiflex® PE Chemical Resistance Chart

Reagent	70°F (21°C)	140°F (60°C)	Reagent	70°F (21°C)	140°F (60°C)
A			Borax cold saturated	S	S
Acetaldehyde	S	O	Boric acid concentrated	S	S
Acetic acid (0-10%)	S	S	Boric acid dilute	S	S
Acetic acid (10-67%)	S	O	Bries	S	S
Acetic acid (80-100%)	S	O	Bromic acid (10%)	S	S
Acetic anhydride	S	S	Bromoform liquid (100%)	S	S
Acetone	S	S	Bromochloromethane	S	S
Acids (aromatic)	S	S	Butadiene	S	S
Acrylic emulsion	S	S	Butanediol (10%)	S	S
Adipic acid	S	S	Butanediol (50%)	S	S
Aluminum chloride concentrated	S	S	Butanediol (100%)	S	S
Aluminum chloride dilute	S	S	Cutter	S	S
Aluminum fluoride concentrated	S	S	Butyl acetate (100%)	S	S
Aluminum sulfate concentrated	S	S	Butyl alcohol (100%)	S	S
Ammonia (all types) concentrated	S	S	Butyl glycol	S	S
Ammonium acetic acid	S	S	Butyric acid (100%)	S	S
Ammonium (20%) dry gas	S	S			
Ammonium bicarbonate	S	S			
Ammonium bromide	S	S			
Ammonium carbonate	S	S			
Ammonium chloride saturated	S	S			
Ammonium fluoride (20%)	S	S			
Ammonium hydroxide	S	S			
Ammonium metphosphate saturated	S	S			
Ammonium nitrate saturated	S	S			
Ammonium perborate saturated	S	S			
Ammonium phosphate	S	S			
Ammonium sulfite saturated	S	S			
Ammonium sulfide saturated	S	S			
Ammonium thiocyanate saturated	S	S			
Amyl acetate (100%)	S	S			
Amyl alcohol (0-100%)	S	S			
Amyl chloride (100%)	S	S			
Aniline (0-100%)	S	S			
Apple seed oil	S	S			
Antimony chloride	S	S			
Apple juice	S	S			
Aromatic hydrocarbons	S	S			
Arsenite	S	S			
Aspirin	S	S			
B			C		
Barium carbonate saturated	S	S	Calcine citrate saturated	S	S
Barium chloride saturated	S	S	Calcium bisulfide	S	S
Barium hydroxide	S	S	Calcium bromide	S	S
Barium sulfate saturated	S	S	Calcium carbamate saturated	S	S
Barium sulfite saturated	S	S	Calcium chloride saturated	S	S
Bear	S	S	Calcium hydroxide	S	S
Benzaldehyde	S	S	Calcium hypochlorite bleach solution	S	S
Benzene	S	S	Calcium nitrate (20%)	S	S
Benzene sulfonic acid	S	S	Calcium sulfate	S	S
Benzoic acid crystals	S	S	Camphor crystals	S	S
Benzoic acid saturated	S	S	Camphor oil	S	S
Benthon carbonate saturated	S	S	Carbox dioxide (100% dry)	S	S
Black liquor	S	S	Carbox dioxide (0.005% wet)	S	S
Blanch lye (10%)	S	S	Carbox dioxide cold saturated	S	S
			Carbox disulfide	S	S
			Carbox amide	S	S
			Carbox tetrachloride	S	S
			Carboxic acid	S	S
			Carnauba wax	S	S
			Carrot juice	S	S
			Caster oil concentrated	S	S
			Catappa	S	S
			Cassia soap	S	S
			Cedar leaf oil	S	S
			Cedar wood oil	S	S
			Chlorine Liquid	S	S
			Chlorobenzene	S	S
			Chloroform	S	S
			Chloroacetic acid (100%)	S	S
			Chromic alum (100%)	S	S
			Chromic acid (0.3-20%)	S	S
			Chromic acid (20%)	S	S
			Cider	S	S
			Cinnamone	S	S
			Cinnamone oil	S	S
			Citric acid saturated	S	S
			Citronella oil	S	S

Legend: S = Solvent-tolerant O = Some attack H = Non-tolerant

Reagent	70°F (21°C)	140°F (60°C)	Reagent	70°F (21°C)	140°F (60°C)
Cloves (ground)	S	S	Furfural (lungs)	O	U
Coconut oil alcohol	S	S	Furfuryl alcohol	S	O
Cod liver oil	S	S	G		
Coffee	S	S	Celtic acid saturated	S	S
Copper chloride saturated	S	S	Gasoline	S	U
Copper cyanide saturated	S	S	Glucose	S	S
Copper fluoride (2%)	S	S	Glycerine	S	S
Copper nitrate saturated	S	S	Glycol	S	S
Copper sulphite dilute	S	S	Glycolic acid (30%)	S	S
Copper sulphite saturated	S	S	Grape juice	S	S
Corn oil	S	S	Grapefruit juice	S	S
Cottonseed oil	S	S	H		
Cranberry sauce	S	S	Kepone	O	U
Cresols	S	O	Hemichlorobenzoate	S	S
Cuprous chloride saturated	S	S	Mexene	S	U
Cuprous oxide	S	S	Hydrobromic acid (50%)	S	S
Cyclohexane	U	U	Hydrochloric acid (17%)	S	S
Cyclohexanone	U	U	Hydrochloric acid (30%)	S	S
D			Hydrocyanic acid	S	S
Decalin	S	U	Hydrocynoacetic acid saturated	S	S
Detergents (synthetic)	S	S	Hydrofluoric acid (40%)	S	S
Developers (photographic)	S	S	Hydrofluoric acid (80%)	S	S
Dextrin saturated	S	S	Hydrofluoric acid (75%)	S	S
Dextrose saturated	S	S	Hydrogen (0.072)	S	S
Dibutyl ether	O	U	Hydrogen bromide (10%)	S	S
Dichlorobenzene (ortho and para)	U	U	Hydrogen chloride dry gas	S	S
Diethylene glycol	S	S	Hydrogen peroxide (30%)	S	S
Diamine	S	S	Hydrogen peroxide (30%)	S	O
Digodium phosphate	S	S	Hydrogen sulfide	S	S
E			Hydroquinone	S	S
Emulsifiers (photographic)	S	S	Hypochlorous acid concentrated	S	S
Ether	O	O	I		
Ethyl acetate (100%)	O	O	Iacs	S	S
Ethyl alcohol (25%)	S	S	Iodine crystals	O	O
Ethyl alcohol (1.02%)	S	S	Iodoethyl alcohol	S	S
Ethylenediamine	O	U	Iopropyl alcohol	S	S
Ethylene glycol	S	S	Iopropyl ether	O	U
F			K		
Ferrous chloride saturated	S	S	Ketone	O	O
Ferrous nitrate saturated	S	S	L		
Ferrous ammonium sulfate	S	S	Lactic acid 0.010	S	S
Ferrous chloride saturated	S	S	Lactic acid (30%)	S	S
Ferrous sulfide	S	S	Lanolin	S	S
Fluoride acid	S	S	Lard	S	S
Fluorine	S	U	Lard acetate saturated	S	S
Formic acid (37%)	S	S	Lard acetate	S	S
Phthalic acid concentrated	S	S	Lemon juice	S	S
Formaldehyde (10-30%)	S	S	Lemon oil	O	U
Formaldehyde (30-40%)	S	S	Lime juice	S	S
Formic acid (20%)	S	O	Linseed oil	S	S
Formic acid (50%)	S	S			
Formic acid (100%)	S	S			
Fructose saturated	S	S			
Fuel oil	S	U			

Reagent	10°F (21°C)	140°F (60°C)	Reagent	70°F (21°C)	140°F (60°C)
<b>M</b>			Phosphoric acid (30-50%)	S	S
Magnesium carbonate saturated	S	S	Phosphoric acid (over 50%)	S	S
Magnesium chloride saturated	S	S	Photographic solutions	S	S
Magnesium hydroxide saturated	S	S	Phthalic anhydride	S	S
Magnesium nitrate saturated	S	S	Pickling baths		
Magnesium sulfate saturated	S	S	Hydrochloric acid	S	S
Margarine	S	S	Sulfuric acid	S	S
Mercuric chloride	S	S	Sulfuric nitrate	S	S
Mercuric cyanide saturated	S	S	Pine oil	O	
Mercurous nitrate saturated	S	S	Plating solutions		
Mercury	S	S	Brass	S	S
Methyl alcohol (100%)	S	S	Cadmium	S	S
Methyl ethyl ketone (100%)	S	S	Chromium	S	S
Methylene chloride (100%)	S	S	Copper	S	S
Methylsulfuric acid	S	S	Gold	S	S
Milk	S	S	Iodium	S	S
Mineral oils	S	S	Lead	S	S
Molasses	S	S	Nickel	S	S
Mustard (prepared)	S	S	Rhodium	S	S
			Silver	S	S
<b>N</b>			Tin	S	S
Naphtha	O	U	Zinc	S	S
Naphthalene	S	S	Potassium bismuthate saturated	S	S
Natural gas (wet)	S	S	Potassium borate (10%)	S	S
Nickel chloride saturated	S	S	Potassium bromate (10%)	S	S
Nickel nitrate concentrated	S	S	Potassium bromate saturated	S	S
Nickel sulfite	S	S	Potassium carbonate	S	S
Nicotinic acid	S	S	Potassium chlorate saturated	S	S
Nitric acid (6-30%)	S	S	Potassium chloride saturated	S	S
Nitric acid (20-50%)	S	O	Potassium chromate (40%)	S	S
Nitric acid (70%)	S	O	Potassium cyanide saturated	S	S
Nitric acid (95-98%)	S	O	Potassium dichromate (40%)	S	S
Nitrobenzene (100%)	S	U	Potassium ferriferrocyanide	S	S
Nitroglycerine	O	U	Potassium nitrate saturated	S	S
			Potassium perborate saturated	S	S
<b>O</b>			Potassium perchlorate (10%)	S	S
Octane	S	S	Potassium pentamanganate (20%)	S	S
Oilum concentrated	S	U	Potassium persulfate saturated	S	S
Olive oil	S	S	Potassium sulfide concentrated	S	S
Orange juice	S	S	Potassium sulfite concentrated	S	S
Ornithic acid dilute	S	S	Propane gas	S	S
Ornithic acid saturated	S	S	Propargyl alcohol	S	S
Oxane	O	O	Propyl alcohol	S	S
			Propylene glycol	S	S
<b>P</b>			Pyridine	S	O
Palm oil	S	S			
Paraffin oil	S	S			
Peanut butter	S	S			
Pepper (fresh ground)	S	S			
Perfume oil	S	S			
Perchloric acid (50%)	S	O			
Perchloroethylene	S	U			
Petroleum ether	S	U			
Petroleum jelly	S	S			
Phenol	S	S			
Phosphoric acid (0-30%)	S	S			

Reagent	70°F (21°C)	140°F (60°C)	Reagent	70°F (21°C)	140°F (60°C)
Silver nitrate solution	S	S	T		
Soap solution concentrated	S	S	Tannic acid (10%)	S	S
Sodium acetate saturated	S	S	Tartaric acid	S	S
Sodium benzene (3%)	S	S	Tetrahydrofuran	S	S
Sodium bicarbonate saturated	S	S	Toluene	S	S
Sodium bisulfite saturated	S	S	Tomato juice	S	S
Sodium bisulfite saturated	S	S	Transformer oil	S	S
Sodium borate	S	S	Trichloroethylene	S	S
Sodium carbonate concentrated	S	S	Triammonium phosphate saturated	S	S
Sodium chlorate saturated	S	S	Turpentine	O	S
Sodium chloride saturated	S	S			
Sodium cyanide	S	S	U		
Sodium dichromate saturated	S	S	Urea	S	S
Sodium ferricyanide	S	S	Urine	S	S
Sodium ferricyanide saturated	S	S			
Sodium fluoride saturated	S	S	V		
Sodium hydroxide concentrated	S	S	Vanilla extract	S	S
Sodium hypochlorite	S	S	Vegetable	S	S
Sodium nitrite	S	S	Vinegar (commercial)	S	S
Sodium nitrite	S	S			
Sodium perborate	S	S	W		
Sodium phosphate	S	S	Wetting agents	S	S
Sodium sulfide (25% to saturated)	S	S	Whiskey	S	S
Sodium sulfite saturated	S	S	Wines	S	S
Sodium thiosulfate	S	S			
Soybean oil	S	S	X		
Stearic chloride saturated	S	S	Xylene	U	U
Stearic chloride saturated	S	S			
Starch solution saturated	S	S	Y		
Stearic acid (100%)	S	S	Yeast	S	S
Sulfuric acid (93.5%)	S	S			
Sulfuric acid (70%)	S	S	Z		
Sulfuric acid (60%)	S	S	Zinc chloride saturated	S	S
Sulfuric acid (50%)	O	U	Zinc oxide	S	S
Sulfuric acid (30% concentrated)	O	U	Zinc sulfide saturated	S	S
Sulfuric acid (burning)	U	U			
Sulfurous acid	S	S			

S = SATISFACTORY

O = SOME ATTACK

U = UNSATISFACTORY


## Note:

The preceding information concerns general chemical resistance only. Since other factors such as permeation, ESCI and conductor design are involved, full compatibility testing is recommended.

Solvay Polymers, Inc., 2800 Richmond Avenue, Houston, Texas 77006-3200 1-800-931-0313  
 Fax 713/623-2426 Mailing Address: P.O. Box 27328, Houston, Texas 77227-0328  
 Technical Service 1-800-320-0488 Customer Order Service 1-800-827-3419

Polymer is a registered trademark of Solvay Polymers, Inc. To the best of our knowledge, the information contained herein is accurate, reliable, & correct. Solvay Polymers, Inc. makes no warranty expressed or implied with respect to the accuracy or completeness of the information contained herein. Final determination of the suitability of any material for its intended use must be made by the user. The results summarized above reflect properties which are typical for typical applications.

©1997 Solvay Polymers, Inc. All rights reserved.



Solvay Polymers Division of Solvay Process Company

117-1827 ED-1/2 00

4



**MONTGOMERY WATSON**

## **Calculation Cover Sheet**

**Appendix H-5**

## **Project Title:** Triassic Park Waste Disposal Facility

Project No.: 1342602

**Calculation Title:** Chemical Compatibility of GCL

Name \_\_\_\_\_ Date \_\_\_\_\_

Prepared By: Jorge Troncoso 8/25/99

**Checked By:** \_\_\_\_\_

**Reviewed By:** \_\_\_\_\_

Revisions	Date	By	Checked By	Reviewed By

SERROT INTERNATIONAL, INC.

Serrot International, Inc.  
525 Reactor Way  
Reno, Nevada 89502

(775) 856-3200  
(775) 856-8719 FAX

Date: 11/16/99

Total No. of Pages 7 (including cover)

To: JORGE MONCOSO Fax No.: 303 - 763 - 8003

From: CLARK WEIS Phone No.: \_\_\_\_\_

RE: GEL/LEACHATE COMPATIBILITY

MESSAGE: \_\_\_\_\_

FOR YOUR REVIEW

Rank  
Clark

If any problems arise during transmission, please contact \_\_\_\_\_  
as soon as possible at (775) 856-3200.

**BENTOFIX®**

FIX - 125

Thermal Lock  
Geosynthetic Clay Liner

## • Technical Bulletin •

**GCL Leachate Permeability / Compatibility Report**Job #92029**Introduction:**

This report documents the results of Geosynthetic Clay Liner (GCL) a permeability test with tap water and subsequently with a municipal solid waste landfill leachate for which the analysis is enclosed as Attachment A. Since no ASTM test procedure exists for determining the permeability of a geosynthetic clay liners with contaminated fluids, ASTM D 5084 Standard Test Method for Measurement of Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter was adapted for this study, under an effective confining stress of 10 psi.

**Materials:**

The material tested was a sample of Bentofix Thermal Lock NS GCL consisting of a woven geotextile, carrier layer, non-woven geotextile cover layer, and approximately 1lb of sodium bentonite per square foot sandwiched in between them. The tap water used was obtained at the Galesburg Technical Center, and the water was de-aired in a vacuum tank used with our transmissivity devices. The municipal solid waste leachate was received from Lakeview Sanitary Landfill in Erie, Pennsylvania. A characterization of the leachate follows. The sample was tested using a Geotest Model #S5426B Flexible Wall Permeameter.

**Test Method Summary:**

A 10 cm diameter sample was cut from the base sheet with a sharp knife. The thickness of the sample was then measured with a dead weight micrometer fixed with a 1 ounce mass so as to cause minimal disturbance to the sample. After the permeameter had been checked for a system flow, that was at least ten times greater than the expected flow with a sample, the following profile was created from the bottom to the top on the Teflon pedestal base: Porous stone / Filter paper / Specimen / Filter paper / Porous stone / Teflon Cap Piece. To seal off the specimen to side-wall leakage a bentonite paste was applied to the edge, and Teflon tape was wrapped around the profile to prevent any possible damage to the rubber membrane from the msw leachate. This done, the rubber membrane was stretched and placed in position over the outside of the specimen. Then the appropriate hoses were attached and the cell was placed into position. The cell was then filled with de-aired tap water, and the whole unit was placed on top of the control platform.

After attaching the feed lines for the permeant fluid, the sample was saturated under vacuum until air could no longer be observed exiting the permeameter. The final pressures were set and the sample was allowed to consolidate under no flow conditions. When the consolidation appeared complete, the final thickness was checked and the pressures of the cap and pedestal set to provide a gradient of approximately 2000.

Flow was allowed to continue with the tap water until it appeared that no significant change in the permeability was taking place. The pedestal interface was then emptied and refilled with leachate. Flow with the leachate was allowed to continue for another 33 days at which time another project required its termination.

### Results:

The results are summarized in the following tables and graphs. The permeability coefficient (k) was calculated using the following equation:

$$k = QL/Ath$$

where:

- k = coefficient of permeability, cm/s,
- Q = quantity of flow, taken as the average of inflow and outflow,  $\text{cm}^3$ ,
- L = length of specimen along path of flow, cm,
- A = cross-sectional area of specimen,  $\text{cm}^2$
- t = time interval, s, over which flow Q occurs, and
- h = difference in hydraulic head across the specimen, cm of water.

The permeability was corrected for changes in viscosity due to temperature fluctuations by multiplying the value by a correction factor ( $R_t$ ) found on a table in ASTM D 5084. These values were determined according to the relationship  $R_t = (-0.02452T + 1.495)$  where T is the degrees Celsius. The corrected permeability value was denoted  $k_{20}$ .

Test Conditions	
Cell Pressure	414 kPa
Cap Interface Pressure	241 kPa
Pedestal Interface Pressure	345 kPa
Effective Confining Stress	69 kPa $\pm$
Head Difference across Sample	1054 cm
Hydraulic Gradient	2000
Sample Area	81 sq. cm

### Conclusions:

Permeability testing with the specific influent the GCL will be subjected to during application is generally considered the best method of determining the expected performance that will be obtained.

This permeability test indicates the Bentofix is compatible with the specific leachate utilized for the permeation of the specimen as exposure to the leachate resulted in no increase to the permeability.

**Leachate Permeability (k)**  
 (effective stress = 69kPa min.; 103kPa max.)


Date	Time	Outflow-Inflow Ratio	Q <sub>avg.</sub> (cm <sup>3</sup> )	Sample Thick. (cm)	Elapsed Time (sec)	Elapsed Time (days)	k (cm/sec)	k <sub>2d</sub> (cm/sec)
5/1	4:02pm	1.47	1.67	0.512	8580	0.10	1.2e-9	1.2e-9
5/2	8:50am	1.10	9.26	0.510	60,480	0.80	9.1e-10	9.4e-10
5/2	1:45pm	0.84	2.31	0.510	17,700	1.00	7.8e-10	9.0e-10
5/4	8:15am	1.11	19.87	0.508	155,600	2.82	7.5e-10	7.9e-10
5/4	10:21am	0.86	0.80	0.508	6840	2.90	7.5e-10	7.7e-10
5/4	2:55pm	1.02	2.10	0.508	15,440	3.09	7.6e-10	7.8e-10
5/4	5:00pm	0.98	0.94	0.508	7500	3.18	7.5e-10	7.5e-10
5/5	8:10am	1.06	6.41	0.507	54,600	3.81	7.0e-10	7.3e-10
5/5	11:53am	0.80	1.86	0.507	13,380	3.97	8.3e-10	8.5e-10
5/5	4:54pm	1.05	2.19	0.507	18,060	4.18	7.2e-10	7.2e-10
5/6	8:15am	1.00	6.40	0.505	55,260	4.82	6.8e-10	7.2e-10
5/6	12:38pm	1.07	1.84	0.505	15,780	5.00	6.9e-10	6.9e-10
5/6	5:15pm	1.05	1.95	0.505	16,620	5.19	6.9e-10	7.1e-10
5/7	8:38am	1.02	6.16	0.503	55,380	5.83	6.5e-10	6.9e-10
5/7	1:09pm	1.07	1.67	0.503	15,180	6.02	6.5e-10	6.3e-10
5/7	4:47pm	1.08	1.51	0.503	13,080	6.17	6.8e-10	6.6e-10
5/8	8:00am	0.98	6.06	0.503	54,780	6.81	6.5e-10	7.0e-10
5/8	1:00pm	1.07	2.09	0.503	18,000	7.01	6.8e-10	6.8e-10
5/8	4:30pm	0.95	1.43	0.503	12,500	7.16	6.7e-10	6.8e-10
5/9	8:03pm	0.97	10.86	0.502	99,180	8.31	6.4e-10	6.8e-10
5/11	8:32am	1.18	13.93	0.500	131,340	9.83	6.3e-10	6.8e-10
5/11	1:07pm	0.77	1.70	0.500	16,500	10.02	6.0e-10	6.2e-10
5/11	4:53pm	1.05	1.62	0.500	13,560	10.18	7.0e-10	7.2e-10
5/12	9:07am	1.00	6.88	0.499	58,440	10.85	6.9e-10	7.2e-10
5/12	1:18pm	1.01	1.82	0.499	15,060	11.03	7.1e-10	7.2e-10
5/12	4:30pm	1.00	1.38	0.499	11,520	11.16	7.0e-10	7.2e-10
5/13	8:17am	0.98	6.68	0.498	56,820	11.83	6.9e-10	7.2e-10
5/13	12:00pm	0.99	1.61	0.498	13,380	11.98	7.0e-10	7.4e-10
5/13	5:40pm	0.98	2.43	0.498	20,400	12.22	6.9e-10	7.3e-10
5/14	8:18am	1.00	6.26	0.498	52,680	12.83	6.9e-10	7.3e-10
5/14	4:44pm	1.06	3.74	0.498	30,360	13.18	7.2e-10	7.2e-10

1 2 3 - 1.


**Leachate Permeability (k) cont.**  
 (effective stress = 69kPa min.; 103kPa max.)

Date	Time	Outflow-Inflow Ratio	$Q_{avg.}$ (cm <sup>3</sup> )	Sample Thick. (cm)	Elapsed Time (sec)	Elapsed Time (days)	k (cm/sec)	$k_{20}$ (cm/sec)
5/15	8:40am	1.00	6.83	0.496	57,360	13.84	6.9e-10	6.9e-10
5/15	5:28pm	1.02	2.90	0.495	25,260	14.21	6.7e-10	6.5e-10
5/17	10:35am	1.01	16.55	0.494	143,080	15.92	6.5e-10	6.5e-10
5/18	8:17am	0.99	8.59	0.493	77,520	16.83	6.4e-10	6.6e-10
5/18	1:26pm	1.06	2.12	0.493	18,540	17.04	6.6e-10	6.6e-10
5/18	9:48pm	1.01	3.38	0.493	30,120	17.39	6.5e-10	6.5e-10
5/20	8:18am	0.99	13.53	0.491	124,200	18.83	6.3e-10	6.8e-10
5/20	5:11pm	1.03	2.98	0.491	26,820	19.20	6.4e-10	6.4e-10
5/21	8:08am	1.08	5.59	0.491	53,820	19.82	6.0e-10	6.3e-10
5/21	4:32pm	0.91	3.59	0.491	30,240	20.17	6.8e-10	7.0e-10
5/22	8:50am	1.00	6.26	0.490	56,680	20.83	6.3e-10	6.7e-10
5/22	4:23pm	1.06	2.93	0.490	27,120	21.14	6.2e-10	6.2e-10
5/23	12:55pm	0.98	7.46	0.490	73,740	22.00	5.8e-10	6.3e-10
5/24	6:18pm	0.94	9.94	0.489	104,760	23.22	5.4e-10	5.8e-10
5/25	8:16am	1.01	13.21	0.488	136,580	24.81	5.5e-10	5.8e-10
5/26	4:45pm	1.02	2.98	0.488	30,540	25.16	5.6e-10	5.7e-10
5/27	8:05am	0.98	5.22	0.488	55,200	25.80	5.4e-10	5.7e-10
5/27	4:44pm	1.01	2.96	0.488	31,140	26.15	5.4e-10	5.4e-10
5/28	8:04am	0.99	5.44	0.488	55,230	26.80	5.6e-10	5.6e-10
5/28	4:24pm	1.00	2.99	0.488	30,000	27.15	5.7e-10	5.6e-10
5/29	8:17am	0.98	5.90	0.488	57,180	27.81	5.9e-10	6.0e-10
5/29	4:27pm	1.00	3.02	0.486	29,400	28.15	5.8e-10	6.0e-10
5/30	4:37pm	0.98	8.73	0.486	87,000	29.16	5.7e-10	5.9e-10
5/31	12:25pm	0.99	7.04	0.485	70,740	29.98	5.7e-10	5.8e-10
6/1	8:09am	1.00	7.00	0.485	71,040	30.81	5.6e-10	5.7e-10
6/1	4:52pm	1.03	3.13	0.485	31,380	31.17	5.7e-10	5.8e-10
6/2	8:00am	0.99	5.29	0.485	54,480	31.80	5.5e-10	5.8e-10
6/2	4:46pm	1.02	3.11	0.485	31,560	32.17	5.6e-10	5.6e-10
6/3	8:33am	0.98	5.44	0.484	56,820	32.82	5.4e-10	5.6e-10

Bentofix Thermal Lock Permeability  
(Permeant: Tap Water)



Bentofix Thermal Lock Permeability  
(Permeant: MSW Leachate)



Leachate Analysis  
6/29/90

Testing Performed by: J & L Testing  
 938 S. Central Ave.  
 Cannonsburg, PA 15317  
 Job # 90R825

Lakeview Sanitary Landfill, Erie, PA

<u>Parameter</u>	<u>mg/L</u>
pH (SU)	7.0
* Specific Conductance (umhos)	230
Total Suspended Solids	8,400
Total Solids	10,000
Alkalinity	4,700
Biochemical Oxygen Demand	3,000
Bicarbonate	4,700
Carbonate	<1.0
Chemical Oxygen Demand	6,300
Ammonia - N	340
Chloride	1,300
Cyanide	<0.005
Phenol	1.2
Sulfate	12
Total Organic Carbon	2,000
Aluminum	0.45
Arsenic	0.020
Barium	0.68
Cadmium	0.01
Calcium	480
Chromium	0.23
Copper	<0.007
Iron	150
Lead	<0.2
Magnesium	380
Manganese	9.6