



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

September 4, 2025

Jackie Roberts, Owner
Roberts Farm
P.O. Box 489
Clovis, New Mexico 88102

RE: Draft Discharge Permit Modification, DP-1820, Roberts Farm

Dear Jackie Roberts:

The New Mexico Environment Department (NMED) hereby provides notice to you of the proposed approval of Ground Water Discharge Permit Modification, DP-1820, (copy enclosed), pursuant to Subsection H of 20.6.2.3108 NMAC. NMED will publish notice of the availability of the draft Discharge Permit in the near future for public review and comment and will forward a copy of that notice to you.

Prior to making a final ruling on the proposed Discharge Permit, NMED will allow 30 days from the date the public notice is published in the newspaper for any interested party, including the Discharge Permit applicant, i.e., yourself, to submit written comments and/or a request a public hearing. A hearing request shall set forth the reasons why a hearing is requested. NMED will hold a hearing in response to a timely hearing request if the NMED Secretary determines there is substantial public interest in the proposed Discharge Permit.

Please review the enclosed draft Discharge Permit carefully. Please be aware that this Discharge Permit may contain conditions that require the permittee to implement operational, monitoring or closure actions by a specified deadline.

Please submit written comments or a request for hearing to my attention at the address below, via email to brad.jones@env.nm.gov or to pps.general@env.nm.gov, or directly into the NMED Public Comment Portal at <https://nmed.commentinput.com/comment/search>. If NMED does not receive written comments or a request for hearing during the public comment period, the draft Discharge Permit will become final.

Thank you for your cooperation during the review process. Feel free to contact me with any questions at (505) 490-5283.

Sincerely,

Brad Jones
Digitally signed by Brad Jones
Date: 2025.09.04 08:21:43
-06'00'

Brad Jones, Water Resource Professional III

Encl: Draft Discharge Permit Modification, DP-1820
cc: Damon Reyes, District Manager, NMED District I (Damon.Reyes@env.nm.gov)

SCIENCE | INNOVATION | COLLABORATION | COMPLIANCE

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469
Telephone (505) 827-2900 | www.env.nm.gov/gwqb/



NEW MEXICO
ENVIRONMENT DEPARTMENT
Ground Water Quality Bureau
1190 Saint Francis Drive / PO Box 5469
Santa Fe, NM 87502-5469
Phone (505) 827-2900 Fax (505) 827-2965
www.env.nm.gov



Draft: September 4, 2025

GROUND WATER QUALITY BUREAU
DISCHARGE PERMIT
Issued under 20.6.2 NMAC

Facility Name: Roberts Farm
Discharge Permit Number: DP-1820
Facility Location: 736 Curry Road I
Clovis, New Mexico 88101
County: Curry
Permittee: Roberts Farm
Jackie Roberts
Mailing Address: P.O. Box 489
Clovis, New Mexico 88102
Facility Contact: Jackie Roberts
Telephone Number/Email: 575-693-6502 / 333tasha@gmail.com
Permitting Action: Modification
Modification Issuance Date: DATE
Permit Expiration Date: March 22, 2027
NMED Permit Contact: Brad Jones
Telephone Number/Email: 505-490-5283 / brad.jones@env.nm.gov or
505-827-2900 / pps.general@env.nm.gov

JUSTIN D. BALL
Chief, Ground Water Quality Bureau
New Mexico Environment Department

Date

TABLE OF CONTENTS

I.	INTRODUCTION	1
II.	FINDINGS	3
III.	AUTHORIZATION TO DISCHARGE	3
IV.	CONDITIONS	3
A.	OPERATIONAL PLAN	3
	Operational Actions with Implementation Deadlines	4
	Operating Conditions	4
B.	MONITORING AND REPORTING	7
	Due Dates for Monitoring Reports	7
	Monitoring Actions with Implementation Deadlines	7
	Facility Monitoring Conditions	8
C.	CONTINGENCY PLAN	10
D.	CLOSURE PLAN	13
	Permanent Facility Closure Conditions	13
E.	GENERAL TERMS AND CONDITIONS	14

ATTACHMENTS

Discharge Permit Summary
Land Application Data Sheet (LADS - <https://www.env.nm.gov/forms/>)
Fertilizer Log

I. INTRODUCTION

The New Mexico Environment Department (NMED) issues this groundwater discharge permit Modification (Discharge Permit or DP-1820) to the Jackie Roberts (Permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978 §§74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Ground and Surface Water Protection Regulations, 20.6.2 NMAC.

NMED's purpose in issuing this Discharge Permit, and in imposing the requirements and conditions specified herein, is to control the discharge of water contaminants from Roberts Farm (Facility) in order to protect groundwater and those segments of surface water gaining from groundwater inflow for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health. It is NMED's determination in issuing this Discharge Permit that the Permittee has met the requirements of Subsection C of 20.6.2.3109 NMAC. The Permittee is responsible for complying with the terms and conditions of this Discharge Permit pursuant to Section 20.6.2.3104 NMAC; failure to do so may result in enforcement action by NMED (20.6.2.1220 NMAC).

Described below are the activities that produce the discharge, the location of the discharge, and the quantity, quality, and flow characteristics.

The Facility receives up to 9 million gallons per day (MGD) of Class 2 reclaimed domestic wastewater from the City of Clovis Wastewater Treatment Facility (WWTF), which is regulated under a separate Discharge Permit, DP-79. Reclaimed domestic wastewater discharges via spray irrigation to approximately 1,554 acres of cropland under cultivation (re-use areas).

The Discharge Permit modification consists of increasing the acreage of the reuse area from 1,349 acres to 1,554 acres.

Discharge Permit Location Information:

Physical Address	736 Curry Road I, Clovis New Mexico 88101
Nearest Town/City	Approximately 3 miles southeast of Clovis
Section, Township, Range	Sections 28, 29, 31, 32, 33, and 34, Township 02 North, Range 36 East
County	Curry
Depth to Groundwater	230
Pre-Discharge TDS	350

Discharge Permit Issuance History:

Original Permit Issuance	November 1, 2013,
Permit Renewal	September 23, 2016
Permit Renewal	March 23, 2022

The application (i.e., discharge plan) associated with this Discharge Permit consists of the materials submitted by Tasha Roberts on behalf of the Permittee dated May 13, 2025, and materials contained in the administrative record prior to issuance of this Discharge Permit.

The Permittee shall manage the discharge in accordance with all conditions and requirements of this Discharge Permit.

NMED reserves the right to require a Discharge Permit modification in the event NMED determines that the Permittee is or may be violating, or is likely to violate in the future, the requirements of 20.6.2 NMAC or the standards of Section 20.6.2.3103 NMAC. NMED reserves this right pursuant to Section 20.6.2.3109 NMAC. An NMED requirement to modify the Discharge Permit may result from a determination by the department that structural controls and/or management practices approved under this Discharge Permit are insufficiently protective of groundwater quality and human health. NMED reserves the right to require the Permittee to implement abatement of water pollution and remediate groundwater quality.

NMED issuance of this Discharge Permit does not relieve the Permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

This Discharge Permit may use the following acronyms and abbreviations.

Abbreviation	Explanation	Abbreviation	Explanation
BOD ₅	biochemical oxygen demand (5-day)	NMED	New Mexico Environment Department
CAP	Corrective Action Plan	NMSA	New Mexico Statutes Annotated
CFR	Code of Federal Regulations	NO ₃ -N	nitrate-nitrogen
CFU	colony forming unit	NTU	nephelometric turbidity units
Cl	chloride	QA/QC	Quality Assurance/Quality Control
EPA	United States Environmental Protection Agency	TDS	total dissolved solids
Gpd	gallons per day	TKN	total Kjeldahl nitrogen
LAA	land application area	total nitrogen	= TKN + NO ₃ -N
LADS	Land Application Data Sheet(s)	TRC	total residual chlorine
mg/L	milligrams per liter	TSS	total suspended solids
mL	milliliters	WQA	New Mexico Water Quality Act
MPN	most probable number	WQCC	Water Quality Control Commission
NMAC	New Mexico Administrative Code	WWTF	Wastewater Treatment Facility

II. FINDINGS

In issuing this Discharge Permit, NMED finds the following.

1. The Permittee is discharging effluent or leachate from the Facility so that such effluent or leachate may move into groundwater of the State of New Mexico that has an existing concentration of 10,000 mg/L or less of TDS, within the meaning of Subsection A of 20.6.2.3101 NMAC, without exceeding standards of 20.6.2.3103 NMAC for any water contaminant.
2. The Permittee is discharging effluent or leachate from the Facility directly or indirectly into groundwater pursuant to this Discharge Permit and Sections 20.6.2.3000 through 20.6.2.3114 NMAC.
3. The discharge from this Facility has the potential to contain water contaminants or toxic pollutants elevated above the standards of Section 20.6.2.3103 NMAC and is not subject to the exemption at Subsection 20.6.2.3105 NMAC.

III. AUTHORIZATION TO DISCHARGE

The Permittee is responsible for ensuring that discharges authorized by this Discharge Permit are consistent with the terms and conditions herein pursuant to 20.6.2.3104 NMAC.

This Discharge Permit authorizes the Permittee to receive up to 9 MGD of Class 2 reclaimed domestic wastewater transferred from the City of Clovis WWTF (DP-79) to irrigate up to 1,554 acres of cultivated cropland via spray irrigation.

[20.6.2.3104 NMAC, Subsection C of 20.6.2.3106 NMAC, Subsection D of 20.6.2.3109 NMAC]

IV. CONDITIONS

NMED issues this Discharge Permit for the discharge of water contaminants subject to the following conditions.

A. OPERATIONAL PLAN

#	Terms and Conditions
1.	The Permittee shall implement the following operational plan to ensure compliance with Title 20, Chapter 6, Parts 2 and 4 NMAC.

#	Terms and Conditions
	[Subsection C of 20.6.2.3109 NMAC]
2.	The Permittee shall operate in a manner that does not violate standards and requirements of Sections 20.6.2.3101 and 20.6.2.3103 NMAC. [20.6.2.3101 NMAC, 20.6.2.3103 NMAC, Subsection C of 20.6.2.3109 NMAC]

Operational Actions with Implementation Deadlines

#	Terms and Conditions
3.	Prior to discharging reclaimed domestic wastewater to the new reuse areas, Fields O and P, the Permittee shall install the infrastructure necessary to transfer, distribute and apply reclaimed domestic wastewater. The Permittee shall ensure documentation confirming installation of the distribution system consists of a narrative statement including the system type and location, and the method of backflow prevention employed (if applicable). The Permittee shall provide this documentation to NMED prior to discharging to the reuse area. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
4.	Prior to discharging from the Facility to the new reuse areas, Field O and Field P, the Permittee shall post signs in English and Spanish at all new reuse areas. The Permittee shall post signs at the entrance to reuse areas and at other locations where public exposure to reclaimed domestic wastewater may occur. The signs shall state: NOTICE: THIS AREA IS IRRIGATED WITH RECLAIMED WASTEWATER - DO NOT DRINK. AVISO: ESTA ÁREA ESTÁ REGADA CON AGUAS NEGRAS RECOBRADAS - NO TOMAR. The Permittee may submit alternate wording and/or graphics to NMED for approval. Documentation of sign installation shall consist of a narrative statement describing the number and location of the signs and date-stamped photographs. The Permittee shall submit the documentation to NMED in the next required periodic monitoring report. [Subsections B and C of 20.6.2.3109 NMAC, NMSA 1978, § 74-6-5.D]

Operating Conditions

#	Terms and Conditions												
5.	The Permittee shall ensure that Class 2 reclaimed domestic wastewater received from the City of Clovis WWTF does not exceed the following discharge limits. <table><tr><th>Test</th><th>30-day Average</th><th>Maximum</th></tr><tr><td>Fecal coliform</td><td>200 CFU or MPN/100 mL</td><td>400 CFU or MPN/100 mL</td></tr><tr><td>BOD₅</td><td>30 mg/L</td><td>45 mg/L</td></tr><tr><td>TSS</td><td>75 mg/L</td><td>90 mg/L</td></tr></table> [Subsections B and C of 20.6.2.3109 NMAC, NMSA 1978, § 74-6-5.D]	Test	30-day Average	Maximum	Fecal coliform	200 CFU or MPN/100 mL	400 CFU or MPN/100 mL	BOD ₅	30 mg/L	45 mg/L	TSS	75 mg/L	90 mg/L
Test	30-day Average	Maximum											
Fecal coliform	200 CFU or MPN/100 mL	400 CFU or MPN/100 mL											
BOD ₅	30 mg/L	45 mg/L											
TSS	75 mg/L	90 mg/L											
6.	The Permittee shall ensure adherence to the following general requirements for above-ground use of reclaimed domestic wastewater. a) The Permittee shall install and maintain signs in English and Spanish at all reuse areas such that they are visible and legible for the term of this Discharge Permit. The Permittee shall post signs at the entrance to reuse areas and at other locations where public exposure to reclaimed domestic wastewater may occur. The signs shall state: NOTICE: THIS AREA IS IRRIGATED WITH RECLAIMED WASTEWATER - DO NOT DRINK. AVISO: ESTA ÁREA ESTÁ REGADA CON AGUAS NEGRAS RECOBRADAS - NO TOMAR. The Permittee may submit alternate wording and/or graphics to NMED for approval. b) Reclaimed domestic wastewater systems shall have no direct or indirect cross connections with public water systems or irrigation wells pursuant to the latest revision of the New Mexico Plumbing Code (14.8.2 NMAC) and New Mexico Mechanical Code (14.9.2 NMAC). c) Above-ground use of reclaimed domestic wastewater shall not result in excessive ponding of wastewater and shall not exceed the water consumptive needs of the crop. The Permittee shall not discharge reclaimed domestic wastewater at times when the reuse area is saturated or frozen. d) The Permittee shall confine discharge of reclaimed domestic wastewater to the reuse area. e) The Permittee shall not discharge reclaimed domestic wastewater to crops used for human consumption. f) Water supply wells within 200 feet of a reuse area shall have adequate wellhead construction pursuant to 19.27.4 NMAC. g) Existing and accessible portions of the reclaimed domestic wastewater distribution system (with the exception of application equipment such as sprinklers or pivots) shall be colored purple or clearly labeled as being part of a reclaimed domestic wastewater distribution system. Piping, valves, outlets, and other plumbing fixtures shall be purple pursuant to the latest revision of the New Mexico Plumbing Code (14.8.2 NMAC) and												

#	Terms and Conditions
	New Mexico Mechanical Code (14.9.2 NMAC) to differentiate piping or fixtures used to convey reclaimed wastewater from those intended for potable or other uses. h) Valves, outlets, and sprinkler heads used in reclaimed wastewater systems shall be accessible only to authorized personnel. The Permittee shall demonstrate adherence to these requirements by submitting documentation consisting of narrative statements and date-stamped photographs as appropriate. The Permittee shall submit the documentation to NMED once during the term of this Discharge Permit in the next required periodic monitoring report after the issuance of the Discharge Permit. [Subsections B and C of 20.6.2.3109 NMAC, NMSA 1–78, § 74-6–5.D]
7.	The Permittee shall meet the following setbacks, access restrictions and equipment requirements for spray irrigation using Class 2 reclaimed domestic wastewater. a) Maintain a minimum 100-foot setback between any dwellings or occupied establishments and the edge of the reuse area. b) Postpone irrigation using reclaimed domestic wastewater at times when windy conditions may result in drift of reclaimed domestic wastewater outside the reuse area. c) Restrict access to the reuse area using perimeter fencing with four-strand barbed wire and a locking gate, or other access controls approved by NMED. d) Prohibit public access during times when reclaimed domestic wastewater is being applied to the reuse area. e) Limit the spray irrigation system to low trajectory spray nozzles. [Subsections B and C of 20.6.2.3109 NMAC, NMSA 1–78, § 74-6-5.D]
8.	The Permittee shall institute a backflow prevention method to protect wells and public water supply systems from contamination by reclaimed domestic wastewater prior to discharging to the reuse area. Backflow prevention shall be achieved by a total disconnect (physical air gap separation between the discharge pipe and the liquid surface at least twice the diameter of the discharge pipe), or by a reduced pressure principal backflow prevention assembly (RP) installed on the line between the fresh water supply wells or public water supply and the reclaimed domestic wastewater delivery system. The Permittee shall maintain backflow prevention at all times. The Permittee shall have RP devices inspected and tested by a certified backflow prevention assembly tester at the time of installation, repair or relocation and at least on an annual basis thereafter. The backflow prevention assembly tester shall have successfully completed a 40-hour backflow prevention course based on the University of

#	Terms and Conditions
	Southern California's Backflow Prevention Standards and Test Procedures, and obtained certification demonstrating completion. The Permittee shall have all malfunctioning RP devices repaired or replaced within 30 days of discovery. The Permittee shall cease using supply lines associated with the RP device until repair or replacement is complete. The Permittee shall maintain copies of the inspection and maintenance records and test results for each RP device associated with the backflow prevention program at a location available for inspection by NMED. [Subsection C of 20.6.2.3109 NMAC]

B. MONITORING AND REPORTING

#	Terms and Conditions
9.	The Permittee shall conduct the monitoring, reporting, and other requirements listed below in accordance with the monitoring requirements of this Discharge Permit. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
10.	METHODOLOGY – Unless otherwise specified by this Discharge Permit, or approved in writing by NMED, the Permittee shall use sampling and analytical techniques that conform with the references listed in Subsection B of 20.6.2.3107 NMAC. [Subsection B of 20.6.2.3107 NMAC]

Due Dates for Monitoring Reports

#	Terms and Conditions
11.	Semi-annual monitoring - The Permittee shall perform monitoring and other Permit required actions during the following periods and shall submit semi-annual reports to NMED by the following due dates: • January 1st through June 30th – due by August 1st; and • July 1st through December 31st – due by February 1st. [Subsection A of 20.6.2.3107 NMAC]

Monitoring Actions with Implementation Deadlines

#	Terms and Conditions
12.	Prior to discharging to Field O and Field P, the Permittee shall install the following flow meters. a) One hours recorder on each new individual irrigation pivot to estimate the volume of reclaimed domestic wastewater discharged to each field (the reuse area). The Permittee shall submit confirmation of meter installation, type, calibration, and locations within 30 days of completed installations. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]

Facility Monitoring Conditions

#	Terms and Conditions
13.	The Permittee shall, on a monthly basis, estimate the volume of reclaimed domestic wastewater discharged from the treatment facility to each individual field (the reuse area) during the period. To determine the discharge volume, the Permittee shall obtain the pumping rate of the effluent pumps located on each pivot spray irrigation unit from the manufacturer specifications or by documented field assessment. Further, the Permittee shall log the total run time for each pump(s) on an hours recorder and record the pump run hours on a monthly basis (pump operating time). Finally, the Permittee shall multiply the monthly pump run hours by the associated pumping rate to estimate the monthly effluent volume by the formula below. $(\text{pumping rate}) \times (\text{monthly pump operating time}) = \text{estimated monthly effluent volume}$ The Permittee shall use the estimated monthly effluent volume to calculate the average daily effluent volume by the formula below. $\text{estimated monthly effluent volume} \div \text{number of days in the month} = \text{average daily effluent volume}$ The Permittee shall submit to NMED the record of the calendar monthly operating time for the pump(s), the pumping rate and the estimated monthly and average daily effluent volume in the monitoring reports due by August 1st and February 1st each year. The Permittee shall keep the hours-recorder functional at all times. If the recorder is not functioning properly, the Permittee shall note that fact in the record submitted to NMED. *Should more than one pump/hours-recorder assembly exist at the Facility, the Permittee shall calculate the estimated monthly volume for the Facility by adding the estimated monthly volume determined for

#	Terms and Conditions
	each pump/hours recorder assembly. This summation should be completed prior to calculating the average daily volume for the Facility. [Subsection A of 20.6.2.3107 NMAC, Subsections C and H of 20.6.2.3109 NMAC]
14.	All flow meters shall be capable of having their accuracy verified under working (i.e., real-time in-the-field) conditions. The Permittee shall develop a field verification method for each flow meter and shall utilize that method to check the accuracy of each respective meter. The Permittee shall perform field calibrations, at a minimum, within 90 days of the issuance date of this Discharge Permit (by DATE), and then on an annual basis. The Permittee shall also perform field calibrations upon repair or replacement of a flow measurement device. The Permittee shall calibrate each flow meter to its manufacturer's recommended specification which shall be no less accurate than plus or minus 10 percent of actual flow, as measured under field conditions. An individual knowledgeable in flow measurement shall perform field calibration and the installation/operation of the device in use. The Permittee shall prepare a flow meter calibration report for each flow measurement device calibration event. The flow meter calibration report shall include the following information. - The location and meter identification. - The method of flow meter field calibration employed. - The measured accuracy of each flow meter prior to adjustment indicating the positive or negative offset as a percentage of actual flow as determined by an in-field calibration check. - The measured accuracy of each flow meter following adjustment, if necessary, indicating the positive or negative offset as a percentage of actual flow of the meter. - Any flow meter repairs made during the previous year or during field calibration. - The name of the individual performing the calibration and the date of the calibration. The Permittee shall maintain records of flow meter calibration(s) at a location accessible for review by NMED during Facility inspections. [Subsection A of 20.6.2.3107 NMAC, Subsections C and H of 20.6.2.3109 NMAC]
15.	The Permittee shall visually inspect flow meters on a monthly basis for evidence of malfunction. The Permittee shall maintain a log of the inspections that includes a date of the inspection, findings and repairs, and the name of the inspector. The Permittee shall make the log available to NMED upon request. If a visual inspection indicates a flow meter is not functioning as required by this Discharge Permit, the Permittee shall repair or replace the meter within 30 days of discovery. For

#	Terms and Conditions
	<i>repaired</i> meters, the Permittee shall submit a report to NMED with the next monitoring report following the repair that includes a description of the malfunction; a statement verifying the repair; and a flow meter field calibration report completed in accordance with the requirements of this Discharge Permit. For <i>replacement</i> meters, the Permittee shall submit a report to NMED with the next monitoring report following the replacement that includes a design schematic for the device and a flow meter field calibration report completed in accordance with the requirements of this Discharge Permit. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
16.	The Permittee shall complete LADS (copy enclosed) on a monthly basis for any month the City of Clovis reports transferring TN >10mg/L until notified that the total nitrogen concentration is less than 10 mg/L. The permittee should document the amount of nitrogen applied to <i>each</i> field during the time of exceedance and most recent 12 months. The LADS shall reflect the total nitrogen concentration from the most recent wastewater analysis and the measured discharge volumes to <i>each</i> field for each month. The Permittee shall complete the LADS with the information above or include a statement that application of wastewater with TN above 10 mg/L did not occur. The Permittee shall submit the LADS to NMED in the subsequent semiannual monitoring report. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
17.	The Permittee shall keep a Fertilizer Log (copy enclosed) of all additional nitrogenous fertilizer applied to <i>each</i> field within the reuse area. The Log shall contain the date of fertilizer application, the type (organic or inorganic) and form (granular or liquid), nitrogen concentration (in percent), the amount of fertilizer applied (in pounds per acre), and the amount of nitrogen applied (in pounds per acre) for each location. The Permittee shall submit the log, or a statement that application of fertilizer did not occur, to NMED in the subsequent quarterly monitoring report. [Subsection A of 20.6.2.3107 NMAC]

C. CONTINGENCY PLAN

#	Terms and Conditions
18.	In the event that groundwater exceeds a groundwater protection standard identified in Section 20.6.2.3103 NMAC as a result of this discharge, the Permittee shall submit to NMED a Corrective Action Plan (CAP) that proposes, at a minimum, contaminant source control measures and an implementation schedule. The Permittee shall implement the CAP following approval by NMED.

#	Terms and Conditions
	The NMED may require the Permittee to abate water pollution consistent with the requirements and provisions of Section 20.6.2.4101, Section 20.6.2.4103, Subsections C and E of 20.6.2.4106, Section 20.6.2.4107, Section 20.6.2.4108 and Section 20.6.2.4112 NMAC. [20.6.2.3103 NMAC, Subsection A of 20.6.2.3107 NMAC, Subsection E of 20.6.2.3109 NMAC]
19.	In the event that the Facility exceeds the authorized discharge volume set in this Discharge Permit, the Permittee shall initiate the following Contingency Plan. <u>Contingency Plan</u> a) Notify NMED within seven days of the discovery of the discharge volume exceedance that the Facility exceeded the authorized discharge volume. b) The Permittee shall conduct a physical inspection of the discharge system, i.e., inflow and infiltration issues, collection system failures, etc., and the discharge volume measuring device to detect abnormalities and report the findings to NMED within 30 days of the discovery of the discharge volume exceedance. The Permittee shall correct any abnormalities detected with NMED's concurrence. c) If the Permittee does not detect any abnormalities and with NMED's concurrence, the Permittee shall submit a discharge permit modification for the increase in discharge quantity to NMED within 90 days of the discovery of the discharge volume exceedance. The discharge permit modification must include demonstration that the volume increase is sufficient for the design capacity or plans and specifications to upgrade the system to accommodate the discharge volume increase. [Subsection A of 20.6.2.3107 NMAC]
20.	In the event that the LADS (copy enclosed) show that the amount of nitrogen in wastewater applied in any 12-month period exceeds 200 pounds per acre, the Permittee shall propose the reduction of nitrogen loading to each field (reuse area) by submitting a CAP to NMED for approval. The Permittee shall ensure the CAP includes a schedule for completion of corrective actions and submit the CAP within 90 days following the end of the monitoring period in which the exceedance occurred. The Permittee shall implement the CAP following approval by NMED. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
21.	In the event that analytical results of a reclaimed domestic wastewater sample collected by the City of Clovis Wastewater Treatment Facility (DP-79) exceed the maximum limit for

#	Terms and Conditions
	fecal coliform bacteria for Class 2 reclaimed domestic wastewater, the Permittee is not authorized to receive reclaimed domestic wastewater for discharge until the contingency conditions under the City of Clovis Wastewater Treatment Facility (DP- 79) have been resolved. [Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]
22.	In the event that a release occurs that is not authorized under this Discharge Permit (commonly known as a “spill”), the Permittee shall take measures to mitigate damage from the unauthorized discharge and initiate the notifications and corrective actions required in Section 20.6.2.1203 NMAC and summarized below. A release is defined as such quantity as may with reasonable probability injure or be detrimental to human health, animal or plant life, or property, or unreasonably interfere with the public welfare or the use of property. Within <u>24 hours</u> following discovery of the unauthorized discharge, the Permittee shall verbally notify NMED and provide the following information. - The name, address, and telephone number of the person or persons in charge of the Facility, as well as of the owner and/or operator of the Facility. - The name and address of the Facility. - The date, time, location, and duration of the unauthorized discharge. - The source and cause of unauthorized discharge. - A description of the unauthorized discharge, including its estimated chemical composition. - The estimated volume of the unauthorized discharge. - Any actions taken to mitigate immediate damage from the unauthorized discharge. Within <u>one week</u> following discovery of the unauthorized discharge, the Permittee shall submit written notification to NMED providing the information listed above and any pertinent updates. Within <u>15 days</u> following discovery of the unauthorized discharge, the Permittee shall submit a CAP to NMED describing any corrective actions previously taken and corrective actions to be taken relative to the unauthorized discharge. The CAP shall include the following information. - A description of proposed actions to mitigate damage from the unauthorized discharge. - A description of proposed actions to prevent future unauthorized discharges of this nature. - A schedule for completion of proposed actions.

#	Terms and Conditions
	In the event that the unauthorized discharge causes or may with reasonable probability cause water pollution in excess of the standards and requirements of Section 20.6.2.4103 NMAC, and the water pollution will not be abated within 180 days after notice is required to be given pursuant to Paragraph (1) of Subsection A of 20.6.2.1203 NMAC, NMED may require the Permittee to abate water pollution pursuant to Sections 20.6.2.4000 through 20.6.2.4115 NMAC. The Permittee shall not construe anything in this condition as relieving them of the obligation to comply with all requirements of Section 20.6.2.1203 NMAC. [20.6.2.1203 NMAC]
23.	In the event that NMED or the Permittee identifies any failures of the discharge plan, i.e., the application, or this Discharge Permit not specifically noted herein, NMED may require the Permittee to submit a CAP and a schedule for completion of corrective actions to address the failure(s). Additionally, NMED may require a discharge permit modification to achieve compliance with 20.6.2 NMAC. [Subsection A of 20.6.2.3107 NMAC, Subsection E of 20.6.2.3109 NMAC]

D. CLOSURE PLAN

Permanent Facility Closure Conditions

#	Terms and Conditions
24.	In the event the facility no longer receives reclaimed domestic water from the City of Clovis WWTF, or the facility is proposing to permanently close, the permittee shall perform the following closure measure. Within 90 days of ceasing discharge to the reuse area, the Permittee shall complete the following closure measures: a) Remove or plug all transfer line(s) from the City of Clovis WWTF so that a discharge can no longer occur. When the Permittee has met all closure requirements and verified appropriate actions with date stamped photographic evidence or an associated NMED inspection, the Permittee may submit to NMED a written request, including photographic evidence, for termination of the Discharge Permit. [Subsection A of 20.6.2.3107 NMAC, Subsection D of 20.6.2.4103 NMAC]

#	Terms and Conditions

E. GENERAL TERMS AND CONDITIONS

#	Terms and Conditions
25.	RECORD KEEPING - The Permittee shall maintain a written record of the following: • Information and data used to complete the application for this Discharge Permit; • Information, data, and documents demonstrating completion of closure activities; • Any releases (commonly known as “spills”) not authorized under this Discharge Permit and reports submitted pursuant to 20.6.2.1203 NMAC; • The operation, maintenance, and repair of all facilities/equipment used to treat, store or dispose of wastewater; • Facility record drawings (plans and specifications) showing the actual construction of the Facility and bear the seal and signature of a licensed New Mexico professional engineer; • Copies of logs, inspection reports, and monitoring reports completed and/or submitted to NMED pursuant to this Discharge Permit; • The volume of wastewater or other wastes discharged pursuant to this Discharge Permit; • Groundwater quality and wastewater quality data collected pursuant to this Discharge Permit; • Copies of construction records (well log) for all sampled groundwater monitoring wells pursuant to this Discharge Permit; • The maintenance, repair, replacement or calibration of any monitoring equipment or flow measurement devices required by this Discharge Permit; and • Data and information related to field measurements, sampling, and analysis conducted pursuant to this Discharge Permit, including: ○ the dates, location and times of sampling or field measurements; ○ the name and job title of the individuals who performed each sample collection or field measurement; ○ the sample analysis date of each sample; ○ the name and address of the laboratory, and the name of the signatory authority for the laboratory analysis; ○ the analytical technique or method used to analyze each sample or collect each field measurement; ○ the results of each analysis or field measurement, including raw data; ○ the results of any split, spiked, duplicate or repeat sample; and ○ a copy of the laboratory analysis chain-of-custody as well as a description of the quality assurance and quality control procedures used.

#	Terms and Conditions
	The Permittee shall maintain the written record at a location accessible to NMED during a Facility inspection for a minimum of five years. The Permittee shall make the record available to NMED upon request. [Subsections A and D of 20.6.2.3107 NMAC]
26.	SUBMITTALS – The Permittee shall submit both a paper copy and an electronic copy of all notification and reporting documents required by this Discharge Permit, e.g., monitoring reports. The Permittee shall submit paper and electronic documents to the NMED Permit Contact identified on the Permit cover page. [Subsection A of 20.6.2.3107 NMAC]
27.	INSPECTION and ENTRY – The Permittee shall allow NMED to inspect the Facility and its operations that are subject to this Discharge Permit and the WQCC regulations. NMED may upon presentation of proper credentials, enter at reasonable times upon or through any premises in which a water contaminant source is located or in which any maintained records required by this Discharge Permit, the regulations of the federal government, or the WQCC are located. The Permittee shall allow NMED to have access to and reproduce for their use any copy of the records, and to perform assessments, sampling or monitoring during an inspection for the purpose of evaluating compliance with this Discharge Permit and the WQCC regulations. No person shall construe anything in this Discharge Permit as limiting in any way the inspection and entry authority of NMED under the WQA, the WQCC Regulations, or any other local, state or federal regulations. [Subsection D of 20.6.2.3107 NMAC, NMSA 1978, §§ 74-6-9.B and 74-6-9.E]
28.	DUTY to PROVIDE INFORMATION - The Permittee shall, upon NMED's request, allow for NMED's inspection/duplication of records required by this Discharge Permit and/or furnish to NMED copies of such records. [Subsection D of 20.6.2.3107 NMAC]
29.	MODIFICATIONS and/or AMENDMENTS – In the event the Permittee proposes a change to the Facility or the Facility's discharge that would result in a change in the volume discharged; the location of the discharge; or in the amount or character of water contaminants received, treated or discharged by the Facility, the Permittee shall notify

#	Terms and Conditions
	NMED prior to implementing such changes. The Permittee shall obtain NMED's approval (which may require modification of this Discharge Permit) prior to implementing such changes. [Subsection C of 20.6.2.3107 NMAC, Subsections E and G of 20.6.2.3109 NMAC]
30.	PLANS and SPECIFICATIONS – In the event the Permittee proposes to construct a wastewater system or change a process unit of an existing system such that the quantity or quality of the discharge will change substantially from that authorized by this Discharge Permit, the Permittee shall submit construction plans and specifications of the proposed system or process unit to NMED for approval prior to the commencement of construction. In the event the Permittee implements changes to the wastewater system authorized by this Discharge Permit that result in only a minor effect on the character of the discharge, the Permittee shall report such changes (including the submission of record drawings where applicable) to NMED prior to implementation. [Subsections A and C of 20.6.2.1202 NMAC, NMSA 1978, §§ 61-23-1 through 61-23-32]
31.	CIVIL PENALTIES - Any violation of the requirements and conditions of this Discharge Permit, including any failure to allow NMED staff to enter and inspect records or facilities, or any refusal or failure to provide NMED with records or information, may subject the Permittee to a civil enforcement action. Pursuant to WQA 74-6-10(A) and (B), such action may include a compliance order requiring compliance immediately or in a specified time, assessing a civil penalty, modifying or terminating the Discharge Permit, or any combination of the foregoing; or an action in district court seeking injunctive relief, civil penalties, or both. Pursuant to WQA 74-6-10(C) and 74-6-10.1, civil penalties of up to \$15,000 per day of noncompliance may be assessed for each violation of the WQA 74-6-5, the WQCC Regulations, or this Discharge Permit, and civil penalties of up to \$10,000 per day of noncompliance may be assessed for each violation of any other provision of the WQA, or any regulation, standard, or order adopted pursuant to such other provision. In any action to enforce this Discharge Permit, the Permittee waives any objection to the admissibility as evidence of any data generated pursuant to this Discharge Permit. [20.6.2.1220 NMAC, NMSA 1978, §§ 74-6-10 and 74-6-10.1]
32.	CRIMINAL PENALTIES – No person shall: • Make any false material statement, representation, certification or omission of material fact in an application, record, report, plan or other document filed, submitted or maintained under the WQA; • Falsify, tamper with or render inaccurate any monitoring device, method or record maintained under the WQA; or

#	Terms and Conditions
	Fail to monitor, sample or report as required by a permit issued pursuant to a state or federal law or regulation. Any person who knowingly violates or knowingly causes or allows another person to violate the requirements of this condition is guilty of a fourth-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who is convicted of a second or subsequent violation of the requirements of this condition is guilty of a third-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who knowingly violates the requirements of this condition or knowingly causes another person to violate the requirements of this condition and thereby causes a substantial adverse environmental impact is guilty of a third-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who knowingly violates the requirements of this condition and knows at the time of the violation that he is creating a substantial danger of death or serious bodily injury to any other person is guilty of a second degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. [20.6.2.1220 NMAC, NMSA 1978, §§ 74-6-10.2.A through 74-6-10.2.F]
33.	COMPLIANCE with OTHER LAWS - Nothing in this Discharge Permit shall be construed in any way as relieving the Permittee of the obligation to comply with any other applicable federal, state, and/or local laws, regulations, zoning requirements, nuisance ordinances, permits or orders. [NMSA 1978, § 74-6-5.L]
34.	RIGHT to APPEAL - The Permittee may file a petition for review before the WQCC on this Discharge Permit. Such petition shall be in writing to the WQCC within thirty days of the receipt of postal notice of this Discharge Permit and shall include a statement of the issues raised and the relief sought. Unless the Permittee files a timely petition for review, the decision of NMED shall be final and not subject to judicial review. [20.6.2.3112 NMAC, NMSA 1978, § 74-6-5.O]
35.	TRANSFER of DISCHARGE PERMIT - Prior to the transfer of any ownership, control, or possession of this Facility or any portion thereof, the Permittee shall: - Notify the proposed transferee in writing of the existence of this Discharge Permit; - Include a copy of this Discharge Permit with the notice; and - Deliver or send by certified mail to NMED a copy of the notification and proof that the proposed transferee has received such notification.

#	Terms and Conditions
	The Permittee shall continue to be responsible for any discharge from the Facility, until both ownership and possession of the Facility have been transferred to the transferee. [20.6.2.3111 NMAC]
36.	PERMIT FEES – The Permittee shall be aware that the payment of permit fees is due at the time of Discharge Permit approval. The Permittee may pay the permit fees in a single payment or they may pay the fee in equal installments on a yearly basis over the term of the Discharge Permit. The Permittee shall remit single payments to NMED no later than 30 days after the Discharge Permit issuance date. The Permittee shall remit initial installment payments to NMED no later than 30 days after the Discharge Permit issuance date; with subsequent installment payments remitted to NMED no later than the anniversary of the Discharge Permit issuance date. Permit fees are associated with <u>issuance</u> of this Discharge Permit. No person shall construe anything in this Discharge Permit as relieving the Permittee of the obligation to pay all permit fees assessed by NMED. A Permittee that ceases discharging or does not commence discharging from the Facility during the term of the Discharge Permit shall pay all permit fees assessed by NMED. NMED shall suspend or terminate an approved Discharge Permit if the Permittee fails to remit an installment payment by its due date. [Subsection F of 20.6.2.3114 NMAC, NMSA 1978, § 74-6-5.K]



New Mexico Environment Department Ground Water Quality Bureau Discharge Permit Summary

Facility Information

Facility Name Roberts Farm
Discharge Permit Number DP-1820
Legally Responsible Party Jackie Roberts, Owner
Roberts Farm
P.O. Box 489
Clovis, New Mexico 88102
(575) 693-6502

Treatment, Disposal and Site Information

Primary Waste Type Reclaimed Domestic Wastewater
Facility Type Farm

Discharge Locations

Type	Designation	Description & Comments
Re-use Area	Field A	65 acres; center pivot; south of Field B and west of Field M; SW¼ Section 32, Township 02N, Range 36E
Re-use Area	Field B	107 acres; center pivot; west of Field C; NW¼ Section 32, Township 02N, Range 36E
Re-use Area	Field C	122 acres; center pivot; south of Field D; NE¼ Section 32, Township 02N, Range 36E
Re-use Area	Field D	120 acres; center pivot; west of Field E; SE¼ Section 29, Township 02N, Range 36E
Re-use Area	Field E	120 acres; center pivot; west of Field F; SW¼ Section 28, Township 02N, Range 36E
Re-use Area	Field F	120 acres; center pivot; east of Field E; SE¼ Section 28, Township 02N, Range 36E
Re-use Area	Field G	120 acres; center pivot; south of Field F; NE¼ Section 33, Township 02N, Range 36E
Re-use Area	Field H	120 acres; center pivot; south of Field G; SE¼ Section 33, Township 02N, Range 36E
Re-use Area	Field I	120 acres; center pivot; east of Field H; SW¼ Section 34, Township 02N, Range 36E
Re-use Area	Field J	120 acres; center pivot; east of Field I; SE¼ Section 34, Township 02N, Range 36E
Re-use Area	Field M	100 acres; center pivot; south of Field C; SE¼ Section 32, Township 02N, Range 36E
Re-use Area	Field N	110 acres; center pivot; west of Field D; SW¼ Section 29, Township 02N, Range 36E
Re-use Area	Field O	120 acres; center pivot; west of Field B; NW¼ Section 31, Township 02N, Range 36E
Re-use Area	Field P	120 acres; center pivot; west of Field O; NW¼ Section 31, Township 02N, Range 36E



New Mexico Environment Department Ground Water Quality Bureau Discharge Permit Summary

Flow Metering Locations

Type	Designation	Description & Comments
Totalizing Flow Meter	Meter 1	located on the transfer line between the northwest pumping unit at the Clovis "40-acre" storage impoundment and the eastern re-use areas (Fields F, G, H, I & J)
Totalizing Flow Meter	Meter 2	located on the transfer line between the northeast pumping unit at the Clovis "40-acre" storage impoundment and the western re-use areas (Fields A, B, C, D, E, M, N, O, & P)
Hours Recorder	HRMeter 1	A digital hours recorder installed on the irrigation Pivot in Field A.
Hours Recorder	HRMeter 2	A digital hours recorder installed on the irrigation Pivot in Field B
Hours Recorder	HRMeter 3	A digital hours recorder installed on the irrigation Pivot in Field C.
Hours Recorder	HRMeter 4	A digital hours recorder installed on the irrigation Pivot in Field D.
Hours Recorder	HRMeter 5	A digital hours recorder installed on the irrigation Pivot in Field E.
Hours Recorder	HRMeter 6	A digital hours recorder installed on the irrigation Pivot in Field F.
Hours Recorder	HRMeter 7	A digital hours recorder installed on the irrigation Pivot in Field G.
Hours Recorder	HRMeter 8	A digital hours recorder installed on the irrigation Pivot in Field H.
Hours Recorder	HRMeter 9	A digital hours recorder installed on the irrigation Pivot in Field I.
Hours Recorder	HRMeter 10	A digital hours recorder installed on the irrigation Pivot in Field J.
Hours Recorder	HRMeter 11	A digital hours recorder installed on the irrigation Pivot in Field M.
Hours Recorder	HRMeter 12	A digital hours recorder installed on the irrigation Pivot in Field N.
Hours Recorder	HRMeter 13	A digital hours recorder installed on the irrigation Pivot in Field O. Required under this permit to be installed.
Hours Recorder	HRMeter 14	A digital hours recorder installed on the irrigation Pivot in Field P. Required under this permit to be installed.

Depth-to-Ground Water
Total Dissolved Solids (TDS)

230 feet
350 mg/L

Permit Information

Original Permit Issued
Permit Renewal
Permit Renewal and Modification

November 1, 2013
September 23, 2016
March 23, 2022

Current Action
Application Received

Modification
May 13, 2025



New Mexico Environment Department Ground Water Quality Bureau Discharge Permit Summary

Public Notice Published	[not yet published]
Modification Issued (Issuance Date)	[issuance date]
Permitted Discharge Volume	9 million gallons per day

NMED Contact Information

Mailing Address

Ground Water Quality Bureau
P.O. Box 5469
Santa Fe, New Mexico 87502-5469

GWQB Telephone Number

(505) 827-2900

NMED Lead Staff

Brad Jones

Lead Staff Telephone Number

(505) 490-5283

Lead Staff Email

Brad.Jones@env.nm.gov or pps.general@env.nm.gov