From: Lindsay Leveen
To: Kuhn, Julia, ENV; Kenney, James, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV
Subject: [EXTERNAL] Fwd: FuelCell Energy Block System Receives 99.873% PJM Capacity Rating as Demand Grows for On-Site Power
Date: Wednesday, October 21, 2026 10:15:45 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Interesting and why is Bloom only 65% in Project Jupiter?
https://finance.yahoo.com/energy/articles/fuelcell-energy-block-system-receives-123000796.html

Sent from my iPhone

From: Lindsay Leveen
To: Kuhn, Julia, ENV; Kenney, James, ENV; Romero, Rhonda, ENV; heather.quiros@arb.ca.gov
Subject: [EXTERNAL] BLOOM ENERGY AND CALIFORNIA ARB
Date: Tuesday, October 20, 2026 4:44:52 PM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Ms. Quiros

I see you certified the Bloom Box recently.

https://ww2.arb.ca.gov/sites/default/files/2026-05/EO_DG_044.pdf

I would like the stack test data that supports this.

I am an expert witness for the folks who are opposed to the Jupiter data center power plant in New Mexico. We do not have the August 11-13 2020 source test data. Please provide this.

WHEREAS, from August 11-13, 2020, Bloom Energy Corporation conducted a new source test of its 300kW ES-5 Fuel Power Cell due to improvements of the anode tailgas oxidizer that were expected to improve carbon monoxide conversion and reduce emissions;

Thanks

Lindsay Leveen
GREEN LIES MATTER

From: Lindsay Leveen
To: ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine; AEP2; AEP1; Aep3; Aep5; Aep4; Aep6; Aep3; jamie.vandusen@ramboll.com; robtrue@amazon.com; abounj@amazon.com; austhoun@amazon.com; michael.gallaway@epa.ohio.gov; mike.pattigrew@dnr.state.oh.us; r5wetlands@epa.gov; kevin.giangola@epa.ohio.gov; mary.mertz@dnr.ohio.gov; marie.barnett@epa.ohio.gov; gemazzei-smith@aep.com; Meghan.Harshbarger@epa.ohio.gov; Bryant.Somerville@epa.ohio.gov; Joel Pollak; Kevin Hessel; Nicholas Gilmore; jgentin@sfnewmexican.com; C-organmountainnews.gmail; Michael J. Boskin
Subject: [EXTERNAL] Re: ORACLE AND BLOOM SHARES
Date: Saturday, October 17, 2026 11:48:23 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

On May 1, 2026 when Oracle got the FREE Bloom shares the stock traded at $290.39 a share. Therefore Bloom gave Oracle $625.6 million of value in shares for the TIED IN sale of fuel cells.

To Oracle

Please put in "all the effort it takes" to get this simple question answered. Has Oracle sold any of the 2,154,231 shares you got from Bloom for FREE on MAY DAY 2026 ????????

To Michael Boskin

You sit on both Bloom's and Oracle's board of directors. Did you approve this TIED IN SALE?

Thanks

Lindsay Leveen
GREEN LIES MATTER

On Fri, Oct 16, 2026 at 5:04 PM Lindsay Leveen <lleveen@gmail.com> wrote:

> Now that Oracle is being so open about Project Jupiter perhaps the Oracle folks who are copied and constantly issue press releases will tell us exactly what transpired with the warrant they were given as a TIED IN SALE to buy dirty Bloom Boxes.
>
> This article gives us some color but does not do it in technicolor.

https://www.organmountainnews.com/oracle-bloom-energy-stock-warrant-project-jupiter-2026/

Note I was the one who first told the author Damien Willis about the tied in sale. He did some great research to write this excellent piece.

The need for further color on the trading profit Oracle may have made on Bloom stock reminds me of Paul Simon's song Mama Don't Take My Kodachrome Away.

Kodachrome
They give us those nice bright colors
Give us the greens of summers
Makes you think all the world's a sunny day, oh yeah
I got a Nikon camera
I love to take a photograph
So mama don't take my Kodachrome away

Oracle needs to give us the details so we can have the greens of summer. I don't think this is too much to ask of folks who say in their press release "we have been fully cooperating with the agency to answer every question....." and further "we will put in whatever effort it takes to make sure NMED gets all of its questions answered,"

GREEN IS MY FAVORITE COLOR
GREEN LIES MATTER

From: Lindsay Leveen

To: ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine; AEP2; AEP1; Aep3; Aep5; Aep4; Aep6; Aep3; jamie.vandusen@ramboll.com; robtrue@amazon.com; abounj@amazon.com; austhoun@amazon.com; michael.gallaway@epa.ohio.gov; mike.pattigrew@dnr.state.oh.us; r5wetlands@epa.gov; kevin.giangola@epa.ohio.gov; mary.mertz@dnr.ohio.gov; marie.barnett@epa.ohio.gov; gemazzei-smith@aep.com; Meghan.Harshbarger@epa.ohio.gov; Bryant.Somerville@epa.ohio.gov; Joel Pollak; Kevin Hessel; Nicholas Gilmore; jgentin@sfnewmexican.com; C-organmountainnews.gmail

Subject: [EXTERNAL] ORACLE AND BLOOM SHARES

Date: Friday, October 16, 2026 6:04:31 PM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Now that Oracle is being so open about Project Jupiter perhaps the Oracle folks who are copied and constantly issue press releases will tell us exactly what transpired with the warrant they were given as a TIED IN SALE to buy dirty Bloom Boxes.

This article gives us some color but does not do it in technicolor.

https://www.organmountainnews.com/oracle-bloom-energy-stock-warrant-project-jupiter-2026/

Note I was the one who first told the author Damien Willis about the tied in sale. He did some great research to write this excellent piece.

The need for further color on the trading profit Oracle may have made on Bloom stock reminds me of Paul Simon's song Mama Don't Take My Kodachrome Away.

Kodachrome
They give us those nice bright colors
Give us the greens of summers
Makes you think all the world's a sunny day, oh yeah
I got a Nikon camera
I love to take a photograph
So mama don't take my Kodachrome away

Oracle needs to give us the details so we can have the greens of summer. I don't think this is too much to ask of folks who say in their press release "we have been fully cooperating with the agency to answer every question....." and further "we will put in whatever effort it takes to make sure NMED gets all of its questions answered,"

GREEN IS MY FAVORITE COLOR
GREEN LIES MATTER

From: Lindsay Leveen
To: Kuhn, Julia, ENV
Subject: Re: [EXTERNAL] Fwd: Administrative record index New Mexico
Date: Thursday, October 15, 2026 12:01:37 PM

Thanks
Sent from my iPhone

> On Oct 15, 2026, at 10:29 AM, Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov> wrote:
>
> The AR record should be accessible now.
>
> Regards,
>
> Julia Kuhn
>
> ---
>
> **From:** Lindsay Leveen <lleveen@gmail.com>
> **Sent:** Thursday, October 15, 2026 9:55 AM
> **To:** Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov>
> **Subject:** Re: [EXTERNAL] Fwd: Administrative record index New Mexico
>
> Julia
>
> The administrative record post August wont download the pdf. There is some fault with the record
>
> On Thu, Oct 15, 2026 at 8:19 AM Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov> wrote:
>
> > Good morning,
> >
> > Our NMED website has been updated. Please find requested information at the link below. Thank you.
> >
> > https://www.env.nm.gov/public-notices/
> >
> > <image001.png>

Julia Kuhn M.S.
Major Source Manager
New Mexico Environmental Department
Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505
505-629-2893
Julia.Kuhn@env.nm.gov
www.env.nm.gov

<image002.png>
<image003.png>

From: Lindsay Leveen <lleveen@gmail.com>
Sent: Tuesday, October 13, 2026 8:17 AM
To: Kenney, James, ENV <James.Kenney@env.nm.gov>; Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov>; Romero, Rhonda, ENV <Rhonda.Romero@env.nm.gov>
Subject: [EXTERNAL] Fwd: Administrative record index New Mexico

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Julia

I see they revised Table 2G and 2H. Please provide me with these as I cannot find them on your website.

Lindsay

---------- Forwarded message ---------
From: **Lindsay Leveen** <lleveen@gmail.com>
Date: Mon, Oct 12, 2026 at 3:51 PM
Subject: Administrative record index New Mexico
To: Lindsay Leveen <lleveen@gmail.com>

https://www.env.nm.gov/opf/wp-content/uploads/sites/13/2026/07/2026-10-09-AQB-26-57-Index-of-AR-NSR-10833-filed.pdf

Sent from my iPhone

From:	Lindsay Leveen
To:	ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine; AEP2; AEP1; Aep3; Aep5; Aep4; Aep6; Aep3; jamie.vandusen@ramboll.com; robtrue@amazon.com; abounj@amazon.com; austhoun@amazon.com; michael.gallaway@epa.ohio.gov; mike.pattigrew@dnr.state.oh.us; r5wetlands@epa.gov; kevin.giangola@epa.ohio.gov; mary.mertz@dnr.ohio.gov; marie.barnett@epa.ohio.gov; gemazzei-smith@aep.com; Meghan.Harshbarger@epa.ohio.gov; Bryant.Somerville@epa.ohio.gov; Joel Pollak; Kevin Hessel; Nicholas Gilmore; jgentin@sfnewmexican.com
Subject:	[EXTERNAL] BLOOM AND ORACLE ARE BEGINNING TO SMELL THE ROSES IN NEW MEXICO
Date:	Thursday, October 15, 2026 6:39:42 PM
Attachments:	26 10 14 Environment Department emails raise questions about Project Jupiter emissions.pdf

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Bloom continues to LIE in monthly pollutant reports to Delaware DNREC but in New Mexico they are changing their tune.

See the attached article and also see the latest press release from Oracle linked below.

https://www.oracle.com/news/announcement/project-jupiter-microgrid-cuts-permitted-emissions-by-35-percent-2026-10-15/

I will review how they reduced CO2 emissions from 8.8 million tons a year to 5.7 million tons a year. Perhaps I can then claim I saved the world from ADDED EMISSIONS OF 3.1 million tons of CO2?????

But we still have the FRAUD in Delaware and I expect the FBI and EPA CID to do their job. They have all the evidence of FRAUD on Delmarva ratepayers that is well over $100 million and growing by $1 million a month. I also expect the California Bar Association to disbar Marissa Blackshire, a Bloom VP who LIES in Delaware and attested to the accuracy of the original air permit application in New Mexico.

Jared Huffman you told me on the phone in your call to my home back in 2014 when I begged to meet with you, that "nobody would listen to me". Well it seems I am the EF Hutton of thermodynamics in New Mexico while you continue to fake your green credentials in the US House of Representatives. Sadly I have had zero representation in the people's house for 14 years. It is also disgraceful that you got the Tiburon Ark newspaper to FIRE me. There is no need to call me now.

GREEN LIES MATTER

https://www.santafenewmexican.com/news/local_news/environment-department-emails-raise-questions-about-project-jupiter-emissions/article_28692a55-d67c-4516-bd77-1d50db9c5240.html

Environment Department emails raise questions about Project Jupiter emissions

★ Follow Nicholas Gilmore ★ Follow Julia Gentin

By Nicholas Gilmore and Julia Gentin ngilmore@sfnewmexican.com jgentin@sfnewmexican.com
Oct 14, 2026



A screenshot from a video showing a Project Jupiter update posted July 17, 2026.

Screenshot from STACK Infrastructure video

Gift this article

Recent disclosures by the New Mexico Environment Department raise questions about developers' emissions estimates for a proposed natural gas fuel cell plant to power Project Jupiter.

Administrative Record NSR 10833_012305

The agency's emails to Project Jupiter attorneys noted new modeling requested by staff showed higher concentrations of pollutants than emissions modeling developers had submitted earlier this year in connection with the controversial hyperscale data center in Southern New Mexico. The disclosures come as a contentious Environment Department proceeding for the fuel cell plant's air quality permit moves forward.

Also in question is a November deadline for the agency's decision on the permit, which developers have said is critical for the project's timeline.

Meanwhile, construction on the data center has continued rapidly, even as the buildings lack power.

Executives of Oracle and STACK Infrastructure — Project Jupiter's main developers, along with Bloom Energy, which was brought on to build the fuel cell plant — traveled to Santa Teresa on Tuesday to provide an update to Doña Ana County commissioners, news media and community members.

Company officials did not respond to *The New Mexican*'s questions Wednesday about the emissions modeling noted in the emails. A spokesperson for Oracle said earlier this week the developers were "working very closely with the regulatory authorities in terms of meeting the air modeling results, ensuring that we're doing everything per the rules and regulations."

'Concentrations doubled'

The recent emails indicate state Environment Department staff had sought additional information from developers on "the accuracy of emissions testing, exhaust flow and composition and CO_2 calculation methodology," and that developers provided the "exact design" of the fuel cell's stacks as well as "resulting exhaust."

The new information, however, led to different results than materials included in the original permit application, according to the emails.

An attorney for the Environment Department's Air Quality Bureau sent an email to Project Jupiter attorney Jennifer Bradfute on Oct. 2, requesting an in-person meeting to discuss the discrepancies.

"In the most recent modeling compared to the original modeling, there is an approximately 2% increase in emissions but, more significantly, the modeled pollutant concentrations doubled," the Environment Department attorney wrote, noting the pollutant calculations still appeared to fall

Administrative Record NSR 10833_012306

below certain national standards.

An air quality permit application developers submitted earlier this year included projected annual emissions of 10 million tons of greenhouse gases, measured in carbon dioxide equivalent. That marked a reduction from a previous plan that included natural gas turbines.

The fuel cell plant is projected to produce about 2.45 gigawatts — more than the power used in the state's most populous cities combined.

The Environment Department attorney wrote the new modeling "calls into question whether the original use of assumptions is a defensible and conservative approach," referring to underlying conditions built into the modeling. The email noted the developer's statement that "a more exact source characterization would have had no noticeable effect on the results as the stacks are spaced closely together and have the same dispersion characteristics."

Environment Department staff met with developers and their consultant a few days later, according to an Oct. 9 email.

"The Air Quality Bureau understood from the meeting that [Yucca Growth Infrastructure, the developer of the data center's power system] may not use its most current air dispersion modeling design … and will submit updated air dispersion modeling reflecting the permit application," the department's attorney wrote.

The administrative record

Some environmental groups taking part in the regulatory proceeding for the permit application have complained developers' plans for the power plant have continued to evolve, even while they barrel toward a November deadline for a decision on the permit.

Colin Cox, an attorney for the Center for Biological Diversity, called it a "moving target."

"It definitely raises a ton of questions," Cox said of the emails from the Environment Department. "I'm glad that the Environment Department is looking into this — we need to have a meaningful chance to look into this, too."

Administrative Record NSR 10833_012307

Cox's organization and others have pushed for a discovery process, like the evidence-sharing practices in court proceedings, in which the data center's developers would provide more answers on the project.

"There's a lot of information we don't have, and we need to take our time to do this right," Cox said.

The Environment Department attorney noted in the second email Project Jupiter developers "may be amenable to an extension of the November 23 decision deadline." However, he added, the Air Quality Bureau "cannot properly evaluate extending the decision deadline" without answers from developers on a list of questions related to the configuration of the fuel cell setup and emissions, and the developers' calculations.

The emails were released as part of the state's disclosure of the administrative record of the proceeding, which was ordered by a new hearing officer earlier this month.

The newly appointed hearing officer — retired federal judge James O. Browning — ordered the Environment Department to release the administrative record Oct. 2. The record includes thousands of pages, including public comments, technical papers and email correspondence.

Santa Fe-based environmental advocacy group New Energy Economy moved Wednesday for Project Jupiter's air quality permit application to be dismissed without prejudice, meaning developers would be able to reapply for the permit. The group argued the permit application is "administratively incomplete."

Executive Director Mariel Nanasi said the details revealed in the email disclosures demonstrate "exactly why public access to the administrative record matters."

"Once we could examine the evidence, we discovered something extraordinary: NMED's own records show that when more accurate information about the power source was modeled, predicted pollutant concentrations doubled," she said in a statement. "This is not our characterization; this is what the permitting agency itself documented."

Critic's 'passion for justice'

The new emissions modeling may have been spurred by questions raised by Lindsay Leveen, a chemical engineer based in Northern California.

Administrative Record NSR 10833_012308

Leveen began dedicating his attention to what he calls Bloom Energy's "greenwashing" more than a decade ago due to his "passion for justice," he said in an interview Wednesday.

Leveen has submitted reams of comments and questions concerning Project Jupiter's air quality permit, questioning Bloom's emissions calculations and other aspects of the proposed fuel cell plant. In recent months, state Environment Department staff have pressed Bloom and its consultants for explanations and clarification based on specific concerns raised by Leveen, emails from the record show.

The outspoken fuel-cell critic said after he raised concerns to the Environment Department that the emissions volumes in the project's dispersion model were "cockamamie," the company produced new modeling of pollutants in the administrative record.

"We're going to tell the hearing officer that we need months to check their dispersion model — I mean, I can't check it in an afternoon," Leveen said. "So, who knows when the actual hearing will happen?"

A public hearing on the proposed permit was initially scheduled in September or October. The hearing had not been rescheduled as of Wednesday, but a scheduling conference was set Thursday morning.

Nicholas Gilmore covers public safety and utilities at The New Mexican.

Julia Gentin is a reporter for The Las Cruces New Mexican, The Santa Fe New Mexican *and Searchlight New Mexico through a partnership with Report for America, a national service program that places journalists into local newsrooms. She covers the Southern New Mexico region. Learn more about Report for America at reportforamerica.org.*



NMED emails to Project Jupiter developers

Administrative Record NSR 10833_012309

20 hrs ago

Takeaways

In an email correspondence disclosed recently by the New Mexico Environment Department, an attorney with the agency noted recent emissions modeling for Project Jupiter's fuel cell plant reflected different results from the numbers submitted by developers earlier this year.

The emails show agency staff flagged the "significant" discrepancy and have sought more information and clarification regarding the emissions calculations for the plant, which is set to be built by Bloom Energy.

An Oct. 9 email also indicates developers might be willing to extend a November deadline for a final decision on the plant's air quality permit, which has been contested by a number of environmental groups and others.

MORE INFORMATION



New hearing officer appointed in Project Jupiter permitting proceeding

Oracle sends 'force majeure' notice to Project Jupiter developers to protect itself from liability

Nicholas Gilmore

Administrative Record NSR 10833_012310

Julia Gentin

Administrative Record NSR 10833_012311

From: Lindsay Leveen

To: ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine; AEP2; AEP1; Aep3; Aep5; Aep4; Aep6; Aep3; jamie.vandusen@ramboll.com; robtrue@amazon.com; abounj@amazon.com; austhoun@amazon.com; michael.gallaway@epa.ohio.gov; mike.pattigrew@dnr.state.oh.us; r5wetlands@epa.gov; kevin.giangola@epa.ohio.gov; mary.mertz@dnr.ohio.gov; marie.barnett@epa.ohio.gov; gemazzei-smith@aep.com; Meghan.Harshbarger@epa.ohio.gov; Bryant.Somerville@epa.ohio.gov

Subject: [EXTERNAL] AEP AND GOOGLE TO BLOOMDOGGLE WYOMING

Date: Thursday, October 15, 2026 8:12:23 AM

Attachments: huff and chaney tweet.PNG

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

It looks like the home state of Liz Cheney is about to get more GANGRENE with 700 megawatts of dirty Bloom fuel cells. Jared Huffman called Liz Cheney a LIAR.

https://seekingalpha.com/news/4652886-aep-to-spend-4b-on-wyoming-fuel-cell-project-under-20-year-google-ppa

Google back in 2009 helped start the scam that Bloom had a good fuel cell with the fake commercial acceptance test for the Series E that the crooks at Morgan Stanley led.

For years Google has bull shitted us that they are Green. Now they are fully gangrene in the Cowboy State where power plants using natural gas don't have to apply for an air permit.

AEP and Amazon have dirty Bloom Boxes in Ohio. AEP is Bloom's largest customer. I guess AEP stands for Another Entropic Polluter.

GREEN LIES MATTER

Tweets Tweets & replies Media

Rep. Jared Huffman @JaredHuffman · 2h

Grateful for this coverage/video clip of my rebuttal to Rep. Liz Cheney's lies about the Green New Deal - including her whoppers that it bans air travel, outlaws cars, sets up "commissars" to decide if people can take vacations, & eliminates the military.



This is fiction!' Dem strikes back at Liz Cheney after she bizarrely cla...

From: Lindsay Leveen
To: ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine
Subject: [EXTERNAL] Re: BLOOM NEW MEXICO NOX EMISSION RATE
Date: Wednesday, October 14, 2026 11:42:37 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

TO THE POLITICIANS IN NEW MEXICO

Back in 2012 I wrote that Bloom was GREENWASHING. Bloom then LIED that I work for the Koch Brothers. Of course I do not. Bloom then LIED that I am a racist. Of course I am not a racist. Bloom then LIED that my engineering credentials were minor. I am just the Green Machine who studied Chemical Engineering. I have no financial interest in their success or failure. I swore to this to special agents of the United States. The FBI and EPA CID have all the evidence of the FRAUD Bloom is pulling in Delaware as do the AGs of Delaware and California and the DA of Santa Clara County.

I helped get the California PUC to stop Bloom from plundering the SGIP in my state. I helped get NYSERDA to stop subsidizing Bloom in New York. I was the tipster to the US EPA and the North Carolina State EPA that Bloom and Apple were mishandling HAZMAT. The EPA and North Carolina fined Bloom for this based on evidence I provided them.

I look forward to testifying at the air permit hearings for Project Jupiter. Sadly Delaware did not listen to me and ratepayers in that State have been DEFRAUDED of hundreds of millions of dollars. I pray and hope that the hearings in your state are fair and that science will be followed. At 2,462 megawatts this project has more nameplate power than the Hoover Dam. It is 89.5 times larger than the BLOOMDOGGLE in Delaware.

You all should not remain silent on this project.

Lindsay Leveen
GREEN LIES MATTER

On Wed, Oct 14, 2026 at 9:50 AM Lindsay Leveen <lleveen@gmail.com> wrote:

> Mr. Storch Inspector General of Delaware
>
> The fraud on Delmarva Ratepayers continues and Bloom continues to LIE about emission rates per hour of NOX and CO2 in Delaware using FAKE FACTORS.

For Project Jupiter in New Mexico they have filed Table 2G on September 21, 2026 in which they state they will emit 8.67 pounds of NOX per hour for their 2,462 megawatt system. Dividing 8.67 by 2,462 we get 0.003521527 pounds of NOX per megawatt hour.

In Delaware Bloom LIES each month in their pollutant report that the NOX emission rate is only 0.0017 pounds per megawatt hour. This is less than half of what Bloom says they will emit in New Mexico. You are well aware that Bloom and their partner Southern Power use Bloom's LIE to extract EXTRA SUBSIDIES from Delmarva ratepayers in your state.

Bloom had every opportunity to amend Table 2G in their New Mexico air permit application. In fact the September 21 version is amended from the April version.. Therefore, we have to believe the 0.003521527 pounds of NOX per megawatt hour is what they believe they will emit.

To the folks at Oracle

You should ask Bloom to match the 0.0017 pounds of NOX per megawatt hour and then you can claim to be even greener. No amount of money you throw at the poor people in New Mexico will change the fact that Bloom has a HISTORY of GREENWASHING.

To the Philadelphia 76sers

Sadly with Bloom's logo on your jerseys, your team is now part of the BLOOMDOGGLE

Lindsay Leveen
GREEN LIES MATTER

From: Lindsay Leveen

To: ROBERT.STORCH@delaware.gov; Attorney.General; Region Three; Rotell, Sawyer; zeldin.lee@epa.gov; Watanabe, Noelle; Katz, Natalie; MATTHEW.MEYER@delaware.gov; Angela.Marconi@state.de.us; Hansen Stephanie (LegHall); Kyle E Gay; Anthony DePrima; Michael Richard; Harold Gray; The State Bar of California; Jen Wootten; Chris Womack; Eddy Zervigon; krsridhar@bloomenergy.com; bob.wheatley@delaware.gov; chris.cummiskey@southernco.com; Kelly Gerner; regina.iorii@delaware.gov; marybush; Dape Dape; plans@jc2ventures.com; bob@rcwheatley.com; concerns@southernco.com; John NIchols; gregory.patterson@delaware.gov; Calvin Butler; DiStefano, Joseph; Oracle 1; Candice Oracle; Oracle 4; Oracle5; Oracle2; Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV; Rhoderick, John, ENV; ROB.BONTA@doj.ca.gov; jrosen@dao.sccgov.org; Gav1; Gav2; Senator.Cortese@senate.ca.gov; Huff1; Huff3; Huff2; HUFFMAN.CASCHEDULING; mary.hurrell@mail.house.gov; Ro Ro 1; Ro Ro2; Ro Ro3; Ro Ro4; 76ersservice@sixers.com; SSilva; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin; Peterson, Laura; Wehn, Delaney; Martinez, Paolo; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; DONAHUE.SEAN@epa.gov; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Catherine

Subject: [EXTERNAL] BLOOM NEW MEXICO NOX EMISSION RATE

Date: Wednesday, October 14, 2026 10:51:18 AM

Attachments: BLOOM NEW MEXICO TABLE 2G 867 LS HR NOX.PNG

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Mr. Storch Inspector General of Delaware

The fraud on Delmarva Ratepayers continues and Bloom continues to LIE about emission rates per hour of NOX and CO2 in Delaware using FAKE FACTORS.

For Project Jupiter in New Mexico they have filed Table 2G on September 21, 2026 in which they state they will emit 8.67 pounds of NOX per hour for their 2,462 megawatt system. Dividing 8.67 by 2,462 we get 0.003521527 pounds of NOX per megawatt hour.

In Delaware Bloom LIES each month in their pollutant report that the NOX emission rate is only 0.0017 pounds per megawatt hour. This is less than half of what Bloom says they will emit in New Mexico. You are well aware that Bloom and their partner Southern Power use Bloom's LIE to extract EXTRA SUBSIDIES from Delmarva ratepayers in your state.

Bloom had every opportunity to amend Table 2G in their New Mexico air permit application. In fact the September 21 version is amended from the April version.. Therefore, we have to believe the 0.003521527 pounds of NOX per megawatt hour is what they believe they will emit.

To the folks at Oracle

You should ask Bloom to match the 0.0017 pounds of NOX per megawatt hour and then you can claim to be even greener. No amount of money you throw at the poor people in New Mexico will change the fact that Bloom has a HISTORY of GREENWASHING.

To the Philadelphia 76sers

Sadly with Bloom's logo on your jerseys, your team is now part of the BLOOMDOGGLE

Lindsay Leveen
GREEN LIES MATTER

(011782-01185...se... Share Ask AI Assistant

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-2271	SOFC	4.04E-03	0.02	1.75E-02	0.08	1.35E-02	0.06	8.25E-06	3.61E-05	8.18E-03	0.04	8.18E-03	0.04	8.18E-03	0.04	-	-
SOFC-2272	SOFC	4.04E-03	0.02	1.75E-02	0.08	1.35E-02	0.06	8.25E-06	3.61E-05	8.18E-03	0.04	8.18E-03	0.04	8.18E-03	0.04	-	-
SOFC-2273	SOFC	4.04E-03	0.02	1.75E-02	0.08	1.35E-02	0.06	8.25E-06	3.61E-05	8.18E-03	0.04	8.18E-03	0.04	8.18E-03	0.04	-	-
SOFC-2274	SOFC	2.24E-03	0.01	9.72E-03	0.04	7.48E-03	0.03	4.58E-06	2.01E-05	4.54E-03	0.02	4.54E-03	0.02	4.54E-03	0.02	-	-
SOFC-2275	SOFC	2.24E-03	0.01	9.72E-03	0.04	7.48E-03	0.03	4.58E-06	2.01E-05	4.54E-03	0.02	4.54E-03	0.02	4.54E-03	0.02	-	-
Totals		8.67	37.97	37.57	164.55	28.90	126.57	1.77E-02	7.76E-02	17.57	76.96	17.57	76.96	17.57	76.96	-	-

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Notes:

1. Each stack is modeled as three release points side-by-side, each having one-third of the emission rate indicated for the total stack.

Administrative Record NSR 10833_011851

Administrative Record NSR 10833_012317

From: Lindsay Leveen
To: Kenney, James, ENV; Kuhn, Julia, ENV; Romero, Rhonda, ENV
Subject: [EXTERNAL] Re: Administrative record index New Mexico
Date: Tuesday, October 13, 2026 10:58:28 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

I found the tables. Huge changes to 2H

Sent from my iPhone

> On Oct 13, 2026, at 7:16 AM, Lindsay Leveen <lleveen@gmail.com> wrote:
>
> Julia
>
> I see they revised Table 2G and 2H. Please provide me with these as I cannot find them on your website.
>
> Lindsay
>
> ---------- Forwarded message ---------
> From: **Lindsay Leveen** <lleveen@gmail.com>
> Date: Mon, Oct 12, 2026 at 3:51 PM
> Subject: Administrative record index New Mexico
> To: Lindsay Leveen <lleveen@gmail.com>
>
> https://www.env.nm.gov/opf/wp-content/uploads/sites/13/2026/07/2026-10-09-AQB-26-57-Index-of-AR-NSR-10833-filed.pdf
>
> Sent from my iPhone
> <2026-10-09-AQB-26-57-Index-of-AR-NSR-10833-filed.pdf>

From: Lindsay Leveen
To: Kuhn, Julia, ENV
Subject: Re: [EXTERNAL] JUPITER EXHAUST FLOW MASSIVE ERROR
Date: Wednesday, October 7, 2026 10:47:38 AM

Please let me know when you do.

Thanks

Lindsay

On Wed, Oct 7, 2026 at 8:54 AM Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov> wrote:

> Good morning,
>
> I will be updating the administrative records within a few days for your reference.
>
> Regards,
>
> Julia Kuhn
>
> ---
>
> **From:** Lindsay Leveen <lleveen@gmail.com>
> **Sent:** Thursday, October 1, 2026 9:43 AM
> **To:** Kuhn, Julia, ENV <Julia.Kuhn@env.nm.gov>; Kenney, James, ENV <James.Kenney@env.nm.gov>; Romero, Rhonda, ENV <Rhonda.Romero@env.nm.gov>; SSilva <sarah.silva@nmlegis.gov>; jackson.thein@mail.house.gov; felicia.pohl@mail.house.gov; rocky.cordova@mail.house.gov; Nathan.Schelble@mail.house.gov; Elizabeth.Arevalo@mail.house.gov; Joey.Pedersen@mail.house.gov; Julian.Duque@mail.house.gov; Yager, Austin <austin.yager@mail.house.gov>; Peterson, Laura <laura.peterson@mail.house.gov>; Wehn, Delaney <delaney.wehn@mail.house.gov>; Martinez, Paolo <paolo.martinez@mail.house.gov>; osbourne.margaret@epa.gov; mcquiddy.david@epa.gov; seager.cheryl@epa.gov; carroll.craig@epa.gov; maison.scott@epa.gov; dwyer.stacey@epa.gov; sides.jack@epa.gov; zeldin.lee@epa.gov; DONAHUE.SEAN@epa.gov; Rotell, Sawyer <Rotell.Sawyer@epa.gov>; schaljohernandez@donaana.gov; ggameros@donaana.gov; skimble@donaana.gov; schaparro@donaana.gov; msanchez@donaana.gov; mcdonald.james@epa.gov; Katz, Natalie <katz.natalie@epa.gov>; Region Three <R3_RA@epa.gov>; Catherine <Libertz.Catherine@epa.gov>
> **Subject:** [EXTERNAL] JUPITER EXHAUST FLOW MASSIVE ERROR

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Ms. Kuhn

I informed you a while back that the 2,275 stacks had far too much exhaust flow.

Has the applicant given you new real information on the flow of exhaust from the stacks? They may be too busy writing OPEDs about how great and green they are.

I performed a mass balance on the hydrogen that comes in with the natural gas and goes out as water. And again I am certain the flow of exhaust is TEN TIMES too many in the permit application. See my spreadsheet below.

Please let me know if changes have been made to the permit application as I cannot find any on your website. I am preparing my report for presentation when you eventually have a hearing. It is disgraceful that Bloom could submit data in a permit application that implies they will use over 4% of all the natural gas used in the United States. Given what has happened in Delaware they have a history of simply lying about emission factors.

Lindsay

BLOOM NEW MEXICO WATER BALANCE

NUMBER OF STACKS	**2,275.00**
% MOISTURE	**7.90%**
DRY SCF PER SECOND PER STACK	**514.46**
MOISTURE SCF PER SECOND PER STACK	**37.67**
RATIO OF CH4 TO H20 BY VOLUME	**0.50**
CH4 SCF PER SEC PER STACK	**18.83**
CH4 SCF PER SEC ALL STACKS	**42,845.84**
CH4 SCF PER MIN ALL STACKS	**2,570,750.42**
CH4 SCF PER DAY ALL STACKS	**154,245,025.30**

CH4 SCF PER HOUR ALL STACKS	**3,701,880,607.23**
CH4 MILLION SCF PER DAY TO SITE	**3,701.88**
THIS IS WRONG BY A FACTOR OF 10	
CH4 TRILLION SCF PER YEAR JUPITER	**1.35**
US TOTAL CONSUMPTION CH4 PER YEAR	**33.52**
CLAIMED % OF US GAS COMSUMPTION	**4.03%**
PURE NONSENSE IN PERMIT APPLICATION	

From: John Ke
To: Kuhn, Julia, ENV
Cc: Rob Liles
Subject: [EXTERNAL] RE: Response to Questions for YGI Permit Application No. 10883
Date: Thursday, October 22, 2026 1:54:32 PM
Attachments: image001.png
A-XXXX-YGI Microgrid-UA2 and Calcs - 2026-1022.xlsx

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Ms. Kuhn,

I've attached the spreadsheet version of the UA-2 printout. Please note that in the Fuel Cells tab, we found a typo that had formatted the safety factor used in the calculation as "0.150 MW". This should have read "15%" and is corrected in this version of the spreadsheet. It did not change any values in the calculations as it was related to cell formatting, not the actual value used in the calculations.

Please let us know if you have any further questions, thanks!

John Ke
O 651.275.9900 x2406
M 651.390.7165

From: John Ke
Sent: Friday, October 16, 2026 1:38 PM
To: Kuhn, Julia, ENV <julia.kuhn@env.nm.gov>
Cc: Rob Liles <RLiles@trinityconsultants.com>
Subject: RE: Response to Questions for YGI Permit Application No. 10883

Ms. Kuhn,

Please see the attached supporting information for the Response letter. This submittal includes updated application forms and modeling files. I would also like to note that Jesse Lovegren is no longer with Trinity, so we have updated the contact information on the UA-1 form.

Please let us know if you have any questions, thanks!

Files attached to this message

Filename	Size	Checksum (SHA256)
A-XXXX-YGI Microgrid-Form Compilation 2026-1016 Response.pdf	10.2 MB	c3d5bf671423924588d0c6cfbac4cc98e54f594edc3edb8a8a7c7d095893569e
YGI Modeling Files Submittal - 2026-1015.zip	99.1 MB	9808bc54ae0c9f4253b41804f17ebaaba68cab95718506e62520aa09eef956fd

This email or download link can not be forwarded to anyone else. Upon clicking on this link, you may

be prompted to enter your email address once for verification. During the email verification process, a second email is sent to your email inbox containing the verification key to access the files.
Please click on the following link to download the attachments:
https://files.trinityconsultants.com/message/DOb2jZyD2n0dAvKGfozjj6
The attachments are available until: **Sunday, 15 November.**
Message ID: DOb2jZyD2n0dAvKGfozjj6

John Ke
O 651.275.9900 x2406
M 651.390.7165

From: John Ke
Sent: Wednesday, October 14, 2026 6:59 PM
To: Kuhn, Julia, ENV <julia.kuhn@env.nm.gov>
Cc: Rob Liles <RLiles@trinityconsultants.com>
Subject: Response to Questions for YGI Permit Application No. 10883

Ms. Kuhn,

I've attached Yucca Growth Infrastructure LLC ("YGI"), Bloom Energy, and Trinity Consultants' response to questions sent by Brian Yardman-Frank on October 9, 2026 to Jennifer Bradfute. Updated dispersion modeling results and application components will be submitted under separate cover. Please let us know if you have any questions regarding this letter.

Thank you!

John Ke
Senior Consultant

O 651.275.9900 x2406
M 651.390.7165
2155 Woodlane Drive, Suite 101, Woodbury, MN 55125
Email: jke@trinityconsultants.com



Connect with us: LinkedIn / YouTube / trinityconsultants.com

View our capabilities in the Environmental Consulting, Built Environment, Life Sciences, and Water & Ecology markets.

16-O: PSD Increment and Source IDs	
Unit Number in UA-2	Unit Number in Modeling Files
SOFC	T01_01_1
SOFC	T01_01_2
SOFC	T01_01_3
SOFC	T01_01_4
SOFC	T01_01_5
SOFC	T01_02_1
SOFC	T01_02_2
SOFC	T01_02_3
SOFC	T01_02_4
SOFC	T01_02_5
SOFC	T01_03_1
SOFC	T01_03_2
SOFC	T01_03_3
SOFC	T01_03_4
SOFC	T01_03_5
SOFC	T01_04_1
SOFC	T01_04_2
SOFC	T01_04_3
SOFC	T01_04_4
SOFC	T01_04_5
SOFC	T01_05_1
SOFC	T01_05_2
SOFC	T01_05_3
SOFC	T01_05_4
SOFC	T01_05_5
SOFC	T01_06_1
SOFC	T01_06_2
SOFC	T01_06_3
SOFC	T01_06_4
SOFC	T01_06_5
SOFC	T01_07_1
SOFC	T01_07_2
SOFC	T01_07_3
SOFC	T01_07_4
SOFC	T01_07_5
SOFC	T01_08_1
SOFC	T01_08_2
SOFC	T01_08_3
SOFC	T01_08_4
SOFC	T01_08_5
SOFC	T01_09_1
SOFC	T01_09_2
SOFC	T01_09_3
SOFC	T01_09_4
SOFC	T01_09_5
SOFC	T01_10_1
SOFC	T01_10_2
SOFC	T01_10_3
SOFC	T01_10_4
SOFC	T01_10_5
SOFC	T02_01_1
SOFC	T02_01_2
SOFC	T02_01_3
SOFC	T02_01_4
SOFC	T02_01_5
SOFC	T02_02_1

Administrative Record NSR 10833_012324

SOFC	T02_02_2
SOFC	T02_02_3
SOFC	T02_02_4
SOFC	T02_02_5
SOFC	T02_03_1
SOFC	T02_03_2
SOFC	T02_03_3
SOFC	T02_03_4
SOFC	T02_03_5
SOFC	T02_04_1
SOFC	T02_04_2
SOFC	T02_04_3
SOFC	T02_04_4
SOFC	T02_04_5
SOFC	T02_05_1
SOFC	T02_05_2
SOFC	T02_05_3
SOFC	T02_05_4
SOFC	T02_05_5
SOFC	T02_06_1
SOFC	T02_06_2
SOFC	T02_06_3
SOFC	T02_06_4
SOFC	T02_06_5
SOFC	T02_07_1
SOFC	T02_07_2
SOFC	T02_07_3
SOFC	T02_07_4
SOFC	T02_07_5
SOFC	T02_08_1
SOFC	T02_08_2
SOFC	T02_08_3
SOFC	T02_08_4
SOFC	T02_08_5
SOFC	T02_09_1
SOFC	T02_09_2
SOFC	T02_09_3
SOFC	T02_09_4
SOFC	T02_09_5
SOFC	T02_10_1
SOFC	T02_10_2
SOFC	T02_10_3
SOFC	T02_10_4
SOFC	T02_10_5
SOFC	T03_01_1
SOFC	T03_01_2
SOFC	T03_01_3
SOFC	T03_01_4
SOFC	T03_01_5
SOFC	T03_02_1
SOFC	T03_02_2
SOFC	T03_02_3
SOFC	T03_02_4
SOFC	T03_02_5
SOFC	T03_03_1
SOFC	T03_03_2
SOFC	T03_03_3
SOFC	T03_03_4
SOFC	T03_03_5

Administrative Record NSR 10833_012325

SOFC	T03_04_1
SOFC	T03_04_2
SOFC	T03_04_3
SOFC	T03_04_4
SOFC	T03_04_5
SOFC	T03_05_1
SOFC	T03_05_2
SOFC	T03_05_3
SOFC	T03_05_4
SOFC	T03_05_5
SOFC	T03_06_1
SOFC	T03_06_2
SOFC	T03_06_3
SOFC	T03_06_4
SOFC	T03_06_5
SOFC	T03_07_1
SOFC	T03_07_2
SOFC	T03_07_3
SOFC	T03_07_4
SOFC	T03_07_5
SOFC	T03_08_1
SOFC	T03_08_2
SOFC	T03_08_3
SOFC	T03_08_4
SOFC	T03_08_5
SOFC	T03_09_1
SOFC	T03_09_2
SOFC	T03_09_3
SOFC	T03_09_4
SOFC	T03_09_5
SOFC	T03_10_1
SOFC	T03_10_2
SOFC	T03_10_3
SOFC	T03_10_4
SOFC	T03_10_5
SOFC	T04_01_1
SOFC	T04_01_2
SOFC	T04_01_3
SOFC	T04_01_4
SOFC	T04_01_5
SOFC	T04_02_1
SOFC	T04_02_2
SOFC	T04_02_3
SOFC	T04_02_4
SOFC	T04_02_5
SOFC	T04_03_1
SOFC	T04_03_2
SOFC	T04_03_3
SOFC	T04_03_4
SOFC	T04_03_5
SOFC	T04_04_1
SOFC	T04_04_2
SOFC	T04_04_3
SOFC	T04_04_4
SOFC	T04_04_5
SOFC	T04_05_1
SOFC	T04_05_2
SOFC	T04_05_3
SOFC	T04_05_4

Administrative Record NSR 10833_012326

SOFC	T04_05_5
SOFC	T04_06_1
SOFC	T04_06_2
SOFC	T04_06_3
SOFC	T04_06_4
SOFC	T04_06_5
SOFC	T04_07_1
SOFC	T04_07_2
SOFC	T04_07_3
SOFC	T04_07_4
SOFC	T04_07_5
SOFC	T04_08_1
SOFC	T04_08_2
SOFC	T04_08_3
SOFC	T04_08_4
SOFC	T04_08_5
SOFC	T04_09_1
SOFC	T04_09_2
SOFC	T04_09_3
SOFC	T04_09_4
SOFC	T04_09_5
SOFC	T04_10_1
SOFC	T04_10_2
SOFC	T04_10_3
SOFC	T04_10_4
SOFC	T04_10_5
SOFC	T05_01_1
SOFC	T05_01_2
SOFC	T05_01_3
SOFC	T05_01_4
SOFC	T05_01_5
SOFC	T05_02_1
SOFC	T05_02_2
SOFC	T05_02_3
SOFC	T05_02_4
SOFC	T05_02_5
SOFC	T05_03_1
SOFC	T05_03_2
SOFC	T05_03_3
SOFC	T05_03_4
SOFC	T05_03_5
SOFC	T05_04_1
SOFC	T05_04_2
SOFC	T05_04_3
SOFC	T05_04_4
SOFC	T05_04_5
SOFC	T05_05_1
SOFC	T05_05_2
SOFC	T05_05_3
SOFC	T05_05_4
SOFC	T05_05_5
SOFC	T05_06_1
SOFC	T05_06_2
SOFC	T05_06_3
SOFC	T05_06_4
SOFC	T05_06_5
SOFC	T05_07_1
SOFC	T05_07_2
SOFC	T05_07_3

Administrative Record NSR 10833_012327

SOFC	T05_07_4
SOFC	T05_07_5
SOFC	T05_08_1
SOFC	T05_08_2
SOFC	T05_08_3
SOFC	T05_08_4
SOFC	T05_08_5
SOFC	T05_09_1
SOFC	T05_09_2
SOFC	T05_09_3
SOFC	T05_09_4
SOFC	T05_09_5
SOFC	T05_10_1
SOFC	T05_10_2
SOFC	T05_10_3
SOFC	T05_10_4
SOFC	T05_10_5
SOFC	T06_01_1
SOFC	T06_01_2
SOFC	T06_01_3
SOFC	T06_01_4
SOFC	T06_01_5
SOFC	T06_02_1
SOFC	T06_02_2
SOFC	T06_02_3
SOFC	T06_02_4
SOFC	T06_02_5
SOFC	T06_03_1
SOFC	T06_03_2
SOFC	T06_03_3
SOFC	T06_03_4
SOFC	T06_03_5
SOFC	T06_04_1
SOFC	T06_04_2
SOFC	T06_04_3
SOFC	T06_04_4
SOFC	T06_04_5
SOFC	T06_05_1
SOFC	T06_05_2
SOFC	T06_05_3
SOFC	T06_05_4
SOFC	T06_05_5
SOFC	T06_06_1
SOFC	T06_06_2
SOFC	T06_06_3
SOFC	T06_06_4
SOFC	T06_06_5
SOFC	T06_07_1
SOFC	T06_07_2
SOFC	T06_07_3
SOFC	T06_07_4
SOFC	T06_07_5
SOFC	T06_08_1
SOFC	T06_08_2
SOFC	T06_08_3
SOFC	T06_08_4
SOFC	T06_08_5
SOFC	T06_09_1
SOFC	T06_09_2

Administrative Record NSR 10833_012328

SOFC	T06_09_3
SOFC	T06_09_4
SOFC	T06_09_5
SOFC	T07_01_1
SOFC	T07_01_2
SOFC	T07_01_3
SOFC	T07_01_4
SOFC	T07_01_5
SOFC	T07_02_1
SOFC	T07_02_2
SOFC	T07_02_3
SOFC	T07_02_4
SOFC	T07_02_5
SOFC	T07_03_1
SOFC	T07_03_2
SOFC	T07_03_3
SOFC	T07_03_4
SOFC	T07_03_5
SOFC	T07_04_1
SOFC	T07_04_2
SOFC	T07_04_3
SOFC	T07_04_4
SOFC	T07_04_5
SOFC	T07_05_1
SOFC	T07_05_2
SOFC	T07_05_3
SOFC	T07_05_4
SOFC	T07_05_5
SOFC	T07_06_1
SOFC	T07_06_2
SOFC	T07_06_3
SOFC	T07_06_4
SOFC	T07_06_5
SOFC	T07_07_1
SOFC	T07_07_2
SOFC	T07_07_3
SOFC	T07_07_4
SOFC	T07_07_5
SOFC	T07_08_1
SOFC	T07_08_2
SOFC	T07_08_3
SOFC	T07_08_4
SOFC	T07_08_5
SOFC	T07_09_1
SOFC	T07_09_2
SOFC	T07_09_3
SOFC	T07_09_4
SOFC	T07_09_5
SOFC	T07_10_1
SOFC	T07_10_2
SOFC	T07_10_3
SOFC	T07_10_4
SOFC	T07_10_5
SOFC	T08_01_1
SOFC	T08_01_2
SOFC	T08_01_3
SOFC	T08_01_4
SOFC	T08_01_5
SOFC	T08_02_1

Administrative Record NSR 10833_012329

SOFC	T08_02_2
SOFC	T08_02_3
SOFC	T08_02_4
SOFC	T08_02_5
SOFC	T08_03_1
SOFC	T08_03_2
SOFC	T08_03_3
SOFC	T08_03_4
SOFC	T08_03_5
SOFC	T08_04_1
SOFC	T08_04_2
SOFC	T08_04_3
SOFC	T08_04_4
SOFC	T08_04_5
SOFC	T08_05_1
SOFC	T08_05_2
SOFC	T08_05_3
SOFC	T08_05_4
SOFC	T08_05_5
SOFC	T08_06_1
SOFC	T08_06_2
SOFC	T08_06_3
SOFC	T08_06_4
SOFC	T08_06_5
SOFC	T08_07_1
SOFC	T08_07_2
SOFC	T08_07_3
SOFC	T08_07_4
SOFC	T08_07_5
SOFC	T08_08_1
SOFC	T08_08_2
SOFC	T08_08_3
SOFC	T08_08_4
SOFC	T08_08_5
SOFC	T08_09_1
SOFC	T08_09_2
SOFC	T08_09_3
SOFC	T08_09_4
SOFC	T08_09_5
SOFC	T09_01_1
SOFC	T09_01_2
SOFC	T09_01_3
SOFC	T09_01_4
SOFC	T09_01_5
SOFC	T09_02_1
SOFC	T09_02_2
SOFC	T09_02_3
SOFC	T09_02_4
SOFC	T09_02_5
SOFC	T09_03_1
SOFC	T09_03_2
SOFC	T09_03_3
SOFC	T09_03_4
SOFC	T09_03_5
SOFC	T09_04_1
SOFC	T09_04_2
SOFC	T09_04_3
SOFC	T09_04_4
SOFC	T09_04_5

Administrative Record NSR 10833_012330

SOFC	T09_05_1
SOFC	T09_05_2
SOFC	T09_05_3
SOFC	T09_05_4
SOFC	T09_05_5
SOFC	T09_06_1
SOFC	T09_06_2
SOFC	T09_06_3
SOFC	T09_06_4
SOFC	T09_06_5
SOFC	T09_07_1
SOFC	T09_07_2
SOFC	T09_07_3
SOFC	T09_07_4
SOFC	T09_07_5
SOFC	T09_08_1
SOFC	T09_08_2
SOFC	T09_08_3
SOFC	T09_08_4
SOFC	T09_08_5
SOFC	T09_09_1
SOFC	T09_09_2
SOFC	T09_09_3
SOFC	T09_09_4
SOFC	T09_09_5
SOFC	T09_10_1
SOFC	T09_10_2
SOFC	T09_10_3
SOFC	T09_10_4
SOFC	T09_10_5
SOFC	T10_01_1
SOFC	T10_01_2
SOFC	T10_01_3
SOFC	T10_01_4
SOFC	T10_01_5
SOFC	T10_02_1
SOFC	T10_02_2
SOFC	T10_02_3
SOFC	T10_02_4
SOFC	T10_02_5
SOFC	T10_03_1
SOFC	T10_03_2
SOFC	T10_03_3
SOFC	T10_03_4
SOFC	T10_03_5
SOFC	T10_04_1
SOFC	T10_04_2
SOFC	T10_04_3
SOFC	T10_04_4
SOFC	T10_04_5
SOFC	T10_05_1
SOFC	T10_05_2
SOFC	T10_05_3
SOFC	T10_05_4
SOFC	T10_05_5
SOFC	T10_06_1
SOFC	T10_06_2
SOFC	T10_06_3
SOFC	T10_06_4

Administrative Record NSR 10833_012331

SOFC	T10_06_5
SOFC	T10_07_1
SOFC	T10_07_2
SOFC	T10_07_3
SOFC	T10_07_4
SOFC	T10_07_5
SOFC	T10_08_1
SOFC	T10_08_2
SOFC	T10_08_3
SOFC	T10_08_4
SOFC	T10_08_5
SOFC	T10_09_1
SOFC	T10_09_2
SOFC	T10_09_3
SOFC	T10_09_4
SOFC	T10_09_5
SOFC	T10_10_1
SOFC	T10_10_2
SOFC	T10_10_3
SOFC	T10_10_4
SOFC	T10_10_5
SOFC	T11_01_1
SOFC	T11_01_2
SOFC	T11_01_3
SOFC	T11_01_4
SOFC	T11_01_5
SOFC	T11_02_1
SOFC	T11_02_2
SOFC	T11_02_3
SOFC	T11_02_4
SOFC	T11_02_5
SOFC	T11_03_1
SOFC	T11_03_2
SOFC	T11_03_3
SOFC	T11_03_4
SOFC	T11_03_5
SOFC	T11_04_1
SOFC	T11_04_2
SOFC	T11_04_3
SOFC	T11_04_4
SOFC	T11_04_5
SOFC	T11_05_1
SOFC	T11_05_2
SOFC	T11_05_3
SOFC	T11_05_4
SOFC	T11_05_5
SOFC	T11_06_1
SOFC	T11_06_2
SOFC	T11_06_3
SOFC	T11_06_4
SOFC	T11_06_5
SOFC	T11_07_1
SOFC	T11_07_2
SOFC	T11_07_3
SOFC	T11_07_4
SOFC	T11_07_5
SOFC	T11_08_1
SOFC	T11_08_2
SOFC	T11_08_3

Administrative Record NSR 10833_012332

SOFC	T11_08_4
SOFC	T11_08_5
SOFC	T11_09_1
SOFC	T11_09_2
SOFC	T11_09_3
SOFC	T11_09_4
SOFC	T11_09_5
SOFC	T11_10_1
SOFC	T11_10_2
SOFC	T11_10_3
SOFC	T11_10_4
SOFC	T11_10_5
SOFC	T12_01_1
SOFC	T12_01_2
SOFC	T12_01_3
SOFC	T12_01_4
SOFC	T12_01_5
SOFC	T12_02_1
SOFC	T12_02_2
SOFC	T12_02_3
SOFC	T12_02_4
SOFC	T12_02_5
SOFC	T12_03_1
SOFC	T12_03_2
SOFC	T12_03_3
SOFC	T12_03_4
SOFC	T12_03_5
SOFC	T12_04_1
SOFC	T12_04_2
SOFC	T12_04_3
SOFC	T12_04_4
SOFC	T12_04_5
SOFC	T12_05_1
SOFC	T12_05_2
SOFC	T12_05_3
SOFC	T12_05_4
SOFC	T12_05_5
SOFC	T12_06_1
SOFC	T12_06_2
SOFC	T12_06_3
SOFC	T12_06_4
SOFC	T12_06_5
SOFC	T12_07_1
SOFC	T12_07_2
SOFC	T12_07_3
SOFC	T12_07_4
SOFC	T12_07_5
SOFC	T12_08_1
SOFC	T12_08_2
SOFC	T12_08_3
SOFC	T12_08_4
SOFC	T12_08_5
SOFC	T12_09_1
SOFC	T12_09_2
SOFC	T12_09_3
SOFC	T12_09_4
SOFC	T12_09_5
SOFC	T12_10_1
SOFC	T12_10_2

Administrative Record NSR 10833_012333

SOFC	T12_10_3
SOFC	T12_10_4
SOFC	T12_10_5
SOFC	T13_01_1
SOFC	T13_01_2
SOFC	T13_01_3
SOFC	T13_01_4
SOFC	T13_01_5
SOFC	T13_02_1
SOFC	T13_02_2
SOFC	T13_02_3
SOFC	T13_02_4
SOFC	T13_02_5
SOFC	T13_03_1
SOFC	T13_03_2
SOFC	T13_03_3
SOFC	T13_03_4
SOFC	T13_03_5
SOFC	T13_04_1
SOFC	T13_04_2
SOFC	T13_04_3
SOFC	T13_04_4
SOFC	T13_04_5
SOFC	T13_05_1
SOFC	T13_05_2
SOFC	T13_05_3
SOFC	T13_05_4
SOFC	T13_05_5
SOFC	T13_06_1
SOFC	T13_06_2
SOFC	T13_06_3
SOFC	T13_06_4
SOFC	T13_06_5
SOFC	T13_07_1
SOFC	T13_07_2
SOFC	T13_07_3
SOFC	T13_07_4
SOFC	T13_07_5
SOFC	T13_08_1
SOFC	T13_08_2
SOFC	T13_08_3
SOFC	T13_08_4
SOFC	T13_08_5
SOFC	T13_09_1
SOFC	T13_09_2
SOFC	T13_09_3
SOFC	T13_09_4
SOFC	T13_09_5
SOFC	T14_01_1
SOFC	T14_01_2
SOFC	T14_01_3
SOFC	T14_01_4
SOFC	T14_01_5
SOFC	T14_02_1
SOFC	T14_02_2
SOFC	T14_02_3
SOFC	T14_02_4
SOFC	T14_02_5
SOFC	T14_03_1

Administrative Record NSR 10833_012334

SOFC	T14_03_2
SOFC	T14_03_3
SOFC	T14_03_4
SOFC	T14_03_5
SOFC	T14_04_1
SOFC	T14_04_2
SOFC	T14_04_3
SOFC	T14_04_4
SOFC	T14_04_5
SOFC	T14_05_1
SOFC	T14_05_2
SOFC	T14_05_3
SOFC	T14_05_4
SOFC	T14_05_5
SOFC	T14_06_1
SOFC	T14_06_2
SOFC	T14_06_3
SOFC	T14_06_4
SOFC	T14_06_5
SOFC	T14_07_1
SOFC	T14_07_2
SOFC	T14_07_3
SOFC	T14_07_4
SOFC	T14_07_5
SOFC	T14_08_1
SOFC	T14_08_2
SOFC	T14_08_3
SOFC	T14_08_4
SOFC	T14_08_5
SOFC	T14_09_1
SOFC	T14_09_2
SOFC	T14_09_3
SOFC	T14_09_4
SOFC	T14_09_5
SOFC	T14_10_1
SOFC	T14_10_2
SOFC	T15_01_1
SOFC	T15_01_2
SOFC	T15_01_3
SOFC	T15_01_4
SOFC	T15_01_5
SOFC	T15_02_1
SOFC	T15_02_2
SOFC	T15_02_3
SOFC	T15_02_4
SOFC	T15_02_5
SOFC	T15_03_1
SOFC	T15_03_2
SOFC	T15_03_3
SOFC	T15_03_4
SOFC	T15_03_5
SOFC	T15_04_1
SOFC	T15_04_2
SOFC	T15_04_3
SOFC	T15_04_4
SOFC	T15_04_5
SOFC	T15_05_1
SOFC	T15_05_2
SOFC	T15_05_3

Administrative Record NSR 10833_012335

SOFC	T15_05_4
SOFC	T15_05_5
SOFC	T15_06_1
SOFC	T15_06_2
SOFC	T15_06_3
SOFC	T15_06_4
SOFC	T15_06_5
SOFC	T15_07_1
SOFC	T15_07_2
SOFC	T15_07_3
SOFC	T15_07_4
SOFC	T15_07_5
SOFC	T15_08_1
SOFC	T15_08_2
SOFC	T15_08_3
SOFC	T15_08_4
SOFC	T15_08_5
SOFC	T15_09_1
SOFC	T15_09_2
SOFC	T15_09_3
SOFC	T15_09_4
SOFC	T15_09_5
SOFC	T16_01_1
SOFC	T16_01_2
SOFC	T16_01_3
SOFC	T16_01_4
SOFC	T16_01_5
SOFC	T16_02_1
SOFC	T16_02_2
SOFC	T16_02_3
SOFC	T16_02_4
SOFC	T16_02_5
SOFC	T16_03_1
SOFC	T16_03_2
SOFC	T16_03_3
SOFC	T16_03_4
SOFC	T16_03_5
SOFC	T16_04_1
SOFC	T16_04_2
SOFC	T16_04_3
SOFC	T16_04_4
SOFC	T16_04_5
SOFC	T16_05_1
SOFC	T16_05_2
SOFC	T16_05_3
SOFC	T16_05_4
SOFC	T16_05_5
SOFC	T16_06_1
SOFC	T16_06_2
SOFC	T16_06_3
SOFC	T16_06_4
SOFC	T16_06_5
SOFC	T16_07_1
SOFC	T16_07_2
SOFC	T16_07_3
SOFC	T16_07_4
SOFC	T16_07_5
SOFC	T16_08_1
SOFC	T16_08_2

Administrative Record NSR 10833_012336

SOFC	T16_08_3
SOFC	T16_08_4
SOFC	T16_08_5
SOFC	T16_09_1
SOFC	T16_09_2
SOFC	T16_09_3
SOFC	T16_09_4
SOFC	T16_09_5
SOFC	T17_01_1
SOFC	T17_01_2
SOFC	T17_01_3
SOFC	T17_01_4
SOFC	T17_01_5
SOFC	T17_02_1
SOFC	T17_02_2
SOFC	T17_02_3
SOFC	T17_02_4
SOFC	T17_02_5
SOFC	T17_03_1
SOFC	T17_03_2
SOFC	T17_03_3
SOFC	T17_03_4
SOFC	T17_03_5
SOFC	T17_04_1
SOFC	T17_04_2
SOFC	T17_04_3
SOFC	T17_04_4
SOFC	T17_04_5
SOFC	T17_05_1
SOFC	T17_05_2
SOFC	T17_05_3
SOFC	T17_05_4
SOFC	T17_05_5
SOFC	T17_06_1
SOFC	T17_06_2
SOFC	T17_06_3
SOFC	T17_06_4
SOFC	T17_06_5
SOFC	T17_07_1
SOFC	T17_07_2
SOFC	T17_07_3
SOFC	T17_07_4
SOFC	T17_07_5
SOFC	T17_08_1
SOFC	T17_08_2
SOFC	T17_08_3
SOFC	T17_08_4
SOFC	T17_08_5
SOFC	T17_09_1
SOFC	T17_09_2
SOFC	T17_09_3
SOFC	T17_09_4
SOFC	T17_09_5
SOFC	T17_10_1
SOFC	T17_10_2
SOFC	T17_10_3
SOFC	T17_10_4
SOFC	T17_10_5
SOFC	T18_01_1

Administrative Record NSR 10833_012337

SOFC	T18_01_2
SOFC	T18_01_3
SOFC	T18_01_4
SOFC	T18_01_5
SOFC	T18_02_1
SOFC	T18_02_2
SOFC	T18_02_3
SOFC	T18_02_4
SOFC	T18_02_5
SOFC	T18_03_1
SOFC	T18_03_2
SOFC	T18_03_3
SOFC	T18_03_4
SOFC	T18_03_5
SOFC	T18_04_1
SOFC	T18_04_2
SOFC	T18_04_3
SOFC	T18_04_4
SOFC	T18_04_5
SOFC	T18_05_1
SOFC	T18_05_2
SOFC	T18_05_3
SOFC	T18_05_4
SOFC	T18_05_5
SOFC	T18_06_1
SOFC	T18_06_2
SOFC	T18_06_3
SOFC	T18_06_4
SOFC	T18_06_5
SOFC	T18_07_1
SOFC	T18_07_2
SOFC	T18_07_3
SOFC	T18_07_4
SOFC	T18_07_5
SOFC	T18_08_1
SOFC	T18_08_2
SOFC	T18_08_3
SOFC	T18_08_4
SOFC	T18_08_5
SOFC	T18_09_1
SOFC	T18_09_2
SOFC	T18_09_3
SOFC	T18_09_4
SOFC	T18_09_5
SOFC	T19_01_1
SOFC	T19_01_2
SOFC	T19_01_3
SOFC	T19_01_4
SOFC	T19_01_5
SOFC	T19_02_1
SOFC	T19_02_2
SOFC	T19_02_3
SOFC	T19_02_4
SOFC	T19_02_5
SOFC	T19_03_1
SOFC	T19_03_2
SOFC	T19_03_3
SOFC	T19_03_4
SOFC	T19_03_5

Administrative Record NSR 10833_012338

SOFC	T19_04_1
SOFC	T19_04_2
SOFC	T19_04_3
SOFC	T19_04_4
SOFC	T19_04_5
SOFC	T19_05_1
SOFC	T19_05_2
SOFC	T19_05_3
SOFC	T19_05_4
SOFC	T19_05_5
SOFC	T19_06_1
SOFC	T19_06_2
SOFC	T19_06_3
SOFC	T19_06_4
SOFC	T19_06_5
SOFC	T19_07_1
SOFC	T19_07_2
SOFC	T19_07_3
SOFC	T19_07_4
SOFC	T19_07_5
SOFC	T19_08_1
SOFC	T19_08_2
SOFC	T19_08_3
SOFC	T19_08_4
SOFC	T19_08_5
SOFC	T19_09_1
SOFC	T19_09_2
SOFC	T19_09_3
SOFC	T19_09_4
SOFC	T19_09_5
SOFC	T19_10_1
SOFC	T19_10_2
SOFC	T19_10_3
SOFC	T19_10_4
SOFC	T19_10_5
SOFC	T20_01_1
SOFC	T20_01_2
SOFC	T20_01_3
SOFC	T20_01_4
SOFC	T20_01_5
SOFC	T20_02_1
SOFC	T20_02_2
SOFC	T20_02_3
SOFC	T20_02_4
SOFC	T20_02_5
SOFC	T20_03_1
SOFC	T20_03_2
SOFC	T20_03_3
SOFC	T20_03_4
SOFC	T20_03_5
SOFC	T20_04_1
SOFC	T20_04_2
SOFC	T20_04_3
SOFC	T20_04_4
SOFC	T20_04_5
SOFC	T20_05_1
SOFC	T20_05_2
SOFC	T20_05_3
SOFC	T20_05_4

Administrative Record NSR 10833_012339

SOFC	T20_05_5
SOFC	T20_06_1
SOFC	T20_06_2
SOFC	T20_06_3
SOFC	T20_06_4
SOFC	T20_06_5
SOFC	T20_07_1
SOFC	T20_07_2
SOFC	T20_07_3
SOFC	T20_07_4
SOFC	T20_07_5
SOFC	T20_08_1
SOFC	T20_08_2
SOFC	T20_08_3
SOFC	T20_08_4
SOFC	T20_08_5
SOFC	T20_09_1
SOFC	T20_09_2
SOFC	T20_09_3
SOFC	T20_09_4
SOFC	T20_09_5
SOFC	T21_01_1
SOFC	T21_01_2
SOFC	T21_01_3
SOFC	T21_01_4
SOFC	T21_01_5
SOFC	T21_02_1
SOFC	T21_02_2
SOFC	T21_02_3
SOFC	T21_02_4
SOFC	T21_02_5
SOFC	T21_03_1
SOFC	T21_03_2
SOFC	T21_03_3
SOFC	T21_03_4
SOFC	T21_03_5
SOFC	T21_04_1
SOFC	T21_04_2
SOFC	T21_04_3
SOFC	T21_04_4
SOFC	T21_04_5
SOFC	T21_05_1
SOFC	T21_05_2
SOFC	T21_05_3
SOFC	T21_05_4
SOFC	T21_05_5
SOFC	T21_06_1
SOFC	T21_06_2
SOFC	T21_06_3
SOFC	T21_06_4
SOFC	T21_06_5
SOFC	T21_07_1
SOFC	T21_07_2
SOFC	T21_07_3
SOFC	T21_07_4
SOFC	T21_07_5
SOFC	T21_08_1
SOFC	T21_08_2
SOFC	T21_08_3

Administrative Record NSR 10833_012340

SOFC	T21_08_4
SOFC	T21_08_5
SOFC	T21_09_1
SOFC	T21_09_2
SOFC	T21_09_3
SOFC	T21_09_4
SOFC	T21_09_5
SOFC	T21_10_1
SOFC	T21_10_2
SOFC	T21_10_3
SOFC	T21_10_4
SOFC	T21_10_5
SOFC	T22_01_1
SOFC	T22_01_2
SOFC	T22_01_3
SOFC	T22_01_4
SOFC	T22_01_5
SOFC	T22_02_1
SOFC	T22_02_2
SOFC	T22_02_3
SOFC	T22_02_4
SOFC	T22_02_5
SOFC	T22_03_1
SOFC	T22_03_2
SOFC	T22_03_3
SOFC	T22_03_4
SOFC	T22_03_5
SOFC	T22_04_1
SOFC	T22_04_2
SOFC	T22_04_3
SOFC	T22_04_4
SOFC	T22_04_5
SOFC	T22_05_1
SOFC	T22_05_2
SOFC	T22_05_3
SOFC	T22_05_4
SOFC	T22_05_5
SOFC	T22_06_1
SOFC	T22_06_2
SOFC	T22_06_3
SOFC	T22_06_4
SOFC	T22_06_5
SOFC	T22_07_1
SOFC	T22_07_2
SOFC	T22_07_3
SOFC	T22_07_4
SOFC	T22_07_5
SOFC	T22_08_1
SOFC	T22_08_2
SOFC	T22_08_3
SOFC	T22_08_4
SOFC	T22_08_5
SOFC	T22_09_1
SOFC	T22_09_2
SOFC	T22_09_3
SOFC	T22_09_4
SOFC	T22_09_5
SOFC	T22_10_1
SOFC	T22_10_2

Administrative Record NSR 10833_012341

SOFC	T22_10_3
SOFC	T22_10_4
SOFC	T22_10_5
SOFC	T23_01_1
SOFC	T23_01_2
SOFC	T23_01_3
SOFC	T23_01_4
SOFC	T23_01_5
SOFC	T23_02_1
SOFC	T23_02_2
SOFC	T23_02_3
SOFC	T23_02_4
SOFC	T23_02_5
SOFC	T23_03_1
SOFC	T23_03_2
SOFC	T23_03_3
SOFC	T23_03_4
SOFC	T23_03_5
SOFC	T23_04_1
SOFC	T23_04_2
SOFC	T23_04_3
SOFC	T23_04_4
SOFC	T23_04_5
SOFC	T23_05_1
SOFC	T23_05_2
SOFC	T23_05_3
SOFC	T23_05_4
SOFC	T23_05_5
SOFC	T23_06_1
SOFC	T23_06_2
SOFC	T23_06_3
SOFC	T23_06_4
SOFC	T23_06_5
SOFC	T23_07_1
SOFC	T23_07_2
SOFC	T23_07_3
SOFC	T23_07_4
SOFC	T23_07_5
SOFC	T23_08_1
SOFC	T23_08_2
SOFC	T23_08_3
SOFC	T23_08_4
SOFC	T23_08_5
SOFC	T23_09_1
SOFC	T23_09_2
SOFC	T23_09_3
SOFC	T23_09_4
SOFC	T23_09_5
SOFC	T23_10_1
SOFC	T23_10_2
SOFC	T23_10_3
SOFC	T23_10_4
SOFC	T23_10_5
SOFC	T24_01_1
SOFC	T24_01_2
SOFC	T24_01_3
SOFC	T24_01_4
SOFC	T24_01_5
SOFC	T24_02_1

Administrative Record NSR 10833_012342

SOFC	T24_02_2
SOFC	T24_02_3
SOFC	T24_02_4
SOFC	T24_02_5
SOFC	T24_03_1
SOFC	T24_03_2
SOFC	T24_03_3
SOFC	T24_03_4
SOFC	T24_03_5
SOFC	T24_04_1
SOFC	T24_04_2
SOFC	T24_04_3
SOFC	T24_04_4
SOFC	T24_04_5
SOFC	T24_05_1
SOFC	T24_05_2
SOFC	T24_05_3
SOFC	T24_05_4
SOFC	T24_05_5
SOFC	T24_06_1
SOFC	T24_06_2
SOFC	T24_06_3
SOFC	T24_06_4
SOFC	T24_06_5
SOFC	T24_07_1
SOFC	T24_07_2
SOFC	T24_07_3
SOFC	T24_07_4
SOFC	T24_07_5
SOFC	T24_08_1
SOFC	T24_08_2
SOFC	T24_08_3
SOFC	T24_08_4
SOFC	T24_08_5
SOFC	T24_09_1
SOFC	T24_09_2
SOFC	T24_09_3
SOFC	T24_09_4
SOFC	T24_09_5
SOFC	T24_10_1
SOFC	T24_10_2
SOFC	T24_10_3
SOFC	T24_10_4
SOFC	T24_10_5
SOFC	T25_01_1
SOFC	T25_01_2
SOFC	T25_01_3
SOFC	T25_01_4
SOFC	T25_01_5
SOFC	T25_02_1
SOFC	T25_02_2
SOFC	T25_02_3
SOFC	T25_02_4
SOFC	T25_02_5
SOFC	T25_03_1
SOFC	T25_03_2
SOFC	T25_03_3
SOFC	T25_03_4
SOFC	T25_03_5

Administrative Record NSR 10833_012343

SOFC	T25_04_1
SOFC	T25_04_2
SOFC	T25_04_3
SOFC	T25_04_4
SOFC	T25_04_5
SOFC	T25_05_1
SOFC	T25_05_2
SOFC	T25_05_3
SOFC	T25_05_4
SOFC	T25_05_5
SOFC	T25_06_1
SOFC	T25_06_2
SOFC	T25_06_3
SOFC	T25_06_4
SOFC	T25_06_5
SOFC	T25_07_1
SOFC	T25_07_2
SOFC	T25_07_3
SOFC	T25_07_4
SOFC	T25_07_5
SOFC	T25_08_1
SOFC	T25_08_2
SOFC	T25_08_3
SOFC	T25_08_4
SOFC	T25_08_5
SOFC	T25_09_1
SOFC	T25_09_2
SOFC	T25_09_3
SOFC	T25_09_4
SOFC	T25_09_5
SOFC	T25_10_1
SOFC	T25_10_2
SOFC	T25_10_3
SOFC	T25_10_4
SOFC	T25_10_5
SOFC	T26_01_1
SOFC	T26_01_2
SOFC	T26_01_3
SOFC	T26_01_4
SOFC	T26_01_5
SOFC	T26_02_1
SOFC	T26_02_2
SOFC	T26_02_3
SOFC	T26_02_4
SOFC	T26_02_5
SOFC	T26_03_1
SOFC	T26_03_2
SOFC	T26_03_3
SOFC	T26_03_4
SOFC	T26_03_5
SOFC	T26_04_1
SOFC	T26_04_2
SOFC	T26_04_3
SOFC	T26_04_4
SOFC	T26_04_5
SOFC	T26_05_1
SOFC	T26_05_2
SOFC	T26_05_3
SOFC	T26_05_4

Administrative Record NSR 10833_012344

SOFC	T26_05_5
SOFC	T26_06_1
SOFC	T26_06_2
SOFC	T26_06_3
SOFC	T26_06_4
SOFC	T26_06_5
SOFC	T26_07_1
SOFC	T26_07_2
SOFC	T26_07_3
SOFC	T26_07_4
SOFC	T26_07_5
SOFC	T26_08_1
SOFC	T26_08_2
SOFC	T26_08_3
SOFC	T26_08_4
SOFC	T26_08_5
SOFC	T26_09_1
SOFC	T26_09_2
SOFC	T26_09_3
SOFC	T26_09_4
SOFC	T26_09_5
SOFC	T26_10_1
SOFC	T26_10_2
SOFC	T26_10_3
SOFC	T26_10_4
SOFC	T26_10_5
SOFC	T16_10_1

Administrative Record NSR 10833_012345

Table 2-A: Regulated Emission Sources

Unit and stack numbering must correspond throughout the application package. If applying for a NOI under 20.2.73 NMAC, equipment exemptions under 2.72.202 NMAC do not apply.

Unit Number[1]	Source Description	Make	Model #	Serial #	Manufact-urer's Rated Capacity[3] (Specify Units)	Requested Permitted Capacity[3] (Specify Units)	Date of Manufacture[2] / Date of Construction/ Reconstruction[2]	Controlled by Unit # / Emissions vented to Stack #	Source Classi-fication Code (SCC)	For Each Piece of Equipment, Check One	RICE Ignition Type (CI, SI, 4SLB, 4SRB, 2SLB)[4]	Replacing Unit No.
SOFC	Energy Server System	Bloom	Energy Server 6.5	TBD	2,462 MW	1,600 MW	TBD / TBD	N/A / SOFC	20100201	☐ Existing (unchanged) ☐ To be Removed ☑ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced	N/A	N/A
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		
										☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced		

[1] Unit numbers must correspond to unit numbers in the previous permit unless a complete cross reference table of all units in both permits is provided.

[2] Specify dates required to determine regulatory applicability.

[3] YGI plans to construct the full permitted capacity of 2,462 MW, but plans to limit operations such that total operating capacity never goes above 1,600 MW.

[4] "4SLB" means four stroke lean burn engine, "4SRB" means four stroke rich burn engine, "2SLB" means two stroke lean burn engine, "CI" means compression ignition, and "SI" means spark ignition

Administrative Record NSR 10833_012346

Table 2-B: Insignificant Activities[1] (20.2.70 NMAC) OR Exempted Equipment (20.2.72 NMAC)

All 20.2.70 NMAC (Title V) applications must list all Insignificant Activities in this table. All 20.2.72 NMAC applications must list Exempted Equipment in this table. If equipment listed on this table is exempt under 20.2.72.202.B.5, include emissions calculations and emissions totals for 202.B.5 "similar functions" units, operations, and activities in Section 6, Calculations. Equipment and activities exempted under 20.2.72.202 NMAC may not necessarily be Insignificant under 20.2.70 NMAC (and vice versa). Unit & stack numbering must be consistent throughout the application package. Per Exemptions Policy 02-012.00 (see http://www.env.nm.gov/aqb/permit/aqb_pol.html), 20.2.72.202.B NMAC Exemptions do not apply, but 20.2.72.202.A NMAC exemptions do apply to NOI facilities under 20.2.73 NMAC. List 20.2.72.301.D.4 NMAC Auxiliary Equipment for Streamline applications in Table 2-A. The List of Insignificant Activities (for TV) can be found online at https://www.env.nm.gov/wp-content/uploads/sites/2/2017/10/InsignificantListTitleV.pdf. TV sources may elect to enter both TV Insignificant Activities and Part 72 Exemptions on this form.

Unit Number	Source Description	Manufacturer	Model No. Serial No.	Max Capacity Capacity Units	List Specific 20.2.72.202 NMAC Exemption (e.g. 20.2.72.202.B.5) Insignificant Activity citation (e.g. IA List Item #1.a)	Date of Manufacture /Reconstruction[2] Date of Installation /Construction[2]	For Each Piece of Equipment, Check Onc
SSM	Startup, Shutdown, and Maintenance	N/A	N/A N/A	N/A N/A	20.2.72.202.B(5) NMAC	TBD TBD	☐ Existing (unchanged) ☐ To be Removed ☑ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced
							☐ Existing (unchanged) ☐ To be Removed ☐ New/Additional ☐ Replacement Unit ☐ To Be Modified ☐ To be Replaced

[1] Insignificant activities exempted due to size or production rate are defined in 20.2.70.300.D.6, 20.2.70.7.Q NMAC, and the NMED/AQB List of Insignificant Activities, dated September 15, 2008. Emissions from these insignificant activities do not need to be reported, unless specifically requested.

[2] Specify date(s) required to determine regulatory applicability.

Administrative Record NSR 10833_012347

Table 2-C: Emissions Control Equipment

Unit and stack numbering must correspond throughout the application package. Only list control equipment for TAPs if the TAP's maximum uncontrolled emissions rate is over its respective threshold as listed in 20.2.72 NMAC, Subpart V, Tables A and B. In accordance with 20.2.72.203.A(3) and (8) NMAC, 20.2.70.300.D(5)(b) and (e) NMAC, and 20.2.73.200.B(7) NMAC, the permittee shall report all control devices and list each pollutant controlled by the control device regardless if the applicant takes credit for the reduction in emissions.

Control Equipment Unit No.	Control Equipment Description	Date Installed	Controlled Pollutant(s)	Controlling Emissions for Unit Number(s)[1]	Efficiency (% Control by Weight)	Method used to Estimate Efficiency
N/A - There is no emissions control equipment installed at this facility.						

[1] List each control device on a separate line. For each control device, list all emission units controlled by the control device.

Administrative Record NSR 10833_012348

Table 2-D: Maximum Emissions (under normal operating conditions)

☐ **This Table was intentionally left blank because it would be identical to Table 2-E.**

Maximum Emissions are the emissions at maximum capacity and prior to (in the absence of) pollution control, emission-reducing process equipment, or any other emission reduction. Calculate the hourly emissions using the worst case hourly emissions for each pollutant. For each pollutant, calculate the annual emissions as if the facility were operating at maximum plant capacity without pollution controls for 8760 hours per year, unless otherwise approved by the Department. List Hazardous Air Pollutants (HAP) & Toxic Air Pollutants (TAPs) in Table 2-I. Unit & stack numbering must be consistent throughout the application package. Fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E-4).

Unit No.	NOx		CO		VOC		SOx		PM[1]		PM10[1]		PM2.5[1]		H_2S		Lead	
	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC	8.49	37.20	36.81	161.21	28.31	124.01	0.02	0.08	17.21	75.40	17.21	75.40	17.21	75.40	-	-	-	-
Totals	8.49	37.20	36.81	161.21	28.31	124.01	0.017	0.076	17.21	75.40	17.21	75.40	17.21	75.40	-	-	-	-

[1]**Condensable Particulate Matter:** Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source. Do not include condensable particulate matter for PM unless PM is set equal to PM10 and PM2.5. Particulate matter (PM) is not subject to an ambient air quality standard, but PM is a regulated air pollutant under PSD (20.2.74 NMAC) and Title V (20.2.70 NMAC).

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Administrative Record NSR 10833_012349

Table 2-E: Requested Allowable Emissions

Unit & stack numbering must be consistent throughout the application package. Fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this pollutant are not expected. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or $1.41E^{-4}$).

Unit No.	NOx		CO		VOC		SOx		PM[1]		PM10[1]		PM2.5[1]		H_2S		Lead	
	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC[2]	5.52	24.18	23.92	104.77	18.40	80.59	0.01	0.05	11.19	49.00	11.19	49.00	11.19	49.00	-	-	-	-
Total:	5.52	24.18	23.92	104.77	18.40	80.59	0.011	0.049	11.19	49.00	11.19	49.00	11.19	49.00	-	-	-	-

[1] **Condensable Particulate Matter:** Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source. Do not include condensable particulate matter for PM unless PM is set equal to PM10 and PM2.5. Particulate matter (PM) is not subject to an ambient air quality standard, but it is a regulated air pollutant under PSD (20.2.74 NMAC) and Title V (20.2.70 NMAC).

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certain "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To be conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

[2] Emissions represent operation at the 1600 MW capacity permit limit.

Administrative Record NSR 10833_012350

Table 2-F: Additional Emissions during Startup, Shutdown, and Routine Maintenance (SSM)

☑ This table is intentionally left blank since all emissions at this facility due to routine or predictable startup, shutdown, or scehduled maintenance are no higher than those listed in Table 2-E and a malfunction emission limit is not already permitted or requested. If you are required to report GHG emissions as described in Section 6a, include any GHG emissions during Startup, Shutdown, and/or Scheduled Maintenance (SSM) in Table 2-P. Provide an explanations of SSM emissions in Section 6 and 6a.

All applications for facilities that have emissions during routine our predictable startup, shutdown or scheduled maintenance (SSM)[1], including NOI applications, must include in this table the Maximum Emissions during routine or predictable startup, shutdown and scheduled maintenance (20.2.7 NMAC, 20.2.72.203.A.3 NMAC, 20.2.73.200.D.2 NMAC). In Section 6 and 6a, provide emissions calculations for all SSM emissions reported in this table. Refer to "Guidance for Submittal of Startup, Shutdown, Maintenance Emissions in Permit Applications (https://www.env.nm.gov/aqb/permit/aqb_pol.html) for more detailed instructions. Numbers shall be expressed to at least 2 decimal points (e.g. 0.41, 1.41, or 1.41E-4).

Unit No.	NOx		CO		VOC		SOx		PM[2]		PM10[2]		PM2.5[2]		H_2S		Lead	
	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
Totals	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] **For instance**, if the short term steady-state Table 2-E emissions are 5 lb/hr and the SSM rate is 12 lb/hr, enter 7 lb/hr in this table. If the annual steady-state Table 2-E emissions are 21.9 TPY, and the number of scheduled SSM events result in annual emissions of 31.9 TPY, enter 10.0 TPY in the table below.

[2] **Condensable Particulate Matter:** Include condensable particulate matter emissions for PM10 and PM2.5 if the source is a combustion source. Do not include condensable particulate matter for PM unless PM is set equal to PM10 and PM2.5. Particulate matter (PM) is not subject to an ambient air quality standard, but it is a regulated air pollutant under PSD (20.2.74 NMAC) and Title V (20.2.70 NMAC).

Administrative Record NSR 10833_012351

Table 2-G: Stack Exit and Fugitive Emission Rates for Special Stacks

☐ I have elected to leave this table blank because this facility does not have any stacks/vents that split emissions from a single source or combine emissions from more than one source listed in table 2-A. Additionally, the emission rates of all stacks match the Requested allowable emission rates stated in Table 2-E.

Use this table to list stack emissions (requested allowable) from split and combined stacks. List Toxic Air Pollutants (TAPs) and Hazardous Air Pollutants (HAPs) in Table 2-I. List all fugitives that are associated with the normal, routine, and non-emergency operation of the facility. Unit and stack numbering must correspond throughout the application package. Refer to Table 2-E for instructions on use of the "-" symbol and on significant figures.

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-2	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-3	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-4	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-5	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-6	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-7	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-8	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-9	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-10	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-11	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-12	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-13	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-14	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-15	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-16	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-17	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-18	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-19	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-20	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-21	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-22	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-23	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-24	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-25	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-26	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-27	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-28	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-29	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-30	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-31	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-32	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-33	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-34	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012352

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-35	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-36	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-37	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-38	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-39	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-40	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-41	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-42	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-43	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-44	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-45	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-46	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-47	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-48	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-49	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-50	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-51	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-52	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-53	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-54	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-55	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-56	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-57	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-58	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-59	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-60	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-61	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-62	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-63	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-64	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-65	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-66	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-67	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-68	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-69	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-70	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-71	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-72	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-73	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-74	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-75	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012353

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-76	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-77	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-78	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-79	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-80	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-81	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-82	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-83	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-84	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-85	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-86	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-87	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-88	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-89	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-90	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-91	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-92	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-93	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-94	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-95	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-96	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-97	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-98	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-99	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-100	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-101	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-102	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-103	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-104	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-105	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-106	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-107	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-108	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-109	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-110	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-111	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-112	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-113	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-114	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-115	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-116	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012354

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-117	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-118	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-119	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-120	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-121	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-122	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-123	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-124	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-125	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-126	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-127	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-128	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-129	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-130	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-131	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-132	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-133	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-134	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-135	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-136	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-137	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-138	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-139	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-140	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-141	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-142	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-143	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-144	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-145	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-146	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-147	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-148	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-149	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-150	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-151	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-152	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-153	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-154	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-155	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-156	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-157	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012355

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-158	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-159	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-160	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-161	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-162	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-163	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-164	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-165	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-166	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-167	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-168	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-169	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-170	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-171	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-172	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-173	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-174	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-175	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-176	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-177	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-178	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-179	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-180	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-181	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-182	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-183	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-184	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-185	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-186	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-187	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-188	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-189	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-190	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-191	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-192	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-193	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-194	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-195	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-196	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-197	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-198	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012356

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-199	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-200	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-201	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-202	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-203	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-204	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-205	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-206	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-207	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-208	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-209	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-210	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-211	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-212	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-213	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-214	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-215	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-216	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-217	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-218	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-219	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-220	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-221	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-222	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-223	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-224	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-225	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-226	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-227	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-228	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-229	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-230	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-231	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-232	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-233	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-234	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-235	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-236	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-237	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-238	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-239	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012357

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-240	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-241	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-242	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-243	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-244	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-245	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-246	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-247	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-248	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-249	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-250	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-251	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-252	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-253	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-254	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-255	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-256	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-257	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-258	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-259	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-260	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-261	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-262	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-263	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-264	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-265	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-266	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-267	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-268	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-269	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-270	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-271	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-272	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-273	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-274	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-275	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-276	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-277	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-278	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-279	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-280	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012358

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-281	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-282	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-283	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-284	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-285	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-286	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-287	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-288	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-289	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-290	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-291	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-292	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-293	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-294	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-295	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-296	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-297	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-298	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-299	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-300	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-301	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-302	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-303	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-304	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-305	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-306	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-307	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-308	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-309	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-310	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-311	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-312	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-313	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-314	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-315	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-316	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-317	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-318	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-319	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-320	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-321	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012359

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-322	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-323	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-324	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-325	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-326	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-327	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-328	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-329	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-330	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-331	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-332	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-333	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-334	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-335	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-336	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-337	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-338	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-339	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-340	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-341	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-342	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-343	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-344	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-345	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-346	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-347	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-348	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-349	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-350	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-351	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-352	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-353	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-354	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-355	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-356	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-357	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-358	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-359	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-360	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-361	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-362	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012360

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-363	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-364	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-365	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-366	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-367	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-368	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-369	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-370	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-371	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-372	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-373	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-374	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-375	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-376	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-377	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-378	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-379	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-380	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-381	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-382	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-383	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-384	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-385	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-386	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-387	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-388	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-389	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-390	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-391	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-392	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-393	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-394	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-395	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-396	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-397	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-398	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-399	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-400	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-401	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-402	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-403	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012361

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-404	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-405	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-406	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-407	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-408	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-409	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-410	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-411	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-412	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-413	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-414	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-415	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-416	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-417	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-418	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-419	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-420	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-421	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-422	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-423	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-424	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-425	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-426	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-427	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-428	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-429	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-430	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-431	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-432	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-433	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-434	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-435	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-436	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-437	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-438	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-439	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-440	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-441	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-442	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-443	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-444	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012362

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-445	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-446	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-447	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-448	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-449	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-450	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-451	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-452	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-453	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-454	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-455	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-456	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-457	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-458	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-459	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-460	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-461	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-462	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-463	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-464	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-465	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-466	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-467	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-468	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-469	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-470	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-471	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-472	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-473	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-474	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-475	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-476	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-477	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-478	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-479	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-480	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-481	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-482	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-483	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-484	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-485	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012363

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-486	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-487	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-488	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-489	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-490	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-491	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-492	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-493	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-494	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-495	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-496	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-497	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-498	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-499	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-500	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-501	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-502	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-503	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-504	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-505	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-506	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-507	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-508	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-509	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-510	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-511	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-512	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-513	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-514	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-515	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-516	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-517	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-518	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-519	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-520	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-521	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-522	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-523	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-524	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-525	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-526	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012364

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-527	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-528	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-529	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-530	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-531	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-532	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-533	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-534	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-535	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-536	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-537	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-538	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-539	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-540	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-541	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-542	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-543	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-544	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-545	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-546	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-547	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-548	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-549	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-550	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-551	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-552	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-553	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-554	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-555	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-556	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-557	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-558	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-559	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-560	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-561	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-562	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-563	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-564	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-565	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-566	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-567	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012365

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-568	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-569	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-570	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-571	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-572	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-573	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-574	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-575	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-576	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-577	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-578	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-579	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-580	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-581	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-582	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-583	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-584	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-585	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-586	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-587	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-588	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-589	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-590	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-591	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-592	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-593	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-594	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-595	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-596	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-597	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-598	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-599	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-600	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-601	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-602	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-603	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-604	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-605	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-606	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-607	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-608	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012366

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-609	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-610	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-611	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-612	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-613	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-614	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-615	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-616	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-617	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-618	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-619	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-620	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-621	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-622	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-623	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-624	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-625	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-626	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-627	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-628	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-629	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-630	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-631	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-632	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-633	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-634	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-635	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-636	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-637	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-638	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-639	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-640	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-641	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-642	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-643	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-644	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-645	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-646	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-647	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-648	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-649	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012367

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-650	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-651	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-652	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-653	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-654	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-655	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-656	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-657	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-658	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-659	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-660	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-661	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-662	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-663	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-664	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-665	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-666	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-667	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-668	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-669	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-670	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-671	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-672	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-673	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-674	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-675	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-676	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-677	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-678	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-679	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-680	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-681	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-682	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-683	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-684	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-685	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-686	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-687	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-688	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-689	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-690	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012368

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-691	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-692	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-693	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-694	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-695	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-696	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-697	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-698	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-699	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-700	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-701	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-702	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-703	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-704	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-705	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-706	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-707	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-708	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-709	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-710	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-711	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-712	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-713	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-714	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-715	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-716	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-717	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-718	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-719	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-720	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-721	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-722	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-723	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-724	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-725	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-726	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-727	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-728	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-729	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-730	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-731	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012369

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-732	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-733	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-734	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-735	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-736	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-737	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-738	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-739	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-740	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-741	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-742	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-743	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-744	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-745	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-746	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-747	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-748	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-749	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-750	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-751	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-752	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-753	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-754	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-755	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-756	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-757	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-758	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-759	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-760	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-761	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-762	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-763	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-764	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-765	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-766	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-767	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-768	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-769	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-770	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-771	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-772	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012370

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-773	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-774	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-775	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-776	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-777	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-778	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-779	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-780	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-781	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-782	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-783	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-784	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-785	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-786	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-787	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-788	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-789	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-790	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-791	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-792	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-793	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-794	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-795	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-796	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-797	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-798	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-799	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-800	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-801	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-802	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-803	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-804	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-805	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-806	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-807	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-808	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-809	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-810	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-811	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-812	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-813	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012371

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-814	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-815	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-816	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-817	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-818	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-819	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-820	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-821	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-822	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-823	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-824	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-825	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-826	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-827	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-828	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-829	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-830	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-831	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-832	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-833	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-834	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-835	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-836	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-837	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-838	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-839	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-840	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-841	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-842	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-843	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-844	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-845	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-846	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-847	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-848	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-849	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-850	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-851	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-852	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-853	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-854	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012372

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-855	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-856	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-857	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-858	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-859	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-860	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-861	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-862	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-863	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-864	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-865	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-866	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-867	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-868	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-869	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-870	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-871	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-872	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-873	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-874	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-875	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-876	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-877	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-878	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-879	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-880	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-881	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-882	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-883	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-884	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-885	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-886	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-887	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-888	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-889	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-890	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-891	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-892	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-893	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-894	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-895	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012373

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-896	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-897	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-898	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-899	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-900	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-901	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-902	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-903	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-904	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-905	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-906	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-907	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-908	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-909	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-910	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-911	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-912	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-913	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-914	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-915	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-916	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-917	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-918	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-919	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-920	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-921	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-922	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-923	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-924	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-925	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-926	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-927	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-928	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-929	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-930	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-931	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-932	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-933	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-934	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-935	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-936	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012374

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-937	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-938	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-939	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-940	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-941	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-942	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-943	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-944	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-945	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-946	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-947	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-948	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-949	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-950	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-951	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-952	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-953	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-954	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-955	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-956	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-957	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-958	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-959	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-960	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-961	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-962	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-963	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-964	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-965	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-966	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-967	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-968	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-969	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-970	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-971	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-972	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-973	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-974	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-975	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-976	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-977	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012375

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-978	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-979	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-980	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-981	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-982	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-983	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-984	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-985	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-986	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-987	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-988	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-989	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-990	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-991	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-992	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-993	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-994	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-995	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-996	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-997	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-998	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-999	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1000	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1001	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1002	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1003	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1004	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1005	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1006	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1007	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1008	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1009	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1010	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1011	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1012	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1013	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1014	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1015	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1016	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1017	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1018	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012376

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1019	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1020	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1021	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1022	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1023	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1024	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1025	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1026	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1027	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1028	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1029	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1030	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1031	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1032	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1033	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1034	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1035	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1036	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1037	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1038	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1039	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1040	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1041	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1042	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1043	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1044	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1045	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1046	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1047	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1048	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1049	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1050	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1051	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1052	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1053	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1054	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1055	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1056	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1057	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1058	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1059	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012377

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1060	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1061	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1062	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1063	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1064	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1065	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1066	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1067	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1068	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1069	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1070	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1071	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1072	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1073	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1074	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1075	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1076	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1077	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1078	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1079	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1080	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1081	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1082	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1083	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1084	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1085	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1086	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1087	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1088	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1089	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1090	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1091	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1092	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1093	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1094	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1095	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1096	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1097	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1098	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1099	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1100	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012378

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1101	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1102	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1103	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1104	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1105	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1106	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1107	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1108	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1109	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1110	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1111	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1112	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1113	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1114	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1115	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1116	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1117	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1118	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1119	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1120	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1121	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1122	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1123	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1124	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1125	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1126	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1127	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1128	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1129	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1130	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1131	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1132	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1133	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1134	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1135	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1136	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1137	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1138	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1139	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1140	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1141	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012379

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1142	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1143	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1144	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1145	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1146	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1147	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1148	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1149	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1150	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1151	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1152	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1153	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1154	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1155	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1156	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1157	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1158	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1159	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1160	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1161	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1162	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1163	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1164	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1165	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1166	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1167	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1168	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1169	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1170	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1171	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1172	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1173	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1174	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1175	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1176	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1177	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1178	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1179	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1180	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1181	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1182	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012380

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1183	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1184	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1185	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1186	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1187	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1188	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1189	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1190	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1191	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1192	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1193	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1194	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1195	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1196	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1197	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1198	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1199	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1200	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1201	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1202	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1203	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1204	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1205	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1206	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1207	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1208	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1209	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1210	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1211	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1212	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1213	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1214	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1215	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1216	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1217	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1218	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1219	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1220	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1221	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1222	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1223	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-

Administrative Record NSR 10833_012381

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1224	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1225	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1226	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1227	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1228	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1229	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1230	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1231	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1232	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1233	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1234	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1235	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1236	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1237	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1238	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1239	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1240	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1241	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1242	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1243	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1244	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1245	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1246	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1247	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1248	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1249	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1250	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1251	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1252	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1253	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1254	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1255	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1256	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1257	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1258	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1259	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1260	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1261	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1262	SOFC	4.37E-03	1.91E-02	1.89E-02	8.30E-02	1.46E-02	6.38E-02	8.93E-06	3.91E-05	8.86E-03	3.88E-02	8.86E-03	3.88E-02	8.86E-03	3.88E-02	-	-
SOFC-1263	SOFC	2.48E-03	1.09E-02	1.07E-02	4.70E-02	8.26E-03	3.62E-02	5.06E-06	2.22E-05	5.02E-03	2.20E-02	5.02E-03	2.20E-02	5.02E-03	2.20E-02	-	-
Totals:		5.52	24.18	23.92	104.77	18.40	80.59	1.13E-02	4.94E-02	11.19	49.00	11.19	49.00	11.19	49.00	-	-

Administrative Record NSR 10833_012382

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Both hourly and annual emission rates reflected in this table represent emissions associated with the requested operating cap (i.e., 1600 MW). Emissions in this table sum to the requested allowable emissions in Table 2-E.

Administrative Record NSR 10833_012383

Table 2-G: Stack Exit and Fugitive Emission Rates for Special Stacks

☐ I have elected to leave this table blank because this facility does not have any stacks/vents that split emissions from a single source or combine emissions from more than one source listed in table 2-A. Additionally, the emission rates of all stacks match the Requested allowable emission rates stated in Table 2-E.

Use this table to list stack emissions (requested allowable) from split and combined stacks. List Toxic Air Pollutants (TAPs) and Hazardous Air Pollutants (HAPs) in Table 2-I. List all fugitives that are associated with the normal, routine, and non-emergency operation of the facility. Unit and stack numbering must correspond throughout the application package. Refer to Table 2-E for instructions on use of the "-" symbol and on significant figures.

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-2	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-3	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-4	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-5	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-6	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-7	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-8	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-9	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-10	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-11	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-12	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-13	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-14	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-15	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-16	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-17	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-18	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-19	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-20	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-21	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-22	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-23	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-24	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-25	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-26	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-27	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-28	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-29	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-30	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-31	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-32	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-33	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-34	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012384

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-35	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-36	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-37	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-38	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-39	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-40	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-41	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-42	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-43	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-44	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-45	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-46	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-47	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-48	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-49	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-50	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-51	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-52	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-53	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-54	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-55	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-56	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-57	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-58	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-59	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-60	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-61	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-62	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-63	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-64	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-65	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-66	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-67	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-68	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-69	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-70	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-71	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-72	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-73	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-74	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-75	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012385

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-76	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-77	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-78	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-79	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-80	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-81	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-82	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-83	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-84	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-85	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-86	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-87	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-88	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-89	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-90	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-91	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-92	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-93	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-94	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-95	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-96	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-97	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-98	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-99	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-100	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-101	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-102	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-103	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-104	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-105	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-106	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-107	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-108	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-109	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-110	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-111	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-112	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-113	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-114	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-115	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-116	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012386

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-117	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-118	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-119	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-120	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-121	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-122	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-123	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-124	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-125	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-126	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-127	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-128	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-129	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-130	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-131	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-132	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-133	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-134	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-135	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-136	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-137	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-138	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-139	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-140	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-141	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-142	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-143	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-144	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-145	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-146	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-147	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-148	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-149	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-150	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-151	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-152	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-153	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-154	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-155	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-156	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-157	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012387

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-158	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-159	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-160	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-161	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-162	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-163	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-164	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-165	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-166	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-167	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-168	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-169	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-170	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-171	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-172	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-173	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-174	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-175	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-176	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-177	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-178	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-179	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-180	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-181	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-182	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-183	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-184	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-185	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-186	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-187	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-188	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-189	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-190	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-191	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-192	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-193	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-194	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-195	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-196	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-197	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-198	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012388

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-199	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-200	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-201	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-202	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-203	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-204	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-205	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-206	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-207	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-208	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-209	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-210	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-211	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-212	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-213	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-214	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-215	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-216	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-217	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-218	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-219	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-220	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-221	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-222	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-223	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-224	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-225	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-226	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-227	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-228	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-229	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-230	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-231	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-232	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-233	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-234	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-235	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-236	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-237	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-238	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-239	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012389

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-240	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-241	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-242	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-243	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-244	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-245	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-246	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-247	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-248	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-249	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-250	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-251	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-252	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-253	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-254	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-255	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-256	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-257	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-258	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-259	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-260	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-261	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-262	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-263	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-264	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-265	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-266	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-267	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-268	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-269	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-270	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-271	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-272	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-273	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-274	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-275	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-276	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-277	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-278	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-279	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-280	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012390

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-281	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-282	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-283	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-284	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-285	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-286	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-287	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-288	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-289	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-290	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-291	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-292	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-293	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-294	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-295	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-296	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-297	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-298	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-299	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-300	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-301	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-302	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-303	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-304	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-305	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-306	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-307	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-308	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-309	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-310	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-311	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-312	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-313	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-314	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-315	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-316	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-317	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-318	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-319	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-320	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-321	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012391

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-322	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-323	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-324	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-325	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-326	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-327	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-328	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-329	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-330	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-331	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-332	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-333	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-334	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-335	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-336	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-337	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-338	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-339	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-340	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-341	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-342	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-343	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-344	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-345	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-346	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-347	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-348	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-349	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-350	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-351	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-352	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-353	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-354	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-355	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-356	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-357	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-358	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-359	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-360	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-361	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-362	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012392

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-363	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-364	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-365	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-366	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-367	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-368	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-369	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-370	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-371	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-372	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-373	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-374	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-375	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-376	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-377	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-378	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-379	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-380	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-381	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-382	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-383	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-384	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-385	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-386	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-387	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-388	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-389	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-390	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-391	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-392	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-393	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-394	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-395	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-396	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-397	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-398	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-399	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-400	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-401	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-402	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-403	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012393

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-404	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-405	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-406	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-407	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-408	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-409	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-410	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-411	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-412	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-413	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-414	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-415	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-416	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-417	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-418	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-419	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-420	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-421	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-422	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-423	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-424	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-425	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-426	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-427	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-428	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-429	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-430	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-431	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-432	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-433	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-434	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-435	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-436	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-437	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-438	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-439	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-440	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-441	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-442	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-443	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-444	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012394

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-445	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-446	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-447	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-448	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-449	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-450	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-451	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-452	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-453	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-454	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-455	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-456	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-457	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-458	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-459	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-460	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-461	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-462	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-463	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-464	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-465	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-466	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-467	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-468	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-469	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-470	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-471	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-472	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-473	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-474	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-475	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-476	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-477	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-478	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-479	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-480	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-481	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-482	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-483	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-484	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-485	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012395

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-486	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-487	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-488	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-489	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-490	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-491	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-492	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-493	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-494	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-495	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-496	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-497	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-498	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-499	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-500	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-501	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-502	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-503	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-504	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-505	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-506	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-507	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-508	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-509	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-510	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-511	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-512	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-513	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-514	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-515	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-516	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-517	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-518	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-519	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-520	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-521	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-522	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-523	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-524	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-525	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-526	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012396

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-527	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-528	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-529	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-530	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-531	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-532	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-533	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-534	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-535	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-536	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-537	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-538	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-539	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-540	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-541	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-542	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-543	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-544	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-545	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-546	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-547	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-548	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-549	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-550	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-551	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-552	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-553	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-554	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-555	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-556	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-557	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-558	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-559	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-560	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-561	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-562	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-563	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-564	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-565	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-566	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-567	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012397

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-568	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-569	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-570	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-571	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-572	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-573	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-574	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-575	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-576	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-577	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-578	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-579	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-580	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-581	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-582	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-583	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-584	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-585	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-586	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-587	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-588	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-589	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-590	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-591	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-592	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-593	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-594	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-595	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-596	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-597	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-598	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-599	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-600	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-601	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-602	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-603	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-604	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-605	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-606	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-607	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-608	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012398

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-609	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-610	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-611	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-612	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-613	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-614	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-615	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-616	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-617	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-618	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-619	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-620	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-621	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-622	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-623	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-624	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-625	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-626	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-627	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-628	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-629	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-630	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-631	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-632	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-633	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-634	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-635	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-636	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-637	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-638	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-639	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-640	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-641	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-642	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-643	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-644	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-645	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-646	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-647	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-648	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-649	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012399

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-650	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-651	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-652	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-653	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-654	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-655	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-656	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-657	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-658	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-659	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-660	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-661	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-662	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-663	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-664	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-665	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-666	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-667	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-668	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-669	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-670	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-671	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-672	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-673	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-674	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-675	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-676	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-677	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-678	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-679	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-680	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-681	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-682	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-683	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-684	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-685	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-686	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-687	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-688	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-689	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-690	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012400

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-691	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-692	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-693	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-694	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-695	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-696	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-697	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-698	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-699	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-700	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-701	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-702	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-703	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-704	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-705	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-706	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-707	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-708	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-709	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-710	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-711	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-712	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-713	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-714	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-715	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-716	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-717	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-718	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-719	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-720	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-721	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-722	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-723	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-724	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-725	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-726	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-727	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-728	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-729	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-730	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-731	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012401

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-732	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-733	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-734	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-735	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-736	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-737	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-738	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-739	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-740	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-741	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-742	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-743	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-744	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-745	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-746	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-747	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-748	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-749	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-750	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-751	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-752	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-753	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-754	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-755	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-756	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-757	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-758	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-759	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-760	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-761	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-762	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-763	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-764	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-765	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-766	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-767	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-768	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-769	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-770	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-771	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-772	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012402

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-773	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-774	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-775	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-776	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-777	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-778	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-779	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-780	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-781	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-782	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-783	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-784	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-785	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-786	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-787	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-788	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-789	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-790	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-791	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-792	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-793	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-794	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-795	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-796	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-797	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-798	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-799	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-800	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-801	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-802	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-803	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-804	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-805	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-806	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-807	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-808	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-809	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-810	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-811	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-812	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-813	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012403

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-814	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-815	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-816	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-817	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-818	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-819	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-820	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-821	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-822	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-823	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-824	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-825	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-826	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-827	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-828	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-829	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-830	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-831	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-832	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-833	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-834	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-835	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-836	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-837	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-838	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-839	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-840	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-841	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-842	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-843	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-844	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-845	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-846	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-847	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-848	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-849	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-850	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-851	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-852	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-853	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-854	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012404

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-855	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-856	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-857	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-858	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-859	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-860	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-861	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-862	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-863	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-864	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-865	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-866	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-867	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-868	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-869	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-870	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-871	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-872	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-873	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-874	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-875	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-876	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-877	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-878	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-879	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-880	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-881	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-882	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-883	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-884	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-885	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-886	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-887	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-888	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-889	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-890	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-891	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-892	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-893	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-894	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-895	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012405

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-896	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-897	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-898	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-899	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-900	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-901	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-902	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-903	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-904	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-905	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-906	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-907	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-908	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-909	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-910	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-911	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-912	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-913	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-914	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-915	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-916	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-917	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-918	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-919	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-920	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-921	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-922	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-923	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-924	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-925	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-926	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-927	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-928	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-929	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-930	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-931	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-932	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-933	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-934	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-935	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-936	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012406

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-937	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-938	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-939	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-940	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-941	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-942	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-943	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-944	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-945	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-946	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-947	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-948	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-949	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-950	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-951	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-952	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-953	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-954	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-955	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-956	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-957	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-958	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-959	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-960	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-961	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-962	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-963	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-964	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-965	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-966	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-967	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-968	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-969	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-970	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-971	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-972	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-973	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-974	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-975	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-976	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-977	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012407

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-978	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-979	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-980	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-981	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-982	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-983	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-984	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-985	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-986	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-987	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-988	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-989	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-990	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-991	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-992	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-993	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-994	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-995	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-996	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-997	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-998	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-999	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1000	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1001	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1002	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1003	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1004	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1005	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1006	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1007	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1008	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1009	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1010	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1011	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1012	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1013	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1014	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1015	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1016	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1017	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1018	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012408

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1019	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1020	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1021	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1022	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1023	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1024	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1025	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1026	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1027	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1028	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1029	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1030	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1031	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1032	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1033	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1034	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1035	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1036	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1037	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1038	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1039	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1040	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1041	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1042	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1043	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1044	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1045	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1046	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1047	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1048	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1049	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1050	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1051	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1052	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1053	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1054	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1055	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1056	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1057	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1058	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1059	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012409

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1060	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1061	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1062	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1063	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1064	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1065	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1066	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1067	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1068	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1069	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1070	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1071	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1072	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1073	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1074	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1075	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1076	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1077	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1078	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1079	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1080	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1081	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1082	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1083	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1084	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1085	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1086	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1087	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1088	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1089	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1090	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1091	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1092	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1093	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1094	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1095	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1096	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1097	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1098	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1099	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1100	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012410

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1101	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1102	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1103	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1104	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1105	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1106	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1107	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1108	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1109	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1110	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1111	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1112	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1113	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1114	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1115	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1116	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1117	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1118	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1119	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1120	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1121	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1122	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1123	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1124	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1125	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1126	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1127	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1128	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1129	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1130	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1131	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1132	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1133	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1134	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1135	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1136	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1137	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1138	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1139	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1140	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1141	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012411

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1142	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1143	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1144	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1145	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1146	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1147	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1148	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1149	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1150	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1151	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1152	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1153	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1154	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1155	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1156	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1157	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1158	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1159	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1160	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1161	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1162	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1163	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1164	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1165	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1166	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1167	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1168	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1169	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1170	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1171	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1172	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1173	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1174	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1175	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1176	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1177	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1178	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1179	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1180	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1181	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1182	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012412

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1183	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1184	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1185	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1186	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1187	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1188	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1189	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1190	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1191	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1192	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1193	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1194	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1195	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1196	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1197	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1198	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1199	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1200	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1201	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1202	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1203	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1204	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1205	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1206	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1207	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1208	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1209	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1210	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1211	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1212	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1213	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1214	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1215	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1216	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1217	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1218	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1219	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1220	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1221	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1222	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1223	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-

Administrative Record NSR 10833_012413

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr
SOFC-1224	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1225	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1226	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1227	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1228	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1229	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1230	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1231	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1232	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1233	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1234	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1235	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1236	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1237	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1238	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1239	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1240	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1241	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1242	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1243	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1244	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1245	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1246	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1247	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1248	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1249	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1250	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1251	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1252	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1253	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1254	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1255	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1256	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1257	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1258	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1259	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1260	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1261	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1262	SOFC	6.73E-03	2.95E-02	2.92E-02	1.28E-01	2.24E-02	9.82E-02	1.37E-05	6.02E-05	1.36E-02	5.97E-02	1.36E-02	5.97E-02	1.36E-02	5.97E-02	-	-
SOFC-1263	SOFC	3.81E-03	1.67E-02	1.65E-02	7.24E-02	1.27E-02	5.57E-02	7.79E-06	3.41E-05	7.73E-03	3.38E-02	7.73E-03	3.38E-02	7.73E-03	3.38E-02	-	-
Totals:		8.49	37.20	36.81	161.21	28.31	124.01	1.74E-02	7.60E-02	17.21	75.40	17.21	75.40	17.21	75.40	-	-

Administrative Record NSR 10833_012414

Stack No.[1]	Serving Unit Number(s) from Table 2-A	NOx		CO		VOC		SOx		PM		PM10		PM2.5		☐ H_2S or ☐ Lead	
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Both hourly and annual emission rates reflected in this table represent the entire capacity (2,462 MW) running at 100% load. As noted in the application, the facility will be operationally limited to the 1600 MW cap. Emissions in this table sum to the maximum emissions represented in Table 2-D but are not the requested allowable emissions.

Administrative Record NSR 10833_012415

Table 2-H: Stack Exit Conditions

Unit and stack numbering must correspond throughout the application package. Include the stack exit conditions for each unit that emits from a stack, including blowdown venting parameters and tank emissions. If the facility has multiple operating scenarios, complete a separate Table 2-H for each scenario and, for each, type scenario name here: 1,600 MW Operating Cap

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-2	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-3	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-4	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-5	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-6	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-7	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-8	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-9	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-10	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-11	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-12	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-13	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-14	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-15	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-16	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-17	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-18	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-19	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-20	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-21	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-22	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-23	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-24	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-25	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-26	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-27	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-28	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-29	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-30	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-31	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-32	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-33	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-34	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-35	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-36	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-37	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012416

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-38	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-39	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-40	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-41	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-42	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-43	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-44	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-45	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-46	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-47	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-48	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-49	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-50	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-51	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-52	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-53	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-54	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-55	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-56	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-57	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-58	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-59	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-60	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-61	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-62	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-63	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-64	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-65	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-66	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-67	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-68	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-69	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-70	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-71	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-72	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-73	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-74	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-75	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-76	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-77	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012417

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-78	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-79	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-80	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-81	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-82	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-83	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-84	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-85	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-86	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-87	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-88	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-89	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-90	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-91	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-92	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-93	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-94	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-95	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-96	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-97	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-98	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-99	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-100	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-101	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-102	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-103	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-104	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-105	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-106	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-107	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-108	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-109	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-110	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-111	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-112	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-113	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-114	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-115	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-116	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-117	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012418

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-118	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-119	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-120	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-121	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-122	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-123	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-124	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-125	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-126	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-127	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-128	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-129	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-130	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-131	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-132	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-133	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-134	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-135	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-136	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-137	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-138	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-139	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-140	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-141	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-142	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-143	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-144	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-145	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-146	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-147	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-148	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-149	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-150	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-151	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-152	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-153	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-154	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-155	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-156	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-157	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012419

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-158	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-159	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-160	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-161	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-162	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-163	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-164	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-165	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-166	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-167	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-168	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-169	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-170	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-171	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-172	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-173	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-174	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-175	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-176	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-177	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-178	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-179	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-180	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-181	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-182	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-183	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-184	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-185	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-186	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-187	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-188	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-189	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-190	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-191	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-192	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-193	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-194	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-195	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-196	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-197	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012420

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-198	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-199	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-200	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-201	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-202	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-203	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-204	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-205	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-206	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-207	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-208	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-209	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-210	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-211	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-212	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-213	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-214	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-215	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-216	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-217	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-218	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-219	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-220	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-221	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-222	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-223	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-224	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-225	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-226	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-227	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-228	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-229	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-230	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-231	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-232	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-233	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-234	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-235	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-236	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-237	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012421

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-238	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-239	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-240	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-241	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-242	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-243	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-244	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-245	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-246	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-247	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-248	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-249	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-250	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-251	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-252	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-253	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-254	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-255	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-256	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-257	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-258	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-259	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-260	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-261	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-262	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-263	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-264	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-265	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-266	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-267	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-268	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-269	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-270	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-271	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-272	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-273	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-274	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-275	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-276	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-277	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012422

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-278	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-279	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-280	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-281	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-282	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-283	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-284	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-285	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-286	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-287	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-288	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-289	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-290	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-291	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-292	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-293	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-294	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-295	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-296	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-297	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-298	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-299	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-300	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-301	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-302	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-303	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-304	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-305	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-306	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-307	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-308	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-309	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-310	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-311	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-312	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-313	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-314	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-315	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-316	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-317	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012423

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-318	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-319	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-320	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-321	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-322	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-323	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-324	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-325	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-326	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-327	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-328	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-329	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-330	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-331	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-332	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-333	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-334	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-335	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-336	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-337	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-338	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-339	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-340	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-341	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-342	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-343	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-344	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-345	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-346	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-347	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-348	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-349	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-350	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-351	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-352	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-353	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-354	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-355	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-356	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-357	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012424

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-358	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-359	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-360	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-361	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-362	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-363	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-364	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-365	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-366	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-367	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-368	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-369	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-370	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-371	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-372	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-373	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-374	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-375	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-376	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-377	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-378	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-379	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-380	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-381	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-382	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-383	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-384	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-385	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-386	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-387	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-388	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-389	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-390	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-391	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-392	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-393	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-394	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-395	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-396	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-397	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012425

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-398	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-399	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-400	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-401	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-402	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-403	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-404	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-405	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-406	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-407	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-408	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-409	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-410	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-411	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-412	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-413	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-414	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-415	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-416	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-417	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-418	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-419	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-420	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-421	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-422	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-423	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-424	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-425	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-426	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-427	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-428	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-429	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-430	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-431	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-432	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-433	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-434	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-435	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-436	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-437	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012426

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-438	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-439	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-440	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-441	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-442	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-443	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-444	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-445	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-446	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-447	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-448	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-449	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-450	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-451	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-452	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-453	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-454	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-455	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-456	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-457	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-458	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-459	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-460	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-461	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-462	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-463	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-464	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-465	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-466	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-467	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-468	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-469	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-470	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-471	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-472	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-473	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-474	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-475	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-476	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-477	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012427

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-478	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-479	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-480	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-481	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-482	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-483	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-484	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-485	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-486	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-487	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-488	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-489	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-490	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-491	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-492	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-493	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-494	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-495	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-496	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-497	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-498	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-499	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-500	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-501	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-502	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-503	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-504	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-505	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-506	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-507	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-508	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-509	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-510	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-511	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-512	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-513	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-514	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-515	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-516	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-517	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012428

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-518	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-519	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-520	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-521	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-522	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-523	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-524	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-525	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-526	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-527	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-528	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-529	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-530	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-531	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-532	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-533	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-534	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-535	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-536	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-537	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-538	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-539	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-540	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-541	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-542	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-543	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-544	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-545	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-546	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-547	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-548	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-549	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-550	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-551	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-552	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-553	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-554	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-555	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-556	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-557	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012429

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-558	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-559	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-560	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-561	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-562	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-563	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-564	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-565	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-566	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-567	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-568	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-569	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-570	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-571	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-572	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-573	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-574	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-575	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-576	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-577	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-578	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-579	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-580	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-581	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-582	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-583	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-584	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-585	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-586	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-587	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-588	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-589	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-590	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-591	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-592	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-593	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-594	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-595	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-596	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-597	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012430

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-598	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-599	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-600	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-601	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-602	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-603	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-604	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-605	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-606	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-607	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-608	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-609	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-610	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-611	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-612	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-613	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-614	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-615	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-616	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-617	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-618	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-619	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-620	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-621	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-622	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-623	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-624	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-625	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-626	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-627	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-628	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-629	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-630	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-631	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-632	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-633	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-634	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-635	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-636	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-637	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012431

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-638	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-639	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-640	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-641	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-642	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-643	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-644	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-645	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-646	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-647	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-648	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-649	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-650	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-651	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-652	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-653	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-654	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-655	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-656	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-657	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-658	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-659	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-660	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-661	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-662	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-663	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-664	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-665	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-666	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-667	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-668	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-669	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-670	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-671	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-672	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-673	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-674	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-675	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-676	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-677	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012432

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-678	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-679	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-680	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-681	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-682	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-683	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-684	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-685	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-686	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-687	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-688	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-689	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-690	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-691	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-692	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-693	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-694	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-695	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-696	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-697	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-698	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-699	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-700	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-701	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-702	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-703	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-704	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-705	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-706	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-707	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-708	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-709	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-710	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-711	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-712	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-713	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-714	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-715	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-716	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-717	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012433

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-718	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-719	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-720	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-721	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-722	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-723	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-724	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-725	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-726	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-727	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-728	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-729	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-730	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-731	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-732	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-733	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-734	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-735	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-736	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-737	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-738	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-739	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-740	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-741	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-742	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-743	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-744	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-745	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-746	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-747	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-748	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-749	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-750	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-751	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-752	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-753	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-754	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-755	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-756	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-757	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012434

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-758	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-759	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-760	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-761	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-762	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-763	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-764	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-765	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-766	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-767	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-768	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-769	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-770	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-771	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-772	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-773	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-774	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-775	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-776	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-777	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-778	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-779	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-780	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-781	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-782	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-783	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-784	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-785	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-786	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-787	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-788	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-789	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-790	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-791	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-792	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-793	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-794	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-795	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-796	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-797	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012435

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-798	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-799	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-800	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-801	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-802	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-803	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-804	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-805	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-806	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-807	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-808	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-809	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-810	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-811	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-812	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-813	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-814	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-815	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-816	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-817	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-818	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-819	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-820	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-821	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-822	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-823	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-824	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-825	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-826	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-827	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-828	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-829	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-830	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-831	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-832	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-833	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-834	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-835	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-836	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-837	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012436

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-838	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-839	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-840	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-841	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-842	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-843	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-844	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-845	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-846	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-847	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-848	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-849	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-850	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-851	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-852	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-853	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-854	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-855	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-856	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-857	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-858	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-859	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-860	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-861	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-862	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-863	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-864	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-865	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-866	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-867	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-868	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-869	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-870	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-871	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-872	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-873	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-874	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-875	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-876	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-877	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012437

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-878	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-879	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-880	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-881	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-882	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-883	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-884	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-885	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-886	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-887	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-888	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-889	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-890	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-891	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-892	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-893	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-894	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-895	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-896	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-897	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-898	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-899	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-900	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-901	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-902	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-903	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-904	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-905	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-906	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-907	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-908	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-909	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-910	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-911	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-912	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-913	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-914	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-915	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-916	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-917	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012438

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-918	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-919	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-920	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-921	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-922	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-923	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-924	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-925	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-926	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-927	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-928	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-929	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-930	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-931	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-932	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-933	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-934	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-935	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-936	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-937	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-938	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-939	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-940	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-941	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-942	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-943	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-944	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-945	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-946	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-947	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-948	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-949	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-950	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-951	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-952	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-953	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-954	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-955	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-956	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-957	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012439

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-958	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-959	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-960	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-961	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-962	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-963	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-964	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-965	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-966	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-967	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-968	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-969	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-970	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-971	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-972	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-973	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-974	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-975	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-976	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-977	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-978	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-979	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-980	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-981	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-982	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-983	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-984	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-985	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-986	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-987	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-988	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-989	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-990	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-991	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-992	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-993	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-994	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-995	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-996	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-997	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012440

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-998	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-999	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1000	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1001	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1002	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1003	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1004	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1005	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1006	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1007	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1008	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1009	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1010	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1011	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1012	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1013	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1014	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1015	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1016	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1017	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1018	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1019	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1020	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1021	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1022	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1023	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1024	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1025	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1026	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1027	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1028	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1029	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1030	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1031	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1032	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1033	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1034	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1035	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1036	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1037	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012441

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1038	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1039	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1040	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1041	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1042	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1043	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1044	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1045	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1046	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1047	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1048	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1049	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1050	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1051	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1052	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1053	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1054	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1055	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1056	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1057	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1058	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1059	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1060	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1061	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1062	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1063	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1064	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1065	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1066	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1067	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1068	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1069	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1070	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1071	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1072	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1073	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1074	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1075	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1076	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1077	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012442

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1078	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1079	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1080	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1081	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1082	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1083	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1084	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1085	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1086	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1087	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1088	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1089	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1090	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1091	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1092	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1093	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1094	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1095	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1096	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1097	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1098	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1099	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1100	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1101	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1102	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1103	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1104	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1105	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1106	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1107	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1108	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1109	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1110	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1111	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1112	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1113	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1114	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1115	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1116	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1117	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012443

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1118	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1119	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1120	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1121	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1122	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1123	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1124	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1125	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1126	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1127	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1128	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1129	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1130	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1131	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1132	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1133	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1134	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1135	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1136	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1137	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1138	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1139	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1140	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1141	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1142	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1143	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1144	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1145	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1146	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1147	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1148	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1149	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1150	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1151	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1152	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1153	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1154	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1155	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1156	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1157	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012444

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1158	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1159	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1160	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1161	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1162	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1163	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1164	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1165	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1166	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1167	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1168	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1169	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1170	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1171	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1172	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1173	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1174	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1175	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1176	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1177	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1178	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1179	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1180	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1181	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1182	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1183	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1184	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1185	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1186	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1187	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1188	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1189	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1190	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1191	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1192	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1193	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1194	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1195	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1196	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1197	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012445

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1198	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1199	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1200	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1201	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1202	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1203	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1204	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1205	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1206	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1207	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1208	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1209	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1210	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1211	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1212	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1213	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1214	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1215	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1216	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1217	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1218	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1219	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1220	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1221	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1222	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1223	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1224	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1225	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1226	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1227	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1228	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1229	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1230	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1231	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1232	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1233	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1234	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1235	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1236	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1237	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16

Administrative Record NSR 10833_012446

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1238	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1239	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1240	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1241	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1242	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1243	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1244	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1245	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1246	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1247	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1248	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1249	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1250	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1251	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1252	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1253	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1254	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1255	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1256	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1257	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1258	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1259	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1260	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1261	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1262	SOFC	V	N	45	217.4	606.00	435.03	7.9%	11.60	8.16
SOFC-1263	SOFC	V	N	30	217.4	326.04	234.06	7.9%	6.24	8.16

The stack parameters shown in this table are associated with the modeling scenario representing the requested operating cap (i.e., 1600 MW). This modeling scenario used the requested allowable emissions in Table 2-E.

Administrative Record NSR 10833_012447

Table 2-H: Stack Exit Conditions

Unit and stack numbering must correspond throughout the application package. Include the stack exit conditions for each unit that emits from a stack, including blowdown venting parameters and tank emissions. If the facility has multiple operating scenarios, complete a separate Table 2-H for each scenario and, for each, type scenario name here: 100% Load

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-2	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-3	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-4	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-5	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-6	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-7	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-8	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-9	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-10	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-11	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-12	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-13	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-14	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-15	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-16	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-17	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-18	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-19	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-20	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-21	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-22	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-23	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-24	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-25	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-26	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-27	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-28	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-29	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-30	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-31	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-32	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-33	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-34	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-35	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-36	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-37	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012448

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-38	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-39	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-40	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-41	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-42	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-43	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-44	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-45	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-46	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-47	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-48	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-49	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-50	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-51	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-52	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-53	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-54	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-55	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-56	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-57	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-58	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-59	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-60	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-61	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-62	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-63	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-64	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-65	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-66	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-67	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-68	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-69	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-70	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-71	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-72	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-73	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-74	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-75	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-76	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-77	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012449

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-78	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-79	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-80	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-81	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-82	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-83	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-84	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-85	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-86	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-87	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-88	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-89	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-90	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-91	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-92	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-93	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-94	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-95	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-96	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-97	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-98	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-99	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-100	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-101	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-102	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-103	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-104	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-105	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-106	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-107	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-108	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-109	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-110	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-111	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-112	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-113	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-114	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-115	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-116	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-117	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012450

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-118	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-119	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-120	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-121	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-122	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-123	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-124	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-125	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-126	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-127	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-128	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-129	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-130	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-131	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-132	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-133	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-134	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-135	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-136	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-137	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-138	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-139	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-140	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-141	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-142	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-143	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-144	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-145	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-146	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-147	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-148	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-149	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-150	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-151	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-152	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-153	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-154	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-155	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-156	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-157	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012451

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-158	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-159	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-160	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-161	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-162	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-163	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-164	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-165	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-166	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-167	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-168	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-169	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-170	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-171	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-172	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-173	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-174	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-175	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-176	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-177	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-178	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-179	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-180	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-181	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-182	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-183	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-184	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-185	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-186	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-187	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-188	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-189	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-190	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-191	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-192	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-193	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-194	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-195	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-196	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-197	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012452

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-198	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-199	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-200	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-201	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-202	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-203	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-204	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-205	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-206	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-207	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-208	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-209	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-210	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-211	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-212	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-213	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-214	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-215	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-216	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-217	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-218	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-219	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-220	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-221	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-222	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-223	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-224	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-225	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-226	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-227	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-228	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-229	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-230	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-231	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-232	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-233	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-234	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-235	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-236	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-237	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012453

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-238	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-239	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-240	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-241	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-242	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-243	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-244	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-245	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-246	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-247	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-248	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-249	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-250	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-251	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-252	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-253	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-254	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-255	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-256	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-257	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-258	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-259	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-260	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-261	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-262	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-263	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-264	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-265	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-266	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-267	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-268	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-269	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-270	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-271	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-272	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-273	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-274	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-275	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-276	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-277	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012454

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-278	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-279	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-280	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-281	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-282	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-283	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-284	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-285	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-286	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-287	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-288	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-289	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-290	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-291	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-292	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-293	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-294	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-295	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-296	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-297	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-298	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-299	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-300	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-301	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-302	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-303	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-304	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-305	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-306	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-307	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-308	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-309	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-310	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-311	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-312	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-313	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-314	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-315	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-316	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-317	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012455

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-318	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-319	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-320	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-321	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-322	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-323	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-324	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-325	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-326	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-327	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-328	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-329	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-330	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-331	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-332	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-333	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-334	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-335	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-336	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-337	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-338	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-339	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-340	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-341	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-342	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-343	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-344	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-345	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-346	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-347	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-348	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-349	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-350	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-351	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-352	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-353	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-354	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-355	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-356	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-357	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012456

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-358	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-359	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-360	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-361	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-362	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-363	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-364	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-365	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-366	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-367	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-368	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-369	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-370	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-371	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-372	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-373	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-374	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-375	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-376	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-377	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-378	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-379	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-380	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-381	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-382	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-383	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-384	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-385	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-386	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-387	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-388	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-389	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-390	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-391	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-392	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-393	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-394	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-395	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-396	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-397	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012457

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-398	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-399	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-400	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-401	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-402	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-403	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-404	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-405	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-406	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-407	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-408	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-409	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-410	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-411	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-412	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-413	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-414	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-415	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-416	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-417	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-418	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-419	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-420	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-421	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-422	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-423	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-424	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-425	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-426	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-427	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-428	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-429	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-430	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-431	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-432	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-433	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-434	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-435	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-436	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-437	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012458

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-438	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-439	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-440	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-441	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-442	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-443	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-444	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-445	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-446	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-447	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-448	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-449	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-450	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-451	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-452	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-453	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-454	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-455	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-456	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-457	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-458	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-459	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-460	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-461	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-462	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-463	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-464	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-465	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-466	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-467	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-468	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-469	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-470	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-471	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-472	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-473	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-474	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-475	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-476	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-477	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012459

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-478	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-479	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-480	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-481	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-482	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-483	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-484	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-485	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-486	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-487	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-488	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-489	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-490	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-491	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-492	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-493	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-494	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-495	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-496	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-497	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-498	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-499	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-500	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-501	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-502	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-503	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-504	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-505	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-506	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-507	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-508	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-509	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-510	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-511	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-512	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-513	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-514	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-515	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-516	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-517	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012460

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-518	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-519	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-520	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-521	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-522	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-523	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-524	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-525	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-526	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-527	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-528	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-529	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-530	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-531	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-532	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-533	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-534	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-535	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-536	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-537	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-538	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-539	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-540	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-541	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-542	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-543	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-544	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-545	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-546	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-547	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-548	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-549	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-550	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-551	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-552	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-553	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-554	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-555	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-556	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-557	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012461

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-558	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-559	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-560	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-561	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-562	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-563	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-564	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-565	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-566	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-567	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-568	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-569	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-570	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-571	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-572	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-573	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-574	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-575	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-576	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-577	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-578	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-579	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-580	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-581	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-582	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-583	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-584	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-585	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-586	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-587	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-588	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-589	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-590	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-591	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-592	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-593	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-594	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-595	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-596	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-597	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012462

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-598	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-599	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-600	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-601	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-602	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-603	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-604	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-605	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-606	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-607	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-608	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-609	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-610	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-611	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-612	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-613	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-614	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-615	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-616	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-617	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-618	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-619	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-620	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-621	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-622	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-623	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-624	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-625	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-626	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-627	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-628	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-629	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-630	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-631	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-632	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-633	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-634	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-635	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-636	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-637	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012463

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-638	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-639	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-640	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-641	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-642	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-643	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-644	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-645	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-646	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-647	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-648	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-649	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-650	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-651	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-652	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-653	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-654	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-655	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-656	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-657	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-658	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-659	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-660	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-661	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-662	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-663	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-664	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-665	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-666	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-667	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-668	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-669	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-670	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-671	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-672	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-673	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-674	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-675	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-676	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-677	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012464

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-678	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-679	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-680	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-681	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-682	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-683	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-684	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-685	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-686	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-687	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-688	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-689	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-690	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-691	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-692	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-693	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-694	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-695	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-696	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-697	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-698	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-699	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-700	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-701	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-702	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-703	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-704	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-705	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-706	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-707	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-708	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-709	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-710	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-711	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-712	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-713	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-714	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-715	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-716	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-717	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012465

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-718	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-719	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-720	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-721	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-722	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-723	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-724	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-725	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-726	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-727	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-728	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-729	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-730	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-731	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-732	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-733	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-734	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-735	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-736	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-737	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-738	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-739	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-740	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-741	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-742	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-743	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-744	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-745	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-746	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-747	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-748	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-749	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-750	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-751	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-752	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-753	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-754	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-755	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-756	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-757	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012466

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-758	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-759	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-760	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-761	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-762	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-763	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-764	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-765	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-766	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-767	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-768	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-769	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-770	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-771	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-772	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-773	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-774	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-775	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-776	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-777	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-778	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-779	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-780	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-781	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-782	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-783	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-784	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-785	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-786	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-787	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-788	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-789	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-790	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-791	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-792	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-793	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-794	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-795	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-796	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-797	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012467

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-798	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-799	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-800	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-801	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-802	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-803	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-804	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-805	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-806	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-807	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-808	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-809	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-810	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-811	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-812	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-813	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-814	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-815	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-816	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-817	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-818	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-819	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-820	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-821	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-822	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-823	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-824	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-825	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-826	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-827	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-828	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-829	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-830	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-831	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-832	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-833	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-834	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-835	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-836	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-837	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012468

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-838	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-839	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-840	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-841	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-842	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-843	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-844	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-845	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-846	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-847	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-848	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-849	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-850	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-851	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-852	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-853	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-854	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-855	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-856	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-857	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-858	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-859	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-860	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-861	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-862	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-863	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-864	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-865	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-866	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-867	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-868	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-869	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-870	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-871	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-872	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-873	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-874	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-875	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-876	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-877	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012469

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-878	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-879	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-880	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-881	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-882	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-883	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-884	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-885	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-886	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-887	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-888	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-889	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-890	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-891	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-892	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-893	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-894	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-895	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-896	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-897	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-898	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-899	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-900	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-901	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-902	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-903	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-904	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-905	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-906	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-907	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-908	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-909	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-910	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-911	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-912	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-913	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-914	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-915	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-916	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-917	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012470

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-918	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-919	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-920	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-921	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-922	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-923	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-924	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-925	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-926	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-927	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-928	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-929	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-930	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-931	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-932	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-933	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-934	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-935	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-936	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-937	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-938	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-939	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-940	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-941	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-942	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-943	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-944	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-945	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-946	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-947	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-948	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-949	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-950	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-951	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-952	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-953	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-954	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-955	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-956	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-957	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012471

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-958	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-959	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-960	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-961	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-962	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-963	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-964	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-965	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-966	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-967	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-968	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-969	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-970	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-971	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-972	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-973	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-974	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-975	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-976	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-977	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-978	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-979	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-980	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-981	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-982	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-983	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-984	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-985	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-986	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-987	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-988	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-989	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-990	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-991	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-992	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-993	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-994	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-995	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-996	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-997	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012472

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-998	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-999	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1000	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1001	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1002	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1003	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1004	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1005	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1006	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1007	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1008	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1009	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1010	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1011	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1012	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1013	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1014	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1015	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1016	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1017	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1018	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1019	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1020	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1021	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1022	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1023	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1024	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1025	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1026	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1027	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1028	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1029	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1030	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1031	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1032	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1033	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1034	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1035	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1036	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1037	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012473

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1038	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1039	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1040	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1041	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1042	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1043	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1044	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1045	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1046	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1047	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1048	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1049	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1050	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1051	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1052	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1053	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1054	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1055	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1056	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1057	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1058	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1059	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1060	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1061	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1062	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1063	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1064	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1065	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1066	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1067	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1068	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1069	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1070	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1071	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1072	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1073	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1074	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1075	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1076	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1077	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012474

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1078	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1079	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1080	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1081	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1082	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1083	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1084	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1085	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1086	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1087	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1088	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1089	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1090	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1091	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1092	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1093	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1094	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1095	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1096	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1097	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1098	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1099	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1100	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1101	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1102	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1103	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1104	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1105	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1106	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1107	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1108	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1109	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1110	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1111	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1112	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1113	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1114	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1115	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1116	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1117	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012475

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1118	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1119	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1120	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1121	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1122	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1123	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1124	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1125	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1126	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1127	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1128	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1129	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1130	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1131	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1132	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1133	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1134	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1135	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1136	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1137	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1138	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1139	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1140	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1141	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1142	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1143	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1144	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1145	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1146	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1147	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1148	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1149	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1150	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1151	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1152	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1153	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1154	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1155	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1156	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1157	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012476

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1158	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1159	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1160	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1161	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1162	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1163	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1164	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1165	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1166	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1167	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1168	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1169	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1170	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1171	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1172	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1173	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1174	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1175	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1176	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1177	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1178	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1179	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1180	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1181	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1182	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1183	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1184	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1185	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1186	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1187	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1188	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1189	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1190	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1191	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1192	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1193	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1194	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1195	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1196	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1197	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012477

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1198	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1199	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1200	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1201	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1202	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1203	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1204	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1205	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1206	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1207	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1208	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1209	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1210	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1211	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1212	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1213	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1214	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1215	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1216	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1217	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1218	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1219	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1220	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1221	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1222	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1223	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1224	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1225	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1226	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1227	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1228	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1229	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1230	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1231	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1232	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1233	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1234	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1235	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1236	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1237	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16

Administrative Record NSR 10833_012478

Stack Number	Serving Unit Number(s) from Table 2-A	Orientation (H-Horizontal V=Vertical)	Rain Caps (Yes or No)	Height Above Ground (ft)	Temp. (F)	Flow Rate		Moisture by Volume (%)	Velocity (ft/sec)	Inside Diameter (ft)
						(acfs)	(dscfs)			
SOFC-1238	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1239	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1240	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1241	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1242	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1243	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1244	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1245	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1246	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1247	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1248	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1249	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1250	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1251	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1252	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1253	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1254	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1255	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1256	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1257	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1258	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1259	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1260	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1261	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1262	SOFC	V	N	45	163.4	661.50	516.01	7.9%	12.66	8.16
SOFC-1263	SOFC	V	N	30	163.4	355.99	277.69	7.9%	6.81	8.16

The stack parameters shown in this table are associated with the modeling scenario representing 100% nameplate capacity (2,462 MW). This modeling scenario used the maximum emissions from Table 2-D

Administrative Record NSR 10833_012479

Table 2-I: Stack Exit and Fugitive Emission Rates for HAPs and TAPs

In the table below, report the Potential to Emit for each HAP from each regulated emission unit listed in Table 2-A, only if the entire facility emits the HAP at a rate greater than or equal to one (1) ton per year For each such emission u shall be reported to the nearest 0.1 tpy. Each facility-wide Individual HAP total and the facility-wide Total HAPs shall be the sum of all HAP sources calculated to the nearest 0.1 ton per year. Per 20.2.72.403.A.1 NMAC, facilities no [see 20.2.72.402.C NMAC] from TAP permitting shall report each TAP that has an uncontrolled emission rate in excess of its pounds per hour screening level specified in 20.2.72.502 NMAC. TAPs shall be reported using one more s figure than the number of significant figures shown in the pound per hour threshold corresponding to the substance. Use the HAP nomenclature as it appears in Section 112 (b) of the 1990 CAAA and the TAP nomenclature as it listed 20.2.72.502 NMAC. Include tank-flashing emissions estimates of HAPs in this table. For each HAP or TAP listed, fill all cells in this table with the emission numbers or a "-" symbol. A "-" symbol indicates that emissions of this poll not expected or the pollutant is emitted in a quantity less than the threshold amounts described above.

Stack No.	Unit No.(s)	Total HAPs		Benzene ☑ HAP or ☐ TAP		Xylenes ☑ HAP or ☐ TAP		Methanol ☑ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Pollutant Name Here ☐ HAP or ☐ TAP		Provide Poll Here ☐ T
		lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr	ton/yr	lb/hr
SOFC-1 through SOFC-1263	SOFC[1]	0.21	0.92	0.030	0.13	0.010	0.043	0.17	0.75									
Total:		0.21	0.92	0.030	0.13	9.81E-03	0.043	0.17	0.75	-	-	-	-	-	-	-	-	-

[1]Emissions represent operation at the 1600 MW capacity permit limit.

Administrative Record NSR 10833_012480

unit, HAPs
t exempt
significant
in
utant are

utant Name ☐ HAP or AP
ton/yr
-

Administrative Record NSR 10833_012481

Table 2-J: Fuel

Specify fuel characteristics and usage. Unit and stack numbering must correspond throughout the application package.

Unit No.	Fuel Type (low sulfur Diesel, ultra low sulfur diesel, Natural Gas, Coal, …)	Fuel Source: purchased commercial, pipeline quality natural gas, residue gas, raw/field natural gas, process gas (e.g. SRU tail gas) or other	Specify Units				
			Lower Heating Value	Hourly Usage	Annual Usage	% Sulfur	% Ash
SOFC	Natural Gas	Pipeline Quality Natural Gas / Purchased Commercial	970 Btu/scf	12.46 MMscf/h	109,175.88 MMSCF/yr	0.75 gr S /100 scf	0.0%

Administrative Record NSR 10833_012482

Table 2-K: Liquid Data for Tanks Listed in Table 2-L

For each tank, list the liquid(s) to be stored in each tank. If it is expected that a tank may store a variety of hydrocarbon liquids, enter "mixed hydrocarbons" in the Composition column for that tank and enter the corresponding data of the most volatile liquid to be stored in the tank. If tank is to be used for storage of different materials, list all the materials in the "All Calculations" attachment, run the newest version of TANKS on each, and use the material with the highest emission rate to determine maximum uncontrolled and requested allowable emissions rate. The permit will specify the most volatile category of liquids that may be stored in each tank. Include appropriate tank-flashing modeling input data. Use additional sheets if necessary. Unit and stack numbering must correspond throughout the application package.

Tank No.	SCC Code	Material Name	Composition	Liquid Density (lb/gal)	Vapor Molecular Weight (lb/lb*mol)	Average Storage Conditions		Max Storage Conditions	
						Temperature (°F)	True Vapor Pressure (psia)	Temperature (°F)	True Vapor Pressure (psia)

Administrative Record NSR 10833_012483

Table 2-L: Tank Data

Include appropriate tank-flashing modeling input data. Use an addendum to this table for unlisted data categories. Unit and stack numbering must correspond throughout the application package. Use additional sheets if necessary. See reference Table 2-L2. Note: 1.00 bbl = 10.159 M3 = 42.0 gal

Tank No.	Date Installed	Materials Stored	Seal Type (refer to Table 2-LR below)	Roof Type (refer to Table 2-LR below)	Capacity		Diameter (M)	Vapor Space (M)	Color (from Table VI-C)		Paint Condition (from Table VI-C)	Annual Throughput (gal/yr)	Turn-overs (per year)
					(bbl)	(M^3)			Roof	Shell			

Administrative Record NSR 10833_012484

Table 2-L2: Liquid Storage Tank Data Codes Reference Table

Roof Type	Seal Type, Welded Tank Seal Type		Seal Type, Riveted Tank Seal Type		Roof, Shell Color	Paint Condition
FX: Fixed Roof	**Mechanical Shoe Seal**	**Liquid-mounted resilient seal**	**Vapor-mounted resilient seal**	**Seal Type**	**WH**: White	Good
IF: Internal Floating Roof	**A**: Primary only	**A**: Primary only	**A**: Primary only	**A**: Mechanical shoe, primary only	**AS**: Aluminum (specular)	Poor
EF: External Floating Roof	**B**: Shoe-mounted secondary	**B**: Weather shield	**B**: Weather shield	**B**: Shoe-mounted secondary	**AD**: Aluminum (diffuse)	
P: Pressure	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**C**: Rim-mounted secondary	**LG**: Light Gray	
					MG: Medium Gray	
					BL: Black	
					OT: Other (specify)	

Note: 1.00 bbl = 0.159 M^3 = 42.0 gal

Table 2-M: Materials Processed and Produced (Use additional sheets as necessary.)

Material Processed				Material Produced			
Description	**Chemical Composition**	**Phase (Gas, Liquid, or Solid)**	**Quantity (specify units)**	**Description**	**Chemical Composition**	**Phase**	**Quantity (specify units)**
Natural Gas	Mixed hydrocarbons	Gas	299.11 MMscf/day	Electricity	N/A	N/A	38,400 MWh/day

Administrative Record NSR 10833_012485

Table 2-N: CEM Equipment

Enter Continuous Emissions Measurement (CEM) Data in this table. If CEM data will be used as part of a federally enforceable permit condition, or used to satisfy the requirements of a state or federal regulation, include a copy of the CEM's manufacturer specification sheet in the Information Used to Determine Emissions attachment. Unit and stack numbering must correspond throughout the application package. Use additional sheets if necessary.

Stack No.	Pollutant(s)	Manufacturer	Model No.	Serial No.	Sample Frequency	Averaging Time	Range	Sensitivity	Accuracy
N/A - No Continuous Emissions Monitoring Equipment									

Administrative Record NSR 10833_012486

Table 2-O: Parametric Emissions Measurement Equipment

Unit and stack numbering must correspond throughout the application package. Use additional sheets if necessary.

Unit No.	Parameter/Pollutant Measured	Location of Measurement	Unit of Measure	Acceptable Range	Frequency of Maintenance	Nature of Maintenance	Method of Recording	Averaging Time
N/A - No Parametric Emissions Measurement Equipment								

Administrative Record NSR 10833_012487

Table 2-P: Greenhouse Gas Emissions

Applications submitted under 20.2.70, 20.2.72, & 20.2.74 NMAC are required to complete this Table. Power plants, Title V major sources, and PSD major sources must report and calculate all GHG emissions for each unit. Applicants must report potential emission rates in short tons per year (see Section 6.a for assistance). Include GHG emissions during Startup, Shutdown, and Scheduled Maintenance in this table. For minor source facilities that are not power plants, are not Title V, or are not PSD, there are three options for reporting GHGs 1) report GHGs for each individual piece of equipment; 2) report all GHGs from a group of unit types, for example report all combustion source GHGs as a single unit and all venting GHG as a second separate unit; OR 3) check the following box ☐ By checking this box, the applicant acknowledges the total CO2e emissions are less than 75,000 tons per year.

		CO_2 ton/yr	N_2O ton/yr	CH_4 ton/yr	SF_6 ton/yr	PFC/HFC ton/yr[2]									Total GHG Mass Basis ton/yr[4]	Total CO_2e ton/yr[5]
Unit No.	**GWPs [1]**	**1**	**265**	**28**	**22,800**	**footnote 3**										
SOFC[6]	**mass GHG**	5,732,544	-	-											5,732,544	
	CO_2e	5,732,544	-	-												5,732,544
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
	mass GHG															
	CO_2e															
Total	**mass GHG**	5,732,544	-	-											5,732,544	
	CO_2e	5,732,544	-	-												5,732,544

[1] **GWP** (Global Warming Potential): Applicants must use the most current GWPs codified in Table A-1 of 40 CFR part 98. GWPs are subject to change, therefore, applicants need to check 40 CFR 98 to confirm GWP values.

[2] For **HFCs** or **PFCs** describe the specific HFC or PFC compound and use a separate column for each individual compound.

[3] For each new compound, enter the appropriate GWP for each HFC or PFC compound from Table A-1 in 40 CFR 98.

[4] Green house gas emissions on a **mass basis** is the ton per year green house gas emission before adjustment with its GWP.

[5] **CO_2e** means Carbon Dioxide Equivalent and is calculated by multiplying the TPY mass emissions of the green house gas by its GWP.

[6] Emissions represent operation at the 1600 MW capacity permit limit and do not include the 15% safety factor.

Administrative Record NSR 10833_012488

Yucca Growth Infrastructure, LLC - YGI Microgrid

Emission Summary

Maximum Emissions														
Unit	Description	NO_x		CO		VOC		SO_2		PM_{10}		$PM_{2.5}$		Total
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr
SOFC	Bloom Energy Server System[1]	8.49	37.20	36.81	161.21	28.31	124.01	0.02	0.08	17.21	75.40	17.21	75.40	0.32
Sum of Emissions		**8.49**	**37.20**	**36.81**	**161.21**	**28.31**	**124.01**	**0.02**	**0.08**	**17.21**	**75.40**	**17.21**	**75.40**	**0.32**

Requested Allowable Emissions														
Unit	Description	NO_x		CO		VOC		SO_2		PM_{10}		$PM_{2.5}$		Total
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr
SOFC	Bloom Energy Server System[1]	5.52	24.18	23.92	104.77	18.40	80.59	0.01	0.05	11.19	49.00	11.19	49.00	0.21
Sum of Emissions		**5.52**	**24.18**	**23.92**	**104.77**	**18.40**	**80.59**	**0.01**	**0.05**	**11.19**	**49.00**	**11.19**	**49.00**	**0.21**

[1] Bloom Energy Server System (SOFC) uses no add-on controls for regulated pollutants. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity limit.

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emiss test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certa "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

Administrative Record NSR 10833_012489

HAPs tpy
1.42
1.42

HAPs tpy
0.92
0.92

permit

ions, given
fuel cell

ain
be

Administrative Record NSR 10833_012490

Yucca Growth Infrastructure, LLC - YGI Microgrid

Emission Summary - HAPs

Maximum HAP Emissions									
Unit	Description	Total HAPs		Benzene		Xylenes		Methanol	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	0.3	1.4	0.046	0.20	0.02	0.07	0.26	1.15
Sum of Emissions		**0.3**	**1.4**	**0.05**	**0.20**	**0.02**	**0.07**	**0.26**	**1.15**

Requested Allowable HAP Emissions									
Unit	Description	Total HAPs		Benzene		Xylenes		Methanol	
		lb/hr	tpy	lb/hr	tpy	lb/hr	tpy	lb/hr	tpy
SOFC	Bloom Energy Server System[1]	0.21	0.92	0.030	0.13	0.01	0.04	0.17	0.75
Sum of Emissions		**0.21**	**0.92**	**0.03**	**0.13**	**0.01**	**0.04**	**0.17**	**0.75**

[1] Bloom Energy Server System (SOFC) uses no add-on controls for HAPs. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity permit limit.

Administrative Record NSR 10833_012491

Yucca Growth Infrastructure, LLC - YGI Microgrid

Emission Summary - GHG

Maximum GHG Emissions						
Unit	Description	CO_2	CH_4	N_2O	GHG	CO_2e[1]
		tpy	tpy	tpy	tpy	tpy
SOFC	Bloom Energy Server System[2]	8,820,970	-	-	8,820,970	8,820,970
Total		**8,820,970**	**-**	**-**	**8,820,970**	**8,820,970**

Requested Allowable GHG Emissions						
Unit	Description	CO_2	CH_4	N_2O	GHG	CO_2e[1]
		tpy	tpy	tpy	tpy	tpy
SOFC	Bloom Energy Server System[2]	5,732,544	-	-	5,732,544	5,732,544
Total		**5,732,544**	**-**	**-**	**5,732,544**	**5,732,544**

[1] CO_2e emission calculation (tpy): CO_2 (tpy) + (CH_4*28) (tpy) + (N_2O*265) (tpy)

[2] Bloom Energy Server System (SOFC) uses no add-on controls for GHGs. Maximum emissions represent a 100% load case, while requested allowable emissions represent the 1600 MW capacity permit limit.

Administrative Record NSR 10833_012492

Yucca Growth Infrastructure, LLC - YGI Microgrid

Fuel Cells

Emission Unit: SOFC

Source Description: Solid Oxide Fuel System

Make/Model	**Bloom Energy Server 6.5**
Fuel Type:	**Natural Gas**

Nameplate Capacity	**2,462.005 MW**
Requested Allowable Capacity	**1,600.000 MW**
Safety Factor:	**15%**

Criteria Pollutant Emissions

Pollutant	Emission Factor	Maximum Emission Rate (lb/hr)	Maximum Emission Rate (tpy)	Requested Allowables Emission Rate (lb/hr)	Requestable Allowables Emission Rate (tpy)
NOX	3.00E-03 lb/MW-hr	8.494 lb/hr	37.20 tpy	5.520 lb/hr	24.18 tpy
CO	1.30E-02 lb/MW-hr	36.807 lb/hr	161.21 tpy	23.920 lb/hr	104.77 tpy
VOC	1.00E-02 lb/MW-hr	28.313 lb/hr	124.01 tpy	18.400 lb/hr	80.59 tpy
SO2	6.13E-06 lb/MW-hr	0.02 lb/hr	0.08 lb/hr	0.01 lb/hr	0.05 lb/hr
PM_{10}	6.08E-03 lb/MW-hr	17.214 lb/hr	75.40 tpy	11.187 lb/hr	49.00 tpy
$PM_{2.5}$	6.08E-03 lb/MW-hr	17.214 lb/hr	75.40 tpy	11.187 lb/hr	49.00 tpy

Notes:

1. Emission Factors from manufacturer's specifications and testing performed in Apr. 2026

The Energy Server System equipment vendor maintains that there are zero PM emissions from its equipment. Extant reference method testing has been used by the applicant to conservatively estimate emissions, given test method limitations. Vendor indicates that extant testing may exhibit positive sampling method bias and reflects filterable particulate matter from intake air passed through the system. For that reason, the fuel cell system equipment vendor does not specify particulate emission factors.

Fuel cells are not a "combustion source" of PM2.5. Pursuant to 20.2.2.7, 20.2.74.7(AS)(6), and 20.2.72.203.A(3) NMAC, particulate emissions are a "regulated new source review pollutant" which include certain "gaseous emissions from a source or activity" and applicant must submit "all emissions information, calculations and computations" for computing "maximum" particulate matter emissions from the source. To be conservative, applicant uses an emission factor for condensable particulate matter based on available source test data.

Speciated HAP Emissions

Pollutant	Emission Factor	Maximum Emission Rate (lb/hr)	Maximum Emission Rate (tpy)	Requested Allowables Emission Rate (lb/hr)	Requestable Allowables Emission Rate (tpy)
Methanol	9.31E-05 lb/MW-hr	0.26 lb/hr	1.15 tpy	0.17 lb/hr	0.75 tpy
Benzene	1.62E-05 lb/MW-hr	0.05 lb/hr	0.20 tpy	0.03 lb/hr	0.13 tpy
Xylenes	5.33E-06 lb/MW-hr	0.02 lb/hr	0.07 tpy	0.01 lb/hr	0.04 tpy
Total HAPs		0.3 lb/hr	1.42 tpy	0.21 lb/hr	0.92 tpy

Notes:

1. Emission Factors from manufacturer's specifications and testing performed in Apr. 2026

Administrative Record NSR 10833_012493

GHG Emissions

Pollutant	Emission Factor	Maximum Emission Rate (tpy)	Requestable Allowables Emission Rate (tpy)
CO_2	8.18E+02 lb/MW-hr	8,820,970 tpy	5,732,544 tpy
CH_4	0.00E+00 lb/MW-hr	0 tpy	0 tpy
Total GHG (CO_2eq)		8,820,970 tpy	5,732,544 tpy

Notes

1. Emission factor for CO_2 derived from 40 CFR Part 98 Table C-1 for natural gas.

Administrative Record NSR 10833_012494

Yucca Growth Infrastructure, LLC - YGI Microgrid

Startup, Shutdown, and Maintenance Emissions (SSM) - Exempt Pursuant 20.2.72.202.B(5) NMAC

Emission Unit: SSM
Source Description: Startup, Shutdown and Maintenance Emissions

Input Data - Startup			
Quantity of centralized desulfurization systems (CDS):	95	units	
Volume per vessel[1]:	1370	ft^3	
Vessels per CDS:	2	units	
Vessels purged per event:	2	vessel	*Both vessels are purged during startup.*
Purges per event:	3		*Purge cycles during startup event.*
Total volume per event:	780,900.00	scf per event	# CDS x # Vessels x # of purges x volume per vessel

Input Data - Maintenance			
Quantity of centralized desulfurization systems (CDS):	95	units	
Volume per vessel[1]:	1370	ft^3	
Vessels per CDS:	2	units	
Vessels purged per event:	1	vessel	*Only one vessel is purged every two years.*
Purges per event:	4		*Purge cycles during maintenance event.*
Total volume per event:	520,600.00	scf per event	# CDS x # Vessels x # of purges x volume per vessel

Input Data - Assumptions			
Density of NG:	0.043	lb/scf	nominal for pipeline quality natural gas
VOC Fraction:	2%	wt%	nominal for pipeline quality natural gas
CH_4 Fraction:	98%	wt%	nominal for pipeline quality natural gas

Startup Emissions			
VOC	**CH_4**	**Units**	**Notes**
671.57	32,907.13	lb/hr	Volume per event x NG Density x VOC wt%
0.34	16.45	tpy	

Maintenance Emissions			
VOC	**CH_4**	**Units**	**Notes**
447.72	21,938.08	lb/hr	Volume per event x NG Density x VOC wt%
0.22	10.97	tpy	

Total SSM Emissions[2]			
VOC	**CH_4**	**Units**	**Notes**
671.57	32,907.13	lb/hr	Startup and Maintenance cannot occur simulatenously
0.34	16.45	tpy	or within the same year.

[1] Desulfurization is an adsorbent-based sulfur removal process in which the incoming natural gas is passed through vessel of adsorbent materials to capture and remove sulfur species. Approximately ninety-five central Desulfurization System (CDS) skids/blocks will be installed, consisting of two vessels in a lead/lag configuration for desulfurization. Each vessel has a volume of 1,370 standard cubic feet.

[2] The maximum of either startup or maintenance emissions was taken for total SSM emissions. The two events cannot occur within the same 12-month rolling period.

Administrative Record NSR 10833_012495

From:	Kuhn, Julia, ENV
To:	Jesse Lovegren
Subject:	YGI - permit draft for your review
Date:	Monday, July 13, 2026 9:34:00 PM
Attachments:	DRAFT - NSR PART A 10883 7.13.26.docx image001.png image002.png DRAFT - NSR PART B_C 10883 7.13.26.docx

Hello Jesse,

A bit late but here it is. Please find attached the draft permit for your review (Parts A, B, and C). I will send you the SOB tomorrow to view justification for permit conditions. Please let me know of any technical inaccuracies. If you like to comment before we release to the draft for public review, please reply by Thursday. Also, please know that the attached draft will be reviewed by upper management and our legal team. Thank you for your patience.

Thank you,

Julia Kuhn M.S.
Major Source Manager
New Mexico Environmental Department
Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505
505-629-2893
Julia.Kuhn@env.nm.gov
www.env.nm.gov

DRAFT AS OF 7/13/2026

AIR QUALITY BUREAU
NEW SOURCE REVIEW PERMIT
Issued under 20.2.72 NMAC

Certified Mail No:
Return Receipt Requested

NSR Permit No:	10883
Facility Name:	Yucca Growth Microgrid
Facility Owner:	Yucca Growth Infrastructure, LLC.
Facility Operator:	Bloom Energy Corp
Mailing Address:	600 Congress Ave, Suite 15041 Austin, TX 78701
TEMPO/IDEA ID No:	41351 - PRN20260001
AIRS No:	350134104
Permitting Action:	Regular – New Construction Permit
Source Classification:	TV Major
Facility Location:	341,070 m E by 3,521,500 m N, Zone 13; Datum WGS84
County:	Doña Ana
Air Quality Bureau Contact	Julia Kuhn
Main AQB Phone No.	(505) 476-4300

Cindy Hollenberg
Bureau Chief
Air Quality Bureau

Date

Template version: 12/10/2025

[Delete all below at time final permit submitted for signature.]
File Name: NSR_Permit_Parta_Master
Save Date: 6/18/2019
Print Date: 10/30/2026 1:13:00 PM

TABLE OF CONTENTS

Part A FACILITY SPECIFIC REQUIREMENTS A3
A100 Introduction A3
A101 Permit Duration (expiration) A3
A102 Facility: Description A3
A103 Facility: Applicable Regulations A4
A104 Facility: Regulated Sources A5
A105 Facility: Control Equipment A6
A106 Facility: Allowable Emissions A6
A107 Facility: Startup, Shutdown, & Maintenance (SSM) Requirements A6
A108 Facility: Allowable Operations A10
A109 Facility: Reporting Schedules A11
A110 Facility: Fuel and Fuel Sulfur Requirements A11
A111 Facility: 20.2.61 NMAC Opacity A11
A112 Facility: Haul Roads – Not Required A12
A113 Facility: Location Requirements A12
A114 Facility: Relocation A12
A115 Alternative Operating Scenario **– Not Required** A13
A116 Compliance Plan **– Not Required** A13
A117 Pursuant to this Permit: A13
A200 Oil and Gas Industry – Not Required A13
A300 Construction Industry – Aggregate – Not Required A13
A400 Construction Industry – Asphalt – Not Required A13
A500 Construction Industry – Concrete – Not Required A13
Power Generation Industry A13
A600 Power Generation Industry A13
A601 SOFC Clusters - 260 kW and 325 kW Units A13

PART B GENERAL CONDITIONS (Attached)

PART C MISCELLANEOUS: Supporting On-Line Documents; Definitions; Acronyms (Attached)

PART A FACILITY SPECIFIC REQUIREMENTS

A100 Introduction

A. This is a new permit.

B. Fee Requirement: This permit is not effective until the Department receives the permit fee specified in the attached invoice. Pursuant to 20.2.75.12 NMAC, the permittee shall pay this invoice no later than thirty (30) days after the permit issue date (invoicing), unless the Department has granted an extension. The permit fee must be paid by this date regardless of the permittee's intended use or non-use of the permit or of the Department's cancellation of the permit. The permittee's failure to pay this fee when due will automatically void the permit and the Department may initiate enforcement action to collect the fee and assess a civil penalty for non-payment. The permittee shall not construct the equipment in Table 104.A. before the date that the Department receives the permit fee in full. The Department may initiate enforcement action for injunctive relief and civil penalties for any construction or operation specified in Table 104.A if the permit fee is not paid by the due date.

A101 Permit Duration (expiration)

A. The term of this permit is permanent unless withdrawn or cancelled by the Department pursuant to Section B113 and/or NMSA 1978, Section 74-2-12.B.

B. Except for the equipment identified in Table 104.A, the construction, installation and/or operation of any stationary sources or portable stationary sources of regulated air pollutants is not authorized by this by permit and explicitly prohibited. This prohibition includes temporary, portable, and/or exempt sources pursuant to 20.2.72.202 NMAC.

A102 Facility: Description

A. The function of the facility is to generate power to operate a data center using Bloom Energy Server System fuel cells. This system is a type of solid oxide fuel cell system (SOFC) which converts natural gas into electricity using an electrochemical reaction.

B. This facility is located approximately 3.6 miles South of Santa Teresa in New Mexico, Doña Ana County.

C. This permit application is for a New Source Review (NSR) construction permit issued pursuant to 20.2.72.200.A(1) NMAC. The facility will be a microgrid power generation facility that will consist of 2,275 solid oxide fuel cell (SOFC) modules

with a total electric generating capacity of 2,462 MW. The electric generating capacity of each module is either 260 kW or 325 kW. Fuel cells are arranged in cell stack -> power module -> energy server -> cluster -> inverter group/platform. The description of this modification is for informational purposes only and is not enforceable.

D. Tables 102.A and Table 102.B show the total potential emission rates (PER) from this facility for information only. This is not an enforceable condition and excludes emissions from Minor NSR exempt activities per 20.2.72.202 NMAC.

Table 102.A: Total Potential Emission Rate (PER) from Entire Facility

Pollutant	Emissions (tons per year)
Nitrogen Oxides (NOx)	37.2
Carbon Monoxide (CO)	161.21
Volatile Organic Compounds (VOC) [1]	124.0
Sulfur Dioxide (SO_2)	0.08
Particulate Matter (PM)	75.4
Particulate Matter 10 microns or less (PM_{10})	75.4
Particulate Matter 2.5 microns or less ($PM_{2.5}$)	75.4
Greenhouse Gas (GHG) as CO_2e	8,820,970

1. VOC includes emissions from Fugitives and SSM.
2. PM is a regulated new source review pollutant per 20.2.74 NMAC Prevention of Significant Deterioration. No ambient air quality standards apply to PM.

Table 102.B: Total Potential Emissions Rate (PER) for *Hazardous Air Pollutants (HAPs)

Pollutant	Emissions (tons per year)
Benzene	0.2
Methanol	1.2
Xylenes	0.7
Total HAPs**	1.4

* HAP emissions are already included in the VOC emission total.

** The total HAP emissions may not agree with the sum of individual HAPs because only individual HAPs greater than 1.0 tons per year are listed here.

A103 Facility: Applicable Regulations

A. The permittee shall comply with terms, conditions and requirements specified in this permit. A list of all applicable sections of the requirements presented in Table 103.A.

Table 103.A: Applicable Requirements

Applicable Requirements	Federally Enforceable	Unit No.
20.2.1 NMAC General Provisions	X	Entire Facility
20.2.7 NMAC Excess Emissions	X (Except for Sections 6(b); 110(b)(15); 111; 112; 113; 115; and 116 that are State Enforceable Only)	Entire Facility
20.2.23 NMAC Fugitive Dust Control	X	All Construction Activities at or for the Facility
20.2.61 NMAC Smoke and Visible Emissions	X	Entire Facility
20.2.70 NMAC Operating Permits	X	Entire Facility
20.2.71 NMAC Operating Permit Emission Fees	X	Entire Facility
20.2.72 NMAC Construction Permit	X	Entire Facility
20.2.73 NMAC Notice of Intent and Emissions Inventory Requirements	X	Entire Facility
20.2.75 NMAC Construction Permit Fees	X	Entire Facility
20.2.80 NMAC Stack Heights	State Only	All Stacks

A104 Facility: Regulated Sources

A. Table 104.A lists the emission units authorized for this facility.

Table 104.A: Regulated Sources List

Unit No.	Source Description	Make	Model	Serial No.	Construction Date	Manufacture Date	Manufacturer Rated Capacity /Permitted Capacity
SOFC-1 through SOFC-2275	[1]SOFC Clusters – 260 kW and 325 kW Units	Bloom	Energy Server 6.5	TBD	TBD	TBD	2,462 MW[2]
SSM	Startup, Shutdown, and Maintenance – Venting natural gas during Centralized Desulfurization System (CDS) Filter Replacement	N/A	N/A	N/A	TBD	N/A	N/A

1. A group of 260 kW and/or 325 kW Bloom Energy Server "units" that share a stack are referred to as an "cluster" for the purpose of this permit.
2. "MW" refers to megawatts of electricity.

A105 Facility: Control Equipment

A. There is no air pollution control equipment for this facility.

A106 Facility: Allowable Emissions

A. The following Section lists the emission units and their allowable emission limits. (20.2.72.210.A and B.1 NMAC).

Table 106.A: Allowable Emissions

Unit No.	NO_x[1] pph	NO_x[1] tpy	CO pph	CO tpy	VOC pph	VOC tpy	SO_2 pph	SO_2 tpy	PM / PM_{10} pph	PM / PM_{10} tpy	$PM_{2.5}$ pph	$PM_{2.5}$ tpy
SOFC-1 through SOFC-2275	8.5	37.2	36.8	161.2	28.3	124.0	0.02	0.1	17.2	75.4	17.2	75.4

1 Nitrogen dioxide emissions include all oxides of nitrogen expressed as NO_2
2 Excess emissions shall be reported in accordance with 20.2.7 NMAC and Conditions B107 and B109.C.

A107 Facility: Startup, Shutdown, & Maintenance (SSM) Requirements

A. The allowable startup, shutdown, or maintenance (SSM) activities and maximum allowable emission limits for those activities facility are listed in Section A107 and were relied upon by the Department to determine compliance with applicable regulations.

Table 107.A: Authorized SSM Units and Activities

Unit No.	Description	Make	Model	Serial No.	Construction/ Modification Date
SSM	Natural gas venting during desulfurization bed media and desulfurization filter replacement for initial start-ups, maintenance and shutdown	N/A	N/A	N/A	TBD

B. The permittee shall limit VOC emissions from all activities related to routine or predictable startup, shutdown, and scheduled maintenance (SSM) to no more than 0.34 tons per year.

C. The authorization of emission limits for routine or predictable startup, shutdown, or scheduled maintenance does not supersede the requirements to minimize emissions according to General Conditions B101.F and B107.A.

SSM condition option 1:

D. Method for Determining Compliance with the Startup, Shutdown and Maintenance Venting Emission Limit in Section 107.B – (Unit SSM)

Requirement: The permittee shall comply with the monitoring, recordkeeping, and reporting of this condition to demonstrate compliance with the limits from SSM emissions.

(1) The permittee shall calculate the emissions from each event using Equations 1 and 2, the maximum volume of gas (V_{max}) in cubic feet vented per activity, and the VOC emission factors for each activity. The permittee shall use the maximum volume of gas (V_{max}) in this condition when determining emissions from SSM events, even if the actual volume of gas vented was less.

Note: The maximum volume of gas V_{max} is the maximum amount of gas that can be vented from the specific activity, for example venting during one desulfurization startup event based its physical limitations. Furthermore, the V_{max} of gas applies per unit of that activity and is not the sum of all gas vented during the event.

Equation 1: [Maximum scf/event] x [No. events/unit] x [No. of units vented] x [VOC emission factor lb/scf] / [2,000 lb/ton] = VOC tons of emissions per month

Where:

Maximum scf/event per unit = 780,900.00 V_{max} vented from one startup event according to the specifications and volume reported in the permit application.

Maximum scf/event per unit = 520,600 V_{max} vented from one maintenance event according to the specification and volume reported in the permit application.

Max Volume = Centralized Desulfurization Systems (CDS) x Volume per Vessel x Vessels Purged per Event x Number of Purges per Event

VOC Emission Factor (lb/scf) = The sum of the emission factors for each VOC constituent in the current inlet analysis of the natural gas calculated using Equation 2.

Equation 2: [Mole Fraction of VOC Constituent] x [Molecular Weight of VOC Constituent (lb/lb-mol)] / [379.4 scf/lb-mol]

(2) Each month, the permittee shall calculate the monthly rolling 12-month tpy VOC emissions.

(3) **Emissions Due to Preventable Events:** Emission limits are 0.0 for emissions due to preventable events. Emissions that are due entirely or in part to poor maintenance, careless

operation, or any other preventable equipment breakdown shall be reported as excess emissions in accordance with 20.2.7 NMAC.

(4) **Emission Limits for Unpermitted Activities:** Emission limits are 0.0 for emissions for venting from equipment that have no limits in Table 107.A. Emissions due to SSM other than those represented in Section 107.B shall be reported as excess emissions in accordance with 20.2.7 NMAC.

Monitoring:

(1) The permittee shall perform an extended gas analysis at the facility inlet at least once per year.

(2) The permittee shall monitor each venting event, the equipment that was vented, and the cause of the event.

(3) Each month, the permittee shall monitor:
(a) the number of venting events during the month,
(b) the total calculated volume of vented gas during the month using V_{max} for the equipment that was vented as defined in the requirements of this condition,
(c) the total tons of VOC emissions vented during the month, and
(d) the monthly rolling 12-month total volume of gas and ton per year VOC emissions.

(4) The permittee shall monitor in accordance with Condition B108 of this permit.

Recordkeeping:

(1) For each venting event, the permittee shall keep records of:
(a) the gas tariff sheet documenting the %VOC,
(b) the total calculated volume of gas vented in scf or MMscf using the maximum volume capacity of the equipment that was vented, as defined in the requirements of this condition
(c) the calculations used to determine emissions
(d) the identification of all equipment that was vented during an event, and
(e) the cause or causes of the event.

(2) Each month, the permittee shall record the tons per month VOC emissions, and the monthly rolling 12-month tons per year (tpy) VOC emissions from SSM events.

The permittee shall keep records in accordance with Condition B109 of this permit.

Reporting: The permittee shall report in accordance with Section B110

SSM condition option 2:

E. Method for Determining Compliance with the Startup, Shutdown and Maintenance Venting Emission Limit in Section 107.B – (Unit SSM)

Requirement: The permittee shall limit emissions from routine or predictable startup, shutdown, or maintenance to the limits in Condition A107.B.

(1) The permittee shall process only natural gas fuel required by Condition A110.A in the central Desulfurization System (CDS).
(2) The permittee shall limit startup activities of all CDS units combined to no more than three (3) purge cycles per event and no more than 95 startups per year.

(3) The permittee shall limit shutdown and maintenance activities of the CDS combined to no more than four (4) purge cycles per event and no more than 95 events per year.

(4) **Emissions Due to Preventable Events:** Emission limits are 0.0 for emissions due to preventable events. Emissions that are due entirely or in part to poor maintenance, careless operation, or any other preventable equipment breakdown shall be reported as excess emissions in accordance with 20.2.7 NMAC.

(5) **Emission Limits for Unpermitted Activities:** Emission limits are 0.0 for emissions for venting from equipment that have no limits in Table 107.A. Emissions due to SSM other than those represented in Section107.B shall be reported as excess emissions in accordance with 20.2.7 NMAC.

Monitoring:
(1) The permittee shall monitor each SSM event, the equipment that was the source of emissions, and the cause of the event.

(2) Each month, the permittee shall monitor:
(a) the number of CDS startups and the number of CDS shutdowns and maintenance events
(b) the number of purge cycles per startup or shutdown and maintenance venting event,
(c) the number of startup or shutdown and maintenance venting events,

Recordkeeping:
(1) For each SSM event, the permittee shall keep records of:
(a) the natural gas fuel records required by condition A110.A,
(b) the Unit ID number
(c) the cause of the SSM event
(d) the number of CDS startups and the number of CDS shutdowns and maintenance events,
(e) the number of purge cycles per startup or shutdown and maintenance event,
(f) and the monthly rolling 12-month total number of CDS startups and the number of CDS shutdowns and maintenance.

Reporting: The permittee shall report in accordance with Section B110

F. The permittee shall report excess emissions above the authorized emission limits in Table 106.A. For equipment without emission limits, report excess emissions pursuant to Condition B110.E.

A108 Facility: Allowable Operations

A. This facility is authorized for continuous operation. Monitoring, recordkeeping, and reporting are not required to demonstrate compliance with continuous hours of operation.

B. Facility Throughput - Fuel Limitations

Requirement: The permittee shall limit the inlet fuel flowrate to the facility to 136,782 MMscf per year. Pursuant to 20.2.74.300.D NMAC, any increase of the 136,782 MMscf/y limit resulting in an emissions increase that would cause the facility to operate as or have a potential to emit of a Prevention of Significant Deterioration (PSD) major source, will result in the units approved in construction permit 10883 to be subject to a permit pursuant to 20.2.74.300 NMAC as if construction has not yet commenced.
Monitoring: The permittee shall continuously monitor the inlet fuel flowrate to the facility using a monitoring instrument that directly measures the inlet fuel flowrate with an accuracy of ± 2% or better. The permittee shall meet the General Monitoring Requirements in Section B108.
Recordkeeping: The permittee shall keep records of the monthly rolling 12-month total inlet gas flowrate and according to Section B109.
Reporting: The permittee shall report according to Section B110.

C. Facility Output - MW limitations

Requirement: The permittee shall limit the annual power output from the facility to 21,567,164 MW per year. (1) The permittee shall generate electric power only by fuel cells arranged in modules of 260 kW and 325 kW. This permit does not authorize any other equipment at the facility to provide power, thus only fuel cells/modules can generate and provide power. (2) Fuel Cells Modules shall provide all base load and all backup power. Pursuant to 20.2.74.300.D NMAC, any increase of the 21,567,164 MW per year limit resulting in an emissions increase that would cause the facility to operate as or have a potential to emit of a Prevention of Significant Deterioration (PSD) major source, will result in the units approved in construction permit 10883 to be subject to a permit pursuant to 20.2.74.300 NMAC as if construction has not yet commenced.
Monitoring: The Permittee shall continuously monitor the amount of electricity generated by the facility in units of kilowatt-hours (kWh) for the SOFC system. The permittee shall meet the General Monitoring Requirements in Section B108

Recordkeeping: The Permittee shall keep the following records of the amount of electricity generated by the SOFC systems a monthly rolling 12-month total. Records shall be kept according to Condition B109.
Reporting: The permittee shall report according to Section B110.

A109 Facility: Reporting Schedules

A. The permittee shall report according to the Specific Conditions and General Conditions of this permit.

A110 Facility: Fuel and Fuel Sulfur Requirements

A. Fuel and Fuel Sulfur Requirements

Requirement: The permittee shall ensure that all fuel used by the SOFC 260 kW and 325 kW Units shall: (1) use only natural gas containing no more than 0.00000613 lb/MW-hr of total sulfur with a minimum heating value of 970 British thermal units per cubic foot (BTU/ft^3) and a maximum heating value of 1110 BTU/ft^3, (2) process all gas used by the SOFC units and clusters with the CDS, and (3) design the piping such that the CDS cannot be bypassed.
Monitoring: The permittee shall monitor: (1) the flowrate of the natural gas entering and existing the CDS, and (2) the sulfur concentration in the gas exiting the central desulfurization system (CDS).
Recordkeeping: The permittee shall keep the following records: (1) a current purchase contract or tariff sheet listing the type of fuel and the minimum and maximum BTU content of the fuel, (2) the flowrate of the natural gas entering and exiting the CDS and any difference between the two flowrates, and (3) total measured sulfur content in the natural gas fuel exiting the CDS.
Reporting: The permittee shall report in accordance with Section B110.

A111 Facility: 20.2.61 NMAC Opacity

A. 20.2.61 NMAC Opacity Limit (SOFC 260 kW and 325 kW Units)

Requirement: Visible emissions from all Units SOFC-1 thought SOFC-2275 shall not equal or exceed an opacity of 20 percent over a 10-minute period.
Monitoring: Use of natural gas fuel or natural gas liquids constitutes compliance with 20.2.61 NMAC unless opacity equals or exceeds 20% averaged over a 10-minute period. At such time as fuel other than natural gas or natural gas liquids is used, or when any visible emissions are observed during steady state operation, opacity shall be measured over a 10-minute period in accordance with the procedures at 40 CFR 60, Appendix A, Method 9 as required by 20.2.61.114 NMAC. Opacity measurements shall continue on a quarterly basis per calendar year for each affected unit until such time as natural gas or natural gas liquids are used.
Recordkeeping: The opacity measures and readings shall be recorded in accordance with Method 9 in 40 CFR 60, Appendix A.
Reporting: The permittee shall report in accordance with Section B110.

A112 Facility: Haul Roads – Not Required

A113 Facility: Location Requirements

A. The permittee shall construct the facility according to the representations in the permit application and air dispersion modeling pursuant to Section B101. The Universal Transverse Mercator (UTM) coordinates per Datum WGS84, listed in Table 113.A identify the boundaries in which the facility shall be constructed. Units SOFC-1 through SOFC-2275 must be within this area and as specified in Appendix B – Fuel Cell Stack Housing of the modeling report.

Table 113.A Facility Boundary Coordinates

Corner	Easting (m)	Northing (m)
Northwest (NW)	340,560.3	3,522,076
Northeast (NE)	341,510.2	3,522,199
Southeast (SE)	341,537.7	3,520,739
Southwest (SW)	340,570.8	3,520,974

A114 Facility: Relocation

A. This facility or any emissions sources at this facility shall not be relocated or repositioned without permit approval pursuant to Conditions B101.A, B, C, and D and 20.2.72.202.B(4) NMAC.

A115 Alternative Operating Scenario – Not Required

A116 Compliance Plan – Not Required

A117 Pursuant to this Permit:

A. Pursuant to Condition B110.A "Any term or condition imposed by the department on a permit or permit revision is enforceable to the same extent as a regulation of the board." 20.2.72.210.D NMAC The permittee shall comply with the terms and conditions of this permit, including all requirements monitoring, recordkeeping, and reporting.

B. If credible evidence or information obtained by the department or provided to the department by a third party indicates that a source is not in compliance with the provisions of this Part that evidence or information may be used by the department for purposes of establishing whether a person has violated or is in violation of this Part.

A200 Oil and Gas Industry – Not Required

A300 Construction Industry – Aggregate – Not Required

A400 Construction Industry – Asphalt – Not Required

A500 Construction Industry – Concrete – Not Required

POWER GENERATION INDUSTRY

A600 Power Generation Industry

A. This section has common equipment related to most Electric Service Operations (SIC-4911).

A601 SOFC Clusters - 260 kW and 325 kW Units

A. SOFC Clusters – Remote Monitoring

Requirement: The permittee shall continuously monitor pressure and temperature within each SOFC Unit using a Remote Monitoring Control Center (RMCC).

Each SOFC Unit shall be equipped with automated controls that initiate immediate shutdown and isolation of the affected unit following detection of out-of-range parameters by the RMCC.

The Energy Server shall be shut down immediately and all excess emissions or emissions due to malfunction shall be calculated and reported in accordance with 20.2.7 NMAC. Within 90 days of the issue date of permit 10883, the permittee shall submit to the Department Permit Program Manager for approval a comprehensive monitoring plan which will establish pressure and temperature ranges which indicate that atmospheric venting may be occurring. The RMCC shall be maintained in accordance with manufacturer specifications.
Monitoring: The permittee shall continuously monitor pressure and temperature within each SOFC Unit using a Remote Monitoring Control Center (RMCC) according to the approved monitoring plan. Any abnormal operational condition identified by the monitoring system shall be investigated and corrected. The permittee is subject to General Monitoring Requirements in Condition B108.
Recordkeeping: The permittee shall maintain output readings of the temperature and pressure from the RMCC recorded at least once per hour. For each out-of-range parameter, the permittee shall record: (1) Dates and times of onset and resolution, (2) Duration, (3) Affected unit numbers, (4) Cause of the temperature and/or pressure excursion, (5) Corrective actions taken, (6) Excess emissions estimated in accordance with the requirements in 20.2.7 NMAC. The permittee shall also record the unit numbers that were shut down and shall make the RMCC monitoring plan available to Department personnel upon request. The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with the applicable Sections B109, B110, and B111. All excess emissions or emissions due to malfunctions shall be reported in accordance with 20.2.7 NMAC.

B. 20.2.80 NMAC – Stack Heights (SOFC Cluster)

Requirement: The permittee shall ensure that each stack height of each SOFC cluster shall be at least 30 feet above ground.
Monitoring: The permittee shall demonstrate compliance by measuring and verifying the height of each stack following installation.

The permittee shall meet the General Monitoring Requirements in Section B108
Recordkeeping: The permittee shall maintain records of the stack heigh measurements and in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with Section B110.

C. Maintenance and repair monitoring –SOFC Units and SOFC Clusters

Requirement: The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by operating and maintaining each SOFC Unit and SOFC cluster in a manner consistent with manufacturer guidelines and procedures to minimize emissions to the extent practicable.
Monitoring: (1) The Permittee shall install, calibrate, operate and maintain a monitoring system that produces sufficient data to ensure that manufacturer guidelines and procedures are properly followed. (2) At a minimum, the monitoring system shall determine when a SOFC Energy Server or SOFC cluster must be shut down for maintenance or repairs; and notify facility personnel that maintenance or repairs are needed. The permittee shall meet the General Monitoring Requirements in Section B108
Recordkeeping: The permittee shall maintain records in accordance with Section B109, including records of maintenance and repair activities and a copy of the manufacturer's or permittee's recommended maintenance schedule and in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with Section B110.

D. Initial Compliance Testing SOFC Clusters

Requirement: The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by performing initial compliance tests for at least 1% of the SOFC clusters that are constructed at the specified location (Condition A113.A), every 3 months. If fewer than 600 clusters were constructed during a 3-month period, then at least 6 clusters shall be tested.
Monitoring: The permittee shall perform an initial compliance test in accordance with the General Testing Requirements of Section B111. Emission testing is required for NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$. The permittee shall meet the General Monitoring Requirements in Section B108, except the monitoring exemptions in Condition B108.D do not apply to this condition.
Recordkeeping: The permittee shall include in each test notification and report submittal the date construction is completed per cluster, the number of clusters constructed during the preceding 3-month period, and the total number of clusters to be tested constructed during the 3-month period, unit ID numbers, and the sizes (260 or 325 kW) of each cluster tested. The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and

B111.

Reporting: The permittee shall report in accordance with the applicable Sections B109, B110, and B111.

E. Periodic Testing SOFC Clusters

Requirement:

(1) The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by completing periodic emissions tests for at least 1% of all SOFC clusters constructed at the facility. If fewer than 600 clusters were constructed, then at 6 clusters shall be tested.

(2) After completing the initial compliance test, the permittee shall complete subsequent periodic tests of at least 1% of the SOFC clusters at least once per calendar year. If fewer than 600 clusters were constructed, then at 6 clusters shall be tested.

(3) If all results of initial compliance tests and the first year of periodic testing are less than 75% of the values in Table A601.F(3). the permittee may reduce testing to a total of 2 SOFC clusters per calendar year:

Table A601.F(3)

Pollutant	Limit (lb/MW-hr)
NOx	3.00E-03
CO	1.30E-02
OC	1.00E-02
SO2	6.13E-06
PM10	6.08E-03
PM2.5	6.08E-03

(4) The permittee shall resume period annual testing of 1% of all SOFC clusters per year if a test result exceeds the values in Table A601.F(4) in following amounts:

Table A601.F(4)

Pollutant	Limit (lb/MW-hr)
NOx	3.00E-02
CO	1.30E-01
OC	1.00E-01
SO2	6.13E-05
PM10	6.08E-02
PM2.5	6.08E-02

Monitoring: The permittee shall test using EPA Reference Methods subject to the requirements and limitations of Section B108, General Monitoring Requirements. Emission testing is required for NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ and shall be carried out as described below:

(1) The testing shall be conducted as follows:

(a) Testing frequency shall be once per year.

(b) The monitoring period is defined as a calendar year.

(2) The first test shall occur within the first monitoring period after completion of the initial compliance test.

(3) All subsequent monitoring shall occur in each succeeding monitoring period. No two monitoring events shall occur closer together in time than 25% of a monitoring period.

(4) The permittee shall follow the General Testing Procedures of Section B111.

The permittee is subject to General Monitoring Requirements in Condition B108.

Recordkeeping: The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.

Reporting: The permittee shall report in accordance with the applicable Sections in B109, B110, and B111.

F. Operation and Emission Calculation

Requirement:
The permittee shall demonstrate compliance with the allowable emission limits in Table 106.A by performing the following monitoring, recordkeeping, and reporting for each fuel cell module.

Each fuel cell module shall be equipped with a load meter, which shall continuously record the electrical output of each fuel cell module.

Monitoring:
The Permittee shall monitor the total hourly electrical output of each fuel cell module.

The Permittee shall meet the General Monitoring Requirements in Condition B108.

Recordkeeping:
The Permittee shall keep records of the total hourly electrical output of each module and the total for the entire facility.

The Permittee shall use the records of the maximum electrical output per month and monthly hours of operation of each fuel cell module and the emission rates from stack tests required by Conditions A601.E and F to calculate the monthly total ton per year NOx, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ emissions from the entire facility using the following equation:
$E = \Sigma (EF \times H) / 2{,}000$
Where:
E = Monthly NO_x (or CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$) emissions (tons/month)
EF = NOx (or CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$) emission factor (lb/MW-hr), based on the maximum results from the most recent stack tests.
H = total monthly electrical output (MW/mo)
Hours of operation per month (hrs/mo)

The Permittee shall use the monthly records to calculate the monthly rolling 12-month total ton per year NO_x, CO, VOC, SO_2, PM_{10}, and $PM_{2.5}$ emissions from the entire facility. The Permittee shall maintain records of all required calculations. The permittee shall maintain records in accordance with the applicable Sections in B109, B110, and B111.
Reporting: The permittee shall report in accordance with the applicable Sections in B109, B110, and B111.

PART B GENERAL CONDITIONS (Attached)

PART C MISCELLANEOUS: Supporting On-Line Documents; Definitions; Acronyms (Attached)

AIR QUALITY BUREAU
NEW SOURCE REVIEW PERMIT
Issued under 20.2.72 NMAC

GENERAL CONDITIONS AND MISCELLANEOUS

TABLE OF CONTENTS

Part B GENERAL CONDITIONS B2
B100 Introduction B2
B101 Legal B2
B102 Authority B3
B103 Annual Fee B3
B104 Appeal Procedures B4
B105 Submittal of Reports and Certifications B4
B106 NSPS and/or MACT Startup, Shutdown, and Malfunction Operations B5
B107 Startup, Shutdown, and Maintenance Operations B5
B108 General Monitoring Requirements B5
B109 General Recordkeeping Requirements B7
B110 General Reporting Requirements B9
B111 General Testing Requirements B11
B112 Compliance B14
B113 Permit Cancellation and Revocation B15
B114 Notification to Subsequent Owners B16
B115 Asbestos Demolition B16
B116 Short Term Engine Replacement B17
Part C MISCELLANEOUS C1
C100 Supporting On-Line Documents C1
C101 Definitions C1
C102 Acronyms C3

PART B GENERAL CONDITIONS

B100 Introduction

A. The Department has reviewed the permit application for the proposed construction/modification/revision and determined that the proposed action will comply with the provisions of the Act and ambient air quality standards will be met. Conditions have been imposed in this permit to assure continued compliance. 20.2.72.210.D NMAC, states that any term or condition imposed by the Department on a permit is enforceable to the same extent as a regulation of the Environmental Improvement Board.

B101 Legal

A. The Department may incorporate portions of the permit application into the permit as enforceable terms and conditions. Unless modified by conditions of this permit, the permittee shall construct or modify and operate the Facility in accordance with all representations of the application and supplemental submittals that the Department relied upon to determine compliance with applicable regulations and ambient air quality standards. If the Department relied on air quality modeling to issue this permit, any change in the parameters used for this modeling shall be submitted to the Department for review. Upon the Department's request, the permittee shall submit additional modeling for review by the Department. Results of that review may require a permit modification. (20.2.72.210.A NMAC)

B. Any future physical changes, changes in the method of operation or changes in restricted area may constitute a modification as defined by 20.2.72 NMAC, Construction Permits. Unless the source or activity is exempt under 20.2.72.202 NMAC, no modification shall begin prior to issuance of a permit. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

C. Changes in plans, specifications, and other representations stated in the application documents shall not be made if they cause a change in the method of control of emissions or in the character of emissions, will increase the discharge of emissions or affect modeling results. Any such proposed changes shall be submitted as a revision or modification. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

D. The permittee shall establish and maintain the property's Restricted Area as identified in plot plan submitted with the application. (20.2.72 NMAC Sections 200.A.2 and E, and 210.B.4)

E. Applications for permit revisions and modifications shall be submitted to:

Program Manager, Permits Section

New Mexico Environment Department
Air Quality Bureau
525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505

F. The owner or operator of a source having an excess emission shall, to the extent practicable, operate the source, including associated air pollution control equipment, in a manner consistent with good air pollutant control practices for minimizing emissions. (20.2.7.109 NMAC). The establishment of allowable malfunction emission limits does not supersede this requirement.

G. The issuance of a permit does not relieve any person from civil or criminal liability for failure to comply with the provisions of the Air Quality Control Act, the Federal Act, federal regulations thereunder, any applicable regulations of the board, and any other applicable law or regulation. (20.2.72.209 NMAC and the New Mexico Air Quality Control Act NMSA 1978, Chapter 74, Article 2)

B102 Authority

A. This permit is issued pursuant to the Air Quality Control Act (Act) and regulations adopted pursuant to the Act including Title 20, Chapter 2, Part 72 of the New Mexico Administrative Code (NMAC), (20.2.72 NMAC), Construction Permits and is enforceable pursuant to the Act and the air quality control regulations applicable to this source.

B. The Department is the Administrator for 40 CFR Parts 60, 61, and 63 pursuant to the delegation and exceptions of Section 10 of 20.2.77 NMAC (NSPS), 20.2.78 NMAC (NESHAP), and 20.2.82 NMAC (MACT).

B103 Annual Fee

A. The Department will assess an annual fee for this Facility. Sources that have been issued a construction permit under 20.2.72 NMAC shall be assessed an annual fee of $2,800. Sources that have filed a Notice of Intent under 20.2.73 NMAC and received a written determination that a permit is not required shall be assessed an annual fee of $700. Effective January 1, 2028, the fee shall be adjusted annually by the percentage increase, if any, in the Consumer Price Index (CPI). The current fee amount is available by contacting the Department or can be found on the Department's website. The Department will invoice the permittee for the applicable annual fee amount. Annual fee invoices are generally issued at the beginning of each calendar year. This fee does not apply to sources which are assessed an annual emissions fee in accordance with 20.2.71 NMAC. For sources that satisfy the definition of "small business" in 20.2.75.7.F NMAC, this annual fee will be divided by two. (20.2.75.11 NMAC)

B. All fees shall be remitted in the form of a corporate check, certified check, or money order made payable to the "NM Environment Department, AQB" mailed to the address shown on the invoice and shall be accompanied by the remittance slip attached to the invoice.

B104 Appeal Procedures

A. Any person who participated in a permitting action before the Department and who is adversely affected by such permitting action, may file a petition for hearing before the Environmental Improvement Board. The petitioner shall submit the petition in writing to the Environmental Improvement Board within thirty (30) days from the date notice is given of the Department's action and shall specify the portions of the permitting action to which the petitioner objects, certify that a copy of the petition has been mailed or hand-delivered and attach a copy of the permitting action for which review is sought. Unless a timely request for hearing is made, the decision of the Department shall be final. The petition shall be copied simultaneously to the Department upon receipt of the appeal notice. If the petitioner is not the applicant or permittee, the petitioner shall mail or hand-deliver a copy of the petition to the applicant or permittee. The Department shall certify the administrative record to the board. Petitions for a hearing shall be sent to: (20.2.72.207.F NMAC)

For Mailing:
Administrator, New Mexico Environmental Improvement Board
P.O. Box 5469
Santa Fe, NM 87502-5469

For Hand Delivery:
Administrator, New Mexico Environmental Improvement Board
1190 St. Francis Drive, Harold Runnels Bldg.
Santa Fe, New Mexico 87505

B105 Submittal of Reports and Certifications

A. The permittee shall submit Stack Test Protocols and Stack Test Reports electronically to the Air Quality Bureau Compliance Reporting (AQBCR) system or as directed by the Department. (20.2.72.210 (E); 20.2.72.210 (C)(4)-(5); 20.2.72.213)

B. The permittee shall submit Excess Emission Reports as directed by the Department. (20.2.7.110 NMAC)

C. The permittee shall submit Routine reports to the mailing address below, or as directed by the Department:

Manager, Compliance and Enforcement Section
New Mexico Environment Department
Air Quality Bureau

525 Camino de los Marquez, Suite 1
Santa Fe, NM 87505

B106 NSPS and/or MACT Startup, Shutdown, and Malfunction Operations

A. If a facility is subject to a NSPS standard in 40 CFR 60, each owner or operator that installs and operates a continuous monitoring device required by a NSPS regulation shall comply with the excess emissions reporting requirements in accordance with 40 CFR 60.7(c), unless specifically exempted in the applicable subpart.

B. If a facility is subject to a NSPS standard in 40 CFR 60, then in accordance with 40 CFR 60.8(c), emissions in excess of the level of the applicable emission limit during periods of startup, shutdown, and malfunction shall not be considered a violation of the applicable emission limit unless otherwise specified in the applicable standard.

C. If a facility is subject to a MACT standard in 40 CFR 63, then the facility is subject to the requirement for a Startup, Shutdown and Malfunction Plan (SSM) under 40 CFR 63.6(e)(3), unless specifically exempted in the applicable subpart.

B107 Startup, Shutdown, and Maintenance Operations

A. The establishment of permitted startup, shutdown, and maintenance (SSM) emission limits does not supersede the requirements of 20.2.7.14.A NMAC. Except for operations or equipment subject to Condition B106, the permittee shall establish and implement a plan to minimize emissions during routine or predictable start up, shut down, and scheduled maintenance (SSM work practice plan) and shall operate in accordance with the procedures set forth in the plan. (SSM work practice plan) (20.2.7.14.A NMAC)

B108 General Monitoring Requirements

A. These requirements do not supersede or relax requirements of federal regulations.

B. The following monitoring requirements shall be used to determine compliance with applicable requirements and emission limits. Any sampling, whether by portable analyzer or EPA reference method, that measures an emission rate over the applicable averaging period greater than an emission limit in this permit constitutes noncompliance with this permit. The Department may require, at its discretion, additional tests pursuant to EPA Reference Methods at any time, including when sampling by portable analyzer measures an emission rate greater than an emission limit in this permit; but such requirement shall not be construed as a determination that the sampling by portable analyzer does not establish noncompliance with this permit and shall not stay enforcement of such noncompliance based on the sampling by portable analyzer.

C. If the emission unit is shutdown at the time when periodic monitoring is due to be completed, the permittee is not required to restart the unit for the sole purpose of conducting the monitoring. Using electronic or written mail, the permittee shall notify the Department's Compliance and Enforcement Section of a delay in emission tests prior to the deadline for completing the tests. Upon recommencing operation, the permittee shall submit pre-test notification(s) to the Department's Compliance and Enforcement Section and shall complete the monitoring.

D. The requirement for monitoring during any monitoring period is based on the percentage of time that the unit has operated. However, to invoke the monitoring period exemption at B108.D(2), hours of operation shall be monitored and recorded.

(1) If the emission unit has operated for more than 25% of a monitoring period, then the permittee shall conduct monitoring during that period.

(2) If the emission unit has operated for 25% or less of a monitoring period then the monitoring is not required. After two successive periods without monitoring, the permittee shall conduct monitoring during the next period regardless of the time operated during that period, except that for any monitoring period in which a unit has operated for less than 10% of the monitoring period, the period will not be considered as one of the two successive periods.

(3) If invoking the monitoring **period** exemption in B108.D(2), the actual operating time of a unit shall not exceed the monitoring period required by this permit before the required monitoring is performed. For example, if the monitoring period is annual, the operating hours of the unit shall not exceed 8760 hours before monitoring is conducted. Regardless of the time that a unit actually operates, a minimum of one of each type of monitoring activity shall be conducted during any five-year period.

E. For all periodic monitoring events, except when a federal or state regulation is more stringent, three test runs shall be conducted at 90% or greater of the unit's capacity as stated in this permit, or in the permit application if not in the permit, and at additional loads when requested by the Department. If the 90% capacity cannot be achieved, the monitoring will be conducted at the maximum achievable load under prevailing operating conditions except when a federal or state regulation requires more restrictive test conditions. The load and the parameters used to calculate it shall be recorded to document operating conditions and shall be included with the monitoring report.

F. When requested by the Department, the permittee shall provide schedules of testing and monitoring activities. Compliance tests from previous NSR and Title V permits may be re-imposed if it is deemed necessary by the Department to determine whether the source is in compliance with applicable regulations or permit conditions.

G. If monitoring is new or is in addition to monitoring imposed by an existing applicable requirement, it shall become effective 120 days after the date of permit issuance. For emission units that have not commenced operation, the associated new or additional

monitoring shall not apply until 120 days after the units commence operation. All pre-existing monitoring requirements incorporated in this permit shall continue to apply from the date of permit issuance.

H. Unless otherwise indicated by Specific Conditions or regulatory requirements, all instrumentation used for monitoring in accordance with applicable requirements including emission limits, to measure parameters including but not limited to flow, temperature, pressure and chemical composition, or used to continuously monitor emission rates and/or other process operating parameters, shall be subject to the following requirements:

(1) The owner or operator shall install, calibrate, operate and maintain monitoring instrumentation (monitor) according to the manufacturer's procedures and specifications and the following requirements.

(a) The monitor shall be located in a position that provides a representative measurement of the parameter that is being monitored.

(b) At a minimum, the monitor shall complete one cycle of operation (sampling, analyzing, and data recording) for each successive 15-minute period.

(c) At a minimum, the monitor shall be spanned to measure the normal range +/- 5% of the parameter that is being monitored.

(d) At least semi-annually, perform a visual inspection of all components of the monitor for physical and operational integrity and all electrical connections for oxidation and galvanic corrosion.

(e) Recalibrate the monitor in accordance with the manufacturer's procedures and specifications at the frequency specified by the manufacturer, or every two years, whichever is less.

(2) Except for malfunctions, associated repairs, and required quality assurance or control activities (including calibration checks and required zero and span adjustments), the permittee shall operate and maintain all monitoring equipment at all times that the emissions unit or the associated process is operating.

(3) The monitor shall measure data for a minimum of 90 percent of the time that the emissions unit or the associated process is in operation, based on a calendar monthly average.

(4) The owner or operator shall maintain records in accordance with Section B109 to demonstrate compliance with the requirements in B108H (1)-(3) above, as applicable.

B109 General Recordkeeping Requirements

A. The permittee shall maintain records to assure and verify compliance with the terms and conditions of this permit and any other applicable requirements that become effective after permit issuance. (20.2.72.210(E)) The minimum information to be included in these records is as follows:

(1) Records required for testing and sampling:

(a) equipment identification (include make, model and serial number for all tested equipment and emission controls)

(b) date(s) and time(s) of sampling or measurements

(c) date(s) analyses were performed

(d) the qualified entity that performed the analyses

(e) analytical or test methods used

(f) results of analyses or tests

(g) operating conditions existing at the time of sampling or measurement

(2) Records required for equipment inspections and/or maintenance required by this permit:

(a) equipment identification number (including make, model and serial number)

(b) date(s) and time(s) of inspection, maintenance, and/or repair

(c) date(s) any subsequent analyses were performed (if applicable)

(d) name of the person or qualified entity conducting the inspection, maintenance, and/or repair

(e) copy of the equipment manufacturer's or the owner or operator's maintenance or repair recommendations (if required to demonstrate compliance with a permit condition)

(f) description of maintenance or repair activities conducted

(g) all results of any required parameter readings

(h) a description of the physical condition of the equipment as found during any required inspection

(i) results of required equipment inspections including a description of any condition which required adjustment to bring the equipment back into compliance and a description of the required adjustments

B. Except as provided in the Specific Conditions, records shall be maintained on-site or at the permittee's local business office for a minimum of two (2) years from the time of recording and shall be made available to Department personnel upon request. Sources subject to 20.2.70 NMAC "Operating Permits" shall maintain records on-site for a minimum of five (5) years from the time of recording. (20.2.70.302(D))

C. Unless otherwise indicated by Specific Conditions, the permittee shall keep the following records for malfunction emissions and routine or predictable emissions during startup, shutdown, and scheduled maintenance (SSM):

(1) The owner or operator of a source subject to a permit shall establish and implement a plan to minimize emissions during routine or predictable startup, shutdown, and scheduled maintenance through work practice standards and good air pollution control practices. This requirement shall not apply to any affected facility defined in and subject to an emissions standard and an equivalent plan under 40 CFR Part 60 (NSPS), 40 CFR Part 63 (MACT), or an equivalent plan under 20.2.72 NMAC - Construction Permits, 20.2.70 NMAC - Operating Permits, 20.2.74 NMAC - Permits - Prevention of Significant Deterioration (PSD), or 20.2.79 NMAC - Permits - Nonattainment Areas. The permittee shall keep records of all sources subject to the plan to minimize emissions during routine or predictable SSM and shall record if the source is subject to an alternative plan and therefore, not subject to the plan requirements under 20.2.7.14.A NMAC.

(2) If the facility has allowable SSM emission limits in this permit, the permittee shall record all SSM events, including the date, the start time, the end time, a description of the event, and a description of the cause of the event. This record also shall include a copy of the manufacturer's, or equivalent, documentation showing that any maintenance qualified as scheduled. Scheduled maintenance is an activity that occurs at an established frequency pursuant to a written protocol published by the manufacturer or other reliable source. The authorization of allowable SSM emissions does not supersede any applicable federal or state standard. The most stringent requirement applies.

(3) If the facility has allowable malfunction emission limits in this permit, the permittee shall record all malfunction events to be applied against these limits. The permittee shall also include the date, the start time, the end time, and a description of the event. **Malfunction means** any sudden and unavoidable failure of air pollution control equipment or process equipment beyond the control of the owner or operator, including malfunction during startup or shutdown. A failure that is caused entirely or in part by poor maintenance, careless operation, or any other preventable equipment breakdown shall not be considered a malfunction. (20.2.7.7.E NMAC) The authorization of allowable malfunction emissions does not supersede any applicable federal or state standard. The most stringent requirement applies. This authorization only allows the permittee to avoid submitting reports under 20.2.7 NMAC for total annual emissions that are below the authorized malfunction emission limit.

(4) The owner or operator of a source shall meet the operational plan defining the measures to be taken to mitigate source emissions during malfunction, startup or shutdown. (20.2.72.203.A(5) NMAC)

B110 General Reporting Requirements

(20.2.72 NMAC Sections 210 and 212)

A. Records and reports shall be maintained on-site or at the permittee's local business office unless specifically required to be submitted to the Department or EPA by another

condition of this permit or by a state or federal regulation. Records for unmanned sites may be kept at the nearest business office.

B. The permittee shall notify the Department's Compliance Reporting Section using the current Submittal Form posted to NMED's Air Quality web site under Compliance and Enforcement/Submittal Forms in writing of or provide the Department with (20.2.72.212.A and B):

(1) the anticipated date of initial startup of each new or modified source not less than thirty (30) days prior to the date. Notification may occur prior to issuance of the permit, but actual startup shall not occur earlier than the permit issuance date;

(2) after receiving authority to construct, the equipment serial number as provided by the manufacturer or permanently affixed if shop-built and the actual date of initial startup of each new or modified source within fifteen (15) days after the startup date; and

(3) the date when each new or modified emission source reaches the maximum production rate at which it will operate within fifteen (15) days after that date.

C. The permittee shall notify the Department's Permitting Program Manager, in writing of, or provide the Department with (20.2.72.212.C and D):

(1) any change of operators or any equipment substitutions within fifteen (15) days of such change;

(2) any necessary update or correction no more than sixty (60) days after the operator knows or should have known of the condition necessitating the update or correction of the permit.

D. Results of emission tests and monitoring for each pollutant (except opacity) shall be reported in pounds per hour (unless otherwise specified) and tons per year. Opacity shall be reported in percent. The number of significant figures corresponding to the full accuracy inherent in the testing instrument or Method test used to obtain the data shall be used to calculate and report test results in accordance with 20.2.1.116.B and C NMAC. Upon request by the Department, CEMS and other tabular data shall be submitted in editable, MS Excel format.

E. The permittee shall submit reports of excess emissions in accordance with 20.2.7.110.A NMAC.

F. Allowable Emission Limits for Excess Emissions Reporting for Flares and Other Regulated Sources with No Pound per Hour (pph) and/or Ton per Year (tpy) Emission Limits.

(1) When a flare has no allowable pph and/or tpy emission limits in Sections A106 and/or A107, the authorized allowable emissions include only the combustion of pilot and/or purge gas. Compliance is demonstrated by limiting the gas stream to the flare to only pilot and/or purge gas.

(2) For excess emissions reporting as required by 20.2.7 NMAC, the allowable emission limits are 1.0 pph and 1.0 tpy for each regulated air pollutant (except for H2S) emitted by that source as follows:

(a) For flares, when there are no allowable emission limits in Sections A106 and/or A107.

(b) For regulated sources with emission limits in Sections A106 or A107 represented by the less than sign ("<").

(c) For regulated sources that normally would not emit any regulated air pollutants, including but not limited to vents, pressure relief devices, connectors, etc.

(3) For excess emissions reporting as required by 20.2.7 NMAC for H2S, the allowable limits are 0.1 pph and 0.44 tpy for each applicable scenario addressed in paragraph (2) above.

B111 General Testing Requirements

Unless otherwise indicated by Specific Conditions or regulatory requirements, the permittee shall conduct testing in accordance with the requirements in Sections B111A, B, C, D and E, as applicable.

A. Initial Compliance Tests

The permittee shall conduct initial compliance tests in accordance with the following requirements:

(1) Initial compliance test requirements from previous permits (if any) are still in effect, unless the tests have been satisfactorily completed. Compliance tests may be re-imposed if it is deemed necessary by the Department to determine whether the source is in compliance with applicable regulations or permit conditions. (20.2.72 NMAC Sections 210.C and 213)

(2) Initial compliance tests shall be conducted within sixty (60) days after the unit(s) achieve the maximum normal production rate. If the maximum normal production rate does not occur within one hundred twenty (120) days of source startup, then the tests must be conducted no later than one hundred eighty (180) days after initial startup of the source.

(3) The default time period for each test run shall be **at least** 60 minutes and each performance test shall consist of three separate runs using the applicable test method. For the purpose of determining compliance with an applicable emission limit, the arithmetic mean of results of the three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the three runs must be discontinued because of forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances, beyond the owner or operator's control, compliance may, upon the Department

approval, be determined using the arithmetic mean of the results of the two other runs.

(4) Testing of emissions shall be conducted with the emissions unit operating at 90 to 100 percent of the maximum operating rate allowed by the permit. If it is not possible to test at that rate, the source may test at a lower operating rate

(5) Testing performed at less than 90 percent of permitted capacity will limit emission unit operation to 110 percent of the tested capacity until a new test is conducted.

(6) If conditions change such that unit operation above 110 percent of tested capacity is possible, the source must submit a protocol to the Department within 30 days of such change to conduct a new emissions test.

B. EPA Reference Method Tests

The test methods in Section B111.B(1) shall be used for all initial compliance tests and all Relative Accuracy Test Audits (RATAs), and shall be used if a permittee chooses to use EPA test methods for periodic monitoring. Test methods that are not listed in Section B111.B(1) may be used in accordance with the requirements at Section B111.B(2).

(1) All compliance tests required by this permit shall be conducted in accordance with the requirements of CFR Title 40, Part 60, Subpart A, General Provisions, and the following EPA Reference Methods as specified by CFR Title 40, Part 60, Appendix A:

(a) Methods 1 through 4 for stack gas flowrate

(b) Method 5 for particulate matter (PM)

(c) Method 6C SO_2

(d) Method 7E for NO_X (test results shall be expressed as nitrogen dioxide (NO_2) using a molecular weight of 46 lb/lb-mol in all calculations (each ppm of NO/NO_2 is equivalent to 1.194 x 10-7 lb/SCF)

(e) Method 9 for visual determination of opacity

(f) Method 10 for CO

(g) Method 19 for particulate, sulfur dioxide and nitrogen oxides emission rates. In addition, Method 19 may be used in lieu of Methods 1-4 for stack gas flowrate. The permittee shall provide a contemporaneous fuel gas analysis (preferably on the day of the test, but no earlier than three months prior to the test date) and a recent fuel flow meter calibration certificate (within the most recent quarter) with the final test report.

(h) Method 7E or 20 for Turbines per §60.335 or §60.4400

(i) Method 22 for visual determination of fugitive emissions from material sources and smoke emissions from flares

(j) Method 25A for VOC reduction efficiency

(k) Method 29 for Metals

(l) Method 30B for Mercury from Coal-Fired Combustion Sources Using Carbon Sorbent Traps

(m) Method 201A for filterable PM_{10} and $PM_{2.5}$

(n) Method 202 for condensable PM

(o) Method 320 for organic Hazardous Air Pollutants (HAPs)

(2) Permittees may propose test method(s) that are not listed in Section B111.B(1). These methods may be used if prior approval is received from the Department.

C. Periodic Monitoring and Portable Analyzer Requirements for the Determination of Nitrogen Oxides, Carbon Monoxide, and Oxygen Concentrations in Emissions from Reciprocating Engines, Combustion Turbines, Boilers, and Process Heaters

Periodic emissions tests (periodic monitoring) shall be conducted in accordance with the following requirements:

(1) Periodic emissions tests may be conducted in accordance with EPA Reference Methods or by utilizing a portable analyzer. Periodic monitoring utilizing a portable analyzer shall be conducted in accordance with the requirements of the current version of ASTM D 6522. However, if a facility has met a previously approved Department criterion for portable analyzers, the analyzer may be operated in accordance with that criterion until it is replaced.

(2) The default time period for each test run shall be **at least** 20 minutes.

Each performance test shall consist of three separate runs. The arithmetic mean of results of the three runs shall be used to determine compliance with the applicable emission limit.

(3) Testing of emissions shall be conducted in accordance with the requirements at Section B108.E.

(4) During emissions tests, pollutant and diluent concentration shall be monitored and recorded. Fuel flow rate shall be monitored and recorded if stack gas flow rate is determined utilizing Reference Method 19. This information shall be included with the test report furnished to the Department.

(5) Stack gas flow rate shall be calculated in accordance with Reference Method 19 utilizing fuel flow rate (scf) determined by a dedicated fuel flow meter and fuel heating value (Btu/scf). The permittee shall provide a contemporaneous fuel gas analysis (preferably on the day of the test, but no earlier than three months prior to the test date) and a recent fuel flow meter calibration certificate (within the most recent quarter) with the final test report. Alternatively, stack gas flow rate may be determined by using EPA Reference Methods 1-4.

(6) The permittee shall submit a notification and protocol for periodic emissions tests upon the request of the Department.

D. Initial Compliance Test and RATA Procedures

Permittees required to conduct initial compliance tests and/or RATAs shall comply with the following requirements:

(1) The permittee shall submit a notification and test protocol to the Department's Program Manager, Compliance and Enforcement Section, at least thirty (30) days before the test date and allow a representative of the Department to be present at the test. Proposals to use test method(s) that are not listed in Section B111.B(1) (if applicable) shall be included in this notification.

(2) Contents of test notifications, protocols and test reports shall conform to the format specified by the Department's Universal Test Notification, Protocol and Report Form and Instructions. Current forms and instructions are posted to NMED's Air Quality web site under Compliance and Enforcement Testing.

(3) The permittee shall provide (a) sampling ports adequate for the test methods applicable to the facility, (b) safe sampling platforms, (c) safe access to sampling platforms and (d) utilities for sampling and testing equipment.

(4) Where necessary to prevent cyclonic flow in the stack, flow straighteners shall be installed

E. General Compliance Test Procedures

The following requirements shall apply to all initial compliance and periodic emissions tests and all RATAs:

(1) Equipment shall be tested in the "as found" condition. Equipment may not be adjusted or tuned prior to any test for the purpose of lowering emissions, and then returned to previous settings or operating conditions after the test is complete.

(2) The stack shall be of sufficient height and diameter and the sample ports shall be located so that a representative test of the emissions can be performed in accordance with the requirements of EPA Reference Method 1 or the current version of ASTM D 6522, as applicable.

(3) Test reports shall be submitted to the Department no later than 30 days after completion of the test.

B112 Compliance

A. The Department shall be given the right to enter the facility at all reasonable times to verify the terms and conditions of this permit. Required records shall be organized by date and subject matter and shall at all times be readily available for inspection. The permittee, upon verbal or written request from an authorized representative of the Department who appears at the facility, shall immediately produce for inspection or

copying any records required to be maintained at the facility. Upon written request at other times, the permittee shall deliver to the Department paper or electronic copies of any and all required records maintained on site or at an off-site location. Requested records shall be copied and delivered at the permittee's expense within three business days from receipt of request unless the Department allows additional time. Required records may include records required by permit and other information necessary to demonstrate compliance with terms and conditions of this permit. (NMSA 1978, Section 74-2-13)

B. A copy of the most recent permit(s) issued by the Department shall be kept at the permitted facility or (for unmanned sites) at the nearest company office and shall be made available to Department personnel for inspection upon request. (20.2.72.210.B.4 NMAC)

C. Emissions limits associated with the energy input of a Unit, i.e. lb/MMBtu, shall apply at all times unless stated otherwise in a Specific Condition of this permit. The averaging time for each emissions limit, including those based on energy input of a Unit (i.e. lb/MMBtu) is one (1) hour unless stated otherwise in a Specific Condition of this permit or in the applicable requirement that establishes the limit.

D. Permit Modifications and Enforcement of Prior Permit Conditions. Nothing in this permit, nor any administrative, technical, minor, or significant modification to this permit, shall be construed to limit, preclude or otherwise affect the authority of the Department to pursue enforcement for violations of permit conditions that occurred before the effective date of any permit modification, nor shall any such permit modification be interpreted as approval of past operations or emissions or as a determination of compliance for any prior period.

The Department retains full authority to investigate and enforce all violations based on the permit conditions in effect at the time the alleged violations occurred.

Any permit modification applies prospectively only and shall not constitute a defense to, or affect the determination of, liability for any past, current, or ongoing violations occurring prior to the effective date of the permit or modification.

B113 Permit Cancellation and Revocation

A. The Department may revoke this permit if, within ten years immediately preceding the date of submission of the permit application, the applicant or permitee has: (1) knowingly misrepresented a material fact in an application for a permit; (2) refused to disclose the information required by the provisions of the Air Quality Control Act; (3) been convicted in any court of any state or the United States of: (a) a felony related to an environmental crime, or (b) a crime defined by state or federal statute as involving or being in restraint of trade, price fixing, bribery or fraud; (4) constructed or operated a facility for which a permit is sought without a permit required by the Air Quality

Control Act, except when such an unpermitted facility is discovered after acquisition in the course of a timely environmental audit authorized by department or local board policy and except if: (a) the operator of the facility using good engineering practices and established approved calculation methodologies estimated that the facility's emissions would not require a permit pursuant to the Air Quality Control Act; and (b) upon discovery of the discrepancy between the calculated pre-construction maximum facility emissions and the calculated post-construction maximum facility emissions, the operator of the facility applies for the appropriate permit within thirty calendar days; or (5) had any permit revoked or permanently suspended for cause under the environmental laws of any state of the United States. (1978 74-2-7 (P) NMSA. Revocation will be made in writing, and an administrative appeal may be taken to the Secretary of the Department within thirty (30) days.

B. The Department shall automatically cancel any permit for any source which ceases operation for five (5) years or more, or permanently. Reactivation of any source after the five (5) year period shall require a new permit. (20.2.72 NMAC)

C. The Department may cancel a permit if the construction or modification is not commenced within two (2) years from the date of issuance or if, during the construction or modification, work is suspended for a total of one (1) year. (20.2.72 NMAC)

B114 Notification to Subsequent Owners

A. The permit and conditions apply in the event of any change in control or ownership of the Facility. No permit modification is required in such case. However, in the event of any such change in control or ownership, the permittee shall notify the succeeding owner of the permit and conditions and shall notify the Department's Program Manager, Permits Section of the change in ownership within fifteen (15) days of that change. (20.2.72.212.C NMAC)

B. Any new owner or operator shall notify the Department's Program Manager, Permits Section, within thirty (30) days of assuming ownership, of the new owner's or operator's name and address. (20.2.73.200.E.3 NMAC)

B115 Asbestos Demolition

A. Before any asbestos demolition or renovation work, the permittee shall determine whether 40 CFR 61 Subpart M, National Emissions Standards for Asbestos applies. If required, the permittee shall notify the Department's Program Manager, Compliance and Enforcement Section using forms furnished by the Department.

B116 Short Term Engine Replacement

A. The following Alternative Operating Scenario (AOS) addresses engine breakdown or periodic maintenance and repair, which requires the use of a short term replacement engine. The following requirements do not apply to engines that are exempt per 20.2.72.202.B(3) NMAC. Changes to exempt engines must be reported in accordance with 20.2.72.202.B NMAC. A short term replacement engine may be substituted for any engine allowed by this permit for no more than 120 days in any rolling twelve month period per permitted engine. The compliance demonstrations required as part of this AOS are in addition to any other compliance demonstrations required by this permit.

(1) The permittee may temporarily replace an existing engine that is subject to the emission limits set forth in this permit with another engine regardless of manufacturer, model, and horsepower without modifying this permit. The permittee shall submit written notification to the Department within 15 days of the date of engine substitution according to condition B110.C(1).

(a) The potential emission rates of the replacement engine shall be determined using the replacement engine's manufacturer specifications and shall comply with the existing engine's permitted emission limits.

(b) The direction of the exhaust stack for the replacement engine shall be either vertical or the same direction as for the existing engine. The replacement engine's stack height and flow parameters shall be at least as effective in the dispersion of air pollutants as the modeled stack height and flow parameters for the existing permitted engine. The following equation may be used to show that the replacement engine disperses pollutants as well as the existing engine. The value calculated for the replacement engine on the right side of the equation shall be equal to or greater than the value for the existing engine on the left side of the equation. The permitting page of the Air Quality Bureau website contains a spreadsheet that performs this calculation.

EXISTING ENGINE REPLACMENT ENGINE

$$\frac{[(g) \times (h1)] + [(v1)^2/2] + [(c) \times (T1)]}{q1} <= \frac{[(g) \times (h2)] + [(v2)^2/2] + [(c) \times (T2)]}{q2}$$

Where
g = gravitational constant = 32.2 ft/sec^2
h1 = existing stack height, feet
v1 = exhaust velocity, existing engine, feet per second
c = specific heat of exhaust, 0.28 BTU/lb-degree F
T1 = absolute temperature of exhaust, existing engine = degree F + 460
q1 = permitted allowable emission rate, existing engine, lbs/hour

h2 = replacement stack height, feet
v2 = exhaust velocity, replacement engine, feet per second
T2 = absolute temperature of exhaust, replacement engine = degree F + 460
q2 = manufacturer's potential emission rate, replacement engine, lbs/hour

The permittee shall keep records showing that the replacement engine is at least as effective in the dispersion of air pollutants as the existing engine.

(c) Test measurement of NOx and CO emissions from the temporary replacement engine shall be performed in accordance with Section B111 with the exception of Condition B111A(2) and B111B for EPA Reference Methods Tests or Section B111C for portable analyzer test measurements. Compliance test(s) shall be conducted within fifteen (15) days after the unit begins operation, and records of the results shall be kept according to section B109.B. This test shall be performed even if the engine is removed prior to 15 days on site.

i. These compliance tests are not required for an engine certified under 40CFR60, subparts IIII, or JJJJ, or 40CFR63, subpart ZZZZ if the permittee demonstrates that one of these requirements causes such engine to comply with all emission limits of this permit. The permittee shall submit this demonstration to the Department within 48 hours of placing the new unit into operation. This submittal shall include documentation that the engine is certified, that the engine is within its useful life, as defined and specified in the applicable requirement, and shall include calculations showing that the applicable emissions standards result in compliance with the permit limits.

ii. These compliance tests are not required if a test was conducted by portable analyzer or by EPA Method test (including any required by 40CFR60, subparts IIII and JJJJ and 40CFR63, subpart ZZZZ) within the last 12 months. These previous tests are valid only if conducted at the same or lower elevation as the existing engine location prior to commencing operation as a temporary replacement. A copy of the test results shall be kept according to section B109.B.

(d) Compliance tests for NOx and CO shall be conducted if requested by the Department in writing to determine whether the replacement engine is in compliance with applicable regulations or permit conditions.

(e) Upon determining that emissions data developed according to B116.A.1(c) fail to indicate compliance with either the NOx or CO emission limits, the permittee shall notify the Department within 48 hours. Also within that time, the permittee shall implement one of the following corrective actions:

i. The engine shall be adjusted to reduce NOx and CO emissions and tested per B116.A.1(c) to demonstrate compliance with permit limits.

ii. The engine shall discontinue operation or be replaced with a different unit.

(2) Short term replacement engines, whether of the same manufacturer, model, and horsepower, or of a different manufacturer, model, or horsepower, are subject to all federal and state applicable requirements, regardless of whether they are set forth in this permit (including monitoring and recordkeeping), and shall be subject to any shield afforded by this permit.

(3) The permittee shall maintain a contemporaneous record documenting the unit number, manufacturer, model number, horsepower, emission factors, emission test results, and serial number of any existing engine that is replaced, and the replacement engine. Additionally, the record shall document the replacement duration in days, and the beginning and end dates of the short term engine replacement.

(4) The permittee shall maintain records of a regulatory applicability determination for each replacement engine (including 40CFR60, subparts IIII and JJJJ and 40CFR63, subpart ZZZZ) and shall comply with all associated regulatory requirements.

B. Additional requirements for replacement of engines at sources that are major as defined in regulation 20.2.74 NMAC, Permits – Prevention of Significant Deterioration, section 7.AG. For sources that are major under PSD, the total cumulative operating hours of the replacement engine shall be limited using the following procedure:

(1) Daily, the actual emissions from the replacement engine(s) of each pollutant regulated by this permit for the existing engine shall be calculated and recorded.

(2) The sum of the total actual emissions since the commencement of operation of the replacement engine(s) shall not equal or exceed the significant emission rates in Table 2 of 20.2.74 NMAC, section 502 for the time that the replacement engine is located at the facility.

C. All records required by this section shall be kept according to section B109.

PART C MISCELLANEOUS

C100 Supporting On-Line Documents

A. Copies of the following documents can be downloaded from NMED's web site under Compliance and Enforcement or requested from the Bureau.

(1) Excess Emission Form (for reporting deviations and emergencies)

(2) Universal Stack Test Notification, Protocol and Report Form and Instructions

C101 Definitions

A. **"Daylight"** is defined as the time period between sunrise and sunset, as defined by the Astronomical Applications Department of the U.S. Naval Observatory. (Data for one day or a table of sunrise/sunset for an entire year can be obtained at http://aa.usno.navy.mil/. Alternatively, these times can be obtained from a Farmer's Almanac or from http://www.almanac.com/rise/).

B. **"Decommission"** and **"Decommissioning"** applies to units left on site (not removed) and is defined as the complete disconnecting of equipment, emission sources or activities from the process by disconnecting all connections necessary for operation (i.e. piping, electrical, controls, ductwork, etc.).

C. **"Exempt Sources"** and **"Exempt Activities"** is defined as those sources or activities that are exempted in accordance with 20.2.72.202 NMAC. Note; exemptions are only valid for most 20.2.72 NMAC permitting actions.

D. **"Fugitive Emission"** means those emissions which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

E. **"Insignificant Activities"** means those activities which have been listed by the department and approved by the administrator as insignificant on the basis of size, emissions or production rate. Note; insignificant activities are only valid for 20.2.70 NMAC permitting actions.

F. **"Malfunction"** for the requirements under 20.2.7 NMAC, means any sudden and unavoidable failure of air pollution control equipment or process equipment beyond the control of the owner or operator, including malfunction during startup or shutdown. A failure that is caused entirely or in part by poor maintenance, careless operation, or any other preventable equipment breakdown shall not be considered a malfunction. (20.2.7.7.E NMAC)

G. **"Natural Gas"** is defined as a naturally occurring fluid mixture of hydrocarbons that contains 20.0 grains or less of total sulfur per 100 standard cubic feet (SCF) and is either composed of at least 70% methane by volume or has a gross calorific value of between 950 and 1100 Btu per standard cubic foot. (40 CFR 60.631)

H. **"Natural Gas Liquids"** means the hydrocarbons, such as ethane, propane, butane, and pentane, that are extracted from field gas. (40 CFR 60.631)

I. **"National Ambient air Quality Standards"** means, unless otherwise modified, the primary (health-related) and secondary (welfare-based) federal ambient air quality standards promulgated by the US EPA pursuant to Section 109 of the Federal Act.

J. **"Night"** is the time period between sunset and sunrise, as defined by the Astronomical Applications Department of the U.S. Naval Observatory. (Data for one day or a table of sunrise/sunset for an entire year can be obtained at http://aa.usno.navy.mil/. Alternatively, these times can be obtained from a Farmer's Almanac or from http://www.almanac.com/rise/).

K. **"Night Operation** or **Operation at Night"** is operating a source of emissions at night.

L. **"NO2"** or "Nitrogen dioxide" means the chemical compound containing one atom of nitrogen and two atoms of oxygen, for the purposes of ambient determinations. The term **"nitrogen dioxide,"** for the purposes of stack emissions monitoring, shall include nitrogen dioxide (the chemical compound containing one atom of nitrogen and two atoms of oxygen), nitric oxide (the chemical compound containing one atom of nitrogen and one atom of oxygen), and other oxides of nitrogen which may test as nitrogen dioxide and is sometimes referred to as NOx or NO_2. (20.2.2 NMAC)

M. "**NOx**" see NO_2

N. "**Paved Road**" is a road with a permanent solid surface that can be swept essentially free of dust or other material to reduce air re-entrainment of particulate matter. To the extent these surfaces remain solid and contiguous they qualify as paved roads: concrete, asphalt, chip seal, recycled asphalt and other surfaces approved by the Department in writing.

O. **"Potential Emission Rate"** means the emission rate of a source at its maximum capacity to emit a regulated air contaminant under its physical and operational design, provided any physical or operational limitation on the capacity of the source to emit a regulated air contaminant, including air pollution control equipment and restrictions on hours of operation or on the type or amount of material combusted, stored or processed, shall be treated as part of its physical and operational design only if the limitation or the effect it would have on emissions is enforceable by the department pursuant to the Air Quality Control Act or the federal Act.

P. "**Restricted Area**" is an area to which public entry is effectively precluded. Effective barriers include continuous fencing, continuous walls, or other continuous barriers approved by the Department, such as rugged physical terrain with a steep grade that would require special equipment to traverse. If a large property is completely enclosed by fencing, a restricted area within the property may be identified with signage only. Public roads cannot be part of a Restricted Area.

Q. **"Shutdown"** for requirements under 20.2.72 NMAC, means the cessation of operation of any air pollution control equipment, process equipment or process for any purpose, except routine phasing out of batch process units.

R. **"SSM"** for requirements under 20.2.7 NMAC, means routine or predictable startup, shutdown, or scheduled maintenance.

(1) **"Shutdown"** for requirements under 20.2.7 NMAC, means the cessation of operation of any air pollution control equipment or process equipment.

(2) **"Startup"** for requirements under 20.2.7 NMAC, means the setting into operation of any air pollution control equipment or process equipment.

S. **"Startup"** for requirements under 20.2.72 NMAC, means the setting into operation of any air pollution control equipment, process equipment or process for any purpose, except routine phasing in of batch process units.

C102 Acronyms

2SLB ..... 2-stroke lean burn
4SLB ..... 4-stroke lean burn
4SRB ..... 4-stroke rich burn
acfm ..... actual cubic feet per minute
AFR ..... air-fuel ratio
AP-42 ..... EPA Air Pollutant Emission Factors
AQB ..... Air Quality Bureau
AQCR ..... Air Quality Control Region
ASTM ..... American Society for Testing and Materials
Btu ..... British thermal unit
CAA ..... Clean Air Act of 1970 and 1990 Amendments
CEM ..... continuous emissions monitoring
cfh ..... cubic feet per hour
cfm ..... cubic feet per minute
CFR ..... Code of Federal Regulations
CI ..... compression ignition
CO ..... carbon monoxides
COMS ..... continuous opacity monitoring system
EIB ..... Environmental Improvement Board
EPA ..... United States Environmental Protection Agency
gr/100 cf ..... grains per one hundred cubic feet
gr/dscf ..... grains per dry standard cubic foot
GRI ..... Gas Research Institute
HAP ..... hazardous air pollutant
hp ..... horsepower
H_2S ..... hydrogen sulfide
IC ..... internal combustion
KW/hr ..... kilowatts per hour

lb/hr.....pounds per hour
lb/MMBtu.....pounds per million British thermal unit
MACT.....Maximum Achievable Control Technology
MMcf/hr.....million cubic feet per hour
MMscf.....million standard cubic feet
N/A.....not applicable
NAAQS.....National Ambient Air Quality Standards
NESHAP.....National Emission Standards for Hazardous Air Pollutants
NG.....natural gas
NGL.....natural gas liquids
NMAAQS.....New Mexico Ambient Air Quality Standards
NMAC.....New Mexico Administrative Code
NMED.....New Mexico Environment Department
NMSA.....New Mexico Statutes Annotated
NOx.....nitrogen oxides
NSCR.....non-selective catalytic reduction
NSPS.....New Source Performance Standard
NSR.....New Source Review
PEM.....parametric emissions monitoring
PM.....particulate matter (equivalent to TSP, total suspended particulate)
PM_{10}.....particulate matter 10 microns and less in diameter
$PM_{2.5}$.....particulate matter 2.5 microns and less in diameter
pph.....pounds per hour
ppmv.....parts per million by volume
PSD.....Prevention of Significant Deterioration
RATA.....Relative Accuracy Test Assessment
RICE.....reciprocating internal combustion engine
rpm.....revolutions per minute
scfm.....standard cubic feet per minute
SI.....spark ignition
SO_2.....sulfur dioxide
SSM.....Startup Shutdown Maintenance (see SSM definition)
TAP.....Toxic Air Pollutant
TBD.....to be determined
THC.....total hydrocarbons
TSP.....total suspended particulate
tpy.....tons per year
ULSD.....ultra low sulfur diesel
USEPA.....United States Environmental Protection Agency
UTM.....Universal Transverse Mercator Coordinate system
UTMH.....Universal Transverse Mercator Horizontal
UTMV.....Universal Transverse Mercator Vertical
VHAP.....volatile hazardous air pollutant
VOC.....volatile organic compounds

Via E-mail Only:
Jennifer L. Bradfute, Esq.
Bradfute Sayer, P.C.
jennifer@bradfutelaw.com
Counsel for Yucca Growth Infrastructure, LLC

Subject: Air Quality Permit No. 10883

Dear Jennifer Bradfute:

Thank you for submitting additional materials to the Air Quality Bureau on behalf of YGI on October 16, 2026, in recognition that YGI's air dispersion modeling must reflect the statements in its air quality permit application (No. 10883).

The Air Quality Bureau has completed a preliminary review of the October 16 materials and confirms that YGI has submitted:

1. A partial UA1, a partial UA2, a partial UA3 which includes Sections 3, 5, 6, 6a, 10, 12, 20, a PDF file with the updated calculations, and a UA4.

2. Two additional modeling scenarios (to add to scenarios 1 and 2 that YGI previously submitted) that demonstrate: (1) a 100% load (2462 MW) and (2) a 65% load (1600 MW).

The Air Quality Bureau also received the computation of calculations required under 20.2.72.203(A)(3) NMAC and a correction of a typographical error on October 22.

Please confirm that there are no other changes to YGI's application beyond the ones listed above, excluding those that may be provided in response to the Air Quality Bureau's requests.

At this point in its review, the Air Quality Bureau has identified missing and/or outstanding questions as follows:

<u>Missing and/or Outstanding Questions (Application):</u>

1. Please provide UA1, UA3, and UA4 as Word versions of the application. The partial UA1 section is missing Sections 1-A, 1-E, 1-F, 1-G, and 1-H. Will YGI be providing additional updates?

2. As noted, YGI has submitted information for (1) a 100% load (2462 MW) and (2) a 65% load (1600 MW). Please advise as to if YGI is proposing an alternative operating scenario and how YGI would like the Air Quality Bureau to evaluate both sets of information. Please clarify this information provided in Tables 2G and 2H.

3. SSMs must be entered in Table 2-B of UA2. All exempt equipment, including previously reported SSMs must be disclosed. Is YGI intending to use the original SSMs from the May 19 application?

4. YGI states: "*If desulfurization canisters are used, there will be no associated SSM emissions.*" YGI also states, "*If CDS is used, air emissions (natural gas venting) will occur during CDS media replacements and during desulfurization unit initial start-ups. Approximately ninety-five CDS skids/blocks will be installed, consisting of two vessels in a lead/lag configuration for desulfurization. Each vessel has a volume of 1,370 standard cubic feet. This activity is exempt pursuant to 20.2.72.202.B(5) NMAC.*" YGI's two statements are contradictory. As previously established, the process requires the use of desulfurization filters, and the facility retains the initial reported 95 CDS. YGI provided identical SSM calculations with the updated material. Thus, "if" is misleading since YGI has previously established there will be venting emissions associated with the process. Please reconcile.

5. Considering the energy servers consist of 260 kW and 325 kW, can you please confirm all servers/clusters at the facility associated with a single stack have identical configurations, emissions rates, and emissions limits with the exception of one? Can you please justify why the single server was not listed as a separate unit in the updated application (Tables 2D, 2E, and 2I)?

6. Based on publicly available information regarding YGI and El Paso Electric, please provide information regarding:

    a. How will the YGI Microgrid connect with the electric grid? Please describe process and equipment.

    b. How will these connections impact the current facility design and what permit modifications can be expected from YGI to submit regarding regulated equipment and exempt equipment connections?

    c. Does YGI plan to add exempt equipment considering the newly acquired contract with El Paso Electric? If a permit is issued to YGI, will backup generators be added as exempt equipment through Permitting Administrative Multi-Form (PAM) revisions?

    d. Will the data center connect to the electric grid and how is this connection expected to impact the permitting process and/or future permit

Administrative Record NSR 10833_012539

modifications?

e. Are there any current/future considerations in regard to a Single Source Determination (SSD) to include the YGI Microgrid and data center (or any other facility) in light of the current relationship between YGI and El Paso Electric?

Missing and/or Outstanding Questions (Modeling):

Per the Air Quality Bureau's October 9, letter, the Air Quality Bureau can confirm that the two additional modeling scenarios (for the 100% load and the 65% load) now incorporate TCEQ emissions data, provide specific emissions per stack and explain how the emissions relate to the number of clusters, servers, and power modules for each respective stack.

As YGI did not provide a complete detailed description as to the specific changes that YGI is making compared to YGI's 10/18/20 power module configuration, the Air Quality Bureau conducted an initial review and would like to confirm that YGI changed the following parameters:

1. The stacks are now modeled as one circular stack instead of splitting into three sub-stacks.
2. The number of stacks changed from 2275 to 1263.
3. Stacks have increased in height from 30 ft to 45 ft.
4. The number of buildings has decreased from 425 to 254 buildings and are now 3 floors instead of 2 floors. Building heights have changed from 25 ft to 32 ft.
5. The stack exit parameters temperature is now 217° F (65% load scenario) and 163° F (100% load scenario) instead of 327° F.
6. All stacks except one have the same number of power modules attached instead of 10/18/20 power modules configuration.

For YGI's information regarding the flow rate, temperature, and other stack parameters with respect to flow composition and all supporting calculations used to justify the parameters and associated emissions, please provide answers to the following:

1. Will the facility operate 65% of the power modules at 100% load or operate 100% of the power modules at 65% load for the 1600 MW case, or a mixture of the two?

2. Please show exhaust temperature calculations using density-based methods. The warmer hotbox exhaust is less dense and accounting for that difference compared to the cabinet ventilation and DC module exhaust's colder, high-density air may lead to a lower exhaust temperature than what YGI modeled.

Administrative Record NSR 10833_012540

3. Please provide the % moisture from each of the three components: hotbox, cabinet ventilation, and DC module, and explain how the final moisture concentration in the stack exhaust is 7.9%.

4. Please provide the calculations for stack exit flow rates (606 and 660 acfs) in the 65% and 100% load scenarios, respectively. Do the cabinet ventilation and DC module flow rates remain the same regardless of the load?

5. Please specify the changes between the original submission and this submission's flow rate makeup assumptions? YGI's 10/18/20 power module configuration had 11.95 acfs from the hotbox coming out at 440° C whereas the October 16 version has 2.62 acfs (assuming 65% load, so 4.04 acfs assuming 100% load?) and 364° C hotbox exhaust.

6. The building height changed from 25 ft to 32 ft whereas the stack (rectangular plenum) height changed from 30 ft to 45 ft. Please justify why the modeled building height was not selected to be 45 ft to model downwash? Provide supporting calculations.

The Air Quality Bureau understands that YGI is interested in a follow-up meeting to discuss the additional information. For the Air Quality Bureau to prepare for such meeting, please provide the information above via letter as soon as possible so that the Air Quality Bureau can best prepare any remaining questions it may have. Rolling production of the requested information is acceptable to ensure the Air Quality Bureau has a reasonable amount of time to review.

Thank you,

Brian Yardman-Frank
Assistant General Counsel, AQB
New Mexico Environment Department

Cc: Kelsea Sona

Administrative Record NSR 10833_012541

RECEIVED
OCT 26 2026
Air Quality Bureau

Your Decisions Affect Our Lives

Clean Air.
Healthy communities.
A stronger New Mexico.

Please deny Permit # 10883, requested by Yucca Growth Infrastructure for YGI Microgrid
- Over 161 tons of CO...
- Over 124 tons of VOCs...
- Over 10 million tons of greenhouse gas...

DENY YGI's Application!

Alice Benjamin
aliceb777@yahoo.com
88001

NM Environment
Air Quality Bureau
525 Camino de los Marquez
Suite #1
Santa Fe, NM
87505-1816

10/24

From: Yardman-Frank, Brian, ENV
To: Jennifer Bradfute
Cc: Kelsea Sona
Subject: YGI Permit Application No. 10883
Date: Friday, October 30, 2026 9:47:02 AM
Attachments: Outlook-Logo Desc.png

Hello Jennifer,

Thank you for speaking with us this morning. This email confirms that NMED's Air Quality Bureau (Bureau) technical staff and legal team have started a preliminary review the information provided by Yucca Growth Infrastructure, LLC (YGI), and are prepared to have a discussion concerning the batch of information YGI provided to the Bureau most recently on October 14th, 16th, 26th and 29th. Specifically, the Bureau requests that YGI bring to the meeting all persons involved with the modeling YGI submitted to the Bureau (e.g., Trinity, Bloom, etc.) to have a meaningful conversation that enables the Bureau to receive the answers it needs all at once.

The Bureau requires additional information from YGI to move forward before it can begin any modeling verification runs and complete the technical review. See 20.2.72.203(E)(1)-(2) NMAC; 20.2.72.207(D) NMAC.

To discuss the above, the Air Quality Bureau requests YGI and its technical and legal team meet virtually today before 5pm MT. If YGI needs additional time to assemble its team, the next available day for the Bureau is Wednesday, November 4, 2026. If that does not work for YGI, please provide dates after November 4. The Bureau will bring its technical and legal team (the dates proposed represent availability for the Bureau's modeling technical staff) to further discuss the information YGI provided in its most recent updates.

Thank you,

Brian Yardman-Frank (he/him)
Assistant General Counsel, AQB
New Mexico Environment Department
Office of General Counsel
5401 Watson Drive SE, Bldg. B
Albuquerque, NM 87106
Cell Phone: 505-709-8671
brian.yardman-frank@env.nm.gov
www.env.nm.gov



"Innovation, Science, Collaboration, Compliance"

CONFIDENTIALITY NOTICE: This email and its attachments are for the personal and confidential use of the named recipient(s) only and are intended, to the fullest extent permitted by law, to be privileged and confidential as an attorney-client communication and/or attorney work product. If you are not an intended recipient, or an agent responsible for delivering it to an intended recipient, you have received this email in error. In that event, please (i) immediately notify me by reply email, (ii) do not review, copy, save, forward, or print this email or any of its attachments, and (iii) immediately delete and/or destroy this email and its attachments and all copies thereof. Thank you.