



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

PUBLIC NOTICE

Groundwater Discharge Permit Applications Submitted to the Department for Review

July 28, 2023

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.6.2.3108 NMAC that the following Groundwater Discharge Permit applications have been submitted to NMED for review. Provided the applicant has met applicable requirements, NMED will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect groundwater quality for present and potential future use.

NMED will accept comments and statements of interest regarding the application and will create a facility specific mailing list for persons who wish to receive future notices. NMED is developing a Public Involvement Plan (PIP) to provide public participation opportunities and information that may be needed for the community to participate in the permitting process. The PIP will be posted online at <https://www.env.nm.gov/public-notices/> and placed at the NMED field office nearest to the proposed permitted activity. To learn more about a Discharge Permit and the permitting process or to be placed on a facility-specific mailing list, please contact the NMED Permit Contact at the telephone number or email address provided or address correspondence to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469.

In the future, NMED will publish a second public notice providing a draft permit and will seek public comment on the draft. You will be able to add the comment period to your calendar simply through our Events Calendar located at <https://www.env.nm.gov/events-calendar/>.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is

Science | Innovation | Collaboration | Compliance

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469
Telephone (505) 827-2900 | www.env.nm.gov/gwqb/

New Mexico Environment Department Ground Water Quality Bureau
Groundwater Discharge Permit Applications Submitted for Review

July 28, 2023

Introduction Letter Page 2 of 2

responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kate Cardenas, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@env.nm.gov. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/general/environmental-justice-in-new-mexico/> to learn how and where to file a complaint of discrimination.

Enclosure: Groundwater Discharge Permit Applications Submitted for Review

Science | Innovation | Collaboration | Compliance



Discharge Permit: DP-606, Dexter Starry Night Dairy

- County: Chaves | Closest City: Dexter
- Applicant: Abel and Bonnie Villalpando c/o Carlos Villalpando, Owners, 304 E. Ojibwa Road, Dexter, NM 88230
- NMED Permit Contact: Jaben Richards, Acting Agriculture Section Manager, Jaben.Richards@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-660-8376 or 505-827-2900.

Notice:

DP-606, Dexter Starry Night Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 210,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 7361 Vineyard Road, approximately 2.8 miles southwest of Dexter in Section(s) 24, 25, and 26, Township 13South, Range 25East, Chaves County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 1,984 milligrams per liter.

Discharge Permit: DP-791, 3-V Dairy

- County: Chaves | Closest City: Roswell
- Applicant: Casey Vander Dussen, 4807 Graves Rd, Roswell, NM 88203
- NMED Permit Contact: Amanda Otieno, Water Resource Professional, Amanda.Otieno@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-819-1219 or 505-827-2900.

Notice:

DP-791, 3-V Dairy: Casey Vander Dussen proposes to renew and modify the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 4805 Graves Rd, approximately 7 miles southeast of Roswell, in Section 19, Township 11 South, Range 25 East, and land application areas also in Sections 23 and 24, Township 11 South, Range 24 East, Chaves County. Groundwater most likely to be affected is at a depth of approximately 17 feet and had a pre-discharge total dissolved solids concentration of 2,950 milligrams per liter.



Discharge Permit: DP-1003, Darby Farms, LLC

- County: Chaves | Closest City: Dexter
- Applicant: Mike Marley, Manager, Darby Farms, LLC. PO Box 1658 Roswell, NM 88202
- NMED Permit Contact: Jaben Richards, Acting Agriculture Section Manager, Jaben.Richards@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-660-8376 or 505-827-2900.

Notice:

DP-1003, Darby Farms, LLC. proposes to renew the Discharge Permit for the discharge of up to 120,00 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 357 East Darby Road, approximately 6.3 miles north of Dexter, in Sections 12 and 13, Township 12 South, Range 25 East, Chaves County. Groundwater most likely to be affected is at a depth of approximately 40 feet and had a pre-discharge total dissolved solids concentration of 1,100 milligrams per liter.

Discharge Permit: DP-1113, Town of Springer Wastewater Treatment Facility

- County: Colfax | Closest City: Springer
- Applicant: Town of Springer, Criag Eppler, Public Works Director, P.O. Box 488, Springer, NM 87747
- NMED Permit Contact: Avery Young, Domestic Waste Team Lead, Avery.Young@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-699-8564 or 505-827-2900.

Notice:

DP-1113, Town of Springer Wastewater Treatment Facility: Town of Springer proposes to renew and modify the Discharge Permit for the discharge of up to 300,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 59 US Highway 56, approximately one mile southeast of Springer, in projected Section 34, Township 25 North, Range 22 East, Colfax County. Groundwater most likely to be affected is at a depth of approximately 12 feet and had a pre-discharge total dissolved solids concentration of 1,452 milligrams per liter.

Discharge Permit: DP-807, Boutique Unlimited Doña Ana

- County: Doña Ana | Closest City: Mesilla Park
- Applicant: Glen Astrove, Registered Agent, 4884 South Main Street, Mesilla Park, NM 88047
- NMED Permit Contact: Aracely Tellez, Water Resource Professional, Aracely.Tellez@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice:

DP-807, Boutique Unlimited Dona Ana proposes to renew and modify the Discharge Permit for the discharge of up to 5,000 gallons per day of agricultural wastewater from the production area of a greenhouse facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4884 South Main Street, approximately 1.2 miles south of Mesilla Park, in Section 5, Township 23 South, Range 02 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 12 feet and had a pre-discharge total dissolved solids concentration of 1,484 milligrams per liter.



Discharge Permit: DP-832, Rezolex's Radium Springs Facility

- County: Doña Ana | Closest City: Las Cruces
- Applicant: Louis Biad, Partner, 3 Fort Seldon Road, Radium Springs NM 88007
- NMED Permit Contact: Aracely Tellez, Water Resource Professional, Aracely.Tellez@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice:

DP-832, Rezolex's Radium Springs Facility: Louis Biad proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of wastewater from an agricultural processing facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 3 East Fort Selden Rd, Radium Springs, in Sections 11 and 12, Township 21S, Range 1W, Dona Ana. Groundwater most likely to be affected is at a depth greater than 150 feet and had a pre-discharge total dissolved solids concentration of 1,673 milligrams per liter.

Discharge Permit: DP-1762, Johnny's Septage Disposal Facility

- County: Doña Ana | Closest City: Las Cruces
- Applicant: Danny Suggs, Owner, 2155 Dona Ana Road, Las Cruces, NM 88007
- NMED Permit Contact: Gerald Knutson, Environmental Scientist, Gerald.Knutson@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7189 or 505-827-2900.

Notice:

DP-1762, Johnny's Septage Disposal Facility proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of domestic septage and other domestic waste sources to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on County Road B-059, approximately 2.75 miles from Las Alturas Road and approximately four miles northeast of Mesquite, in Section 21, Township 24 South, Range 03 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 430 feet and had a pre-discharge total dissolved solids concentration of 1,700 milligrams per liter.

Discharge Permit: DP-1961, Rio Grande Winery

- County: Doña Ana | Closest City: Mesilla
- Applicant: Jay Hill, Manager, PO Box 571, Mesilla, NM 88046
- NMED Permit Contact: Jaben Richards, Acting Agriculture Section Manager, Jaben.Richards@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-660-8376 or 505-827-2900.

Notice:

DP-1961, Rio Grande Winery proposes a Discharge Permit for the discharge of up to 390 gallons per day of wastewater from a winery. Potential contaminants from this type of discharge include nitrogen and organic compounds (BOD). The facility is located at 5321 NM 28, approximately 3.5 miles southeast of Mesilla, in Section 8, Township 24 South, Range 02 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 44 feet and had a pre-discharge total dissolved solids concentration of 500 milligrams per liter.



Discharge Permit: DP-1963, Las Cruces Foothills Landfill

- County: Doña Ana | Closest City: Las Cruces
- Applicant: Steve Perez, Regulatory Compliance Analyst, City of Las Cruces, Las Cruces Utilities, 680 N. Motel Boulevard, Las Cruces, NM 88007
- NMED Permit Contact: Melanie Sandoval, Geoscientist – Supervisor, UIC and Industrial Team Leader, Melanie.Sandoval2@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7892 or 505-827-2900.

Notice:

DP-1963, Las Cruces Foothills Landfill: Las Cruces Utilities and NMED Solid Waste Bureau proposes a Discharge Permit for the discharge of up to 800 pounds/96 gallons of remediation solution to be diluted with up to 1,502 gallons of potable water to an injection point to enhance biodegradation of PCE in groundwater. Potential contaminants from this type of discharge include inorganic compounds. The facility is located 0.25 miles east of the east end of Lohman Avenue, Las Cruces, in Section 11, Township 23 South, Range 02 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 385 feet and had a pre-discharge total dissolved solids concentration of 417 milligrams per liter

Discharge Permit: DP-1284, Carlsbad KOA

- County: Eddy | Closest City: Carlsbad
- Applicant: Shelley Fuggitt, P.O. Box 1204, Colleyville, TX 76034
- NMED Permit Contact: Aracely Tellez, Water Resource Professional, Aracely.Tellez@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice:

DP-1284, Carlsbad KOA: Shelley Fuggitt proposes to renew the Discharge Permit for the discharge of up to 9,999 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2 Manthei Road, approximately 15 miles northwest of Carlsbad, in Section 8, Township 20 South, Range 26 East, Eddy County. Groundwater most likely to be affected is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of 1,930 milligrams per liter.



Discharge Permit: DP-1681, HB Solar Solution Mine

- County: Eddy | Closest City: Carlsbad
- Applicant: Intrepid Potash – New Mexico LLC, PO Box 101, Carlsbad, NM 88220
- NMED Permit Contact: Jessica Hubbling, Discharge Permit Lead, Jessica.Hubbling@env.nm.gov or mecs.general@env.nm.gov, 505-487-3720 or 505-827-2900.

Notice:

DP-1681, HB Solar Solution Mine: Intrepid Potash – New Mexico (IPNM) proposes to renew and modify the Discharge Permit for IPNM's underground solution mines and solar evaporation ponds. The modification is to increase the maximum combined injection rate for the permitted Class V Underground Injection Control (UIC) wells from 3,000 to 4,500 gallons per minute, to install two new injection pipelines with associated infrastructure, and to construct new evaporation ponds for management of bitterns by-product. Potential contaminants from this type of discharge include sulfate, total dissolved solids, and chloride. The facility is located at 1996 Potash Mines Road, between approximately 13 - 30 miles east and southeast of Carlsbad, in Section 12, T21S, R29E, Eddy County. The solar evaporation ponds, injection and production wells, underground mines, and pipelines connecting the various components are located in numerous Sections in T19S, R29E; T19S, R30E; T19S, R31E; T20S, R29E; T20S, R30E; T20S, R31E; T21S, R29E; and T21S, R30E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 2 to 362 feet and has a total dissolved solids concentration of approximately 1,400 to 350,000 milligrams per liter.

Discharge Permit: DP-166; Open Pits, SX/EW Plant, No. 2 Leach Stockpile

- County: Grant | Closest City: Silver City
- Applicant: Adam Offutt, Freeport-McMoRan Tyrone Inc., PO Box 571, Tyrone, NM 88065
- NMED Permit Contact: Brad Reid, Geologist, Brad.Reid@env.nm.gov or mecs.general@env.nm.gov, Telephone: 575-372-8533 or 505-827-2900.

Notice:

DP-166, Open Pits, SX/EW Plant, No. 2 Leach Stockpile: Freeport-McMoRan Tyrone Inc. proposes to renew the Discharge Permit for the discharge of up to 49,000,000 gallons per day of acidic leach solution applied for leaching copper from a stockpile. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located 10 miles southwest of Silver City at the Tyrone Mine in Sections 23, 24 & 25, T9S, R5W and Sections 14, 15, 21, 22, 23, 26, 27 and 28, T9S, R5W, Grant County, New Mexico. Groundwater most likely to be affected ranges in depth from approximately ground surface to 350 feet below ground surface and had a pre-discharge total dissolved solids concentration ranging from approximately 100 to 500 milligrams per liter.



Discharge Permit: DP-1767, Rodeo Mutual Domestic Water Cooperative

- County: Hidalgo | Closest City: Rodeo
- Applicant: Rodeo Mutual Domestic Water Cooperative, Nancy Cloudt, Operator, PO. Box 256, Rodeo, NM 88056
- NMED Permit Contact: Andrew Romero, Environmental Scientist, AndrewC.Romero@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-8624 or 505-827-2900.

Notice:

DP-1767, Rodeo Mutual Domestic Water Cooperative proposes to renew the Discharge Permit for the discharge of up to 10,000 gallons per day of treated groundwater from a reverse osmosis treatment system to an evaporative impoundment. Potential contaminants from this type of discharge include iron, manganese and fluoride. The facility is located at 208 United States Highway 80, Rodeo, in Section 30, Township 28 South, Range 21 West, Hidalgo County. Groundwater most likely to be affected is at a depth of approximately 78-118 feet and had a pre-discharge total dissolved solids concentration of 364 milligrams per liter.

Discharge Permit: DP-877, Sensient Natural Ingredients

- County: Luna | Closest City: Deming
- Applicant: Keegan Blank, Facility Manager, PO Box 2266, Deming, NM 88031
- NMED Permit Contact: Aracely Tellez, Water Resource Professional, Aracely.Tellez@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice:

DP-877, Sensient Natural Ingredients: Keegan Blank proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of wastewater from an agricultural processing facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 3225 Highway 418 SW, Deming, in Section 6, Township 24S, Range 09W, Luna County. Groundwater most likely to be affected is at a depth of approximately 148 feet and had a pre-discharge total dissolved solids concentration of 300 milligrams per liter.

Discharge Permit: DP-603, Thoreau Water and Sanitation District

- County: McKinley | Closest City: Thoreau
- Applicant: Thoreau Water and Sanitation District, James Herman, President, P.O. Box 66, Thoreau, NM 87323
- NMED Permit Contact: Aracely Tellez, Water Resource Professional, Aracely.Tellez@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-629-8864 or 505-827-2900.

Notice:

DP-603, Thoreau Water and Sanitation District proposes to renew the Discharge Permit for the discharge of up to 140,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 61 First Avenue, Thoreau, in Section 34, Township 14 North, Range 13 West, McKinley County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 654 milligrams per liter.



Discharge Permit: DP-1051, Rhino Environmental Service, Inc.

- County: Otero | Closest City: Newman
- Applicant: Rhino Environmental Services, Inc., Steve Dyer, President, 4717 Hondo Pass, 3-C, El Paso, TX 79904
- NMED Permit Contact: Melanie Sandoval, Geoscientist – Supervisor, UIC and Industrial Team Leader, Melanie.Sandoval2@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7892 or 505-827-2900.

Notice:

DP-1051, Rhino Environmental Services, Inc. proposes to renew the Discharge Permit for the discharge of up to 80,804 cubic yards of hydrocarbon contaminated soil to be remediated at any one time within a 160-acre landfarm and the remediation or evaporation of up to 120,000 gallons per day of hydrocarbon contaminated water. Potential contaminants from this type of discharge include organic and inorganic compounds. The facility is located approximately one mile north of Newman, in Section 22, Township 26 South, Range 06 East, Otero County. Groundwater most likely to be affected is at a depth of approximately 342 feet and had a pre-discharge total dissolved solids concentration of 1,000 milligrams per liter.

Discharge Permit: DP-1827, Brackish Water Reverse Osmosis Facility

- County: Otero | Closest City: Alamogordo
- Applicant: City of Alamogordo, David Nunnelley, Utilities Director, 2600 North Florida Avenue, Alamogordo, NM 88310
- NMED Permit Contact: Kathleen Murphy, Water Resource Professional, Kathleen.Murphy@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7567 or 505-827-2900.

Notice:

DP-1827, Brackish Water Reverse Osmosis Facility: City of Alamogordo proposes to renew the Discharge Permit for the discharge of up to 300,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include total dissolved solids, metals and organic compounds. The facility is located at 501 Lavelle Road, Alamogordo, in Section 36, Township 16 South, Range 09 East, Otero County. Groundwater most likely to be affected is at a depth of approximately 73 feet and had a pre-discharge total dissolved solids concentration of 7,200 milligrams per liter.



Discharge Permit: DP-1359, Rio Arriba County Rural Events Center

- County: Rio Arriba | Closest City: Abiquiu
- Applicant: Rio Arriba County, Jeremy G. Maestas, County Manager, 1122 Industrial Park Rd, Española, NM 87532
- NMED Permit Contact: Sara Arthur, Geoscientist, Sara.Arthur@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7887 or 505-827-2900.

Notice:

DP-1359, Rio Arriba County Rural Events Center: Rio Arriba County proposes to renew the Discharge Permit for the discharge of up to 6,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on NM Highway 554, House #122A, Mendanales, approximately four miles east of Abiquiu, in Section 18 (projected), Township 23 North, Range 7 East, Rio Arriba County. Groundwater most likely to be affected is at a depth of approximately 5 to 31 feet and had a pre-discharge total dissolved solids concentration of 894 milligrams per liter.

Discharge Permit: DP-926, Milk-N-atural Dairy

- County: Roosevelt | Closest City: Portales
- Applicant: William Kizer, 1698 S. Roosevelt Rd 13, Portales, NM 88130
- NMED Permit Contact: Amanda Otieno, Water Resource Professional, Amanda.Otieno@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-819-1219 or 505-827-2900.

Notice:

DP-926, Milk-N-atural: William Kizer proposes to renew the Discharge Permit for the discharge of up to 60,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1698 S. Roosevelt Rd 13, approximately 10 miles south of Portales, in Section 5, Township 3 South, Range 35 East, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 110-160 feet and had a pre-discharge total dissolved solids concentration of 180 milligrams per liter.

Discharge Permit: DP-1001, James Idsinga, Sr, & Son Dairy

- County: Roosevelt | Closest City: Portales
- Applicant: James Idsinga, 2116 East 3rd St, Portales, NM 88130
- NMED Permit Contact: Amanda Otieno, Water Resource Professional, Amanda.Otieno@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-819-1219 or 505-827-2900.

Notice:

DP-1001, James Idsinga, Sr, & Son Dairy: James Idsinga proposes to renew and modify the Discharge Permit for the discharge of up to 32,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 43315 US Hwy 70, Portales, NM 88130, approximately 9 miles northeast of Portales, in Sections 19, 29, and 30, Township 1 North, Range 36 East, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 240 feet and had a pre-discharge total dissolved solids concentration of 310 milligrams per liter.



Discharge Permit: DP-1843, San Juan Generating Station Shumway Arroyo Groundwater Recovery System

- County: San Juan | Closest City: Waterflow
- Applicant: E.J. Anderson, Environmental Manager, Public Service Company of New Mexico, 2401 Aztec Road, NE, Albuquerque, NM 87107
- NMED Permit Contact: Melanie Sandoval, Geoscientist – Supervisor, UIC and Industrial Team Leader, Melanie.Sandoval2@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7892 or 505-827-2900.

Notice:

DP-1843, San Juan Generating Station Shumway Arroyo Groundwater Recovery System: Public Service Company of New Mexico proposes to renew the Discharge Permit for the discharge of up to 50,000 gallons per day of groundwater recovered from the subsurface, water-bearing alluvium of the Shumway Arroyo to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds, metals and total dissolved solids (TDS). The facility is located at County Road 6800, approximately 3 miles northwest of Waterflow, in Sections 19, 20 and 32, Township 30 North, Range 15 West, San Juan County. Groundwater most likely to be affected is at a depth of approximately 10-40 feet and had a pre-discharge TDS concentration of 4,000-11,300 milligrams per liter.

Discharge Permit: DP-1407, Santa Fe Country Club

- County: Santa Fe | Closest City: Santa Fe
- Applicant: David Nowell, General Manager, Santa Fe Country Club, 3950 County Club Rd., Santa Fe NM, 87507
- NMED Permit Contact: Lochlin Farrell, Geoscientist, Lochlin.Farrell@env.nm.gov or pps.general@env.nm.gov, Telephone: (505) 660-8061 or 505-827-2900.

Notice:

DP-1407, Santa Fe Country Club proposes to modify the Discharge Permit for the discharge of up to 700,000 gallons per day (gpd) of reclaimed domestic wastewater to a reuse area. Up to 3,150 gpd of domestic wastewater is discharged to treatment and disposal systems. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3950 Country Club Road in Santa Fe, in projected Sections 11 and 12, Township 16 North, Range 8 East, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 276 feet and had a pre-discharge total dissolved solids concentration of 144 milligrams per liter.



Discharge Permit: DP-1824, City of Santa Fe SWAN Park

- County: Santa Fe | Closest City: Santa Fe
- Applicant: City of Santa Fe, Melissa McDonald, Parks Division Director, P.O. Box 909, Santa Fe, NM 87507
- NMED Permit Contact: Jennifer Fullam, Reuse Team Lead, Jennifer.Fullam@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-670-2496 or 505-827-2900.

Notice:

DP-1824, SWAN Park: City of Santa Fe proposes to renew and modify the Discharge Permit for the discharge of up to 210,000 gallons per day of reclaimed domestic wastewater to a reuse area. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 73580 Plaza Central, approximately 8 miles southwest of Santa Fe, in projected Section 14, Township 16 North, Range 8 East, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 120 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.

Discharge Permit: DP-1880, City of Santa Fe Municipal Recreation Complex

- County: Santa Fe | Closest City: Santa Fe
- Applicant: City of Santa Fe, Melissa McDonald, Parks Division Director, P.O. Box 909, Santa Fe, NM 87507
- NMED Permit Contact: Jennifer Fullam, Reuse Team Lead, Jennifer.Fullam@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-670-2496 or 505-827-2900.

Notice:

DP-1880, Santa Fe Municipal Recreation Complex: City of Santa Fe proposes to modify the Discharge Permit for the discharge of up to 3.48 million gallons per day of reclaimed domestic wastewater to a reuse area. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 205 Caja del Rio Road, Santa Fe, in Section(s) 21, 22, 26, 27 and 35, Township 17 North, Range 8 East, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 240 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.

END OF PUBLIC NOTICE