



MICHELLE LUJAN GRISHAM  
GOVERNOR

JAMES C. KENNEY  
CABINET SECRETARY

## PUBLIC NOTICE

# Groundwater Discharge Permits Proposed for Approval

## May 26, 2023

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice that the following Groundwater Discharge Permits have been proposed for approval. NMED will allow 30 days after the date of publication of this notice (or as otherwise provided below) for submittal of written comments and/or a request for a public hearing for a permitting action. You can add the comment period to your calendar through our Events Calendar located at <https://www.env.nm.gov/events-calendar/>. You can now submit your comments online using the Public Comment Portal located at <https://nmed.commentinput.com/>. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. After the administrative record for a permitting action is complete and all required information is available, NMED will approve, approve with conditions, or disapprove the Permit based on the administrative record.

NMED maintains a Public Involvement Plan (PIP) for each permitting action to plan for providing public participation opportunities and information that may be needed for the community to participate in a permitting process. PIPs may be viewed on-line at <https://www.env.nm.gov/public-notices/>, at the NMED field office nearest to the proposed permitted activity, or by contacting the NMED Permit Contact identified below. NMED also maintains facility-specific mailing lists for persons wishing to receive associated notices for a permitting action.

To learn more about a Discharge Permit and the permitting process, to be placed on a facility-specific mailing list, or to obtain a copy of a draft permit or PIP, please contact the NMED Permit Contact at the telephone number or address provided below. Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county. Comments or a request for hearing regarding a draft permit should be addressed to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469, or emailed to the NMED Permit Contact.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a

Science | Innovation | Collaboration | Compliance

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469  
Telephone (505) 827-2900 | [www.env.nm.gov/gwqb/](http://www.env.nm.gov/gwqb/)

Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; Spanish: 1-800-327-1857; TTY users: 1-800-659-8331. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kate Cardenas, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, [nd.coordinator@env.nm.gov](mailto:nd.coordinator@env.nm.gov). If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/general/environmental-justice-in-new-mexico/> to learn how and where to file a complaint of discrimination.

Enclosure: Groundwater Discharge Permits Proposed for Approval

### Discharge Permit: DP-1471, AAA Pumping Service Inc.

- County: Bernalillo | Closest City: Albuquerque
- Applicant: Mike Krepfl, President, AAA Pumping Service, PO Box 12186, Albuquerque, NM 87195
- NMED Permit Contact: Lochlin Farrell, Geoscientist, [Lochlin.Farrell@env.nm.gov](mailto:Lochlin.Farrell@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: (505) 660-8061 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Albuquerque: 121 Tijeras Ave, NE, Suite 1000, Albuquerque, NM 87102.
- Written comments or requests for a hearing for DP-1471 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-1471, AAA Pumping Service: Mike Krepfl proposes to renew the Discharge Permit for the processing of up to 74,000 gallons per day of domestic and industrial wastewater to an offsite disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, total dissolved solids, and metals. The facility is located at 2855 2nd Street SW, Albuquerque, in Section 32, Township 10 North, Range 03 East, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 8 feet and had a pre-discharge total dissolved solids concentration of 500 milligrams per liter.

### Discharge Permit: DP-952, Rockhill Dairy

- County: Chaves | Closest City: Dexter
- Applicant: Abel Villalpando c/o Carlos Villalpando, 304 E. Ojibwa Rd., Dexter, NM 88230.
- NMED Permit Contact: Jaben Richards, Acting Agriculture Section Manager, [Jaben.Richards@env.nm.gov](mailto:Jaben.Richards@env.nm.gov) or [acs.general@env.nm.gov](mailto:acs.general@env.nm.gov), Telephone: 505-660-8376 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Roswell: 1914 W. Second St., Roswell, NM 88201.
- Written comments or requests for a hearing for DP-952 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-952: Rockhill Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 275,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 304 E. Ojibwa Rd., approximately 4 miles of Dexter in Sections 26, 27, and 28, T13S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 80 feet and had a pre-discharge total dissolved solids concentration of 1,300 milligrams per liter.

## Discharge Permit: DP-1213, Village of Eagle Nest Wastewater Treatment Plant

- County: Colfax | Closest City: Eagle Nest
- Applicant: Kyle Dehler, Public Works Director, Village of Eagle Nest, PO Box 168, Eagle Nest, NM 87718.
- NMED Permit Contact: Avery Young, Team Leader, [Avery.Young@env.nm.gov](mailto:Avery.Young@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-699-8564 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Taos: 145 Roy Road, Suite B, Taos, NM 87571.
- Written comments or requests for a hearing for DP-1213 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-1213, Village of Eagle Nest Wastewater Treatment Plant: Village of Eagle Nest proposes to renew the Discharge Permit for the discharge of up to 91,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2829 Willow Creek Drive, in Eagle Nest, in Sections 17, 20 and 30, Township 27 North, Range 16 East, Colfax County. Groundwater most likely to be affected is at a depth of approximately 75 feet and had a pre-discharge total dissolved solids concentration of 165 milligrams per liter.

## Discharge Permit: DP-79, City of Clovis Wastewater Treatment Facility

- County: Curry | Closest City: Clovis
- Applicant: Clint Bunch, Public Works Director, City of Clovis, 801 South Norris, Clovis, NM 88101
- NMED Permit Contact: Avery Young, Team Leader, [Avery.Young@env.nm.gov](mailto:Avery.Young@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-699-8564 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Tucumcari: 113 W Center, Tucumcari, NM 88401.
- Written comments or requests for a hearing for DP-79 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-79, City of Clovis Wastewater Treatment Facility proposes to renew and modify the Discharge Permit for the discharge of up to 8.0 million gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 879 CR-7, approximately 1.2 miles east of the intersection of US-70 and CR-7 in Clovis, in Section 33, Township 02 Norte, Range 36 East; Sections 6, 7, 8, 16, 17, 20, 21, 28, 29, 32, 33, 34, 36, Township 2 North, Range 36 East; Sections 1 and 2, Township 02 North, Range 35 East; Sections 1 and 36, Township 03 North, Range 35 East; Section 29, 30 and 32, Township 03 North, Range 36 East; Curry County. Groundwater most likely to be affected is at a depth of approximately 230-340 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.

## Discharge Permit: DP-1962, City of Clovis Reuse Locations

- County: Curry | Closest City: Clovis
- Applicant: City of Clovis, Russell Hooper, Parks Director, 500 Sycamore Street, Clovis, NM 88101
- NMED Permit Contact: Avery Young, Team Leader, [Avery.Young@env.nm.gov](mailto:Avery.Young@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-699-8564 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Clovis: 100 E Manana, Unit 3, Clovis, NM 88101.
- Written comments or requests for a hearing for DP-1962 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-1962, City of Clovis Reuse Locations: City of Clovis proposes the Discharge Permit for the discharge of up to 4.5 million gallons per day of reclaimed domestic wastewater to reuse locations. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at various locations around the City of Clovis, in Sections 1, 7, 8, 12, 17, 20 and 33, Township 02 North, Range 36 East and Section 32, Township 03 North, Range 36 East, Curry County. Groundwater most likely to be affected is at a depth of approximately 281 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.

## Discharge Permit: DP-45, Western Skies RV Park

- County: Doña Ana | Closest City: Vado
- Applicant: Rosa Beltran Western Skies, LLC 16201 Las Alturas Dr. Vado, NM 88082
- NMED Permit Contact: Aracely Tellez, Environmental Scientist, [Aracely.Tellez@env.nm.gov](mailto:Aracely.Tellez@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-629-8864 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Las Cruces: 2301 Entrada Del Sol, Las Cruces, NM 88001.
- Written comments or requests for a hearing for DP-45 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-45, Western Skies RV Park: Western Skies, LLC proposes to renew the Discharge Permit for the discharge of up to 8,000 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 16201 Las Alturas Dr., approximately 2 miles east of Vado, in Section 21, Township 25 South, Range 03 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 85 feet and had a pre-discharge total dissolved solids concentration of 1,000 milligrams per liter.



## Discharge Permit: DP-1632, Evergreen Mobile Home Park

- County: Doña Ana | Closest City: Las Cruces
- Applicant: Alfredo Salazar, Owner, P.O. Box 3021, San Diego, CA 92163
- NMED Permit Contact: Aracely Tellez, Environmental Scientist, [Aracely.Tellez@env.nm.gov](mailto:Aracely.Tellez@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-629-8864 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Las Cruces: 2301 Entrada Del Sol, Las Cruces, NM 88001.
- Written comments or requests for a hearing for DP-1632 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-1632, Evergreen Mobile Home Park: Alfredo Salazar proposes to renew the Discharge Permit for the discharge of up to 12,900 gallons per day of domestic wastewater to a septic tanks/leachfields disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 6345 N. Dona Ana Rd, approximately 7 miles northwest of Las Cruces, in Section 15, Township 22 South, Range 01 East, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of 1,400 milligrams per liter.

## Discharge Permit: DP-206, Prewitt Escalante Generating Station

- County: McKinley | Closest City: Prewitt
- Applicant: Barbara A. Walz, SVP, Policy & Compliance, CCO, Tri-State Generation and Transmission Association, Inc., PO Box 33695, Denver, CO 80233-0695
- NMED Permit Contact: Melanie Sandoval, Geoscientist – Supervisor, UIC and Industrial Team Leader, [Melanie.Sandoval2@env.nm.gov](mailto:Melanie.Sandoval2@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-660-7892 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Grants: 708 Uranium Ave, Milan, NM 87021.
- Written comments or requests for a hearing for DP-206 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-206, Prewitt Escalante Generating Station: Tri-State Generation and Transmission Association, Inc. proposes to renew the Discharge Permit for the discharge of up to 201,000 gallons per day of industrial and domestic wastewater to a treatment and disposal system. The facility last produced electrical power on August 31, 2020, however wastewater management is continuing as the facility drains the systems and continues to operate the water treatment system. Additionally, up to 906 cubic yards per day of coal combustion residual is discharged to a 97-acre scrubber sludge/fly ash landfill. Potential contaminants from this type of discharge include nitrogen compounds, metals, and organic compounds. The facility is located on County Road 19, Prewitt, in Sections 25, 26, and 27, Township 14N, Range 12W, McKinley County. Groundwater most likely to be affected is at a depth of approximately 10 to 205 feet and had a pre-discharge total dissolved solids concentration of 665 to 7,090 milligrams per liter.

### Discharge Permit: DP-963, Red Roof Dairy

- County: Roosevelt | Closest City: Portales
- Applicant: Chad Tillman, Owner, 290 New Mexico 202, Portales, NM 88031
- NMED Permit Contact: Sarah F. Schnell, Geoscientist, [Sarah.Schnell@env.nm.gov](mailto:Sarah.Schnell@env.nm.gov) or [acs.general@env.nm.gov](mailto:acs.general@env.nm.gov), Telephone: 505-660-8368 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Clovis: 100 E Manana, Unit 3, Clovis, NM 88101.
- Written comments or requests for a hearing for DP-963 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-963, Red Roof Dairy proposes to renew the Discharge Permit for the discharge of up to 37,500 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 290 New Mexico 202, approximately 8 miles northeast of Portales, in Section 6, Township 01 South, Range 36 East, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 158 feet and had a pre-discharge total dissolved solids concentration of 210 milligrams per liter.

### Discharge Permit: DP-1120, Caja Del Rio Landfill

- County: Santa Fe | Closest City: Santa Fe
- Applicant: Santa Fe Solid Waste Management Agency, Randall Kippenbrock, Executive Director, 149 Wildlife Way, Santa Fe, NM 87506.
- NMED Permit Contact: Andrew Romero, Environmental Scientist, [AndrewC.Romero@env.nm.gov](mailto:AndrewC.Romero@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: 505-660-8624 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Santa Fe: 2540 Camino Edward Ortiz, Santa Fe, NM 87507.
- Written comments or requests for a hearing for DP-1120 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-1120, Caja Del Rio Landfill: Santa Fe Solid Waste Management Agency proposes to renew the Discharge Permit for the discharge of up to 750 gallons per day of domestic wastewater to a treatment and disposal system. Additionally, up to 500,000 gallons per day of reclaimed domestic wastewater is transferred from the Santa Fe Wastewater Treatment Facility for use at the Caja del Rio Landfill. Potential contaminants from this type of discharge include nitrogen, organic, and inorganic compounds. The facility is located at 149 Wildlife Way, Santa Fe, in Sections 21, 22, 27, and 28, T17N, R08E, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 307 feet and had a pre-discharge total dissolved solids concentration of 290 milligrams per liter.



## Discharge Permit: DP-444, Clines Corners Operating Company

- County: Torrance | Closest City: Moriarty
- Applicant: Lincoln Tarantino, General Manager, 1 Yacht Club Dr, Clines Corners, NM 87070
- NMED Permit Contact: Lochlin Farrell, Geoscientist, [Lochlin.Farrell@env.nm.gov](mailto:Lochlin.Farrell@env.nm.gov) or [pps.general@env.nm.gov](mailto:pps.general@env.nm.gov), Telephone: (505) 660-8061 or 505-827-2900.
- Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices/> under the tab for the facility's county.
- The Public Involvement Plan may be viewed online at <https://www.env.nm.gov/public-notices/> or at the NMED office in Santa Fe: 2540 Camino Edward Ortiz, Santa Fe, NM 875072.
- Written comments or requests for a hearing for DP-444 accepted until 5:00 p.m. MDT, June 26, 2023.

**Notice:** DP-444: Clines Corners Operating Company proposes to renew the Discharge Permit for the discharge of up to 15,000 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the intersection of Interstate 40 and US Route 265, approximately 22 miles east of Moriarty, in Section 16, Township 09 North, Range 12 East, Torrance County. Groundwater most likely to be affected is at a depth of approximately 899 feet and had a pre-discharge total dissolved solids concentration of 1,000 milligrams per liter.

END OF PUBLIC NOTICE

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<https://www.env.nm.gov/public-notices/>