

July 27, 2023

RECEIVED
By PSTB at 1:59 pm, Jul 27, 2023

Mr. Corey Jarrett
Geoscientist/Project Manager
Remedial Action Program
New Mexico Environment Department
Petroleum Storage Tank Bureau
121 Tijeras Ave NE, Suite 1000
Albuquerque, NM 87102

Second Quarterly Groundwater Monitoring Report
Atex 213, 3501 Isleta Boulevard, SW, Albuquerque, NM
Release ID #: 28 Facility #: 31815 Work Plan 4298 Deliverable ID 4298-2
Contract #: 22 667 3200 0020

Dear Mr. Jarrett:

EA Engineering, Science, and Technology, Inc. PBC (EA) prepared this report to present the results of the groundwater monitoring performed by EA on June 6, 2023, at Atex 213 located at 3501 Isleta Boulevard, SW, Albuquerque, New Mexico (*Figure 1*). This is the second monitoring event after the injection of PetroFix® in September 2022.

1. BACKGROUND

1.1 Release, PetroFix® Injection, Hydrogeology

- Atex Gas, Inc. was owned and operated by Bell Station 213.
- *In 1981*, inventory records indicated that approximately **43,000 gallons of unleaded gasoline** were released.
- In June 2021, **benzene** groundwater concentrations exceeded the standard in **NMW-1** (56 micrograms per liter [µg/L]), **RNMW-2** (13 µg/L), and **total naphthalene** concentration exceeded the standard in **MW-1R** (37 µg/L).
- In June 2022, EA prepared and submitted to NMED PTST a **Final Remediation Plan** to inject into the impacted saturated zone **PetroFix® with nitrate and sulfate electron donor amendments** around **MW-1R**, **RNMW-2**, and **NMW-1** using a direct push method (EA, Jun 6, 2022).
- In September 2022, **EA injected 1,464 pounds of PetroFix® (150 gallons) mixed with water for a total solution volume of 1,066 gallons around the NMW-1, MW-1R, and RNMW-2.**
- Groundwater in the area of concern occurs approximately **9-11 feet below the ground surface (bgs)**. Groundwater flow direction is to the **south-southeast at a 0.001-0.002 gradient**.
- The soil in the vadose and saturated zones consists primarily of poorly to well-graded **fine to coarse sands, silty sand near the surface, and lenses of silt/clay**.

1.2 April 2022 Baseline Groundwater Data

| Well ID | Depth to Water | Casing Elevation | Groundwater Elevation | Groundwater Temperature | Specific Conductance | pH | Oxidation-Reduction Potential | Dissolved Oxygen |
|--------------|-----------------|------------------|-----------------------|-------------------------|----------------------|-------------|-------------------------------|------------------|
| <i>Units</i> | <i>feet toc</i> | <i>feet amsl</i> | <i>feet amsl</i> | <i>degrees Celsius</i> | <i>µS/cm</i> | <i>S.U.</i> | <i>mV</i> | <i>µg/L</i> |
| MW-1R | 9.27 | 4,932.08 | 4,922.81 | 18.44 | 1,786 | 7.16 | -117 | 1.98 |
| MW-38 | 9.06 | 4,931.87 | 4,922.81 | 17.63 | 1,633 | 6.86 | -81 | 1.17 |
| MW-4R | 10.68 | 4,933.42 | 4,922.74 | 19.44 | 1,418 | 7.21 | -116 | 1.06 |
| MW-6RR | 11.01 | 4,933.90 | 4,922.89 | 18.74 | 1,207 | 7.26 | 21 | 1.77 |
| NMW-1 | 9.72 | 4,932.63 | 4,922.91 | 18.21 | 2,006 | 6.75 | -135 | 0.82 |
| NMW-4R | 10.03 | 4,932.53 | 4,922.50 | 19.16 | 1,307 | 7.03 | -54 | 1.05 |
| RNMW-2 | 10.62 | 4,933.45 | 4,922.83 | 18.88 | 1,709 | 6.86 | -71 | 0.83 |
| RNMW-3 | 10.38 | 4,933.22 | 4,922.84 | 19.03 | 1,667 | 2.02 | -63 | 1.02 |

Notes:

µS/cm = micro-Siemens per centimeter

amsl = above the mean sea level

mV = millivolts

µg/L = micrograms per liter

toc = top of the well casing

S.U. = standard units

1.3 April 2022 Baseline Contaminant Concentrations

Historically, the primary contaminants of concern (COCs) at the site have been petroleum hydrocarbons that included *benzene, toluene, ethylbenzene, total xylene (BTEX), methyl tertiary-butyl ether (MTBE), and total naphthalenes*. Recently, benzene and total naphthalene concentrations were above the standards.

In April 2022, the benzene concentration was 32 micrograms per liter (µg/L) in NMW-1 and 44 µg/L in RNMW-2, above the NMWQCC standard of 5 µg/L. All other COCs were below their associated standards. A summary of the results is provided in the table below:

| Well ID | Benzene | Toluene | Ethylbenzene | Xylenes | MTBE | Total Naphthalenes | Nitrate | Sulfate | TDS |
|------------------------|------------------|---------------------|-------------------|-------------------|-------------------|--------------------|------------------|-------------------|---------------------|
| <i>Standard</i> | <i>5</i> | <i>1,000</i> | <i>700</i> | <i>620</i> | <i>100</i> | <i>30</i> | <i>10</i> | <i>600</i> | <i>1,000</i> |
| <i>Units</i> | <i>µg/L</i> | <i>µg/L</i> | <i>µg/L</i> | <i>µg/L</i> | <i>µg/L</i> | <i>µg/L</i> | <i>mg/L</i> | <i>mg/L</i> | <i>mg/L</i> |
| MW-1R | <1.0 | <1.0 | <1.0 | <1.5 | <1.0 | 4.3 | <0.50 | 0.2 | - |
| MW-38 | <1.0 | <1.0 | <1.0 | <1.5 | <1.0 | <10 | <0.50 | 130 | - |
| MW-4R | <1.0 | <1.0 | <1.0 | <1.5 | 1.7 | <10 | <0.50 | 100 | - |
| MR-6RR | <1.0 | <1.0 | <1.0 | <1.5 | <1.0 | <10 | <0.50 | 95 | - |
| NMW-1 | <i>32</i> | <1.0 | 1.4 | 3.4 | 4.5 | 8.4 | <0.50 | 200 | - |
| NMW-4R | <1.0 | <1.0 | <1.0 | <1.5 | 1.9 | <10 | <0.50 | 91 | - |
| RNMW-2 | <i>44</i> | <2.0 | <2.0 | <3.0 | 51 | 13 | <0.50 | 68 | - |
| RNMW-3 | <1.0 | <1.0 | <1.0 | <1.5 | 5.5 | <10 | <0.10 | 100 | 586 |

Notes:

Bold indicates concentration above the New Mexico Administrative Code 20.6.2.3103 Human Health Standards for Groundwater.

MTBE = Methyl tertiary butyl ether

TDS = Total dissolved solids

2. SCOPE AND EXECUTION

On June 6, 2023, EA personnel completed the following scope of work for the pre-injection (baseline) groundwater monitoring:

- Gauged water levels in wells **BB-2, MW-1R, MW-4R, MW-6RR, MW-38, NMW-1, NMW-4R, RNMW-2, and RNMW-3**. Field records are provided in *Appendix A* and gauging results are in *Table 1*.
- Before sampling, wells were purged using dedicated, clean, disposable bailers and twine. During purging, *dissolved oxygen (DO), oxygen-reduction potential (ORP), pH, temperature, and specific conductivity were measured* using a calibrated water quality meter. Field records are provided in *Appendix A* and groundwater geochemical parameter results are in *Table 2*.
- Collected groundwater samples from **MW-1R, MW-4R, MW-6RR, MW-38, NMW-1, NMW-4R, RNMW-2, and RNMW-3**. In addition to the specified scope, a sample was collected from **BB-2**, as the total naphthalene concentration in this well in October 2022 was 232 micrograms per liter ($\mu\text{g/L}$), above the standard of 30 $\mu\text{g/L}$. Samples were collected into clean sealed containers supplied by Hall Environmental Analysis Laboratory (HEAL), labeled, placed in protective pockets, placed into coolers packed with ice, entered in a chain of custody, and delivered to HEAL under direct custody.
- Submitted groundwater samples to Hall Environmental Analysis Laboratory where samples were analyzed for volatile organic compounds (**VOCs**), including total naphthalenes, by the United States Environmental Protection Agency (EPA) **Method 8260B**. In addition to the specified scope, samples from NMW-1 and RNMW-2 were also analyzed for **sulfate and nitrate by EPA Method 300** to evaluate concentrations of the alternative electron acceptors. Laboratory results are provided in *Appendix B*, sample quality control requirements are in *Table 3*, and groundwater geochemical parameter results are in *Table 4*.
- Prepared and submitted this report.

3. RESULTS


3.1 Groundwater Levels, Flow Direction, and Gradient

Provided below is a summary of groundwater gauging performed on June 6, 2023. Historical data are provided in *Table 1*.


| Groundwater Levels | | | | |
|--------------------|-----------------|------------------|------------------|-----------------------|
| <i>Units</i> | <i>mm/dd/yy</i> | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> |
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation |
| BB-2 | 06/06/23 | 4934.64 | 11.01 | 4923.63 |
| MW-1R | 06/06/23 | 4932.08 | 8.32 | 4923.76 |
| MW-4R | 06/06/23 | 4933.42 | 9.76 | 4923.66 |
| MW-6RR | 06/06/23 | 4933.90 | 10.22 | 4923.68 |
| MW-38 | 06/06/23 | 4931.87 | 8.18 | 4923.69 |
| NMW-1 | 06/06/23 | 4932.63 | 8.79 | 4923.84 |
| NMW-4R | 06/06/23 | 4932.53 | 9.09 | 4923.44 |
| RNMW-2 | 06/06/23 | 4933.45 | 9.72 | 4923.73 |
| RNMW-3 | 06/06/23 | 4933.22 | 9.49 | 4923.73 |

feet amsl = feet above mean sea level
feet btoc = feet below the top of the well casing
mm/dd/yy = month/date/year

The average water level was 9.4 feet below the surface and the average groundwater elevation was 4,923.7 feet above the mean sea level (amsl), within the levels observed since 2014.



The groundwater levels ranged from 4,923.44 in NMW-4R feet amsl and 4,923.84 feet amsl in NMW-1.



When compared to February 2023, the average elevation increased by 1.1 feet. The groundwater flow was to the *south-southeast at an average gradient of 0.013 (Figure 2)*.

3.2 Groundwater Geochemical Conditions

Provided below is a summary of the groundwater geochemical conditions.

| Groundwater Geochemical Parameters | | | | | | | | | | |
|------------------------------------|----------|------|--|-------|--|------|--|------|--|-----|
| Units | | S.U. | | μS/cm | | °C | | mg/L | | mV |
| Well | Date | pH | | SpC | | Temp | | DO | | ORP |
| BB-2 | 06/06/23 | 7.49 | | 603 | | 19.4 | | 1.15 | | 6 |
| MW-1R | 06/06/23 | 7.32 | | 557 | | 19.9 | | 1.08 | | -19 |
| MW-4R | 06/06/23 | 7.40 | | 567 | | 20.2 | | 1.47 | | 0 |
| MW-6RR | 06/06/23 | 7.03 | | 567 | | 20.1 | | 0.68 | | 7 |
| MW-38 | 06/06/23 | 7.07 | | 647 | | 20.4 | | 1.01 | | 20 |
| NMW-1 | 06/06/23 | 6.95 | | 839 | | 20.8 | | 0.96 | | -56 |
| NMW-4R | 06/06/23 | 7.37 | | 524 | | 20.2 | | 1.16 | | -41 |
| RNMW-2 | 06/06/23 | 6.64 | | 617 | | 20.2 | | 0.72 | | 19 |
| RNMW-3 | 06/06/23 | 7.14 | | 680 | | 20.8 | | 0.77 | | -19 |

NOTES:

DO = Dissolved oxygen in milligrams per liter (mg/L)

ORP = Oxidation-Reduction Potential in millivolts (mVs)


pH = Potential of Hydrogen, standard units (S.U.)

SpC = Specific conductance in micro-siemens per centimeter (μS/cm)


Temp = Temperature in degrees Celsius (°C)

The average *pH was near neutral* at 7.2 standard units, the *DO was slightly aerobic* at an average of 1.0 milligrams per liter (mg/L), *ORP* averaged -9 millivolts (mVs), and the *temperature was conducive to biodegradation* at an average of 20.2 degrees Celsius.

Average pH, Temperature, and DO




June 6, 2023 pH and DO




The ORP ranged from reducing in MW-1R, NMW-1, NMW-4R, RNMW-3 to oxidizing in BB-2, MW-38, MW-6RR, and RNMW-2. ORP was the most reducing in NMW-1 in which benzene concentrations were above the standard.

June 6, 2023 ORP



The average site ORP decreased from 46 mVs in March 2023 to -9 mVs in June 2023.


Average ORP, mVs




3.3 Nitrate, Sulfate, and TDS Concentration in Groundwater

Nitrate and sulfate were added as electron acceptors during the injection of PetroFix®. *Nitrate concentrations were below* the laboratory limits in NMW-1 and RNMW-2 indicating that nitrate was depleted during the degradation of petroleum hydrocarbons through the *nitrate respiration*.

Between April 2022 and March 2023, *sulfate concentrations decreased in MW-1R and NMW-1*, around which sulfate was injected with PetroFix®. The decrease indicates that petroleum hydrocarbons were likely biodegraded through *sulfate respiration*. However, since March 2023, concentrations in NMW-1 did not change indicating that the sulfate reduction did not proceed further. The injection of sulfate around RNMW-2 is likely masking sulfate respiration as the pre-injection concentrations were about one-third of those in MW-1R and NMW-1.



In March 2023, the Total Dissolved Solids (TDS) concentrations ranged from 433 mg/L in MW-6RR to 720 mg/L in RNMW-2.



3.4 Volatile Organic Compounds in the Groundwater

Provided below is a summary of the June 6, 2023, results. Historical data are presented in *Table 4*.

| NMAC 20.6.2.3103 | 5 | 1,000 | 700 | 620 | 100 | 30 |
|------------------|-----------|---------|---------------|---------------|-------|------|
| Well | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | TN |
| BB-2 | < 2.0 | < 2.0 | < 2.0 | < 3.0 | 3.4 | < 20 |
| MW-1R | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 |
| MW-4R | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 |
| MW-6RR | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 |
| MW-38 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 |
| NMW-1 | 45 | < 2.0 | 2.5 | < 3.0 | 8.3 | 14 |


| | | | | | | |
|---------------|-------|--------|--------|--------|--------|-------|
| NMW-4R | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 3.1 | < 10 |
| MW-1R Diluted | < 8.0 | < 20.0 | < 20.0 | < 30.0 | < 20.0 | < 200 |
| NMW-2/RNMW-2 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 9.5 | < 10 |
| NMW-3/RNMW-3 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 11.0 | < 10 |

Concentrations are in micrograms per liter.
 MW-1R had PetroFix® and was diluted in the laboratory due to matrix interference.
 < = less than the laboratory reporting limit
 MTBE = methyl tertiary butyl ether
 TN = total naphthalenes

The benzene concentration of 45 micrograms per liter (µg/L) in NMW-1 was the only concentration that exceeded the New Mexico Administrative Code (NMAC) 20.6.2.3103 human health standards for groundwater. In March 2023, benzene concentration in NMW-1 was 42 µg/L.


3.4.1 VOCs in NMW-1

The overall benzene and total naphthalene concentrations trends in NMW-1 are decreasing. After the September 2022 injection, there was not a noticeable change in concentrations. A rapid decrease in ORP after the injection may indicate that hydraulic displacement during the injection of impacted groundwater occurred. The increased groundwater elevation may also influence concentrations. Aerobic conditions and evidence of nitrate and sulfate respiration indicate that biodegradation is likely ongoing. Microbial evaluation using Bio-Traps® and QuantArray Petro® would provide direct evidence of the types and degrees of biodegradation.




3.4.2 VOCs in MW-1R

After the injection, benzene and total naphthalene concentrations in MW-1R remained below the standards. PetroFix® was present in the well causing matrix interference that led to a high dilution factor of the sample and high laboratory detection limits. The graph below shows concentration trends.




3.4.3 VOCs in NMW-2/RNMW-2

After the injection, benzene concentration in RNMW-2 decreased to below the standard and total naphthalene concentration remained below the standard.



3.4.3 VOCs in BB-2

In BB-2, the total naphthalene concentrations decreased from 232 µg/L in October 2019 to below the standard of 30 µg/L in June 2023, and benzene concentrations remained below the standard of 5 µg/L.



4.0 SUMMARY AND RECOMMENDATIONS

4.1. Summary

- The average depth to water was 9.4 feet bgs, 1.1 feet shallower than the March 2023 level of 10.3 feet bgs.
- The average groundwater elevation was 4,923.68 feet amsl, within the upper bound of levels observed since 2014.
- The pH was near neutral, DO was slightly aerobic, ORP ranged from reducing to oxidizing, and the temperature was conducive to biodegradation.
- After becoming oxidizing following the injection of PetroFix, the average ORP decreased into a slightly reduced range.
- Nitrate was not detected although it was injected indicating that nitrate respiration took place degrading hydrocarbon and denitrifying nitrates.
- Between the injection and March 2023, sulfate concentrations decreased indicating that sulfate respiration occurred and was likely degrading petroleum hydrocarbons by anaerobic bacteria. However, sulfate concentrations were largely unchanged between March 2023 and June 2023 indicating that sulfate respiration may have slowed or stalled.
- The TDS concentrations were within the expected range for the Rio Grande floodplain concentration range.
- ***The benzene concentration of 45 micrograms per liter (µg/L) in NMW-1*** was the only compound exceeding the NMAC 20.6.2.3103 human health standards for groundwater. The total naphthalene concentration decreased. Hydraulic displacement during the injection and changes in groundwater level may influence benzene concentrations. Further monitoring is required to understand subsurface dynamics and concentration trends.
- After the injection, benzene and total naphthalene concentrations in MW-1R remained below the standards and decreased to below the standards in RNMW-2.
- In BB-2, in October 2019, naphthalene concentration decreased from 232 µg/L to below the standard of 30 µg/L.


4.2 Recommendations

- Continue groundwater monitoring. Two more groundwater monitoring events remain under Work Plan 4298.
- Consider Quant-Array Petro® microbial analysis in the key wells to better understand the type and degree of biodegradation occurring at the site.
- If benzene concentrations in NMW-1 persist, consider a follow-up injection of PetroFix® around the well.

Please feel free to contact me at (505) 296-1070 or vmustafin@eaest.com if you have questions or comments.

Sincerely,

EA Engineering, Science, and Technology, Inc., PBC



Vener Mustafin, P.E.
Project Manager/Engineer

ATTACHMENTS

| | |
|------------|---|
| Table 1 | Fluid Gauging Data |
| Table 2 | Groundwater Geochemical Parameters |
| Table 3 | Analytes, Methods, Containers, Preservation, Handling, and Holding Time |
| Table 4 | Groundwater Analytical Results |
| Figure 1 | Site Layout |
| Figure 2 | Groundwater Contour Map |
| Figure 3 | Volatile Organic Compounds |
| Appendix A | Field Records |
| Appendix B | Laboratory Report |

Tables

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|------------------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| BB-2 | 04/22/04 | 4931.31 | 10.88 | 4920.43 | |
| BB-2 | 07/28/05 | 4931.31 | 11.34 | 4919.97 | |
| BB-2 | 11/03/05 | 4931.31 | 11.56 | 4919.75 | |
| BB-2 | 01/31/06 | 4931.31 | 12.36 | 4918.95 | |
| BB-2 | 05/17/06 | 4931.31 | 11.66 | 4919.65 | |
| BB-2 | 09/25/06 | 4931.31 | 11.72 | 4919.59 | |
| BB-2 | 12/26/06 | 4931.31 | 12.04 | 4919.27 | |
| BB-2 | 02/21/12 | 4931.31 | 12.24 | 4919.07 | |
| BB-2 | 08/22/12 | 4931.31 | 11.69 | 4919.62 | |
| BB-2 | 03/25/13 | 4931.31 | 12.05 | 4919.26 | |
| BB-2 | 10/01/13 | 4931.31 | 11.70 | 4919.61 | |
| BB-2 | 05/02/14 | 4934.64 | 11.81 | 4922.83 | |
| BB-2 | 11/17/14 | 4934.64 | 12.06 | 4922.58 | |
| BB-2 | 05/19/15 | 4934.64 | 11.56 | 4923.08 | |
| BB-2 | 01/17/17 | 4934.64 | 11.82 | 4922.82 | |
| BB-2 | 12/20/17 | 4934.64 | 11.69 | 4922.95 | |
| BB-2 | 10/10/19 | 4934.64 | 11.18 | 4923.46 | |
| BB-2 | 06/06/23 | 4934.64 | 11.01 | 4923.63 | |
| MW-1 | 04/22/04 | 4929.78 | 9.25 | 4920.53 | |
| MW-1 | 07/28/05 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 11/03/05 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 01/31/06 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 05/17/06 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 09/25/06 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 12/26/06 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 02/21/12 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 08/22/12 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 03/25/13 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 10/01/13 | 4929.78 | | | <i>Dry</i> |
| MW-1 | 04/29/14 | 4929.78 | | | <i>Plugged</i> |
| MW-1R | 05/02/14 | 4932.03 | 9.06 | 4922.97 | |
| MW-1R | 11/17/14 | 4932.08 | 9.19 | 4922.89 | *** |
| MW-1R | 05/19/15 | 4932.08 | 8.86 | 4923.22 | |
| MW-1R | 01/17/17 | 4932.08 | 8.98 | 4923.10 | |
| MW-1R | 12/20/17 | 4932.08 | 8.87 | 4923.21 | |
| MW-1R | 10/10/19 | 4932.08 | 8.45 | 4923.63 | |
| MW-1R | 06/17/21 | 4932.08 | 8.63 | 4923.45 | |
| MW-1R | 04/06/22 | 4932.08 | 9.27 | 4922.81 | |
| MW-1R | 03/08/23 | 4932.08 | 9.34 | 4922.74 | |
| MW-1R | 06/06/23 | 4932.08 | 8.32 | 4923.76 | |
| MW-2 | 04/22/04 | 4934.72 | 11.43 | 4923.29 | |
| MW-2 | 07/28/05 | 4934.72 | 11.39 | 4923.33 | |
| MW-2 | 11/03/05 | 4934.72 | 11.45 | 4923.27 | |
| MW-2 | 01/31/06 | 4934.72 | 12.27 | 4922.45 | |
| MW-2 | 05/17/06 | 4934.72 | 11.72 | 4923.00 | |
| MW-2 | 09/25/06 | 4934.72 | 11.82 | 4922.90 | |
| MW-2 | 12/26/06 | 4934.72 | 11.94 | 4922.78 | |
| MW-2 | 02/21/12 | 4934.72 | 12.13 | 4922.59 | |
| MW-2 | 08/22/12 | 4934.72 | 11.68 | 4923.04 | |
| MW-2 | 03/25/13 | 4934.72 | 11.96 | 4922.76 | |
| MW-2 | 10/01/13 | 4934.72 | 11.64 | 4923.08 | |
| MW-2 | 05/02/14 | 4934.72 | 11.74 | 4922.98 | |
| MW-2 | 11/17/14 | 4934.72 | 11.96 | 4922.76 | |
| MW-2 | 05/19/15 | 4934.72 | 11.59 | 4923.13 | |
| MW-2 | 01/17/17 | 4934.72 | 11.73 | 4922.99 | |
| MW-2 | 12/20/17 | 4934.72 | 11.61 | 4923.11 | |
| MW-2 | 10/10/19 | 4934.72 | 11.17 | 4923.55 | |
| MW-2 | 06/17/21 | 4934.72 | | | <i>Could not locate well</i> |
| MW-3 | 04/22/04 | 4932.98 | 9.71 | 4923.27 | |

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|------------------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| MW-3 | 07/28/05 | 4932.98 | 9.65 | 4923.33 | |
| MW-3 | 11/03/05 | 4932.98 | 9.78 | 4923.20 | |
| MW-3 | 01/31/06 | 4932.98 | 10.57 | 4922.41 | |
| MW-3 | 05/17/06 | 4932.98 | 10.02 | 4922.96 | |
| MW-3 | 09/25/06 | 4932.98 | 10.05 | 4922.93 | |
| MW-3 | 12/26/06 | 4932.98 | 10.27 | 4922.71 | |
| MW-3 | 02/21/12 | 4932.98 | 10.42 | 4922.56 | |
| MW-3 | 08/22/12 | 4932.98 | 9.92 | 4923.06 | |
| MW-3 | 03/25/13 | 4932.98 | 10.25 | 4922.73 | |
| MW-3 | 10/01/13 | 4932.98 | 9.80 | 4923.18 | |
| MW-3 | 05/02/14 | 4932.98 | 10.00 | 4922.98 | |
| MW-3 | 11/17/14 | 4932.98 | 10.19 | 4922.79 | |
| MW-3 | 05/19/15 | 4932.98 | 9.82 | 4923.16 | |
| MW-3 | 01/17/17 | 4932.98 | 9.98 | 4923.00 | |
| MW-3 | 12/20/17 | 4932.98 | 9.87 | 4923.11 | |
| MW-3 | 10/10/19 | 4932.98 | | | <i>Could not locate well</i> |
| MW-3 | 06/17/21 | 4932.98 | | | <i>Destroyed</i> |
| MW-4 | 04/22/04 | 4932.55 | 12.07 | 4920.48 | |
| MW-4 | 07/28/05 | 4932.55 | 12.03 | 4920.52 | |
| MW-4 | 11/03/05 | 4932.55 | 12.19 | 4920.36 | |
| MW-4 | 01/31/06 | 4932.55 | 12.94 | 4919.61 | |
| MW-4 | 05/17/06 | 4932.55 | 12.35 | 4920.20 | |
| MW-4 | 09/25/06 | 4932.55 | 12.42 | 4920.13 | |
| MW-4 | 12/26/06 | 4932.55 | 12.64 | 4919.91 | |
| MW-4 | 02/21/12 | 4932.55 | 12.81 | 4919.74 | |
| MW-4 | 08/22/12 | 4932.55 | 12.32 | 4920.23 | |
| MW-4 | 03/25/13 | 4932.55 | 12.64 | 4919.91 | |
| MW-4 | 10/01/13 | 4932.55 | | | |
| MW-4 | 04/29/14 | 4932.55 | | | <i>Plugged</i> |
| MW-4R | 05/02/14 | 4933.42 | 10.56 | 4922.86 | |
| MW-4R | 11/17/14 | 4933.42 | 10.74 | 4922.68 | |
| MW-4R | 05/19/15 | 4933.42 | 10.36 | 4923.06 | |
| MW-4R | 01/17/17 | 4933.42 | 10.57 | 4922.85 | |
| MW-4R | 12/20/17 | 4933.42 | 10.39 | 4923.03 | |
| MW-4R | 10/10/19 | 4933.42 | 9.94 | 4923.48 | |
| MW-4R | 06/17/21 | 4933.42 | 10.13 | 4923.29 | |
| MW-4R | 04/06/22 | 4933.42 | 10.68 | 4922.74 | |
| MW-4R | 03/08/23 | 4933.42 | 10.87 | 4922.55 | |
| MW-4R | 06/06/23 | 4933.42 | 9.76 | 4923.66 | |
| MW-5 | 04/22/04 | 4931.85 | 11.44 | 4920.41 | |
| MW-5 | 07/28/05 | 4931.85 | 10.78 | 4921.07 | |
| MW-5 | 11/03/05 | 4931.85 | 11.00 | 4920.85 | |
| MW-5 | 01/31/06 | 4931.85 | 11.83 | 4920.02 | |
| MW-5 | 05/17/06 | 4931.85 | 11.12 | 4920.73 | |
| MW-5 | 09/25/06 | 4931.85 | 11.15 | 4920.70 | |
| MW-5 | 12/26/06 | 4931.85 | 11.54 | 4920.31 | |
| MW-5 | 02/21/12 | 4931.85 | | | <i>Dry</i> |
| MW-5 | 08/22/12 | 4931.85 | | | <i>Dry</i> |
| MW-5 | 03/25/13 | 4931.85 | | | <i>Dry</i> |
| MW-5 | 10/01/13 | 4931.85 | | | <i>Dry</i> |
| MW-5 | 05/01/14 | 4931.85 | | | <i>Plugged</i> |
| MW-6 | 04/22/04 | 4931.51 | 11.04 | 4920.47 | |
| MW-6 | 07/28/05 | 4931.51 | 11.03 | 4920.48 | |
| MW-6 | 11/03/05 | 4931.51 | 11.22 | 4920.29 | |
| MW-6 | 01/31/06 | 4931.51 | 11.92 | 4919.59 | |
| MW-6 | 05/17/06 | 4931.51 | 11.31 | 4920.20 | |
| MW-6 | 09/25/06 | 4931.51 | 11.37 | 4920.14 | |
| MW-6 | 12/26/06 | 4931.51 | 11.89 | 4919.62 | |
| MW-6 | 02/21/12 | 4931.51 | 11.58 | 4919.93 | |

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| MW-6 | 08/22/12 | 4931.51 | 13.00 | 4918.51 | |
| MW-6 | 03/25/13 | 4931.51 | 13.14 | 4918.37 | |
| MW-6 | 10/01/13 | 4931.51 | 13.18 | 4918.33 | |
| MW-6 | 04/29/14 | 4931.51 | | | <i>Plugged</i> |
| MW-6R | 05/02/14 | 4934.26 | 11.36 | 4922.90 | |
| MW-6R | 11/17/14 | 4934.26 | | | <i>Destroyed</i> |
| MW-6RR | 12/22/14 | 4933.90 | 11.20 | 4922.70 | |
| MW-6RR | 05/19/15 | 4933.90 | 10.73 | 4923.17 | |
| MW-6RR | 01/17/17 | 4933.90 | 10.90 | 4923.00 | |
| MW-6RR | 12/20/17 | 4933.90 | 10.78 | 4923.12 | |
| MW-6RR | 10/10/19 | 4933.90 | 10.34 | 4923.56 | |
| MW-6RR | 06/17/21 | 4933.90 | 10.50 | 4923.40 | |
| MW-6RR | 04/06/22 | 4933.90 | 11.01 | 4922.89 | |
| MW-6RR | 03/08/23 | 4933.90 | 11.29 | 4922.61 | |
| MW-6RR | 06/06/23 | 4933.90 | 10.22 | 4923.68 | |
| MW-10 | 04/22/04 | 4930.98 | | | <i>Plugged</i> |
| MW-29 | 04/22/04 | 4930.19 | 9.60 | 4920.59 | |
| MW-29 | 07/28/05 | 4930.19 | 9.56 | 4920.63 | |
| MW-29 | 11/03/05 | 4930.19 | 9.66 | 4920.53 | |
| MW-29 | 01/31/06 | 4930.19 | 10.45 | 4919.74 | |
| MW-29 | 05/17/06 | 4930.19 | 9.89 | 4920.30 | |
| MW-29 | 09/25/06 | 4930.19 | 10.01 | 4920.18 | |
| MW-29 | 12/26/06 | 4930.19 | 11.14 | 4919.05 | |
| MW-29 | 02/21/12 | 4930.19 | 10.32 | 4919.87 | |
| MW-29 | 08/22/12 | 4930.19 | 9.87 | 4920.32 | |
| MW-29 | 03/25/13 | 4930.19 | 10.11 | 4920.08 | |
| MW-29 | 10/01/13 | 4930.19 | 9.81 | 4920.38 | |
| MW-29 | 05/01/14 | 4930.19 | | | |
| MW-38 | 04/22/04 | 4929.10 | 8.62 | 4920.48 | |
| MW-38 | 07/28/05 | 4929.10 | 8.56 | 4920.54 | |
| MW-38 | 11/03/05 | 4929.10 | 8.70 | 4920.40 | |
| MW-38 | 01/31/06 | 4929.10 | 9.49 | 4919.61 | |
| MW-38 | 05/17/06 | 4929.10 | 8.90 | 4920.20 | |
| MW-38 | 09/25/06 | 4929.10 | 8.97 | 4920.13 | |
| MW-38 | 12/26/06 | 4929.10 | 9.19 | 4919.91 | |
| MW-38 | 02/21/12 | 4929.10 | 9.38 | 4919.72 | |
| MW-38 | 08/22/12 | 4929.10 | 8.88 | 4920.22 | |
| MW-38 | 03/25/13 | 4929.10 | 9.15 | 4919.95 | |
| MW-38 | 10/01/13 | 4929.10 | 8.85 | 4920.25 | |
| MW-38 | 05/02/14 | 4931.87 | 8.96 | 4922.91 | |
| MW-38 | 11/17/14 | 4931.87 | 9.18 | 4922.69 | |
| MW-38 | 05/19/15 | 4931.87 | 8.78 | 4923.09 | |
| MW-38 | 01/17/17 | 4931.87 | 8.96 | 4922.91 | |
| MW-38 | 12/20/17 | 4931.87 | 8.83 | 4923.04 | |
| MW-38 | 10/10/19 | 4931.87 | 8.36 | 4923.51 | |
| MW-38 | 06/17/21 | 4931.87 | 8.58 | 4923.29 | |
| MW-38 | 04/06/22 | 4931.87 | 9.06 | 4922.81 | |
| MW-38 | 03/08/23 | 4931.87 | 9.29 | 4922.58 | |
| MW-38 | 06/06/23 | 4931.87 | 8.18 | 4923.69 | |
| NMW-1 | 04/22/04 | 4929.81 | 9.24 | 4920.57 | |
| NMW-1 | 07/28/05 | 4929.81 | 9.22 | 4920.59 | |
| NMW-1 | 11/03/05 | 4929.81 | 9.31 | 4920.50 | |
| NMW-1 | 01/31/06 | 4929.81 | 10.70 | 4919.11 | |
| NMW-1 | 05/17/06 | 4929.81 | 9.53 | 4920.28 | |
| NMW-1 | 09/25/06 | 4929.81 | 9.62 | 4920.19 | |
| NMW-1 | 12/26/06 | 4929.81 | 9.75 | 4920.06 | |
| NMW-1 | 02/21/12 | 4929.81 | 9.93 | 4919.88 | |
| NMW-1 | 08/22/12 | 4929.81 | 9.48 | 4920.33 | |
| NMW-1 | 03/25/13 | 4929.81 | 9.75 | 4920.06 | |

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| NMW-1 | 10/01/13 | 4929.81 | 9.41 | 4920.40 | |
| NMW-1 | 05/02/14 | 4932.62 | 9.55 | 4923.07 | |
| NMW-1 | 11/17/14 | 4932.63 | 9.72 | 4922.91 | *** |
| NMW-1 | 05/19/15 | 4932.63 | 9.38 | 4923.25 | |
| NMW-1 | 01/17/17 | 4932.63 | 9.57 | 4923.06 | |
| NMW-1 | 12/20/17 | 4932.63 | 9.39 | 4923.24 | |
| NMW-1 | 10/10/19 | 4932.63 | 8.96 | 4923.67 | |
| NMW-1 | 06/17/21 | 4932.63 | 9.16 | 4923.47 | |
| NMW-1 | 04/06/22 | 4932.63 | 9.72 | 4922.91 | |
| NMW-1 | 03/08/23 | 4932.63 | 9.87 | 4922.76 | |
| NMW-1 | 06/06/23 | 4932.63 | 8.79 | 4923.84 | |
| NMW-2 | 04/22/04 | 4930.38 | 10.03 | 4920.35 | |
| NMW-2 | 07/28/05 | 4930.38 | | | <i>Destroyed</i> |
| NMW-3 | 04/22/04 | 4930.56 | 10.28 | 4920.28 | |
| NMW-3 | 07/28/05 | 4930.56 | | | <i>Destroyed</i> |
| NMW-4 | 04/22/04 | 4929.02 | 10.33 | 4918.69 | |
| NMW-4 | 07/28/05 | 4929.02 | | | <i>NM</i> |
| NMW-4 | 11/03/05 | 4929.02 | | | <i>NM</i> |
| NMW-4 | 01/31/06 | 4929.02 | | | <i>NM</i> |
| NMW-4 | 05/17/06 | 4929.02 | | | <i>NM</i> |
| NMW-4 | 09/25/06 | 4929.02 | 9.59 | 4919.43 | |
| NMW-4 | 12/26/06 | 4929.02 | 10.94 | 4918.08 | |
| NMW-4 | 02/21/12 | 4929.02 | 10.12 | 4918.90 | |
| NMW-4 | 08/22/12 | 4929.02 | 9.59 | 4919.43 | |
| NMW-4 | 03/25/13 | 4929.02 | 9.90 | 4919.12 | |
| NMW-4 | 10/01/13 | 4929.02 | 9.59 | 4919.43 | |
| NMW-4 | 04/30/14 | 4929.02 | | | <i>Plugged</i> |
| NMW-4R | 05/02/14 | 4932.53 | 9.91 | 4922.62 | |
| NMW-4R | 11/17/14 | 4932.53 | 10.12 | 4922.41 | |
| NMW-4R | 05/19/15 | 4932.53 | 9.68 | 4922.85 | |
| NMW-4R | 01/17/17 | 4932.53 | 9.88 | 4922.65 | |
| NMW-4R | 12/20/17 | 4932.53 | 9.75 | 4922.78 | |
| NMW-4R | 10/10/19 | 4932.53 | 9.24 | 4923.29 | |
| NMW-4R | 06/17/21 | 4932.53 | 9.47 | 4923.06 | |
| NMW-4R | 04/06/22 | 4932.53 | 10.03 | 4922.50 | |
| NMW-4R | 03/08/23 | 4932.53 | 10.20 | 4922.33 | |
| NMW-4R | 06/06/23 | 4932.53 | 9.09 | 4923.44 | |
| RNMW-2 | 07/28/05 | 4930.88 | 10.33 | 4920.55 | |
| RNMW-2 | 11/03/05 | 4930.88 | 10.44 | 4920.44 | |
| RNMW-2 | 01/31/06 | 4930.88 | 11.23 | 4919.65 | |
| RNMW-2 | 05/17/06 | 4930.88 | 10.64 | 4920.24 | |
| RNMW-2 | 09/25/06 | 4930.88 | 10.72 | 4920.16 | |
| RNMW-2 | 12/26/06 | 4930.88 | 10.92 | 4919.96 | |
| RNMW-2 | 02/21/12 | 4930.88 | 11.09 | 4919.79 | |
| RNMW-2 | 08/22/12 | 4930.88 | 10.61 | 4920.27 | |
| RNMW-2 | 03/25/13 | 4930.88 | 10.90 | 4919.98 | |
| RNMW-2 | 10/01/13 | 4930.88 | 10.57 | 4920.31 | |
| RNMW-2 | 05/02/14 | 4933.74 | 10.70 | 4923.04 | |
| RNMW-2 | 11/17/14 | 4933.45 | 10.87 | 4922.58 | *** |
| RNMW-2 | 05/19/15 | 4933.45 | 10.27 | 4923.18 | |
| RNMW-2 | 01/17/17 | 4933.45 | 10.44 | 4923.01 | |
| RNMW-2 | 12/20/17 | 4933.45 | 10.31 | 4923.14 | |
| RNMW-2 | 10/10/19 | 4933.45 | 9.88 | 4923.57 | |
| RNMW-2 | 06/17/21 | 4933.45 | 10.04 | 4923.41 | |
| RNMW-2 | 04/06/22 | 4933.45 | 10.62 | 4922.83 | ** |
| RNMW-2 | 03/08/23 | 4933.45 | 10.79 | 4922.66 | |
| RNMW-2 | 06/06/23 | 4933.45 | 9.72 | 4923.73 | |
| RNMW-3 | 07/28/05 | 4930.42 | 9.89 | 4920.53 | |
| RNMW-3 | 11/03/05 | 4930.42 | 9.99 | 4920.43 | |

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|-------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| RNMW-3 | 01/31/06 | 4930.42 | 10.80 | 4919.62 | |
| RNMW-3 | 05/17/06 | 4930.42 | 10.20 | 4920.22 | |
| RNMW-3 | 09/25/06 | 4930.42 | 10.27 | 4920.15 | |
| RNMW-3 | 12/26/06 | 4930.42 | 10.49 | 4919.93 | |
| RNMW-3 | 02/21/12 | 4930.42 | 10.65 | 4919.77 | |
| RNMW-3 | 08/22/12 | 4930.42 | 10.17 | 4920.25 | |
| RNMW-3 | 03/25/13 | 4930.42 | 10.45 | 4919.97 | |
| RNMW-3 | 10/01/13 | 4930.42 | 10.12 | 4920.30 | |
| RNMW-3 | 05/02/14 | 4933.22 | 10.23 | 4922.99 | |
| RNMW-3 | 11/17/14 | 4933.22 | 10.45 | 4922.77 | |
| RNMW-3 | 05/19/15 | 4933.22 | 10.06 | 4923.16 | |
| RNMW-3 | 01/17/17 | 4933.22 | 10.22 | 4923.00 | |
| RNMW-3 | 12/20/17 | 4933.22 | 10.09 | 4923.13 | |
| RNMW-3 | 10/10/19 | 4933.22 | 9.65 | 4923.57 | |
| RNMW-3 | 06/17/21 | 4933.22 | 9.84 | 4923.38 | |
| RNMW-3 | 04/06/22 | 4933.22 | 10.38 | 4922.84 | ** |
| RNMW-3 | 03/08/23 | 4933.22 | 10.59 | 4922.63 | |
| RNMW-3 | 06/06/23 | 4933.22 | 9.49 | 4923.73 | |
| W-34 | 04/22/04 | 4928.70 | 7.92 | 4920.78 | |
| W-34 | 07/28/05 | 4928.70 | 8.09 | 4920.61 | |
| W-34 | 11/03/05 | 4928.70 | 8.11 | 4920.59 | |
| W-34 | 01/31/06 | 4928.70 | 8.92 | 4919.78 | |
| W-34 | 05/17/06 | 4928.70 | 8.40 | 4920.30 | |
| W-34 | 09/25/06 | 4928.70 | 8.51 | 4920.19 | |
| W-34 | 12/26/06 | 4928.70 | 8.61 | 4920.09 | |
| W-34 | 02/21/12 | 4928.70 | 8.77 | 4919.93 | |
| W-34 | 08/22/12 | 4928.70 | 8.33 | 4920.37 | |
| W-34 | 03/25/13 | 4928.70 | 8.61 | 4920.09 | |
| W-34 | 10/01/13 | 4928.70 | | | <i>Paved over</i> |
| W-34 | 05/01/14 | 4932.53 | | | <i>Plugged</i> |
| W-35 | 04/22/04 | 4928.93 | 8.14 | 4920.79 | |
| W-35 | 07/28/05 | 4928.93 | 8.29 | 4920.64 | |
| W-35 | 11/03/05 | 4928.93 | 8.31 | 4920.62 | |
| W-35 | 01/31/06 | 4928.93 | 9.14 | 4919.79 | |
| W-35 | 05/17/06 | 4928.93 | 8.64 | 4920.29 | |
| W-35 | 09/25/06 | 4928.93 | 8.74 | 4920.19 | |
| W-35 | 12/26/06 | 4928.93 | 8.83 | 4920.10 | |
| W-35 | 02/21/12 | 4928.93 | 8.99 | 4919.94 | |
| W-35 | 08/22/12 | 4928.93 | 8.55 | 4920.38 | |
| W-35 | 03/25/13 | 4928.93 | 8.85 | 4920.08 | |
| W-35 | 10/01/13 | 4928.93 | | | <i>Paved over</i> |
| W-35 | 05/02/14 | 4931.50 | 8.65 | 4922.85 | |
| W-35 | 11/17/14 | 4931.50 | 8.78 | 4922.72 | |
| W-35 | 05/19/15 | 4931.50 | 8.44 | 4923.06 | |
| W-35 | 01/17/17 | 4931.50 | 8.56 | 4922.94 | |
| W-35 | 12/20/17 | 4931.50 | 8.47 | 4923.03 | |
| W-35 | 10/10/19 | 4931.50 | | | <i>Destroyed</i> |
| W-36 | 04/22/04 | 4929.11 | 8.31 | 4920.80 | |
| W-36 | 07/28/05 | 4929.11 | 8.48 | 4920.63 | |
| W-36 | 11/03/05 | 4929.11 | 8.50 | 4920.61 | |
| W-36 | 01/31/06 | 4929.11 | 9.30 | 4919.81 | |
| W-36 | 05/17/06 | 4929.11 | 8.79 | 4920.32 | |
| W-36 | 09/25/06 | 4929.11 | 8.92 | 4920.19 | |
| W-36 | 12/26/06 | 4929.11 | 8.97 | 4920.14 | |
| W-36 | 02/21/12 | 4929.11 | 9.15 | 4919.96 | |
| W-36 | 08/22/12 | 4929.11 | 8.72 | 4920.39 | |
| W-36 | 03/25/13 | 4929.11 | 9.01 | 4920.10 | |
| W-36 | 10/01/13 | 4929.11 | | | <i>Paved over</i> |
| W-36 | 05/02/14 | 4932.00 | 8.80 | 4923.20 | |

**TABLE 1. FLUID GAUGING DATA
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| <i>Units</i> | | <i>feet amsl</i> | <i>feet btoc</i> | <i>feet amsl</i> | |
|--------------|-------------|-------------------------|-----------------------|------------------------------|-------------------|
| Well | Date | Casing Elevation | Depth to Water | Groundwater Elevation | Notes |
| W-36 | 11/17/14 | 4932.00 | 8.97 | 4923.03 | |
| W-36 | 05/19/15 | 4932.00 | 8.62 | 4923.38 | |
| W-36 | 01/17/17 | 4932.00 | 8.76 | 4923.24 | |
| W-36 | 12/20/17 | 4932.00 | 8.63 | 4923.37 | |
| W-36 | 10/10/19 | 4932.00 | | | <i>Destroyed</i> |
| W-37 | 04/22/04 | 4930.10 | 9.26 | 4920.84 | |
| W-37 | 07/28/05 | 4930.10 | 9.43 | 4920.67 | |
| W-37 | 11/03/05 | 4930.10 | 9.49 | 4920.61 | |
| W-37 | 01/31/06 | 4930.10 | 10.22 | 4919.88 | |
| W-37 | 05/17/06 | 4930.10 | 9.74 | 4920.36 | |
| W-37 | 09/25/06 | 4930.10 | 9.90 | 4920.20 | |
| W-37 | 12/26/06 | 4930.10 | 8.78 | 4921.32 | |
| W-37 | 02/21/12 | 4930.10 | 10.09 | 4920.01 | |
| W-37 | 08/22/12 | 4930.10 | 9.67 | 4920.43 | |
| W-37 | 03/25/13 | 4930.10 | 9.97 | 4920.13 | |
| W-37 | 10/01/13 | 4930.10 | | | <i>Paved over</i> |
| W-37 | 05/01/14 | 4930.10 | | | <i>Plugged</i> |

NOTES:

The top of casing elevation for wells MW-2 and MW-3 were adjusted by -0.17 and -0.89, respectively, from the survey point on top of steel plate on pipe.

Horizontal control to NM State Plane Coordinates Central NAD83 Grid Coordinates (in feet)

Vertical Control to NAVD88 Datum in feet above mean sea level

Measured in feet below the top of casing at survey point on north side of well

** = Well Destroyed during source area excavation*

*** = Replacement well installed 4/27/05*

**** = Surface completion/casing damaged at time of measurement*

NM = not measured

**TABLE 2. GROUNDWATER GEOCHEMICAL PARAMETERS
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| Units | | S.U. | $\mu\text{S}/\text{cm}$ | $^{\circ}\text{C}$ | mg/L | mV | |
|--------------|-----------------|-------------|-------------------------|--------------------|-------------|------------|-----------------------|
| Well | Date | pH | SpC | Temp | DO | ORP | Notes |
| BB-2 | 02/21/12 | | 798 | 17.5 | 2.32 | | |
| BB-2 | 08/23/12 | 7.61 | 1,002 | 26.9 | 1.19 | | |
| BB-2 | 03/25/13 | 6.43 | 1,009 | 17.1 | 1.47 | | |
| BB-2 | 10/01/13 | 6.27 | 952 | 23.2 | | | |
| BB-2 | 05/01/14 | 7.77 | 945 | 17.7 | 1.74 | | |
| BB-2 | 11/17/14 | 7.37 | 862 | 19.8 | 1.92 | | |
| BB-2 | 05/19/15 | 7.44 | 882 | 18.1 | 2.39 | | |
| BB-2 | 01/17/17 | 7.47 | 838 | 18.7 | 2.40 | | |
| BB-2 | 12/20/17 | 7.26 | 824 | 20.5 | 1.11 | 189 | |
| BB-2 | 10/10/19 | 7.28 | 864 | 22.4 | | | |
| BB-2 | 06/06/23 | 7.49 | 603 | 19.4 | 1.15 | 6 | |
| MW-1 | 02/21/12 | | | | | | Dry |
| MW-1 | 08/22/12 | | | | | | Dry |
| MW-1 | 03/25/13 | | | | | | Dry |
| MW-1 | 10/01/13 | | | | | | Dry |
| MW-1 | 04/01/14 | | | | | | Plugged |
| MW-1R | 05/01/14 | 7.80 | 803 | 19.4 | 1.55 | | |
| MW-1R | 11/17/14 | 7.56 | 913 | 21.8 | 1.18 | | |
| MW-1R | 05/19/15 | | | | | | Bailed dry |
| MW-1R | 01/17/17 | | | | | | Bailed dry |
| MW-1R | 12/20/17 | | | | | | Not enough water |
| MW-1R | 10/10/19 | 7.42 | 1,041 | 23.4 | | | |
| MW-1R | 06/17/21 | 7.54 | 823 | 20.4 | 1.86 | 26 | |
| MW-1R | 06/17/21 | 7.54 | 823 | 20.4 | 1.86 | 26 | |
| MW-1R | 04/06/22 | 7.16 | 1,786 | 18.4 | 1.98 | -117 | |
| MW-1R | 03/08/23 | 7.36 | 562 | 18.6 | 1.22 | 26 | |
| MW-1R | 06/06/23 | 7.32 | 557 | 19.9 | 1.08 | -19 | |
| MW-2 | 02/21/12 | 7.36 | 761 | 19.7 | 1.35 | | |
| MW-2 | 08/22/12 | 8.17 | 950 | 24.5 | 1.31 | | |
| MW-2 | 03/25/13 | 6.29 | 1,111 | 18.4 | 1.04 | | |
| MW-2 | 10/01/13 | 6.31 | 1,023 | 25.5 | | | |
| MW-2 | 05/01/14 | 7.63 | 981 | 18.8 | 1.40 | | |
| MW-2 | 11/17/14 | 7.10 | 1,009 | 22.9 | 1.70 | | |
| MW-2 | 05/19/15 | 7.21 | 816 | 19.1 | 1.86 | | |
| MW-2 | 01/17/17 | 7.11 | 1,060 | 20.6 | 2.02 | | |
| MW-2 | 12/20/17 | 6.82 | 1,225 | 22.6 | 1.14 | 206 | |
| MW-2 | 10/10/19 | 7.19 | 960 | 24.1 | | | |
| MW-3 | 02/21/12 | | 898 | 18.4 | 1.15 | | |
| MW-3 | 08/23/12 | 8.48 | 963 | 20.9 | 1.07 | | |
| MW-3 | 03/25/13 | 6.64 | 1,021 | 17.6 | 0.97 | | |
| MW-3 | 10/10/13 | 7.23 | 942 | 22.6 | 1.15 | | |
| MW-3 | 05/01/14 | 7.70 | 1,043 | 19.1 | 1.77 | | |
| MW-3 | 11/17/14 | 7.45 | 941 | 20.9 | 1.35 | | |
| MW-3 | 05/19/15 | 7.52 | 994 | 19.8 | 3.33 | | |
| MW-3 | 01/17/17 | 7.37 | 907 | 20.6 | 1.55 | | |
| MW-3 | 12/20/17 | 7.21 | 934 | 21.8 | 0.48 | 164 | |
| MW-3 | 10/10/19 | | | | | | Could not locate well |
| MW-4 | 02/22/12 | 6.09 | 981 | 13.8 | 1.21 | | |
| MW-4 | 08/23/12 | 8.11 | 980 | 24.9 | 1.38 | | |
| MW-4 | 03/25/13 | 6.42 | 946 | 18.0 | 1.20 | | |
| MW-4 | 10/01/13 | | | | | | Destroyed |
| MW-4 | 04/01/14 | | | | | | Plugged |
| MW-4R | 05/01/14 | 7.69 | 922 | 20.0 | 2.18 | | |
| MW-4R | 11/17/14 | 7.50 | 649 | 21.6 | 0.85 | | |
| MW-4R | 05/19/15 | 7.60 | 664 | 19.8 | 1.32 | | |
| MW-4R | 01/17/17 | 7.35 | 864 | 20.3 | 1.73 | | |
| MW-4R | 12/20/17 | 7.35 | 771 | 22.5 | 1.04 | 193 | |
| MW-4R | 10/10/19 | 7.48 | 779 | 22.6 | | | |
| MW-4R | 06/14/21 | 7.42 | 832 | 21.2 | 0.80 | 111 | |
| MW-4R | 06/17/21 | 7.42 | 832 | 21.2 | 0.80 | 111 | |
| MW-4R | 04/06/22 | 7.21 | 1,418 | 19.9 | 1.06 | -78 | |
| MW-4R | 03/08/23 | 7.25 | 542 | 19.1 | 0.61 | | |
| MW-4R | 06/06/23 | 7.40 | 567 | 20.2 | 1.47 | 0 | |
| MW-5 | 02/21/12 | | | | | | Dry |
| MW-5 | 08/22/12 | | | | | | Dry |

**TABLE 2. GROUNDWATER GEOCHEMICAL PARAMETERS
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| Units | S.U. | $\mu\text{S}/\text{cm}$ | $^{\circ}\text{C}$ | mg/L | mV | | |
|---------------|-----------------|-------------------------|--------------------|-------------|-------------|------|---|
| Well | Date | pH | SpC | Temp | DO | ORP | Notes |
| MW-5 | 03/25/13 | | | | | | Dry |
| MW-5 | 10/01/13 | | | | | | Dry |
| MW-5 | 04/01/14 | | | | | | Dry |
| MW-6 | 02/22/12 | 6.37 | 631 | 15.6 | | | |
| MW-6 | 04/01/14 | | | | | | Dry |
| MW-6 | 04/29/14 | | | | | | Dry |
| MW-6R | 05/01/14 | 7.93 | 880 | 20.0 | 2.19 | | |
| MW-6R | 11/17/14 | | | | | | Destroyed |
| MW-6RR | 12/22/14 | 7.18 | 815 | 21.1 | 1.40 | | |
| MW-6RR | 05/19/15 | 7.54 | 734 | 19.7 | 1.10 | | |
| MW-6RR | 01/17/17 | 7.37 | 780 | 21.0 | 1.63 | | |
| MW-6RR | 12/20/17 | 7.39 | 770 | 22.0 | 1.00 | 194 | |
| MW-6RR | 10/10/19 | 7.51 | 783 | 23.3 | | | |
| MW-6RR | 06/17/21 | 7.42 | 775 | 20.9 | 0.97 | 56 | |
| MW-6RR | 06/17/21 | 7.42 | 775 | 20.9 | 0.97 | 56 | |
| MW-6RR | 04/06/22 | 7.26 | 1,207 | 18.7 | 1.27 | 21 | |
| MW-6RR | 03/08/23 | 7.18 | 505 | 19.6 | 0.69 | 56 | |
| MW-6RR | 06/06/23 | 7.03 | 567 | 20.1 | 0.68 | 7 | |
| MW-29 | 02/21/12 | | 884 | 16.7 | 1.82 | 56 | |
| MW-29 | 08/23/12 | 7.18 | 1,179 | 26.3 | 0.99 | 56 | |
| MW-29 | 03/25/13 | 6.35 | 1,231 | 16.2 | 1.34 | 56 | |
| MW-29 | 10/01/13 | 6.29 | 1,024 | 24.9 | | 56 | |
| MW-29 | 05/01/14 | | | | | 56 | Plugged |
| MW-38 | 02/21/12 | | 859 | 17.8 | 1.08 | 56 | |
| MW-38 | 08/23/12 | 7.79 | 1,090 | 25.1 | 2.10 | 56 | |
| MW-38 | 03/25/13 | 6.41 | 1,034 | 17.4 | 0.77 | 56 | |
| MW-38 | 10/01/13 | 6.13 | 1,003 | 25.4 | | 56 | |
| MW-38 | 05/01/14 | 7.59 | 984 | 19.0 | 1.53 | 56 | |
| MW-38 | 11/17/14 | 7.20 | 880 | 21.7 | 1.76 | 56 | |
| MW-38 | 05/19/15 | 7.06 | 488 | 19.3 | 2.82 | 56 | |
| MW-38 | 01/17/17 | 6.96 | 950 | 19.1 | 1.48 | 56 | |
| MW-38 | 12/20/17 | 6.87 | 975 | 18.9 | 1.60 | 183 | |
| MW-38 | 10/10/19 | 7.13 | 897 | 23.4 | | | |
| MW-38 | 06/17/21 | 6.93 | 937 | 21.0 | 1.20 | 126 | |
| MW-38 | 06/17/21 | 6.93 | 937 | 21.0 | 1.20 | 126 | |
| MW-38 | 04/06/22 | 6.86 | 1,633 | 17.6 | 1.17 | -8 | |
| MW-38 | 03/08/23 | 7.19 | 720 | 18.0 | 0.98 | 126 | |
| MW-38 | 06/06/23 | 7.07 | 647 | 20.4 | 1.01 | 20 | |
| NMW-1 | 02/21/12 | | 904 | 18.2 | 1.18 | | |
| NMW-1 | 08/23/12 | 8.43 | 1,066 | 24.1 | 1.11 | | |
| NMW-1 | 03/26/13 | 6.31 | 1,124 | 17.1 | 0.63 | | |
| NMW-1 | 10/01/13 | 6.30 | 1,091 | 26.0 | | | |
| NMW-1 | 05/02/14 | 7.29 | 1,174 | 19.0 | 1.31 | | |
| NMW-1 | 11/17/14 | 7.09 | 986 | 23.1 | 1.06 | | |
| NMW-1 | 05/19/15 | 6.92 | 1,015 | 19.9 | 1.22 | | |
| NMW-1 | 01/17/17 | 7.03 | 948 | 20.1 | 1.42 | | |
| NMW-1 | 12/20/17 | 6.85 | 1,097 | 22.6 | 0.28 | 150 | |
| NMW-1 | 10/10/19 | 7.03 | 889 | 25.5 | | | |
| NMW-1 | 06/17/21 | 6.80 | 1,311 | 21.8 | 0.50 | -9 | |
| NMW-1 | 06/17/21 | 6.80 | 1,311 | 21.8 | 0.50 | -9 | |
| NMW-1 | 04/06/22 | 6.75 | 2,006 | 18.3 | 0.82 | -135 | |
| NMW-1 | 03/08/23 | 6.78 | 827 | 17.8 | 1.19 | -9 | |
| NMW-1 | 06/06/23 | 6.95 | 839 | 20.8 | 0.96 | -56 | |
| NMW-4 | 04/01/14 | | | | | | -9 Plugged |
| NMW-4R | 05/01/14 | | | | | | -9 Developed at 4 gpm. 180 gallons removed. |
| NMW-4R | 11/17/14 | 7.36 | 513 | 20.9 | 1.31 | -9 | |
| NMW-4R | 05/19/15 | 7.44 | 784 | 19.2 | 2.12 | -9 | |
| NMW-4R | 01/17/17 | 7.42 | 567 | 19.3 | 1.75 | -9 | |
| NMW-4R | 12/20/17 | 7.28 | 433 | 21.4 | 0.37 | 192 | |
| NMW-4R | 10/10/19 | 6.82 | 529 | 22.6 | | | |
| NMW-4R | 06/17/21 | 7.32 | 615 | 20.4 | 2.52 | 65 | |
| NMW-4R | 06/17/21 | 7.32 | 615 | 20.4 | 2.52 | 65 | |
| NMW-4R | 04/06/22 | 7.05 | 1,307 | 19.2 | 1.05 | -54 | |
| NMW-4R | 03/08/23 | 7.25 | 542 | 19.1 | 0.61 | 65 | |
| NMW-4R | 06/06/23 | 7.37 | 524 | 20.2 | 1.16 | -41 | |
| RNMW-2 | 02/21/12 | | 852 | 19.3 | 1.14 | | |

**TABLE 2. GROUNDWATER GEOCHEMICAL PARAMETERS
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| Units | S.U. | $\mu\text{S}/\text{cm}$ | $^{\circ}\text{C}$ | mg/L | mV | | |
|---------------|-----------------|-------------------------|--------------------|-------------|-------------|------------|-----------------------------------|
| Well | Date | pH | SpC | Temp | DO | ORP | Notes |
| RNMW-2 | 08/22/12 | 7.84 | 1,176 | 23.1 | 1.28 | | |
| RNMW-2 | 03/26/13 | 6.43 | 1,048 | 18.6 | 0.74 | | |
| RNMW-2 | 10/01/13 | 6.49 | 1,051 | 24.5 | | | |
| RNMW-2 | 05/02/14 | 7.47 | 1,053 | 19.2 | 1.30 | | |
| RNMW-2 | 11/17/14 | 7.32 | 871 | 22.2 | 0.56 | | |
| RNMW-2 | 05/19/15 | 7.35 | 847 | 19.7 | 1.33 | | |
| RNMW-2 | 01/17/17 | 7.26 | 933 | 20.4 | 1.78 | | |
| RNMW-2 | 12/20/17 | 7.04 | 1,232 | 22.0 | 1.30 | 165 | |
| RNMW-2 | 10/10/19 | 7.13 | 1,015 | 24.5 | | | |
| RNMW-2 | 06/17/21 | 7.08 | 967 | 21.4 | 1.20 | 7 | |
| RNMW-2 | 06/17/21 | 7.08 | 967 | 21.4 | 1.20 | 7 | |
| RNMW-2 | 04/06/22 | 6.86 | 1,709 | 18.9 | 0.83 | -71 | |
| RNMW-2 | 03/08/23 | 6.92 | 1,235 | 18.2 | 0.57 | 7 | |
| RNMW-2 | 06/06/23 | 6.64 | 617 | 20.2 | 0.72 | 19 | |
| RNMW-3 | 02/21/12 | | 976 | 19.1 | 1.52 | | |
| RNMW-3 | 08/23/12 | 8.28 | 1,128 | 25.2 | 1.21 | | |
| RNMW-3 | 03/26/13 | 6.71 | 1,002 | 18.5 | 0.70 | | |
| RNMW-3 | 10/01/13 | 6.37 | 1,065 | 25.0 | | | |
| RNMW-3 | 05/02/14 | 7.53 | 1,009 | 19.7 | 1.54 | | |
| RNMW-3 | 11/17/14 | 7.32 | 1,007 | 22.5 | 1.48 | | |
| RNMW-3 | 05/19/15 | 7.36 | 889 | 20.3 | 1.31 | | |
| RNMW-3 | 01/17/17 | 7.25 | 628 | 20.8 | 2.01 | | |
| RNMW-3 | 12/20/17 | 7.23 | 1,117 | 21.2 | 0.40 | 178 | |
| RNMW-3 | 10/10/19 | 7.32 | 1,038 | 24.9 | | | |
| RNMW-3 | 06/17/21 | 7.20 | 1,087 | 21.7 | 1.40 | 51 | |
| RNMW-3 | 06/17/21 | 7.20 | 1,087 | 21.7 | 1.40 | 51 | |
| RNMW-3 | 04/06/22 | 7.02 | 1,667 | 19.0 | 1.02 | -63 | |
| RNMW-3 | 03/08/23 | 7.05 | 920 | 18.0 | 0.73 | 51 | |
| RNMW-3 | 06/06/23 | 7.14 | 680 | 20.8 | 0.77 | -19 | |
| W-34 | 02/21/12 | | 820 | 18.5 | 1.07 | | |
| W-34 | 08/22/12 | 7.59 | 822 | 23.4 | 1.02 | | |
| W-34 | 03/25/13 | 6.55 | 1,129 | 17.3 | 0.77 | | |
| W-34 | 10/01/13 | | | | | | Paved over |
| W-34 | 05/01/14 | | | | | | Plugged |
| W-35 | 02/21/12 | | 852 | 17.7 | 0.97 | | |
| W-35 | 08/22/12 | 7.73 | 1,091 | 25.0 | 0.96 | | |
| W-35 | 03/25/13 | 6.63 | 1,238 | 16.7 | 0.84 | | |
| W-35 | 10/01/13 | | | | | | Paved over. Uncovered in May 2014 |
| W-35 | 05/02/14 | 7.44 | 1,148 | 19.5 | 0.91 | | Uncovered |
| W-35 | 11/17/14 | 7.28 | 1,065 | 22.6 | 2.48 | | |
| W-35 | 05/19/15 | 7.37 | 889 | 21.0 | 1.78 | | |
| W-35 | 01/17/17 | 7.31 | 818 | 19.6 | 1.69 | | |
| W-35 | 12/20/17 | 7.25 | 960 | 22.1 | 0.92 | 189 | |
| W-35 | 10/10/19 | | | | | | Could not locate well |
| W-36 | 02/21/12 | | 863 | 18.0 | 1.25 | | |
| W-36 | 08/22/12 | 8.14 | 976 | 24.6 | 1.06 | | |
| W-36 | 03/25/13 | 6.24 | 1,143 | 17.5 | 0.75 | | |
| W-36 | 10/01/13 | | | | | | Paved over. Uncovered in May 2014 |
| W-36 | 05/02/14 | 7.39 | 878 | 18.8 | 3.03 | | |
| W-36 | 11/17/14 | 7.24 | 847 | 22.1 | 1.66 | | |
| W-36 | 05/19/15 | 7.22 | 677 | 19.6 | 1.63 | | |
| W-36 | 01/17/17 | 7.19 | 862 | 19.6 | 1.82 | | |
| W-36 | 12/20/17 | 7.20 | 990 | 21.8 | 0.55 | 184 | |
| W-36 | 10/10/19 | | | | | | Could not locate well |
| W-37 | 02/21/12 | | 819 | 19.9 | 1.21 | | |
| W-37 | 08/22/12 | 6.82 | 1,012 | 24.3 | 1.15 | | |
| W-37 | 03/25/13 | 6.86 | 1,085 | 19.1 | 1.04 | | |
| W-37 | 10/01/13 | | | | | | Paved over |
| W-37 | 05/01/14 | | | | | | Plugged |

NOTES:

DO = Dissolved oxygen in milligrams per liter (mg/L)

ORP = Oxidation-Reduction Potential in millivolts (mVs)

pH = Potential of Hydrogen, standard units (S.U.)

SpC = Specific conductance in microsiemens per centimeter ($\mu\text{S}/\text{cm}$)

**TABLE 3. ANALYTES, METHODS, CONTAINERS, PRESERVATION, HANDLING, AND HOLDING TIME
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| Target Analytes | Matrix | Analytical Method | Sample Container | Preservative and Handling | Holding Time |
|----------------------------|---------------|--------------------------|-------------------------|------------------------------------|---|
| Volatile Organic Compounds | Groundwater | EPA 8260B | 3 x 40-mL glass vials | Mercuric Chloride; Place on Ice | 14 days |
| Nitrate | Groundwater | EPA 300.0 | 125-mL plastic | Sulfuric Acid | 48 hours unpreserved 28 days preserved |
| Sulfate | Groundwater | EPA 300.0 | 125-mL plastic | Place on Ice | 28 days |
| Total Dissolved Solids | Groundwater | SM2540C Modified | 250-mL plastic | Place on Ice | 7 days |

Notes:

°C = Degrees Celcius

EPA = U.S. Environmental Protection Agency

mL = Milliliters

SM = Standard Method

TABLE 4. GROUNDWATER ANALYTICAL RESULTS
ATEX 213, ALBUQUERQUE, NEW MEXICO

| NMAC 20.6.2.3103 | | | | | | | | | | | 5 | 1,000 | 700 | 620 | 100 | 30 | 5 | 0.05 | | | |
|------------------|----------|---------|---------|---------------|---------------|-------|--------------------|-------|---------|---------|---------|-------|-------------------------------|-----|-----|----|---|------|--|--|--|
| Well | Date | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | Total Naphthalenes | EDC | EDB | Nitrate | Sulfate | TDS | Notes | | | | | | | | |
| BB-2 | 01/01/98 | 5.8 | < 5.0 | 50 | 21 | 1,200 | | | | | | | | | | | | | | | |
| BB-2 | 04/22/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 07/29/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.0 | 7.6 | | | | | | | | | | | | | | |
| BB-2 | 09/25/06 | < 1.0 | < 1.0 | 1.1 | < 1.0 | < 1.5 | 16 | | | | | | | | | | | | | | |
| BB-2 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 290 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 08/23/12 | < 1.0 | < 1.0 | 1.3 | < 1.5 | 94 | 17 | | | | | | | | | | | | | | |
| BB-2 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 150 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 53 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 05/01/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 17 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 26 | < 10 | | | | | | | | | | | | | | |
| BB-2 | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 27 | 3.9 | | | | | | | | | | | | | | |
| BB-2 | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 41 | 3.9 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| BB-2 | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 20 | 4.2 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| BB-2 | 10/10/19 | < 1.0 | < 1.0 | 3.8 | < 1.5 | 17 | 232 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| BB-2 | 06/17/21 | | | | | | | | | | | | Obstruction | | | | | | | | |
| BB-2 | 06/06/23 | < 2.0 | < 2.0 | < 2.0 | < 3.0 | 3.4 | < 20 | < 2.0 | < 2.0 | | | | | | | | | | | | |
| MW-1 | 01/01/98 | < 5.0 | 110 | 320 | 370 | 2,200 | | | | | | | | | | | | | | | |
| MW-1 | 04/22/04 | < 1.0 | < 1.0 | 4.8 | < 1.0 | < 1.0 | 4.3 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-1 | 07/28/05 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 11/03/05 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 01/31/06 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 05/17/06 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 09/25/06 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 12/26/06 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 02/21/12 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 08/22/12 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 10/01/13 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1 | 04/29/14 | | | | | | | | | | | | Plugged | | | | | | | | |
| MW-1R | 05/01/14 | < 10 | < 10 | 440 | 260 | < 10 | 534 | | | | | | | | | | | | | | |
| MW-1R | 11/17/14 | < 1.0 | 1.6 | 50 | 4.6 | < 1.0 | 60 | | | | | | | | | | | | | | |
| MW-1R | 05/19/15 | < 1.0 | < 1.0 | 21 | < 1.5 | < 1.0 | 13 | | | | | | | | | | | | | | |
| MW-1R | 01/17/17 | < 2.0 | < 2.0 | < 2.0 | < 3.0 | < 2.0 | < 20 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-1R | 12/20/17 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-1R | 10/10/19 | < 1.0 | < 1.0 | 1.5 | < 1.5 | < 1.0 | 13 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-1R | 06/17/21 | < 1.0 | < 1.0 | 2.2 | < 1.5 | < 1.0 | 37 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-1R | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | 4.3 | < 1.0 | < 1.0 | < 0.50 | 200 | | | | | | | | | | |
| MW-1R | 03/08/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | < 0.50 | 110 | 478 | Adjusted results for plotting | | | | | | | | |
| MW-1R | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | Adjusted results for plotting | | | | | | | | |
| MW-2 | 01/01/98 | 1.9 | < 5.0 | 0.7 | 0.7 | 10 | | | | | | | | | | | | | | | |
| MW-2 | 04/22/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 07/28/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 3.6 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 01/31/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 05/17/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 1.9 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 2.5 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 08/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 3.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 05/01/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-2 | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-2 | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-2 | 10/10/19 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-2 | 06/17/21 | | | | | | | | | | | | Could not locate well | | | | | | | | |
| MW-3 | 01/01/98 | 2,400 | 110 | 320 | 370 | 2,200 | | | | | | | | | | | | | | | |
| MW-3 | 04/22/04 | 100 | < 10 | 25 | 11 | 320 | 98 | < 10 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 07/28/05 | 52 | < 10 | 14 | < 10 | 410 | 90 | < 10 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 11/03/05 | 180 | 9.7 | 58 | 47 | 920 | 438 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 01/31/06 | 60 | < 20 | 83 | 110 | 500 | 170 | < 20 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 05/17/06 | 46 | 6.5 | 29 | 55 | 230 | 142 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 09/25/06 | 62 | 11 | 37 | 100 | 230 | 180 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 12/26/06 | 160 | 58 | 220 | 460 | 530 | 610 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 02/21/12 | 7.4 | < 5.0 | 37 | 55 | < 5.0 | 142 | | | | | | | | | | | | | | |
| MW-3 | 08/23/12 | 6.4 | < 5.0 | 19 | 28 | < 5.0 | 60 | | | | | | | | | | | | | | |

TABLE 4. GROUNDWATER ANALYTICAL RESULTS
ATEX 213, ALBUQUERQUE, NEW MEXICO

| NMAC 20.6.2.3103 | | | | | | | | | | | 5 | 1,000 | 700 | 620 | 100 | 30 | 5 | 0.05 | | | |
|------------------|----------|---------|---------|---------------|---------------|-------|--------------------|---------|---------|---------|---------|-------|-----------|-----|-----|----|---|------|--|--|--|
| Well | Date | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | Total Naphthalenes | EDC | EDB | Nitrate | Sulfate | TDS | Notes | | | | | | | | |
| MW-3 | 03/26/13 | 3.7 | 1.8 | 18 | 22 | < 1.0 | 108 | | | | | | | | | | | | | | |
| MW-3 | 05/01/14 | < 1.0 | < 1.0 | 3.6 | 2.4 | < 1.0 | 25 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-3 | 11/17/14 | 3.5 | < 2.0 | 17 | 8.6 | < 2.0 | 119 | | | | | | | | | | | | | | |
| MW-3 | 05/19/15 | 2.3 | 1.4 | 12 | 8.4 | < 1.0 | 127 | | | | | | | | | | | | | | |
| MW-3 | 01/17/17 | 1.7 | 1.6 | 16 | 7.2 | < 1.0 | 166 | < 2.0 | < 2.0 | | | | | | | | | | | | |
| MW-3 | 12/20/17 | 2.4 | 1.4 | 17 | 7.1 | < 1.0 | 190 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-4 | 04/22/04 | 590 | < 10 | < 10 | < 10 | 1,400 | < 100 | < 10 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 07/28/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 720 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 11/03/05 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 500 | < 50 | < 5.0 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 01/31/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 220 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 05/17/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 180 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 580 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 12/26/06 | 93 | < 10 | < 10 | < 30 | 790 | < 100 | < 10 | < 0.010 | | | | | | | | | | | | |
| MW-4 | 02/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 18 | < 10 | | | | | | | | | | | | | | |
| MW-4 | 08/23/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 46 | < 10 | | | | | | | | | | | | | | |
| MW-4 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 62 | < 10 | | | | | | | | | | | | | | |
| MW-4 | 10/01/13 | | | | | | | | | | | | Destroyed | | | | | | | | |
| MW-4 | 04/29/14 | | | | | | | < 10 | < 0.010 | | | | Plugged | | | | | | | | |
| MW-4R | 05/01/14 | 29 | < 1.0 | 3.8 | < 1.5 | 55 | 65 | | | | | | | | | | | | | | |
| MW-4R | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 8.0 | < 10 | | | | | | | | | | | | | | |
| MW-4R | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 3.5 | < 10 | | | | | | | | | | | | | | |
| MW-4R | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 7.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-4R | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-4R | 10/10/19 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-4R | 06/17/21 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 1.3 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-4R | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 1.7 | < 10 | < 1.0 | < 1.0 | < 0.50 | 100 | | | | | | | | | | |
| MW-4R | 03/08/23 | 1.7 | < 1.0 | < 1.0 | < 1.5 | 4.3 | < 10 | < 1.0 | < 1.0 | < 0.50 | 82 | 489 | | | | | | | | | |
| MW-4R | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-5 | 06/01/94 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 2.5 | | | | | | | | | | | | | | | |
| MW-5 | 04/22/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 280 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 07/29/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 11/03/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 01/31/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 190 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 05/17/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | < 1.0 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | < 10 | < 0.010 | | | | | | | | | | | | |
| MW-5 | 12/26/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 25 | < 10 | | | | | | | | | | | | | | |
| MW-5 | 02/21/12 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-5 | 08/22/12 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-5 | 03/25/13 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-5 | 10/01/13 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-5 | 05/01/14 | | | | | | | < 10 | < 0.010 | | | | Plugged | | | | | | | | |
| MW-6 | 04/23/04 | 50 | < 10 | 14 | 15 | 830 | 140 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 07/29/05 | 45 | < 20 | < 20 | < 20 | 800 | 210 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 11/03/05 | 46 | < 5.0 | 28 | 16 | 570 | 380 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 01/31/06 | 24 | < 10 | 20 | 13 | 730 | 253 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 05/17/06 | 20 | < 10 | 11 | < 30 | 490 | 160 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 09/25/06 | 84 | < 5.0 | 32 | 15 | 1,200 | 630 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 12/26/06 | 33 | < 10 | 16 | < 30 | 720 | 395 | | < 0.010 | | | | | | | | | | | | |
| MW-6 | 02/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-6 | 08/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 1.8 | < 10 | | | | | | | | | | | | | | |
| MW-6 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 1.1 | < 10 | | | | | | | | | | | | | | |
| MW-6 | 10/01/13 | | | | | | | | | | | | Dry | | | | | | | | |
| MW-6 | 04/29/14 | | | | | | | < 0.010 | | | | | Plugged | | | | | | | | |
| MW-6R | 05/01/14 | 1.6 | < 1.0 | 6.6 | < 1.5 | 6.2 | 56 | | | | | | | | | | | | | | |
| MW-6R | 11/17/14 | | | | | | | | | | | | Destroyed | | | | | | | | |
| MW-6RR | 12/22/14 | < 5.0 | < 5.0 | 130 | 27 | 13 | 262 | < 5.0 | < 5.0 | | | | | | | | | | | | |
| MW-6RR | 05/19/15 | < 1.0 | < 1.0 | 24 | 3.2 | 4.6 | 39 | | | | | | | | | | | | | | |
| MW-6RR | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | 4.3 | | | | | | | | | | | | | | |
| MW-6RR | 12/20/17 | 3.4 | < 1.0 | < 1.0 | < 1.5 | 1.5 | 7.2 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-6RR | 10/10/19 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-6RR | 06/17/21 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-6RR | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | < 0.50 | 95 | | | | | | | | | | |
| MW-6RR | 03/08/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | < 0.50 | 100 | 433 | | | | | | | | | |
| MW-6RR | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-29 | 06/01/94 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 2.5 | | | | | | | | | | | | | | | |

TABLE 4. GROUNDWATER ANALYTICAL RESULTS
ATEX 213, ALBUQUERQUE, NEW MEXICO

| NMAC 20.6.2.3103 | | | | | | | | | | | 5 | 1,000 | 700 | 620 | 100 | 30 | 5 | 0.05 | | | |
|------------------|----------|---------|---------|---------------|---------------|-------|--------------------|-------|-------|---------|---------|-------|---------|-----|-----|----|---|------|--|--|--|
| Well | Date | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | Total Naphthalenes | EDC | EDB | Nitrate | Sulfate | TDS | Notes | | | | | | | | |
| MW-29 | 04/22/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 14 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 07/29/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 6.8 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 7.5 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 08/23/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-29 | 05/01/14 | | | | | | | | | | | | Plugged | | | | | | | | |
| MW-38 | 01/01/98 | 46 | 1.2 | 8.1 | 7.6 | 9.0 | | | | | | | | | | | | | | | |
| MW-38 | 04/22/04 | 1.7 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 07/29/05 | 1.4 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 11/03/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 01/31/06 | 2.5 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 2.5 | | | | | | | | | | | | | | |
| MW-38 | 05/17/06 | 1.4 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 09/25/06 | 1.5 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | 3.1 | | | | | | | | | | | | | | |
| MW-38 | 12/26/06 | 13 | < 1.0 | 2.5 | < 3.0 | < 1.5 | 12 | | | | | | | | | | | | | | |
| MW-38 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 08/23/12 | 1.5 | < 1.0 | < 1.0 | < 1.5 | 1.2 | 15 | | | | | | | | | | | | | | |
| MW-38 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 05/01/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| MW-38 | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-38 | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-38 | 10/10/19 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-38 | 06/17/21 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| MW-38 | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | < 0.50 | 130 | | | | | | | | | | |
| MW-38 | 03/08/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | < 0.50 | 120 | 604 | | | | | | | | | |
| MW-38 | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-1 | 01/01/98 | | | | | | | | | | | | NAPL | | | | | | | | |
| NMW-1 | 04/22/04 | 990 | 200 | 28 | 1,100 | 580 | 272 | | | | | | | | | | | | | | |
| NMW-1 | 07/28/05 | 1,100 | 390 | < 50 | 3,600 | 840 | 920 | | | | | | | | | | | | | | |
| NMW-1 | 11/03/05 | 710 | 170 | < 50 | 640 | 480 | 190 | | | | | | | | | | | | | | |
| NMW-1 | 01/31/06 | 810 | 56 | < 50 | 1,100 | 570 | 220 | | | | | | | | | | | | | | |
| NMW-1 | 05/17/06 | 340 | 95 | < 20 | 1,700 | 320 | 840 | | | | | | | | | | | | | | |
| NMW-1 | 09/25/06 | 410 | < 10 | < 10 | 86 | 420 | 140 | | | | | | | | | | | | | | |
| NMW-1 | 12/26/06 | 950 | 55 | 44 | 900 | 750 | 760 | | | | | | | | | | | | | | |
| NMW-1 | 02/21/12 | 390 | < 10 | 33 | 38 | 110 | 92 | | | | | | | | | | | | | | |
| NMW-1 | 08/23/12 | 490 | < 10 | 23 | 70 | 94 | 48 | | | | | | | | | | | | | | |
| NMW-1 | 03/26/13 | 510 | 17 | 22 | 71 | 130 | 126 | | | | | | | | | | | | | | |
| NMW-1 | 10/01/13 | 290 | 8.4 | 3.1 | 39 | 44 | 52 | | | | | | | | | | | | | | |
| NMW-1 | 05/02/14 | 190 | 1.6 | 5.9 | 6.3 | 35 | 25 | | | | | | | | | | | | | | |
| NMW-1 | 11/17/14 | 52 | < 5.0 | 5.3 | 19 | 9.3 | < 20 | | | | | | | | | | | | | | |
| NMW-1 | 05/19/15 | 430 | 11 | 100 | 140 | 62 | 140 | | | | | | | | | | | | | | |
| NMW-1 | 01/17/17 | 220 | < 5.0 | 47 | 32 | 16 | 59 | < 5.0 | < 5.0 | | | | | | | | | | | | |
| NMW-1 | 12/20/17 | 79 | 1.0 | 3.0 | 4.7 | 11 | 23 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-1 | 10/10/19 | 84 | 1.0 | 3.6 | 13 | 12 | 22 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-1 | 06/17/21 | 56 | < 1.0 | 3.1 | < 1.5 | 11 | 14 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-1 | 04/06/22 | 32 | < 1.0 | 1.4 | 3.4 | 4.5 | 8.4 | < 1.0 | < 1.0 | < 0.50 | 200 | | | | | | | | | | |
| NMW-1 | 03/08/23 | 42 | < 2.0 | < 2.0 | < 3.0 | 8.0 | 5.4 | < 2.0 | < 2.0 | < 0.50 | 140 | 704 | | | | | | | | | |
| NMW-1 | 06/06/23 | 45 | < 2.0 | 2.5 | < 3.0 | 8.3 | 14 | < 2.0 | < 2.0 | < 0.50 | 140 | | | | | | | | | | |
| NMW-4 | 06/01/94 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 2.5 | | | | | | | | | | | | | | | |
| NMW-4 | 04/23/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 2.7 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 07/29/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 2.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 11/03/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 01/31/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 05/17/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | 9.7 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 12/26/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 02/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 08/23/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | | | | | | | | | |
| NMW-4 | 04/30/14 | | | | | | | | | | | | Plugged | | | | | | | | |

TABLE 4. GROUNDWATER ANALYTICAL RESULTS
ATEX 213, ALBUQUERQUE, NEW MEXICO

| NMAC 20.6.2.3103 | | 5 | 1,000 | 700 | 620 | 100 | 30 | 5 | 0.05 | | | | |
|------------------|----------|---------|---------|---------------|---------------|-------|--------------------|-------|-------|---------|---------|-----|--|
| Well | Date | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | Total Naphthalenes | EDC | EDB | Nitrate | Sulfate | TDS | Notes |
| NMW-4R | 05/01/14 | 8.0 | 2.6 | < 1.0 | < 1.5 | 11 | < 10 | | | | | | |
| NMW-4R | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| NMW-4R | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 18 | < 10 | | | | | | |
| NMW-4R | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 2.0 | < 10 | < 1.0 | < 1.0 | | | | |
| NMW-4R | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | |
| NMW-4R | 10/10/19 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | < 1.0 | < 1.0 | | | | |
| NMW-4R | 06/17/21 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 3.1 | < 10 | < 1.0 | < 1.0 | | | | |
| NMW-4R | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 1.9 | < 10 | < 1.0 | < 1.0 | < 0.50 | 91 | | |
| NMW-4R | 03/08/23 | < 2.0 | < 2.0 | < 2.0 | < 3.0 | < 2.0 | < 20 | < 2.0 | < 2.0 | < 0.50 | 82 | 441 | |
| NMW-4R | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 3.1 | < 10 | < 1.0 | < 1.0 | | | | |
| W-34 | 01/01/98 | 1.2 | < 5.0 | 7.6 | 7.2 | < 2.5 | | | | | | | |
| W-34 | 05/06/04 | < 1.0 | < 1.0 | 6.7 | 3.4 | < 1.0 | < 10 | | | | | | |
| W-34 | 07/28/05 | < 1.0 | < 1.0 | 3.7 | 1.3 | < 1.0 | < 10 | | | | | | |
| W-34 | 09/25/06 | < 1.0 | < 1.0 | < 1.0 | < 3.0 | < 1.5 | < 10 | | | | | | |
| W-34 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-34 | 08/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-34 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-34 | 10/01/13 | | | | | | | | | | | | Paved over |
| W-34 | 05/01/14 | | | | | | | | | | | | Plugged |
| W-35 | 01/01/98 | < 5.0 | 190 | 1,700 | 5,600 | < 10 | | | | | | | |
| W-35 | 05/06/04 | < 1.0 | < 1.0 | 110 | 96 | < 1.0 | 164 | | | | | | |
| W-35 | 07/28/05 | < 5.0 | < 5.0 | 250 | 42 | < 5.0 | 400 | | | | | | |
| W-35 | 09/25/06 | < 1.0 | < 1.0 | 12 | < 3.0 | < 1.5 | 188 | | | | | | |
| W-35 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-35 | 08/22/12 | < 1.0 | < 1.0 | 6.9 | < 1.5 | < 1.0 | 55 | | | | | | |
| W-35 | 03/25/13 | < 1.0 | < 1.0 | 32 | < 1.5 | < 1.0 | 399 | | | | | | |
| W-35 | 10/01/13 | | | | | | | | | | | | Paved over |
| W-35 | 05/02/14 | < 1.0 | < 1.0 | 7.5 | < 1.5 | < 1.0 | 124 | | | | | | |
| W-35 | 11/17/14 | < 1.0 | < 1.0 | 15 | < 1.5 | < 1.0 | 99 | | | | | | |
| W-35 | 05/19/15 | < 1.0 | < 1.0 | 3.6 | < 1.5 | < 1.0 | 45 | | | | | | |
| W-35 | 01/17/17 | < 1.0 | < 1.0 | 16 | < 1.5 | < 1.0 | 525 | < 1.0 | < 1.0 | | | | |
| W-35 | 12/20/17 | < 2.0 | < 2.0 | 5.2 | < 3.0 | < 2.0 | 128 | < 2.0 | < 2.0 | | | | |
| W-35 | 10/10/19 | | | | | | | | | | | | Could not locate well |
| W-36 | 01/01/98 | < 5.0 | 4.4 | 39 | 56 | 12 | | | | | | | |
| W-36 | 05/06/04 | < 10 | < 10 | 190 | 390 | < 10 | 230 | | | | | | |
| W-36 | 07/28/05 | < 1.0 | < 1.0 | 55 | 77 | < 1.0 | 77 | | | | | | |
| W-36 | 11/03/05 | < 1.0 | < 1.0 | 2.9 | 3.6 | < 1.0 | 3.3 | | | | | | |
| W-36 | 01/31/06 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | |
| W-36 | 05/17/06 | < 1.0 | < 1.0 | 3.0 | < 3.0 | < 1.5 | 4.1 | | | | | | |
| W-36 | 09/25/06 | < 1.0 | < 1.0 | 23 | 3.0 | < 1.5 | 82 | | | | | | |
| W-36 | 12/26/06 | < 1.0 | < 1.0 | 15 | 4.5 | < 1.5 | 55 | | | | | | |
| W-36 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-36 | 08/22/12 | < 1.0 | < 1.0 | 2.3 | < 1.5 | < 1.0 | 11 | | | | | | |
| W-36 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-36 | 10/01/13 | | | | | | | | | | | | Paved over |
| W-36 | 05/02/14 | < 1.0 | < 1.0 | 2.4 | < 1.5 | < 1.0 | 12 | | | | | | |
| W-36 | 11/17/14 | < 1.0 | < 1.0 | 3.8 | < 1.5 | < 1.0 | 17 | | | | | | |
| W-36 | 05/19/15 | < 1.0 | < 1.0 | 2.6 | < 1.5 | < 1.0 | 31 | | | | | | |
| W-36 | 01/17/17 | < 1.0 | < 1.0 | 1.1 | < 1.5 | < 1.0 | 18 | < 1.0 | < 1.0 | | | | |
| W-36 | 12/20/17 | < 1.0 | < 1.0 | 4.1 | < 1.5 | < 1.0 | 70 | < 1.0 | < 1.0 | | | | |
| W-36 | 10/10/19 | | | | | | | | | | | | Could not locate well |
| W-37 | 06/01/94 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 2.5 | | | | | | | |
| W-37 | 05/06/04 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | |
| W-37 | 07/28/05 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 1.0 | < 10 | | | | | | |
| W-37 | 09/25/06 | < 1.0 | < 1.0 | 12 | < 3.0 | < 1.5 | < 10 | | | | | | |
| W-37 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-37 | 08/22/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-37 | 03/25/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | < 1.0 | < 10 | | | | | | |
| W-37 | 10/01/13 | | | | | | | | | | | | Paved over |
| W-37 | 05/01/14 | | | | | | | | | | | | Plugged |
| MW-1R Diluted | 03/08/23 | < 50 | < 50 | < 50 | < 75 | < 50 | < 500 | | | | | | Actual 50-x diluted reported results. Matrix |
| MW-1R Diluted | 06/06/23 | < 8.0 | < 20 | < 20 | < 30 | < 20 | < 200 | < 8.0 | < 20 | | | | Actual 20-x diluted reported results. Matrix |
| NMW-2/RNMW-2 | 04/23/04 | | | | | | | | | | | | NAPL |

**TABLE 4. GROUNDWATER ANALYTICAL RESULTS
ATEX 213, ALBUQUERQUE, NEW MEXICO**

| NMAC 20.6.2.3103 | | | | | | | | | | | 5 | 1,000 | 700 | 620 | 100 | 30 | 5 | 0.05 | | | |
|------------------|----------|---------|---------|---------------|---------------|-------|--------------------|-------|-------|---------|---------|-------|-------|-----|-----|----|---|------|--|--|--|
| Well | Date | Benzene | Toluene | Ethyl benzene | Total Xylenes | MTBE | Total Naphthalenes | EDC | EDB | Nitrate | Sulfate | TDS | Notes | | | | | | | | |
| NMW-2/RNMW-2 | 07/28/05 | 320 | 11 | 710 | 120 | 1,300 | 39 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 11/03/05 | 74 | 1.1 | 160 | 52 | 590 | 27 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 01/31/06 | 11 | < 1.0 | 45 | 4.1 | 560 | 3.0 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 05/17/06 | 310 | < 1.0 | 31 | 19 | 550 | 14 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 09/25/06 | 20 | < 10 | 16 | < 30 | 1,300 | < 100 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 12/26/06 | 47 | < 10 | < 10 | < 30 | 1,000 | 20 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 02/21/12 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 83 | < 10 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 08/22/12 | 54 | < 1.0 | < 1.0 | < 1.5 | 290 | 9.6 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 03/26/13 | 99 | 1.2 | 1.7 | 2.2 | 220 | 7.4 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 10/01/13 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 61 | < 10 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 05/02/14 | 12 | < 1.0 | < 1.0 | < 1.5 | 72 | < 10 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 11/17/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 62 | < 10 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 05/19/15 | 12 | < 1.0 | < 1.0 | < 1.5 | 50 | 2.3 | | | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 01/17/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 23 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 12/20/17 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 18 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 10/10/19 | 120 | 1.9 | 3.4 | 2.8 | 110 | 80 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 06/17/21 | 13 | < 2.0 | < 2.0 | < 3.0 | 44 | < 20 | < 2.0 | < 2.0 | | | | | | | | | | | | |
| NMW-2/RNMW-2 | 04/06/22 | 44 | < 2.0 | < 2.0 | < 3.0 | 51 | 13 | < 1.0 | < 1.0 | < 0.50 | 68 | | | | | | | | | | |
| NMW-2/RNMW-2 | 03/08/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 46 | < 10 | < 1.0 | < 1.0 | < 0.50 | 100 | 720 | | | | | | | | | |
| NMW-2/RNMW-2 | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 9.5 | < 10 | < 1.0 | < 1.0 | < 0.50 | 93 | | | | | | | | | | |
| NMW-3/RNMW-3 | 01/01/98 | | | | | | | | | | | | NAPL | | | | | | | | |
| NMW-3/RNMW-3 | 04/23/04 | | | | | | | | | | | | NAPL | | | | | | | | |
| NMW-3/RNMW-3 | 07/28/05 | 150 | 23 | 270 | 130 | 1,200 | 32 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 11/03/05 | 130 | 7.7 | 89 | 170 | 1,400 | 32 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 01/31/06 | 11 | < 1.0 | 16 | 6.4 | 550 | 3.3 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 05/17/06 | 16 | < 1.0 | 7.9 | < 3.0 | 370 | < 10 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 09/25/06 | 220 | < 5.0 | 64 | < 15 | 1,400 | 110 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 12/26/06 | 6.4 | < 5.0 | < 5.0 | < 15 | 580 | < 50 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 02/21/12 | 1.8 | < 1.0 | < 1.0 | < 1.5 | 120 | 4.9 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 08/23/12 | 1.2 | < 1.0 | < 1.0 | < 1.5 | 170 | 5.5 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 03/26/13 | 4.6 | < 1.0 | < 1.0 | < 1.5 | 86 | 5.4 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 10/01/13 | 1.2 | < 1.0 | < 1.0 | < 1.5 | 83 | 10 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 05/02/14 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 31 | < 10 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 11/17/14 | 1.1 | < 1.0 | < 1.0 | < 1.5 | 63 | < 10 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 05/19/15 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 46 | < 10 | | | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 01/17/17 | 1.3 | < 1.0 | < 1.0 | < 1.5 | 64 | 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 12/20/17 | 2.0 | < 1.0 | < 1.0 | < 1.5 | 61 | 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 10/10/19 | 1.5 | < 1.0 | < 1.0 | < 1.5 | 30 | 9.6 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 06/17/21 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 11 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |
| NMW-3/RNMW-3 | 04/06/22 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 5.5 | < 10 | < 1.0 | < 1.0 | < 0.10 | 100 | 586 | | | | | | | | | |
| NMW-3/RNMW-3 | 03/08/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 13 | < 10 | < 1.0 | < 1.0 | < 0.50 | 75 | 633 | | | | | | | | | |
| NMW-3/RNMW-3 | 06/06/23 | < 1.0 | < 1.0 | < 1.0 | < 1.5 | 11 | < 10 | < 1.0 | < 1.0 | | | | | | | | | | | | |

NOTES:

BOLD RED indicates concentration above the New Mexico Administrative Code 20.6.2.3103 Human Health Standards for Groundwater

All concentrations reported in micrograms per liter (µg/L).

All data reported prior to 2012 from Groundwater Monitoring Report, ATEX #213 UST Release Site, Albuquerque, New Mexico (Souder Miller Associates, 2007).


EDB = Ethylene Dibromide

EDC = Ethylene Dichloride




MTBE = Methyl tertiary-butyl ether


Figures

Vener Mustafin 6/30/2023 6:01 PM C:\Users\mustafin\OneDrive - EA Engineering, Science, and Technology, Inc. \PBC\Desktop\Corona\STB State Lead\Ater_213\298-2_2nd QTR GWM Report\Figures\298-2_Ater_213_2nd_QTR Report.dwg



LEGEND:

-  MW-2 MONITORING WELL
-  4922.50 GROUNDWATER ELEVATION CONTOUR IN FEET ABOVE MEAN SEA LEVEL
-  GROUNDWATER FLOW DIRECTION



ATEX 213
ALBUQUERQUE, NEW MEXICO





FIGURE 2
GROUNDWATER CONTOUR MAP
JUNE 6, 2023

| | | | | | |
|------------|---------|----------------|----|------------------|----|
| PROJECT #: | 6332224 | PROJECT PHASE: | 01 | PROJECT MANAGER: | LA |
|------------|---------|----------------|----|------------------|----|



EA ENGINEERING, SCIENCE, AND TECHNOLOGY, INC. PBC

320 Gold Avenue, SW Suite 1300
Albuquerque, NM 87102



| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | <1.0 |
| N | <10 |

| | |
|---|------|
| B | 45 |
| T | <2.0 |
| E | 2.5 |
| X | <3.0 |
| M | 8.3 |
| N | 14 |

| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | 9.5 |
| N | <10 |

| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | <1.0 |
| N | <10 |

| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | <1.0 |
| N | <10 |

| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | 11 |
| N | <10 |

| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | 3.1 |
| N | <10 |


| | |
|---|------|
| B | <1.0 |
| T | <1.0 |
| E | <1.0 |
| X | <1.5 |
| M | 3.1 |
| N | <10 |

LEGEND:

- MW-2 MONITORING WELL
- PETROFIX WAS INJECTED IN THE AREA SURROUNDING THE WELL IN SEPTEMBER 2022.
- B BENZENE
- T TOLUENE
- E ETHYLBENZENE
- X TOTAL XYLENES
- M METHYL TERTIARY BUTYL ETHER
- N TOTAL NAPHTHALENES

NOTES:

1. ON GRAPHS, WHEN CONCENTRATIONS WERE BELOW DETECTION LIMITS, REPORTING LIMITS WERE USED FOR GRAPHING PURPOSES.
2. MW-1R HAD PETROFIX®.
3. PLEASE SEE TABLE 4 FOR ADDITIONAL CONCENTRATION DATA.
4. CONCENTRATIONS ARE IN MICROGRAMS PER LITER.



ATEX 213
ALBUQUERQUE, NEW MEXICO

**FIGURE 3
VOLATILE ORGANIC COMPOUNDS
JUNE 6, 2023**



Appendix A – Field Records



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID mw-1R Date gauged 6-6-2023
 Site Alex 213 Time gauged 1012

Depth to PSH Feet Well diameter 2 Inches
 Depth to water 8.32 Feet Height of fluid column 6.29 Feet
 Total depth 14.61 Feet Volume in well 1.06 Gallons
 NAPL thickness Feet

(3 well volumes = 3.2 gallons)

| After Bailing NAPL | |
|--------------------|--|
| Depth to PSH | |
| Depth to water | |
| NAPL thickness | |
| NAPL Recovered | |

GROUNDWATER SAMPLING DATA

Time/date purged 1014 6-6-2023 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1014 | 0.25 | 21.06 | 602 | 7.44 | 29.2 | 1.57 |
| 1017 | 1.5 | 20.09 | 558 | 7.31 | -20.7 | 1.11 |
| 1019 | 3 | 19.91 | 557 | 7.32 | -19.4 | 1.08 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 3.25 gal. Field measurements stabilized within ± 10%? NO

Time/date sampled 1021 6-6-23 Purged/sampled by D. ORRION

Sample method Disposable Baster

Requested analyses 8260

Comments/observations water appears to contain GAC

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID MW-4R Date gauged 6-6-2023
 Site Alex 213 Time gauged 1037

Depth to PSH Feet Well diameter 2 Inches
 Depth to water 9.76 Feet Height of fluid column 11.3 Feet
 Total depth 21.06 Feet Volume in well 1.92 Gallons
 NAPL thickness Feet

(3 well volumes = 5.76 gallons)

After Bailing NAPL

Depth to PSH Feet
 Depth to water Feet
 NAPL thickness Feet
 NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA

Time/date purged 1039 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1039 | 0.26 | 20.76 | 555 | 7.66 | 2.9 | 1.55 |
| 1042 | 2.5 | 20.43 | 553 | 7.49 | -4.3 | 1.31 |
| 1045 | 5.75 | 20.20 | 567 | 7.40 | -0.3 | 1.47 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 6 gal. Field measurements stabilized within ± 10%? NO

Time/date sampled 1047 6-6-23 Purged/sampled by D. O'Brien

Sample method Disposable barrier

Requested analyses 8260

Comments/observations

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID NMW-6RR Date gauged 6-6-2023
 Site Alex 213 Time gauged 1052
 Depth to PSH Feet Well diameter 2 Inches
 Depth to water 10.22 Feet Height of fluid column 9.74 Feet
 Total depth 19.96 Feet Volume in well 1.65 Gallons
 NAPL thickness Feet
 (3 well volumes = 4.96 gallons)

After Bailing NAPL

Depth to PSH Feet

Depth to water Feet

NAPL thickness Feet

NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA

Time/date purged 1054 6-6-23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1054 | 0.25 | 20.61 | 571 | 7.32 | 17.8 | 1.49 |
| 1057 | 2.25 | 20.30 | 570 | 7.11 | 3.2 | 0.83 |
| 1100 | 4.75 | 20.08 | 567 | 7.03 | 7.4 | 0.68 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 5 gal. Field measurements stabilized within ± 10%? NO
 Time/date sampled 1101 6-6-23 Purged/sampled by D. OBrien
 Sample method Disposable bailer
 Requested analyses 8260
 Comments/observations _____

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID RNMW-2 Date gauged 6-6-2023
 Site 4th X 213 Time gauged 1106

Depth to PSH Feet Well diameter 2 Inches
 Depth to water 9.72 Feet Height of fluid column 5.77 Feet
 Total depth 15.49 Feet Volume in well 0.98 Gallons
 NAPL thickness Feet

(3 well volumes = 2.94 gallons)

After Bailing NAPL

Depth to PSH Feet
 Depth to water Feet
 NAPL thickness Feet
 NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA

Time/date purged 1109 6-6-23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1109 | 0.25 | 21.05 | 626 | 6.90 | 45.4 | 1.39 |
| 1111 | 1.75 | 20.69 | 626 | 6.76 | 27.9 | 1.04 |
| 1114 | 2.75 | 20.29 | 617 | 6.64 | 16.8 | 0.72 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 3 gal. Field measurements stabilized within ± 10%? NO

Time/date sampled 1115 6-6-23 Purged/sampled by D. O'Brien

Sample method Disposable bailer
 Requested analyses 6260 300.1

Comments/observations

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID RNMW-3 Date gauged 6-6-2023
 Site Alex 213 Time gauged 1133
 Depth to PSH Feet Well diameter 2 Inches
 Depth to water 9.49 Feet Height of fluid column 6.5 Feet
 Total depth 15.99 Feet Volume in well 1.108 Gallons
 NAPL thickness Feet
 (3 well volumes = 3.315 gallons)

After Bailing NAPL

Depth to PSH Feet

Depth to water Feet

NAPL thickness Feet

NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA

Time/date purged 1134 6-6-23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1134 | 0.25 | 21.51 | 697 | 7.36 | 28.4 | 1.38 |
| 1137 | 1.75 | 21.17 | 698 | 7.34 | 28.8 | 1.41 |
| 1140 | 3.25 | 20.81 | 680 | 7.14 | -19.0 | 0.77 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 3.5 gal. Field measurements stabilized within ± 10%? NO
 Time/date sampled 1141 6-6-23 Purged/sampled by D. O'Brien
 Sample method Disposable bailer
 Requested analyses 8260
 Comments/observations

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID NmW-1 Date gauged 6-6-2023
 Site Alex 213 Time gauged 1145

Depth to PSH Feet Well diameter 2 Inches
 Depth to water 8.79 Feet Height of fluid column 6.31 Feet
 Total depth 15.10 Feet Volume in well 1.07 Gallons
 NAPL thickness Feet

(3 well volumes = 3.21 gallons)

After Bailing NAPL

Depth to PSH Feet
 Depth to water Feet
 NAPL thickness Feet
 NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA

Time/date purged 1147 6-6-23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1147 | 0.25 | 21.32 | 829 | 7.03 | -19.0 | 1.40 |
| 1150 | 1.5 | 21.13 | 837 | 6.93 | -46.3 | 1.08 |
| 1152 | 3 | 20.84 | 834 | 6.93 | -56.2 | 0.96 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 3.25 gal. Field measurements stabilized within ± 10%? NO

Time/date sampled 1154 Purged/sampled by D. OBrien

Sample method Disposable bailer

Requested analyses 8260, 300.1

Comments/observations _____

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID Nmw-4R Date gauged 6-6-2023
 Site Alex 213 Time gauged 1202
 Depth to PSH Feet Well diameter 2 Inches
 Depth to water 9.09 Feet Height of fluid column 10.76 Feet
 Total depth 19.85 Feet Volume in well 1.82 Gallons
 NAPL thickness Feet
 (3 well volumes = 5.48 gallons)

| After Bailing NAPL | |
|--------------------|--|
| Depth to PSH | |
| Depth to water | |
| NAPL thickness | |
| NAPL Recovered | |

GROUNDWATER SAMPLING DATA

Time/date purged 1205 6.6.23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1205 | 0.25 | 22.74 | 544 | 7.52 | -27.4 | 1.00 |
| 1208 | 2.75 | 20.43 | 521 | 7.42 | -40.3 | 1.11 |
| 1210 | 5.25 | 20.19 | 524 | 7.37 | -41.4 | 1.16 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 5.5 gal. Field measurements stabilized within ± 10%? No
 Time/date sampled 1212 6.6.23 Purged/sampled by P. O'Brien
 Sample method Disposable bailer
 Requested analyses 8260
 Comments/observations _____

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID mw-38 Date gauged 6.6.2023
 Site Alex 213 Time gauged 12:19

Depth to PSH Feet Well diameter 2 Inches
 Depth to water 8.18 Feet Height of fluid column 3.98 Feet
 Total depth 12.16 Feet Volume in well 0.67 Gallons
 NAPL thickness Feet

(3 well volumes = 202 gallons)

| After Bailing NAPL | |
|--------------------|---------------------|
| Depth to PSH | <u> </u> Feet |
| Depth to water | <u> </u> Feet |
| NAPL thickness | <u> </u> Feet |
| NAPL Recovered | <u> </u> Gallons |

GROUNDWATER SAMPLING DATA

Time/date purged 1221 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1221 | 0.25 | 20.50 | 697 | 7.31 | 15.0 | 0.93 |
| 1223 | 1 | 20.77 | 717 | 7.11 | 19.7 | 0.95 |
| 1225 | 2 | 20.35 | 647 | 7.07 | 19.6 | 1.01 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 2.25 gal. Field measurements stabilized within ± 10%? NO

Time/date sampled 1227 6.6.23 Purged/sampled by P. OBrien

Sample method Disposable bailer

Requested analyses 826r

Comments/observations _____

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft



MONITOR WELL SAMPLING FIELD FORM

FLUID LEVEL DATA

Well ID BB 2 Date gauged 6-6-2023
 Site Alex 213 Time gauged 1444
 Depth to PSH Feet Well diameter 2 Inches
 Depth to water 11.01 Feet Height of fluid column 3.6 Feet
 Total depth 14.61 Feet Volume in well 0.61 Gallons
 NAPL thickness Feet
 (3 well volumes = 1.8 gallons)

After Bailing NAPL

Depth to PSH Feet
 Depth to water Feet
 NAPL thickness Feet
 NAPL Recovered Gallons

GROUNDWATER SAMPLING DATA


Time/date purged 1446 6-6-23 Purge Method hand bail

| Time | Purge Volume (gal) | Temp (°C) | SpC (µs/cm) | pH | ORP (mV) | DO (mg/L) |
|------|--------------------|-----------|-------------|------|----------|-----------|
| 1446 | 0.25 | 20.58 | 607 | 7.44 | 16.3 | 1.08 |
| 1448 | 1 | 19.72 | 602 | 7.46 | 10.8 | 1.00 |
| 1450 | 1.75 | 19.43 | 603 | 7.49 | 5.5 | 1.15 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Actual purge volume 2 gal. Field measurements stabilized within ± 10%? NO
 Time/date sampled 1451 6-6-23 Purged/sampled by D. O'Boye
 Sample method Disposable bailer
 Requested analyses 8260
 Comments/observations _____

Well Casing Volumes
 2" diameter = 0.17 gal/ft 4" diameter = 0.66 gal/ft 6" diameter = 1.50 gal/ft

Appendix B – Laboratory Report



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

June 15, 2023

Vener Mustafin
EA Engineering
320 Gold Ave SW Suite 1210
Albuquerque, NM 87102
TEL: (505) 224-9013
FAX:

RE: Atex 213

OrderNo.: 2306252

Dear Vener Mustafin:

Hall Environmental Analysis Laboratory received 8 sample(s) on 6/6/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a white background.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-1R

Project: Atex 213

Collection Date: 6/6/2023 10:21:00 AM

Lab ID: 2306252-001

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 8.0 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Toluene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Ethylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 8.0 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Naphthalene | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1-Methylnaphthalene | ND | 80 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 2-Methylnaphthalene | ND | 80 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Acetone | ND | 200 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Bromobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Bromodichloromethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Bromoform | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Bromomethane | ND | 60 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 2-Butanone | ND | 200 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Carbon disulfide | ND | 200 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Carbon Tetrachloride | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Chlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Chloroethane | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Chloroform | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Chloromethane | ND | 60 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 2-Chlorotoluene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 4-Chlorotoluene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| cis-1,2-DCE | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Dibromochloromethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Dibromomethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Dichlorodifluoromethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1-Dichloroethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1-Dichloroethene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2-Dichloropropane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,3-Dichloropropane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 2,2-Dichloropropane | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-1R

Project: Atex 213

Collection Date: 6/6/2023 10:21:00 AM

Lab ID: 2306252-001

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Hexachlorobutadiene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 2-Hexanone | ND | 200 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Isopropylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 4-Isopropyltoluene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 200 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Methylene Chloride | ND | 60 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| n-Butylbenzene | ND | 60 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| n-Propylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| sec-Butylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Styrene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| tert-Butylbenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| trans-1,2-DCE | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Trichloroethene (TCE) | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Trichlorofluoromethane | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 40 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Vinyl chloride | ND | 20 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Xylenes, Total | ND | 30 | D | µg/L | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 109 | 70-130 | D | %Rec | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 113 | 70-130 | D | %Rec | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Surr: Dibromofluoromethane | 110 | 70-130 | D | %Rec | 20 | 6/10/2023 4:39:47 AM | B97346 |
| Surr: Toluene-d8 | 101 | 70-130 | D | %Rec | 20 | 6/10/2023 4:39:47 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-6RR

Project: Atex 213

Collection Date: 6/6/2023 11:01:00 AM

Lab ID: 2306252-002

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-6RR

Project: Atex 213

Collection Date: 6/6/2023 11:01:00 AM

Lab ID: 2306252-002

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Isopropylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| n-Propylbenzene | 1.6 | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| sec-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 107 | 70-130 | | %Rec | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 98.5 | 70-130 | | %Rec | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Surr: Dibromofluoromethane | 107 | 70-130 | | %Rec | 1 | 6/10/2023 5:09:42 AM | B97346 |
| Surr: Toluene-d8 | 99.0 | 70-130 | | %Rec | 1 | 6/10/2023 5:09:42 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-4R

Project: Atex 213

Collection Date: 6/6/2023 10:47:00 AM

Lab ID: 2306252-003

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|-----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/13/2023 11:47:21 AM | R97419 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-4R

Project: Atex 213

Collection Date: 6/6/2023 10:47:00 AM

Lab ID: 2306252-003

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Isopropylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| n-Propylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| sec-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 109 | 70-130 | | %Rec | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 100 | 70-130 | | %Rec | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Surr: Dibromofluoromethane | 112 | 70-130 | | %Rec | 1 | 6/10/2023 5:39:27 AM | B97346 |
| Surr: Toluene-d8 | 96.9 | 70-130 | | %Rec | 1 | 6/10/2023 5:39:27 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-38

Project: Atex 213

Collection Date: 6/6/2023 12:27:00 PM

Lab ID: 2306252-004

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: MW-38

Project: Atex 213

Collection Date: 6/6/2023 12:27:00 PM

Lab ID: 2306252-004

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Isopropylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| n-Propylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| sec-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 105 | 70-130 | | %Rec | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 106 | 70-130 | | %Rec | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Surr: Dibromofluoromethane | 105 | 70-130 | | %Rec | 1 | 6/10/2023 6:09:18 AM | B97346 |
| Surr: Toluene-d8 | 96.2 | 70-130 | | %Rec | 1 | 6/10/2023 6:09:18 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: NMW-1

Project: Atex 213

Collection Date: 6/6/2023 11:54:00 AM

Lab ID: 2306252-005

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|------|------|-------|----|----------------------|---------------------|
| EPA METHOD 300.0: ANIONS | | | | | | | Analyst: JMT |
| Nitrogen, Nitrate (As N) | ND | 0.50 | | mg/L | 5 | 6/7/2023 1:16:57 AM | R97258 |
| Sulfate | 140 | 2.5 | | mg/L | 5 | 6/7/2023 1:16:57 AM | R97258 |
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | 45 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Toluene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Ethylbenzene | 2.5 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | 8.3 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Naphthalene | 14 | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1-Methylnaphthalene | ND | 8.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 2-Methylnaphthalene | ND | 8.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Acetone | ND | 20 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Bromobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Bromodichloromethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Bromoform | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Bromomethane | ND | 6.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 2-Butanone | ND | 20 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Carbon disulfide | ND | 20 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Carbon Tetrachloride | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Chlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Chloroethane | ND | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Chloroform | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Chloromethane | ND | 6.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 2-Chlorotoluene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 4-Chlorotoluene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| cis-1,2-DCE | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Dibromochloromethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Dibromomethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Dichlorodifluoromethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1-Dichloroethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1-Dichloroethene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: NMW-1

Project: Atex 213

Collection Date: 6/6/2023 11:54:00 AM

Lab ID: 2306252-005

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,2-Dichloropropane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,3-Dichloropropane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 2,2-Dichloropropane | ND | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1-Dichloropropene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Hexachlorobutadiene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 2-Hexanone | ND | 20 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Isopropylbenzene | 8.6 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 4-Isopropyltoluene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 20 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Methylene Chloride | ND | 6.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| n-Butylbenzene | ND | 6.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| n-Propylbenzene | 17 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| sec-Butylbenzene | 3.1 | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Styrene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| tert-Butylbenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| trans-1,2-DCE | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Trichloroethene (TCE) | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Trichlorofluoromethane | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 4.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Vinyl chloride | ND | 2.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Xylenes, Total | ND | 3.0 | | µg/L | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 112 | 70-130 | | %Rec | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 103 | 70-130 | | %Rec | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Surr: Dibromofluoromethane | 107 | 70-130 | | %Rec | 2 | 6/10/2023 6:38:57 AM | B97346 |
| Surr: Toluene-d8 | 96.5 | 70-130 | | %Rec | 2 | 6/10/2023 6:38:57 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: NMW-4R

Project: Atex 213

Collection Date: 6/6/2023 12:12:00 PM

Lab ID: 2306252-006

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | 3.1 | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: NMW-4R

Project: Atex 213

Collection Date: 6/6/2023 12:12:00 PM

Lab ID: 2306252-006

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Isopropylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| n-Propylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| sec-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 108 | 70-130 | | %Rec | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 101 | 70-130 | | %Rec | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Surr: Dibromofluoromethane | 109 | 70-130 | | %Rec | 1 | 6/10/2023 7:08:49 AM | B97346 |
| Surr: Toluene-d8 | 98.9 | 70-130 | | %Rec | 1 | 6/10/2023 7:08:49 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: RNMW-2

Project: Atex 213

Collection Date: 6/6/2023 11:15:00 AM

Lab ID: 2306252-007

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|------|------|-------|----|----------------------|--------------|
| EPA METHOD 300.0: ANIONS | | | | | | | Analyst: JMT |
| Nitrogen, Nitrate (As N) | ND | 0.50 | | mg/L | 5 | 6/7/2023 2:08:24 AM | R97258 |
| Sulfate | 93 | 2.5 | | mg/L | 5 | 6/7/2023 2:08:24 AM | R97258 |
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | 9.5 | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: RNMW-2

Project: Atex 213

Collection Date: 6/6/2023 11:15:00 AM

Lab ID: 2306252-007

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Isopropylbenzene | 1.9 | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| n-Propylbenzene | 2.0 | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| sec-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 111 | 70-130 | | %Rec | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 102 | 70-130 | | %Rec | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Surr: Dibromofluoromethane | 107 | 70-130 | | %Rec | 1 | 6/10/2023 7:38:43 AM | B97346 |
| Surr: Toluene-d8 | 96.8 | 70-130 | | %Rec | 1 | 6/10/2023 7:38:43 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: RNMW-3

Project: Atex 213

Collection Date: 6/6/2023 11:41:00 AM

Lab ID: 2306252-008

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Toluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Ethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | 11 | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Naphthalene | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 2-Methylnaphthalene | ND | 4.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Acetone | ND | 10 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Bromobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Bromodichloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Bromoform | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Bromomethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 2-Butanone | ND | 10 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Carbon disulfide | ND | 10 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Carbon Tetrachloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Chlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Chloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Chloroform | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Chloromethane | ND | 3.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 2-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 4-Chlorotoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| cis-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Dibromochloromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Dibromomethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Dichlorodifluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1-Dichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1-Dichloroethene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,3-Dichloropropane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 2,2-Dichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306252

Date Reported: 6/15/2023

CLIENT: EA Engineering

Client Sample ID: RNMW-3

Project: Atex 213

Collection Date: 6/6/2023 11:41:00 AM

Lab ID: 2306252-008

Matrix: GROUNDWA

Received Date: 6/6/2023 1:27:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Hexachlorobutadiene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 2-Hexanone | ND | 10 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Isopropylbenzene | 1.6 | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 4-Isopropyltoluene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 10 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Methylene Chloride | ND | 3.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| n-Butylbenzene | ND | 3.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| n-Propylbenzene | 2.1 | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| sec-Butylbenzene | 1.1 | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Styrene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| tert-Butylbenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| trans-1,2-DCE | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Trichloroethene (TCE) | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Trichlorofluoromethane | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 2.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Vinyl chloride | ND | 1.0 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Xylenes, Total | ND | 1.5 | | µg/L | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 104 | 70-130 | | %Rec | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 103 | 70-130 | | %Rec | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Surr: Dibromofluoromethane | 106 | 70-130 | | %Rec | 1 | 6/10/2023 8:08:26 AM | B97346 |
| Surr: Toluene-d8 | 98.1 | 70-130 | | %Rec | 1 | 6/10/2023 8:08:26 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306252

15-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: MB | SampType: mblk | | TestCode: EPA Method 300.0: Anions | | | | | | | |
|--------------------------|--------------------------------|------|---|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: R97258 | | RunNo: 97258 | | | | | | | |
| Prep Date: | Analysis Date: 6/6/2023 | | SeqNo: 3532508 | | Units: mg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Nitrogen, Nitrate (As N) | ND | 0.10 | | | | | | | | |
| Sulfate | ND | 0.50 | | | | | | | | |

| Sample ID: LCS | SampType: ics | | TestCode: EPA Method 300.0: Anions | | | | | | | |
|--------------------------|--------------------------------|------|---|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: R97258 | | RunNo: 97258 | | | | | | | |
| Prep Date: | Analysis Date: 6/6/2023 | | SeqNo: 3532509 | | Units: mg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Nitrogen, Nitrate (As N) | 2.5 | 0.10 | 2.500 | 0 | 101 | 90 | 110 | | | |
| Sulfate | 9.6 | 0.50 | 10.00 | 0 | 96.1 | 90 | 110 | | | |

| Sample ID: MB | SampType: mblk | | TestCode: EPA Method 300.0: Anions | | | | | | | |
|--------------------------|--------------------------------|------|---|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: R97258 | | RunNo: 97258 | | | | | | | |
| Prep Date: | Analysis Date: 6/6/2023 | | SeqNo: 3532555 | | Units: mg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Nitrogen, Nitrate (As N) | ND | 0.10 | | | | | | | | |
| Sulfate | ND | 0.50 | | | | | | | | |

| Sample ID: LCS | SampType: ics | | TestCode: EPA Method 300.0: Anions | | | | | | | |
|--------------------------|--------------------------------|------|---|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: R97258 | | RunNo: 97258 | | | | | | | |
| Prep Date: | Analysis Date: 6/6/2023 | | SeqNo: 3532556 | | Units: mg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Nitrogen, Nitrate (As N) | 2.5 | 0.10 | 2.500 | 0 | 102 | 90 | 110 | | | |
| Sulfate | 9.7 | 0.50 | 10.00 | 0 | 96.8 | 90 | 110 | | | |

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Above Quantitation Range/Estimated Value |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Limit |
| S % Recovery outside of standard limits. If undiluted results may be estimated. | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306252

15-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: 100ng lcs2 | SampType: LCS | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|------------------------------|---------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536829 | Units: µg/L | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene | 22 | 1.0 | 20.00 | 0 | 111 | 70 | 130 | | | |
| Toluene | 21 | 1.0 | 20.00 | 0 | 103 | 70 | 130 | | | |
| Chlorobenzene | 21 | 1.0 | 20.00 | 0 | 107 | 70 | 130 | | | |
| 1,1-Dichloroethene | 21 | 1.0 | 20.00 | 0 | 105 | 70 | 130 | | | |
| Trichloroethene (TCE) | 21 | 1.0 | 20.00 | 0 | 103 | 70 | 130 | | | |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 99.9 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 101 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 11 | | 10.00 | | 107 | 70 | 130 | | | |
| Surr: Toluene-d8 | 9.8 | | 10.00 | | 97.7 | 70 | 130 | | | |

| Sample ID: mb2 | SampType: MBLK | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|--------------------------------|---------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536869 | Units: µg/L | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene | ND | 1.0 | | | | | | | | |
| Toluene | ND | 1.0 | | | | | | | | |
| Ethylbenzene | ND | 1.0 | | | | | | | | |
| Methyl tert-butyl ether (MTBE) | ND | 1.0 | | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | | | | | | | |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | | | | | | | |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | | | | | | | |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | | | | | | | |
| Naphthalene | ND | 2.0 | | | | | | | | |
| 1-Methylnaphthalene | ND | 4.0 | | | | | | | | |
| 2-Methylnaphthalene | ND | 4.0 | | | | | | | | |
| Acetone | ND | 10 | | | | | | | | |
| Bromobenzene | ND | 1.0 | | | | | | | | |
| Bromodichloromethane | ND | 1.0 | | | | | | | | |
| Bromoform | ND | 1.0 | | | | | | | | |
| Bromomethane | ND | 3.0 | | | | | | | | |
| 2-Butanone | ND | 10 | | | | | | | | |
| Carbon disulfide | ND | 10 | | | | | | | | |
| Carbon Tetrachloride | ND | 1.0 | | | | | | | | |
| Chlorobenzene | ND | 1.0 | | | | | | | | |
| Chloroethane | ND | 2.0 | | | | | | | | |
| Chloroform | ND | 1.0 | | | | | | | | |
| Chloromethane | ND | 3.0 | | | | | | | | |
| 2-Chlorotoluene | ND | 1.0 | | | | | | | | |

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Above Quantitation Range/Estimated Value |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Limit |
| S % Recovery outside of standard limits. If undiluted results may be estimated. | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306252

15-Jun-23

Client: EA Engineering
Project: Atex 213

| Sample ID: mb2 | SampType: MBLK | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|-----------------------------|---------------------------------|--|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536869 | | | Units: µg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| 4-Chlorotoluene | ND | 1.0 | | | | | | | | |
| cis-1,2-DCE | ND | 1.0 | | | | | | | | |
| cis-1,3-Dichloropropene | ND | 1.0 | | | | | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | | | | | | | |
| Dibromochloromethane | ND | 1.0 | | | | | | | | |
| Dibromomethane | ND | 1.0 | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,3-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,4-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| Dichlorodifluoromethane | ND | 1.0 | | | | | | | | |
| 1,1-Dichloroethane | ND | 1.0 | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | | | | | | | | |
| 1,2-Dichloropropane | ND | 1.0 | | | | | | | | |
| 1,3-Dichloropropane | ND | 1.0 | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | | | | | | | | |
| 1,1-Dichloropropene | ND | 1.0 | | | | | | | | |
| Hexachlorobutadiene | ND | 1.0 | | | | | | | | |
| 2-Hexanone | ND | 10 | | | | | | | | |
| Isopropylbenzene | ND | 1.0 | | | | | | | | |
| 4-Isopropyltoluene | ND | 1.0 | | | | | | | | |
| 4-Methyl-2-pentanone | ND | 10 | | | | | | | | |
| Methylene Chloride | ND | 3.0 | | | | | | | | |
| n-Butylbenzene | ND | 3.0 | | | | | | | | |
| n-Propylbenzene | ND | 1.0 | | | | | | | | |
| sec-Butylbenzene | ND | 1.0 | | | | | | | | |
| Styrene | ND | 1.0 | | | | | | | | |
| tert-Butylbenzene | ND | 1.0 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | | | | | | | |
| Tetrachloroethene (PCE) | ND | 1.0 | | | | | | | | |
| trans-1,2-DCE | ND | 1.0 | | | | | | | | |
| trans-1,3-Dichloropropene | ND | 1.0 | | | | | | | | |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 1.0 | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 1.0 | | | | | | | | |
| Trichloroethene (TCE) | ND | 1.0 | | | | | | | | |
| Trichlorofluoromethane | ND | 1.0 | | | | | | | | |
| 1,2,3-Trichloropropane | ND | 2.0 | | | | | | | | |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306252

15-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: mb2 | SampType: MBLK | | TestCode: EPA Method 8260B: VOLATILES | | | | | | | |
|-----------------------------|---------------------------------|-----|--|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | | RunNo: 97346 | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | | SeqNo: 3536869 | | Units: µg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Vinyl chloride | ND | 1.0 | | | | | | | | |
| Xylenes, Total | ND | 1.5 | | | | | | | | |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 102 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 99.8 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 10 | | 10.00 | | 102 | 70 | 130 | | | |
| Surr: Toluene-d8 | 10 | | 10.00 | | 102 | 70 | 130 | | | |

| Sample ID: 100ng lcs | SampType: LCS | | TestCode: EPA Method 8260B: VOLATILES | | | | | | | |
|-----------------------------|---------------------------------|-----|--|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: R97385 | | RunNo: 97385 | | | | | | | |
| Prep Date: | Analysis Date: 6/12/2023 | | SeqNo: 3537901 | | Units: %Rec | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 99.9 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 100 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 11 | | 10.00 | | 107 | 70 | 130 | | | |
| Surr: Toluene-d8 | 10 | | 10.00 | | 99.5 | 70 | 130 | | | |

| Sample ID: mb | SampType: MBLK | | TestCode: EPA Method 8260B: VOLATILES | | | | | | | |
|-----------------------------|---------------------------------|-----|--|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: R97385 | | RunNo: 97385 | | | | | | | |
| Prep Date: | Analysis Date: 6/12/2023 | | SeqNo: 3537930 | | Units: %Rec | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 103 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 104 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 10 | | 10.00 | | 104 | 70 | 130 | | | |
| Surr: Toluene-d8 | 10 | | 10.00 | | 101 | 70 | 130 | | | |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit



Hall Environmental Analysis Laboratory
 4901 Hawkins NE
 Albuquerque, NM 87109
 TEL: 505-345-3975 FAX: 505-345-4107
 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: EA Engineering

Work Order Number: 2306252

RcptNo: 1

Received By: Kasandra Jimena Garcia 6/6/2023 1:27:00 PM *KJG*

Completed By: Kasandra Jimena Garcia 6/6/2023 2:31:21 PM *KJG*

Reviewed By: TMC 6/6/23

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present

2. How was the sample delivered? Client

Log In

3. Was an attempt made to cool the samples? Yes No NA

4. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA

Samples were collected the same day and chilled.

5. Sample(s) in proper container(s)? Yes No

6. Sufficient sample volume for indicated test(s)? Yes No

7. Are samples (except VOA and ONG) properly preserved? Yes No

8. Was preservative added to bottles? Yes No NA

9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No NA

10. Were any sample containers received broken? Yes No

11. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)

12. Are matrices correctly identified on Chain of Custody? Yes No

13. Is it clear what analyses were requested? Yes No

14. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

of preserved bottles checked for pH: _____
 (<2 or >12 unless noted)
 Adjusted? _____
 Checked by: *KJG 6.6.23*

Special Handling (if applicable)


15. Was client notified of all discrepancies with this order? Yes No NA

| | | | |
|----------------------|-------|-------|---|
| Person Notified: | _____ | Date: | _____ |
| By Whom: | _____ | Via: | <input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person |
| Regarding: | _____ | | |
| Client Instructions: | _____ | | |

16. Additional remarks:

17. Cooler Information

| Cooler No | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|---------|-----------|-------------|---------|-----------|-----------|
| 1 | 21.2 | Good | Not Present | YOGI | | |



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

June 13, 2023

Vener Mustafin
EA Engineering
320 Gold Ave SW Suite 1210
Albuquerque, NM 87102
TEL: (505) 224-9013
FAX:

RE: Atex 213

OrderNo.: 2306274

Dear Vener Mustafin:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/6/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written in a cursive style.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306274

Date Reported: 6/13/2023

CLIENT: EA Engineering

Client Sample ID: BB-2

Project: Atex 213

Collection Date: 6/6/2023 2:51:00 PM

Lab ID: 2306274-001

Matrix: GROUNDWA

Received Date: 6/6/2023 3:26:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|-----|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| Benzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Toluene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Ethylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Methyl tert-butyl ether (MTBE) | 3.4 | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2,4-Trimethylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,3,5-Trimethylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2-Dichloroethane (EDC) | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2-Dibromoethane (EDB) | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Naphthalene | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1-Methylnaphthalene | ND | 8.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 2-Methylnaphthalene | ND | 8.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Acetone | ND | 20 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Bromobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Bromodichloromethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Bromoform | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Bromomethane | ND | 6.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 2-Butanone | ND | 20 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Carbon disulfide | ND | 20 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Carbon Tetrachloride | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Chlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Chloroethane | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Chloroform | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Chloromethane | ND | 6.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 2-Chlorotoluene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 4-Chlorotoluene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| cis-1,2-DCE | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| cis-1,3-Dichloropropene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2-Dibromo-3-chloropropane | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Dibromochloromethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Dibromomethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2-Dichlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,3-Dichlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,4-Dichlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Dichlorodifluoromethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1-Dichloroethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1-Dichloroethene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2-Dichloropropane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,3-Dichloropropane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 2,2-Dichloropropane | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306274

Date Reported: 6/13/2023

CLIENT: EA Engineering

Client Sample ID: BB-2

Project: Atex 213

Collection Date: 6/6/2023 2:51:00 PM

Lab ID: 2306274-001

Matrix: GROUNDWA

Received Date: 6/6/2023 3:26:00 PM

| Analyses | Result | RL | Qual | Units | DF | Date Analyzed | Batch |
|------------------------------------|--------|--------|------|-------|----|----------------------|-------------|
| EPA METHOD 8260B: VOLATILES | | | | | | | Analyst: JR |
| 1,1-Dichloropropene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Hexachlorobutadiene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 2-Hexanone | ND | 20 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Isopropylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 4-Isopropyltoluene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 4-Methyl-2-pentanone | ND | 20 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Methylene Chloride | ND | 6.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| n-Butylbenzene | ND | 6.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| n-Propylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| sec-Butylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Styrene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| tert-Butylbenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1,1,2-Tetrachloroethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1,2,2-Tetrachloroethane | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Tetrachloroethene (PCE) | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| trans-1,2-DCE | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| trans-1,3-Dichloropropene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2,3-Trichlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2,4-Trichlorobenzene | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1,1-Trichloroethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,1,2-Trichloroethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Trichloroethene (TCE) | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Trichlorofluoromethane | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| 1,2,3-Trichloropropane | ND | 4.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Vinyl chloride | ND | 2.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Xylenes, Total | ND | 3.0 | D | µg/L | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Surr: 1,2-Dichloroethane-d4 | 98.5 | 70-130 | D | %Rec | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Surr: 4-Bromofluorobenzene | 98.8 | 70-130 | D | %Rec | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Surr: Dibromofluoromethane | 101 | 70-130 | D | %Rec | 2 | 6/10/2023 9:38:08 AM | B97346 |
| Surr: Toluene-d8 | 97.3 | 70-130 | D | %Rec | 2 | 6/10/2023 9:38:08 AM | B97346 |

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

| | | | | |
|--------------------|-----|---|----|---|
| Qualifiers: | * | Value exceeds Maximum Contaminant Level. | B | Analyte detected in the associated Method Blank |
| | D | Sample Diluted Due to Matrix | E | Above Quantitation Range/Estimated Value |
| | H | Holding times for preparation or analysis exceeded | J | Analyte detected below quantitation limits |
| | ND | Not Detected at the Reporting Limit | P | Sample pH Not In Range |
| | PQL | Practical Quantitative Limit | RL | Reporting Limit |
| | S | % Recovery outside of standard limits. If undiluted results may be estimated. | | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306274

13-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: 100ng lcs | SampType: LCS | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|-----------------------------|--------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: R97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/9/2023 | SeqNo: 3536828 | Units: %Rec | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 103 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 104 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 11 | | 10.00 | | 111 | 70 | 130 | | | |
| Surr: Toluene-d8 | 9.4 | | 10.00 | | 93.8 | 70 | 130 | | | |

| Sample ID: 100ng lcs2 | SampType: LCS | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|------------------------------|---------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: LCSW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536829 | Units: µg/L | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene | 22 | 1.0 | 20.00 | 0 | 111 | 70 | 130 | | | |
| Toluene | 21 | 1.0 | 20.00 | 0 | 103 | 70 | 130 | | | |
| Chlorobenzene | 21 | 1.0 | 20.00 | 0 | 107 | 70 | 130 | | | |
| 1,1-Dichloroethene | 21 | 1.0 | 20.00 | 0 | 105 | 70 | 130 | | | |
| Trichloroethene (TCE) | 21 | 1.0 | 20.00 | 0 | 103 | 70 | 130 | | | |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 99.9 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 101 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 11 | | 10.00 | | 107 | 70 | 130 | | | |
| Surr: Toluene-d8 | 9.8 | | 10.00 | | 97.7 | 70 | 130 | | | |

| Sample ID: mb | SampType: MBLK | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|-----------------------------|--------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: R97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/9/2023 | SeqNo: 3536868 | Units: %Rec | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 104 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 101 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 11 | | 10.00 | | 110 | 70 | 130 | | | |
| Surr: Toluene-d8 | 9.9 | | 10.00 | | 98.6 | 70 | 130 | | | |

| Sample ID: mb2 | SampType: MBLK | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|--------------------------------|---------------------------------|--|--------------------|-------------|------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536869 | Units: µg/L | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| Benzene | ND | 1.0 | | | | | | | | |
| Toluene | ND | 1.0 | | | | | | | | |
| Ethylbenzene | ND | 1.0 | | | | | | | | |
| Methyl tert-butyl ether (MTBE) | ND | 1.0 | | | | | | | | |
| 1,2,4-Trimethylbenzene | ND | 1.0 | | | | | | | | |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306274

13-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: mb2 | SampType: MBLK | TestCode: EPA Method 8260B: VOLATILES | | | | | | | | |
|-----------------------------|---------------------------------|--|-----------|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | RunNo: 97346 | | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | SeqNo: 3536869 | | | Units: µg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| 1,3,5-Trimethylbenzene | ND | 1.0 | | | | | | | | |
| 1,2-Dichloroethane (EDC) | ND | 1.0 | | | | | | | | |
| 1,2-Dibromoethane (EDB) | ND | 1.0 | | | | | | | | |
| Naphthalene | ND | 2.0 | | | | | | | | |
| 1-Methylnaphthalene | ND | 4.0 | | | | | | | | |
| 2-Methylnaphthalene | ND | 4.0 | | | | | | | | |
| Acetone | ND | 10 | | | | | | | | |
| Bromobenzene | ND | 1.0 | | | | | | | | |
| Bromodichloromethane | ND | 1.0 | | | | | | | | |
| Bromoform | ND | 1.0 | | | | | | | | |
| Bromomethane | ND | 3.0 | | | | | | | | |
| 2-Butanone | ND | 10 | | | | | | | | |
| Carbon disulfide | ND | 10 | | | | | | | | |
| Carbon Tetrachloride | ND | 1.0 | | | | | | | | |
| Chlorobenzene | ND | 1.0 | | | | | | | | |
| Chloroethane | ND | 2.0 | | | | | | | | |
| Chloroform | ND | 1.0 | | | | | | | | |
| Chloromethane | ND | 3.0 | | | | | | | | |
| 2-Chlorotoluene | ND | 1.0 | | | | | | | | |
| 4-Chlorotoluene | ND | 1.0 | | | | | | | | |
| cis-1,2-DCE | ND | 1.0 | | | | | | | | |
| cis-1,3-Dichloropropene | ND | 1.0 | | | | | | | | |
| 1,2-Dibromo-3-chloropropane | ND | 2.0 | | | | | | | | |
| Dibromochloromethane | ND | 1.0 | | | | | | | | |
| Dibromomethane | ND | 1.0 | | | | | | | | |
| 1,2-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,3-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,4-Dichlorobenzene | ND | 1.0 | | | | | | | | |
| Dichlorodifluoromethane | ND | 1.0 | | | | | | | | |
| 1,1-Dichloroethane | ND | 1.0 | | | | | | | | |
| 1,1-Dichloroethene | ND | 1.0 | | | | | | | | |
| 1,2-Dichloropropane | ND | 1.0 | | | | | | | | |
| 1,3-Dichloropropane | ND | 1.0 | | | | | | | | |
| 2,2-Dichloropropane | ND | 2.0 | | | | | | | | |
| 1,1-Dichloropropene | ND | 1.0 | | | | | | | | |
| Hexachlorobutadiene | ND | 1.0 | | | | | | | | |
| 2-Hexanone | ND | 10 | | | | | | | | |
| Isopropylbenzene | ND | 1.0 | | | | | | | | |
| 4-Isopropyltoluene | ND | 1.0 | | | | | | | | |

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306274

13-Jun-23

Client: EA Engineering

Project: Atex 213

| Sample ID: mb2 | SampType: MBLK | | TestCode: EPA Method 8260B: VOLATILES | | | | | | | |
|-----------------------------|---------------------------------|-----|--|-------------|--------------------|----------|-----------|------|----------|------|
| Client ID: PBW | Batch ID: B97346 | | RunNo: 97346 | | | | | | | |
| Prep Date: | Analysis Date: 6/10/2023 | | SeqNo: 3536869 | | Units: µg/L | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | %RPD | RPDLimit | Qual |
| 4-Methyl-2-pentanone | ND | 10 | | | | | | | | |
| Methylene Chloride | ND | 3.0 | | | | | | | | |
| n-Butylbenzene | ND | 3.0 | | | | | | | | |
| n-Propylbenzene | ND | 1.0 | | | | | | | | |
| sec-Butylbenzene | ND | 1.0 | | | | | | | | |
| Styrene | ND | 1.0 | | | | | | | | |
| tert-Butylbenzene | ND | 1.0 | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ND | 1.0 | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | 2.0 | | | | | | | | |
| Tetrachloroethene (PCE) | ND | 1.0 | | | | | | | | |
| trans-1,2-DCE | ND | 1.0 | | | | | | | | |
| trans-1,3-Dichloropropene | ND | 1.0 | | | | | | | | |
| 1,2,3-Trichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | 1.0 | | | | | | | | |
| 1,1,1-Trichloroethane | ND | 1.0 | | | | | | | | |
| 1,1,2-Trichloroethane | ND | 1.0 | | | | | | | | |
| Trichloroethene (TCE) | ND | 1.0 | | | | | | | | |
| Trichlorofluoromethane | ND | 1.0 | | | | | | | | |
| 1,2,3-Trichloropropane | ND | 2.0 | | | | | | | | |
| Vinyl chloride | ND | 1.0 | | | | | | | | |
| Xylenes, Total | ND | 1.5 | | | | | | | | |
| Surr: 1,2-Dichloroethane-d4 | 10 | | 10.00 | | 102 | 70 | 130 | | | |
| Surr: 4-Bromofluorobenzene | 10 | | 10.00 | | 99.8 | 70 | 130 | | | |
| Surr: Dibromofluoromethane | 10 | | 10.00 | | 102 | 70 | 130 | | | |
| Surr: Toluene-d8 | 10 | | 10.00 | | 102 | 70 | 130 | | | |

Qualifiers:

- | | |
|---|---|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| D Sample Diluted Due to Matrix | E Above Quantitation Range/Estimated Value |
| H Holding times for preparation or analysis exceeded | J Analyte detected below quantitation limits |
| ND Not Detected at the Reporting Limit | P Sample pH Not In Range |
| PQL Practical Quantitative Limit | RL Reporting Limit |
| S % Recovery outside of standard limits. If undiluted results may be estimated. | |

Sample Log-In Check List

Client Name: EA Engineering

Work Order Number: 2306274

RcptNo: 1

Received By: **Cheyenne Cason** 6/6/2023 3:26:00 PM *CC*

Completed By: **Desiree Dominguez** 6/6/2023 3:29:25 PM *DD*

Reviewed By: *TMC* 6/6/23

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present

2. How was the sample delivered? Client

Log In

3. Was an attempt made to cool the samples? Yes No NA

4. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA

Samples were collected the same day and chilled.

5. Sample(s) in proper container(s)? Yes No

6. Sufficient sample volume for indicated test(s)? Yes No

7. Are samples (except VOA and ONG) properly preserved? Yes No

8. Was preservative added to bottles? Yes No NA

9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No NA

10. Were any sample containers received broken? Yes No

11. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)

12. Are matrices correctly identified on Chain of Custody? Yes No

13. Is it clear what analyses were requested? Yes No

14. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

of preserved bottles checked for pH: _____
 (<2 or >12 unless noted)
 Adjusted? _____
 Checked by: *KPG 6.6.23*

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes No NA

| | | | |
|----------------------|-------|-------|---|
| Person Notified: | _____ | Date: | _____ |
| By Whom: | _____ | Via: | <input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person |
| Regarding: | _____ | | |
| Client Instructions: | _____ | | |

16. Additional remarks:

17. Cooler Information

| Cooler No | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|---------|-----------|-------------|---------|-----------|-----------|
| 1 | 26.5 | Good | Not Present | Yogi | | |

