



Climate Change Bureau Clean Transportation Fuel Program

Tier 1 CI Calculator for Wastewater Sludge Biomethane Instruction Manual

The information provided in this document is intended as informal guidance only and does not constitute a final agency determination, financial advice, or legal advice. In all cases, the applicable rule language under [20.2.92 NMAC](#) governs. Regulated and interested parties are encouraged to consult the rule directly and seek independent legal counsel as needed.

Table of Contents

Introduction	2
T1 WWS Calculator Overview	2
SiteSpecificInputs Worksheet	3
PathwaySummary Worksheet	6
Background Worksheet	6

Introduction

This document provides detailed instructions for the Tier 1 CI Calculator for Wastewater Sludge Biomethane (T1 WWS Calculator) to calculate the carbon intensity (CI) of compressed biomethane (CNG), liquefied biomethane (LNG), or liquefied biomethane that is transported to a dispensing station where it is re-gasified and compressed (L-CNG) for use as a transportation fuel in New Mexico.

[Tier 1 CI Calculators can be downloaded from the CTFP website](#)

The T1 WWS Calculator requires the applicant to enter monthly operational data for feedstock types and quantities, fuel production quantities, and transport distances.

T1 WWS Calculator Overview

Table 1 provides an overview of the worksheets used in the T1 WWS Calculator.

Table 1: T1 WWS Calculator Worksheet Overview

Worksheet Name	Description
Introduction	Introduction to the Tier 1 WWS Calculator.
SiteSpecificInputs	Worksheet for feedstock and fuel production data entry.
PathwaySummary	Worksheet that displays fuel production quantities, calculates CIs, and site-specific operating conditions.
Background	Worksheet for predefined input values, emission factors, fuel specifications, and unit conversion values from the NM-GREET1.0 model.

The cells in the T1 WWS calculator have various fill colors per the legend below:

User Input
Calculated Value
NM-GREETv1.0 Input
Pathway CI Result

To calculate the fuel pathway CI(s)—as presented in the “Pathway CI Result” cell(s)—the user must enter site-specific data into “User Input” fields if that field is relevant to the fuel pathway. If the input field is not relevant to the fuel pathway, it may be left blank or hidden by deselecting the input checkboxes located in Section 2.

All User Inputs are subject to verification as part of initial pathway certification and annual fuel pathway reporting. If a fuel pathway has additional emissions inside the system boundary that are not captured in the User Input fields, a Tier 2 application is required to document and account for those emissions.

“Calculated Value” cells contain formula that provide a calculated value based on user input data or NM-GREET1.0. In some instances, a “Calculated Value” cell may display a blank value if that input is not relevant or insufficient user input data has been entered.

“Background” cells contain input values from the NM-GREET1.0 model. Calculated Value formulas and NM-GREET1.0 values cannot be modified without prior approval from the New Mexico Environment Department (NMED) and may elevate the pathway to a Tier 2 application.

SiteSpecificInputs Worksheet

The SiteSpecificInputs worksheet contains the main CI calculation worksheet which consist of the following major components:

- Section 1. Applicant Information
- Section 2. Pathway Inputs
- Section 3. Static Operational Data
- Section 4: Monthly Operational Data

All relevant site-specific inputs must be entered in the respective input fields. Once all site-specific inputs for a given facility have been entered, the pathway CIs for the various streams will be displayed in the PathwaySummary worksheet.

Table 2: Input Field Instructions for Section 1 of the T1 WWS Calculator

Field Name	Instructions
1.1 Application Number	Enter the application number provided by the AFM.
1.2 Company Name	Enter the company name as entered in the AFM.
1.3 Company ID	Enter the company ID as generated by the AFM. If not available, contact NMED staff.
1.4 Facility ID	Enter U.S EPA Facility ID. If not available, contact NMED staff.

Section 2 (Table 3) provides the option to select only input fields that apply to a given pathway, which hides irrelevant inputs in Section 4 of the worksheet.

Table 3: Input Field Instructions for Section 2 of the T1 WWS Calculator

Field Name	Instructions
2.1 Process Energy	Select the type(s) of process energy used at the fuel production facility.
2.2 Blended Fossil Fuels	Select the type(s) of fossil fuels blended with biomethane prior to pipeline injection, if applicable.
2.3 Finished Fuels	Select the type(s) of finished fuels

Table 4: Input Field Instructions for Section 3 of the T1 WWS Calculator

Field Name	Instructions
3.1 Electricity Grid Region	If the WWS biogas upgrading facility uses grid electricity, select the electricity mix corresponding to the region where the facility is located. A map of eGRID zones is provided in the “Background” worksheet. The eGRID region may also be determined using the eGRID Power Profiler tool. ¹
3.2 Grid CI (g CO ₂ e / kWh)	The grid electricity CI will be displayed based on the selection for Field 3.1. If User-Defined is selected in Field 3.1, consult with NMED to develop an emission factor for a user-defined grid electricity mix.

Site-specific data must be entered in Section 4 for each month of the operational data period. Fields that do not apply to the fuel pathway may either be hidden by deselecting the fields in Section 2 or may be

¹United States Environmental Protection Agency, *eGRID Power Profiler tool*. (Updated June 5, 2023). <https://www.epa.gov/egrid/>

left blank. Any gaps in data reporting must comply with the missing data requirements in 20.2.92.202(C)(3)–(4) NMAC.

Quantities entered should be inclusive of the entire fuel production facility; quantities used by the facility that are outside the fuel pathway system boundary may only be excluded with written permission from NMED.

Biogas and biomethane measurements must be recorded at minimum every 15 minutes with instrumentation capable of electronic archival.

Table 5: Input Field Instructions for Section 4 of the T1 WWS Calculator

Field Name	Instructions
4.1 Reporting Month (MM/YYYY)	Enter the 24 consecutive months that reflect the most recent operational data available for the fuel production facility. If the fuel production facility has been in full commercial production for at least 90 calendar days but less than 24 months, the registered party may apply for a New Mexico Alternative Fuel Pathway with provisional status, consistent with 20.2.92.205(C) NMAC and 20.2.92.202(D)(3) NMAC.
4.2 WWS Biogas Collected (ft ³ @ 60°F)	Enter the volume of WWS biogas collected at 1 atm pressure and 60°F.
4.3 Methane Content (%V/V CH ₄ / biogas)	Enter the weighted average methane content of the WWS biogas.
4.4 North American Natural Gas (mmBtu, HHV)	Enter the quantity of natural gas (NG) used by the fuel production facility sourced from a common carrier NG pipeline in North America, excluding natural gas used for blending prior to injection.
4.5 Grid Electricity (kWh)	Enter the quantity of grid electricity used by the fuel production facility.
4.6 LPG or Propane (gal)	Enter the quantity of liquefied petroleum gas (LPG) or propane used by the facility, excluding any quantity used for blending prior to injection.
4.7 Diesel (gal)	Enter the quantity of diesel fuel used by the fuel production facility.
4.8 Natural Gas Blended (mmBtu, HHV)	Enter the metered quantity of fossil natural gas blended with biomethane and injected into the common carrier pipeline.
4.9 LPG / Propane Blended (gal)	Enter the metered quantity of LPG or propane blended with biomethane and injected into the common carrier pipeline.
4.10 Total Gas Injected	Enter the total metered quantity of gas injected into the common carrier pipeline, including any blended gas in 4.8 and 4.9. Quantities should match financial transaction records between the injecting party and the pipeline operator.

PathwaySummary Worksheet

The PathwaySummary worksheet calculates the CI of each fuel pathway from operational data and user selections in the SiteSpecificInputs worksheet.

The top section of this worksheet provides application identification information and a summary of the total fuel produced by the facility.

The Carbon Intensity Calculations section provides a summary of each fuel production stage inputs along with its calculated emissions and stage-specific CI contributions. The CIs are then summed to provide a CI for each fuel pathway. The applicant may opt to apply a conservative margin of safety to the fuel pathway CI to ensure that the pathway remains compliant with certified CIs.

The final section of this worksheet provides a space for NMED staff to publish Operating Conditions associated with the pathway. A completed version of this worksheet is shared with the applicant for review and approval prior to pathway certification.

Background Worksheet

The Background worksheet contains predefined input values from the NM-GREET1.0 model. These input values cannot be modified without written permission from NMED, which will elevate the application to a Tier 2 pathway.