

#### Screening Quick Reference Tables

This set of NOAA Screening Quick Reference Tables, or SQuiRTs, presents screening concentrations for inorganic and organic contaminants in various environmental media. Guidelines for sample preservation and options for laboratory analytical techniques are also included.

The SQuiRT cards were developed for internal use by the Coastal Protection & Restoration Division (CPR) of NOAA. The CPR Division identifies potential impacts to coastal resources and habitats likely to be affected by hazardous waste sites. To initially identify substances which may threaten resources of concern to NOAA, environmental concentrations are compared to these screening levels. These tables are intended for preliminary screening purposes only: they do not represent official NOAA policy and do not constitute criteria or clean-up levels. NOAA does not endorse their use for any other purposes. Screening levels are reported with the number of significant figures they were originally reported with.

Further guidance on the recommended application of various screening guidelines is provided in the supporting source documentation (listed on the last page of each section). Users of the SQuiRT cards are strongly encouraged to review supporting documentation to determine appropriateness for their specific use.

The SQuiRT card set is organized into the following sections:

- Inorganics in Solids (freshwater and marine sediment, plus soil)
- Inorganics in Water (groundwater and surface water)
- Organics in Water and Solids
- Analytical Methods for Inorganics
- · Analytical Methods for Organics
- Guidelines for Sample Collection & Storage

For surface water samples, the CPR Division compares measured contaminant concentrations to their applicable, EPA Ambient Water Quality Criteria (AWQC) for the protection of aquatic organisms. Because releases from hazardous waste sites are often continuous and long-term, concentrations are compared directly with the chronic AWQC, when available. SQuiRTs for trace element AWQCs have been updated to show values for just filtered samples, as well as the formulae to calculate exact criteria for elements whose criteria are hardness-dependent. Groundwater concentrations are also screened against AWQC. However, given the dilution expected during migration and upon discharge of groundwater to surface water, CPRD uses 10 times the applicable AWQC for screening. If available, suitable site-specific dilution factors are used. Maximum Contaminant Levels (MCLs), applicable to drinking water sources and secondary MCLs applicable to groundwater, are also provided on the SQuiRT cards.

Promulgated criteria similar to the AWQC are generally not available for contaminated soils or sediments. For screening purposes, inorganic contaminant levels in soils are compared to the average concentrations found in natural soils of the United States. Organic compounds in soil are screened against risk-based Canadian soil standards. Soil standards for different land use categories are listed to provide perspective. Soil values are not used by NOAA to estimate aquatic exposures. NOAA screens soil concentrations only to estimate which contaminants may be elevated and thus represent potential contaminant sources to aquatic habitats of concern.

Multiple sediment screening values have been included in the NOAA SQuiRTs to help portray the entire spectrum of concentrations which have been associated with various probabilities of adverse biological effects. This spectrum ranges from presumably non-toxic e.g., trace metal levels reported to represent non-anthropogenically



### Screening Quick Reference Table for Inorganics in Solids

These tables were developed for internal use for screening purposes only: they do not represent official NOAA policy and do not constitute criteria or clean-up levels.

All attempts have been made to ensure accuracy; however, NOAA is not liable for errors. Values are subject to changes as new data become available.

COMPOUND

(values in ppb dry weight)

FRES	SHWAT	ER SE	DIMEN	T	Figa In	MARI	NE SEI	DIMEN	T	SO	1L
"Background" 1	Lowest ARCS H. azteca TEL	Threshold Effects Level (TEL)	Probable Effects Level (PEL)	Upper <sup>2</sup> Effects Threshold (UET)	Threshold Effects Level (TEL)	Effects Range- Low (ERL)	Probable Effects Level (PEL)	Effects Range Median (ERM)	Apparent <sup>3</sup> Effects Threshold (AET)	Backg Geometric Mean	round Range

		TEL	(IEL)	(PEL)	(UET)	(IEL)	(EKL)	(PEL)	(ERM)	(AET)	Ivican	
Predicted Toxicity Gradient:		>-	— Inc	reasing		>	3	Increasin	ng	-		
ALUMINUM (AI) (%)	0.26%	2.55%		5,		ies III				1.8% N	4.7%	0.5- >10%
ANTIMONY (Sb)	160				3,000 M					9,300 E	480	bd-8,800
ARSENIC (As)	1,100	10,798	5,900	17,000	17,000 I	7,240	8,200	41,600	70,000	35,000 B	5,200	bd-97,000
BARIUM (Ba)	700									48,000 A	440,000	10,000-0.5
CADMIUM (Cd)	100-300	583	596	3,530	3,000 I	676	1,200	4,210	9,600	3,000 N		
CHROMIUM (Cr)	7,000-13,000	36,286	37,300	90,000	95,000 H	52,300	81,000	160,400	370,000	62,000 N	37,000	1000-0.2%
COBALT (Co)	10,000									10,000 N	6,700	bd-70,000
COPPER (Cu)	10,000-25,000	28,012	35,700	197,000	86,000 I	18,700	34,000	108,200	270,000	390,000 MO	17,000	bd-700,000
IRON (Fe) (%)	0.99-1.8 %	18.84%			4% I					22% N	1.8%	0.01- >10%
LEAD (Pb)	4,000-17,000	37,000	35,000	91,300	127,000 H	30,240	46,700	112,180	218,000	400,000 B	16,000	bd-700,000
MANGANESE (Mn)	400,000	630,000			1,100,000 I					260,000 N	330,000	bd-0.7%
MERCURY (Hg)	4-51		174	486	560 M	130	150	696	710	410 M	58	bd-4,600
NICKEL (Ni)	9,900	19,514	18,000	35,900	43,000 H	15,900	20,900	42,800	51,600	110,000 EL	13,000	bd-700,000
SELENIUM (Se)	290								İ	1,000 A	260	bd-4,300
SILVER (Ag)	<500			V	4,500 H	730	1,000	1,770	3,700	3,100 B		7,5
STRONTIUM (Sr)	49,000										120,000	bd-0.3%
TIN (Sn)	5,000					48 *				> 3,400 N as TBT	890	bd-10,000
VANADIUM (V)	50,000									57,000 N	58,000	bd-500,000
ZINC (Zn)	7,000-38,000	98,000	123,100	315,000	520,000 M	124,000	150,000	271,000	410,000	410,000 I	48,000	bd-0.29%
SULFIDES					130,000 M					4,500 MO		

- 1 "Background" values are derived from a compilation of sources, but come primarily from Int. Joint Comm. Sediment Subcommittee (1988).
- 2 Entry is lowest, reliable value among a compilation of AET levels: I Infaunal community impacts; H Hyalella azteca bioassay; M Microtox bioassay
- 3 Entry is lowest value among AET levels: I Infaunal community impacts; A-Amphipod; B-Bivalve; M-Microtox; O-Oyster larvae; E-Echinoderm larvae; L-Larval<sub>max</sub>; or, N-Neanthes bioassays
- \* Based upon EqP approach using currently proposed AWQC CCC.

SOURCES:		FOR MORE I	NEORMATION CONTACT:	2
Sediment;	PTI Environ. Serv., Contaminated Sediments Criteria Rpt., 1989; Wash. Dept. Ecol. Publ. 95-308, 1995 and 97-323a, 1997; J. Great Lakes Res. 22(3):624-638, 1996; Gries & Waldow, Puget Sound Dredged Disposal Analysis Rpt., 1996; Environ. Manage. 19(1):81-97, 1996; The AET Approach; Briefing Rpt. to the EPA SAB, Sept. 1988; Int. Joint Comm., Procedures for Assessment of Contaminated Sediment in the Great Lakes, 1988; Ecotox. (5):253-278, 1996; EPA Rpt. 905-R96-008, Sept. 1996.; WAC Chapter 173-204; J. Great Lakes Res. 22(3):602 - 623, 1996.	Michael Buchman NOAA/ARD	7600 Sand Point Way N.E. Seattle, Washington 98115-0070 Tel: 206-526-6340 Fax: 206-526-6865 Email: CPRD.SOUIRT@noaa.gov	
Soil:	Shacklette and Boerngen 1984; USGS Prof. Paper 1270: bd denotes below detection limits.		Elian. Cl RD.SQUIR I@iloaa.gov	<b>E</b> 316



#### Screening Quick Reference Table for Inorganics in Water

These tables were developed for internal use for screening purposes only: they do not represent official NOAA policy nor constitute criteria or clean-up levels.

All attempts have been made to ensure accuracy; however, NOAA is not liable for errors. Values are subject to changes as new data become available.

(values in ppb )

	G R O U N D W A T E R		SURFACE nt Water (	WATER Quality Cri	teria	NOTES
	Maximum	<u>Fresh</u>	<u>water</u>	<u>Mar</u>	rine	
TRACE ELEMENT	Contaminant Levels (MCLs)	CMC "acute"	CCC "chronic"	CMC "acute"	CCC "chronic"	<i>16</i>
ALUMINUM (AI)	50200 °	pH 750	pH 87			For pH 6.5 to 9.0 and expressed as total recoverable.
ANTIMONY (Sb)	6	88 p	30 p	1500 p	500 p	
ARSENIC (As+5)		850 *	X ·	2319*	· .	LOELs from 50 FR 30789.
ARSENIC, total	10	340	150	69	36	Toxicity values derived for arsenic III are now applied to total arsenic.
BARIUM (Ba)	2000	110	4.0			Tier II value for freshwater.
BERYLLIUM (Be)	4	130 *	5.3 *			LOELs from 45 FR 79326.
CADMIUM (Cd)	5	2.0 †	0.25 †	40	8.8	
CHROMIUM (Cr+3)	≤ 100	570 †	74 †	10300 *		
CHROMIUM (Cr+6)	≤ 100	16	11	1100	50	Marine values represent change to fittered basis.
CHROMIUM, total	100					
COPPER (Cu)	1300	13 †	9†	4.8	3.1	
IRON (Fe)	300 °		1000			
LEAD (Pb)	15	65 †	2.5 †	210	8.1	Values represent change to filtered basis.
MANGANESE (Mn)	50 °	2,300	120			Tier II value for freshwater.
MERCURY (Hg)	2	1.4	0.77	1.8	0.94	Derived from inorganic, but applied to total mercury.  Does not account for food web uptake.
NICKEL (NI)		470 †	52 †	74	8.2	Marine values represent change to filtered basis.
PHOSPHORUS (P)					0.1	For elemental phosphorus.
SELENIUM (Se)	50	13-186 total	5 total	290	71	Freshwater CMC depends on ratio of selenite to selenate.  Marine values represent change to filtered basis. Marine CCC does not account for food web uptake, so monitor fish community if > 5.0 µg/L.
SILVER (Ag)	100 °	1.6 (2) †		0.95 (2)		CMCs has been divided by two to be comparable to 1985 derivations.
THALLIUM (TI)	2	1400 * ` `	40 *	2130 *		LOELs from 45 FR 79340.
Tin as TBT		0.46	0.072	0.42	0.0074	
ZINC (Zn)	5000 °	120 †	120 †	90	81	Marine values represent change to filtered basis.
Hydrogen Sulfide		2.0	,	2.0	]	The same along the street was the street of
Cyanide, free (CN)	200	22	5.2	1	1	

Criteria are generally expressed as dissolved (passing through a 0.45 mm filter ) and calculated from total recoverable by applying a conversion factor, except as noted.

For salinity between 1 and 10 ppt, use the more stringent of either fresh or marine values.

p - proposed

<sup>\* -</sup> Lowest Observable Effect Level (not a criterion)

<sup>· -</sup> National Secondary Drinking Water Regulations

<sup>(2) -</sup> CMC has been halved to be comparable to criteria derived using 1985 Guidelines

<sup>†</sup> Hardness-dependent value with 400 mg/L as maximum calcium carbonate; value entered is for 100 mg/L calcium carbonate. Use equations to determine exact criteria.



#### Screening Quick Reference Table for Inorganics in Water

(values in ppb)

These tables were developed for internal use for screening purposes only: they do not represent official NOAA policy nor constitute criteria or clean-up levels.

All attempts have been made to ensure accuracy; however, NOAA is not liable for errors. Values are subject to changes as new data become available..

	HARDNESS C	ALCULATIONS	UNFILTERED TO	D FILTERED CAL	CULATIONS
TRACE ELEMENT		ED FRESHWATER ERIA CCC	CONV Fresh CMC CMC/CCC	ERSION FACTOR Fresh CCC	<u>S</u> Marine
ARSENIC (AS)			CF = 1	CF = 1	CF = 1
CADMIUM (Cd)	CMC = $e^{1.0166 [ln(hardness)] - 3.924}$	$CCC = e^{0.7409 [ln(hardness)] - 4.719}$	CF = 1.136672 - 0.041838 [ <i>ln</i> (hardness)]	CF = 1.101672 - 0.041838 [ <i>ln</i> (hardness)]	CF = 0.994
CHROMIUM III (CR+3)	CMC = $e^{0.819} [ln(hardness)] + 3.7256$	$CCC = e^{0.819 [ln(hardness)] + 0.6848}$	CF = 0.316	CF = 0.860	
CHROMIUM VI (Cr.+6)			CF = 0.982	CF = 0.962	CF = 0.993
COPPER (Cu)	CMC = $e^{0.9422} [ln(hardness)] - 1.7$	$CCC = e^{0.8545 [ln(hardness)] - 1.702}$	CF = 0.960	CF = 0.960	CF = 0.83
LEAD (Pb)	CMC = e 1.273 [ ln(hardness)] - 1.46	$CCC = e^{1.273 [ln(hardness)] - 4.705}$	CF = 1.46203 - 0.145712 [ <i>ln</i> (hardness)]	SAME AS CMC	CF = 0.951
MERCURY (Hg)		_	CF = 0.85	CF = 0.85	CF = 0.85
NICKEL (Ni)	CMC = $e^{0.846} [ln(hardness)] + 2.255$	$CCC = e^{0.846 [ln(hardness)] + 0.0584}$	CF = 0.998	CF = 0.997	CF = 0.990
SELENIUM (Se)			The freshwater criteria are expres a CF of 0.922 may be used.	ssed as total recoverable:	CF = 0.998
SILVER (Ag)	CMC = e 1.72 [ ln(hardness)] - 6.52	CCC — No criteria	CF = 0.85		CF = 0.85
ZINC (Zn)	CMC = $e^{0.8473}$ [ $ln(hardness)$ ] + 0.884	ccc = e 0.8473 [ ln(hardness) +0.884	CF = 0.978	CF = 0.986	CF = 0.946

Freshwater criterion for certain metals are expressed as a function of hardness (mg/L) in the water column. The values shown on page 3 assume 100 mg/L. Values for a different hardness may be calculated using the above equations to arrive at a CMC or CCC for *filtered* samples. Hardness may range up to 400 mg/L as calcium carbonate. For hardness above this range, use 400 mg/L as the maximum value allowed.

Criteria for most metals are expressed as standards for samples filtered through 0.45 µm filter (*i.e.*, "dissolved"). To convert unfiltered concentrations to filtered, multiply the unfiltered concentration value by the appropriate Conversion Factor (CF) above. For cadmium and lead, the conversion factor itself is hardness-dependent. For salinity between 1 and 10 ppt, use the more stringent of either fresh or marine values.

CMC – Criteria Maximum Concentration is the highest level for a 1-hour average exposure not to be exceeded more than once every three years, and is synonymous with "acute." CCC – Criteria Continuous Concentration is the highest level for a 4-day average exposure not to be exceeded more than once every three years, and is synonymous with "chronic."

Sources:		For More	Information Contact:	4
MCL	EPA 810-F-94-001A EPA 570/9-91-019FS	Michael	7600 Sand Point Way N.E. Seattle, Washington 98115-0070	
AWQC:	Fed. Reg. 4 May 1995, Vol. 60 (86): 22229-22237; Fed. Reg. 10 Dec 1998 Vol. 63( 237:) 68353 - 68364 US EPA, Quality Criteria for Water Summary 1994, EPA Health and Ecological Criteria Division www.epa.gov/waterscience/criteria/wqcriteria.html; Tier II from ORNL ES/ER/TM/-96/R2.;	Buchman NOAA/ARD	Tel: 206•526•6340 Fax: 206•526•6865 Email: CPRD.SQUIRT@noaa.gov	



(all values in ppb, dry weight for sediment and soil, except as noted)

### Screening Quick Reference Table for Organics

sediment and soil, except as	noted)	200					L'ens b		Sedim	ent I	AL.	rine		dimer			
CHEMICAL	CAS No.	Maximum Contam- inant Level	Amb Freshw CMC	ient Water ( vater CCC	Quality Crit Marii CMC						Threshold Effects	Effects Range- Low (ERL)		Probable Effects Level (PEL)	Apparent <sup>3</sup> Effects Threshold (AET)	Agri- 4 cultural Target	Urban <sup>4</sup> park / Residential Target
CHLORINATED DIOXINS & PCI	35							36		(021)	` ′	, ,		()	(121)		Turget
TCDD 2,3,7,8-	1746016	0.00003	<0.01*	<0.00001*						.0088 <sup>†</sup> н					0.0036 N	0.01	1
POLYCHLORINATED BIPHENYLS	1336363	0.5	2	0.014	10	0.03	31.62	34.1	277			22.7	180	188.79	130 M	500	5000
SEMIVOLATILES		1						73				2					
BENZIDINE	92875		70~	3.9~						8 §		r					
BENZOIC ACID	65850		740~	42~			1								65 O		
BENZYL ALCOHOL	100516		150~	8.6~						8					52 B		1
CHLOROANILINE 4-	106478		250*C	50*C	160*C	129*C				- 31					NS		· '
DIBENZOFURAN	132649		66 ~	3.7~		,				5100 H					110 E		
DIPHENYLHYDRAZINE 1,2-	122667	1	270*	V.,		,										İ	
ISOPHORONE	78591		117000*		12900*			2 1		3							
SEMIVOLATILE, NITROAROMA	TICS														8		
DINITROTOLUENE 2,4-	121142		330*	230*	590* S	370*S				6		ģ.			6)		
NITROBENZENE	98953	1	27000*		6680*	0,00						1			21 N		t:
N-NITROSODIPHENYLAMINE	86306		5850C*	210~	3300000*C									9	28 I		
SEMIVOLATILE, ORGANOCHLO	RINES							3				e.					
ALDRIN	309002	1	1.5 (2)		0.65 (2)					401					9.5 AE		
CHLORDANE	57749	2		0.00215 (2)	0.045 (2)	0.002 (2)	3	4.5	8.9	30 1	2.26	0.5	6	4.79	2.8 A		
CHLORONAPHTHALENE 2-	91587		1600* C	=1.11	7.5* C		11 8	1				Š		- 1			
p,p-DDD (TDE)	72548		0.6*	0.011~	3.6*			3.54	8.51	<60 I	1.22	2	20	7.81	<16 I		
p,p-DDE	72559		1050*		14*		1	1.42	6.75	<50 I	2.07	2.2	27	374.17	<91		
p,p-DDT	50293		0.55 (2)	0.0005 (2)	0.065 (2)	0.0005 (2)	i i		8	50 I	1.19	1	7	4.77	<12 E		
DDT, total					-		8	6.98		50 I	3.89	1.58	46.1	51.7	11 B		
DIELDRIN ‡	60571		0.24		, ,	0.00095 (2)		2.85	6.67	300 I	0.715	0.02	8	4.3	1.9 E		
ENDOSULFAN $(\alpha + \beta)$	115297		0.11 (2)	, ,		0.00435 (2)	- 3										
ENDRIN ‡	72208	2	0.086			0.00115 (2)		2.67	62.4	500 I						- 20	
HEPTACHLOR EROYIDE	76448	0.4	0.26 (2)	` '			3			10 I		į.	6		0.3 B		
HEPTACHLOR EPOXIDE HEXACHLOROBENZENE	1024573 118741	0.2	0.26 (2) 6 p		0.0265 (2) 160*C	` '	- 8	0.6	2.74	30 I	X						0000
HEXACHLOROBUTADIENE	87683		90*	9.3*		129*C	- 3			100 I		5			6 B	50	2000
HEXACHLOROCYCLOHEXANE (BHC)	608731		100*	9.3"	32* 0.34*					100 I					1.3 E	50	2000

<sup>‡ -</sup> EPA Proposed Criteria, based on Equilibrium Partitioning, for Dieldrin are 11,000 and 20,000, and for Endrin are 4,200 and 760 µg/kg O.C. in freshwater and marine sediment, respectively.

p - proposed; \*- Lowest Observable Effect Level; C - value for chemical class; S - value for summation of isomers; (2) - CMC has been halved to be comparable to criteria derived by 1985 Guidelines; ~ Tier II value.

Entry is lowest, reliable value among AET tests, on 1% TOC basis: I - Infaunal community impacts; M - Microtox bioassay; H - Hyalella azteca bioassay: † - value on dry weight basis.

Entry is lowest value among AET tests: I - Infaunal community impacts; A-Amphipod; B-Bivalve; M-Microtox; O-Oyster larvae; E-Echinoderm larvae; L-Larvalmax; or, N-Neanthes bioassays.

Residues greater than target require remediation to levels below target for applicable land use in British Columbia; 'A' denotes a soil value intended to protect adjacent, aquatic habitat.



(all values in ppb, dry weight for sediment and soil, except as noted)

### Screening Quick Reference Table for Organics

sediment and soil, except as n	oted)	6000		WALE.	K		A CELEBRATE			D E	DIME	. N I				50	
	0.00,	1 2 2 2					Fresh	water	Sedim	e n t	M:	rine	S e	dimer	1.1		
CHEMICAL	CAS No.	Maximum Contam- inant Level	Ambi Freshw CMC	ient Water ( rater CCC	<b>Duality Crit</b> <i>Marir</i> CMC		Lowest ARCS H. azteca TEL	Threshold Effects Level (TEL)	Probable Effects Level (PEL)	Upper 2_ Effects Threshold (UET)	Threshold Effects Level (TEL)	Effects Range- Low (ERL)	Effects Range- Median (ERM)	Probable Effects Level (PEL)	Apparent <sup>3</sup> Effects Threshold (AET)	Agri- <sup>4</sup> cultural Target	Urban <sup>4</sup> park / Residential Target
HEXACHLOROCYCLOPENTADIENE	77474	50	7*	5.2*	7*			-	32 3396 - 63	code West							1
HEXACHLOROETHANE	67721		980*	540*	940*		ĺ			8					73 BL		1
LINDANE	58899	0.2	0.95	0.08	0.08 (2)			0.94	1.38	91	0.32		1	0.99	> 4.8 N		1 1
METHOXYCHLOR	72435	40		0.03		0.03								1			1 1
MIREX	2385855			0.001		0.001				1 008							1 1
PENTACHLOROBENZENE	608935		250*C	50*C	160*C	129*C	8					1				100	1000
TETRACHLOROBENZENE 1,2,4,5-	95943		250*C	50*C	160*C	129*C										100	1000
TOXAPHENE	8001352	3	0.73	0.0002	0.21	0.0002											1 1
SEMIVOLATILE, ORGANOPHOSP		"	00	0.0002	0.21	0.0002											1 1
		1	4500	ا ا													1 1
ATRAZINE CHLORPYRIFOS	1912249 2921882		1500 0.083	Special 0.041	760 0.011	0.0056		3						. 8		l	1 1
DIAZINON	333415	1	0.063	0.041	0.011	0.0056		- 3					1	8	10	l	1 1
MALATHION	121755		"'	0.1	0.02	0.4		l		l							1
PARATHION MIXTURE	56382		0.065	0.013		0		- 1				1		1			i i
SEMIVOLATILE, PHENOLICS		ļ		1				e 22						73			1
CHLOROPHENOL 2-	95578	1	4380*								1				8 A	50	500
DICHLOROPHENOL 2,4-	120832		2020*	365*		1				ľ			Ì		5 A	50	
DIMETHYLPHENOL 2,4-	105679	1	2120*					1						8	18 N	100	1000
DINITROPHENOL	51285		230*C	150*C	4850*C								1			100	1000
METHYL PHENOL 2- [O-CRESOL]	95487		230~	13~						100	l 1				8 B	100	1000
METHYL PHENOL 4- [p-CRESOL]	106445		3	,,,											100 B	100	1000
NITROPHENOL 4-	100027	5.5	230*C	150*C	4850*C											100	1000
NONYLPHENOL	25154523		27.9	5.9	6.7	1.4											1 1
PENTACHLOROPHENOL[at pH 7.8‡		1.0 p	19 pH	15 pH	13	7.9										35 A pH	35 A pH
PHENOL	108952	2	10200*	2560*	5800*					48 † H					130 E	100	
TETRACHLOROPHENOL 2,3,4,6-	58902 95954		400		440*											50	500
TRICHLOROPHENOL 2,4,5- TRICHLOROPHENOL 2,4,6-	93934 88062		100 p	63 p 970*	240 p	11 p									31	50	
SEMIVOLATILE, PHTHALATES	00002			9/0											61	50	500
		4		1											**		1 1
BUTYL BENZYL PHTHALATE	85687		940*C	3*C	2944*C	3.4*C									63 M		1 1
DI[2-ETHYLHEXYL]	117817	6	400 p	360 p	400 p	360 p				750 †M	182.16			2646.51	1300 I		1 1
PHTHALATE DIETHYL PHTHALATE	84662		040*0	ا مدم ا	0044*0	0.44-		38									1 1
DIMETHYL PHTHALATE	131113		940*C 940*C	3*C	2944*C	3.4*C	1	1 1		l.					6 BL		1 1
DI-N-OCTYL PHTHALATE	117840		940°C	3*C 3*C	2944*C	3.4*C									6 B		1
DI-N-BUTYL PHTHALATE	84742		940°C 940*C	3*C	2944*C 2944*C	3.4*C	ij	9		110.11					61 BL		1
DI-M-BUILL INIMALAIS	07/72	j .	940 C	3°C	2944°C	3.4*C	1 3	ld bi		110 H				l d	58 BL		1

<sup>‡ -</sup> For PCP, freshwater CMC=  $e^{-1.005}$ pH - 4.869 and CCC =  $e^{-1.005}$ pH - 5.134

p - proposed; • - Lowest Observable Effect Level; C - value for chemical class; S - value for summation of isomers; (2) - CMC has been halved to be comparable to criteria derived by 1985 Guidelines; ~ Tier II value.

Entry is lowest, reliable value among AET tests, on 1% TOC basis: 1 - Infaunal community impacts; M - Microtox bioassay; H - Hyalella azteca bioassay: † - value on dry weight basis.

Entry is lowest value among AET tests: I - Infaunal community impacts; A-Amphipod; B-Bivalve; M-Microtox; O-Oyster larvae; E-Echinoderm larvae; L-Larvalmax; or, N-Neanthes bioassays.

Residues greater than target require remediation to levels below target for applicable land use in British Columbia; 'A' denotes a soil value intended to protect adjacent, aquatic habitat,



#### (all values in ppb, dry weight for

## Screening Quick Reference Table for Organics

sediment and soil, except as				WALE	R					S E	DIME	NT				S O	1 L
		N. S.					Fresh	water	Sedim			rine	S e	dimer	11		
CHEMICAL	CAS No.	Maximum Contam- inant Level	Ambi Freshw CMC	ient Water ( eater CCC	<b>Duality Crit</b> <i>Marit</i> CMC		Lowest ARCS H. azteca TEL	Threshold Effects Level (TEL)	Probable Effects Level (PEL)	Upper <sup>2</sup> - Effects Threshold (UET)	Threshold Effects Level (TEL)	Effects Range- Low (ERL)	Effects Range- Median (ERM)	Probable Effects Level (PEL)	Apparent <sup>3</sup> Effects Threshold (AET)	Agri- 4 cultural Target	Urban <sup>4</sup> park / Residentia Target
SEMIVOLATILE, PAHS	8 5											_					
ACENAPHTHENE	83329	1	1700*	520*	970*	710*			ľ.	290 M	6.71	16	500	88.9	130 E		
ACENAPHTHYLENE	208968				300*C		i			160 M	5.87	44	640	127.87	71 E		
ANTHRACENE	120127		13~	0.73~	300*C		10			260 M	46.85	85.3					l
BENZO[K]FLUORANTHENE	207089	1	"		300*C	11	27.2			13,400B				1	1800 EI	100	100
BENZO[A]PYRENE	50328	0.2	0.24 ~	0.014~	300*C		32.4	31.9	782		88.81	430	1600	763.22		100	100
BENZO[B]FLUORANTHENE	205992	l	0.2	0.011	300*C		1			110	l 1				1800 EI	100	100
BENZO[GHI]PERYLENE	191242				300*C			8		300 M			l		670 M	'''	100
BENZ[A]ANTHRACENE	56553	1	0.49~	0.027 ~	300*C		15.72	31.7	385	500 I	74.83	261	1600	692.53	960 E	100	100
CHRYSENE	218019			5.52.	300*C		26.83	57.1	862	800 1	107.77	384	2800		950 E		
DIBENZ[A,H]ANTHRACENE	53703	1			300*C		10			100 M	6.22	63.4	260	134.61	230 OM	100	100
FLUORANTHENE	206440	1	3980*		40*	16 *	31.46	111	2355	1,500 M	112.82	600	5100		1300 E		10
FLUORENE	86737		70~	3.9~	300*C		10	U 3		300 M	21.17	19	540	144.35	120 E	İ	1
INDENO[1,2,3-CD]PYRENE	193395	1			300*C		17.32			330 M					600 M	100	100
METHYLNAPHTHALENE, 2-	91576				300*C			F-21			20.21	70	670	201.28	64 E		
NAPHTHALENE	91203	l	2300*	620*	2350*	11	14.65	g)		600 I	34.57	160	2100		230 E	100	500
PHENANTHRENE	85018		30 p	6.3 p	7.7 p	4.6 p		41.9	515		86.68	240	1500	543.53	660 E	100	500
PYRENE	129000	l		ı	300*C		44.27	53	875		152.66	665	2600		2400 E	100	1000
LMW PAHs		l	l J		300*C		76.42			5,300 M	311.7	552	3160		1200 E	1	
HMW PAHs					300*C		192.95	7		6,500 M	655.34	1700	9600		7900 E		
Total PAHs					300*C		264.05			12,000M	1684.06	4022	44792	16770.4			
VOLATILE, AROMATIC & HALO	GENATED																
BENZENE	71432	5	5300*	130~	5100*	700*										8 A	- 8
BIS[2-CHLOROETHOXY]METHANE	111911	1	11000*C		12000*C	6400*C											
CARBON TETRACHLORIDE	56235	5	35200*	9.8~	50000*				10	- 8	l i					100	500
CHLOROBENZENE	108907	100	250*C	50*C	160*C	129*C		10		100	i l					100	100
CHLORODIBROMOMETHANE	124481	100C	11000*C		12000*C	6400*C		- 4				i	,				
CHLOROFORM	67663	5	28900*	1240*				1/8	39	1	i I					100	500
DIBROMOMETHANE	74953	0.05	11000*C		12000*C	6400*C			L 9	}					3		
DICHLOROBENZENE 1,2-	95501	600	1120*S	763*S	1970*S	129*C			F						13 N	100	100
DICHLOROBENZENE 1,4-	106467	75	1120*S	763*S	1970*S	129*C		I I	11 11	- 1					110 I M	100	100
DICHLOROBROMOMETHANE	75274	100C	11000*C		12000*C	6400*C			3	1 8	1						
DICHLORODIFLUOROMETHANE	75718	1	11000*C		12000*C	6400*C											
		1.			25,01005 105			1772									4 6

p - proposed; \* - Lowest Observable Effect Level; C - value for chemical class; S - value for summation of isomers; (2) - CMC has been halved to be comparable to criteria derived by 1985 Guidelines; ~ Tier II value.

Entry is lowest, reliable value among AET tests, on 1% TOC basis: I - Infaunal community impacts; M - Microtox bioassay; H - Hyalella azteca bioassay: † - value on dry weight basis.

Entry is lowest value among AET tests: I - Infaunal community impacts; A-Amphipod; B-Bivalve; M-Microtox; O-Oyster larvae; E-Echinoderm larvae; L-Larval<sub>max</sub>; or , N-Neanthes bioassays.

Residues greater than target require remediation to levels below target for applicable land use in British Columbia: 'A' denotes a soil value intended to protect adjacent, aquatic habitat.



(all values in ppb, dry weight for sediment and soil, except as noted)

# Screening Quick Reference Table for Organics

sediment and soil, except as n		2015		WALE	K		1 1 301			S E	DIME	. N I				8.0	L
<u> </u>	, , ,	1000	PARKS!	OED LON			Fresh	water	Sedim	e n t	M :	rine	S e	dime	1.1		
CHEMICAL	CAS No.	Maximum Contam- inant Level	Ambio Freshwo CMC		<b>Duality Crit</b> <i>Marin</i> CMC	10	Lowest ARCS H. azteca TEL	Threshold Effects Level (TEL)	Probable Effects Level (PEL)	Upper <sup>2</sup> - Effects Threshold (UET)	Threshold Effects Level (TEL)	Effects Range- Low (ERL)	Effects Range- Median (ERM)	Probable Effects Level (PEL)	Apparent 3 Effects Threshold (AET)	Agri- 4 cultural Target	Urban <sup>4</sup> park / Residential Target
DICHLOROETHANE 1,2- DICHLOROETHYLENE 1,2-cis	107062 540590	70	118000* 11600*S	20000*	113000* 224000*S											100 100	5000 5000
DICHLOROETHYLENE 1,2-trans DICHLOROPROPENE ETHYL BENZENE	156605 542756 100414	100 700	11600*S 6060*S 32000*	244*S 7.3 ~	224000*S 790*S 430*										4 EL	100 100 0.1 % A	5000 5000 0.1 % A
ETHYLENE DICHLORIDE METHYLENE CHLORIDE PENTACHLOROETHANE PROPYLENE DICHLORIDE	107062 75092 76017 78875	5 5 5	118000* 11000*C 7240* 23000*S	20000* 2200 ~ 1100* 5700*S	113000* 12000*C 390* 10300*S	6400*C 281* 3040*S									3	100	5000
STYRENE TETRACHLOROETHANE TETRACHLOROETHANE 1,1,2,2-	100425 79345 79345	100	9320*S 9320*S	2400*	9020*	3040 3										100 100 100	5000 5000 5000
TETRACHLOROETHYLENE TOLUENE TRICHLOROBENZENE 1,2,4-	127184 108883 120821	1000 70	5280* 17500* 250*C	840* 9.8 ~ 50*C	10200* 6300*	450* 5000*									57 I	5000 A 300000A	5000 A 300000A
TRICHLOROETHANE 1,1,1- TRICHLOROETHANE 1,1,2-	71556 79005	200	18000*S 18000*S	11 ~ 9400*	160*C 31200*	129*C							,		> 4.8 E	100 100 100	1000 5000 5000
TRICHLOROETHYLENE TRICHLOROFLUOROMETHANE VINYLIDENE CHLORIDE	79016 75694 75354	5	45000* 11000*C 11600* S	21900*	2000* 12000*C 224000*S	6400*C									41 N	65 A	65 A
XYLENE <u>Volatiles, Nitriles</u>	1330207	10000	230 ~	13 ~											4 BL	100	5000
ACROLEIN ACRYLONITRILE	107028 107131		68* 7550*	21* 2600*	55*												

- 1 p proposed; \* Lowest Observable Effect Level; C value for chemical class; S value for summation of isomers; (2) CMC is halved to be comparable to 1985 criteria; -- Tier II value.
  - Entry is lowest, reliable value among AET tests, on 1% TOC basis: I Infaunal community impacts; M Microtox bioassay; H Hyalella azteca bioassay; † value on dry weight basis.
- 3 Entry is lowest value among AET tests: I Infaunal community impacts; A-Amphipod; B-Bivalve; M-Microtox; O-Oyster larvae; E-Echinoderm larvae; L-Larval<sub>max</sub>; or, N-Neanthes bioassays.
  - Residues greater than target require remediation to levels below target for applicable land use in British Columbia: 'A' denotes a soil value intended to protect adjacent, aquatic habitat

	For More I	nformation Contact:	8
<ul> <li>Water: EPA 810-F-94-001A; EPA 570/9-91-019FS; Fed. Reg. 4 May 1995, Vol. 60 (86): 22229-22237.; Fed. Reg. 10 Dec 1998         Vol. 63(237:) 68353 - 68364; EPA, Quality Criteria for Water Summary 1994, EPA Health and Ecological Criteria Div.         Tier II from ORNL ES/ER/TM/-96/R2</li> <li>Sediment: EPA 905-R96-008, Sept. 1996; J. Great Lakes Res. 22(3):624-638, 1996; Wash. Dep. Ecol. Publ. 95-308, 1995 and 97-323a,         1997; Environ. Manage. 19(1): 81 - 97, 1996; The AET Approach: Briefing Rpt. to the EPA SAB, September 1988; Gries &amp;         Waldow, Puget Sound Dredged Disposal Analysis Rept., 1996; Ecotox. (5):253-278, 1996: WAC Chapter 173-204</li> <li>Soil: British Columbia Regulation 375/96, Contaminated Sites Regulation, June 13, 1997.</li> </ul>	Michael Buchman NOAA/ARD	7600 Sand Point Way N.E. Seattle, Washington 98115-0070 Tel: 206•526•6340 Fax: 206•526•6865 Email: CPRD.SQUIRT@noaa.gov	



#### Options For Selection of Analytical Methods: Inorganics

These tables were developed for internal use for screening purposes only: they do not represent official NOAA policy and do not constitute criteria or clean-up levels.

All attempts have been made to ensure accuracy; however, NOAA is not liable for errors. Values are subject to changes as new data become available.

TRACE ELEMENT	OTHER <sup>1</sup>	FLAME AA	FURNACE AA	I C P	EXTRACTION	METHODS
		7000B <sup>2</sup>	7010 <sup>2</sup>		Water	Soil / Sediment
ALUMINUM (AI)	6800	7020		6010B 6020A	3005A 3010A 3015A	3050B 3051A
ANTIMONY (Sb)	6200(55) 6800	7040	7041 7062 3	6010B 6020A	3005A 3015A	3050B 3051A
ARSENIC (As)	6200(60) 7063 7061A <sup>3</sup>		7060 7062 <sup>3</sup>	6010B 6020A	3005A 3010A 3015A 7063	3050B 3051A
BARIUM (Ba)	6200(60) 6800	7080A	7081 3	6010B 6020A	3005A 3010A 3015A	3050B 3051A
BERYLLIUM (Be)		7090	7091	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
CADMIUM (Cd)	6200 6800	7130	7131A	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
CALCIUM (Ca)	6200 6800	7140		6010B 6020A	3005A 3010A 3015A	3050B 3051A
CHROMIUM (CR), total	6200(200) 6800	7190	7191	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
CHROMIUM <sup>+6</sup> (Cr <sup>+6</sup> )	7195 — 7199 <sup>3</sup>				7195 - 7199	3060A
COBALT (Co)	6200(330)	7200	7201	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
COPPER (Cu)	6200(85) 6800	7210	7211 <sup>3</sup>	6010B 6020A	3005A 3010A 3015A	3050B 3051A
IRON (Fe)	6200 6 800	7380	7381 3	6010B 6020A	3005A 3010A 3015A	3050B 3051A
LEAD (Pb)	6200(45) 6800	7420	7421	6010B 6020A	3005A 3010A 3015A 3020A	3051A
MAGNESIUM (Mg)	6800	7450		6010B 6020A	3005A 3010A 3015A	3050B 3051A
MANGANESE (Mn)	6200(240)	7460	7461	6010B 6020A	3005A 3010A 3015A	3050B 3051A
MERCURY (Hg)	4500(0.5) 6200 6800 7470A 7471B 7472 7473 7474 <sup>3</sup>			6020A	7470A 7472 3015A	3051A 7471B 7473 7474
MOLYBDENUM (Mo)	6200(25) 6800	7480	7481	6010B	3005A 3010A 3015A 3020A	3050B 3051A
NICKEL (NI)	6200(100) 6800	7520	7521	6010B 6020A	3005A 3010A 3015A	3050B 3051A
POTASSIUM (K)	6200 6800	7610		6010B 6020A	3005A 3010A 3015A	3050B 3051A
SELENIUM (Se)	6200 6800 7741A 7742 <sup>3</sup>		7740	6010B 6020A	3005A 3010A 3015A	3050B 3051A
SILVER (Ag)	6200 6800	7760A	7761 3	6010B 6020A	3005A 3015A	3051A 7760 7761
SODIUM (Na)		7770		6010B 6020A	3005A 3010A 3015A	3050B 3051A
STRONTIUM (Sr)	6200(30) 6800	7780		6010B	3015A	3050B 3051A
THALLIUM (TI)	6200 6800	7840	7841	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
TIN (Sn)	6200(85)	7870			0.000	
VANADIUM (V)	6200 6800	7910	7911	6010B 6020A	3005A 3010A 3015A 3020A	3050B 3051A
ZINC (Zn)	6200(80) 6800	7950	7951 3	6010B 6020A	3005A 3010A 3015A	3050B 3051A
CYANIDE (HCN)	9010B — 9014 <sup>3</sup>					

- 1 Method 6200 is Portable X-Ray; 6800 is Elemental/Isotope Mass Spec.; 4500 is Immunoassay; 7063 is ASV; where available, soil detection limits in ppm are in parentheses.
- Except as noted, most individual procedures are proposed to be integrated into Method 7000B or 7010.
- 3 Includes various methods. Follow the extraction procedure detailed in the individual determinative method.

#### Sources:

All method numbers refer to EPA SW-846, Volume III with changes as proposed for Volume IV.

ICP's advantage is that it allows simultaneous or rapid sequential determination of many elements, but suffers from interferences. AA determinations are normally completed as single element analyses. ICP and Flame AA have comparable detection limits (within a factor of 4), but ICP-MS (6020A) can drastically improve the detection limits (e.g., an order of magnitude lower). Furnace AA generally exhibits lower detection limits than ICP or Flame-AA, and offers more control over unwanted matrix components. X-RAY and immunoassays allow field determinations.

#### FOR MORE INFORMATION CONTACT:

Michael Buchman NOAA/ARD

7600 Sand Point Way N.E. Seattle, Washington 98115-0070 Tel: 206•526•6340

Fax: 206-526-6865 Email: CPRD.SQUIRT@noaa.gov

HAZMAT REPORT 99-1



# Options For Selection of Analytical Methods: Organics

These tables were developed for internal use for screening purposes only: they do not represent official NOAA policy and do not constitute criteria or clean-up levels.

All attempts have been made to ensure accuracy; however, NOAA is not liable for errors. Values are subject to changes as new data become available.

An attempts have been made to ensure accuracy, nowever, NOAA is not habite for errors. Values are subject to changes as new data become available.								
C O M P O U N D S	FIELD METHODS <sup>1</sup>	GC/MS METHOD	PECIFIC DETECTION METHOD	HPLC METHO D	EXTRACTION METHODS		CLEANUP	
					Water	Soil / Sediment	METHOD	
AROMATIC and HALOGENATED VOLATILES		8260B	8021B		5021 5030B 5032	5021 5032 5035		
CARBAMATES				8318 8321B	8318 8321B	8318 8321B	8318	
CHLORINATED DIOXINS and FURANS			8280B 8290A		8280B 8290A	8280B 8290A 3545A	8280B 8290A	
CHLORINATED HYDROCARBONS		8270D	8121		3510C 3520C 3535A	3540C 3550B	3620B 3640A	
CHLORINATED PHENOXYACIDS	4015 (0.1 ppm)	8270D <sup>2</sup>	8151A	8321B	8151A 8321B 3535A	8321B 8151A 3545A 3580A	8151A 3620B	
HALOETHERS		8270D	8111		3510C 3520C	3540C 3545 3550B	3620B 3640A	
NITRILES and AMIDES		8260B	8031 8032A 8033	8315 8316	5030B — 5032 8031 8032A 8316	5031 5032 5035	8032A	
NITROAROMATICS and KETONES		8270D	8091	8330A	3510C 3520C 3535A	3540C 3545 3550B	3620B 3640A	
NITROAROMATICS (Explosives)	4050 (0.5 ppm) 4051 8515 (1 ppm)			8330A - 8332	8330A — 8332	8330A — 8332	8330A — 8332 3620B	
NITROSAMINES		8270D	8070A		3510C 3520C 8070A	3540C 3545 3550B 8070A	3610B 3620B 3640A 8070A	
NON-HALOGENATED VOLATILES		8260B	8015B		5030B — 5032	5021 5031 5032 5035		
ORGANOCHLORINES	4040 — 4042 (0.2 to 20 ppm)	8270D <sup>2</sup>	8081B 8275A	in the system	3510C 3520C 3535A	3540C 3545A 3550B 3562	3620B 3630C 3640A 3660	
ORGANOPHOSPHATES		8270D 2	8141B	8321B	3510C 3520C 3535A	3540C 3545A 3550B	3620B	
PAHS	4035 (1 ppm)	8270D	8100 8275A	8310	3510C 3520C	3540C 3545 3550B 3561	3610B 3630 3640A 3650B	
PCBS	4020 (5 ppm) 9078 (2 ppm)	8270D <sup>2</sup>	8082A 8275A		3510C 3520C 3535A	3540C 3545A 3550B 3665A 3562	3620B 3630C 3640A 3660 3665A	
PHENOLICS	4010A (0.5 ppm)	8270D	8041		3510C 3520C	3540C 3545 3550B	3630 3640A 3650B 8041	
PHTHALATES		8270D	8061A		3510C 3520C 3535A	3540C 3545 3550B	3610B 3620B 3640A	
SEMI-VOLATILE ORGANICS		8270D			3510C 3520C 3535A	3540C 3545A 3550B	3640A 3650B 3660	
TOTAL ORGANIC HALIDES (TOX)			9020B 9022		9020B 9022			
TOTAL PETROLEUM HYDROCARBONS	4030 (5 ppm) 9074		8015B					
VOLATILE ORGANICS		8260B	8015B 8021B		5030B — 5032	5021 5031 5032 5035		

- 1 Series 4000 are immunoassays and are for specific compounds within these classes (i.e., 2,4-D, TNT, RDX, and PCP). Soil detection limits are in parentheses.
- This is not a method of choice, but rather a confirmatory method.

#### SOURCES:

All method numbers refer to EPA SW-846, Update III, with changes as proposed in Update IV.

Options shown are generally for chemical classes; more detailed information may be available for specific compounds

GC/MS methods allow for scanning a broad range of volatile and semi-volatile compounds, but suffer from interference and higher detection limits. Specific determination methods and HPLC methods allow for more precise determinations of specific compounds of interest.

#### FOR MORE INFORMATION CONTACT:

Michael Buchman NOAA/ARD 7600 Sand Point Way N.E. Seattle, Washington 98115-0070

Tel: 206-526-6340 Fax: 206-526-6865

Email: CPRD.SQUIRT@noaa.gov

10





## Guidelines for Sample Collection & Storage

MATERIAL - INORGANICS	CONTAINE R <sup>1</sup>	PRESERVATION	MAXIMUM HOLDING TIME	SAMPLE SIZE	
CHROMIUM <sup>+6</sup> (Cr <sup>+6</sup> )	P,G	Cool, 4°C	24 hours	400 mL/200 g	
MERCURY (Hg)	P,G	HNO <sub>3</sub> , to pH <2	28 days	400 mL/200 g	
METALS, except Cr <sup>+6</sup> and Hg	P,G	HNO <sub>3</sub> , to pH <2	6 months	600 mL/200 g	
CYANIDE by method no. 9010	P,G	Cool 4°C, pH >12 See method 9010	14 days	1000 mL	
ALPHA, BETA, AND RADIUM RADIATION	P,G	HNO <sub>3</sub> to pH <2	6 months	1000 mL	
ORGANICS					
BENZIDINES	G, TLC	Cool, 4°C	7 days until extraction, 40 days after extraction	1000 mL	
CHLORINATED HYDROCARBONS	G, TLC	Cool, 4°C <sup>3</sup>	7 days until extraction, 40 days after extraction	1000 mL	
DIOXINS AND FURANS	G, TLC	Cool, 4°C <sup>3</sup>	30 days until extraction, 45 days after extraction	1000 mL	
HALOETHERS	G, TLC	Cool, 4°C <sup>3</sup>	7 days until extraction, 40 days after extraction	1000 mL	
NITRITES	G, TLC	Cool, 4°C <sup>3</sup>	14 days		
NITROSAMINES	G, TLC	Cool, 4°C <sup>3</sup>	7 days until extraction, 40 days after extraction	1000 mL	
NITROAROMATICS AND CYCLIC KETONES	G, TLC	Cool, 4°C <sup>3</sup>	7 days until extraction, 40 days after extraction	1000 mL	
OIL and GREASE	G	Cool, 4°C <sup>2</sup>	28 days	1000 mL	
TOTAL ORGANIC CARBON, by method no. 9060	P,G	Cool, 4°C <sup>2</sup> store in the dark	28 days	100 mL	
TOTAL ORGANIC HALIDES by method no. 9020 / 9021	G, TLC	Cool, 4°C <sup>2</sup>	28 days	500 mL	
PCBs	G, TLC	Cool, 4°C	7 days until extraction, 40 days after extraction	1000 mL/250 mL	
PESTICIDES	G, TLC	Cool 4°C,	7 days until extraction, 40 days after extraction	1000 mL/250 mL	
PHENOLS	G, TLC	Cool, 4°C <sup>3</sup>	7 days until extraction, 40 days after extraction	1000 mL	
PHTHALATE ESTERS	G, TLC	Cool, 4°C	7 days until extraction, 40 days after extraction	1000 mL	
POLYNUCLEAR AROMATIC HYDROCARBONS	G, TLC	Cool, 4°C <sup>3</sup> store in the dark	7 days until extraction, 40 days after extraction	1000 mL/250 mL	
PURGEABLE AROMATIC HYDROCARBONS	VOA	Cool, 4°C <sup>2,3</sup>	14 days	40 mL	
PURGEABLE HALOCARBONS	VOA	Cool, 4°C <sup>3</sup>	14 days	40 mL	

- P Polyethylene; G Amber glass containers; TLC Teflon-lined cap; VOA Volatile organic analyte vial of amber glass with teflon-lined septum.
- 2 Adjust to pH <2 with H<sub>2</sub>SO<sub>4</sub>, HCI, or solid NaHSO<sub>4</sub>
- Free chlorine must be removed before addition of HCI by exact addition of Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>

SOURCES:	For More Information Contact:	11
EPA SW846	Michael Buchman NOAA/ARD  7600 Sand Point Way N.E. Seattle, Washington 98115-0070 Tel: 206*526*6340 Fax: 206*526*6865 Email: CPRD.SQUIRT@noaa.gov	



#### Screening Quick Reference Tables

impacted, background) to toxic levels. Screening with conservative, lower-threshold values (e.g., TELs) ensures, with a high degree of confidence, that any contaminant sources eliminated from future consideration pose no potential threat. Conversely, it does not necessarily predict toxicity. Upper thresholds(e.g., PELs) identify compounds which are more probably elevated to toxic levels.

Sediment quality benchmarks have been derived in a variety of ways for varying predictive goals. They are not interchangeable. Nor should they be applied without a reasonable understanding of their development, their performance, and their limitations.

For sediment-associated contaminants, dry weight concentrations are screened against published sediment quality benchmarks. Some benchmarks are available only on a TOC normalized basis, and are footnoted as such. Separate values are provided for either freshwater or estuarine and marine sediments.

The Effects Range-Low (ERLs) and Effects Range-Median (ERMs) plus the marine Threshold Effects Levels (TELs) and Probable Effects Levels (PELs) are based upon a similar data compilations, but use different calculations. The ERL is calculated as the lower 10<sup>th</sup> percentile concentration of the available sediment toxicity data which has been screened for only those samples which were identified as toxic by original investigators. It is <u>not</u> an LC<sub>10</sub>. Since the ERL is at the low end of a range of levels at which effects were observed in the studies compiled, it represents the value at which toxicity may begin to be observed in sensitive species. The ERM is simply the median concentration of the compilation of just toxic samples. It is <u>not</u> an LC<sub>50</sub>.

The TEL is calculated as the geometric mean of the 15<sup>th</sup> percentile concentration of the toxic effects data set and the median of the no-effect data set; as such, it represents the concentration below which adverse effects are expected to occur only rarely. The PEL, as the geometric

mean of the 50% of impacted, toxic samples and the 85% of the non-impacted samples, is the level above which adverse effects are frequently expected. Freshwater TEL/PELs are based on benthic community metrics and toxicity tests results.

Apparent Effect Thresholds (AETs) relate chemical concentrations in sediments to synoptic biological indicators of injury (i.e., sediment bioassays or diminished benthic infaunal abundance). Individual AETs are essentially equivalent to the concentration observed in the highest non-toxic sample. As such, they represent the concentration above which adverse biological impacts would always be expected by that biological indicator due to exposure to that contaminant alone. Conversely, adverse impacts are known to occur at levels below the AET. Only the lowest of the potential AETs is listed. AET values were developed for use in Puget Sound (Washington) and are not easily compared directly to other benchmarks based on single-chemical models and broader data sources. SQuiRT cards have been updated with *interim* AET values which are subject to change.

For freshwater sediments, the Upper Effects Threshold (UET) was derived by NOAA as the lowest AET from a compilation of endpoint analogous to the marine AET endpoints. The UETs for organic contaminants are generally listed for a sediment containing 1% TOC.

Every effort has been made to ensure accuracy in these SQuiRT cards. However, NOAA is not liable for errors in transcription, in the original sources, or revision of values. These screening values are subject to change as new data become available. These cards may be freely reproduced and distributed, if they are distributed in their entirety, without modification, and properly credited to NOAA. The SQuiRT cards should be cited as:

"Buchman, M. F., 1999. NOAA Screening Quick Reference Tables, NOAA HAZMAT Report 99-1, Seattle WA, Coastal Protection and Restoration Division, National Oceanic and Atmospheric Administration, 12 pages."

CONTINUED FROM FIRST PAGE