



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

PUBLIC NOTICE

Groundwater Discharge Permit Applications Submitted to the Department for Review

February 6, 2026

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.6.2.3108 NMAC that the following Groundwater Discharge Permit applications have been submitted to NMED for review. Provided the applicant has met applicable requirements, NMED will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect groundwater quality for present and potential future use.

NMED will accept comments and statements of interest regarding the application and will create a facility specific mailing list for persons who wish to receive future notices. NMED is developing a Public Involvement Plan (PIP) to provide public participation opportunities and information that may be needed for the community to participate in the permitting process. The PIP will be posted online at <https://www.env.nm.gov/public-notices/> and placed at the NMED field office nearest to the proposed permitted activity. To learn more about a Discharge Permit and the permitting process or to be placed on a facility-specific mailing list, please contact the NMED Permit Contact at the telephone number or email address provided or address correspondence to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469.

In the future, NMED will publish a second public notice providing a draft permit and will seek public comment on the draft. You will be able to add the comment period to your calendar simply through our Events Calendar located at <https://www.env.nm.gov/events-calendar/>.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination

Science | Innovation | Collaboration | Compliance

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469
Telephone (505) 827-2900 | www.env.nm.gov/gwqb/

New Mexico Environment Department Ground Water Quality Bureau
Groundwater Discharge Permit Applications Submitted for Review
February 6, 2026
Introduction Letter Page 2 of 2

requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kate Cardenas, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@env.nm.gov. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/general/environmental-justice-in-new-mexico/> to learn how and where to file a complaint of discrimination.

Enclosure: Groundwater Discharge Permit Applications Submitted for Review



Discharge Permit: DP-1308, Southside Reclamation Plant Reuse System

- County: Bernalillo | Closest City: Albuquerque
- Applicant: Albuquerque Bernalillo County Water Utility Authority, P.O. Box 568, Albuquerque, NM 87103
- NMED Permit Contact: Jennifer Fullam, Reuse Team
Lead, Jennifer.Fullam@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-670-2496 or 505-827-2900.

Notice: DP-1308, Southside Reclamation Plant Reuse System: Albuquerque Bernalillo County Water Utility Authority proposes to renew and modify the Discharge Permit for the discharge of up to 17.5 million gallons per day of reclaimed domestic wastewater to a treatment system and several reuse areas. Potential contaminants from this type of discharge include nitrogen compounds. The facility locations is located at 4201 Second Street Southwest, Albuquerque, in Section 07, Township 09 North, Range 03 East, Bernalillo County. The reuse areas are located in Section 25, Township 09, Range 02 East; Sections 1, 2, 3, 4, 6, 7, 9, 10, 14, 15, 18, 20 21, 22, 23, 26, 27, 28, 29, 30, 32, 33, 34, and 35 Township 09 North, Range 03 East; Sections 14, 15, 16, 21, 23, 25, 27, 28, 33, 34, 35, and 36 Township 10 North, 03 East; and Sections 17, 18, 19, 20, 21, 28, and 30, Township 10 North, Range 04 East in Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 30 to 516 feet and had a pre-discharge total dissolved solids concentration of 305 milligrams per liter.

Discharge Permit: DP-2000, 312 Central SE

- County: Bernalillo | Closest City: Albuquerque
- Applicant: Hayman Properties, LLC, 3509 Campbell Farm Lane NE, Albuquerque, NM 87104
- NMED Permit Contact: Melanie Sandoval, Industrial Team
Lead, Melanie.Sandoval2@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7892 or 505-827-2900.

Notice: DP-2000, 312 Central SE, Hayman Properties, LLC is applying for a groundwater cleanup Discharge Permit for mixing and injection of additives through up to 35 direct push injection borings. The cleanup permit authorizes the injection of up to 500 gallons of a cleanup solution mixed with freshwater per injection point and allows for one or more injection events. These injections will be the final stage of a cleanup process for groundwater contamination at this site. Potential contaminants from this type of discharge include inorganic compounds. The facility is located at 312 Central Avenue SE, in Albuquerque, in Section 20, Township 10 North, Range 03 East, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 55 feet and had a pre-discharge total dissolved solids concentration of 910 milligrams per liter.



Discharge Permit: DP-1612, City of Eunice Wastewater Treatment Facility

- County: Lea | Closest City: Eunice
- Applicant: Shannon Cummins, City Manager, City of Eunice, 1106 Avenue J, Eunice, NM 88231
- NMED Permit Contact: Haylea Nisbet, Acting Large System Domestic Waste Team Lead, Haylea.Nisbet@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-795-2831 or 505-827-2900.

Notice: DP-1612, City of Eunice Wastewater Treatment Facility: City of Eunice proposes to renew and modify the Discharge Permit for the discharge of up to 400,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1603 1st Street, Eunice, in Sections 26 and 27, Township 21 South, Range 37 East, Lea County. Proposed reuse areas are located in Sections 21 and 23, Township 21 South, Range 36 East, Lea County. Groundwater most likely to be affected is at a depth of approximately 37 feet and had a pre-discharge total dissolved solids concentration of 710 milligrams per liter.

Discharge Permit: DP-118, Alto Alps Condominiums

- County: Lincoln | Closest City: Alto
- Applicant: Edward Jeremias, General Manager, Alto Alps Condominiums, 200 Alto Alps Road, Alto, NM 88312
- NMED Permit Contact: Philip Deenik, Water Resource Professional, Philip.Deenik@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-490-5281 or 505-827-2900.

Notice: DP-118, Alto Alps Condominiums: Alto Alps Homeowners Association proposes to renew the Discharge Permit for the discharge of up to 26,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 200 Alto Alps Road, Alto, NM 88312, in Section 28, Township 10 South, Range 13 East, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of 1,579 milligrams per liter.



Discharge Permit: DP-1992, Gage Rest Area Nitrate Removal System

- County: Luna | Closest City: Deming
- Applicant: New Mexico Department of Transportation, District One, Jesus Sandoval, Engineer, 2912 East Pine Street, Deming, NM 88030
- NMED Permit Contact: Melanie Sandoval, Industrial Team Lead, Melanie.Sandoval2@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-660-7892 or 505-827-2900.

Notice: DP-1992, Gage Rest Area Nitrate Removal System, New Mexico Department of Transportation proposes a new Discharge Permit for the discharge of up to 300 gallons per day of reverse osmosis reject wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located off of Interstate 10 westbound at milepost 60.8, approximately 20 miles west of Deming, in Sections 7 and 18, Township 24 South, Range 12 West, Luna County. Groundwater most likely to be affected is at a depth of approximately 98 feet and had a pre-discharge total dissolved solids concentration of 618 milligrams per liter.

Discharge Permit: DP-1705, Village of Logan Wastewater Treatment Facility

- County: Quay | Closest City: Logan
- Applicant: Rodney Paris, Village Administrator, Village of Logan, P.O. Box 7, Logan, NM 88426
- NMED Permit Contact: Philip Deenik, Water Resource Professional, Philip.Deenik@env.nm.gov or pps.general@env.nm.gov, Telephone: 505-490-5281 or 505-827-2900.

Notice: DP-1705, Village of Logan Wastewater Treatment Facility: Village of Logan proposes to renew the Discharge Permit for the discharge of up to 400,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 108A Highway 54, approximately 0.5 miles southeast of Logan, in Section 14, Township 13 North, Range 33 East, Quay County. Groundwater most likely to be affected is at a depth of approximately 92 feet and had a pre-discharge total dissolved solids concentration of 838 milligrams per liter.



Discharge Permit: DP-666, Mathews West Dairy #2

- County: Roosevelt | Closest City: Portales
- Applicant: Jordan Mathews, Owner, 2824 S RR2 Portales NM, 88130
- NMED Permit Contact: Sarah F. Schnell, Senior Water Resource Professional, Sarah.Schnell@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-660-8368 or 505-827-2900.

Notice: DP-666, Mathews West Dairy #2: Jordan Mathews proposes to renew and modify the Discharge Permit for the discharge of up to 30,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2824 S RR2, Portales, NM 88130, approximately 11 miles West of Portales, in Section 7, Township 01 South, Range 33 East, Roosevelt. Groundwater most likely to be affected is at a depth of approximately 95 feet and had a pre-discharge total dissolved solids concentration of 1,296 milligrams per liter.

Discharge Permit: DP-1320, Clover Knolls Dairy

- County: Roosevelt | Closest City: Texico
- Applicant: Clover Knolls General Partnership, 8903 CR6870 Lubbock TX 79407
- NMED Permit Contact: Sarah F. Schnell, Senior Water Resource Professional, Sarah.Schnell@env.nm.gov or acs.general@env.nm.gov, Telephone: 505-660-8368 or 505-827-2900.

Notice: DP-1320, Clover Knolls Dairy: Clover Knolls General Partnership proposes to renew the Discharge Permit for the discharge of up to 124,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1201 NM Highway 202 approximately 10 miles South of Texico, in Sections 8, 9 and 10, Township 01 South, Range 37 East, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 165 feet and had a pre-discharge total dissolved solids concentration of 270 milligrams per liter.

END OF PUBLIC NOTICE