

AFFIDAVIT OF PUBLICATION


STATE OF NEW MEXICO


County of Bernalillo SS

NEW MEXICO ENVIRONMENTAL DEPARTMENT
GROUNDWATER QUALITY BUREAU
THE NEW MEXICO ENVIRONMENTAL DEPARTMENT
GROUNDWATER QUALITY BUREAU
ALBUQUERQUE, NEW MEXICO

Elise Rodriguez, the undersigned, on oath states that she is an authorized Representative of the Albuquerque Journal, and that this newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Session Laws of 1937, and that payment therefore has been made of assessed as court cost; that the notice, copy of which hereto attached, was published in said paper in the regular daily edition, for 1 time(s) on the following date(s):

05/23/2019





Sworn and subscribed before me, a Notary Public, in and for the County of Bernalillo and State of New Mexico this 23 day of May of 2019

PRICE \$811.65

Statement to come at the end of month.

ACCOUNT NUMBER 1007595



New Mexico Environment Department - Ground Water Quality Bureau

The New Mexico Environment Department (NEMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.2.2.3101.H NMAC that the following Groundwater Discharge Permits have been proposed for approval.

DP-989, San Antonio Elementary School: Albuquerque Public Schools proposes to renew the Discharge Permit for the discharge of up to 6,285 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 12525 NM Highway 14, Santa Fe, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 84 feet and had a pre-discharge total dissolved solids concentration of approximately 500 milligrams per liter.

DP-646: Rio Vista Dairy proposes to renew the Discharge Permit for the discharge of up to 9,500 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge location are located at 3909 Woodbine Way, approximately 5 miles east of Roswell, in Section 16, T11S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 21 feet and had a pre-discharge total dissolved solids concentration of 1,760 milligrams per liter.

DP-776: Southwind Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 130,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 83 East Chaves Rd, approximately 6 miles south of Hegerman, in Sections 14, 15, and 23, T14S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 170 feet and had a pre-discharge total dissolved solids concentration of 500 to 1000 milligrams per liter.

DP-791: 3 W Dairy proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4805 Graves Rd, approximately 7 miles southeast of Roswell, in Section 19, T11S, R25E, and Sections 23 and 24, T11S, R24E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 17 feet and had a pre-discharge total dissolved solids concentration of 2,950 milligrams per liter.

DP-804: Sunshine Dairy proposes to renew the Discharge Permit for the discharge of up to 24,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 432 Caddo Road, Dexter, in Section 19, T10S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 1,500 milligrams per liter.

DP-1003: Three Amigos Dairy proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 8475 Prices Lane, approximately 9 miles south of Roswell, in Sections 11, 12, and 13, T12S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 40 feet and had a pre-discharge total dissolved solids concentration of 1,100 milligrams per liter.

DP-236, Maxwell Wastewater Treatment Plant: The Village of Maxwell proposes to renew the Discharge Permit for the discharge of up to 22,000 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on Chico Road, 0.5 mile east of Maxwell, Colfax County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 2,500 milligrams per liter.

DP-934: South Slope Dairy proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 499 CR 14, approximately 4 miles northeast of Clovis, in Section 26, T03N, R08E, and Sections 30 and 32, T03N, R07E, Curry County. Groundwater most likely to be affected is at a depth of approximately 315 feet and had a pre-discharge total dissolved solids concentration of 310 milligrams per liter.

DP-639: Mesquite Transfer Station: Doña Ana County proposes to renew the Discharge Permit for closure monitoring purposes only. No discharge will occur under DP-639. Contaminants of concern included nitrogen compounds. The facility is located at 725 CR B-409, Mesquite, in Section 29, T24S, R03E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 230 feet and had a pre-discharge total dissolved solids concentration of 1,200 milligrams per liter.

DP-734: Cottonwood Springs Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 140,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 491 W. Funk Road, approximately 12 miles northwest of Artesia, in Section 6, T16S, R25E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 900 milligrams per liter.

DP-821: Valley View Dairy proposes a Discharge Permit Renewal for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 15 Newshorn Rd, approximately 7 miles north of Artesia, in Sections 4, 5, 8, 9, and 10, T16S, R25E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 23 to 67 feet and had a pre-discharge total dissolved solids concentration of 1,200 milligrams per liter.

DP-1274, Carlsbad Wastewater Treatment Facility: The City of Carlsbad proposes to renew the Discharge Permit for the discharge of up to 1.4 million gallons per day of reclaimed wastewater for irrigation and other reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 45 Tall Tale Lane and irrigation sites are city-owned properties including the golf course, parks, and cemetery, Carlsbad, Eddy County. Groundwater most likely to be affected is at a depth of approximately 9 to 85 feet and had a pre-discharge total dissolved solids concentration of approximately 900 milligrams per liter.

DP-1366, Pyramid Generating Station: Tri-State Generation and Transmission Association, Inc. proposes to renew the Discharge Permit for the discharge of up to 250,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and organic compounds. The facility is located at 53 Ramo Farms Rd, Lordsburg, Hidalgo County. Groundwater most likely to be affected is at a depth of approximately 95 to 100 feet and had a pre-discharge total dissolved solids concentration of approximately 390 milligrams per liter.

DP-1877: Bonito Valley Brewing Company proposes to discharge up to 350 gallons per day of commercial processing and domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 692 Calle la Placita, Lincoln, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 110 feet and had a pre-discharge total dissolved solids concentration of 733 milligrams per liter.

DP-1881: Glanceo Distillery proposes to discharge up to 500 gallons per day of commercial processing and domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 27468 US Highway 70, Glanceo, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 114 feet and had a pre-discharge total dissolved solids concentration of 1,120 milligrams per liter.

DP-1054, Lake Mendith Salinity Control Project: Canadian River Municipal Water Authority proposes to renew the Discharge Permit for the discharge of up to 648,000 gallons per day of saline wastewater to an injection well. Potential contaminants from this type of discharge include total dissolved solids. The facility is located at 4298 State Hwy 489, Logan, Quay County. Groundwater most likely to be affected is at a depth ranging from approximately 100 to 160 feet and had a pre-discharge total dissolved solids concentration of approximately 500 milligrams per liter.

DP-880: W. Diamond Dairy proposes a Discharge Permit Renewal for the discharge of up to 49,999 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2875 South Roosevelt Road 7, approximately 9 miles west of Portales, in Section 7, T02S, R33E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 60 feet and had a pre-discharge total dissolved solids concentration of 1,030 milligrams per liter.

DP-867: Mitchell Dairy proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 598 NM 487, approximately 8 miles north of Portales, in Sections 24, 25, and 26, T01N, R34E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 100-133 feet and had a pre-discharge total dissolved solids concentration of 340 milligrams per liter.

DP-1266: Tejas Dunes #2 proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 450 NM 422, approximately 9 miles northwest of Portales, in Sections 4 and 5, T01S, R38E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 160 feet and had a pre-discharge total dissolved solids concentration of 1,520 milligrams per liter.

DP-1004: Willard Dairy proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 190 Dairy Road, approximately 1.8 miles southwest of Willard, in Section 13, T04N, R08E and Sections 10 and 19, T04N, R08E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 118 feet and had a pre-discharge total dissolved solids concentration of 928 milligrams per liter.

DP-1004: Amani Montano, General Manager of Special Waste Disposal, Inc., proposes to renew the Discharge Permit for the remediation of up to 48,600 gallons per day of petroleum hydrocarbon contaminated soils. Potential contaminants from this type of discharge include organic compounds. The facility is located at 61 Liberty Valley Rd, approximately 14 miles southeast of Mountainair, in Section 19, T04N, R08E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 1,280 milligrams per liter.

DP-1333, Village of Willard Wastewater Treatment Facility: The Village of Willard proposes to renew the Discharge Permit for the discharge of up to 34,200 gallons per day of domestic wastewater to three treatment and disposal systems. Potential contaminants from this type of discharge include nitrogen compounds. The treatment plants are located in Willard, in Sections 5, 6, and 8, T04N, R08E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 820 milligrams per liter.

Prior to publication of this notice, you may wish to contact the GWQB during which time written comments may be submitted and a public hearing may be requested. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NEMED determines that there is substantial public interest. NEMED maintains a facility-specific mailing list for persons who wish to receive future notices. To request additional information, to be placed on a facility-specific mailing list, to obtain a copy of a draft permit or associated Public Involvement Plan, or to submit a comment or request for hearing, contact the GWQB at PO Box 5489, Santa Fe, NM 87502-5489; (505) 827-2600. Telephone conversation assistance is available through Relay New Mexico or to charge for long distance, toll free, or to have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857. NEMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NEMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 16 of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975; Title IX of the Education Amendments of 1972; and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NEMED's non-discrimination programs, policies or procedures, you may contact: Kristine Yundt, Non-Discrimination Coordinator, New Mexico Environment Department, 1109 St. Francis Dr., Santa Fe, NM 87502, P.O. Box 5489, Santa Fe, NM 87502, nd.coordinator@state.nm.us, (505) 827-2655. If you believe that you have been discriminated against with respect to a NEMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at https://www.nm.gov/nem.

TION

is an authorized Representative of ed to publish legal notices er 167, Session Laws of 1937, and that bst; that the notice, copy of which hereto edition, for 1 time(s) on the following

OFFICIAL SEAL Susan Ramirez NOTARY PUBLIC - STATE OF NEW MEXICO 2/15/2023 Commission Expires