

**New Mexico Bureau of Geology and Mineral Resources
Open-file report 475**

**The Natural Defenses of Copper Flat
Sierra County, New Mexico**

By

J. Steven Raugust

A technical report submitted in partial
fulfillment for the degree of

Master of Science

in

Mineral Engineering

Department of Mineral Engineering
New Mexico Institute of Mining and Technology, Socorro, New Mexico



August 2003

ACKNOWLEDGMENTS

Acknowledgments are due to Dr. Virginia McLemore for introducing me to the project, supporting my research through the Bureau of Geology and Mineral Resources, technical advice and companionship in the field, and diligent reviews of manuscript. To Dr. William X. Chavez for preparing me to succeed in this project through prior coursework in mine waste characterization and enlightening revisions to the manuscript. Thanks to Dr. Navid Mojtabai for his constant academic and administrative assistance. I would also like to acknowledge Dr. Ali Fakhimi and Dr. Catherine Aimone-Martin for their direct contribution of passing their knowledge and expertise on to me.

Other acknowledgments are due to Mr. George Lotspeich, whom owns the Copper Flat Mine. Mr. Lotspeich allowed me access to both his property and his personal files, which contained a wealth of technical information that he shared with me. I wish to thank Woman's Auxiliary to the American Institute of Mining, Metallurgical, and Petroleum Engineers, whose generous scholarship was essential. Special thanks to Linda Ulbricht, who entered the reams of data contained in these appendices into electronic format just before she died of cancer on March 9, 2003. I'd like to thank Dr. George Austin and Mr. Chris McKee for teaching me the techniques of X-ray diffraction, Mark Mansell and Tim Summers for their tireless and enthusiastic computer support. Thanks to Kathy Glesener, Leo Gabaldon, and Tom Kaus for teaching me how to use a MacIntosh and software to generate my own computer graphics, for which I had no prior experience. Also acknowledgements to Glen Jones for converting State planar coordinates into more useful UTM coordinates for most of the groundwater wells on the property. And to Dr. Maureen Wilks and Lynne Hemenway for converting this document into a Bureau of Geology and Mineral Resources open file report.

Lastly, but not least important, to my wife, Eve Gedanic, for her patience and self sufficiency during my absences in pursuit of this academic adventure.

TABLE OF CONTENTS

| | |
|--|------|
| ACKNOWLEDGMENTS | ii |
| TABLE OF CONTENTS | iii |
| LIST OF FIGURES | v |
| LIST OF TABLES | viii |
| LIST OF APPENDICES | ix |
| LIST OF ACRONYMS | x |
| ABSTRACT | xii |
| 1.0 INTRODUCTION | 1 |
| 1.1 PURPOSE OF THE COPPER FLAT INVESTIGATION | 1 |
| 1.2 SITE BACKGROUND | 1 |
| 1.2.1 GEOLOGICAL HISTORY OF THE HILLSBORO MINING DISTRICT | 1 |
| 1.2.1.1 GEOLOGY | 1 |
| 1.2.1.2 HYDROTHERMAL ALTERATION OF IGNEOUS ROCKS | 3 |
| 1.2.2 HISTORY OF HILLSBORO MINING DISTRICT | 5 |
| 1.2.3 PREVIOUS INVESTIGATIONS | 7 |
| 2.0 STUDY AREA INVESTIGATIONS | 9 |
| 2.1 SURFACE FEATURES | 9 |
| 2.2 MINE PIT INVESTIGATION | 10 |
| 2.2.1 MINE PIT AND GRAYBACK GULCH SURFACE WATER | 10 |
| 2.2.2 MINE PIT LAKE AND GROUNDWATER | 13 |
| 2.3 ROCK STORAGE PILES AND PIT WALL INVESTIGATIONS | 13 |
| 2.4 TAILINGS DAM INVESTIGATIONS | 15 |
| 3.0 NATURE AND EXTENT OF POTENTIAL ENVIRONMENTAL ISSUES | 21 |
| 3.1 MINE PIT LAKE INVESTIGATIVE RESULTS | 21 |
| 3.1.1 MINE PIT LAKE SURFACE WATER | 21 |
| 3.1.2 GREYBACK GULCH SURFACE WATER | 23 |
| 3.1.3 GROUNDWATER | 25 |
| 3.2 ROCK STORAGE PILE INVESTIGATIVE RESULTS | 26 |
| 3.2.1 METAL CONTENT AND MINERALOGY | 26 |
| 3.2.2 PASTE pH | 27 |

| | | |
|---------|--|----|
| 3.2.3 | ACID-BASE ACCOUNTING | 27 |
| 3.2.4 | NET ACID GENERATION TESTING | 28 |
| 3.2.5 | KINETIC TESTING | 28 |
| 3.2.5.1 | KINETIC TEST RESULTS – pH | 29 |
| 3.2.5.2 | KINETIC TEST RESULTS – ELECTRICAL CONDUCTIVITY | 29 |
| 3.2.5.3 | KINETIC TEST RESULTS – SULFATE | 29 |
| 3.2.5.4 | KINETIC TEST RESULTS – COPPER AND IRON | 29 |
| 3.2.5.5 | KINETIC TEST RESULTS – ALKALINITY AND ACIDITY | 30 |
| 3.3 | RESULTS OF TAILINGS DAM INVESTIGATIONS | 30 |
| 3.3.1 | GEOCHEMICAL INVESTIGATIVE RESULTS | 30 |
| 3.3.2 | HYDROGEOLOGICAL INVESTIGATIVE RESULTS | 31 |
| 3.3.3 | PERMEABILITY TESTING | 32 |
| 3.3.4 | GROUNDWATER IMPACTS | 33 |
| 3.3.5 | LINER BORROW MATERIAL STUDY | 34 |
| 4.0 | CONCLUSIONS AND RECOMMENDATIONS | 36 |
| 4.1 | MINE PIT CONCLUSIONS | 36 |
| 4.1.1 | SURFACE WATER QUALITY, MINE PIT LAKE | 36 |
| 4.1.2 | SURFACE WATER QUALITY, GREYBACK GULCH AND LOCAL SEEPS | 37 |
| 4.1.3 | GROUNDWATER QUALITY | 39 |
| 4.2 | RECOMMENDATIONS FOR THE MINE PIT | 40 |
| 4.2.1 | MINE PIT LAKE | 40 |
| 4.2.2 | SURFACE WATER QUALITY | 40 |
| 4.2.3 | GROUNDWATER | 41 |
| 4.3 | ROCK STORAGE PILE CONCLUSIONS | 41 |
| 4.3.1 | EXTRACTABLE METALS FROM ROCK STORAGE PILE SAMPLE WD-1 | 41 |
| 4.3.2 | PASTE pH, ACID-BASE ACCOUNTING, AND NET ACID GENERATION TESTING | 42 |
| 4.3.3 | KINETIC TESTS | 43 |
| 4.4 | RECOMMENDATIONS FOR THE ROCK STORAGE PILES | 44 |
| 4.5 | TAILINGS DAM CONCLUSIONS | 45 |
| 4.6 | RECOMMENDATIONS FOR THE TAILINGS DAM | 47 |
| 5.0 | SUMMARY OF CONCLUSIONS | 47 |
| 5.1 | WATERS | 47 |
| 5.2 | STORED ROCK AND PIT WALL ROCK | 50 |
| 5.3 | TAILINGS | 51 |
| 5.4 | RECOMMENDATIONS FOR FURTHER STUDY | 52 |
| 6.0 | REFERENCES | 54 |

- FIGURE 1** Site Location Map, Copper Flat, New Mexico
- FIGURE 2** Geologic Schematic of the Hillsboro Mining District, Copper Flat, New Mexico
- FIGURE 3** Arizona-New Mexico-New Mexico Porphyry Copper Belt
- FIGURE 4** Copper Flat Mine, 1982, View West, Copper Flat, New Mexico
- FIGURE 5** Copper Flat Mine, 1982, View East, Copper Flat, New Mexico
- FIGURE 6** Copper Flat Mills, 1982, Copper Flat, New Mexico
- FIGURE 7** Copper Flat Mine Site, 1988, Copper Flat, New Mexico
- FIGURE 8** Copper Flat Mine Layout and Property Ownership, Copper Flat, New Mexico
- FIGURE 9** Well and Spring Locations, Copper Flat, New Mexico
- FIGURE 10** Well and Spring Locations, Pit and Tailings Impoundment Detail, Copper Flat, New Mexico
- FIGURE 11** Pit Wall, Waste Rock, and Core Sample Locations, Copper Flat, New Mexico
- FIGURE 12** Pit Area Paste pH Sample Locations, Copper Flat, New Mexico
- FIGURE 13** Approximate Pond Sample Locations, Copper Flat, New Mexico
- FIGURE 14** Tailings Impoundment Layout and Decant Alignment Boring Locations, Copper Flat, New Mexico
- FIGURE 15** Geotechnical Soil Boring and Test Pit Locations, Copper Flat, New Mexico
- FIGURE 16** 1976 Groundwater Sample Locations, Copper Flat, New Mexico
- FIGURE 17** Copper Concentrations in the Mine Pit Lake, Copper Flat, New Mexico
- FIGURE 18** pH in the Mine Pit Lake, Copper Flat, New Mexico
- FIGURE 19** Total Dissolved Solids Concentrations in the Mine Pit Lake, Copper Flat, New Mexico
- FIGURE 20** Sulfate Concentrations in the Mine Pit Lake, Copper Flat, New Mexico

- FIGURE 21** pH from Greyback Gulch Surface Water, Copper Flat, New Mexico
- FIGURE 22** TDS Concentrations from Greyback Gulch Surface Water, Copper Flat, New Mexico
- FIGURE 23** Sulfate Concentrations from Greyback Gulch Surface Water, Copper Flat, New Mexico
- FIGURE 24** Greyback Gulch Surface Water Stiff Diagrams, Copper Flat, New Mexico
- FIGURE 25** Groundwater pH, Mine Pit Vicinity, Copper Flat, New Mexico
- FIGURE 26** Groundwater TDS Concentrations, Mine Pit Vicinity, Copper Flat, New Mexico
- FIGURE 27** Groundwater Sulfate Concentrations, Mine Pit Vicinity, Copper Flat, New Mexico
- FIGURE 28** Paste pH Distributions by Rock Type, Copper Flat, New Mexico
- FIGURE 29** Comparison of Sobek vrs Modified Sobek Methods for Estimating Acid Generation Potential vrs Acid Neutralization Potential, Copper Flat, New Mexico
- FIGURE 30** Acid Generation Potential vrs Neutralization Potential, Copper Flat, New Mexico
- FIGURE 31** NAG pH Frequency Distribution by Rock Type, Copper Flat, New Mexico
- FIGURE 32** Kinetic Test pH vrs Time, Copper Flat, New Mexico
- FIGURE 33** Kinetic Test, Electrical Conductivity vrs Time, Copper Flat, New Mexico
- FIGURE 34** Kinetic Test, Sulfate vrs Time, Copper Flat, New Mexico
- FIGURE 35** Kinetic Test, Copper vrs Time, Copper Flat, New Mexico
- FIGURE 36** Kinetic Test, Iron vrs Time, Copper Flat, New Mexico
- FIGURE 37** Kinetic Test, Alkalinity and Acidity vrs Time, Copper Flat, New Mexico
- FIGURE 38** Subsurface Cross-Section Through the North and South Cells of the Tailings Impoundment, Copper Flat, New Mexico
- FIGURE 39** Groundwater pH, NP-3, NP-4, Copper Flat, New Mexico

FIGURE 40 Groundwater TDS Concentrations, NP-3, NP-4, Copper Flat, New Mexico

FIGURE 41 Groundwater Sulfate Concentrations, NP-3, NP-4, Copper Flat, New Mexico

FIGURE 42 Piper Diagram, Copper Flat Surface Water and Groundwater, Copper Flat, New Mexico

FIGURE 43 Groundwater Contours Beneath the Mine Site, Copper Flat, New Mexico

FIGURE 44 Guide to Collapsibility, Compressibility, and Expansion Based on In-Situ Dry Density and Liquid Limit

| | |
|-----------------|---|
| TABLE 1 | Summary of Hydrothermal Alteration Associated with Mineralization in the Vicinity of Copper Flat, Copper Flat, New Mexico |
| TABLE 2 | Investigative Reports Prepared for Alta Gold, Copper Flat, New Mexico |
| TABLE 3 | Dates and Estimated Flow Rates for the Springs Samples by Newcomer et. al., 1993, Copper Flat, New Mexico |
| TABLE 4 | Rock Storage Pile, Pit Wall, Drill Core, and Drill Cutting Samples, 1994 SRK Acid Rock Drainage Study, Copper Flat, New Mexico |
| TABLE 5 | Additional Sample Analysis Summary, 1994 SRK Acid Rock Drainage Study, Copper Flat, New Mexico |
| TABLE 6 | Rock Storage Pile Characterization Sample Distribution, Copper Flat, New Mexico |
| TABLE 7 | Historical Tailings Impoundment Reports, Copper Flat, New Mexico |
| TABLE 8 | Whole Rock Analyses Summary Pit Lake Sediment and Wall Rock Samples Collected by McLemore et. al. on November 20, 1996, Copper Flat, New Mexico |
| TABLE 9 | Summary of Surface Water Samples from Greyback Gulch Stations A, B, and C, Copper Flat, New Mexico |
| TABLE 10 | Extractable Metals from Rock Storage Pile Sample WD-1, Copper Flat, New Mexico |
| TABLE 11 | Total Extractable Metals in Tailings Sample T-10-12, Copper Flat, New Mexico |
| TABLE 12 | Physical and Relational Characteristics, Copper Flat Tailings Impoundment Liner Material, Copper Flat, New Mexico |
| TABLE 13 | Summary of Geotechnical Results, Copper Flat Tailings Impoundment Liner Material, Copper Flat, New Mexico |
| TABLE 14 | Clay Mineralogy and Distribution of Samples SR-1 and SR-3, Copper Flat Tailings Impoundment Liner Material, Copper Flat, New Mexico |
| TABLE 15 | New Mexico Water Quality Control Commission Numeric Standards |
| TABLE 16 | Probable Expansion Estimated from Classification Test Data |

| | |
|-------------------|---|
| APPENDIX A | Comprehensive Surface Water Chemistry Data |
| APPENDIX B | Appendix B-1 Comprehensive Groundwater Chemistry Data Appendix B-2 Pre 1980 SHB Groundwater Sample Results |
| APPENDIX C | Whole Rock Chemical Analyses for PW-3, WD-1, and November 20, 1996 Pond Rock Samples |
| APPENDIX D | Appendix D-1 Paste pH and Conductivity Data, Acid-Base Accounting Data, and Net Acid Generation Data Appendix D-2 Humidity Cell Data |
| APPENDIX E | Appendix E-1 SHB Permeability Data Appendix E-2 Tailings Impoundment Liner Material Hydrometer Analysis and Gradation Plot, Appendix E-3 Geotechnical Boring Logs and Geotechnical Analytical Data Sheets |
| APPENDIX F | Bulk XRD and Clay Mineralogy Distribution Data Scans and Calculations |

| | |
|---------------------------------|--|
| $\mu\text{S}/\text{cm}$ | microSiemens per centimeter |
| ABA | acid-base accounting |
| ABC | Adrian Brawn Consultants |
| Alta Gold | Alta Gold Corporation |
| AP | acid generating potential |
| $\text{Ar}^{40}/\text{Ar}^{39}$ | Argon-Argon age dating technique |
| BLM | U.S. Bureau of Land Management |
| CaCO_3 | calcium carbonate |
| CFQM | Copper Flat quartz monzonite |
| cm/s | centimeters per second |
| EA | Environmental Assessment |
| EIS | Environmental Impact Statement |
| ft | foot |
| ft/yr | feet per year |
| gpm | gallons per minute |
| Hydro Resources | Hydro Resources, Inc. |
| ICP | inductively coupled plasma |
| Inspiration | Inspiration Consolidated Copper |
| mg/L | milligram per liter |
| NAG | net acid generating |
| NMEIB | New Mexico Environmental Improvement Board |
| NMMMD | New Mexico Mining and Minerals Division |
| NP | acid neutralizing potential |

| | |
|------|---|
| QMC | Quintana Minerals Corporation |
| SHB | Sergent, Hauskins and Beckwith, Inc. |
| SRK | Steffen, Robertson, and Kirsten, Inc. |
| USBR | U.S. Bureau of Reclamation |
| WQCC | New Mexico Water Quality Control Commission |
| XRD | X-ray diffraction |

**The Natural Defenses
Of Copper Flat
Sierra County, New Mexico**

Abstract

Copper Flat is located in southwestern New Mexico, approximately 23 miles southwest of Truth or Consequences and 5 miles northeast of Hillsboro. It is a porphyry copper deposit with associated gold, silver, molybdenum, and sulfide minerals. The stock contains a 75 million-year-old quartz monzonite breccia pipe forming the center of an eroded andesite strato-volcano. The breccia pipe is approximately 1,300 feet long, 600 feet wide, and 1,000 feet deep. Records indicated that the Sternberg Mine located at Copper Flat was mined as early as 1911, but it wasn't until 1982 that the mining occurred at a significant scale. Quintana Minerals Corporation mined the property for three months in 1982 producing 7.4 million pounds of copper, 2,306 ounces of gold, and 55,966 ounces of silver. Mining activities ceased because of low copper prices. The mining equipment was dismantled and sold. The Canadian Imperial Bank reclaimed the site. Subsequent efforts to permit mining operations by Gold Express of Denver, Colorado and Alta Gold of Henderson, Nevada were never completed. The property is now owned by Hydro Resources, Inc. of Albuquerque, New Mexico as a combination of fee simple properties and patented mining claims.

Since no mining activities have occurred since 1982, the site is an excellent field laboratory for studying the behavior of metals and sulfide minerals exposed with waste rock and tailings in the southwest. In addition, there is a 12.8-acre pit lake on site that is located near the center of the breccia pipe. This study focuses on the potential impact of the pit lake, the waste rock piles, and the tailing impoundment of the local surface and groundwater quality.

The pit lake has been sampled at least 65 times between 1980 and 1997. The pH of the lake is typically neutral to alkaline, with exception occurring in 1992 and 1993, where the pH dropped as low as 4.4. At least one intermittent seep from the pit wall has been sampled and the results reported a pH of 2.64, a total dissolved solid concentration (TDS) of 12,770 milligrams per liter (mg/L), and a sulfate concentration of 790 mg/L.

However, groundwater inflow into the pit lake is neutral to alkaline with pH ranging from 7.2 to 8, TDS of 920 mg/L, and sulfate less than 410 mg/L. The andesitic host rocks surrounding the ore body have a high acid buffering capacity as shown by the partial dissolution of calcite and the precipitation of gypsum and goethite. The alkalinity of the groundwater and host rocks quickly neutralizes and dilutes acidic discharges into the pit lake.

Samples collected from the waste rock piles and drill core indicated initially that the rocks produce more acid than they can neutralize. However, kinetic testing showed that leachate derived from the waste rock is predominantly alkaline and has low sulfate and metal concentrations. These results indicated that sulfide oxidation is slow and acid buffering through mineral water reactions and groundwater recharge is sufficient to maintain a non-acidic environment.

Samples collected from the tailings dam indicated a moderate potential for acid generation and high metals concentrations. However, paste pH values were all greater than 6.1 and leachate samples indicated the metals are not easily leached. A down-gradient monitoring well showed elevated concentrations of TDS and sulfate soon after tailings were slurried into the impoundment indicating a some leakage into the environment despite significant geotechnical information, which suggested leakage was not likely.

Significant data collection and analyses collected from Copper Flat over the last 35 years indicated that the production of acid mine drainage and metals mobilization is possible. However, because of the high acid neutralization capacity of the natural groundwater and host rocks, coarse, crystalline pyrite, a low volume of disseminated sulfides, and low humidity and precipitation, sulfide oxidation is slow and metal release from all lithologies is low.

1.0 Introduction

1.1 Purpose of the Copper Flat Investigation

The purpose of this investigation is to compile and assess the existing ground- and surface-water quality in the vicinity of an existing mine pit lake, waste rock piles, and mine tailings impoundment at Copper Flat, Hillsboro district, New Mexico, 25 miles southwest of Truth of Consequences and 5 miles northeast of Hillsboro (Fig. 1). Data from existing historical reports and documents have been reviewed and integrated. This report is intended to be a comprehensive source with respect to assessing the potential for environmental impacts of the mine pit lake, waste rock piles, and tailings impoundment based on existing conditions. Water quality data associated with this research have been incorporated into an electronic format that will become part of the New Mexico Mines Database.

1.2 Site Background

1.2.1 Geological History of the Hillsboro Mining District

1.2.1.1 Geology

The predominant geologic feature of the Hillsboro district is the Cretaceous Copper Flat strato-volcano (Fig. 2). This structure is eroded to a topographic low and is approximately 4 miles in diameter (Hedlund, 1985). The Hillsboro district comprises part of the Animas Hills, a low range formed by a horst at the western edge of the Rio Grande rift. The Animas hills are separated from the Black Range to the west by a graben, in which sits the town of Hillsboro. Faults that bound the Animas Hills horst are related to the tectonic activity of the Miocene-age Rio Grande rift (Dunn, 1982).

The 4-mile diameter circular block of andesite represents the central part of the Animas Hills, of which the eastern edge of the andesite block forms the eastern edge of the horst. At this location the andesite is in fault contact with Santa Fe Group sediments deposited in the ancestral Rio Grande rift. A drill hole in the southwest corner of T15S, R6W indicates that Santa Fe Group sediments are at least 2,000 ft thick (Dunn, 1982). The remaining periphery of the volcanic terrain is marked by nearly vertical faults along which the andesite has been down-dropped against Paleozoic sedimentary rocks. The vertical displacement along these faults is not known, but drill holes collared in andesite were still in andesite at depths greater than 3,000 ft from the surface. The thickness of the andesite and the concentric fault pattern suggest a deeply eroded Cretaceous-age volcanic complex (Dunn, 1982).

The core of the volcanic complex is intruded by a quartz monzonite stock, the Copper Flat Quartz Monzonite (CFQM). The CFQM stock has a surface expression of approximately 0.4 square miles. The CFQM has been dated by the argon-argon ($^{40}\text{Ar}/^{39}\text{Ar}$) techniques to be 74.93 +/- 0.66 million years old (McLemore et al., 2000). The surrounding andesites also have been dated using argon-argon techniques to be 75.4 +/- 3.5 million years old (McLemore et al., 2000). At least 34 dikes radiate out from the quartz monzonite intrusion. The quartz latite and low silica rhyolite dikes are generally oriented N 45-55 E and N 40-50 W and represent a late stage differentiation of the CFQM stock. The dikes are as much as 38 meters (m) (125 ft) wide and 1.6 km (5,200 ft) long (Hedlund 1985). The dikes are gray to tan, typically holocrystalline and porphyritic. Two predominant types of dikes occur: a porphyritic latite with large orthoclase phenocrysts and an aphanitic latite. The dikes contain quartz, potassium

feldspar, plagioclase, biotite, magnetite, locally hornblende, pyrite, apatite, and rutile (McLemore et al., 2000). Polymetallic veins are associated with the latite and quartz latite dikes that radiate outwards from the CFQM. They are subparallel to the dikes.

The Copper Flat porphyry copper deposit is one of the older Laramide porphyry copper deposits in the Arizona-Sonora-New Mexico porphyry copper belt (Fig. 3) and is characterized by low-grade hypogene mineralization that is concentrated within a breccia pipe in the CFQM stock. The CFQM is a medium to coarse-grained, holocrystalline, porphyritic intrusion that consists of potassium feldspar, plagioclase, hornblende, biotite, and trace amounts of magnetite, apatite, zircon, and rutile with local concentrations of pyrite, chalcopyrite, and molybdenite (McLemore et al., 2000). Current proven and probable reserves are 50,210,000 tons of ore containing 0.45 percent copper (Hydro Resources, 2002).

1.2.1.2 Hydrothermal Alteration of Igneous Rocks

Andesite in the study area is typically altered adjacent to the CFQM, the latite/quartz latite dikes, and the polymetallic veins (Table 1). Three types of alteration mineral assemblages are recognized in the Copper Flat porphyry copper deposit: biotite-potassic, potassic, and sericitic alteration (Fowler, 1982). Biotite-potassic alteration coincides with the highest copper grades in the deposit, and is characterized by hydrothermal biotite, potassium feldspar, quartz, and pyrite occurring in veinlets and replacement of monzonite (McLemore et al., 2000). Potassic alteration is peripheral to the deposit and is characterized by large potassium feldspar phenocrysts and as rimming of plagioclase by potassium feldspar, chlorite, quartz, and pyrite (Fowler, 1982). Sericitic alteration is the outermost alteration zone of the deposit and is characterized by

replacement of biotite and feldspar by sericite. Veinlets of quartz-sericite (+/- pyrite) are common (McLemore et al., 2000) and represent significant sources of Fe and S from the Copper Flat deposit.

The latite/quartz latite dikes are extensively altered and are commonly associated with polymetallic quartz veins. Quartz, potassium feldspar, chlorite, pyrite and locally epidote characterize alteration in the dikes, which have replaced biotite, hornblende, feldspars, and the groundmass. Local sericitic alteration is common, which consists of quartz and sericite. Two stages of pyrite are common in the dikes. Early pyrite is altered and corroded and later pyrite is fresh and unaltered. Some younger pyrite may contain chalcopyrite. A third stage of pyrite has been observed that is locally present as inclusions within younger chalcopyrite and quartz veinlets (McLemore et al., 2000).

Propylitic alteration is adjacent to the mineralized veins. Epidote, chlorite, sericite, pyrite, and locally magnetite characterize this alteration. Typically, pyrite and magnetite are altered to iron oxides. Epidote and chlorite locally replace plagioclase. Epidote-pyrite and pyrite veinlets are common along fractures within the andesite. Disseminated pyrite occurs in the andesite for a distance of several meters away from the contact with the latite/quartz latite dikes and polymetallic veins. Pyrite locally replaces hornblende and olivine grains (McLemore et al., 2000).

Adjacent to, and overlapping, the propylitic alteration is the argillic alteration zone. Sericite, chlorite, quartz, and pyrite characterize this zone. Chlorite has replaced mafic minerals and the groundmass within the andesite. Disseminated pyrite is present locally in the andesite. Calcite occurs in thin veins and also replaces feldspar crystals. Sericite also replaces potassium feldspar crystals (McLemore et al., 2000).

A second, less common, propylitic alteration is present in the andesite adjacent to a few dikes. This mineral assemblage consists of a white to greenish-gray fault gouge composed of chlorite, kaolinite, sericite, calcite, quartz, and pyrite. As observed in underground workings, these zones are locally thicker where polymetallic veins pinch out or form several small veinlets of quartz and pyrite (McLemore et al., 2000).

The andesite exhibits a variable prophylic to argillic alteration where adjacent to the CFQM. Typically, the andesite is fractured and locally contains veinlets of chalcopyrite and pyrite in association with chrysocolla, malachite, and azurite. Chlorite, sericite, and iron oxides are common in the andesite (McLemore et al., 2000).

1.2.2 History of Hillsboro Mining District

Ore was first discovered in the Hillsboro district in April 1877 along one of the veins that extend southwest of the Copper Flat stock (Jones, 1904; Dunn, 1982). Placer gold was discovered in November of that same year in Snake and Wick Gulches. The town of Hillsboro was established in 1877 and a tent city named Gold Dust was founded in 1881. Hillsboro was the county seat for Sierra County from 1884 to 1938 (McLemore et al., 2000). Most underground mining was prior to 1893, but some efforts extended into the early 1990s (Hedlund, 1985; McLemore, 2003). Reflecting an increase in the price of gold, placer mining activity increased from 1932 to 1943 and still continues today on a small scale (Hedlund, 1985; McLemore, 2003).

At Copper Flat, the Sternberg Mine yielded 200 tons of copper ore between 1911 and 1934 from a weakly-developed oxidized zone in the Copper Flat stock (Harley, 1934; Hedlund, 1985). Newmont Mining Company explored the Copper Flat area in 1952 drilling six inclined holes totalling 3,396 feet. Hilltop Mining then operated a copper

leach plant for a short time before Bear Creek Mining, in 1958 and 1959, drilled 20 additional holes that totaled 9,346 feet. Bear Creek Mining was credited with recognizing the potential of brecciated mineralized zone of the CFQM and that a supergene-enriched zone probably did not exist. Inspiration Consolidated Copper (Inspiration) drilled an additional 28 holes totaling 23,046 feet of core between 1967 and 1973. In addition, Inspiration proceeded with deep drilling in the andesite, drilled some shallow water wells, and prepared a preliminary feasibility study and mine plan for an open pit mine. Quintana Minerals Corporation (QMC) leased the property from Inspiration in 1974 and from 1974 to 1976, drilled another 127 holes for 94,097 feet of core. QMC developed 2,241 feet of underground workings to provide bulk samples for pilot plant metallurgical studies. Data from the underground workings were used to cross check the ore reserve calculations, which were calculated from the vertical drill holes. QMC also established a water supply and mapped the immediate area of the porphyry deposit at a scale of 1:2,400, completing a feasibility study in 1976 (Dunn, 1982; Hedlund, 1985).

In 1982, the Copper Flat Partnership, Ltd. with QMC as the mine operator, developed and operated an open pit copper mine, including a 15,000-ton-per-day flotation mill and a tailings impoundment, at the Copper Flat site (Figs. 4, 5, 6). The mine operated for 3 months before it ceased operation due to unfavorable economic conditions. During three months of operation, the mine produced 7.4 million pounds of copper, 2,306 ounces of gold, and 55,966 ounces of silver (Hedlund, 1985). The plant was placed on a “care and maintenance” status until 1986 when the facilities were sold and dismantled. The mining leases were returned to Inspiration and the site was partially

reclaimed. Figure 7 presents an aerial photograph that shows the contoured property in 1988.

Gold Express Corporation of Denver, Colorado acquired the property from Inspiration in 1991 and prepared a draft environmental assessment (EA). In 1993, the Bureau of Land Management (BLM) notified Gold Express Corporation that an environmental impact statement (EIS) would be required due to concerns related to water resources issues (BLM, 1999).

In 1994, the Alta Gold Company (Alta Gold) of Henderson, Nevada acquired the Copper Flat Project from Gold Express. Alta Gold and consultant, Steffen, Robertson, and Kirsten, Inc. (SRK) of Reno, Nevada, prepared a draft EIS in 1996. Significant comments on the EIS were received and two years of additional study was required to address water resource issues. The final draft of the EIS was prepared for the BLM by ENSR of Fort Collins Colorado and completed in March 1999. However, the EIS was never finalized because Alta Gold declared bankruptcy in 1999 (BLM, 1999). Hydro Resources, Inc. (Hydro Resources) of Albuquerque, New Mexico now owns the property (Hydro Resources, 2002).

1.2.3 Previous Investigations

Some information from these early exploration activities dating to the 1950s is stored at Hydro Resources in Albuquerque, New Mexico. Hedlund (1985), briefly described the geology, mining history, porphyry copper deposit, vein deposits, and placer deposits associated with Copper Flat. Subsequently, Dunn (1992) described the field work done in support of the feasibility study prepared by QMC in 1976 including the diamond drilling results, sample preparation and assaying, ore reserve estimates,

metallurgical sampling results, water supply information, and locating non-mineralized areas suitable for the location of the processing facilities. Dunn (1992) determined that the minable reserve is 60 million tons with an average grade of 0.42 percent Cu and 0.012 percent Mo plus trace, but economically significant silver and gold. The cost of the exploration work was estimated at \$2.75 million (Dunn, 1992). QMC hired a civil engineering firm, Sergent, Hauskins, and Beckwith (SHB) of Albuquerque, New Mexico to design and to supervise the construction of the tailings starter dam. SHB performed geotechnical investigations and construction oversight activities from 1976 to 1981. The BLM with the assistance of Fred A. Glover of Fort Collins, Colorado prepared an EA on QMC's proposed open pit copper mine (BLM, 1978; Glover, 1977). QMC hired W. K. Summers and Associates of Socorro, New Mexico to perform step pumping test of water well CWQ-7 (Summers, 1981). Also, QMC hired Water Development Corporation of Tucson, Arizona to conduct pumping tests of the production water wells (WDC, 1975, 1976, 1980).

Gold Express prepared an EA for re-opening the copper mine at Copper Flat. The EA is based on the previous EA prepared by the BLM and Glover. Gold Express also contracted John W. Shomaker, Inc. of Albuquerque, New Mexico to complete a hydrologic assessment of the Copper Flat Project (Newcomer et al., 1993).

Alta Gold did a significant amount of work in support of obtaining a mining permit from the New Mexico Mining and Minerals Division (NMMMD) and approval by the BLM. Table 2 presents some of the more significant reports prepared for Alta Gold by their consultants, SRK, Adrian Brown Consultants (ABC), and ENSR. In addition,

the NMMMD contracted an independent environmental evaluation report, which was prepared by Daniel B. Stephens and Associates, dated November 17, 1997.

Munroe (1999), Munroe et al. (1999, 2000) examined and reported on the geochemistry, mineralogy, and physical characteristics of mine waste rock piles in southwestern New Mexico. McLemore et al. (1999, 2000) examined the geology and evolution of the mineral deposits of the Hillsboro district and the geochemistry of the Copper Flat porphyry and the associated deposits. Bakkom and Salvas (1997) proposed a phased reclamation plan for the area of the former processing plant.

2.0 Study Area Investigations

2.1 Surface Features

Surface features of the Copper Flat mine area include a mine pit lake, rock storage piles, the former mine and mill areas, and a tailings impoundment area. Land disturbed by the Copper Flat mine includes 358 acres of public land managed by the BLM and 331 acres of private lands (Fig. 8). The pit lake is approximately 12.8 acres, with a depth of approximately 40 ft. The elevation of the pit bottom in 1986 was 5,380 ft. The surface water elevation in 1999 was 5,420 ft (BLM, 1999). The existing overburden waste rock piles have been identified as the north, west, south, and east (SRK, July 1998) (Fig. 8). The tailings dam is at an approximate elevation of 5220 ft, is 6,600 ft long, and has a maximum crest height of 60 ft. The tailings dam is divided into the north cell and the south cell. Approximately 1.2 million tons of tailings were deposited into the north cell during the 1982 mining activities, and cover an area of 60 acres (km²) (SRK, May 1995).

There is an unpaved but well maintained road from New Mexico Highway 152 to the mill area and a primitive road to the pit area. A 115-kilovolt-power line exists from Highway 152 to a termination 300 feet short of the former mill facility. A 20-inch welded steel water line still exists for transporting water from the four production wells in the Caballo Basin, east of the area, to the mine site. This pipeline is buried 2 ft deep and was in good condition based on 1990 inspection (BLM, 1999). The primary drainage through the site is Greyback Wash, which has been diverted around the perimeter of the site.

2.2 Mine Pit Lake Investigations

The water chemistry of the waters of the mine pit lake is influenced by:

- surface water discharge to the pit, occurring almost exclusively during times of heavy precipitation,
- geochemistry of the pit wall rock and surrounding rock storage piles, and
- groundwater recharge.

This section presents the investigations and techniques used to collect surface water from springs and seeps and groundwater in the vicinity of the mine pit lake. Pit wall and waste rock sampling will be discussed in Section 2.3. Sample results will be presented and discussed in Section 3.0.

2.2.1 Mine Pit Lake and Grayback Gulch Surface Water

The pit lake has been sampled 65 times between 1989 and 1998 (BLM, 1999; Bakkom and Salvas, 1997). Sampling of the pit lake commenced on April 3, 1989 by the New Mexico Environmental Improvement Board (NMEIB), which collected two pit lake surface water samples. Gold Express funded the analyses of 16 pit lake samples between

February 11, 1991 and March 17, 1994. Following Gold Express, Alta Gold and/or their subcontractors, SRK and ABC, collected and analyzed 37 more samples between May 24, 1994 and October 1, 1997. Bakkom and Salvias (1997) collected 16 samples on a quarterly basis between November 15, 1996 and October 8, 1997, four samples per quarter. The samples were collected at various locations and depths. Typically, the samples were analyzed for pH, major cations and anions, and metals. Sample analytical suites varied and sometimes the samples were filtered and sometimes not. Notes on the surface sample collections accompany the associated sample results, which are tabulated in Appendix A.

There are several unnamed springs and seeps in the area west of the pit in the Animas Hills and along Grayback Gulch. As observed by Newcomer et al. (1993), these springs and seeps were flowing in March, but dry by early May and are therefore ephemeral. The springs west of the pit drain into the bowl-shaped Copper Flat area (Newcomer et al., 1993). In 1993, attempts were made to measure the discharge of these springs and seeps. Where possible, the flows were measured with a 60 degree-notch weir. In cases where the weir could not be used due to lack of flow or proper weir positioning, flow was estimated (Newcomer et al., 1993). Seeps and springs sampled by Newcomer et al (1993) are named SWQ-1, SWQ-2, SWQ-3, BG, BG-2, and Warm Spring (Figs. 9, 10), and a seep denoted as Acid Drainage. This seep appears to have been an intermittent seep slowly discharging from a rock storage pile, however, the map showing the location of this seep is not presently available. Table 3 presents the dates and estimated flow rates in gallons per minute (gpm) for the springs and seeps sampled by Newcomer et al (1993).

Surface-water samples were first collected from Grayback Gulch in 1977, prior to the mining activities of QMC (BLM, 1978). These surface water-samples appear to have been collected quarterly during 1976 and 1977, and sample locations are identified as Station A, where the creek enters the QMC property; Station B, approximately 300 feet east of the present mine pit rim; and Station C, where the creek leaves the QMC property (BLM, 1978). An accurate map showing the locations of Stations A, B, and C is not available.

Alta Gold's consultant, SRK, collected one surface water sample from Grayback Gulch, from the outfall of a culvert in a land bridge built to support the tailings slurry line from the tailings thickener. When the sample was collected on May 26, 1994, there was no visible flow in the creek and the water was stagnant (SRK, May, 1995). In August of 1997, SRK observed and sampled seeps in the pit wall at locations PW-1 and PW-2 (Fig. 11). These seeps are in the vicinity of the Sternberg Lode area. Also in August of 1997, SRK observed and sampled a seep from the toe of the West rock storage pile. These were the first recorded seeps in four years of site study by SRK (SRK, Dec., 1997, and July, 1998).

SRK and others conducted additional surface water sampling along Las Animas Creek, north of the site, and Percha Creek, south of the site. However, those data will not be discussed in this report because Grayback Wash, the principal drainage from Copper Flat, discharges to Greenhorn Arroyo approximately 10 miles east of the mine site. Greenhorn Arroyo discharge directly into the Rio Grande at Caballo Reservoir, approximately 3.5 miles beyond the confluence of Grayback Gulch and Greenhorn Arroyo (BLM, 1999).

2.2.2 Mine Pit Lake and Groundwater

Prior to 1996, only one well was available for sampling groundwater in the vicinity of the pit lake. This monitoring well, GWQ-4, is located approximately one-half mile east of the existing pit. Two other wells, EIW and WIW, are located in the existing pit; however, these wells are thought to have been drilled for in-situ leaching and are not appropriate for the characterization of natural groundwater underlying the pit area. SRK drilled two new monitoring wells, each with dual completion, in 1996. Monitoring well GWQ96-22 was drilled up-gradient of the mine pit and well GWQ96-23 was drilled down-gradient (Fig. 10). GWQ96-22A is the shallow completion and GWQ96-22B is the deep completion of the GWQ96-22 well cluster. GWQ96-23A is the shallow completion and GWQ96-23B is the deep completion of the GWQ96-23 well cluster (SRK, Dec., 1998). GWQ96-22A was sampled 16 times between July 13, 1996 and October 15, 1998. GWQ-22B was sampled twice, once on July 13, 1996 and once on February 5, 1997. GWQ-96-23A was sampled 16 times between July 14, 1996 to October 15, 1998. GWQ-23B was sampled four times from July 14, 1996 to April 1, 1997 (BLM, 1999). Sample dates and sampling notes are tabulated in Appendix B.

2.3 Rock Storage Piles and Pit Wall Investigations

Two phases of rock storage pile characterization have been completed at Copper Flat by SRK. A preliminary assessment of the waste rock was conducted in 1994 and a more detailed study was performed in 1997. Both studies were conducted to assess the existing rock pile geochemical characteristics and the potential for future acid generation.

Work performed in 1994 was to support the EIS. Work done in 1997 was for the preparation of the rock pile management plan (SRK, July, 1998).

In 1994, 19 samples were collected from the existing pit wall rock, rock storage piles, and archived drill core and cuttings (Fig. 11). The samples were subjected to:

- paste pH and conductivity measurements to determine if acid rock drainage is possible,
- determination of total metals concentrations,
- acid-base accounting (ABA) to assess the balance between potentially acid generating and potentially acid neutralizing minerals,
- agitated leach extraction tests to measure the amount of immediately soluble metals,
- humidity column testing to simulate long-term oxidation of the waste rock and evaluate drainage water quality,
- geotechnical testing to estimate the physical and hydraulic properties of the compacted rock storage materials (SRK, July 1998).

All waste rock samples were subjected to static testing, including sulfur speciation and neutralization potential tests, to assess the relationship of acid generating and acid neutralizing potential in the rock piles (Table 4). Samples indicated by the static tests as having the potential to generate acid were selected for kinetic testing. Based on the static tests, five samples were selected for the 29-week long kinetic column testing. These nineteen locations were considered by SRK to be typical of the rocks to be encountered during the mining operations (SRK, May 1995).

Of these 19 samples, five were selected based on paste pH results for further study using the kinetic column testing technique. The five samples selected were

- SW-1 and LGSSP-2 from the sulfide-bearing waste rock piles,
- PW-2, quartz breccia from the pit wall, in the vicinity of the Sternberg Lode,
- IDC24-222-241 and CF10 –190-199, CFQM from archived drill core (SRK, May, 1995).

Table 5 summarizes additional testing that was done on the above samples.

In August of 1997, field work was conducted to produce detailed geologic and geochemical maps of the waste rock piles and the mine pit. One hundred and twelve samples were collected from 6-ft long trenches along benches on the rock storage piles. Figure 13 shows the locations and values of the pH samples collected in the vicinity of the pit lake. Fifty-one samples were analyzed for ABA and 59 samples were analyzed for net acid generation (NAG) (SRK, July, 1998). Table 6 presents the sample numbers of samples analyzed in the rock pile characterization studies.

McLemore et al. (1996) collected 12 samples of pond sediment and sulfide material from the pit walls about the mine pit lake. These samples were run for whole rock analysis using atomic adsorption and inductively coupled plasma spectrometry (Table 8, Fig. 13).

2.4 Tailings Dam Investigations

The tailings impoundment consists of an earthen embankment constructed across a minor valley, and is approximately 6,600 ft long with a maximum toe to crest height of 60 ft (Fig. 14). The impoundment is divided into the north and south cells, into which tailings were to be deposited. During the three months of operation, approximately 1.2 million tons of tailings were deposited into the north cell of the impoundment. The existing tailings cover a surface area of 60 acres in the north cell and have a mean surface elevation of 5220 ft (SRK, May 1995).

Extensive engineering design, construction, and short- and long-term groundwater monitoring work was done on the tailings dam. Numerous reports have been prepared that describe the work conducted at the Copper Flat tailings impoundment. Table 7 summarizes the reports in terms of authors, dates, and purposes.

In 1976, SHB performed 37 soil borings along the starter dam centerline (Fig. 15), with boring depths varying from 45 to 1,100 ft below grade. Borings along the centerline were spaced approximately 300 ft apart. Standard penetration testing and open-end drive sampling were performed at 5-ft intervals in most borings. Five test borings, ranging from 40 to 75 ft in depth, were drilled in the pond area (SHB, Oct.14, 1980).

SHB excavated 46 test pits and one test trench within the pond area to investigate the nature of the near surface materials and explore for borrow sources for the starter dam construction. In 1980, several of the pits were reopened and sampled for additional laboratory testing (SHB, Oct. 14, 1980).

SHB performed three types of permeability tests:

- 15 constant head tests were performed in uncased open auger holes using the U.S. Bureau of Reclamation E-19 Method,
- five double packer tests in accordance to U.S. Bureau of Reclamation Method E-18. Permeability test were performed in both volcanic rock and the overlying soils of the Santa Fe Group, and
- three special in-place permeability tests were made by placing 10-ft long screen in boreholes 5-inches in diameter and filling the annular space with clean filter sand. Annular space above the sand was grouted for at least 25 ft to isolate the screened interval. Long term permeability tests were performed on these piezometers in accordance with the Navy Design Manual. Two of the tests were performed in screened intervals below the water table (SHB, Oct. 14, 1980).

Geotechnical testing during 1976 included moisture-density relations, grain size analysis, Atterberg Limits, permeability, consolidation, and direct shear tests. In addition, grain-size analysis, Atterberg Limits, and moisture-density relations were performed on a sample of tailings produced by a project pilot plant operated by the Colorado School of Mines Research Institute. Tailings slimes were tested for moisture-density relations and direct shear to investigate the range of shear strength, which might be present near the dam slope (SHB, Oct. 14, 1980). Laboratory permeability tests were performed on samples of the synthetic drain materials and conventional granular filter materials (SHB, Oct. 14, 1980; SHB, Aug 29, 1980).

During this investigation, SHB collected several samples of water and soils for chemical analyses. These samples included four water samples from wells down-gradient of the dam alignment. Figure 16 presents the locations of groundwater samples 1, 2, 3, and 4; however, the map does not identify the specific wells from which the groundwater samples were collected. SHB also collected a sample of the thickener underflow water, which is assumed to be a groundwater sample collected from below the proposed location of the thickener. These groundwater samples were analyzed for general chemistry and metals. Three soil samples were collected from boring #5 at depths of 4.5, 14.5, and 29.5 feet below grade and two more samples were collected from Pit A-1, and Pit C-2 (Fig. 16). These soil samples were analyzed for cyanide. Soil samples also were collected from test pits A-1, A-2, F-1, and F-2. Aqueous suspensions of these soils were made and the liquid was measured for soluble anions, cations, and metals. Finally, water samples collected from borings 29, 30, 31, 33, and 34 were analyzed for

general chemistry and metals. No discussions of how the monitoring wells were constructed are associated with these borings (SHB, Oct., 1980).

In October 1980, an additional geotechnical investigation with respect to the decant line alignments and decant towers was conducted. Twelve additional soil borings were performed (Fig. 14), with borings drilled from 10 to 31 ft below grade. Standard penetration and open-end drive sampling were performed at selected intervals in the borings.

In April 1981, SHB produced a report responding to concerns by the New Mexico State Engineers office regarding potential settlement of the earthen dam structure. SHB elaborated on the original settlement analysis prepared in 1976 with additional dispersivity tests on two soil samples and verification of stress and strain calculations (SHB, Apr. 13, 1981). On September 4, 1981, SHB submitted a Geohydrological Evaluation to support the groundwater discharge to QMC. This report contains the results of the geohydrological field studies and data analyses, recommendations concerning the mitigation and monitoring of water quality effects, and a discussion of contingency measures (SHB, June 29, 1981). Unfortunately, this report was not located for review and incorporation into this study. It was not in the NMEIB files during a file review nor could it be found with the other files stored with Hydro Resources, Inc.

Two reports by SHB address the compacted clay plating that was placed to limit seepage through basaltic flow channels located adjacent to the impoundment divider dike. The exposed basalts were considered to be of higher permeability than the surrounding Santa Fe Group sediments. The purpose of the 1.5-ft thick clay plating was to minimize seepage in the northeast area of the south cell and in the southeast corner of the north cell

(Fig. 14). In addition, compacted clay was placed over six exploratory borings (nos. 4, 9, 10, 11, 14, and 15) to eliminate the possibility of the borings becoming seepage conduits. Monitoring well NP-5 was installed to monitor seepage within the basalt (SHB, Oct 13, 1981, SHB, Oct. 28, 1981).

John W. Shomaker, Inc. studied the ambient water quality underlying the tailings impoundment in 1993, approximately 11 years after the impoundment was filled (Newcomer, et al, 1993). From 1991 to 1993, groundwater samples from monitoring wells NP-1, NP-2, NP-3, NP-4, NP-5, GWQ-1, GWQ6, GWQ-7, GWQ-8, GWQ-10, GWQ-11, and McGravy-Greyback were collected and analyzed for general minerals, metals, and phenols (Fig. 10). Newcomer et al. (1993) identified a potential paleo-channel associated with the basalts noted by SHB near the center of the impoundment. Results are presented in Appendix B.

In 1994, SRK performed a study of the tailings impoundment (SRK, Aug., 1994). The study involved a review and interpretation of the tailings dam design, construction, operation, and monitoring activities and additional field investigations. In May and June 1994, SRK advanced two soil borings through the tailings and underlying alluvial and volcanic deposits (Fig. 10). The borings were converted to monitoring wells denoted as SRKBH-1-94 and SRKBH-2-94. One well was screened in the Santa Fe Group alluvial sediments and one well was screened in the basalts. Falling head permeability testing was done in both of the wells.

In 1994, Adrian Brown Consultants (ABC) was contracted by SRK to perform an aquifer test on well GWQ94-17 in order to estimate the lower of two near surface aquifers that receive recharge from areas impounded by the tailings dam and to determine

if the two water bearing zones are hydraulically connected (ABC, 1996). SRK also described the conceptual subsurface hydrology in tailings seepage modeling that the performed in support of the proposed re-use of the tailings impoundment by Alta Gold (SRK, Aug., 1998).

In support of the EIS, SRK sampled numerous wells in tailings impoundment area as well as other wells associated with Copper Flat from 1994 to 1998. Notes on these sampling activities and the sample results are tabulated in Appendix B.

On April 3, 2003, the author and Dr. Virginia McLemore visited the area north of the tailings dam to collect samples clay from an exposure of the clay in an arroyo north of the tailings dam (SHB, Oct. 1976). The principal material that SHB described as using in the clay plating of the basalts exposed in the center of the impoundment appears to have been reddish brown, highly plastic, sandy clay. The author and Dr. McLemore collected three materials, denoted as SR-1, SR-2, and SR-3, in close proximity to each other at latitude of 32.97 degrees and a longitude of 107.50 degrees (R6W, T15S, Section 30) (Fig 11). Sample SR-1 is a red sandy silt; SR-2 is a white cemented material, and SR-3 is a brown sandy silt. Stratigraphically, SR-2 overlies SR-1, which overlies SR-3. These clay samples were analyzed for bulk mineralogy and clay mineralogy. Visual-manual classifications of the clay and the results of the mineralogical analyses are discussed in Section 3.0

3.0 Nature and Extent of Potential Environmental Issues

3.1 Mine Pit Lake Investigative Results

3.1.1 Mine Pit Lake Surface Water

Pit lake water analyses per sample varied from pH only to anions, cations, and metals. Only copper concentrations exceeded the New Mexico Water Quality Control Commission (WQCC) water quality standards for surface water (WQCC, 2001). The WQCC surface water standard for livestock and wildlife is 0.5 milligrams per liter (mg/L). The pit lake was sampled and analyzed for copper 31 times (Fig. 17). Three times the concentration exceeded livestock and wildlife surface water standards; August 29, 1991, December 15, 1992, and February 12, 1993. The concentrations of copper that were reported from these three sampling events are 0.64 mg/L, 3.21 mg/L, and 2.6 mg/L, respectively.

Typically, water pH has been neutral to alkaline and indicates that the pit lake has been in a neutral to alkaline state for the last ten years (Fig. 18). However, from March 1992 to October 1992, the pH of the pit lake dropped below 5, with a low of pH = 4.4 in July 1992. A steady increase in the TDS concentrations of the pit lake was observed from April 1989 to October 1997 from approximately 3500 mg/L to 5850 mg/L (Fig. 19). A gradual increase in sulfate in the pit lake waters over the same time from 2340 mg/L to 4300 mg/L (Fig. 20) was also recorded. The TDS and sulfate results show some water quality degradation; however, the WQCC does not regulate either TDS or sulfate in New Mexico surface waters. The chemistry of the pit lake does not change significantly laterally or with depth (SRK, Dec. 1997). Analytical results of pit lake sampling are tabulated in Appendix A.

Sources of water to the pit lake are groundwater inflow, direct precipitation, and surface runoff. The major sources of dissolved solids are from reactions between oxidizing pit lake waters and reduced minerals in the pit walls, surface water runoff, and evaporation of the pit lake water. The remainder of the sulfate must be derived directly from sulfide oxidation or from the dissolution of secondary minerals such as jarosite and gypsum (SRK, Dec. 1997).

Because the pit lake is a topographic low, it is a hydraulic sink. Historic seeps have been described and sampled along the mine pit wall and rock storage piles. Newcomer et al. (1993) described a seep initiating from a sulfide-bearing rock pile having a discharge rate less than 1 gpm. This seep was sampled on May 7, 1993, but the location of this seep is uncertain because the associated sample location map is apparently not available. However, SRK identified a small area of sulfate precipitation near the base of the East rock storage pile, which they suggest is the site of the seep that Newcomer reported (BLM, 1996). This seep water sample reported a pH of 1.9, a TDS concentration of 17,020 mg/L and a sulfate concentration of 10,000 mg/L (Newcomer et al., 1993); however, no water or evidence of significant flow was observed during the 1995 SRK site visit (BLM, 1996), suggesting that this seep is an ephemeral source of low-pH, sulfate-bearing solution.

Another small seep was identified by SRK during a site visit in 1997. This seep flowed into a small, acidic, ferruginous pool located below the Sternberg Lode. A pit wall sample was collected near this area and denoted as PW-1 (Fig. 11) (SRK, Dec. 1997). The pH of water sampled from this seep was reported to be 2.64; the TDS concentration was 11,430 mg/L; and the sulfate concentration was 16,850 mg/L (BLM,

1999). This seep, observed in August of 1997, was the first recorded seep in the pit wall in four years of study by SRK and is believed to be the result of unusually high precipitation in June and July 1997 (SRK, Dec. 1997). A second pit wall seep was sampled by SRK in August 1997, denoted as PW-2 (Fig. 11). The results of this sample show lower concentrations of sulfate (3,100) and TDS (5020) and a greater pH (8.16) than the PW-1 sample.

SRK collected a seep sample from the West rock storage pile also in August of 1997. This sample has a pH of 3.03, and concentrations of TDS and sulfate at 25,440 mg/L and 22,100 mg/L, respectively (SRK, July, 1998). Full results of the seep sample analytical suites are presented in Appendix A

3.1.2 Greyback Gulch Surface Water

Greyback Gulch is an ephemeral stream that is dry most of the year except for runoff from storm events. The earliest surface water sampling was in 1976 and 1977 in support of the EA prepared for QMC. These surface water samples pre-date the 1982 mining activities by QMC, but post-date less extensive historical mining activities. Surface water results are available for January, March, and July 1977. They were collected from 3 stations described as Station A, where the creek enters the QMC property; Station B, approximately 300 feet east of the estimated mine rim; and Station 3, where the creek leaves the QMC property (BLM, 1978). The water quality of these samples is good compared to post-mining samples collected from similar locations (Table 9).

Three surface water locations have been sampled frequently in Grayback Gulch. These locations are SWQ-1, upstream of the mine pit; SWQ-2, downstream of the pit in

the former plant area; and SWQ-3, north of the tailing dam (Fig. 10). The SWQ-1 location was sampled five times between 1982 and 1993, SWQ-2 35 times between 1982 and 1998, and SWQ-3 26 times between 1991 and 1998.

All pH measurements at locations SWQ-1, SWQ-2, and SWQ-3 were neutral to alkaline (Fig. 21). Figure 23 presents the TDS measured in these three locations. Samples collected from SWQ-1 were all less than 1000 mg/L. A logarithmic trend line placed through the five points of the SWQ-1 data set indicates a gradual increase in TDS over time. Samples collected from SWQ-2 ranged from 1000 mg/L in the early 1980s to as high as approximately 4500 mg/L in the late 1990s. A logarithmic trend line placed through the 35 points of the SWQ-2 data set indicates a more pronounced increase in TDS over time. The 26 points from the SWQ-3 data set ranged from 1866 mg/L to 4432 mg/L. Sample frequencies and dates for sulfate are the same as the TDS (Fig. 23). Sulfate results for SWQ-1 were all less than 325 mg/L and the trend line increases slightly over time. The scatter of the data sets from SWQ-2 and SWQ-3 was similar to the TDS results. Sulfate concentrations in waters sampled from SWQ-2 ranged from 445 mg/L to 2566 mg/L. The sulfate trend line increases with time. Sulfate concentrations in waters sampled from SWQ-3 ranged from 952 mg/L to 2382 mg/L, and sulfate appears to increase with time. The pH, TDS, sulfate and other constituent results are tabulated in Appendix A.

Figure 24 presents Stiff diagrams developed by Newcomer et al. (1993) from a sampling event that occurred in March and April of 1993. The patterns indicate that the water quality is higher at the up stream location, SWQ-1, not the downstream location SWQ-2 and SWQ-3. The increases in TDS and sulfate appear to be the result of mining,

mineral processing, construction, and road building activities during the mining activities of the early 1980s (Newcomer et al., 1993). However, water pH has been consistently neutral to alkaline and the WQCC does not have numeric standards for TDS and sulfate.

3.1.3 Groundwater

A set of nested monitoring wells exists up gradient of the mine pit lake, GWQ-96-22A (shallow) and GWQ-96-22B (deep), and a set of nested wells exist down-gradient, GWQ-96-23A (shallow) and GWQ-96-23B (deep). The down-gradient wells are referred to as Well construction details and surveyed location are not available for these wells; however, they are shown on Figure 10.

Figures 25, 26, and 27 show the results of groundwater sample results for pH, TDS, and sulfate respectively. The wells were sampled several times from 1996 to 1998. The pH is neutral in the GWQ-96-22A and slightly alkaline in GWQ-96-22B (Fig. 25). TDS is below the WQCC groundwater numeric standard of 1000 mg/L (WQCC, 1995) (Fig. 26). TDS concentrations found in the samples collected from both GWQ-96-22A and B are below 700 mg/L. TDS concentrations found in groundwater sampled from GWQ-96-23A and B also are less than 1000 mg/L. However, there may be a trend showing that TDS is increased gradually over time in the shallow down-gradient well. Sulfate concentrations are below the WQCC numeric standard of 600 mg/L in both the up gradient and down-gradient wells both shallow and deep (Fig. 27). In groundwater sampled from GWQ-96-22A, sulfate concentrations do not exceed 300 mg/L. In GWQ-96-22B, the single sulfate concentration was found to be 79 mg/L. In groundwater sampled from GWQ-96-23A, sulfate concentrations do not exceed 450 mg/L. In GWQ-96-23B, the sulfate concentrations were found to be less than 240 mg/L. However, the

sulfate concentrations from the down-gradient shallow well indicate that the sulfate concentrations are gradually increasing over time.

3.2 Rock Storage Pile Investigative Results

Section 2.3 describes the pit wall and rock storage pile investigations conducted in 1994 and 1997 for potential sulfide oxidation. Tables 4, 5 and 6 present the analyses done on the samples and Figures 11, 12, and 13 present sample locations.

3.2.1 Metal Content and Mineralogy

The mineralogy of the samples was determined visually. The most common sulfide mineral was coarse crystalline pyrite. Concentrations of pyrite were estimated between less than 1 percent and 10 percent. In one location in the North waste rock pile, the pyrite concentration was estimated to be as high as 20 percent (SRK, July 1998). Sulfides observed were chalcopyrite, bornite, tetrahedrite, enargite, covellite, and molybdenite. Gangue minerals associated with the sulfide mineralization include quartz, feldspars, and biotite. Other minerals include calcite, fluorite, siderite, magnetite, sericite, epidote, and chlorite (SRK, July 1998).

Whole rock chemistry analyses of the samples collected by McLemore in 1996 and PW-3 and WD-1 collected by SRK in 1994 indicate high concentrations of aluminum, manganese, copper, and iron (Appendix C). Copper, molybdenum, sulfur, silver, zinc, and cadmium are enriched relative to typical crustal abundance (SRK, July 1998).

An extractable metals analysis was run on the WD-1 sample using EPA Method 1312 leaching method (Table 10). This sample was selected for the extractable metals because it was a transition waste rock that exhibited low field pH. Therefore the leachate

constituent concentrations would be expected to be greater than the fresh unoxidized waste rock samples (SRK, July 1998).

3.2.2 Paste pH

Paste pH analysis was performed on 141 samples. The number of paste pH analyses run per rock type was:

- quartz monzonite - 94
- quartz breccia - 28
- biotite breccia – 10
- quartz vein – 8
- andesite – 1.

The pH results range between 3 and 9 for all rock types but the andesite (Fig. 28). The one paste pH result in Andesite was 9. The greater frequencies are acidic.

3.2.3 Acid Base Accounting

Acid Base Accounting tests were done in 1994 and 1997. The ABA tests indirectly estimate acid generation potential (AP) by comparing sulfide sulfur content to the acid neutralizing potential (NP) of the sample. The Sobek method was used to analyze the 1994 samples and the modified Sobek method was used to analyze the 1997 sample. The modified Sobek method is considered to be more conservative for estimating NP (SRK, July 1998). Figure 29 compares the NP versus AP. Figure 30 presents the NP versus AP by rock type for the 1997 data. The diagonal line on Figure 30 represents NP is equivalent to AP. The results of the 1997 acid base accounting indicate that most of the samples have the potential to produce more acid than they can neutralize (SRK, July 1998).

3.2.4 Net Acid Generation Testing

Fifty-nine samples were run for NAG pH. The NAG test underestimates the amount of sulfide in the sample, but assumes complete oxidation of the sulfide. The results provide a realistic indication of the amount of sulfide that may react in the field. For all rock types, the majority of the samples are acidic (Fig. 30) (SRK, July 1998). The raw data for paste pH, ABA, and NAG are found in Appendix D.

3.2.5 Kinetic Testing

Kinetic testing or humidity column testing was conducted on four quartz monzonite samples and a quartz breccia sample:

- samples SW-1 and LGSSP-2 were obtained from the sulfide waste rock piles,
- sample PW-2 was obtained from the pit wall in the vicinity of the former Sternberg Lode,
- samples IDC 24-222-224 and CF10-190-199 were obtained from archived drill core (Fig. 12).

The sulfide waste samples (SW-1 and LGSSP-2) are representative of previously mined unoxidized materials that have been exposed to weathering since 1982. The samples contain fresh pyrite and chalcopyrite which coat fractures and are disseminated throughout the rock. Sample PW-2 was collected from the wall on the south side of the pit. The sample was highly oxidized, but contained residual disseminated pyrite and chalcopyrite. The core samples (IDC 24-222-241 and CF10-190-199) are representative of the unoxidized quartz monzonite that may be mined in the future. They contain fresh pyrite and chalcopyrite.

3.2.5.1 Kinetic Test Results – pH

The kinetic tests were run initially for 19 weeks. A problem occurred in week 20 causing inconsistent results, which was later identified as contaminated deionized leachate water. The kinetic tests were halted for seven weeks while the problem was corrected and the tests were continued in week 27 and 28.

The results from all of the samples except PW-2 were neutral to alkaline ranging from 7 to 8.1 (Fig. 32). Sample PW-2 was slightly acidic with pH results ranging from 5.8 to 6.5 (SRK, July 1998; SRK, May 1995).

3.2.5.2 Kinetic Test Results – Electrical Conductivity

Leachate conductivity is an indicator of soluble metals and sulfate (TDS). Figure 33 indicates that electrical conductivity decreased over time. By week 20, the conductivity of all test leachates was less than 100 microSiemens per centimeter ($\mu\text{S}/\text{cm}$). This low conductivity suggest limited leaching of metals and sulfate (SRK, July 1998; SRK, May 1995).

3.2.5.3 Kinetic Test Results – Sulfate

After 15 weeks, the sulfate concentration in the leachate from all samples is less than 50 mg/L (Fig. 34). These results are well below the WQCC numeric groundwater standard of 600 mg/L.

3.2.5.4 Kinetic Test Results – Copper and Iron

Concentrations of copper and iron in the leachate were recorded during the kinetic testing (Fig. 35). Metal concentrations in both graphs drop off rapidly in all of the samples. Metal concentrations in most samples fall below the detection limits (SRK, July 1998; SRK, May 1995).

3.2.5.5 Kinetic Test Results – Alkalinity and Acidity

Concentrations of alkalinity and acidity (as milligrams of CaCO₃ per liter) in the leachate were recorded during the kinetic testing (Fig. 37). The concentrations of alkalinity gradually decrease over time; however, acidity concentrations are several times less than alkalinity and are stable over time. The gradual decrease of alkalinity suggests consumption during the neutralization of acid (SRK, July 1998; SRK, May 1995). The results of the kinetic tests are presented in Appendix D.

3.3 Results of Tailings Dam Investigations

The tailings system was reclaimed in 1986 in accordance with the requirements at that time. The reclamation included covering the existing tailings with topsoil. The topsoil was re-vegetated and the intermediate decant pipe intakes were sealed (SRK, May 1995).

3.3.1 Geochemical Investigative Results

During the 1976 geotechnical investigations conducted by SHB, several samples of groundwater and leachate from native soils were analyzed for chemical constituents. Four groundwater samples were collected from wells down-gradient from the tailings dam. The locations of these samples are shown on Figure 17; however, SHB did not identify the wells by name or reference. These samples were analyzed for general mineralogy and some metals. SHB collected soil samples from test pits A-1, A-2, F-1, and F-2 (Fig. 15). Aqueous suspensions containing the soluble components of the soils were made and analyzed for general chemistry and metals. Finally, groundwater was collected from soil borings 29, 30 31, 33, and 34 (Fig. 15) (SHB, Oct. 1980). The results are presented in Appendix B.

In 1996, SRK excavated five test pits in the in the existing tailings impoundment. Eleven tailings samples were collected from the five test pits and were grouped in accordance to their appearance; yellow tailings were assumed to be derived from oxidized or transition oxidized-reduced materials. These samples are identified with “TTLS” in the sample identification. Gray sample colors are assumed to be derived from unoxidized quartz monzonite protolith, and are denoted with “UTLS” in the sample identification. Black tailings are assumed to be derived from biotite breccia, and are denoted with “BTLS”.

The reactivity of the tailings samples are low, with paste pH for all of the samples varying from 6.2 to 7.8. ABA analyses indicate that five of the 11 samples had NP:AP ratios less than 1, indicating that these samples have moderate potential to generate acid. The remaining samples had an NP:AP greater than 1, indicating weak potential for generating acid (SRK, July 1998).

In 1994, SRK collected two samples from boring SRKBH-1-94 (Fig. 10). One of two samples, T-10-12, was analyzed for total metals by ICP and extractable metals by EPA Method 1312 (Table 11). The sample had high concentrations of aluminum (2,700 parts per million (ppm), copper (1,600 ppm), iron (19,000 ppm), magnesium (1,800 ppm), potassium (1,400 ppm), and zinc (418 ppm). The results of a single leach test indicate that these metals are not easily leached (SRK, May 1995).

3.3.2 Hydrogeological Investigative Results.

The subsurface hydrology beneath the tailings impoundment consists of three zones (Fig. 38):

- The upper “perched” zone contains sands and gravels, which are located adjacent and down-gradient of the tailings impoundment. This unit dips and thickens to the east and groundwater in this zone is unconfined.
- Underlying the upper zone is a clay layer. This unit is up to 150 ft thick.
- The lower zone consists of clayey and silty sands of the Santa Fe Group. Groundwater in this zone is confined beneath the clay, but unconfined to the west, where the unit outcrops at the surface. This zone is assumed to be approximately 200 ft thick (SRK, Aug. 1998).

In 1994, ABC/SRK conducted a pumping test of monitoring well GWQ94-17. The results of this pumping test indicated that upper and lower water bearing zones are not hydraulically connected (ABC, Sept, 1996).

SHB (Oct 1980), Newcomer et al. (1993), and SRK (Aug. 1994) indicate a potential paleochannel buried near the surface in the vicinity of the levee bisecting the impoundment. SHB observed brecciated basalts in this area and recommended that a compacted clay liner be installed in these areas (Fig. 14).

3.3.3 Permeability Testing

SHB performed 15 constant head permeability tests in uncased bore holes by the U.S. Bureau of Reclamation (USBR) E-19 Method, 5 USBR Method E-18 double packer permeability tests in volcanic rock and typical soils, and 3 long term falling head permeability tests in constructed piezometers. The results of the E-19 tests performed in the clayey sands and gravel averaged (14.6 ft per year (ft/yr) (1.4×10^{-5} centimeters per second (cm/s)). The E-18 tests in clay showed no measurable permeability and the basalts indicated average permeability values of 234 ft/yr (2.3×10^{-4} cm/s). The falling head piezometer permeability results in clayey sands and gravel were 61 ft/yr (5.9×10^{-5}

cm/s) (SHB, Oct. 1980). Remolded permeability sample results of the clay used in the exposed breccia compacted liner averaged 0.7 ft/yr (7.0×10^{-7} cm/s) (SHB, Oct. 1980). Results from the SHB permeability testing are in Appendix E.

SRK performed one additional falling head test in the Santa Fe Group and in the basalts. These tests were done in 1994 in wells SRKBH-1-94 and SRKBH-2-94 (Fig. 10). The results of these permeability tests are 279 ft/yr (2.7×10^{-4} cm/s) for the basalts and 383 ft/yr (3.7×10^{-4} cm/s) for Santa Fe Group sediments (SHB, Aug. 1994).

3.3.4 Groundwater Impacts

The two wells down-gradient of the tailings impoundment with the longest sampling history are NP-3 and NP-4. They are indicators of the effectiveness of the seepage control engineered for the existing impoundment. Figure 39 shows pH concentrations in NP-3 from October 1981 to July 1998 and in NP-4 from April 1982 to July 1998; this figure shows that groundwater sampled from these wells has always been neutral to alkaline. Figure 40 shows concentrations in TDS in groundwater sampled from the two wells over the same time periods. The TDS concentration from NP-3 groundwater exceeded the WQCC numeric groundwater standard of 1000 mg/L in early 1984 and apparently peaked at 1,880 mg/L in early 1987 and has been gradually decreasing since. However, the latest measurement of 1,433 mg/L taken on July 13, 1998 still exceeds the standard. TDS concentrations in NP-4 have stabilized at approximately 500 mg/L. There are anomalous readings in the TDS concentrations from the samples collected on September 24, 1994 from NP-3 and January 15, 1997 from NP-4. These measurements do not fit the trend of the data and must be suspect. Figure 41 shows similar trends to the TDS for sulfate concentrations. The sulfate concentrations in

groundwater collected from NP-3 peaks at 971 mg/L in 1991 and then gradually decreases with time. The most recent measurement collected on July 28, 1998 is 718 mg/L, which is higher than the WQCC numeric standard of 600 mg/L. Sulfate concentrations in NP-4 never exceed the standard and most recently appear stable at less than 200 mg/L. NP-3 is the well that most consistently exceeds any WQCC numeric standards in the vicinity of the tailings impoundment other than GWQ-13. The three samples collected from this well are similar in TDS and sulfate concentration to NP-3, and they are adjacent to each other.

3.3.5 Liner Borrow Material Study

SHB recommended that compacted clay liners (approximately 1.5 ft thick) be placed where brecciated basalts are exposed at the surface in the center of the impoundment. Alta Gold accepted this recommendation and the lined areas are shown on Figure 14. The liner material was borrowed from the site and SHB observed that very similar materials were exposed in an arroyo north of the impoundment (SHB, Oct, 1976). On April 4, 2003, a sample of this material and two additional soils were collected. A global positioning reading was taken at the location of the sample collection (32.97613 degrees latitude and 107.50392 degrees longitude). That latitude and longitude was loaded in the ALL TOPO, a geographic software program, and the location was adjusted slightly to 32.96987 degrees latitude and 107.50239 degrees latitude (Fig. 10). A visual-manual description of the soils and the locations of the materials relative to each other were noted (Table 12).

The red sandy clay material was the predominant material borrowed and used in the compacted clay liner (Table 13). SHB conducted sieve analyses, Atterberg Limits,

Proctor maximum density and optimum moisture content, and permeability testing on similar material. Sieve analyses also were performed on the brown sandy clay/silt. The locations of these samples can found on Figures 14 and 15. SHB boring/test pit logs and test worksheets are presented as Appendix F.

From April 28 to May 4, 2003, a hydrometer analysis was conducted to determine the clay fraction of red material (sample SR-1) in accordance with the U. S. Army Laboratory Soils Testing Manual (USACE, 1965). The results show that approximately 3.4 percent of the material is sand, approximately 2.5 percent of the material is clay, and the remainder is silt. A free swell test also was performed by adding 10 milliliters of the dry fines to a graduated cylinder, submerging in water, and allowing the material to expand in the cylinder. After 24 hours, the material had expanded to 16 ml, which is a swell of 60 percent. The natural moisture content on the sample was 6.3 percent (Appendix F).

On April 11, 2003, bulk mineralogy using X-ray diffraction (XRD) was performed on samples SR-1, SR-2, and SR-3. The predominant minerals present in sample SR-1 are quartz, calcite, feldspars and undifferentiated clays. The predominant mineral in sample SR-2 is calcite. The predominant minerals in sample SR-3 are quartz, muscovite, feldspar and undifferentiated clays. Clay slides were prepared for samples SR-1 and SR-3 (Table 14). Clay was not present in sample SR-2. The clay slides for samples SR-1 and SR-2 were run after air drying, after 24 hours in a glycol chamber, and after 30 minutes of heating at approximately 375 degrees centigrade (Hall, no date). The bulk XRD test scans, the clay test scans, and the clay mineralogy distribution calculations are presented as Appendix G.

4.0 Conclusions and Recommendations

4.1 Mine Pit Conclusions

4.1.1 Surface Water Quality, Mine Pit Lake

The water quality of the pit lake does not exceed New Mexico WQCC surface water numeric standards for livestock and wildlife as of 1998 (Table 15). Historically, only copper concentrations exceeded the WQCC numeric standard of 0.5 mg/L. The most recent surface water sample to exceed this standard was collected in February 1993, with a concentration of 2.6 mg/L. No other metal, cation, or anion exceeded any of these standards except chromium, once on November 16, 1994, a pit lake sample had a concentration of 0.2 mg/L, which exceeds the domestic and irrigation use numeric standard of 0.1 mg/L.

Since 1994, pH measurements have consistently remained neutral to alkaline (Fig. 18). Copper has not exceeded the numeric standard for livestock and wildlife since 1993 (Fig. 17). Although sulfate and TDS are gradually increasing over time; there are no numeric surface water quality standards for these parameters (Figs. 19, 20). The drop in the elevation of the surface of the lake in recent years may explain the increase in TDS. From 1993 to 1997, the water level in the lake dropped approximately 10 ft, which has caused the evaporative concentration of salts in the pit lake (SRK, Dec. 1997).

Analysis of the anions and cations from pit water sample data collected on April 3, 1989, September 21, 1995, and July 21, 1998 indicate that even though the water quality is poor, the pit water does not exceed any livestock or wildlife standards. Figure 42 presents a Piper diagram showing that the pit water has consistently high contents of

calcium, chloride, and sulfate relative to surface water in Greyback Gulch and local groundwater.

The surface water chemistry found in the lake can be explained by:

- The inflow of neutral to alkaline groundwater has relatively low concentrations of TDS and sulfate.
- The composition of the host rock is acid buffering. The composition of the host rocks includes approximately 5 percent calcite, 30 percent feldspar, and one percent other carbonates. The dissolution of the calcite in the host rocks and the precipitation of gypsum and goethite around the pit lake indicates that acid buffering is occurring.
- There is a typical volume of disseminated pyrite in the rocks surrounding the pit lake, typically 1 to 5 percent. The pyrite is disseminated throughout the groundmass of the host rock limiting access of water and air to allow oxidation. In addition the pyrite is coarse grained, which limits the surface area pyrite crystal, when it is exposed to oxidation (SRK, Dec. 1997).
- Low precipitation in the area is probably the most important reason for the relatively good quality of the pit lake surface water, with respect to pH and concentration of metals. Low precipitation limits the flushing of the oxidized products into the environment via runoff, seep, and discharges (Chavez, 2003).

The net effect is that while sulfide oxidation is occurring, the transport of the oxidation products is slow, except locally in the Copper Flat area.

4.1.2 Surface Water Quality, Greyback Gulch and Local Seeps

Surface water samples collected from locations along the ephemeral Greyback Gulch, SWQ-1, SWQ-2, and SWQ-3 indicate higher quality runoff upstream of the mine site (SWQ-1) than downstream (SWQ-2 and SWQ-3). Although pH measurements remain neutral to alkaline in samples collected from both upstream and downstream

location (Fig. 21), TDS and sulfate concentrations are greater downstream and have increased over time (Figs. 22, 23). In SWQ-2, downstream of the mine pit, nitrate has exceeded domestic use WQCC numeric standard (10 mg/L) four times from 1981 to 1998, with a maximum nitrate concentration of was 14.5 mg/L. No numeric standard for livestock or wildlife has ever been exceeded in samples from these three locations.

The Piper diagram (Fig. 42) indicates that the downstream surface water in Greyback Gulch has higher proportions of calcium, chloride, and sulfate than upstream surface water for one set of data collected from SWQ-1, SWQ-2, and SWQ-3 in March/April 1993. The upstream surface water has a higher proportion of bicarbonate. This may indicate that some of the alkalinity upstream is being consumed by acid via neutralization as surface water move over and through the Copper Flat ore body.

Possible reasons for the lower surface water quality in the downstream sample locations in Greyback Gulch are:

- evaporative concentration of dissolved load of anions and cations,
- gypsum dissolution, which is regionally widespread,
- water-mineral interactions within the copper-porphyry deposit, and
- disturbance from the construction of roads and rock storage piles and stream diversion (SRK, Dec. 1997).

There have been a few intermittent seeps from the pit wall and rock storage piles. Typically, these seeps do not flow except following heavy precipitation. When they do flow, they are typically acidic and have high concentrations of anions, cations, and metals. Historically seeps have been identified on the southern wall of the mine pit (PW-1 and PW-2) and from the East and West waste rock piles (Fig. 11). Typically, surface

water from these seeps are characterized with pH concentrations of 2 to 3, except PW-2 with a pH of 8.16, high TDS concentrations of 5,000 to 25,000 mg/L, and high sulfate concentrations of 3,000 to 22,000 mg/L. Concentrations of surface water from these seeps have exceeded WQCC surface water livestock and wildlife numeric standards for aluminum, cadmium, copper, cobalt, selenium, and zinc. Domestic numeric standards have been exceeded for arsenic, beryllium, chromium, cadmium, nickel, and selenium. Irrigation numeric standards have been exceeded for boron, chromium, and cadmium.

4.1.3 Ground Water Quality

The pH measurements both up- and down-gradient range from approximately 7 to 8.2 (Fig. 25). TDS is less than the WQCC numeric groundwater standard of 1,000 mg/L (Fig. 26). However the groundwater down-gradient of the mine pit is increasing gradually over time and approaching the numeric standard. Sulfate concentrations also are lower than the WQCC numeric groundwater standard of 600 mg/L (Fig. 29); however, the sulfate concentrations in the down-gradient well are increasing with time.

An appropriate conceptual model of the Copper Flat mine pit lake is that of a local hydraulic sink. Figure 43 presents groundwater contours below the mine area (BLM, 1999, ABC, 1997). Historical sampling of well GWQ-5, further to the east (Fig. 10), indicate that water quality in the vicinity may have been affected naturally by the presence of the ore body prior to mining in 1982 (BLM, 1999). Concentrations of sulfate sampled in 1981 by SHB from GWQ-5 range from 477 mg/L to 575 mg/L, which is higher than the sulfate concentrations in well GWQ-96-23A immediately down-gradient of the pit (<450 mg/L). Concentrations of TDS also sampled in 1981 by SHB from

GWQ-5 range from 1,070 mg/L to 1,260 mg/L, which is higher than the TDS concentrations in the well GWQ-96-23A (<1,000 mg/L).

The Piper diagram (Fig. 42) indicates that the groundwater up gradient of the mine pit (well GWQ-96-22A and B) is high quality with relatively high proportions of chloride and sulfate. Groundwater down-gradient of the pit (GWQ-96-23A and B) shows relatively higher proportions of bicarbonate and calcium and relatively lower proportions of sulfates. Pre-Quintana mining (June 15, 1981) groundwater data collected from down-gradient wells GWQ-5 and GWQ-6 show similar anions and cation distributions to post Quintana mining activities (1996 and 1998). This indicates that groundwater quality down-gradient of the ore body reflects the natural weathering of the Copper Flat porphyry system.

4.2 Recommendations for the Mine Pit

4.2.1 Mine Pit Lake

The mine pit lake appears to be geochemically stable under existing conditions. Presently, the surface water appears to be fit for livestock and wildlife. Although the surface water does not exceed WQCC domestic or irrigation standards, it is not recommended for that use because of occasional geochemical variability from irregular, heavy precipitation. Such heavy precipitation and water level fluctuation does affect the chemistry of pit lake water; therefore, periodic monitoring of water quality is reasonable, especially because it is currently a source of water for livestock and wildlife.

4.2.2 Surface Water Quality

The surface water quality in Greyback Gulch does not exceed any WQCC numeric standards. However, nitrate has been exceeded in the past at location SWQ-2.

The quality of the surface water is lower downstream of the mine pit; however, the contributing factors to the water quality degradation is probably from naturally occurring processes such as evaporation and weathering exposure to the copper porphyry ore body. Certain re-contouring, re-vegetation, and soil amendments might improve the surface water quality in downstream reaches, but such actions are difficult to justify considering the current land use of cattle grazing and potential mineral development.

Low water quality seeps only occur during times of high precipitation. Although infiltration of rainwater might be arrested by significant restoration program of re-contouring, re-vegetation, and soil amendments, most of the documented seeps drain into the bowl-shaped mine pit lake.

4.2.3 Groundwater

Groundwater quality down-gradient of the mine pit deteriorated with respect to sulfate and TDS from 1996 to 1998; however, more time-based sampling data would be required to ascertain whether this is a real trend or transient phenomenon. Annual monitoring of monitoring wells GWQ-96-22A, GWQ-96-22B, GWQ-96-23A, GWQ-96-23B, GWQ-5, and GWQ-6 would be very useful in establishing groundwater quality trends over time. It appears from the existing data that the ore body is likely the most significant contributor to water quality down-gradient of the pit, and that additional data would be useful in evaluating this hypothesis.

4.3 Rock Storage Pile Conclusions

4.3.1 Extractable Metals From Rock Storage Pile Sample WD-1

The results of the extractable metals analysis from the rock pile sample WD-1 (Fig. 12) indicate low leachate concentrations. This sample was selected because it

represents a transition material having a low field pH. Leachate concentrations would be expected to be greater than fresh, unoxidized waste rock (SRK, July 1998). The WD-1 leachate had a pH of 3, a high sulfate concentration of 3,050 mg/L, high acidity (as CaCO₃) of 1050 mg/L, and no alkalinity (as CaCO₃). WQCC surface water numeric standards for livestock and wildlife were exceeded for two metals, aluminum and copper. The concentration of aluminum was reported as 151 mg/L, which exceeds the numeric standard of 5 mg/L. The concentration of copper was reported as 13.6 mg/L, which exceeded the numeric standard of 0.5 mg/L. Both aluminum and copper exceed the numeric standard by approximately 30 times.

4.3.2 Paste pH, Acid Base Accounting, and Net Acid Generation Testing

One hundred and forty-one paste pH analyses were run on the primary lithologies about the mine site, which include quartz monzonite, quartz breccia, biotite breccia, quartz vein, and andesite. The frequency distribution of pH measurements indicates that all of the rock types except andesite have the potential to generate acidic drainage (Fig. 28).

The 32 rock samples analyzed for acid base accounting by the modified Sobek method indicated that only 5 of the samples could produce enough alkalinity to buffer their potential to generate acid (Fig. 31). The remaining 27 rock samples had the potential to generate more acid than they could neutralize (SRK, July 1998).

The NAG pH frequency distribution (Fig. 32) indicates that the majority of the 59 rock samples have the potential to generate acidic NAG pH values. This is the case for all four rock types involved, quartz monzonite (33 samples), quartz breccia (17), biotite breccia (6), and quartz vein (3).

4.3.3 Kinetic Tests

Kinetic testing was conducted on four quartz monzonite samples and a quartz breccia sample, selected from 19 rock samples collected in 1994 and considered to be representative of unoxidized waste rock exposed to weathering since 1982, highly oxidized pit wall rock, and unoxidized quartz monzonite from within the ore body. The sample locations are presented on Figure 11 and are identified as:

- samples SW-1 and LGSSP-2 were obtained from the sulfide waste rock piles,
- sample PW-2 was obtained from the pit wall in the vicinity of the former Sternberg Lode,
- samples IDC 24-222-224 and CF10-190-199 were obtained from archived drill core.

The results from all of the samples except PW-2 were neutral to alkaline ranging from 7 to 8.1 (Fig. 32). Sample PW-2 was slightly acidic with pH results ranging from 5.8 to 6.5. (SRK, July 1998; SRK, May 1995).

By week 20, the electrical conductivity of all test leachates was less than 100 $\mu\text{S}/\text{cm}$ (Fig. 33). This low conductivity suggests limited leaching of metals and sulfate (SRK, July 1998; SRK, May 1995).

After 15 weeks, the sulfate concentration in the leachate from all of samples is less than 50 mg/L (Fig. 34). These results are well below the WQCC numeric groundwater standard of 600 mg/L (SRK, July 1998; SRK, May 1995).

Copper and iron concentrations decrease rapidly over the duration of the tests (Figs. 35, 36). Metal concentrations in most samples fall below the detection limits (SRK, July 1998; SRK, May 1995).

Alkalinity gradually decreases over time; however, acidity values are several times less than alkalinity and are stable over time (Fig. 37). The gradual decrease of alkalinity suggests consumption of anions during the neutralization of acid (SRK, July 1998; SRK, May 1995).

4.4 Recommendations for the Rock Storage Pile

According to the results of the paste pH, acid base accounting, and net acid generating tests, all rock types except the andesite have a significant to moderate potential to generate acid. However, the extractable metals analysis of rock pile sample WD-1 and kinetic test results suggest that sulfide oxidation products are slowly released at the Copper Flat mine site.

Additional evidence of low oxidation rates is the abundance of sulfide minerals on the waste rock pile surfaces despite exposure to weathering since 1982. Potential explanations for the low oxidation rates are:

- low precipitation limits the access of water to the sulfide minerals and the flushing of the oxidation products,
- coarse grained pyrite crystals with low surface area to volume ratios,
- disseminated pyrite within the groundmass limits the opportunity for sulfide oxidation, and
- neutral to alkaline groundwater recharge assists in acid neutralization.

The disturbed area of the existing Copper Flat mine site consists of several hundred acres. Although, five kinetic samples and one extractable metals analysis suggest that sulfide oxidation is low in this environment, six samples is not enough to be representative of this site. The current physical, mineralogical, and climatic conditions are favorable to

minimize sulfide oxidation and acid rock drainage; however, wetter seasons and/or land use changes may demand more characterization and monitoring at the Copper Flat site.

4.5 Tailings Dam Conclusions

Under the existing drained conditions, the tailings appear to be geochemically stable. Eleven tailings samples collected in 1994 indicate that tailings pH varies from 6.2 to 7.8. Leachate concentrations of extractable metals from a single tailings sample are low, and WQCC numeric standards for groundwater were only exceeded for sulfate and manganese in the leachate. Sulfate has a WQCC domestic use standard of 600 mg/L, which was exceeded in the leachate sample with a concentration of 940 mg/L. Manganese has a WQCC domestic numeric standard of 0.2 mg/L. The leachate sample was found to have a manganese concentration of 1.5 mg/L. No other metals exceeded WQCC groundwater standards.

Figures 40 and 41 indicate that TDS and sulfate concentrations in groundwater sampled from a down-gradient well (NP-3) exceed the WQCC groundwater numeric standards for domestic use of 600 mg/L and 1,000 mg/L, respectively. The concentrations of sulfate and TDS are very gradually decreasing over time, but still remain above standards, 16 years after initial tailings discharge into the tailings impoundment. This information indicates that the tailings dam leaks contaminants into the groundwater, in spite of the significant study that accompanied the impoundment design.

Figure 14 shows areas where a compacted clay liner was placed in an effort to control seepage below the impoundment through exposed brecciated basalt. The predominant minerals present in clay liner material, as determined by x-ray diffraction,

are quartz, calcite, feldspars and undifferentiated clays. The clays consist of 2/10 smectite, 6/10 mixed-layered smectite and illite, and 2/10 kaolinite.

The liner material appears to have a small clay fraction, approximately 2.5 percent, and a small sand fraction, approximately 3.4 percent. The remainder, 91.1 percent, is silt- sized particles. The material will compact into a low permeability layer with a conductivity of 10^{-6} to 10^{-8} cm/s. The clay is highly active, which is determined by dividing the percent clay by the plasticity index. Based on the plasticity indices (Table 13), the activity of the material is approximately 14. Clay is considered active if the activity is greater than 1.25 (Holtz and Kovacs, 1981). The high plasticity indices correlate with high free swell as shown by Table 16. These parameters combined with the fact that 80 percent of the clay fraction is composed of smectite and mixed layer illite and smectite raise concern with respect to the shrink and swell characteristics of the liner material. Smectite and illite are the most active clays with respect to expansion and contraction due to moisture content (Holtz and Kovacs, 1981). Figure 44 presents a relationship between liquid limit and maximum dry density with respect to swelling and collapse based on work done by the U.S. Bureau of Reclamation (Gibbs, 1969, Mitchell and Gardner, 1975, and Holtz and Kovacs, 1981). In this case, a maximum dry density of 105 pounds per cubic foot (1.7 Mega-gram per cubic meter) and a liquid limit of 50 (Table 13) would place the soil in the medium to high range for expansion. The moisture content of the clay material is unknown, although in 1994, the tailings were approximately 20 percent water at depths up to 12 ft below grade (SRK, Aug. 1994). Desiccation could occur if the clay layer dries out, which would compromise the compacted permeability.

4.6 Recommendations for the Tailings Dam

Both SHB, who designed the tailings impoundment, and SRK, who proposed re-using it, have recognized the potential leakage of the facility. SHB suggested and SRK proposed possible engineering modifications to the facility should leakage occur, which it has. SRK proposed a groundwater pump back system to hydraulically contain groundwater impacted by the tailings.

If the tailings dam is ever considered for reuse in the future, some engineering modification must be implemented to secure the impoundment. If not hydraulic containment, then a constructed liner should be considered. If the local red silt is to be considered for a liner material, additional geotechnical analyses should be performed to fully understand the shrinkage and swelling characteristics of the material and its suitability.

5.0 Summary of Conclusions

5.1 Waters

Analysis of the anions and cations from pit water indicate that even though the pit water does not exceed any WQCC numeric livestock or wildlife standards, the water is of marginal quality. The pit water has a consistently high concentration of calcium, chloride, and sulfate relative to surface water in Greyback Gulch and local groundwater. However, the pH is historically neutral to alkaline with some exceptions. Only copper has occasionally exceeded WQCC numeric standards for livestock and wildlife. The pit lake is a local hydraulic sink; therefore increases in TDS and sulfate concentrations could possibly be due to evaporation of the pit lake water concentrating soluble salts.

The surface water chemistry found in the lake can be explained by:

- The inflow of neutral to alkaline groundwater has relatively low concentrations of TDS and sulfate.
- The composition of the host rock is acid buffering. The composition of the host rocks includes approximately 5 percent calcite, 30 percent feldspar, and one percent other carbonates. The dissolution of the calcite in the host rocks and the precipitation of gypsum and goethite around the pit lake indicates that acid buffering is occurring.
- There is a low volume of disseminated pyrite in the rocks surrounding the pit lake, typically 1 to 5 percent. The pyrite is disseminated throughout the groundmass of the host rock limiting access of water and air to allow oxidation. In addition the pyrite is coarse grained, which limits the surface area pyrite crystal to oxidation, when it is exposed (SRK, Dec. 1997).
- Low precipitation in the area is probably the most important reason for the relatively good quality of the pit lake surface water, with respect to pH and concentration of metals. Low precipitation limits the flushing of the oxidized products into the environment via runoff, seep, and discharges (Chavez, 2003).

The net effect is that while sulfide oxidation is occurring, the transport of the oxidation products is slow, except locally in the Copper Flat environment.

Surface water samples collected from locations along the perennial Greyback Gulch indicate higher quality runoff upstream of the mine site than downstream. Although pH measurements remain neutral to alkaline in samples collected from both upstream and downstream location, TDS and sulfate concentrations are greater downstream and concentrations have increased over time. No numeric standard for livestock or wildlife has ever been exceeded in samples from these three locations.

The Piper diagram (Fig. 42) indicates that the downstream surface water in Greyback Gulch has higher proportions of calcium, chloride, and sulfate than upstream

surface water for one set of data collected from SWQ-1, SWQ-2, and SWQ-3 in March/April 1993. The upstream surface water has a higher proportion of bicarbonate. This may indicate that some of the alkalinity upstream is being consumed by acid neutralization as the water moves over and through the Copper Flat ore body.

Possible reasons for the lower surface water quality in the downstream sample locations in Greyback Gulch are:

- evaporative concentration of the dissolved load of anions and cations,
- gypsum dissolution, which is regionally widespread,
- water-mineral interactions within the copper-porphyry deposit, and
- disturbance from the construction of roads and rock storage piles and stream diversion (SRK, Dec. 1997).

There have been a few intermittent seeps from the pit wall and rock storage piles. Typically, these seeps do not flow except following heavy precipitation. When they do flow, they are typically acidic and have high concentrations of anions, cations, and metals. Historically seeps have been identified on the southern wall of the mine pit and from the East and West waste rock piles. Typically, surface water from these seeps are characterized with pH concentrations of 2 to 3, except PW-2 with a pH of 8.16, high TDS concentrations of 5,000 to 25,000 mg/L, and high sulfate concentrations of 3,000 to 22,000 mg/L. Concentrations of surface water from these seeps have exceeded WQCC surface water livestock and wildlife numeric standards for aluminum, cadmium, copper, cobalt, selenium, and zinc.

Groundwater pH measurements both up and down-gradient range from approximately 7 to 8.2. TDS is less than the WQCC numeric groundwater standard of 1,000 mg/L. However the groundwater down-gradient of the mine pit is increasing

gradually over time and approaching the numeric standard. Sulfate concentrations are also lower than the WQCC numeric groundwater standard of 600 mg/L; however, sulfate concentrations in the down-gradient well are increasing with time.

Historical sampling of well GWQ-5, further to the east, indicate that water quality in the vicinity may have been affected naturally by the presence of the ore body prior to mining in 1982. Concentrations of sulfate sampled in 1981 from GWQ-5 range from 477 mg/L to 575 mg/L, which is higher than the sulfate concentrations in well GWQ-96-23A immediately down-gradient of the pit (<450 mg/L). Concentrations of TDS also sampled in 1981 from GWQ-5 range from 1,070 mg/L to 1,260 mg/L, which is also higher than the TDS concentrations in the well GWQ-96-23A (<1,000 mg/L).

The groundwater up gradient of the mine pit (GWQ-9622A and B) is high quality with relatively high proportions of chloride and sulfate. Groundwater down-gradient of the pit (GWQ-96-23A and B) shows relatively higher proportions of bicarbonate and calcium and relatively lower proportions of sulfates. Pre-Quintana mining (June 15, 1981) groundwater data collected from down-gradient wells GWQ-5 and GWQ-6 show similar anions and cation distributions to post Quintana mining activities (1996 and 1998). This indicates that groundwater quality down-gradient of the ore body reflects the natural weathering of the Copper Flat porphyry system.

5.2 Stored Rock and Pit Wall Rock

According to the results of the paste pH, acid base accounting, and net acid generating tests, all rock types except the andesite have a significant to moderate potential to generate acid. However, the extractable metals analysis of rock pile sample

WD-1 and kinetic test results suggest that sulfide oxidation products are slowly released at the Copper Flat mine site.

Additional evidence of low oxidation rates is the abundance of sulfide minerals on the waste rock pile surfaces despite exposure to weathering since 1982. Potential explanations for the low oxidation rates are:

- low precipitation limits the access of water to the sulfide minerals and the flushing of the oxidation products,
- coarse grained pyrite crystals with low surface area to volume ratios,
- disseminated pyrite within the groundmass limits the opportunity for sulfide oxidation, and

neutral to alkaline groundwater recharge assists in acid neutralization.

5.3 Tailings

Under the existing drained conditions, the tailings appear to be geochemically stable. Eleven tailings samples collected in 1994 indicate that tailings pH varies from 6.2 to 7.8. Leachate concentrations of extractable metals from a single tailings sample are low, and WQCC numeric standards for groundwater were only exceeded for sulfate and manganese in the leachate. Sulfate has a WQCC domestic use standard of 600 mg/L, which was exceeded in the leachate sample with a concentration of 940 mg/L. Manganese has a WQCC domestic numeric standard of 0.2 mg/L. The leachate sample was found to have a manganese concentration of 1.5 mg/L. No other metals exceeded WQCC groundwater standards.

TDS and sulfate concentrations in groundwater sampled from a down-gradient well (NP-3) exceed the WQCC groundwater numeric standards for domestic use of 600 mg/L and 1,000 mg/L, respectively. The concentrations of sulfate and TDS are very

gradually decreasing over time, but still remain above standards, 16 years after initial tailings discharge into the tailings impoundment. This information indicates that the tailings dam leaks contaminants into the groundwater, in spite of the significant study that accompanied the impoundment design.

A compacted clay liner was placed in an effort to control seepage below the impoundment through exposed brecciated basalt. The predominant minerals present in clay liner material, as determined by x-ray diffraction, are quartz, calcite, feldspars and undifferentiated clays. The clays consist of 2/10 smectite, 6/10 mixed-layered smectite and illite, and 2/10 kaolinite.

The liner material appears to have a small clay fraction, approximately 2.5 percent, and a small sand fraction, approximately 3.4 percent. The remainder, 91.1 percent, is silt- sized particles. The material will compact into a low permeability layer with a conductivity of 0.01 to 1.0 ft/yr (10^{-6} to 10^{-8} cm/s). The clay is highly active and 80 percent of the clay fraction is composed of smectite and mixed layer illite and smectite, which raises concern with respect to the shrink and swell characteristics of the liner material. Desiccation could occur if the clay layer dries out, which would compromise the compacted permeability.

5.4 Recommendations for Further Study

Further study that could aid in the more complete understanding of the physical processes occurring at Copper Flat are:

- Periodic water quality monitoring of the waters of the pit lake since the lake is a source of water supply for local wildlife and livestock.

- Periodic measurement of water level elevations of the pit lake and local precipitation so that a relationship can be developed between the quality of the pit lake waters and water level elevation and rainfall.
- Periodic observations to locate acidic seeps and determine their relationships with precipitation events, drainage water quality, and to evaluate corrective drainage control by various engineering and vegetation techniques.
- Periodic monitoring of surface and groundwater above and below the Copper Flat ore body to defend the hypothesis that the ore body is naturally contributing to the quality of waters below the mine pit area.
- Additional rock storage pile samples for extractable metals and more kinetic leachate testing of rock storage material, oxidized and unoxidized rock material is appropriate for a site of this size. Results of previous leachate sample results are favorable with respect to release of oxidation products, but the frequency is inadequate.
- If used again, the tailings dam will require engineered alternatives to eliminate leakage of tailings liquids.
- If used for a tailings impoundment liner material, local materials should be analyzed for particle size distribution through the clay size fraction. The clay fraction should be analyzed by XRD for expansive clay content.

6.0 References

- Adrian Brown Consultants, Inc., September 1996, "Tailings Dam Area Pumping Test" Prepared for Steffen, Robertson and Kirsten, Inc, Reno, Nevada, Adrian Brown Consultants, Inc., Denver, Colorado.
- Alta Gold Corporation, 1995, "Copper Flat Project, Hillsboro, New Mexico," Alta Gold Corporation, Henderson, Nevada.
- Bakkom, E. and Salvas, S., 1997, "Copper Flats Reclamation Plan, Phase I," Senior Thesis Presented to the Departments of Mineral and Environmental Engineering, New Mexico Institute of Mining and Technology, Socorro, New Mexico.
- BLM, 1978, "Environmental Assessment Record on Quintana Minerals Corporations' Proposed Open Pit Copper Mine at Copper Flat, Sierra County, New Mexico," United States Bureau of Land Management, Las Cruces, New Mexico.
- BLM, 1996, "Draft Environmental Assessment, Copper Flat Project," United States Department of the Interior, Bureau of Land Management, Las Cruces, New Mexico, Prepared by Steffen, Robertson, and Kirsten, Inc., Reno, Nevada.
- BLM, March 1999, "Preliminary Final, Environmental Impact Statement, Copper Flat Project," United States Department of the Interior, Bureau of Land Management, Las Cruces, New Mexico, Prepared by ENSR, Fort Collins, Colorado.
- Chavez, W.X., 2003, "Personal Communication on July 7, 2003", New Mexico Institute of Mining and Technology, Socorro, New Mexico.
- Dunn, P.G., 1982, "Geology of the Copper Flat Porphyry Copper Deposit, Hillsboro, Sierra County, New Mexico," *Advances in Geology of the Porphyry Copper Deposits, Southwestern North America*, University of Arizona Press, Tucson, Arizona, p. 313-325.
- Dunn, P.G. 1992, "Development Geology of the Copper Flat Porphyry Copper Deposit," Case Study, *SME Mining Engineering Handbook*, Society for Mining, Metallurgy, and Exploration, Inc., Littleton, Colorado.
- Fowler, L.L., 1982, "Brecciation, Alteration, and Mineralization at the Copper Flat Porphyry Copper Deposit, Hillsboro, New Mexico," University of Arizona, Tucson.
- Glover, F.A., 1977, "Environmental Assessment Report, Copper Flat Mine Development," Fort Collins, Colorado.
- Hedlund, 1985, "Economic Geology of Some Selected Mines in the Hillsboro and San Lorenzo Quadrangles, Grant and Sierra Counties, New Mexico, Open File Report, 85-0456," United States Department of the Interior, Geological Survey, Denver, Colorado.

Holtz, R. D., W. D. Kovacs, "An Introduction to Geotechnical Engineering," Prentice Hall, Englewood Cliffs, New Jersey.

Hydro Resources, Inc., 2002, "Copper Flat," unpublished report by Hydro Resources, Inc., Albuquerque, New Mexico.

Jones, F.A., 1904, "New Mexico Mines and Minerals," Santa Fe, New Mexico Printing Company.

McLemore, V.T., et al., 1996, "Personal Field Notes from November 20, 1996 trip to Copper Flat, Sierra County, New Mexico" Bureau of Geology and Mineral Resources, Socorro, New Mexico.

McLemore, V.T., E.A. Munroe, M.T. Heizler, C. McKee, 1999, "Geochemistry of the Copper Flat Porphyry and Associated Deposits in the Hillsboro Mining District, Sierra County, New Mexico, USA," Journal of Geochemical Exploration (Reprint), Nepean, Ontario, Canada.

McLemore, V.T., Munroe, E.A., Heizler, M.T., McKee, C., 2000, "Geology and Evolution of the Mineral Deposits in the Hillsboro District, Sierra County, New Mexico.

McLemore, V.T., 2003, "Personal Communication," New Mexico Bureau of Geology and Mineral Resources, Socorro, New Mexico.

Munroe, E.A., 1999, "Geology and Geochemistry of Waste Rock Piles in the Hillsboro Mining District, Sierra County, New Mexico," MS Thesis, Department of Earth and Environmental Sciences, New Mexico Institute of Mining and Technology, Socorro, New Mexico.

Munroe, E.A. V.T. McLemore, 1999, "Waste Rock Pile Characterization, Heterogeneity, and Geochemical Anomalies in the Hillsboro, Mining District, Sierra County, New Mexico," Journal of Geochemical Exploration (Reprint), Nepean, Ontario, Canada.

Munroe, E.A., V.T. McLemore, N.W. Dunbar, "Mine Waste Rock Pile Geochemistry and Mineralogy in Southwestern New Mexico, USA," Proceedings from the Fifth International Conference on Acid Rock Drainage, Volume II, Society for Mining, Metallurgy, and Exploration, Inc., Littleton, Colorado.

Newcomer, R.W., 1993, "Hydrologic Assessment, Copper Flat Project, Sierra County, New Mexico," John W. Shomaker, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., August 29, 1980, "Letter to Milton W. Hood of Quintana Minerals Corporation Regarding Copper Flat Tailings Dam," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., October 14, 1980, "Final Geotechnical and Design Development Report," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., October 17, 1980, "Letter to Milton W. Hood of Quintana Minerals Corporation Regarding Copper Flat Tailings Dam and Disposal Area," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., December 17, 1980, "Letter to Milton W. Hood of Quintana Minerals Corporation Regarding Copper Flat Decant System, Tailings Dam and Disposal Area," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., April 13, 1981, "Letter to the New Mexico State Engineers Office Regarding Copper Flat Tailings Dam and Disposal Area," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., June 29, 1981, "Letter to Milton W. Hood of Quintana Minerals Corporation Regarding Geohydrological Evaluation for Submission of Discharge Plan," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., October 13, 1981, "Letter to the Maxine S. Goad, New Mexico State Environmental Improvement Board Regarding Geohydrological Evaluation for Submission of Discharge Plan," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Sergent, Hauskins and Beckwith, Inc., October 28, 1981, "Letter to the Maxine S. Goad, New Mexico State Environmental Improvement Board Regarding Geohydrological Evaluation for Submission of Discharge Plan," Sergent, Hauskins and Beckwith, Inc., Albuquerque, New Mexico.

Steffen, Robertson and Kirsten, Inc., August 1994, "Copper Flat Tailings Study, Technical Memorandum," Steffen, Robertson and Kirsten, Inc, Reno, Nevada.

Steffen, Robertson and Kirsten, Inc., December 1994, "Characterization of Post-Closure Pit Water Quality, Copper Flat Project, Hillsboro, New Mexico" Steffen, Robertson and Kirsten, Inc, Lakewood, Colorado.

Steffen, Robertson and Kirsten, Inc., May 1995, "Copper Flat Mine, Hydrological Studies" Steffen, Robertson and Kirsten, Inc, Reno, Nevada.

Steffen, Robertson and Kirsten, Inc., February 1996, "Copper Flat Mine Permit Application" Steffen, Robertson and Kirsten, Inc, Reno, Nevada.

Steffen, Robertson and Kirsten, Inc., December 1997, "Copper Flat Mine, Compilation of Pit Lake Studies" Steffen, Robertson and Kirsten, Inc, Reno, Nevada.

Steffen, Robertson and Kirsten, Inc., June 1998, "Background Groundwater Concentrations, Technical Memorandum" Steffen, Robertson and Kirsten, Inc, Lakewood, Colorado.

Steffen, Robertson and Kirsten, Inc., July 1998, "Copper Flat Mine, Waste Rock Management Plan" Steffen, Robertson and Kirsten, Inc, Reno, Nevada.

Steffen, Robertson and Kirsten, Inc., August 1998, "Tailings Seepage Modeling, Copper Flat Mine" Steffen, Robertson and Kirsten, Inc, Lakewood, Colorado.

Summers, W.K., G.E. Schwab, 1981, "Step Pumping Test of Water Well CWQ-7, Copper Flat, New Mexico," W.K. Summers and Associates, Inc., Socorro, New Mexico.

Water Development Corporation, 1975, "Correspondence to W.E. Seagart of Quintana Minerals Corporation," Water Development Corporation, Tucson, Arizona.

Water Development Corporation, 1976, "Basic-Data Report, Quintana Minerals Corporation, Copper Flat Project Production Wells, Hillsboro, New Mexico," Water Development Corporation, Tucson, Arizona.

Water Development Corporation, 1976, "Basic-Data Report, Quintana Minerals Corporation, Copper Flat Project Production Well #4, Hillsboro, New Mexico," Water Development Corporation, Tucson, Arizona.

U.S. Army, 1965, "Laboratory Soils Testing Manual, EM 1110-2—1906," Department of the Army, Office of the Chief Engineer.

TABLES 1-16

Table 1
Summary of Hydrothermal Alteration Associated with
Mineralization in the Vicinity of Copper Flat
Copper Flat, New Mexico
(From Fowler, 1982; McLemore et al., 2000)

| Host Rock/Type of Mineral Deposit | Alteration Mineral Assembly | Alteration Type |
|---|---|------------------------|
| Quartz monzonite/porphyry copper deposit | Bitotite, potassium feldspar, quartz, pyrite, | Biotite-potassic |
| Quartz monzonite/porphyry copper deposit | Potassium feldspar, chlorite, quartz, pyrite | Potassic |
| Quartz monzonite/porphyry copper deposit | Sericite, quartz, pyrite | Sericitic |
| Andesites adjacent to latite dikes and polymetallic veins | Epidote, chlorite, sericite, pyrite, magnetite | Propylitic (1) |
| Andesites adjacent to latite dikes and polymetallic veins | Sericite, calcite, chlorite, quartz, pyrite. | Argillic |
| Andesites adjacent to latite dikes and polymetallic veins | Chlorite, kaolinite, sericite, quartz, pyrite | Propylitic (2) |
| Latite dikes associated with polymetallic veins | Quartz, potassium feldspar, pyrite, epidote, and chlorite | Propylitic (1) |
| Latite dikes associated with polymetallic veins | Quartz, sericite, chlorite, pyrite | Sericitic |

Table 2
Investigative Reports Prepared for Alta Gold Corporation
Copper Flat, New Mexico

| | | |
|---|----------|-------------------|
| Copper Flat Tailings Study, Technical Memorandum | SRK | August 30, 1994 |
| Characterization of Post-Closure Pit Water Quality, Copper Flat Project | SRK | December 22, 1994 |
| Copper Flat Mine, Hydrological Studies | SRK | May 12, 1995 |
| Copper Flat Mine Permit Application | SRK | February 20, 1996 |
| Draft Environmental Impact Statement | BLM/SRK | February 1996 |
| Tailings Dam Area Pumping Test | SRK/ABC | September 9, 1996 |
| Copper Flat Mine, Compilation of Pit Lake Studies | SRK | December 1997 |
| Background Groundwater Concentrations, Technical Memorandum | SRK | June 30, 1998 |
| Copper Flat Mine, Waste Rock Management Plan | SRK | July 9, 1998 |
| Tailings Seepage Modeling, Copper Flat Mine | SRK | August 7, 1998 |
| Preliminary Final, Environmental Impact Statement, Copper Flat Project | BLM/ENSR | March 1999 |

Table 3
Dates and Estimated Flow Rates
For the Springs and Seeps Sampled by Newcomer et al., 1993
Copper Flat, New Mexico

| Spring/Seep | Date | Flow (gpm) |
|--------------------|-------------|-------------------|
| SWQ-1 | 4/1/93 | 1 to 2 |
| SWQ-1 | 5/7/93 | Dry |
| SWQ-2 | 3/31/93 | <1 |
| SWQ-3 | 3/31/93 | 12.5 |
| BG | 4/1/93 | 1 to 2 |
| BG | 5/7/93 | Dry |
| BG-2 | 4/1/93 | <1 |
| BG-2 | 5/7/93 | <1 |
| Acid Drainage | 4/1/93 | <1 |
| Acid Drainage | 5/7/93 | <1 |
| Acid Drainage | 5/18/93 | <1 |
| Warm Spring | 4/2/93 | 3.3 |

Table 4
Rock Storage Pile, Pit Wall, Drill Core, and Drill Cutting Samples
Copper Flat, New Mexico
(From SRK, May 1995)

| Sample Identification | Sample Description |
|------------------------------|--|
| WD-1 | West dump area, CFQM waste rock |
| PW-3 | Pit wall, northwest of pit lake |
| SW-1 | Sulfide waste pile, CFQM waste rock |
| PW-2 | Pit wall, oxidized cap rock |
| PW-4 | Pit wall, northeast of pit lake |
| SWP-1 | Sulfide waste pile, CFQM rock |
| LGSSP-1 | Sulfide waste pile, CFQM rock |
| LGSSP-2 | Sulfide waste pile, CFQM rock |
| WD-2 | West dump area, CFQM waste rock |
| IDC-24-222-241 | CFQM from IDC-24 drill hole, 222-241 ft. |
| CF10-177.8-190 | Andesite from CF10 drill hole, 177.8-190 ft. |
| CF10-177.8-190 | CFQM from drill hole CF10, 190-199 ft. |
| CF10-214-220 | CFQM from drill hole CF10, 214-220 ft. |
| H75-53-42 | CFQM reverse circulation cuttings |
| H75-64-44 | CFQM reverse circulation cuttings |
| H75-51-34 | CFQM reverse circulation cuttings |
| H75-48-58 | CFQM reverse circulation cuttings |
| H75-48-44 | CFQM reverse circulation cuttings |
| PW-1 | Pit wall, SW of pit, transition zone, CFQM |

Table 5
Additional Sample Analysis Summary
Copper Flat, New Mexico
(From SRK, May 1995)

| Sample Identification | Analysis |
|------------------------------|---|
| LGSSP-2 | Gradation (ASTM D-422) |
| LGSSP-2 | Atterberg Limits (ASTM D-4318) |
| LGSSP-2 | Modified Procter compaction (ASTM (D-4318) |
| LGSSP-2 | Hydraulic Conductivity in a fixed wall permeameter ant near maximum dry density |
| PW-3 | Whole rock analysis (EPA 3051/ICP) |
| WD-1 | Whole rock analysis (EPA 3051/ICP) |
| WD-1 | Leachable metals (EPA 1312) |

Table 6
Rock Storage Pile Characterization Sample Distribution
Copper Flat, New Mexico

| Analysis | 1994 EIS | 1997 WMG | Total | Analytical Laboratory |
|------------------------|-----------------|-----------------|--------------|---|
| Paste pH /Conductivity | 19 | 0 | 19 | SRK, Lakewood, Colorado |
| Paste pH /Conductivity | 0 | 141 | 141 | SRK, Field Parameters |
| Total Metals (ICP) | 2 | 0 | 2 | ACZ Laboratory, Steamboat Springs, Colorado |
| Acid-base accounting | 19 | 0 | 19 | ACZ Laboratory, Steamboat Springs, Colorado |
| Acid-base accounting | 0 | 32 | 32 | Sierra Environmental Monitoring Laboratory, Reno, Nevada |
| Net acid generating | 0 | 59 | 59 | School of Engineering, University College of Wales, Cardiff, UK |
| EPA 1312 | 1 | 0 | 1 | ACZ Laboratory, Steamboat Springs, Colorado |
| Kinetic testing | 5 | 0 | 5 | Cominco Engineering Services Laboratory, Vancouver, BC, Canada |
| Physical testing | 1 | 0 | 1 | ? |

Table 7
Historical Tailings Impoundment Reports
Copper Flat, New Mexico

| Report | Date | Authors | Purpose |
|--|------------|--------------------------------------|--|
| Draft Geotechnical Investigation Report, Tailings Dam and Pond | 10/14/1976 | Sergent, Hauskins and Beckwith (SHB) | Geotechnical Investigation |
| Permeability Report on Materials Proposed for Impoundment Drains and Filters | 8/29/1980 | SHB | Geotechnical Investigation |
| Final Geotechnical and Design Development Report | 10/14/1980 | SHB | Geotechnical Investigation |
| Report on Filter Fabric Suitability | 10/17/1980 | SHB | Geotechnical Investigation |
| Decant System Design Recommendations | 12/17/1980 | SHB | Geotechnical Investigation |
| Comment Resolution to the New Mexico State Engineers Regarding Stress and Strain of the Dam Structure | 4/13/1981 | SHB | Geotechnical Investigation |
| Permeability, Placement, and Compaction of Clay Liner in South Cell | 10/13/81 | SHB | Geotechnical Investigation |
| Permeability, Placement, and Compaction of Clay Liner in South Cell and Monitoring Well Details for NP-5 | 10/28/81 | SHB | Geotechnical Investigation |
| Hydrologic Assessment | 5/1993 | John W. Shomaker, Inc. | Hydrologic Assessment |
| Tailings Study | 8/30/1994 | SRK | Geological Investigation |
| Tailings Dam Area Pumping Test | 9/9/1996 | ABC/SRK | Aquifer Analysis |
| Tailings Seepage Modeling | 8/7/1998 | SRK | Hydrogeologic Conceptual Model and Seepage Modeling of Proposed Impoundment Re-use |

Table 8
Whole Rock Analyses Summary
Pit Lake Sediment and Wall Rock Samples
Collected on November 20, 1996
Copper Flat, New Mexico
(From McLemore et al., 1996)

| Sample ID | Sample Description | Analyses |
|------------------|---|---|
| POND03 | brown precipitate | Metals by AA and ICP; Strontium by XRF |
| POND04 | lake sediment, south pit | Metals by AA and ICP; Strontium by XRF |
| POND05 | lake sediment, east pit | Metals by AA and ICP; Strontium by XRF |
| POND06 | lake sediment, north pit | Metals by AA and ICP; Strontium by XRF |
| POND07 | lake sediment, west pit | Metals by AA and ICP; Strontium by XRF |
| POND08 | grab of pit wall, chalcocite veins | Metals by AA and ICP; Strontium by XRF |
| POND09 | grab of pit wall, pyrite veins and disseminated | Metals by AA and ICP; Strontium by XRF |
| POND10 | grab of pit wall, pyrite with molybdenite | Metals by AA and ICP; Strontium by XRF |
| POND11 | select 1-2 inch chalcocite-quartz vein | Metals by AA and ICP; Strontium by XRF |
| POND12 | grab of blue-brown precipitate from pit wall | Metals by AA and ICP; Strontium by XRF |

Table 9
Summary of Surface Water Samples From
Greyback Gulch Stations A, B, C, 1977
(From BLM 1978)

| Para-Meter ¹ | | Jan 1977 | | | Jan 1977 | | | Mar 1977 | | July 1977 |
|-------------------------|--------|----------|--------|--------|----------|--------|--------|----------|--------|-----------------|
| Station | A | B | C | A | B | C | A | B | C | A |
| pH | 7.7 | 7.6 | 7.8 | 7.8 | 7.7 | 7.8 | 7.9 | 8.0 | 8.1 | NA ² |
| EC ³ | 899 | 1159 | 7226 | 899 | 1178 | 1212 | 916.3 | 916.3 | 1260 | NA |
| TDS | 720 | 800 | 840 | 800 | 800 | 880 | 1000 | 1080 | 1320 | NA |
| Alk | 317.2 | 280.6 | 262.3 | 305.0 | 292.8 | 268.4 | 240.2 | 220.2 | 220.2 | NA |
| Hard | 1660.3 | 2394.8 | 2554.4 | 1596.4 | 2203.0 | 2477.7 | 434.53 | 567.63 | 667.15 | NA |
| N | 5.48 | 6.8 | 4.9 | 5.6 | 7.5 | 3.68 | 3.8 | 3.3 | 3.6 | NA |
| P | 0.4 | 0.49 | 0.47 | 0.43 | 0.5 | 0.47 | 0.46 | 0.41 | 0.38 | NA |
| F | 0.4 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.2 | 0.5 | 0.3 | NA |
| Cu | 0.04 | 0.4 | 0.03 | 0.03 | 0.05 | 0.05 | -0.005 | -0.005 | -0.005 | -0.005 |
| Ag | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | -0.01 | -0.01 | -0.01 | -0.005 |
| Mo | 0.01 | 0.03 | 0.03 | 0.01 | 0.03 | 0.02 | 0.01 | 0.08 | 0.08 | 0.05 |
| Zn | 0.05 | 0.04 | 0.04 | 0.04 | 0.04 | 0.04 | -0.01 | 0.02 | 0.02 | 0.01 |
| Fe | 0.23 | 0.19 | 0.23 | 0.3 | 0.29 | 0.37 | 0.10 | 0.15 | 0.10 | 0.14 |
| Mn | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | -0.01 | -0.01 | -0.01 | 0.07 |
| K | 3.0 | 2.9 | 3.8 | 2.6 | 2.7 | 3.5 | 3.0 | 2.5 | 3.1 | 1.8 |
| Ca | NA | NA | NA | NA | NA | NA | NA | NA | NA | 168.5 |
| Mg | NA | NA | NA | NA | NA | NA | NA | NA | NA | 29.0 |

Notes

1. All parameters except EC are reported in milligrams per liter,
 EC – Electrical Conductivity
 TDS – Total Dissolved Solids
 Alk – Alkalinity (as CaCO₃)
 Hard – Hardness (as CaCO₃)
 N – Nitrate
 P – Phosphorous
 F – Flouride
 Cu – Copper
 Ag – Silver
 Mo – Molybdenum
 Zn – Zinc
 Fe – Iron
 Mn – Manganese
 K – Potassium
 Ca – Calcium
 Mg – Magnesium.
2. Electrical Conductivity reported in micro ohms per centimeter.
3. NA – Not Analyzed

Table 10
Extractable Metals from Rock Storage Pile Sample WD-1
(From SRK, July 1998)

| Parameter | Results (mg/L) |
|------------------------------------|----------------|
| pH | 3 |
| Conductivity | 5.6 (mmhos/cm) |
| Sulfate | 3050 |
| Acidity (as CaCO ₃) | 1050 |
| Alkalinity (as CaCO ₃) | 0 |
| Aluminum | 151 |
| Antimony | N/A |
| Arsenic | <0.1 |
| Barium | 0.09 |
| Boron | 0.1 |
| Cadmium | 0.019 |
| Calcium | 314 |
| Chloride | 6 |
| Chromium | 0.03 |
| Cobalt | 0.29 |
| Copper | 13.6 |
| Flouride | 1.2 |
| Iron | 102 |
| Lead | <0.021 |
| Magnesium | 23 |
| Manganese | 3.35 |
| Mercury | <0.0002 |
| Molybdenum | <0.01 |
| Nickel | 0.11 |
| Potassium | 4 |
| Selenium | <0.1 |
| Silver | <0.01 |
| Sodium | 13 |
| Vanadium | <0.01 |
| Zinc | 0.87 |

Table 11
Total and Extractable Metals in Tailings Sample T-10-12
(From SRK, July, 1998)

| Parameter | Total Metals in Solid (ppm) | Extractable Metals (mg/L) |
|------------|--------------------------------|------------------------------|
| Aluminum | 2,700 | <0.05 |
| Antimony | <0.5 | N/A |
| Arsenic | 1.3 | <0.1 |
| Barium | 52 | 0.10 |
| Boron | <2 | 0.07 |
| Cadmium | 1.8 | <0.005 |
| Calcium | 8,500 | 300 |
| Chloride | N/A | 6 |
| Chromium | 5 | <0.01 |
| Cobalt | 13 | <0.02 |
| Copper | 1600 | 0.03 |
| Flouride | N/A | 1.4 |
| Iron | 19,000 | <0.02 |
| Lead | 15 | <0.021 |
| Magnesium | 1,800 | 22 |
| Manganese | 251 | 1.5 |
| Mercury | <0.02 | <0.0002 |
| Molybdenum | 34 | 0.19 |
| Nickel | 3 | <0.02 |
| Potassium | 1400 | 44 |
| Selenium | <0.03 | <0.1 |
| Silver | <1 | <0.01 |
| Sodium | 200 | 44 |
| Sulfate | N/A | 940 |
| Vanadium | 7 | <0.01 |
| Zinc | 418 | 0.42 |

Table 12
Physical and Relational Characteristics
Copper Flat Tailings Impoundment Liner Material

| Sample ID | Lithology (Visual) (ASTM, 1993) | Physical Relationship |
|------------------|--|----------------------------------|
| SR-1 | Sandy Clay/Silt; red; medium plastic; sand fraction fine grained, poorly graded; weakly cemented | Overlies SR-3 and underlies SR-2 |
| SR-2 | Clay/Silt; buff; non plastic; < 10 % fine sand, cemented | Overlies SR-1 |
| SR-3 | Sandy Clay/Silt; brown, highly plastic, sand fraction fine grained, poorly graded; weakly cemented | Underlies SR-1 |

Table 13
Summary of Geotechnical Results
Copper Flat Tailings Impoundment Liner Material
(From SHB, Oct. 1980)

| Material/ Similar to Sample ID | Location | Percent Passing #200 Sieve | Liquid Limit | Plastic Index | USCS Symbol | Max. Dens ity (lb/ft³) | Optimum Moisture (%) | Comp- acted Perm- eability (cm/s) |
|---|---------------------------|---|-------------------------|--------------------------|------------------------|---|-------------------------------------|--|
| Red/ SR-1 | Sta. 32 Sta. 13 | 57 | 61 | 38 | CH | 103.5 | 19.5 | NA |
| Red/ SR-1 | Sta. 0 Sta. 10 | 63 | 61 | 28 | MH | 98.2 | 20.9 | NA |
| Red/ SR-1 | Clay Borrow | 65 | 46 | 28 | CL | 105.3 | 19.3 | NA |
| Red/ SR-1 | Pit A 2.5-6 ft | 61 | 45 | 25 | CL | 118.2 | 11.4 | 1.8 x 10 ⁻⁶ |
| Red/ SR-1 | Pit E 2-5 ft | 76 | 38 | 14 | CL | 104.8 | 15.6 | 2.9 x 10 ⁻⁷ |
| Red/ SR-1 | Pit F 2-5 | 99 | 58 | 34 | CH | 104.7 | 15.3 | 2.1 x 10 ⁻⁸ |
| Brown/ SR-3 | Boring #1, 15 ft | 74 | 49 | 20 | ML | NA | NA | NA |
| Brown/ SR-3 | Boring #18, 34.5 ft | 68 | 40 | 20 | CL | NA | NA | NA |

Table 14
Clay Mineralogy and Distribution
Of Samples SR-1 and SR-3
Copper Flat Tailings Impoundment Liner Material

| Sample ID | Illite (parts in 10) | Smectite (parts in 10) | Mixed Layer (I/S) (parts in 10) | Kaolinite (Parts in 10) |
|------------------|---------------------------------|-----------------------------------|--|------------------------------------|
| SR-1 (Red) | 0 | 2 | 6 | 2 |
| SR-3 (Brown) | 2 | 0 | 6 | 2 |

Table 15
New Mexico Water Quality Control Commission Numeric Standards
(From NMWQCC, 1995, 2001)

Discharge to Groundwater (mg/L)¹/ Surface Water (mg/L)²

| Parameter | Human Health | Domestic Use | Irrigation Use | Domestic Use | Irrigation Use | Livestock/ Wildlife |
|------------------|---------------------|---------------------|-----------------------|---------------------|-------------------------|----------------------------|
| Aluminum | | | 5.0 | | 5.0 | 5.0 |
| Antimony | 0.006 | | | 0.006 | | |
| Arsenic | 0.1 | | | 0.05 | 0.10 | 0.2 |
| Barium | 1.0 | | | 2.0 | | |
| Beryllium | | | | 0.004 | | |
| Boron | | | 0.75 | | 0.75 | 5.0 |
| Cadmium | 0.01 | | | 0.005 | 0.01 | 0.05 |
| Chloride | | 250 | | | | |
| Chromium | 0.05 | | | 0.1 | 0.1 | 1.0 |
| Cobalt | | | 0.05 | | 0.05 | 1.0 |
| Copper | | 1.0 | | | 0.2 | 0.5 |
| Cyanide | 0.2 | | | 0.2 | | |
| Fluoride | 1.6 | | | | | |
| Iron | | 1.0 | | | | |
| Lead | 0.05 | | | 0.05 | 5.0 | 0.1 |
| Manganese | | 0.2 | | | | |
| Mercury | 0.002 | | | 0.002 | | 0.01 |
| Molybdenum | | | 1.0 | | 1.0 | |
| Nitrate (as N) | 10.0 | | | 10.0 | | |
| Nickel | | | 0.2 | 0.1 | | |
| pH | | 6-9 | | | | |
| Radium | 30 | | | 5 | | 30 |
| Selenium | 0.05 | | | 0.05 | 0.13(0.25) ³ | 0.05 |
| Silver | 0.05 | | | | | |
| Sulfate | | 600 | | | | |
| Thallium | | | | 0.002 | | |
| TDS | | 1000 | | | | |
| Uranite | 5.0 | | | 5.0 | | |
| Vanadium | | | | | 0.1 | 0.1 |
| Zinc | | 10 | | | 2.0 | 25 |

¹ New Mexico Water Quality Control Commission, Title 20, Chapter 6, Part 2, Ground and Surface Water Protection, December, 1995, Standards for groundwater of 10,000 mg/L or less.

² New Mexico Water Quality Control Commission, Title 20, Chapter 6, Part 1, Water Quality Standards for Interstate Streams in New Mexico, December, 2001.

³ In presence of >500 mg/L sulfate.

Table 16
 Probable Expansion Estimated
 From Classification Test Data
 (from Holtz and Kovacs, 1981, after Holtz, 1959 and USBR, 1974)

| Degree of Expansion | Probable Expansion as a % of the Total Volume Change (Dry to Saturated Condition)† | Colloidal Content (% - 1 μ m) | Plasticity Index, PI | Shrinkage Limit, SL |
|---------------------------|--|---|----------------------------|---------------------------|
| Very high | > 30 | > 28 | > 35 | < 11 |
| High | 20-30 | 20-31 | 25-41 | 7-12 |
| Medium | 10-20 | 13-23 | 15-28 | 10-16 |
| Low | < 10 | < 15 | < 18 | > 15 |

FIGURES




Figure 1
 Site Location Map
 Copper Flat, New Mexico
 (from BLM, 1978)




Figure 2
 Geologic Schematic of the
 Hillsboro Mining District, New Mexico
 (from McLemore et al., 2000; Dunn, 1982; Hedlund, 1985)





Figure 3
 Arizona-Sonora-New Mexico Porphyry Copper Belt
 (from McLemore et al., 2000)



Figure 4
Copper Flat Mine, 1982, View West
Copper Flat, New Mexico
(Courtesy of Hydro Resources, Inc.)



Figure 5
Copper Flat Mine, 1982, View East
Copper Flat, New Mexico
(Courtesy of Hydro Resources, Inc.)



COPPER FLAT - 1982
10,000 Hp SAG Mill
6,000 Hp Ball Mill

Figure 6
Copper Flat Mills, 1982
Copper Flat, New Mexico
(from Alta Gold Corporation, 1995)

COPPER FLAT PIT
1988



Figure 7
Copper Flat Mine Site, 1988
Copper Flat, New Mexico
(from Alta Gold Corporation, 1995)






Figure 8
Copper Flat Mine Layout and Property Ownership
Copper Flat, New Mexico
(from BLM, 1999, after SRK)




LEGEND:

- MONITORING WELL
- WELL
- IRRIGATION WELL
- ⊗ WINDMILL
- SPRING
- ▲ STREAM GAGING STATION OR SURFACE WATER SAMPLE SITE



COPPER FLAT PROJECT
FIGURE 3-7
SPRING AND WELL
LOCATIONS


Figure 9
 Well and Spring Locations
 Copper Flat, New Mexico
 (from BLM, 1999, after SRK)



LEGEND:

| | |
|--|-----------------------------|
| ⊗ PRE-1994 GROUNDWATER MONITORING WELL | ⚡ WINDMILL |
| ⊙ 1994 GROUNDWATER MONITORING WELL | ⊕ SPRING |
| — FAULT | △ SURFACE WATER SAMPLE SITE |
| * clay samples | |

SOURCE: SRK (1995)




COPPER FLAT PROJECT

FIGURE 3-13

TAILINGS IMPOUNDMENT

FAULT AND WELL LOCATIONS

Figure 10
Well and Spring Locations, Pit and Tailings Impoundment Detail
Copper Flat, New Mexico
(from BLM, 1999, after SRK)



LEGEND:

- H75-51 SAMPLED DRILL HOLE COLLAR LOCATION (APPROXIMATE)
- PW-1 SURFACE GRAB SAMPLE LOCATION
- CFPIT LAKE SAMPLES

- WIW EXISTING WELL
- MIXED MIXED UNOXIDIZED AND OXIDIZED SULFIDE-BEARING WASTE ROCK
- EXISTING WASTE ROCK BOUNDARIES
- UNOXIDIZED SULFIDE UNOXIDIZED SULFIDE-BEARING WASTE ROCK

SOURCE: SRK 1995




COPPER FLAT PROJECT

**FIGURE 3-9
PIT LAKE AND WASTE ROCK
SAMPLING LOCATIONS**

Figure 11
Pit Wall, Waste Rock, and Drill Core Locations
Copper Flat, New Mexico
(from BLM, 1999, after SRK)



KEY
 8.31 ● Aquatic pH
 6.8 ○ Paste pH
 —5600— Contours (ft)



COPPER FLAT PROJECT
FIGURE A2-31
PASTE AND MEASURED AQUATIC
pH MAP OF WASTE ROCK, PIT LAKE
AND SURFACE WATERS

SOURCE: SRK (1995, 1997)

Figure 12
 Pit Area Paste pH Sample Locations
 Copper Flat, New Mexico
 (from BLM 1999, after SRK)




Figure 13
Approximate Pond Rock Sample Locations
Copper Flat, New Mexico
(Approximate Scale: 1": 500')

^
North




Figure 14
Tailings Impoundment Layout and Decant Alignment Boring Locations
Copper Flat, New Mexico
(from SHB, 1980)





Figure 15
Geotechnical Soil Boring and Test Pit Locations
Copper Flat, New Mexico
(from SHB, 1980)

LOCATION OF WATER WELLS



Tailings Dam and Pond
Copper Flat Project
Hillsboro, New Mexico
SHB Job No. E80-1030


 SERGENT, HAUSKINS & BECKWITH

Figure 16
1976 Groundwater and Soil Sample Locations
Copper Flat, New Mexico
(from SHB, 1980)




Figure 17
Copper Concentrations in the Mine Pit Lake
Copper Flat, New Mexico




Figure 18
pH in the Mine Pit Lake
Copper Flat, New Mexico




Figure 19
Total Dissolved Solid Concentrations in the Mine Pit Lake
Copper Flat, New Mexico




Figure 20
Sulfate Concentration in the Mine Pit Lake
Copper Flat, New Mexico




Figure 21
pH from Greyback Gulch Surface Water
Copper Flat, New Mexico




Figure 22
TDS Concentrations from Greyback Gulch Surface Water
Copper Flat, New Mexico




Figure 23
Sulfate Concentrations from Greyback Gulch Surface Water
Copper Flat, New Mexico

Chemical Constituents in Equivalents per Million

| Sample | Date | NaK | Ca | Mg | Fe | CO3 | SO4 | HCO3 | Cl |
|--------|------------|-------|-------|------|------|------|-------|------|------|
| SWQ-1 | 1/ 4/1993 | 4.70 | 5.44 | 2.96 | 0.00 | 0.00 | 5.75 | 5.90 | 0.76 |
| SWQ-2 | 31/ 3/1993 | 12.19 | 21.76 | 6.83 | 0.00 | 0.00 | 30.40 | 4.92 | 3.47 |
| SWQ-3 | 31/ 3/1993 | 11.84 | 22.21 | 8.97 | 0.00 | 0.00 | 32.90 | 5.08 | 3.81 |




Figure 24
 Greyback Gulch Surface Water Stiff Diagrams
 Copper Flat, New Mexico
 (from Newcomer et al., 1993)




Figure 25
Groundwater pH, Mine Pit Vicinity
Copper Flat, New Mexico




Figure 26
Groundwater TDS Concentrations, Mine Pit Vicinity
Copper Flat, New Mexico




Figure 27
Groundwater Sulfate Concentrations, Mine Pit Vicinity
Copper Flat, New Mexico




Figure 28
 Paste pH Distributions by Rock Type
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 29
 Comparison of Sobek vrs Modified Sobek Methods for
 Estimating Acid Generation Potential vrs Neutralization Potential
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 30
 Acid Generation Potential vrs Neutralization Potential
 Pit Wall and Waste Rock Samples
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 31
 NAG pH Frequency Distribution by Rock Type
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 32
 Kinetic Test, pH vrs Time
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 33
 Kinetic Test, Electrical Conductivity vrs Time
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 34
 Kinetic Test, Sulfate vrs Time
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 35
 Kinetic Test, Copper vrs Time
 Copper Flat, New Mexico
 (from SRK, July 1998)




Figure 36
Kinetic Test, Iron vrs Time
Copper Flat, New Mexico
(from SRK, July 1998)








Figure 37
 Kinetic Test, Alkalinity vrs Time
 Copper Flat, New Mexico
 (from SRK, July 1998)



IDEALIZED GEOLOGICAL SECTION A-A' (NORTH CELL)



IDEALIZED GEOLOGICAL SECTION B-B' (SOUTH CELL)




| | | |
|---|---------------|---------------|
|  STEFFEN ROBERTSON & KIRSTEN (U.S.) Consulting Engineers & Scientists | | |
| PROJECT NO. 68608 | DATE 01/95 | REVISION A |

FIGURE 7-1
 IDEALIZED GEOLOGIC CROSS SECTIONS,
 NORTH AND SOUTH CELLS
 Copper Flat Project

Figure 38
 Subsurface Cross-Section Through the North and South Cells of the Tailings Impoundment
 Copper Flat, New Mexico
 (from SRK, May 1995)




Figure 41
Groundwater Sulfate Concentrations, NP-3, NP-4
Copper Flat, New Mexico

Piper Diagram
Copper Flat Waters






Figure 42
Piper Diagram, Copper Flat Surface Water and Groundwater
Copper Flat, New Mexico
(data from BLM, 1999, after SRK)



COPPER FLAT PROJECT

FIGURE 3-13
WATER TABLE MAP OF
COPPER FLAT PIT AREA



SOURCE: ABC (1997)

Figure 43
 Groundwater Contours Beneath the Mine Site
 Copper Flat, New Mexico
 (from BLM, 1999; after ABC, 1997)




Figure 44

Guide to Collapsibility, Compressibility, and Expansion
Based on In situ Dry Density and Liquid Limit

(from Holtz and Kovacs, after Mitchell and Gardner, 1975 and Gibbs, 1969)

| | |
|-------------------|--|
| APPENDIX A | Comprehensive Surface Water Chemistry Data |
| APPENDIX B | Appendix B-1 Comprehensive Groundwater Chemistry Data |
| | Appendix B-2 Pre 1980 SHB Groundwater Sample Results |
| APPENDIX C | Whole Rock Chemical Analyses for PW-3, WD-1, and November 20, 1996 Pond Rock Samples |
| APPENDIX D | Appendix D-1 Paste pH and Conductivity Data, Acid-Base Accounting Data, and Net Acid Generation Data |
| | Appendix D-2 Humidity Cell Data |
| APPENDIX E | Appendix E-1 SHB Permeability Data |
| | Appendix E-2 Tailings Impoundment Liner Material Hydrometer Analysis and Gradation Plot, |
| | Appendix E-3 Geotechnical Boring Logs and Geotechnical Analytical Data Sheets |
| APPENDIX F | Bulk XRD and Clay Mineralogy Distribution Data Scans and Calculations |

Appendix A

Comprehensive Surface Water Chemistry Data

| Well Name | Date | Sampler | Notes | Lat | Long |
|--------------------|-----------|------------|---|----------|-----------|
| BG-2Spring | 4/1/1993 | Shomaker | | | |
| BG-2 Spring | 7/1/1998 | | 15.7.26.1.1.3 | 32.97897 | 107.53876 |
| BG-2 Spring | 8/1/1998 | | 15.7.26.1.1.3 | 32.97897 | 107.53876 |
| BG-2 Spring | 9/1/1998 | | 15.7.26.1.1.3 | 32.97897 | 107.53876 |
| BG Spring | 4/1/1993 | Shomaker | | | |
| BG Spring | 7/1/1998 | | 15.7.28.4.4.3 | 32.96977 | 107.55911 |
| BG Spring | 8/1/1998 | | 15.7.28.4.4.3 | 32.96977 | 107.55911 |
| BG Spring | 9/1/1998 | | 15.7.28.4.4.3 | 32.96977 | 107.55911 |
| Casa Moya Wier | 6/1/1998 | | 15.5.27.4.4. | 32.9704 | 107.54251 |
| Casa Moya Wier | 7/1/1998 | | 15.5.27.4.4. | 32.9704 | 107.54251 |
| Casa Moya Wier | 8/1/1998 | | 15.5.27.4.4. | 32.9704 | 107.54251 |
| Casa Moya Wier | 9/1/1998 | | 15.5.27.4.4. | 32.9704 | 107.54251 |
| Danfelser Spring | 1/1/1998 | | | | |
| Danfelser Spring | 2/1/1998 | | | | |
| Danfelser Spring | 3/1/1998 | | | | |
| Danfelser Spring | 4/15/1998 | Goff | | | |
| Danfelser Spring | 5/1/1998 | | | | |
| Danfelser Spring | 6/1/1998 | | | | |
| Danfelser Spring | 7/22/1998 | Brownfield | | | |
| Danfelser Spring | 8/1/1998 | | | | |
| Danfelser Spring | 9/1/1998 | | | | |
| Due South of Pit | 8/1/1997 | | | | |
| Erwin Wier | 5/1/1998 | | 15.7.30.2.4.2. | 32.97627 | 107.59198 |
| Erwin Wier | 6/1/1998 | | 15.7.30.2.4.2. | 32.97627 | 107.59198 |
| Erwin Wier | 7/1/1998 | | 15.7.30.2.4.2. | 32.97627 | 107.59198 |
| Erwin Wier | 8/1/1998 | | 15.7.30.2.4.2. | 32.97627 | 107.59198 |
| Erwin Wier | 9/1/1998 | | 15.7.30.2.4.2. | 32.97627 | 107.59198 |
| Greyback Station A | 1/77 | BLM | where Greyback enters QMC property | | |
| Greyback Station A | 1/77 | BLM | where Greyback enters QMC property | | |
| Greyback Station B | 1/77 | BLM | In greyback, 300 yards east of mine rim | | |
| Greyback Station B | 1/77 | BLM | In greyback, 300 yards east of mine rim | | |
| Greyback Station C | 1/77 | BLM | where Greyback leaves QMC property | | |
| Greyback Station C | 1/77 | BLM | where Greyback leaves QMC property | | |
| Greyback Station A | 3/77 | BLM | where Greyback enters QMC property | | |
| Greyback Station B | 3/77 | BLM | In greyback, 300 yards east of mine rim | | |
| Greyback Station C | 3/77 | BLM | where Greyback leaves QMC property | | |

| Well Name | Date | Sampler | Notes | Lat | Long |
|------------------------|------------|---------|---|----------|-----------|
| Greyback Station B | 7/77 | BLM | In greyback, 300 yards east of mine rim | | |
| Greyback | 5/17/1982 | QMC | | | |
| Greyback | 2/11/1991 | FTS/GE | W/mine site Greyback SHB 5 | | |
| Greyback | 2/11/1991 | FTS/GE | West of pit, ds Greyback SHB 2 | | |
| Greyback | 2/11/1991 | FTS/GE | E of GWQ-4, SHB 1 | 32.96599 | 107.54639 |
| Greyback Outfall | 8/1/1995 | | | | |
| Greyback Outfall | 9/21/1995 | | | | |
| Greyback Wash | 3/1/1997 | | | | |
| Humphries Wier | 6/1/1998 | | 15.6.24.31.1 | | |
| Humphries Wier | 7/1/1998 | | 15.6.24.31.1 | | |
| Humphries Wier | 8/1/1998 | | 15.6.24.31.1 | | |
| Humphries Wier | 9/1/1998 | | 15.6.24.31.1 | | |
| Las Animas Creek | 10/1/1997 | | exact date not known | | |
| Las Animas Creek | 4/15/1998 | Goff | LA Ck. At road crossing at Irwins | | |
| Las Animas Creek | 10/22/1998 | Goff | | | |
| Las Animas/Seco Creek | 7/31/1974 | | 15.5.22.122 | | |
| Las Animas/Seco Creek | 7/12/1974 | | 15.5.27.333 | | |
| Las Animas/Seco Creek | 5/7/1974 | | 15.5.27.413 | | |
| Las Animas/Seco Creek | 7/11/1974 | | 15.5.27.442 | | |
| Las Animas/Seco Creek | 7/11/1974 | | 15.5.27.443 | | |
| Las Animas/Seco Creek | 5/7/1974 | | 15.5.29.424 | | |
| Las Animas/Seco Creek | 7/9/1974 | | 15.5.30.213 | | |
| Las Animas/Seco Creek | 1/1/2001 | | LAC-1 | | |
| Las Animas/Seco Creek | 11/16/1994 | | MW-9 | | |
| Las Animas/Seco Creek | 11/16/1994 | | MW-10 | | |
| Las Animas/Seco Creek | 11/16/1994 | | MW-11 | | |
| Left Side of Haul Road | 8/1/1997 | | exact date not known | | |
| Pit Lake | 4/3/1989 | EID | Dipped | | |
| Pit Lake | 4/3/1989 | EID | Dipped, near the drive down to lake | | |
| Pit Lake | 11/14/1990 | GE | | | |
| Pit Lake | 2/11/1991 | FTS/GE | 5' down, SHB 4 | | |
| Pit Lake | 2/11/1991 | FTS/GE | 25' down, SHB 3 | | |
| Pit Lake | 7/19/1991 | MT/GE | | | |
| Pit Lake | 8/29/1991 | BI/GE | | | |
| Pit Lake | 11/26/1991 | MH/GE | | | |
| Pit Lake | 3/15/1992 | BI/GE | | | |

| Well Name | Date | Sampler | Notes | Lat | Long |
|-----------|------------|---------------|---|-----|------|
| Pit Lake | 3/15/1992 | BI/GE | | | |
| Pit Lake | 5/25/1992 | BI/GE | | | |
| Pit Lake | 7/16/1992 | BI/GE | | | |
| Pit Lake | 10/8/1992 | BI/GE | | | |
| Pit Lake | 11/27/1992 | MH/GE | | | |
| Pit Lake | 12/15/1992 | BI/GE | | | |
| Pit Lake | 2/12/1993 | Shomaker | | | |
| Pit Lake | 2/25/1993 | BI/GE | | | |
| Pit Lake | 9/28/1993 | BI/GE | | | |
| Pit Lake | 3/17/1994 | BI/GE | | | |
| Pit Lake | 5/24/1994 | SRK | NLP8M-North Edge of Pit Lake, Sample at 8 meters, N elev | | |
| Pit Lake | 5/24/1994 | SRK | SLP3M-South Edge of Pit lake, Sample at 3 meters , N elev | | |
| Pit Lake | 5/24/1994 | SRK | SPL5M-South Edge of Pit Lake, Sample at 5 meters, N elev | | |
| Pit Lake | 5/24/1994 | SRK | NLP3M-North Edge of Pit Lake, Sampled at 3 meters, N elev | | |
| Pit Lake | 9/22/1994 | BI/GE | Sample loss - no sulfate analysis | | |
| Pit Lake | 11/16/1994 | SRK | Samle at 3 meters | | |
| Pit Lake | 11/16/1994 | SRK | Sample at 7 meters | | |
| Pit Lake | 12/12/1994 | ABC | N elevated due to TDS | | |
| Pit Lake | 12/19/1994 | ABC | N elevated due to TDS | | |
| Pit Lake | 1/29/1995 | BI/GE | | | |
| Pit Lake | 3/29/1995 | BI/GE | | | |
| Pit Lake | 6/27/1995 | BI/GE | | | |
| Pit Lake | 8/1/1995 | UKN | | | |
| Pit Lake | 8/1/1995 | | Duplicate | | |
| Pit Lake | 9/21/1995 | | | | |
| Pit Lake | 9/21/1995 | BI/GE | | | |
| Pit Lake | 1/10/1996 | BI/GE | | | |
| Pit Lake | 4/3/1996 | BI/GE | | | |
| Pit Lake | 6/1/1996 | | exact date not known | | |
| Pit Lake | 9/25/1996 | BI/GE | | | |
| Pit Lake | 11/15/1996 | Bakkom/Salvas | North Shore | | |
| Pit Lake | 11/15/1996 | Bakkom/Salvas | South Shore | | |
| Pit Lake | 11/15/1996 | Bakkom/Salvas | East Shore | | |
| Pit Lake | 11/15/1996 | Bakkom/Salvas | West Shore | | |
| Pit Lake | 1/15/1997 | BI/GE | | | |
| Pit Lake | 1/18/1997 | Bakkom/Salvas | North Shore | | |

| Well Name | Date | Sampler | Notes | Lat | Long |
|--------------------|------------|---------------|--------------------------------|-----|------|
| Pit Lake | 1/18/1997 | Bakkom/Salvas | South Shore | | |
| Pit Lake | 1/18/1997 | Bakkom/Salvas | East Shore | | |
| Pit Lake | 1/18/1997 | Bakkom/Salvas | West Shore | | |
| Pit Lake | 7/1/1997 | | exact date not known | | |
| Pit Lake | 7/16/1997 | Bakkom/Salvas | North Shore | | |
| Pit Lake | 7/16/1997 | Bakkom/Salvas | South Shore | | |
| Pit Lake | 7/16/1997 | Bakkom/Salvas | East Shore | | |
| Pit Lake | 7/16/1997 | Bakkom/Salvas | West Shore | | |
| Pit Lake | 8/1/1997 | SRK | exact date not known | | |
| Pit Lake | 10/1/1997 | | Duplicate | | |
| Pit Lake | 10/8/1997 | Bakkom/Salvas | North Shore | | |
| Pit Lake | 10/8/1997 | Bakkom/Salvas | South Shore | | |
| Pit Lake | 10/8/1997 | Bakkom/Salvas | East Shore | | |
| Pit Lake | 10/8/1997 | Bakkom/Salvas | West Shore | | |
| Pit Lake | 1/15/1998 | BI | | | |
| Pit Lake | 1/24/1998 | Goff | | | |
| Pit Lake | 2/1/1998 | | | | |
| Pit Lake | 3/1/1998 | | | | |
| Pit Lake | 4/9/1998 | BI | | | |
| Pit Lake | 5/1/1998 | | | | |
| Pit Lake | 6/1/1998 | | | | |
| Pit Lake | 7/13/1998 | BI | | | |
| Pit Lake | 7/21/1998 | Brownfield | | | |
| Pit Lake | 8/1/1998 | | | | |
| Pit Lake | 9/1/1998 | | | | |
| Pit Lake | 10/15/1998 | Goff | | | |
| Pit Lake | 10/1/1997 | | exact date not known | | |
| PP | 8/9/1997 | SRK | Stagnant Water near Petroglyph | | |
| PW-1 | 8/8/1997 | SRK | Seep in NW corner of pit | | |
| PW-1 | 8/9/1997 | SRK | Seep in NW corner of pit | | |
| PW-2 | 8/9/1997 | SRK | Seep in SW corner of pit | | |
| Seep | 5/17/1982 | QMC | | | |
| Seep | 9/2/1982 | EID | | | |
| Seep | 12/23/1982 | QMC | | | |
| Seep | 2/21/1983 | QMC | | | |
| Acid Rock Drianage | 5/7/1993 | Shomaker | | | |

Bold exceeds livestock/wildlife standard
underline exceeds domestic standard
itlaic exceeds irrigation standard

| Well Name | Date | North | East | Flow Rate | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|--------------------|-----------|--------|---------|-----------|-----------|------|-----------|------|-----|-------------|
| BG-2Spring | 4/1/1993 | | | | | 8.2 | 1090 | 690 | 184 | 535 |
| BG-2 Spring | 7/1/1998 | 262745 | 3651627 | 0 | | | | | | |
| BG-2 Spring | 8/1/1998 | 262745 | 3651627 | 0 | | | | | | |
| BG-2 Spring | 9/1/1998 | 262745 | 3651627 | 0 | | | | | | |
| BG Spring | 4/1/1993 | | | | | 8 | 1030 | 680 | 228 | 411 |
| BG Spring | 7/1/1998 | 260819 | 3650652 | 0 | | | | | | |
| BG Spring | 8/1/1998 | 260819 | 3650652 | 0 | | | | | | |
| BG Spring | 9/1/1998 | 260819 | 3650652 | 0 | | | | | | |
| Casa Moya Wier | 6/1/1998 | 262372 | 3650684 | 0 | | | | | | |
| Casa Moya Wier | 7/1/1998 | 262372 | 3650684 | 0 | | | | | | |
| Casa Moya Wier | 8/1/1998 | 262372 | 3650684 | 0 | | | | | | |
| Casa Moya Wier | 9/1/1998 | 262372 | 3650684 | 0 | | | | | | |
| Danfelser Spring | 1/1/1998 | | | 26 | | | | | | |
| Danfelser Spring | 2/1/1998 | | | 25.25 | | | | | | |
| Danfelser Spring | 3/1/1998 | | | 21.25 | | | | | | |
| Danfelser Spring | 4/15/1998 | | | 22.7 | TRUE | 7.66 | 405 | 241 | 33 | |
| Danfelser Spring | 5/1/1998 | | | 18 | | | | | | |
| Danfelser Spring | 6/1/1998 | | | 13.6 | | | | | | |
| Danfelser Spring | 7/22/1998 | | | 1.2 | TRUE | | | 257 | 32 | |
| Danfelser Spring | 8/1/1998 | | | 7.25 | | | | | | |
| Danfelser Spring | 9/1/1998 | | | 10.8 | | | | | | |
| Due South of Pit | 8/1/1997 | | | | TRUE | 8.03 | | 5710 | | |
| Erwin Wier | 5/1/1998 | 257763 | 3651448 | 193 | | | | | | |
| Erwin Wier | 6/1/1998 | 257763 | 3651448 | 38 | | | | | | |
| Erwin Wier | 7/1/1998 | 257763 | 3651448 | 0 | | | | | | |
| Erwin Wier | 8/1/1998 | 257763 | 3651448 | 367 | | | | | | |
| Erwin Wier | 9/1/1998 | 257763 | 3651448 | 0 | | | | | | |
| Greyback Station A | 1/77 | | | | | 7.7 | | 720 | | |
| Greyback Station A | 1/77 | | | | | 7.8 | | 800 | | |
| Greyback Station B | 1/77 | | | | | 7.6 | | 800 | | |
| Greyback Station B | 1/77 | | | | | 7.7 | | 800 | | |
| Greyback Station C | 1/77 | | | | | 7.8 | | 840 | | |
| Greyback Station C | 1/77 | | | | | 7.8 | | 880 | | |
| Greyback Station A | 3/77 | | | | | 7.9 | | 1000 | | |
| Greyback Station B | 3/77 | | | | | 8 | | 1080 | | |
| Greyback Station C | 3/77 | | | | | 8.1 | | 1320 | | |

| Well Name | Date | North | East | Flow Rate | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|------------------------|------------|--------|---------|-----------|-----------|------|-----------|------|--------|-------------|
| Greyback Station B | 7/77 | | | | | | | | | |
| Greyback | 5/17/1982 | | | | TRUE | 8.3 | | 670 | 300 | |
| Greyback | 2/11/1991 | | | | | 7.83 | 1504 | 966 | 391.8 | 370 |
| Greyback | 2/11/1991 | | | | | 7.51 | 3380 | 2178 | 1510.6 | 314.8 |
| Greyback | 2/11/1991 | 261998 | 3650205 | | | 7.9 | 3190 | 2112 | 1248.2 | 338 |
| Greyback Outfall | 8/1/1995 | | | | TRUE | 7.61 | | 3450 | 1730 | 620 |
| Greyback Outfall | 9/21/1995 | | | | TRUE | 7.61 | 3860 | 3450 | 1730 | 620 |
| Greyback Wash | 3/1/1997 | | | | TRUE | 8.08 | | 3200 | 1930 | 349 |
| Humphries Wier | 6/1/1998 | | | 0 | | | | | | |
| Humphries Wier | 7/1/1998 | | | 0 | | | | | | |
| Humphries Wier | 8/1/1998 | | | 0 | | | | | | |
| Humphries Wier | 9/1/1998 | | | 0 | | | | | | |
| Las Animas Creek | 10/1/1997 | | | | TRUE | 8.31 | | 238 | 16.6 | |
| Las Animas Creek | 4/15/1998 | | | | TRUE | 8.09 | 260 | 190 | 12 | 127 |
| Las Animas Creek | 10/22/1998 | | | | TRUE | 8.31 | 527 | 238 | 16.6 | |
| Las Animas/Seco Creek | 7/31/1974 | | | | | 8 | | | 49 | |
| Las Animas/Seco Creek | 7/12/1974 | | | | | 8 | | | 16 | |
| Las Animas/Seco Creek | 5/7/1974 | | | | | 8 | | | 61 | |
| Las Animas/Seco Creek | 7/11/1974 | | | | | 8 | | | 48 | |
| Las Animas/Seco Creek | 7/11/1974 | | | | | 8 | | | 25 | |
| Las Animas/Seco Creek | 5/7/1974 | | | | | 8.2 | | | 13 | |
| Las Animas/Seco Creek | 7/9/1974 | | | | | 7.9 | | | 29 | |
| Las Animas/Seco Creek | 1/1/2001 | | | | | 7.81 | | 300 | 18 | |
| Las Animas/Seco Creek | 11/16/1994 | | | | | 8.11 | | 190 | 12 | |
| Las Animas/Seco Creek | 11/16/1994 | | | | | 7.84 | | 310 | 25 | |
| Las Animas/Seco Creek | 11/16/1994 | | | | | 7.79 | | 314 | 21 | |
| Left Side of Haul Road | 8/1/1997 | | | | TRUE | 7.91 | | 217 | | |
| Pit Lake | 4/3/1989 | | | | TRUE | | | | | |
| Pit Lake | 4/3/1989 | | | | TRUE | | | 3546 | 2240 | 96.4 |
| Pit Lake | 11/14/1990 | | | | | | | 4064 | 2770 | |
| Pit Lake | 2/11/1991 | | | | | 7.14 | 3980 | 2711 | 2437 | 54.9 |
| Pit Lake | 2/11/1991 | | | | | 7.2 | 3980 | 2704 | 2464 | 45.1 |
| Pit Lake | 7/19/1991 | | | | | 7.76 | 6340 | 4520 | 2920 | 87.9 |
| Pit Lake | 8/29/1991 | | | | | 7.61 | | 4384 | 2674.2 | |
| Pit Lake | 11/26/1991 | | | | | 7.61 | | 4175 | 2540 | |
| Pit Lake | 3/15/1992 | | | | TRUE | 4.88 | | 3819 | 2857 | |

| Well Name | Date | North | East | Flow Rate | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|-----------|------------|-------|------|-----------|-----------|------|-----------|------|--------|-------------|
| Pit Lake | 3/15/1992 | | | | TRUE | 4.88 | | 3819 | 2857 | |
| Pit Lake | 5/25/1992 | | | | TRUE | 4.82 | | 3846 | 2665 | |
| Pit Lake | 7/16/1992 | | | | TRUE | 4.36 | | 4229 | 2397 | |
| Pit Lake | 10/8/1992 | | | | TRUE | 4.85 | | 4258 | 2706 | |
| Pit Lake | 11/27/1992 | | | | | 6.26 | | 3900 | 2499.5 | |
| Pit Lake | 12/15/1992 | | | | TRUE | 6.04 | | 4151 | 2902 | |
| Pit Lake | 2/12/1993 | | | | | 5.6 | 3893 | 3776 | 2390 | 7 |
| Pit Lake | 2/25/1993 | | | | TRUE | 6.29 | | 3951 | 2748 | |
| Pit Lake | 9/28/1993 | | | | TRUE | 6.71 | | 4468 | 1566 | |
| Pit Lake | 3/17/1994 | | | | TRUE | 7.46 | | 3179 | 2670 | |
| Pit Lake | 5/24/1994 | | | | TRUE | 7.68 | 4030 | 4340 | 71 | 550 |
| Pit Lake | 5/24/1994 | | | | TRUE | 7.89 | 4310 | 4010 | 2800 | 73 |
| Pit Lake | 5/24/1994 | | | | TRUE | 7.85 | 4320 | 3900 | 2700 | 68 |
| Pit Lake | 5/24/1994 | | | | TRUE | 7.8 | 4170 | 4510 | 2700 | 72 |
| Pit Lake | 9/22/1994 | | | | TRUE | 8.04 | | 5124 | | |
| Pit Lake | 11/16/1994 | | | | | 7.52 | 4690 | 4380 | 104 | 550 |
| Pit Lake | 11/16/1994 | | | | | 7.71 | 4720 | 4600 | 2910 | 102 |
| Pit Lake | 12/12/1994 | | | | TRUE | 7.71 | 4720 | 4600 | 2910 | 102 |
| Pit Lake | 12/19/1994 | | | | TRUE | 7.52 | 4690 | 4380 | 2970 | 104 |
| Pit Lake | 1/29/1995 | | | | TRUE | 7.69 | | 4675 | 2906 | |
| Pit Lake | 3/29/1995 | | | | TRUE | 7.53 | | 4891 | 2609.5 | |
| Pit Lake | 6/27/1995 | | | | TRUE | | | 5604 | 2923.8 | |
| Pit Lake | 8/1/1995 | | | | TRUE | 7.8 | | 5846 | 4312 | |
| Pit Lake | 8/1/1995 | | | | TRUE | 7.76 | | 5651 | 2861 | |
| Pit Lake | 9/21/1995 | | | | TRUE | 8.31 | 5230 | 5230 | 3170 | 122 |
| Pit Lake | 9/21/1995 | | | | TRUE | 8.11 | | 5642 | 3603.4 | |
| Pit Lake | 1/10/1996 | | | | TRUE | 7.9 | | 5398 | 3452.1 | |
| Pit Lake | 4/3/1996 | | | | TRUE | 7.95 | | 5378 | 3304.4 | |
| Pit Lake | 6/1/1996 | | | | TRUE | 8.51 | | 6095 | 2969 | |
| Pit Lake | 9/25/1996 | | | | TRUE | 8.26 | | 6041 | 3290 | |
| Pit Lake | 11/15/1996 | | | | | 8.15 | | | | |
| Pit Lake | 11/15/1996 | | | | | 8.07 | | | | |
| Pit Lake | 11/15/1996 | | | | | 8.06 | | | | |
| Pit Lake | 11/15/1996 | | | | | 8.09 | | | | |
| Pit Lake | 1/15/1997 | | | | TRUE | 8.05 | | 5772 | 3509 | |
| Pit Lake | 1/18/1997 | | | | | 8.01 | | | | |

| Well Name | Date | North | East | Flow Rate | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|--------------------|------------|-------|------|-----------|-----------|------|-----------|-------|-------|-------------|
| Pit Lake | 1/18/1997 | | | | | 8.05 | | | | |
| Pit Lake | 1/18/1997 | | | | | 8.22 | | | | |
| Pit Lake | 1/18/1997 | | | | | 8.04 | | | | |
| Pit Lake | 7/1/1997 | | | | TRUE | 7.45 | | 5905 | 3017 | |
| Pit Lake | 7/16/1997 | | | | | 8.07 | | | | |
| Pit Lake | 7/16/1997 | | | | | 8.12 | | | | |
| Pit Lake | 7/16/1997 | | | | | 8.09 | | | | |
| Pit Lake | 7/16/1997 | | | | | 8.01 | | | | |
| Pit Lake | 8/1/1997 | | | | | 8.16 | 5530 | 5020 | 3100 | 172 |
| Pit Lake | 10/1/1997 | | | | TRUE | 7.67 | | 5651 | 2861 | |
| Pit Lake | 10/8/1997 | | | | | 7.96 | | | | |
| Pit Lake | 10/8/1997 | | | | | 8.02 | | | | |
| Pit Lake | 10/8/1997 | | | | | 7.87 | | | | |
| Pit Lake | 10/8/1997 | | | | | 7.85 | | | | |
| Pit Lake | 1/15/1998 | | | | TRUE | 7.84 | 6920 | 5376 | 2981 | |
| Pit Lake | 1/24/1998 | | | 5437.48 | TRUE | 7.93 | 5720 | 5334 | 3946 | 201.9 |
| Pit Lake | 2/1/1998 | | | 5437.18 | | | | | | |
| Pit Lake | 3/1/1998 | | | 5437.13 | | | | | | |
| Pit Lake | 4/9/1998 | | | 5436.67 | TRUE | | 5700 | 5422 | 3430 | |
| Pit Lake | 5/1/1998 | | | 5436.15 | | | | | | |
| Pit Lake | 6/1/1998 | | | 5436.8 | | | | | | |
| Pit Lake | 7/13/1998 | | | 5435.06 | TRUE | | 7040 | 5956 | 3909 | |
| Pit Lake | 7/21/1998 | | | | TRUE | | | 5952 | 3808 | 181 |
| Pit Lake | 8/1/1998 | | | 5434.72 | | | | | | |
| Pit Lake | 9/1/1998 | | | 5435.09 | | | | | | |
| Pit Lake | 10/15/1998 | | | | TRUE | 7.8 | 7500 | 5846 | 4312 | |
| Pit Lake | 10/1/1997 | | | | TRUE | 7.8 | | 5846 | 4312 | |
| PP | 8/9/1997 | | | | TRUE | 8.89 | 237 | 230 | 5.1 | 126 |
| PW-1 | 8/8/1997 | | | | TRUE | 2.64 | | | | |
| PW-1 | 8/9/1997 | | | | TRUE | | | | | |
| PW-2 | 8/9/1997 | | | | TRUE | 8.16 | 5530 | 5020 | 3100 | 172 |
| Seep | 5/17/1982 | | | | TRUE | 7.8 | | 790 | 430 | |
| Seep | 9/2/1982 | | | | TRUE | 7.5 | 1290 | 1010 | 525 | 219 |
| Seep | 12/23/1982 | | | | TRUE | 8.3 | | 1110 | 530 | |
| Seep | 2/21/1983 | | | | | 8.1 | | 1130 | 517 | |
| Acid Rock Drianage | 5/7/1993 | | | | | 1.9 | | 17020 | 10000 | -1 |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|--------------------|-----------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| BG-2Spring | 4/1/1993 | 49 | 15 | 0.82 | 0 | 124 | 1.1 | -0.1 |
| BG-2 Spring | 7/1/1998 | | | | | | | |
| BG-2 Spring | 8/1/1998 | | | | | | | |
| BG-2 Spring | 9/1/1998 | | | | | | | |
| BG Spring | 4/1/1993 | 45 | 13 | 0.86 | 0 | 90 | 0.8 | -0.1 |
| BG Spring | 7/1/1998 | | | | | | | |
| BG Spring | 8/1/1998 | | | | | | | |
| BG Spring | 9/1/1998 | | | | | | | |
| Casa Moya Wier | 6/1/1998 | | | | | | | |
| Casa Moya Wier | 7/1/1998 | | | | | | | |
| Casa Moya Wier | 8/1/1998 | | | | | | | |
| Casa Moya Wier | 9/1/1998 | | | | | | | |
| Danfelser Spring | 1/1/1998 | | | | | | | |
| Danfelser Spring | 2/1/1998 | | | | | | | |
| Danfelser Spring | 3/1/1998 | | | | | | | |
| Danfelser Spring | 4/15/1998 | 42.2 | 4.4 | 0.71 | 0.78 | 33.9 | 1.3 | |
| Danfelser Spring | 5/1/1998 | | | | | | | |
| Danfelser Spring | 6/1/1998 | | | | | | | |
| Danfelser Spring | 7/22/1998 | 40.7 | 4.8 | 0.7 | 0.83 | 32.5 | 2.5 | |
| Danfelser Spring | 8/1/1998 | | | | | | | |
| Danfelser Spring | 9/1/1998 | | | | | | | |
| Due South of Pit | 8/1/1997 | | 232.8 | 10.3 | | | | |
| Erwin Wier | 5/1/1998 | | | | | | | |
| Erwin Wier | 6/1/1998 | | | | | | | |
| Erwin Wier | 7/1/1998 | | | | | | | |
| Erwin Wier | 8/1/1998 | | | | | | | |
| Erwin Wier | 9/1/1998 | | | | | | | |
| Greyback Station A | 1/77 | | | 0.4 | 5.48 | | 3 | |
| Greyback Station A | 1/77 | | | 0.4 | 5.6 | | 2.6 | |
| Greyback Station B | 1/77 | | | 0.5 | 6.8 | | 2.9 | |
| Greyback Station B | 1/77 | | | 0.5 | 7.5 | | 2.7 | |
| Greyback Station C | 1/77 | | | 0.4 | 4.9 | | 3.8 | |
| Greyback Station C | 1/77 | | | 0.4 | 3.68 | | 3.5 | |
| Greyback Station A | 3/77 | | | 0.2 | 3.8 | | 3 | |
| Greyback Station B | 3/77 | | | 0.5 | 3.3 | | 2.5 | |
| Greyback Station C | 3/77 | | | 0.3 | 3.6 | | 3.1 | |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|------------------------|------------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| Greyback Station B | 7/77 | 168.5 | | | | | 8.9 | |
| Greyback | 5/17/1982 | | 46 | 1.2 | 0.3 | | | |
| Greyback | 2/11/1991 | 147.8 | 59.3 | 0.69 | 1.7 | 128.0 | 2.0 | |
| Greyback | 2/11/1991 | 443 | 160.9 | 0.56 | <u>22.0</u> | 226.5 | 5.5 | |
| Greyback | 2/11/1991 | 363.5 | 129.1 | 0.89 | <u>15.78</u> | 230.2 | 5.9 | |
| Greyback Outfall | 8/1/1995 | 490 | 94 | 1.4 | 6.2 | 360 | 2.1 | 0.033 |
| Greyback Outfall | 9/21/1995 | 490 | 94 | 1.4 | 6.2 | 360 | 2.1 | 0.033 |
| Greyback Wash | 3/1/1997 | | 180 | 0.93 | -5 | | | |
| Humphries Wier | 6/1/1998 | | | | | | | |
| Humphries Wier | 7/1/1998 | | | | | | | |
| Humphries Wier | 8/1/1998 | | | | | | | |
| Humphries Wier | 9/1/1998 | | | | | | | |
| Las Animas Creek | 10/1/1997 | | 14.9 | | 0.1 | | | |
| Las Animas Creek | 4/15/1998 | 35.9 | 9.3 | 0.46 | -0.05 | 15.6 | 0.8 | |
| Las Animas Creek | 10/22/1998 | | 14.9 | | 0.1 | | | |
| Las Animas/Seco Creek | 7/31/1974 | 89 | 330 | 0.9 | 0.7 | 170 | 9.6 | |
| Las Animas/Seco Creek | 7/12/1974 | 22 | 26 | 0.6 | 0.6 | 46 | 4.9 | |
| Las Animas/Seco Creek | 5/7/1974 | | 110 | 420 | 0.5 | 180 | 11.0 | |
| Las Animas/Seco Creek | 7/11/1974 | 85 | 380 | 0.7 | 0.6 | 200 | 9.1 | |
| Las Animas/Seco Creek | 7/11/1974 | 38 | 120 | 0.7 | 0.4 | 80 | 6.5 | |
| Las Animas/Seco Creek | 5/7/1974 | 43 | 16 | 0.4 | 0.1 | 46 | 3.1 | |
| Las Animas/Seco Creek | 7/9/1974 | 75 | 15 | 0.5 | 0.1 | 32 | 2.4 | |
| Las Animas/Seco Creek | 1/1/2001 | 72 | 15 | 0.46 | -1.0 | 21 | 1.9 | -0.05 |
| Las Animas/Seco Creek | 11/16/1994 | 12 | 12 | 1.4 | -1.0 | 54 | 2.3 | -0.05 |
| Las Animas/Seco Creek | 11/16/1994 | 59 | 14 | 0.43 | -1.0 | 29 | 1.9 | -0.05 |
| Las Animas/Seco Creek | 11/16/1994 | 63 | 15 | 0.45 | -1.0 | 23 | 1.5 | -0.05 |
| Left Side of Haul Road | 8/1/1997 | | 4.1 | 0.96 | | | | |
| Pit Lake | 4/3/1989 | 570 | | | | | | -0.1 |
| Pit Lake | 4/3/1989 | 640 | 47.3 | | | 165 | 11 | |
| Pit Lake | 11/14/1990 | | 102.2 | | | | | |
| Pit Lake | 2/11/1991 | 600 | 79.8 | 4.58 | 0.10 | 223.6 | 16.4 | |
| Pit Lake | 2/11/1991 | 611.2 | 82.5 | 4.77 | 0.10 | 223.5 | 16.4 | |
| Pit Lake | 7/19/1991 | 684.1 | 88.6 | 6.25 | 0.03 | 248.0 | 20.3 | |
| Pit Lake | 8/29/1991 | | 88.9 | | | | | |
| Pit Lake | 11/26/1991 | | 86.6 | | | | | |
| Pit Lake | 3/15/1992 | | 85.3 | | | | | |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|-----------|------------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| Pit Lake | 3/15/1992 | | 85.3 | | | | | |
| Pit Lake | 5/25/1992 | | 89.7 | | | | | |
| Pit Lake | 7/16/1992 | | 76.1 | | | | | |
| Pit Lake | 10/8/1992 | | 90.1 | | | | | |
| Pit Lake | 11/27/1992 | | 730.5 | | | | | |
| Pit Lake | 12/15/1992 | | 88.5 | | | | | |
| Pit Lake | 2/12/1993 | 583 | 96 | 6.21 | | 222 | 10 | 2 |
| Pit Lake | 2/25/1993 | | 92.1 | | | | | |
| Pit Lake | 9/28/1993 | | 111.2 | | | | | |
| Pit Lake | 3/17/1994 | | 101.4 | | | | | |
| Pit Lake | 5/24/1994 | 100 | 7 | | -5 | 270 | 15 | 0.20 |
| Pit Lake | 5/24/1994 | 560 | 110 | 7.3 | -5 | 270 | 15 | 0.18 |
| Pit Lake | 5/24/1994 | 540 | 110 | 7.2 | -5 | 270 | 15 | 0.18 |
| Pit Lake | 5/24/1994 | 650 | 110 | 7.3 | -5 | 290 | 16 | 0.19 |
| Pit Lake | 9/22/1994 | | 140.9 | | | | | |
| Pit Lake | 11/16/1994 | 130 | 8.1 | | -5 | 320 | 18 | -0.05 |
| Pit Lake | 11/16/1994 | 580 | 140 | | -5 | 350 | 17 | -0.05 |
| Pit Lake | 12/12/1994 | 580 | 140 | 8.1 | -5 | 350 | 17 | -0.05 |
| Pit Lake | 12/19/1994 | 550 | 130 | 8.1 | -5 | 320 | 18 | -0.05 |
| Pit Lake | 1/29/1995 | | 217.6 | | | | | |
| Pit Lake | 3/29/1995 | | 108.6 | | | | | |
| Pit Lake | 6/27/1995 | | 161.4 | | | | | |
| Pit Lake | 8/1/1995 | | 237 | | -0.05 | | | 0.13 |
| Pit Lake | 8/1/1995 | | 219 | | | | | |
| Pit Lake | 9/21/1995 | 620 | 150 | 10 | -5 | 430 | 21 | 0.13 |
| Pit Lake | 9/21/1995 | | 172.3 | | | | | |
| Pit Lake | 1/10/1996 | | 182.8 | | | | | |
| Pit Lake | 4/3/1996 | | 188.9 | | | | | |
| Pit Lake | 6/1/1996 | | 210.6 | | | | | |
| Pit Lake | 9/25/1996 | | 199.6 | | | | | |
| Pit Lake | 11/15/1996 | | | | | | | |
| Pit Lake | 11/15/1996 | | | | | | | |
| Pit Lake | 11/15/1996 | | | | | | | |
| Pit Lake | 11/15/1996 | | | | | | | |
| Pit Lake | 1/15/1997 | | 216 | | | | | |
| Pit Lake | 1/18/1997 | | | | | | | |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|--------------------|------------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| Pit Lake | 1/18/1997 | | | | | | | |
| Pit Lake | 1/18/1997 | | | | | | | |
| Pit Lake | 1/18/1997 | | | | | | | |
| Pit Lake | 7/1/1997 | | 228 | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 8/1/1997 | 440 | 190 | 11 | -3 | 410 | 20 | 0.14 |
| Pit Lake | 10/1/1997 | | 219 | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 1/15/1998 | | 216 | 11.8 | -0.05 | | | |
| Pit Lake | 1/24/1998 | 615.6 | 224 | 10.8 | | 524.3 | 33.6 | |
| Pit Lake | 2/1/1998 | | | | | | | |
| Pit Lake | 3/1/1998 | | | | | | | |
| Pit Lake | 4/9/1998 | | 222 | 12.4 | -0.05 | | | |
| Pit Lake | 5/1/1998 | | | | | | | |
| Pit Lake | 6/1/1998 | | | | | | | |
| Pit Lake | 7/13/1998 | | 245 | 12.85 | -0.05 | | | |
| Pit Lake | 7/21/1998 | 638.3 | 244 | 13.6 | -0.05 | 516.8 | 20.6 | |
| Pit Lake | 8/1/1998 | | | | | | | |
| Pit Lake | 9/1/1998 | | | | | | | |
| Pit Lake | 10/15/1998 | | 237 | | -0.05 | | | |
| Pit Lake | 10/1/1997 | | 237 | | -0.05 | | | |
| PP | 8/9/1997 | 30 | 1.8 | 0.37 | -1 | 15 | 4.7 | 0.037 |
| PW-1 | 8/8/1997 | | | | -1 | 10 | -1 | 410 |
| PW-1 | 8/9/1997 | | | | | | | 640 |
| PW-2 | 8/9/1997 | 440 | 190 | 11 | -3 | 410 | 20 | 0.14 |
| Seep | 5/17/1982 | | 54 | 2.1 | 1.4 | | | |
| Seep | 9/2/1982 | 160.8 | 59.96 | 2.75 | 0.24 | 120 | | |
| Seep | 12/23/1982 | | 54 | 1.6 | 1.5 | | | |
| Seep | 2/21/1983 | | 54 | 1.7 | 0.9 | | | |
| Acid Rock Drianage | 5/7/1993 | 446 | 35 | 11.1 | 0.9 | 93 | 3.1 | 3720 |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|--------------------|-----------|-------------|------------|----------|---------------|------------|-------------|--------------|
| BG-2Spring | 4/1/1993 | -0.005 | -0.01 | 0.03 | | 0.6 | -0.002 | -0.02 |
| BG-2 Spring | 7/1/1998 | | | | | | | |
| BG-2 Spring | 8/1/1998 | | | | | | | |
| BG-2 Spring | 9/1/1998 | | | | | | | |
| BG Spring | 4/1/1993 | -0.005 | -0.01 | 0.02 | | 1.2 | -0.002 | -0.02 |
| BG Spring | 7/1/1998 | | | | | | | |
| BG Spring | 8/1/1998 | | | | | | | |
| BG Spring | 9/1/1998 | | | | | | | |
| Casa Moya Wier | 6/1/1998 | | | | | | | |
| Casa Moya Wier | 7/1/1998 | | | | | | | |
| Casa Moya Wier | 8/1/1998 | | | | | | | |
| Casa Moya Wier | 9/1/1998 | | | | | | | |
| Danfelser Spring | 1/1/1998 | | | | | | | |
| Danfelser Spring | 2/1/1998 | | | | | | | |
| Danfelser Spring | 3/1/1998 | | | | | | | |
| Danfelser Spring | 4/15/1998 | | | | | | | |
| Danfelser Spring | 5/1/1998 | | | | | | | |
| Danfelser Spring | 6/1/1998 | | | | | | | |
| Danfelser Spring | 7/22/1998 | | | | | | | |
| Danfelser Spring | 8/1/1998 | | | | | | | |
| Danfelser Spring | 9/1/1998 | | | | | | | |
| Due South of Pit | 8/1/1997 | | | | | | | |
| Erwin Wier | 5/1/1998 | | | | | | | |
| Erwin Wier | 6/1/1998 | | | | | | | |
| Erwin Wier | 7/1/1998 | | | | | | | |
| Erwin Wier | 8/1/1998 | | | | | | | |
| Erwin Wier | 9/1/1998 | | | | | | | |
| Greyback Station A | 1/77 | | 0.01 | | | | | |
| Greyback Station A | 1/77 | | 0.01 | | | | | |
| Greyback Station B | 1/77 | | 0.01 | | | | | |
| Greyback Station B | 1/77 | | 0.01 | | | | | |
| Greyback Station C | 1/77 | | 0.01 | | | | | |
| Greyback Station C | 1/77 | | 0.01 | | | | | |
| Greyback Station A | 3/77 | | 0.01 | | | | | |
| Greyback Station B | 3/77 | | -0.01 | | | | | |
| Greyback Station C | 3/77 | | -0.01 | | | | | |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|------------------------|------------|-------------|------------|----------|---------------|------------|--------------|--------------|
| Greyback Station B | 7/77 | | -0.005 | | | | | |
| Greyback | 5/17/1982 | | | | | | -0.005 | |
| Greyback | 2/11/1991 | | 0.04 | | | 0.04 | <u>0.043</u> | <u>0.1</u> |
| Greyback | 2/11/1991 | | -0.02 | | | 0.03 | <u>0.015</u> | -0.02 |
| Greyback | 2/11/1991 | | -0.02 | | | 0.03 | <u>0.015</u> | -0.02 |
| Greyback Outfall | 8/1/1995 | | -0.025 | | | -0.05 | -0.0025 | -0.025 |
| Greyback Outfall | 9/21/1995 | | -0.025 | -0.1 | -0.002 | -0.05 | -0.0025 | -0.025 |
| Greyback Wash | 3/1/1997 | | | | | | | -0.025 |
| Humphries Wier | 6/1/1998 | | | | | | | |
| Humphries Wier | 7/1/1998 | | | | | | | |
| Humphries Wier | 8/1/1998 | | | | | | | |
| Humphries Wier | 9/1/1998 | | | | | | | |
| Las Animas Creek | 10/1/1997 | | | | | | | -0.005 |
| Las Animas Creek | 4/15/1998 | | | | | | | -0.005 |
| Las Animas Creek | 10/22/1998 | | | | | | | -0.005 |
| Las Animas/Seco Creek | 7/31/1974 | | | | | | | |
| Las Animas/Seco Creek | 7/12/1974 | | | | | | | |
| Las Animas/Seco Creek | 5/7/1974 | | | 0.12 | | | | |
| Las Animas/Seco Creek | 7/11/1974 | | | | | | | |
| Las Animas/Seco Creek | 7/11/1974 | | | | | | | |
| Las Animas/Seco Creek | 5/7/1974 | | | | | | | |
| Las Animas/Seco Creek | 7/9/1974 | | | | | | | |
| Las Animas/Seco Creek | 1/1/2001 | | -0.03 | -0.10 | | -0.1 | -0.001 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | | -0.03 | -0.10 | | -0.1 | -0.005 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | | -0.03 | -0.10 | | -0.1 | -0.005 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | | -0.03 | -0.10 | | -0.1 | -0.005 | -0.03 |
| Left Side of Haul Road | 8/1/1997 | | | | | | | |
| Pit Lake | 4/3/1989 | | -0.1 | -0.1 | -0.1 | -0.1 | -0.1 | -0.1 |
| Pit Lake | 4/3/1989 | | | | | | | |
| Pit Lake | 11/14/1990 | | | | | | | |
| Pit Lake | 2/11/1991 | | 0.03 | | | -0.01 | 0.035 | 0.06 |
| Pit Lake | 2/11/1991 | | -0.02 | | | -0.01 | 0.015 | -0.02 |
| Pit Lake | 7/19/1991 | | -0.02 | | | -0.01 | -0.005 | -0.02 |
| Pit Lake | 8/29/1991 | | | | | | | |
| Pit Lake | 11/26/1991 | | | | | | | |
| Pit Lake | 3/15/1992 | | | | | | | |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|-----------|------------|-------------|------------|----------|---------------|------------|-------------|--------------|
| Pit Lake | 3/15/1992 | | | | | | | |
| Pit Lake | 5/25/1992 | | | | | | | |
| Pit Lake | 7/16/1992 | | | | | | | |
| Pit Lake | 10/8/1992 | | | | | | | |
| Pit Lake | 11/27/1992 | | | | | | | |
| Pit Lake | 12/15/1992 | | | | | | | |
| Pit Lake | 2/12/1993 | | -0.1 | -0.1 | | -0.1 | -0.1 | -0.1 |
| Pit Lake | 2/25/1993 | | | | | | | |
| Pit Lake | 9/28/1993 | | | | | | | |
| Pit Lake | 3/17/1994 | | | | | | | |
| Pit Lake | 5/24/1994 | | -0.025 | -0.1 | | -0.01 | 0.021 | -0.025 |
| Pit Lake | 5/24/1994 | | -0.025 | -0.1 | | -0.01 | 0.021 | -0.025 |
| Pit Lake | 5/24/1994 | | -0.025 | -0.1 | | -0.01 | 0.021 | -0.025 |
| Pit Lake | 5/24/1994 | | -0.025 | -0.1 | | -0.01 | 0.017 | -0.025 |
| Pit Lake | 9/22/1994 | | | | | | | |
| Pit Lake | 11/16/1994 | | -0.025 | -0.1 | -0.002 | -0.01 | 0.017 | <u>0.2</u> |
| Pit Lake | 11/16/1994 | | -0.025 | -0.1 | -0.002 | -0.01 | 0.017 | -0.025 |
| Pit Lake | 12/12/1994 | | -0.025 | -0.1 | -0.002 | -0.01 | 0.017 | -0.025 |
| Pit Lake | 12/19/1994 | | -0.025 | -0.1 | -0.002 | -0.01 | 0.017 | -0.025 |
| Pit Lake | 1/29/1995 | | | | | | | |
| Pit Lake | 3/29/1995 | | | | | | | |
| Pit Lake | 6/27/1995 | | | | | | | |
| Pit Lake | 8/1/1995 | | -0.05 | -0.05 | | -0.05 | 0.0014 | |
| Pit Lake | 8/1/1995 | | | | | | | |
| Pit Lake | 9/21/1995 | | -0.025 | -0.1 | -0.002 | -0.05 | 0.014 | -0.025 |
| Pit Lake | 9/21/1995 | | | | | | | |
| Pit Lake | 1/10/1996 | | | | | | | |
| Pit Lake | 4/3/1996 | | | | | | | |
| Pit Lake | 6/1/1996 | | | | | | | |
| Pit Lake | 9/25/1996 | | | | | | | |
| Pit Lake | 11/15/1996 | | | | | | -0.01 | |
| Pit Lake | 11/15/1996 | | | | | | -0.01 | |
| Pit Lake | 11/15/1996 | | | | | | -0.01 | |
| Pit Lake | 11/15/1996 | | | | | | -0.01 | |
| Pit Lake | 1/15/1997 | | | | | | | |
| Pit Lake | 1/18/1997 | | | | | | -0.01 | |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|--------------------|------------|-------------|------------|----------|---------------|------------|-------------|--------------|
| Pit Lake | 1/18/1997 | | | | | | -0.01 | |
| Pit Lake | 1/18/1997 | | | | | | -0.01 | |
| Pit Lake | 1/18/1997 | | | | | | -0.01 | |
| Pit Lake | 7/1/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 8/1/1997 | | -0.025 | 0.12 | -0.002 | -0.005 | -0.002 | -0.015 |
| Pit Lake | 10/1/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 1/15/1998 | | | | | | | |
| Pit Lake | 1/24/1998 | | | | | | | |
| Pit Lake | 2/1/1998 | | | | | | | |
| Pit Lake | 3/1/1998 | | | | | | | |
| Pit Lake | 4/9/1998 | | | | | | | |
| Pit Lake | 5/1/1998 | | | | | | | |
| Pit Lake | 6/1/1998 | | | | | | | |
| Pit Lake | 7/13/1998 | | | | | | | |
| Pit Lake | 7/21/1998 | | | | | | | |
| Pit Lake | 8/1/1998 | | | | | | | |
| Pit Lake | 9/1/1998 | | | | | | | |
| Pit Lake | 10/15/1998 | | | | | | | |
| Pit Lake | 10/1/1997 | | | | | | | |
| PP | 8/9/1997 | | -0.025 | 0.064 | -0.002 | -0.05 | -0.002 | -0.025 |
| PW-1 | 8/8/1997 | | -0.025 | 1 | <u>0.22</u> | -0.05 | 0.18 | <u>0.11</u> |
| PW-1 | 8/9/1997 | | -0.025 | 1.6 | <u>0.48</u> | -0.05 | 0.19 | <u>0.15</u> |
| PW-2 | 8/9/1997 | | -0.025 | 0.12 | -0.002 | -0.05 | -0.002 | -0.025 |
| Seep | 5/17/1982 | | | | | | -0.005 | |
| Seep | 9/2/1982 | | | | | | | |
| Seep | 12/23/1982 | | | | | | -0.005 | |
| Seep | 2/21/1983 | | | | | | -0.005 | |
| Acid Rock Drianage | 5/7/1993 | | | | | | | |

| Well Name | Date | Copper(Cu) | Cobalt(Co) | Lead(Pb) | Iron(Fe) | Magnesium(Mg) | Molybdenum(Mo) | Manganese(Mn) |
|--------------------|-----------|------------|------------|----------|----------|---------------|----------------|---------------|
| BG-2Spring | 4/1/1993 | -0.01 | -0.05 | -0.02 | -0.05 | 56 | -0.02 | 0.1 |
| BG-2 Spring | 7/1/1998 | | | | | | | |
| BG-2 Spring | 8/1/1998 | | | | | | | |
| BG-2 Spring | 9/1/1998 | | | | | | | |
| BG Spring | 4/1/1993 | -0.01 | -0.05 | -0.02 | -0.05 | 66 | -0.02 | 0.2 |
| BG Spring | 7/1/1998 | | | | | | | |
| BG Spring | 8/1/1998 | | | | | | | |
| BG Spring | 9/1/1998 | | | | | | | |
| Casa Moya Wier | 6/1/1998 | | | | | | | |
| Casa Moya Wier | 7/1/1998 | | | | | | | |
| Casa Moya Wier | 8/1/1998 | | | | | | | |
| Casa Moya Wier | 9/1/1998 | | | | | | | |
| Danfelser Spring | 1/1/1998 | | | | | | | |
| Danfelser Spring | 2/1/1998 | | | | | | | |
| Danfelser Spring | 3/1/1998 | | | | | | | |
| Danfelser Spring | 4/15/1998 | -0.005 | | | -0.05 | 3.9 | -0.5 | -0.02 |
| Danfelser Spring | 5/1/1998 | | | | | | | |
| Danfelser Spring | 6/1/1998 | | | | | | | |
| Danfelser Spring | 7/22/1998 | -0.005 | | | -0.05 | 3.6 | -0.05 | -0.02 |
| Danfelser Spring | 8/1/1998 | | | | | | | |
| Danfelser Spring | 9/1/1998 | | | | | | | |
| Due South of Pit | 8/1/1997 | | | | | | | |
| Erwin Wier | 5/1/1998 | | | | | | | |
| Erwin Wier | 6/1/1998 | | | | | | | |
| Erwin Wier | 7/1/1998 | | | | | | | |
| Erwin Wier | 8/1/1998 | | | | | | | |
| Erwin Wier | 9/1/1998 | | | | | | | |
| Greyback Station A | 1/77 | 0.04 | | | 0.23 | | 0.01 | 0.01 |
| Greyback Station A | 1/77 | 0.03 | | | 0.3 | | 0.01 | 0.01 |
| Greyback Station B | 1/77 | 0.04 | | | 0.19 | | 0.03 | 0.01 |
| Greyback Station B | 1/77 | 0.05 | | | 0.29 | | 0.03 | 0.01 |
| Greyback Station C | 1/77 | 0.03 | | | 0.23 | | 0.03 | 0.01 |
| Greyback Station C | 1/77 | 0.05 | | | 0.37 | | 0.02 | 0.01 |
| Greyback Station A | 3/77 | -0.005 | | | 0.1 | | 0.01 | -0.01 |
| Greyback Station B | 3/77 | -0.005 | | | 0.15 | | 0.08 | -0.01 |
| Greyback Station C | 3/77 | -0.005 | | | 0.1 | | 0.08 | -0.01 |

| Well Name | Date | Copper(Cu) | Cobalt(Co) | Lead(Pb) | Iron(Fe) | Magnesium(Mg) | Molybdenum(Mo) | Manganese(Mn) |
|------------------------|------------|-------------|------------|----------|----------|---------------|----------------|---------------|
| Greyback Station B | 7/77 | -0.005 | | | 0.14 | 29 | 0.05 | 0.07 |
| Greyback | 5/17/1982 | -0.05 | | | -0.01 | | 0.08 | -0.05 |
| Greyback | 2/11/1991 | | | 0.008 | 0.36 | 41.9 | | 0.18 |
| Greyback | 2/11/1991 | | | 0.009 | 0.1 | 103 | | 0.04 |
| Greyback | 2/11/1991 | | | 0.006 | -0.05 | 98.1 | | -0.02 |
| Greyback Outfall | 8/1/1995 | -0.025 | -0.05 | -0.005 | 0.057 | | -0.05 | 0.17 |
| Greyback Outfall | 9/21/1995 | -0.025 | -0.05 | -0.005 | 0.057 | 140 | -0.05 | 0.17 |
| Greyback Wash | 3/1/1997 | -0.025 | | | -0.05 | | | -0.025 |
| Humphries Wier | 6/1/1998 | | | | | | | |
| Humphries Wier | 7/1/1998 | | | | | | | |
| Humphries Wier | 8/1/1998 | | | | | | | |
| Humphries Wier | 9/1/1998 | | | | | | | |
| Las Animas Creek | 10/1/1997 | | | | -0.05 | | | |
| Las Animas Creek | 4/15/1998 | | | | 0.08 | 5.1 | -0.05 | -0.02 |
| Las Animas Creek | 10/22/1998 | | | | -0.05 | | | |
| Las Animas/Seco Creek | 7/31/1974 | | | | | 12 | | |
| Las Animas/Seco Creek | 7/12/1974 | | | | | 3 | | |
| Las Animas/Seco Creek | 5/7/1974 | | | | 0 | 13 | | |
| Las Animas/Seco Creek | 7/11/1974 | | | | | 8 | | |
| Las Animas/Seco Creek | 7/11/1974 | | | | 0.05 | 5 | | |
| Las Animas/Seco Creek | 5/7/1974 | | | | 0 | 6 | | |
| Las Animas/Seco Creek | 7/9/1974 | | | | 0.01 | 11 | | 0.01 |
| Las Animas/Seco Creek | 1/1/2001 | -0.03 | -0.05 | -0.01 | -0.05 | 9 | -0.05 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | -0.03 | -0.05 | -0.01 | -0.05 | 1 | -0.05 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | -0.03 | -0.05 | -0.01 | -0.05 | 9 | -0.05 | -0.03 |
| Las Animas/Seco Creek | 11/16/1994 | -0.03 | -0.05 | -0.01 | -0.05 | 10 | -0.05 | -0.03 |
| Left Side of Haul Road | 8/1/1997 | | | | | | | |
| Pit Lake | 4/3/1989 | -0.1 | -0.05 | -0.1 | -0.1 | 130 | -0.1 | 1.1 |
| Pit Lake | 4/3/1989 | | | | | 129 | | |
| Pit Lake | 11/14/1990 | | | | | | | |
| Pit Lake | 2/11/1991 | | | 0.006 | 0.16 | 155.6 | | 1.82 |
| Pit Lake | 2/11/1991 | | | 0.006 | 0.18 | 157.3 | | 1.84 |
| Pit Lake | 7/19/1991 | | | -0.005 | 0.27 | 209.1 | | 2.03 |
| Pit Lake | 8/29/1991 | 0.64 | | | | | | |
| Pit Lake | 11/26/1991 | 0.084 | | | | | | |
| Pit Lake | 3/15/1992 | | | | | | | |

| Well Name | Date | Copper(Cu) | Cobalt(Co) | Lead(Pb) | Iron(Fe) | Magnesium(Mg) | Molybdenum(Mo) | Manganese(Mn) |
|-----------|------------|--------------|------------|----------|----------|---------------|----------------|---------------|
| Pit Lake | 3/15/1992 | | | | | | | |
| Pit Lake | 5/25/1992 | | | | | | | |
| Pit Lake | 7/16/1992 | | | | | | | |
| Pit Lake | 10/8/1992 | | | | | | | |
| Pit Lake | 11/27/1992 | | | | | | | |
| Pit Lake | 12/15/1992 | 3.208 | | | | | | |
| Pit Lake | 2/12/1993 | 2.6 | 0.1 | -0.1 | 0.1 | 181 | -0.1 | 4.9 |
| Pit Lake | 2/25/1993 | | | | | | | |
| Pit Lake | 9/28/1993 | 0.001 | | | | | | |
| Pit Lake | 3/17/1994 | 0.089 | | | | | | |
| Pit Lake | 5/24/1994 | 0.051 | -0.05 | -0.005 | 0.19 | 200 | -0.05 | 3.3 |
| Pit Lake | 5/24/1994 | 0.06 | -0.05 | -0.005 | 0.25 | 210 | -0.05 | 3.9 |
| Pit Lake | 5/24/1994 | 0.06 | -0.05 | -0.005 | 0.22 | 200 | -0.05 | 3.7 |
| Pit Lake | 5/24/1994 | 0.041 | -0.05 | -0.005 | 0.26 | 230 | -0.05 | 0.46 |
| Pit Lake | 9/22/1994 | | | | | | | |
| Pit Lake | 11/16/1994 | 0.032 | -0.025 | -0.005 | -0.05 | 250 | -0.05 | 3.4 |
| Pit Lake | 11/16/1994 | <u>0.3</u> | -0.025 | -0.05 | -0.05 | 250 | -0.05 | 3.6 |
| Pit Lake | 12/12/1994 | 0.03 | -0.05 | 0.005 | -0.05 | 250 | -0.05 | 3.6 |
| Pit Lake | 12/19/1994 | 0.032 | -0.05 | 0.005 | -0.05 | 250 | -0.05 | 3.4 |
| Pit Lake | 1/29/1995 | | | | | | | |
| Pit Lake | 3/29/1995 | | | | | | | |
| Pit Lake | 6/27/1995 | | | | | | | |
| Pit Lake | 8/1/1995 | 0.064 | -0.05 | -0.005 | 0.23 | | -0.05 | |
| Pit Lake | 8/1/1995 | | | | | | | |
| Pit Lake | 9/21/1995 | -0.025 | -0.05 | -0.005 | -0.05 | 300 | -0.05 | 3 |
| Pit Lake | 9/21/1995 | | | | | | | |
| Pit Lake | 1/10/1996 | | | | | | | |
| Pit Lake | 4/3/1996 | | | | | | | |
| Pit Lake | 6/1/1996 | | | | | | | |
| Pit Lake | 9/25/1996 | | | | | | | |
| Pit Lake | 11/15/1996 | -0.1 | | -0.05 | | | | |
| Pit Lake | 11/15/1996 | -0.1 | | -0.05 | | | | |
| Pit Lake | 11/15/1996 | -0.1 | | -0.05 | | | | |
| Pit Lake | 11/15/1996 | -0.1 | | -0.05 | | | | |
| Pit Lake | 1/15/1997 | | | | | | | |
| Pit Lake | 1/18/1997 | -0.1 | | -0.05 | | | | |

| Well Name | Date | Copper(Cu) | Cobalt(Co) | Lead(Pb) | Iron(Fe) | Magnesium(Mg) | Molybdenum(Mo) | Manganese(Mn) |
|--------------------|------------|------------|------------|----------|----------|---------------|----------------|---------------|
| Pit Lake | 1/18/1997 | -0.1 | | -0.05 | | | | |
| Pit Lake | 1/18/1997 | -0.1 | | -0.05 | | | | |
| Pit Lake | 1/18/1997 | -0.1 | | -0.05 | | | | |
| Pit Lake | 7/1/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 7/16/1997 | | | | | | | |
| Pit Lake | 8/1/1997 | 0.05 | -0.05 | -0.005 | -0.5 | 290 | 0.058 | 0.83 |
| Pit Lake | 10/1/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 10/8/1997 | | | | | | | |
| Pit Lake | 1/15/1998 | -0.005 | | | -0.05 | 331.9 | 0.05 | |
| Pit Lake | 1/24/1998 | -0.005 | | | | 364.8 | -0.05 | 1.76 |
| Pit Lake | 2/1/1998 | | | | | | | |
| Pit Lake | 3/1/1998 | | | | | | | |
| Pit Lake | 4/9/1998 | 0.055 | | | -0.05 | | 1.5 | 0.15 |
| Pit Lake | 5/1/1998 | | | | | | | |
| Pit Lake | 6/1/1998 | | | | | | | |
| Pit Lake | 7/13/1998 | -0.05 | | | -0.5 | | -0.5 | 1.3 |
| Pit Lake | 7/21/1998 | -0.05 | | | -0.5 | 386.5 | -0.5 | 0.72 |
| Pit Lake | 8/1/1998 | | | | | | | |
| Pit Lake | 9/1/1998 | | | | | | | |
| Pit Lake | 10/15/1998 | 0.064 | | | 0.23 | | | |
| Pit Lake | 10/1/1997 | 0.064 | | | 0.23 | | | |
| PP | 8/9/1997 | -0.025 | -0.05 | -0.005 | -0.05 | 7.4 | -0.05 | -0.025 |
| PW-1 | 8/8/1997 | 97 | 1.5 | -0.005 | 1400 | 170 | 0.075 | 25 |
| PW-1 | 8/9/1997 | 110 | 2.1 | -0.005 | 1700 | 200 | 0.087 | 30 |
| PW-2 | 8/9/1997 | 0.05 | -0.05 | -0.005 | -0.05 | 290 | 0.058 | 0.83 |
| Seep | 5/17/1982 | -0.05 | | | 0.1 | | 1.1 | 0.15 |
| Seep | 9/2/1982 | | | | | 28.2 | | |
| Seep | 12/23/1982 | -0.05 | | | -0.01 | | 1.1 | -0.05 |
| Seep | 2/21/1983 | -0.05 | | | -0.01 | | 1.1 | -0.05 |
| Acid Rock Drianage | 5/7/1993 | 684 | | | 375 | 236 | | 142 |

| Mercury(Hg) | Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-------------|--------------------|-----------|------------|--------------|--------------|----------|
| -0.001 | BG-2Spring | 4/1/1993 | -0.01 | | -0.005 | -0.01 |
| | BG-2 Spring | 7/1/1998 | | | | |
| | BG-2 Spring | 8/1/1998 | | | | |
| | BG-2 Spring | 9/1/1998 | | | | |
| -0.001 | BG Spring | 4/1/1993 | -0.01 | | -0.005 | -0.01 |
| | BG Spring | 7/1/1998 | | | | |
| | BG Spring | 8/1/1998 | | | | |
| | BG Spring | 9/1/1998 | | | | |
| | Casa Moya Wier | 6/1/1998 | | | | |
| | Casa Moya Wier | 7/1/1998 | | | | |
| | Casa Moya Wier | 8/1/1998 | | | | |
| | Casa Moya Wier | 9/1/1998 | | | | |
| | Danfelser Spring | 1/1/1998 | | | | |
| | Danfelser Spring | 2/1/1998 | | | | |
| | Danfelser Spring | 3/1/1998 | | | | |
| -0.002 | Danfelser Spring | 4/15/1998 | | | | |
| | Danfelser Spring | 5/1/1998 | | | | |
| | Danfelser Spring | 6/1/1998 | | | | |
| -0.002 | Danfelser Spring | 7/22/1998 | | | | |
| | Danfelser Spring | 8/1/1998 | | | | |
| | Danfelser Spring | 9/1/1998 | | | | |
| | Due South of Pit | 8/1/1997 | | | | |
| | Erwin Wier | 5/1/1998 | | | | |
| | Erwin Wier | 6/1/1998 | | | | |
| | Erwin Wier | 7/1/1998 | | | | |
| | Erwin Wier | 8/1/1998 | | | | |
| | Erwin Wier | 9/1/1998 | | | | |
| | Greyback Station A | 1/77 | | | | 0.05 |
| | Greyback Station A | 1/77 | | | | 0.04 |
| | Greyback Station B | 1/77 | | | | 0.04 |
| | Greyback Station B | 1/77 | | | | 0.04 |
| | Greyback Station C | 1/77 | | | | 0.04 |
| | Greyback Station C | 1/77 | | | | 0.04 |
| | Greyback Station A | 3/77 | | | | -0.01 |
| | Greyback Station B | 3/77 | | | | 0.02 |
| | Greyback Station C | 3/77 | | | | 0.02 |

| Mercury(Hg) | Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-------------|------------------------|------------|------------|--------------|--------------|----------|
| | Greyback Station B | 7/77 | | | | 0.01 |
| -0.001 | Greyback | 5/17/1982 | | | -0.005 | |
| -0.0002 | Greyback | 2/11/1991 | | | -0.001 | |
| 0.0007 | Greyback | 2/11/1991 | | | -0.001 | |
| 0.0002 | Greyback | 2/11/1991 | | | -0.001 | |
| -0.001 | Greyback Outfall | 8/1/1995 | -0.05 | | -0.025 | -0.05 |
| -0.001 | Greyback Outfall | 9/21/1995 | -0.05 | -0.005 | -0.25 | -0.05 |
| | Greyback Wash | 3/1/1997 | | | | -0.05 |
| | Humphries Wier | 6/1/1998 | | | | |
| | Humphries Wier | 7/1/1998 | | | | |
| | Humphries Wier | 8/1/1998 | | | | |
| | Humphries Wier | 9/1/1998 | | | | |
| | Las Animas Creek | 10/1/1997 | | | | |
| 0.002 | Las Animas Creek | 4/15/1998 | | | -0.05 | |
| | Las Animas Creek | 10/22/1998 | | | | |
| | Las Animas/Seco Creek | 7/31/1974 | | | | |
| | Las Animas/Seco Creek | 7/12/1974 | | | | |
| | Las Animas/Seco Creek | 5/7/1974 | | | | |
| | Las Animas/Seco Creek | 7/11/1974 | | | | |
| | Las Animas/Seco Creek | 7/11/1974 | | | | |
| | Las Animas/Seco Creek | 5/7/1974 | | | | |
| | Las Animas/Seco Creek | 7/9/1974 | | | | |
| -0.001 | Las Animas/Seco Creek | 1/1/2001 | -0.05 | | | -0.05 |
| -0.001 | Las Animas/Seco Creek | 11/16/1994 | -0.05 | | -0.005 | -0.05 |
| -0.001 | Las Animas/Seco Creek | 11/16/1994 | -0.05 | | -0.005 | -0.05 |
| -0.001 | Las Animas/Seco Creek | 11/16/1994 | -0.05 | | -0.005 | -0.05 |
| | Left Side of Haul Road | 8/1/1997 | | | | |
| | Pit Lake | 4/3/1989 | -0.1 | | | 0.4 |
| | Pit Lake | 4/3/1989 | | | | |
| | Pit Lake | 11/14/1990 | | | | |
| 0.0004 | Pit Lake | 2/11/1991 | | | -0.001 | |
| -0.0002 | Pit Lake | 2/11/1991 | | | -0.001 | |
| -0.0002 | Pit Lake | 7/19/1991 | | | -0.001 | |
| | Pit Lake | 8/29/1991 | | | | |
| | Pit Lake | 11/26/1991 | | | | |
| | Pit Lake | 3/15/1992 | | | | |

| Mercury(Hg) | Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-------------|-----------|------------|------------|--------------|--------------|----------|
| | Pit Lake | 3/15/1992 | | | | |
| | Pit Lake | 5/25/1992 | | | | |
| | Pit Lake | 7/16/1992 | | | | |
| | Pit Lake | 10/8/1992 | | | | |
| | Pit Lake | 11/27/1992 | | | | |
| | Pit Lake | 12/15/1992 | | | | |
| -0.0005 | Pit Lake | 2/12/1993 | -0.1 | | -0.005 | 1.8 |
| | Pit Lake | 2/25/1993 | | | | |
| | Pit Lake | 9/28/1993 | | | | 0.01 |
| | Pit Lake | 3/17/1994 | | | | 1.01 |
| -0.001 | Pit Lake | 5/24/1994 | -0.05 | -0.005 | -0.005 | 0.6 |
| -0.001 | Pit Lake | 5/24/1994 | -0.05 | -0.005 | -0.005 | 0.56 |
| -0.001 | Pit Lake | 5/24/1994 | -0.05 | -0.005 | -0.005 | 0.57 |
| -0.001 | Pit Lake | 5/24/1994 | -0.05 | -0.005 | -0.005 | 0.54 |
| | Pit Lake | 9/22/1994 | | | | |
| -0.001 | Pit Lake | 11/16/1994 | 0.05 | -0.005 | -0.005 | 0.092 |
| -0.001 | Pit Lake | 11/16/1994 | -0.05 | -0.005 | -0.005 | 0.095 |
| -0.001 | Pit Lake | 12/12/1994 | -0.05 | -0.005 | -0.005 | 0.095 |
| -0.001 | Pit Lake | 12/19/1994 | -0.05 | -0.005 | -0.005 | 0.092 |
| | Pit Lake | 1/29/1995 | | | | |
| | Pit Lake | 3/29/1995 | | | | |
| | Pit Lake | 6/27/1995 | | | | |
| -0.001 | Pit Lake | 8/1/1995 | -0.05 | | -0.025 | |
| | Pit Lake | 8/1/1995 | | | | |
| -0.001 | Pit Lake | 9/21/1995 | -0.05 | -0.005 | -0.25 | 0.071 |
| | Pit Lake | 9/21/1995 | | | | |
| | Pit Lake | 1/10/1996 | | | | |
| | Pit Lake | 4/3/1996 | | | | |
| | Pit Lake | 6/1/1996 | | | | |
| | Pit Lake | 9/25/1996 | | | | |
| -0.001 | Pit Lake | 11/15/1996 | | | | 0.28 |
| -0.001 | Pit Lake | 11/15/1996 | | | | 0.17 |
| -0.001 | Pit Lake | 11/15/1996 | | | | 0.2 |
| -0.001 | Pit Lake | 11/15/1996 | | | | 0.29 |
| | Pit Lake | 1/15/1997 | | | | |
| -0.001 | Pit Lake | 1/18/1997 | | | | 0.23 |

| Mercury(Hg) | Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-------------|--------------------|------------|-------------|--------------|--------------|-----------|
| -0.001 | Pit Lake | 1/18/1997 | | | | 0.23 |
| -0.001 | Pit Lake | 1/18/1997 | | | | 0.23 |
| -0.001 | Pit Lake | 1/18/1997 | | | | 0.19 |
| | Pit Lake | 7/1/1997 | | | | |
| | Pit Lake | 7/16/1997 | | | | |
| | Pit Lake | 7/16/1997 | | | | |
| | Pit Lake | 7/16/1997 | | | | |
| | Pit Lake | 7/16/1997 | | | | |
| | Pit Lake | 8/1/1997 | -0.05 | -0.005 | -0.005 | 0.11 |
| | Pit Lake | 10/1/1997 | | | | |
| | Pit Lake | 10/8/1997 | | | | |
| | Pit Lake | 10/8/1997 | | | | |
| | Pit Lake | 10/8/1997 | | | | |
| | Pit Lake | 10/8/1997 | | | | |
| -0.002 | Pit Lake | 1/15/1998 | | | -0.05 | |
| | Pit Lake | 1/24/1998 | | | -0.05 | |
| | Pit Lake | 2/1/1998 | | | | |
| | Pit Lake | 3/1/1998 | | | | |
| -0.002 | Pit Lake | 4/9/1998 | | | -0.05 | |
| | Pit Lake | 5/1/1998 | | | | |
| | Pit Lake | 6/1/1998 | | | | |
| -0.002 | Pit Lake | 7/13/1998 | | | -0.05 | |
| -0.002 | Pit Lake | 7/21/1998 | | | -0.05 | |
| | Pit Lake | 8/1/1998 | | | | |
| | Pit Lake | 9/1/1998 | | | | |
| | Pit Lake | 10/15/1998 | | | | |
| | Pit Lake | 10/1/1997 | | | | |
| | PP | 8/9/1997 | -0.05 | | -0.005 | -0.05 |
| | PW-1 | 8/8/1997 | <u>0.37</u> | | 0.043 | 16 |
| | PW-1 | 8/9/1997 | <u>0.36</u> | | -0.05 | 19 |
| | PW-2 | 8/9/1997 | -0.05 | | -0.005 | 0.11 |
| -0.001 | Seep | 5/17/1982 | | | -0.005 | |
| | Seep | 9/2/1982 | | | | |
| -0.001 | Seep | 12/23/1982 | | | -0.005 | |
| -0.001 | Seep | 2/21/1983 | | | -0.005 | |
| | Acid Rock Drianage | 5/7/1993 | | | | 51 |

| Well Name | Flow Rate | Date | Sampler | Notes | Lat | Long |
|-----------|-----------|------------|----------|--|----------|-----------|
| Seep | | 5/13/1983 | QMC | | | |
| Seep | | 11/1/1983 | QMC | | | |
| Seep | | 3/16/1984 | QMC | | | |
| Seep | | 8/9/1993 | QMC | | | |
| Spring | | 11/14/1990 | GE | Greyback, rock house below cu flat | | |
| Spring | | 11/14/1990 | GE | Wet weather spring | | |
| Spring | | 2/12/1991 | GE | Wet weather spring, SHB #7 | | |
| SWQ1 | | 12/28/1982 | QMC | | 32.96645 | 107.54562 |
| SWQ1 | | 2/21/1983 | QMC | | 32.96645 | 107.54562 |
| SWQ1 | | 7/16/1992 | BI/GE | Mislabeled as GQW1 | 32.96645 | 107.54562 |
| SWQ1 | | 11/27/1992 | GE | Greyback wash 1/2 mi. w of pit | 32.96645 | 107.54562 |
| SWQ1 | | 2/25/1993 | BI/GE | Greyback wash 1/2 mi. w of pit | 32.96645 | 107.54562 |
| SWQ1 | | 4/1/1993 | Shomaker | | 32.96645 | 107.54562 |
| SWQ2 | | 10/27/1981 | | BG Arroyo | 32.96404 | 107.52329 |
| SWQ2 | | 2/25/1982 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 5/12/1982 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 2/21/1983 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 5/13/1983 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 8/9/1983 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 11/1/1983 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 12/23/1983 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 3/16/1984 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 5/30/1984 | QMC | | 32.96404 | 107.52329 |
| SWQ2 | | 9/12/1984 | CFP | | 32.96404 | 107.52329 |
| SWQ2 | | 11/27/1984 | CFP | | 32.96404 | 107.52329 |
| SWQ2 | | 5/17/1985 | CFP | | 32.96404 | 107.52329 |
| SWQ2 | | 11/13/1985 | CFP | | 32.96404 | 107.52329 |
| SWQ2 | | 6/5/1986 | CFP | No flow | 32.96404 | 107.52329 |
| SWQ2 | | 10/13/1986 | CFP | | 32.96404 | 107.52329 |
| SWQ2 | | 7/19/1991 | GE | Greyback wash s of plant | 32.96404 | 107.52329 |
| SWQ2 | | 7/16/1992 | BI/GE | Mislabeled as GQW2, greyback wash of plant | 32.96404 | 107.52329 |
| SWQ2 | | 10/8/1992 | BI/GE | | 32.96404 | 107.52329 |
| SWQ2 | | 12/15/1992 | BI/GE | Greyback wash s of plant | 32.96404 | 107.52329 |
| SWQ2 | | 2/25/1993 | BI/GE | Greyback wash s of plant | 32.96404 | 107.52329 |
| SWQ2 | | 3/31/1993 | Shomaker | | 32.96404 | 107.52329 |
| SWQ2 | | 6/23/1994 | BI/AG | S on grayback of mill site | 32.96404 | 107.52329 |

| Well Name | Flow Rate | Date | Sampler | Notes | Lat | Long |
|-----------|-----------|------------|----------|---|----------|-----------|
| SWQ2 | | 1/29/1995 | BI/AG | Mislabeled as gwq2, grayback s of mill | 32.96404 | 107.52329 |
| SWQ2 | | 3/29/1995 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 6/27/1995 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 9/21/1995 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 1/10/1996 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 4/3/1996 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 9/25/1996 | BI/AG | Mislabeled as qwq2 rock house of grayback | 32.96404 | 107.52329 |
| SWQ2 | | 1/15/1997 | BI/AG | Mislabeled as qwq1, south of mill site | 32.96404 | 107.52329 |
| SWQ2 | | 7/1/1997 | BI | exact date not known | 32.96404 | 107.52329 |
| SWQ2 | | 8/10/1997 | SRK | | 32.96404 | 107.52329 |
| SWQ2 | | 10/1/1997 | BI | exact date not known | 32.96404 | 107.52329 |
| SWQ2 | | 1/15/1998 | BI | Labled GWQ-1 South [of] Mill Site | 32.96404 | 107.52329 |
| SWQ2 | | 4/9/1998 | BI | Labled GWQ-1 South [of] Mill Site | 32.96404 | 107.52329 |
| SWQ2A | | 10/27/1981 | QMC | BG Arroyo | | |
| SWQ2A | | 2/25/1982 | QMC | | | |
| SWQ3 | | 7/19/1991 | GE | Greyback wash E of Rock house | 32.96654 | 107.51597 |
| SWQ3 | | 8/29/1991 | BI/GE | Greyback wash Opp. Rock House | 32.96654 | 107.51597 |
| SWQ3 | | 11/26/1991 | MH/GE | Greyback wash Opp. Rock House | 32.96654 | 107.51597 |
| SWQ3 | | 3/15/1992 | BI/GE | | 32.96654 | 107.51597 |
| SWQ3 | | 3/15/1992 | BI/GE | Greyback wash Opp. Rock House | 32.96654 | 107.51597 |
| SWQ3 | | 2/25/1992 | BI/GE | | 32.96654 | 107.51597 |
| SWQ3 | | 7/16/1992 | BI/GE | Greyback wash E of plant | 32.96654 | 107.51597 |
| SWQ3 | | 10/8/1992 | BI/GE | | 32.96654 | 107.51597 |
| SWQ3 | | 11/27/1992 | MH/GE | Greyback wash Opp. Rock House | 32.96654 | 107.51597 |
| SWQ3 | | 12/15/1992 | BI/GE | Greyback wash e of plant | 32.96654 | 107.51597 |
| SWQ3 | | 2/25/1993 | BI/GE | Greyback wash E of plant | 32.96654 | 107.51597 |
| SWQ-3 | | 3/31/1993 | Shomaker | | 32.96654 | 107.51597 |
| SWQ3 | | 9/28/1993 | BI/GE | | 32.96654 | 107.51597 |
| SWQ3 | | 6/23/1994 | BI/AG | Mislabeled as GWQ3, grayback at rock house | 32.96654 | 107.51597 |
| SWQ3 | | 1/29/1995 | BI/AG | Mislabeled as gwq1, grayback at rock house | 32.96654 | 107.51597 |
| SWQ3 | | 3/29/1995 | BI/AG | Mislabeled as gwq2, rock house on greyback | 32.96654 | 107.51597 |
| SWQ3 | | 6/27/1995 | BI/AG | Mislabeled as gwq2, at rock house on greyback | 32.96654 | 107.51597 |
| SWQ3 | | 9/21/1995 | BI/AG | Mislabeled as gwq2 rock house of greyback | 32.96654 | 107.51597 |
| SWQ3 | | 1/10/1996 | BI/AG | Mislabeled as gwq2 rock house of greyback | 32.96654 | 107.51597 |
| SWQ3 | | 4/3/1996 | BI/AG | Mislabeled as gwq2 rock house of greyback | 32.96654 | 107.51597 |
| SWQ3 | | 9/25/1996 | BI/AG | Mislabeled as gwq2 rock house of greyback | 32.96654 | 107.51597 |

| Well Name | Flow Rate | Date | Sampler | Notes | Lat | Long |
|----------------------|-----------|------------|------------|---|----------|-----------|
| SWQ3 | | 1/15/1997 | BI/AG | Mislabeled as gwq2 rock house of greyback | 32.96654 | 107.51597 |
| SWQ3 | | 7/1/1997 | BI | exact date not known | | |
| SWQ3 | | 8/10/1997 | SRK | | | |
| SWQ3 | | 10/1/1997 | BI | exact date not known | | |
| SWQ3 | | 1/15/1998 | BI | Labeled GWQ-2 Greyback Rock House | | |
| SWQ3 | | 4/9/1998 | BI | Labeled GWQ-2 Greyback Rock House | | |
| US Greyback | | 2/11/1991 | FTS/GE | SHB6 | | |
| Warm Springs South | 18 | 4/1/1998 | | 16.7.5.2.2.3 | 32.94974 | 107.57747 |
| Warm Springs South | 5 | 7/21/1998 | Brownfield | 16.7.5.2.2.3 | 32.94974 | 107.57747 |
| W.Waste | 0.01 | 8/10/1997 | SRK | Seep at E. toe of W. waste rock dump | | |
| Caballo Reservoir | | 11/16/1994 | | CF-Caballo | | |
| Rio Grande @ El Paso | | 1/1/1958 | | | | |
| Rio Grande @ El Paso | | 1/1/1964 | | | | |
| Rio Grande @ El Paso | | 1/1/1975 | | | | |
| Rio Grande @ El Paso | | 12/30/1975 | | | | |
| Warm Springs Canyon | | 4/2/1993 | | | | |

| Well Name | Date | North | East | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate | |
|-----------|------------|--------|---------|-----------|------|-----------|------|-----|-------------|-----|
| Seep | 5/13/1983 | | | | 8.2 | | 1120 | | 600 | |
| Seep | 11/1/1983 | | | | 8 | | 1160 | | 529 | |
| Seep | 3/16/1984 | | | | 8.3 | | 1300 | | 620 | |
| Seep | 8/9/1993 | | | | 8.0 | | 1210 | | 505 | |
| Spring | 11/14/1990 | | | | | | 2618 | | 1559.1 | |
| Spring | 11/14/1990 | | | | | | 541 | | 200.8 | |
| Spring | 2/12/1991 | | | | | 1095 | 679 | | 245.0 | |
| SWQ1 | 12/28/1982 | 262071 | 3650254 | | 8.0 | | 250 | | 68 | |
| SWQ1 | 2/21/1983 | 262071 | 3650254 | | 8.0 | | 470 | | 161 | |
| SWQ1 | 7/16/1992 | 262071 | 3650254 | TRUE | 7.37 | | 965 | | 298.3 | |
| SWQ1 | 11/27/1992 | 262071 | 3650254 | | 8.31 | | 545 | | 180.8 | |
| SWQ1 | 2/25/1993 | 262071 | 3650254 | TRUE | 8.34 | | 844 | | 323.1 | |
| SWQ1 | 4/1/1993 | 262071 | 3650254 | | 8.30 | 1150 | 782 | | 276 | 430 |
| SWQ2 | 10/27/1981 | 264152 | 3649937 | TRUE | 8.7 | | 1060 | | 460 | |
| SWQ2 | 2/25/1982 | 264152 | 3649937 | TRUE | 8.1 | | 1360 | | 658 | |
| SWQ2 | 5/12/1982 | 264152 | 3649937 | TRUE | 7.9 | | 1380 | | 700 | |
| SWQ2 | 2/21/1983 | 264152 | 3649937 | | 8.4 | | 990 | | 445 | |
| SWQ2 | 5/13/1983 | 264152 | 3649937 | | 8.4 | | 1120 | | 517 | |
| SWQ2 | 8/9/1983 | 264152 | 3649937 | | 8.0 | | 1620 | | 675 | |
| SWQ2 | 11/1/1983 | 264152 | 3649937 | | 8.2 | | 1170 | | 553 | |
| SWQ2 | 12/23/1983 | 264152 | 3649937 | TRUE | 8.0 | | 1180 | | 550 | |
| SWQ2 | 3/16/1984 | 264152 | 3649937 | | 8.3 | | 1140 | | 515 | |
| SWQ2 | 5/30/1984 | 264152 | 3649937 | | 8.1 | | 1420 | | 720 | |
| SWQ2 | 9/12/1984 | 264152 | 3649937 | | 8.1 | | 1190 | | 577 | |
| SWQ2 | 11/27/1984 | 264152 | 3649937 | | 8.2 | | 1360 | | 675 | |
| SWQ2 | 5/17/1985 | 264152 | 3649937 | | 8.0 | | 1640 | | 770 | |
| SWQ2 | 11/13/1985 | 264152 | 3649937 | | 7.9 | | 1590 | | 770 | |
| SWQ2 | 6/5/1986 | 264152 | 3649937 | | | | | | | |
| SWQ2 | 10/13/1986 | 264152 | 3649937 | | 7.9 | | 1840 | | 830 | |
| SWQ2 | 7/19/1991 | 264152 | 3649937 | | 7.57 | 4310 | 3019 | | 1585.5 | |
| SWQ2 | 7/16/1992 | 264152 | 3649937 | TRUE | 7.57 | | 2305 | | 1154.9 | |
| SWQ2 | 10/8/1992 | 264152 | 3649937 | TRUE | 7.53 | | 2685 | | 1470.5 | |
| SWQ2 | 12/15/1992 | 264152 | 3649937 | TRUE | 7.61 | | 3108 | | 1613.0 | |
| SWQ2 | 2/25/1993 | 264152 | 3649937 | TRUE | 7.58 | | 2713 | | 1459.3 | |
| SWQ2 | 3/31/1993 | 264152 | 3649937 | | 7.7 | 3150 | 2720 | | 1460 | 376 |
| SWQ2 | 6/23/1994 | 264152 | 3649937 | TRUE | 8.87 | | 3958 | | 2369 | |

| Well Name | Date | North | East | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|-----------|------------|--------|---------|-----------|------|-----------|------|-----|-------------|
| SWQ2 | 1/29/1995 | 264152 | 3649937 | TRUE | 7.64 | | 2653 | | 1286.2 |
| SWQ2 | 3/29/1995 | 264152 | 3649937 | TRUE | 7.83 | | 2866 | | 1388.2 |
| SWQ2 | 6/27/1995 | 264152 | 3649937 | TRUE | 7.74 | | 3235 | | 1877.0 |
| SWQ2 | 9/21/1995 | 264152 | 3649937 | TRUE | 7.58 | | 500 | | 271.2 |
| SWQ2 | 1/10/1996 | 264152 | 3649937 | TRUE | 7.37 | | 3991 | | 2336.9 |
| SWQ2 | 4/3/1996 | 264152 | 3649937 | TRUE | 8.06 | | 4464 | | 2566.3 |
| SWQ2 | 9/25/1996 | 264152 | 3649937 | TRUE | 7.66 | | 3997 | | 1987 |
| SWQ2 | 1/15/1997 | 264152 | 3649937 | TRUE | 7.43 | | 3436 | | 1356 |
| SWQ2 | 7/1/1997 | 264152 | 3649937 | TRUE | 7.34 | | 3507 | | 2033 |
| SWQ2 | 8/10/1997 | 264152 | 3649937 | TRUE | 7.89 | 3267 | 2890 | | 1410 |
| SWQ2 | 10/1/1997 | 264152 | 3649937 | TRUE | 7.75 | | 2015 | | 960 |
| SWQ2 | 1/15/1998 | 264152 | 3649937 | TRUE | 7.67 | 3380 | 2643 | | 1500 |
| SWQ2 | 4/9/1998 | 264152 | 3649937 | TRUE | | 3360 | 2365 | | 2029 |
| SWQ2A | 10/27/1981 | | | TRUE | 8.2 | | 830 | | 360 |
| SWQ2A | 2/25/1982 | | | TRUE | 8.4 | | 800 | | 320 |
| SWQ3 | 7/19/1991 | 264842 | 3650197 | | 7.52 | 3120 | 2191 | | 1108.2 |
| SWQ3 | 8/29/1991 | 264842 | 3650197 | TRUE | 7.82 | | 3596 | | 1884.2 |
| SWQ3 | 11/26/1991 | 264842 | 3650197 | | 7.71 | | 2857 | | 1419 |
| SWQ3 | 3/15/1992 | 264842 | 3650197 | TRUE | 8.08 | | 2393 | | 1247.6 |
| SWQ3 | 3/15/1992 | 264842 | 3650197 | TRUE | 8.08 | | 2393 | | 1247.6 |
| SWQ3 | 2/25/1992 | 264842 | 3650197 | TRUE | 8.07 | | 2380 | | 1185.2 |
| SWQ3 | 7/16/1992 | 264842 | 3650197 | TRUE | 7.66 | | 3364 | | 1654.0 |
| SWQ3 | 10/8/1992 | 264842 | 3650197 | TRUE | 7.49 | | 3611 | | 1667.4 |
| SWQ3 | 11/27/1992 | 264842 | 3650197 | | 8.35 | | 1866 | | 952.2 |
| SWQ3 | 12/15/1992 | 264842 | 3650197 | TRUE | 8.15 | | 3436 | | 1549.4 |
| SWQ3 | 2/25/1993 | 264842 | 3650197 | TRUE | 8.01 | | 2974 | | 1573.7 |
| SWQ-3 | 3/31/1993 | 264842 | 3650197 | | 8.1 | 3330 | 2950 | | 1580 |
| SWQ3 | 9/28/1993 | 264842 | 3650197 | TRUE | 8.13 | | 4432 | | 1254 |
| SWQ3 | 6/23/1994 | 264842 | 3650197 | TRUE | 8.37 | | 2934 | | 1712 |
| SWQ3 | 1/29/1995 | 264842 | 3650197 | TRUE | 7.93 | | 3185 | | 1671.7 |
| SWQ3 | 3/29/1995 | 264842 | 3650197 | TRUE | 8.23 | | 3216 | | 1709.7 |
| SWQ3 | 6/27/1995 | 264842 | 3650197 | TRUE | 7.51 | | 3393 | | 1792.4 |
| SWQ3 | 9/21/1995 | 264842 | 3650197 | TRUE | 8.73 | | 3741 | | 2382.0 |
| SWQ3 | 1/10/1996 | 264842 | 3650197 | TRUE | 7.78 | | 3666 | | 1936.6 |
| SWQ3 | 4/3/1996 | 264842 | 3650197 | TRUE | 7.38 | | 3635 | | 2236.3 |
| SWQ3 | 9/25/1996 | 264842 | 3650197 | TRUE | 7.64 | | 2568 | | 1153 |

409

| Well Name | Date | North | East | Filtered? | pH | Sp. Cond. | TDS | SO4 | Bicarbonate |
|----------------------|------------|--------|---------|-----------|------|-----------|-------|-----|-------------|
| SWQ3 | 1/15/1997 | 264842 | 3650197 | TRUE | 8.13 | | 3436 | | 1356 |
| SWQ3 | 7/1/1997 | | | TRUE | 7.79 | | 3854 | | 2185 |
| SWQ3 | 8/10/1997 | | | TRUE | 7.92 | 3590 | 3310 | | 1670 |
| SWQ3 | 10/1/1997 | | | TRUE | 7.91 | | 2964 | | 1489 |
| SWQ3 | 1/15/1998 | | | TRUE | 7.7 | 3800 | 3115 | | 1738 |
| SWQ3 | 4/9/1998 | | | TRUE | | 3570 | 3361 | | 2050 |
| US Greyback | 2/11/1991 | | | | 7.78 | 1418 | 908 | | 348.6 |
| Warm Springs South | 4/1/1998 | 259047 | 3648474 | | | | | | |
| Warm Springs South | 7/21/1998 | 259047 | 3648474 | TRUE | | | 543 | | 96 |
| W.Waste | 8/10/1997 | | | TRUE | 3.03 | 12280 | 25440 | | 22100 |
| Caballo Reservoir | 11/16/1994 | | | | 7.97 | | 440 | | 110 |
| Rio Grande @ El Paso | 1/1/1958 | | | | | | 721 | | 260 |
| Rio Grande @ El Paso | 1/1/1964 | | | | | | 1058 | | 340 |
| Rio Grande @ El Paso | 1/1/1975 | | | | | | 846 | | 275 |
| Rio Grande @ El Paso | 12/30/1975 | | | | | | 809 | | 129 |
| Warm Springs Canyon | 4/2/1993 | | | | 8.5 | | 1370 | | 351 |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|-----------|------------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| Seep | 5/13/1983 | | 52 | 1.9 | 0.9 | | | |
| Seep | 11/1/1983 | | 56 | 1.5 | 1.1 | | | |
| Seep | 3/16/1984 | | 52 | 1.7 | 5.6 | | | |
| Seep | 8/9/1993 | | 52 | 1.5 | 1.2 | | | |
| Spring | 11/14/1990 | | 141.2 | | | | | |
| Spring | 11/14/1990 | | 26.1 | | | | | |
| Spring | 2/12/1991 | | 43.3 | 0.3 | 0.08 | 78.6 | 1.6 | |
| SWQ1 | 12/28/1982 | | 10 | 0.3 | 0.9 | | | |
| SWQ1 | 2/21/1983 | | 20 | 0.3 | 4.4 | | | |
| SWQ1 | 7/16/1992 | | 47.2 | | | | | |
| SWQ1 | 11/27/1992 | | 16.7 | | | | | |
| SWQ1 | 2/25/1993 | | 28.9 | | | | | |
| SWQ1 | 4/1/1993 | 109 | 27 | 0.53 | 0 | 107 | 1.8 | -0.1 |
| SWQ2 | 10/27/1981 | | 46 | 0.8 | 6.6 | | | -0.01 |
| SWQ2 | 2/25/1982 | | 80 | 0.7 | 4.2 | | | |
| SWQ2 | 5/12/1982 | | 108 | 0.7 | 3 | | | |
| SWQ2 | 2/21/1983 | | 68 | 0.7 | 0.8 | | | |
| SWQ2 | 5/13/1983 | | 84 | 0.8 | 0.3 | | | |
| SWQ2 | 8/9/1983 | | 142 | 0.7 | -0.2 | | | |
| SWQ2 | 11/1/1983 | | 72 | 0.8 | 0.3 | | | |
| SWQ2 | 12/23/1983 | | 82 | 0.5 | <u>11.2</u> | | | |
| SWQ2 | 3/16/1984 | | 68 | 0.8 | 5.3 | | | |
| SWQ2 | 5/30/1984 | | 94 | 0.8 | 0.4 | | | |
| SWQ2 | 9/12/1984 | | 80 | 0.9 | 0.4 | | | |
| SWQ2 | 11/27/1984 | | 88 | 0.8 | -0.2 | | | |
| SWQ2 | 5/17/1985 | | 102 | | | | | |
| SWQ2 | 11/13/1985 | | 94 | | | | | |
| SWQ2 | 6/5/1986 | | | | | | | |
| SWQ2 | 10/13/1986 | | 136 | | | | | |
| SWQ2 | 7/19/1991 | | 216.7 | 0.57 | <u>12.74</u> | 264.3 | 10.9 | |
| SWQ2 | 7/16/1992 | | 93.4 | | | | | |
| SWQ2 | 10/8/1992 | | 130.7 | | | | | |
| SWQ2 | 12/15/1992 | | 192.5 | | | | | |
| SWQ2 | 2/25/1993 | | 135.9 | | | | | |
| SWQ2 | 3/31/1993 | 436 | 123 | 0.63 | <u>14.5</u> | 279 | 2.1 | -0.1 |
| SWQ2 | 6/23/1994 | | 197.3 | | | | | |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|-----------|------------|-------------|-------|-------------|----------------------------|------------|--------------|--------------|
| SWQ2 | 1/29/1995 | | 89.2 | | | | | |
| SWQ2 | 3/29/1995 | | 83.9 | | | | | |
| SWQ2 | 6/27/1995 | | 127.3 | | | | | |
| SWQ2 | 9/21/1995 | | 31.1 | | | | | |
| SWQ2 | 1/10/1996 | | 167.2 | | | | | |
| SWQ2 | 4/3/1996 | | 222.6 | | | | | |
| SWQ2 | 9/25/1996 | | 143.7 | | | | | |
| SWQ2 | 1/15/1997 | | 148 | | | | | |
| SWQ2 | 7/1/1997 | | 168 | | | | | |
| SWQ2 | 8/10/1997 | | 97 | 0.86 | 2.1 | 290 | 9.6 | 0.12 |
| SWQ2 | 10/1/1997 | | 64.1 | | | | | |
| SWQ2 | 1/15/1998 | | 67.2 | 0.87 | <u>11.3</u> | | | |
| SWQ2 | 4/9/1998 | | 88 | 0.95 | 6 | | | |
| SWQ2A | 10/27/1981 | | 46 | 0.6 | 0.3 | | | -0.01 |
| SWQ2A | 2/25/1982 | | 50 | 0.7 | -0.2 | | | |
| SWQ3 | 7/19/1991 | | 143.9 | 0.73 | 1.39 | 189.5 | 7.4 | |
| SWQ3 | 8/29/1991 | | 231.3 | | | | | |
| SWQ3 | 11/26/1991 | | 141.1 | | | | | |
| SWQ3 | 3/15/1992 | | 99.2 | | | | | |
| SWQ3 | 3/15/1992 | | 99.2 | | | | | |
| SWQ3 | 2/25/1992 | | 102.9 | | | | | |
| SWQ3 | 7/16/1992 | | 128.7 | | | | | |
| SWQ3 | 10/8/1992 | | 174.4 | | | | | |
| SWQ3 | 11/27/1992 | | 160.5 | | | | | |
| SWQ3 | 12/15/1992 | | 221.6 | | | | | |
| SWQ3 | 2/25/1993 | | 150.7 | | | | | |
| SWQ-3 | 3/31/1993 | 445 | 135 | 0.97 | 6.9 | 271 | 2.2 | -0.1 |
| SWQ3 | 9/28/1993 | | 226.9 | | | | | |
| SWQ3 | 6/23/1994 | | 157.4 | | | | | |
| SWQ3 | 1/29/1995 | | 237.6 | | | | | |
| SWQ3 | 3/29/1995 | | 100.6 | | | | | |
| SWQ3 | 6/27/1995 | | 200.3 | | | | | |
| SWQ3 | 9/21/1995 | | 178.5 | | | | | |
| SWQ3 | 1/10/1996 | | 112.0 | | | | | |
| SWQ3 | 4/3/1996 | | 157.0 | | | | | |
| SWQ3 | 9/25/1996 | | 96.7 | | | | | |

| Well Name | Date | Calcium(Ca) | Cl | Flouride(F) | Nitrate (NO ₃) | Sodium(Na) | Potassium(K) | Aluminum(Al) |
|----------------------|------------|-------------|------|-------------|----------------------------|------------|--------------|--------------|
| SWQ3 | 1/15/1997 | | 148 | | | | | |
| SWQ3 | 7/1/1997 | | 176 | | | | | |
| SWQ3 | 8/10/1997 | | 130 | 0.85 | -1 | 300 | 9 | 0.032 |
| SWQ3 | 10/1/1997 | | 118 | | | | | |
| SWQ3 | 1/15/1998 | | 114 | 0.99 | 1.6 | | | |
| SWQ3 | 4/9/1998 | | 116 | 1.07 | 0.12 | | | |
| US Greyback | 2/11/1991 | | 49.9 | 0.37 | 0.07 | 118.5 | 1.2 | |
| Warm Springs South | 4/1/1998 | | | | | | | |
| Warm Springs South | 7/21/1998 | | 17 | 16.15 | -0.05 | 148.3 | 9.3 | |
| W.Waste | 8/10/1997 | | 16 | 0.31 | 4.7 | 20 | -1 | 2100 |
| Caballo Reservoir | 11/16/1994 | | 71 | 0.57 | | 79 | 5.8 | -0.05 |
| Rio Grande @ El Paso | 1/1/1958 | | 87 | | | 116 | | |
| Rio Grande @ El Paso | 1/1/1964 | | 199 | | | 224 | | |
| Rio Grande @ El Paso | 1/1/1975 | | 124 | | | 159 | | |
| Rio Grande @ El Paso | 12/30/1975 | | | | | 151 | | |
| Warm Springs Canyon | 4/2/1993 | | 52 | 22.2 | 0 | 457 | 22 | -0.01 |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|-----------|------------|-------------|------------|----------|---------------|------------|--------------|--------------|
| Seep | 5/13/1983 | | | | | | -0.005 | |
| Seep | 11/1/1983 | | | | | | -0.005 | |
| Seep | 3/16/1984 | | | | | | -0.005 | |
| Seep | 8/9/1993 | | | | | | -0.005 | |
| Spring | 11/14/1990 | | | | | 0.1 | <u>0.027</u> | |
| Spring | 11/14/1990 | | | | | | | |
| Spring | 2/12/1991 | -0.001 | -0.001 | | | 0.1 | <u>0.027</u> | 0.05 |
| SWQ1 | 12/28/1982 | | | | | | -0.005 | |
| SWQ1 | 2/21/1983 | | | | | | -0.005 | |
| SWQ1 | 7/16/1992 | | | | | | | |
| SWQ1 | 11/27/1992 | | | | | | | |
| SWQ1 | 2/25/1993 | | | | | | | |
| SWQ1 | 4/1/1993 | -0.005 | -0.01 | 0.02 | | -0.05 | -0.002 | -0.02 |
| SWQ2 | 10/27/1981 | -0.01 | -0.02 | -0.01 | | -0.02 | -0.005 | -0.01 |
| SWQ2 | 2/25/1982 | | | | | | -0.005 | |
| SWQ2 | 5/12/1982 | | | | | | -0.005 | |
| SWQ2 | 2/21/1983 | | | | | | -0.005 | |
| SWQ2 | 5/13/1983 | | | | | | -0.005 | |
| SWQ2 | 8/9/1983 | | | | | | -0.005 | |
| SWQ2 | 11/1/1983 | | | | | | -0.005 | |
| SWQ2 | 12/23/1983 | | | | | | -0.005 | |
| SWQ2 | 3/16/1984 | | | | | | -0.005 | |
| SWQ2 | 5/30/1984 | | | | | | -0.005 | |
| SWQ2 | 9/12/1984 | | | | | | -0.005 | |
| SWQ2 | 11/27/1984 | | | | | | -0.005 | |
| SWQ2 | 5/17/1985 | | | | | | | |
| SWQ2 | 11/13/1985 | | | | | | | |
| SWQ2 | 6/5/1986 | | | | | | | |
| SWQ2 | 10/13/1986 | | | | | | | |
| SWQ2 | 7/19/1991 | -0.002 | -0.02 | | | -0.01 | -0.005 | -0.02 |
| SWQ2 | 7/16/1992 | | | | | | | |
| SWQ2 | 10/8/1992 | | | | | | | |
| SWQ2 | 12/15/1992 | | | | | | | |
| SWQ2 | 2/25/1993 | | | | | | | |
| SWQ2 | 3/31/1993 | -0.005 | -0.01 | 0.08 | | -0.5 | -0.002 | -0.02 |
| SWQ2 | 6/23/1994 | | | | | | | |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|-----------|------------|-------------|------------|----------|---------------|------------|-------------|--------------|
| SWQ2 | 1/29/1995 | | | | | | | |
| SWQ2 | 3/29/1995 | | | | | | | |
| SWQ2 | 6/27/1995 | | | | | | | |
| SWQ2 | 9/21/1995 | | | | | | | |
| SWQ2 | 1/10/1996 | | | | | | | |
| SWQ2 | 4/3/1996 | | | | | | | |
| SWQ2 | 9/25/1996 | | | | | | | |
| SWQ2 | 1/15/1997 | | | | | | | |
| SWQ2 | 7/1/1997 | | | | | | | |
| SWQ2 | 8/10/1997 | -0.005 | -0.025 | 0.11 | -0.002 | 0.12 | -0.002 | -0.025 |
| SWQ2 | 10/1/1997 | | | | | | | |
| SWQ2 | 1/15/1998 | | | | | | | |
| SWQ2 | 4/9/1998 | | | | | | | |
| SWQ2A | 10/27/1981 | -0.01 | -0.02 | -0.01 | | -0.02 | -0.005 | -0.01 |
| SWQ2A | 2/25/1982 | | | | | | -0.005 | |
| SWQ3 | 7/19/1991 | -0.002 | -0.02 | | | 0.03 | -0.005 | -0.02 |
| SWQ3 | 8/29/1991 | | | | | | | |
| SWQ3 | 11/26/1991 | | | | | | | |
| SWQ3 | 3/15/1992 | | | | | | | |
| SWQ3 | 3/15/1992 | | | | | | | |
| SWQ3 | 2/25/1992 | | | | | | | |
| SWQ3 | 7/16/1992 | | | | | | | |
| SWQ3 | 10/8/1992 | | | | | | | |
| SWQ3 | 11/27/1992 | | | | | | | |
| SWQ3 | 12/15/1992 | | | | | | | |
| SWQ3 | 2/25/1993 | | | | | | | |
| SWQ-3 | 3/31/1993 | -0.005 | -0.01 | 0.06 | | -0.05 | -0.002 | -0.02 |
| SWQ3 | 9/28/1993 | | | | | | | |
| SWQ3 | 6/23/1994 | | | | | | | |
| SWQ3 | 1/29/1995 | | | | | | | |
| SWQ3 | 3/29/1995 | | | | | | | |
| SWQ3 | 6/27/1995 | | | | | | | |
| SWQ3 | 9/21/1995 | | | | | | | |
| SWQ3 | 1/10/1996 | | | | | | | |
| SWQ3 | 4/3/1996 | | | | | | | |
| SWQ3 | 9/25/1996 | | | | | | | |

| Well Name | Date | Arsenic(As) | Silver(Ag) | Boron(B) | Beryllium(Be) | Barium(Ba) | Cadmium(Cd) | Chromium(Cr) |
|----------------------|------------|-------------|------------|----------|---------------|------------|-------------|--------------|
| SWQ3 | 1/15/1997 | | | | | | | |
| SWQ3 | 7/1/1997 | | | | | | | |
| SWQ3 | 8/10/1997 | -0.005 | -0.025 | 0.11 | -0.002 | 0.1 | -0.002 | -0.025 |
| SWQ3 | 10/1/1997 | | | | | | | |
| SWQ3 | 1/15/1998 | | | | | | | |
| SWQ3 | 4/9/1998 | | | | | | | |
| US Greyback | 2/11/1991 | -0.001 | 0.08 | | | 0.06 | 0.38 | 0.07 |
| Warm Springs South | 4/1/1998 | | | | | | | |
| Warm Springs South | 7/21/1998 | | | | | | | |
| W.Waste | 8/10/1997 | <u>0.14</u> | -0.025 | 0.21 | <u>0.49</u> | -0.05 | 0.82 | 0.068 |
| Caballo Reservoir | 11/16/1994 | -0.005 | -0.03 | 0.14 | | -0.1 | -0.005 | -0.03 |
| Rio Grande @ El Paso | 1/1/1958 | | | | | | | |
| Rio Grande @ El Paso | 1/1/1964 | | | | | | | |
| Rio Grande @ El Paso | 1/1/1975 | | | | | | | |
| Rio Grande @ El Paso | 12/30/1975 | | | | | | | |
| Warm Springs Canyon | 4/2/1993 | -0.005 | -0.01 | 0.15 | | -0.5 | -0.002 | -0.02 |

| Well Name | Date | Copper(Cu) | Cobalt(Co) | Lead(Pb) | Iron(Fe) | Magnesium(Mg) | Molybdenum(Mo) | Manganese(Mn) | Mercury(Hg) |
|----------------------|------------|-------------|------------|----------|----------|---------------|----------------|---------------|---------------|
| SWQ3 | 1/15/1997 | | | | | | | | |
| SWQ3 | 7/1/1997 | | | | | | | | |
| SWQ3 | 8/10/1997 | 0.047 | -0.05 | -0.005 | -0.05 | 140 | -0.05 | 0.17 | |
| SWQ3 | 10/1/1997 | | | | | | | | |
| SWQ3 | 1/15/1998 | -0.005 | | | -0.05 | 120.9 | -0.05 | | -0.002 |
| SWQ3 | 4/9/1998 | 0.011 | | | -0.05 | | -0.05 | 0.02 | -0.002 |
| US Greyback | 2/11/1991 | | | -0.005 | -0.05 | 42.1 | | 0.07 | -0.0002 |
| Warm Springs South | 4/1/1998 | | | | | | | | |
| Warm Springs South | 7/21/1998 | -0.005 | | | -0.05 | 7.8 | -0.05 | 0.03 | <u>0.0023</u> |
| W.Waste | 8/10/1997 | 1800 | 9.9 | -0.005 | 310 | 580 | 0.28 | 170 | |
| Caballo Reservoir | 11/16/1994 | -0.03 | -0.05 | -0.01 | -0.05 | 14 | -0.05 | -0.03 | -0.001 |
| Rio Grande @ El Paso | 1/1/1958 | | | | | | | | |
| Rio Grande @ El Paso | 1/1/1964 | | | | | | | | |
| Rio Grande @ El Paso | 1/1/1975 | | | | | | | | |
| Rio Grande @ El Paso | 12/30/1975 | | | | | | | | |
| Warm Springs Canyon | 4/2/1993 | -0.01 | -0.05 | -0.02 | 0.09 | 3 | -0.02 | -0.02 | -0.001 |

| Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-----------|------------|------------|--------------|--------------|----------|
| Seep | 5/13/1983 | | | -0.005 | |
| Seep | 11/1/1983 | | | -0.005 | |
| Seep | 3/16/1984 | | | -0.005 | |
| Seep | 8/9/1993 | | | -0.005 | |
| Spring | 11/14/1990 | | | | |
| Spring | 11/14/1990 | | | | |
| Spring | 2/12/1991 | | | <u>0.05</u> | |
| SWQ1 | 12/28/1982 | | | -0.005 | |
| SWQ1 | 2/21/1983 | | | -0.005 | |
| SWQ1 | 7/16/1992 | | | | |
| SWQ1 | 11/27/1992 | | | | |
| SWQ1 | 2/25/1993 | | | | |
| SWQ1 | 4/1/1993 | -0.01 | | -0.005 | -0.01 |
| SWQ2 | 10/27/1981 | -0.05 | | -0.005 | |
| SWQ2 | 2/25/1982 | | | -0.005 | |
| SWQ2 | 5/12/1982 | | | -0.005 | |
| SWQ2 | 2/21/1983 | | | -0.005 | |
| SWQ2 | 5/13/1983 | | | -0.005 | |
| SWQ2 | 8/9/1983 | | | -0.005 | |
| SWQ2 | 11/1/1983 | | | -0.005 | |
| SWQ2 | 12/23/1983 | | | -0.005 | |
| SWQ2 | 3/16/1984 | | | -0.005 | |
| SWQ2 | 5/30/1984 | | | -0.005 | |
| SWQ2 | 9/12/1984 | | | -0.005 | |
| SWQ2 | 11/27/1984 | | | -0.005 | |
| SWQ2 | 5/17/1985 | | | | |
| SWQ2 | 11/13/1985 | | | | |
| SWQ2 | 6/5/1986 | | | | |
| SWQ2 | 10/13/1986 | | | | |
| SWQ2 | 7/19/1991 | | | -0.001 | |
| SWQ2 | 7/16/1992 | | | | |
| SWQ2 | 10/8/1992 | | | | |
| SWQ2 | 12/15/1992 | | | | |
| SWQ2 | 2/25/1993 | | | | |
| SWQ2 | 3/31/1993 | -0.01 | | 0.008 | 0.01 |
| SWQ2 | 6/23/1994 | | | | |

| Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|-----------|------------|------------|--------------|--------------|----------|
| SWQ2 | 1/29/1995 | | | | |
| SWQ2 | 3/29/1995 | | | | |
| SWQ2 | 6/27/1995 | | | | |
| SWQ2 | 9/21/1995 | | | | |
| SWQ2 | 1/10/1996 | | | | |
| SWQ2 | 4/3/1996 | | | | |
| SWQ2 | 9/25/1996 | | | | |
| SWQ2 | 1/15/1997 | | | | |
| SWQ2 | 7/1/1997 | | | | |
| SWQ2 | 8/10/1997 | -0.05 | | -0.005 | -0.05 |
| SWQ2 | 10/1/1997 | | | | |
| SWQ2 | 1/15/1998 | | | -0.05 | |
| SWQ2 | 4/9/1998 | | | -0.05 | |
| SWQ2A | 10/27/1981 | -0.05 | | -0.005 | |
| SWQ2A | 2/25/1982 | | | -0.005 | |
| SWQ3 | 7/19/1991 | | | -0.001 | |
| SWQ3 | 8/29/1991 | | | | |
| SWQ3 | 11/26/1991 | | | | |
| SWQ3 | 3/15/1992 | | | | |
| SWQ3 | 3/15/1992 | | | | |
| SWQ3 | 2/25/1992 | | | | |
| SWQ3 | 7/16/1992 | | | | |
| SWQ3 | 10/8/1992 | | | | |
| SWQ3 | 11/27/1992 | | | | |
| SWQ3 | 12/15/1992 | | | | |
| SWQ3 | 2/25/1993 | | | | |
| SWQ-3 | 3/31/1993 | -0.01 | | -0.005 | -0.01 |
| SWQ3 | 9/28/1993 | | | | |
| SWQ3 | 6/23/1994 | | | | |
| SWQ3 | 1/29/1995 | | | | |
| SWQ3 | 3/29/1995 | | | | |
| SWQ3 | 6/27/1995 | | | | |
| SWQ3 | 9/21/1995 | | | | |
| SWQ3 | 1/10/1996 | | | | |
| SWQ3 | 4/3/1996 | | | | |
| SWQ3 | 9/25/1996 | | | | |

| Well Name | Date | Nickel(Ni) | Antimony(Sb) | Selenium(Se) | Zinc(Zn) |
|----------------------|------------|------------|--------------|--------------|-----------|
| SWQ3 | 1/15/1997 | | | | |
| SWQ3 | 7/1/1997 | | | | |
| SWQ3 | 8/10/1997 | -0.05 | | -0.005 | -0.05 |
| SWQ3 | 10/1/1997 | | | | |
| SWQ3 | 1/15/1998 | | | -0.05 | |
| SWQ3 | 4/9/1998 | | | -0.05 | |
| US Greyback | 2/11/1991 | | | -0.001 | |
| Warm Springs South | 4/1/1998 | | | | |
| Warm Springs South | 7/21/1998 | | | -0.05 | |
| W.Waste | 8/10/1997 | 1.3 | | <u>0.11</u> | 38 |
| Caballo Reservoir | 11/16/1994 | -0.05 | | -0.005 | -0.05 |
| Rio Grande @ El Paso | 1/1/1958 | | | | |
| Rio Grande @ El Paso | 1/1/1964 | | | | |
| Rio Grande @ El Paso | 1/1/1975 | | | | |
| Rio Grande @ El Paso | 12/30/1975 | | | | |
| Warm Springs Canyon | 4/2/1993 | -0.01 | | -0.005 | -0.01 |

Appendix B

B-1 Comprehensive Groundwater Chemistry Data

B-2 Pre 1980 SHB Groundwater Sample Results

Appendix B-1

Comprehensive Groundwater Chemistry Data

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-------------|-------------|--------------------|------------|------------------|-----------|--------------|-------------|
| EPA DWS | | | | | | | |
| NM GWQ-1 | | | | | | Domestic Use | |
| NM SWQ-1 | | | | | | Domestic Use | |
| NM GWQ-2 | | | | | | Livestock | |
| NM SWQ-2 | | | | | | Livestock | |
| 15.6.30.432 | 190 | | | -1 15.6.30.432-1 | 6/6/1981 | SHB | |
| 15.6.31.343 | 98.11 | Skute Stone Arroyo | | -1 15.6.31.343-1 | 6/6/1981 | SHB | |
| 15.6.31.431 | | Skute Stone Arroyo | | -1 15.6.31.431-1 | 6/4/1976 | SHB | |
| 15.6.31.431 | | Skute Stone Arroyo | | -2 15.6.31.431-2 | 4/9/1981 | SHB | |
| 15.6.31.431 | 76.39 | Skute Stone Arroyo | | -3 15.6.31.431-3 | 6/9/1981 | SHB | |
| 15.7.26.324 | 28.4 | Hillsboro | | -1 15.7.26.324-1 | 6/11/1981 | SHB | |
| 15.7.26.344 | 56.5 | Hillsboro | | -1 15.7.26.344-1 | 1/11/1981 | SHB | |
| 15.7.26.431 | 34.5 | Hillsboro | | -1 15.7.26.431-1 | 6/1/1981 | SHB | |
| Adams | 4.15 | | | -1 Adams-1 | 1/1/1998 | | |
| Adams | 4 | | | -2 Adams-2 | 2/1/1998 | | |
| Adams | 3.4 | | | -3 Adams-3 | 3/1/1998 | | |
| Adams | 3.25 | | | -4 Adams-4 | 4/15/1998 | Goff | 15.5.28.3.1 |
| Adams | 3.1 | | | -5 Adams-5 | 5/1/1998 | | |
| Adams | 3.4 | | | -6 Adams-6 | 6/1/1998 | | |
| Adams | 3.25 | | | -7 Adams-7 | 7/22/1998 | Brownfield | 15.5.28.3.1 |
| Adams | 2.75 | | | -8 Adams-8 | 8/1/1998 | | |
| Adams | 2.75 | | | -9 Adams-9 | 9/1/1998 | | |
| Branno | | | | -1 Branno-1 | 7/31/1947 | | |
| Bussman | 12.65 | | | -1 Bussman-1 | 1/1/1998 | | |
| Bussman | 12.5 | | | -2 Bussman-2 | 2/1/1998 | | |
| Bussman | 12.3 | | | -3 Bussman-3 | 3/1/1998 | | |
| Bussman | 12.26 | | | -4 Bussman-4 | 4/15/1998 | Goff | |
| Bussman | 12.73 | | | -5 Bussman-5 | 5/1/1998 | | |
| Bussman | 12.86 | | | -6 Bussman-6 | 6/1/1998 | | |
| Bussman | 13.35 | | | -7 Bussman-7 | 7/22/1998 | Brownfield | |
| Bussman | 12.45 | | | -8 Bussman-8 | 8/1/1998 | | |
| Bussman | 13.16 | | | -9 Bussman-9 | 9/1/1998 | | |
| Casa-Moya | 2.9 | | | -1 Casa-Moya-1 | 1/1/1998 | | |
| Casa-Moya | 13.1 | | | -2 Casa-Moya-2 | 2/1/1998 | | |
| Casa-Moya | 13.3 | | | -3 Casa-Moya-3 | 3/1/1998 | | |
| Casa-Moya | 1 | | | -4 Casa-Moya-4 | 5/1/1998 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-------------|-------------|--------------------|------------|------------------|-----------|------------|--------------------|
| Casa-Moya | 2.75 | | | -5 Casa-Moya-5 | 6/1/1998 | | |
| Casa-Moya | 2.2 | | | -6 Casa-Moya-6 | 7/22/1998 | Brownfield | |
| Casa-Moya | 2.25 | | | -7 Casa-Moya-7 | 8/1/1998 | | |
| Casa-Moya | 2.6 | | | -8 Casa-Moya-8 | 9/1/1998 | | |
| Dawson 1 | | | | -1 Dawson 1-1 | 6/14/1946 | | |
| Dawson 1 | | | | -2 Dawson 1-2 | 6/7/1947 | | |
| Dawson 2 | | | | -1 Dawson 2-1 | 7/31/1947 | | |
| Delores | 31.58 | Hillsboro | | -1 Delores-1 | 7/1/1998 | | 15.7.25.1.2.1 |
| Delores | 30.64 | Hillsboro | | -2 Delores-2 | 8/1/1998 | | 15.7.25.1.2.1 |
| Delores | 30.85 | Hillsboro | | -3 Delores-3 | 9/1/1998 | | 15.7.25.1.2.1 |
| Eaton | | | | -1 Eaton-1 | 7/31/1947 | | |
| EIW | 39.855 | | | -1 EIW-1 | 2/5/1997 | SRK | |
| El Oro | 64.2 | | | -1 El Oro-1 | 6/11/1981 | SHB | |
| Folcher | | | | -1 Folcher-1 | 6/20/1946 | | |
| Guest House | 5.94 | Hillsboro | | -1 Guest House-1 | 6/9/1981 | SHB | |
| GWQ-1 | | Skute Stone Arroyo | | -1 GWQ-1-1 | 5/1/1975 | | exact data unknown |
| GWQ-1 | | Skute Stone Arroyo | | -2 GWQ-1-2 | 1/20/1981 | SHB | QMC-3, Cl,Na icon |
| GWQ-1 | | Skute Stone Arroyo | | -3 GWQ-1-3 | 2/2/1981 | SHB | QMC-3, in SHB (198 |
| GWQ-1 | | Skute Stone Arroyo | | -4 GWQ-1-4 | 3/27/1981 | SHB | QMC-3 in SHB (198 |
| GWQ-1 | 70.6 | Skute Stone Arroyo | | -5 GWQ-1-5 | 6/11/1981 | SHB | |
| GWQ-1 | | Skute Stone Arroyo | | -6 GWQ-1-6 | 6/15/1981 | SHB | |
| GWQ-1 | | Skute Stone Arroyo | | -7 GWQ-1-7 | 6/15/1981 | SHB | |
| GWQ-1 | | Skute Stone Arroyo | | -8 GWQ-1-8 | 2/25/1982 | QMC | |
| GWQ-1 | | Skute Stone Arroyo | | -9 GWQ-1-9 | 3/30/1989 | EID | |
| GWQ-1 | 0 | Skute Stone Arroyo | | -10 GWQ-1-10 | 7/19/1991 | GE | lab pH |
| GWQ-1 | | Skute Stone Arroyo | | -11 GWQ-1-11 | 3/31/1993 | JWS | |
| GWQ-1 | 0 | Skute Stone Arroyo | | -12 GWQ-1-12 | 5/25/1994 | SRK | Artesian |
| GWQ-1 | 0 | Skute Stone Arroyo | | -13 GWQ-1-13 | 7/21/1994 | SRK | Artesian |
| GWQ-1 | | Skute Stone Arroyo | | -14 GWQ-1-14 | 9/1/1995 | | |
| GWQ-1 | -0.38 | Skute Stone Arroyo | | -15 GWQ-1-15 | 1/24/1998 | GOFF | Artesian |
| GWQ-1 | -0.4 | Skute Stone Arroyo | | -16 GWQ-1-16 | 2/1/1998 | | |
| GWQ-1 | -0.43 | Skute Stone Arroyo | | -17 GWQ-1-17 | 3/1/1998 | | |
| GWQ-1 | -0.71 | Skute Stone Arroyo | | -18 GWQ-1-18 | 4/14/1998 | Goff | Artesian |
| GWQ-1 | -0.38 | Skute Stone Arroyo | | -19 GWQ-1-19 | 5/1/1998 | | |
| GWQ-1 | -0.38 | Skute Stone Arroyo | | -20 GWQ-1-20 | 6/1/1998 | | |
| GWQ-1 | -0.23 | Skute Stone Arroyo | | -21 GWQ-1-21 | 7/21/1998 | Brownfield | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-----------|------------|---------|-------|
| GWQ-1 | -0.1 | Skute Stone Arroyo | -22 | GWQ-1-22 | 8/1/1998 | | |
| GWQ-1 | -0.04 | Skute Stone Arroyo | -23 | GWQ-1-23 | 9/1/1998 | | |
| GWQ-10 | | Skute Stone Arroyo | -1 | GWQ-10-1 | 4/6/1981 | QMC | |
| GWQ-10 | 90.62 | Skute Stone Arroyo | -2 | GWQ-10-2 | 8/10/1981 | QMC | |
| GWQ-10 | | Skute Stone Arroyo | -3 | GWQ-10-3 | 10/27/1981 | QMC | |
| GWQ-10 | | Skute Stone Arroyo | -4 | GWQ-10-4 | 10/30/1981 | QMC | |
| GWQ-10 | | Skute Stone Arroyo | -5 | GWQ-10-5 | 11/6/1981 | QMC | |
| GWQ-10 | 84.81 | Skute Stone Arroyo | -6 | GWQ-10-6 | 11/12/1981 | QMC | |
| GWQ-10 | 84.09 | Skute Stone Arroyo | -7 | GWQ-10-7 | 11/13/1981 | EID | |
| GWQ-10 | 83.25 | Skute Stone Arroyo | -8 | GWQ-10-8 | 11/17/1981 | QMC | |
| GWQ-10 | 82.69 | Skute Stone Arroyo | -9 | GWQ-10-9 | 11/23/1981 | QMC | |
| GWQ-10 | 80.04 | Skute Stone Arroyo | -10 | GWQ-10-10 | 12/7/1981 | QMC | |
| GWQ-10 | 81.46 | Skute Stone Arroyo | -11 | GWQ-10-11 | 12/15/1981 | QMC | |
| GWQ-10 | 80.04 | Skute Stone Arroyo | -12 | GWQ-10-12 | 12/22/1981 | QMC | |
| GWQ-10 | | Skute Stone Arroyo | -13 | GWQ-10-13 | 1/5/1982 | QMC | |
| GWQ-10 | 78.46 | Skute Stone Arroyo | -14 | GWQ-10-14 | 1/18/1982 | QMC | |
| GWQ-10 | 78.4 | Skute Stone Arroyo | -15 | GWQ-10-15 | 1/26/1982 | QMC | |
| GWQ-10 | 77.92 | Skute Stone Arroyo | -16 | GWQ-10-16 | 2/16/1982 | QMC | |
| GWQ-10 | 77.9 | Skute Stone Arroyo | -17 | GWQ-10-17 | 2/22/1982 | QMC | |
| GWQ-10 | 75.5 | Skute Stone Arroyo | -18 | GWQ-10-18 | 3/12/1982 | QMC | |
| GWQ-10 | 70.17 | Skute Stone Arroyo | -19 | GWQ-10-19 | 4/16/1982 | QMC | |
| GWQ-10 | 70.2 | Skute Stone Arroyo | -20 | GWQ-10-20 | 4/26/1982 | QMC | |
| GWQ-10 | 20.58 | Skute Stone Arroyo | -21 | GWQ-10-21 | 5/17/1982 | QMC | |
| GWQ-10 | 6.2 | Skute Stone Arroyo | -22 | GWQ-10-22 | 6/8/1982 | QMC | |
| GWQ-10 | 6.17 | Skute Stone Arroyo | -23 | GWQ-10-23 | 6/14/1982 | QMC | |
| GWQ-10 | 4.5 | Skute Stone Arroyo | -24 | GWQ-10-24 | 6/30/1982 | QMC | |
| GWQ-10 | 4.5 | Skute Stone Arroyo | -25 | GWQ-10-25 | 7/26/1982 | QMC | |
| GWQ-10 | 6.6 | Skute Stone Arroyo | -26 | GWQ-10-26 | 7/18/1982 | QMC | |
| GWQ-10 | 7.7 | Skute Stone Arroyo | -27 | GWQ-10-27 | 9/2/1982 | EID | |
| GWQ-10 | 8.6 | Skute Stone Arroyo | -28 | GWQ-10-28 | 9/14/1982 | QMC | |
| GWQ-10 | 11.8 | Skute Stone Arroyo | -29 | GWQ-10-29 | 10/18/1982 | QMC | |
| GWQ-10 | 14.7 | Skute Stone Arroyo | -30 | GWQ-10-30 | 11/11/1982 | QMC | |
| GWQ-10 | 18.5 | Skute Stone Arroyo | -31 | GWQ-10-31 | 12/23/1982 | QMC | |
| GWQ-10 | 18.5 | Skute Stone Arroyo | -32 | GWQ-10-32 | 12/28/1982 | QMC | |
| GWQ-10 | 21.2 | Skute Stone Arroyo | -33 | GWQ-10-33 | 2/21/1983 | QMC | |
| GWQ-10 | 25.1 | Skute Stone Arroyo | -34 | GWQ-10-34 | 5/6/1983 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-----------|------------|---------|-------|
| GWQ-10 | 25.1 | Skute Stone Arroyo | -35 | GWQ-10-35 | 5/13/1983 | QMC | |
| GWQ-10 | 26.2 | Skute Stone Arroyo | -36 | GWQ-10-36 | 6/2/1983 | QMC | |
| GWQ-10 | 28 | Skute Stone Arroyo | -37 | GWQ-10-37 | 7/5/1983 | QMC | |
| GWQ-10 | 30.2 | Skute Stone Arroyo | -38 | GWQ-10-38 | 8/9/1983 | QMC | |
| GWQ-10 | 30.2 | Skute Stone Arroyo | -39 | GWQ-10-39 | 8/25/83 | QMC | |
| GWQ-10 | 32.6 | Skute Stone Arroyo | -40 | GWQ-10-40 | 10/20/1983 | QMC | |
| GWQ-10 | 32.6 | Skute Stone Arroyo | -41 | GWQ-10-41 | 11/1/1983 | QMC | |
| GWQ-10 | 33.9 | Skute Stone Arroyo | -42 | GWQ-10-42 | 12/7/1983 | QMC | |
| GWQ-10 | 34.7 | Skute Stone Arroyo | -43 | GWQ-10-43 | 1/28/1984 | QMC | |
| GWQ-10 | 35 | Skute Stone Arroyo | -44 | GWQ-10-44 | 2/13/1984 | QMC | |
| GWQ-10 | 33.1 | Skute Stone Arroyo | -45 | GWQ-10-45 | 3/1/1984 | QMC | |
| GWQ-10 | 33.1 | Skute Stone Arroyo | -46 | GWQ-10-46 | 3/16/1984 | CFP | |
| GWQ-10 | 33.2 | Skute Stone Arroyo | -47 | GWQ-10-47 | 4/18/1984 | CFP | |
| GWQ-10 | 32.4 | Skute Stone Arroyo | -48 | GWQ-10-48 | 5/22/1984 | CFP | |
| GWQ-10 | 32.4 | Skute Stone Arroyo | -49 | GWQ-10-49 | 5/30/1984 | CFP | |
| GWQ-10 | 32.3 | Skute Stone Arroyo | -50 | GWQ-10-50 | 6/26/1984 | CFP | |
| GWQ-10 | 32.2 | Skute Stone Arroyo | -51 | GWQ-10-51 | 7/25/1984 | CFP | |
| GWQ-10 | 32 | Skute Stone Arroyo | -52 | GWQ-10-52 | 8/27/1984 | CFP | |
| GWQ-10 | 31.5 | Skute Stone Arroyo | -53 | GWQ-10-53 | 9/12/1984 | CFP | |
| GWQ-10 | 31.8 | Skute Stone Arroyo | -54 | GWQ-10-54 | 9/21/1984 | CFP | |
| GWQ-10 | 32.1 | Skute Stone Arroyo | -55 | GWQ-10-55 | 11/19/1984 | CFP | |
| GWQ-10 | 32.1 | Skute Stone Arroyo | -56 | GWQ-10-56 | 11/27/1984 | CFP | |
| GWQ-10 | 31.7 | Skute Stone Arroyo | -57 | GWQ-10-57 | 12/17/1984 | CFP | |
| GWQ-10 | 31.5 | Skute Stone Arroyo | -58 | GWQ-10-58 | 5/17/1985 | CFP | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride |
|-------------|-----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|
| Casa-Moya | 6/1/1998 | | | | | | | | |
| Casa-Moya | 7/22/1998 | | | | | | | TRUE | 81.6 |
| Casa-Moya | 8/1/1998 | | | | | | | | |
| Casa-Moya | 9/1/1998 | | | | | | | | |
| Dawson 1 | 6/14/1946 | | | | | | | FALSE | 18 |
| Dawson 1 | 6/7/1947 | | | | | | | FALSE | 11 |
| Dawson 2 | 7/31/1947 | | | | | | | FALSE | 13 |
| Delores | 7/1/1998 | | | | | | | | |
| Delores | 8/1/1998 | | | | | | | | |
| Delores | 9/1/1998 | | | | | | | | |
| Eaton | 7/31/1947 | | | | | | | FALSE | 17 |
| EIW | 2/5/1997 | | | | | | | TRUE | |
| El Oro | 6/11/1981 | | | | | | | TRUE | |
| Folcher | 6/20/1946 | | | | | | | FALSE | 6 |
| Guest House | 6/9/1981 | 32.96821 | 107.50922 | 265478 | 3650367 | 13 | 5283 | TRUE | |
| GWQ-1 | 5/1/1975 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | 20 |
| GWQ-1 | 1/20/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 200 |
| GWQ-1 | 2/2/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 20 |
| GWQ-1 | 3/27/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | |
| GWQ-1 | 6/11/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | |
| GWQ-1 | 6/15/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 16 |
| GWQ-1 | 6/15/1981 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 22 |
| GWQ-1 | 2/25/1982 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 22 |
| GWQ-1 | 3/30/1989 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 20 |
| GWQ-1 | 7/19/1991 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 21.1 |
| GWQ-1 | 3/31/1993 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 22 |
| GWQ-1 | 5/25/1994 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | FALSE | 22 |
| GWQ-1 | 7/21/1994 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 25 |
| GWQ-1 | 9/1/1995 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | 31.1 |
| GWQ-1 | 1/24/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 24.5 |
| GWQ-1 | 2/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-1 | 3/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-1 | 4/14/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 24.9 |
| GWQ-1 | 5/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-1 | 6/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-1 | 7/21/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | TRUE | 25.7 |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|
| GWQ-1 | 8/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-1 | 9/1/1998 | 32.96712 | 107.49556 | 266753 | 3650216 | 13 | 5183 | | |
| GWQ-10 | 4/6/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 8/10/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 23.5 |
| GWQ-10 | 10/27/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22 |
| GWQ-10 | 10/30/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 22.8 |
| GWQ-10 | 11/6/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22 |
| GWQ-10 | 11/12/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 11/13/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22.85 |
| GWQ-10 | 11/17/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 26 |
| GWQ-10 | 11/23/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 26 |
| GWQ-10 | 12/7/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 12/15/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 12/22/1981 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 1/5/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22 |
| GWQ-10 | 1/18/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | |
| GWQ-10 | 1/26/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 2/16/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 2/22/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 3/12/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 4/16/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 4/26/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 20 |
| GWQ-10 | 5/17/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 28 |
| GWQ-10 | 6/8/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22 |
| GWQ-10 | 6/14/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 6/30/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 20 |
| GWQ-10 | 7/26/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 7/18/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 9/2/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 22.3 |
| GWQ-10 | 9/14/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 10/18/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 11/11/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 12/23/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 26 |
| GWQ-10 | 12/28/1982 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 2/21/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 24 |
| GWQ-10 | 5/6/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|
| GWQ-10 | 5/13/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 32 |
| GWQ-10 | 6/2/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 7/5/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 8/9/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 36 |
| GWQ-10 | 8/25/83 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 10/20/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 11/1/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 34 |
| GWQ-10 | 12/7/1983 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 1/28/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 2/13/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 3/1/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 3/16/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 42 |
| GWQ-10 | 4/18/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 5/22/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 5/30/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 56 |
| GWQ-10 | 6/26/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 7/25/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 8/27/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 9/12/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 68 |
| GWQ-10 | 9/21/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 11/19/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 11/27/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 64 |
| GWQ-10 | 12/17/1984 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | |
| GWQ-10 | 5/17/1985 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 52 |

| Sulfate | Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony |
|---------|-------------|-----------|------|-----|------------|--------|-------------|----------|---------|----------|----------|
| | Casa-Moya | 6/1/1998 | | | | | | | | | |
| 29.3 | Casa-Moya | 7/22/1998 | | 722 | | | | 0.68 | 0.61 | | |
| | Casa-Moya | 8/1/1998 | | | | | | | | | |
| | Casa-Moya | 9/1/1998 | | | | | | | | | |
| 36 | Dawson 1 | 6/14/1946 | | 219 | | 169 | 369 | 1.3 | 0.8 | | |
| 58 | Dawson 1 | 6/7/1947 | | 283 | | 180 | 385 | 1 | 1.1 | | |
| 52 | Dawson 2 | 7/31/1947 | | 283 | | 158 | 360 | 1.2 | 1.3 | | |
| | Delores | 7/1/1998 | | | | | | | | | |
| | Delores | 8/1/1998 | | | | | | | | | |
| | Delores | 9/1/1998 | | | | | | | | | |
| 21 | Eaton | 7/31/1947 | | 356 | | 329 | 546 | 0.2 | 0.2 | | |
| | EIW | 2/5/1997 | | | | | | | | | |
| | El Oro | 6/11/1981 | | | | | | | | | |
| 19 | Folcher | 6/20/1946 | | 147 | | 126 | 216 | 0.4 | 2.4 | | |
| | Guest House | 6/9/1981 | | | | | | | | | |
| 130 | GWQ-1 | 5/1/1975 | | | | 273 | | 0.5 | 2.8 | | |
| 250 | GWQ-1 | 1/20/1981 | 7.3 | 450 | | 280.6 | | | | | |
| 156 | GWQ-1 | 2/2/1981 | 7.9 | 520 | | 276 | | | | | |
| | GWQ-1 | 3/27/1981 | | | | | | 0.6 | 5.5 | | |
| | GWQ-1 | 6/11/1981 | | | | | | | | -0.05 | -0.005 |
| 148 | GWQ-1 | 6/15/1981 | 7.4 | 500 | 220 | 251 | 700 | 0.5 | 5.1 | -0.01 | |
| 117 | GWQ-1 | 6/15/1981 | | 500 | | | | 0.51 | 3.75 | -0.25 | |
| 84 | GWQ-1 | 2/25/1982 | 7.9 | 410 | | | | 0.3 | 0.2 | | |
| 133 | GWQ-1 | 3/30/1989 | | 512 | | 280 | | | | -0.1 | |
| 136.4 | GWQ-1 | 7/19/1991 | 7.34 | 543 | 215 | 262.4 | 799 | 0.58 | 5.19 | | |
| 160 | GWQ-1 | 3/31/1993 | 7.7 | 536 | | 297 | 822 | 0.54 | 4.9 | -0.01 | |
| 150 | GWQ-1 | 5/25/1994 | 7.9 | 614 | | 270 | 760 | 0.52 | 4.3 | 0.025 | -0.005 |
| 162 | GWQ-1 | 7/21/1994 | 7.97 | 558 | | 278 | 861 | 0.52 | 4.2 | -0.05 | 0.0052 |
| 271.2 | GWQ-1 | 9/1/1995 | 7.58 | 500 | | | | | | | |
| 148 | GWQ-1 | 1/24/1998 | 7.7 | 508 | | | 901 | 0.52 | | | |
| | GWQ-1 | 2/1/1998 | | | | | | | | | |
| | GWQ-1 | 3/1/1998 | | | | | | | | | |
| 155 | GWQ-1 | 4/14/1998 | 7.68 | 521 | | | 879 | 0.55 | 3.8 | | |
| | GWQ-1 | 5/1/1998 | | | | | | | | | |
| | GWQ-1 | 6/1/1998 | | | | | | | | | |
| 132 | GWQ-1 | 7/21/1998 | | 460 | | | | 0.55 | 1.19 | | |

| Sulfate | Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony |
|---------|-----------|------------|-----|-----|------------|--------|-------------|----------|---------|----------|----------|
| 161 | GWQ-10 | 5/13/1983 | 8 | 480 | | | | 0.6 | 2.4 | | |
| | GWQ-10 | 6/2/1983 | | | | | | | | | |
| | GWQ-10 | 7/5/1983 | | | | | | | | | |
| 142 | GWQ-10 | 8/9/1983 | 7.9 | 510 | | | | 0.6 | 2.4 | | |
| | GWQ-10 | 8/25/83 | | | | | | | | | |
| | GWQ-10 | 10/20/1983 | | | | | | | | | |
| 125 | GWQ-10 | 11/1/1983 | 8.1 | 500 | | | | 0.6 | 4.8 | | |
| | GWQ-10 | 12/7/1983 | | | | | | | | | |
| | GWQ-10 | 1/28/1984 | | | | | | | | | |
| | GWQ-10 | 2/13/1984 | | | | | | | | | |
| | GWQ-10 | 3/1/1984 | | | | | | | | | |
| 128 | GWQ-10 | 3/16/1984 | 8.2 | 500 | | | | 0.5 | 3.5 | | |
| | GWQ-10 | 4/18/1984 | | | | | | | | | |
| | GWQ-10 | 5/22/1984 | | | | | | | | | |
| 161 | GWQ-10 | 5/30/1984 | 7.5 | 530 | | | | 0.5 | 3.3 | | |
| | GWQ-10 | 6/26/1984 | | | | | | | | | |
| | GWQ-10 | 7/25/1984 | | | | | | | | | |
| | GWQ-10 | 8/27/1984 | | | | | | | | | |
| 158 | GWQ-10 | 9/12/1984 | 7.8 | 580 | | | | 0.5 | 4.2 | | |
| | GWQ-10 | 9/21/1984 | | | | | | | | | |
| | GWQ-10 | 11/19/1984 | | | | | | | | | |
| 163 | GWQ-10 | 11/27/1984 | 7.7 | 580 | | | | 0.6 | 4.9 | | |
| | GWQ-10 | 12/17/1984 | | | | | | | | | |
| 163 | GWQ-10 | 5/17/1985 | 7.8 | 570 | | | | | | | |

| Arsenic | Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron |
|---------|-------------|-----------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|
| | Casa-Moya | 6/1/1998 | | | | | | | | | |
| | Casa-Moya | 7/22/1998 | | | | | 84.1 | | | -0.005 | -0.05 |
| | Casa-Moya | 8/1/1998 | | | | | | | | | |
| | Casa-Moya | 9/1/1998 | | | | | | | | | |
| | Dawson 1 | 6/14/1946 | | | | | 21 | | | | |
| | Dawson 1 | 6/7/1947 | | | | | 22 | | | | |
| | Dawson 2 | 7/31/1947 | | | | | 24 | | | | |
| | Delores | 7/1/1998 | | | | | | | | | |
| | Delores | 8/1/1998 | | | | | | | | | |
| | Delores | 9/1/1998 | | | | | | | | | |
| | Eaton | 7/31/1947 | | | | | 71 | | | | |
| | EIW | 2/5/1997 | | | | | | | | | |
| | El Oro | 6/11/1981 | | | | | | | | | |
| | Folcher | 6/20/1946 | | | | | 18 | | | | |
| | Guest House | 6/9/1981 | | | | | | | | | |
| | GWQ-1 | 5/1/1975 | | | | | 81 | | | | |
| | GWQ-1 | 1/20/1981 | | | | | 84 | | | | 0.05 |
| | GWQ-1 | 2/2/1981 | | | | | 74 | | | | 1.7 |
| -0.01 | GWQ-1 | 3/27/1981 | | | | | | | | -0.05 | |
| -0.005 | GWQ-1 | 6/11/1981 | -0.1 | -0.1 | -0.002 | -0.0005 | | -0.025 | -0.05 | -0.025 | -0.05 |
| -0.01 | GWQ-1 | 6/15/1981 | -0.1 | -0.2 | | -0.005 | 82 | -0.01 | -0.05 | -0.05 | -0.1 |
| -0.002 | GWQ-1 | 6/15/1981 | 0.076 | -1 | | -0.01 | 81 | -0.05 | -0.05 | -0.02 | -0.05 |
| | GWQ-1 | 2/25/1982 | | | | -0.005 | | | | -0.05 | 0.14 |
| | GWQ-1 | 3/30/1989 | -0.1 | -0.1 | -0.1 | -0.1 | 84 | -0.1 | -0.05 | -0.1 | -0.1 |
| 0.003 | GWQ-1 | 7/19/1991 | | 0.01 | | -0.005 | 88 | -0.02 | | -0.02 | -0.05 |
| -0.005 | GWQ-1 | 3/31/1993 | 0.03 | -0.5 | | -0.002 | 82 | -0.02 | -0.05 | -0.01 | -0.05 |
| -0.005 | GWQ-1 | 5/25/1994 | | -0.1 | | -0.0005 | 80 | -0.025 | | -0.025 | -0.05 |
| -0.005 | GWQ-1 | 7/21/1994 | -0.1 | -0.1 | -0.002 | -0.0005 | 95 | -0.025 | -0.05 | -0.025 | -0.05 |
| | GWQ-1 | 9/1/1995 | | | | | | | | | |
| | GWQ-1 | 1/24/1998 | | | | | 76.5 | | | -0.005 | |
| | GWQ-1 | 2/1/1998 | | | | | | | | | |
| | GWQ-1 | 3/1/1998 | | | | | | | | | |
| | GWQ-1 | 4/14/1998 | | | | | 90.4 | | | -0.005 | 0.13 |
| | GWQ-1 | 5/1/1998 | | | | | | | | | |
| | GWQ-1 | 6/1/1998 | | | | | | | | | |
| | GWQ-1 | 7/21/1998 | | | | | 71.2 | | | -0.005 | 0.11 |

| Lead | Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium |
|--------|-------------|-----------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|
| | Casa-Moya | 6/1/1998 | | | | | | | | | |
| | Casa-Moya | 7/22/1998 | 8.5 | -0.02 | 0.0004 | -0.05 | | 84 | -0.05 | | 122.5 |
| | Casa-Moya | 8/1/1998 | | | | | | | | | |
| | Casa-Moya | 9/1/1998 | | | | | | | | | |
| | Dawson 1 | 6/14/1946 | 4.4 | | | | | | | | |
| | Dawson 1 | 6/7/1947 | 2.5 | | | | | | | | |
| | Dawson 2 | 7/31/1947 | 1.6 | | | | | | | | |
| | Delores | 7/1/1998 | | | | | | | | | |
| | Delores | 8/1/1998 | | | | | | | | | |
| | Delores | 9/1/1998 | | | | | | | | | |
| | Eaton | 7/31/1947 | 12 | | | | | | | | |
| | EIW | 2/5/1997 | | | | | | | | | |
| | El Oro | 6/11/1981 | | | | | | | | | |
| | Folcher | 6/20/1946 | 3.9 | | | | | | | | |
| | Guest House | 6/9/1981 | | | | | | | | | |
| | GWQ-1 | 5/1/1975 | 14 | 0.17 | | | | 2.1 | | | 57 |
| | GWQ-1 | 1/20/1981 | 14.6 | | | | | | | | 632 |
| | GWQ-1 | 2/2/1981 | 20 | | | | | | | | 60 |
| -0.02 | GWQ-1 | 3/27/1981 | | | | | | | | | |
| -0.005 | GWQ-1 | 6/11/1981 | | -0.03 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.025 | |
| -0.02 | GWQ-1 | 6/15/1981 | 19 | -0.05 | -0.001 | -0.05 | -0.05 | 2 | -0.005 | -0.02 | 57 |
| -0.05 | GWQ-1 | 6/15/1981 | 12 | -0.02 | -0.001 | -0.1 | -0.05 | 3.06 | -0.0022 | -0.02 | 49.1 |
| | GWQ-1 | 2/25/1982 | | -0.063 | -0.001 | -0.05 | | | -0.005 | | |
| -0.1 | GWQ-1 | 3/30/1989 | 16 | -0.05 | | -0.1 | -0.1 | 3 | | -0.1 | 61 |
| -0.005 | GWQ-1 | 7/19/1991 | 18 | -0.02 | -0.0002 | | | 2.7 | -0.002 | -0.2 | 39.6 |
| -0.02 | GWQ-1 | 3/31/1993 | 21 | -0.02 | -0.001 | -0.02 | -0.01 | 2.1 | -0.005 | -0.01 | 67 |
| -0.005 | GWQ-1 | 5/25/1994 | 18 | -0.03 | -0.001 | | -0.05 | 2.7 | -0.005 | -0.025 | 55 |
| -0.005 | GWQ-1 | 7/21/1994 | 19 | -0.03 | -0.001 | -0.05 | -0.05 | 2.7 | -0.005 | -0.025 | 66 |
| | GWQ-1 | 9/1/1995 | | | | | | | | | |
| | GWQ-1 | 1/24/1998 | 17.8 | -0.02 | | | | | | | 61.5 |
| | GWQ-1 | 2/1/1998 | | | | | | | | | |
| | GWQ-1 | 3/1/1998 | | | | | | | | | |
| | GWQ-1 | 4/14/1998 | 17.9 | -0.02 | -0.0002 | -0.05 | | 1.7 | -0.05 | | 62 |
| | GWQ-1 | 5/1/1998 | | | | | | | | | |
| | GWQ-1 | 6/1/1998 | | | | | | | | | |
| | GWQ-1 | 7/21/1998 | 15.1 | 0.02 | 0.0004 | -0.05 | | 2.7 | -0.05 | | 57.5 |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-------------|-----------|-------|----------|-----|----------|
| | EPA DWS | | -0.05 | | | |
| | NM GWQ-1 | | -0.05 | | | |
| | NM SWQ-1 | | -0.05 | | | |
| | NM GWQ-2 | | -0.05 | | | |
| | NM SWQ-2 | | -0.05 | | | |
| | 15.6.30.432 | 6/6/1981 | | | | |
| | 15.6.31.343 | 6/6/1981 | | | | |
| | 15.6.31.431 | 6/4/1976 | | | | |
| | 15.6.31.431 | 4/9/1981 | 0.14 | | | |
| | 15.6.31.431 | 6/9/1981 | | | | |
| | 15.7.26.324 | 6/11/1981 | | | | |
| | 15.7.26.344 | 1/11/1981 | | | | |
| | 15.7.26.431 | 6/1/1981 | | | | |
| | Adams | 1/1/1998 | | | | |
| | Adams | 2/1/1998 | | | | |
| | Adams | 3/1/1998 | | | | |
| | Adams | 4/15/1998 | | | | |
| | Adams | 5/1/1998 | | | | |
| | Adams | 6/1/1998 | | | | |
| | Adams | 7/22/1998 | | | | |
| | Adams | 8/1/1998 | | | | |
| | Adams | 9/1/1998 | | | | |
| | Branno | 7/31/1947 | | | | |
| | Bussman | 1/1/1998 | | | | |
| | Bussman | 2/1/1998 | | | | |
| | Bussman | 3/1/1998 | | | | |
| | Bussman | 4/15/1998 | | | | |
| | Bussman | 5/1/1998 | | | | |
| | Bussman | 6/1/1998 | | | | |
| | Bussman | 7/22/1998 | | | | |
| | Bussman | 8/1/1998 | | | | |
| | Bussman | 9/1/1998 | | | | |
| | Casa-Moya | 1/1/1998 | | | | |
| | Casa-Moya | 2/1/1998 | | | | |
| | Casa-Moya | 3/1/1998 | | | | |
| | Casa-Moya | 5/1/1998 | | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-------------|-----------|-------|------------|------|----------|
| | Casa-Moya | 6/1/1998 | | | | |
| | Casa-Moya | 7/22/1998 | | | | |
| | Casa-Moya | 8/1/1998 | | | | |
| | Casa-Moya | 9/1/1998 | | | | |
| | Dawson 1 | 6/14/1946 | | 23.7999992 | | |
| | Dawson 1 | 6/7/1947 | | | | |
| | Dawson 2 | 7/31/1947 | | | | |
| | Delores | 7/1/1998 | | | | |
| | Delores | 8/1/1998 | | | | |
| | Delores | 9/1/1998 | | | | |
| | Eaton | 7/31/1947 | | | | |
| | EIW | 2/5/1997 | | | | |
| | El Oro | 6/11/1981 | | | | |
| | Folcher | 6/20/1946 | | | | |
| | Guest House | 6/9/1981 | | | | |
| | GWQ-1 | 5/1/1975 | | | | |
| | GWQ-1 | 1/20/1981 | | | | |
| | GWQ-1 | 2/2/1981 | | | | |
| | GWQ-1 | 3/27/1981 | 0.16 | | | |
| -0.005 | GWQ-1 | 6/11/1981 | -0.05 | | | |
| | GWQ-1 | 6/15/1981 | 0.12 | 22 | | |
| -0.005 | GWQ-1 | 6/15/1981 | 0.078 | | | |
| | GWQ-1 | 2/25/1982 | | | | |
| | GWQ-1 | 3/30/1989 | -0.1 | | -0.1 | -0.1 |
| | GWQ-1 | 7/19/1991 | | | | |
| | GWQ-1 | 3/31/1993 | -0.01 | | | |
| | GWQ-1 | 5/25/1994 | -0.05 | | | |
| -0.005 | GWQ-1 | 7/21/1994 | -0.05 | | | |
| | GWQ-1 | 9/1/1995 | | | | |
| | GWQ-1 | 1/24/1998 | | | | |
| | GWQ-1 | 2/1/1998 | | | | |
| | GWQ-1 | 3/1/1998 | | | | |
| | GWQ-1 | 4/14/1998 | | | | |
| | GWQ-1 | 5/1/1998 | | | | |
| | GWQ-1 | 6/1/1998 | | | | |
| | GWQ-1 | 7/21/1998 | | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|------------|------|----------|-----|----------|
| | GWQ-1 | 8/1/1998 | | | | |
| | GWQ-1 | 9/1/1998 | | | | |
| | GWQ-10 | 4/6/1981 | 0.12 | | | |
| | GWQ-10 | 8/10/1981 | 0.23 | | | |
| | GWQ-10 | 10/27/1981 | 0.25 | | | |
| | GWQ-10 | 10/30/1981 | 0.24 | | | |
| | GWQ-10 | 11/6/1981 | 0.28 | | | |
| | GWQ-10 | 11/12/1981 | | | | |
| -0.005 | GWQ-10 | 11/13/1981 | 0.9 | 19.5 | | |
| | GWQ-10 | 11/17/1981 | 0.28 | | | |
| | GWQ-10 | 11/23/1981 | 0.37 | | | |
| | GWQ-10 | 12/7/1981 | 0.87 | | | |
| | GWQ-10 | 12/15/1981 | 0.44 | | | |
| | GWQ-10 | 12/22/1981 | 0.35 | | | |
| | GWQ-10 | 1/5/1982 | 0.31 | | | |
| | GWQ-10 | 1/18/1982 | | | | |
| | GWQ-10 | 1/26/1982 | | | | |
| | GWQ-10 | 2/16/1982 | | | | |
| | GWQ-10 | 2/22/1982 | | | | |
| | GWQ-10 | 3/12/1982 | | | | |
| | GWQ-10 | 4/16/1982 | | | | |
| | GWQ-10 | 4/26/1982 | | | | |
| | GWQ-10 | 5/17/1982 | | | | |
| | GWQ-10 | 6/8/1982 | | | | |
| | GWQ-10 | 6/14/1982 | | | | |
| | GWQ-10 | 6/30/1982 | | | | |
| | GWQ-10 | 7/26/1982 | | | | |
| | GWQ-10 | 7/18/1982 | | | | |
| | GWQ-10 | 9/2/1982 | | | | |
| | GWQ-10 | 9/14/1982 | | | | |
| | GWQ-10 | 10/18/1982 | | | | |
| | GWQ-10 | 11/11/1982 | | | | |
| | GWQ-10 | 12/23/1982 | | | | |
| | GWQ-10 | 12/28/1982 | | | | |
| | GWQ-10 | 2/21/1983 | | | | |
| | GWQ-10 | 5/6/1983 | | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|------------|------|----------|-----|----------|
| | GWQ-10 | 5/13/1983 | | | | |
| | GWQ-10 | 6/2/1983 | | | | |
| | GWQ-10 | 7/5/1983 | | | | |
| | GWQ-10 | 8/9/1983 | | | | |
| | GWQ-10 | 8/25/83 | | | | |
| | GWQ-10 | 10/20/1983 | | | | |
| | GWQ-10 | 11/1/1983 | | | | |
| | GWQ-10 | 12/7/1983 | | | | |
| | GWQ-10 | 1/28/1984 | | | | |
| | GWQ-10 | 2/13/1984 | | | | |
| | GWQ-10 | 3/1/1984 | | | | |
| | GWQ-10 | 3/16/1984 | | | | |
| | GWQ-10 | 4/18/1984 | | | | |
| | GWQ-10 | 5/22/1984 | | | | |
| | GWQ-10 | 5/30/1984 | | | | |
| | GWQ-10 | 6/26/1984 | | | | |
| | GWQ-10 | 7/25/1984 | | | | |
| | GWQ-10 | 8/27/1984 | | | | |
| | GWQ-10 | 9/12/1984 | | | | |
| | GWQ-10 | 9/21/1984 | | | | |
| | GWQ-10 | 11/19/1984 | | | | |
| | GWQ-10 | 11/27/1984 | | | | |
| | GWQ-10 | 12/17/1984 | | | | |
| | GWQ-10 | 5/17/1985 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|---------------|------------|---------|--------|
| GWQ-10 | 23.4 | Skute Stone Arroyo | | -59 GWQ-10-59 | 11/13/1985 | CFP | |
| GWQ-10 | 21.2 | Skute Stone Arroyo | | -60 GWQ-10-60 | 5/23/1986 | CFP | |
| GWQ-10 | 20.7 | Skute Stone Arroyo | | -61 GWQ-10-61 | 10/8/1986 | CFP | |
| GWQ-10 | 16 | Skute Stone Arroyo | | -62 GWQ-10-62 | 3/4/1987 | EID | |
| GWQ-10 | | Skute Stone Arroyo | | -63 GWQ-10-63 | 5/25/1987 | | |
| GWQ-10 | 15.5 | Skute Stone Arroyo | | -64 GWQ-10-64 | 1/12/1988 | EID | |
| GWQ-10 | | Skute Stone Arroyo | | -65 GWQ-10-65 | 4/4/1988 | Irwin | lab pH |
| GWQ-10 | 20.75 | Skute Stone Arroyo | | -66 GWQ-10-66 | 8/23/1988 | Irwin | lab pH |
| GWQ-10 | 17.58 | Skute Stone Arroyo | | -67 GWQ-10-67 | 2/9/1989 | Irwin | lab pH |
| GWQ-10 | 17.2 | Skute Stone Arroyo | | -68 GWQ-10-68 | 6/1/1989 | Irwin | lab pH |
| GWQ-10 | 17.5 | Skute Stone Arroyo | | -69 GWQ-10-69 | 11/30/1989 | Irwin | lab pH |
| GWQ-10 | 17.5 | Skute Stone Arroyo | | -70 GWQ-10-70 | 11/14/1990 | GE | |
| GWQ-10 | 21.2 | Skute Stone Arroyo | | -71 GWQ-10-71 | 2/11/1991 | SHB | |
| GWQ-10 | 15.31 | Skute Stone Arroyo | | -72 GWQ-10-72 | 7/19/1991 | GE | lab pH |
| GWQ-10 | 16.58 | Skute Stone Arroyo | | -73 GWQ-10-73 | 8/29/1991 | Irwin | lab pH |
| GWQ-10 | 14.6 | Skute Stone Arroyo | | -74 GWQ-10-74 | 11/26/1991 | Hood | lab pH |
| GWQ-10 | 15 | Skute Stone Arroyo | | -75 GWQ-10-75 | 3/15/1992 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -76 GWQ-10-76 | 5/25/1992 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -77 GWQ-10-77 | 7/16/1992 | Irwin | lab pH |
| GWQ-10 | 14.5 | Skute Stone Arroyo | | -78 GWQ-10-78 | 10/8/1992 | Irwin | lab pH |
| GWQ-10 | 15.58 | Skute Stone Arroyo | | -79 GWQ-10-79 | 11/27/1992 | Hood | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -80 GWQ-10-80 | 12/15/1992 | Irwin | lab pH |
| GWQ-10 | 15.42 | Skute Stone Arroyo | | -81 GWQ-10-81 | 2/25/1993 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -82 GWQ-10-82 | 3/30/1993 | JWS | |
| GWQ-10 | | Skute Stone Arroyo | | -83 GWQ-10-83 | 9/28/1993 | Irwin | lab pH |
| GWQ-10 | 16.7 | Skute Stone Arroyo | | -84 GWQ-10-84 | 5/26/1994 | SRK | |
| GWQ-10 | | Skute Stone Arroyo | | -85 GWQ-10-85 | 6/23/1994 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -86 GWQ-10-86 | 7/23/1994 | SRK | |
| GWQ-10 | | Skute Stone Arroyo | | -87 GWQ-10-87 | 9/22/1994 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -88 GWQ-10-88 | 1/29/1995 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -89 GWQ-10-89 | 3/29/1995 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -90 GWQ-10-90 | 3/29/1995 | Irwin | lab pH |
| GWQ-10 | 19.58 | Skute Stone Arroyo | | -91 GWQ-10-91 | 6/27/1995 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -92 GWQ-10-92 | 9/21/1995 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -93 GWQ-10-93 | 1/10/1996 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -94 GWQ-10-94 | 4/3/1996 | Irwin | lab pH |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-----------------|------------|---------|--------|
| GWQ-10 | | Skute Stone Arroyo | | -95 GWQ-10-95 | 6/1/1996 | | |
| GWQ-10 | | Skute Stone Arroyo | | -96 GWQ-10-96 | 9/25/1996 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -97 GWQ-10-97 | 1/15/1997 | Irwin | lab pH |
| GWQ-10 | | Skute Stone Arroyo | | -98 GWQ-10-98 | 4/1/1997 | | |
| GWQ-10 | | Skute Stone Arroyo | | -99 GWQ-10-99 | 7/1/1997 | | |
| GWQ-10 | | Skute Stone Arroyo | | -100 GWQ-10-100 | 8/1/1997 | | |
| GWQ-10 | | Skute Stone Arroyo | | -101 GWQ-10-101 | 10/1/1997 | | |
| GWQ-10 | | Skute Stone Arroyo | | -102 GWQ-10-102 | 10/1/1997 | | |
| GWQ-10 | 22.1 | Skute Stone Arroyo | | -103 GWQ-10-103 | 1/15/1998 | Irwin | |
| GWQ-10 | 22.25 | Skute Stone Arroyo | | -104 GWQ-10-104 | 4/9/1998 | Irwin | |
| GWQ-10 | 22.42 | Skute Stone Arroyo | | -105 GWQ-10-105 | 7/13/1998 | Irwin | |
| GWQ-10 | | Skute Stone Arroyo | | -106 GWQ-10-106 | 10/15/1998 | Goff | |
| GWQ-11 | 34.83 | Skute Stone Arroyo | | -1 GWQ-11-1 | 8/10/1981 | QMC | |
| GWQ-11 | | Skute Stone Arroyo | | -2 GWQ-11-2 | 10/27/1981 | QMC | |
| GWQ-11 | | Skute Stone Arroyo | | -3 GWQ-11-3 | 10/30/1981 | | |
| GWQ-11 | 34.85 | Skute Stone Arroyo | | -4 GWQ-11-4 | 11/6/1981 | QMC | |
| GWQ-11 | 34.82 | Skute Stone Arroyo | | -5 GWQ-11-5 | 11/13/1981 | EID | |
| GWQ-11 | 34.17 | Skute Stone Arroyo | | -6 GWQ-11-6 | 11/17/1981 | QMC | |
| GWQ-11 | 36.02 | Skute Stone Arroyo | | -7 GWQ-11-7 | 11/23/1981 | QMC | |
| GWQ-11 | 34.75 | Skute Stone Arroyo | | -8 GWQ-11-8 | 12/7/1981 | QMC | |
| GWQ-11 | 35.02 | Skute Stone Arroyo | | -9 GWQ-11-9 | 12/15/1981 | QMC | |
| GWQ-11 | 35.02 | Skute Stone Arroyo | | -10 GWQ-11-10 | 12/22/1981 | QMC | |
| GWQ-11 | 34.74 | Skute Stone Arroyo | | -11 GWQ-11-11 | 1/5/1982 | QMC | |
| GWQ-11 | 36.67 | Skute Stone Arroyo | | -12 GWQ-11-12 | 1/18/1982 | QMC | |
| GWQ-11 | 36.66 | Skute Stone Arroyo | | -13 GWQ-11-13 | 1/26/1982 | QMC | |
| GWQ-11 | 34.92 | Skute Stone Arroyo | | -14 GWQ-11-14 | 2/16/1982 | QMC | |
| GWQ-11 | 34.91 | Skute Stone Arroyo | | -15 GWQ-11-15 | 2/22/1982 | QMC | |
| GWQ-11 | 35.17 | Skute Stone Arroyo | | -16 GWQ-11-16 | 3/12/1982 | QMC | |
| GWQ-11 | 28.67 | Skute Stone Arroyo | | -17 GWQ-11-17 | 4/16/1982 | QMC | |
| GWQ-11 | 28.16 | Skute Stone Arroyo | | -18 GWQ-11-18 | 4/26/1982 | QMC | |
| GWQ-11 | 23.8 | Skute Stone Arroyo | | -19 GWQ-11-19 | 5/17/1982 | QMC | |
| GWQ-11 | 19.7 | Skute Stone Arroyo | | -20 GWQ-11-20 | 6/8/1982 | QMC | |
| GWQ-11 | 19.67 | Skute Stone Arroyo | | -21 GWQ-11-21 | 6/14/1982 | QMC | |
| GWQ-11 | 15.1 | Skute Stone Arroyo | | -22 GWQ-11-22 | 6/30/1982 | QMC | |
| GWQ-11 | 15.08 | Skute Stone Arroyo | | -23 GWQ-11-23 | 7/26/1982 | QMC | |
| GWQ-11 | 13.2 | Skute Stone Arroyo | | -24 GWQ-11-24 | 8/18/1982 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|---------------|------------|---------|-------|
| GWQ-11 | 12.3 | Skute Stone Arroyo | | -25 GWQ-11-25 | 9/2/1982 | EID | |
| GWQ-11 | 11.8 | Skute Stone Arroyo | | -26 GWQ-11-26 | 9/14/1982 | QMC | |
| GWQ-11 | 11.1 | Skute Stone Arroyo | | -27 GWQ-11-27 | 10/18/1982 | QMC | |
| GWQ-11 | 11.2 | Skute Stone Arroyo | | -28 GWQ-11-28 | 11/11/1982 | QMC | |
| GWQ-11 | 11.2 | Skute Stone Arroyo | | -29 GWQ-11-29 | 12/23/1982 | QMC | |
| GWQ-11 | 11.2 | Skute Stone Arroyo | | -30 GWQ-11-30 | 12/28/1982 | QMC | |
| GWQ-11 | 11.4 | Skute Stone Arroyo | | -31 GWQ-11-31 | 2/21/1983 | QMC | |
| GWQ-11 | 12.5 | Skute Stone Arroyo | | -32 GWQ-11-32 | 5/6/1983 | QMC | |
| GWQ-11 | 12.5 | Skute Stone Arroyo | | -33 GWQ-11-33 | 5/13/1983 | QMC | |
| GWQ-11 | 12.9 | Skute Stone Arroyo | | -34 GWQ-11-34 | 6/2/1983 | QMC | |
| GWQ-11 | 13.6 | Skute Stone Arroyo | | -35 GWQ-11-35 | 7/5/1983 | QMC | |
| GWQ-11 | 14.1 | Skute Stone Arroyo | | -36 GWQ-11-36 | 8/9/1983 | QMC | |
| GWQ-11 | 14.1 | Skute Stone Arroyo | | -37 GWQ-11-37 | 8/25/1983 | QMC | |
| GWQ-11 | 14.6 | Skute Stone Arroyo | | -38 GWQ-11-38 | 10/20/1983 | QMC | |
| GWQ-11 | 14.6 | Skute Stone Arroyo | | -39 GWQ-11-39 | 11/1/1983 | QMC | |
| GWQ-11 | 14.3 | Skute Stone Arroyo | | -40 GWQ-11-40 | 12/7/1984 | QMC | |
| GWQ-11 | 14.8 | Skute Stone Arroyo | | -41 GWQ-11-41 | 1/28/1984 | QMC | |
| GWQ-11 | 14.9 | Skute Stone Arroyo | | -42 GWQ-11-42 | 2/13/1984 | QMC | |
| GWQ-11 | 14.9 | Skute Stone Arroyo | | -43 GWQ-11-43 | 3/1/1984 | CFP | |
| GWQ-11 | 14.9 | Skute Stone Arroyo | | -44 GWQ-11-44 | 3/16/1984 | CFP | |
| GWQ-11 | 15.2 | Skute Stone Arroyo | | -45 GWQ-11-45 | 4/18/1984 | CFP | |
| GWQ-11 | 15.5 | Skute Stone Arroyo | | -46 GWQ-11-46 | 5/22/1984 | CFP | |
| GWQ-11 | 15.5 | Skute Stone Arroyo | | -47 GWQ-11-47 | 5/30/1984 | CFP | |
| GWQ-11 | 15.8 | Skute Stone Arroyo | | -48 GWQ-11-48 | 6/26/1984 | CFP | |
| GWQ-11 | 15.9 | Skute Stone Arroyo | | -49 GWQ-11-49 | 7/25/1984 | CFP | |
| GWQ-11 | 16 | Skute Stone Arroyo | | -50 GWQ-11-50 | 8/27/1984 | CFP | |
| GWQ-11 | 16 | Skute Stone Arroyo | | -51 GWQ-11-51 | 9/12/1984 | CFP | |
| GWQ-11 | 16 | Skute Stone Arroyo | | -52 GWQ-11-52 | 9/21/1984 | CFP | |
| GWQ-11 | 16.3 | Skute Stone Arroyo | | -53 GWQ-11-53 | 11/19/1984 | CFP | |
| GWQ-11 | 16.3 | Skute Stone Arroyo | | -54 GWQ-11-54 | 11/27/1984 | CFP | |
| GWQ-11 | 16.4 | Skute Stone Arroyo | | -55 GWQ-11-55 | 12/17/1984 | CFP | |
| GWQ-11 | 16.4 | Skute Stone Arroyo | | -56 GWQ-11-56 | 5/17/1985 | CFP | |
| GWQ-11 | 16.2 | Skute Stone Arroyo | | -57 GWQ-11-57 | 11/13/1985 | CFP | |
| GWQ-11 | 16.1 | Skute Stone Arroyo | | -58 GWQ-11-58 | 5/23/1986 | CFP | |
| GWQ-11 | 16.1 | Skute Stone Arroyo | | -59 GWQ-11-59 | 10/8/1986 | CFP | |
| GWQ-11 | 14.54 | Skute Stone Arroyo | | -60 GWQ-11-60 | 3/4/1987 | EID | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|---------------|------------|---------|--------|
| GWQ-11 | | Skute Stone Arroyo | | -61 GWQ-11-61 | 5/25/1987 | | |
| GWQ-11 | 15 | Skute Stone Arroyo | | -62 GWQ-11-62 | 1/12/1988 | EID | |
| GWQ-11 | | Skute Stone Arroyo | | -63 GWQ-11-63 | 4/4/1988 | Irwin | |
| GWQ-11 | 18.2 | Skute Stone Arroyo | | -64 GWQ-11-64 | 8/23/1988 | Irwin | |
| GWQ-11 | 15.66 | Skute Stone Arroyo | | -65 GWQ-11-65 | 2/9/1989 | Irwin | |
| GWQ-11 | 16.25 | Skute Stone Arroyo | | -66 GWQ-11-66 | 6/1/1989 | Irwin | |
| GWQ-11 | 16.25 | Skute Stone Arroyo | | -67 GWQ-11-67 | 11/30/1989 | Irwin | |
| GWQ-11 | 15.75 | Skute Stone Arroyo | | -68 GWQ-11-68 | 11/14/1990 | GE | |
| GWQ-11 | | Skute Stone Arroyo | | -69 GWQ-11-69 | 2/11/1991 | SHB | |
| GWQ-11 | 17.9 | Skute Stone Arroyo | | -70 GWQ-11-70 | 7/19/1991 | GE | |
| GWQ-11 | 17.42 | Skute Stone Arroyo | | -71 GWQ-11-71 | 8/29/1991 | Irwin | lab pH |
| GWQ-11 | 16 | Skute Stone Arroyo | | -72 GWQ-11-72 | 11/26/1991 | Hood | lab pH |
| GWQ-11 | 16 | Skute Stone Arroyo | | -73 GWQ-11-73 | 3/15/1992 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -74 GWQ-11-74 | 5/25/1992 | Irwin | lab pH |
| GWQ-11 | 15.75 | Skute Stone Arroyo | | -75 GWQ-11-75 | 10/8/1992 | Irwin | lab pH |
| GWQ-11 | 15.25 | Skute Stone Arroyo | | -76 GWQ-11-76 | 11/27/1992 | Hood | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -77 GWQ-11-77 | 12/15/1992 | Irwin | lab pH |
| GWQ-11 | 16.17 | Skute Stone Arroyo | | -78 GWQ-11-78 | 2/25/1993 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -79 GWQ-11-79 | 3/30/1993 | JWS | |
| GWQ-11 | | Skute Stone Arroyo | | -80 GWQ-11-80 | 9/28/1993 | Irwin | lab pH |
| GWQ-11 | 15.95 | Skute Stone Arroyo | | -81 GWQ-11-81 | 5/25/1994 | SRK | |
| GWQ-11 | | Skute Stone Arroyo | | -82 GWQ-11-82 | 6/23/1994 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -83 GWQ-11-83 | 7/22/1994 | SRK | |
| GWQ-11 | | Skute Stone Arroyo | | -84 GWQ-11-84 | 9/22/1994 | Irwin | lab pH |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-10 | 11/13/1985 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 42 | 149 |
| GWQ-10 | 5/23/1986 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 58 | 151 |
| GWQ-10 | 10/8/1986 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 54 | 137 |
| GWQ-10 | 3/4/1987 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 59 | 150 |
| GWQ-10 | 5/25/1987 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | | 154.2 |
| GWQ-10 | 1/12/1988 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 78.8 | 173 |
| GWQ-10 | 4/4/1988 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 65 | 170.6 |
| GWQ-10 | 8/23/1988 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 63 | 179.2 |
| GWQ-10 | 2/9/1989 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 76.3 | 180.5 |
| GWQ-10 | 6/1/1989 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 67.9 | 162.7 |
| GWQ-10 | 11/30/1989 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 72.1 | 161.7 |
| GWQ-10 | 11/14/1990 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 92.7 | 178 |
| GWQ-10 | 2/11/1991 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 78.1 | 213.5 |
| GWQ-10 | 7/19/1991 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 83.3 | 166.6 |
| GWQ-10 | 8/29/1991 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 84.7 | 191.7 |
| GWQ-10 | 11/26/1991 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 58.2 | 171.2 |
| GWQ-10 | 3/15/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 82.5 | 191.6 |
| GWQ-10 | 5/25/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 83.8 | 169.2 |
| GWQ-10 | 7/16/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 76.3 | 166.6 |
| GWQ-10 | 10/8/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 83.4 | 161.4 |
| GWQ-10 | 11/27/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 80.3 | 174.4 |
| GWQ-10 | 12/15/1992 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 90.9 | 168.7 |
| GWQ-10 | 2/25/1993 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 95.5 | 175.8 |
| GWQ-10 | 3/30/1993 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 94 | 183 |
| GWQ-10 | 9/28/1993 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 96 | 142.6 |
| GWQ-10 | 5/26/1994 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 92 | 175 |
| GWQ-10 | 6/23/1994 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 103.6 | 191.6 |
| GWQ-10 | 7/23/1994 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 98 | 184 |
| GWQ-10 | 9/22/1994 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 89.2 | 155.8 |
| GWQ-10 | 1/29/1995 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 87.5 | 65.7 |
| GWQ-10 | 3/29/1995 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 84.9 | 176 |
| GWQ-10 | 3/29/1995 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 84.9 | 176 |
| GWQ-10 | 6/27/1995 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 84.8 | 168.7 |
| GWQ-10 | 9/21/1995 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 91.3 | 187.4 |
| GWQ-10 | 1/10/1996 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 97.7 | 197.5 |
| GWQ-10 | 4/3/1996 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | FALSE | 97.4 | 218.2 |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-10 | 6/1/1996 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | | 94.2 | 190 |
| GWQ-10 | 9/25/1996 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 86.2 | 190.8 |
| GWQ-10 | 1/15/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 91 | 203.67 |
| GWQ-10 | 4/1/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 94.9 | 205 |
| GWQ-10 | 7/1/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 91 | 197 |
| GWQ-10 | 8/1/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 94.5 | |
| GWQ-10 | 10/1/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 95 | 193 |
| GWQ-10 | 10/1/1997 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 17.9 | 19 |
| GWQ-10 | 1/15/1998 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 86 | 201 |
| GWQ-10 | 4/9/1998 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 92.2 | 206 |
| GWQ-10 | 7/13/1998 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 85 | 209 |
| GWQ-10 | 10/15/1998 | 32.96325 | 107.49677 | 266630 | 3649790 | 13 | 5200 | TRUE | 17.9 | 19 |
| GWQ-11 | 8/10/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 37 | 123 |
| GWQ-11 | 10/27/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 36 | 183 |
| GWQ-11 | 10/30/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 39.1 | 101 |
| GWQ-11 | 11/6/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 36 | 168 |
| GWQ-11 | 11/13/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 37.64 | 155.6 |
| GWQ-11 | 11/17/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 36 | 165 |
| GWQ-11 | 11/23/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 36 | 181 |
| GWQ-11 | 12/7/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 56 | 184 |
| GWQ-11 | 12/15/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 38 | 191 |
| GWQ-11 | 12/22/1981 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 40 | 185 |
| GWQ-11 | 1/5/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 40 | 174 |
| GWQ-11 | 1/18/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 1/26/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 40 | 168 |
| GWQ-11 | 2/16/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 2/22/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 38 | 168 |
| GWQ-11 | 3/12/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 4/16/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 4/26/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 40 | 165 |
| GWQ-11 | 5/17/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 44 | 185 |
| GWQ-11 | 6/8/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 44 | 185 |
| GWQ-11 | 6/14/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 6/30/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 44 | 198 |
| GWQ-11 | 7/26/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 8/18/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-11 | 9/2/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 52.22 | 247.6 |
| GWQ-11 | 9/14/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 10/18/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 11/11/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 12/23/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 52 | 235 |
| GWQ-11 | 12/28/1982 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 2/21/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 44 | 218 |
| GWQ-11 | 5/6/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 5/13/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 44 | 206 |
| GWQ-11 | 6/2/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 7/5/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 8/9/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 46 | 168 |
| GWQ-11 | 8/25/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 10/20/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 11/1/1983 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 46 | 174 |
| GWQ-11 | 12/7/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 1/28/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 2/13/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 3/1/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 3/16/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 52 | 184 |
| GWQ-11 | 4/18/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 5/22/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 5/30/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 58 | 195 |
| GWQ-11 | 6/26/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 7/25/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 8/27/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 9/12/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 60 | 181 |
| GWQ-11 | 9/21/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 11/19/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 11/27/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 60 | 165 |
| GWQ-11 | 12/17/1984 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | |
| GWQ-11 | 5/17/1985 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 64 | 197 |
| GWQ-11 | 11/13/1985 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 62 | 183 |
| GWQ-11 | 5/23/1986 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 66 | 210 |
| GWQ-11 | 10/8/1986 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 70 | 200 |
| GWQ-11 | 3/4/1987 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 69 | 200 |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-11 | 5/25/1987 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | | 230 |
| GWQ-11 | 1/12/1988 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 77.1 | 253 |
| GWQ-11 | 4/4/1988 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 74.6 | 277.7 |
| GWQ-11 | 8/23/1988 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 73 | 293.8 |
| GWQ-11 | 2/9/1989 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 77 | 258.4 |
| GWQ-11 | 6/1/1989 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 69.7 | 238.2 |
| GWQ-11 | 11/30/1989 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 79.8 | 254.3 |
| GWQ-11 | 11/14/1990 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 104.4 | 257.4 |
| GWQ-11 | 2/11/1991 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 88.9 | 233.4 |
| GWQ-11 | 7/19/1991 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 89.7 | 210.2 |
| GWQ-11 | 8/29/1991 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 92.6 | 278.6 |
| GWQ-11 | 11/26/1991 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 89.3 | 240.7 |
| GWQ-11 | 3/15/1992 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 65.1 | 260.2 |
| GWQ-11 | 5/25/1992 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 96.2 | 258.1 |
| GWQ-11 | 10/8/1992 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 96 | 226.9 |
| GWQ-11 | 11/27/1992 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 96 | 248.4 |
| GWQ-11 | 12/15/1992 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 98.1 | 220 |
| GWQ-11 | 2/25/1993 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 104 | 273.3 |
| GWQ-11 | 3/30/1993 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 104 | 271 |
| GWQ-11 | 9/28/1993 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 105.6 | 207.7 |
| GWQ-11 | 5/25/1994 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 110 | 260 |
| GWQ-11 | 6/23/1994 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 117.2 | 274.6 |
| GWQ-11 | 7/22/1994 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 116 | 272 |
| GWQ-11 | 9/22/1994 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 112.3 | 234.5 |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|------------|-----|-----|------------|--------|-------------|----------|---------|----------|----------|---------|
| GWQ-11 | 9/2/1982 | 7.3 | 700 | | 226 | 940 | 0.78 | 1.94 | | | |
| GWQ-11 | 9/14/1982 | | | | | | | | | | |
| GWQ-11 | 10/18/1982 | | | | | | | | | | |
| GWQ-11 | 11/11/1982 | | | | | | | | | | |
| GWQ-11 | 12/23/1982 | 8.5 | 650 | | | | 0.8 | 1.6 | | | |
| GWQ-11 | 12/28/1982 | | | | | | | | | | |
| GWQ-11 | 2/21/1983 | 8 | 600 | | | | 0.8 | 1.7 | | | |
| GWQ-11 | 5/6/1983 | | | | | | | | | | |
| GWQ-11 | 5/13/1983 | 8.1 | 570 | | | | 0.8 | 1.9 | | | |
| GWQ-11 | 6/2/1983 | | | | | | | | | | |
| GWQ-11 | 7/5/1983 | | | | | | | | | | |
| GWQ-11 | 8/9/1983 | 7.9 | 580 | | | | 0.8 | 2 | | | |
| GWQ-11 | 8/25/1983 | | | | | | | | | | |
| GWQ-11 | 10/20/1983 | | | | | | | | | | |
| GWQ-11 | 11/1/1983 | 8 | 580 | | | | 0.8 | 4.8 | | | |
| GWQ-11 | 12/7/1984 | | | | | | | | | | |
| GWQ-11 | 1/28/1984 | | | | | | | | | | |
| GWQ-11 | 2/13/1984 | | | | | | | | | | |
| GWQ-11 | 3/1/1984 | | | | | | | | | | |
| GWQ-11 | 3/16/1984 | 8.3 | 540 | | | | 0.6 | 3.8 | | | |
| GWQ-11 | 4/18/1984 | | | | | | | | | | |
| GWQ-11 | 5/22/1984 | | | | | | | | | | |
| GWQ-11 | 5/30/1984 | 7.5 | 550 | | | | 0.8 | 1.9 | | | |
| GWQ-11 | 6/26/1984 | | | | | | | | | | |
| GWQ-11 | 7/25/1984 | | | | | | | | | | |
| GWQ-11 | 8/27/1984 | | | | | | | | | | |
| GWQ-11 | 9/12/1984 | 7.9 | 590 | | | | 0.8 | 2.3 | | | |
| GWQ-11 | 9/21/1984 | | | | | | | | | | |
| GWQ-11 | 11/19/1984 | | | | | | | | | | |
| GWQ-11 | 11/27/1984 | 7.7 | 570 | | | | 0.8 | 2.3 | | | |
| GWQ-11 | 12/17/1984 | | | | | | | | | | |
| GWQ-11 | 5/17/1985 | 7.8 | 640 | | | | | | | | |
| GWQ-11 | 11/13/1985 | 7.7 | 600 | | | | | | | | |
| GWQ-11 | 5/23/1986 | 7.8 | 650 | | | | | | | | |
| GWQ-11 | 10/8/1986 | 7.6 | 560 | | | | | | | | |
| GWQ-11 | 3/4/1987 | 6.7 | 696 | | 220 | 820 | | | -0.1 | 1.1 | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|------------|-------|--------|-----------|---------|---------|----------|--------|--------|------|------|
| GWQ-11 | 9/2/1982 | | | | -0.001 | 111.2 | | | | | |
| GWQ-11 | 9/14/1982 | | | | | | | | | | |
| GWQ-11 | 10/18/1982 | | | | | | | | | | |
| GWQ-11 | 11/11/1982 | | | | | | | | | | |
| GWQ-11 | 12/23/1982 | | | | | -0.005 | | | -0.05 | -0.1 | |
| GWQ-11 | 12/28/1982 | | | | | | | | | | |
| GWQ-11 | 2/21/1983 | | | | -0.005 | | | | -0.05 | 0.38 | |
| GWQ-11 | 5/6/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 5/13/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 6/2/1983 | | | | | | | | | | |
| GWQ-11 | 7/5/1983 | | | | | | | | | | |
| GWQ-11 | 8/9/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 8/25/1983 | | | | | | | | | | |
| GWQ-11 | 10/20/1983 | | | | | | | | | | |
| GWQ-11 | 11/1/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 12/7/1984 | | | | | | | | | | |
| GWQ-11 | 1/28/1984 | | | | | | | | | | |
| GWQ-11 | 2/13/1984 | | | | | | | | | | |
| GWQ-11 | 3/1/1984 | | | | | | | | | | |
| GWQ-11 | 3/16/1984 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 4/18/1984 | | | | | | | | | | |
| GWQ-11 | 5/22/1984 | | | | | | | | | | |
| GWQ-11 | 5/30/1984 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 6/26/1984 | | | | | | | | | | |
| GWQ-11 | 7/25/1984 | | | | | | | | | | |
| GWQ-11 | 8/27/1984 | | | | | | | | | | |
| GWQ-11 | 9/12/1984 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 9/21/1984 | | | | | | | | | | |
| GWQ-11 | 11/19/1984 | | | | | | | | | | |
| GWQ-11 | 11/27/1984 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-11 | 12/17/1984 | | | | | | | | | | |
| GWQ-11 | 5/17/1985 | | | | | | | | | | |
| GWQ-11 | 11/13/1985 | | | | | | | | | | |
| GWQ-11 | 5/23/1986 | | | | | | | | | | |
| GWQ-11 | 10/8/1986 | | | | | | | | | | |
| GWQ-11 | 3/4/1987 | -0.1 | -0.1 | -0.1 | -0.1 | 108 | -0.1 | -0.05 | -0.1 | -0.1 | -0.1 |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| GWQ-11 | 9/2/1982 | 27.6 | -0.05 | | -0.01 | | 3.51 | -0.005 | | 57.5 | |
| GWQ-11 | 9/14/1982 | | | | | | | | | | |
| GWQ-11 | 10/18/1982 | | | | | | | | | | |
| GWQ-11 | 11/11/1982 | | | | | | | | | | |
| GWQ-11 | 12/23/1982 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 12/28/1982 | | | | | | | | | | |
| GWQ-11 | 2/21/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 5/6/1983 | | | | | | | | | | |
| GWQ-11 | 5/13/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 6/2/1983 | | | | | | | | | | |
| GWQ-11 | 7/5/1983 | | | | | | | | | | |
| GWQ-11 | 8/9/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 8/25/1983 | | | | | | | | | | |
| GWQ-11 | 10/20/1983 | | | | | | | | | | |
| GWQ-11 | 11/1/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 12/7/1984 | | | | | | | | | | |
| GWQ-11 | 1/28/1984 | | | | | | | | | | |
| GWQ-11 | 2/13/1984 | | | | | | | | | | |
| GWQ-11 | 3/1/1984 | | | | | | | | | | |
| GWQ-11 | 3/16/1984 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 4/18/1984 | | | | | | | | | | |
| GWQ-11 | 5/22/1984 | | | | | | | | | | |
| GWQ-11 | 5/30/1984 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 6/26/1984 | | | | | | | | | | |
| GWQ-11 | 7/25/1984 | | | | | | | | | | |
| GWQ-11 | 8/27/1984 | | | | | | | | | | |
| GWQ-11 | 9/12/1984 | | -0.05 | -0.001 | -0.05 | | | | | | |
| GWQ-11 | 9/21/1984 | | | | | | | | | | |
| GWQ-11 | 11/19/1984 | | | | | | | | | | |
| GWQ-11 | 11/27/1984 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-11 | 12/17/1984 | | | | | | | | | | |
| GWQ-11 | 5/17/1985 | | | | | | | | | | |
| GWQ-11 | 11/13/1985 | | | | | | | | | | |
| GWQ-11 | 5/23/1986 | | | | | | | | | | |
| GWQ-11 | 10/8/1986 | | | | | | | | | | |
| GWQ-11 | 3/4/1987 | 26.1 | -0.05 | | -0.1 | -0.1 | 3.51 | | -0.1 | 62.1 | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|-------|----------|------|----------|
| GWQ-10 | 11/13/1985 | | | | |
| GWQ-10 | 5/23/1986 | | | | |
| GWQ-10 | 10/8/1986 | | | | |
| GWQ-10 | 3/4/1987 | -0.1 | 21.5 | -0.1 | -0.1 |
| GWQ-10 | 5/25/1987 | | | | |
| GWQ-10 | 1/12/1988 | -0.1 | | 0.2 | -0.1 |
| GWQ-10 | 4/4/1988 | | | | |
| GWQ-10 | 8/23/1988 | | | | |
| GWQ-10 | 2/9/1989 | | | | |
| GWQ-10 | 6/1/1989 | | | | |
| GWQ-10 | 11/30/1989 | | | | |
| GWQ-10 | 11/14/1990 | | | | |
| GWQ-10 | 2/11/1991 | | | | |
| GWQ-10 | 7/19/1991 | | | | |
| GWQ-10 | 8/29/1991 | | | | |
| GWQ-10 | 11/26/1991 | | | | |
| GWQ-10 | 3/15/1992 | | | | |
| GWQ-10 | 5/25/1992 | | | | |
| GWQ-10 | 7/16/1992 | | | | |
| GWQ-10 | 10/8/1992 | | | | |
| GWQ-10 | 11/27/1992 | | | | |
| GWQ-10 | 12/15/1992 | | | | |
| GWQ-10 | 2/25/1993 | | | | |
| GWQ-10 | 3/30/1993 | 0.11 | | | |
| GWQ-10 | 9/28/1993 | | | | |
| GWQ-10 | 5/26/1994 | 0.55 | | | |
| GWQ-10 | 6/23/1994 | | | | |
| GWQ-10 | 7/23/1994 | -0.05 | | | |
| GWQ-10 | 9/22/1994 | | | | |
| GWQ-10 | 1/29/1995 | | | | |
| GWQ-10 | 3/29/1995 | | | | |
| GWQ-10 | 3/29/1995 | | | | |
| GWQ-10 | 6/27/1995 | | | | |
| GWQ-10 | 9/21/1995 | | | | |
| GWQ-10 | 1/10/1996 | | | | |
| GWQ-10 | 4/3/1996 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|-------|----------|-----|----------|
| GWQ-10 | 6/1/1996 | | | | |
| GWQ-10 | 9/25/1996 | | | | |
| GWQ-10 | 1/15/1997 | | | | |
| GWQ-10 | 4/1/1997 | | | | |
| GWQ-10 | 7/1/1997 | | | | |
| GWQ-10 | 8/1/1997 | | | | |
| GWQ-10 | 10/1/1997 | | | | |
| GWQ-10 | 10/1/1997 | | | | |
| GWQ-10 | 1/15/1998 | | | | |
| GWQ-10 | 4/9/1998 | | | | |
| GWQ-10 | 7/13/1998 | | | | |
| GWQ-10 | 10/15/1998 | | | | |
| GWQ-11 | 8/10/1981 | -0.05 | | | |
| GWQ-11 | 10/27/1981 | 0.17 | | | |
| GWQ-11 | 10/30/1981 | 0.23 | | | |
| GWQ-11 | 11/6/1981 | 0.29 | | | |
| GWQ-11 | 11/13/1981 | 0.79 | 21 | | |
| GWQ-11 | 11/17/1981 | 0.64 | | | |
| GWQ-11 | 11/23/1981 | 0.53 | | | |
| GWQ-11 | 12/7/1981 | 1.6 | | | |
| GWQ-11 | 12/15/1981 | 1.1 | | | |
| GWQ-11 | 12/22/1981 | 0.42 | | | |
| GWQ-11 | 1/5/1982 | 0.44 | | | |
| GWQ-11 | 1/18/1982 | | | | |
| GWQ-11 | 1/26/1982 | | | | |
| GWQ-11 | 2/16/1982 | | | | |
| GWQ-11 | 2/22/1982 | | | | |
| GWQ-11 | 3/12/1982 | | | | |
| GWQ-11 | 4/16/1982 | | | | |
| GWQ-11 | 4/26/1982 | | | | |
| GWQ-11 | 5/17/1982 | | | | |
| GWQ-11 | 6/8/1982 | | | | |
| GWQ-11 | 6/14/1982 | | | | |
| GWQ-11 | 6/30/1982 | | | | |
| GWQ-11 | 7/26/1982 | | | | |
| GWQ-11 | 8/18/1982 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|------|----------|
| GWQ-11 | 9/2/1982 | | 23 | | |
| GWQ-11 | 9/14/1982 | | | | |
| GWQ-11 | 10/18/1982 | | | | |
| GWQ-11 | 11/11/1982 | | | | |
| GWQ-11 | 12/23/1982 | | | | |
| GWQ-11 | 12/28/1982 | | | | |
| GWQ-11 | 2/21/1983 | | | | |
| GWQ-11 | 5/6/1983 | | | | |
| GWQ-11 | 5/13/1983 | | | | |
| GWQ-11 | 6/2/1983 | | | | |
| GWQ-11 | 7/5/1983 | | | | |
| GWQ-11 | 8/9/1983 | | | | |
| GWQ-11 | 8/25/1983 | | | | |
| GWQ-11 | 10/20/1983 | | | | |
| GWQ-11 | 11/1/1983 | | | | |
| GWQ-11 | 12/7/1984 | | | | |
| GWQ-11 | 1/28/1984 | | | | |
| GWQ-11 | 2/13/1984 | | | | |
| GWQ-11 | 3/1/1984 | | | | |
| GWQ-11 | 3/16/1984 | | | | |
| GWQ-11 | 4/18/1984 | | | | |
| GWQ-11 | 5/22/1984 | | | | |
| GWQ-11 | 5/30/1984 | | | | |
| GWQ-11 | 6/26/1984 | | | | |
| GWQ-11 | 7/25/1984 | | | | |
| GWQ-11 | 8/27/1984 | | | | |
| GWQ-11 | 9/12/1984 | | | | |
| GWQ-11 | 9/21/1984 | | | | |
| GWQ-11 | 11/19/1984 | | | | |
| GWQ-11 | 11/27/1984 | | | | |
| GWQ-11 | 12/17/1984 | | | | |
| GWQ-11 | 5/17/1985 | | | | |
| GWQ-11 | 11/13/1985 | | | | |
| GWQ-11 | 5/23/1986 | | | | |
| GWQ-11 | 10/8/1986 | | | | |
| GWQ-11 | 3/4/1987 | -0.1 | 15 | -0.1 | -0.1 |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|-------|----------|-----|----------|
| GWQ-11 | 5/25/1987 | | | | |
| GWQ-11 | 1/12/1988 | -0.1 | | 0.2 | -0.1 |
| GWQ-11 | 4/4/1988 | | | | |
| GWQ-11 | 8/23/1988 | | | | |
| GWQ-11 | 2/9/1989 | | | | |
| GWQ-11 | 6/1/1989 | | | | |
| GWQ-11 | 11/30/1989 | | | | |
| GWQ-11 | 11/14/1990 | | | | |
| GWQ-11 | 2/11/1991 | | | | |
| GWQ-11 | 7/19/1991 | | | | |
| GWQ-11 | 8/29/1991 | | | | |
| GWQ-11 | 11/26/1991 | | | | |
| GWQ-11 | 3/15/1992 | | | | |
| GWQ-11 | 5/25/1992 | | | | |
| GWQ-11 | 10/8/1992 | | | | |
| GWQ-11 | 11/27/1992 | | | | |
| GWQ-11 | 12/15/1992 | | | | |
| GWQ-11 | 2/25/1993 | | | | |
| GWQ-11 | 3/30/1993 | 0.03 | | | |
| GWQ-11 | 9/28/1993 | | | | |
| GWQ-11 | 5/25/1994 | -0.05 | | | |
| GWQ-11 | 6/23/1994 | | | | |
| GWQ-11 | 7/22/1994 | -0.05 | | | |
| GWQ-11 | 9/22/1994 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-----------------|----------|---------|--------|
| GWQ-11 | | Skute Stone Arroyo | | -85 GWQ-11-85 | 01/29/95 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -86 GWQ-11-86 | 03/29/95 | Irwin | lab pH |
| GWQ-11 | 17.42 | Skute Stone Arroyo | | -87 GWQ-11-87 | 06/27/95 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -88 GWQ-11-88 | 09/21/95 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -89 GWQ-11-89 | 01/10/96 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -90 GWQ-11-90 | 04/03/96 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -91 GWQ-11-91 | 06/01/96 | | |
| GWQ-11 | | Skute Stone Arroyo | | -92 GWQ-11-92 | 09/25/96 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -93 GWQ-11-93 | 01/15/97 | Irwin | lab pH |
| GWQ-11 | | Skute Stone Arroyo | | -94 GWQ-11-94 | 04/01/97 | | |
| GWQ-11 | | Skute Stone Arroyo | | -95 GWQ-11-95 | 04/01/97 | | |
| GWQ-11 | | Skute Stone Arroyo | | -96 GWQ-11-96 | 07/01/97 | | |
| GWQ-11 | | Skute Stone Arroyo | | -97 GWQ-11-97 | 08/01/97 | | |
| GWQ-11 | | Skute Stone Arroyo | | -98 GWQ-11-98 | 10/01/97 | | |
| GWQ-11 | 18.5 | Skute Stone Arroyo | | -99 GWQ-11-99 | 01/15/98 | Irwin | |
| GWQ-11 | 18.5 | Skute Stone Arroyo | | -100 GWQ-11-100 | 04/09/98 | Irwin | |
| GWQ-11 | 18.75 | Skute Stone Arroyo | | -101 GWQ-11-101 | 07/13/98 | Irwin | |
| GWQ-12 | 100.33 | Skute Stone Arroyo | | -1 GWQ-12-1 | 05/17/82 | QMC | |
| GWQ-12 | 100.33 | Skute Stone Arroyo | | -2 GWQ-12-2 | 06/14/82 | QMC | |
| GWQ-12 | 100.25 | Skute Stone Arroyo | | -3 GWQ-12-3 | 07/26/82 | QMC | |
| GWQ-12 | 100.5 | Skute Stone Arroyo | | -4 GWQ-12-4 | 08/18/82 | QMC | |
| GWQ-12 | 100.5 | Skute Stone Arroyo | | -5 GWQ-12-5 | 09/14/82 | QMC | |
| GWQ-12 | 100.6 | Skute Stone Arroyo | | -6 GWQ-12-6 | 10/18/82 | QMC | |
| GWQ-12 | 100.6 | Skute Stone Arroyo | | -7 GWQ-12-7 | 11/11/82 | QMC | |
| GWQ-12 | 100.9 | Skute Stone Arroyo | | -8 GWQ-12-8 | 12/28/82 | QMC | |
| GWQ-12 | | Skute Stone Arroyo | | -9 GWQ-12-9 | 02/21/83 | QMC | |
| GWQ-12 | 101.2 | Skute Stone Arroyo | | -10 GWQ-12-10 | 05/06/83 | QMC | |
| GWQ-12 | | Skute Stone Arroyo | | -11 GWQ-12-11 | 05/13/83 | QMC | |
| GWQ-12 | 101.4 | Skute Stone Arroyo | | -12 GWQ-12-12 | 06/02/83 | QMC | |
| GWQ-12 | 101.5 | Skute Stone Arroyo | | -13 GWQ-12-13 | 07/05/83 | QMC | |
| GWQ-12 | | Skute Stone Arroyo | | -14 GWQ-12-14 | 08/09/83 | QMC | |
| GWQ-12 | 101.6 | Skute Stone Arroyo | | -15 GWQ-12-15 | 08/25/83 | QMC | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -16 GWQ-12-16 | 10/20/83 | QMC | |
| GWQ-12 | | Skute Stone Arroyo | | -17 GWQ-12-17 | 11/01/83 | QMC | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -18 GWQ-12-18 | 12/07/83 | QMC | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -19 GWQ-12-19 | 01/28/84 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|---------------|----------|---------|-------|
| GWQ-12 | 101.9 | Skute Stone Arroyo | | -20 GWQ-12-20 | 02/13/84 | QMC | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -21 GWQ-12-21 | 03/01/84 | QMC | |
| GWQ-12 | | Skute Stone Arroyo | | -22 GWQ-12-22 | 03/16/84 | CFP | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -23 GWQ-12-23 | 04/18/84 | CFP | |
| GWQ-12 | 101.8 | Skute Stone Arroyo | | -24 GWQ-12-24 | 05/22/84 | CFP | |
| GWQ-12 | | Skute Stone Arroyo | | -25 GWQ-12-25 | 05/30/84 | CFP | |
| GWQ-12 | 101.9 | Skute Stone Arroyo | | -26 GWQ-12-26 | 06/26/84 | CFP | |
| GWQ-12 | 101.9 | Skute Stone Arroyo | | -27 GWQ-12-27 | 07/25/84 | CFP | |
| GWQ-12 | 101.8 | Skute Stone Arroyo | | -28 GWQ-12-28 | 08/27/84 | CFP | |
| GWQ-12 | | Skute Stone Arroyo | | -29 GWQ-12-29 | 09/12/84 | CFP | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -30 GWQ-12-30 | 09/21/84 | CFP | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -31 GWQ-12-31 | 11/19/84 | CFP | |
| GWQ-12 | | Skute Stone Arroyo | | -32 GWQ-12-32 | 11/27/84 | CFP | |
| GWQ-12 | 101.6 | Skute Stone Arroyo | | -33 GWQ-12-33 | 12/17/84 | CFP | |
| GWQ-12 | 101.7 | Skute Stone Arroyo | | -34 GWQ-12-34 | 05/27/85 | CFP | |
| GWQ-12 | 100.8 | Skute Stone Arroyo | | -35 GWQ-12-35 | 11/13/85 | CFP | |
| GWQ-12 | 99.3 | Skute Stone Arroyo | | -36 GWQ-12-36 | 05/23/86 | CFP | |
| GWQ-12 | 99 | Skute Stone Arroyo | | -37 GWQ-12-37 | 10/08/86 | CFP | |
| GWQ-12 | | Skute Stone Arroyo | | -38 GWQ-12-38 | 07/21/94 | SRK | |
| GWQ-12 | | Skute Stone Arroyo | | -39 GWQ-12-39 | 04/01/97 | | |
| GWQ-2 | | Skute Stone Arroyo | | -1 GWQ-2-1 | 06/15/81 | SHB | |
| GWQ-2 | | Skute Stone Arroyo | | -2 GWQ-2-2 | 06/25/81 | SHB | |
| GWQ-3 | | Hillsboro | | -1 GWQ-3-1 | 03/27/81 | | |
| GWQ-3 | 8.6 | Hillsboro | | -2 GWQ-3-2 | 06/06/81 | SHB | |
| GWQ-3 | | Hillsboro | | -3 GWQ-3-3 | 06/15/81 | SHB | |
| GWQ-3 | | Hillsboro | | -4 GWQ-3-4 | 06/15/81 | SHB | |
| GWQ-3 | | Hillsboro | | -5 GWQ-3-5 | 02/25/82 | QMC | |
| GWQ-3 | | Hillsboro | | -6 GWQ-3-6 | 05/12/82 | QMC | |
| GWQ-3 | | Hillsboro | | -7 GWQ-3-7 | 06/30/82 | QMC | |
| GWQ-3 | | Hillsboro | | -8 GWQ-3-8 | 12/23/82 | QMC | |
| GWQ-3 | 10.25 | Hillsboro | | -9 GWQ-3-9 | 02/21/83 | QMC | |
| GWQ-3 | | Hillsboro | | -10 GWQ-3-10 | 05/13/83 | QMC | |
| GWQ-3 | | Hillsboro | | -11 GWQ-3-11 | 08/09/83 | QMC | |
| GWQ-3 | | Hillsboro | | -12 GWQ-3-12 | 11/01/83 | QMC | |
| GWQ-3 | | Hillsboro | | -13 GWQ-3-13 | 03/16/84 | QMC | |
| GWQ-3 | 35 | Hillsboro | | -14 GWQ-3-14 | 06/10/81 | SHB | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|-----------|------------|--------------|----------|---------|-------------|
| GWQ-4 | | Hillsboro | | -1 GWQ-4-1 | 06/15/81 | SHB | Windmill |
| GWQ-4 | | Hillsboro | | -2 GWQ-4-2 | 06/15/81 | SHB | Windmill |
| GWQ-4 | 86.39 | Hillsboro | | -3 GWQ-4-3 | 11/06/81 | | |
| GWQ-4 | | Hillsboro | | -4 GWQ-4-4 | 04/01/93 | JWS | Windmill |
| GWQ-4 | | Hillsboro | | -5 GWQ-4-5 | 05/26/94 | SRK | Windmill |
| GWQ-4 | 10.45 | Hillsboro | | -6 GWQ-4-6 | 06/10/81 | SHB | |
| GWQ-5 | | Hillsboro | | -1 GWQ-5-1 | 06/15/81 | SHB | |
| GWQ-5 | | Hillsboro | | -2 GWQ-5-2 | 06/15/81 | SHB | |
| GWQ-5 | 25.45 | Hillsboro | | -3 GWQ-5-3 | 06/09/81 | SHB | |
| GWQ-6 | | Hillsboro | | -4 GWQ-6-4 | 06/15/81 | SHB | |
| GWQ-6 | | Hillsboro | | -5 GWQ-6-5 | 06/15/81 | SHB | |
| GWQ-6 | | Hillsboro | | -6 GWQ-6-6 | 02/25/82 | QMC | |
| GWQ-6 | | Hillsboro | | -7 GWQ-6-7 | 04/01/93 | JWS | |
| GWQ-6 | 23.26 | Hillsboro | | -8 GWQ-6-8 | | SHB | |
| GWQ-6 | | Hillsboro | | -9 GWQ-6-9 | 01/20/81 | SHB | QMC-1,CI,N |
| GWQ-7 | | | | -1 GWQ-7-1 | 02/02/81 | | |
| GWQ-7 | | | | -2 GWQ-7-2 | 02/02/81 | SHB | QMC-1,SHE |
| GWQ-7 | | | | -3 GWQ-7-3 | 03/27/81 | | |
| GWQ-7 | | | | -4 GWQ-7-4 | 03/27/81 | SHB | QMC-1 in SI |
| GWQ-7 | | | | -5 GWQ-7-5 | 04/06/81 | | |
| GWQ-7 | 77 | | | -6 GWQ-7-6 | 06/09/81 | SHB | |
| GWQ-7 | | | | -7 GWQ-7-7 | 06/15/81 | SHB | |
| GWQ-7 | | | | -8 GWQ-7-8 | 06/15/81 | SHB | |
| GWQ-7 | | | | -9 GWQ-7-9 | 08/07/81 | | |
| GWQ-7 | | | | -10 GWQ-7-10 | 08/10/81 | | |
| GWQ-7 | | | | -11 GWQ-7-11 | 10/23/81 | QMC | |
| GWQ-7 | | | | -12 GWQ-7-12 | 10/23/81 | QMC | |
| GWQ-7 | | | | -13 GWQ-7-13 | 11/06/81 | QMC | |
| GWQ-7 | | | | -14 GWQ-7-14 | 02/25/82 | QMC | |
| GWQ-7 | | | | -15 GWQ-7-15 | 12/28/82 | QMC | |
| GWQ-7 | | | | -16 GWQ-7-16 | 02/21/83 | QMC | |
| GWQ-7 | | | | -17 GWQ-7-17 | 03/16/83 | QMC | |
| GWQ-7 | | | | -18 GWQ-7-18 | 05/13/83 | QMC | |
| GWQ-7 | | | | -19 GWQ-7-19 | 08/09/83 | QMC | |
| GWQ-7 | | | | -20 GWQ-7-20 | 11/01/83 | QMC | |
| GWQ-7 | | | | -21 GWQ-7-21 | 03/16/84 | CFP | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|--------------|----------|------------|-------------|
| GWQ-7 | | | | -22 GWQ-7-22 | 05/30/84 | CFP | |
| GWQ-7 | | | | -23 GWQ-7-23 | 09/12/84 | CFP | |
| GWQ-7 | | | | -24 GWQ-7-24 | 11/27/84 | CFP | |
| GWQ-7 | | | | -25 GWQ-7-25 | 05/17/85 | CFP | |
| GWQ-7 | | | | -26 GWQ-7-26 | 11/13/85 | CFP | |
| GWQ-7 | | | | -27 GWQ-7-27 | 05/23/86 | CFP | |
| GWQ-7 | | | | -28 GWQ-7-28 | 10/08/86 | CFP | |
| GWQ-7 | | | | -29 GWQ-7-29 | 03/30/89 | EID | |
| GWQ-7 | | | | -30 GWQ-7-30 | 03/30/93 | JWS | Electric Pu |
| GWQ-7 | 33.9 | | | -31 GWQ-7-31 | 05/25/94 | SRK | |
| GWQ-7 | | | | -32 GWQ-7-32 | 07/21/94 | SRK | Electric Pu |
| GWQ-8 | | Skute Stone Arroyo | | -1 GWQ-8-1 | 06/04/76 | SHB | |
| GWQ-8 | | Skute Stone Arroyo | | -2 GWQ-8-2 | 02/02/81 | | Windmill |
| GWQ-8 | 83.55 | Skute Stone Arroyo | | -3 GWQ-8-3 | 06/09/81 | SHB | |
| GWQ-8 | | Skute Stone Arroyo | | -4 GWQ-8-4 | 08/19/81 | QMC | Windmill |
| GWQ-8 | | Skute Stone Arroyo | | -5 GWQ-8-5 | 10/01/81 | | |
| GWQ-8 | | Skute Stone Arroyo | | -6 GWQ-8-6 | 02/25/82 | QMC | Windmill |
| GWQ-8 | | Skute Stone Arroyo | | -7 GWQ-8-7 | 03/01/93 | | |
| GWQ-8 | | Skute Stone Arroyo | | -8 GWQ-8-8 | 03/31/93 | JWS | Windmill |
| GWQ-8 | | Skute Stone Arroyo | | -9 GWQ-8-9 | 03/31/93 | JWS | |
| GWQ-8 | | Skute Stone Arroyo | | -10 GWQ-8-10 | 05/25/94 | SRK | Windmill |
| GWQ-8 | | Skute Stone Arroyo | | -11 GWQ-8-11 | 04/01/97 | Goff | |
| GWQ-8 | | Skute Stone Arroyo | | -12 GWQ-8-12 | 04/14/98 | Goff | |
| GWQ-8 | | Skute Stone Arroyo | | -13 GWQ-8-13 | 07/21/98 | Brownfield | lab pH |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-11 | 01/29/95 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 199.5 | 158.7 |
| GWQ-11 | 03/29/95 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 99.4 | 136.9 |
| GWQ-11 | 06/27/95 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 101.7 | 278.8 |
| GWQ-11 | 09/21/95 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 112.1 | 289.5 |
| GWQ-11 | 01/10/96 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 120.8 | 287.5 |
| GWQ-11 | 04/03/96 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | FALSE | 119.2 | 276.5 |
| GWQ-11 | 06/01/96 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | | 122.3 | 281.4 |
| GWQ-11 | 09/25/96 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 116 | 229.9 |
| GWQ-11 | 01/15/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 127 | 303.9 |
| GWQ-11 | 04/01/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 120 | 690 |
| GWQ-11 | 04/01/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 128.1 | 305 |
| GWQ-11 | 07/01/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 129 | 269 |
| GWQ-11 | 08/01/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 4.1 | |
| GWQ-11 | 10/01/97 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 123 | 284 |
| GWQ-11 | 01/15/98 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 130 | 276 |
| GWQ-11 | 04/09/98 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 127.2 | 294 |
| GWQ-11 | 07/13/98 | 32.96027 | 107.49667 | 266632 | 3649459 | 13 | 5183 | TRUE | 127.5 | 300 |
| GWQ-12 | 05/17/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 06/14/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 07/26/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 08/18/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 09/14/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 10/18/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 11/11/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 12/28/82 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 02/21/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 18 | 53 |
| GWQ-12 | 05/06/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 05/13/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 16 | 37 |
| GWQ-12 | 06/02/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 07/05/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 08/09/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 22 | 130 |
| GWQ-12 | 08/25/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 10/20/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 11/01/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 14 | 38 |
| GWQ-12 | 12/07/83 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 01/28/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-12 | 02/13/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 03/01/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 03/16/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 14 | 44 |
| GWQ-12 | 04/18/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 05/22/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 05/30/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 16 | 47 |
| GWQ-12 | 06/26/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 07/25/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 08/27/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 09/12/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 16 | 38 |
| GWQ-12 | 09/21/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 11/19/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 11/27/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 14 | 37 |
| GWQ-12 | 12/17/84 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | | |
| GWQ-12 | 05/27/85 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | 14 | 36 |
| GWQ-12 | 11/13/85 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | 14 | 35 |
| GWQ-12 | 05/23/86 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | 16 | 31 |
| GWQ-12 | 10/08/86 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | FALSE | 16 | 35 |
| GWQ-12 | 07/21/94 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 16 | 38 |
| GWQ-12 | 04/01/97 | 32.95278 | 107.47190 | 268928 | 3648574 | 13 | 5223 | TRUE | 36 | 43 |
| GWQ-2 | 06/15/81 | 32.97342 | 107.49899 | 266450 | 3650923 | 13 | 5216 | TRUE | 20 | 140 |
| GWQ-2 | 06/25/81 | 32.97342 | 107.49899 | 266450 | 3650923 | 13 | 5216 | TRUE | 24.8 | 111 |
| GWQ-3 | 03/27/81 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | FALSE | | |
| GWQ-3 | 06/06/81 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | | |
| GWQ-3 | 06/15/81 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 32 | 383 |
| GWQ-3 | 06/15/81 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 40.1 | 335 |
| GWQ-3 | 02/25/82 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 56 | 490 |
| GWQ-3 | 05/12/82 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 56 | 410 |
| GWQ-3 | 06/30/82 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 48 | 365 |
| GWQ-3 | 12/23/82 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 64 | 340 |
| GWQ-3 | 02/21/83 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 68 | 428 |
| GWQ-3 | 05/13/83 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 82 | 437 |
| GWQ-3 | 08/09/83 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 78 | 385 |
| GWQ-3 | 11/01/83 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 90 | 529 |
| GWQ-3 | 03/16/84 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | 74 | 530 |
| GWQ-3 | 06/10/81 | 32.97084 | 107.50472 | 265907 | 3650649 | 13 | 5250 | TRUE | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-4 | 06/15/81 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | FALSE | 30 | 270 |
| GWQ-4 | 06/15/81 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | TRUE | 35.1 | 255 |
| GWQ-4 | 11/06/81 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | FALSE | 22 | 162 |
| GWQ-4 | 04/01/93 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | FALSE | 27 | 235 |
| GWQ-4 | 05/26/94 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | FALSE | 30 | 220 |
| GWQ-4 | 06/10/81 | 32.96641 | 107.54305 | 262311 | 3650244 | 13 | 5539 | TRUE | | |
| GWQ-5 | 06/15/81 | | | | | | | TRUE | 42 | 575 |
| GWQ-5 | 06/15/81 | | | | | | | TRUE | 45 | 477 |
| GWQ-5 | 06/09/81 | | | | | | | TRUE | | |
| GWQ-6 | 06/15/81 | | | | | | | TRUE | 32.6 | 40.5 |
| GWQ-6 | 06/15/81 | | | | | | | TRUE | 28 | 37 |
| GWQ-6 | 02/25/82 | | | | | | | TRUE | 102 | 220 |
| GWQ-6 | 04/01/93 | | | | | | | FALSE | 22 | 10 |
| GWQ-6 | | | | | | | | TRUE | | |
| GWQ-6 | 01/20/81 | | | | | | | TRUE | 200 | 350 |
| GWQ-7 | 02/02/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 20 | 156 |
| GWQ-7 | 02/02/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 156 |
| GWQ-7 | 03/27/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | | |
| GWQ-7 | 03/27/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | | |
| GWQ-7 | 04/06/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | | |
| GWQ-7 | 06/09/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | | |
| GWQ-7 | 06/15/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 165 |
| GWQ-7 | 06/15/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 24.5 | 110 |
| GWQ-7 | 08/07/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 100 | 150 |
| GWQ-7 | 08/10/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 24 | 162 |
| GWQ-7 | 10/23/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 26 | 160 |
| GWQ-7 | 10/23/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 26 | 162 |
| GWQ-7 | 11/06/81 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 24 | 158 |
| GWQ-7 | 02/25/82 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 26 | 162 |
| GWQ-7 | 12/28/82 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 40 |
| GWQ-7 | 02/21/83 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 22 | 47 |
| GWQ-7 | 03/16/83 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | | |
| GWQ-7 | 05/13/83 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 158 |
| GWQ-7 | 08/09/83 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 22 | 130 |
| GWQ-7 | 11/01/83 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 22 | 137 |
| GWQ-7 | 03/16/84 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 140 |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-7 | 05/30/84 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 154 |
| GWQ-7 | 09/12/84 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 128 |
| GWQ-7 | 11/27/84 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 18 | 144 |
| GWQ-7 | 05/17/85 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 20 | 144 |
| GWQ-7 | 11/13/85 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 18 | 137 |
| GWQ-7 | 05/23/86 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 22 | 142 |
| GWQ-7 | 10/08/86 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 22 | 116 |
| GWQ-7 | 03/30/89 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 15.9 | 131 |
| GWQ-7 | 03/30/93 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 21 | 138 |
| GWQ-7 | 05/25/94 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | FALSE | 20 | 1300 |
| GWQ-7 | 07/21/94 | 32.95646 | 107.49585 | 266698 | 3649035 | 13 | 5172 | TRUE | 22 | 5 |
| GWQ-8 | 06/04/76 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 16.7 | 114 |
| GWQ-8 | 02/02/81 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | FALSE | 20 | 156 |
| GWQ-8 | 06/09/81 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | | |
| GWQ-8 | 08/19/81 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 24 | 134 |
| GWQ-8 | 10/01/81 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | | 24 | 134 |
| GWQ-8 | 02/25/82 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 38 | 220 |
| GWQ-8 | 03/01/93 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | | 38 | 283 |
| GWQ-8 | 03/31/93 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | FALSE | 38 | 283 |
| GWQ-8 | 03/31/93 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 22 | 260 |
| GWQ-8 | 05/25/94 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | FALSE | 41 | 290 |
| GWQ-8 | 04/01/97 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 46.3 | 318 |
| GWQ-8 | 04/14/98 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 55.3 | 376 |
| GWQ-8 | 07/21/98 | 32.96722 | 107.49801 | 266524 | 3650233 | 13 | 5203 | TRUE | 55.2 | 362 |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|----------|------|------|------------|--------|-------------|----------|---------|----------|----------|---------|
| GWQ-4 | 06/15/81 | 7.2 | 770 | | 376 | 1000 | 0.6 | 1.1 | -0.01 | | -0.01 |
| GWQ-4 | 06/15/81 | | 776 | | 370 | | 0.68 | 0.53 | -0.25 | | -0.002 |
| GWQ-4 | 11/06/81 | 7.9 | 500 | | | | 0.7 | 2 | -0.01 | | -0.01 |
| GWQ-4 | 04/01/93 | 7.6 | 702 | | 404 | 1060 | 0.73 | 0.1 | -0.1 | | -0.005 |
| GWQ-4 | 05/26/94 | 8.08 | 926 | | 316 | 1010 | 0.63 | -1 | -0.025 | -0.005 | -0.005 |
| GWQ-4 | 06/10/81 | | | | | | | | | | |
| GWQ-5 | 06/15/81 | 7.3 | 1260 | 330 | 398 | 1500 | 1 | 0.6 | -0.01 | | -0.01 |
| GWQ-5 | 06/15/81 | | 1070 | | 431 | | 1.03 | 0.37 | -0.25 | | -0.002 |
| GWQ-5 | 06/09/81 | | | | | | | | | | |
| GWQ-6 | 06/15/81 | | 400 | | 309 | | 1.09 | 3.3 | -0.25 | | -0.002 |
| GWQ-6 | 06/15/81 | 7.3 | 420 | 245 | 317 | 600 | 1.2 | 3.8 | -0.01 | | -0.01 |
| GWQ-6 | 02/25/82 | 8.3 | 810 | | | | 1.1 | 0.5 | | | |
| GWQ-6 | 04/01/93 | 7.7 | 304 | | 322 | 597 | 0.84 | 1.1 | -0.1 | | -0.005 |
| GWQ-6 | | | | | | | | | | | |
| GWQ-6 | 01/20/81 | 7.2 | 500 | | 341.6 | | | | | | |
| GWQ-7 | 02/02/81 | 7.9 | 530 | | 278 | | | | | | |
| GWQ-7 | 02/02/81 | 7.9 | 530 | | 278 | | | | | | |
| GWQ-7 | 03/27/81 | | | | | | 0.6 | 1.4 | | | -0.01 |
| GWQ-7 | 03/27/81 | | | | | | 0.6 | 1.4 | | | -0.01 |
| GWQ-7 | 04/06/81 | | | | | | 0.59 | 0.9 | | | 0.003 |
| GWQ-7 | 06/09/81 | | | | | | | | | | |
| GWQ-7 | 06/15/81 | 7.2 | 510 | 210 | 266 | 700 | 0.5 | 1.1 | -0.01 | | -0.01 |
| GWQ-7 | 06/15/81 | | 496 | | 285 | | 0.53 | 0.54 | -0.25 | | -0.002 |
| GWQ-7 | 08/07/81 | 7.4 | 475 | | 268.4 | | | | | | |
| GWQ-7 | 08/10/81 | 7.7 | 490 | | 229 | | 0.6 | 1.2 | | | -0.01 |
| GWQ-7 | 10/23/81 | | 490 | | | | 0.5 | 1.1 | -0.01 | | -0.01 |
| GWQ-7 | 10/23/81 | | 500 | | | | 0.5 | 1.3 | -0.01 | | -0.01 |
| GWQ-7 | 11/06/81 | 8.1 | 480 | | | | 0.8 | 1.2 | -0.01 | | -0.01 |
| GWQ-7 | 02/25/82 | 8 | 510 | | | | 0.5 | 0.8 | | | |
| GWQ-7 | 12/28/82 | 8.1 | 250 | | | | 0.3 | -0.2 | | | |
| GWQ-7 | 02/21/83 | 8.3 | 250 | | | | 0.4 | 2.8 | | | |
| GWQ-7 | 03/16/83 | | | | | | | | | | |
| GWQ-7 | 05/13/83 | 8.1 | 470 | | | | 0.6 | 1.2 | | | |
| GWQ-7 | 08/09/83 | 8 | 490 | | | | 0.6 | 1 | | | |
| GWQ-7 | 11/01/83 | 8.1 | 500 | | | | 0.6 | 1.8 | | | |
| GWQ-7 | 03/16/84 | 8.3 | 450 | | | | 0.8 | 1 | | | |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|----------|------|------|------------|--------|-------------|----------|---------|----------|----------|---------|
| GWQ-7 | 05/30/84 | 7.7 | 470 | | | | 0.6 | 0.9 | | | |
| GWQ-7 | 09/12/84 | 8 | 500 | | | | 0.6 | 1.4 | | | |
| GWQ-7 | 11/27/84 | 7.7 | 490 | | | | 0.6 | 1.4 | | | |
| GWQ-7 | 05/17/85 | 7.9 | 500 | | | | | | | | |
| GWQ-7 | 11/13/85 | 7.8 | 450 | | | | | | | | |
| GWQ-7 | 05/23/86 | 7.9 | 490 | | | | | | | | |
| GWQ-7 | 10/08/86 | 7.4 | 460 | | | | | | | | |
| GWQ-7 | 03/30/89 | | 492 | | 278 | | | | -0.1 | | |
| GWQ-7 | 03/30/93 | 7.8 | 482 | | 298 | 752 | 0.56 | 138 | -0.1 | | -0.005 |
| GWQ-7 | 05/25/94 | 7.26 | 2420 | | 480 | 2630 | 2.1 | -1 | 0.25 | -0.005 | -0.005 |
| GWQ-7 | 07/21/94 | 7.72 | 224 | | 349 | 660 | 16 | -1 | -0.05 | -0.005 | -0.005 |
| GWQ-8 | 06/04/76 | 7.48 | 560 | | 241 | 780 | 0.51 | 16.8 | | | |
| GWQ-8 | 02/02/81 | 7.9 | 520 | | 276 | | | 60 | | | |
| GWQ-8 | 06/09/81 | | | | | | | | | | |
| GWQ-8 | 08/19/81 | 7.42 | 608 | | 283 | | 0.59 | 2.8 | -0.25 | | -0.004 |
| GWQ-8 | 10/01/81 | 7.4 | 608 | | 283 | | 0.59 | 2.8 | | | |
| GWQ-8 | 02/25/82 | 7.6 | 380 | | | | 1 | 0.3 | | | |
| GWQ-8 | 03/01/93 | 7.6 | 764 | | 298 | | 0.53 | 5.7 | | | |
| GWQ-8 | 03/31/93 | 7.6 | 764 | | 298 | 1110 | 0.51 | 6.3 | -0.1 | | -0.005 |
| GWQ-8 | 03/31/93 | 7.7 | 290 | | 262 | | 0.53 | 5.7 | -0.05 | | -0.005 |
| GWQ-8 | 05/25/94 | 7.97 | 792 | | 272 | 1060 | 0.5 | 5.3 | -0.025 | -0.005 | -0.005 |
| GWQ-8 | 04/01/97 | | 854 | | | | 0.4 | | | | |
| GWQ-8 | 04/14/98 | 7.36 | 871 | | | 1290 | 0.6 | 4.2 | | | |
| GWQ-8 | 07/21/98 | | 887 | | | | 0.6 | 4.7 | | | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|----------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| GWQ-4 | 06/15/81 | -0.1 | -0.2 | | -0.005 | 137 | -0.01 | -0.05 | -0.05 | -0.1 | -0.02 |
| GWQ-4 | 06/15/81 | 0.065 | -1 | | -0.01 | 132 | -0.05 | -0.05 | -0.02 | -0.05 | -0.05 |
| GWQ-4 | 11/06/81 | -0.1 | -0.2 | | -0.005 | 72 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| GWQ-4 | 04/01/93 | 0.02 | 1 | | -0.002 | 125 | -0.02 | -0.05 | -0.01 | 0.2 | -0.02 |
| GWQ-4 | 05/26/94 | -0.1 | -0.1 | | -0.0005 | 93 | -0.025 | -0.05 | -0.025 | 0.13 | -0.005 |
| GWQ-4 | 06/10/81 | | | | | | | | | | |
| GWQ-5 | 06/15/81 | -0.1 | -0.2 | | -0.005 | 200 | -0.01 | -0.05 | -0.05 | -0.1 | -0.02 |
| GWQ-5 | 06/15/81 | 0.054 | -1 | | -0.01 | 175 | -0.05 | -0.05 | 0.02 | 0.07 | -0.05 |
| GWQ-5 | 06/09/81 | | | | | | | | | | |
| GWQ-6 | 06/15/81 | 0.135 | -1 | | -0.01 | 68 | -0.05 | -0.05 | -0.02 | -0.05 | -0.05 |
| GWQ-6 | 06/15/81 | -0.1 | -0.2 | | -0.005 | 73 | -0.01 | -0.05 | -0.05 | -0.1 | -0.02 |
| GWQ-6 | 02/25/82 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-6 | 04/01/93 | 0.09 | 0.6 | | -0.002 | 49 | -0.02 | -0.05 | 0.03 | 5.05 | -0.02 |
| GWQ-6 | | | | | | | | | | | |
| GWQ-6 | 01/20/81 | | | | | 96 | | | | 0.03 | |
| GWQ-7 | 02/02/81 | | | | | 74 | | | | 3.8 | |
| GWQ-7 | 02/02/81 | | | | | 74 | | | | 3.8 | |
| GWQ-7 | 03/27/81 | | | | | | | | -0.05 | | -0.02 |
| GWQ-7 | 03/27/81 | | | | | | | | -0.05 | | -0.02 |
| GWQ-7 | 04/06/81 | | | | | | | | -0.05 | | -0.01 |
| GWQ-7 | 06/09/81 | | | | | | | | | | |
| GWQ-7 | 06/15/81 | -0.1 | -0.2 | | -0.005 | 86 | -0.01 | -0.05 | -0.05 | -0.1 | -0.02 |
| GWQ-7 | 06/15/81 | 0.065 | -1 | | -0.01 | 88 | -0.05 | -0.05 | -0.02 | -0.05 | -0.05 |
| GWQ-7 | 08/07/81 | | | | | 80 | | | | 0.02 | |
| GWQ-7 | 08/10/81 | | | | | 68 | | | -0.05 | 1.7 | -0.02 |
| GWQ-7 | 10/23/81 | -0.1 | -0.02 | | -0.005 | 71 | -0.01 | -0.02 | -0.05 | 0.14 | -0.02 |
| GWQ-7 | 10/23/81 | -0.1 | -0.2 | | -0.005 | 70 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| GWQ-7 | 11/06/81 | -0.1 | -0.2 | | -0.005 | 71 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| GWQ-7 | 02/25/82 | | | | -0.005 | | | | -0.05 | 0.17 | |
| GWQ-7 | 12/28/82 | | | | -0.005 | | | | -0.05 | 0.26 | |
| GWQ-7 | 02/21/83 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 03/16/83 | | | | | | | | | | |
| GWQ-7 | 05/13/83 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 08/09/83 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 11/01/83 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 03/16/84 | | | | -0.005 | | | | -0.05 | -0.1 | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|----------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| GWQ-7 | 05/30/84 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 09/12/84 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 11/27/84 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-7 | 05/17/85 | | | | | | | | | | |
| GWQ-7 | 11/13/85 | | | | | | | | | | |
| GWQ-7 | 05/23/86 | | | | | | | | | | |
| GWQ-7 | 10/08/86 | | | | | | | | | | |
| GWQ-7 | 03/30/89 | -0.1 | -0.1 | -0.1 | -0.1 | 80 | -0.1 | -0.05 | -0.1 | -0.1 | -0.1 |
| GWQ-7 | 03/30/93 | 0.04 | -0.5 | | -0.002 | 68 | -0.02 | -0.05 | -0.01 | -0.05 | -0.02 |
| GWQ-7 | 05/25/94 | | -0.1 | | 0.00058 | 490 | -0.025 | | 0.11 | 0.72 | -0.005 |
| GWQ-7 | 07/21/94 | -0.1 | -0.1 | -0.002 | -0.0005 | 14 | -0.025 | -0.05 | -0.025 | 1.2 | -0.005 |
| GWQ-8 | 06/04/76 | -0.1 | | | | 122 | | | | 0.002 | |
| GWQ-8 | 02/02/81 | | | | | 74 | | | | 1.7 | |
| GWQ-8 | 06/09/81 | | | | | | | | | | |
| GWQ-8 | 08/19/81 | 0.076 | -1 | | -0.01 | 72.9 | -0.05 | -0.05 | -0.05 | -0.1 | -0.05 |
| GWQ-8 | 10/01/81 | | | | | 73 | | | | | |
| GWQ-8 | 02/25/82 | | | | -0.005 | | | | -0.05 | -0.1 | |
| GWQ-8 | 03/01/93 | | | | | 132 | | | | | |
| GWQ-8 | 03/31/93 | 0.03 | -0.05 | | -0.002 | 132 | -0.02 | -0.05 | 0.01 | -0.05 | -0.02 |
| GWQ-8 | 03/31/93 | -0.1 | 0.042 | | -0.0005 | 149 | -0.01 | -0.01 | -0.01 | 0.038 | -0.002 |
| GWQ-8 | 05/25/94 | -0.1 | -0.1 | | -0.0005 | 120 | -0.025 | -0.05 | -0.025 | 0.24 | -0.005 |
| GWQ-8 | 04/01/97 | | | | | | | | -0.005 | 0.2 | |
| GWQ-8 | 04/14/98 | | | | | 168.5 | | | -0.005 | -0.05 | |
| GWQ-8 | 07/21/98 | | | | | 162 | | | -0.005 | 0.23 | |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|----------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| GWQ-4 | 06/15/81 | 27 | -0.05 | -0.001 | -0.05 | -0.05 | 1.2 | -0.005 | -0.02 | 91 | |
| GWQ-4 | 06/15/81 | 18.6 | -0.02 | -0.001 | -0.1 | -0.05 | 2.03 | 0.0025 | -0.02 | 73.8 | |
| GWQ-4 | 11/06/81 | | -0.05 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |
| GWQ-4 | 04/01/93 | 23 | -0.02 | -0.001 | -0.02 | -0.01 | 1 | -0.005 | -0.01 | 86 | |
| GWQ-4 | 05/26/94 | 22 | -0.03 | -0.001 | -0.05 | -0.05 | 1.8 | -0.005 | -0.025 | 74 | |
| GWQ-4 | 06/10/81 | | | | | | | | | | |
| GWQ-5 | 06/15/81 | 49 | -0.05 | -0.001 | -0.05 | -0.05 | 1.1 | -0.005 | -0.02 | 173 | |
| GWQ-5 | 06/15/81 | 35.8 | -0.02 | -0.001 | -0.1 | -0.05 | 2.26 | 0.0062 | -0.02 | 126 | |
| GWQ-5 | 06/09/81 | | | | | | | | | | |
| GWQ-6 | 06/15/81 | 11.1 | 0.076 | 0.00235 | -0.1 | -0.05 | 2.4 | 0.0046 | -0.02 | 57 | |
| GWQ-6 | 06/15/81 | 16 | 0.11 | -0.001 | -0.05 | -0.05 | 1.6 | -0.005 | -0.02 | 61 | |
| GWQ-6 | 02/25/82 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-6 | 04/01/93 | 14 | 0.36 | -0.001 | -0.02 | -0.01 | 3.1 | -0.005 | -0.01 | 53 | |
| GWQ-6 | 01/20/81 | 14.6 | | | | | | | | 781 | |
| GWQ-7 | 02/02/81 | 27 | | | | | | | | 51 | |
| GWQ-7 | 02/02/81 | 27 | | | | | | | | 51 | |
| GWQ-7 | 03/27/81 | | | | | | | | | | |
| GWQ-7 | 03/27/81 | | | | | | | | | | |
| GWQ-7 | 04/06/81 | | | | | | | | | | |
| GWQ-7 | 06/09/81 | | | | | | | | | | |
| GWQ-7 | 06/15/81 | 24 | -0.05 | -0.001 | -0.05 | -0.05 | 1.6 | -0.005 | -0.02 | 61 | |
| GWQ-7 | 06/15/81 | 15.7 | -0.02 | -0.001 | -0.1 | -0.05 | 2.33 | -0.0005 | -0.02 | 47.9 | |
| GWQ-7 | 08/07/81 | 19.4 | | | | | | | | 138.9 | |
| GWQ-7 | 08/10/81 | 21 | | | | | | | | 48 | |
| GWQ-7 | 10/23/81 | | -0.05 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |
| GWQ-7 | 10/23/81 | | -0.05 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |
| GWQ-7 | 11/06/81 | | -0.05 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |
| GWQ-7 | 02/25/82 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 12/28/82 | | 0.16 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 02/21/83 | | 0.27 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 03/16/83 | | -0.05 | | | | | | | | |
| GWQ-7 | 05/13/83 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 08/09/83 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 11/01/83 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 03/16/84 | | -0.05 | -0.001 | 0.08 | | | -0.005 | | | |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|----------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| GWQ-7 | 05/30/84 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 09/12/84 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 11/27/84 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-7 | 05/17/85 | | | | | | | | | | |
| GWQ-7 | 11/13/85 | | | | | | | | | | |
| GWQ-7 | 05/23/86 | | | | | | | | | | |
| GWQ-7 | 10/08/86 | | | | | | | | | | |
| GWQ-7 | 03/30/89 | 22 | -0.05 | | -0.1 | -0.1 | 2 | | -0.1 | 47 | |
| GWQ-7 | 03/30/93 | 31 | -0.02 | -0.001 | -0.02 | -0.01 | 1.6 | -0.005 | -0.01 | 52 | |
| GWQ-7 | 05/25/94 | 51 | 1.1 | -0.001 | | -0.05 | 14 | -0.005 | -0.025 | 80 | |
| GWQ-7 | 07/21/94 | 8.2 | 0.21 | -0.001 | -0.05 | -0.05 | 13 | -0.005 | -0.025 | 47 | -0.005 |
| GWQ-8 | 06/04/76 | 15.5 | 0.003 | | | | 1.72 | | | 76.1 | |
| GWQ-8 | 02/02/81 | 20 | | | | | | | | | |
| GWQ-8 | 06/09/81 | | | | | | | | | | |
| GWQ-8 | 08/19/81 | 12.1 | 0.047 | -1 | -0.1 | -0.05 | 4.2 | 0.004 | -0.02 | 84.1 | |
| GWQ-8 | 10/01/81 | 12 | | | | | 4.2 | | | 84 | |
| GWQ-8 | 02/25/82 | | 0.17 | -0.001 | -0.05 | | | -0.005 | | | |
| GWQ-8 | 03/01/93 | 18 | | | | | 3.5 | | | 94 | |
| GWQ-8 | 03/31/93 | 18 | -0.02 | -0.001 | -0.02 | -0.01 | 1.8 | -0.005 | -0.01 | 94 | |
| GWQ-8 | 03/31/93 | 21 | -0.01 | -0.0002 | -0.02 | -0.02 | 3.5 | -0.005 | -0.01 | 94 | |
| GWQ-8 | 05/25/94 | 20 | -0.03 | -0.001 | -0.05 | -0.05 | 2.4 | -0.005 | -0.025 | 76 | |
| GWQ-8 | 04/01/97 | | -0.02 | -0.002 | | | | 0.056 | | | |
| GWQ-8 | 04/14/98 | 25.2 | -0.02 | -0.0002 | -0.05 | | 1.7 | -0.05 | | 91.2 | |
| GWQ-8 | 07/21/98 | 23.9 | -0.02 | 0.0003 | -0.05 | | 2.3 | -0.05 | | 85.3 | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|----------|------|----------|-----|----------|
| GWQ-11 | 01/29/95 | | | | |
| GWQ-11 | 03/29/95 | | | | |
| GWQ-11 | 06/27/95 | | | | |
| GWQ-11 | 09/21/95 | | | | |
| GWQ-11 | 01/10/96 | | | | |
| GWQ-11 | 04/03/96 | | | | |
| GWQ-11 | 06/01/96 | | | | |
| GWQ-11 | 09/25/96 | | | | |
| GWQ-11 | 01/15/97 | | | | |
| GWQ-11 | 04/01/97 | | | | |
| GWQ-11 | 04/01/97 | | | | |
| GWQ-11 | 07/01/97 | | | | |
| GWQ-11 | 08/01/97 | | | | |
| GWQ-11 | 10/01/97 | | | | |
| GWQ-11 | 01/15/98 | | | | |
| GWQ-11 | 04/09/98 | | | | |
| GWQ-11 | 07/13/98 | | | | |
| GWQ-12 | 05/17/82 | | | | |
| GWQ-12 | 06/14/82 | | | | |
| GWQ-12 | 07/26/82 | | | | |
| GWQ-12 | 08/18/82 | | | | |
| GWQ-12 | 09/14/82 | | | | |
| GWQ-12 | 10/18/82 | | | | |
| GWQ-12 | 11/11/82 | | | | |
| GWQ-12 | 12/28/82 | | | | |
| GWQ-12 | 02/21/83 | | | | |
| GWQ-12 | 05/06/83 | | | | |
| GWQ-12 | 05/13/83 | | | | |
| GWQ-12 | 06/02/83 | | | | |
| GWQ-12 | 07/05/83 | | | | |
| GWQ-12 | 08/09/83 | | | | |
| GWQ-12 | 08/25/83 | | | | |
| GWQ-12 | 10/20/83 | | | | |
| GWQ-12 | 11/01/83 | | | | |
| GWQ-12 | 12/07/83 | | | | |
| GWQ-12 | 01/28/84 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|----------|-------|----------|-----|----------|
| GWQ-12 | 02/13/84 | | | | |
| GWQ-12 | 03/01/84 | | | | |
| GWQ-12 | 03/16/84 | | | | |
| GWQ-12 | 04/18/84 | | | | |
| GWQ-12 | 05/22/84 | | | | |
| GWQ-12 | 05/30/84 | | | | |
| GWQ-12 | 06/26/84 | | | | |
| GWQ-12 | 07/25/84 | | | | |
| GWQ-12 | 08/27/84 | | | | |
| GWQ-12 | 09/12/84 | | | | |
| GWQ-12 | 09/21/84 | | | | |
| GWQ-12 | 11/19/84 | | | | |
| GWQ-12 | 11/27/84 | | | | |
| GWQ-12 | 12/17/84 | | | | |
| GWQ-12 | 05/27/85 | | | | |
| GWQ-12 | 11/13/85 | | | | |
| GWQ-12 | 05/23/86 | | | | |
| GWQ-12 | 10/08/86 | | | | |
| GWQ-12 | 07/21/94 | -0.05 | | | |
| GWQ-12 | 04/01/97 | | | | |
| GWQ-2 | 06/15/81 | 0.16 | 21 | | |
| GWQ-2 | 06/25/81 | 0.11 | | | |
| GWQ-3 | 03/27/81 | 0.016 | | | |
| GWQ-3 | 06/06/81 | | | | |
| GWQ-3 | 06/15/81 | 0.32 | 19 | | |
| GWQ-3 | 06/15/81 | 0.061 | | | |
| GWQ-3 | 02/25/82 | | | | |
| GWQ-3 | 05/12/82 | | | | |
| GWQ-3 | 06/30/82 | | | | |
| GWQ-3 | 12/23/82 | | | | |
| GWQ-3 | 02/21/83 | | | | |
| GWQ-3 | 05/13/83 | | | | |
| GWQ-3 | 08/09/83 | | | | |
| GWQ-3 | 11/01/83 | | | | |
| GWQ-3 | 03/16/84 | | | | |
| GWQ-3 | 06/10/81 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|----------|--------|----------|-----|----------|
| GWQ-4 | 06/15/81 | 0.056 | 20 | | |
| GWQ-4 | 06/15/81 | -0.025 | | | |
| GWQ-4 | 11/06/81 | 0.28 | | | |
| GWQ-4 | 04/01/93 | 0.38 | | | |
| GWQ-4 | 05/26/94 | 0.56 | | | |
| GWQ-4 | 06/10/81 | | | | |
| GWQ-5 | 06/15/81 | 0.064 | 20 | | |
| GWQ-5 | 06/15/81 | -0.025 | | | |
| GWQ-5 | 06/09/81 | | | | |
| GWQ-6 | 06/15/81 | -0.025 | | | |
| GWQ-6 | 06/15/81 | -0.05 | 20.5 | | |
| GWQ-6 | 02/25/82 | | | | |
| GWQ-6 | 04/01/93 | 0.03 | | | |
| GWQ-6 | | | | | |
| GWQ-6 | 01/20/81 | | | | |
| GWQ-7 | 02/02/81 | | | | |
| GWQ-7 | 02/02/81 | | | | |
| GWQ-7 | 03/27/81 | 0.28 | | | |
| GWQ-7 | 03/27/81 | 0.28 | | | |
| GWQ-7 | 04/06/81 | 0.24 | | | |
| GWQ-7 | 06/09/81 | | | | |
| GWQ-7 | 06/15/81 | 0.38 | 22 | | |
| GWQ-7 | 06/15/81 | 0.278 | | | |
| GWQ-7 | 08/07/81 | | | | |
| GWQ-7 | 08/10/81 | 0.63 | | | |
| GWQ-7 | 10/23/81 | 0.41 | | | |
| GWQ-7 | 10/23/81 | 0.16 | | | |
| GWQ-7 | 11/06/81 | 0.19 | | | |
| GWQ-7 | 02/25/82 | | | | |
| GWQ-7 | 12/28/82 | | | | |
| GWQ-7 | 02/21/83 | | | | |
| GWQ-7 | 03/16/83 | | | | |
| GWQ-7 | 05/13/83 | | | | |
| GWQ-7 | 08/09/83 | | | | |
| GWQ-7 | 11/01/83 | | | | |
| GWQ-7 | 03/16/84 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|----------|-------|----------|-----|----------|
| GWQ-7 | 05/30/84 | | | | |
| GWQ-7 | 09/12/84 | | | | |
| GWQ-7 | 11/27/84 | | | | |
| GWQ-7 | 05/17/85 | | | | |
| GWQ-7 | 11/13/85 | | | | |
| GWQ-7 | 05/23/86 | | | | |
| GWQ-7 | 10/08/86 | | | | |
| GWQ-7 | 03/30/89 | 0.1 | | 0.2 | -0.1 |
| GWQ-7 | 03/30/93 | 0.1 | | | |
| GWQ-7 | 05/25/94 | -0.05 | | | |
| GWQ-7 | 07/21/94 | -0.05 | | | |
| GWQ-8 | 06/04/76 | | | | |
| GWQ-8 | 02/02/81 | | | | |
| GWQ-8 | 06/09/81 | | | | |
| GWQ-8 | 08/19/81 | 0.69 | | | |
| GWQ-8 | 10/01/81 | | | | |
| GWQ-8 | 02/25/82 | | | | |
| GWQ-8 | 03/01/93 | | | | |
| GWQ-8 | 03/31/93 | 0.09 | | | |
| GWQ-8 | 03/31/93 | 0.075 | | | |
| GWQ-8 | 05/25/94 | -0.05 | | | |
| GWQ-8 | 04/01/97 | | | | |
| GWQ-8 | 04/14/98 | | | | |
| GWQ-8 | 07/21/98 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|-----------|-------------|-----------|------------|----------------|-------------|---------|-------------------|
| GWQ-9 | | | | -1 GWQ-9-1 | 6/4/1976 | SHB | |
| GWQ-9 | | | | -2 GWQ-9-2 | 1/20/1981 | SHB | QMC-2,CI,Na incon |
| GWQ-9 | | | | -3 GWQ-9-3 | 2/2/1981 | | |
| GWQ-9 | | | | -4 GWQ-9-4 | 2/2/1981 | SHB | Qmc-2 in SHB (198 |
| GWQ-9 | | | | -5 GWQ-9-5 | 3/27/1981 | | |
| GWQ-9 | | | | -6 GWQ-9-6 | 3/27/1981 | SHB | Qmc-2 in SHB (198 |
| GWQ-9 | | | | -7 GWQ-9-7 | 4/6/1981 | | |
| GWQ-9 | 197 | | | -8 GWQ-9-8 | 6/10/1981 | SHB | |
| GWQ-9 | | | | -9 GWQ-9-9 | 8/7/1981 | | |
| GWQ-9 | | | | -10 GWQ-9-10 | 8/10/1981 | | |
| GWQ-9 | | | | -11 GWQ-9-11 | 10/8/1981 | QMC | |
| GWQ-9 | | | | -12 GWQ-9-12 | 2/25/1982 | QMC | |
| GWQ-9 | | | | -13 GWQ-9-13 | 12/28/1982 | QMC | |
| GWQ-9 | | | | -14 GWQ-9-14 | 2/21/1983 | QMC | |
| GWQ-9 | | | | -15 GWQ-9-15 | 5/13/1983 | QMC | |
| GWQ-9 | | | | -16 GWQ-9-16 | 8/9/1983 | QMC | |
| GWQ-9 | | | | -17 GWQ-9-17 | 11/1/1983 | QMC | |
| GWQ-9 | | | | -18 GWQ-9-18 | 3/16/1984 | CFP | |
| GWQ-9 | | | | -19 GWQ-9-19 | 5/30/1984 | CFP | |
| GWQ-9 | | | | -20 GWQ-9-20 | 9/12/1984 | CFP | labeled "GWQ-9a" |
| GWQ-9 | | | | -21 GWQ-9-21 | 11/27/1984 | CFP | |
| GWQ-9 | | | | -22 GWQ-9-22 | 5/17/1985 | CFP | |
| GWQ-9 | 20.9 | | | -23 GWQ-9-23 | 6/27/1985 | QMC | |
| GWQ-9 | 20 | | | -24 GWQ-9-24 | 11/13/1985 | CFP | |
| GWQ-9 | 17.2 | | | -25 GWQ-9-25 | 5/23/1985 | CFP | |
| GWQ-9 | 17.4 | | | -26 GWQ-9-26 | 10/8/1986 | CFP | |
| GWQ-9 | | | | -27 GWQ-9-27 | 8/1/1997 | | |
| GWQ-94-13 | | | | -1 GWQ-94-13-1 | 11/15/1994 | SRK | |
| GWQ-94-13 | | | | -2 GWQ-94-13-2 | 7/1/1996 | ABC | |
| GWQ-94-13 | | | | -3 GWQ-94-13-3 | 8/1/1997 | | |
| GWQ-94-14 | | | | -1 GWQ-94-14-1 | 11/14/1994 | SRK | |
| GWQ-94-14 | | | | -2 GWQ-94-14-2 | 6/30/1996 | ABC | |
| GWQ-94-14 | | | | -3 GWQ-94-14-3 | 8/1/1997 | | |
| GWQ-94-15 | | | | -1 GWQ-94-15-1 | 11/14/1994 | SRK | |
| GWQ-94-15 | | | | -2 GWQ-94-15-2 | 7/1/1996 | ABC | |
| GWQ-94-15 | | | | -3 GWQ-94-15-3 | 8/1/1997 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|------------|-------------|--------------------|------------|------------------|-------------|------------|-------|
| GWQ-94-15 | | | | -4 GWQ-94-15-4 | 10/1/1997 | | |
| GWQ-94-15 | 0.54 | | | -5 GWQ-94-15-5 | 1/24/1998 | Goff | |
| GWQ-94-15 | 0.49 | | | -6 GWQ-94-15-6 | 2/1/1998 | | |
| GWQ-94-15 | 0.43 | | | -7 GWQ-94-15-7 | 3/1/1998 | | |
| GWQ-94-15 | 0.6 | | | -8 GWQ-94-15-8 | 4/14/1998 | Goff | |
| GWQ-94-15 | 0.61 | | | -9 GWQ-94-15-9 | 5/1/1998 | | |
| GWQ-94-15 | 0.83 | | | -10 GWQ-94-15-10 | 6/1/1998 | | |
| GWQ-94-15 | 1.03 | | | -11 GWQ-94-15-11 | 7/21/1998 | Brownfield | |
| GWQ-94-15 | 1.03 | | | -12 GWQ-94-15-12 | 8/1/1998 | | |
| GWQ-94-15 | 1.1 | | | -13 GWQ-94-15-13 | 9/1/1998 | | |
| GWQ-94-15 | | Skute Stone Arroyo | | -14 GWQ-94-15-14 | 10/15/1998 | Goff | |
| GWQ-94-16 | | Skute Stone Arroyo | | -1 GWQ-94-16-1 | 11/13/1994 | SRK | |
| GWQ-94-16 | | Skute Stone Arroyo | | -2 GWQ-94-16-2 | 7/1/1996 | ABC | |
| GWQ-94-17 | | Skute Stone Arroyo | | -1 GWQ-94-17-1 | 11/15/1994 | SRK | |
| GWQ-94-17 | | Skute Stone Arroyo | | -2 GWQ-94-17-2 | 6/30/1996 | ABC | |
| GWQ-94-17 | | Skute Stone Arroyo | | -3 GWQ-94-17-3 | 5/1/1997 | | |
| GWQ-94-17 | 6.11 | Skute Stone Arroyo | | -4 GWQ-94-17-4 | 1/24/1998 | Goff | |
| GWQ-94-17 | 6.1 | Skute Stone Arroyo | | -5 GWQ-94-17-5 | 2/1/1998 | | |
| GWQ-94-17 | 6.8 | Skute Stone Arroyo | | -6 GWQ-94-17-6 | 3/1/1998 | | |
| GWQ-94-17 | 6.13 | Skute Stone Arroyo | | -7 GWQ-94-17-7 | 4/14/1998 | Goff | |
| GWQ-94-17 | 6.22 | Skute Stone Arroyo | | -8 GWQ-94-17-8 | 5/1/1998 | | |
| GWQ-94-17 | 6.34 | Skute Stone Arroyo | | -9 GWQ-94-17-9 | 5/1/1998 | | |
| GWQ-94-17 | 6.55 | Skute Stone Arroyo | | -10 GWQ-94-17-10 | 7/21/1998 | Brownfield | |
| GWQ-94-17 | 6.55 | Skute Stone Arroyo | | -11 GWQ-94-17-11 | 8/1/1998 | | |
| GWQ-94-17 | 6.59 | Skute Stone Arroyo | | -12 GWQ-94-17-12 | 9/1/1998 | | |
| GWQ-94-20 | | Skute Stone Arroyo | | -1 GWQ-94-20-1 | 11/15/1994 | SRK | |
| GWQ-94-20 | | Skute Stone Arroyo | | -2 GWQ-94-20-2 | 6/30/1996 | ABC | |
| GWQ-94-20 | | Skute Stone Arroyo | | -3 GWQ-94-20-3 | 8/1/1997 | | |
| GWQ-94-21A | | Skute Stone Arroyo | | -1 GWQ-94-21A-1 | 11/13/1994 | SRK | |
| GWQ-94-21A | | Skute Stone Arroyo | | -2 GWQ-94-21A-2 | 6/30/1996 | ABC | |
| GWQ-94-21A | 2.41 | Skute Stone Arroyo | | -3 GWQ-94-21A-3 | 1/24/1998 | Goff | |
| GWQ-94-21A | 2.1 | Skute Stone Arroyo | | -4 GWQ-94-21A-4 | 2/1/1998 | | |
| GWQ-94-21A | 2.01 | Skute Stone Arroyo | | -5 GWQ-94-21A-5 | 3/1/1998 | | |
| GWQ-94-21A | 2.11 | Skute Stone Arroyo | | -6 GWQ-94-21A-6 | 4/14/1998 | Goff | |
| GWQ-94-21A | 2.53 | Skute Stone Arroyo | | -7 GWQ-94-21A-7 | 5/1/1998 | | |
| GWQ-94-21A | 2.64 | Skute Stone Arroyo | | -8 GWQ-94-21A-8 | 6/1/1998 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|------------|-------------|--------------------|------------|-----------------|-------------|------------|---------------------|
| GWQ-94-21A | 3.44 | Skute Stone Arroyo | | -9 GWQ-94-21A- | 7/21/1998 | Brownfield | |
| GWQ-94-21A | 2.8 | Skute Stone Arroyo | | -10 GWQ-94-21A- | 8/1/1998 | | |
| GWQ-94-21A | 2.86 | Skute Stone Arroyo | | -11 GWQ-94-21A- | 9/1/1998 | | |
| GWQ-94-21B | | Skute Stone Arroyo | | -1 GWQ-94-21B- | 11/13/1994 | SRK | |
| GWQ-94-21B | | Skute Stone Arroyo | | -2 GWQ-94-21B- | 6/30/1996 | ABC | |
| GWQ-96-22A | | | | -1 GWQ-96-22A- | 7/13/1996 | ABC | |
| GWQ-96-22A | 44.93 | | | -2 GWQ-96-22A- | 2/5/1997 | SRK | |
| GWQ-96-22A | | | | -3 GWQ-96-22A- | 4/1/1997 | | |
| GWQ-96-22A | | | | -4 GWQ-96-22A- | 8/1/1997 | | |
| GWQ-96-22A | | | | -5 GWQ-96-22A- | 8/8/1997 | SRK | |
| GWQ-96-22A | | | | -6 GWQ-96-22A- | 10/1/1997 | | |
| GWQ-96-22A | 45.92 | | | -7 GWQ-96-22A- | 1/24/1998 | Goff | |
| GWQ-96-22A | 46.09 | | | -8 GWQ-96-22A- | 2/1/1998 | | |
| GWQ-96-22A | 46.74 | | | -9 GWQ-96-22A- | 3/1/1998 | | |
| GWQ-96-22A | 47.27 | | | -10 GWQ-96-22A- | 4/14/1998 | Goff | |
| GWQ-96-22A | 47.89 | | | -11 GWQ-96-22A- | 5/1/1998 | | |
| GWQ-96-22A | 48.24 | | | -12 GWQ-96-22A- | 6/1/1998 | | |
| GWQ-96-22A | 46 | | | -13 GWQ-96-22A- | 7/21/1998 | Brownfield | |
| GWQ-96-22A | 45.1 | | | -14 GWQ-96-22A- | 8/1/1998 | | |
| GWQ-96-22A | 46.5 | | | -15 GWQ-96-22A- | 9/1/1998 | | |
| GWQ-96-22A | | | | -16 GWQ-96-22A- | 10/15/1998 | Goff | |
| GWQ-96-22B | | | | -1 GWQ-96-22B- | 7/13/1996 | ABC | |
| GWQ-96-22B | 45.22 | | | -2 GWQ-96-22B- | 2/5/1997 | SRK | |
| GWQ-96-23A | | | | -1 GWQ-96-23A- | 7/14/1996 | ABC | |
| GWQ-96-23A | 35.18 | | | -2 GWQ-96-23A- | 2/5/1997 | SRK | |
| GWQ-96-23A | | | | -3 GWQ-96-23A- | 4/1/1997 | | |
| GWQ-96-23A | | | | -4 GWQ-96-23A- | 4/1/1997 | | |
| GWQ-96-23A | | | | -5 GWQ-96-23A- | 8/1/1997 | | |
| GWQ-96-23A | | | | -6 GWQ-96-23A- | 8/8/1997 | SRK | |
| GWQ-96-23A | 35.89 | | | -7 GWQ-96-23A- | 1/24/1998 | Goff | Dup sample had v. h |
| GWQ-96-23A | 35.82 | | | -8 GWQ-96-23A- | 2/1/1998 | | |
| GWQ-96-23A | 35.6 | | | -9 GWQ-96-23A- | 3/1/1998 | | |
| GWQ-96-23A | 35.71 | | | -10 GWQ-96-23A- | 4/14/1998 | Goff | |
| GWQ-96-23A | 34.91 | | | -11 GWQ-96-23A- | 5/1/1998 | | |
| GWQ-96-23A | 34.97 | | | -12 GWQ-96-23A- | 6/1/1998 | | |
| GWQ-96-23A | 36.68 | | | -13 GWQ-96-23A- | 7/21/1998 | Brownfield | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|----------------|-------------|--------------------|------------|-----------------|-------------|------------|----------------------|
| GWQ-96-23A | 36.32 | | | -14 GWQ-96-23A- | 8/1/1998 | | |
| GWQ-96-23A | 36.35 | | | -15 GWQ-96-23A- | 9/1/1998 | | |
| GWQ-96-23A | | | | -16 GWQ-96-23A- | 10/15/1998 | Goff | |
| GWQ-96-23B | | | | -1 GWQ-96-23B- | 7/14/1996 | ABC | |
| GWQ-96-23B | 36.745 | | | -2 GWQ-96-23B- | 2/5/1997 | SRK | |
| GWQ-96-23B | | | | -3 GWQ-96-23B- | 4/1/1997 | | |
| GWQ-96-23B | | | | -4 GWQ-96-23B- | 4/1/1997 | | |
| Hansen | 12.6 | | | -1 Hansen-1 | 1/1/1998 | | |
| Hansen | 12.5 | | | -2 Hansen-2 | 2/1/1998 | | |
| Hansen | 12.2 | | | -3 Hansen-3 | 3/1/1998 | | |
| Hansen | 11.3 | | | -4 Hansen-4 | 4/1/1998 | | |
| Hansen | 11 | | | -5 Hansen-5 | 5/1/1998 | | |
| Hansen | 11.25 | | | -6 Hansen-6 | 6/1/1998 | | |
| Hansen | 11.25 | | | -7 Hansen-7 | 7/22/1998 | Brownfield | |
| Hansen | 12 | | | -8 Hansen-8 | 8/1/1998 | | |
| Hansen | 11 | | | -9 Hansen-9 | 9/1/1998 | | |
| Highway | | Skute Stone Arroyo | | -1 Highway-1 | 5/27/1994 | SRK | |
| Highway | | Skute Stone Arroyo | | -2 Highway-2 | 4/14/1998 | Goff | Labeled "Birdy Wind" |
| Hill | | | | -1 Hill-1 | 7/13/1947 | | |
| Humphries-Deep | | | | -1 Humphries-De | 10/1/1997 | | |
| Humphries-Deep | 36.75 | | | -2 Humphries-De | 1/23/1998 | Goff | |
| Humphries-Deep | 36.5 | | | -3 Humphries-De | 2/1/1998 | | |
| Humphries-Deep | 36.05 | | | -4 Humphries-De | 3/1/1998 | | |
| Humphries-Deep | 36.29 | | | -5 Humphries-De | 4/15/1998 | Goff | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-9 | 6/4/1976 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 19.9 | 34 |
| GWQ-9 | 1/20/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 200 | 300 |
| GWQ-9 | 2/2/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 20 | 156 |
| GWQ-9 | 2/2/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 156 |
| GWQ-9 | 3/27/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | | |
| GWQ-9 | 3/27/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | | |
| GWQ-9 | 4/6/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | | |
| GWQ-9 | 6/10/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | | |
| GWQ-9 | 8/7/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 100 | 140 |
| GWQ-9 | 8/10/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 22 | 148 |
| GWQ-9 | 10/8/1981 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 22.4 | 133 |
| GWQ-9 | 2/25/1982 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 26 | 160 |
| GWQ-9 | 12/28/1982 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 150 |
| GWQ-9 | 2/21/1983 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 161 |
| GWQ-9 | 5/13/1983 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 158 |
| GWQ-9 | 8/9/1983 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 135 |
| GWQ-9 | 11/1/1983 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 18 | 132 |
| GWQ-9 | 3/16/1984 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 18 | 132 |
| GWQ-9 | 5/30/1984 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 18 | 154 |
| GWQ-9 | 9/12/1984 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 132 |
| GWQ-9 | 11/27/1984 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 16 | 132 |
| GWQ-9 | 5/17/1985 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 20 | 149 |
| GWQ-9 | 6/27/1985 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | | |
| GWQ-9 | 11/13/1985 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 20 | 142 |
| GWQ-9 | 5/23/1985 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 36 | 137 |
| GWQ-9 | 10/8/1986 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | FALSE | 20 | 125 |
| GWQ-9 | 8/1/1997 | 32.96438 | 107.49539 | 266762 | 3649912 | 13 | 5195 | TRUE | 55.1 | |
| GWQ-94-13 | 11/15/1994 | 32.96113 | 107.49664 | 266637 | 3649555 | 13 | 5186 | TRUE | 190 | 720 |
| GWQ-94-13 | 7/1/1996 | 32.96113 | 107.49664 | 266637 | 3649555 | 13 | 5186 | TRUE | 200 | 620 |
| GWQ-94-13 | 8/1/1997 | 32.96113 | 107.49664 | 266637 | 3649555 | 13 | 5186 | TRUE | 196.1 | |
| GWQ-94-14 | 11/14/1994 | 32.96082 | 107.49482 | 266806 | 3649515 | 13 | 5178 | TRUE | 22 | 140 |
| GWQ-94-14 | 6/30/1996 | 32.96082 | 107.49482 | 266806 | 3649515 | 13 | 5178 | TRUE | 26 | 140 |
| GWQ-94-14 | 8/1/1997 | 32.96082 | 107.49482 | 266806 | 3649515 | 13 | 5178 | TRUE | 32 | |
| GWQ-94-15 | 11/14/1994 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 110 | 180 |
| GWQ-94-15 | 7/1/1996 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 130 | 240 |
| GWQ-94-15 | 8/1/1997 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 51.7 | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|------------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-94-15 | 10/1/1997 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 53 | 150.5 |
| GWQ-94-15 | 1/24/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 55.2 | 148 |
| GWQ-94-15 | 2/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 3/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 4/14/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 73.6 | 158 |
| GWQ-94-15 | 5/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 6/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 7/21/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 57.3 | 154 |
| GWQ-94-15 | 8/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 9/1/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | | | |
| GWQ-94-15 | 10/15/1998 | 32.95942 | 107.49490 | 266794 | 3649361 | 13 | 5168 | TRUE | 53 | 150.5 |
| GWQ-94-16 | 11/13/1994 | 32.96016 | 107.49671 | 266627 | 3649447 | 13 | 5183 | TRUE | 190 | 410 |
| GWQ-94-16 | 7/1/1996 | 32.96016 | 107.49671 | 266627 | 3649447 | 13 | 5183 | TRUE | 200 | 500 |
| GWQ-94-17 | 11/15/1994 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 110 | 240 |
| GWQ-94-17 | 6/30/1996 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 81 | 190 |
| GWQ-94-17 | 5/1/1997 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 61.2 | |
| GWQ-94-17 | 1/24/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 46.5 | 141 |
| GWQ-94-17 | 2/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-17 | 3/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-17 | 4/14/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 47.5 | 136 |
| GWQ-94-17 | 5/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-17 | 5/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-17 | 7/21/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | TRUE | 48.1 | 140 |
| GWQ-94-17 | 8/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-17 | 9/1/1998 | 32.96115 | 107.49601 | 266696 | 3649555 | 13 | 5183 | | | |
| GWQ-94-20 | 11/15/1994 | 32.96148 | 107.49676 | 266626 | 3649593 | 13 | 5189 | TRUE | 19 | 40 |
| GWQ-94-20 | 6/30/1996 | 32.96148 | 107.49676 | 266626 | 3649593 | 13 | 5189 | TRUE | 21 | 56 |
| GWQ-94-20 | 8/1/1997 | 32.96148 | 107.49676 | 266626 | 3649593 | 13 | 5189 | TRUE | 22 | |
| GWQ-94-21A | 11/13/1994 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 18 | 130 |
| GWQ-94-21A | 6/30/1996 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 16 | 120 |
| GWQ-94-21A | 1/24/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 19.1 | 130 |
| GWQ-94-21A | 2/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |
| GWQ-94-21A | 3/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |
| GWQ-94-21A | 4/14/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 19.6 | 142 |
| GWQ-94-21A | 5/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |
| GWQ-94-21A | 6/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|------------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-94-21A | 7/21/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 19.9 | 119 |
| GWQ-94-21A | 8/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |
| GWQ-94-21A | 9/1/1998 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | | | |
| GWQ-94-21B | 11/13/1994 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 19 | 130 |
| GWQ-94-21B | 6/30/1996 | 32.96099 | 107.49399 | 266884 | 3649533 | 13 | 5177 | TRUE | 17 | 120 |
| GWQ-96-22A | 7/13/1996 | | | | | | | TRUE | 89 | 250 |
| GWQ-96-22A | 2/5/1997 | | | | | | | TRUE | | |
| GWQ-96-22A | 4/1/1997 | | | | | | | TRUE | 96.5 | 267 |
| GWQ-96-22A | 8/1/1997 | | | | | | | TRUE | 93.2 | |
| GWQ-96-22A | 8/8/1997 | | | | | | | TRUE | 89 | 230 |
| GWQ-96-22A | 10/1/1997 | | | | | | | TRUE | 80 | 260 |
| GWQ-96-22A | 1/24/1998 | | | | | | | TRUE | 80.4 | 254 |
| GWQ-96-22A | 2/1/1998 | | | | | | | | | |
| GWQ-96-22A | 3/1/1998 | | | | | | | | | |
| GWQ-96-22A | 4/14/1998 | | | | | | | TRUE | 83.8 | 254 |
| GWQ-96-22A | 5/1/1998 | | | | | | | | | |
| GWQ-96-22A | 6/1/1998 | | | | | | | | | |
| GWQ-96-22A | 7/21/1998 | | | | | | | TRUE | 81.4 | 303.4 |
| GWQ-96-22A | 8/1/1998 | | | | | | | | | |
| GWQ-96-22A | 9/1/1998 | | | | | | | | | |
| GWQ-96-22A | 10/15/1998 | | | | | | | TRUE | 80 | 260 |
| GWQ-96-22B | 7/13/1996 | | | | | | | TRUE | 210 | 79 |
| GWQ-96-22B | 2/5/1997 | | | | | | | TRUE | | |
| GWQ-96-23A | 7/14/1996 | | | | | | | TRUE | 22 | 140 |
| GWQ-96-23A | 2/5/1997 | | | | | | | TRUE | | |
| GWQ-96-23A | 4/1/1997 | | | | | | | TRUE | 20 | 150 |
| GWQ-96-23A | 4/1/1997 | | | | | | | TRUE | 25 | 174 |
| GWQ-96-23A | 8/1/1997 | | | | | | | TRUE | 18.2 | |
| GWQ-96-23A | 8/8/1997 | | | | | | | TRUE | 18 | 410 |
| GWQ-96-23A | 1/24/1998 | | | | | | | TRUE | 19.6 | 85 |
| GWQ-96-23A | 2/1/1998 | | | | | | | | | |
| GWQ-96-23A | 3/1/1998 | | | | | | | | | |
| GWQ-96-23A | 4/14/1998 | | | | | | | TRUE | 18.9 | 323 |
| GWQ-96-23A | 5/1/1998 | | | | | | | | | |
| GWQ-96-23A | 6/1/1998 | | | | | | | | | |
| GWQ-96-23A | 7/21/1998 | | | | | | | TRUE | 18.6 | 330 |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|--------------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| GWQ-96-23A | 8/1/1998 | | | | | | | | | |
| GWQ-96-23A | 9/1/1998 | | | | | | | | | |
| GWQ-96-23A | 10/15/1998 | | | | | | | TRUE | 18.3 | 450.7 |
| GWQ-96-23B | 7/14/1996 | | | | | | | TRUE | 20 | 170 |
| GWQ-96-23B | 2/5/1997 | | | | | | | TRUE | | |
| GWQ-96-23B | 4/1/1997 | | | | | | | TRUE | 16 | 170 |
| GWQ-96-23B | 4/1/1997 | | | | | | | TRUE | 22.1 | 238 |
| Hansen | 1/1/1998 | | | | | | | | | |
| Hansen | 2/1/1998 | | | | | | | | | |
| Hansen | 3/1/1998 | | | | | | | | | |
| Hansen | 4/1/1998 | | | | | | | | | |
| Hansen | 5/1/1998 | | | | | | | | | |
| Hansen | 6/1/1998 | | | | | | | | | |
| Hansen | 7/22/1998 | | | | | | | TRUE | 26.5 | 21 |
| Hansen | 8/1/1998 | | | | | | | | | |
| Hansen | 9/1/1998 | | | | | | | | | |
| Highway | 5/27/1994 | | | | | | | FALSE | 23 | 42 |
| Highway | 4/14/1998 | | | | | | | TRUE | 22.6 | 50 |
| Hill | 7/13/1947 | | | | | | | FALSE | 10 | 76 |
| Humphries-De | 10/1/1997 | | | | | | | TRUE | 19.4 | 19 |
| Humphries-De | 1/23/1998 | | | | | | | TRUE | 18.6 | 18 |
| Humphries-De | 2/1/1998 | | | | | | | | | |
| Humphries-De | 3/1/1998 | | | | | | | | | |
| Humphries-De | 4/15/1998 | | | | | | | TRUE | 18.1 | 19 |

| Well Name | Sample Date | pH | TDS | Alkalinity | Bicarb | Spec.Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|-------------|------|------|------------|--------|------------|----------|---------|----------|----------|---------|
| GWQ-9 | 6/4/1976 | | 8.6 | 350 | | 188 | 480 | 0.44 | 4 | | |
| GWQ-9 | 1/20/1981 | | 7.4 | 450 | | 305 | | | | | |
| GWQ-9 | 2/2/1981 | | 7.9 | 510 | | 273 | | | | | |
| GWQ-9 | 2/2/1981 | | 7.9 | 510 | | 273 | | | | | |
| GWQ-9 | 3/27/1981 | | | | | | 0.6 | 1.4 | | | -0.01 |
| GWQ-9 | 3/27/1981 | | | | | | 0.6 | 1.4 | | | -0.01 |
| GWQ-9 | 4/6/1981 | | | | | | 0.56 | 1.2 | | | 0.002 |
| GWQ-9 | 6/10/1981 | | | | | | | | | | |
| GWQ-9 | 8/7/1981 | 7.4 | 450 | | 268.4 | | | | | | |
| GWQ-9 | 8/10/1981 | 8 | 470 | | 268 | | 0.5 | 1.4 | | | -0.01 |
| GWQ-9 | 10/8/1981 | 7.22 | 476 | | 302 | | 0.6 | 0.96 | -0.25 | | -0.004 |
| GWQ-9 | 2/25/1982 | 8.3 | 430 | | | | 0.5 | 0.9 | | | |
| GWQ-9 | 12/28/1982 | 7.8 | 480 | | | | 0.5 | 1 | | | |
| GWQ-9 | 2/21/1983 | 8 | 480 | | | | 0.5 | 1.4 | | | |
| GWQ-9 | 5/13/1983 | 8.2 | 460 | | | | 0.5 | 1.1 | | | |
| GWQ-9 | 8/9/1983 | 8 | 480 | | | | 0.5 | 0.9 | | | |
| GWQ-9 | 11/1/1983 | 8.2 | 460 | | | | 0.5 | 0.8 | | | |
| GWQ-9 | 3/16/1984 | 8.1 | 460 | | | | 0.7 | 1.7 | | | |
| GWQ-9 | 5/30/1984 | 7.6 | 450 | | | | 0.5 | 0.9 | | | |
| GWQ-9 | 9/12/1984 | 8 | 470 | | | | 0.5 | 1.3 | | | |
| GWQ-9 | 11/27/1984 | 7.9 | 470 | | | | 0.5 | 1.5 | | | |
| GWQ-9 | 5/17/1985 | 8 | 490 | | | | | | | | |
| GWQ-9 | 6/27/1985 | | | | | | | | | | |
| GWQ-9 | 11/13/1985 | 7.8 | 450 | | | | | | | | |
| GWQ-9 | 5/23/1985 | 7.9 | 490 | | | | | | | | |
| GWQ-9 | 10/8/1986 | 7.6 | 460 | | | | | | | | |
| GWQ-9 | 8/1/1997 | 7.3 | 867 | | | | 0.58 | | | | |
| GWQ-94-13 | 11/15/1994 | 7.74 | 1570 | | 159 | 2026 | 0.36 | 4.6 | -0.05 | -0.005 | -0.005 |
| GWQ-94-13 | 7/1/1996 | 7.76 | 1520 | 128 | 156 | 2000 | 0.34 | 5.2 | -0.025 | -0.002 | -0.005 |
| GWQ-94-13 | 8/1/1997 | 7.2 | 1330 | | | | 0.55 | | | | |
| GWQ-94-14 | 11/14/1994 | 7.95 | 560 | | 279 | 745 | 0.52 | 1.3 | -0.05 | -0.005 | -0.005 |
| GWQ-94-14 | 6/30/1996 | 8.44 | 520 | 222 | 261 | 641 | 0.48 | 1.5 | -0.025 | -0.002 | -0.005 |
| GWQ-94-14 | 8/1/1997 | 7.32 | 475 | | | | 0.55 | | | | |
| GWQ-94-15 | 11/14/1994 | 7.74 | 790 | | 265 | 1058 | 0.46 | 2.1 | -0.05 | -0.005 | -0.005 |
| GWQ-94-15 | 7/1/1996 | 7.31 | 780 | 186 | 227 | 1190 | 0.42 | 2.5 | -0.025 | -0.002 | -0.005 |
| GWQ-94-15 | 8/1/1997 | 8.08 | 441 | | | | 0.55 | | | | |

| Well Name | Sample Date | pH | TDS | Alkalinity | Bicarb | Spec.Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|------------|-------------|------|-----|------------|--------|------------|----------|---------|----------|----------|---------|
| GWQ-94-21A | 7/21/1998 | | 464 | | | | 0.7 | 1.34 | | | |
| GWQ-94-21A | 8/1/1998 | | | | | | | | | | |
| GWQ-94-21A | 9/1/1998 | | | | | | | | | | |
| GWQ-94-21B | 11/13/1994 | 7.57 | 440 | | 255 | 669 | 0.39 | -1 | -0.05 | -0.005 | -0.005 |
| GWQ-94-21B | 6/30/1996 | 8.6 | 470 | 226 | 256 | 648 | 0.52 | 1.1 | -0.025 | -0.002 | -0.005 |
| GWQ-96-22A | 7/13/1996 | 7.5 | 700 | 102 | 124 | 1040 | 3.3 | -1 | -0.025 | -0.003 | -0.005 |
| GWQ-96-22A | 2/5/1997 | | | | | | | | | | |
| GWQ-96-22A | 4/1/1997 | | 707 | | | | 1.7 | | | | |
| GWQ-96-22A | 8/1/1997 | 7.32 | 687 | | | | 2.5 | | | | |
| GWQ-96-22A | 8/8/1997 | 7.65 | 700 | 145 | 177 | 1140 | 2.2 | -1 | 0.028 | | -0.005 |
| GWQ-96-22A | 10/1/1997 | 7.69 | 689 | | | | 0.8 | -0.05 | | | |
| GWQ-96-22A | 1/24/1998 | 7.59 | 665 | | 154.3 | 1190 | 2.53 | | | | |
| GWQ-96-22A | 2/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 3/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 4/14/1998 | 7.65 | 655 | | 148 | 1130 | 3 | 0.1 | | | |
| GWQ-96-22A | 5/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 6/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 7/21/1998 | | 669 | | | | 2.86 | 0.07 | | | |
| GWQ-96-22A | 8/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 9/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 10/15/1998 | 7.69 | 689 | | | 1120 | | -0.05 | | | |
| GWQ-96-22B | 7/13/1996 | 7.75 | 650 | 116 | 141 | 1070 | 1.8 | -1 | -0.025 | -0.003 | -0.005 |
| GWQ-96-22B | 2/5/1997 | | | | | | | | | | |
| GWQ-96-23A | 7/14/1996 | 7.95 | 520 | 230 | 280 | 760 | 0.84 | -1 | 0.28 | -0.003 | -0.005 |
| GWQ-96-23A | 2/5/1997 | | | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | 770 | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | 737 | | | | 0.5 | | | | |
| GWQ-96-23A | 8/1/1997 | 7.03 | 939 | | | | 1.3 | | | | |
| GWQ-96-23A | 8/8/1997 | 7.68 | 920 | 269 | 328 | 1130 | 1.2 | -1 | 0.036 | | -0.005 |
| GWQ-96-23A | 1/24/1998 | 7.8 | 519 | | 503.25 | 933 | 1.76 | | | | |
| GWQ-96-23A | 2/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 3/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 4/14/1998 | 7.57 | 918 | | | 1390 | 1.54 | -0.05 | | | |
| GWQ-96-23A | 5/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 6/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 7/21/1998 | | 916 | | | | 1.69 | -0.05 | | | |

| Well Name | Sample Date | pH | TDS | Alkalinity | Bicarb | Spec.Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic | |
|----------------|-------------|----|------|------------|--------|------------|----------|---------|----------|----------|---------|--------|
| GWQ-96-23A | 8/1/1998 | | | | | | | | | | | |
| GWQ-96-23A | 9/1/1998 | | | | | | | | | | | |
| GWQ-96-23A | 10/15/1998 | | 7.67 | 986 | | 1320 | | -0.05 | | | | |
| GWQ-96-23B | 7/14/1996 | | 8.15 | 550 | 200 | 234 | 780 | 1.1 | -1 | 7.4 | -0.003 | -0.005 |
| GWQ-96-23B | 2/5/1997 | | | | | | | | | | | |
| GWQ-96-23B | 4/1/1997 | | | 580 | | | | 1.4 | | | | |
| GWQ-96-23B | 4/1/1997 | | | 375 | | | | 0.8 | | | | |
| Hansen | 1/1/1998 | | | | | | | | | | | |
| Hansen | 2/1/1998 | | | | | | | | | | | |
| Hansen | 3/1/1998 | | | | | | | | | | | |
| Hansen | 4/1/1998 | | | | | | | | | | | |
| Hansen | 5/1/1998 | | | | | | | | | | | |
| Hansen | 6/1/1998 | | | | | | | | | | | |
| Hansen | 7/22/1998 | | | 232 | | | 0.59 | 0.7 | | | | |
| Hansen | 8/1/1998 | | | | | | | | | | | |
| Hansen | 9/1/1998 | | | | | | | | | | | |
| Highway | 5/27/1994 | | 8.19 | 342 | | 227 | 513 | 0.89 | 2.4 | -0.05 | 0.0076 | -0.005 |
| Highway | 4/14/1998 | | 8.38 | 304 | | | 545 | 1.1 | 2.2 | | | |
| Hill | 7/13/1947 | | | 320 | | 190 | 426 | 0.6 | 0.7 | | | |
| Humphries-Deep | 10/1/1997 | | 8.05 | 259 | | | | | -0.05 | | | |
| Humphries-Deep | 1/23/1998 | | 7.33 | 267 | | 253.8 | 539 | 0.2 | | | | |
| Humphries-Deep | 2/1/1998 | | | | | | | | | | | |
| Humphries-Deep | 3/1/1998 | | | | | | | | | | | |
| Humphries-Deep | 4/15/1998 | | 7.6 | 290 | | | 501 | 0.22 | 0.15 | | | |

| Well Name | Sample Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|------------|-------------|--------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| GWQ-94-21A | 7/21/1998 | | | | | 83.9 | | | 0.017 | -0.05 | |
| GWQ-94-21A | 8/1/1998 | | | | | | | | | | |
| GWQ-94-21A | 9/1/1998 | | | | | | | | | | |
| GWQ-94-21B | 11/13/1994 | -0.1 | -0.1 | -0.002 | -0.0005 | 71 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| GWQ-94-21B | 6/30/1996 | -0.05 | -0.05 | -0.002 | -0.0005 | 87 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| GWQ-96-22A | 7/13/1996 | -0.05 | -0.05 | -0.002 | -0.0005 | 71 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| GWQ-96-22A | 2/5/1997 | | | | | | | | | | |
| GWQ-96-22A | 4/1/1997 | | | | | | | | -0.005 | 1.2 | |
| GWQ-96-22A | 8/1/1997 | | | | | | | | | | |
| GWQ-96-22A | 8/8/1997 | 0.23 | 0.057 | -0.002 | -0.002 | 73 | -0.025 | -0.05 | -0.025 | 0.13 | -0.005 |
| GWQ-96-22A | 10/1/1997 | | | | | | | | -0.005 | 0.61 | |
| GWQ-96-22A | 1/24/1998 | | | | | 60 | | | -0.005 | | |
| GWQ-96-22A | 2/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 3/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 4/14/1998 | | | | | 67.3 | | | 0.007 | 0.07 | |
| GWQ-96-22A | 5/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 6/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 7/21/1998 | | | | | 69.3 | | | -0.005 | -0.05 | |
| GWQ-96-22A | 8/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 9/1/1998 | | | | | | | | | | |
| GWQ-96-22A | 10/15/1998 | | | | | | | | -0.005 | 0.61 | |
| GWQ-96-22B | 7/13/1996 | 0.12 | 0.096 | -0.002 | -0.0005 | 66 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| GWQ-96-22B | 2/5/1997 | | | | | | | | | | |
| GWQ-96-23A | 7/14/1996 | -0.05 | 0.064 | -0.002 | -0.0005 | 59 | -0.025 | -0.05 | -0.025 | 0.26 | -0.005 |
| GWQ-96-23A | 2/5/1997 | | | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | | | | | | | -0.005 | | |
| GWQ-96-23A | 8/1/1997 | | | | | | | | | | |
| GWQ-96-23A | 8/8/1997 | 0.0687 | 0.13 | -0.002 | -0.002 | 130 | 0.025 | -0.05 | -0.025 | 0.82 | -0.005 |
| GWQ-96-23A | 1/24/1998 | | | | | 80.3 | | | -0.005 | | |
| GWQ-96-23A | 2/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 3/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 4/14/1998 | | | | | 169.4 | | | 0.019 | 0.41 | |
| GWQ-96-23A | 5/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 6/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 7/21/1998 | | | | | 168.1 | | | -0.005 | 2.59 | |

| Well Name | Sample Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|----------------|-------------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| GWQ-96-23A | 8/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 9/1/1998 | | | | | | | | | | |
| GWQ-96-23A | 10/15/1998 | | | | | | | | -0.005 | 0.65 | |
| GWQ-96-23B | 7/14/1996 | 0.058 | 0.093 | -0.002 | -0.0005 | 67 | -0.025 | -0.05 | -0.025 | 3.7 | -0.005 |
| GWQ-96-23B | 2/5/1997 | | | | | | | | | | |
| GWQ-96-23B | 4/1/1997 | | | | | | | | -0.025 | 0.1 | |
| GWQ-96-23B | 4/1/1997 | | | | | | | | -0.005 | 0.25 | |
| Hansen | 1/1/1998 | | | | | | | | | | |
| Hansen | 2/1/1998 | | | | | | | | | | |
| Hansen | 3/1/1998 | | | | | | | | | | |
| Hansen | 4/1/1998 | | | | | | | | | | |
| Hansen | 5/1/1998 | | | | | | | | | | |
| Hansen | 6/1/1998 | | | | | | | | | | |
| Hansen | 7/22/1998 | | | | | 19.7 | | | -0.005 | -0.05 | |
| Hansen | 8/1/1998 | | | | | | | | | | |
| Hansen | 9/1/1998 | | | | | | | | | | |
| Highway | 5/27/1994 | -0.01 | -0.1 | -0.002 | -0.0005 | 63 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| Highway | 4/14/1998 | | | | | 63.6 | | | 0.014 | 0.22 | |
| Hill | 7/13/1947 | | | | | 37 | | | | | |
| Humphries-Deep | 10/1/1997 | | | | | | | | -0.005 | 0.17 | |
| Humphries-Deep | 1/23/1998 | | | | | | | | -0.005 | | |
| Humphries-Deep | 2/1/1998 | | | | | | | | | | |
| Humphries-Deep | 3/1/1998 | | | | | | | | | | |
| Humphries-Deep | 4/15/1998 | | | | | 66.2 | | | -0.005 | -0.05 | |

| Well Name | Sample Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium |
|------------|-------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|
| GWQ-94-21A | 7/21/1998 | 22 | -0.02 | 0.0002 | -0.05 | | 2 | -0.05 | | |
| GWQ-94-21A | 8/1/1998 | | | | | | | | | |
| GWQ-94-21A | 9/1/1998 | | | | | | | | | |
| GWQ-94-21B | 11/13/1994 | 18 | 0.37 | -0.001 | -0.05 | -0.05 | 2.6 | -0.005 | -0.025 | 56 |
| GWQ-94-21B | 6/30/1996 | 22 | -0.03 | -0.001 | -0.05 | -0.05 | 1.7 | -0.005 | -0.05 | 40 |
| GWQ-96-22A | 7/13/1996 | 6.7 | 0.075 | -0.001 | -0.05 | -0.05 | 2.5 | -0.005 | -0.05 | 150 |
| GWQ-96-22A | 2/5/1997 | | | | | | | | | |
| GWQ-96-22A | 4/1/1997 | | 0.44 | -0.002 | | | | -0.001 | | |
| GWQ-96-22A | 8/1/1997 | | | | | | | | | |
| GWQ-96-22A | 8/8/1997 | 8.2 | 0.53 | | -0.05 | -0.05 | 6.2 | -0.005 | -0.025 | 170 |
| GWQ-96-22A | 10/1/1997 | | | | | | | | | |
| GWQ-96-22A | 1/24/1998 | 5.5 | 0.163 | | | | 7.6 | | | 146.3 |
| GWQ-96-22A | 2/1/1998 | | | | | | | | | |
| GWQ-96-22A | 3/1/1998 | | | | | | | | | |
| GWQ-96-22A | 4/14/1998 | 4.8 | 0.12 | -0.0002 | -0.05 | | 3.6 | -0.05 | | |
| GWQ-96-22A | 5/1/1998 | | | | | | | | | |
| GWQ-96-22A | 6/1/1998 | | | | | | | | | |
| GWQ-96-22A | 7/21/1998 | 5.7 | 0.04 | -0.0002 | -0.05 | | 3.7 | -0.05 | | 143.9 |
| GWQ-96-22A | 8/1/1998 | | | | | | | | | |
| GWQ-96-22A | 9/1/1998 | | | | | | | | | |
| GWQ-96-22A | 10/15/1998 | | | | | | | | | |
| GWQ-96-22B | 7/13/1996 | 10 | 0.41 | -0.001 | -0.05 | -0.05 | 10 | -0.005 | -0.05 | 130 |
| GWQ-96-22B | 2/5/1997 | | | | | | | | | |
| GWQ-96-23A | 7/14/1996 | 18 | 0.05 | -0.001 | -0.05 | -0.05 | 4.2 | -0.005 | -0.05 | 98 |
| GWQ-96-23A | 2/5/1997 | | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | | | | | | | | |
| GWQ-96-23A | 4/1/1997 | | 2.56 | -0.002 | | | | 0.043 | | |
| GWQ-96-23A | 8/1/1997 | | | | | | | | | |
| GWQ-96-23A | 8/8/1997 | 36 | 1.6 | | -0.05 | -0.05 | 2.5 | -0.005 | -0.025 | 72 |
| GWQ-96-23A | 1/24/1998 | 22.4 | 0.36 | | | | 5.6 | | | 83.6 |
| GWQ-96-23A | 2/1/1998 | | | | | | | | | |
| GWQ-96-23A | 3/1/1998 | | | | | | | | | |
| GWQ-96-23A | 4/14/1998 | 43.4 | 1.4 | -0.0002 | -0.05 | | 2.5 | -0.05 | | 86.6 |
| GWQ-96-23A | 5/1/1998 | | | | | | | | | |
| GWQ-96-23A | 6/1/1998 | | | | | | | | | |
| GWQ-96-23A | 7/21/1998 | 41.8 | 1.67 | -0.0002 | -0.05 | | 3.2 | -0.05 | | 80 |

| Well Name | Sample Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium |
|----------------|-------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|
| GWQ-96-23A | 8/1/1998 | | | | | | | | | |
| GWQ-96-23A | 9/1/1998 | | | | | | | | | |
| GWQ-96-23A | 10/15/1998 | | | | | | | | | |
| GWQ-96-23B | 7/14/1996 | 20 | 0.13 | -0.001 | -0.05 | -0.05 | 4 | -0.005 | -0.05 | 79 |
| GWQ-96-23B | 2/5/1997 | | | | | | | | | |
| GWQ-96-23B | 4/1/1997 | | 0.75 | | | | | | | |
| GWQ-96-23B | 4/1/1997 | | 0.72 | 0.002 | | | | 0.027 | | |
| Hansen | 1/1/1998 | | | | | | | | | |
| Hansen | 2/1/1998 | | | | | | | | | |
| Hansen | 3/1/1998 | | | | | | | | | |
| Hansen | 4/1/1998 | | | | | | | | | |
| Hansen | 5/1/1998 | | | | | | | | | |
| Hansen | 6/1/1998 | | | | | | | | | |
| Hansen | 7/22/1998 | 2.1 | -0.02 | -0.0002 | -0.05 | | 3.9 | -0.05 | | 46 |
| Hansen | 8/1/1998 | | | | | | | | | |
| Hansen | 9/1/1998 | | | | | | | | | |
| Highway | 5/27/1994 | 14 | -0.03 | -0.001 | -0.05 | -0.05 | 3 | -0.005 | -0.025 | 28 |
| Highway | 4/14/1998 | 13.9 | -0.02 | -0.0002 | -0.05 | | 0.9 | -0.05 | | 27.2 |
| Hill | 7/13/1947 | 1.9 | | | | | | | | |
| Humphries-Deep | 10/1/1997 | | | | | | | | | |
| Humphries-Deep | 1/23/1998 | 11 | -0.02 | | | | 4.8 | | | 22 |
| Humphries-Deep | 2/1/1998 | | | | | | | | | |
| Humphries-Deep | 3/1/1998 | | | | | | | | | |
| Humphries-Deep | 4/15/1998 | 11 | -0.02 | -0.0002 | -0.05 | | 1.8 | -0.05 | | 21.8 |

| Thallium | Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|-------------|-------|----------|-----|----------|
| | GWQ-9 | 6/4/1976 | | | | |
| | GWQ-9 | 1/20/1981 | | | | |
| | GWQ-9 | 2/2/1981 | | | | |
| | GWQ-9 | 2/2/1981 | | | | |
| | GWQ-9 | 3/27/1981 | 0.16 | | | |
| | GWQ-9 | 3/27/1981 | 0.16 | | | |
| | GWQ-9 | 4/6/1981 | 0.13 | | | |
| | GWQ-9 | 6/10/1981 | | | | |
| | GWQ-9 | 8/7/1981 | | | | |
| | GWQ-9 | 8/10/1981 | 0.96 | | | |
| | GWQ-9 | 10/8/1981 | 0.35 | | | |
| | GWQ-9 | 2/25/1982 | | | | |
| | GWQ-9 | 12/28/1982 | | | | |
| | GWQ-9 | 2/21/1983 | | | | |
| | GWQ-9 | 5/13/1983 | | | | |
| | GWQ-9 | 8/9/1983 | | | | |
| | GWQ-9 | 11/1/1983 | | | | |
| | GWQ-9 | 3/16/1984 | | | | |
| | GWQ-9 | 5/30/1984 | | | | |
| | GWQ-9 | 9/12/1984 | | | | |
| | GWQ-9 | 11/27/1984 | | | | |
| | GWQ-9 | 5/17/1985 | | | | |
| | GWQ-9 | 6/27/1985 | | | | |
| | GWQ-9 | 11/13/1985 | | | | |
| | GWQ-9 | 5/23/1985 | | | | |
| | GWQ-9 | 10/8/1986 | | | | |
| | GWQ-9 | 8/1/1997 | | | | |
| -0.005 | GWQ-94-13 | 11/15/1994 | -0.05 | | | |
| -0.001 | GWQ-94-13 | 7/1/1996 | -0.05 | | | |
| | GWQ-94-13 | 8/1/1997 | | | | |
| -0.005 | GWQ-94-14 | 11/14/1994 | -0.05 | | | |
| -0.001 | GWQ-94-14 | 6/30/1996 | -0.05 | | | |
| | GWQ-94-14 | 8/1/1997 | | | | |
| -0.005 | GWQ-94-15 | 11/14/1994 | -0.05 | | | |
| -0.001 | GWQ-94-15 | 7/1/1996 | -0.05 | | | |
| | GWQ-94-15 | 8/1/1997 | | | | |

| Thallium | Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|------------|-------------|-------|----------|-----|----------|
| | GWQ-94-15 | 10/1/1997 | | | | |
| | GWQ-94-15 | 1/24/1998 | | | | |
| | GWQ-94-15 | 2/1/1998 | | | | |
| | GWQ-94-15 | 3/1/1998 | | | | |
| | GWQ-94-15 | 4/14/1998 | | | | |
| | GWQ-94-15 | 5/1/1998 | | | | |
| | GWQ-94-15 | 6/1/1998 | | | | |
| | GWQ-94-15 | 7/21/1998 | | | | |
| | GWQ-94-15 | 8/1/1998 | | | | |
| | GWQ-94-15 | 9/1/1998 | | | | |
| | GWQ-94-15 | 10/15/1998 | | | | |
| -0.005 | GWQ-94-16 | 11/13/1994 | -0.05 | | | |
| -0.001 | GWQ-94-16 | 7/1/1996 | -0.05 | | | |
| -0.005 | GWQ-94-17 | 11/15/1994 | -0.05 | | | |
| -0.001 | GWQ-94-17 | 6/30/1996 | -0.05 | | | |
| | GWQ-94-17 | 5/1/1997 | | | | |
| | GWQ-94-17 | 1/24/1998 | | | | |
| | GWQ-94-17 | 2/1/1998 | | | | |
| | GWQ-94-17 | 3/1/1998 | | | | |
| | GWQ-94-17 | 4/14/1998 | | | | |
| | GWQ-94-17 | 5/1/1998 | | | | |
| | GWQ-94-17 | 5/1/1998 | | | | |
| | GWQ-94-17 | 7/21/1998 | | | | |
| | GWQ-94-17 | 8/1/1998 | | | | |
| | GWQ-94-17 | 9/1/1998 | | | | |
| -0.005 | GWQ-94-20 | 11/15/1994 | -0.05 | | | |
| -0.001 | GWQ-94-20 | 6/30/1996 | -0.05 | | | |
| | GWQ-94-20 | 8/1/1997 | | | | |
| -0.005 | GWQ-94-21A | 11/13/1994 | -0.05 | | | |
| -0.001 | GWQ-94-21A | 6/30/1996 | -0.05 | | | |
| | GWQ-94-21A | 1/24/1998 | | | | |
| | GWQ-94-21A | 2/1/1998 | | | | |
| | GWQ-94-21A | 3/1/1998 | | | | |
| | GWQ-94-21A | 4/14/1998 | | | | |
| | GWQ-94-21A | 5/1/1998 | | | | |
| | GWQ-94-21A | 6/1/1998 | | | | |

| Thallium | Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|------------|-------------|-------|----------|-----|----------|
| 33.2 | GWQ-94-21A | 7/21/1998 | | | | |
| | GWQ-94-21A | 8/1/1998 | | | | |
| | GWQ-94-21A | 9/1/1998 | | | | |
| -0.005 | GWQ-94-21B | 11/13/1994 | -0.05 | | | |
| -0.001 | GWQ-94-21B | 6/30/1996 | -0.05 | | | |
| -0.001 | GWQ-96-22A | 7/13/1996 | -0.05 | | | |
| | GWQ-96-22A | 2/5/1997 | | | | |
| | GWQ-96-22A | 4/1/1997 | | | | |
| | GWQ-96-22A | 8/1/1997 | | | | |
| -0.001 | GWQ-96-22A | 8/8/1997 | -0.05 | | | |
| | GWQ-96-22A | 10/1/1997 | | | | |
| | GWQ-96-22A | 1/24/1998 | | | | |
| | GWQ-96-22A | 2/1/1998 | | | | |
| | GWQ-96-22A | 3/1/1998 | | | | |
| | GWQ-96-22A | 4/14/1998 | | | | |
| | GWQ-96-22A | 5/1/1998 | | | | |
| | GWQ-96-22A | 6/1/1998 | | | | |
| | GWQ-96-22A | 7/21/1998 | | | | |
| | GWQ-96-22A | 8/1/1998 | | | | |
| | GWQ-96-22A | 9/1/1998 | | | | |
| | GWQ-96-22A | 10/15/1998 | | | | |
| -0.001 | GWQ-96-22B | 7/13/1996 | -0.05 | | | |
| | GWQ-96-22B | 2/5/1997 | | | | |
| -0.001 | GWQ-96-23A | 7/14/1996 | -0.05 | | | |
| | GWQ-96-23A | 2/5/1997 | | | | |
| | GWQ-96-23A | 4/1/1997 | | | | |
| | GWQ-96-23A | 4/1/1997 | | | | |
| | GWQ-96-23A | 8/1/1997 | | | | |
| -0.001 | GWQ-96-23A | 8/8/1997 | -0.05 | | | |
| | GWQ-96-23A | 1/24/1998 | | | | |
| | GWQ-96-23A | 2/1/1998 | | | | |
| | GWQ-96-23A | 3/1/1998 | | | | |
| | GWQ-96-23A | 4/14/1998 | | | | |
| | GWQ-96-23A | 5/1/1998 | | | | |
| | GWQ-96-23A | 6/1/1998 | | | | |
| | GWQ-96-23A | 7/21/1998 | | | | |

| Thallium | Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|----------------|-------------|-------|----------|-----|----------|
| | GWQ-96-23A | 8/1/1998 | | | | |
| | GWQ-96-23A | 9/1/1998 | | | | |
| | GWQ-96-23A | 10/15/1998 | | | | |
| -0.001 | GWQ-96-23B | 7/14/1996 | -0.05 | | | |
| | GWQ-96-23B | 2/5/1997 | | | | |
| | GWQ-96-23B | 4/1/1997 | | | | |
| | GWQ-96-23B | 4/1/1997 | | | | |
| | Hansen | 1/1/1998 | | | | |
| | Hansen | 2/1/1998 | | | | |
| | Hansen | 3/1/1998 | | | | |
| | Hansen | 4/1/1998 | | | | |
| | Hansen | 5/1/1998 | | | | |
| | Hansen | 6/1/1998 | | | | |
| | Hansen | 7/22/1998 | | | | |
| | Hansen | 8/1/1998 | | | | |
| | Hansen | 9/1/1998 | | | | |
| -0.005 | Highway | 5/27/1994 | -0.05 | | | |
| | Highway | 4/14/1998 | | | | |
| | Hill | 7/13/1947 | | | | |
| | Humphries-Deep | 10/1/1997 | | | | |
| | Humphries-Deep | 1/23/1998 | | | | |
| | Humphries-Deep | 2/1/1998 | | | | |
| | Humphries-Deep | 3/1/1998 | | | | |
| | Humphries-Deep | 4/15/1998 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-------------------|-------------|--------------------|------------|------------------------|------------|------------|------------------|
| Humphries.Deep | | | | -6 Humphries.Deep-6 | 5/1/1998 | | |
| Humphries-Deep | | | | -7 Humphries-Deep-7 | 6/1/1998 | | |
| Humphries-Deep | | | | -8 Humphries-Deep-8 | 7/22/1998 | Brownfield | |
| Humphries-Deep | | | | -9 Humphries-Deep-9 | 8/1/1998 | | |
| Humphries-Deep | | | | -10 Humphries-Deep-10 | 9/1/1998 | | |
| Humphries-Deep | | | | -11 Humphries-Deep-11 | 10/15/1998 | Goff | |
| Humphries-Shallow | | | | -1 Humphries-Shallow-1 | 1/23/1998 | Goff | |
| Humphries-Shallow | | | | -2 Humphries-Shallow-2 | 2/1/1998 | | |
| Humphries-Shallow | | | | -3 Humphries-Shallow-3 | 3/1/1998 | | |
| Humphries-Shallow | | | | -4 Humphries-Shallow-4 | 4/15/1998 | Goff | |
| Humphries-Shallow | | | | -5 Humphries-Shallow-5 | 5/1/1998 | | |
| Humphries-Shallow | | | | -6 Humphries-Shallow-6 | 6/1/1998 | | |
| Humphries-Shallow | | | | -7 Humphries-Shallow-7 | 7/22/1998 | Brownfield | |
| Humphries-Shallow | | | | -8 Humphries-Shallow-8 | 8/1/1998 | | |
| Humphries-Shallow | | | | -9 Humphries-Shallow-9 | 9/1/1998 | | |
| IW-1 | | Skute Stone Arroyo | | -1 IW-1-1 | 3/4/1987 | EID | |
| IW-1 | | Skute Stone Arroyo | | -2 IW-1-2 | 7/19/1997 | GE | lab pH |
| IW-1 | | Skute Stone Arroyo | | -3 IW-1-3 | 8/29/1991 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -4 IW-1-4 | 11/26/1991 | Hood | lab pH |
| IW-1 | | Skute Stone Arroyo | | -5 IW-1-5 | 3/15/1992 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -6 IW-1-6 | 5/25/1992 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -7 IW-1-7 | 7/16/1992 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -8 IW-1-8 | 10/18/1992 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -9 IW-1-9 | 11/27/1992 | Hood | lab pH |
| IW-1 | | Skute Stone Arroyo | | -10 IW-1-10 | 12/15/1992 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -11 IW-1-11 | 9/28/1993 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -12 IW-1-12 | 3/17/1994 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -13 IW-1-13 | 5/24/1994 | SRK | Mislabeled NP-3A |
| IW-1 | | Skute Stone Arroyo | | -14 IW-1-14 | 6/23/1994 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -15 IW-1-15 | 7/22/1994 | SRK | |
| IW-1 | | Skute Stone Arroyo | | -16 IW-1-16 | 9/22/1994 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -17 IW-1-17 | 1/29/1995 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -18 IW-1-18 | 3/29/1995 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -19 IW-1-19 | 6/27/1995 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -20 IW-1-20 | 9/21/1995 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | | -21 IW-1-21 | 1/10/1996 | Irwin | lab pH |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-------------------|-------------|--------------------|------------|----------------------|------------|------------|----------------------|
| IW-1 | | Skute Stone Arroyo | -22 | IW-1-22 | 4/1/1996 | | |
| IW-1 | | Skute Stone Arroyo | -23 | IW-1-23 | 6/1/1996 | | |
| IW-1 | | Skute Stone Arroyo | -24 | IW-1-24 | 9/25/1996 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | -25 | IW-1-25 | 1/15/1997 | Irwin | lab pH |
| IW-1 | | Skute Stone Arroyo | -26 | IW-1-26 | 7/1/1997 | | |
| IW-1 | | Skute Stone Arroyo | -27 | IW-1-27 | 10/1/1997 | | |
| IW-1 | | Skute Stone Arroyo | -28 | IW-1-28 | 1/15/1998 | Irwin | |
| IW-1 | | Skute Stone Arroyo | -29 | IW-1-29 | 4/9/1998 | Irwin | |
| IW-1 | | Skute Stone Arroyo | -30 | IW-1-30 | 7/13/1998 | Irwin | |
| IW-2 | | Skute Stone Arroyo | -1 | IW-2-1 | 9/2/1982 | EID | |
| IW-2 | | Skute Stone Arroyo | -2 | IW-2-2 | 5/25/1994 | SRK | Mislabeled NP-3B |
| IW-2 | | Skute Stone Arroyo | -3 | IW-2-3 | 7/22/1994 | SRK | |
| IW-3 | | Skute Stone Arroyo | -1 | IW-3-1 | 9/2/1982 | EID | |
| IW-3 | | Skute Stone Arroyo | -2 | IW-3-2 | 2/25/1993 | Irwin | lab pH |
| IW-3 | | Skute Stone Arroyo | -3 | IW-3-3 | 5/26/1994 | SRK | Significant sediment |
| IW-3 | | Skute Stone Arroyo | -4 | IW-3-4 | 7/23/1994 | SRK | |
| IW-3 | | Skute Stone Arroyo | -5 | IW-3-5 | 4/3/1996 | Irwin | lab pH |
| Ladder-Higgins | | | -1 | Ladder-Higgins-1 | 8/2/1994 | SRK | |
| McGarvey-Greyback | | Skute Stone Arroyo | -1 | McGarvey-Greyback-1 | 3/31/1993 | JWS | |
| McGarvey-Greyback | | Skute Stone Arroyo | -2 | McGarvey-Greyback-2 | 10/1/1997 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -3 | McGarvey-Greyback-3 | 1/24/1998 | Goff | |
| McGarvey-Greyback | | Skute Stone Arroyo | -4 | McGarvey-Greyback-4 | 2/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -5 | McGarvey-Greyback-5 | 3/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -6 | McGarvey-Greyback-6 | 4/15/1998 | Goff | |
| McGarvey-Greyback | | Skute Stone Arroyo | -7 | McGarvey-Greyback-7 | 5/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -8 | McGarvey-Greyback-8 | 6/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -9 | McGarvey-Greyback-9 | 7/21/1998 | Brownfield | |
| McGarvey-Greyback | | Skute Stone Arroyo | -10 | McGarvey-Greyback-10 | 8/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -11 | McGarvey-Greyback-11 | 9/1/1998 | | |
| McGarvey-Greyback | | Skute Stone Arroyo | -12 | McGarvey-Greyback-12 | 10/15/1998 | Goff | |
| Miranda | | | -1 | Miranda-1 | 7/31/1947 | | |
| MW-1 | | Skute Stone Arroyo | -1 | MW-1-1 | 1/1/1975 | | |
| MW-10 | | | -1 | MW-10-1 | 11/16/1994 | SRK | |
| MW-10 | 67.08 | | -2 | MW-10-2 | 1/23/1998 | Goff | |
| MW-10 | 66.91 | | -3 | MW-10-3 | 2/1/1998 | | |
| MW-10 | 66.82 | | -4 | MW-10-4 | 3/1/1998 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|--------------|------------|------------|-------|
| MW-10 | 66.94 | | | -5 MW-10-5 | 4/15/1998 | Goff | |
| MW-10 | 66.19 | | | -6 MW-10-6 | 5/1/1998 | | |
| MW-10 | 66.54 | | | -7 MW-10-7 | 6/1/1998 | | |
| MW-10 | 66.98 | | | -8 MW-10-8 | 7/22/1998 | Brownfield | |
| MW-10 | 67.02 | | | -9 MW-10-9 | 8/1/1998 | | |
| MW-10 | 66.92 | | | -10 MW-10-10 | 9/1/1998 | | |
| MW-11 | | | | -1 MW-11-1 | 11/16/1994 | SRK | |
| MW-11 | | | | -2 MW-11-2 | 4/1/1997 | | |
| MW-11 | | | | -3 MW-11-3 | 4/1/1997 | | |
| MW-11 | | | | -4 MW-11-4 | 8/1/1997 | | |
| MW-11 | | | | -5 MW-11-5 | 10/1/1997 | | |
| MW-11 | 5.9 | | | -6 MW-11-6 | 1/24/1998 | Goff | |
| MW-11 | 5.61 | | | -7 MW-11-7 | 2/1/1998 | | |
| MW-11 | 5.52 | | | -8 MW-11-8 | 3/1/1998 | | |
| MW-11 | 5.43 | | | -9 MW-11-9 | 4/15/1998 | Goff | |
| MW-11 | 6.32 | | | -10 MW-11-10 | 5/1/1998 | | |
| MW-11 | 6.76 | | | -11 MW-11-11 | 6/1/1998 | | |
| MW-11 | 7.61 | | | -12 MW-11-12 | 7/22/1998 | Brownfield | |
| MW-11 | 6.21 | | | -13 MW-11-13 | 8/1/1998 | | |
| MW-11 | 6.84 | | | -14 MW-11-14 | 9/1/1998 | Goff | |
| MW-11 | | | | -15 MW-11-15 | 10/15/1998 | | |
| MW-2 | | Skute Stone Arroyo | | -1 MW-2-1 | 5/7/1975 | | |
| MW-2 | | Skute Stone Arroyo | | -2 MW-2-2 | 7/20/1994 | SRK | |
| MW-3 | | | | -1 MW-3-1 | 10/15/1998 | Goff | |
| MW-4 | | Skute Stone Arroyo | | -1 MW-4-1 | 6/13/1975 | | |
| MW-4 | 122.87 | Skute Stone Arroyo | | -2 MW-4-2 | 6/9/1981 | SHB | |
| MW-4 | | Skute Stone Arroyo | | -3 MW-4-3 | 7/20/1994 | SRK | |
| MW-4 | | Skute Stone Arroyo | | -4 MW-4-4 | 4/1/1997 | | |
| MW-4 | | Skute Stone Arroyo | | -5 MW-4-5 | 4/1/1997 | | |
| MW-4 | | Skute Stone Arroyo | | -6 MW-4-6 | 8/1/1997 | | |
| MW-4 | 79.92 | Skute Stone Arroyo | | -7 MW-4-7 | 1/24/1998 | Goff | |
| MW-4 | 80 | Skute Stone Arroyo | | -8 MW-4-8 | 2/1/1998 | | |
| MW-4 | 80.1 | Skute Stone Arroyo | | -9 MW-4-9 | 3/1/1998 | | |
| MW-4 | 80.43 | Skute Stone Arroyo | | -10 MW-4-10 | 4/14/1998 | Goff | |
| MW-4 | 80.5 | Skute Stone Arroyo | | -11 MW-4-11 | 5/1/1998 | | |
| MW-4 | 80.68 | Skute Stone Arroyo | | -12 MW-4-12 | 6/1/1998 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-----------|-----------|------------|-------|
| MW-4 | 80.86 | Skute Stone Arroyo | -13 | MW-4-13 | 7/21/1998 | Brownfield | |
| MW-4 | 81.19 | Skute Stone Arroyo | -14 | MW-4-14 | 8/1/1998 | | |
| MW-4 | 81.21 | Skute Stone Arroyo | -15 | MW-4-15 | 9/1/1998 | | |
| MW-5 | | Skute Stone Arroyo | -1 | MW-5-1 | 9/19/1975 | | |
| MW-5 | | Skute Stone Arroyo | -2 | MW-5-2 | 7/20/1994 | SRK | |
| MW-5 | 325.04 | Skute Stone Arroyo | -3 | MW-5-3 | 1/1/1998 | | |
| MW-5 | 324.74 | Skute Stone Arroyo | -4 | MW-5-4 | 2/1/1998 | | |
| MW-5 | 324.11 | Skute Stone Arroyo | -5 | MW-5-5 | 3/1/1998 | | |
| MW-5 | 324.27 | Skute Stone Arroyo | -6 | MW-5-6 | 4/1/1998 | | |
| MW-5 | 325.08 | Skute Stone Arroyo | -7 | MW-5-7 | 5/1/1998 | | |
| MW-5 | 325.2 | Skute Stone Arroyo | -8 | MW-5-8 | 6/1/1998 | | |
| MW-5 | 327.88 | Skute Stone Arroyo | -9 | MW-5-9 | 7/1/1998 | | |
| MW-5 | 325.42 | Skute Stone Arroyo | -10 | MW-5-10 | 8/1/1998 | | |
| MW-5 | 327.87 | Skute Stone Arroyo | -11 | MW-5-11 | 9/1/1998 | | |
| MW-6 | | Skute Stone Arroyo | -1 | MW-6-1 | 1/1/1975 | | |
| MW-6 | | Skute Stone Arroyo | -2 | MW-6-2 | 8/2/1994 | SRK | |
| MW-6 | | Skute Stone Arroyo | -3 | MW-6-3 | 4/1/1997 | | |
| MW-6 | | Skute Stone Arroyo | -4 | MW-6-4 | 8/1/1997 | | |
| MW-6 | | Skute Stone Arroyo | -5 | MW-6-5 | 4/14/1998 | Goff | |
| MW-6 | | Skute Stone Arroyo | -6 | MW-6-6 | 7/21/1998 | Brownfield | |
| MW-8 | | Skute Stone Arroyo | -1 | MW-8-1 | 1/1/1975 | | |
| MW-8 | | Skute Stone Arroyo | -2 | MW-8-2 | 7/21/1994 | SRK | |
| MW-8 | 353.87 | Skute Stone Arroyo | -3 | MW-8-3 | 1/1/1998 | | |
| MW-8 | 353.77 | Skute Stone Arroyo | -4 | MW-8-4 | 2/1/1998 | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-------------------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| Humphries-Deep | 5/1/1998 | | | | | | | | | |
| Humphries-Deep | 6/1/1998 | | | | | | | | | |
| Humphries-Deep | 7/22/1998 | | | | | | | TRUE | 18.2 | 19 |
| Humphries-Deep | 8/1/1998 | | | | | | | | | |
| Humphries-Deep | 9/1/1998 | | | | | | | | | |
| Humphries-Deep | 10/15/1998 | | | | | | | TRUE | 19.4 | 19 |
| Humphries-Shallow | 1/23/1998 | | | | | | | TRUE | 18 | 18 |
| Humphries-Shallow | 2/1/1998 | | | | | | | | | |
| Humphries-Shallow | 3/1/1998 | | | | | | | | | |
| Humphries-Shallow | 4/15/1998 | | | | | | | TRUE | 12.4 | 17 |
| Humphries-Shallow | 5/1/1998 | | | | | | | | | |
| Humphries-Shallow | 6/1/1998 | | | | | | | | | |
| Humphries-Shallow | 7/22/1998 | | | | | | | TRUE | 13.8 | 19 |
| Humphries-Shallow | 8/1/1998 | | | | | | | | | |
| Humphries-Shallow | 9/1/1998 | | | | | | | | | |
| IW-1 | 3/4/1987 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 575 | 1901 |
| IW-1 | 7/19/1997 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 632.6 | 1985 |
| IW-1 | 8/29/1991 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 642.4 | 1917.9 |
| IW-1 | 11/26/1991 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 615.1 | 1634 |
| IW-1 | 3/15/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 598.2 | 2203 |
| IW-1 | 5/25/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 598.2 | 2203 |
| IW-1 | 7/16/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 584.6 | 1775 |
| IW-1 | 10/18/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 616.9 | 1726.8 |
| IW-1 | 11/27/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 604.8 | 1716.6 |
| IW-1 | 12/15/1992 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 608.9 | 1414.6 |
| IW-1 | 9/28/1993 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 521.1 | 1150 |
| IW-1 | 3/17/1994 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 404.8 | 1569 |
| IW-1 | 5/24/1994 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 470 | 1500 |
| IW-1 | 6/23/1994 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 473.8 | 1444 |
| IW-1 | 7/22/1994 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 431 | 1480 |
| IW-1 | 9/22/1994 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 195.5 | 707.1 |
| IW-1 | 1/29/1995 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 663 | 1478.5 |
| IW-1 | 3/29/1995 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 419.4 | 1350.7 |
| IW-1 | 6/27/1995 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 446.1 | 1680.1 |
| IW-1 | 9/21/1995 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 458.7 | 1710.8 |
| IW-1 | 1/10/1996 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | FALSE | 442.2 | 1595.5 |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-------------------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| IW-1 | 4/1/1996 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | | 432.6 | 1566 |
| IW-1 | 6/1/1996 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | | 426.8 | 1369.6 |
| IW-1 | 9/25/1996 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 568 | 1493 |
| IW-1 | 1/15/1997 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 410 | 1694.5 |
| IW-1 | 7/1/1997 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 375 | 2185 |
| IW-1 | 10/1/1997 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 400 | 1709 |
| IW-1 | 1/15/1998 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 385 | 1791 |
| IW-1 | 4/9/1998 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 373 | 1865 |
| IW-1 | 7/13/1998 | 32.96120 | 107.49678 | 266624 | 3649563 | 13 | 5186 | TRUE | 383 | 1954 |
| IW-2 | 9/2/1982 | 32.96214 | 107.49682 | 266622 | 3649667 | 13 | 5195 | TRUE | 409.07 | 2252 |
| IW-2 | 5/25/1994 | 32.96214 | 107.49682 | 266622 | 3649667 | 13 | 5195 | FALSE | 340 | 1000 |
| IW-2 | 7/22/1994 | 32.96214 | 107.49682 | 266622 | 3649667 | 13 | 5195 | TRUE | 380 | 1040 |
| IW-3 | 9/2/1982 | 32.96313 | 107.49684 | 266623 | 3649776 | 13 | 5200 | TRUE | 159.12 | 707.3 |
| IW-3 | 2/25/1993 | 32.96313 | 107.49684 | 266623 | 3649776 | 13 | 5200 | FALSE | 589.5 | 1738.9 |
| IW-3 | 5/26/1994 | 32.96313 | 107.49684 | 266623 | 3649776 | 13 | 5200 | FALSE | 209 | 415 |
| IW-3 | 7/23/1994 | 32.96313 | 107.49684 | 266623 | 3649776 | 13 | 5200 | TRUE | 206 | 437 |
| IW-3 | 4/3/1996 | 32.96313 | 107.49684 | 266623 | 3649776 | 13 | 5200 | FALSE | 432.6 | 1566.3 |
| Ladder-Higgins | 8/2/1994 | | | | | | | TRUE | 48 | 22 |
| McGarvey-Greyback | 3/31/1993 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 30 | 207 |
| McGarvey-Greyback | 10/1/1997 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 47.2 | 14.3 |
| McGarvey-Greyback | 1/24/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 51.9 | 3 |
| McGarvey-Greyback | 2/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 3/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 4/15/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 50.5 | 2 |
| McGarvey-Greyback | 5/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 6/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 7/21/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 51 | 3 |
| McGarvey-Greyback | 8/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 9/1/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | | | |
| McGarvey-Greyback | 10/15/1998 | 32.96882 | 107.49714 | 266610 | 3650408 | 13 | 5195 | TRUE | 47.2 | 14.3 |
| Miranda | 7/31/1947 | | | | | | | FALSE | 380 | 64 |
| MW-1 | 1/1/1975 | 32.93787 | 107.46704 | 269344 | 3646910 | 13 | 4995 | FALSE | 10 | 73 |
| MW-10 | 11/16/1994 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | TRUE | 14 | 25 |
| MW-10 | 1/23/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | TRUE | 18 | 19 |
| MW-10 | 2/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |
| MW-10 | 3/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| MW-10 | 4/15/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | TRUE | 18.1 | 19 |
| MW-10 | 5/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |
| MW-10 | 6/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |
| MW-10 | 7/22/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | TRUE | 14.83 | 12 |
| MW-10 | 8/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |
| MW-10 | 9/1/1998 | 32.97845 | 107.38743 | 276891 | 3651238 | 13 | 4443 | | | |
| MW-11 | 11/16/1994 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 15 | 21 |
| MW-11 | 4/1/1997 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 18 | 16 |
| MW-11 | 4/1/1997 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 20.2 | 24 |
| MW-11 | 8/1/1997 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 19.9 | |
| MW-11 | 10/1/1997 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 17.8 | 21.6 |
| MW-11 | 1/24/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 18.5 | 19 |
| MW-11 | 2/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 3/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 4/15/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 17.9 | 19 |
| MW-11 | 5/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 6/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 7/22/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 14.5 | 17 |
| MW-11 | 8/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 9/1/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | | | |
| MW-11 | 10/15/1998 | 32.97832 | 107.38747 | 276886 | 3651224 | 13 | 4443 | TRUE | 17.8 | 21.6 |
| MW-2 | 5/7/1975 | 32.92415 | 107.46436 | 269558 | 3645382 | 13 | 4980 | FALSE | 8 | 40 |
| MW-2 | 7/20/1994 | 32.92415 | 107.46436 | 269558 | 3645382 | 13 | 4980 | TRUE | 5.5 | 18 |
| MW-3 | 10/15/1998 | 32.92415 | 107.46436 | 269558 | 3645382 | 13 | 4980 | TRUE | 17 | 50.2 |
| MW-4 | 6/13/1975 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | FALSE | 15 | 110 |
| MW-4 | 6/9/1981 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | | |
| MW-4 | 7/20/1994 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 17 | 66 |
| MW-4 | 4/1/1997 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 20 | 62 |
| MW-4 | 4/1/1997 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 17 | 47 |
| MW-4 | 8/1/1997 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 20 | |
| MW-4 | 1/24/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 20.1 | 48 |
| MW-4 | 2/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |
| MW-4 | 3/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |
| MW-4 | 4/14/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 20.3 | 48 |
| MW-4 | 5/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |
| MW-4 | 6/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |

| Well Name | Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| MW-4 | 7/21/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | TRUE | 20.3 | 46 |
| MW-4 | 8/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |
| MW-4 | 9/1/1998 | 32.95405 | 107.48797 | 267429 | 3648750 | 13 | 5135 | | | |
| MW-5 | 9/19/1975 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | FALSE | 30 | 26 |
| MW-5 | 7/20/1994 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | TRUE | 17 | 24 |
| MW-5 | 1/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 2/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 3/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 4/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 5/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 6/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 7/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 8/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-5 | 9/1/1998 | 32.97023 | 107.38902 | 276722 | 3650330 | 13 | 4700 | | | |
| MW-6 | 1/1/1975 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | FALSE | 66 | 38 |
| MW-6 | 8/2/1994 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | TRUE | 75 | 45 |
| MW-6 | 4/1/1997 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | TRUE | 71.4 | 62 |
| MW-6 | 8/1/1997 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | TRUE | 75.7 | |
| MW-6 | 4/14/1998 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | TRUE | 75.6 | 47 |
| MW-6 | 7/21/1998 | 32.97312 | 107.40611 | 275132 | 3650687 | 13 | 4756 | TRUE | 78 | 49 |
| MW-8 | 1/1/1975 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | FALSE | 10 | 21 |
| MW-8 | 7/21/1994 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | TRUE | 6.6 | 18 |
| MW-8 | 1/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 2/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-------------------|------------|-------|----------|-----|----------|
| Humphries.Deep | 5/1/1998 | | | | |
| Humphries-Deep | 6/1/1998 | | | | |
| Humphries-Deep | 7/22/1998 | | | | |
| Humphries-Deep | 8/1/1998 | | | | |
| Humphries-Deep | 9/1/1998 | | | | |
| Humphries-Deep | 10/15/1998 | | | | |
| Humphries-Shallow | 1/23/1998 | | | | |
| Humphries-Shallow | 2/1/1998 | | | | |
| Humphries-Shallow | 3/1/1998 | | | | |
| Humphries-Shallow | 4/15/1998 | | | | |
| Humphries-Shallow | 5/1/1998 | | | | |
| Humphries-Shallow | 6/1/1998 | | | | |
| Humphries-Shallow | 7/22/1998 | | | | |
| Humphries-Shallow | 8/1/1998 | | | | |
| Humphries-Shallow | 9/1/1998 | | | | |
| IW-1 | 3/4/1987 | | 22.5 | | |
| IW-1 | 7/19/1997 | | | | |
| IW-1 | 8/29/1991 | | | | |
| IW-1 | 11/26/1991 | | | | |
| IW-1 | 3/15/1992 | | | | |
| IW-1 | 5/25/1992 | | | | |
| IW-1 | 7/16/1992 | | | | |
| IW-1 | 10/18/1992 | | | | |
| IW-1 | 11/27/1992 | | | | |
| IW-1 | 12/15/1992 | | | | |
| IW-1 | 9/28/1993 | | | | |
| IW-1 | 3/17/1994 | | | | |
| IW-1 | 5/24/1994 | 0.053 | | | |
| IW-1 | 6/23/1994 | | | | |
| IW-1 | 7/22/1994 | -0.05 | | | |
| IW-1 | 9/22/1994 | | | | |
| IW-1 | 1/29/1995 | | | | |
| IW-1 | 3/29/1995 | | | | |
| IW-1 | 6/27/1995 | | | | |
| IW-1 | 9/21/1995 | | | | |
| IW-1 | 1/10/1996 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-------------------|------------|-------|----------|-----|----------|
| IW-1 | 4/1/1996 | | | | |
| IW-1 | 6/1/1996 | | | | |
| IW-1 | 9/25/1996 | | | | |
| IW-1 | 1/15/1997 | | | | |
| IW-1 | 7/1/1997 | | | | |
| IW-1 | 10/1/1997 | | | | |
| IW-1 | 1/15/1998 | | | | |
| IW-1 | 4/9/1998 | | | | |
| IW-1 | 7/13/1998 | | | | |
| IW-2 | 9/2/1982 | | | | |
| IW-2 | 5/25/1994 | 0.084 | | | |
| IW-2 | 7/22/1994 | -0.05 | | | |
| IW-3 | 9/2/1982 | | | | |
| IW-3 | 2/25/1993 | | | | |
| IW-3 | 5/26/1994 | 0.15 | | | |
| IW-3 | 7/23/1994 | -0.05 | | | |
| IW-3 | 4/3/1996 | | | | |
| Ladder-Higgins | 8/2/1994 | -0.05 | | | |
| McGarvey-Greyback | 3/31/1993 | 0.01 | | | |
| McGarvey-Greyback | 10/1/1997 | | | | |
| McGarvey-Greyback | 1/24/1998 | | | | |
| McGarvey-Greyback | 2/1/1998 | | | | |
| McGarvey-Greyback | 3/1/1998 | | | | |
| McGarvey-Greyback | 4/15/1998 | | | | |
| McGarvey-Greyback | 5/1/1998 | | | | |
| McGarvey-Greyback | 6/1/1998 | | | | |
| McGarvey-Greyback | 7/21/1998 | | | | |
| McGarvey-Greyback | 8/1/1998 | | | | |
| McGarvey-Greyback | 9/1/1998 | | | | |
| McGarvey-Greyback | 10/15/1998 | | | | |
| Miranda | 7/31/1947 | | | | |
| MW-1 | 1/1/1975 | | | | |
| MW-10 | 11/16/1994 | -0.05 | | | |
| MW-10 | 1/23/1998 | | | | |
| MW-10 | 2/1/1998 | | | | |
| MW-10 | 3/1/1998 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|-------|----------|-----|----------|
| MW-10 | 4/15/1998 | | | | |
| MW-10 | 5/1/1998 | | | | |
| MW-10 | 6/1/1998 | | | | |
| MW-10 | 7/22/1998 | | | | |
| MW-10 | 8/1/1998 | | | | |
| MW-10 | 9/1/1998 | | | | |
| MW-11 | 11/16/1994 | -0.05 | | | |
| MW-11 | 4/1/1997 | | | | |
| MW-11 | 4/1/1997 | | | | |
| MW-11 | 8/1/1997 | | | | |
| MW-11 | 10/1/1997 | | | | |
| MW-11 | 1/24/1998 | | | | |
| MW-11 | 2/1/1998 | | | | |
| MW-11 | 3/1/1998 | | | | |
| MW-11 | 4/15/1998 | | | | |
| MW-11 | 5/1/1998 | | | | |
| MW-11 | 6/1/1998 | | | | |
| MW-11 | 7/22/1998 | | | | |
| MW-11 | 8/1/1998 | | | | |
| MW-11 | 9/1/1998 | | | | |
| MW-11 | 10/15/1998 | | | | |
| MW-2 | 5/7/1975 | | | | |
| MW-2 | 7/20/1994 | -0.05 | | | |
| MW-3 | 10/15/1998 | | | | |
| MW-4 | 6/13/1975 | | | | |
| MW-4 | 6/9/1981 | | | | |
| MW-4 | 7/20/1994 | -0.05 | | | |
| MW-4 | 4/1/1997 | | | | |
| MW-4 | 4/1/1997 | | | | |
| MW-4 | 8/1/1997 | | | | |
| MW-4 | 1/24/1998 | | | | |
| MW-4 | 2/1/1998 | | | | |
| MW-4 | 3/1/1998 | | | | |
| MW-4 | 4/14/1998 | | | | |
| MW-4 | 5/1/1998 | | | | |
| MW-4 | 6/1/1998 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-----------|-------|----------|-----|----------|
| MW-4 | 7/21/1998 | | | | |
| MW-4 | 8/1/1998 | | | | |
| MW-4 | 9/1/1998 | | | | |
| MW-5 | 9/19/1975 | | | | |
| MW-5 | 7/20/1994 | -0.05 | | | |
| MW-5 | 1/1/1998 | | | | |
| MW-5 | 2/1/1998 | | | | |
| MW-5 | 3/1/1998 | | | | |
| MW-5 | 4/1/1998 | | | | |
| MW-5 | 5/1/1998 | | | | |
| MW-5 | 6/1/1998 | | | | |
| MW-5 | 7/1/1998 | | | | |
| MW-5 | 8/1/1998 | | | | |
| MW-5 | 9/1/1998 | | | | |
| MW-6 | 1/1/1975 | | | | |
| MW-6 | 8/2/1994 | -0.05 | | | |
| MW-6 | 4/1/1997 | | | | |
| MW-6 | 8/1/1997 | | | | |
| MW-6 | 4/14/1998 | | | | |
| MW-6 | 7/21/1998 | | | | |
| MW-8 | 1/1/1975 | | | | |
| MW-8 | 7/21/1994 | -0.05 | | | |
| MW-8 | 1/1/1998 | | | | |
| MW-8 | 2/1/1998 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|-------------|-------------|------------|------------|
| MW-8 | 353.7 | Skute Stone Arroyo | -5 MW-8-5 | 3/1/1998 | | |
| MW-8 | 353.7 | Skute Stone Arroyo | -6 MW-8-6 | 4/1/1998 | | |
| MW-8 | 352.19 | Skute Stone Arroyo | -7 MW-8-7 | 5/1/1998 | | |
| MW-8 | 353.43 | Skute Stone Arroyo | -8 MW-8-8 | 6/1/1998 | | |
| MW-8 | 355.06 | Skute Stone Arroyo | -9 MW-8-9 | 7/1/1998 | | |
| MW-8 | 354.55 | Skute Stone Arroyo | -10 MW-8-10 | 8/1/1998 | | |
| MW-8 | 356.11 | Skute Stone Arroyo | -11 MW-8-11 | 9/1/1998 | | |
| MW-9 | | | -1 MW-9-1 | 11/16/1994 | SRK | Animas Ck. |
| MW-9 | | | -2 MW-9-2 | 8/1/1997 | | |
| MW-9 | 67.74 | | -3 MW-9-3 | 1/23/1998 | Goff | |
| MW-9 | 67.72 | | -4 MW-9-4 | 2/1/1998 | | |
| MW-9 | 67.71 | | -5 MW-9-5 | 3/1/1998 | | |
| MW-9 | 67.75 | | -6 MW-9-6 | 4/15/1998 | Goff | |
| MW-9 | 67.94 | | -7 MW-9-7 | 5/1/1998 | | |
| MW-9 | 68.7 | | -8 MW-9-8 | 6/1/1998 | | |
| MW-9 | 68375 | | -9 MW-9-9 | 7/22/1998 | Brownfield | |
| MW-9 | 68.72 | | -10 MW-9-10 | 8/1/1998 | | |
| MW-9 | 68.65 | | -11 MW-9-11 | 9/1/1998 | | |
| MW-9 | | | -12 MW-9-12 | 10/15/1998 | Goff | |
| NP-1 | 83.7 | Skute Stone Arroyo | -1 NP-1-1 | 10/8/1981 | QMC | |
| NP-1 | 85.6 | Skute Stone Arroyo | -2 NP-1-2 | 11/4/1981 | QMC | |
| NP-1 | 85.67 | Skute Stone Arroyo | -3 NP-1-3 | 11/13/1981 | EID | |
| NP-1 | 84.5 | Skute Stone Arroyo | -4 NP-1-4 | 11/17/1981 | QMC | |
| NP-1 | 84.1 | Skute Stone Arroyo | -5 NP-1-5 | 11/23/1981 | QMC | |
| NP-1 | 88.2 | Skute Stone Arroyo | -6 NP-1-6 | 12/7/1981 | QMC | |
| NP-1 | 84 | Skute Stone Arroyo | -7 NP-1-7 | 12/15/1981 | QMC | |
| NP-1 | 84 | Skute Stone Arroyo | -8 NP-1-8 | 12/22/1981 | QMC | |
| NP-1 | 85.5 | Skute Stone Arroyo | -9 NP-1-9 | 1/5/1982 | QMC | |
| NP-1 | 84.42 | Skute Stone Arroyo | -10 NP-1-10 | 1/18/1982 | QMC | |
| NP-1 | 84.4 | Skute Stone Arroyo | -11 NP-1-11 | 1/26/1982 | QMC | |
| NP-1 | 85.17 | Skute Stone Arroyo | -12 NP-1-12 | 2/16/1982 | QMC | |
| NP-1 | 85.2 | Skute Stone Arroyo | -13 NP-1-13 | 2/22/1982 | QMC | |
| NP-1 | 84.83 | Skute Stone Arroyo | -14 NP-1-14 | 3/12/1982 | QMC | |
| NP-1 | 84.5 | Skute Stone Arroyo | -15 NP-1-15 | 4/16/1982 | QMC | |
| NP-1 | 84.5 | Skute Stone Arroyo | -16 NP-1-16 | 4/26/1982 | QMC | |
| NP-1 | 84.08 | Skute Stone Arroyo | -17 NP-1-17 | 5/17/1982 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|-------------|-------------|---------|-------|
| NP-1 | | Skute Stone Arroyo | -18 NP-1-18 | 5/24/1982 | QMC | |
| NP-1 | | Skute Stone Arroyo | -19 NP-1-19 | 5/28/1982 | QMC | |
| NP-1 | 83.3 | Skute Stone Arroyo | -20 NP-1-20 | 6/8/1982 | QMC | |
| NP-1 | 83.33 | Skute Stone Arroyo | -21 NP-1-21 | 6/14/1982 | QMC | |
| NP-1 | 82.1 | Skute Stone Arroyo | -22 NP-1-22 | 6/30/1982 | QMC | |
| NP-1 | 82.08 | Skute Stone Arroyo | -23 NP-1-23 | 7/26/1982 | QMC | |
| NP-1 | 81.5 | Skute Stone Arroyo | -24 NP-1-24 | 8/18/1982 | QMC | |
| NP-1 | 80.6 | Skute Stone Arroyo | -25 NP-1-25 | 9/14/1982 | QMC | |
| NP-1 | 79.1 | Skute Stone Arroyo | -26 NP-1-26 | 10/18/1982 | QMC | |
| NP-1 | 79.1 | Skute Stone Arroyo | -27 NP-1-27 | 10/27/1982 | QMC | |
| NP-1 | 78 | Skute Stone Arroyo | -28 NP-1-28 | 11/11/1982 | QMC | |
| NP-1 | 76.1 | Skute Stone Arroyo | -29 NP-1-29 | 12/28/1982 | QMC | |
| NP-1 | 74.4 | Skute Stone Arroyo | -30 NP-1-30 | 2/21/1983 | QMC | |
| NP-1 | 72.1 | Skute Stone Arroyo | -31 NP-1-31 | 5/6/1983 | QMC | |
| NP-1 | 72.1 | Skute Stone Arroyo | -32 NP-1-32 | 5/13/1983 | QMC | |
| NP-1 | 71.5 | Skute Stone Arroyo | -33 NP-1-33 | 6/2/1983 | QMC | |
| NP-1 | 71.2 | Skute Stone Arroyo | -34 NP-1-34 | 7/5/1983 | QMC | |
| NP-1 | 70.7 | Skute Stone Arroyo | -35 NP-1-35 | 8/9/1983 | QMC | |
| NP-1 | 70.7 | Skute Stone Arroyo | -36 NP-1-36 | 8/25/1983 | QMC | |
| NP-1 | 69.6 | Skute Stone Arroyo | -37 NP-1-37 | 10/20/1983 | QMC | |
| NP-1 | 69.6 | Skute Stone Arroyo | -38 NP-1-38 | 11/1/1983 | QMC | |
| NP-1 | 68.3 | Skute Stone Arroyo | -39 NP-1-39 | 12/7/1983 | QMC | |
| NP-1 | 67.3 | Skute Stone Arroyo | -40 NP-1-40 | 1/28/1984 | QMC | |
| NP-1 | 67.1 | Skute Stone Arroyo | -41 NP-1-41 | 2/13/1984 | QMC | |
| NP-1 | 66.6 | Skute Stone Arroyo | -42 NP-1-42 | 3/1/1984 | QMC | |
| NP-1 | 66.6 | Skute Stone Arroyo | -43 NP-1-43 | 3/16/1984 | CFP | |
| NP-1 | | Skute Stone Arroyo | -44 NP-1-44 | 4/9/1984 | CFP | |
| NP-1 | 66.1 | Skute Stone Arroyo | -45 NP-1-45 | 4/18/1984 | CFP | |
| NP-1 | 65.7 | Skute Stone Arroyo | -46 NP-1-46 | 5/22/1984 | CFP | |
| NP-1 | 65.7 | Skute Stone Arroyo | -47 NP-1-47 | 5/30/1984 | CFP | |
| NP-1 | 65.6 | Skute Stone Arroyo | -48 NP-1-48 | 6/26/1984 | CFP | |
| NP-1 | 65.4 | Skute Stone Arroyo | -49 NP-1-49 | 7/25/1984 | CFP | |
| NP-1 | 65.2 | Skute Stone Arroyo | -50 NP-1-50 | 8/27/1984 | CFP | |
| NP-1 | 64.4 | Skute Stone Arroyo | -51 NP-1-51 | 9/12/1984 | CFP | |
| NP-1 | 64.4 | Skute Stone Arroyo | -52 NP-1-52 | 9/21/1984 | CFP | |
| NP-1 | 64.1 | Skute Stone Arroyo | -53 NP-1-53 | 11/19/1984 | CFP | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|-------------|-------------|---------|--------|
| NP-1 | 64.1 | Skute Stone Arroyo | -54 NP-1-54 | 11/27/1984 | CFP | |
| NP-1 | 63.6 | Skute Stone Arroyo | -55 NP-1-55 | 12/17/1984 | CFP | |
| NP-1 | 62.3 | Skute Stone Arroyo | -56 NP-1-56 | 5/17/1985 | CFP | |
| NP-1 | 54.9 | Skute Stone Arroyo | -57 NP-1-57 | 11/13/1985 | CFP | |
| NP-1 | 52.9 | Skute Stone Arroyo | -58 NP-1-58 | 5/23/1986 | CFP | |
| NP-1 | 52.9 | Skute Stone Arroyo | -59 NP-1-59 | 10/8/1986 | CFP | |
| NP-1 | | Skute Stone Arroyo | -60 NP-1-60 | 3/30/1989 | EID | |
| NP-1 | 29 | Skute Stone Arroyo | -61 NP-1-61 | 7/19/1991 | GE | lab pH |
| NP-1 | 29.17 | Skute Stone Arroyo | -62 NP-1-62 | 8/29/1991 | Irwin | lab pH |
| NP-1 | 28 | Skute Stone Arroyo | -63 NP-1-63 | 11/26/1991 | Hood | lab pH |
| NP-1 | 16.17 | Skute Stone Arroyo | -64 NP-1-64 | 3/15/1992 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -65 NP-1-65 | 5/25/1992 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -66 NP-1-66 | 7/16/1992 | Irwin | lab pH |
| NP-1 | 26.17 | Skute Stone Arroyo | -67 NP-1-67 | 10/8/1992 | Irwin | lab pH |
| NP-1 | 25.25 | Skute Stone Arroyo | -68 NP-1-68 | 11/27/1992 | Hood | lab pH |
| NP-1 | | Skute Stone Arroyo | -69 NP-1-69 | 12/15/1992 | Irwin | lab pH |
| NP-1 | 26.17 | Skute Stone Arroyo | -70 NP-1-70 | 2/25/1993 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -71 NP-1-71 | 3/30/1993 | JWS | |
| NP-1 | | Skute Stone Arroyo | -72 NP-1-72 | 9/28/1993 | Irwin | lab pH |
| NP-1 | 27 | Skute Stone Arroyo | -73 NP-1-73 | 3/17/1994 | Irwin | lab pH |
| NP-1 | 26.45 | Skute Stone Arroyo | -74 NP-1-74 | 5/24/1994 | SRK | |
| NP-1 | | Skute Stone Arroyo | -75 NP-1-75 | 6/23/1994 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -76 NP-1-76 | 7/21/1994 | SRK | |
| NP-1 | | Skute Stone Arroyo | -77 NP-1-77 | 9/22/1994 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -78 NP-1-78 | 1/29/1995 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -79 NP-1-79 | 3/29/1995 | Irwin | lab pH |
| NP-1 | 28.33 | Skute Stone Arroyo | -80 NP-1-80 | 6/27/1995 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -81 NP-1-81 | 9/21/1995 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -82 NP-1-82 | 1/10/1996 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -83 NP-1-83 | 4/3/1996 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -84 NP-1-84 | 6/1/1996 | | |
| NP-1 | | Skute Stone Arroyo | -85 NP-1-85 | 9/25/1996 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -86 NP-1-86 | 1/15/1997 | Irwin | lab pH |
| NP-1 | | Skute Stone Arroyo | -87 NP-1-87 | 4/1/1997 | | |
| NP-1 | | Skute Stone Arroyo | -88 NP-1-88 | 7/1/1997 | | |
| NP-1 | | Skute Stone Arroyo | -89 NP-1-89 | 10/1/1997 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|-------------|-------------|---------|-------|
| NP-1 | 30.42 | Skute Stone Arroyo | -90 NP-1-90 | 1/15/1998 | Irwin | |
| NP-1 | 30.33 | Skute Stone Arroyo | -91 NP-1-91 | 4/9/1998 | Irwin | |
| NP-1 | 30.92 | Skute Stone Arroyo | -92 NP-1-92 | 7/13/1998 | Irwin | |
| NP-2 | 87.29 | Skute Stone Arroyo | -1 NP-2-1 | 10/8/1981 | QMC | |
| NP-2 | 87 | Skute Stone Arroyo | -2 NP-2-2 | 11/6/1981 | QMC | |
| NP-2 | 87.5 | Skute Stone Arroyo | -3 NP-2-3 | 11/13/1981 | EID | |
| NP-2 | 90.1 | Skute Stone Arroyo | -4 NP-2-4 | 11/23/1981 | QMC | |
| NP-2 | 87.83 | Skute Stone Arroyo | -5 NP-2-5 | 12/7/1981 | QMC | |
| NP-2 | 87.39 | Skute Stone Arroyo | -6 NP-2-6 | 12/15/1981 | QMC | |
| NP-2 | 87.12 | Skute Stone Arroyo | -7 NP-2-7 | 12/22/1981 | QMC | |
| NP-2 | 87.125 | Skute Stone Arroyo | -8 NP-2-8 | 1/5/1982 | QMC | |
| NP-2 | 86.67 | Skute Stone Arroyo | -9 NP-2-9 | 1/18/1982 | QMC | |
| NP-2 | 86.66 | Skute Stone Arroyo | -10 NP-2-10 | 1/25/1982 | QMC | |
| NP-2 | 86.5 | Skute Stone Arroyo | -11 NP-2-11 | 2/16/1982 | QMC | |
| NP-2 | 86.45 | Skute Stone Arroyo | -12 NP-2-12 | 2/22/1982 | QMC | |
| NP-2 | 86 | Skute Stone Arroyo | -13 NP-2-13 | 3/12/1982 | QMC | |
| NP-2 | 85.75 | Skute Stone Arroyo | -14 NP-2-14 | 4/16/1982 | QMC | |
| NP-2 | 85.45 | Skute Stone Arroyo | -15 NP-2-15 | 4/26/1982 | QMC | |
| NP-2 | 84 | Skute Stone Arroyo | -16 NP-2-16 | 5/15/1982 | QMC | |
| NP-2 | | Skute Stone Arroyo | -17 NP-2-17 | 5/24/1982 | QMC | |
| NP-2 | | Skute Stone Arroyo | -18 NP-2-18 | 5/28/1982 | QMC | |
| NP-2 | 81.91 | Skute Stone Arroyo | -19 NP-2-19 | 6/8/1982 | QMC | |
| NP-2 | 80.5 | Skute Stone Arroyo | -20 NP-2-20 | 6/14/1982 | QMC | |
| NP-2 | 77.8 | Skute Stone Arroyo | -21 NP-2-21 | 6/30/1982 | | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| MW-8 | 3/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 4/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 5/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 6/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 7/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 8/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-8 | 9/1/1998 | 32.96885 | 107.46111 | 269979 | 3650332 | 13 | 5012 | | | |
| MW-9 | 11/16/1994 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 12 | 12 |
| MW-9 | 8/1/1997 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 13.7 | |
| MW-9 | 1/23/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 13.7 | 14 |
| MW-9 | 2/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 3/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 4/15/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 13.1 | 13 |
| MW-9 | 5/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 6/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 7/22/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 13.9 | 13 |
| MW-9 | 8/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 9/1/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | | | |
| MW-9 | 10/15/1998 | 32.97841 | 107.38760 | 276875 | 3651234 | 13 | 4444 | TRUE | 10.2 | 14.5 |
| NP-1 | 10/8/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24.9 | 108 |
| NP-1 | 11/4/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 28 | 148 |
| NP-1 | 11/13/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24.08 | 130.7 |
| NP-1 | 11/17/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24 | 154 |
| NP-1 | 11/23/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 26 | 146 |
| NP-1 | 12/7/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24 | 158 |
| NP-1 | 12/15/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24 | 151 |
| NP-1 | 12/22/1981 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 149 |
| NP-1 | 1/5/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 163 |
| NP-1 | 1/18/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 1/26/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 154 |
| NP-1 | 2/16/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 2/22/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24 | 158 |
| NP-1 | 3/12/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 4/16/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 4/26/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 26 | 154 |
| NP-1 | 5/17/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-1 | 5/24/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | | |
| NP-1 | 5/28/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | | |
| NP-1 | 6/8/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 20 | 162 |
| NP-1 | 6/14/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | | |
| NP-1 | 6/30/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 18 | 143 |
| NP-1 | 7/26/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 8/18/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 9/14/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 10/18/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 10/27/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 20 | 151 |
| NP-1 | 11/11/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 12/28/1982 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 2/21/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 18 | 156 |
| NP-1 | 5/6/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 5/13/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 24 | 149 |
| NP-1 | 6/2/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 7/5/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 8/9/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 130 |
| NP-1 | 8/25/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 10/20/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 11/1/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 18 | 125 |
| NP-1 | 12/7/1983 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 1/28/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 2/13/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 3/1/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 3/16/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 124 |
| NP-1 | 4/9/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 4/18/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 5/22/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 5/30/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 22 | 154 |
| NP-1 | 6/26/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 7/25/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 8/27/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 9/12/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22 | 137 |
| NP-1 | 9/21/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 11/19/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-1 | 11/27/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 16 | 144 |
| NP-1 | 12/17/1984 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | | |
| NP-1 | 5/17/1985 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 20 | 144 |
| NP-1 | 11/13/1985 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 16 | 149 |
| NP-1 | 5/23/1986 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 18 | 142 |
| NP-1 | 10/8/1986 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22 | 107 |
| NP-1 | 3/30/1989 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 14.9 | 137 |
| NP-1 | 7/19/1991 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 21.6 | 133.4 |
| NP-1 | 8/29/1991 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 21.1 | 140.7 |
| NP-1 | 11/26/1991 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22.7 | 136.8 |
| NP-1 | 3/15/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22.1 | 146.2 |
| NP-1 | 5/25/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 28.6 | 128.2 |
| NP-1 | 7/16/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 21.7 | 142.2 |
| NP-1 | 10/8/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 21.7 | 128.8 |
| NP-1 | 11/27/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 21.3 | 142.4 |
| NP-1 | 12/15/1992 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 23.7 | 125 |
| NP-1 | 2/25/1993 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22.6 | 138.3 |
| NP-1 | 3/30/1993 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22 | 145 |
| NP-1 | 9/28/1993 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 36.2 | 110.1 |
| NP-1 | 3/17/1994 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 24 | 134.2 |
| NP-1 | 5/24/1994 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 22 | 130 |
| NP-1 | 6/23/1994 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 40.3 | 142.3 |
| NP-1 | 7/21/1994 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 23 | 133 |
| NP-1 | 9/22/1994 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 24.3 | 118.8 |
| NP-1 | 1/29/1995 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 26.2 | 125.4 |
| NP-1 | 3/29/1995 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 23.3 | 86.2 |
| NP-1 | 6/27/1995 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 24.1 | 113.7 |
| NP-1 | 9/21/1995 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 27.2 | 145 |
| NP-1 | 1/10/1996 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 26.1 | 109.4 |
| NP-1 | 4/3/1996 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | FALSE | 25.7 | 123.3 |
| NP-1 | 6/1/1996 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | | 26.6 | 126.3 |
| NP-1 | 9/25/1996 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 23.6 | 94.4 |
| NP-1 | 1/15/1997 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 25.6 | 109.13 |
| NP-1 | 4/1/1997 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 26 | 114 |
| NP-1 | 7/1/1997 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 25.9 | 112 |
| NP-1 | 10/1/1997 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 26.2 | 119 |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-1 | 1/15/1998 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 25.2 | 111 |
| NP-1 | 4/9/1998 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 26.8 | 120 |
| NP-1 | 7/13/1998 | 32.95503 | 107.49676 | 266610 | 3648878 | 13 | 5176 | TRUE | 25 | 110 |
| NP-2 | 10/8/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 45.1 | 198 |
| NP-2 | 11/6/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 35 | 164 |
| NP-2 | 11/13/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 30.79 | 162.4 |
| NP-2 | 11/23/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 30 | 156 |
| NP-2 | 12/7/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 30 | 160 |
| NP-2 | 12/15/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 32 | 161 |
| NP-2 | 12/22/1981 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 32 | 161 |
| NP-2 | 1/5/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 28 | 158 |
| NP-2 | 1/18/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 1/25/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 24 | 160 |
| NP-2 | 2/16/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 2/22/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 30 | 151 |
| NP-2 | 3/12/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 4/16/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 4/26/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 42 | 149 |
| NP-2 | 5/15/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 34 | 128 |
| NP-2 | 5/24/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | | |
| NP-2 | 5/28/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | | |
| NP-2 | 6/8/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 26 | 158 |
| NP-2 | 6/14/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 6/30/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 26 | 133 |

| Well Name | Sample Date | pH | TDS | Alkalinity | Bicarb | Spec.Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|-------------|------|------|------------|--------|------------|----------|---------|----------|----------|---------|
| NP-1 | 1/15/1998 | | 7.87 | 276 | | 582 | 0.63 | -0.05 | | | |
| NP-1 | 4/9/1998 | | | 319 | | 564 | 0.58 | 0.11 | | | |
| NP-1 | 7/13/1998 | | | 301 | | 531 | 0.61 | -0.05 | | | |
| NP-2 | 10/8/1981 | 7.39 | 476 | | 159 | | 1.75 | 0.23 | -0.25 | | 0.024 |
| NP-2 | 11/6/1981 | 7.6 | 450 | | | | 1.4 | 0.4 | -0.01 | | -0.1 |
| NP-2 | 11/13/1981 | 7.65 | 466 | | 221.3 | 675 | 1.14 | 0.25 | -0.25 | | -0.005 |
| NP-2 | 11/23/1981 | 7.7 | 520 | | | | 0.9 | 0.7 | -0.01 | | -0.01 |
| NP-2 | 12/7/1981 | 7.5 | 490 | | | | 0.8 | 0.6 | -0.01 | | -0.01 |
| NP-2 | 12/15/1981 | 8 | 480 | | | | 0.09 | 0.5 | -0.01 | | -0.01 |
| NP-2 | 12/22/1981 | 8 | 440 | | | | 0.6 | 0.8 | -0.01 | | -0.01 |
| NP-2 | 1/5/1982 | 7.6 | 400 | | | | 0.9 | 0.9 | -0.01 | | -0.01 |
| NP-2 | 1/18/1982 | | | | | | | | | | |
| NP-2 | 1/25/1982 | 8 | 450 | | | | 0.7 | 1.1 | | | |
| NP-2 | 2/16/1982 | | | | | | | | | | |
| NP-2 | 2/22/1982 | 8 | 440 | | | | 0.7 | 0.8 | | | |
| NP-2 | 3/12/1982 | | | | | | | | | | |
| NP-2 | 4/16/1982 | | | | | | | | | | |
| NP-2 | 4/26/1982 | 8 | 450 | | | | 1 | 2.4 | | | |
| NP-2 | 5/15/1982 | 7.9 | 480 | | | | 0.6 | 1.8 | | | |
| NP-2 | 5/24/1982 | | | | | | | | | | |
| NP-2 | 5/28/1982 | | | | | | | | | | |
| NP-2 | 6/8/1982 | 7.8 | 490 | | | | 0.5 | 0.9 | | | |
| NP-2 | 6/14/1982 | | | | | | | | | | |
| NP-2 | 6/30/1982 | 7.8 | 490 | | | | 0.6 | 1.4 | | | |

| Well Name | Sample Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|-------------|-------|--------|-----------|---------|---------|----------|--------|--------|------|--------|
| NP-1 | 1/15/1998 | | | | | | | | -0.005 | 1.3 | |
| NP-1 | 4/9/1998 | | | | | | | | 0.01 | 2.11 | |
| NP-1 | 7/13/1998 | | | | | | | | -0.005 | 0.32 | |
| NP-2 | 10/8/1981 | 0.08 | -1 | | -0.01 | 46 | -0.05 | -0.05 | -0.05 | -0.1 | -0.05 |
| NP-2 | 11/6/1981 | -0.1 | -0.2 | | -0.005 | 53 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-2 | 11/13/1981 | 0.04 | -0.1 | | -0.001 | 65.1 | -0.005 | | | | -0.005 |
| NP-2 | 11/23/1981 | -0.1 | 0.02 | | -0.005 | 57 | -0.02 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-2 | 12/7/1981 | -0.1 | -0.2 | | -0.005 | 53 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-2 | 12/15/1981 | -0.1 | -0.2 | | -0.005 | 62 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-2 | 12/22/1981 | -0.1 | 0.21 | | -0.005 | 73 | -0.01 | -0.02 | -0.05 | 0.12 | -0.02 |
| NP-2 | 1/5/1982 | -0.1 | -0.2 | | -0.005 | 65 | -0.01 | -0.02 | -0.05 | 0.14 | -0.02 |
| NP-2 | 1/18/1982 | | | | | | | | | | |
| NP-2 | 1/25/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-2 | 2/16/1982 | | | | | | | | | | |
| NP-2 | 2/22/1982 | | | | -0.005 | | | | 0.069 | 0.37 | |
| NP-2 | 3/12/1982 | | | | | | | | | | |
| NP-2 | 4/16/1982 | | | | | | | | | | |
| NP-2 | 4/26/1982 | | | | -0.005 | | | | -0.05 | 1.2 | |
| NP-2 | 5/15/1982 | | | | 0.015 | | | | -0.05 | 0.68 | |
| NP-2 | 5/24/1982 | | | | | | | | | -0.1 | |
| NP-2 | 5/28/1982 | | | | | | | | | -0.1 | |
| NP-2 | 6/8/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-2 | 6/14/1982 | | | | | | | | | | |
| NP-2 | 6/30/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |

| Well Name | Sample Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|-------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| NP-1 | 1/15/1998 | 19.7 | | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-1 | 4/9/1998 | | 0.02 | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-1 | 7/13/1998 | | 0.05 | 0.0007 | -0.05 | | | -0.05 | | | |
| NP-2 | 10/8/1981 | 14.6 | 0.62 | -1 | -0.1 | -0.05 | 9.57 | -0.002 | -0.02 | 93.5 | |
| NP-2 | 11/6/1981 | | 0.39 | -0.001 | 0.21 | -0.05 | | -0.005 | -0.02 | | |
| NP-2 | 11/13/1981 | 18.67 | 0.79 | -0.0005 | 0.04 | -0.01 | 3.9 | 0.017 | -0.001 | 59.8 | |
| NP-2 | 11/23/1981 | | 0.54 | -0.001 | 0.06 | -0.05 | | -0.005 | -0.02 | | |
| NP-2 | 12/7/1981 | | 0.54 | -0.001 | 0.06 | -0.05 | | -0.005 | -0.02 | | |
| NP-2 | 12/15/1981 | | 0.52 | -0.001 | 0.072 | -0.05 | | -0.005 | -0.02 | | |
| NP-2 | 12/22/1981 | | 0.51 | -0.001 | 0.053 | -0.05 | | -0.005 | -0.02 | | |
| NP-2 | 1/5/1982 | | 0.49 | -0.001 | 0.07 | -0.05 | | -0.02 | -0.02 | | |
| NP-2 | 1/18/1982 | | | | | | | | | | |
| NP-2 | 1/25/1982 | | 0.34 | -0.001 | -0.1 | | | -0.005 | | | |
| NP-2 | 2/16/1982 | | | | | | | | | | |
| NP-2 | 2/22/1982 | | 0.3 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-2 | 3/12/1982 | | | | | | | | | | |
| NP-2 | 4/16/1982 | | | | | | | | | | |
| NP-2 | 4/26/1982 | | 0.29 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-2 | 5/15/1982 | | 0.078 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-2 | 5/24/1982 | | -0.05 | | | | | | | | |
| NP-2 | 5/28/1982 | | -0.05 | | | | | | | | |
| NP-2 | 6/8/1982 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-2 | 6/14/1982 | | | | | | | | | | |
| NP-2 | 6/30/1982 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|-------|----------|-----|----------|
| MW-8 | 3/1/1998 | | | | |
| MW-8 | 4/1/1998 | | | | |
| MW-8 | 5/1/1998 | | | | |
| MW-8 | 6/1/1998 | | | | |
| MW-8 | 7/1/1998 | | | | |
| MW-8 | 8/1/1998 | | | | |
| MW-8 | 9/1/1998 | | | | |
| MW-9 | 11/16/1994 | -0.05 | | | |
| MW-9 | 8/1/1997 | | | | |
| MW-9 | 1/23/1998 | | | | |
| MW-9 | 2/1/1998 | | | | |
| MW-9 | 3/1/1998 | | | | |
| MW-9 | 4/15/1998 | | | | |
| MW-9 | 5/1/1998 | | | | |
| MW-9 | 6/1/1998 | | | | |
| MW-9 | 7/22/1998 | | | | |
| MW-9 | 8/1/1998 | | | | |
| MW-9 | 9/1/1998 | | | | |
| MW-9 | 10/15/1998 | | | | |
| NP-1 | 10/8/1981 | 0.4 | | | |
| NP-1 | 11/4/1981 | 0.14 | | | |
| NP-1 | 11/13/1981 | 0.44 | 20 | | |
| NP-1 | 11/17/1981 | 3.9 | | | |
| NP-1 | 11/23/1981 | 4.1 | | | |
| NP-1 | 12/7/1981 | 5.1 | | | |
| NP-1 | 12/15/1981 | 5.3 | | | |
| NP-1 | 12/22/1981 | 4.1 | | | |
| NP-1 | 1/5/1982 | 4.1 | | | |
| NP-1 | 1/18/1982 | | | | |
| NP-1 | 1/26/1982 | | | | |
| NP-1 | 2/16/1982 | | | | |
| NP-1 | 2/22/1982 | | | | |
| NP-1 | 3/12/1982 | | | | |
| NP-1 | 4/16/1982 | | | | |
| NP-1 | 4/26/1982 | | | | |
| NP-1 | 5/17/1982 | | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|------|----------|-----|----------|
| NP-1 | 5/24/1982 | | | | |
| NP-1 | 5/28/1982 | | | | |
| NP-1 | 6/8/1982 | | | | |
| NP-1 | 6/14/1982 | | | | |
| NP-1 | 6/30/1982 | | | | |
| NP-1 | 7/26/1982 | | | | |
| NP-1 | 8/18/1982 | | | | |
| NP-1 | 9/14/1982 | | | | |
| NP-1 | 10/18/1982 | | | | |
| NP-1 | 10/27/1982 | | | | |
| NP-1 | 11/11/1982 | | | | |
| NP-1 | 12/28/1982 | | | | |
| NP-1 | 2/21/1983 | | | | |
| NP-1 | 5/6/1983 | | | | |
| NP-1 | 5/13/1983 | | | | |
| NP-1 | 6/2/1983 | | | | |
| NP-1 | 7/5/1983 | | | | |
| NP-1 | 8/9/1983 | | | | |
| NP-1 | 8/25/1983 | | | | |
| NP-1 | 10/20/1983 | | | | |
| NP-1 | 11/1/1983 | | | | |
| NP-1 | 12/7/1983 | | | | |
| NP-1 | 1/28/1984 | | | | |
| NP-1 | 2/13/1984 | | | | |
| NP-1 | 3/1/1984 | | | | |
| NP-1 | 3/16/1984 | | | | |
| NP-1 | 4/9/1984 | | | | |
| NP-1 | 4/18/1984 | | | | |
| NP-1 | 5/22/1984 | | | | |
| NP-1 | 5/30/1984 | | | | |
| NP-1 | 6/26/1984 | | | | |
| NP-1 | 7/25/1984 | | | | |
| NP-1 | 8/27/1984 | | | | |
| NP-1 | 9/12/1984 | | | | |
| NP-1 | 9/21/1984 | | | | |
| NP-1 | 11/19/1984 | | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|------|----------|-----|----------|
| NP-1 | 11/27/1984 | | | | |
| NP-1 | 12/17/1984 | | | | |
| NP-1 | 5/17/1985 | | | | |
| NP-1 | 11/13/1985 | | | | |
| NP-1 | 5/23/1986 | | | | |
| NP-1 | 10/8/1986 | | | | |
| NP-1 | 3/30/1989 | 2.6 | | 0.2 | -0.1 |
| NP-1 | 7/19/1991 | | | | |
| NP-1 | 8/29/1991 | | | | |
| NP-1 | 11/26/1991 | | | | |
| NP-1 | 3/15/1992 | | | | |
| NP-1 | 5/25/1992 | | | | |
| NP-1 | 7/16/1992 | | | | |
| NP-1 | 10/8/1992 | | | | |
| NP-1 | 11/27/1992 | | | | |
| NP-1 | 12/15/1992 | | | | |
| NP-1 | 2/25/1993 | | | | |
| NP-1 | 3/30/1993 | 1.13 | | | |
| NP-1 | 9/28/1993 | | | | |
| NP-1 | 3/17/1994 | | | | |
| NP-1 | 5/24/1994 | 5.7 | | | |
| NP-1 | 6/23/1994 | | | | |
| NP-1 | 7/21/1994 | 4.9 | | | |
| NP-1 | 9/22/1994 | | | | |
| NP-1 | 1/29/1995 | | | | |
| NP-1 | 3/29/1995 | | | | |
| NP-1 | 6/27/1995 | | | | |
| NP-1 | 9/21/1995 | | | | |
| NP-1 | 1/10/1996 | | | | |
| NP-1 | 4/3/1996 | | | | |
| NP-1 | 6/1/1996 | | | | |
| NP-1 | 9/25/1996 | | | | |
| NP-1 | 1/15/1997 | | | | |
| NP-1 | 4/1/1997 | | | | |
| NP-1 | 7/1/1997 | | | | |
| NP-1 | 10/1/1997 | | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|------|----------|-----|----------|
| NP-1 | 1/15/1998 | | | | |
| NP-1 | 4/9/1998 | | | | |
| NP-1 | 7/13/1998 | | | | |
| NP-2 | 10/8/1981 | 0.31 | | | |
| NP-2 | 11/6/1981 | 1.7 | | | |
| NP-2 | 11/13/1981 | 3.18 | 21 | | |
| NP-2 | 11/23/1981 | 3.5 | | | |
| NP-2 | 12/7/1981 | 4.4 | | | |
| NP-2 | 12/15/1981 | 2.9 | | | |
| NP-2 | 12/22/1981 | 2.8 | | | |
| NP-2 | 1/5/1982 | 3.2 | | | |
| NP-2 | 1/18/1982 | | | | |
| NP-2 | 1/25/1982 | | | | |
| NP-2 | 2/16/1982 | | | | |
| NP-2 | 2/22/1982 | | | | |
| NP-2 | 3/12/1982 | | | | |
| NP-2 | 4/16/1982 | | | | |
| NP-2 | 4/26/1982 | | | | |
| NP-2 | 5/15/1982 | | | | |
| NP-2 | 5/24/1982 | | | | |
| NP-2 | 5/28/1982 | | | | |
| NP-2 | 6/8/1982 | | | | |
| NP-2 | 6/14/1982 | | | | |
| NP-2 | 6/30/1982 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|-------------|---------|-------|
| NP-2 | 77.83 | Skute Stone Arroyo | | -22 NP-2-22 | 7/26/1982 | QMC | |
| NP-2 | 76.6 | Skute Stone Arroyo | | -23 NP-2-23 | 8/18/1982 | QMC | |
| NP-2 | 75.6 | Skute Stone Arroyo | | -24 NP-2-24 | 9/2/1982 | EID | |
| NP-2 | 75.1 | Skute Stone Arroyo | | -25 NP-2-25 | 9/14/1982 | QMC | |
| NP-2 | 72.9 | Skute Stone Arroyo | | -26 NP-2-26 | 10/18/1982 | QMC | |
| NP-2 | 72.9 | Skute Stone Arroyo | | -27 NP-2-27 | 10/27/1982 | QMC | |
| NP-2 | 71.6 | Skute Stone Arroyo | | -28 NP-2-28 | 11/11/1982 | QMC | |
| NP-2 | 69.7 | Skute Stone Arroyo | | -29 NP-2-29 | 12/28/1982 | QMC | |
| NP-2 | 67.8 | Skute Stone Arroyo | | -30 NP-2-30 | 2/21/1983 | QMC | |
| NP-2 | 67 | Skute Stone Arroyo | | -31 NP-2-31 | 5/6/1983 | QMC | |
| NP-2 | 67 | Skute Stone Arroyo | | -32 NP-2-32 | 5/13/1983 | QMC | |
| NP-2 | 66.8 | Skute Stone Arroyo | | -33 NP-2-33 | 6/2/1983 | QMC | |
| NP-2 | 66.8 | Skute Stone Arroyo | | -34 NP-2-34 | 7/5/1983 | QMC | |
| NP-2 | 66.9 | Skute Stone Arroyo | | -35 NP-2-35 | 8/9/1983 | QMC | |
| NP-2 | 66.9 | Skute Stone Arroyo | | -36 NP-2-36 | 8/25/1983 | QMC | |
| NP-2 | 66.2 | Skute Stone Arroyo | | -37 NP-2-37 | 10/20/1983 | QMC | |
| NP-2 | 66.2 | Skute Stone Arroyo | | -38 NP-2-38 | 11/1/1983 | QMC | |
| NP-2 | 65 | Skute Stone Arroyo | | -39 NP-2-39 | 12/7/1983 | QMC | |
| NP-2 | 64.4 | Skute Stone Arroyo | | -40 NP-2-40 | 1/28/1984 | QMC | |
| NP-2 | 64.2 | Skute Stone Arroyo | | -41 NP-2-41 | 2/13/1984 | QMC | |
| NP-2 | 63.8 | Skute Stone Arroyo | | -42 NP-2-42 | 3/84 | QMC | |
| NP-2 | 63.8 | Skute Stone Arroyo | | -43 NP-2-43 | 3/16/1984 | CFP | |
| NP-2 | 63.8 | Skute Stone Arroyo | | -44 NP-2-44 | 4/18/1984 | CFP | |
| NP-2 | 63.7 | Skute Stone Arroyo | | -45 NP-2-45 | 5/22/1984 | CFP | |
| NP-2 | 63.7 | Skute Stone Arroyo | | -46 NP-2-46 | 5/30/1984 | CFP | |
| NP-2 | 63.4 | Skute Stone Arroyo | | -47 NP-2-47 | 6/26/1984 | CFP | |
| NP-2 | 63.4 | Skute Stone Arroyo | | -48 NP-2-48 | 7/25/1984 | CFP | |
| NP-2 | 63.3 | Skute Stone Arroyo | | -49 NP-2-49 | 8/27/1984 | CFP | |
| NP-2 | 62.5 | Skute Stone Arroyo | | -50 NP-2-50 | 9/12/1984 | CFP | |
| NP-2 | 62.5 | Skute Stone Arroyo | | -51 NP-2-51 | 9/21/1984 | CFP | |
| NP-2 | 62.6 | Skute Stone Arroyo | | -52 NP-2-52 | 11/19/1984 | CFP | |
| NP-2 | 62.6 | Skute Stone Arroyo | | -53 NP-2-53 | 12/27/1984 | CFP | |
| NP-2 | 61.9 | Skute Stone Arroyo | | -54 NP-2-54 | 12/17/1984 | CFP | |
| NP-2 | 61.4 | Skute Stone Arroyo | | -55 NP-2-55 | 5/17/1985 | CFP | |
| NP-2 | 53.1 | Skute Stone Arroyo | | -56 NP-2-56 | 11/13/1985 | CFP | |
| NP-2 | 51 | Skute Stone Arroyo | | -57 NP-2-57 | 5/23/1986 | CFP | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Sample Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|-------------|---------|--------------------|
| NP-2 | 51.6 | Skute Stone Arroyo | | -58 NP-2-58 | 10/8/1986 | CFP | |
| NP-2 | | Skute Stone Arroyo | | -59 NP-2-59 | 3/30/1989 | EID | |
| NP-2 | 3.9 | Skute Stone Arroyo | | -60 NP-2-60 | 7/19/1991 | GE | Lab NP-3- mixed w/ |
| NP-2 | 30 | Skute Stone Arroyo | | -61 NP-2-61 | 8/29/1991 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -62 NP-2-62 | 10/26/1991 | Hood | lab pH |
| NP-2 | 28.33 | Skute Stone Arroyo | | -63 NP-2-63 | 3/15/1992 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -64 NP-2-64 | 5/25/1992 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -65 NP-2-65 | 7/16/1992 | Irwin | lab pH |
| NP-2 | 27.33 | Skute Stone Arroyo | | -66 NP-2-66 | 10/8/1992 | Irwin | lab pH |
| NP-2 | 25.58 | Skute Stone Arroyo | | -67 NP-2-67 | 11/27/1992 | Hood | lab pH |
| NP-2 | | Skute Stone Arroyo | | -68 NP-2-68 | 12/15/1992 | Irwin | lab pH |
| NP-2 | 27.5 | Skute Stone Arroyo | | -69 NP-2-69 | 2/25/1993 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -70 NP-2-70 | 3/30/1993 | JWS | |
| NP-2 | | Skute Stone Arroyo | | -71 NP-2-71 | 9/28/1993 | Irwin | lab pH |
| NP-2 | 18.67 | Skute Stone Arroyo | | -72 NP-2-72 | 3/17/1994 | Irwin | lab pH |
| NP-2 | 26.7 | Skute Stone Arroyo | | -73 NP-2-73 | 5/24/1994 | SRK | |
| NP-2 | | Skute Stone Arroyo | | -74 NP-2-74 | 6/23/1994 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -75 NP-2-75 | 7/22/1994 | SRK | |
| NP-2 | | Skute Stone Arroyo | | -76 NP-2-76 | 9/22/1994 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -77 NP-2-77 | 1/29/1995 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -78 NP-2-78 | 3/29/1995 | Irwin | lab pH |
| NP-2 | 30.25 | Skute Stone Arroyo | | -79 NP-2-79 | 6/27/1995 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -80 NP-2-80 | 9/21/1995 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -81 NP-2-81 | 1/10/1996 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -82 NP-2-82 | 4/3/1996 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -83 NP-2-83 | 6/1/1996 | | |
| NP-2 | | Skute Stone Arroyo | | -84 NP-2-84 | 9/25/1996 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -85 NP-2-85 | 1/15/1997 | Irwin | lab pH |
| NP-2 | | Skute Stone Arroyo | | -86 NP-2-86 | 7/1/1997 | | |
| NP-2 | | Skute Stone Arroyo | | -87 NP-2-87 | 10/1/1997 | | |
| NP-2 | 33.25 | Skute Stone Arroyo | | -88 NP-2-88 | 1/15/1998 | Irwin | |
| NP-2 | 32.75 | Skute Stone Arroyo | | -89 NP-2-89 | 4/9/1998 | Irwin | |
| NP-2 | 33 | Skute Stone Arroyo | | -90 NP-2-90 | 7/13/1998 | Irwin | |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-2 | 7/26/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 8/18/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 9/2/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 26.49 | 127 |
| NP-2 | 9/14/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 10/18/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 10/27/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 26 | 120 |
| NP-2 | 11/11/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 12/28/1982 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 2/21/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 24 | 127 |
| NP-2 | 5/6/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 5/13/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 24 | 139 |
| NP-2 | 6/2/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 7/5/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 8/9/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 36 | 148 |
| NP-2 | 8/25/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 10/20/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 11/1/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 24 | 111 |
| NP-2 | 12/7/1983 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 1/28/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 2/13/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 3/8/84 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 3/16/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 30 | 146 |
| NP-2 | 4/18/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 5/22/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 5/30/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 32 | 175 |
| NP-2 | 6/26/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 7/25/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 8/27/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 9/12/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 22 | 134 |
| NP-2 | 9/21/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 11/19/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 12/27/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 20 | 125 |
| NP-2 | 12/17/1984 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | | |
| NP-2 | 5/17/1985 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 22 | 120 |
| NP-2 | 11/13/1985 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 22 | 115 |
| NP-2 | 5/23/1986 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 28 | 113 |

| Well Name | Sample Date | Latitude | Longitude | UTM Easting | UTM Northing | UTM Zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-2 | 10/8/1986 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 24 | 100 |
| NP-2 | 3/30/1989 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 29.2 | 124 |
| NP-2 | 7/19/1991 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 60.9 | 180.8 |
| NP-2 | 8/29/1991 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 62.8 | 197.6 |
| NP-2 | 10/26/1991 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 63 | 170 |
| NP-2 | 3/15/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 67.6 | 194.2 |
| NP-2 | 5/25/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 66.6 | 161.7 |
| NP-2 | 7/16/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 65.3 | 183.7 |
| NP-2 | 10/8/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 78.2 | 178.9 |
| NP-2 | 11/27/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 63.7 | 179.4 |
| NP-2 | 12/15/1992 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 82.5 | 166.8 |
| NP-2 | 2/25/1993 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 77.8 | 197.2 |
| NP-2 | 3/30/1993 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 239 | 436 |
| NP-2 | 9/28/1993 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 207 | 299.9 |
| NP-2 | 3/17/1994 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 118.2 | 300.5 |
| NP-2 | 5/24/1994 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 130 | 300 |
| NP-2 | 6/23/1994 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 124.3 | 267.5 |
| NP-2 | 7/22/1994 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 128 | 299 |
| NP-2 | 9/22/1994 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 123.8 | 252.7 |
| NP-2 | 1/29/1995 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 94.1 | 120.9 |
| NP-2 | 3/29/1995 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 90.7 | 228.7 |
| NP-2 | 6/27/1995 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 95.9 | 247.1 |
| NP-2 | 9/21/1995 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 86.6 | 211.8 |
| NP-2 | 1/10/1996 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 78.6 | 173.1 |
| NP-2 | 4/3/1996 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | FALSE | 76.8 | 168.7 |
| NP-2 | 6/1/1996 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | | 74.4 | 181 |
| NP-2 | 9/25/1996 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 57.2 | 118 |
| NP-2 | 1/15/1997 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 56 | 148.4 |
| NP-2 | 7/1/1997 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 55.8 | 121 |
| NP-2 | 10/1/1997 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 55 | 127 |
| NP-2 | 1/15/1998 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 59 | 121 |
| NP-2 | 4/9/1998 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 61.8 | 122 |
| NP-2 | 7/13/1998 | 32.95807 | 107.49674 | 266619 | 3649215 | 13 | 5179 | TRUE | 64.6 | 120 |

| Well Name | Sample Date | pH | TDS | Alkalinity | Bicarb | Spec.Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|-------------|------|------|------------|--------|------------|----------|---------|----------|----------|---------|
| NP-2 | 10/8/1986 | | 7.4 | | | | | | | | |
| NP-2 | 3/30/1989 | | | | | | | | -0.1 | | |
| NP-2 | 7/19/1991 | 7.55 | 453 | 46 | 56.1 | 726 | 0.64 | 0.02 | | | -0.002 |
| NP-2 | 8/29/1991 | 8.11 | 471 | | | | | | | | |
| NP-2 | 10/26/1991 | 7.45 | 460 | | | | | | | | |
| NP-2 | 3/15/1992 | 8.07 | 467 | | | | | | | | |
| NP-2 | 5/25/1992 | 8.34 | 456 | | | | | | | | |
| NP-2 | 7/16/1992 | 8.13 | 479 | | | | | | | | |
| NP-2 | 10/8/1992 | 8.26 | 494 | | | | | | | | |
| NP-2 | 11/27/1992 | 8.38 | 451 | | | | | | | | |
| NP-2 | 12/15/1992 | 8.43 | 612 | | | | | | | | |
| NP-2 | 2/25/1993 | 8.62 | 475 | | | | | | | | |
| NP-2 | 3/30/1993 | 7.7 | 1310 | | | 289 | 1910 | 1.33 | 3.3 | 0.5 | -0.005 |
| NP-2 | 9/28/1993 | 7.92 | 1170 | | | | | | | | |
| NP-2 | 3/17/1994 | 7.65 | 971 | | | | | | | | |
| NP-2 | 5/24/1994 | 8.03 | 878 | | | 261 | 1250 | 0.97 | -0.1 | 4.6 | -0.005 |
| NP-2 | 6/23/1994 | 7.69 | 848 | | | | | | | | |
| NP-2 | 7/22/1994 | 7.88 | 878 | | | 270 | 1360 | 0.94 | 1.5 | -0.05 | 0.0059 |
| NP-2 | 9/22/1994 | 7.55 | 963 | | | | | | | | |
| NP-2 | 1/29/1995 | 7.57 | 791 | | | | | | | | |
| NP-2 | 3/29/1995 | 7.69 | 1164 | | | | | | | | |
| NP-2 | 6/27/1995 | 7.93 | 778 | | | | | | | | |
| NP-2 | 9/21/1995 | 7.36 | 772 | | | | | | | | |
| NP-2 | 1/10/1996 | 7.1 | 632 | | | | | | | | |
| NP-2 | 4/3/1996 | 7.23 | 603 | | | | | | | | |
| NP-2 | 6/1/1996 | 6.91 | 642 | | | | | | | | |
| NP-2 | 9/25/1996 | 7.68 | 598 | | | | | | | | |
| NP-2 | 1/15/1997 | 7.44 | 536 | | | | | | | | |
| NP-2 | 7/1/1997 | 7.41 | 496 | | | | | | | | |
| NP-2 | 10/1/1997 | 7.49 | 489 | | | | | | | | |
| NP-2 | 1/15/1998 | 7.54 | 486 | | | 853 | 0.61 | 1.8 | | | |
| NP-2 | 4/9/1998 | | 536 | | | 802 | 0.56 | 1.9 | | | |
| NP-2 | 7/13/1998 | | 500 | | | 795 | 0.62 | 1.5 | | | |

| Well Name | Sample Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|-------------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| NP-2 | 10/8/1986 | | | | | | | | | | |
| NP-2 | 3/30/1989 | -0.1 | -0.1 | -0.1 | -0.1 | 52 | -0.1 | -0.05 | -0.1 | -0.1 | -0.1 |
| NP-2 | 7/19/1991 | | -0.01 | | -0.005 | 34.2 | -0.02 | | -0.02 | -0.05 | -0.005 |
| NP-2 | 8/29/1991 | | | | | | | | | | |
| NP-2 | 10/26/1991 | | | | | | | | | | |
| NP-2 | 3/15/1992 | | | | | | | | | -0.05 | |
| NP-2 | 5/25/1992 | | | | | | | | | -0.05 | |
| NP-2 | 7/16/1992 | | | | | | | | | -0.05 | |
| NP-2 | 10/8/1992 | | | | | | | | | | |
| NP-2 | 11/27/1992 | | | | | | | | | | |
| NP-2 | 12/15/1992 | | | | | | | | | -0.05 | |
| NP-2 | 2/25/1993 | | | | | | | | | | |
| NP-2 | 3/30/1993 | 0.1 | 0.6 | | -0.002 | 163 | -0.02 | -0.05 | 0.01 | 1.85 | -0.02 |
| NP-2 | 9/28/1993 | | | | | | | | | | |
| NP-2 | 3/17/1994 | | | | | | | | | | |
| NP-2 | 5/24/1994 | | -0.1 | | 0.00097 | 120 | -0.025 | | -0.025 | 4.5 | 0.0079 |
| NP-2 | 6/23/1994 | | | | | | | | | | |
| NP-2 | 7/22/1994 | -0.1 | -0.1 | -0.002 | -0.0005 | 120 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| NP-2 | 9/22/1994 | | | | | | | | | | |
| NP-2 | 1/29/1995 | | | | | | | | | | |
| NP-2 | 3/29/1995 | | | | | | | | | | |
| NP-2 | 6/27/1995 | | | | | | | | | | |
| NP-2 | 9/21/1995 | | | | | | | | | | |
| NP-2 | 1/10/1996 | | | | | | | | | | |
| NP-2 | 4/3/1996 | | | | | | | | | | |
| NP-2 | 6/1/1996 | | | | | | | | | | |
| NP-2 | 9/25/1996 | | | | | | | | | | |
| NP-2 | 1/15/1997 | | | | | | | | | | |
| NP-2 | 7/1/1997 | | | | | | | | | | |
| NP-2 | 10/1/1997 | | | | | | | | | | |
| NP-2 | 1/15/1998 | | | | | | | | -0.005 | 0.25 | |
| NP-2 | 4/9/1998 | | | | | | | | 0.005 | 0.24 | |
| NP-2 | 7/13/1998 | | | | | | | | -0.005 | 0.11 | |

| Well Name | Sample Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|-------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| NP-2 | 10/8/1986 | | | | | | | | | | |
| NP-2 | 3/30/1989 | 18 | 0.06 | | -0.1 | -0.1 | 3 | | -0.1 | 65 | |
| NP-2 | 7/19/1991 | 24 | -0.02 | -0.0002 | | | 0.8 | 0.018 | -0.02 | 47.8 | |
| NP-2 | 8/29/1991 | | | | | | | | | | |
| NP-2 | 10/26/1991 | | | | | | | | | | |
| NP-2 | 3/15/1992 | | | | | | | | | | |
| NP-2 | 5/25/1992 | | | | | | | | | | |
| NP-2 | 7/16/1992 | | | | | | | | | | |
| NP-2 | 10/8/1992 | | | | | | | | | | |
| NP-2 | 11/27/1992 | | | | | | | | | | |
| NP-2 | 12/15/1992 | | | | | | | | | | |
| NP-2 | 2/25/1993 | | | | | | | | | | |
| NP-2 | 3/30/1993 | 61 | 0.07 | -0.001 | -0.02 | -0.01 | 0.9 | 0.005 | -0.01 | 163 | |
| NP-2 | 9/28/1993 | | | | | | | | | | |
| NP-2 | 3/17/1994 | | | | | | | | | | |
| NP-2 | 5/24/1994 | 47 | 0.19 | -0.001 | | -0.05 | 2.3 | -0.005 | -0.025 | 100 | |
| NP-2 | 6/23/1994 | | | | | | | | | | |
| NP-2 | 7/22/1994 | 43 | -0.03 | -0.001 | -0.05 | -0.05 | 1.3 | -0.005 | -0.025 | 120 | -0.005 |
| NP-2 | 9/22/1994 | | | | | | | | | | |
| NP-2 | 1/29/1995 | | | | | | | | | | |
| NP-2 | 3/29/1995 | | | | | | | | | | |
| NP-2 | 6/27/1995 | | | | | | | | | | |
| NP-2 | 9/21/1995 | | | | | | | | | | |
| NP-2 | 1/10/1996 | | | | | | | | | | |
| NP-2 | 4/3/1996 | | | | | | | | | | |
| NP-2 | 6/1/1996 | | | | | | | | | | |
| NP-2 | 9/25/1996 | | | | | | | | | | |
| NP-2 | 1/15/1997 | | | | | | | | | | |
| NP-2 | 7/1/1997 | | | | | | | | | | |
| NP-2 | 10/1/1997 | | | | | | | | | | |
| NP-2 | 1/15/1998 | 20.4 | | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-2 | 4/9/1998 | | -0.02 | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-2 | 7/13/1998 | | 0.05 | 0.0005 | -0.05 | | | -0.05 | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|------|----------|-----|----------|
| NP-2 | 7/26/1982 | | | | |
| NP-2 | 8/18/1982 | | | | |
| NP-2 | 9/2/1982 | | 22 | | |
| NP-2 | 9/14/1982 | | | | |
| NP-2 | 10/18/1982 | | | | |
| NP-2 | 10/27/1982 | | | | |
| NP-2 | 11/11/1982 | | | | |
| NP-2 | 12/28/1982 | | | | |
| NP-2 | 2/21/1983 | | | | |
| NP-2 | 5/6/1983 | | | | |
| NP-2 | 5/13/1983 | | | | |
| NP-2 | 6/2/1983 | | | | |
| NP-2 | 7/5/1983 | | | | |
| NP-2 | 8/9/1983 | | | | |
| NP-2 | 8/25/1983 | | | | |
| NP-2 | 10/20/1983 | | | | |
| NP-2 | 11/1/1983 | | | | |
| NP-2 | 12/7/1983 | | | | |
| NP-2 | 1/28/1984 | | | | |
| NP-2 | 2/13/1984 | | | | |
| NP-2 | 3/84 | | | | |
| NP-2 | 3/16/1984 | | | | |
| NP-2 | 4/18/1984 | | | | |
| NP-2 | 5/22/1984 | | | | |
| NP-2 | 5/30/1984 | | | | |
| NP-2 | 6/26/1984 | | | | |
| NP-2 | 7/25/1984 | | | | |
| NP-2 | 8/27/1984 | | | | |
| NP-2 | 9/12/1984 | | | | |
| NP-2 | 9/21/1984 | | | | |
| NP-2 | 11/19/1984 | | | | |
| NP-2 | 12/27/1984 | | | | |
| NP-2 | 12/17/1984 | | | | |
| NP-2 | 5/17/1985 | | | | |
| NP-2 | 11/13/1985 | | | | |
| NP-2 | 5/23/1986 | | | | |

| Well Name | Sample Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|-------------|------|----------|------|----------|
| NP-2 | 10/8/1986 | | | | |
| NP-2 | 3/30/1989 | 0.5 | | -0.1 | -0.1 |
| NP-2 | 7/19/1991 | | | | |
| NP-2 | 8/29/1991 | | | | |
| NP-2 | 10/26/1991 | | | | |
| NP-2 | 3/15/1992 | | | | |
| NP-2 | 5/25/1992 | | | | |
| NP-2 | 7/16/1992 | | | | |
| NP-2 | 10/8/1992 | | | | |
| NP-2 | 11/27/1992 | | | | |
| NP-2 | 12/15/1992 | | | | |
| NP-2 | 2/25/1993 | | | | |
| NP-2 | 3/30/1993 | 0.67 | | | |
| NP-2 | 9/28/1993 | | | | |
| NP-2 | 3/17/1994 | | | | |
| NP-2 | 5/24/1994 | 4.1 | | | |
| NP-2 | 6/23/1994 | | | | |
| NP-2 | 7/22/1994 | 1.2 | | | |
| NP-2 | 9/22/1994 | | | | |
| NP-2 | 1/29/1995 | | | | |
| NP-2 | 3/29/1995 | | | | |
| NP-2 | 6/27/1995 | | | | |
| NP-2 | 9/21/1995 | | | | |
| NP-2 | 1/10/1996 | | | | |
| NP-2 | 4/3/1996 | | | | |
| NP-2 | 6/1/1996 | | | | |
| NP-2 | 9/25/1996 | | | | |
| NP-2 | 1/15/1997 | | | | |
| NP-2 | 7/1/1997 | | | | |
| NP-2 | 10/1/1997 | | | | |
| NP-2 | 1/15/1998 | | | | |
| NP-2 | 4/9/1998 | | | | |
| NP-2 | 7/13/1998 | | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|-------|
| NP-3 | 73.45 | Skute Stone Arroyo | | -1 NP-3-1 | 10/8/1981 | QMC | |
| NP-3 | | Skute Stone Arroyo | | -2 NP-3-2 | 10/27/1981 | QMC | |
| NP-3 | | Skute Stone Arroyo | | -3 NP-3-3 | 10/30/1981 | | |
| NP-3 | 71.58 | Skute Stone Arroyo | | -4 NP-3-4 | 11/6/1981 | QMC | |
| NP-3 | 71.58 | Skute Stone Arroyo | | -5 NP-3-5 | 11/12/1981 | QMC | |
| NP-3 | 71.4 | Skute Stone Arroyo | | -6 NP-3-6 | 11/13/1981 | EID | |
| NP-3 | 69 | Skute Stone Arroyo | | -7 NP-3-7 | 11/17/1981 | QMC | |
| NP-3 | 69.85 | Skute Stone Arroyo | | -8 NP-3-8 | 11/23/1981 | QMC | |
| NP-3 | 70.1 | Skute Stone Arroyo | | -9 NP-3-9 | 12/7/1981 | QMC | |
| NP-3 | 68.67 | Skute Stone Arroyo | | -10 NP-3-10 | 12/15/1981 | QMC | |
| NP-3 | 77.67 | Skute Stone Arroyo | | -11 NP-3-11 | 12/22/1981 | QMC | |
| NP-3 | | Skute Stone Arroyo | | -12 NP-3-12 | 1/5/1982 | QMC | |
| NP-3 | 66.17 | Skute Stone Arroyo | | -13 NP-3-13 | 1/18/1982 | QMC | |
| NP-3 | 66.16 | Skute Stone Arroyo | | -14 NP-3-14 | 1/26/1982 | QMC | |
| NP-3 | 64.67 | Skute Stone Arroyo | | -15 NP-3-15 | 2/16/1982 | QMC | |
| NP-3 | 64.62 | Skute Stone Arroyo | | -16 NP-3-16 | 2/22/1982 | QMC | |
| NP-3 | 63.42 | Skute Stone Arroyo | | -17 NP-3-17 | 3/12/1982 | QMC | |
| NP-3 | 57.67 | Skute Stone Arroyo | | -18 NP-3-18 | 4/16/1982 | QMC | |
| NP-3 | 57.5 | Skute Stone Arroyo | | -19 NP-3-19 | 4/26/1982 | QMC | |
| NP-3 | 5.75 | Skute Stone Arroyo | | -20 NP-3-20 | 5/17/1982 | QMC | |
| NP-3 | | Skute Stone Arroyo | | -21 NP-3-21 | 5/24/1982 | QMC | |
| NP-3 | | Skute Stone Arroyo | | -22 NP-3-22 | 5/28/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -23 NP-3-23 | 6/8/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -24 NP-3-24 | 6/14/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -25 NP-3-25 | 6/30/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -26 NP-3-26 | 7/26/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -27 NP-3-27 | 8/18/1982 | QMC | |
| NP-3 | 0 | Skute Stone Arroyo | | -28 NP-3-28 | 9/2/1982 | EID | |
| NP-3 | 0 | Skute Stone Arroyo | | -29 NP-3-29 | 9/14/1982 | QMC | |
| NP-3 | 0.8 | Skute Stone Arroyo | | -30 NP-3-30 | 10/18/1982 | QMC | |
| NP-3 | 0.8 | Skute Stone Arroyo | | -31 NP-3-31 | 10/27/1982 | QMC | |
| NP-3 | 2.7 | Skute Stone Arroyo | | -32 NP-3-32 | 11/11/1982 | QMC | |
| NP-3 | 6.6 | Skute Stone Arroyo | | -33 NP-3-33 | 12/28/1982 | QMC | |
| NP-3 | 9.2 | Skute Stone Arroyo | | -34 NP-3-34 | 2/21/1983 | QMC | |
| NP-3 | 14.4 | Skute Stone Arroyo | | -35 NP-3-35 | 5/6/1983 | QMC | |
| NP-3 | 14.4 | Skute Stone Arroyo | | -36 NP-3-36 | 5/13/1983 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|--------|
| NP-3 | 15.7 | Skute Stone Arroyo | | -37 NP-3-37 | 6/2/1983 | QMC | |
| NP-3 | 17 | Skute Stone Arroyo | | -38 NP-3-38 | 7/5/1983 | QMC | |
| NP-3 | 19.1 | Skute Stone Arroyo | | -39 NP-3-39 | 8/9/1983 | QMC | |
| NP-3 | 19.1 | Skute Stone Arroyo | | -40 NP-3-40 | 8/25/1983 | QMC | |
| NP-3 | 21.5 | Skute Stone Arroyo | | -41 NP-3-41 | 10/20/1983 | QMC | |
| NP-3 | 21.5 | Skute Stone Arroyo | | -42 NP-3-42 | 11/1/1983 | QMC | |
| NP-3 | 22.7 | Skute Stone Arroyo | | -43 NP-3-43 | 12/7/1983 | QMC | |
| NP-3 | 22.5 | Skute Stone Arroyo | | -44 NP-3-44 | 1/28/1984 | QMC | |
| NP-3 | 22.5 | Skute Stone Arroyo | | -45 NP-3-45 | 2/13/1984 | QMC | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -46 NP-3-46 | 3/1/1984 | QMC | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -47 NP-3-47 | 3/16/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -48 NP-3-48 | 4/18/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -49 NP-3-49 | 5/22/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -50 NP-3-50 | 5/30/1984 | CFP | |
| NP-3 | 22.8 | Skute Stone Arroyo | | -51 NP-3-51 | 6/26/1984 | CFP | |
| NP-3 | 22.9 | Skute Stone Arroyo | | -52 NP-3-52 | 7/25/1984 | CFP | |
| NP-3 | 22.9 | Skute Stone Arroyo | | -53 NP-3-53 | 8/27/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -54 NP-3-54 | 9/12/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -55 NP-3-55 | 9/21/1984 | CFP | |
| NP-3 | 22.6 | Skute Stone Arroyo | | -56 NP-3-56 | 11/19/1984 | CFP | |
| NP-3 | 22.6 | Skute Stone Arroyo | | -57 NP-3-57 | 11/27/1984 | CFP | |
| NP-3 | 22.5 | Skute Stone Arroyo | | -58 NP-3-58 | 12/17/1984 | CFP | |
| NP-3 | 22.4 | Skute Stone Arroyo | | -59 NP-3-59 | 5/17/1985 | CFP | |
| NP-3 | 12.5 | Skute Stone Arroyo | | -60 NP-3-60 | 11/13/1985 | CFP | |
| NP-3 | 11.1 | Skute Stone Arroyo | | -61 NP-3-61 | 5/23/1986 | CFP | |
| NP-3 | 10.9 | Skute Stone Arroyo | | -62 NP-3-62 | 10/8/1986 | CFP | |
| NP-3 | 5.12 | Skute Stone Arroyo | | -63 NP-3-63 | 3/3/1987 | | |
| NP-3 | 5.12 | Skute Stone Arroyo | | -64 NP-3-64 | 3/4/1987 | EID | |
| NP-3 | | Skute Stone Arroyo | | -65 NP-3-65 | 5/25/1987 | | |
| NP-3 | 6.5 | Skute Stone Arroyo | | -66 NP-3-66 | 1/12/1988 | EID | |
| NP-3 | | Skute Stone Arroyo | | -67 NP-3-67 | 4/4/1988 | Irwin | lab pH |
| NP-3 | 7.58 | Skute Stone Arroyo | | -68 NP-3-68 | 8/23/1988 | Irwin | lab pH |
| NP-3 | 6.5 | Skute Stone Arroyo | | -69 NP-3-69 | 2/9/1989 | Irwin | lab pH |
| NP-3 | 6.8 | Skute Stone Arroyo | | -70 NP-3-70 | 6/1/1989 | Irwin | lab pH |
| NP-3 | 5.66 | Skute Stone Arroyo | | -71 NP-3-71 | 11/30/1989 | Irwin | lab pH |
| NP-3 | 4.9 | Skute Stone Arroyo | | -72 NP-3-72 | 11/14/1990 | GE | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|---------------|------------|---------|---------------------|
| NP-3 | 10.9 | Skute Stone Arroyo | | -73 NP-3-73 | 2/11/1991 | SHB | |
| NP-3 | 30.3 | Skute Stone Arroyo | | -74 NP-3-74 | 7/19/1991 | GE | Lab NP-2-mixed w/ |
| NP-3 | 3.92 | Skute Stone Arroyo | | -75 NP-3-75 | 8/29/1991 | Irwin | lab pH |
| NP-3 | 3.67 | Skute Stone Arroyo | | -76 NP-3-76 | 11/26/1991 | Hood | lab pH |
| NP-3 | 3.42 | Skute Stone Arroyo | | -77 NP-3-77 | 3/15/1992 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -78 NP-3-78 | 5/25/1992 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -79 NP-3-79 | 7/16/1992 | Irwin | lab pH |
| NP-3 | 2.42 | Skute Stone Arroyo | | -80 NP-3-80 | 10/8/1992 | Irwin | lab pH |
| NP-3 | 3.58 | Skute Stone Arroyo | | -81 NP-3-81 | 11/27/1992 | Hood | lab pH |
| NP-3 | | Skute Stone Arroyo | | -82 NP-3-82 | 12/15/1992 | Irwin | lab pH |
| NP-3 | 3.58 | Skute Stone Arroyo | | -83 NP-3-83 | 2/25/1993 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -84 NP-3-84 | 3/30/1993 | JWS | |
| NP-3 | | Skute Stone Arroyo | | -85 NP-3-85 | 9/28/1993 | Irwin | lab pH |
| NP-3 | 3.56 | Skute Stone Arroyo | | -86 NP-3-86 | 3/17/1994 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -87 NP-3-87 | 6/23/1994 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -88 NP-3-88 | 7/22/1994 | SRK | 25 ft of sediment I |
| NP-3 | | Skute Stone Arroyo | | -89 NP-3-89 | 9/22/1994 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -90 NP-3-90 | 1/29/1995 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -91 NP-3-91 | 3/29/1995 | Irwin | lab pH |
| NP-3 | 7.58 | Skute Stone Arroyo | | -92 NP-3-92 | 6/27/1995 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -93 NP-3-93 | 9/21/1995 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -94 NP-3-94 | 1/10/1996 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -95 NP-3-95 | 4/3/1996 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -96 NP-3-96 | 6/1/1996 | | |
| NP-3 | | Skute Stone Arroyo | | -97 NP-3-97 | 9/25/1996 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -98 NP-3-98 | 1/15/1997 | Irwin | lab pH |
| NP-3 | | Skute Stone Arroyo | | -99 NP-3-99 | 7/1/1997 | | |
| NP-3 | | Skute Stone Arroyo | | -100 NP-3-100 | 10/1/1997 | | |
| NP-3 | 10.5 | Skute Stone Arroyo | | -101 NP-3-101 | 1/15/1998 | Irwin | |
| NP-3 | 10.35 | Skute Stone Arroyo | | -102 NP-3-102 | 4/9/1998 | Irwin | |
| NP-3 | 10.5 | Skute Stone Arroyo | | -103 NP-3-103 | 7/13/1998 | Irwin | |
| NP-4 | 82.25 | Skute Stone Arroyo | | -1 NP-4-1 | 4/16/1982 | QMC | |
| NP-4 | 82.2 | Skute Stone Arroyo | | -2 NP-4-2 | 4/26/1982 | QMC | |
| NP-4 | 68.5 | Skute Stone Arroyo | | -3 NP-4-3 | 5/17/1982 | QMC | |
| NP-4 | | Skute Stone Arroyo | | -4 NP-4-4 | 5/24/1982 | QMC | |
| NP-4 | | Skute Stone Arroyo | | -5 NP-4-5 | 5/28/1982 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|-------|
| NP-4 | 42.5 | Skute Stone Arroyo | | -6 NP-4-6 | 6/8/1982 | QMC | |
| NP-4 | 42.5 | Skute Stone Arroyo | | -7 NP-4-7 | 6/14/1982 | QMC | |
| NP-4 | | Skute Stone Arroyo | | -8 NP-4-8 | 6/30/1982 | QMC | |
| NP-4 | 31.62 | Skute Stone Arroyo | | -9 NP-4-9 | 7/26/1982 | QMC | |
| NP-4 | 31.3 | Skute Stone Arroyo | | -10 NP-4-10 | 8/18/1982 | QMC | |
| NP-4 | 31.2 | Skute Stone Arroyo | | -11 NP-4-11 | 9/2/1982 | EID | |
| NP-4 | 31.1 | Skute Stone Arroyo | | -12 NP-4-12 | 9/14/1982 | QMC | |
| NP-4 | 31.6 | Skute Stone Arroyo | | -13 NP-4-13 | 10/18/1982 | QMC | |
| NP-4 | 31.6 | Skute Stone Arroyo | | -14 NP-4-14 | 10/27/1982 | QMC | |
| NP-4 | 33.1 | Skute Stone Arroyo | | -15 NP-4-15 | 11/11/1982 | QMC | |
| NP-4 | 35.1 | Skute Stone Arroyo | | -16 NP-4-16 | 12/28/1982 | QMC | |
| NP-4 | 38.9 | Skute Stone Arroyo | | -17 NP-4-17 | 2/21/1983 | QMC | |
| NP-4 | 39.7 | Skute Stone Arroyo | | -18 NP-4-18 | 5/6/1983 | QMC | |
| NP-4 | 39.7 | Skute Stone Arroyo | | -19 NP-4-19 | 5/13/1983 | QMC | |
| NP-4 | 40.6 | Skute Stone Arroyo | | -20 NP-4-20 | 6/2/1983 | QMC | |
| NP-4 | 41.8 | Skute Stone Arroyo | | -21 NP-4-21 | 7/5/1983 | QMC | |
| NP-4 | 43.7 | Skute Stone Arroyo | | -22 NP-4-22 | 8/9/1983 | QMC | |
| NP-4 | 43.7 | Skute Stone Arroyo | | -23 NP-4-23 | 8/25/1983 | QMC | |
| NP-4 | 45.2 | Skute Stone Arroyo | | -24 NP-4-24 | 10/20/1983 | QMC | |
| NP-4 | 45.2 | Skute Stone Arroyo | | -25 NP-4-25 | 11/1/1983 | QMC | |
| NP-4 | 48.4 | Skute Stone Arroyo | | -26 NP-4-26 | 12/7/1983 | QMC | |
| NP-4 | 47.1 | Skute Stone Arroyo | | -27 NP-4-27 | 1/28/1984 | QMC | |
| NP-4 | 46.8 | Skute Stone Arroyo | | -28 NP-4-28 | 2/13/1984 | QMC | |
| NP-4 | 46.6 | Skute Stone Arroyo | | -29 NP-4-29 | 3/1/1984 | QMC | |
| NP-4 | 46.6 | Skute Stone Arroyo | | -30 NP-4-30 | 3/16/1984 | CFP | |
| NP-4 | 46.7 | Skute Stone Arroyo | | -31 NP-4-31 | 4/18/1984 | CFP | |
| NP-4 | 44.9 | Skute Stone Arroyo | | -32 NP-4-32 | 5/22/1984 | CFP | |
| NP-4 | 44.9 | Skute Stone Arroyo | | -33 NP-4-33 | 5/30/1984 | CFP | |
| NP-4 | 44.6 | Skute Stone Arroyo | | -34 NP-4-34 | 6/26/1984 | CFP | |
| NP-4 | 44.3 | Skute Stone Arroyo | | -35 NP-4-35 | 7/25/1984 | CFP | |
| NP-4 | 44.1 | Skute Stone Arroyo | | -36 NP-4-36 | 8/27/1984 | CFP | |
| NP-4 | 43.8 | Skute Stone Arroyo | | -37 NP-4-37 | 9/12/1984 | CFP | |
| NP-4 | 43.8 | Skute Stone Arroyo | | -38 NP-4-38 | 9/21/1984 | CFP | |
| NP-4 | 43.1 | Skute Stone Arroyo | | -39 NP-4-39 | 11/19/1984 | CFP | |
| NP-4 | 42.1 | Skute Stone Arroyo | | -40 NP-4-40 | 11/27/1984 | CFP | |
| NP-4 | 42.9 | Skute Stone Arroyo | | -41 NP-4-41 | 12/17/1984 | CFP | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|--------|
| NP-4 | 42.7 | Skute Stone Arroyo | | -42 NP-4-42 | 5/17/1985 | CFP | |
| NP-4 | 37.3 | Skute Stone Arroyo | | -43 NP-4-43 | 11/13/1985 | CFP | |
| NP-4 | 34.4 | Skute Stone Arroyo | | -44 NP-4-44 | 5/23/1986 | CFP | |
| NP-4 | 34.5 | Skute Stone Arroyo | | -45 NP-4-45 | 10/8/1986 | CFP | |
| NP-4 | | Skute Stone Arroyo | | -46 NP-4-46 | 5/25/1987 | | |
| NP-4 | 29.8 | Skute Stone Arroyo | | -47 NP-4-47 | 1/12/1988 | EID | |
| NP-4 | | Skute Stone Arroyo | | -48 NP-4-48 | 4/4/1988 | Irwin | lab pH |
| NP-4 | 29.33 | Skute Stone Arroyo | | -49 NP-4-49 | 8/23/1988 | Irwin | lab pH |
| NP-4 | 29.25 | Skute Stone Arroyo | | -50 NP-4-50 | 2/9/1989 | Irwin | lab pH |
| NP-4 | 27.3 | Skute Stone Arroyo | | -51 NP-4-51 | 6/1/1989 | Irwin | lab pH |
| NP-4 | 29.2 | Skute Stone Arroyo | | -52 NP-4-52 | 11/30/1989 | Irwin | lab pH |
| NP-4 | 29.75 | Skute Stone Arroyo | | -53 NP-4-53 | 11/14/1990 | | |
| NP-4 | | Skute Stone Arroyo | | -54 NP-4-54 | 2/11/1991 | | |
| NP-4 | | Skute Stone Arroyo | | -55 NP-4-55 | 7/19/1991 | GE | lab pH |
| NP-4 | 27.5 | Skute Stone Arroyo | | -56 NP-4-56 | 8/29/1991 | Irwin | lab pH |
| NP-4 | 27 | Skute Stone Arroyo | | -57 NP-4-57 | 11/26/1991 | Hood | lab pH |
| NP-4 | 26.42 | Skute Stone Arroyo | | -58 NP-4-58 | 3/15/1992 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -59 NP-4-59 | 5/25/1992 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -60 NP-4-60 | 7/16/1992 | Irwin | lab pH |
| NP-4 | 26 | Skute Stone Arroyo | | -61 NP-4-61 | 10/8/1992 | Irwin | lab pH |
| NP-4 | 26.92 | Skute Stone Arroyo | | -62 NP-4-62 | 11/27/1992 | Hood | lab pH |
| NP-4 | | Skute Stone Arroyo | | -63 NP-4-63 | 12/15/1992 | Irwin | lab pH |
| NP-4 | 27.08 | Skute Stone Arroyo | | -64 NP-4-64 | 2/25/1993 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -65 NP-4-65 | 3/31/1993 | JWS | |
| NP-4 | | Skute Stone Arroyo | | -66 NP-4-66 | 9/28/1993 | Irwin | lab pH |
| NP-4 | 27.85 | Skute Stone Arroyo | | -67 NP-4-67 | 5/26/1994 | SRK | |
| NP-4 | | Skute Stone Arroyo | | -68 NP-4-68 | 6/23/1994 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -69 NP-4-69 | 7/23/1994 | SRK | |
| NP-4 | | Skute Stone Arroyo | | -70 NP-4-70 | 9/22/1994 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -71 NP-4-71 | 1/29/1995 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -72 NP-4-72 | 3/29/1995 | Irwin | lab pH |
| NP-4 | 30.75 | Skute Stone Arroyo | | -73 NP-4-73 | 6/27/1995 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -74 NP-4-74 | 9/21/1995 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -75 NP-4-75 | 1/10/1996 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -76 NP-4-76 | 4/3/1996 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -77 NP-4-77 | 6/1/1996 | | |

| Well Name | Water Depth | USGS Quad | Well Depth | sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|------------|--------|
| NP-4 | | Skute Stone Arroyo | | -78 NP-4-78 | 9/25/1996 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -79 NP-4-79 | 1/15/1997 | Irwin | lab pH |
| NP-4 | | Skute Stone Arroyo | | -80 NP-4-80 | 7/1/1997 | | |
| NP-4 | | Skute Stone Arroyo | | -81 NP-4-81 | 10/1/1997 | | |
| NP-4 | 33.3 | Skute Stone Arroyo | | -82 NP-4-82 | 1/15/1998 | Irwin | |
| NP-4 | | Skute Stone Arroyo | | -83 NP-4-83 | 1/24/1998 | Goff | |
| NP-4 | 33.75 | Skute Stone Arroyo | | -84 NP-4-84 | 4/9/1998 | Irwin | |
| NP-4 | 33.75 | Skute Stone Arroyo | | -85 NP-4-85 | 7/13/1998 | Irwin | |
| NP-4 | | Skute Stone Arroyo | | -86 NP-4-86 | 7/21/1998 | Brownfield | |
| NP-5 | 37.56 | Skute Stone Arroyo | | -1 NP-5-1 | 11/4/1981 | QMC | |
| NP-5 | 34.83 | Skute Stone Arroyo | | -2 NP-5-2 | 11/11/1981 | QMC | |
| NP-5 | 37.49 | Skute Stone Arroyo | | -3 NP-5-3 | 11/13/1981 | EID | |
| NP-5 | 34.83 | Skute Stone Arroyo | | -4 NP-5-4 | 11/17/1981 | QMC | |
| NP-5 | 33 | Skute Stone Arroyo | | -5 NP-5-5 | 11/23/1981 | QMC | |
| NP-5 | 37.56 | Skute Stone Arroyo | | -6 NP-5-6 | 12/7/1981 | QMC | |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-3 | 10/8/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28.6 | 94.5 |
| NP-3 | 10/27/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28 | 148 |
| NP-3 | 10/30/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 31.2 | 102 |
| NP-3 | 11/6/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28 | 140 |
| NP-3 | 11/12/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 11/13/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26.71 | 140.6 |
| NP-3 | 11/17/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 144 |
| NP-3 | 11/23/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 144 |
| NP-3 | 12/7/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28 | 153 |
| NP-3 | 12/15/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 149 |
| NP-3 | 12/22/1981 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 149 |
| NP-3 | 1/5/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 154 |
| NP-3 | 1/18/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 1/26/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 30 | 151 |
| NP-3 | 2/16/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 2/22/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28 | 137 |
| NP-3 | 3/12/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 4/16/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 4/26/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 28 | 146 |
| NP-3 | 5/17/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 562 | 900 |
| NP-3 | 5/24/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | | |
| NP-3 | 5/28/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | | |
| NP-3 | 6/8/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 30 | 150 |
| NP-3 | 6/14/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 6/30/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 128 |
| NP-3 | 7/26/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 8/18/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 9/2/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 27.82 | 123.8 |
| NP-3 | 9/14/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 10/18/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 10/27/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 132 |
| NP-3 | 11/11/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 12/28/1982 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 2/21/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 26 | 131 |
| NP-3 | 5/6/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 5/13/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 64 | 139 |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-3 | 6/2/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 7/5/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 8/9/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 114 | 100 |
| NP-3 | 8/25/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 10/20/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 11/1/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 162 | 163 |
| NP-3 | 12/7/1983 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 1/28/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 2/13/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 3/1/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 3/16/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 228 | 216 |
| NP-3 | 4/18/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 5/22/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 5/30/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 248 | 292 |
| NP-3 | 6/26/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 7/25/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 8/27/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 9/12/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 270 | 292 |
| NP-3 | 9/21/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 11/19/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 11/27/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 290 | 348 |
| NP-3 | 12/17/1984 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | |
| NP-3 | 5/17/1985 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 310 | 453 |
| NP-3 | 11/13/1985 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 288 | 541 |
| NP-3 | 5/23/1986 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 282 | 624 |
| NP-3 | 10/8/1986 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 272 | 620 |
| NP-3 | 3/3/1987 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | 695 |
| NP-3 | 3/4/1987 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 283 | 695 |
| NP-3 | 5/25/1987 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | | 735.5 |
| NP-3 | 1/12/1988 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 359 | 755 |
| NP-3 | 4/4/1988 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 254 | 587 |
| NP-3 | 8/23/1988 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 251.4 | 835.2 |
| NP-3 | 2/9/1989 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 254.3 | 763.4 |
| NP-3 | 6/1/1989 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 241.1 | 713.6 |
| NP-3 | 11/30/1989 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 158.9 | 742.9 |
| NP-3 | 11/14/1990 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 228.7 | 821.6 |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-3 | 2/11/1991 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 255.9 | 970.5 |
| NP-3 | 7/19/1991 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 239.2 | 820.3 |
| NP-3 | 8/29/1991 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 254.3 | 854.1 |
| NP-3 | 11/26/1991 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 248.1 | 745.2 |
| NP-3 | 3/15/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 227.8 | 921.3 |
| NP-3 | 5/25/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 216.4 | 752.9 |
| NP-3 | 7/16/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 226.1 | 802.2 |
| NP-3 | 10/8/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 211.6 | 799.1 |
| NP-3 | 11/27/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 254.7 | 796.1 |
| NP-3 | 12/15/1992 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 223.2 | 545.3 |
| NP-3 | 2/25/1993 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 219.3 | 793.6 |
| NP-3 | 3/30/1993 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 205 | 825 |
| NP-3 | 9/28/1993 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 210.3 | 619.4 |
| NP-3 | 3/17/1994 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 169.5 | 746.9 |
| NP-3 | 6/23/1994 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 205.7 | 778.6 |
| NP-3 | 7/22/1994 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 194 | 796 |
| NP-3 | 9/22/1994 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 435.9 | 1348 |
| NP-3 | 1/29/1995 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 566.4 | 651.9 |
| NP-3 | 3/29/1995 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 185.5 | 558 |
| NP-3 | 6/27/1995 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 202.7 | 717 |
| NP-3 | 9/21/1995 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 208.4 | 822 |
| NP-3 | 1/10/1996 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 208.5 | 724.1 |
| NP-3 | 4/3/1996 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | FALSE | 208.3 | 722.6 |
| NP-3 | 6/1/1996 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | | 210.6 | 556.5 |
| NP-3 | 9/25/1996 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 190.5 | 536.5 |
| NP-3 | 1/15/1997 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 207 | 657.4 |
| NP-3 | 7/1/1997 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 211 | 711 |
| NP-3 | 10/1/1997 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 226 | 719 |
| NP-3 | 1/15/1998 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 217 | 627 |
| NP-3 | 4/9/1998 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 219 | 683 |
| NP-3 | 7/13/1998 | 32.96126 | 107.49678 | 266624 | 3649569 | 13 | 5200 | TRUE | 220 | 715 |
| NP-4 | 4/16/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 4/26/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 46 | 132 |
| NP-4 | 5/17/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 46 | 138 |
| NP-4 | 5/24/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | | |
| NP-4 | 5/28/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | | |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-4 | 6/8/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 26 | 140 |
| NP-4 | 6/14/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 6/30/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 28 | 115 |
| NP-4 | 7/26/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 8/18/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 9/2/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 28.72 | 107.1 |
| NP-4 | 9/14/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 10/18/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 10/27/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 36 | 108 |
| NP-4 | 11/11/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 12/28/1982 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 2/21/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 48 | 115 |
| NP-4 | 5/6/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 5/13/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 76 | 134 |
| NP-4 | 6/2/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 7/5/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 8/9/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 94 | 156 |
| NP-4 | 8/25/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 10/20/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 11/1/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 114 | 206 |
| NP-4 | 12/7/1983 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 1/28/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 2/13/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 3/1/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 3/16/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 126 | 256 |
| NP-4 | 4/18/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 5/22/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 5/30/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 134 | 320 |
| NP-4 | 6/26/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 7/25/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 8/27/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 9/12/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 134 | 339 |
| NP-4 | 9/21/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 11/19/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |
| NP-4 | 11/27/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 140 | 354 |
| NP-4 | 12/17/1984 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-4 | 5/17/1985 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 146 | 348 |
| NP-4 | 11/13/1985 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 142 | 292 |
| NP-4 | 5/23/1986 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 136 | 300 |
| NP-4 | 10/8/1986 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 134 | 290 |
| NP-4 | 5/25/1987 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | | 278.5 |
| NP-4 | 1/12/1988 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 137 | 256 |
| NP-4 | 4/4/1988 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 130.4 | 328.8 |
| NP-4 | 8/23/1988 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 132.1 | 292.2 |
| NP-4 | 2/9/1989 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 130 | 266.8 |
| NP-4 | 6/1/1989 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 116.4 | 243.5 |
| NP-4 | 11/30/1989 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 96.9 | 237.4 |
| NP-4 | 11/14/1990 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 153.1 | 254.5 |
| NP-4 | 2/11/1991 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 126.1 | 288.9 |
| NP-4 | 7/19/1991 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 112.3 | 198.5 |
| NP-4 | 8/29/1991 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 110.7 | 232 |
| NP-4 | 11/26/1991 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 99 | 193.6 |
| NP-4 | 3/15/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 102.9 | 216.5 |
| NP-4 | 5/25/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 106.2 | 171.4 |
| NP-4 | 7/16/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 94.4 | 176.8 |
| NP-4 | 10/8/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 102.9 | 182.9 |
| NP-4 | 11/27/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 97.5 | 201.7 |
| NP-4 | 12/15/1992 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 84.4 | 151.2 |
| NP-4 | 2/25/1993 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 76.6 | 150.8 |
| NP-4 | 3/31/1993 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 45 | 134 |
| NP-4 | 9/28/1993 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 56.9 | 108.5 |
| NP-4 | 5/26/1994 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 39 | 131 |
| NP-4 | 6/23/1994 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 48.5 | 133.5 |
| NP-4 | 7/23/1994 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 34 | 120 |
| NP-4 | 9/22/1994 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 36.9 | 111 |
| NP-4 | 1/29/1995 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 34.5 | 110.7 |
| NP-4 | 3/29/1995 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 33.8 | 121.7 |
| NP-4 | 6/27/1995 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 33.2 | 134.1 |
| NP-4 | 9/21/1995 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 35.3 | 132.1 |
| NP-4 | 1/10/1996 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 34.7 | 123.1 |
| NP-4 | 4/3/1996 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | FALSE | 26 | 123.3 |
| NP-4 | 6/1/1996 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | | 34.4 | 123 |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-4 | 9/25/1996 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 31.7 | 125.6 |
| NP-4 | 1/15/1997 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 98 | 1113 |
| NP-4 | 7/1/1997 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 33.2 | 119 |
| NP-4 | 10/1/1997 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 34.3 | 123 |
| NP-4 | 1/15/1998 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 33.4 | 137 |
| NP-4 | 1/24/1998 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 35.8 | 130 |
| NP-4 | 4/9/1998 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 34.2 | 120 |
| NP-4 | 7/13/1998 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 32.9 | 131 |
| NP-4 | 7/21/1998 | 32.96513 | 107.49789 | 266530 | 3650000 | 13 | 5187 | TRUE | 33.2 | 128 |
| NP-5 | 11/4/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 50 | 196 |
| NP-5 | 11/11/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 11/13/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 37.89 | 162 |
| NP-5 | 11/17/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 42 | 158 |
| NP-5 | 11/23/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 36 | 161 |
| NP-5 | 12/7/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 34 | 172 |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|------------|------|------|------------|--------|-------------|----------|---------|----------|----------|---------|
| NP-3 | 10/8/1981 | 6.98 | 460 | | 211 | | 1.58 | -0.5 | -0.25 | | 0.005 |
| NP-3 | 10/27/1981 | 8 | 390 | | | | 1.9 | 0.4 | -0.01 | | -0.01 |
| NP-3 | 10/30/1981 | 7.89 | 428 | | | | 1.6 | -0.5 | -0.25 | | -0.005 |
| NP-3 | 11/6/1981 | 7.9 | 380 | | | | 1.6 | 0.2 | -0.01 | | -0.01 |
| NP-3 | 11/12/1981 | | | | | | | | | | |
| NP-3 | 11/13/1981 | 7.6 | 446 | | 190.3 | 600 | 1.39 | 0.16 | -0.25 | | 0.009 |
| NP-3 | 11/17/1981 | 8.1 | 390 | | | | 1.4 | -0.2 | -0.01 | | -0.01 |
| NP-3 | 11/23/1981 | 7.8 | 460 | | | | 1.2 | 0.2 | -0.01 | | -0.01 |
| NP-3 | 12/7/1981 | 7.9 | 450 | | | | 1.1 | -0.2 | -0.01 | | -0.01 |
| NP-3 | 12/15/1981 | 7.8 | 450 | | | | 1.1 | 0.2 | -0.01 | | -0.01 |
| NP-3 | 12/22/1981 | 7.9 | 410 | | | | 0.9 | 0.2 | -0.01 | | -0.01 |
| NP-3 | 1/5/1982 | 7.7 | 360 | | | | 1.1 | 0.2 | -0.01 | | -0.01 |
| NP-3 | 1/18/1982 | | | | | | | | | | |
| NP-3 | 1/26/1982 | 8.1 | 400 | | | | 1 | 0.2 | | | |
| NP-3 | 2/16/1982 | | | | | | | | | | |
| NP-3 | 2/22/1982 | 8 | 420 | | | | 0.9 | -0.2 | | | |
| NP-3 | 3/12/1982 | | | | | | | | | | |
| NP-3 | 4/16/1982 | | | | | | | | | | |
| NP-3 | 4/26/1982 | 7.9 | 410 | | | | 0.8 | -0.2 | | | |
| NP-3 | 5/17/1982 | 7.6 | 2460 | | | | 0.7 | 12 | | | |
| NP-3 | 5/24/1982 | | | | | | | | | | |
| NP-3 | 5/28/1982 | | | | | | | | | | |
| NP-3 | 6/8/1982 | 7.9 | 500 | | | | 0.5 | 1.9 | | | |
| NP-3 | 6/14/1982 | | | | | | | | | | |
| NP-3 | 6/30/1982 | 7.9 | 510 | | | | 0.5 | 1.8 | | | |
| NP-3 | 7/26/1982 | | | | | | | | | | |
| NP-3 | 8/18/1982 | | | | | | | | | | |
| NP-3 | 9/2/1982 | 7.5 | 498 | | 308 | 750 | 0.53 | 1.94 | | | |
| NP-3 | 9/14/1982 | | | | | | | | | | |
| NP-3 | 10/18/1982 | | | | | | | | | | |
| NP-3 | 10/27/1982 | 8 | 450 | | | | 0.6 | 1.6 | | | |
| NP-3 | 11/11/1982 | | | | | | | | | | |
| NP-3 | 12/28/1982 | | | | | | | | | | |
| NP-3 | 2/21/1983 | 8.2 | 410 | | | | 0.5 | 1.4 | | | |
| NP-3 | 5/6/1983 | | | | | | | | | | |
| NP-3 | 5/13/1983 | 8 | 500 | | | | 0.5 | 2.1 | | | |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|------------|------|------|------------|--------|-------------|----------|---------|----------|----------|---------|
| NP-4 | 9/25/1996 | 7.75 | 504 | | | | | | | | |
| NP-4 | 1/15/1997 | 7.43 | 2651 | | | | | | | | |
| NP-4 | 7/1/1997 | 7.53 | 500 | | | | | | | | |
| NP-4 | 10/1/1997 | 7.66 | 503 | | | | | | | | |
| NP-4 | 1/15/1998 | 7.73 | 489 | | | 847 | 0.56 | 5.97 | | | |
| NP-4 | 1/24/1998 | 7.56 | 527 | | 287.9 | 864 | 0.058 | | | | |
| NP-4 | 4/9/1998 | | 534 | | | 850 | 0.54 | 6.3 | | | |
| NP-4 | 7/13/1998 | | 503 | | | 784 | 0.58 | 6 | | | |
| NP-4 | 7/21/1998 | | 543 | | | | 0.61 | 6.2 | | | |
| NP-5 | 11/4/1981 | 8 | 570 | | | | 1.3 | 4.1 | -0.01 | | -0.01 |
| NP-5 | 11/11/1981 | | | | | | | | | | |
| NP-5 | 11/13/1981 | 7.7 | 488 | | 186.7 | 650 | 1.28 | 3.56 | 0.239 | | -0.005 |
| NP-5 | 11/17/1981 | 8 | 500 | | | | 1.3 | 2.7 | -0.01 | | -0.01 |
| NP-5 | 11/23/1981 | 7.8 | 580 | | | | 1.2 | 4 | -0.01 | | -0.01 |
| NP-5 | 12/7/1981 | 7.9 | 510 | | | | 1.2 | 3.1 | -0.01 | | -0.01 |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|------------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| NP-3 | 10/8/1981 | 0.188 | -1 | | -0.01 | 40.9 | -0.05 | -0.05 | -0.05 | -0.1 | -0.05 |
| NP-3 | 10/27/1981 | -0.01 | 0.2 | | -0.005 | 41 | -0.01 | -0.02 | -0.05 | 0.39 | -0.02 |
| NP-3 | 10/30/1981 | 0.29 | -1 | | -0.01 | | -0.05 | -0.05 | -0.05 | -0.1 | -0.05 |
| NP-3 | 11/6/1981 | -0.01 | -0.2 | | -0.005 | 39 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 11/12/1981 | | | | | | | | | | |
| NP-3 | 11/13/1981 | 0.034 | -0.1 | | -0.001 | 55.2 | -0.005 | | | | -0.005 |
| NP-3 | 11/17/1981 | -0.1 | 0.24 | | -0.005 | 44 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 11/23/1981 | -0.1 | 0.02 | | -0.005 | 47 | -0.02 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 12/7/1981 | -0.1 | -0.2 | | -0.005 | 47 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 12/15/1981 | -0.1 | -0.2 | | -0.005 | 56 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 12/22/1981 | -0.1 | -0.2 | | -0.005 | 73 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-3 | 1/5/1982 | -0.1 | -0.2 | | -0.005 | 56 | -0.01 | -0.02 | -0.05 | 0.31 | -0.02 |
| NP-3 | 1/18/1982 | | | | | | | | | | |
| NP-3 | 1/26/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-3 | 2/16/1982 | | | | | | | | | | |
| NP-3 | 2/22/1982 | | | | -0.005 | | | | -0.05 | 0.14 | |
| NP-3 | 3/12/1982 | | | | | | | | | | |
| NP-3 | 4/16/1982 | | | | | | | | | | |
| NP-3 | 4/26/1982 | | | | -0.005 | | | | -0.05 | 0.24 | |
| NP-3 | 5/17/1982 | | | | -0.005 | | | | -0.05 | 0.016 | |
| NP-3 | 5/24/1982 | | | | | | | | | -0.1 | |
| NP-3 | 5/28/1982 | | | | | | | | | -0.1 | |
| NP-3 | 6/8/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-3 | 6/14/1982 | | | | | | | | | | |
| NP-3 | 6/30/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-3 | 7/26/1982 | | | | | | | | | | |
| NP-3 | 8/18/1982 | | | | | | | | | | |
| NP-3 | 9/2/1982 | | | | -0.001 | 77.4 | | | | | |
| NP-3 | 9/14/1982 | | | | | | | | | | |
| NP-3 | 10/18/1982 | | | | | | | | | | |
| NP-3 | 10/27/1982 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-3 | 11/11/1982 | | | | | | | | | | |
| NP-3 | 12/28/1982 | | | | | | | | | | |
| NP-3 | 2/21/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |
| NP-3 | 5/6/1983 | | | | | | | | | | |
| NP-3 | 5/13/1983 | | | | -0.005 | | | | -0.05 | -0.1 | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|------------|-------|--------|-----------|---------|---------|----------|--------|--------|------|--------|
| NP-4 | 9/25/1996 | | | | | | | | | | |
| NP-4 | 1/15/1997 | | | | | | | | | | |
| NP-4 | 7/1/1997 | | | | | | | | | | |
| NP-4 | 10/1/1997 | | | | | | | | | | |
| NP-4 | 1/15/1998 | | | | | | | | -0.005 | 1 | |
| NP-4 | 1/24/1998 | | | | | 77 | | | -0.005 | | |
| NP-4 | 4/9/1998 | | | | | | | | 0.009 | -0.2 | |
| NP-4 | 7/13/1998 | | | | | | | | -0.005 | 0.76 | |
| NP-4 | 7/21/1998 | | | | | 87 | | | -0.005 | 0.42 | |
| NP-5 | 11/4/1981 | -0.01 | -0.2 | | -0.005 | 86 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-5 | 11/11/1981 | | | | | | | | | | |
| NP-5 | 11/13/1981 | 0.07 | 0.218 | | -0.001 | 88.6 | -0.005 | | -0.1 | | -0.005 |
| NP-5 | 11/17/1981 | -0.1 | -0.2 | | -0.005 | 72 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-5 | 11/23/1981 | -0.1 | -0.2 | | -0.005 | 73 | -0.02 | -0.02 | -0.05 | -0.1 | -0.02 |
| NP-5 | 12/7/1981 | -0.1 | -0.2 | | -0.005 | 66 | -0.01 | -0.02 | -0.05 | -0.1 | -0.02 |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| NP-3 | 10/8/1981 | 9.55 | 0.81 | -1 | -0.1 | -0.05 | 9.71 | 0.005 | -0.02 | 79 | |
| NP-3 | 10/27/1981 | | 1 | -0.001 | 0.16 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 10/30/1981 | | 1.03 | -0.001 | -0.1 | -0.02 | | -0.002 | -0.02 | | |
| NP-3 | 11/6/1981 | | 0.47 | -0.001 | 0.26 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 11/12/1981 | | | | | | | | | | |
| NP-3 | 11/13/1981 | 13.05 | 1.01 | -0.0005 | 0.65 | -0.05 | 5.85 | 0.023 | 0.023 | 43.7 | |
| NP-3 | 11/17/1981 | | 1 | -0.001 | 0.2 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 11/23/1981 | | 0.96 | -0.001 | 0.15 | -0.05 | | -0.005 | -0.01 | | |
| NP-3 | 12/7/1981 | | 0.78 | -0.001 | 0.13 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 12/15/1981 | | 0.87 | -0.001 | 0.094 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 12/22/1981 | | 0.76 | -0.001 | 0.1 | -0.05 | | -0.005 | -0.02 | | |
| NP-3 | 1/5/1982 | | 0.72 | -0.001 | 0.01 | -0.05 | | -0.02 | -0.02 | | |
| NP-3 | 1/18/1982 | | | | | | | | | | |
| NP-3 | 1/26/1982 | | 0.7 | -0.001 | -0.1 | | | -0.005 | | | |
| NP-3 | 2/16/1982 | | | | | | | | | | |
| NP-3 | 2/22/1982 | | 0.66 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 3/12/1982 | | | | | | | | | | |
| NP-3 | 4/16/1982 | | | | | | | | | | |
| NP-3 | 4/26/1982 | | 0.4 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 5/17/1982 | | 0.23 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 5/24/1982 | | 0.053 | | | | | | | | |
| NP-3 | 5/28/1982 | | 0.063 | | | | | | | | |
| NP-3 | 6/8/1982 | | 0.1 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 6/14/1982 | | | | | | | | | | |
| NP-3 | 6/30/1982 | | 0.081 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 7/26/1982 | | | | | | | | | | |
| NP-3 | 8/18/1982 | | | | | | | | | | |
| NP-3 | 9/2/1982 | 15.1 | -0.05 | | -0.01 | | 3.9 | -0.005 | | 64.4 | |
| NP-3 | 9/14/1982 | | | | | | | | | | |
| NP-3 | 10/18/1982 | | | | | | | | | | |
| NP-3 | 10/27/1982 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 11/11/1982 | | | | | | | | | | |
| NP-3 | 12/28/1982 | | | | | | | | | | |
| NP-3 | 2/21/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |
| NP-3 | 5/6/1983 | | | | | | | | | | |
| NP-3 | 5/13/1983 | | -0.05 | -0.001 | -0.05 | | | -0.005 | | | |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium | Thallium |
|-----------|------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|----------|
| NP-4 | 9/25/1996 | | | | | | | | | | |
| NP-4 | 1/15/1997 | | | | | | | | | | |
| NP-4 | 7/1/1997 | | | | | | | | | | |
| NP-4 | 10/1/1997 | | | | | | | | | | |
| NP-4 | 1/15/1998 | 13.8 | | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-4 | 1/24/1998 | 14.8 | -0.02 | | | | 5.3 | | | 70.1 | |
| NP-4 | 4/9/1998 | | 0.03 | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-4 | 7/13/1998 | | 0.08 | -0.0002 | -0.05 | | | -0.05 | | | |
| NP-4 | 7/21/1998 | 13.8 | -0.02 | 0.0004 | -0.05 | | 2.2 | -0.05 | | 64.6 | |
| NP-5 | 11/4/1981 | | 0.1 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |
| NP-5 | 11/11/1981 | | | | | | | | | | |
| NP-5 | 11/13/1981 | 14.4 | 0.14 | -0.0005 | 0.015 | 0.019 | 5.07 | 0.014 | -0.001 | 43.7 | |
| NP-5 | 11/17/1981 | | 0.3 | -0.001 | 0.07 | -0.05 | | -0.005 | -0.02 | | |
| NP-5 | 11/23/1981 | | 0.091 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.1 | | |
| NP-5 | 12/7/1981 | | -0.05 | -0.001 | -0.05 | -0.05 | | -0.005 | -0.02 | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|-----|----------|
| NP-3 | 10/8/1981 | 1.25 | | | |
| NP-3 | 10/27/1981 | 0.98 | | | |
| NP-3 | 10/30/1981 | 0.93 | | | |
| NP-3 | 11/6/1981 | 1.1 | | | |
| NP-3 | 11/12/1981 | | | | |
| NP-3 | 11/13/1981 | 1.59 | 20.5 | | |
| NP-3 | 11/17/1981 | 1.2 | | | |
| NP-3 | 11/23/1981 | 1.9 | | | |
| NP-3 | 12/7/1981 | 3.5 | | | |
| NP-3 | 12/15/1981 | 2.5 | | | |
| NP-3 | 12/22/1981 | 2.1 | | | |
| NP-3 | 1/5/1982 | 1.7 | | | |
| NP-3 | 1/18/1982 | | | | |
| NP-3 | 1/26/1982 | | | | |
| NP-3 | 2/16/1982 | | | | |
| NP-3 | 2/22/1982 | | | | |
| NP-3 | 3/12/1982 | | | | |
| NP-3 | 4/16/1982 | | | | |
| NP-3 | 4/26/1982 | | | | |
| NP-3 | 5/17/1982 | | | | |
| NP-3 | 5/24/1982 | | | | |
| NP-3 | 5/28/1982 | | | | |
| NP-3 | 6/8/1982 | | | | |
| NP-3 | 6/14/1982 | | | | |
| NP-3 | 6/30/1982 | | | | |
| NP-3 | 7/26/1982 | | | | |
| NP-3 | 8/18/1982 | | | | |
| NP-3 | 9/2/1982 | | 26 | | |
| NP-3 | 9/14/1982 | | | | |
| NP-3 | 10/18/1982 | | | | |
| NP-3 | 10/27/1982 | | | | |
| NP-3 | 11/11/1982 | | | | |
| NP-3 | 12/28/1982 | | | | |
| NP-3 | 2/21/1983 | | | | |
| NP-3 | 5/6/1983 | | | | |
| NP-3 | 5/13/1983 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|-----|----------|
| NP-3 | 6/2/1983 | | | | |
| NP-3 | 7/5/1983 | | | | |
| NP-3 | 8/9/1983 | | | | |
| NP-3 | 8/25/1983 | | | | |
| NP-3 | 10/20/1983 | | | | |
| NP-3 | 11/1/1983 | | | | |
| NP-3 | 12/7/1983 | | | | |
| NP-3 | 1/28/1984 | | | | |
| NP-3 | 2/13/1984 | | | | |
| NP-3 | 3/1/1984 | | | | |
| NP-3 | 3/16/1984 | | | | |
| NP-3 | 4/18/1984 | | | | |
| NP-3 | 5/22/1984 | | | | |
| NP-3 | 5/30/1984 | | | | |
| NP-3 | 6/26/1984 | | | | |
| NP-3 | 7/25/1984 | | | | |
| NP-3 | 8/27/1984 | | | | |
| NP-3 | 9/12/1984 | | | | |
| NP-3 | 9/21/1984 | | | | |
| NP-3 | 11/19/1984 | | | | |
| NP-3 | 11/27/1984 | | | | |
| NP-3 | 12/17/1984 | | | | |
| NP-3 | 5/17/1985 | | | | |
| NP-3 | 11/13/1985 | | | | |
| NP-3 | 5/23/1986 | | | | |
| NP-3 | 10/8/1986 | | | | |
| NP-3 | 3/3/1987 | | | | |
| NP-3 | 3/4/1987 | | 17.5 | | |
| NP-3 | 5/25/1987 | | | | |
| NP-3 | 1/12/1988 | 1.1 | | 0.2 | -0.1 |
| NP-3 | 4/4/1988 | | | | |
| NP-3 | 8/23/1988 | | | | |
| NP-3 | 2/9/1989 | | | | |
| NP-3 | 6/1/1989 | | | | |
| NP-3 | 11/30/1989 | | | | |
| NP-3 | 11/14/1990 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|-----|----------|
| NP-3 | 2/11/1991 | | | | |
| NP-3 | 7/19/1991 | | | | |
| NP-3 | 8/29/1991 | | | | |
| NP-3 | 11/26/1991 | | | | |
| NP-3 | 3/15/1992 | | | | |
| NP-3 | 5/25/1992 | | | | |
| NP-3 | 7/16/1992 | | | | |
| NP-3 | 10/8/1992 | | | | |
| NP-3 | 11/27/1992 | | | | |
| NP-3 | 12/15/1992 | | | | |
| NP-3 | 2/25/1993 | | | | |
| NP-3 | 3/30/1993 | 6.98 | | | |
| NP-3 | 9/28/1993 | 1.04 | | | |
| NP-3 | 3/17/1994 | 2.58 | | | |
| NP-3 | 6/23/1994 | | | | |
| NP-3 | 7/22/1994 | 1.8 | | | |
| NP-3 | 9/22/1994 | | | | |
| NP-3 | 1/29/1995 | | | | |
| NP-3 | 3/29/1995 | | | | |
| NP-3 | 6/27/1995 | | | | |
| NP-3 | 9/21/1995 | | | | |
| NP-3 | 1/10/1996 | | | | |
| NP-3 | 4/3/1996 | | | | |
| NP-3 | 6/1/1996 | | | | |
| NP-3 | 9/25/1996 | | | | |
| NP-3 | 1/15/1997 | | | | |
| NP-3 | 7/1/1997 | | | | |
| NP-3 | 10/1/1997 | | | | |
| NP-3 | 1/15/1998 | | | | |
| NP-3 | 4/9/1998 | | | | |
| NP-3 | 7/13/1998 | | | | |
| NP-4 | 4/16/1982 | | | | |
| NP-4 | 4/26/1982 | | | | |
| NP-4 | 5/17/1982 | | | | |
| NP-4 | 5/24/1982 | | | | |
| NP-4 | 5/28/1982 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|-----|----------|
| NP-4 | 6/8/1982 | | | | |
| NP-4 | 6/14/1982 | | | | |
| NP-4 | 6/30/1982 | | | | |
| NP-4 | 7/26/1982 | | | | |
| NP-4 | 8/18/1982 | | | | |
| NP-4 | 9/2/1982 | | | | |
| NP-4 | 9/14/1982 | | | | |
| NP-4 | 10/18/1982 | | | | |
| NP-4 | 10/27/1982 | | | | |
| NP-4 | 11/11/1982 | | | | |
| NP-4 | 12/28/1982 | | | | |
| NP-4 | 2/21/1983 | | | | |
| NP-4 | 5/6/1983 | | | | |
| NP-4 | 5/13/1983 | | | | |
| NP-4 | 6/2/1983 | | | | |
| NP-4 | 7/5/1983 | | | | |
| NP-4 | 8/9/1983 | | | | |
| NP-4 | 8/25/1983 | | | | |
| NP-4 | 10/20/1983 | | | | |
| NP-4 | 11/1/1983 | | | | |
| NP-4 | 12/7/1983 | | | | |
| NP-4 | 1/28/1984 | | | | |
| NP-4 | 2/13/1984 | | | | |
| NP-4 | 3/1/1984 | | | | |
| NP-4 | 3/16/1984 | | | | |
| NP-4 | 4/18/1984 | | | | |
| NP-4 | 5/22/1984 | | | | |
| NP-4 | 5/30/1984 | | | | |
| NP-4 | 6/26/1984 | | | | |
| NP-4 | 7/25/1984 | | | | |
| NP-4 | 8/27/1984 | | | | |
| NP-4 | 9/12/1984 | | | | |
| NP-4 | 9/21/1984 | | | | |
| NP-4 | 11/19/1984 | | | | |
| NP-4 | 11/27/1984 | | | | |
| NP-4 | 12/17/1984 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|------|----------|-----|----------|
| NP-4 | 5/17/1985 | | | | |
| NP-4 | 11/13/1985 | | | | |
| NP-4 | 5/23/1986 | | | | |
| NP-4 | 10/8/1986 | | | | |
| NP-4 | 5/25/1987 | | | | |
| NP-4 | 1/12/1988 | 0.1 | | 0.5 | -0.1 |
| NP-4 | 4/4/1988 | | | | |
| NP-4 | 8/23/1988 | | | | |
| NP-4 | 2/9/1989 | | | | |
| NP-4 | 6/1/1989 | | | | |
| NP-4 | 11/30/1989 | | | | |
| NP-4 | 11/14/1990 | | | | |
| NP-4 | 2/11/1991 | | | | |
| NP-4 | 7/19/1991 | | | | |
| NP-4 | 8/29/1991 | | | | |
| NP-4 | 11/26/1991 | | | | |
| NP-4 | 3/15/1992 | | | | |
| NP-4 | 5/25/1992 | | | | |
| NP-4 | 7/16/1992 | | | | |
| NP-4 | 10/8/1992 | | | | |
| NP-4 | 11/27/1992 | | | | |
| NP-4 | 12/15/1992 | | | | |
| NP-4 | 2/25/1993 | | | | |
| NP-4 | 3/31/1993 | 241 | | | |
| NP-4 | 9/28/1993 | | | | |
| NP-4 | 5/26/1994 | 12 | | | |
| NP-4 | 6/23/1994 | | | | |
| NP-4 | 7/23/1994 | 0.51 | | | |
| NP-4 | 9/22/1994 | | | | |
| NP-4 | 1/29/1995 | | | | |
| NP-4 | 3/29/1995 | | | | |
| NP-4 | 6/27/1995 | | | | |
| NP-4 | 9/21/1995 | | | | |
| NP-4 | 1/10/1996 | | | | |
| NP-4 | 4/3/1996 | | | | |
| NP-4 | 6/1/1996 | | | | |

| Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|-----------|------------|-------|----------|-----|----------|
| NP-4 | 9/25/1996 | | | | |
| NP-4 | 1/15/1997 | | | | |
| NP-4 | 7/1/1997 | | | | |
| NP-4 | 10/1/1997 | | | | |
| NP-4 | 1/15/1998 | | | | |
| NP-4 | 1/24/1998 | | | | |
| NP-4 | 4/9/1998 | | | | |
| NP-4 | 7/13/1998 | | | | |
| NP-4 | 7/21/1998 | | | | |
| NP-5 | 11/4/1981 | 0.14 | | | |
| NP-5 | 11/11/1981 | | | | |
| NP-5 | 11/13/1981 | -0.05 | 20 | | |
| NP-5 | 11/17/1981 | 0.19 | | | |
| NP-5 | 11/23/1981 | 0.21 | | | |
| NP-5 | 12/7/1981 | 0.24 | | | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|-------|
| NP-5 | 37.95 | Skute Stone Arroyo | | -7 NP-5-7 | 12/15/1981 | QMC | |
| NP-5 | 37.58 | Skute Stone Arroyo | | -8 NP-5-8 | 12/22/1981 | QMC | |
| NP-5 | 37.66 | Skute Stone Arroyo | | -9 NP-5-9 | 1/5/1982 | QMC | |
| NP-5 | 37.58 | Skute Stone Arroyo | | -10 NP-5-10 | 1/18/1982 | QMC | |
| NP-5 | 37.58 | Skute Stone Arroyo | | -11 NP-5-11 | 1/26/1982 | QMC | |
| NP-5 | 37.75 | Skute Stone Arroyo | | -12 NP-5-12 | 2/16/1982 | QMC | |
| NP-5 | 37.7 | Skute Stone Arroyo | | -13 NP-5-13 | 2/22/1982 | QMC | |
| NP-5 | 37.83 | Skute Stone Arroyo | | -14 NP-5-14 | 3/1/1982 | QMC | |
| NP-5 | 34.08 | Skute Stone Arroyo | | -15 NP-5-15 | 4/16/1982 | QMC | |
| NP-5 | 33.58 | Skute Stone Arroyo | | -16 NP-5-16 | 4/26/1982 | QMC | |
| NP-5 | 27.16 | Skute Stone Arroyo | | -17 NP-5-17 | 5/17/1982 | QMC | |
| NP-5 | 28.5 | Skute Stone Arroyo | | -18 NP-5-18 | 5/17/1982 | QMC | |
| NP-5 | | Skute Stone Arroyo | | -19 NP-5-19 | 5/24/1982 | QMC | |
| NP-5 | | Skute Stone Arroyo | | -20 NP-5-20 | 5/28/1982 | QMC | |
| NP-5 | 23.7 | Skute Stone Arroyo | | -21 NP-5-21 | 6/8/1982 | QMC | |
| NP-5 | 23.67 | Skute Stone Arroyo | | -22 NP-5-22 | 6/14/1982 | QMC | |
| NP-5 | 18 | Skute Stone Arroyo | | -23 NP-5-23 | 6/30/1982 | QMC | |
| NP-5 | 18 | Skute Stone Arroyo | | -24 NP-5-24 | 7/26/1982 | QMC | |
| NP-5 | 15.9 | Skute Stone Arroyo | | -25 NP-5-25 | 8/18/1982 | QMC | |
| NP-5 | 14.9 | Skute Stone Arroyo | | -26 NP-5-26 | 9/2/1982 | EID | |
| NP-5 | 14.4 | Skute Stone Arroyo | | -27 NP-5-27 | 9/14/1982 | QMC | |
| NP-5 | 13.6 | Skute Stone Arroyo | | -28 NP-5-28 | 10/18/1982 | QMC | |
| NP-5 | 13.6 | Skute Stone Arroyo | | -29 NP-5-29 | 10/27/1982 | QMC | |
| NP-5 | 13.4 | Skute Stone Arroyo | | -30 NP-5-30 | 11/11/1982 | QMC | |
| NP-5 | 13.6 | Skute Stone Arroyo | | -31 NP-5-31 | 12/28/1982 | QMC | |
| NP-5 | 13.9 | Skute Stone Arroyo | | -32 NP-5-32 | 2/21/1983 | QMC | |
| NP-5 | 14.8 | Skute Stone Arroyo | | -33 NP-5-33 | 5/6/1983 | QMC | |
| NP-5 | 14.8 | Skute Stone Arroyo | | -34 NP-5-34 | 5/13/1983 | QMC | |
| NP-5 | 15.3 | Skute Stone Arroyo | | -35 NP-5-35 | 6/2/1983 | QMC | |
| NP-5 | 15.9 | Skute Stone Arroyo | | -36 NP-5-36 | 7/5/1983 | QMC | |
| NP-5 | 16.6 | Skute Stone Arroyo | | -37 NP-5-37 | 8/9/1983 | QMC | |
| NP-5 | 16.6 | Skute Stone Arroyo | | -38 NP-5-38 | 8/25/1983 | QMC | |
| NP-5 | 17 | Skute Stone Arroyo | | -39 NP-5-39 | 10/20/1983 | QMC | |
| NP-5 | 17 | Skute Stone Arroyo | | -40 NP-5-40 | 11/1/1983 | QMC | |
| NP-5 | 16.8 | Skute Stone Arroyo | | -41 NP-5-41 | 12/7/1983 | QMC | |
| NP-5 | 17.3 | Skute Stone Arroyo | | -42 NP-5-42 | 1/28/1984 | QMC | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|--------------------|------------|-------------|------------|---------|--------|
| NP-5 | 17.4 | Skute Stone Arroyo | | -43 NP-5-43 | 2/13/1984 | QMC | |
| NP-5 | 17.5 | Skute Stone Arroyo | | -44 NP-5-44 | 3/1/1984 | QMC | |
| NP-5 | 17.5 | Skute Stone Arroyo | | -45 NP-5-45 | 3/16/1984 | CFP | |
| NP-5 | 17.8 | Skute Stone Arroyo | | -46 NP-5-46 | 4/18/1984 | CFP | |
| NP-5 | 18.1 | Skute Stone Arroyo | | -47 NP-5-47 | 5/22/1984 | CFP | |
| NP-5 | 18.1 | Skute Stone Arroyo | | -48 NP-5-48 | 5/30/1984 | CFP | |
| NP-5 | 18.2 | Skute Stone Arroyo | | -49 NP-5-49 | 6/26/1984 | CFP | |
| NP-5 | 18.3 | Skute Stone Arroyo | | -50 NP-5-50 | 7/25/1984 | CFP | |
| NP-5 | 18.5 | Skute Stone Arroyo | | -51 NP-5-51 | 8/27/1984 | CFP | |
| NP-5 | 18.6 | Skute Stone Arroyo | | -52 NP-5-52 | 9/12/1984 | CFP | |
| NP-5 | 18.6 | Skute Stone Arroyo | | -53 NP-5-53 | 9/21/1984 | CFP | |
| NP-5 | 19 | Skute Stone Arroyo | | -54 NP-5-54 | 11/19/1984 | CFP | |
| NP-5 | 19 | Skute Stone Arroyo | | -55 NP-5-55 | 11/27/1984 | CFP | |
| NP-5 | 19 | Skute Stone Arroyo | | -56 NP-5-56 | 12/17/1984 | CFP | |
| NP-5 | 18.9 | Skute Stone Arroyo | | -57 NP-5-57 | 5/17/1985 | CFP | |
| NP-5 | 18.9 | Skute Stone Arroyo | | -58 NP-5-58 | 11/13/1985 | CFP | |
| NP-5 | 18 | Skute Stone Arroyo | | -59 NP-5-59 | 5/23/1986 | CFP | |
| NP-5 | 18.3 | Skute Stone Arroyo | | -60 NP-5-60 | 10/8/1986 | CFP | |
| NP-5 | | Skute Stone Arroyo | | -61 NP-5-61 | 3/30/1989 | EID | |
| NP-5 | 17.17 | Skute Stone Arroyo | | -62 NP-5-62 | 8/29/1991 | Irwin | lab pH |
| NP-5 | 18.75 | Skute Stone Arroyo | | -63 NP-5-63 | 11/26/1991 | Hood | lab pH |
| NP-5 | 18.33 | Skute Stone Arroyo | | -64 NP-5-64 | 3/15/1992 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -65 NP-5-65 | 5/25/1992 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -66 NP-5-66 | 7/16/1992 | Irwin | lab pH |
| NP-5 | 18.58 | Skute Stone Arroyo | | -67 NP-5-67 | 10/8/1992 | Irwin | lab pH |
| NP-5 | 18.5 | Skute Stone Arroyo | | -68 NP-5-68 | 11/27/1992 | Hood | lab pH |
| NP-5 | | Skute Stone Arroyo | | -69 NP-5-69 | 12/15/1992 | Irwin | lab pH |
| NP-5 | 18.58 | Skute Stone Arroyo | | -70 NP-5-70 | 2/25/1993 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -71 NP-5-71 | 3/30/1993 | JWS | |
| NP-5 | | Skute Stone Arroyo | | -72 NP-5-72 | 9/28/1993 | Irwin | lab pH |
| NP-5 | 18.74 | Skute Stone Arroyo | | -73 NP-5-73 | 5/24/1994 | SRK | |
| NP-5 | | Skute Stone Arroyo | | -74 NP-5-74 | 6/23/1994 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -75 NP-5-75 | 7/23/1994 | SRK | |
| NP-5 | | Skute Stone Arroyo | | -76 NP-5-76 | 9/22/1994 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -77 NP-5-77 | 1/29/1995 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -78 NP-5-78 | 3/29/1995 | Irwin | lab pH |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|---------------|-------------|--------------------|------------|--------------------|------------|------------|-----------------------|
| NP-5 | 20.08 | Skute Stone Arroyo | | -79 NP-5-79 | 6/27/1995 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -80 NP-5-80 | 9/21/1995 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -81 NP-5-81 | 1/10/1996 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -82 NP-5-82 | 4/3/1996 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -83 NP-5-83 | 6/1/1996 | | |
| NP-5 | | Skute Stone Arroyo | | -84 NP-5-84 | 9/25/1996 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -85 NP-5-85 | 1/15/1997 | Irwin | lab pH |
| NP-5 | | Skute Stone Arroyo | | -86 NP-5-86 | 4/1/1997 | | |
| NP-5 | | Skute Stone Arroyo | | -87 NP-5-87 | 7/1/1997 | | |
| NP-5 | | Skute Stone Arroyo | | -88 NP-5-88 | 10/1/1997 | | |
| NP-5 | 21.58 | Skute Stone Arroyo | | -89 NP-5-89 | 1/15/1998 | Irwin | |
| NP-5 | 21.25 | Skute Stone Arroyo | | -90 NP-5-90 | 4/9/1998 | Irwin | |
| NP-5 | 21.5 | Skute Stone Arroyo | | -91 NP-5-91 | 7/13/1998 | Irwin | |
| O. Williams | | | | -1 O. Williams-1 | 12/19/1945 | | |
| O. Williams | | | | -2 O. Williams-2 | 6/13/1946 | | |
| Pague | | Hillsboro | | -1 Pague-1 | 8/20/1946 | | |
| Paxton | | Hillsboro | | -1 Paxton-1 | 4/14/1998 | Goff | |
| Paxton | | Hillsboro | | -2 Paxton-2 | 7/21/1998 | Brownfield | |
| PW-1 | | Skute Stone Arroyo | | -1 PW-1-1 | 12/23/1975 | | Production Well |
| PW-1 | | Skute Stone Arroyo | | -2 PW-1-2 | 8/14/1981 | SHB | Production Well |
| PW-1 | 325.02 | Skute Stone Arroyo | | -3 PW-1-3 | 8/2/1994 | SRK | |
| PW-2 | | Skute Stone Arroyo | | -1 PW-2-1 | 1/15/1976 | SHB | Production Well |
| PW-2 | | Skute Stone Arroyo | | -2 PW-2-2 | 11/27/1984 | SHB | Production Well |
| PW-2 | 302.92 | Skute Stone Arroyo | | -3 PW-2-3 | 8/2/1994 | SRK | Production Well |
| PW-3 | | Skute Stone Arroyo | | -1 PW-3-1 | 1/27/1976 | SHB | Production Well |
| PW-3 | | Skute Stone Arroyo | | -2 PW-3-2 | 8/14/1981 | SHB | Production Well |
| PW-3 | 347.1 | Skute Stone Arroyo | | -3 PW-3-3 | 8/2/1994 | SRK | |
| PW-4 | 285.42 | Skute Stone Arroyo | | -1 PW-4-1 | 8/2/1994 | SRK | Production Well |
| QMC-4 | | | | -1 QMC-4-1 | 3/27/1981 | SHB | Unknown-SHB (19 |
| Saladone Well | | Saladone Tank | | -1 Saladone Well-1 | 12/5/1992 | Adkins | |
| SHB-27 | 38 | | | -1 SHB-27-1 | 9/22/1976 | SHB | geotech boring, water |
| SHB-28 | 29 | | | -1 SHB-28-1 | 9/22/1976 | SHB | geotech boring, water |
| SHB-29 | 67 | | | -1 SHB-29-1 | 9/22/1976 | SHB | geotech boring, water |
| SHB-30 | 73 | | | -1 SHB-30 -1 | 9/22/1976 | SHB | geotech boring, water |
| SHB-34 | 72 | | | -1 SHB-34-1 | 9/22/1976 | SHB | HCO3, cond, SO4, Cl |
| Shipping Pen | | Saladone Tank | | -1 Shipping Pen-1 | 12/18/1992 | Adkins | |

| Well Name | Water Depth | USGS Quad | Well Depth | Sample ID | Date | Sampler | Notes |
|-----------|-------------|-----------|------------|--------------|-----------|---------|-------|
| Stone | | | | -1 Stone-1 | 7/31/1947 | | |
| Young 1 | | | | -1 Young 1-1 | 7/31/1947 | | |
| Young 2 | | | | -1 Young 2-1 | 7/31/1947 | | |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-5 | 12/15/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 36 | 168 |
| NP-5 | 12/22/1981 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 36 | 161 |
| NP-5 | 1/5/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 34 | 163 |
| NP-5 | 1/18/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 1/26/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 32 | 158 |
| NP-5 | 2/16/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 2/22/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 32 | 150 |
| NP-5 | 3/1/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 4/16/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 4/26/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 30 | 154 |
| NP-5 | 5/17/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 36 | 165 |
| NP-5 | 5/17/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 5/24/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | | |
| NP-5 | 5/28/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | | |
| NP-5 | 6/8/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 30 | 150 |
| NP-5 | 6/14/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 6/30/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 28 | 133 |
| NP-5 | 7/26/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 8/18/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 9/2/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 33.98 | 137.2 |
| NP-5 | 9/14/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 10/18/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 10/27/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 34 | 139 |
| NP-5 | 11/11/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 12/28/1982 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 2/21/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 26 | 139 |
| NP-5 | 5/6/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 5/13/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 70 | 134 |
| NP-5 | 6/2/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 7/5/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 8/9/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 26 | 108 |
| NP-5 | 8/25/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 10/20/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 11/1/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 30 | 111 |
| NP-5 | 12/7/1983 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 1/28/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-5 | 2/13/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 3/1/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 3/16/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 26 | 130 |
| NP-5 | 4/18/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 5/22/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 5/30/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 22 | 139 |
| NP-5 | 6/26/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 7/25/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 8/27/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 9/12/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 28 | 125 |
| NP-5 | 9/21/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 11/19/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 11/27/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 28 | 120 |
| NP-5 | 12/17/1984 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | | |
| NP-5 | 5/17/1985 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 28 | 130 |
| NP-5 | 11/13/1985 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 24 | 134 |
| NP-5 | 5/23/1986 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 28 | 120 |
| NP-5 | 10/8/1986 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 28 | 113 |
| NP-5 | 3/30/1989 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 32 | 125 |
| NP-5 | 8/29/1991 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 38.7 | 152.1 |
| NP-5 | 11/26/1991 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 37.7 | 129.5 |
| NP-5 | 3/15/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 46.7 | 140.7 |
| NP-5 | 5/25/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 75.5 | 131.1 |
| NP-5 | 7/16/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 37.8 | 132.4 |
| NP-5 | 10/8/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 39.4 | 133.2 |
| NP-5 | 11/27/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 117.2 | 133.9 |
| NP-5 | 12/15/1992 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 40.4 | 104 |
| NP-5 | 2/25/1993 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 41.4 | 140.8 |
| NP-5 | 3/30/1993 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 39 | 146 |
| NP-5 | 9/28/1993 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 48.1 | 109.2 |
| NP-5 | 5/24/1994 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 41 | 130 |
| NP-5 | 6/23/1994 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 54.1 | 142.3 |
| NP-5 | 7/23/1994 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 41 | 131 |
| NP-5 | 9/22/1994 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 42.8 | 117.7 |
| NP-5 | 1/29/1995 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 43.5 | 101.2 |
| NP-5 | 3/29/1995 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 42.4 | 130.8 |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|---------------|------------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| NP-5 | 6/27/1995 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 43.4 | 119.4 |
| NP-5 | 9/21/1995 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 44.3 | 134.6 |
| NP-5 | 1/10/1996 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 41.6 | 136.6 |
| NP-5 | 4/3/1996 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | FALSE | 31.8 | 130 |
| NP-5 | 6/1/1996 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | | 47.3 | 118.1 |
| NP-5 | 9/25/1996 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 42.5 | 129.4 |
| NP-5 | 1/15/1997 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 45.7 | 140.69 |
| NP-5 | 4/1/1997 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 47 | 151 |
| NP-5 | 7/1/1997 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 44.8 | 134 |
| NP-5 | 10/1/1997 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 45.3 | 132 |
| NP-5 | 1/15/1998 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 47.9 | 147 |
| NP-5 | 4/9/1998 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 47.8 | 135 |
| NP-5 | 7/13/1998 | 32.95888 | 107.49677 | 266618 | 3649305 | 13 | 5186 | TRUE | 45.2 | 141 |
| O. Williams | 12/19/1945 | | | | | | | FALSE | 425 | 62 |
| O. Williams | 6/13/1946 | | | | | | | FALSE | 418 | 66 |
| Pague | 8/20/1946 | | | | | | | FALSE | 26 | 80 |
| Paxton | 4/14/1998 | 32.94392 | 107.53059 | 263416 | 3647722 | 13 | 5500 | TRUE | 25.5 | 163 |
| Paxton | 7/21/1998 | 32.94392 | 107.53059 | 263416 | 3647722 | 13 | 5500 | TRUE | 49.7 | 265 |
| PW-1 | 12/23/1975 | 32.96935 | 107.38766 | 276846 | 3650229 | 13 | 4693 | FALSE | 16 | 10 |
| PW-1 | 8/14/1981 | 32.96935 | 107.38766 | 276846 | 3650229 | 13 | 4693 | FALSE | 32 | 24 |
| PW-1 | 8/2/1994 | 32.96935 | 107.38766 | 276846 | 3650229 | 13 | 4693 | FALSE | | |
| PW-2 | 1/15/1976 | 32.96311 | 107.38526 | 277055 | 3649533 | 13 | 4670 | FALSE | 17 | -5 |
| PW-2 | 11/27/1984 | 32.96311 | 107.38526 | 277055 | 3649533 | 13 | 4670 | FALSE | 20 | 125 |
| PW-2 | 8/2/1994 | 32.96311 | 107.38526 | 277055 | 3649533 | 13 | 4670 | TRUE | 24 | 27 |
| PW-3 | 1/27/1976 | 32.96851 | 107.39606 | 276059 | 3650155 | 13 | 4717 | FALSE | 24 | -5 |
| PW-3 | 8/14/1981 | 32.96851 | 107.39606 | 276059 | 3650155 | 13 | 4717 | FALSE | 66 | 31 |
| PW-3 | 8/2/1994 | 32.96851 | 107.39606 | 276059 | 3650155 | 13 | 4717 | FALSE | | |
| PW-4 | 8/2/1994 | 32.96856 | 107.40469 | 275252 | 3650178 | 13 | 4645 | TRUE | 27 | 17 |
| QMC-4 | 3/27/1981 | | | | | | | TRUE | | |
| Saladone Well | 12/5/1992 | | | | | | | FALSE | | 23 |
| SHB-27 | 9/22/1976 | | | | | | | TRUE | 20.6 | 233 |
| SHB-28 | 9/22/1976 | | | | | | | TRUE | 51.2 | 353 |
| SHB-29 | 9/22/1976 | | | | | | | TRUE | | |
| SHB-30 | 9/22/1976 | | | | | | | TRUE | 21 | 145 |
| SHB-34 | 9/22/1976 | | | | | | | TRUE | -1 | -1 |
| Shipping Pen | 12/18/1992 | | | | | | | FALSE | | 19.2 |

| Well Name | Date | Latitude | Longitude | UTM_easting | UTM_northing | UTM_zone | Elevation | Filtered? | Chloride | Sulfate |
|-----------|-----------|----------|-----------|-------------|--------------|----------|-----------|-----------|----------|---------|
| Stone | 7/31/1947 | | | | | | | FALSE | 88 | 26 |
| Young 1 | 7/31/1947 | | | | | | | FALSE | 238 | 43 |
| Young 2 | 7/31/1947 | | | | | | | FALSE | 148 | 32 |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|---------------|------------|------|-----|------------|--------|-------------|----------|---------|----------|----------|---------|
| NP-5 | 6/27/1995 | 7.64 | 525 | | | | | | | | |
| NP-5 | 9/21/1995 | 7.71 | 483 | | | | | | | | |
| NP-5 | 1/10/1996 | 8.04 | 406 | | | | | | | | |
| NP-5 | 4/3/1996 | 7.67 | 405 | | | | | | | | |
| NP-5 | 6/1/1996 | 7.52 | 457 | | | | | | | | |
| NP-5 | 9/25/1996 | 8.09 | 504 | | | | | | | | |
| NP-5 | 1/15/1997 | 7.76 | 498 | | | | | | | | |
| NP-5 | 4/1/1997 | | 526 | | | | 0.7 | | | | |
| NP-5 | 7/1/1997 | 7.58 | 478 | | | | | | | | |
| NP-5 | 10/1/1997 | 7.79 | 473 | | | | | | | | |
| NP-5 | 1/15/1998 | 7.41 | 489 | | | 824 | 0.86 | 3.73 | | | |
| NP-5 | 4/9/1998 | | 493 | | | 770 | 0.8 | 3.7 | | | |
| NP-5 | 7/13/1998 | | 503 | | | 605 | 0.86 | 3.5 | | | |
| O. Williams | 12/19/1945 | | 883 | | 96 | 1609 | 0.6 | 1.9 | | | |
| O. Williams | 6/13/1946 | | 847 | | 98 | 1620 | 0.4 | 2.2 | | | |
| Pague | 8/20/1946 | | 348 | | 242 | 409 | 1.2 | 1.2 | | | |
| Paxton | 4/14/1998 | 7.77 | 773 | | | 936 | 0.83 | 1.9 | | | |
| Paxton | 7/21/1998 | | 741 | | | | 1.04 | 0.09 | | | |
| PW-1 | 12/23/1975 | 7.8 | 217 | | 145 | 340 | 0.46 | 3.5 | | | |
| PW-1 | 8/14/1981 | 8.1 | 250 | | 171 | | 0.9 | 0.7 | | | -0.01 |
| PW-1 | 8/2/1994 | | | | | | | | | | |
| PW-2 | 1/15/1976 | 8.1 | 257 | | 153 | 310 | 0.66 | 3.5 | | | |
| PW-2 | 11/27/1984 | 7.9 | 470 | | | | 0.6 | 1.7 | | | |
| PW-2 | 8/2/1994 | 7.63 | 338 | | 273 | 506 | 0.39 | -1 | -0.05 | 0.011 | -0.005 |
| PW-3 | 1/27/1976 | 8 | 243 | | 158 | 330 | 0.64 | 2.6 | | | |
| PW-3 | 8/14/1981 | 8.2 | 300 | | 139 | | 2.5 | 0.8 | | | -0.01 |
| PW-3 | 8/2/1994 | | | | | | | | | | |
| PW-4 | 8/2/1994 | 7.57 | 274 | | 190 | 398 | 0.46 | -1 | -0.05 | 0.0062 | 0.0058 |
| QMC-4 | 3/27/1981 | | | | | | 2.5 | -0.2 | | | -0.01 |
| Saladone Well | 12/5/1992 | 7.91 | 354 | 174.8 | 213.2 | 429 | | 0.19 | | | |
| SHB-27 | 9/22/1976 | 7.61 | 434 | | 205 | 720 | 0.77 | 0.8 | | | -0.01 |
| SHB-28 | 9/22/1976 | 7.58 | 840 | | 264 | 1260 | 0.97 | -0.1 | | | |
| SHB-29 | 9/22/1976 | 7.98 | 384 | | | 640 | | -0.1 | | | |
| SHB-30 | 9/22/1976 | 7.77 | 486 | | 211 | 720 | 0.79 | 0.7 | | | 0.02 |
| SHB-34 | 9/22/1976 | 7.36 | 50 | | 12 | 41 | 0.14 | -0.1 | | | |
| Shipping Pen | 12/18/1992 | 7.92 | 345 | 160 | 195 | 484 | | 0.66 | | | |

| Well Name | Date | pH | TDS | Alkalinity | Bicarb | Spec. Cond. | Flouride | Nitrate | Aluminum | Antimony | Arsenic |
|-----------|-----------|----|-----|------------|--------|-------------|----------|---------|----------|----------|---------|
| Stone | 7/31/1947 | | 369 | | 188 | 607 | 0.6 | 3.3 | | | |
| Young 1 | 7/31/1947 | | 568 | | 122 | 1030 | 0.6 | 0.8 | | | |
| Young 2 | 7/31/1947 | | 471 | | 177 | 800 | 1 | 4.1 | | | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|---------------|------------|-------|--------|-----------|---------|---------|----------|--------|--------|-------|--------|
| NP-5 | 6/27/1995 | | | | | | | | | | |
| NP-5 | 9/21/1995 | | | | | | | | | | |
| NP-5 | 1/10/1996 | | | | | | | | | | |
| NP-5 | 4/3/1996 | | | | | | | | | | |
| NP-5 | 6/1/1996 | | | | | | | | | | |
| NP-5 | 9/25/1996 | | | | | | | | | | |
| NP-5 | 1/15/1997 | | | | | | | | | | |
| NP-5 | 4/1/1997 | | | | | | | | -0.005 | 0.25 | |
| NP-5 | 7/1/1997 | | | | | | | | | | |
| NP-5 | 10/1/1997 | | | | | | | | | | |
| NP-5 | 1/15/1998 | | | | | | | | -0.005 | 0.15 | |
| NP-5 | 4/9/1998 | | | | | | | | -0.005 | -0.05 | |
| NP-5 | 7/13/1998 | | | | | | | | -0.005 | 0.02 | |
| O. Williams | 12/19/1945 | | | | | 105 | | | | | |
| O. Williams | 6/13/1946 | | | | | 108 | | | | | |
| Pague | 8/20/1946 | | | | | 63 | | | | | |
| Paxton | 4/14/1998 | | | | | 140.5 | | | 0.038 | 0.85 | |
| Paxton | 7/21/1998 | | | | | 69 | | | -0.005 | 0.17 | |
| PW-1 | 12/23/1975 | | | | | 22 | | | | | |
| PW-1 | 8/14/1981 | | | | | 28 | | | -0.05 | 0.2 | -0.02 |
| PW-1 | 8/2/1994 | | | | | | | | | | |
| PW-2 | 1/15/1976 | | | | | 21 | | | | | |
| PW-2 | 11/27/1984 | | | | -0.005 | | | | -0.05 | -0.1 | |
| PW-2 | 8/2/1994 | -0.1 | -0.1 | -0.002 | -0.0005 | 60 | -0.025 | -0.05 | -0.025 | 0.062 | -0.005 |
| PW-3 | 1/27/1976 | | | | | 23 | | | | | |
| PW-3 | 8/14/1981 | | | | | 16 | | | -0.05 | 0.31 | -0.02 |
| PW-3 | 8/2/1994 | | | | | | | | | | |
| PW-4 | 8/2/1994 | -0.1 | -0.1 | -0.002 | -0.0005 | 21 | -0.025 | -0.05 | -0.025 | -0.05 | -0.005 |
| QMC-4 | 3/27/1981 | | | | | | | | -0.05 | | -0.02 |
| Saladone Well | 12/5/1992 | | | | | 54.8 | | | | | |
| SHB-27 | 9/22/1976 | -0.1 | | | -0.001 | 5.86 | 0.002 | -0.001 | 0.002 | 0.007 | -0.001 |
| SHB-28 | 9/22/1976 | -0.1 | | | -0.001 | 163 | 0.002 | -0.001 | 0.005 | 0.015 | -0.001 |
| SHB-29 | 9/22/1976 | -0.1 | | | 0.001 | 65.1 | 0.004 | -0.001 | 0.002 | 0.52 | 0.002 |
| SHB-30 | 9/22/1976 | -0.1 | | | -0.001 | 84.8 | 0.004 | -0.001 | 0.002 | 0.009 | -0.001 |
| SHB-34 | 9/22/1976 | -0.1 | | | 0.001 | 3.67 | 0.002 | -0.001 | 0.002 | 0.009 | -0.001 |
| Shipping Pen | 12/18/1992 | | | | | 54 | | | | | |

| Well Name | Date | Boron | Barium | Beryllium | Cadmium | Calcium | Chromium | Cobalt | Copper | Iron | Lead |
|-----------|-----------|-------|--------|-----------|---------|---------|----------|--------|--------|------|------|
| Stone | 7/31/1947 | | | | | 39 | | | | | |
| Young 1 | 7/31/1947 | | | | | 66 | | | | | |
| Young 2 | 7/31/1947 | | | | | 44 | | | | | |

| Well Name | Date | Magnesium | Manganese | Mercury | Molybdenum | Nickel | Potassium | Selenium | Silver | Sodium |
|---------------|------------|-----------|-----------|---------|------------|--------|-----------|----------|--------|--------|
| NP-5 | 6/27/1995 | | | | | | | | | |
| NP-5 | 9/21/1995 | | | | | | | | | |
| NP-5 | 1/10/1996 | | | | | | | | | |
| NP-5 | 4/3/1996 | | | | | | | | | |
| NP-5 | 6/1/1996 | | | | | | | | | |
| NP-5 | 9/25/1996 | | | | | | | | | |
| NP-5 | 1/15/1997 | | | | | | | | | |
| NP-5 | 4/1/1997 | | -0.02 | -0.002 | | | | 0.0076 | | |
| NP-5 | 7/1/1997 | | | | | | | | | |
| NP-5 | 10/1/1997 | | | | | | | | | |
| NP-5 | 1/15/1998 | 24.2 | | -0.0002 | -0.05 | | | -0.05 | | |
| NP-5 | 4/9/1998 | | -0.02 | -0.0002 | -0.05 | | | -0.05 | | |
| NP-5 | 7/13/1998 | | 0.05 | -0.0002 | -0.05 | | | -0.05 | | |
| O. Williams | 12/19/1945 | 14 | | | | | | | | |
| O. Williams | 6/13/1946 | 15 | | | | | | | | |
| Pague | 8/20/1946 | 21 | | | | | | | | |
| Paxton | 4/14/1998 | 17.4 | -0.02 | 0.0003 | -0.05 | | 0.7 | -0.05 | | 66.9 |
| Paxton | 7/21/1998 | 23.5 | -0.02 | -0.0002 | -0.05 | | 4.09 | -0.05 | | 110.6 |
| PW-1 | 12/23/1975 | 3 | | | | | 4.5 | | | 38 |
| PW-1 | 8/14/1981 | 4 | | | | | | | | 53 |
| PW-1 | 8/2/1994 | | | | | | | | | |
| PW-2 | 1/15/1976 | 3 | | | | | 4.3 | | | 39 |
| PW-2 | 11/27/1984 | | -0.05 | -0.001 | | | | -0.005 | | |
| PW-2 | 8/2/1994 | 8.4 | 0.032 | -0.001 | -0.05 | -0.05 | 3.4 | -0.005 | -0.025 | 46 |
| PW-3 | 1/27/1976 | 3 | | | | | 5.1 | | | 44 |
| PW-3 | 8/14/1981 | 1 | | | | | | | | 87 |
| PW-3 | 8/2/1994 | | | | | | | | | |
| PW-4 | 8/2/1994 | 1.7 | -0.03 | -0.001 | -0.05 | -0.05 | 3.5 | -0.005 | -0.025 | 73 |
| QMC-4 | 3/27/1981 | | | | | | | | | |
| Saladone Well | 12/5/1992 | 23 | | | | | 2.16 | | | 22.4 |
| SHB-27 | 9/22/1976 | 21.4 | 0.039 | -0.0004 | 0.002 | | 5.86 | -0.01 | -0.001 | 51.1 |
| SHB-28 | 9/22/1976 | 32 | 0.42 | -0.0004 | 0.003 | | 11.5 | -0.01 | -0.001 | 81.7 |
| SHB-29 | 9/22/1976 | 14.5 | 0.049 | -0.0004 | 0.003 | | 5.02 | -0.01 | -0.001 | 60.3 |
| SHB-30 | 9/22/1976 | 21.3 | 0.036 | -0.0004 | 0.002 | | 4.88 | -0.01 | -0.001 | 50.6 |
| SHB-34 | 9/22/1976 | 0.52 | 0.004 | -0.0004 | -0.001 | | 0.63 | -0.01 | -0.001 | 2.55 |
| Shipping Pen | 12/18/1992 | 11.4 | | | | | 2.51 | | | 29.6 |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|------------|------|----------|-----|----------|
| | NP-5 | 12/15/1981 | 0.37 | | | |
| | NP-5 | 12/22/1981 | 0.32 | | | |
| | NP-5 | 1/5/1982 | 0.4 | | | |
| | NP-5 | 1/18/1982 | | | | |
| | NP-5 | 1/26/1982 | | | | |
| | NP-5 | 2/16/1982 | | | | |
| | NP-5 | 2/22/1982 | | | | |
| | NP-5 | 3/1/1982 | | | | |
| | NP-5 | 4/16/1982 | | | | |
| | NP-5 | 4/26/1982 | | | | |
| | NP-5 | 5/17/1982 | | | | |
| | NP-5 | 5/17/1982 | | | | |
| | NP-5 | 5/24/1982 | | | | |
| | NP-5 | 5/28/1982 | | | | |
| | NP-5 | 6/8/1982 | | | | |
| | NP-5 | 6/14/1982 | | | | |
| | NP-5 | 6/30/1982 | | | | |
| | NP-5 | 7/26/1982 | | | | |
| | NP-5 | 8/18/1982 | | | | |
| | NP-5 | 9/2/1982 | | | | |
| | NP-5 | 9/14/1982 | | | | |
| | NP-5 | 10/18/1982 | | | | |
| | NP-5 | 10/27/1982 | | | | |
| | NP-5 | 11/11/1982 | | | | |
| | NP-5 | 12/28/1982 | | | | |
| | NP-5 | 2/21/1983 | | | | |
| | NP-5 | 5/6/1983 | | | | |
| | NP-5 | 5/13/1983 | | | | |
| | NP-5 | 6/2/1983 | | | | |
| | NP-5 | 7/5/1983 | | | | |
| | NP-5 | 8/9/1983 | | | | |
| | NP-5 | 8/25/1983 | | | | |
| | NP-5 | 10/20/1983 | | | | |
| | NP-5 | 11/1/1983 | | | | |
| | NP-5 | 12/7/1983 | | | | |
| | NP-5 | 1/28/1984 | | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|------------|-------|----------|-----|----------|
| | NP-5 | 2/13/1984 | | | | |
| | NP-5 | 3/1/1984 | | | | |
| | NP-5 | 3/16/1984 | | | | |
| | NP-5 | 4/18/1984 | | | | |
| | NP-5 | 5/22/1984 | | | | |
| | NP-5 | 5/30/1984 | | | | |
| | NP-5 | 6/26/1984 | | | | |
| | NP-5 | 7/25/1984 | | | | |
| | NP-5 | 8/27/1984 | | | | |
| | NP-5 | 9/12/1984 | | | | |
| | NP-5 | 9/21/1984 | | | | |
| | NP-5 | 11/19/1984 | | | | |
| | NP-5 | 11/27/1984 | | | | |
| | NP-5 | 12/17/1984 | | | | |
| | NP-5 | 5/17/1985 | | | | |
| | NP-5 | 11/13/1985 | | | | |
| | NP-5 | 5/23/1986 | | | | |
| | NP-5 | 10/8/1986 | | | | |
| | NP-5 | 3/30/1989 | 0.4 | | 0.1 | -0.1 |
| | NP-5 | 8/29/1991 | | | | |
| | NP-5 | 11/26/1991 | | | | |
| | NP-5 | 3/15/1992 | | | | |
| | NP-5 | 5/25/1992 | | | | |
| | NP-5 | 7/16/1992 | | | | |
| | NP-5 | 10/8/1992 | | | | |
| | NP-5 | 11/27/1992 | | | | |
| | NP-5 | 12/15/1992 | | | | |
| | NP-5 | 2/25/1993 | | | | |
| | NP-5 | 3/30/1993 | 0.19 | | | |
| | NP-5 | 9/28/1993 | | | | |
| | NP-5 | 5/24/1994 | 2.3 | | | |
| | NP-5 | 6/23/1994 | | | | |
| -0.005 | NP-5 | 7/23/1994 | -0.05 | | | |
| | NP-5 | 9/22/1994 | | | | |
| | NP-5 | 1/29/1995 | | | | |
| | NP-5 | 3/29/1995 | | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin |
|----------|---------------|------------|-------|------------|-----|
| | NP-5 | 6/27/1995 | | | |
| | NP-5 | 9/21/1995 | | | |
| | NP-5 | 1/10/1996 | | | |
| | NP-5 | 4/3/1996 | | | |
| | NP-5 | 6/1/1996 | | | |
| | NP-5 | 9/25/1996 | | | |
| | NP-5 | 1/15/1997 | | | |
| | NP-5 | 4/1/1997 | | | |
| | NP-5 | 7/1/1997 | | | |
| | NP-5 | 10/1/1997 | | | |
| | NP-5 | 1/15/1998 | | | |
| | NP-5 | 4/9/1998 | | | |
| | NP-5 | 7/13/1998 | | | |
| | O. Williams | 12/19/1945 | | 22.2000008 | |
| | O. Williams | 6/13/1946 | | | |
| | Pague | 8/20/1946 | | | |
| | Paxton | 4/14/1998 | | | |
| | Paxton | 7/21/1998 | | | |
| | PW-1 | 12/23/1975 | | | |
| | PW-1 | 8/14/1981 | -0.05 | | |
| | PW-1 | 8/2/1994 | | | |
| | PW-2 | 1/15/1976 | | | |
| | PW-2 | 11/27/1984 | | | |
| -0.005 | PW-2 | 8/2/1994 | -0.05 | | |
| | PW-3 | 1/27/1976 | | | |
| | PW-3 | 8/14/1981 | 0.19 | | |
| | PW-3 | 8/2/1994 | | | |
| -0.005 | PW-4 | 8/2/1994 | -0.05 | | |
| | QMC-4 | 3/27/1981 | -0.05 | | |
| | Saladone Well | 12/5/1992 | | | |
| | SHB-27 | 9/22/1976 | 0.004 | | |
| | SHB-28 | 9/22/1976 | 0.018 | | |
| | SHB-29 | 9/22/1976 | 0.16 | | |
| | SHB-30 | 9/22/1976 | 0.004 | | |
| | SHB-34 | 9/22/1976 | 0.014 | | |
| | Shipping Pen | 12/18/1992 | | | |

| Thallium | Well Name | Date | Zinc | Temp (C) | Tin | Vanadium |
|----------|-----------|-----------|------|----------|-----|----------|
| | Stone | 7/31/1947 | | | | |
| | Young 1 | 7/31/1947 | | | | |
| | Young 2 | 7/31/1947 | | | | |


Appendix B-2

Pre 1980 SHB Groundwater Sample Results

CUSTOMER Sergent, Hauskins & Beckwith
ATTENTION Mr. Booth
ADDRESS 2821 Girard N.E.
CITY Albuquerque, NM 87107
INVOICE NO. 606081

REPORT OF ANALYSIS

| | | | | |
|----------------------------|------------------|-----------------------|------------------|--|
| SAMPLES RECEIVED | 6-4-76 | CUSTOMER ORDER NUMBER | | |
| TYPE OF ANALYSIS | Water Analysis | | | |
| <u>Analysis</u> | <u>Sample #1</u> | <u>Sample #2</u> | <u>Sample #4</u> | |
| Calcium | 117 | 122 | 692 | |
| Magnesium | 25.6 | 15.5 | 15.2 | |
| Sodium | 50.4 | 76.1 | 30.0 | |
| Potassium | 1.78 | 1.72 | 1.56 | |
| Bicarbonate | 228 | 241 | 188 | |
| Sulfate | 137 | 114 | 34 | |
| Chloride | 14.3 | 16.7 | 19.9 | |
| Fluoride | 0.52 | 0.51 | 0.44 | |
| Boron | < 0.1 | < 0.1 | < 0.1 | |
| Nitrate | 1.39 | 16.8 | 4.0 | |
| Silica | 40.9 | 36.3 | 41.9 | |
| Iron | 0.002 | 0.002 | 0.004 | |
| Manganese | 0.003 | 0.003 | 0.001 | |
| Total Dissolved Solids | 520 | 560 | 350 | |
| Specific Conductance umhos | 720 | 780 | 480 | |
| pH Units | 7.78 | 7.48 | 8.60 | |
| Hardness | 301 | 269 | 211 | |

APPROVED BY 
James J. Mueller, President
6-16-76 PAGE 1 OF 1 PAGE




Controls for Environmental Pollution, Inc.

CUSTOMER Sergent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2821 Girard N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 606081

REPORT OF ANALYSIS

| | | | |
|---------------------------------|------------------|-----------------------|----------------------------|
| SAMPLES RECEIVED 6-4-76 | | CUSTOMER ORDER NUMBER | |
| TYPE OF ANALYSIS Water Analysis | | | |
| <u>Analysis</u> | <u>Sample #3</u> | <u>Underflow</u> | <u>Underflow Percolate</u> |
| Calcium | 64.1 | 80.1 | 34.5 |
| Magnesium | 22.4 | 4.6 | 22.1 |
| Sodium | 47.2 | 69.7 | 106 |
| Potassium | 1.75 | 55.4 | 2.10 |
| Bicarbonate | 137 | 43.7 | 120 |
| Sulfate | 544 | 299 | 258 |
| Chloride | 18.9 | 36.1 | 41.8 |
| Fluoride | 0.77 | 2.94 | 1.97 |
| Boron | < 0.1 | < 0.1 | 0.3 |
| Nitrate | 1.1 | 17.7 | < 0.1 |
| Silica | 42.4 | 4.2 | 24.4 |
| Iron | 0.017 | 0.75 | 0.007 |
| Manganese | 0.001 | 0.095 | 0.22 |
| Total Dissolved Solids | 409 | 654 | 672 |
| Specific Conductance umhos | 570 | 960 | 900 |
| pH | 8.16 | 8.35 | 7.61 |
| Hardness | 215 | 217 | 274 |
| Arsenic | 0.02 | 0.02 | 0.08 |
| Cadmium | < 0.001 | < 0.001 | < 0.001 |
| Chromium | 0.002 | 0.003 | 0.002 |
| Cobalt | < 0.001 | < 0.001 | < 0.001 |
| Copper | < 0.001 | 0.004 | 0.002 |
| Cyanide | < 0.01 | 0.30 | 9.03 |

APPROVED BY 

James J. Mueller, President
 6-16-76 PAGE 1 OF 2 PAGE



Controls for Environmental Pollution, Inc.


CUSTOMER Sergent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2821 Girard N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 606081

REPORT OF ANALYSIS

SAMPLES RECEIVED 6-4-76 CUSTOMER ORDER NUMBER

TYPE OF ANALYSIS Water Analysis

| <u>Analysis</u> | <u>Sample #3</u> | <u>Underflow</u> | <u>Underflow Percolate</u> |
|-----------------|------------------|------------------|----------------------------|
| Lead | 0.023 | 0.002 | 0.015 |
| Mercury | < 0.0004 | < 0.0004 | 0.0013 |
| Molybdenum | 0.001 | 0.020 | 0.073 |
| Selenium | < 0.01 | < 0.01 | 0.04 |
| Silver | < 0.001 | < 0.001 | < 0.001 |
| Zinc | < 0.01 | 0.01 | 0.54 |


APPROVED BY 
 James J. Mueller, President
 6-16-76 PAGE 2 OF 2 PAGE



Controls for Environmental Pollution, Inc.

CUSTOMER
 ATTENTION Sergent, Hauskins & Beckwith
 ADDRESS Mr. Booth
 CITY 2821 Girard NE
 INVOICE NO. Albuquerque, NM 87107
 606112

REPORT OF ANALYSIS


| SAMPLES RECEIVED | 6/18/76 | CUSTOMER ORDER NUMBER | | | | | | | | | | | | | | | | | | | | |
|--|------------------------------------|-----------------------|------------------------------|-------------|--------------------------------------|------|---|--------------|----------------|------|---|------|----------------|--|--|------|----------------|--|--|------|--|------|
| TYPE OF ANALYSIS | Water and Soils Analysis - Cyanide | RUSH | | | | | | | | | | | | | | | | | | | | |
| <table> <thead> <tr> <th><u>Sample Identification</u></th> <th><u>mg/l</u></th> </tr> </thead> <tbody> <tr> <td>Underflow Percolate Pit C 5½ - 9'</td> <td>0.57</td> </tr> <tr> <td>Job No. E76 - 1023 Boring 5 Depth 4½'</td> <td><u>ug/gm</u></td> </tr> <tr> <td>Blows 25-25-33</td> <td>0.15</td> </tr> <tr> <td>Job N. E76-1023 Boring 5 Depth 14½'</td> <td>0.98</td> </tr> <tr> <td>Blows 14-15-16</td> <td></td> </tr> <tr> <td>Job No. E76-1023 Boring 5 Depth 29½'</td> <td>1.06</td> </tr> <tr> <td>Blows 15-22-29</td> <td></td> </tr> <tr> <td>Job No. E76-1023 Pit A-1 2' - 15½'</td> <td>0.32</td> </tr> <tr> <td>Job No. E76-1023 Pit C#2 5½ - 9'</td> <td>0.15</td> </tr> </tbody> </table> | | | <u>Sample Identification</u> | <u>mg/l</u> | Underflow Percolate Pit C 5½ - 9' | 0.57 | Job No. E76 - 1023 Boring 5 Depth 4½' | <u>ug/gm</u> | Blows 25-25-33 | 0.15 | Job N. E76-1023 Boring 5 Depth 14½' | 0.98 | Blows 14-15-16 | | Job No. E76-1023 Boring 5 Depth 29½' | 1.06 | Blows 15-22-29 | | Job No. E76-1023 Pit A-1 2' - 15½' | 0.32 | Job No. E76-1023 Pit C#2 5½ - 9' | 0.15 |
| <u>Sample Identification</u> | <u>mg/l</u> | | | | | | | | | | | | | | | | | | | | | |
| Underflow Percolate Pit C 5½ - 9' | 0.57 | | | | | | | | | | | | | | | | | | | | | |
| Job No. E76 - 1023 Boring 5 Depth 4½' | <u>ug/gm</u> | | | | | | | | | | | | | | | | | | | | | |
| Blows 25-25-33 | 0.15 | | | | | | | | | | | | | | | | | | | | | |
| Job N. E76-1023 Boring 5 Depth 14½' | 0.98 | | | | | | | | | | | | | | | | | | | | | |
| Blows 14-15-16 | | | | | | | | | | | | | | | | | | | | | | |
| Job No. E76-1023 Boring 5 Depth 29½' | 1.06 | | | | | | | | | | | | | | | | | | | | | |
| Blows 15-22-29 | | | | | | | | | | | | | | | | | | | | | | |
| Job No. E76-1023 Pit A-1 2' - 15½' | 0.32 | | | | | | | | | | | | | | | | | | | | | |
| Job No. E76-1023 Pit C#2 5½ - 9' | 0.15 | | | | | | | | | | | | | | | | | | | | | |
| <p>APPROVED BY </p> <p>James J. Mueller, President 6/22/76 PAGE 1 OF 1 PAGE</p> | | | | | | | | | | | | | | | | | | | | | | |



Controls for Environmental Pollution, Inc.

CUSTOMER Sargent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelaria Road N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 609066

REPORT OF ANALYSIS

| | | |
|--|---------------------------|---------------------------|
| SAMPLES RECEIVED | 9/9/76 | CUSTOMER ORDER NUMBER |
| TYPE OF ANALYSIS Soil Analysis - | | |
| | A-1 BH 2½ - 6' mg/l | A-2 BH 2½ - 6' mg/l |
| <u>Analysis</u> | | |
| Calcium | 11.6 | 8.89 |
| Magnesium | 1.8 | 1.6 |
| Sodium | 8.9 | 9.6 |
| Potassium | 1.3 | 1.2 |
| Bicarbonate (asCaCO ₃) | 40.3 | 40.8 |
| Sulfate | 7 | 6 |
| Chloride | 1.06 | △ 0.05 |
| Fluoride | 0.64 | 1.08 |
| Boron | 0.3 | 0.1 |
| Nitrate (as N) | 3.11 | 1.14 |
| Silica | 6.8 | 6.8 |
| Iron | 0.27 | 0.33 |
| Manganese | 0.01 | 0.02 |
| Total Dissolved Solids | 127 | 142 |
| Specific Conductance (umhos) | 131 | 109 |
| pH (Units) | 8.18 | 8.20 |
| Hardness (as CaCO ₃) | 51.4 | 42.5 |
| Arsenic | △ 0.01 | △ 0.01 |
| Cadmium | △ 0.001 | △ 0.001 |
| Chromium | △ 0.001 | △ 0.001 |
| Cobalt | △ 0.001 | △ 0.001 |
| Copper | 0.003 | 0.003 |
| Cyanide | △ 0.1 | △ 0.1 |
| Lead | △ 0.001 | △ 0.001 |
| Mercury | △ 0.0004 | △ 0.0004 |
| Molybdenum | △ 0.001 | △ 0.001 |
| Selenium | △ 0.01 | △ 0.01 |
| Silver | △ 0.001 | △ 0.001 |
| Zinc | 0.004 | 0.004 |
| APPROVED BY  James J. Mueller, President 9/14/76 | | |
| | | PAGE 1 OF 1 PAGE |




Controls for Environmental Pollution, Inc.

CUSTOMER Sargent Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelari Road NE
 CITY Albuquerque, NM 87107
 INVOICE NO. 610073

REPORT OF ANALYSIS

| | | |
|-------------------------------------|-----------------------|-----------------------|
| SAMPLES RECEIVED | 9/1/76 | CUSTOMER ORDER NUMBER |
| TYPE OF ANALYSIS .. Soil Analysis - | | |
| <u>Analysis</u> | <u>BH F-1</u> mg/l | <u>BH F-2</u> mg/l |
| Calcium | 21.4 | 23.0 |
| Magnesium | 1.19 | 1.57 |
| Sodium | 23.7 | 28.5 |
| Potassium | 1.26 | 1.11 |
| Bicarbonate (as CaCO ₃) | 42.8 | 42.2 |
| Sulfate | 19.4 | 2.3 |
| Chloride | 5.0 | 10.5 |
| Fluoride | 0.66 | 0.74 |
| Boron | 0.2 | 0.2 |
| Nitrogen Nitrate | 5.7 | 3.7 |
| Silica | 48.9 | 42.7 |
| Iron | 0.048 | 0.063 |
| Manganese | 0.002 | 0.002 |
| Total Dissolved Solids | 204 | 208 |
| Specific Conductance umhos | 230 | 268 |
| pH | 7.88 | 7.80 |
| Hardness (asCaCO ₃) | 56.7 | 75.7 |
| Arsenic | 0.01 | △ 0.01 |
| Cadmium | 0.005 | 0.005 |
| Chromium | 0.004 | 0.003 |
| Cobalt | △ 0.001 | △ 0.001 |
| Copper | 0.008 | △ 0.006 |
| Cyanide | △ 0.1 | △ 0.1 |
| Lead | △ 0.001 | △ 0.001 |
| Mercury | △ 0.0004 | △ 0.0004 |
| Molybdenum | 0.001 | △ 0.001 |
| Selenium | △ 0.01 | △ 0.01 |
| Silver | 0.009 | 0.002 |
| Zinc | 0.018 | 0.014 |

APPROVED BY 
 James J. Mueller, President
 10/14/76

PAGE 1 OF 1 PAGE



Controls for Environmental Pollution, Inc.

Environmental Biochemists

4115 SILVER AVE., S. E.
ALBUQUERQUE, NEW MEXICO 87108
Telephone (505) 266-9106 - Night 296-6164

E.B. No. 76911
Revised

Sept. 21, 1976

Sergent Hauskins & Beckwith
2821 Gerard N.E.
Albuquerque, N.M.



Att: Gary Allen

In our recent telephone conversation you asked that our previous report be revised to reflect milligrams per liter of the soluble components from soil samples that we analyzed for you. Aqueous suspensions of the soils were made as previously described and were 10;1 ml/g.

| | Milligrams per liter | |
|--------------------|----------------------|--------|
| | BH A-1 | BH A-2 |
| Moisture, % | 4.22 | 4.35 |
| pH | 6.9 | 6.5 |
| Hardness | 26 | 26 |
| Cyanide | <0.01 | <0.01 |
| Calcium | 7.5 | 7.5 |
| Magnesium | 1.8 | 1.7 |
| Sodium | 7.3 | 9.2 |
| Potassium | 1.8 | 3.4 |
| Iron | 0.4 | 0.5 |
| Manganese | <0.05 | <0.05 |
| Arsenic | <0.02 | <0.02 |
| Cadmium | <0.05 | <0.05 |
| Chromium | <0.05 | <0.05 |
| Cobalt | <0.025 | <0.025 |
| Copper | <0.01 | <0.01 |
| Lead | <0.025 | <0.025 |
| Mercury | <0.001 | <0.001 |
| Molybdenum | <0.05 | <0.05 |
| Selenium | <0.02 | <0.02 |
| Silver | <0.01 | <0.01 |
| Zinc | <0.025 | <0.025 |
| Bicarbonate | 41 | 37.3 |
| Sulfate | <0.05 | <0.05 |
| Chloride | 7.0 | 6.0 |
| Fluoride | 1.28 | 1.75 |
| Boron | <0.05 | 0.2 |
| Nitrate | 14.3 | 11.4 |
| Silica | 2.4 | 2.5 |
| Tot. Diss. Solids | 24 | 68 |
| Conductance, umhos | 135 | 135 |

Raymond C. Pfeiffer, Ph.D.

Environmental Biochemists

4115 SILVER AVE., S. E.
ALBUQUERQUE, NEW MEXICO 87108
Telephone (505) 266-9106 - Night 296-6164

E.B. No. 76925A

Sept. 25, 1976

Sergent-Hauskins & Beckwith

2821 Gerard N.E.

Albuquerque, N.M.

Att: Gary Allen

On Sept. 2, 1976, two soil samples were delivered to our laboratory for analysis. A 10:1 aqueous:soil suspension was made and the components analyzed in the aqueous phase after filtration through a 0.45 um membrane. The soil was screened through a 2mm sieve.

| Sample | F 1 ppm | F 2 ppm |
|------------------------|----------------|------------|
| Moisture, % | 2.0 | 2.2 |
| pH | 7.56 | 6.67 |
| Cyanide | 0.02 | 0.03 |
| Bicarbonate | 4.91 | 4.33 |
| Sulfate | 31.2 | 29.2 |
| Chloride | 7.5 | 15.5 |
| Fluoride | 0.96 | 0.98 |
| Nitrate | 9.7 | 5.5 |
| Calcium | 11.4 | 15.0 |
| Magnesium | 1.1 | 0.75 |
| Sodium | 8.1 | 9.1 |
| Potassium | 3.2 | 2.4 |
| Iron | 0.3 | 0.3 |
| Manganese | <0.05 | <0.05 |
| Arsenic | <0.02 | <0.02 |
| Cadmium | <0.004 | <0.004 |
| Chromium | <0.05 | <0.05 |
| Cobalt | <0.025 | <0.025 |
| Lead | <0.025 | <0.025 |
| Molybdenum | <0.05 | <0.05 |
| Selenium | <0.02 | <0.02 |
| Silver | <0.01 | <0.01 |
| Zinc | <0.025 | <0.025 |
| Mercury | <0.001 | <0.001 |
| Copper | 0.02 | 0.02 |
| Boron | <0.1 | <0.1 |
| Conductance | 115 (umhos/cm) | 125 |
| Silica | 11.75 | 11.0 |
| Hardness | 33 | 40 |
| Total Dissolved Solids | 106 | 96 |



ppm = parts per million in aqueous phase = milligrams per liter.

Thank you.

Raymond G. Pfeiffer, Ph.D.

CUSTOMER Sargent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelaria Road, N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 610090

REPORT OF ANALYSIS

| | | | |
|-------------------------------------|--|-----------------------|--|
| SAMPLES RECEIVED | 9-22-76 | CUSTOMER ORDER NUMBER | |
| TYPE OF ANALYSIS | Water Analysis | | |
| | E76-1100 | E76-1100 | |
| | #29 | #34 | |
| <u>Analysis</u> | <u>mg/l</u> | <u>mg/l</u> | |
| Calcium | 65.1 | 3.67 | |
| Magnesium | 14.5 | 0.52 | |
| Sodium | 60.3 | 2.55 | |
| Potassium | 5.02 | 0.63 | |
| Bicarbonate (as CaCO ₃) | QNS | 12 | |
| Sulfate | QNS | <1 | |
| Chloride | QNS | <1.0 | |
| Fluoride | QNS | 0.14 | |
| Boron | 0.1 | <0.1 | |
| Nitrate | <0.1 | <0.1 | |
| Silica | 54.0 | 51.2 | |
| Iron | 0.052 | 0.009 | |
| Manganese | 0.049 | 0.004 | |
| Total Dissolved Solids | 384 | 50 | |
| Specific Conductance (umhos) | 640 | 41 | |
| pH Units | 7.98 | 7.36 | |
| Hardness (as CaCO ₃) | QNS | 517 | |
| Arsenic | QNS | QNS | |
| Cadmium | 0.001 | 0.001 | |
| Chromium | 0.004 | 0.002 | |
| Cobalt | 0.001 | <0.001 | |
| Copper | 0.002 | 0.002 | |
| | APPROVED BY <u>James J. Mueller, President</u> James J. Mueller, President 10-20-76 PAGE 1 OF 2 PAGE | | |



Controls for Environmental Pollution, Inc.

CUSTOMER Sargent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelaria Road, N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 610090

REPORT OF ANALYSIS

| | | |
|------------------|----------------|-----------------------|
| SAMPLES RECEIVED | 9-22-76 | CUSTOMER ORDER NUMBER |
| TYPE OF ANALYSIS | Water Analysis | |

| <u>Analysis</u> | E76-1100 #29 <u>mg/l</u> | E76-1100 #34 <u>mg/l</u> |
|-----------------|--------------------------------|--------------------------------|
| Cyanide | QNS | QNS |
| Lead | 0.002 | 0.001 |
| Mercury | < 0.0004 | < 0.0004 |
| Molybdenum | 0.003 | < 0.001 |
| Selenium | < 0.01 | < 0.01 |
| Silver | < 0.001 | < 0.001 |
| Zinc | 0.016 | 0.014 |

QNS = Quantity of Water not Sufficient for Analysis.

APPROVED BY

James J. Mueller/Edm

James J. Mueller, President
 10-20-76 PAGE 2 OF 2 PAGE



Controls for Environmental Pollution, Inc.

CUSTOMER Sargent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelaria Road, N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 610090

REPORT OF ANALYSIS

| SAMPLES RECEIVED | | 9-22-76 | | | CUSTOMER ORDER NUMBER | | |
|-------------------------------------|-------------------------|-------------------------|-------------------------|--|-----------------------|--|--|
| TYPE OF ANALYSIS | | Water Analysis | | | | | |
| <u>Analysis</u> | E76-1100 #30 mg/l | E76-1100 #31 mg/l | E76-1100 #33 mg/l | | | | |
| Calcium | 84.8 | 87.5 | 163 | | | | |
| Magnesium | 21.3 | 21.4 | 32.0 | | | | |
| Sodium | 50.6 | 51.1 | 81.7 | | | | |
| Potassium | 4.88 | 5.86 | 11.5 | | | | |
| Bicarbonate (as CaCO ₃) | 211 | 205 | 264 | | | | |
| Sulfate | 145 | 233 | 353 | | | | |
| Chloride | 21.0 | 20.6 | 51.2 | | | | |
| Fluoride | 0.79 | 0.77 | 0.97 | | | | |
| Boron | < 0.1 | < 0.1 | < 0.1 | | | | |
| Nitrate | 0.7 | 0.8 | < 0.1 | | | | |
| Silica | 50.7 | 58.3 | 53.8 | | | | |
| Iron | 0.009 | 0.007 | 0.015 | | | | |
| Manganese | 0.036 | 0.039 | 0.42 | | | | |
| Total Dissolved Solids | 486 | 434 | 840 | | | | |
| Specific Conductance (umhos) | 720 | 720 | 1260 | | | | |
| pH | 7.77 | 7.61 | 7.58 | | | | |
| Hardness (as CaCO ₃) | 318 | 279 | 530 | | | | |
| Arsenic | 0.02 | < 0.01 | QNS | | | | |
| Cadmium | < 0.001 | < 0.001 | < 0.001 | | | | |
| Chromium | 0.004 | 0.002 | 0.002 | | | | |
| Cobalt | < 0.001 | < 0.001 | < 0.001 | | | | |
| Copper | 0.002 | 0.002 | 0.005 | | | | |

APPROVED BY James J. Mueller, President
 James J. Mueller, President
 10-20-76 PAGE 1 OF 2 PAGE



Controls for Environmental Pollution, Inc.

CUSTOMER Sargent, Hauskins & Beckwith
 ATTENTION Mr. Booth
 ADDRESS 2501 Candelaria Road, N.E.
 CITY Albuquerque, NM 87107
 INVOICE NO. 610090

REPORT OF ANALYSIS

| | | |
|------------------|---------|-----------------------|
| SAMPLES RECEIVED | 9-22-76 | CUSTOMER ORDER NUMBER |
|------------------|---------|-----------------------|

| | |
|------------------|----------------|
| TYPE OF ANALYSIS | Water Analysis |
|------------------|----------------|

| <u>Analysis</u> | E76-1100 #30 <u>mg/l</u> | E76-1100 #31 <u>mg/l</u> | E76-1100 #33 <u>mg/l</u> |
|-----------------|--------------------------------|--------------------------------|--------------------------------|
| Cyanide | < 0.01 | < 0.01 | QNS |
| Lead | < 0.001 | < 0.001 | < 0.001 |
| Mercury | < 0.0004 | < 0.0004 | < 0.0004 |
| Molybdenum | 0.002 | 0.002 | 0.003 |
| Selenium | < 0.01 | < 0.01 | < 0.01 |
| Silver | < 0.001 | < 0.001 | < 0.001 |
| Zinc | 0.004 | 0.004 | 0.018 |

QNS = Quantity of Water not Sufficient for Analysis.

APPROVED BY

James J. Mueller, President
 James J. Mueller, President



10-20-76 PAGE 2 OF 2 PAGE



Controls for Environmental Pollution, Inc.

Figure 4

LOCATION OF WATER WELLS



Tailings Dam and Pond
Copper Flat Project
Hillsboro, New Mexico
SHB Job No. E80-1030

Appendix C

Whole Rock Chemical Analyses for PW-3, WD-1, and November 20, 1996
Pond Rock Samples

Client : Staffen Robertson and Kirsten
Address : 3232 S. Vance St., Ste. 210
Lakewood, CO 80227
Attn. : Gene Muller
Project : 68605, Copper Flat

Sample Matrix: Waste Rock
Sample ID: 68605, PW-3
Sample Date Time: Unknown

Lab No. : 94-RT/00595
Date Received: 06/10/94

Parameters

| | | | |
|-------------------|--------|-------|---|
| Moisture % | 0.3 | % | |
| Phosphorus, total | 0.04 | % | |
| Aluminum, total | 2950. | mg/kg | 4 |
| Antimony, total | -0.10 | mg/kg | 4 |
| Arsenic, total | 1.9 | mg/kg | 4 |
| Barium, total | 24. | mg/kg | 4 |
| Boron, total | -2. | mg/kg | 4 |
| Cadmium, total | -0.5 | mg/kg | 4 |
| Calcium, total | 700. | mg/kg | 4 |
| Chromium, total | -1. | mg/kg | 4 |
| Cobalt, total | 9. | mg/kg | 4 |
| Copper, total | 226. | mg/kg | 4 |
| Iron, total | 40800. | mg/kg | 4 |
| Lead, total | 4. | mg/kg | 4 |
| Magnesium, total | 800. | mg/kg | 4 |
| Manganese, total | 39. | mg/kg | 4 |
| Mercury, total | -0.02 | mg/kg | 4 |
| Molybdenum, total | 57. | mg/kg | 4 |
| Nickel, total | 3. | mg/kg | 4 |
| Potassium, total | 1300. | mg/kg | 4 |
| Selenium, total | 9.0 | mg/kg | 4 |
| Silver, total | -1. | mg/kg | 4 |
| Sodium, total | 200. | mg/kg | 4 |
| Vanadium, total | 5. | mg/kg | 4 |
| Zinc, total | 14. | mg/kg | 4 |

EPA SW846, Method 3051 Digestion.

Remarks:

Note: Negative sign "-" denotes that the value is less than "<"

Scott Hubermehl, Project Manager/SH.

Frank E. Polniak, Inorganic Laboratory Supervisor/RS

Client : Steffen Robertson and Kirsten
Address : 3232 S. Vance St., Ste. 210
Lakewood, CO 80227
Attn. : Gene Muller
Project : 68605, Copper Flat

Sample Matrix: Waste Rock
Sample ID: 68605, PW-3
Sample Date Time: Unknown

Lab No. : 94-SI/00595
Date Received: 06/10/94

| Parameters | | |
|--|-------|------------------------|
| Acid-Base Potent. (CaCO ₃) | -69. | Tons/1000T |
| Conductivity, sat. paste | 5.94 | mmhos/cm 1 |
| pH, saturated paste | 2.6 | units 1 |
| Neutralization Potential | -0.1 | % as CaCO ₃ |
| Sulfur, total | 2.20 | % |
| Sulfur, sulfate | -0.01 | % |
| Sulfur, pyritic | 0.84 | % |

1 Saturated Paste Extraction

Remarks: Negative (-) sign on ABP denotes a negative value

Note: Negative sign "-" denotes that the value is less than "<"

Scott Habermehl, Project Manager

Frank E. Polniak, Inorganic Laboratory Supervisor / SH.

Client : Steffen Robertson and Kirsten
Address : 3232 S. Vance St., Ste. 210
Lakewood, CO 80227
Attn. : Gene Muller
Project : 68605, Copper Flat

JUL 28 1994

Sample Matrix: Waste Rock
Sample ID: 68605, WD 1
Sample Date Time: Unknown

Lab No. : 94-RT/00594
Date Received: 06/10/94

Parameters

| | | | |
|-------------------|--------|-------|---|
| Moisture % | 0.2 | % | |
| Phosphorus, total | 0.01 | % | |
| Aluminum, total | 1890. | mg/kg | 4 |
| Antimony, total | -0.10 | mg/kg | 4 |
| Arsenic, total | 0.4 | mg/kg | 4 |
| Barium, total | 10. | mg/kg | 4 |
| Boron, total | -2. | mg/kg | 4 |
| Cadmium, total | -0.5 | mg/kg | 4 |
| Calcium, total | 700. | mg/kg | 4 |
| Chromium, total | -1. | mg/kg | 4 |
| Cobalt, total | 11. | mg/kg | 4 |
| Copper, total | 186. | mg/kg | 4 |
| Iron, total | 41600. | mg/kg | 4 |
| Lead, total | 2. | mg/kg | 4 |
| Magnesium, total | 200. | mg/kg | 4 |
| Manganese, total | 8. | mg/kg | 4 |
| Mercury, total | -0.02 | mg/kg | 4 |
| Molybdenum, total | 7. | mg/kg | 4 |
| Nickel, total | -2. | mg/kg | 4 |
| Potassium, total | 1200. | mg/kg | 4 |
| Selenium, total | 3.9 | mg/kg | 4 |
| Silver, total | -1. | mg/kg | 4 |
| Sodium, total | 200. | mg/kg | 4 |
| Vanadium, total | 1. | mg/kg | 4 |
| Zinc, total | 7. | mg/kg | 4 |

EPA SW846, Method 3051 Digestion.

Remarks:

Note: Negative sign "-" denotes that the value is less than "<"

Scott Habermehl, Project Manager

Frank E. Polniak, Inorganic Laboratory Supervisor */16*

Client : Steffen Robertson and Kirsten
Address : 3232 S. Vance St., Ste. 210
Lakewood, CO 80227
Attn. : Gene Muller
Project : 68605, Copper Flat

Sample Matrix: Waste Rock
Sample ID: 68605, PW-1
Sample Date Time: Unknown

Lab No. : 94-SI/00612
Date Received: 06/10/94

| Parameters | | |
|--|------|------------------------|
| Acid-Base Potent. (CaCO ₃) | -81. | Tons/1000T |
| Neutralization Potential | 3.2 | % as CaCO ₃ |
| Sulfur, total | 3.61 | % |
| Sulfur, sulfate | 0.14 | % |
| Sulfur, pyritic | 2.00 | % |

Remarks: Negative (-) sign on ABP denotes a negative Value

Note: Negative sign "-" denotes that the value is less than "<"

Scott Habermehl, Project Manager

Frank E. Polniak, Inorganic Laboratory Supervisor

/S.H.

Appendix D

D-1

Paste pH and Conductivity Data
Acid-Base Accounting Data
Net Acid Generation Data

D-2

Humidity Cell Data

Appendix D-1

Paste pH and Conductivity Data
Acid-Base Accounting Data
Net Acid Generation Data

1997 Surface Sample Analyses

| Sample | Type | Lithology | Viable sulfide % | EC | Paste pH | NAG kg/T H ₂ SO ₄ | NAG pH | Sulfate % | Sulfide % | Sulfur Total % | SO ₂ S % | ACG | | NP | NNP | NF:AP |
|--------------|------|--------------------|------------------|-------|----------|---|--------|-----------|-----------|----------------|---------------------|------|-------------------|-------|------|-------|
| | | | | | | | | | | | | mg/g | CaCO ₃ | | | |
| WRC 5480 019 | HS | QM | 2 | 3020 | 2.66 | | | | | | | | | | | |
| WRC 5480 020 | HS | QM | 2 | 878 | 3.96 | | | | | | | | | | | |
| WRC 5480 021 | HS | QM | 2 | 1009 | 4.38 | | | | | | | | | | | |
| WRC 5480 022 | HS | QM | 2 | 1850 | 2.97 | | | | | | | | | | | |
| WRC 5480 023 | HS | QM | 2 | 1880 | 2.64 | | | | | | | | | | | |
| WRC 5480 024 | HS | QM | 1.5 | 1190 | 2.71 | | | | | | | | | | | |
| WRC 5480 025 | LS | QM | 1 | 637 | 8.6 | | | | | | | | | | | |
| WRC 5480 026 | LS | QM | 1 | 129 | 9.68 | | | | | | | | | | | |
| WRC 5480 027 | HS | QM | 2 | 1580 | 2.12 | | | | | | | | | | | |
| WRC 5480 028 | HS | QM | 2 | 964 | 4.89 | | | | | | | | | | | |
| WRC 5480 029 | HS | QM | 2 | 580 | 3.59 | | | | | | | | | | | |
| WRC 5480 030 | HS | QM | 2 | 258 | 5.85 | | | | | | | | | | | |
| WRC 5580 005 | T | QV(Siemensberg)pw2 | 2 | 19000 | 3.79 | | | | | | | | | | | |
| WRD 4480 010 | LS | QM | 1 | 50 | 6.06 | | | | | | | | | | | |
| WRD 5560 020 | LS | QM | 1 | 64 | 6.72 | | | | | | | | | | | |
| WRD 5560 027 | HS | QM | 2 | 3990 | 2.56 | | | | | | | | | | | |
| WRD 5560 028 | HS | QM | 2 | 730 | 2.95 | | | | | | | | | | | |
| WRD 5560 029 | HS | QM | 2 | 1552 | 2.53 | | | | | | | | | | | |
| WRD 5560 030 | HS | QM | 2 | 321 | 4.64 | | | | | | | | | | | |
| WRD 5560 031 | HS | QM | 2 | 282 | 4.4 | | | | | | | | | | | |
| WRD 5560 032 | HS | QM | 2 | 620 | 2.99 | | | | | | | | | | | |
| WRD 5560 034 | HS | QM | 2 | 201 | 3.95 | | | | | | | | | | | |
| WRD 5560 035 | HS | QM | 2 | 833 | 4.35 | | | | | | | | | | | |
| WRD 5560 036 | HS | QM | 2 | 171 | 3.79 | | | | | | | | | | | |
| WRD 5560 037 | HS | QM | 2 | 164 | 7.8 | | | | | | | | | | | |
| WRD 5560 038 | HS | QM | 5 | 54 | 6.59 | 18.33 | 7.92 | 0.3 | 1.2 | 1.5 | 20.00 | 47 | 30.2 | -16.8 | 0.64 | |
| WRD 5560 039 | HS | QM | 6 | 1848 | 2.81 | 72.13 | 3.92 | 0.1 | 2.1 | 2.2 | 4.55 | 70 | 0.1 | -69.9 | 0.00 | |
| WRD 5560 040 | HS | QB | 3 | 456 | 3.97 | 36.46 | 2.98 | | | | | | | | | |
| WRD 5560 041 | HS | QB | 4 | 2190 | 3.31 | 50.57 | 4.18 | 0.3 | 1.4 | 1.7 | 17.65 | 53 | 7.6 | -45.4 | 0.14 | |
| WRD 5580 001 | LS | QM | 1 | 133 | 4 | 21.56 | 2.27 | 0.3 | 0.8 | 1.1 | 27.27 | 33 | 17.8 | -15.2 | 0.54 | |
| WRD 5580 002 | HS | QM | 3 | 1422 | 2.77 | 34.01 | 6.00 | | | | | | | | | |
| WRD 5580 004 | O | QB | | | 4.82 | | | 0.33 | 0.1 | 0.34 | 97.06 | 11 | 0.1 | -10.9 | 0.01 | |
| WRD 5580 005 | LS | QM | 2 | 93 | 6.72 | 29.40 | 5.01 | | | | | | | | | |
| WRD 5580 006 | T | QM | 0.5 | 212 | 3.2 | 30.77 | 5.06 | | | | | | | | | |
| WRD 5580 007 | HS | QB | 2 | 345 | 3.02 | 31.07 | 4.87 | | | | | | | | | |
| WRD 5580 008 | HS | QB | 2 | 230 | 5.55 | 29.01 | 5.15 | | | | | | | | | |
| WRD 5580 009 | HS | QM | 2 | 325 | 3.14 | 28.62 | 5.01 | | | | | | | | | |
| WRD 5580 011 | HS | QM | 2 | 8 | 5.6 | 28.03 | 5.29 | | | | | | | | | |
| WRD 5580 012 | HS | QM | 2 | 305 | 5.4 | 29.11 | 5.1 | | | | | | | | | |
| WRD 5580 013 | HS | BB | 7 | 2860 | 2.45 | 47.14 | 2.09 | | | | | | | | | |
| WRD 5580 014 | HS | BB | 4 | 21 | 5 | 31.85 | 5.27 | 0.2 | 1.96 | 2.16 | 9.26 | 73.8 | 43.7 | -30.1 | 0.59 | |
| WRD 5580 015 | HS | QB | 4 | 156 | 4.45 | 31.16 | 3.05 | | | | | | | | | |
| WRD 5580 016 | HS | QM | 2 | 45.6 | 5.72 | 22.74 | 4.06 | | | | | | | | | |
| WRD 5580 017 | HS | QM | 2 | 41 | 5.54 | 30.48 | 5.04 | | | | | | | | | |

1997 Surface Sample Analyses

| Sample | Type | Lithology | Visible sulfide % | EC | Paste pH | NAG kg/T H ₂ SO ₄ | NAG pH | Sulfate % | Sulfide % | Sulfur Total % | SO ₂ S % | AGP mg C ₆ CO ₃ | NP | NNP | NP:AP |
|--------------|------|-----------|-------------------|-------|----------|---|--------|-----------|-----------|----------------|---------------------|---------------------------------------|------|-------|-------|
| | | | | | | | | | | | | | | | |
| NRD 5650 017 | LS | QM | 1 | 41.4 | 6.09 | 23.72 | 4.11 | 0.13 | 0.22 | 0.35 | 37.14 | 11 | 0.1 | -10.9 | 0.01 |
| NRD 5650 018 | HS | QM | 2 | 89 | 4.82 | | | | | | | | | | |
| NRD 5650 019 | HS | QM | 2 | 3620 | 2.79 | 46.35 | 4.40 | 0.1 | 1.3 | 1.4 | 7.14 | 45 | 0.1 | -44.9 | 0.00 |
| SRD 5470 006 | HS | QM | 2 | 63 | 5.94 | | | | | | | | | | |
| SRD 5470 010 | LS | QM | 1 | 196 | 7.05 | 8.72 | 2.51 | 0.21 | 1.3 | 1.5 | 14.00 | 47 | 6.7 | -40.3 | 0.14 |
| SRD 5470 011 | HS | QV | 5 | 2200 | 2.54 | 43.51 | 3.10 | 0.46 | 1.4 | 1.9 | 24.21 | 59 | 38.9 | -20.1 | 0.66 |
| SRD 5470 012 | HS | QB | 6 | 182 | 7.63 | | | | | | | | | | |
| SRD 5470 013 | HS | QM | 3 | 821 | 4.4 | | | | | | | | | | |
| SRD 5470 014 | HS | QB | 4 | 62.9 | 5.26 | 5.88 | 2.29 | | | | | | | | |
| SRD 5470 015 | HS | QM | 3 | 118.5 | 5.55 | | | | | | | | | | |
| SRD 5470 016 | HS | QM | 4 | 89.6 | 7.06 | | | | | | | | | | |
| SRD 5470 016 | HS | QV | 5 | 6570 | 2.66 | | | | | | | | | | |
| SRD 5470 017 | HS | QB | 4 | 27 | 5.02 | 21.56 | 2.27 | | | | | | | | |
| SRD 5470 018 | HS | QB | 5 | 1703 | 3.08 | | | | | | | | | | |
| SRD 5470 019 | HS | QV | 5 | 229 | 4.55 | | | | | | | | | | |
| SRD 5470 020 | HS | QM | 3 | 162 | 7.83 | 12.74 | 2.47 | 0.31 | 1.1 | 1.4 | 22.14 | 44 | 36.4 | -7.6 | 0.83 |
| SRD 5470 021 | HS | QB | 4 | 321 | 4.32 | | | | | | | | | | |
| SRD 5470 022 | HS | QM | 2 | 386 | 6.03 | | | | | | | | | | |
| SRD 5470 023 | HS | QM | 4 | 27 | 5.51 | | | | | | | | | | |
| SRD 5470 024 | HS | QM | 5 | 3970 | 2.52 | | | | | | | | | | |
| SRD 5470 025 | HS | QM | 3 | 172.2 | 5.21 | | | | | | | | | | |
| SRD 5470 027 | HS | QM | 2 | 3520 | 2.72 | 15.78 | 2.52 | | | | | | | | |
| SRD 5490 007 | O | QM | 2 | 42 | 8.76 | 19.70 | 3.32 | | | | | | | | |
| SRD 5500 001 | HS | QM | 2 | 831 | 5.31 | 8.23 | 4.10 | 0.37 | 0.7 | 1.1 | 33.64 | 33 | 34.2 | 1.2 | 1.04 |
| SRD 5500 002 | HS | BB | 4 | 33 | 7.38 | 22.05 | 4.63 | | | | | | | | |
| SRD 5500 003 | O | BB | 4 | 58.7 | 4.75 | | | | | | | | | | |
| SRD 5500 004 | HS | QB | 4 | 231 | 5.5 | | | | | | | | | | |
| SRD 5500 005 | HS | QV | 5 | 292 | 6.05 | 19.01 | 3.96 | | | | | | | | |
| WRC 5440 30 | HS | QM | 2 | 227 | 4.1 | 15.88 | | | | | | | | | |
| WRC 5440 31A | LS | QM | 0.5 | | 7.91 | | | 0.23 | 0.32 | 0.55 | 41.82 | 33 | 34.2 | 1.2 | 1.04 |
| WRC 5440 31B | T | QM | 0.5 | | 8.35 | | | 0.21 | 0.11 | 0.32 | 65.63 | 10 | 10.1 | 0.1 | 1.01 |
| WRC 5440 32 | O | QM | | 347 | 6.55 | | | 0.19 | 0.05 | 0.24 | 79.17 | 7.5 | 9.6 | 2.1 | 1.28 |
| WRC 5480 006 | HS | QB | 5 | 3680 | 3.7 | 31.46 | | | | | | | | | |
| WRC 5480 007 | HS | QB | 5 | 1643 | 3.18 | 33.52 | | | | | | | | | |
| WRC 5480 007 | HS | QV | 5 | 550 | 3.41 | 32.73 | | | | | | | | | |
| WRC 5480 008 | HS | QM | 2 | 785 | 3.67 | 15.09 | | | | | | | | | |
| WRC 5480 009 | HS | BB | 3 | 764 | 3.73 | 32.54 | | | | | | | | | |
| WRC 5480 010 | HS | BB | 4 | 1338 | 3.76 | 28.71 | | | | | | | | | |
| WRC 5480 012 | LS | QB | 1 | 589 | 4.01 | 33.81 | | | | | | | | | |
| WRC 5480 013 | LS | QM | 1 | 297 | 6.95 | 15.19 | | | | | | | | | |
| WRC 5480 014 | T | QB | 0.5 | 801 | 4.12 | 20.19 | | 1.25 | 0.89 | 2.08 | 60.10 | 65 | 47.6 | -17.4 | 0.73 |
| WRC 5480 015 | HS | QM | 2 | 826 | 3.42 | | | | | | | | | | |
| WRC 5480 016 | LS | QM | 1 | 470 | 6.26 | | | | | | | | | | |
| WRC 5480 018 | HS | QM | 2 | 4840 | 3.02 | | | | | | | | | | |

1997 Surface Sample Analyses

| Sample | Type | Lithology | Visible sulfide % | EC | Paste pH | NAG kg/T H ₂ SO ₄ | NAG pH | Sulfate % | Sulfide % | Sulfur Total % | SO ₂ /S % | AGP | | NNP | NP:AP |
|--------------|------|-----------|-------------------|------|----------|---|--------|-----------|-----------|----------------|----------------------|------|-------------------|--------|-------|
| | | | | | | | | | | | | mg/g | CaCO ₃ | | |
| ERD 5500 001 | T | QM | 1 | 3140 | 3.63 | 29.60 | 5.11 | 0.71 | 0.74 | 1.45 | 48.97 | 45.3 | 18.9 | -26.4 | 0.42 |
| ERD 5500 002 | HS | QB | 4 | 19 | 7.94 | 15.48 | 2.48 | 0.44 | 2.46 | 2.9 | 15.17 | 53.1 | 62.5 | 9.4 | 1.18 |
| ERD 5500 004 | LS | QM | 1 | 430 | 5.31 | | | | | | | | | | |
| ERD 5500 005 | LS | QM | 1 | 595 | 3.31 | | | | | | | | | | |
| ERD 5500 006 | LS | QM | 1.5 | 891 | 5.72 | | | | | | | | | | |
| ERD 5500 009 | HS | BB | 10 | 4000 | 2.71 | 80.75 | 6.30 | 0.6 | 2.3 | 2.9 | 20.69 | 91 | 9.1 | -81.9 | 0.10 |
| ERD 5500 010 | LS | QM | 1.5 | 471 | 4.55 | 19.99 | 3.92 | | | | | | | | |
| ERD 5500 012 | HS | QM | 2 | 1928 | 2.71 | | | | | | | | | | |
| ERD 5500 014 | HS | QM | 2 | 4370 | 2.73 | | | | | | | | | | |
| ERD 5510 002 | LS | QM | 1.5 | 257 | 4.71 | | | | | | | | | | |
| ERD 5560 001 | O | AN | | | 9.14 | | | | | | | | | | |
| ERD 5560 002 | HS | QM | 8 | 467 | 6.76 | | | 0.01 | 0.005 | 0.01 | 100.00 | 0.3 | 23.2 | 22.9 | 77.33 |
| ERD 5560 006 | HS | QB | 2 | 1305 | 3.38 | | | 0.3 | 2.6 | 2.9 | 10.34 | 90 | 23.7 | -66.3 | 0.26 |
| ERD 5560 008 | HS | QV | 5 | 330 | 4.08 | | | | | | | | | | |
| ERD 5560 010 | LS | QM | 1.5 | 708 | 4.55 | 23.62 | 3.87 | 0.47 | 1.7 | 2.2 | 21.36 | 68 | 2 | -66 | 0.03 |
| ERD 5560 011 | HS | QB | 3 | 1565 | 4.54 | 22.05 | 4.07 | | | | | | | | |
| ERD 5600 001 | LS | QM | 1 | 450 | 4.44 | | | 0.1 | 0.43 | 0.53 | 18.87 | 17 | 0.1 | -16.9 | 0.01 |
| ERD 5600 003 | HS | QB | 3 | 4230 | 2.9 | 33.81 | 3.19 | 0.96 | 1.3 | 2.2 | 43.64 | 69 | 0.1 | -68.9 | 0.00 |
| ERD 5600 005 | T | QB | 0.5 | 2700 | 3.23 | 27.05 | 4.34 | | | | | | | | |
| ERD 5600 007 | T | QM | 0.5 | 174 | 6.88 | 14.31 | 2.68 | | | | | | | | |
| ERD 5600 009 | T | QM | 0.5 | 657 | 4.73 | | | | | | | | | | |
| ERD 5600 011 | T | QM | 0.5 | 847 | 5.43 | | | | | | | | | | |
| ERD 5600 012 | T | QM | 0.5 | 254 | 6.82 | | | | | | | | | | |
| ERD 5600 013 | HS | QM | 2 | 321 | 5.17 | | | | | | | | | | |
| ERD 5600 014 | HS | BB | 2 | 2080 | 3.55 | | | | | | | | | | |
| ERD 5600 070 | HS | BB | 4 | 227 | 4.92 | 11.27 | 2.45 | | | | | | | | |
| NRD 5620 001 | HS | BB | 4 | 41 | 5.05 | 10.68 | 3.41 | | | | | | | | |
| NRD 5620 002 | HS | QB | 5 | 1193 | 2.91 | 19.80 | 2.45 | | | | | | | | |
| NRD 5620 003 | HS | QB | 6 | 1717 | 2.68 | 77.62 | 2.98 | 0.3 | 2.6 | 2.9 | 10.34 | 90 | 23.7 | -66.3 | 0.26 |
| NRD 5620 004 | HS | QM | 4 | 1111 | 3.56 | 57.33 | 4.12 | 0.2 | 1.6 | 1.8 | 11.11 | 55 | 0.1 | -54.9 | 0.00 |
| NRD 5620 005 | O | QM | | | 4.75 | | | 0.17 | 0.1 | 0.18 | 94.44 | 5.6 | 0.1 | -5.5 | 0.02 |
| NRD 5620 006 | T | QV | 1 | 2170 | 2.81 | 9.60 | 4.81 | | | | | | | | |
| NRD 5620 007 | HS | QM | 2 | 260 | 3.68 | | | | | | | | | | |
| NRD 5620 008 | HS | QM | 2 | 1009 | 2.98 | | | | | | | | | | |
| NRD 5620 009 | HS | QM | 3 | 235 | 4.13 | 42.63 | 5.90 | 0.15 | 1.1 | 1.3 | 11.54 | 40 | 0.8 | -39.2 | 0.02 |
| NRD 5620 010 | HS | QM | 2 | 663 | 3.28 | | | | | | | | | | |
| NRD 5620 011 | HS | QM | 2 | 128 | 3.86 | | | | | | | | | | |
| NRD 5620 012 | HS | QM | 2 | 1219 | 2.68 | | | | | | | | | | |
| NRD 5620 013 | HS | QB | 4 | 997 | 2.75 | 58.80 | 4.08 | 0.2 | 1.6 | 1.8 | 11.11 | 57 | 0.1 | -56.9 | 0.00 |
| NRD 5620 014 | HS | QM | 2 | 2240 | 2.62 | | | | | | | | | | |
| NRD 5620 015 | HS | QB | 20 | 4860 | 2.5 | 223.44 | 3.65 | 0.9 | 6.2 | 7.1 | 12.68 | 220 | 0.1 | -219.9 | 0.00 |
| NRD 5620 016 | HS | QM | 2 | 1075 | 3.71 | | | | | | | | | | |
| NRD 5620 016 | HS | QM | 2 | 3390 | 2.51 | | | | | | | | | | |

1997 Surface Sample Analyses

| Sample | Type | Lithology | Visible sulfide % | EC | Paste pH | NAG kg/T H ₂ SO ₄ | NAG pH | Sulfate % | Sulfide % | Sulfur Total % | SO ₂ /S % | mg CaCO ₃ | | NP-AP |
|--------------|------|-----------|-------------------|------|----------|---|--------|-----------|-----------|----------------|----------------------|----------------------|-----|-------|
| | | | | | | | | | | | | AGP | NP | |
| WRD 5580 018 | HS | QM | 2 | 112 | 6.4 | 32.93 | 5.55 | | | | | | | |
| WRD 5580 019 | HS | QM | 2 | 42 | 6.14 | 19.60 | 3.91 | | | | | | | |
| WRD 5580 021 | HS | QM | 2 | 65 | 5.87 | 19.89 | 3.98 | | | | | | | |
| WRD 5580 022 | HS | QM | 2 | 170 | 5.61 | 39.79 | 3.00 | | | | | | | |
| WRD 5580 023 | HS | QM | 2 | 103 | 7.67 | 21.17 | 4.63 | | | | | | | |
| WRD 5580 024 | HS | QM | 1.5 | 183 | 5.39 | 21.56 | 4.07 | | | | | | | |
| WRD 5580 025 | HS | QM | 1.5 | 42 | 5.74 | 15.78 | 2.52 | | | | | | | |
| WRD 5580 026 | HS | QM | 2 | 84 | 6.1 | 34.79 | 6.42 | | | | | | | |
| WRD 5580 033 | HS | QM | 1.5 | 237 | 3.82 | 38.71 | 7.74 | | | | | | | |
| WRD 5580 042 | HS | QB | 5 | 1080 | 2.35 | 76.93 | 2.10 | 0.15 | 2.2 | 2.4 | 6.25 | 74 | 0.1 | -73.9 |
| | | | | | | | | | | | | | | 0.00 |

KEY

Lithology QM= Quartz Monzonite QB= Quartz Breccia BB= Biotite Breccia QV = Quartz Vein AN = Andesite
 Visible sulfide (%) = Observed pyrite/sulfide content in hand specimen
 Type HS=High Sulfide (>2% visible sulfide) LS= Low Sulfide (<2% visible sulfide) T=Transitional (trace sulfide & acidic paste pH) O=Oxide (no observed sulfide)
 NAG (eq/kg H₂SO₄/T) = 49X Volume of NaOH titrated x molarity of NaOH (0.1M) weight of sample (5g)

APPENDIX A.2

PASTE pH AND CONDUCTIVITY DATA

ACID BASE ACCOUNTING DATA

and

NET ACID GENERATION DATA

Copper Flat Project
Static Test on Wall Rock and Drill Core from the Pit Area
1994 Sampling

| Sample | Paste PH | Total | Sulfide | Sulfate | NP | AP | NNP | NP/AP |
|-------------------------------|----------|-------|---------|---------|-----|--------|--------|-------|
| PW-1 SW pitwall transition | 6.1 | 3.61 | 3.47 | 0.14 | 32 | 108.44 | -76.44 | 0.3 |
| PW-2 Oxidized pitwall | — | 0.37 | 0.365 | 0.005 | 11 | 11.41 | -0.41 | 0.96 |
| PW-3 NW pitwall | 2.6 | 2.2 | 2.195 | 0.005 | 0.1 | 68.59 | -68.49 | — |
| PW-4 NE pitwall | 3.9 | 1.89 | 1.885 | 0.005 | 16 | 58.91 | -42.91 | 0.27 |
| IDC24-222-241, QM – core | — | 1.74 | 1.735 | 0.005 | 31 | 54.22 | -23.22 | 0.57 |
| CF10-177-190, andesite – core | — | 2.86 | 2.8 | 0.06 | 52 | 87.5 | -35.5 | 0.59 |
| CF10-190-199 QM—core | — | 3.59 | 3.52 | 0.07 | 44 | 110 | -66 | 0.4 |
| CF10-214-220, QM – core | — | 3.92 | 3.915 | 0.005 | 65 | 122.34 | -57.34 | 0.53 |
| H75-53-42, QM - reverse circ. | 8.2 | 1.77 | 1.765 | 0.005 | 36 | 55.16 | -19.16 | 0.65 |
| H75-64-44, QM - reverse circ. | 7.2 | 1.69 | 1.685 | 0.005 | 39 | 52.66 | -13.66 | 0.74 |
| H75-51-34, QM - reverse circ. | 8.6 | 2.02 | 2.015 | 0.005 | 49 | 62.97 | -13.97 | 0.78 |
| H75-48-58, QM - reverse circ. | 7.2 | 1.18 | 1.175 | 0.005 | 16 | 36.72 | -20.72 | 0.44 |
| H75-48-44, QM - reverse circ. | 7.4 | 1.06 | 1.055 | 0.005 | 9 | 32.97 | -23.97 | 0.27 |

SOURCE: *Copper Flat Mine - Compilation of Pit Lake Studies (SRK 1997)*

Appendix D-2

Humidity Cell Data

DRAFT

APPENDIX A.3

HUMIDITY COLUMN TEST DATA

| Parameter | Cycle 1 | Cycle 2 | Cycle 3 | Cycle 4 | Cycle 5 | Cycle 6 | Cycle 6 | Cycle 6 | Cycle 7 | Cycle 8 | Cycle 9 | Cycle 10 | Cycle 11 | Cycle 12 | Cycle 13 | Cycle 14 | Cycle 15 |
|--------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Al mg/l | 0.03 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| As ug/l | 30 | 30 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B ug/l | 50 | 60 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Be ug/l | 75 | 50 | 30 | 15 | 35 | 45 | 35 | 35 | 35 | 40 | 40 | 45 | 40 | 45 | 35 | 35 | 15 |
| Ba ug/l | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Bi ug/l | 6 | 28 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Ca mg/l | 30.48 | 23.78 | 18.11 | 12.95 | 18.44 | 15.01 | 13.24 | 13.24 | 13.24 | 13.18 | 13.42 | 15.01 | 13.19 | 15.92 | 13.85 | 11.87 | 5.47 |
| Cd ug/l | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Co ug/l | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cr ug/l | 6 | 20 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cu ug/l | 14 | 16 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Fe mg/l | 0.04 | 0.06 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| K mg/l | 1.58 | 1.47 | 0.65 | 0.13 | 0.47 | 0.91 | 0.12 | 0.12 | 0.12 | 0.79 | 0.9 | 0.22 | 0.68 | 0.94 | 0.34 | 0.75 | 0.18 |
| Li ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Mg mg/l | 1.28 | 1.04 | 0.59 | 0.36 | 0.58 | 0.42 | 0.39 | 0.39 | 0.39 | 0.39 | 0.37 | 0.34 | 0.52 | 0.65 | 0.48 | 0.48 | 0.18 |
| Mn mg/l | 0.07 | 0.03 | 0.02 | 0.02 | 0.035 | 0.03 | 0.025 | 0.025 | 0.025 | 0.025 | 0.025 | 0.02 | 0.015 | 0.02 | 0.015 | 0.01 | 0.005 |
| Mo ug/l | 6 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 4 |
| Ni mg/l | 5.24 | 4.63 | 2.19 | 1.26 | 2.38 | 1.79 | 1.65 | 1.65 | 1.65 | 1.82 | 1.27 | 1.57 | 2.34 | 2.98 | 2.05 | 2.12 | 0.52 |
| Nl ug/l | 15 | 15 | 10 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 10 |
| P ug/l | 40 | 110 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Pb ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Sb ug/l | 10 | 34 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Se ug/l | 85 | 150 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 25 | 15 | 15 | 30 | 40 | 5 | 30 | 15 |
| Si mg/l | 0.87 | 0.6 | 0.53 | 0.3 | 0.6 | 0.39 | 0.51 | 0.51 | 0.51 | 0.52 | 0.5 | 0.53 | 0.56 | 0.73 | 0.48 | 0.57 | 0.28 |
| Sn ug/l | 100 | 174 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 22 | 40 | 2 | 2 | 80 | 2 |
| Sr ug/l | 124 | 104 | 50 | 28 | 44 | 32 | 32 | 32 | 32 | 34 | 34 | 32 | 34 | 46 | 36 | 34 | 16 |
| St ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Tl ug/l | 2 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| V ug/l | 2 | 25 | 12 | 3 | 9 | 20 | 11 | 11 | 11 | 16 | 1 | 1 | 2 | 6 | 8 | 5 | 9 |
| Zn ug/l | 28 | 7.8 | 7.55 | 7.4 | 7.85 | 7.64 | 7.52 | 7.52 | 7.52 | 7.53 | 7.54 | 7.59 | 7.61 | 7.63 | 7.72 | 7.51 | 7.16 |
| pH | 7.73 | 289 | 307 | 321 | 285 | 311 | 318 | 318 | 318 | 321 | 341 | 287 | 272 | 264 | 265 | 265 | 296 |
| Redox (mV) | 300 | 104 | 70 | 45 | 69 | 53 | 45 | 45 | 45 | 42 | 41 | 46 | 50 | 63 | 49 | 44 | 19 |
| Conductivity (uS/cm) | 132 | 31 | 24 | 17 | 26 | 18 | 18 | 16 | 16 | 17 | 17 | 20 | 19 | 28 | 18 | 16 | 10 |
| Alkalinity (mg CaCO ₃ /l) | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 8.3) | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 3 |
| Cum Acidity (pH 8.3) | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.7 | 0.7 | 0.9 | 1 | 1.1 | 1.2 |
| Sulphate (mg/l) | 9 | 9 | 5 | 6 | 8 | 6 | 6 | 5 | 5 | 4 | 4 | 4 | 5 | 4 | 3 | 4 | 2 |
| Cum Sulphate (mg/kg) | 0.5 | 0.8 | 1 | 1.2 | 1.6 | 1.9 | 2.2 | 2.2 | 2.2 | 2.4 | 2.8 | 2.8 | 3 | 3.2 | 3.4 | 3.6 | 3.7 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 5.45 | 6.26 | 5.98 | 5.59 | 6.15 | 6.03 | 5.83 | 5.83 | 5.83 | 5.98 | 6.15 | 6.05 | 5.66 | 6.04 | 6.08 | 6.56 | 6.23 |
| Leachate collected (L) | 0.214 | 0.144 | 0.184 | 0.148 | 0.188 | 0.218 | 0.189 | 0.189 | 0.189 | 0.23 | 0.188 | 0.231 | 0.189 | 0.191 | 0.212 | 0.21 | 0.184 |
| Cumulative Iron | 0.04 | 0.1 | 0.11 | 0.12 | 0.13 | 0.14 | 0.15 | 0.15 | 0.15 | 0.16 | 0.17 | 0.18 | 0.19 | 0.2 | 0.21 | 0.22 | 0.23 |
| Cumulative Copper | 14 | 30 | 32 | 34 | 36 | 38 | 40 | 40 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 |

| Parameter | Cycle 16 | Cycle 17 | Cycle 18 | Cycle 19 | Cycle 20 | Cycle 21 | Cycle 22 | Cycle 23 | Cycle 24 | Cycle 25 | Cycle 26 | Cycle 27 | Cycle 28 | Cycle 29 |
|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Al mg/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| As ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| B ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | | | 0.061 | <0.10 |
| Ba ug/l | 0.014 | 0.022 | 0.018 | 0.046 | 0.033 | | | | | | | | 0.061 | 0.057 |
| Be ug/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | | | | | | <0.005 | <0.005 |
| Bi ug/l | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | | | | <0.1 | <0.1 |
| Cs mg/l | 1.5 | 2.75 | 2.2 | 4.49 | 2.7 | | | | | | | | 6.21 | 8 |
| Cd ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| Co ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cr ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cu ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| Fe mg/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| K mg/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | | | | <2.0 | <2.0 |
| Li ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Mg mg/l | 0.091 | 0.12 | 0.12 | 0.323 | 0.16 | | | | | | | | 0.453 | 0.621 |
| Mn mg/l | 0.008 | 0.005 | 0.005 | 0.007 | <0.005 | | | | | | | | 0.016 | 0.012 |
| Mo ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| Mo ug/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | | | | <2.0 | <2.0 |
| Ni ug/l | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | | | | | | | | <0.020 | <0.020 |
| P ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | | | | | | | | <0.30 | <0.30 |
| Pb ug/l | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | | <0.050 | <0.050 |
| Sb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Se ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Si mg/l | 0.143 | 0.207 | 0.171 | 0.377 | 0.231 | | | | | | | | 0.432 | 0.596 |
| Sn ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | | | | | | | | <0.30 | <0.30 |
| Sr ug/l | 0.011 | 0.016 | 0.015 | 0.03 | 0.022 | | | | | | | | 0.04 | 0.053 |
| Tl ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| V ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| Zn ug/l | 0.01 | 0.006 | 0.009 | 0.012 | 0.015 | | | | | | | | 0.022 | 0.024 |
| pH | 7.08 | 7.29 | 7.23 | 7.4 | 6.64 | | | | | | | | 7.59 | 7.69 |
| Redox (mV) | 304 | 264 | 265 | 286 | 281 | | | | | | | | 261 | 293 |
| Conductivity (uS/cm) | 10 | 16 | 15 | 32 | 18 | | | | | | | | 45 | 58 |
| Alkalinity (mg CaCO3/l) | 6 | 10 | 7 | 12 | 8 | | | | | | | | 16 | 20 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | | | | | | | | 0 | 0 |
| Acidity (pH 8.3) | 6 | 6 | 6 | 3 | 6 | | | | | | | | 5.9 | 6.9 |
| Cum Acidity (pH 8.3) | 1.4 | 1.6 | 1.9 | 2.1 | 2.4 | | | | | | | | 2.6 | 3 |
| Sulphate (mg/l) | 2 | 2 | 2 | 4 | 3 | | | | | | | | 4 | 4 |
| Cum Sulphate (mg/kg) | 3.6 | 3.9 | 3.9 | 4.1 | 4.3 | | | | | | | | 4.5 | 4.7 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | | | | | | | | 0.2 | 0.2 |
| pH of water added | 5.92 | 5.57 | 5.66 | 6.09 | 5.23 | | | | | | | | 5.93 | 5.7 |
| Leachate collected (L) | 0.151 | 0.176 | 0.198 | 0.181 | 0.205 | | | | | | | | 0.185 | 0.216 |
| Cumulative Iron | 0.23 | 0.23 | 0.23 | 0.23 | 0.23 | | | | | | | | 0.23 | 0.23 |
| Cumulative Copper | 56 | 56 | 56 | 56 | 56 | | | | | | | | 56 | 56 |

Laboratory Equipment Failure
No Samples Collected
Weeks 21-27

LGSSP-2 - Kinetic Test Data

| Parameter | Cycle 1 | Cycle 2 | Cycle 3 | Cycle 4 | Cycle 5 | Cycle 6 | Cycle 7 | Cycle 8 | Cycle 9 | Cycle 10 | Cycle 11 | Cycle 12 | Cycle 13 | Cycle 14 | Cycle 15 |
|--------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | 7 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Al ug/l | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| As ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B ug/l | 60 | 70 | 40 | 30 | 10 | 10 | 30 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Ba ug/l | 200 | 105 | 60 | 55 | 60 | 40 | 70 | 75 | 50 | 90 | 80 | 60 | 60 | 75 | 45 |
| Be ug/l | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Bi ug/l | 6 | 26 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 |
| Ce mg/l | 155.59 | 115.41 | 85.41 | 76.19 | 55.92 | 41.91 | 51.46 | 44.1 | 38.78 | 54.5 | 52.94 | 37.69 | 45.46 | 51.56 | 32.69 |
| Cd ug/l | 18 | 13 | 5 | 1 | 5 | 1 | 3 | 5 | 1 | 1 | 6 | 1 | 7 | 1 | 1 |
| Co ug/l | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cr ug/l | 20 | 25 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cu ug/l | 82 | 54 | 28 | 26 | 18 | 18 | 34 | 16 | 14 | 12 | 10 | 6 | 10 | 10 | 6 |
| Fe mg/l | 0.41 | 0.28 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.08 | 0.01 | 0.01 | 0.01 | 0.01 |
| K mg/l | 7.07 | 7.1 | 7.65 | 7.2 | 4.99 | 4.56 | 5.84 | 4.95 | 4.56 | 4.84 | 5.78 | 4.85 | 5.52 | 6.79 | 4.62 |
| Li ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Mg mg/l | 16.36 | 11.17 | 8.58 | 7.12 | 4.48 | 2.92 | 4.14 | 3.22 | 2.88 | 4.25 | 4.34 | 2.58 | 3.58 | 4.32 | 2.2 |
| Mn mg/l | 0.04 | 0.035 | 0.02 | 0.01 | 0.03 | 0.015 | 0.01 | 0.015 | 0.005 | 0.01 | 0.015 | 0.01 | 0.005 | 0.005 | 0.005 |
| Mo ug/l | 242 | 308 | 288 | 282 | 178 | 122 | 140 | 96 | 74 | 126 | 126 | 60 | 90 | 98 | 66 |
| Na mg/l | 7.5 | 7.94 | 7.2 | 6.55 | 3.88 | 2.81 | 3.15 | 2.04 | 1.79 | 2.48 | 2.69 | 1.54 | 2.31 | 2.5 | 1.63 |
| Ni ug/l | 5 | 15 | 10 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 10 | 5 | 5 | 5 | 5 |
| P ug/l | 230 | 270 | 300 | 340 | 220 | 200 | 240 | 190 | 120 | 200 | 220 | 180 | 200 | 270 | 150 |
| Pb ug/l | 32 | 20 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 12 | 2 | 2 |
| Sb ug/l | 18 | 22 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 10 | 2 | 2 | 2 | 2 |
| Se ug/l | 530 | 405 | 285 | 245 | 125 | 30 | 210 | 145 | 160 | 225 | 170 | 110 | 125 | 115 | 70 |
| Si mg/l | 5.53 | 6.71 | 7.81 | 8.57 | 8.18 | 7.08 | 7.17 | 5.79 | 6.24 | 5.8 | 5.38 | 4.81 | 5.68 | 5.39 | 5 |
| Sn ug/l | 574 | 508 | 2 | 2 | 2 | 2 | 26 | 92 | 60 | 64 | 90 | 44 | 44 | 52 | 2 |
| Sr ug/l | 1,018 | 680 | 492 | 418 | 270 | 178 | 252 | 204 | 168 | 262 | 234 | 142 | 216 | 224 | 126 |
| Tl ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| V ug/l | 11 | 10 | 5 | 4 | 2 | 1 | 4 | 1 | 1 | 1 | 6 | 3 | 2 | 2 | 2 |
| Zn ug/l | 28 | 14 | 12 | 13 | 6 | 17 | 13 | 14 | 1 | 1 | 1 | 1 | 9 | 1 | 3 |
| pH | 8.07 | 8.1 | 8.09 | 8.16 | 8.11 | 8.13 | 8.13 | 8.05 | 8.21 | 8.03 | 8.04 | 8.01 | 8.07 | 7.96 | 8.02 |
| Redox (mv) | 325 | 306 | 318 | 330 | 310 | 322 | 335 | 337 | 344 | 294 | 281 | 271 | 268 | 269 | 296 |
| Conductivity (uS/cm) | 979 | 690 | 533 | 448 | 308 | 196 | 261 | 204 | 170 | 264 | 278 | 170 | 228 | 267 | 151 |
| Alkalinity (mg CaCO ₃ /l) | 53 | 54 | 58 | 64 | 54 | 53 | 58 | 49 | 54 | 50 | 51 | 41 | 54 | 48 | 49 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 8.3) | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0.5 | 1 | 1 | 1 | 1 | 1 | 1 |
| Cum Acidity (pH 8.3) | 0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.5 |
| Sulphate (mg/l) | 432 | 243 | 155 | 141 | 82 | 29 | 64 | 49 | 21 | 69 | 69 | 30 | 48 | 72 | 16 |
| Cum Sulphate (mg/kg) | 10.4 | 17.5 | 22.6 | 25.9 | 28.7 | 29.6 | 32 | 33.6 | 34.2 | 36.8 | 39.5 | 40.5 | 42.3 | 45.7 | 46.2 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 5.45 | 6.28 | 5.98 | 5.59 | 6.15 | 6.03 | 5.83 | 5.98 | 6.15 | 6.05 | 5.96 | 6.04 | 6.06 | 6.56 | 6.23 |
| Leachate collected (L) | 0.102 | 0.122 | 0.139 | 0.101 | 0.144 | 0.119 | 0.162 | 0.138 | 0.112 | 0.158 | 0.165 | 0.153 | 0.158 | 0.198 | 0.127 |
| Cumulative Iron | 0.41 | 0.69 | 0.73 | 0.74 | 0.75 | 0.78 | 0.77 | 0.78 | 0.79 | 0.8 | 0.88 | 0.89 | 0.9 | 0.91 | 0.92 |
| Cumulative Copper | 82 | 136 | 164 | 190 | 206 | 224 | 258 | 274 | 288 | 300 | 310 | 316 | 326 | 336 | 342 |

LGSSP-2 - Kinetic Test Data

| Parameter | Cycle 16 | Cycle 17 | Cycle 18 | Cycle 19 | Cycle 20 | Cycle 21 | Cycle 22 | Cycle 23 | Cycle 24 | Cycle 25 | Cycle 26 | Cycle 27 | Cycle 28 | Cycle 29 |
|--------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Al mg/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| As ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| B ug/l | 0.058 | 0.048 | 0.037 | 0.038 | 0.044 | 0.044 | 0.044 | 0.044 | 0.044 | 0.044 | 0.044 | 0.044 | 0.044 | 0.064 |
| Ba ug/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Bi ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Cu mg/l | 27.3 | 22.4 | 16.4 | 17. | 14.6 | 14.6 | 14.6 | 14.6 | 14.6 | 14.6 | 14.6 | 14.6 | 14.6 | 65.3 |
| Cd ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 |
| Co ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Cr ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Cu ug/l | 0.019 | 0.018 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.014 | 0.018 |
| Fe mg/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 |
| K mg/l | 4. | 3.4 | 2.2 | 2.8 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 4.4 | 4.2 |
| Li ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Mg mg/l | 2.7 | 2.11 | 1.48 | 1.55 | 1.29 | 1.29 | 1.29 | 1.29 | 1.29 | 1.29 | 1.29 | 1.29 | 6.2 | 6.19 |
| Mn mg/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Mo ug/l | 0.068 | 0.041 | 0.041 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.03 | 0.065 | 0.083 |
| Na mg/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| NI ug/l | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 |
| P ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Pb ug/l | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 |
| Sb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Se ug/l | 5.55 | 4.58 | 3.18 | 3.22 | 2.26 | 2.26 | 2.26 | 2.26 | 2.26 | 2.26 | 2.26 | 2.26 | 4.12 | 5.03 |
| SI mg/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Sr ug/l | 0.178 | 0.14 | 0.104 | 0.108 | 0.093 | 0.093 | 0.093 | 0.093 | 0.093 | 0.093 | 0.093 | 0.093 | 0.409 | 0.393 |
| Sr ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 |
| Tl ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 |
| V ug/l | 0.005 | 0.009 | 0.009 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.008 | 0.005 |
| Zn ug/l | 8.12 | 8.09 | 8.01 | 7.92 | 7.22 | 7.22 | 7.22 | 7.22 | 7.22 | 7.22 | 7.22 | 7.22 | 7.9 | 7.96 |
| pH | 288. | 298. | 284. | 290. | 280. | 280. | 280. | 280. | 280. | 280. | 280. | 280. | 313. | 286. |
| Redox (mV) | 177. | 138. | 104. | 108. | 93. | 93. | 93. | 93. | 93. | 93. | 93. | 93. | 402. | 384. |
| Conductivity (uS/cm) | 57. | 48. | 34. | 38. | 30. | 30. | 30. | 30. | 30. | 30. | 30. | 30. | 36. | 49. |
| Alkalinity (mg CaCO ₃ /l) | 1. | 1. | 2. | 2. | 3. | 3. | 3. | 3. | 3. | 3. | 3. | 3. | 3. | 2. |
| Acidity (pH 4.5) | 0.5 | 0.5 | 0.6 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0. |
| Acidity (pH 8.3) | 20. | 10. | 11. | 11. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 138. | 124. |
| Cum Acidity (pH 8.3) | 46.8 | 47.1 | 47.5 | 47.9 | 48.3 | 48.3 | 48.3 | 48.3 | 48.3 | 48.3 | 48.3 | 48.3 | 54.4 | 59.3 |
| Sulphate (mg/l) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| Cum Sulphate (mg/kg) | 5.92 | 5.57 | 5.66 | 6.09 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.93 | 5.7 |
| Water added (L) | 0.127 | 0.131 | 0.18 | 0.158 | 0.203 | 0.203 | 0.203 | 0.203 | 0.203 | 0.203 | 0.203 | 0.203 | 0.183 | 0.67 |
| pH of water added | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 | 0.92 |
| Leachate collected (L) | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. | 342. |
| Cumulative Iron | | | | | | | | | | | | | | |
| Cumulative Copper | | | | | | | | | | | | | | |

Laboratory Equipment Failure
No Samples Collected

C10-190-199-2 - Kinetic Test Data

| Parameter | Cycle 1 | Cycle 2 | Cycle 3 | Cycle 4 | Cycle 5 | Cycle 6 | Cycle 7 | Cycle 8 | Cycle 9 | Cycle 10 | Cycle 11 | Cycle 12 | Cycle 13 | Cycle 14 | Cycle 15 |
|--------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | 5 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Al mg/l | 0.01 | 0.04 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| As ug/l | 10 | 30 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B ug/l | 50 | 30 | 10 | 35 | 15 | 25 | 15 | 15 | 15 | 25 | 20 | 35 | 35 | 15 | 30 |
| Ba ug/l | 50 | 30 | 45 | 35 | 15 | 25 | 15 | 15 | 15 | 25 | 20 | 35 | 35 | 15 | 30 |
| Be ug/l | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Bi ug/l | 6 | 16 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Cu mg/l | 48.27 | 40.54 | 43.47 | 34.16 | 32.33 | 30.47 | 23.86 | 25.61 | 19.7 | 22.26 | 20.91 | 23.92 | 22.28 | 18.03 | 22.24 |
| Cd ug/l | 3 | 8 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Co ug/l | 5 | 15 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cr ug/l | 10 | 15 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cu ug/l | 52 | 34 | 24 | 20 | 14 | 10 | 8 | 8 | 6 | 4 | 2 | 2 | 4 | 4 | 2 |
| Fe mg/l | 0.05 | 0.11 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| K mg/l | 3.95 | 3.56 | 4.39 | 2.98 | 2.07 | 1.51 | 2.13 | 2.16 | 1.36 | 0.77 | 1.5 | 1.78 | 1.35 | 2.1 | 2.1 |
| Li ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Mg mg/l | 4.25 | 3.86 | 4.88 | 3.49 | 3.06 | 2.59 | 2.22 | 2.35 | 1.47 | 1.79 | 1.83 | 2.5 | 2.3 | 2.04 | 2.4 |
| Mn mg/l | 0.11 | 0.065 | 0.05 | 0.035 | 0.045 | 0.04 | 0.035 | 0.035 | 0.025 | 0.025 | 0.025 | 0.025 | 0.025 | 0.02 | 0.03 |
| Mo ug/l | 10 | 12 | 6 | 4 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 4 | 2 | 4 | 4 |
| Ni mg/l | 3.83 | 4.16 | 4.35 | 3.16 | 2.22 | 2.01 | 1.98 | 1.78 | 1.24 | 1.01 | 1.09 | 1.82 | 1.61 | 1.66 | 1.87 |
| Ni ug/l | 5 | 10 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| P ug/l | 60 | 100 | 10 | 30 | 10 | 10 | 10 | 30 | 10 | 10 | 10 | 10 | 10 | 10 | 20 |
| Pb ug/l | 8 | 22 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 4 |
| Sb ug/l | 14 | 22 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Sa ug/l | 205 | 200 | 80 | 75 | 40 | 5 | 50 | 95 | 95 | 75 | 15 | 70 | 10 | 35 | 60 |
| Si mg/l | 0.85 | 0.7 | 1.02 | 0.82 | 0.71 | 0.78 | 0.9 | 0.81 | 0.57 | 0.53 | 0.5 | 0.66 | 0.3 | 0.41 | 0.74 |
| Sn ug/l | 66 | 316 | 2 | 2 | 148 | 2 | 18 | 66 | 24 | 50 | 2 | 2 | 8 | 58 | 2 |
| Sr ug/l | 372 | 320 | 324 | 244 | 194 | 184 | 136 | 150 | 100 | 110 | 94 | 132 | 120 | 80 | 140 |
| Ti ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| V ug/l | 5 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Zn ug/l | 31 | 29 | 21 | 16 | 13 | 13 | 14 | 8 | 1 | 1 | 10 | 30 | 19 | 17 | 36 |
| pH | 8.07 | 7.91 | 7.9 | 7.37 | 7.75 | 7.8 | 7.66 | 7.4 | 7.78 | 7.57 | 7.55 | 7.45 | 7.03 | 7.04 | 7.45 |
| Redox (mV) | 306 | 297 | 315 | 327 | 303 | 320 | 328 | 329 | 346 | 292 | 278 | 276 | 277 | 281 | 304 |
| Conductivity (uS/cm) | 259 | 225 | 253 | 181 | 165 | 142 | 112 | 114 | 77 | 89 | 90 | 114 | 103 | 86 | 107 |
| Alkalinity (mg CaCO ₃ /l) | 43 | 30 | 32 | 22 | 19 | 25 | 20 | 21 | 19 | 17 | 15 | 15 | 11 | 10 | 16 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 8.3) | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 0.5 | 2 | 1 | 2 | 2 | 2 | 2 |
| Cum Acidity (pH 8.3) | 0 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.7 | 0.8 | 0.9 | 0.9 |
| Suphate (mg/l) | 65 | 58 | 70 | 57 | 51 | 33 | 25 | 26 | 12 | 17 | 20 | 30 | 27 | 20 | 22 |
| Cum Sulphate (mg/kg) | 3.2 | 5.5 | 7.8 | 9.5 | 12 | 13.4 | 14.2 | 15.4 | 15.9 | 16.7 | 17.6 | 19 | 20.3 | 21.2 | 22.1 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 5.45 | 6.26 | 5.88 | 5.99 | 6.15 | 6.03 | 5.83 | 5.98 | 6.15 | 6.05 | 5.98 | 6.04 | 6.06 | 6.56 | 6.23 |
| Leachate collected (L) | 0.228 | 0.175 | 0.149 | 0.139 | 0.224 | 0.19 | 0.158 | 0.168 | 0.185 | 0.219 | 0.215 | 0.208 | 0.219 | 0.206 | 0.194 |
| Cumulative Iron | 0.05 | 0.16 | 0.17 | 0.18 | 0.19 | 0.2 | 0.21 | 0.22 | 0.23 | 0.24 | 0.25 | 0.26 | 0.27 | 0.28 | 0.29 |
| Cumulative Copper | 52 | 86 | 110 | 130 | 144 | 154 | 162 | 170 | 176 | 180 | 182 | 184 | 188 | 192 | 194 |

| Parameter | Cycle 18 | Cycle 17 | Cycle 16 | Cycle 15 | Cycle 14 | Cycle 13 | Cycle 12 | Cycle 11 | Cycle 10 | Cycle 9 | Cycle 8 | Cycle 7 | Cycle 6 | Cycle 5 | Cycle 4 | Cycle 3 | Cycle 2 | Cycle 1 |
|--------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Ag ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Al mg/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| As ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| B ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Ba ug/l | 0.026 | 0.022 | 0.013 | 0.011 | 0.023 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 | 0.011 |
| Be ug/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Bi ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Ca mg/l | 11.8 | 10.8 | 4.76 | 3.15 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 | 14.3 |
| Cd ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 |
| Co ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Cr ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| Cu ug/l | 0.017 | 0.015 | 0.012 | 0.015 | 0.016 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 | 0.015 |
| Fe mg/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 |
| K mg/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Li ug/l | 2.05 | 1.75 | 0.749 | 0.456 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 | 1.48 |
| Mg mg/l | 0.032 | 0.029 | 0.013 | 0.012 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 | 0.035 |
| Mn mg/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 |
| Mo ug/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Na mg/l | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 |
| Ni ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| P ug/l | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 |
| Pb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Sb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Se ug/l | 0.541 | 0.547 | 0.275 | 0.169 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 | 0.348 |
| Si mg/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Sn ug/l | 0.131 | 0.106 | 0.047 | 0.03 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 | 0.112 |
| Sr ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 |
| Ti ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 |
| V ug/l | 0.02 | 0.02 | 0.016 | 0.015 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 | 0.041 |
| Zn ug/l | 7.52 | 7.64 | 7.27 | 6.87 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 |
| pH | 7.52 | 7.64 | 7.27 | 6.87 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 | 6.66 |
| Redox (mV) | 309. | 290. | 297. | 297. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. | 290. |
| Conductivity (uS/cm) | 95. | 80. | 37. | 26. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. | 104. |
| Alkalinity (mg CaCO ₃ /l) | 15. | 15. | 8. | 5. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. | 8. |
| Acidity (pH 4.5) | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. | 0. |
| Acidity (pH 8.3) | 3. | 6. | 2. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. | 4. |
| Cum Acidity (pH 8.3) | 1.1 | 1.3 | 1.4 | 1.6 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 | 1.8 |
| Sulphate (mg/l) | 19. | 14. | 7. | 6. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. | 28. |
| Cum Sulphate (mg/kg) | 22.9 | 23.5 | 23.8 | 24.1 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 | 25.3 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 5.82 | 5.57 | 5.66 | 6.09 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 | 5.23 |
| Leachate collected (L) | 0.177 | 0.205 | 0.194 | 0.219 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 | 0.197 |
| Cumulative Iron | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 |
| Cumulative Copper | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. | 194. |

No Samples Collected
Laboratory Equipment Failure

Sample SW-1 - Kinetic Test Data

| Parameter | Cycle 1 | Cycle 2 | Cycle 3 | Cycle 4 | Cycle 5 | Cycle 6 | Cycle 7 | Cycle 8 | Cycle 9 | Cycle 10 | Cycle 11 | Cycle 12 | Cycle 13 | Cycle 14 | Cycle 15 |
|--------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | 2 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Al mg/l | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| As ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B ug/l | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Ba ug/l | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Be ug/l | 6 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Bi ug/l | 53.15 | 45.51 | 34.83 | 36.28 | 31.01 | 23.67 | 23.36 | 24.87 | 30.06 | 23.22 | 23.31 | 30.56 | 20.57 | 22.22 | 17.45 |
| Cd ug/l | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Co ug/l | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cr ug/l | 15 | 15 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cu ug/l | 26 | 16 | 10 | 12 | 6 | 2 | 2 | 2 | 6 | 2 | 2 | 2 | 2 | 2 | 2 |
| Fe mg/l | 0.08 | 0.08 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| F mg/l | 2.98 | 2.71 | 2.19 | 2.94 | 2.35 | 1.69 | 1.41 | 1.07 | 2.17 | 0.15 | 1.7 | 2.14 | 1.98 | 1.47 | 1.28 |
| Li ug/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Mg mg/l | 4.48 | 3.72 | 2.5 | 2.78 | 2.19 | 1.24 | 1.38 | 1.49 | 2.02 | 1.32 | 1.42 | 2.38 | 1.28 | 1.37 | 1.02 |
| Mn mg/l | 0.04 | 0.015 | 0.01 | 0.015 | 0.01 | 0.005 | 0.005 | 0.005 | 0.015 | 0.005 | 0.005 | 0.005 | 0.005 | 0.005 | 0.005 |
| Mo ug/l | 102 | 84 | 50 | 62 | 44 | 26 | 22 | 32 | 32 | 14 | 32 | 32 | 10 | 28 | 20 |
| Na mg/l | 1.57 | 1.17 | 0.82 | 1.01 | 0.79 | 0.28 | 0.47 | 0.43 | 0.66 | 0.36 | 0.43 | 0.7 | 0.41 | 0.52 | 0.34 |
| Ni ug/l | 10 | 10 | 5 | 10 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 15 | 5 | 5 | 5 |
| P ug/l | 120 | 140 | 40 | 150 | 100 | 90 | 180 | 140 | 130 | 100 | 140 | 180 | 90 | 140 | 80 |
| Pb ug/l | 4 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Sb ug/l | 14 | 20 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Se ug/l | 210 | 155 | 65 | 110 | 25 | 5 | 80 | 45 | 80 | 40 | 70 | 85 | 20 | 206 | 35 |
| Si mg/l | 3.69 | 3.95 | 3.56 | 4.88 | 4.05 | 1.99 | 2.6 | 1.99 | 3.74 | 2.51 | 2.31 | 2.82 | 1.93 | 2 | 1.98 |
| Sn ug/l | 300 | 376 | 2 | 2 | 2 | 2 | 80 | 2 | 44 | 12 | 2 | 8 | 50 | 60 | 2 |
| Sr ug/l | 194 | 166 | 104 | 110 | 82 | 56 | 62 | 68 | 88 | 56 | 60 | 78 | 48 | 2 | 38 |
| Ti ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| V ug/l | 5 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Zn ug/l | 27 | 7 | 7 | 7 | 4 | 8 | 4 | 9 | 1 | 1 | 7 | 3 | 11 | 1 | 4 |
| pH | 7.65 | 7.73 | 7.87 | 7.91 | 8.04 | 7.65 | 7.69 | 7.66 | 8 | 7.78 | 7.85 | 7.75 | 7.62 | 7.74 | 7.54 |
| Redox (mV) | 287 | 265 | 280 | 305 | 298 | 302 | 320 | 317 | 309 | 260 | 251 | 241 | 233 | 233 | 278 |
| Conductivity (uS/cm) | 266 | 231 | 167 | 174 | 144 | 95 | 92 | 105 | 125 | 84 | 94 | 138 | 76 | 84 | 65 |
| Alkalinity (mg CaCO ₃ /l) | 34 | 28 | 27 | 37 | 35 | 21 | 23 | 18 | 34 | 28 | 28 | 28 | 20 | 22 | 14 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 8.3) | 0.5 | 2 | 1 | 2 | 1 | 0.5 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 4 |
| Cum Acidity (pH 8.3) | 0 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.4 | 0.4 | 0.5 | 0.6 | 0.6 | 0.7 | 0.9 |
| Sulphate (mg/l) | 77 | 60 | 32 | 30 | 24 | 12 | 11 | 20 | 14 | 8 | 11 | 25 | 8 | 9 | 6 |
| Cum Sulphate (mg/l) | 3.9 | 6.7 | 8.2 | 8.2 | 8.2 | 8.8 | 9.3 | 10.3 | 10.7 | 11.1 | 11.6 | 12.9 | 13.2 | 13.6 | 13.9 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 6.45 | 6.26 | 6.58 | 6.59 | 6.15 | 6.03 | 6.2 | 6.98 | 6.15 | 6.05 | 5.96 | 6.04 | 6.06 | 6.56 | 6.23 |
| Leachate collected (L) | 0.168 | 0.207 | 0.157 | 0.128 | 0.181 | 0.168 | 0.188 | 0.194 | 0.162 | 0.209 | 0.198 | 0.206 | 0.179 | 0.186 | 0.206 |
| Cumulative Iron | 0.08 | 0.16 | 0.17 | 0.18 | 0.19 | 0.2 | 0.21 | 0.22 | 0.23 | 0.24 | 0.25 | 0.26 | 0.27 | 0.28 | 0.29 |
| Cumulative Copper | 26 | 42 | 52 | 64 | 70 | 72 | 74 | 76 | 82 | 84 | 86 | 88 | 90 | 92 | 94 |

Sample SW-1 - Kinetic Test Data

| Parameter | Cycle 16 | Cycle 17 | Cycle 18 | Cycle 19 | Cycle 20 | Cycle 21 | Cycle 22 | Cycle 23 | Cycle 24 | Cycle 25 | Cycle 26 | Cycle 27 | Cycle 28 | Cycle 29 |
|--------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Al mg/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| As ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| B ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | | | <0.10 | <0.10 |
| Ba ug/l | 0.018 | 0.014 | <0.010 | 0.012 | 0.013 | | | | | | | | 0.021 | 0.021 |
| Be ug/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | | | | | | <0.005 | <0.005 |
| Bi ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | | | <0.10 | <0.10 |
| Ca mg/l | 10.9 | 8.36 | 6.44 | 7.72 | 4.2 | | | | | | | | 7.65 | 7.26 |
| Cd ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| Co ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cr ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cu ug/l | 0.011 | <0.010 | <0.010 | 0.01 | <0.010 | | | | | | | | 0.011 | 0.012 |
| Fe mg/l | <0.030 | <0.031 | <0.032 | <0.033 | <0.034 | | | | | | | | <0.035 | <0.036 |
| K mg/l | <2.0 | <2.1 | <2.2 | <2.3 | <2.4 | | | | | | | | <2.5 | <2.6 |
| Li ug/l | <0.015 | <0.016 | <0.017 | <0.018 | <0.019 | | | | | | | | <0.020 | <0.021 |
| Mg mg/l | 1.14 | 0.766 | 0.636 | 0.782 | 0.414 | | | | | | | | 0.851 | 0.775 |
| Mn mg/l | <0.005 | <0.005 | 0.005 | 0.006 | 0.007 | | | | | | | | 0.022 | 0.013 |
| Mo ug/l | <0.030 | <0.031 | <0.032 | <0.033 | <0.034 | | | | | | | | <0.035 | <0.036 |
| Na mg/l | <2.0 | <2.1 | <2.2 | <2.3 | <2.4 | | | | | | | | <2.5 | <2.6 |
| Ni ug/l | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | | | | | | | | <0.020 | <0.020 |
| P ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | | | | | | | | <0.30 | <0.30 |
| Pb ug/l | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | | <0.050 | <0.050 |
| Sb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Se ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Si mg/l | 1.99 | 1.33 | 1.25 | 1.38 | 0.705 | | | | | | | | 0.581 | 0.928 |
| Sn ug/l | <0.30 | <0.31 | <0.32 | <0.33 | <0.34 | | | | | | | | <0.35 | <0.36 |
| Sr ug/l | 0.055 | 0.044 | 0.054 | 0.038 | 0.028 | | | | | | | | 0.037 | 0.035 |
| Tl ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| V ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| Zn ug/l | 0.008 | 0.005 | 0.007 | 0.008 | 0.011 | | | | | | | | 0.026 | 0.014 |
| pH | 7.79 | 7.84 | 7.79 | 7.44 | 6.54 | | | | | | | | 7.2 | 7.32 |
| Redox (mV) | 280 | 283 | 283 | 274 | 280 | | | | | | | | 288 | 277 |
| Conductivity (uS/cm) | 73 | 53 | 40 | 51 | 27 | | | | | | | | 55 | 49 |
| Alkalinity (mg CaCO ₃ /l) | 13 | 13 | 16 | 15 | 9 | | | | | | | | 4 | 4 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | | | | | | | | 10.9 | 11.9 |
| Acidity (pH 8.3) | 3 | 3 | 5 | 5 | 5 | | | | | | | | 2.3 | 3 |
| Cum Acidity (pH 8.3) | 1 | 1.2 | 1.4 | 1.6 | 1.8 | | | | | | | | 11 | 6 |
| Sulphate (mg/l) | 5 | 4 | 4 | 6 | 4 | | | | | | | | 15.4 | 15.7 |
| Cum Sulphate (mg/l) | 14.1 | 14.3 | 14.5 | 14.7 | 14.9 | | | | | | | | 0.2 | 0.2 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | | | | | | | | 5.93 | 5.7 |
| pH of water added | 5.92 | 5.57 | 5.66 | 6.09 | 5.23 | | | | | | | | 0.175 | 0.22 |
| Leachate collected (L) | 0.171 | 0.178 | 0.188 | 0.177 | 0.211 | | | | | | | | 0.29 | 0.29 |
| Cumulative Iron | 0.29 | 0.29 | 0.29 | 0.29 | 0.29 | | | | | | | | 0.29 | 0.29 |
| Cumulative Copper | 94 | 94 | 94 | 94 | 94 | | | | | | | | 94 | 94 |

Laboratory Equipment Failure
No Samples Collected

Sample PW-2 - Kinetic Test Data

| Parameter | Cycle 1 | Cycle 2 | Cycle 3 | Cycle 4 | Cycle 5 | Cycle 6 | Cycle 6 | Cycle 6 | Cycle 6 | Cycle 7 | Cycle 8 | Cycle 9 | Cycle 10 | Cycle 11 | Cycle 12 | Cycle 13 | Cycle 14 | Cycle 15 |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | 36 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Al mg/l | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| As ug/l | 30 | 20 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B ug/l | 10 | 20 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Be ug/l | 110 | 75 | 25 | 45 | 15 | 60 | 60 | 60 | 60 | 25 | 25 | 30 | 30 | 35 | 60 | 30 | 35 | 35 |
| Bi ug/l | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Br ug/l | 26 | 42 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Ca mg/l | 30.55 | 33.83 | 9.45 | 11.3 | 3.49 | 12.99 | 4.86 | 4.17 | 3.87 | 4.01 | 4.01 | 5.17 | 5.19 | 5.17 | 4.91 | 4.48 | 7.33 | |
| Co ug/l | 26 | 25 | 12 | 1 | 7 | 1 | 7 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Cu ug/l | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Cr ug/l | 302.2 | 280 | 67.4 | 63.4 | 23.8 | 83.8 | 31.4 | 28 | 42.4 | 43.8 | 62.8 | 81.8 | 81.8 | 62.8 | 59.8 | 69 | 102.2 | |
| Cu ug/l | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| Fe mg/l | 5.11 | 5.88 | 1.53 | 2.22 | 0.3 | 2.22 | 0.58 | 0.62 | 0.01 | 0.4 | 1.42 | 1.28 | 1.28 | 1.42 | 1.61 | 1.46 | 1.51 | |
| K mg/l | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Li ug/l | 1.6 | 2.03 | 0.44 | 0.52 | 0.11 | 0.58 | 0.18 | 0.15 | 0.13 | 0.13 | 0.27 | 0.26 | 0.26 | 0.27 | 0.19 | 0.22 | 0.37 | |
| Mg mg/l | 0.1 | 0.145 | 0.045 | 0.055 | 0.02 | 0.07 | 0.03 | 0.02 | 0.025 | 0.03 | 0.035 | 0.04 | 0.04 | 0.035 | 0.035 | 0.035 | 0.065 | |
| Mn mg/l | 24 | 14 | 8 | 10 | 2 | 6 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Mo ug/l | 1.29 | 1.64 | 0.38 | 0.55 | 0.06 | 0.56 | 0.18 | 0.16 | 0.12 | 0.13 | 0.23 | 0.2 | 0.2 | 0.23 | 0.2 | 0.39 | 0.33 | |
| Na mg/l | 5 | 10 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Ni ug/l | 70 | 80 | 10 | 10 | 30 | 30 | 20 | 30 | 10 | 10 | 40 | 10 | 10 | 40 | 10 | 10 | 10 | 70 |
| P ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Pb ug/l | 2 | 16 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Sb ug/l | 120 | 125 | 5 | 5 | 5 | 5 | 5 | 5 | 25 | 10 | 45 | 10 | 10 | 45 | 5 | 10 | 10 | 5 |
| Se ug/l | 7.32 | 9.88 | 2.54 | 4.08 | 1 | 4.73 | 1.54 | 1.42 | 1.4 | 1.48 | 1.76 | 1.79 | 1.79 | 1.76 | 1.79 | 1.41 | 1.71 | |
| Si mg/l | 2 | 328 | 88 | 2 | 2 | 2 | 2 | 2 | 58 | 50 | 2 | 2 | 2 | 2 | 2 | 12 | 2 | |
| Sn ug/l | 98 | 114 | 18 | 20 | 2 | 30 | 8 | 10 | 8 | 6 | 14 | 12 | 12 | 14 | 8 | 10 | 14 | |
| Sr ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Ti ug/l | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| V ug/l | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Zn ug/l | 473 | 492 | 114 | 128 | 43 | 178 | 58 | 51 | 3 | 1 | 66 | 96 | 88 | 66 | 88 | 84 | 145 | |
| pH | 6.52 | 5.87 | 5.99 | 5.9 | 6.42 | 6.1 | 6.03 | 6.26 | 6.43 | 6.31 | 6.14 | 6.1 | 6.14 | 6.14 | 6.14 | 6.13 | 5.95 | |
| Redox (mV) | 367 | 332 | 306 | 321 | 281 | 335 | 310 | 316 | 362 | 297 | 315 | 307 | 312 | 315 | 312 | 315 | 352 | |
| Conductivity (uS/cm) | 169 | 193 | 51 | 57 | 19 | 63 | 23 | 17 | 20 | 21 | 28 | 29 | 25 | 28 | 25 | 27 | 39 | |
| Alkalinity (mg CaCO3/l) | 7 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 |
| Acidity (pH 4.5) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Acidity (pH 8.3) | 8 | 9 | 4 | 4 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Cum Acidity (pH 8.3) | 0.4 | 0.9 | 1 | 1.2 | 1.3 | 1.5 | 1.6 | 1.7 | 1.7 | 1.9 | 2.1 | 2.2 | 2.4 | 2.1 | 2.2 | 2.4 | 2.5 | 2.7 |
| Sulphate (mg/l) | 59 | 66 | 13 | 15 | 7 | 15 | 6 | 5 | 5 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 10 |
| Cum Sulphate (mg/kg) | 2.6 | 6.3 | 8.9 | 7.4 | 7.7 | 8.4 | 8.7 | 9 | 9.2 | 9.5 | 9.9 | 10.3 | 10.4 | 10.7 | 10.7 | 10.7 | 11.3 | 11.3 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| pH of water added | 5.45 | 6.26 | 5.98 | 5.59 | 6.15 | 6.03 | 5.83 | 5.98 | 6.15 | 6.05 | 5.98 | 6.04 | 6.06 | 5.98 | 6.04 | 6.06 | 6.56 | 6.23 |
| Leachate collected (L) | 0.168 | 0.207 | 0.157 | 0.128 | 0.181 | 0.168 | 0.188 | 0.194 | 0.162 | 0.209 | 0.198 | 0.206 | 0.179 | 0.198 | 0.206 | 0.179 | 0.166 | 0.206 |
| Cumulative Iron | 0.01 | 0.02 | 0.03 | 0.04 | 0.05 | 0.06 | 0.07 | 0.08 | 0.09 | 0.1 | 0.11 | 0.12 | 0.13 | 0.11 | 0.12 | 0.13 | 0.14 | 0.15 |
| Cumulative Copper | 302.2 | 582.2 | 649.8 | 713 | 798.6 | 820.4 | 851.8 | 879.8 | 922.2 | 965.8 | 1,028.4 | 1,110.2 | 1,170 | 1,239 | 1,110.2 | 1,170 | 1,239 | 1,341.2 |

Sample PW-2 - Kinetic Test Data

| Parameter | Cycle 16 | Cycle 17 | Cycle 18 | Cycle 19 | Cycle 20 | Cycle 21 | Cycle 22 | Cycle 23 | Cycle 24 | Cycle 25 | Cycle 26 | Cycle 27 | Cycle 28 | Cycle 29 |
|--------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Ag ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Al mg/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| As ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| B ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | | | <0.10 | <0.10 |
| Ba ug/l | 0.014 | 0.015 | 0.011 | 0.012 | 0.015 | | | | | | | | 0.025 | 0.035 |
| Be ug/l | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | | | | | | <0.005 | <0.005 |
| Bi ug/l | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | | | <0.10 | <0.10 |
| Ca mg/l | 1.06 | 1.09 | 0.51 | 0.548 | 0.761 | | | | | | | | 1.02 | 2.02 |
| Cd ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| Cu ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cr ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | <0.015 | <0.015 |
| Cu ug/l | 26.1 | 24.4 | 16.5 | 16.4 | 17. | | | | | | | | 22. | 32. |
| Fe mg/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| K mg/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | | | | <2.0 | <2.0 |
| Li ug/l | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | | | | | | | | 0.086 | 0.188 |
| Mg mg/l | 0.097 | 0.101 | 0.054 | 0.057 | 0.093 | | | | | | | | 0.03 | 0.044 |
| Mn mg/l | 0.02 | 0.021 | 0.013 | 0.017 | 0.019 | | | | | | | | <0.030 | <0.030 |
| Mo ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <2.0 | <2.0 |
| Na mg/l | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | | | | <0.030 | <0.030 |
| Ni ug/l | <0.020 | <0.020 | <0.020 | <0.020 | <0.020 | | | | | | | | <0.030 | <0.030 |
| P ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | | | | | | | | <0.30 | <0.30 |
| Pb ug/l | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | | <0.050 | <0.050 |
| Sb ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Se ug/l | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | <0.20 | <0.20 |
| Si mg/l | 0.665 | 0.991 | 0.377 | 0.458 | 0.567 | | | | | | | | 0.364 | 0.686 |
| Sn ug/l | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | | | | | | | | <0.30 | <0.30 |
| Sr ug/l | 0.008 | 0.009 | 0.006 | 0.001 | 0.011 | | | | | | | | 0.007 | 0.013 |
| Tl ug/l | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | | | | | | | | <0.010 | <0.010 |
| V ug/l | <0.030 | <0.030 | <0.030 | <0.030 | <0.030 | | | | | | | | <0.030 | <0.030 |
| Zn ug/l | 0.038 | 0.04 | 0.023 | 0.027 | 0.04 | | | | | | | | 0.058 | 0.077 |
| pH | 6.23 | 6.4 | 6.17 | 6.19 | 6.35 | | | | | | | | 6.31 | 6.03 |
| Redox (mV) | 327. | 326. | 316. | 308. | 294. | | | | | | | | 340. | 332. |
| Conductivity (uS/cm) | 32. | 12. | 6. | 6. | 8. | | | | | | | | 11. | 19. |
| Alkalinity (mg CaCO ₃ /l) | 3. | 3. | 3. | 2. | 1. | | | | | | | | 2. | 2. |
| Acidity (pH 4.5) | 0. | 0. | 0. | 0. | 0. | | | | | | | | 0. | 0. |
| Acidity (pH 8.3) | 2. | 2. | 3. | 4. | 6. | | | | | | | | 11.9 | 11.9 |
| Cum Acidity (pH 8.3) | 2.9 | 3. | 3.1 | 3.3 | 3.7 | | | | | | | | 4.3 | 5. |
| Sulphate (mg/l) | 3. | 3. | 3. | 4. | 4. | | | | | | | | 3. | 4. |
| Cum Sulphate (mg/kg) | 11.5 | 11.6 | 11.8 | 12. | 12.2 | | | | | | | | 12.4 | 12.6 |
| Water added (L) | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | | | | | | | | 0.2 | 0.2 |
| pH of water added | 5.92 | 5.57 | 5.66 | 6.09 | 5.23 | | | | | | | | 5.93 | 5.7 |
| Leachate collected (L) | 0.171 | 0.178 | 0.188 | 0.177 | 0.211 | | | | | | | | 0.175 | 0.22 |
| Cumulative Iron | 0.15 | 0.15 | 0.15 | 0.15 | 0.15 | | | | | | | | 0.15 | 0.15 |
| Cumulative Copper | 1,369.3 | 1,393.7 | 1,410.2 | 1,426.6 | 1,443.6 | | | | | | | | 1,465.6 | 1,487.6 |

Laboratory Equipment Failure
No Samples Collected

Appendix E

Appendix E-1
SHB Permeability Data

Appendix E-2
Tailings Impoundment Liner Material Hydrometer
Analysis and Gradation Plot

Appendix E-3
Geotechnical Boring Logs and Geotechnical Analytical Data Sheets

Appendix E-1


SHB Permeability Data

Tailings Dam & Pond
 Quintana Minerals Corporation
 Copper Flat Project
 Hillsboro, New Mexico
 SHB Job No. E76-1100

TABLE 1A - RESULTS OF IN-PLACE PERMEABILITY TESTS

Well Permeameter Tests,
 U. S. Bureau of Reclamation Designation E-19

| <u>Boring No.</u> | <u>Soil Description</u> | <u>Interval Tested</u> | <u>Permeability (ft/yr)</u> |
|-------------------|---|------------------------|-----------------------------|
| 17A | clayey sand | 5'-15' | 12.0 |
| 20A | clayey sand | 10'-25' | 3.0 |
| 22A | sandy clay | 1'-9' | 7.5 |
| 24A | silty clay | 15'-25' | 18.0 |
| 26A | silty clay, basalt | 5'-15' | 11.0 |
| 27A | silty sand, gravel | 15'-30' | 2.2 |
| 28A | clayey sand & gravel, basalt | 5'-12½' | 46.0 |
| 29A | sandy clay, silty sand, clayey sand & gravel | 5'-13' | 18.0 |
| 101A | clayey sand & gravel | 1'-12' | 32.0 |
| 106A | clayey sand & gravel | 1'-15' | 2.0 |
| 111A | sand, gravel, cobbles with clay | 2'-15' | 2.3 |
| 114A | sand, gravel & cobbles | 5'-12½' | 17.0 |
| 119A | sand & gravel with clay | 5'-15' | 6.6 |
| 122A | basalt | 5'-11' | 38.0 |
| 134A | sand, gravel, cobbles with clay | 5'-15' | 7.0 |



SERGENT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS
 PHOENIX · TUCSON · ALBUQUERQUE · EL PASO

Tailings Dam & Pond
 Quintana Minerals Corporation
 Copper Flat Project
 Hillsboro, New Mexico
 SHB Job No. E76-1100

TABLE 1A - FIELD PERMEABILITY TESTS IN BORINGS
 U. S. Bureau of Reclamation Designation E-18


| <u>Boring No.</u> | <u>Soil Description</u> | <u>Interval Tested</u> | <u>Equivalent Head</u> | <u>Permeability (ft/yr)</u> |
|-------------------|-------------------------|------------------------|------------------------|-----------------------------|
| 18 | silty clay | 10'-20' | 38.0' | 0 |
| 21 | silty clay | 15'-25' | 43.0' | 0 |
| | | 15'-25' | 55.0' | 0 |
| | | 15'-25' | 66.0' | 0 |
| 24 | silty clay | 15'-25' | 43.0' | 72.0* |
| | | 15'-25' | 55.0' | 114.0* |
| | | 15'-25' | 66.0' | 135.0* |
| 26 | basalt | 10'-20' | 61.0' | 46.0 |
| | brecciated basalt | 22½'-32½' | 50.0' | 169.0 |
| | | 22½'-32½' | 62.0' | 192.0 |
| | | 22½'-32½' | 74.0' | 372.0 |
| 28 | basalt | 41'-51' | 69.0' | 410.0 |
| | basalt | 45'-55' | 73.0' | 212.0 |

*Packer leakage noted

TABLE 1A - LONG-TERM FALLING HEAD TESTS
 (Piezometer Method)
 Navy Design Manual - NAVFAL DM-7

| <u>Boring No.</u> | <u>Soil Description</u> | <u>Interval Tested</u> | <u>Permeability (ft/yr)</u> |
|-------------------|-------------------------|------------------------|-----------------------------|
| 17 | clayey sand | 20'-30' | 61.0** |
| 27B | clayey sand & gravel | 31'-41' | 6.0 |
| 29B | clayey sand | 70'-80' | 5.0 |

**Calculated by modified U. S. Bureau of Reclamation Designation E-18



SERGEANT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS
 PHOENIX • TUCSON • ALBUQUERQUE • EL PASO

Appendix E-2

Tailings Impoundment Liner Material Hydrometer Analysis and Gradation Plot

HYDROMETER ANALYSIS DATA SHEET

No. RAUGUST/KEDANIC Group No. 1
 Project COPPER FLAT
 Visual Description RED SILTY CLAY
 Dispersing Agent: 0.4 N Calgon - 15 ml
 Soil Specific Gravity _____

Date 5/3/03
 Specimen _____
 Hydrometer No. B
 Calibration line _____
 Weight of dry soil 50.2 g

Corrections to readings: Dispersing Agent: - 1.0
 Meniscus: - 1.0 (read top of meniscus)

| Elapsed Time (min) | Temp. EC | Hydrometer Reading | | | Temperature Correction m | Corrected Reading R | Reading Height From Neck H _R | Particle Diameter (mm) | Percent Finer | |
|-----------------------|-------------|--------------------|----|----|-----------------------------|------------------------|--|---------------------------|---------------|-------------|
| | | R' | | | | | | | Partial PPF % | Total TPF % |
| 0.5 | 20°C | 40 | 43 | 43 | 0 | 42 | 10.44 | 0.058 | 83.4 | 80.6 |
| 1.0 | 20°C | 42 | 42 | 41 | 0 | 41.67 | 10.50 | 0.044 | 82.8 | 80.0 |
| 2.0 | 20°C | 38 | 38 | 38 | 0 | 38 | 11.16 | 0.031 | 75.5 | 72.9 |
| 4.0 | 20°C | 35 | | | 0 | 35 | 11.70 | 0.022 | 69.5 | 67.1 |
| 8.0 ^{8 1/2} | 20°C | 32 | | | 0 | 32 | 12.24 | 0.016 | 63.5 | 61.3 |
| 15.0 ^{15.35} | 20°C | 29 | | | 0 | 29 | 12.78 | 0.013 | 57.6 | 55.6 |
| 30.15 | 20°C | 27 | | | 0 | 27 | 13.14 | 0.009 | 53.6 | 51.8 |
| 60.0 | 19.5 | 22 | | | -0.1 | 21.9 | 14.06 | 0.0065 | 43.2 | 42.2 |
| 120.0 | 19 | 6 | | | -0.2 | 5.8 | 16.96 | 0.0052 | 11.0 | 10.6 |
| 240.0 | 19 | 2 | | | -0.2 | 1.8 | 17.68 | 0.0037 | 3.0 | 2.9 |
| 543.0 | 18.5 | 2 | | | -0.3 | 1.7 | 17.69 | 0.0024 | 2.6 | 2.5 |
| 1217 | 18.5 | 1 | | | -0.3 | 0.7 | 17.87 | 0.0016 | 0.6 | 0.6 |
| | | | | | | | | | | |
| | | | | | | | | | | |

Weight of dry soil used in hydrometer test W_s 50.2 g
 Weight of dry soil used for sieving and hydrometer tests (combined analysis) W _____ g
 Total weight of dry soil retained on the no. 200 sieve (combined analysis) W_r _____ g


NOTE: PPF is used when only the hydrometer test is performed on the sample
 TPF is computed only for combined analysis

Partial Percent Finer $PPF = R(100) / W_s$ Total Percent Finer $TPF = PPF (W - W_r) / W$

Remarks:


Checked by _____ Date _____

NOMOGRAPH FOR HYDROMETER DATA REDUCTION



NOTE: (A) SCALE DETERMINED FROM CALIBRATION CURVE FOR PARTICULAR HYDROMETER USED (SEE FIG. 8).
 THIS NOMOGRAPH APPLIES ONLY TO SUSPENSIONS IN WATER.

HYROMETER CALIBRATION EQUATIONS




TEMPERATURE CORRECTION FACTORS, m FOR HYDROMETER DATA REDUCTION

| Degrees C | Degrees F | Correction m | Degrees C | Degrees F | Correction | Degrees C | Degrees F | Correction m |
|--------------|--------------|-----------------|--------------|--------------|------------|--------------|--------------|-----------------|
| 14 | 57.2 | -0.9 | 21 | 69.8 | 0.2 | 28 | 82.4 | 1.8 |
| 14.5 | 58.1 | -0.8 | 21.5 | 70.7 | 0.3 | 29 | 84.2 | 2.1 |
| 15 | 59 | -0.8 | 22 | 71.6 | 0.4 | 29.5 | 85.1 | 2.2 |
| 15.5 | 59.9 | -0.7 | 22.5 | 72.5 | 0.5 | 30 | 86 | 2.3 |
| 16 | 60.8 | -0.6 | 23 | 73.4 | 0.6 | 30.5 | 86.9 | 2.5 |
| 16.5 | 61.7 | -0.6 | 23.5 | 74.3 | 0.7 | 31 | 87.8 | 2.6 |
| 17 | 62.6 | -0.5 | 24 | 75.2 | 0.8 | 31.5 | 88.7 | 2.8 |
| 17.5 | 63.5 | -0.4 | 24.5 | 76.1 | 0.9 | 32 | 89.6 | 2.9 |
| 18 | 64.4 | -0.4 | 25 | 77 | 1 | 32.5 | 90.5 | 3 |
| 18.5 | 65.3 | -0.3 | 25.5 | 77.9 | 1.1 | 33 | 91.4 | 3.2 |
| 19 | 66.2 | -0.2 | 26 | 78.8 | 1.3 | 33.5 | 92.3 | 3.3 |
| 19.5 | 67.1 | -0.1 | 26.5 | 79.7 | 1.4 | 34 | 93.2 | 3.5 |
| 20 | 68 | 0 | 27 | 80.6 | 1.5 | | | |
| 20.5 | 68.9 | 0.1 | 27.5 | 81.5 | 1.6 | | | |

HYDROMETER

U.S. STANDARD SIEVE OPENING IN INCHES U.S. STANDARD SIEVE NUMBERS



**Percent Sand and Fines
And Swell Test**

Total soil (Dry) = 94.3 g

>#200 = 3.2 g

< #200 = 91.1 g

percent retained #200 = $3.2/94.3 \times 100 = 3.4$ percent

Percent passing #200 = $91.1/94.3 \times 100 = 96.6$ percent.

Swell Test

original dry material = 10 ml

after 24 hours submerged by water = 16 ml

Percent difference = $(16-10)/10 \times 100 = 60$ percent.

Appendix E-3

Geotechnical Boring Logs and Geotechnical Analytical Data Sheets

UNIFIED SOIL CLASSIFICATION SYSTEM

| Major divisions | | Group symbols | Typical names | Laboratory classification criteria | | | |
|---|--|--|--|--|--|---|--|
| Coarse-grained soils More than half of material is larger than No. 200 sieve size | Gravels (More than half of coarse fraction larger than No. 4 sieve size) | Clean gravels (Little or no fines) | GW | Well-graded gravels, gravel-sand mixtures, little or no fines | $C_u = \frac{D_{60}}{D_{10}}$ greater than 4; $C_c = \frac{(D_{30})^2}{D_{10} \times D_{60}}$ between 1 and 3 Not meeting all gradation requirements for GW Atterberg limits below "A" line or P.I. less than 4 Atterberg limits above "A" line with P.I. greater than 7 Above "A" line with between 4 and 7 are <i>borderline</i> cases requiring of dual symbols | | |
| | | | GP | Poorly graded gravels, gravel-sand mixtures, little or no fines | | | |
| | | Gravels with fines (Appreciable amount of fines) | GM | d | | Silty gravels, gravel-sand-silt mixtures | |
| | | | | c | | | |
| | | GC | Clayey gravels, gravel-sand-clay mixtures | | | | |
| | | Sands (More than half of coarse fraction is smaller than No. 4 sieve size) | Clean sands (Little or no fines) | SW | | Well-graded sands, gravelly sands, little or no fines | |
| | SP | | | Poorly graded sands, gravelly sands, little or no fines | | | |
| | Sands with fines (Appreciable amount of fines) | | SM | d | Silty sands, sand-silt mixtures | | |
| | | | | c | | | |
| | SC | Clayey sands, sand-clay mixtures | | | | | |
| Fine-grained soils More than half of material is smaller than No. 200 sieve | Silts and clays (Liquid limit less than 50) | ML | Inorganic silts and very fine sands, rock flour, silty or clayey fine sands or clayey silts with slight plasticity | Determine percentages of sand and gravel from grain-size curve. Depending on percentage of fines (fraction smaller than No. 200 sieve size), coarse-grained soils are classified as follows: Less than 5 per cent GW, GP, SW, SP More than 12 per cent GM, GC, SM, SC 5 to 12 per cent <i>Borderline</i> cases requiring dual symbols | | | |
| | | CL | Inorganic clays of low to medium plasticity, gravelly clays, sandy clays, silty clays, lean clays | | | | |
| | | OL | Organic silts and organic silty clays of low plasticity | | | | |
| | Silts and clays (Liquid limit greater than 50) | MH | Inorganic silts, micaceous or diatomaceous fine sandy or silty soils, elastic silts | | | | |
| | | CH | Inorganic clays of high plasticity, fat clays | | | | |
| | | OH | Organic clays of medium to high plasticity, organic silts | | | | |
| | Pt | Peat and other highly organic soils | | | | | |
| | | | | | Plasticity Chart | | |

Tailings Dam Investigation

PROJECT Copper Flat Project

LOG OF TEST PIT NO. A

JOB NO. E76-1023 DATE 4-2-76

RIG TYPE Ford
 BORING TYPE Backhoe test pit
 SURFACE ELEV. _____
 DATUM _____


| Depth in Ft. | Continuous Penetration Resistance | Graphical Log | Sample | Sample Type | Blows per foot 140 lb. 30" free fall drop hammer | Dry Density Lbs. per cu. ft. | Moisture Content Percent of Dry Wt. | Unified Soil Classification | REMARKS | VISUAL CLASSIFICATION |
|--------------|-----------------------------------|---------------|--------|-------------|--|------------------------------|-------------------------------------|-----------------------------|---------|---|
| | | | | | | | | | | |
| 0 | | | | | | | | SM | | SILTY SAND, predominantly fine, low plasticity, brown |
| 5 | | | A | | | | | CL | | SILTY CLAY, medium to high plasticity, reddish brown |
| 10 | | | A | | | | | GC | | CLAYEY SAND & GRAVEL, predominantly medium, interbedded with caliche, medium plasticity, reddish brown mottled with white |
| 15 | | | | | | | | | | Stopped backhoe at 14'6" |
| 20 | | | | | | | | | | |

GROUND WATER

| DEPTH | HOUR | DATE |
|-------|------|------|
| | none | |

SAMPLE TYPE

A - Auger cuttings. B - Block sample
 S - 2" O.D. 1.38" I.D. tube sample.




SERGEANT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS

SUMMARY OF MOISTURE DENSITY RELATIONSHIP TESTS


Tailings Dam Investigation

PROJECT Copper Flat Project JOB NO. E76-1023
 CLIENT _____ LAB NO. 1023-1



| CURVE | SOURCE | OPTIMUM MOISTURE CONTENT % DRY WT. | MAXIMUM DRY DENSITY LBS./CU. FT. | TEST DESIGNATION | TEST METHOD | LAB NO. |
|-------|---------------------|------------------------------------|----------------------------------|------------------|-------------|---------|
| | Pit A @ 2 1/2' - 6' | 11.4 | 118.2 | ASTM D1557 | D | 1023-1 |
| | | | | | | |
| | | | | | | |

| MOISTURE-DENSITY RELATIONSHIP TEST METHOD DATA | | | | | | | | |
|---|----------|----------|--------|---------------|-----------------|---------------|----------------|------------------------------------|
| AASHTO T 99-74 and ASTM D 698-70 (Standard Proctor) | | | | | | | | |
| METHOD | MATERIAL | MOLD | | NO. OF LAYERS | BLOWS PER LAYER | HAMMER WEIGHT | HEIGHT OF FALL | COMPACTIVE EFFORT FT. LBS./CU. FT. |
| | | DIAMETER | HEIGHT | | | | | |
| A | -#4 | 4" | 4.58" | 3 | 25 | 5.5 LBS. | 12" | 12,375 |
| B | -#4 | 6" | 4.58" | 3 | 56 | 5.5 LBS. | 12" | 12,317 |
| C | -3/4 | 4" | 4.58" | 3 | 25 | 5.5 LBS. | 12" | 12,375 |
| D | -3/4 | 6" | 4.58" | 3 | 56 | 5.5 LBS. | 12" | 12,317 |
| AASHTO T 180-74 and ASTM D 1557-70 (Modified Proctor) | | | | | | | | |
| METHOD | MATERIAL | MOLD | | NO. OF LAYERS | BLOWS PER LAYER | HAMMER WEIGHT | HEIGHT OF FALL | COMPACTIVE EFFORT FT. LBS./CU. FT. |
| | | DIAMETER | HEIGHT | | | | | |
| A | -#4 | 4" | 4.58" | 5 | 25 | 10.0 LBS. | 18" | 56,250 |
| B | -#4 | 6" | 4.58" | 5 | 56 | 10.0 LBS. | 18" | 55,986 |
| C | -3/4 | 4" | 4.58" | 5 | 25 | 10.0 LBS. | 18" | 56,250 |
| D | -3/4 | 6" | 4.58" | 5 | 56 | 10.0 LBS. | 18" | 55,986 |



REPORT OF LABORATORY TESTS

PROJECT Tailings Dam Investigation DATE _____
Copper Flat Project JOB NO. E76-1023
LOCATION Hillsboro, New Mexico LAB NO. 1023-1
SAMPLE Test Pit A @ 2½'-6'

REMOLDED PERMEABILITY

INITIAL DATA

| | | |
|---------------------------|--------------|--------|
| Maximum Dry Density | <u>118.2</u> | PCF |
| Optimum Moisture | <u>11.4</u> | % |
| Initial Dry Density | <u>112.0</u> | PCF |
| Initial Moisture Content | <u>11.4</u> | % |
| Degree of Maximum Density | <u>94.8</u> | % |
| Specific Gravity | <u>2.675</u> | |
| Volume of Specimen | <u>1016</u> | cc |
| Head | <u>319.2</u> | inches |

AFTER TEST DATA

| | | |
|-----------------------------|-----------------------------|--------|
| Moisture Content | <u>26.1</u> | % |
| Dry Density | <u>108.2</u> | PCF |
| Percent Saturation | <u>100.0+</u> | % |
| Coefficient of Permeability | <u>1.77x10⁻⁶</u> | cm/sec |
| | <u>1.83</u> | ft/yr |


Note: Thickener underflow from the breccia bulk flotation pilot plant studies used in test.

| Depth feet | Continuous Penetration Resistance | Graphical Log | Sample | Sample Type | Blows per foot 140 lb. 30" free fall drop hammer | Dry Density Lbs. per cu. ft. | Moisture Content Percent of Dry Wt. | Unified Soil Classification | REMARKS | VISUAL CLASSIFICATION |
|---------------|-----------------------------------|---------------|--------|-------------|--|---------------------------------|--|-----------------------------|---|-----------------------|
| | | | | | | | | | 0 | |
| 5 | | | A | | | | CL | | SANDY CLAY, low to medium plasticity, reddish brown | |
| 10 | | | | | | | | | Stopped backhoe at 5' | |

RIG TYPE Ford
 BORING TYPE Backhoe test pit
 SURFACE ELEV. _____
 DATUM _____

| GROUND WATER | | |
|--------------|------|------|
| DEPTH | HOUR | DATE |
| | none | |

SAMPLE TYPE
 A - Auger cuttings. B - Block sample
 S - 2" O.D. 1.38" I.D. tube sample.
 U - 3" O.D. 2.42" I.D. tube sample.
 T - 2" O.D. thin-walled Shelby tube.





REPORT OF LABORATORY TESTS

PROJECT Tailings Dam Investigation DATE _____
Copper Flat Project JOB NO. E76-1023
LOCATION Hillsboro, New Mexico LAB NO. 1023-1
SAMPLE Test Pit E @ 2'-5'

REMOLDED PERMEABILITY

INITIAL DATA

| | | |
|---------------------------|--------------|--------|
| Maximum Dry Density | <u>104.8</u> | PCF |
| Optimum Moisture | <u>15.6</u> | % |
| Initial Dry Density | <u>99.6</u> | PCF |
| Initial Moisture Content | <u>15.6</u> | % |
| Degree of Maximum Density | <u>95.0</u> | % |
| Specific Gravity | <u>2.675</u> | |
| Volume of Specimen | <u>2085</u> | cc |
| Head | <u>316.1</u> | inches |

AFTER TEST DATA

| | | |
|-----------------------------|---|--------|
| Moisture Content | <u>28.9</u> | % |
| Dry Density | <u>96.9</u> | PCF |
| Percent Saturation | <u>100.0+</u> | % |
| Coefficient of Permeability | <u>2.86×10^{-7}</u> | cm/sec |
| | <u>0.29</u> | ft/yr |
| Time Duration of Testing | <u>198</u> | hours |

Note: Thickener underflow from the breccia bulk flotation pilot plant studies used in test.



Tailings Dam Investigation

PROJECT Copper Flat Project

LOG OF TEST PIT NO. F

OB NO. E76-1023 DATE 4-2-76

RIG TYPE Ford
 BORING TYPE Backhoe test pit
 SURFACE ELEV. _____
 DATUM _____

| Depth in Feet | Continuous Penetration Resistance | Graphical Log | Sample | Sample Type | Blows per foot 140 lb. 30" free fall drop hammer | Dry Density Lbs. per cu. ft. | Moisture Content Percent of Dry Wt. | Unified Soil Classification | REMARKS | VISUAL CLASSIFICATION |
|---------------|-----------------------------------|---|--------|-------------|--|------------------------------|-------------------------------------|-----------------------------|---------|--|
| | | | | | | | | | | |
| 0 | | | | | | | | ML | | SILT, very fine, low plasticity, light brown |
| 5 | |  | | | | | | CH | | alternating layers of CLAY & SILT, high plasticity, dark reddish brown |
| 10 | |  | | | | | | GM | | SILTY SAND & GRAVEL, predominantly fine, occasional basaltic boulders, subangular, nonplastic, brown |
| 15 | | | | | | | | | | Stopped backhoe at 10' |

GROUND WATER

SAMPLE TYPE

DEPTH | HOUR | DATE

A - Auger cuttings. B - Block sample




SERGENT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS

SUMMARY OF MOISTURE DENSITY RELATIONSHIP TESTS

Tailings Dam Investigation
Copper Flat Project

PROJECT _____ JOB NO. E76-1023
CLIENT _____ LAB NO. 1023-7



MOISTURE CONTENT - % DRY WEIGHT

| CURVE | SOURCE | OPTIMUM MOISTURE CONTENT % DRY WT. | MAXIMUM DRY DENSITY LBS./CU. FT. | TEST DESIGNATION | TEST METHOD | LAB NO. |
|-------|---------------|------------------------------------|----------------------------------|------------------|-------------|---------|
| | Pit F @ 2'-5' | 15.3 | 104.7 | ASTM D1557 | D | 1023-7 |
| | | | | | | |
| | | | | | | |


MOISTURE-DENSITY RELATIONSHIP TEST METHOD DATA

AASHTO T 99-74 and ASTM D 698-70 (Standard Proctor)

| METHOD | MATERIAL | MOLD | | NO. OF LAYERS | BLOWS PER LAYER | HAMMER WEIGHT | HEIGHT OF FALL | COMPACTIVE EFFORT FT. LBS./CU. FT. |
|--------|----------|----------|--------|---------------|-----------------|---------------|----------------|------------------------------------|
| | | DIAMETER | HEIGHT | | | | | |
| A | -#4 | 4" | 4.58" | 3 | 25 | 5.5 LBS. | 12" | 12,375 |
| B | -#4 | 6" | 4.58" | 3 | 56 | 5.5 LBS. | 12" | 12,317 |
| C | -3/4 | 4" | 4.58" | 3 | 25 | 5.5 LBS. | 12" | 12,375 |
| D | -3/4 | 6" | 4.58" | 3 | 56 | 5.5 LBS. | 12" | 12,317 |


AASHTO T 180-74 and ASTM D 1557-70 (Modified Proctor)

| METHOD | MATERIAL | MOLD | | NO. OF LAYERS | BLOWS PER LAYER | HAMMER WEIGHT | HEIGHT OF FALL | COMPACTIVE EFFORT FT. LBS./CU. FT. |
|--------|----------|----------|--------|---------------|-----------------|---------------|----------------|------------------------------------|
| | | DIAMETER | HEIGHT | | | | | |
| A | -#4 | 4" | 4.58" | 5 | 25 | 10.0 LBS. | 18" | 56,250 |
| B | -#4 | 6" | 4.58" | 5 | 56 | 10.0 LBS. | 18" | 55,986 |
| C | -3/4 | 4" | 4.58" | 5 | 25 | 10.0 LBS. | 18" | 56,250 |
| D | -3/4 | 6" | 4.58" | 5 | 56 | 10.0 LBS. | 18" | 55,986 |



SERGENT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS
APPLIED SOIL MECHANICS ENGINEERING GEOLOGY MATERIALS ENGINEERING



REPORT OF LABORATORY TESTS

PROJECT Tailings Dam Investigation DATE _____
Copper Flat Project JOB NO. E76-1023
LOCATION Hillsboro, New Mexico LAB NO. 1023-2
SAMPLE Test Pit F @ 2'-5'

REMOLDED PERMEABILITY

INITIAL DATA

| | | |
|---------------------------|--------------|--------|
| Maximum Dry Density | <u>104.7</u> | PCF |
| Optimum Moisture | <u>15.3</u> | % |
| Initial Dry Density | <u>99.5</u> | PCF |
| Initial Moisture Content | <u>15.3</u> | % |
| Degree of Maximum Density | <u>95.0</u> | % |
| Specific Gravity | <u>2.675</u> | |
| Volume of Specimen | <u>2085</u> | cc |
| Head | <u>881.8</u> | inches |

AFTER TEST DATA

| | | |
|-----------------------------|---|--------|
| Moisture Content | <u>32.1</u> | % |
| Dry Density | <u>98.02</u> | PCF |
| Percent Saturation | <u>100.0+</u> | % |
| Coefficient of Permeability | <u>2.11×10^{-8}</u> | cm/sec |
| | <u>0.022</u> | ft/yr |
| Time Duration of Testing | <u>198</u> | hours |


Note: Thickener underflow from the breccia bulk flotation pilot plant studies used in test.












RIG TYPE CME-55
 BORING TYPE 6 3/4" Hollow Stem Auger
 SURFACE ELEV. _____
 DATUM _____

| Depth in ft | Continuous Penetration Resistance | Graphical Log | Sample | Sample Type | Blows per foot 140 lb. 30" free fall drop hammer | Dry Density Lbs. per cu. ft. | Moisture Content Percent of Dry Wt. | Unified Soil Classification | REMARKS | VISUAL CLASSIFICATION |
|-------------|-----------------------------------|---------------|--------|-------------|--|------------------------------|-------------------------------------|-----------------------------|---|-----------------------|
| | | | | | | | | | | |
| 0 | | | ⊗ S | S | 30 | 16 | CH | firm | CLAY, high plasticity, reddish brown | |
| 5 | | | ⊗ S | S | 73 | 16 | CL | hard | SILTY CLAY, medium plasticity, reddish brown | |
| 10 | | | ⊗ U | U | 67 | 13 | | | | |
| 15 | | | ⊗ S | S | 92 | 17 | | hard | CLAYEY SILT, medium plasticity, brown | |
| 20 | | | ⊗ S | S | 50/5" | 11 | ML | | | |
| 25 | | | ⊗ S | S | 50/3" | 9 | | | | |
| 30 | | | ⊗ S | S | 50/4" | 11 | | | | |
| 35 | | | | | | | | | Stopped auger at 29'6" Sampler refused at 29'10" | |

| GROUND WATER | | |
|--------------|------|------|
| DEPTH | HOUR | DATE |
| | none | |

SAMPLE TYPE
 A - Auger cuttings. B - Block sample
 S - 2" O.D. 1.38" I.D. tube sample.
 U - 2" O.D. 2.42" I.D. tube sample.




| Depth in Feet | Continuous Penetration Resistance | Graphical Log | Sample | Sample Type | Blows per foot 140 lb. 30" free fall drop hammer | Dry Density Lbs. per cu. ft. | Moisture Content Percent of Dry Wt. | Unified Soil Classification | RIG TYPE <u>CME-75</u> | |
|---------------|-----------------------------------|---|--------|-------------|--|------------------------------|-------------------------------------|-----------------------------|---|--|
| | | | | | | | | | BORING TYPE <u>6 1/2" Hollow Stem Auger</u> | |
| | | | | | | | | | SURFACE ELEV. _____ | |
| | | | | | | | | | DATUM _____ | |
| | | | | | | | | | REMARKS | VISUAL CLASSIFICATION |
| 0 | |  | ⊗ S | S | 20 | | 17 | | firm to hard | GRAVEL littered surface SILTY CLAY, some sand, medium to high plasticity, reddish-brown note: occasional seam of clayey silt, medium plasticity, reddish-tan |
| 5 | |  | ⊗ S | S | 33 | | 18 | | | |
| 10 | |  | ⊗ S | S | 38 | | | CH | | |
| 15 | |  | ⊗ S | S | 50/5 1/2" | | 22 | | | |
| 20 | |  | ⊗ S | S | 50/5 1/2" | | 16 | | | |
| 25 | |  | ⊗ S | S | 85 | | 23 | ML | hard | CLAYEY SILT, some fine sand, medium plasticity, light brown |
| 30 | |  | ⊗ S | S | 50/4" | | 20 | ML | hard | SANDY SILT, considerable lime, low plasticity, light tan |
| 35 | |  | ⊗ S | S | 50/4" | | | CL | hard | SILTY CLAY, some fine sand, medium plasticity, light brown |
| 40 | |  | ⊗ S | S | 50/5 1/2" | | 13 | | hard | SANDY SILT, low plasticity, light brown |
| 45 | |  | ⊗ S | S | 50/2" | | 11 | ML | | CLAYEY SAND & GRAVEL, occasional cobble, decomposed, low plasticity, brown |
| 50 | |  | ⊗ S | S | 50/2" | | 19 | SC | | Stopped auger at 49'6" Sampler refused at 49'8" |

GROUND WATER

| DEPTH | HOUR | DATE |
|-------|------|------|
| | none | |

SAMPLE TYPE

- A - Auger cuttings. B - Block sample
- S - 2" O.D. 1.38" I.D. tube sample.
- U - 3" O.D. 2.42" I.D. tube sample.



SERGEANT, HAUSKINS & BECKWITH

CONSULTING SOIL AND FOUNDATION ENGINEERS
 PHOENIX • TUCSON • ALBUQUERQUE • EL PASO

Job No. E76-1100

Date _____


Project Copper Flat Tailings Dam & Pond
Hillsboro, New Mexico

Client: _____

Material _____

Source _____

| HOLE NO. | LOCATION | DEPTH | UNIFIED CLASS. | LL | PI | SIEVE ANALYSIS - ACCUM. % PASSING | | | | | | | | | | LAB. NO. | | |
|----------|---------------|-------------|----------------|----|----|-----------------------------------|-----|----|-----|-----|-----|-----|-----|-----|-----|----------|-------|----------|
| | | | | | | 200 | 100 | 40 | 16 | 10 | 4 | 1/4 | 3/8 | 3/4 | 1 | | 1 1/2 | MOIST. |
| 17 | See Site Plan | 1 1/2' | SC | 35 | 18 | 43 | 50 | 64 | 78 | 84 | 92 | 94 | 97 | 100 | | | | 1100-6 |
| 17 | See Site Plan | 9 1/2' | SC | 39 | 19 | 35 | 42 | 51 | 61 | 66 | 78 | 81 | 86 | 100 | | | | 1100-8 |
| 17 | See Site Plan | 24 1/2' | SC | 39 | 20 | 20 | 24 | 32 | 45 | 53 | 66 | 70 | 78 | 100 | | | | 1100-11 |
| 18 | See Site Plan | 9 1/2' | CH | 60 | 34 | 87 | 94 | 99 | 99 | 99 | 100 | | | | | | | 1100-20 |
| 18 | See Site Plan | 34 1/2' | CL | 40 | 20 | 68 | 82 | 91 | 95 | 96 | 98 | 99 | 100 | | | | | 1100-25 |
| 19 | See Site Plan | 14 1/2'-16' | SC | 39 | 16 | 28 | 41 | 56 | | 74 | 84 | | 91 | 100 | | | | 1100-3-1 |
| 19 | See Site Plan | 34 1/2'-36' | SM-SC | 35 | 10 | 21 | 35 | 84 | | 99 | 100 | | | | | | | 1100-3-2 |
| 19 | See Site Plan | 49 1/2'-51' | MH | 66 | 29 | 70 | 87 | 99 | | 100 | | | | | | | | 1100-3-3 |
| 20 | See Site Plan | 9 1/2' | SC | 36 | 14 | 23 | 30 | 41 | 52 | 59 | 74 | 80 | 88 | 97 | 100 | | | 1100-31 |
| 20 | See Site Plan | 39 1/2' | CH | 67 | 41 | 93 | 95 | 98 | 99 | 100 | | | | | | | | 1100-37 |
| 20 | See Site Plan | 64 1/2' | CH | 57 | 31 | 79 | 95 | 99 | 100 | | | | | | | | | 1100-42 |
| 21 | See Site Plan | 29 1/2' | CH-MH | 51 | 23 | 67 | 83 | 98 | 99 | 100 | | | | | | | | 1100-51 |
| 21 | See Site Plan | 54 1/2' | CH-MH | 60 | 30 | 92 | 98 | 99 | 100 | | | | | | | | | 1100-56 |
| 21 | See Site Plan | 74 1/2' | CH | 56 | 30 | 95 | 99 | 99 | 100 | | | | | | | | | 1100-60 |
| 21 | See Site Plan | 104 1/2' | GC | 40 | 20 | 22 | 25 | 32 | 42 | 48 | 61 | 64 | 72 | 100 | | | | 1100-66 |



SERGEANT, HAUG & BECKWITH
 CONSULTING SOIL AND FOUNDATION ENGINEERS
 MEMPHIS • ALBUQUERQUE • EL PASO

TABULATION OF TEST RESULTS

Job No. E76-1023

Project Tailings Dam Investigation, Copper Flat Project

Hillsboro, New Mexico

Material _____

Source Backhoe Test Pits

| HOLE NO. | LOCATION | DEPTH | UNIFIED CLASS. | LL | PI | SIEVE ANALYSIS - ACCUM. % PASSING | | | | | | | | | | LAB. NO. | | |
|----------|---------------|-----------|----------------|----|----|-----------------------------------|-----|----|----|-----|----|-----|-----|-----|-----|----------|-----|------|
| | | | | | | 200 | 100 | 40 | 16 | 10 | 4 | 1/4 | 3/8 | 3/4 | 1 | | 2 | 3 |
| A | See Site Plan | 2'-6 1/2' | CL | 45 | 25 | 61 | 67 | 76 | | 91 | 97 | | | | 100 | | | 23-1 |
| A | See Site Plan | 7'-9' | GC | 45 | 24 | 17 | 20 | 26 | | 39 | 48 | | | | 72 | 76 | 100 | 23-2 |
| B | See Site Plan | 2'-5' | SC | 34 | 16 | 47 | 54 | 86 | | 98 | 99 | | | | | | | 23-3 |
| C | See Site Plan | 1'-5' | CL | 43 | 22 | 67 | 77 | 90 | | 98 | 99 | | | | | | | 23-4 |
| C | See Site Plan | 5 1/2'-9' | SC | 31 | 10 | 26 | 30 | 39 | | 61 | 75 | | | | 86 | 100 | | 23-5 |
| E | See Site Plan | 2'-5' | CL | 38 | 14 | 76 | 90 | 99 | | 100 | | | | | | | | 23-6 |
| F | See Site Plan | 2'-5' | CH | 58 | 34 | 99 | 100 | | | | | | | | | | | 23-7 |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Appendix F

Bulk XRD and Clay Mineralogy Distribution Data Scans and Calculations

Clay Mineralogy Calculations

General Calculation

T = total counts

S1g = smectite/mixed (glycolated)

I1g = illite (glycolated)

K1 = Kaolinite (glycolated)

I1h = illite (heated)

$T = I1h + K1$

$Illite = I1g/T \times 10$

$Smectite = (S1g/4)/T \times 10$


$Mixed\ Layer\ (I/S) = (I1h - I1g - (S1g/4))/T \times 10$

$Kaolinite = K1/T \times 10$


Results are in parts in 10.

Calculations


| Sample ID | I1h | K1 | I1g | S1g | T | Illite | Smectite | Mixed layer (I/S) | Kaolinite | Total |
|-------------|-----|-----|-----|-----|-----|--------|----------|-------------------|-----------|-------|
| SR-1, Calc1 | 327 | 103 | 0 | 267 | 430 | 0.0 | 1.6 | 6.1 | 2.4 | 10 |
| SR-1, Calc2 | 318 | 100 | 0 | 245 | 418 | 0.0 | 1.5 | 6.1 | 2.4 | 10 |
| SR-1, Calc3 | 363 | 100 | 0 | 253 | 463 | 0.0 | 1.4 | 6.5 | 2.2 | 10 |
| SR3 | 156 | 35 | 42 | 0 | 191 | 2.2 | 0.0 | 6.0 | 1.8 | 10 |




[SR1-A2.MDI] SR1-A2




[SR1-A31.MD] SR1-A31
[SR1-A32.MD] SR1-A32




[SR1-A1.MD] SR1-A1




[SR1-A2.MD] SR1-A2




[SR1-A31.MD] SR1-A31
[SR1-A32.MD] SR1-A32







[SR1-A2.MD] SR1-A2




[SR1-A31.MD] SR1-A31
[SR1-A32.MD] SR1-A32




[SR3-A31.MDI] SR3-A31
[SR3-A32.MDI] SR3-A32




[SR3-A1.MD] SR3-A1



[SR3-A2.MD] SR3-A2



[SR.MD] sr-1



SCAN: 2.0/69.98/0.03/0.5(sec), Cu, I(max)=1465, 04/11/03 11:42

PEAK: 17-pts/Parabolic Filter, Threshold=1.0, Cutoff=0.5%, BG=2/1.0, Peak-Top=Centroid Fit

NOTE: Intensity = Counts, 2T(0)=0.0(°), Wavelength to Compute d-Spacing = 1.54056Å (Cu/K-alpha1)

| # | 2-Theta | d(Å) | Height% | Quartz, syn | Calcite, syn |
|----|---------|---------|---------|----------------|----------------|
| 1 | 5.649 | 15.6313 | 5.1 | | |
| 2 | 6.002 | 14.7133 | 4.9 | | |
| 3 | 12.313 | 7.1824 | 1.3 | | |
| 4 | 19.704 | 4.5019 | 8.2 | | |
| 5 | 20.779 | 4.2712 | 11.3 | -0.010 (22.0%) | |
| 6 | 23.485 | 3.7850 | 1.8 | | |
| 7 | 26.551 | 3.3544 | 48.3 | 0.020 (100.0%) | |
| 8 | 27.837 | 3.2023 | 7.0 | | |
| 9 | 29.333 | 3.0423 | 100.0 | | 0.072 (100.0%) |
| 10 | 33.089 | 2.7050 | 1.9 | | |
| 11 | 34.754 | 2.5792 | 3.8 | | |
| 12 | 35.916 | 2.4983 | 6.1 | | 0.050 (14.0%) |
| 13 | 36.460 | 2.4623 | 2.5 | 0.001 (8.0%) | |
| 14 | 39.354 | 2.2876 | 9.4 | 0.020 (8.0%) | 0.046 (18.0%) |
| 15 | 40.208 | 2.2410 | 1.9 | -0.005 (4.0%) | |
| 16 | 42.357 | 2.1321 | 3.6 | 0.027 (6.0%) | |
| 17 | 43.091 | 2.0975 | 5.0 | | 0.053 (18.0%) |
| 18 | 45.757 | 1.9813 | 1.9 | -0.030 (4.0%) | |
| 19 | 47.062 | 1.9293 | 2.1 | | 0.060 (5.0%) |
| 20 | 47.443 | 1.9147 | 7.9 | | 0.045 (17.0%) |
| 21 | 48.443 | 1.8775 | 6.6 | | 0.069 (17.0%) |
| 22 | 50.041 | 1.8212 | 5.5 | 0.018 (14.0%) | |
| 23 | 54.801 | 1.6738 | 1.8 | -0.013 (4.0%) | |
| 24 | 56.541 | 1.6263 | 1.5 | | 0.012 (4.0%) |
| 25 | 57.337 | 1.6056 | 6.0 | -0.181 (1.0%) | 0.063 (8.0%) |
| 26 | 59.864 | 1.5437 | 4.2 | 0.003 (9.0%) | |
| 27 | 60.609 | 1.5265 | 2.1 | | 0.068 (5.0%) |
| 28 | 61.475 | 1.5071 | 2.7 | | -0.131 (3.0%) |
| 29 | 63.971 | 1.4542 | 1.0 | -0.052 (1.0%) | |
| 30 | 67.692 | 1.3830 | 2.3 | -0.024 (6.0%) | |

[SR.MDI] sr-1

Peak ID Report

SCAN: 2.0/69.98/0.03/0.5(sec), Cu, I(max)=1465, 04/11/03 11:42

PEAK: 17-pts/Parabolic Filter, Threshold=1.0, Cutoff=0.5%, BG=2/1.0, Peak-Top=Centroid Fit


NOTE: Intensity = Counts, 2T(0)=0.0(°), Wavelength to Compute d-Spacing = 1.54056Å (Cu/K-alpha1)

| # | 2-Theta | d(Å) | Height% | Quartz, syn | Calcite, syn |
|----|---------|----------------|---------|---------------|----------------|
| 31 | 68.090 | 1.3759 | 2.9 | -0.042 (7.0%) | |
| 32 | 69.134 | 1.3576 | 1.3 | | 0.095 (1.0%) |
| ? | | Unmatched Line | | 55.247 (2.0%) | 23.022 (12.0%) |
| ? | | Unmatched Line | | 68.241 (8.0%) | 31.418 (3.0%) |
| ? | | Unmatched Line | | | 58.073 (2.0%) |
| ? | | Unmatched Line | | | 60.986 (4.0%) |
| ? | | Unmatched Line | | | 63.058 (2.0%) |
| ? | | Unmatched Line | | | 64.677 (5.0%) |
| ? | | Unmatched Line | | | 65.597 (3.0%) |

PDF#33-1161 - Quartz, syn <2T(0) = -0.08, d/d(0) = 1.0>

PDF#05-0586 - Calcite, syn <2T(0) = 0.0, d/d(0) = 1.0>

[SR2.MD1] sr-2



[SR2.MDI] sr-2

Peak ID Report


SCAN: 2.0/69.98/0.03/0.5(sec), Cu, I(max)=1557, 04/11/03 12:11

PEAK: 17-pts/Parabolic Filter, Threshold=1.0, Cutoff=0.5%, BG=2/1.0, Peak-Top=Centroid Fit

NOTE: Intensity = Counts, 2T(0)=0.0(°), Wavelength to Compute d-Spacing = 1.54056Å (Cu/K-alpha1)

| # | 2-Theta | d(Å) | Height% | Calcite, syn |
|----|----------------|--------|---------|----------------|
| 1 | 22.951 | 3.8717 | 21.5 | 0.011 (12.0%) |
| 2 | 26.869 | 3.3155 | 2.1 | |
| 3 | 29.313 | 3.0443 | 100.0 | 0.032 (100.0%) |
| 4 | 31.376 | 2.8487 | 1.1 | -0.018 (3.0%) |
| 5 | 35.893 | 2.4998 | 39.8 | 0.012 (14.0%) |
| 6 | 39.353 | 2.2877 | 61.5 | -0.012 (18.0%) |
| 7 | 43.098 | 2.0972 | 27.1 | -0.013 (18.0%) |
| 8 | 47.099 | 1.9279 | 19.0 | -0.037 (5.0%) |
| 9 | 47.427 | 1.9153 | 10.3 | 0.001 (17.0%) |
| 10 | 48.451 | 1.8772 | 22.1 | 0.001 (17.0%) |
| 11 | 56.518 | 1.6269 | 13.1 | -0.025 (4.0%) |
| 12 | 57.354 | 1.6052 | 39.6 | -0.014 (8.0%) |
| 13 | 60.625 | 1.5262 | 10.2 | -0.009 (5.0%) |
| 14 | 60.898 | 1.5200 | 3.5 | |
| 15 | 61.304 | 1.5109 | 1.9 | -0.020 (3.0%) |
| 16 | 62.973 | 1.4748 | 2.8 | 0.025 (2.0%) |
| 17 | 64.616 | 1.4412 | 16.6 | 0.000 (5.0%) |
| 18 | 65.596 | 1.4220 | 2.7 | -0.058 (3.0%) |
| 19 | 69.174 | 1.3570 | 1.2 | -0.004 (1.0%) |
| ? | Unmatched Line | | | 58.013 (2.0%) |
| ? | Unmatched Line | | | 60.926 (4.0%) |

PDF#05-0586 - Calcite, syn <2T(0) = -0.06, d/d(0) = 1.0>



[SR-3.MDI] sr-3 Peak ID Report

SCAN: 2.0/69.98/0.03/0.5(sec), Cu, I(max)=873, 04/11/03 12:50

PEAK: 17-pts/Parabolic Filter, Threshold=1.0, Cutoff=0.5%, BG=2/1.0, Peak-Top=Centroid Fit

NOTE: Intensity = Counts, 2T(0)=0.0(°), Wavelength to Compute d-Spacing = 1.54056Å (Cu/K-alpha1)

| # | 2-Theta | d(Å) | Height% | Quartz_syn | Muscovite-1M... |
|----|---------|---------|---------|----------------|-----------------|
| 1 | 8.799 | 10.0416 | 4.6 | | 0.009 (100.0%) |
| 2 | 13.827 | 6.3991 | 3.1 | | |
| 3 | 19.682 | 4.5067 | 7.6 | | 0.134 (90.0%) |
| 4 | 20.840 | 4.2589 | 26.8 | -0.011 (22.0%) | |
| 5 | 21.993 | 4.0383 | 10.6 | | |
| 6 | 23.520 | 3.7794 | 7.7 | | |
| 7 | 24.207 | 3.6737 | 3.9 | | 0.152 (60.0%) |
| 8 | 26.617 | 3.3462 | 100.0 | 0.014 (100.0%) | -0.051 (100.0%) |
| 9 | 27.505 | 3.2401 | 11.4 | | |
| 10 | 27.856 | 3.2002 | 22.0 | | |
| 11 | 29.350 | 3.0406 | 8.2 | | -0.227 (50.0%) |
| 12 | 29.780 | 2.9976 | 5.8 | | |
| 13 | 30.742 | 2.9060 | 6.7 | | -0.188 (6.0%) |
| 14 | 34.432 | 2.6025 | 4.6 | | |
| 15 | 34.907 | 2.5682 | 7.3 | | 0.104 (90.0%) |
| 16 | 35.609 | 2.5191 | 6.6 | | |
| 17 | 35.979 | 2.4941 | 4.4 | | |
| 18 | 36.507 | 2.4592 | 7.7 | 0.014 (8.0%) | 0.202 (12.0%) |
| 19 | 37.131 | 2.4193 | 3.7 | | 0.289 (4.0%) |
| 20 | 39.421 | 2.2839 | 8.1 | 0.014 (8.0%) | |
| 21 | 42.424 | 2.1289 | 12.7 | 0.020 (6.0%) | |
| 22 | 45.783 | 1.9802 | 5.7 | 0.005 (4.0%) | |
| 23 | 50.104 | 1.8191 | 13.8 | 0.016 (14.0%) | |
| 24 | 50.656 | 1.8006 | 2.2 | -0.066 (1.0%) | |
| 25 | 54.827 | 1.6730 | 3.3 | 0.021 (4.0%) | |
| 26 | 55.208 | 1.6624 | 3.1 | 0.099 (2.0%) | -0.141 (18.0%) |
| 27 | 59.928 | 1.5422 | 8.9 | -0.001 (9.0%) | |
| 28 | 61.819 | 1.4995 | 3.0 | | 0.084 (35.0%) |
| 29 | 63.912 | 1.4554 | 3.0 | 0.067 (1.0%) | |
| 30 | 67.687 | 1.3831 | 5.2 | 0.041 (6.0%) | |

SCAN: 2.0/69.98/0.03/0.5(sec), Cu, I(max)=873, 04/11/03 12:50

PEAK: 17-pts/Parabolic Filter, Threshold=1.0, Cutoff=0.5%, BG=2/1.0, Peak-Top=Centroid Fit

NOTE: Intensity = Counts, 2T(0)=0.0(°), Wavelength to Compute d-Spacing = 1.54056Å (Cu/K-alpha1)

| # | 2-Theta | d(Å) | Height% | Quartz, syn | Muscovite-1M, ... |
|----|---------|--------|---------|---------------|-------------------|
| 31 | 68.113 | 1.3755 | 14.2 | -0.004 (7.0%) | |
| ? | | | | 40.263 (4.0%) | 17.642 (35.0%) |
| ? | | | | 68.301 (8.0%) | 20.459 (25.0%) |
| ? | | | | | 21.664 (16.0%) |
| ? | | | | | 33.352 (16.0%) |
| ? | | | | | 34.774 (50.0%) |
| ? | | | | | 35.224 (20.0%) |
| ? | | | | | 37.827 (12.0%) |
| ? | | | | | 40.174 (8.0%) |
| ? | | | | | 40.684 (8.0%) |
| ? | | | | | 41.226 (4.0%) |
| ? | | | | | 41.926 (20.0%) |
| ? | | | | | 42.904 (6.0%) |
| ? | | | | | 45.056 (30.0%) |
| ? | | | | | 46.418 (8.0%) |
| ? | | | | | 47.894 (4.0%) |
| ? | | | | | 55.609 (12.0%) |
| ? | | | | | 56.274 (12.0%) |
| ? | | | | | 61.224 (4.0%) |

PDF#33-1161 - Quartz, syn <2T(0) = -0.02, d/d(0) = 1.0>

PDF#07-0025 - Muscovite-1M, syn <2T(0) = 0.06, d/d(0) = 1.0>