

Pete V. Domenici, Jr.
pdomenici@domenicilaw.com

Jeanne Cameron Washburn
jwashburn@domenicilaw.com

Lorraine Hollingsworth
lhollingsworth@domenicilaw.com

Reed Easterwood¹
reasterwood@domenicilaw.com
Law Clerk, Licensed to practice law in 'OR

 **ENTERED**
DOMENICI LAW FIRM, P.C.
ATTORNEYS AT LAW
320 Gold Avenue SW, Suite 1000
Albuquerque, New Mexico 87102-3228
-
(505) 883-6250 Telephone
(505) 884-3424 Facsimile

April 30, 2012

Mr. John E. Kieling, Acting Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303



Re: Revised Permit Renewal Application
Triassic Park Waste Disposal Facility

Dear Mr. Kieling:

In response to the comments you provided in your letter dated March 14, 2012, Gandy Marley, Inc. (GMI) is submitting a revised permit renewal application for the Triassic Park Waste Disposal Facility. Revisions have been made to address each comment from the Hazardous Waste Bureau (HWB), with the intention of making the application administratively complete. A summary of the response to each of the five comments is described below.

1. A Groundwater Monitoring Waiver Request has been added in Attachment H.
2. Several additional sections from the approved permit application, dated October 2000, have been added to the current application. The additions make the application a complete, stand-alone document for ease of review. The materials that have been added from the approved permit are those items that are relevant to the landfill disposal operation planned under the permit renewal. Some materials from the October 2000 application have been omitted because they are no longer relevant to the planned operations. A table of permit application sections indicating the items included from the October 2000 application is provided in the introduction to the application.
3. Attachment L5 - Landfill Stormwater and Leachate Recirculation Modeling was included in the initial application. However, it was not readily accessible at the end of Attachment L. The application has been revised to include labeled divider pages for all sub-attachments such as Attachment L5.
4. The Regulatory Requirements Crosswalk has been revised as requested.

5. The Regulatory Requirements Crosswalk has been revised as requested.

GMI is submitting two copies of the application and electronic files containing the complete application. At this stage of the application review process, the renewal application is presented to show the revisions made to the approved application and recommended permit revisions in redline-strikeout format. GMI will provide a clean, final version of the application following technical review by the HWB. The electronic files being submitted include the following:

- Adobe Acrobat pdf file containing the complete application. This file contains a new section of the Part B application main report section in a format showing revisions made to the October 2000 approved application in redline-strikeout format.
- Word v. 7 files that are clean versions with the changes accepted.

If you have any comments or questions regarding the permit renewal application or need any additional information, please feel free to contact me at (505) 883-6250.

Sincerely,



Pete Domenici, Jr.
Counsel to Gandy Marley, Inc.
Domenici Law Firm, P.C.

Enclosure

cc: Ms. Neelam Dhawan, NMED Hazardous Waste Bureau
Mr. Dave Cobrain, NMED Hazardous Waste Bureau
Mr. Larry Gandy, Gandy Marley, Inc.
Mr. Mike Marley, Gandy Marley, Inc.
Mr. Mark Miller, Daniel B. Stephens & Associates, Inc.