



**hazardous waste.** LANL has been on notice for more than 21 years that the public does not want them to use our air for disposal of hazardous waste. If DOE/LANL needs to continue to burn hazardous waste, there are alternatives, including confined burn facilities that are designed to capture the emissions. Any permit for confined burned facilities must include limits on the amount and types of waste to be burned, as well as the frequency.

**I support NMED requiring DOE/LANL to install confined burn facilities as an alternative to open burning before the permit is finalized. The permit must include limits as to the type and amount of waste and the frequency of the burns.**

**2. Public Participation Must Be Early, Often, Meaningful and Continuous.** The Environmental Protection Agency (EPA) issued enhanced public participation requirements for **early, often, meaningful and continuous contact with the public** about the cleanup of the LANL dumpsites. The 25 dumps contain “legacy waste,” which are dangerous mixtures of wastes contaminated with chemicals and radiation. NMED, DOE and LANL have been lax in fulfilling the public participation requirements, such as holding public meetings, providing documents, and informing the public of opportunities for input into decision-making.

**The permit must include requirements for NMED and DOE/LANL to provide enhanced participation as required by EPA for early, often, continuous and meaningful contact with the public about both the Compliance Order on Consent (Consent Order) and the Final LANL Permit.**

**3. DOE/LANL is required to establish an Information Repository** where permit documents are readily available to the public. NMED is only requiring LANL to create a virtual (electronic) repository. Previous drafts of the permit required both a virtual and physical repository. **EPA supports a physical Information Repository.**

As an act of Restorative Justice and in order to meet the needs of both urban and rural communities and future generations, **NMED must require DOE/LANL to establish both a physical Information Repository in the Española Valley, as well as a virtual (electronic) Information Repository before the permit is finalized.**

**4. Emergency Management, Planning, Preparedness and Response.** Over the past 10 years, serious deficiencies in the DOE/LANL Emergency Management and Response Division have been found by several government auditing agencies, including the **DOE Inspector General, the Government Accountability Office** and the **Defense Nuclear Facility Safety Board**. The reports described serious problems with LANL fire protection *before* the Cerro Grande Fire of 2000. The new reports describe the ongoing failure to provide fire protection.

**I object to NMED allowing DOE/LANL to continue hazardous waste operations without meeting the emergency management, planning, preparedness and response requirements. NMED must conduct a full investigation into the recommendations of the expert reports and require their implementation before the permit is finalized.**

**5. Seismic Hazard on the Seismically Active Volcanic Pajarito Plateau.** A 2007 report described a 50% increase in the seismic hazard at LANL. It identified many deficiencies in the knowledge of the seismic hazard and made recommendations for further field studies. It also identified the failure of DOE/LANL to install and operate a reliable network of seismic instruments (seismometers) to accurately monitor the seismic hazard from ground motions. The current network consists of only seismometers at three locations that are not kept in calibration.

**I object to NMED allowing DOE/LANL to continue hazardous waste operations without the necessary field studies and without a reliable network of seismometers. NMED must conduct a full investigation into the recommendations of these seismic reviews before the permit is finalized.**

**6. Financial Assurance Requirements.** DOE/LANL and its contractor do not want to provide the financial documents to ensure that funding is available to cleanup the contaminated facilities at LANL when they are done using them.

**I support NMED requirements in the revised draft permit that DOE/LANL must meet all of the financial assurance requirements for each of the 24 hazardous waste management units.**

Sincerely,

Jim Ball  
227 Kit Carson Road  
Taos, NM 87571

okjimblue@aol.com

#