NEW MEXICO ENVIRONMENT DEPARTMENT PETROLEUM STORAGE TANK BUREAU



$2^{nd}\,PROPOSAL\,SOLICITATION\,FOR\,RESPONSIBLE\,PARTY-LEAD$

SITE REMEDIATION SERVICES FOR SHAMROCK NO. 63

3624 CERRILLOS ROAD SANTA FE, NEW MEXICO

Release Date

June 21, 2018

Due Date

July 11, 2018

Contents

١.	S	ITE INFORMATION	3
A	4 .	SITE NAME AND LOCATION:	3
I	3.	FACILITY # RELEASE ID #:	3
(Ξ.	PHASE OF WORK:	3
Ι	D.	SITE DESCRIPTION:	3
I	Ξ.	RESPONSIBLE PARTY CONTACT INFORMATION	4
II.	P	PROPOSAL PROCESS INFORMATION	4
A	4.	PURPOSE OF THIS PROPOSAL SOLICITATION	4
I	3.	PROPOSAL CONTACT	4
(Ξ.	REVISIONS TO THE PROPOSAL SOLICITATION	4
I	O.	DEADLINES FOR SUBMISSION OF PROPOSAL	5
I	Ξ.	SHORT LISTED PROPOSALS	5
I	₹.	ORAL PRESENTATION/DEMONSTRATION BY FINALISTS	5
(Э.	BEST AND FINAL OFFERS FROM FINALISTS	5
I	Η.	SELECTION OF CONTRACTORS AND NOTIFICATION OF EVALUATION RESULTS	5
I		PROPOSALEVALUATION	5
J	ſ.	SUBCONTRACTORS	5
I	K.	AMENDED PROPOSALS	5
Ι		WITHDRAWAL OF PROPOSAL	6
ľ	M.	TERM OF PROPOSAL	6
1	N.	DISPOSITION OF PROPOSALS	б
(Э.	CONFLICTS OR AMBIGUITIES	6
III.	P	PROPOSAL FORMAT	б
A	4.	NUMBER OF RESPONSES	6
I	3.	NUMBER OF COPIES	6
(С.	PROPOSAL COMPONENTS	б
IV.	P	ROPOSAL EVALUATION CRITERIA	9
A	4.	TECHNICAL PROPOSAL	10
E		ORAL PRESENTATION SCORE	
		COST PROPOSAL	10
//	\mathcal{C}	ONDITIONS GOVERNING SOLICITATION	11

A.	INCURRING COST	11		
B.	PRIME CONTRACTOR RESPONSIBILITY	11		
C.	CANCELLATION	11		
D.	OFFEROR QUALIFICATIONS	11		
E.	RIGHT TO WAIVE MINOR IRREGULARITIES	11		
F.	USE OF ELECTRONIC VERSIONS OF THIS SOLICITATION	12		
G.	ACCESS	12		
VI. I	MPLEMENTATION OF SELECTED PROPOSAL	12		
A.	GENERAL INFORMATION	12		
B.	CONCEPTUAL REMEDIATION PLAN (CRP) SUBMITTAL	12		
C.	FINAL REMEDIATION PLAN (FRP)	12		
D.	ENGINEERING SERVICES	12		
E.	PERMITS	13		
F.	PROPERTY ACCESS	13		
G.	PROPERTY RESTORATION	13		
H.	WORK NOTIFICATION REQUIREMENTS	14		
VII. F	ROLES AND RESPONSIBILITIES	14		
A.	RESPONSIBILITIES	14		
B.	ERRORS IN PREPARATION	14		
C.	COMPLIANCE WITH LAW	14		
D.	INSURANCE	14		
E.	INDEMNIFICATION	15		
APPE	NDIX A	16		
Mandatory Requirements Checklist				
APPE	NDIX B	17		
Cos	st Proposal (short-listed finalist firms only)	17		

I. SITE INFORMATION

A. SITE NAME AND LOCATION:

Shamrock No. 63 3624 Cerrillos Road Santa Fe, New Mexico

B. FACILITY # RELEASE ID #:

Facility # 29206 Release # 4509

C. PHASE OF WORK:

Phase 3, 4 & 5

D. SITE DESCRIPTION:

The property comprising the former Shamrock No. 63 site has hosted gasoline dispensing facilities since at least the mid-1950s. Historical aerial photographs indicate that by 1958, the site was occupied by a bulk fueling facility with six above ground storage tanks (ASTs) and four dispenser islands. Between 1979 and 1988, the parcel was subdivided, the ASTs and dispenser islands were removed, and the Shamrock No. 63 station was constructed on the eastern portion of the original bulk fueling plant property. A hotel was constructed on the western portion of the former bulk fueling facility in 1991. The UST system was removed from the site on April 19, 2006. Fuel is no longer being stored or dispensed at or adjacent to the site.

A used car dealership is currently occupying the property, with a Best Western hotel and a vacant strip mall on adjacent properties.

The geology underlying the site consists of a veneer of unconsolidated alluvial sediments underlain by the Pleistocene/Pliocene-age Ancha Formation. The Ancha Formation deposits are composed of predominantly silty or clayey sand with varying amounts of gravel. Groundwater at the site occurs under unconfined conditions and is encountered at approximately 80 feet below ground surface.

Non-aqueous phase liquid (NAPL), petroleum contaminated soil, dissolved phase benzene, toluene, ethylbenzene, total xylenes, naphthalenes, and the fuel additives methyl tertiary-butyl ether (MTBE), 1,2 dichloroethane (EDC) and 1,2-dibromoethane (EDB) have been detected. The extent of contamination has not been defined beneath Cerrillos Road. NAPL recovery via hand bailing was performed intermittently from 2014 to 2018. Soil vapor extraction pilot testing was performed on October 20 through 23, 2017.

The following technical information for this site is available for review:

New Mexico Department of Transportation Historical Aerial Photographs, November 10, 1958; June 27, 1969; June 19, 1979; May 16, 1988; March 19, 1991; and April 23, 2001

Minimum Site Assessment Report, March 26, 2007

Continued Minimum Site Assessment Report, November 28, 2007

Continued Minimum Site Assessment Report, May 28, 2008

Monitoring Well Installation & Semiannual Groundwater Monitoring Report, December 29, 2011

Well Installation and Groundwater Monitoring Report, July 17, 2014

Well Installation, Vapor Survey and First Quarter Groundwater Monitoring and NAPL Recovery Report, May 21,2015

Bi-Weekly NAPL Recovery Letter Report, August 17, 2015

Additional Site Investigation Report, December 12, 2017

SVE Pilot Test Report, January 19, 2018 Second Groundwater Monitoring & NAPL Recovery Report, April 10, 2018

The technical information is available in the Bureau files and is available for review at: https://cloud.env.nm.gov/waste/pages/search.php?search=%21collection3240&k=ffcf10be46

E. RESPONSIBLE PARTY CONTACT INFORMATION

Polk Oil Company Attn: Mr. Jim Polk 410 Richard Court Los Alamos, New Mexico 87544 Phone: (505) 470-6829 (cell)

II. PROPOSAL PROCESS INFORMATION

A. PURPOSE OF THIS PROPOSAL SOLICITATION

On behalf of the Owner/Operator (O/O), the New Mexico Environment Department (NMED) Petroleum Storage Tank Bureau (PSTB) is soliciting proposals from qualified contractors to identify and implement an appropriate strategy to address soil and groundwater contamination at the site. All work must be performed in accordance with requirements of New Mexico Petroleum Storage Tank Regulations, 20.5 NMAC.

The O/O will be notified of the proposal that is selected through the Proposal Solicitation process and PSTB anticipates that the O/O will enter into a contract with the contractor to provide the services described in the proposal.

B. PROPOSAL CONTACT

The name, address, and telephone number of the contact person for this Proposal Solicitation are listed below.

Ms. Susan von Gonten New Mexico Environment Department Petroleum Storage Tank Bureau 2905 Rodeo Park Drive East, Building 1 Santa Fe, New Mexico 87505 Telephone: (505) 476-4389 FAX:(505) 476-4374

email: <u>susan.vongonten@state.nm.us</u>

Any inquiries regarding this Proposal Solicitation must be submitted in writing. Inquiries may be faxed or emailed and must reference the specific project. In all cases, no verbal communication will override written communications and only written communications are binding.

All inquiries must be received no later than **two** weeks prior to the proposal submittal deadline.

All responses to inquiries will be posted on the PSTB website.

C. REVISIONS TO THE PROPOSAL SOLICITATION

In the event it becomes necessary to revise any part of this Proposal Solicitation, revisions will be provided by posting on the PSTB website.

D. DEADLINES FOR SUBMISSION OF PROPOSAL

ALL PROPOSALS MUST BE RECEIVED FOR REVIEW AND EVALUATION BY THE **CONTACT PERSON** NO LATER THAN 3:00 PM MDT July 11, 2018. **Proposals received after this deadline will not be accepted.** The date and time of receipt will be recorded on each proposal. Proposals must be addressed and delivered to the **contact** at the address listed in Section II.B. Proposals must be submitted in a sealed box or envelope indicating the proposal title along with the offeror's name and address clearly marked on the outside of the box or envelope. **Proposals submitted by facsimile or email will not be accepted.** The contents of any proposal shall not be disclosed to competing offerors prior to contract award.

E. SHORT LISTED PROPOSALS

PSTB will create a short-list of finalists from the proposals submitted based on review of the Statement of Qualifications and Technical Proposal. Only offerors included on the short-list will be requested to submit a cost proposal for evaluation.

F. ORAL PRESENTATION/DEMONSTRATION BY FINALISTS

Finalist offerors may be required to present their proposals and respond to Evaluation Committee questions. Time for each finalist presentation will be scheduled with information regarding the timing and content of such presentations, if required. PSTB shall not be responsible for any costs or expenses incurred by an offeror to make an oral presentation.

G. BEST AND FINAL OFFERS FROM FINALISTS

Finalist offerors may submit revisions to their proposals for providing best and final offers. Best and final offers may be clarified and amended at the finalist offeror's oral presentation/demonstration.

H. SELECTION OF CONTRACTORS AND NOTIFICATION OF EVALUATION RESULTS

After evaluation of the proposals the O/O will be notified in writing of the selected proposal. All offerors who submitted proposals shall be notified in writing of the evaluation results.

I. PROPOSALEVALUATION

Proposals received within the date and time specified will be evaluated by an evaluation committee. Discussions regarding proposal evaluation shall not be initiated by the offerors.

J. SUBCONTRACTORS

If the offeror intends to subcontract any part of the work to be performed under this Proposal Solicitation, the offeror is responsible for assuring the subcontractors possess all appropriate licenses as required by the State of New Mexico.

K. AMENDED PROPOSALS

An offeror may submit an amended proposal before the deadline for receipt of proposals. Such amended proposals must be complete replacements for a previously submitted proposal and must be clearly identified as such in the transmittal letter. PSTB will not merge, collate, or assemble proposal materials.

L. WITHDRAWAL OF PROPOSAL

An offeror may withdraw a proposal at any time.

M. TERM OF PROPOSAL

All proposal costs shall be firm for a period of one hundred eighty (180) days after the proposal submittal date to allow time for evaluation of all proposals and to make an award.

N. DISPOSITION OF PROPOSALS

All proposals become the property of the State of New Mexico upon receipt and will not be returned to the offeror unless requested in writing. The PSTB will hold all proposals requested to be returned for a period of 30 days. The State of New Mexico shall have the right to use all ideas or adaptation of ideas contained in any proposal received in response to this solicitation. Selection or rejection of the proposal will not affect this right.

If, for any reason, this solicitation is canceled, all proposals will be returned to offerors.

O. CONFLICTS OR AMBIGUITIES

Offerors shall notify the PSTB immediately if conflicts or ambiguities are found in the solicitation. Failure to do so prior to the specified closing date may result in these items being resolved in a manner deemed to be in the State's best interest as judged by the PSTB.

III. PROPOSAL FORMAT

A. NUMBER OF RESPONSES

Only one proposal shall be submitted by each offeror for consideration.

B. NUMBER OF COPIES

- **1. Statement of Qualifications:** Offerors shall deliver one (1) original, two (2) paper copies and one (1) electronic copy in CD format of the **Statement of Qualifications**.
- **2. Technical Proposal:** Offerors shall deliver one (1) original and four (4) copies of the **Technical Proposal**. In addition to the five (5) paper copies, one (1) copy of the proposal shall be submitted in electronic format on a CD.
- **3.** Cost Proposal: ONLY SHORT-LISTED FINALIST FIRMS WILL BE REQUIRED TO PROVIDE A COST PROPOSAL. See Section III.C.3 for details. If the offeror is a resident business, to be recognized as such, the cost proposal must include the company's certificate and certification number as issued by the Tax and Revenue Department.

C. PROPOSAL COMPONENTS

Within each section of the proposal, offerors shall address the items in the order in which they appear in this solicitation. All proposals must be typewritten with a font equal to or larger than 11, on standard white 8 ½" x 11" paper. Larger paper is permissible for charts, maps, spreadsheets, etc., but in no instance, shall the paper size exceed 11" x 17". All text on the charts, maps, spreadsheets, etc. must have a font equal to or larger than 8. **Appendix A provides a checklist to assist in completion of the proposal.**

The following are required components of a complete proposal:

- 1. **Statement of Qualifications**: The Statement of Qualifications shall include the Letter of Transmittal, a discussion of key staff and corporate experience, a relevant example of a health and safety plan, and documentation relating to Construction Industries Division licensure and professional engineering licensure.
 - a. Letter of Transmittal: The letter of transmittal MUST:
 - i. Identify the submitting organization;
 - ii. Identify the name, title, email address and telephone number of the person authorized to negotiate workplans on behalf of the organization;
 - Identify the name, title, email address and telephone number of the person to be contacted for proposal clarification;
 - iv. Explicitly indicate acceptance of the conditions governing the solicitation stated in Section V;
 - v. Acknowledge receipt of all amendments to the Proposal Solicitation;
 - vi. Be signed by the authorized representative of the firm.
 - b. <u>Key Staff and Corporate Experience</u>: Offerors must include in the proposal, credentials of the key personnel responsible for the completion of the work as discussed in Section II.A of this Proposal Solicitation. These credentials must include but are not limited to the following: academic degrees and other pertinent training information, experience in storage tank site investigations, and remediation or other relevant experience. The resumes or experience narratives included should describe the specific experience of each proposed staff member as it relates to knowledge of, and experience in, petroleum storage tank site investigations and remediation or other relevant experience. The offeror must submit a statement of their current staff's relevant experience in the design, implementation, operation and maintenance of engineered systems for the remediation of related or similar petroleum storage tank sites. Additional information should be included regarding organization size and administrative support staff.
 - c. <u>Health and Safety Plan</u>: The offeror must include an example copy of a relevant and site-specific health and safety plan (HASP). Please note: It is not necessary to write a HASP specifically for this solicitation. An example site-specific HASP from a relevant site is all that is required.
 - d. <u>New Mexico Construction Industries Division License</u>: A proposal will be deemed non-responsive and will be dropped from further evaluation if it does not include a current copy of the offeror's New Mexico Construction Industries Division (CID) license. The CID license must be in an appropriate category for the scope of work being completed. It is recommended that offerors check with CID to assure that they are following the law.
 - e. <u>Professional Engineering Licensure</u>: Pursuant to the requirements of 20.5.16.11 NMAC, because the involvement of a professional engineer is required for the corrective action being conducted, the firm's qualification requirements shall include documentation of licensure by the New Mexico State Board of Licensure for Professional Engineers and Surveyors in the discipline of engineering appropriate to the corrective action. This requirement may be met by demonstrating that the firm has on staff or available by contract a professional engineer licensed in the appropriate discipline. This discussion shall include the following:
 - i. The employment relationship between the professional engineer and the proposing firm, i.e. is the professional engineer on staff or contract;

- ii. A current copy of the professional engineer's license and/or professional engineer's license number and documentation that the license is in the appropriate discipline for the remediation work that is to be performed at this site;
- iii. A statement that the professional engineer can contractually bind your firm.
- iv. A statement that the professional engineer is following the professional engineer rules, Parts 8 and 9 of 16.39 NMAC.
- f. <u>Anti-collusion affidavit:</u> Pursuant to the requirements of 20.5.17.15.C.3 NMAC, each proposal submitted in response to this solicitation must contain a notarized affidavit signed by the bidding firm certifying under oath that the bidder has participated and will continue to participate in the competitive contractor selection process as described in 20.5.17 NMAC and NMSA 1978, Section 74-6B-7C without misrepresentation and without collusion with other contractors during the entire solicitation, evaluation and selection process.
- 2. **Technical Proposal:** The offeror shall include a Technical Proposal Summary, limited to **one** (1) page, to provide the Evaluation Committee with an overview of the technical features of the proposal. The technical proposal shall be limited to **ten** (10) pages in length, exclusive of the table of contents and any figures, diagrams, spreadsheets, maps or charts asked for as enclosures. Offerors should include in the response, a description of how their firm will complete the scope of work, addressing the requirements of 20.5 NMAC and this Proposal Solicitation. Only information available in the public record shall be used to prepare the proposal.

No additional environmental data, including but not limited to, measurements of depth to groundwater or NAPL, soil, groundwater or vapor analyses or pilot testing shall be collected from the site for use in preparation of proposals. Proposals should contain a detailed description of an approach that will reach the cleanup goals for the site and a detailed description of plans to reach these goals using the remediation strategy proposed. Proposed performance guarantees to remediate the site to closure status should be discussed.

A timetable outlining the project should be presented with the proposal. The schedules for operation, maintenance, and monitoring analyses for the remediation system should be addressed in the proposal. Should the implementation of your proposed remediation strategy require the purchase of major remediation equipment, as defined in 20.5.17.7.B.2 NMAC, the proposal should contain details of the types of equipment that will need to be purchased.

Proposals should contain a detailed description of the theoretical and practical understanding of the remediation strategy that will be used to reach closure status. A description of the role of the offeror's professional engineer and the protocol for communication between the professional engineer and PSTB personnel should also be included.

The technical proposal should be organized and indexed in the following format and should contain, at a minimum, all listed items in the sequence indicated, as appropriate.

TECHNICAL PROPOSAL INDEX

- a) Table of Contents
- b) Technical Proposal Summary (limited to 1 page)
- c) Technical Proposal (limited to 10 pages)
- Discussion of Site Conditions
- Cleanup Strategy
- Operation and Maintenance Strategy
- Other Considerations Including Safety and Disruptions
- d) Timetable
- e) Other Supporting Material such as figures, diagrams, spreadsheets, maps or charts

Offerors should respond in the form of a narrative to each specification. The narrative along with the required supporting material will be evaluated and awarded points according to the Evaluation Criteria presented in Section IV.

- 3. Cost Proposal: ONLY SHORT-LISTED FINALIST FIRMS WILL BE REQUIRED TO PROVIDE A COST PROPOSAL. Short-listed finalist firms will be requested to provide a firm, fixed cost, exclusive of New Mexico Gross Receipts Tax, for all the following items listed below exclusive of professional engineering services. Please refer to Appendix B for format of the Cost Proposal.
 - a. Total cost for development of a Conceptual Remediation Plan (CRP) for the remediation strategy that is to be implemented at the site. The development of a CRP does not require professional engineering services.
 - b. Cost for development of a Final Remediation Plan (FRP) for the remediation strategy that is to be implemented at the site, except for professional engineering services.
 - c. Cost for implementation of the remediation strategy. This cost item shall include installation of the proposed remediation system, if appropriate, all required environmental and other permits, and related hydrogeological services. For this Proposal Solicitation, assume that all remediation equipment will have to be purchased. Include system startup costs. Include cost of the as-built report, except for professional engineering services.
 - d. Cost of four calendar quarters of operation and maintenance of the system in conformance with the proposed FRP, except for professional engineering services. Include costs for operation and maintenance reporting. Do not include any cost for utilities.
 - e. Cost for baseline and 3 quarters of groundwater monitoring and reporting for a total of 17 monitoring wells. For this Proposal Solicitation, do not include the cost of any blank samples, duplicate samples, spiked samples, etc. Assume that all samples are to be analyzed with standard laboratory turn-around time by EPA Methods 8260B and 504.1 only. Assume that sampling for metals is not required and that non-aqueous phase liquid (NAPL) is not present in any of the wells, and depth to water is 80 feet below ground surface. Include costs for laboratory analyses and reports that include historical summary tables for depth to water/elevation and laboratory analytical results, and contoured maps for each contaminant of concern and potentiometric surface map.
 - f. Cost of all major remediation equipment (as defined in 20.5.17 NMAC) shall be included as a separate line item on the cost table, but will not be considered in the evaluation of the cost effectiveness.

All proposed costs, rates or expenses must occur only in the Cost Proposal. Please note that should your firm negotiate a contract with the O/O as a result of this Proposal Solicitation; the costs that your firm submits in response to this solicitation will be required to be followed during the workplan approval process for the first six (6) months of the contract.

IV. PROPOSAL EVALUATION CRITERIA

All offerors that are deemed to be qualified based on a review of the Statement of Qualifications will be evaluated as follows:

Technical Merit Score – 700 points

(Technical Proposal - 650 points + Oral presentation – 50 points) Cost Effectiveness Score – 300 points

A. TECHNICAL PROPOSAL

The technical merit score, with a maximum of 700 points, shall be comprised of 650 points for the technical proposal and 50 points for the oral presentation.

1		Quality of Proposal	50 Total Points
	a	Does offeror address the requirements of the Petroleum Storage Tank Regulations and all other necessary regulations, permits, access agreements, and local coordination efforts?	25
	b	Are maps and diagrams clear and accurate and do they adequately illustrate and support offeror's conceptual site model?	25
2		Demonstrated technical understanding of site conditions	200 Total Points
	a	Does offeror demonstrate a clear understanding of site conditions, existing data, and articulate a complete and appropriate conceptual site model?	150
	b	Does offeror specify and justify the need to collect additional data?	50
3		Cleanup Strategy	200 Total Points
	a	Does offeror provide a discussion of remediation options considered, why the proposed strategy was selected, demonstrate past experience and familiarity with the strategy, and present necessary and accurate calculations to support the selection, and include a discussion of equipment that would be required to implement the strategy?	100
	b	Is the proposed remedy consistent with known site conditions and cost effective in expediting site closure?	100
4		Implementation Strategy	200 Total Points
	a	Does offeror describe in adequate detail how the remediation will be implemented? And, if appropriate, optimized?	100
	b	Does offeror present a reasonable timetable for implementing the remedial strategy and necessary actions and estimated time to achieve site closure?	50
	с	Does offeror describe an appropriate operations and maintenance monitoring and reporting strategy to support optimization, if appropriate, and to provide adequate evidence for attaining site closure?	50

B. ORAL PRESENTATION SCORE

Maximum of 50 points

C. COST PROPOSAL

(Applies to short-listed finalist firms only): Maximum of 300 points

The evaluation of each offeror's cost proposal will be conducted using the following formula as specified in 20.5.17.15.D.9 NMAC:

The cost effectiveness score is the technical weight factor times the cost weight factor times 300, where the technical weight factor is the proposal's technical merit score divided by the highest technical merit score of proposals on the short list; the cost weight factor is the lowest cost of proposals on the short list divided by the proposal's cost; and 300 is the maximum cost effectiveness score.

In accordance with 20.5.17.15.E NMAC, when proposals are received from nonresident businesses and resident businesses, and the proposal with the highest evaluation is from a nonresident business, the contract shall be awarded to the resident business whose technical merit is comparable and whose cost is nearest to the cost of the high scoring nonresident business proposal if the cost of the resident proposal is made lower than the cost of the nonresident business when multiplied by a factor of 0.95.

V. CONDITIONS GOVERNING SOLICITATION

Submission of a proposal constitutes acceptance of the Conditions Governing the Solicitation contained in this section.

A. INCURRING COST

Any cost incurred by the offeror in preparation, transmittal, and/or presentation of any proposal or material submitted in response to this solicitation shall be borne solely by the offeror. Any cost incurred by the offeror for set up and demonstration of the proposed equipment and/or system shall be borne solely by the offeror.

B. PRIME CONTRACTOR RESPONSIBILITY

Any subcontract that may result from this solicitation shall specify that the contractor is solely responsible for fulfillment of the contract with the O/O. PSTB will make payments on behalf of the O/O to the prime contractor only. It is the responsibility of the prime contractor to assure that all drilling subcontractors are properly licensed, pursuant to the requirements of 19.27.4 NMAC.

C. CANCELLATION

This solicitation may be canceled at any time and any or all proposals may be rejected in whole or in part if PSTB determines such action to be in the best interest of the State of New Mexico.

D. OFFEROR QUALIFICATIONS

The Evaluation Committee may make such investigations as necessary to determine the ability of the offeror to adhere to the requirements specified within this solicitation. The Evaluation Committee will reject the proposal of any offeror who is not a responsible offeror or fails to submit a responsive offer as defined in NMSA 1978, Sections 13-1-83 and 13-1-85.

E. RIGHT TO WAIVE MINOR IRREGULARITIES

The Evaluation Committee reserves the right to waive minor irregularities. The Evaluation Committee also reserves the right to waive mandatory requirements if all the otherwise responsive proposals failed to meet the same mandatory requirements and the failure to do so does not otherwise materially affect the procurement. This right is at the sole discretion of the Evaluation Committee.

F. USE OF ELECTRONIC VERSIONS OF THIS SOLICITATION

This solicitation is being made available by electronic means. If accepted by such means, the offeror acknowledges and accepts full responsibility to ensure that no changes are made to the solicitation. In the event of conflict between a version of the solicitation in the offeror's possession and the version maintained by the PSTB, the version maintained by the PSTB shall govern.

G. ACCESS

It is the Contractor's sole responsibility to determine whether legal access is available to the site before beginning work on the site. If no legal access is available to the site, the Contractor will not begin any work on the site until legal access has been acquired.

VI. IMPLEMENTATION OF SELECTED PROPOSAL

A. GENERAL INFORMATION

The following information is provided to assist the O/O and/or PSTB in obtaining a technical workplan to address the site-specific remediation needs. *Performance-based criteria are required in proposals for all remediation activities*.

The Contractor shall not modify an approved workplan without specific written approval from the PSTB. Any modifications to the workplan must be approved in writing by the PSTB prior to initiation of work.

The PSTB reserves the right to reject any modifications to the approved workplan.

Pursuant to the requirements of 20.5.17.15.C.3 NMAC, each proposal submitted in response to this solicitation must contain a notarized affidavit signed by the bidding firm certifying under oath that the bidder has participated and will continue to participate in the competitive contractor selection process as described in 20.5.17 NMAC and NMSA 1978, Section 74-6B-7C without misrepresentation and without collusion with other contractors during the entire solicitation, evaluation and selection process.

B. CONCEPTUAL REMEDIATION PLAN (CRP) SUBMITTAL

If approved by PSTB, the Contractor with the winning proposal shall develop and submit a CRP containing all requested information as required by 20.5.12.35 NMAC. Additional information may be included as needed.

The CRP must include a conceptual design, site-specific technology, site specific performance criteria and remedial objectives for all contaminants of concern.

The Contractor must use data obtained during all investigation phases to develop a CRP that will recommend the most suitable and cost-effective remediation strategy, along with justification for the strategy chosen, based on a cost analysis and site-specific criteria.

C. FINAL REMEDIATION PLAN (FRP)

The Contractor with the winning proposal shall develop, submit and implement a Final Remediation Plan, with NMED approval and in accordance with 20.5.12.36 through 20.5.12.40 NMAC.

D. ENGINEERING SERVICES

The professional engineer shall perform the professional services necessary to accomplish the work specified in the proposal. The PSTB's professional engineer shall review all engineered stamped drawings

and shall either concur, disapprove or recommend modifications to all design drawings, specifications, reports, and other services provided to the PSTB. This review and concurrence process shall not in any way relieve the contractor's professional engineer of responsibility for the technical adequacy of the work. There shall be no right of action or claim by the engineer, O/O or any third-party beneficiary because of the PSTB's review, approval, acceptance of, or payment for work by a professional engineer.

The standard of care for all professional engineering and related services performed or furnished by the professional engineer shall be the care and skill ordinarily used by members of the profession practicing under similar circumstances at the same time and in the same locality. The PSTB shall not accept any warranties, expressed or implied, in connection with the professional engineer's services.

The O/O shall provide the professional engineer with site access for the professional engineer to review the work of the contractor as construction progresses and to ascertain that the contractor's work is conforming to the plans and specifications previously approved by the PSTB. The O/O shall, in connection with observations of the contractor's work while it is in progress, allow the professional engineer visits to the site at intervals appropriate to the various stages of construction to observe, as an experienced and qualified design professional, the progress and quality of the contractor's executed work. Based on the information obtained during such visits and observations, the professional engineer shall determine in general if the work is proceeding in accordance with the engineering plans and specifications and notify the O/O. The O/O shall keep the PSTB informed of the progress and quality of the work at the site.

Pursuant to the requirements of 20.5.16.11 NMAC, the firm's qualification requirements shall include licensure by the New Mexico State Board of Licensure for Professional Engineers and Surveyors in the discipline of engineering appropriate to the corrective action. This requirement may be met by demonstrating that the firm has on staff or available by contract a professional engineer licensed in the appropriate discipline.

E. PERMITS

The Contractor is fully responsible for filing and obtaining all local, state, and federal easements and permits necessary to implement the FRP.

Upon receipt of all permits and easements, the Contractor must submit a copy of each to the owner or operator and the PSTB's Project Manager. All permits must be obtained in a timely manner.

F. PROPERTY ACCESS

The Contractor must obtain written permission from all property owners necessary to conduct any additional investigatory work and to implement the FRP.

The Contractor must notify the PSTB's Project Manager in all instances where authorization for property access is denied.

G. PROPERTY RESTORATION

During implementation of the FRP or any additional investigatory work or testing, the Contractor is responsible for the repair of any property damaged or destroyed due to fault or negligence of the Contractor. The damaged property must be returned to its original condition within 30 calendar days after the damage or destruction has occurred.

H. WORK NOTIFICATION REQUIREMENTS

The Contractor shall notify O/O, the PSTB's Project Manager, and the appropriate NMED District Officein writing (email is acceptable), 96 hours prior to the initiation of any work at the site. The notice shall include the date and time the work is to begin and a schedule of implementation.

VII. ROLES AND RESPONSIBILITIES

A. RESPONSIBILITIES

The O/O is responsible for assuring the corrective action is conducted in accordance with the PSTB specifications described in Section VI of the Proposal Solicitation.

The O/O and the Contractor selected to perform this scope of work are responsible for maintaining the initial project costs approved by the PSTB. Any change orders to the workplan must be approved in writing by the PSTB prior to the Contractor commencing work.

The O/O and the Contractor are responsible for securing and complying with all federal, state or local permits and regulations regarding the proposal specifications.

The O/O and the Contractor are responsible for locating utilities prior to the commencement of investigation or remediation activities.

B. ERRORS IN PREPARATION

The Contractor is responsible for any mathematical error or incorrect extension of any calculations in the Contractor's price quote.

C. COMPLIANCE WITH LAW

The Contractor agrees to comply with all applicable federal, state, and local laws, rules, regulations and ordinances and all provisions required thereby to be included herein, are hereby incorporated by reference. The Contractor agrees to indemnify and hold the O/O and the Department harmless from any loss, damage, or liability resulting from the violation on the part of the Contractor of such laws, rules, regulations, or ordinances.

D. INSURANCE

The Contractor shall maintain, at its expense during the term of the contract, the following insurance covering the services to be performed under this contract:

Worker's compensation insurance-statutory.

Employers liability insurance in the minimum amount of \$500,000.00 per occurrence with a \$1,000,000.00 aggregate.

Comprehensive general liability insurance of \$2,000,000.00 per occurrence (annual) with a \$1,000,000.00 for bodily injury, each person, to a maximum of \$2,000,000.00 each occurrence (annual).

The Contractor shall furnish evidence that each motor vehicle to be used by the Contractor pursuant to this Contract is covered in the minimum amount of \$500,000.00 for bodily injury to, or death of, one person in any one accident, and subject to said limit for one person. In addition, a limit of \$1,000,000.00 for bodily injury to, or destruction of property of others in any one accident must be provided.

E. INDEMNIFICATION

Neither the O/O or NMED shall be liable for any damage or compensation payable at law in respect or in consequence of any accident or injury to any worker or other person in the employment of the Contractor or any subcontractor, save and except an accident or injury resulting from a willful negligent act or default of the O/O or NMED. The Contractor shall indemnify and keep indemnified the O/O and NMED against all such damages and compensation, save and except as aforesaid, and against all claims, proceedings, costs, charges, and expenses whatsoever in respect thereof or in relation thereto.

APPENDIX A

Mandatory Requirements Checklist

Check	Requirement	Reference
	Statement of Qualifications – 1 original, 2 copies & 1 CD (Envelope 1)	III.B.1, III.C.1
	Letter of Transmittal	III.C.1
	Description of Key Staff and Corporate Experience	III.C.1
	Anti-collusion Affidavit	III.C.1
	NM Construction Industries Division License	III.C.1
	Professional Engineering License including a statement that the engineer is authorized to obligate the company	III.C.1
	Health and Safety Plan	III.C.1
	Technical Proposal - 1 original, 4 copies, 1 CD (Envelope 2)	III.B.2, III.D
	Technical Proposal Summary, limited to one page	III.D
	Technical Proposal limited to 10 pages	III.C.2

APPENDIX B

Cost Proposal (short-listed finalist firms only)

The cost proposal must be submitted in a separate, sealed envelope. The details of what is involved in each of the cost criteria below are contained in Section III.C of the solicitation document.

Criteria	Cost
Cost for development of a Conceptual Remediation Plan (CRP). The development of a CRP does not require professional engineering services.	
Cost for development of a Final Remediation Plan, except for professional engineering services.	
Cost for implementation of the remediation strategy, including installation of the proposed remediation system, if appropriate, all required environmental and other permits, and related hydrogeological services, except for professional engineering services	
Cost for four quarters of remediation system(s) operation and maintenance, except for professional engineering services. Do not include cost for utilities.	
Cost for baseline and 3 quarters of groundwater monitoring for 17 monitor wells, EPA Methods 8260B and 504.1 only, no duplicates or blanks. Assume depth to water is 80 feet below ground surface. Include cost of laboratory analysis and reports that include historic summary tables for depth to water/elevation, laboratory analytical results, and maps of each contaminant and a potentiometric surface map.	
Grand Total Cost of All Four of the Above Criteria	
Cost of major remediation equipment	_

***All costs provided must be exclusive of the cost of any professional engineering services and New Mexico

Gross Receipts Tax***