



APPENDIX A

Drinking Water Laboratory Certification Program Application

This application packet must be filled out completely to be considered for drinking water laboratory certification in New Mexico (NM). When completing the application do **NOT** change the format of the application, or insert any other documents, or it will be rejected.

Renewal applications must be submitted **at least** 90 days prior to certification expiration. **NOTE:** We will no longer be sending out reminders to submit your laboratory's renewal application.

All information requested within this application must be submitted **each time** a new application is submitted. Do not put "previously submitted" or "on file." If information required is enclosed within another document submitted, please state where it may be found.

Failure to meet the requirements to maintain certification may constitute grounds for downgrading or revoking certification. To re-establish certification, a new application packet should be filled out and submitted, along with all appropriate supporting documentation.

The Drinking Water Laboratory Certification Program (DWLCP) accepts national drinking water certification from A2LA, EPA, and TNI to process New Mexico reciprocity certifications. Reciprocity certifications are only established for the duration of the American Association for Laboratory Accreditation (A2LA), Environmental Protection Agency (EPA) or The NELAC Institute (TNI) accreditation.

If the DWLCP is your primary accrediting body for microbiological analyses, you must schedule your on-site audit with Erica Swanson at SLD when submitting your application; (505) 383-9120 Erica.Swanson@state.nm.us This should be scheduled well in advance for the on-site audit to occur **before** your certification expires. After you have requested an on-site audit from SLD you must notify the DWB Quality Assurance Coordinator and let them know the date it is scheduled for. Microbiological laboratory certifications may be good for up to three (3) years if successful PT studies results are reported annually and all other requirements for maintaining certification are met.

Electronic submission of applications is required. Completed electronic applications and any questions must be submitted to: NMENV-DWBlabcert@state.nm.us

The following are requirements by Drinking Water Laboratory Certification Program (DWLCP) to receive certification:

1. The DWLCP only certifies laboratories for analytes and methods that are identified as acceptable for meeting compliance under Safe Drinking Water Act (SDWA), state regulations NMAC 20.7.10 and federal regulations 40 CFR 141-143.
2. Laboratories must agree to accepting a Drinking Water Bureau (DWB) issued Chain of Custody (COC) or ensure their COC is approved by the DWLCP and contains the necessary information required by SDWA regulations to successfully upload information into the DWB database of record at the time of upload.
3. Laboratories must maintain capabilities or credentials necessary to provide data uploads as required by DWB. Failure to maintain upload capabilities may be grounds for downgrading or revoking certification.

PART ONE: Laboratory Identification

Date application submitted: _____

Type of Application:

- New Renewal Reciprocity Amendment

Legal Name of Laboratory:

Laboratory ID#: _____ Phone: _____ Email: _____

Mailing address:

Physical address (if different than mailing address):

Billing address (if different than mailing address):

Owner of laboratory: _____ Phone: _____

Laboratory Type (choose all that apply):

- Public Water System Public Wastewater System Commercial Other: _____

Primary Accrediting Authority: _____ Expiration Date: _____

Date of last onsite audit: _____

Secondary Accrediting Authority: _____ Expiration Date: _____

Date of last onsite audit: _____

Note: Access to all information collected or generated by the DWLCP is regulated by the Inspection of Public Records Act (NMSA 1978 Section 14-2-1 et seq. NMED Policy 05-02). Except under special circumstances, records must be made available to the public upon written request. No notification to the applicant laboratory will be made if records relating to it are requested.

PART TWO: Personnel Qualifications

Key personnel (Laboratory Director, QA Officer, and all Laboratory Supervisors) must submit a copy of their resumes with the enclosed signed certification statement. Attach additional information pertinent to your education, training, employment, etc.

Laboratory and Laboratory Supervisor Certification

I/We the undersigned certify that personnel listed in the technical personnel list have the appropriate educational and/or technical background to perform all tests for which the laboratory is seeking accreditation. (EPA 815-R-05-004; January 2005)

_____ Laboratory Director (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ QA Officer/Manager (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ Laboratory Supervisor (Organics) (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ Laboratory Supervisor (Inorganics) (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ Laboratory Supervisor (Microbiological) (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ Laboratory Supervisor (Radiological) (print name)	_____ Phone Number
_____ Signature and Date	_____ Email
_____ Laboratory Supervisor (Asbestos) (print name)	_____ Phone Number
_____ Signature and Date	_____ Email

group. For reciprocity certifications methods and analytes must match scope of the primary certificate. All combinations of methods and analytes must have a passing PT test each. All methods must have a written SOP.

Indicate method(s) for which the laboratory is seeking certification. For methods with more than one version please specify the version. The method/version must match the method/version used for PT study results.

SDWIS CODE - Drinking Water Analytes	METHOD(S) TO BE NM CERTIFIED
INORGANICS	
Heavy Metals Group (HM)	
1074 - ANTIMONY	
1005 - ARSENIC	
1010 - BARIUM	
1075 - BERYLLIUM	
1015 - CADMIUM	
1020 - CHROMIUM	
1035 - MERCURY	
1036 - NICKEL	
1045 - SELENIUM	
1052 - SODIUM	
1085 - THALLIUM	
Lead and Copper Group (Pb/Cu)	
1030 - LEAD	
1022 - COPPER	
Secondary Parameters (SEC)	
1002 - ALUMINUM	
1017 - CHLORIDE	
1905 - COLOR	
2905 - FOAMING AGENTS	
1028 - IRON	
1032 - MANGANESE	
1920 - ODOR	
1050 - SILVER	
1055 - SULFATE	
1930 - TOTAL DISSOLVED SOLIDS (TDS)	
1095 - ZINC	
Individual Analytes/Parameters	
1094 - ASBESTOS	
1004 - BROMIDE	
1024 - CYANIDE	
1025 - FLUORIDE	
1915 - HARDNESS, TOTAL	

1031 - MAGNESIUM	
1040 - NITRATE	
1041 - NITRITE	
1038 - NITRATE + NITRITE	
1042 - POTASSIUM	
ORGANICS	
Volatile Organic Compounds Group (VOC)	
2981 - 1,1,1-TRICHLOROETHANE	
2985 - 1,1,2-TRICHLOROETHANE	
2977 - 1,1-DICHLOROETHYLENE	
2378 - 1,2,4-TRICHLOROBENZENE	
2968 - 1,2-DICHLOROBENZENE	
2969 - 1,4-DICHLOROBENZENE	
2980 - 1,2-DICHLOROETHANE	
2380 - CIS-1,2-DICHLOROETHENE	
2979 - TRANS-1,2-DICHLOROETHENE	
2983 - 1,2-DICHLOROPROPANE	
2990 - BENZENE	
2982 - CARBON TETRACHLORIDE	
2989 - CHLOROBENZENE	
2964 - DICHLOROMETHANE (DCM or METHYLENE CHLORIDE)	
2992 - ETHYLBENZENE	
2996 - STYRENE	
2987 - TETRACHLOROETHYLENE (PCE)	
2991 - TOLUENE	
2984 - TRICHLOROETHYLENE (TCE)	
2976 - VINYL CHLORIDE	
2955 - XYLENES, TOTAL	
Synthetic Organic Compounds Group (RSOC)	
2110 - 2,4,5-TP (SILVEX)	
2105 - 2,4-D	
2050 - ATRAZINE	
2306 - BENZO(A)PYRENE	
2010 - LINDANE (BHC-GAMMA)	
2046 - CARBOFURAN	
2959 - CHLORDANE	
2031 - DALAPON	
2035 - DI(2-ETHYLHEXYL) ADIPATE	
2039 - DI(2-ETHYLHEXYL) PHTHALATE	
2931 - DIBROMOCHLOROPROPANE	
2041 - DINOSEB	

2032 - DIQUAT	
2033 - ENDOTHALL	
2005 - ENDRIN	
2946 - ETHYLENE DIBROMIDE (EDB or 1,2-DIBROMOETHANE)	
2034 - GLYPHOSATE	
2065 - HEPTACHLOR	
2067 - HEPTACHLOR EPOXIDE	
2274 - HEXACHLOROBENZENE	
2042 - HEXACHLOROYCLOPENTADIENE	
2051 - LASSO (ALACHLOR)	
2015 - METHOXYCHLOR	
2036 - OXAMYL (VYDATE)	
2326 - PENTACHLOROPHENOL	
2040 - PICLORAM	
2037 - SIMAZINE	
2383 - PCBs (as AROCLORS)	
2020 - TOXAPHENE	
Disinfectant Byproducts Group (DBP2)	
Total Trihalomethanes (TTHM)	
2943 - BROMODICHLOROMETHANE	
2942 - BROMOFORM	
2941 - CHLOROFORM	
2944 - DIBROMOCHLOROMETHANE	
2950 - TOTAL TRIHALOMETHANES	
Total Haloacetic Acids (HAA5)	
2453 - MONOBROMOACETIC ACID	
2454 - DIBROMOACETIC ACID	
2451 - DICHLOROACETIC ACID	
2452 - TRICHLOROACETIC ACID	
2450 - MONOCHLOROACETIC ACID	
2456 - TOTAL HAA5	
Per- and Polyfluoroalkyl Substances (PFAS) Groups	
11-CHLOROEICOSAFLUORO-3-OXAUNDECANE-1-SULFONIC ACID (11CI-PF3OUdS) **	
9-CHLOROHEXADECAFLUORO-3-OXANONANE-1-SULFONIC ACID (9CI-PF3ONS) **	
4,8-DIOXA-3H-PERFLUORONONANOIC ACID (ADONA) **	
HEXAFLUOROPROPYLENE OXIDE DIMER ACID (HFPO-DA) **	
PERFLUOROBUTANESULFONIC ACID (PFBS) **	
PERFLUORODECANOIC ACID (PFDA) **	

PERFLUORODODECANOIC ACID (PFDoA) **	
PERFLUROHEPTANOIC ACID (PFHpA) **	
PERFLUROHEXANOIC ACID (PFHxA) **	
PERFLUROHEXANESULFONIC ACID (PFHxS) **	
PERFLURONONANOIC ACID (PFNA) **	
PERFLUROOCTANOIC ACID (PFOA) **	
PERFLUROOCTANESULFONIC ACID (PFOS) **	
PERFLUROUNDECANOIC ACID (PFUnA or PFUnDA) **	
1H,1H, 2H, 2H-PERFLUROHEXANE SULFONIC ACID (4:2FTS) *	
1H,1H, 2H, 2H-PERFLUROOCTANE SULFONIC ACID (6:2FTS) *	
1H,1H, 2H, 2H-PERFLURODECANE SULFONIC ACID (8:2FTS) *	
NONAFLURO-3,6-DIOXAHEPTANOIC ACID (NFDHA) *	
PERFLUROBUTANOIC ACID (PFBA) *	
PERFLURO(2-ETHOXYETHANE) SULFONIC ACID (PFEESA) *	
PERFLUROHEPTANESULFONIC ACID (PFHpS) *	
PERFLURO-4-METHOXYBUTANOIC ACID (PFMBA) *	
PERFLURO-3-METHOXYPROPANOIC ACID (PFMPA) *	
PERFLUROPENTANOIC ACID (PFPeA) *	
PERFLUROPENTANESULFONIC ACID (PFPeS) *	
N-ETHYL PERFLUROOCTANESULFONAMIDOACETIC ACID (NEtFOSAA) *	
N-METHYL PERFLUROOCTANESULFONAMIDOACETIC ACID (NMeFOSAA) *	
PERFLUROROTRADECANOIC ACID (PFTA or PFTeA) *	
PERFLURORTRIDECANOIC ACID (PFTrDA) *	
*Group for Method 533, *Group for Method 537.1 Lab can request both methods. Must request entire group for chosen method(s).	
Individual Parameters	
1011 - BROMATE	
1008 - CHLORINE DIOXIDE	
1006 - CHLORAMINE	
2063 - 2,3,7,8 -TCDD (DIOXIN)	
2919 - DISSOLVED ORGANIC CARBON (DOC)	
2920 - TOTAL ORGANIC CARBON (TOC)	
2923 - SPECIFIC UV ABS (SUVA)	

RADIOLOGICAL	
Radiological Group (NRAD)	
4002 - GROSS ALPHA, INCL. RADON & U	
4100 - GROSS BETA PARTICLE ACTIVITY	
4020 - RADIUM-226	
4030 - RADIUM-228	
4006 - COMBINED URANIUM (U-MASS)	
Individual Radiological Parameters	
4172 - STRONTIUM-89	
4174 - STRONTIUM-90	
4102 - TRITIUM	
MICROBIOLOGICAL	
3100 - TOTAL COLIFORM	
3014 - E. COLI	
3015 - CRYPTOSPORIDIUM	
3008 - GIARDIA	
TC/EC ENUMERATION	

PART FOUR: Quality Assurance Documentation

A laboratory must submit copies of the following items for review:

1. Current copy of laboratory Quality Assurance Manual/Quality Assurance Plan (QAM/QAP).
2. Current copies of laboratory quality systems documentation - including any administrative standard operating procedures (SOPs) referenced in the QAM/QAP.
3. Current copies of analytical SOPs for each requested method.
4. Current copies of Chain of Custody SOP, Sample Receipt SOP, and Subcontractor SOP.
5. Reciprocity certifications must also submit a copy of their EPA/TNI/A2LA certificate, scope of accreditation, last on-site audit, corrective action response, and audit closure letter.
6. Last two sets of PT study results for each analyte and method for which certification is being requested. Laboratories currently certified by DWLCP and requesting an amendment to their scope of accreditation must submit 2 successful sets of PT sample results for the new analytes and methods to be added to their scope.

NOTE: All chemical and microbiological laboratories must submit their QAM/QAP, SOPs, and PT results to the DWLCP annually at NMENV-DWBlabcert@state.nm.us. The PT study results must be submitted even if your PT provider is already sending results directly to the DWLCP as they become available.

Laboratory Supervisor (Micro) (print name) Signature Date

Laboratory Supervisor (Rad) (print name) Signature Date

Laboratory Supervisor (Asbestos) (print name) Signature Date

PART EIGHT: Data Reporting Capabilities

It is required that analytical data be uploaded to the DWB's database, which is currently SDWIS, so that compliance data may be shared quickly and accurately, internally, and externally. The DWLCP requires that all laboratories certified in NM demonstrate this ability by creating and uploading a test data set to SDWIS for each analyte which certification is requested prior to certification approval. Laboratories are required to maintain this data upload capability with SDWIS or current database of record at time of upload.

Failure to maintain upload capabilities may be grounds for downgrading or revoking certification.

Laboratory has successfully demonstrated capability to upload to SDWIS.

DATE: _____

Laboratory needs information on data packaging format to upload to SDWIS.