



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
406	DPC Industries, Inc. Joy Montanio Environmental Affairs Manager DPC Industries, Inc. P. O. Box 24600 Houston, TX 77229-4600	Albuquerque	Bernalillo	DPC Industries, Inc., Joy Montanio, Environmental Affairs Manager, is renewing Discharge Permit DP-406. Until December 1, 2005, industrial wastewater was discharged to a synthetically lined impoundment for disposal by evaporation. The evaporation impoundment was closed on July 27, 2006 and there is currently no discharge from the facility. Data collected from on-site monitoring wells document groundwater contamination attributed to one or more sources at this facility. Groundwater quality standards for chlorides and total dissolved solids have been exceeded according to the criteria of Sections 20.6.2.3101 and 20.6.2.3103 NMAC. This Discharge Permit contains requirements, actions, and/or contingencies intended to control the source(s) of documented groundwater contamination. The facility is located at 3501 2 nd Street SW, in Section 6, Township 9N, Range 3E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 15 feet and has a total dissolved solids concentration of approximately 1,480 milligrams per liter.	Steven Huddleson steven.huddleson@state.nm.us
1803	Select Milk Producers, Inc. Rance Miles, COO/CFO Select Milk Producers, Inc. 320 W. Hermosa Artesia, NM 88210	Dexter	Chaves	DP-1803, Select Milk Producers, Inc., Rance Miles, COO/CFO, proposes to discharge up to 300,000 gallons per day (gpd) of wastewater generated by a milk processing facility, which is discharged to a concrete sump and is then pumped to a synthetically lined impoundment for storage prior to being applied by center pivot to up to 240 acres of irrigated cropland under cultivation. Solids generated by milk processing are stored at the facility prior to being mixed with wastewater from Par 5 Dairy and applied	Gary Westerfield gary.westerfield@state.nm.us



				<p>to the land application area or are transported and disposed of off-site in accordance with all local, state, and federal regulations. Wastewater discharge from this facility was formerly managed in accordance with Discharge Permit, DP-1131, along with dairy wastewater discharge from Par 5 Dairy. However, the wastewater discharge from Select Milk Producers, Inc. has been modified. The modification consists of increasing the maximum daily discharge volume from 250,000 to 300,000 gpd.</p> <p>Potential contaminants associated with this type of discharge include nitrogen compounds, chloride, SO₄, and total dissolved solids. The facility is located at 6843 Old Chisum Trail, approximately four miles northwest of Dexter, in Sections 26 and 35, Township 12 South, Range 25 East, Chaves County. Ground water beneath the site is at a depth of approximately 46 feet and has a total dissolved solids concentration of approximately 1,150 milligrams per liter.</p>	
423	<p>Biad Chili LTD. Co.</p> <p>Don Biad, Owner Biad Chili LTD Co. 2240-A Pepper Rd. Las Cruces, NM 88007</p>	Leasburg	Doña Ana	<p>Biad Chili LTD. Co., Don Biad, Owner, proposes to renew the Discharge Permit for the discharge of up to 130,000 gallons per day of chili processing wastewater and equipment wash water. Wastewater is routed by a concrete gutter system to a primary concrete containment basin, pumped through a solids separator, and is discharged to a secondary concrete containment basin. Wastewater is then pumped to a concrete ditch system and discharge to a minimum of 33 acres or a maximum of 118.54 acres for surface disposal. The surface disposal area is comprised of 57.34 acres of fallow fields divided into 6 tracts at the facility and 61.2 acres of pecan grove divided into 5 tracts owned by Thomas Chavez. The discharge will occur for 5 months each year (approximately August through December). The fallow fields are later planted with crops. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 8927 N. Hwy 185, approximately 1 mile south of Leasburg, in Section 31, Township 21S, Range 01E,</p>	<p>Betsy Summers betsy.summers@state.nm.us</p>



				Doña Ana County. Ground water beneath the site is at a depth of approximately 12 feet and has a total dissolved solids concentration of approximately 400 milligrams per liter.	
1817	<p>Waste Control Specialists, LLC (WCS)</p> <p>Elicia Sanchez, Sr. Vice President, Chief Financial Officer and General Manager Waste Control Specialists, LLC P.O. Box 1129 Andrews, TX 79714</p>	Eunice	Lea	Waste Control Specialists, LLC (WCS), Elicia Sanchez, Sr. Vice President, Chief Financial Officer and General Manager, proposes to discharge up to 170,500,000 gallons per day of storm water and industrial wastewater from the WCS site to New Mexico via monitored outfalls regulated by Texas Pollutant Discharge Elimination System (TPDES) permits. Potential contaminants associated with this type of discharge include nitrogen compounds, metals, radionuclides and organic compounds. The facility is located at 9998 West State HWY 176, approximately 6 miles east of Eunice, NM. WCS soil stockpiles and areas receiving discharges from TPDES permit outfalls are located in Sections 28 and 33, Township 21 South, Range 38 East, Lea County. Groundwater beneath the site is at a depth of approximately 19 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.	Sara Arthur sara.arthur@state.nm.us
855	<p>Village of Capitan Wastewater Treatment Facility</p> <p>The Honorable Dennis Haskell, Mayor, Village of Capitan P.O. Box 1380 Capitan, NM 88316</p>	Capitan	Lincoln	Village of Capitan Wastewater Treatment Facility, The Honorable Dennis Haskell, Mayor, proposes to renew and modify the Discharge Permit for the discharge of up to 49,000 gallons per day (gpd) of domestic wastewater received and treated using synthetically-lined aerated and facultative impoundments, bio-towers (currently-off-line), aerated reactor, settling basins and synthetically-lined free water surface constructed wetlands. Treated wastewater is discharged to an unlined evaporation/percolation impoundment system for final disposal. The modification consists of an increase in the maximum daily discharge volume from 37,500 to 49,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 400 Second Street, Capitan, in Section 10, Township 9S,	Alan Garrido alan.garrido@state.nm.us



				Range 14E, Lincoln County. Ground water beneath the site is at a depth of approximately 13.6 feet and has a total dissolved solids concentration of approximately 1,480 milligrams per liter.	
232	<p>Town of Taos Wastewater Treatment Facility (WWTF)</p> <p>Francis Espinoza, Director of Public Works Town of Taos 400 Camino de la Placita Taos, NM 87571</p>	Ranchos de Taos	Taos	<p>Town of Taos Wastewater Treatment Facility (WWTF), Francis Espinoza, Director of Public Works, proposes to renew and modify the Discharge Permit for the discharge of up to 2.46 million gallons per day (MGD) of treated domestic wastewater. Treated wastewater is authorized to be discharged to an arroyo that flows into the Rio Pueblo de Taos pursuant to NPDES permit No. NM0024066 and this Discharge Permit. Reclaimed wastewater is authorized to be discharged at the WWTF for wash down and irrigation purposes, transferred to other entities operating under separate Discharge Permits issued by NMED and for temporary uses such as dust control and construction purposes. The modification consists of an increase in the maximum daily discharge volume from a design average 2.0 MGD to a peak flow of 2.46 MGD with no change in the WWTF's operation or capacity. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 182 Los Cordovas Road, Ranchos de Taos, approximately 6 miles southwest of Taos, in Sections 27, Township 25N, Range 12E, Taos County. Ground water beneath the site is at a depth of approximately 16-56 feet and has a total dissolved solids concentration of approximately 550 milligrams per liter.</p>	<p>Russell Isaac russell.isaac@state.nm.us</p>

Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>